

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
<b>Total</b> .....		1,183,500	472,740	94,110	115,210	101,260	17,440	7,490	7,990
<b>Head</b> .....	0	82,420	340	3,230	13,720	11,340	1,860	4,590	—
Head, unspecified .....	00	17,250	170	110	3,600	5,720	20	—	—
Cranial region, including skull .....	01	9,940	40	390	1,670	970	—	—	—
Cranial region, unspecified .....	010	170	—	—	40	70	—	—	—
Brain .....	011	6,300	—	—	—	40	—	—	—
Scalp .....	012	2,610	—	—	1,600	610	—	—	—
Skull .....	013	690	—	390	—	210	—	—	—
Multiple cranial region locations .....	018	80	—	—	—	30	—	—	—
Cranial region, n.e.c. ....	019	90	—	—	20	20	—	—	—
Ear(s) .....	02	1,890	—	—	560	20	310	—	—
Face .....	03	52,060	140	2,710	7,730	4,090	1,470	4,570	—
Face, unspecified .....	030	3,810	—	160	990	770	790	130	—
Forehead .....	031	2,930	20	—	1,710	720	—	—	—
Eye(s) .....	032	35,970	100	—	2,560	1,470	430	4,320	—
Nose, nasal cavity .....	033	2,310	—	890	480	350	—	—	—
Nose, except internal location of diseases or disorders .....	0330	2,240	—	890	480	350	—	—	—
Internal nasal location, unspecified .....	0331	40	—	—	—	—	—	—	—
Multiple internal nasal locations .....	0338	20	—	—	—	—	—	—	—
Cheek(s) .....	034	810	—	110	300	130	—	—	—
Jaw/chin .....	035	790	—	180	180	210	—	—	—
Mouth .....	036	2,940	—	1,110	890	80	—	—	—
Mouth, unspecified .....	0360	410	—	30	130	50	—	—	—
Lip(s) .....	0361	1,030	—	—	690	20	—	—	—
Tongue .....	0362	20	—	—	20	—	—	—	—
Tooth(teeth) .....	0363	1,210	—	1,040	—	—	—	—	—
Multiple mouth locations .....	0368	190	—	—	20	—	—	—	—
Mouth, n.e.c. ....	0369	70	—	40	20	—	—	—	—
Multiple face locations .....	038	2,170	—	170	530	300	210	100	—
Face, n.e.c. ....	039	330	—	70	90	70	—	—	—
Multiple head locations .....	08	1,120	—	20	130	510	30	—	—
Head, n.e.c. ....	09	170	—	—	30	20	—	—	—
<b>Neck, including throat</b> .....	1	17,840	12,170	480	110	500	290	60	—
Neck, except internal location of diseases or disorders .....	10	17,660	12,170	480	110	500	290	60	—
Internal neck location, unspecified .....	11	120	—	—	—	—	—	—	—
Vocal cord(s) .....	12	20	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	401,900	267,350	11,540	1,550	18,700	800	150	—
Trunk, unspecified .....	20	2,260	810	50	270	350	30	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Nature of injury or illness <sup>4</sup>							All other natures <sup>5</sup>
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
<b>Total</b> .....	13,010	4,750	45,890	10,600	18,020	105,050	35,330	198,550
<b>Head</b> .....	—	—	2,430	460	60	4,620	—	40,280
Head, unspecified .....	—	—	490	—	20	2,070	—	5,070
Cranial region, including skull .....	—	—	160	—	—	150	—	6,550
Cranial region, unspecified .....	—	—	—	—	—	20	—	30
Brain .....	—	—	—	—	—	—	—	6,260
Scalp .....	—	—	120	—	—	80	—	160
Skull .....	—	—	—	—	—	40	—	40
Multiple cranial region locations .....	—	—	20	—	—	—	—	30
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	40
Ear(s) .....	—	—	—	—	—	130	—	850
Face .....	—	—	1,580	430	20	2,180	—	27,580
Face, unspecified .....	—	—	150	30	—	140	—	670
Forehead .....	—	—	140	20	—	110	—	200
Eye(s) .....	—	—	400	—	—	1,350	—	25,330
Nose, nasal cavity .....	—	—	50	30	—	200	—	340
Nose, except internal location of diseases or disorders .....	—	—	50	30	—	200	—	280
Internal nasal location, unspecified .....	—	—	—	—	—	—	—	40
Multiple internal nasal locations .....	—	—	—	—	—	—	—	20
Cheek(s) .....	—	—	160	—	—	—	—	70
Jaw/chin .....	—	—	50	30	—	70	—	90
Mouth .....	—	—	130	50	—	190	—	550
Mouth, unspecified .....	—	—	60	—	—	30	—	100
Lip(s) .....	—	—	—	—	—	20	—	300
Tongue .....	—	—	—	—	—	—	—	—
Tooth(teeth) .....	—	—	—	—	—	130	—	50
Multiple mouth locations .....	—	—	50	50	—	—	—	100
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	500	260	—	80	—	280
Face, n.e.c. ....	—	—	—	—	—	20	—	60
Multiple head locations .....	—	—	190	30	—	20	—	210
Head, n.e.c. ....	—	—	—	—	—	80	—	20
<b>Neck, including throat</b> .....	—	—	90	—	70	2,100	—	2,040
Neck, except internal location of diseases or disorders .....	—	—	90	—	70	2,100	—	1,860
Internal neck location, unspecified .....	—	—	—	—	—	—	—	120
Vocal cord(s) .....	—	—	—	—	—	—	—	20
<b>Trunk</b> .....	—	940	4,000	640	2,540	51,320	35,320	45,550
Trunk, unspecified .....	—	—	40	30	—	250	—	450

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Shoulder, including clavicle, scapula .....	21	75,810	51,500	2,420	80	3,320	120	—	—
Chest, including ribs, internal organs .....	22	18,170	3,420	3,630	120	4,380	360	—	—
Chest, except internal location of diseases or disorders .....	220	16,260	3,420	3,630	120	4,380	360	—	—
Internal chest location, unspecified .....	221	190	—	—	—	—	—	—	—
Heart .....	223	430	—	—	—	—	—	—	—
Bronchus .....	224	140	—	—	—	—	—	—	—
Lung(s), pleura .....	225	1,150	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	250,870	193,890	2,370	400	5,930	180	30	—
Back, including spine, spinal cord, unspecified .....	230	105,380	78,460	910	300	2,390	160	—	—
Lumbar region .....	231	122,830	99,920	510	60	1,990	20	—	—
Thoracic region .....	232	9,940	7,570	260	20	700	—	—	—
Sacral region .....	233	1,190	810	70	—	80	—	—	—
Coccygeal region .....	234	1,390	130	300	—	550	—	—	—
Multiple back regions .....	238	9,030	6,480	110	—	200	—	—	—
Back, including spine, spinal cord, n.e.c. ....	239	1,110	530	210	—	20	—	—	—
Abdomen .....	24	27,040	3,920	30	330	1,140	30	60	—
Abdomen, except internal location of diseases or disorders .....	240	7,820	3,920	30	330	1,140	30	60	—
Internal abdominal location, unspecified .....	241	8,360	—	—	—	—	—	—	—
Stomach organ .....	242	700	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—
Kidney(s) .....	2442	20	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	9,990	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	2450	9,330	—	—	—	—	—	—	—
Peritoneum .....	2451	450	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	2453	160	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	30	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	60	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	80	—	—	—	—	—	—	—
Pelvic region .....	25	20,630	10,130	2,840	320	2,840	20	30	—
Pelvic region, unspecified .....	250	220	90	40	—	30	—	—	—
Hip(s) .....	251	7,680	2,380	1,880	20	1,770	—	—	—
Pelvis .....	252	1,200	160	880	—	70	—	—	—
Buttock(s) .....	253	1,940	690	—	120	570	—	—	—
Groin .....	254	8,760	6,660	—	30	160	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Nature of injury or illness <sup>4</sup>							All other natures <sup>5</sup>
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Shoulder, including clavicle, scapula .....	—	930	590	60	460	9,530	—	7,300
Chest, including ribs, internal organs .....	—	—	650	390	80	1,900	—	3,700
Chest, except internal location of diseases or disorders .....	—	—	650	390	80	1,900	—	1,780
Internal chest location, unspecified .....	—	—	—	—	—	—	—	190
Heart .....	—	—	—	—	—	—	—	430
Bronchus .....	—	—	—	—	—	—	—	140
Lung(s), pleura .....	—	—	—	—	—	—	—	1,150
Back, including spine, spinal cord .....	—	—	1,940	20	1,620	35,320	35,320	10,800
Back, including spine, spinal cord, unspecified .....	—	—	550	—	450	17,350	17,350	5,230
Lumbar region .....	—	—	810	—	630	15,360	15,360	4,160
Thoracic region .....	—	—	40	—	30	920	920	430
Sacral region .....	—	—	—	—	—	170	170	40
Coccygeal region .....	—	—	30	—	20	170	170	210
Multiple back regions .....	—	—	520	—	480	1,190	1,190	520
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	140	140	220
Abdomen .....	—	—	20	—	—	1,420	—	20,090
Abdomen, except internal location of diseases or disorders .....	—	—	20	—	—	1,420	—	860
Internal abdominal location, unspecified .....	—	—	—	—	—	—	—	8,360
Stomach organ .....	—	—	—	—	—	—	—	700
Urinary organs .....	—	—	—	—	—	—	—	20
Kidney(s) .....	—	—	—	—	—	—	—	20
Intestines, peritoneum .....	—	—	—	—	—	—	—	9,990
Intestines, peritoneum, unspecified .....	—	—	—	—	—	—	—	9,330
Peritoneum .....	—	—	—	—	—	—	—	450
Large intestine/colon, rectum .....	—	—	—	—	—	—	—	160
Intestines, n.e.c. ....	—	—	—	—	—	—	—	30
Multiple internal abdominal locations .....	—	—	—	—	—	—	—	60
Internal abdominal location, n.e.c. ....	—	—	—	—	—	—	—	80
Pelvic region .....	—	—	130	—	70	2,380	—	1,940
Pelvic region, unspecified .....	—	—	—	—	—	—	—	50
Hip(s) .....	—	—	60	—	30	970	—	580
Pelvis .....	—	—	—	—	—	—	—	80
Buttock(s) .....	—	—	—	—	—	290	—	240
Groin .....	—	—	30	—	—	960	—	900

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
External reproductive tract structures .....	255	560	60	—	150	190	—	—	—
External reproductive tract structures, unspecified .....	2550	80	40	—	—	—	—	—	—
Scrotum .....	2551	370	20	—	80	170	—	—	—
Penis .....	2552	90	—	—	70	—	—	—	—
Multiple pelvic region locations .....	258	150	40	20	—	30	—	—	—
Pelvic region, n.e.c. ....	259	130	60	20	—	—	—	—	—
Multiple trunk locations .....	28	7,010	3,650	180	20	720	60	—	—
Trunk, n.e.c. ....	29	110	—	20	—	30	—	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>274,180</b>	<b>42,350</b>	<b>36,320</b>	<b>83,090</b>	<b>19,400</b>	<b>8,130</b>	<b>910</b>	<b>7,680</b>
Upper extremities, unspecified .....	30	740	160	360	40	20	80	—	—
Arm(s) .....	31	54,860	15,480	9,570	6,630	6,030	2,580	180	70
Arm(s), unspecified .....	310	18,510	5,510	3,810	2,080	1,410	1,020	110	30
Upper arm(s) .....	311	4,310	2,270	630	230	240	270	—	—
Elbow(s) .....	312	18,020	4,890	3,040	730	3,070	120	—	—
Forearm(s) .....	313	10,860	1,670	1,780	3,440	930	1,020	50	30
Multiple arm(s) locations .....	318	2,510	850	250	30	360	100	—	—
Arm(s), n.e.c. ....	319	650	300	70	120	20	50	—	—
Wrist(s) .....	32	48,810	15,280	8,520	2,180	1,490	490	—	—
Hand(s), except finger(s) .....	33	49,480	3,410	4,450	19,520	5,620	3,430	500	40
Finger(s), fingernail(s) .....	34	106,050	4,770	12,620	52,940	5,280	670	90	7,540
Multiple upper extremities locations ...	38	14,160	3,200	800	1,770	950	890	130	—
Multiple upper extremities locations, unspecified .....	380	240	90	20	—	—	—	—	—
Hand(s) and finger(s) .....	381	4,620	320	240	1,230	350	320	90	—
Hand(s) and wrist(s) .....	382	3,370	1,050	190	240	210	250	—	—
Hand(s) and arm(s) .....	383	1,550	260	60	120	90	190	30	—
Multiple upper extremities locations, n.e.c. ....	389	4,370	1,490	270	180	280	120	—	—
Upper extremities, n.e.c. ....	39	80	40	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>262,180</b>	<b>115,390</b>	<b>39,450</b>	<b>15,060</b>	<b>36,280</b>	<b>3,830</b>	<b>760</b>	<b>310</b>
Lower extremities, unspecified .....	40	200	50	40	—	40	—	—	—
Leg(s) .....	41	134,550	63,060	9,510	8,530	21,160	1,570	180	90
Leg(s), unspecified .....	410	18,270	3,040	3,210	2,520	3,690	1,120	100	50
Thigh(s) .....	411	5,820	1,500	480	1,760	1,210	100	—	—
Knee(s) .....	412	95,520	54,910	3,240	2,460	13,150	50	40	—
Lower leg(s) .....	413	10,660	2,480	2,090	1,680	2,200	190	30	20
Multiple leg(s) locations .....	418	3,440	910	310	40	820	100	—	—
Leg(s), n.e.c. ....	419	850	220	180	70	90	—	—	20
Ankle(s) .....	42	61,770	42,510	10,180	950	2,140	260	60	—
Foot(feet), except toe(s) .....	43	43,840	6,760	12,550	4,460	9,180	1,610	430	20

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Nature of injury or illness <sup>4</sup>							All other natures <sup>5</sup>
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
External reproductive tract structures .....	-	-	-	-	-	100	-	50
External reproductive tract structures, unspecified .....	-	-	-	-	-	30	-	-
Scrotum .....	-	-	-	-	-	70	-	30
Penis .....	-	-	-	-	-	-	-	-
Multiple pelvic region locations .....	-	-	-	-	-	30	-	-
Pelvic region, n.e.c. ....	-	-	-	-	-	-	-	30
Multiple trunk locations .....	-	-	630	120	310	480	-	1,250
Trunk, n.e.c. ....	-	-	-	-	-	30	-	20
<b>Upper extremities</b> .....	<b>13,010</b>	<b>3,350</b>	<b>6,760</b>	<b>3,010</b>	<b>1,330</b>	<b>14,260</b>	<b>-</b>	<b>38,920</b>
Upper extremities, unspecified .....	-	-	-	-	-	-	-	50
Arm(s) .....	-	1,100	900	210	230	4,610	-	7,700
Arm(s), unspecified .....	-	190	380	70	90	1,520	-	2,460
Upper arm(s) .....	-	70	-	-	-	240	-	340
Elbow(s) .....	-	660	280	70	80	2,200	-	3,030
Forearm(s) .....	-	100	120	-	20	330	-	1,380
Multiple arm(s) locations .....	-	80	120	50	30	300	-	420
Arm(s), n.e.c. ....	-	-	-	-	-	-	-	70
Wrist(s) .....	13,010	1,260	500	120	220	3,080	-	2,980
Hand(s), except finger(s) .....	-	380	870	150	290	2,430	-	8,830
Finger(s), fingernail(s) .....	-	220	3,410	2,010	310	2,500	-	16,010
Multiple upper extremities locations ...	-	380	1,080	520	280	1,620	-	3,340
Multiple upper extremities locations, unspecified .....	-	-	70	-	-	-	-	40
Hand(s) and finger(s) .....	-	30	350	220	30	390	-	1,290
Hand(s) and wrist(s) .....	-	210	220	90	100	450	-	550
Hand(s) and arm(s) .....	-	-	130	30	50	210	-	450
Multiple upper extremities locations, n.e.c. ....	-	130	310	130	100	570	-	1,010
Upper extremities, n.e.c. ....	-	-	-	-	-	-	-	-
<b>Lower extremities</b> .....	<b>-</b>	<b>240</b>	<b>6,670</b>	<b>1,260</b>	<b>3,170</b>	<b>19,800</b>	<b>-</b>	<b>24,390</b>
Lower extremities, unspecified .....	-	-	-	-	-	-	-	50
Leg(s) .....	-	100	3,240	330	1,670	12,700	-	14,410
Leg(s), unspecified .....	-	-	450	50	130	1,150	-	2,930
Thigh(s) .....	-	-	60	-	-	190	-	500
Knee(s) .....	-	60	1,890	90	1,210	10,130	-	9,580
Lower leg(s) .....	-	20	310	50	40	580	-	1,070
Multiple leg(s) locations .....	-	-	530	140	280	460	-	250
Leg(s), n.e.c. ....	-	-	-	-	-	180	-	80
Ankle(s) .....	-	50	640	200	320	2,280	-	2,700
Foot(feet), except toe(s) .....	-	70	990	230	310	3,270	-	4,510

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Foot(feet), except toe(s), unspecified .....	430	39,300	6,270	11,160	3,680	8,310	1,550	420	20
Instep(s) .....	431	310	20	180	—	80	—	—	—
Sole .....	432	3,110	310	900	690	540	20	—	—
Sole(s), unspecified .....	4320	420	—	—	350	20	—	—	—
Ball(s) .....	4321	40	—	—	20	20	—	—	—
Arch(es) .....	4322	100	20	30	—	—	—	—	—
Heel(s) .....	4323	2,510	270	870	310	490	—	—	—
Multiple sole(s) locations .....	4328	30	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	4329	20	—	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	380	30	170	—	40	—	—	—
Foot(feet), n.e.c. ....	439	750	130	140	80	200	30	—	—
Toe(s), toenail(s) .....	44	13,610	740	6,340	1,050	2,210	—	—	200
Multiple lower extremities locations ....	48	8,120	2,260	850	60	1,540	370	80	—
Multiple lower extremities locations, unspecified .....	480	180	30	20	—	30	—	—	—
Foot(feet) and leg(s) .....	481	820	180	60	—	190	50	30	—
Foot(feet) and ankle(s) .....	482	2,750	1,160	330	—	380	210	—	—
Foot(feet) and toe(s) .....	483	930	40	160	—	390	80	—	—
Multiple lower extremities locations, n.e.c. ....	489	3,440	860	280	30	540	20	40	—
Lower extremities, n.e.c. ....	49	90	20	—	—	—	—	—	—
<b>Body systems</b> .....	5	18,220	—	—	—	—	—	—	—
<b>Multiple body parts</b> .....	8	115,930	34,190	3,000	1,380	14,470	2,460	980	—
<b>Other body parts</b> .....	9	60	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	60	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	10,780	940	90	300	580	80	30	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2006 — Continued

Part of body	Nature of injury or illness <sup>4</sup>							All other natures <sup>5</sup>
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Foot(foot), except toe(s), unspecified .....	—	60	880	180	260	2,820	—	4,110
Instep(s) .....	—	—	—	—	—	—	—	—
Sole .....	—	—	20	—	—	320	—	310
Sole(s), unspecified .....	—	—	—	—	—	—	—	40
Ball(s) .....	—	—	—	—	—	—	—	—
Arch(es) .....	—	—	—	—	—	20	—	—
Heel(s) .....	—	—	20	—	—	290	—	250
Multiple sole(s) locations .....	—	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	—	—	—	—	—	—	—	—
Multiple foot(foot) locations .....	—	—	80	40	—	40	—	20
Foot(foot), n.e.c. ....	—	—	—	—	—	80	—	60
Toe(s), toenail(s) .....	—	—	440	110	220	930	—	1,690
Multiple lower extremities locations ....	—	—	1,350	390	640	590	—	1,010
Multiple lower extremities locations, unspecified .....	—	—	30	—	20	—	—	60
Foot(foot) and leg(s) .....	—	—	110	20	50	100	—	90
Foot(foot) and ankle(s) .....	—	—	280	120	120	170	—	200
Foot(foot) and toe(s) .....	—	—	80	40	—	30	—	130
Multiple lower extremities locations, n.e.c. ....	—	—	860	210	440	270	—	530
Lower extremities, n.e.c. ....	—	—	—	—	—	40	—	—
<b>Body systems</b> .....	—	—	—	—	—	—	—	18,220
<b>Multiple body parts</b> .....	—	180	25,840	5,220	10,820	12,670	—	20,770
<b>Other body parts</b> .....	—	—	—	—	—	—	—	50
Other body parts, n.e.c. ....	—	—	—	—	—	—	—	40
<b>Nonclassifiable</b> .....	—	40	110	—	40	270	—	8,340

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Nature codes: Sprains, strains = 021; Fractures = 012; Cuts, punctures = 034, 037; Bruises = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other

natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies