

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2006

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Total .....		1,183,500	523,320	94,370	158,760	15,350	3,820	5,190	680	790	381,230
<b>Head</b> .....	0	82,420	35,080	6,230	14,530	1,530	270	400	30	30	24,330
Head, unspecified .....	00	17,250	6,800	1,190	3,160	390	70	50	-	-	5,580
Cranial region, including skull .....	01	9,940	4,360	580	1,450	260	50	40	-	-	3,180
Cranial region, unspecified .....	010	170	50	-	-	-	-	-	-	-	90
Brain .....	011	6,300	3,100	340	780	180	-	40	-	-	1,830
Scalp .....	012	2,610	830	180	570	60	30	-	-	-	930
Skull .....	013	690	330	30	60	-	-	-	-	-	270
Multiple cranial region locations .....	018	80	40	-	-	-	-	-	-	-	20
Cranial region, n.e.c. ....	019	90	-	20	30	-	-	-	-	-	20
Ear(s) .....	02	1,890	610	270	420	-	-	-	-	-	580
Face .....	03	52,060	22,950	4,130	9,300	870	150	300	20	20	14,320
Face, unspecified .....	030	3,810	1,490	260	980	50	-	40	-	-	980
Forehead .....	031	2,930	1,200	290	420	70	30	20	-	-	900
Eye(s) .....	032	35,970	16,190	2,920	6,490	640	80	170	20	-	9,470
Nose, nasal cavity .....	033	2,310	980	140	320	30	-	50	-	-	770
Nose, except internal location of diseases or disorders .....	0330	2,240	940	140	320	30	-	50	-	-	750
Internal nasal location, unspecified .....	0331	40	30	-	-	-	-	-	-	-	-
Multiple internal nasal locations .....	0338	20	-	-	-	-	-	-	-	-	-
Cheek(s) .....	034	810	450	40	110	-	-	-	-	-	180
Jaw/chin .....	035	790	380	50	150	-	-	-	-	-	200
Mouth .....	036	2,940	1,170	270	470	30	-	-	-	-	1,000
Mouth, unspecified .....	0360	410	80	20	140	-	-	-	-	-	160
Lip(s) .....	0361	1,030	540	40	90	-	-	-	-	-	350
Tongue .....	0362	20	20	-	-	-	-	-	-	-	-
Tooth(teeth) .....	0363	1,210	430	200	140	-	-	-	-	-	440
Multiple mouth locations .....	0368	190	40	-	90	-	-	-	-	-	40
Mouth, n.e.c. ....	0369	70	60	-	-	-	-	-	-	-	-
Multiple face locations .....	038	2,170	1,020	140	270	30	-	-	-	-	700
Face, n.e.c. ....	039	330	80	20	100	-	-	-	-	-	130
Multiple head locations .....	08	1,120	300	50	180	-	-	-	-	-	580
Head, n.e.c. ....	09	170	60	-	20	-	-	-	-	-	80
<b>Neck, including throat</b> .....	1	17,840	8,160	1,210	1,670	110	50	40	-	20	6,580
Neck, except internal location of diseases or disorders .....	10	17,660	8,030	1,210	1,670	100	50	40	-	20	6,530
Internal neck location, unspecified .....	11	120	100	-	-	-	-	-	-	-	20
Vocal cord(s) .....	12	20	-	-	-	-	-	-	-	-	-
<b>Trunk</b> .....	2	401,900	182,790	32,030	46,580	4,430	1,350	1,630	140	290	132,680
Trunk, unspecified .....	20	2,260	870	200	490	30	-	-	-	-	660

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Shoulder, including clavicle, scapula .....	21	75,810	35,970	5,920	6,820	870	210	380	—	100	25,530
Chest, including ribs, internal organs .....	22	18,170	8,790	1,530	2,370	170	50	50	—	—	5,200
Chest, except internal location of diseases or disorders .....	220	16,260	7,740	1,360	2,200	140	50	40	—	—	4,710
Internal chest location, unspecified .....	221	190	80	20	20	—	—	—	—	—	60
Heart .....	223	430	290	30	20	—	—	—	—	—	80
Bronchus .....	224	140	70	20	30	—	—	—	—	—	20
Lung(s), pleura .....	225	1,150	590	100	90	30	—	—	—	—	330
Back, including spine, spinal cord .....	23	250,870	110,560	21,100	30,090	2,850	910	970	120	170	84,110
Back, including spine, spinal cord, unspecified .....	230	105,380	49,120	9,160	13,600	1,170	430	440	20	90	31,360
Lumbar region .....	231	122,830	52,220	10,120	13,920	1,160	440	430	100	70	44,380
Thoracic region .....	232	9,940	3,780	930	1,040	130	20	20	—	—	4,010
Sacral region .....	233	1,190	640	50	50	—	—	—	—	—	440
Coccygeal region .....	234	1,390	600	50	170	50	—	40	—	—	480
Multiple back regions .....	238	9,030	3,740	670	1,080	340	—	30	—	—	3,160
Back, including spine, spinal cord, n.e.c. ....	239	1,110	470	130	240	—	—	—	—	—	280
Abdomen .....	24	27,040	13,700	1,190	3,400	120	30	170	—	—	8,410
Abdomen, except internal location of diseases or disorders .....	240	7,820	3,600	530	860	60	20	50	—	—	2,680
Internal abdominal location, unspecified .....	241	8,360	4,370	280	1,230	30	—	30	—	—	2,410
Stomach organ .....	242	700	310	30	70	—	—	—	—	—	290
Urinary organs .....	244	20	—	—	—	—	—	—	—	—	—
Kidney(s) .....	2442	20	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	9,990	5,280	350	1,240	30	—	80	—	—	3,000
Intestines, peritoneum, unspecified .....	2450	9,330	4,970	300	1,110	30	—	80	—	—	2,830
Peritoneum .....	2451	450	200	40	120	—	—	—	—	—	100
Large intestine/colon, rectum .....	2453	160	80	—	—	—	—	—	—	—	50
Intestines, n.e.c. ....	2459	30	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	60	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	80	70	—	—	—	—	—	—	—	—
Pelvic region .....	25	20,630	10,050	1,470	2,530	140	70	40	—	—	6,320
Pelvic region, unspecified .....	250	220	50	—	40	—	—	—	—	—	120
Hip(s) .....	251	7,680	3,580	630	800	80	40	—	—	—	2,530
Pelvis .....	252	1,200	870	50	90	—	—	—	—	—	190
Buttock(s) .....	253	1,940	1,120	110	200	—	—	—	—	—	460
Groin .....	254	8,760	4,220	560	1,170	20	—	—	—	—	2,760

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
External reproductive tract structures .....	255	560	110	80	190	—	—	—	—	—	—	180
External reproductive tract structures, unspecified .....	2550	80	—	—	40	—	—	—	—	—	—	30
Scrotum .....	2551	370	90	—	140	—	—	—	—	—	—	140
Penis .....	2552	90	—	70	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	150	50	—	20	20	—	—	—	—	—	40
Pelvic region, n.e.c. ....	259	130	50	20	20	—	—	—	—	—	—	50
Multiple trunk locations .....	28	7,010	2,820	610	870	240	70	20	—	—	—	2,390
Trunk, n.e.c. ....	29	110	40	—	—	—	—	—	—	—	—	60
<b>Upper extremities</b> .....	3	274,180	118,660	20,470	43,120	4,570	1,070	1,330	350	140	—	84,460
Upper extremities, unspecified .....	30	740	550	20	20	—	—	—	—	—	—	160
Arm(s) .....	31	54,860	24,490	4,000	7,430	680	150	100	20	30	—	17,950
Arm(s), unspecified .....	310	18,510	7,640	1,560	2,890	170	40	50	—	—	—	6,160
Upper arm(s) .....	311	4,310	1,950	370	520	20	80	—	—	—	—	1,360
Elbow(s) .....	312	18,020	8,480	1,150	1,950	300	20	30	—	30	—	6,050
Forearm(s) .....	313	10,860	5,180	610	1,580	110	—	—	—	—	—	3,340
Multiple arm(s) locations .....	318	2,510	1,040	260	450	50	—	—	—	—	—	700
Arm(s), n.e.c. ....	319	650	190	50	40	30	—	—	—	—	—	340
Wrist(s) .....	32	48,810	21,640	4,160	5,890	880	250	190	—	30	—	15,770
Hand(s), except finger(s) .....	33	49,480	19,840	4,060	8,350	580	160	150	50	20	—	16,290
Finger(s), fingernail(s) .....	34	106,050	46,780	6,960	19,300	1,910	480	660	250	40	—	29,680
Multiple upper extremities locations .....	38	14,160	5,350	1,270	2,120	530	40	220	20	—	—	4,590
Multiple upper extremities locations, unspecified .....	380	240	110	—	40	—	—	—	—	—	—	90
Hand(s) and finger(s) .....	381	4,620	1,970	430	720	370	—	20	—	—	—	1,090
Hand(s) and wrist(s) .....	382	3,370	1,310	310	530	90	—	—	—	—	—	1,110
Hand(s) and arm(s) .....	383	1,550	590	170	260	20	—	50	—	—	—	460
Multiple upper extremities locations, n.e.c. ....	389	4,370	1,370	360	580	50	—	150	—	—	—	1,840
Upper extremities, n.e.c. ....	39	80	30	—	20	—	—	—	—	—	—	30
<b>Lower extremities</b> .....	4	262,180	120,040	20,020	32,930	2,440	710	1,050	110	240	—	84,640
Lower extremities, unspecified .....	40	200	50	30	30	—	—	—	—	—	—	90
Leg(s) .....	41	134,550	62,730	10,300	15,280	1,110	370	490	60	140	—	44,090
Leg(s), unspecified .....	410	18,270	7,900	1,830	2,480	160	100	100	—	30	—	5,670
Thigh(s) .....	411	5,820	2,080	600	1,250	70	—	—	—	20	—	1,760
Knee(s) .....	412	95,520	46,200	6,640	9,600	740	200	320	40	50	—	31,710
Lower leg(s) .....	413	10,660	4,510	870	1,320	120	50	30	—	40	—	3,710
Multiple leg(s) locations .....	418	3,440	1,660	330	470	20	—	—	—	—	—	950
Leg(s), n.e.c. ....	419	850	370	30	160	—	—	—	—	—	—	280
Ankle(s) .....	42	61,770	28,220	3,950	9,040	510	220	240	—	80	—	19,490
Foot(feet), except toe(s) .....	43	43,840	19,220	4,090	4,860	540	90	260	20	—	—	14,750
Foot(feet), except toe(s), unspecified .....	430	39,300	17,020	3,660	4,240	520	80	190	20	—	—	13,550

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Instep(s) .....	431	310	130	30	50	—	—	—	—	—	90
Sole .....	432	3,110	1,630	250	400	20	—	20	—	—	790
Sole(s), unspecified .....	4320	420	140	20	150	—	—	—	—	—	110
Ball(s) .....	4321	40	20	—	—	—	—	—	—	—	—
Arch(es) .....	4322	100	70	—	—	—	—	—	—	—	20
Heel(s) .....	4323	2,510	1,390	210	240	20	—	—	—	—	640
Multiple sole(s) locations .....	4328	30	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	4329	20	—	—	—	—	—	—	—	—	—
Multiple foot(foot) locations .....	438	380	150	30	70	—	—	—	—	—	100
Foot(foot), n.e.c. ....	439	750	300	120	100	—	—	—	—	—	220
Toe(s), toenail(s) .....	44	13,610	6,460	870	2,470	100	20	40	—	—	3,640
Multiple lower extremities locations ....	48	8,120	3,350	770	1,220	180	20	30	—	—	2,540
Multiple lower extremities locations, unspecified .....	480	180	70	—	20	—	—	—	—	—	80
Foot(foot) and leg(s) .....	481	820	360	110	100	20	—	—	—	—	230
Foot(foot) and ankle(s) .....	482	2,750	1,250	280	430	20	—	20	—	—	740
Foot(foot) and toe(s) .....	483	930	480	80	110	—	—	—	—	—	250
Multiple lower extremities locations, n.e.c. ....	489	3,440	1,190	300	570	140	—	—	—	—	1,240
Lower extremities, n.e.c. ....	49	90	—	20	30	—	—	—	—	—	40
<b>Body systems</b> .....	<b>5</b>	<b>18,220</b>	<b>7,290</b>	<b>1,870</b>	<b>2,120</b>	<b>160</b>	<b>40</b>	<b>80</b>	<b>—</b>	<b>30</b>	<b>6,640</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>115,930</b>	<b>47,920</b>	<b>11,840</b>	<b>15,810</b>	<b>1,790</b>	<b>300</b>	<b>640</b>	<b>40</b>	<b>60</b>	<b>37,540</b>
<b>Other body parts</b> .....	<b>9</b>	<b>60</b>	<b>40</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Other body parts, n.e.c. ....	98	60	40	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>10,780</b>	<b>3,350</b>	<b>700</b>	<b>2,000</b>	<b>330</b>	<b>30</b>	<b>30</b>	<b>—</b>	<b>—</b>	<b>4,350</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies