

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall ⁶
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total [1,158,870 cases]		122.2	33.5	17.2	8.0	5.7	8.1	17.6	4.0
Head	0	8.3	5.0	2.9	.9	(⁸)	.3	.9	(⁸)
Head, unspecified	00	1.7	.9	.5	.4	(⁸)	.1	.5	(⁸)
Cranial region, including skull	01	1.1	.6	.3	.2	(⁸)	.1	.2	—
Cranial region, unspecified	010	(⁸)	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—
Brain	011	.7	.3	.2	.1	(⁸)	.1	.2	—
Scalp	012	.3	.2	.1	.1	(⁸)	(⁸)	(⁸)	—
Skull	013	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Multiple cranial region locations	018	(⁸)	—	—	—	—	(⁸)	(⁸)	—
Cranial region, n.e.c.	019	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Ear(s)	02	.1	(⁸)	(⁸)	(⁸)	—	—	—	—
Face	03	5.3	3.4	2.0	.3	(⁸)	.1	.3	—
Face, unspecified	030	.4	.1	.1	(⁸)	—	(⁸)	(⁸)	—
Forehead	031	.3	.2	.1	.1	—	(⁸)	.1	—
Eye(s)	032	3.5	2.5	1.2	.1	(⁸)	(⁸)	(⁸)	—
Nose, nasal cavity	033	.3	.2	.1	(⁸)	—	(⁸)	(⁸)	—
Nose, except internal location of diseases or disorders	0330	.3	.2	.1	(⁸)	—	(⁸)	(⁸)	—
Internal nasal location, unspecified	0331	(⁸)	—	—	—	—	—	—	—
Nasal passages	0333	(⁸)	—	—	—	—	—	—	—
Cheek(s)	034	.1	.1	.1	(⁸)	(⁸)	(⁸)	(⁸)	—
Jaw/chin	035	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Mouth	036	.2	.2	.2	(⁸)	—	(⁸)	(⁸)	—
Mouth, unspecified	0360	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	—
Lip(s)	0361	.1	(⁸)	(⁸)	—	—	—	(⁸)	—
Tooth(teeth)	0363	.1	.1	.1	(⁸)	—	(⁸)	(⁸)	—
Multiple mouth locations	0368	(⁸)	(⁸)	(⁸)	(⁸)	—	—	—	—
Mouth, n.e.c.	0369	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Multiple face locations	038	.3	.1	.1	(⁸)	—	(⁸)	.1	—
Face, n.e.c.	039	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Multiple head locations	08	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Head, n.e.c.	09	(⁸)	(⁸)	(⁸)	(⁸)	—	—	(⁸)	—
Neck, including throat	1	1.8	.3	.2	.1	(⁸)	.1	.1	(⁸)
Neck, except internal location of diseases or disorders ...	10	1.8	.3	.2	.1	(⁸)	.1	.1	(⁸)
Internal neck location, unspecified	11	(⁸)	—	—	—	—	—	—	—
Pharynx	15	(⁸)	—	—	—	—	—	—	—
Trunk	2	40.6	2.4	1.4	.5	.2	2.2	4.6	1.1
Trunk, unspecified	20	.2	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ^{6,7}
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
Total [1,158,870 cases]	27.9	14.8	3.9	5.6	5.6	3.5	0.2	2.6	1.8	0.8	0.8	13.3
Head	(8)	(8)	(8)	1.2	.3	.2	(8)	.4	.3	.1	.1	.1
Head, unspecified	(8)	—	—	(8)	.1	.1	—	.1	.1	(8)	(8)	(8)
Cranial region, including skull	—	—	—	(8)	.1	.1	(8)	(8)	(8)	(8)	(8)	(8)
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	.1	.1	(8)	(8)	(8)	(8)	(8)	(8)
Scalp	—	—	—	(8)	(8)	(8)	—	(8)	(8)	—	—	(8)
Skull	—	—	—	—	(8)	(8)	—	(8)	(8)	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	(8)	(8)	(8)	(8)	(8)	(8)	—	—	(8)
Face	(8)	(8)	—	1.1	(8)	(8)	(8)	.3	.2	.1	.1	.1
Face, unspecified	—	—	—	.1	(8)	(8)	(8)	.1	.1	(8)	(8)	(8)
Forehead	—	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Eye(s)	(8)	(8)	—	.9	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Nose, nasal cavity	—	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Nose, except internal location of diseases or disorders	—	—	—	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Internal nasal location, unspecified	—	—	—	(8)	—	—	—	—	—	—	—	—
Nasal passages	—	—	—	(8)	—	—	—	—	—	—	—	—
Cheek(s)	—	—	—	(8)	—	—	—	(8)	(8)	—	—	—
Jaw/chin	—	—	—	—	(8)	—	—	(8)	(8)	—	—	—
Mouth	—	—	—	(8)	(8)	—	—	(8)	(8)	(8)	(8)	(8)
Mouth, unspecified	—	—	—	—	—	—	—	(8)	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	(8)	(8)	(8)	(8)	—
Tooth(teeth)	—	—	—	—	—	—	—	(8)	(8)	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	.1	(8)	(8)	(8)	.1	(8)	(8)	(8)	—
Face, n.e.c.	—	—	—	(8)	—	—	—	(8)	(8)	—	—	—
Multiple head locations	—	—	—	(8)	(8)	(8)	—	(8)	(8)	—	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat5	.3	(8)	(8)	.5	.4	—	(8)	(8)	(8)	(8)	.2
Neck, except internal location of diseases or disorders5	.3	(8)	(8)	.5	.4	—	(8)	(8)	(8)	(8)	.2
Internal neck location, unspecified	—	—	—	(8)	—	—	—	—	—	—	—	—
Pharynx	—	—	—	—	—	—	—	—	—	—	—	—
Trunk	21.7	12.2	.9	.3	1.3	.9	(8)	.5	.4	.1	(8)	5.5
Trunk, unspecified1	(8)	—	(8)	(8)	(8)	—	(8)	(8)	—	—	(8)

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall ⁶
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Shoulder, including clavicle, scapula	21	8.0	0.6	0.4	0.1	(⁸)	0.5	1.2	0.1
Chest, including ribs, internal organs	22	2.0	.4	.2	.1	.1	.3	.4	(⁸)
Chest, except internal location of diseases or disorders	220	1.7	.4	.2	.1	.1	.3	.4	(⁸)
Internal chest location, unspecified	221	(⁸)	—	—	—	—	—	—	—
Heart	223	(⁸)	—	—	—	—	—	—	—
Bronchus	224	(⁸)	—	—	—	—	—	—	—
Lung(s), pleura	225	.1	—	—	—	—	—	—	—
Multiple internal chest locations	228	(⁸)	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	(⁸)	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	24.9	1.0	.5	.2	(⁸)	1.1	2.0	.8
Back, including spine, spinal cord, unspecified	230	10.1	.4	.2	.1	(⁸)	.6	.8	.4
Lumbar region	231	12.6	.5	.3	.1	(⁸)	.4	.9	.4
Thoracic region	232	1.0	.1	(⁸)	(⁸)	(⁸)	.1	.1	(⁸)
Sacral region	233	.1	(⁸)	(⁸)	—	(⁸)	(⁸)	—	—
Coccygeal region	234	.3	(⁸)	(⁸)	(⁸)	—	.1	.1	(⁸)
Multiple back regions	238	.8	(⁸)	(⁸)	(⁸)	—	.1	.1	(⁸)
Back, including spine, spinal cord, n.e.c.	239	.1	(⁸)	—	—	—	(⁸)	(⁸)	—
Abdomen	24	2.6	.1	.1	(⁸)	(⁸)	(⁸)	.1	(⁸)
Abdomen, except internal location of diseases or disorders	240	.7	.1	.1	(⁸)	(⁸)	(⁸)	.1	(⁸)
Internal abdominal location, unspecified	241	.9	(⁸)	(⁸)	(⁸)	—	—	(⁸)	(⁸)
Stomach organ	242	.1	—	—	—	—	—	—	—
Spleen	243	(⁸)	—	—	—	—	—	—	—
Urinary organs	244	(⁸)	—	—	—	—	—	—	—
Intestines, peritoneum	245	.9	(⁸)	(⁸)	—	—	—	(⁸)	(⁸)
Intestines, peritoneum, unspecified	2450	.8	(⁸)	(⁸)	—	—	—	(⁸)	(⁸)
Peritoneum	2451	(⁸)	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	(⁸)	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	(⁸)	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	(⁸)	—	—	—	—	—	—	—
Pelvic region	25	2.0	.2	.1	(⁸)	(⁸)	.2	.6	.1
Pelvic region, unspecified	250	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	—
Hip(s)	251	1.0	.1	(⁸)	(⁸)	(⁸)	.1	.5	(⁸)
Pelvis	252	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Buttock(s)	253	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	.1	—
Groin	254	.8	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
External reproductive tract structures	255	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											All other events ^{6,7}
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
Shoulder, including clavicle, scapula	4.0	1.8	0.4	(⁸)	0.2	0.2	—	0.1	0.1	(⁸)	(⁸)	0.7
Chest, including ribs, internal organs4	.2	(⁸)	.2	.1	.1	(⁸)	.1	.1	(⁸)	(⁸)	.2
Chest, except internal location of diseases or disorders4	.2	(⁸)	(⁸)	.1	.1	(⁸)	.1	.1	(⁸)	(⁸)	.1
Internal chest location, unspecified	—	—	—	(⁸)	—	—	—	—	—	—	—	(⁸)
Heart	(⁸)	—	—	—	—	—	—	—	—	—	—	(⁸)
Bronchus	—	—	—	(⁸)	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	.1	—	—	—	—	—	—	—	(⁸)
Multiple internal chest locations	—	—	—	(⁸)	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	14.4	8.5	.4	(⁸)	.8	.5	(⁸)	.2	.2	(⁸)	(⁸)	4.1
Back, including spine, spinal cord, unspecified	5.7	3.4	.2	(⁸)	.4	.3	(⁸)	.1	.1	(⁸)	(⁸)	1.6
Lumbar region	7.7	4.5	.2	(⁸)	.3	.2	—	.1	.1	(⁸)	(⁸)	2.2
Thoracic region6	.3	(⁸)	—	(⁸)	(⁸)	—	(⁸)	(⁸)	—	—	.1
Sacral region	(⁸)	(⁸)	—	—	(⁸)	—	—	—	—	—	—	(⁸)
Coccygeal region	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	(⁸)
Multiple back regions4	.2	(⁸)	—	(⁸)	(⁸)	—	(⁸)	(⁸)	—	—	.1
Back, including spine, spinal cord, n.e.c.	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	(⁸)
Abdomen	1.9	1.2	.1	.1	(⁸)	(⁸)	—	.1	.1	(⁸)	(⁸)	.2
Abdomen, except internal location of diseases or disorders3	.2	(⁸)	.1	(⁸)	(⁸)	—	.1	.1	(⁸)	(⁸)	.1
Internal abdominal location, unspecified7	.5	(⁸)	(⁸)	—	—	—	—	—	—	—	.1
Stomach organ	(⁸)	(⁸)	(⁸)	(⁸)	—	—	—	—	—	—	—	(⁸)
Spleen	—	—	—	—	—	—	—	—	—	—	—	—
Urinary organs	(⁸)	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum8	.5	(⁸)	(⁸)	—	—	—	—	—	—	—	.1
Intestines, peritoneum, unspecified7	.5	(⁸)	(⁸)	—	—	—	—	—	—	—	.1
Peritoneum	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	(⁸)
Large intestine/colon, rectum	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	(⁸)
Intestines, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	(⁸)	(⁸)	—	—	—	—	—	—	—	—	—	—
Pelvic region7	.4	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)	.2
Pelvic region, unspecified	(⁸)	(⁸)	—	—	(⁸)	—	—	—	—	—	—	—
Hip(s)1	.1	(⁸)	—	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)	.1
Pelvis	(⁸)	(⁸)	—	—	(⁸)	(⁸)	—	—	—	—	—	(⁸)
Buttock(s)	(⁸)	(⁸)	—	(⁸)	(⁸)	—	—	(⁸)	—	—	—	(⁸)
Groin6	.3	(⁸)	(⁸)	—	—	—	(⁸)	(⁸)	(⁸)	(⁸)	.1
External reproductive tract structures	(⁸)	—	—	—	—	—	—	—	—	—	—	(⁸)

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall ⁶
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
External reproductive tract structures, unspecified ..	2550	(⁸)	—	—	—	—	—	—	—
Scrotum	2551	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	—
Internal reproductive tract structures	256	(⁸)	—	—	—	—	—	—	—
Testis(testes)	2562	(⁸)	—	—	—	—	—	—	—
Multiple pelvic region locations	258	(⁸)	(⁸)	—	—	—	(⁸)	—	—
Pelvic region, n.e.c.	259	(⁸)	—	—	—	—	—	—	—
Multiple trunk locations	28	. ⁹	.1	(⁸)	(⁸)	(⁸)	.1	.3	(⁸)
Trunk, n.e.c.	29	(⁸)	—	—	—	—	(⁸)	(⁸)	(⁸)
Upper extremities	3	28.4	15.8	7.1	3.4	4.4	.9	2.7	.1
Upper extremities, unspecified	30	.1	(⁸)	(⁸)	—	(⁸)	—	—	—
Arm(s)	31	5.7	1.7	.8	.7	.3	.4	1.0	(⁸)
Arm(s), unspecified	310	1.9	.5	.3	.1	.1	.1	.3	(⁸)
Upper arm(s)	311	.4	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)
Elbow(s)	312	2.0	.6	.2	.4	(⁸)	.2	.5	(⁸)
Forearm(s)	313	1.1	.5	.3	.2	.1	(⁸)	.1	—
Multiple arm(s) locations	318	.2	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Arm(s), n.e.c.	319	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)	—
Wrist(s)	32	5.4	.8	.5	.2	.1	.3	1.0	(⁸)
Hand(s), except finger(s)	33	5.1	3.3	1.7	.8	.7	.1	.3	(⁸)
Finger(s), fingernail(s)	34	10.7	9.4	4.0	1.7	3.2	(⁸)	.2	(⁸)
Multiple upper extremities locations	38	1.4	.5	.2	.1	.2	.1	.1	(⁸)
Multiple upper extremities locations, unspecified	380	(⁸)	(⁸)	—	—	(⁸)	—	(⁸)	—
Hand(s) and finger(s)	381	.4	.3	.1	(⁸)	.1	(⁸)	(⁸)	—
Hand(s) and wrist(s)	382	.3	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)
Hand(s) and arm(s)	383	.2	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Multiple upper extremities locations, n.e.c.	389	.4	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)
Upper extremities, n.e.c.	39	(⁸)	(⁸)	—	—	—	—	(⁸)	—
Lower extremities	4	27.5	8.6	4.7	2.7	.9	2.8	5.4	2.5
Lower extremities, unspecified	40	.1	(⁸)	(⁸)	—	—	(⁸)	(⁸)	—
Leg(s)	41	13.9	3.3	1.6	1.2	.3	1.1	3.4	1.1
Leg(s), unspecified	410	1.8	.8	.5	.1	.1	.1	.3	.1
Thigh(s)	411	.5	.2	.1	(⁸)	(⁸)	(⁸)	.1	(⁸)
Knee(s)	412	10.0	1.7	.6	.9	.1	.8	2.7	1.0
Lower leg(s)	413	1.3	.5	.3	.1	(⁸)	.1	.2	.1
Multiple leg(s) locations	418	.4	.1	(⁸)	(⁸)	(⁸)	.1	.1	(⁸)
Leg(s), n.e.c.	419	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Ankle(s)	42	6.6	1.2	.5	.6	.1	1.0	1.4	1.1
Foot(feet), except toe(s)	43	4.6	2.7	1.7	.6	.3	.5	.3	.2
Foot(feet), except toe(s), unspecified	430	4.1	2.4	1.6	.5	.3	.3	.3	.2
Instep(s)	431	(⁸)	(⁸)	(⁸)	(⁸)	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Event or exposure leading to injury or illness ⁵											All other events ^{6,7}
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults		
										Total	Assaults by animal	
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	—	—	—	—
Scrotum	(8)	—	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	(8)	—	—	—	—	—	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	(8)	(8)	—	—	—	—	—	—	—	—	—	(8)
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations2	.1	(8)	(8)	0.1	0.1	—	(8)	(8)	—	—	.1
Trunk, n.e.c.	(8)	—	—	—	—	—	—	—	—	—	—	(8)
Upper extremities	2.8	1.1	2.6	1.6	.3	.2	(8)	.8	.3	0.4	0.4	.9
Upper extremities, unspecified	(8)	—	(8)	(8)	—	—	—	—	—	—	—	(8)
Arm(s)	1.2	.6	.3	.5	.1	.1	(8)	.2	.1	.1	.1	.3
Arm(s), unspecified4	.2	.1	.3	.1	.1	(8)	.1	(8)	(8)	(8)	.1
Upper arm(s)2	.1	(8)	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	(8)
Elbow(s)4	.2	.2	(8)	(8)	(8)	—	(8)	(8)	(8)	(8)	.1
Forearm(s)1	.1	(8)	(8)	(8)	(8)	—	.1	(8)	(8)	(8)	(8)
Multiple arm(s) locations1	(8)	(8)	(8)	(8)	(8)	—	(8)	(8)	—	—	(8)
Arm(s), n.e.c.	(8)	(8)	—	(8)	—	—	—	(8)	(8)	—	—	(8)
Wrist(s)9	.4	1.7	.1	.1	(8)	—	.1	.1	.1	.1	.3
Hand(s), except finger(s)2	.1	.1	.7	(8)	(8)	(8)	.2	.1	.1	.1	.1
Finger(s), fingernail(s)2	.1	.2	.2	.1	(8)	(8)	.2	.1	.1	.1	.1
Multiple upper extremities locations2	.1	.2	.1	(8)	(8)	(8)	.1	(8)	(8)	(8)	.1
Multiple upper extremities locations, unspecified	(8)	(8)	(8)	—	(8)	(8)	—	—	—	—	—	—
Hand(s) and finger(s)	(8)	(8)	(8)	(8)	—	—	—	(8)	(8)	(8)	(8)	(8)
Hand(s) and wrist(s)	(8)	(8)	.1	(8)	(8)	—	—	(8)	(8)	(8)	(8)	(8)
Hand(s) and arm(s)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Multiple upper extremities locations, n.e.c.1	.1	.1	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Upper extremities, n.e.c.	(8)	(8)	(8)	—	(8)	—	—	—	—	—	—	—
Lower extremities	1.4	.5	.1	.4	1.0	.2	(8)	.3	.1	.2	.2	5.0
Lower extremities, unspecified	—	—	—	(8)	(8)	(8)	—	—	—	—	—	(8)
Leg(s)	1.2	.4	.1	.2	.4	.1	(8)	.2	.1	.2	.2	2.9
Leg(s), unspecified1	(8)	(8)	.1	.1	(8)	(8)	.1	(8)	(8)	(8)	.1
Thigh(s)1	(8)	(8)	(8)	(8)	(8)	—	(8)	—	(8)	(8)	(8)
Knee(s)8	.3	.1	(8)	.2	.1	—	.1	.1	(8)	(8)	2.5
Lower leg(s)1	(8)	(8)	(8)	.1	(8)	(8)	.1	(8)	.1	.1	.2
Multiple leg(s) locations	(8)	(8)	—	(8)	(8)	(8)	—	(8)	(8)	—	—	(8)
Leg(s), n.e.c.	(8)	(8)	—	(8)	—	—	—	(8)	—	—	—	(8)
Ankle(s)1	(8)	(8)	(8)	.2	(8)	—	(8)	(8)	(8)	(8)	1.5
Foot(feet), except toe(s)1	(8)	(8)	.1	.2	(8)	—	(8)	(8)	(8)	(8)	.4
Foot(feet), except toe(s), unspecified1	(8)	(8)	.1	.2	(8)	—	(8)	(8)	(8)	(8)	.4
Instep(s)	—	—	—	—	(8)	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall ⁶
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Sole	432	0.4	0.2	(⁸)	0.1	(⁸)	0.1	(⁸)	(⁸)
Sole(s), unspecified	4320	(⁸)	(⁸)	—	(⁸)	—	—	—	—
Ball(s) of foot	4321	(⁸)	(⁸)	—	—	—	—	—	—
Arch(es)	4322	(⁸)	(⁸)	—	—	—	—	—	—
Heel(s)	4323	.3	.1	(⁸)	.1	(⁸)	.1	(⁸)	(⁸)
Multiple sole(s) locations	4328	(⁸)	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	—	—
Foot(feet), n.e.c.	439	.1	.1	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Toe(s), toenail(s)	44	1.2	1.0	.8	.2	.1	.1	(⁸)	(⁸)
Multiple lower extremities locations	48	1.0	.3	.2	.1	.1	.2	.2	.1
Multiple lower extremities locations, unspecified	480	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	—
Foot(feet) and leg(s)	481	.2	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)	(⁸)
Foot(feet) and ankle(s)	482	.3	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)
Foot(feet) and toe(s)	483	.1	.1	.1	(⁸)	(⁸)	(⁸)	(⁸)	—
Multiple lower extremities locations, n.e.c.	489	.4	.1	.1	(⁸)	(⁸)	.1	.1	(⁸)
Lower extremities, n.e.c.	49	(⁸)	—	—	—	—	(⁸)	(⁸)	—
Body systems	5	1.9	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Multiple body parts	8	12.8	1.3	.8	.3	.1	1.9	3.7	.2
Other body parts	9	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Prosthetic devices	91	(⁸)	(⁸)	(⁸)	—	—	—	—	—
Other body parts, n.e.c.	98	(⁸)	—	—	—	—	—	—	—
Nonclassifiable	9999	1.1	.1	(⁸)	(⁸)	(⁸)	(⁸)	.1	(⁸)

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Event or exposure leading to injury or illness ⁵												
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events ^{6,7}	
	Total	In lifting			Total	Highway accident		Total	Assaults by person	All other assaults			
										Total	Assaults by animal		
Sole	(8)	(8)	(8)	—	(8)	(8)	—	—	—	—	—	(8)	
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—	—	—	(8)
Ball(s) of foot	—	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	(8)	(8)	(8)	—	(8)	(8)	—	—	—	—	—	—	(8)
Multiple sole(s) locations	—	—	—	—	—	—	—	—	—	—	—	—	(8)
Multiple foot(feet) locations	—	—	—	(8)	(8)	—	—	—	—	—	—	—	(8)
Foot(feet), n.e.c.	—	—	—	(8)	(8)	—	—	—	—	—	—	—	(8)
Toe(s), toenail(s)	(8)	—	—	(8)	.1	(8)	—	(8)	(8)	—	—	—	(8)
Multiple lower extremities locations	(8)	(8)	—	(8)	.1	(8)	(8)	(8)	—	(8)	(8)	—	.1
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—	(8)
Foot(feet) and leg(s)	(8)	—	—	(8)	(8)	—	—	—	—	—	—	—	(8)
Foot(feet) and ankle(s)	(8)	—	—	(8)	(8)	—	—	—	—	—	—	—	(8)
Foot(feet) and toe(s)	—	—	—	(8)	(8)	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	(8)	(8)	—	(8)	(8)	—	—	(8)	—	(8)	(8)	—	.1
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—	(8)
Body systems	(8)	(8)	—	1.4	(8)	(8)	(8)	.1	.1	(8)	(8)	—	.3
Multiple body parts	1.5	.7	.2	.5	2.2	1.6	.1	.4	.4	.1	(8)	—	.7
Other body parts	—	—	—	—	—	—	—	—	—	—	—	—	—
Prosthetic devices	—	—	—	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable1	(8)	(8)	.1	.1	.1	—	.1	(8)	(8)	(8)	—	.5

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Highway accident =

41; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Selected estimates for this category were affected by the March 2009 revision, see note below.

⁷ Includes nonclassifiable responses.

⁸ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies