

## Appendix

---

Publication lags, even short ones, prevent an up-to-the-minute inclusion of all recently published articles and data. Therefore, by the time the public reads this report, there may be additional published studies or data. To provide published information as current as possible, this Appendix lists more recent studies that represent major additions to the literature.

### Chapter 2 Toxicology of Secondhand Smoke

---

Bradley TP, Golden AL. Tobacco and carcinogens in the workplace. *Clinics in Occupational and Environmental Medicine* 2006;5(1):117–37.

Hecht SS. Carcinogenicity studies of inhaled cigarette smoke in laboratory animals: old and new. *Carcinogenesis* 2005;26(9):1488–92.

Hecht SS, Carmella SG, Le K-A, Murphy SE, Boettcher AJ, Le C, Koopmeiners J, An L, Hennrikus DJ. 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanol and its glucuronides in the urine of infants exposed to environmental tobacco smoke. *Cancer Epidemiology, Biomarkers & Prevention* 2006;15(5):988–92.

Houston TK, Person SD, Pletcher MJ, Liu K, Iribarren C, Kiefe CI. Active and passive smoking and development of glucose intolerance among young adults in a prospective cohort: CARDIA study. *British Medical Journal* 2006; doi:10.1136/bmj.38779.584028.55.

Husgafvel-Pursiainen K. Genotoxicity of environmental tobacco smoke: a review. *Mutation Research* 2004;567(2–3):427–45.

Neff RA, Simmens SJ, Evans C, Mendelowitz D. Prenatal nicotine exposure alters central cardiorespiratory responses to hypoxia in rats: implications for sudden infant death syndrome. *Journal of Neuroscience* 2004;24(42):9261–8.

Slikker W Jr, Xu ZA, Levin ED, Slotkin TA. Mode of action: disruption of brain cell replication, second messenger, and neurotransmitter systems during development leading to cognitive dysfunction—developmental neurotoxicity of nicotine. *Critical Reviews in Toxicology* 2005;35(8–9):703–11.

van der Vaart H, Postma DS, Timens W, Hylkema MN, Willemse BWM, Boezen HM, Vonk JM, de Reus DM, Kauffman HF, ten Hacken NHT. Acute effects of cigarette smoking on inflammation in healthy intermittent smokers. *Respiratory Research* 2005;6(1):22.

Wang Y, Zhang Z, Lubet R, You M. Tobacco smoke-induced lung tumorigenesis in mutant A/J mice with alterations in K-ras, p53, or Ink4a/Arf. *Oncogene* 2005;24(18):3042–9.

### Chapter 3 Assessment of Exposure to Secondhand Smoke

---

Centers for Disease Control and Prevention. Indoor air quality in hospitality venues before and after implementation of a clean indoor air law—Western New York, 2003. *Morbidity and Mortality Weekly Report* 2004;53(44):1038–41.

Murphy SE, Link CA, Jensen J, Le C, Puumala SS, Hecht SS, Carmella SG, Losey L, Hatsukami DK. A comparison of urinary biomarkers of tobacco and carcinogen exposure in smokers. *Cancer Epidemiology, Biomarkers & Prevention* 2004;13(10):1617–23.

Repace J, Al-Delaimy WK, Bernert JT. Correlating atmospheric and biological markers in studies of secondhand tobacco smoke exposure and dose in children and adults. *Journal of Occupational and Environmental Medicine* 2006;48(2):181–94.

### Chapter 4 Prevalence of Exposure to Secondhand Smoke

---

Blackburn CM, Bonas S, Spencer NJ, Coe CJ, Dolan A, Moy R. Parental smoking and passive smoking in infants: fathers matter too. *Health Education Research* 2005;20(2):185–94.

Panagiotakos DB, Pitsavos C, Chrysohoou C, Skoumas J, Masoura C, Toutouzias P, Stefanadis C. Effect of exposure to secondhand smoke on markers of inflammation: the ATTICA study. *American Journal of Medicine* 2004;116(3):145–50.

## Chapter 5 Reproductive and Developmental Effects from Exposure to Secondhand Smoke

---

Kharrazi M, DeLorenze GN, Kaufman FL, Eskenazi B, Bernert JT Jr, Graham S, Pearl M, Pirkle J. Environmental tobacco smoke and pregnancy outcome. *Epidemiology* 2004;15(6):660–70.

McMartin KI, Platt MS, Hackman R, Klein J, Smialek JE, Vigorito R, Koren G. Lung tissue concentrations of nicotine in sudden infant death syndrome (SIDS). *Journal of Pediatrics* 2002;140(2):205–9.

Slotkin TA. Cholinergic systems in brain development and disruption by neurotoxicants: nicotine, environmental tobacco smoke, organophosphates. *Toxicology and Applied Pharmacology* 2004;198(2):132–51.

Wisborg K, Kesmodel U, Henriksen TB, Olsen SF, Secher NJ. Exposure to tobacco smoke in utero and the risk of stillbirth and death in the first year of life. *American Journal of Epidemiology* 2001;154(4):322–7.

## Chapter 6 Respiratory Effects in Children from Exposure to Secondhand Smoke

---

Alati R, Al Mamun A, O'Callaghan M, Najman JM, Williams GM. In utero and postnatal maternal smoking and asthma in adolescence. *Epidemiology* 2006;17(2):138–44.

DiFranza JR, Aligne CA, Weitzman M. Prenatal and postnatal environmental tobacco smoke exposure and children's health. *Pediatrics* 2004;113(4 Suppl):1007–15.

Gilliland FD, Berhane K, Li Y-F, Rappaport EB, Peters JM. Effects of early onset asthma and *in utero* exposure to maternal smoking on childhood lung function. *American Journal of Respiratory and Critical Care Medicine* 2003;167(6):917–24.

Gilliland FD, Li Y-F, Dubeau L, Berhane K, Avol E, McConnell R, Gauderman WJ, Peters JM. Effects of glutathione S-transferase M1, maternal smoking during pregnancy, and environmental tobacco smoke on asthma and wheezing in children. *American Journal of Respiratory and Critical Care Medicine* 2002;166(4):457–63.

Gilliland FD, Li Y-F, Peters JM. Effects of maternal smoking during pregnancy and environmental tobacco smoke on asthma and wheezing in children. *American Journal of Respiratory and Critical Care Medicine* 2001;163(2):429–36.

Gilmour MI, Jaakkola MS, London SJ, Nel AE, Rogers CA. How exposure to environmental tobacco smoke, outdoor air pollutants, and increased pollen burdens influences the incidence of asthma. *Environmental Health Perspectives* 2006;114(4):627–33.

Jaakkola JJK, Nafstad P, Magnus P. Environmental tobacco smoke, parental atopy, and childhood asthma. *Environmental Health Perspectives* 2001;109(6):579–82.

Jaakkola MS, Piipari R, Jaakkola N, Jaakkola JJK. Environmental tobacco smoke and adult-onset asthma: a population-based incident case-control study. *American Journal of Public Health* 2003;93(12):2055–60.

Lannerö E, Wickman M, Pershagen G, Nordvall L. Maternal smoking during pregnancy increases the risk of recurrent wheezing during the first years of life (BAMSE). *Respiratory Research* 2006;7(1):3.

Mannino DM, Moorman JE, Kingsley B, Rose D, Repace J. Health effects related to environmental tobacco smoke exposure in children in the United States: data from the Third National Health and Nutrition Examination Survey. *Archives of Pediatrics and Adolescent Medicine* 2001;155(1):36–41.

Moshhammer H, Hoek G, Luttmann-Gibson H, Neuberger MA, Antova T, Gehring U, Hrubá F, Pattenden S, Rudnai P, Slachtova H, et al. Parental smoking and lung function in children: an international study. *American Journal of Respiratory and Critical Care Medicine* 2006; doi:10.1164/rccm.200510-1552OC.

Zlotkowska R, Zejda JE. Fetal and postnatal exposure to tobacco smoke and respiratory health in children. *European Journal of Epidemiology* 2005;20(8):719–27.

## Chapter 7 Cancer Among Adults from Exposure to Secondhand Smoke

---

- Anderson KE, Carmella SG, Ye M, Bliss RL, Le C, Murphy L, Hecht SS. Metabolites of a tobacco-specific lung carcinogen in nonsmoking women exposed to environmental tobacco smoke. *Journal of the National Cancer Institute* 2001;93(5):378–81.
- Brennan P, Buffler PA, Reynolds P, Wu AH, Wichmann HE, Agudo A, Pershagen G, Jöckel K-H, Benhamou S, Greenberg RS, et al. Secondhand smoke exposure in adulthood and risk of lung cancer among never smokers: a pooled analysis of two large studies. *International Journal of Cancer* 2004;109(1):125–31.
- Brownson RC, Figgs LW, Caisley LE. Epidemiology of environmental tobacco smoke exposure. *Oncogene* 2002;21(48):7341–8.
- deAndrade M, Ebbert JO, Wampfler JA, Miller DL, Marks RS, Croghan GA, Jatoi A, Finke EE, Sellers TA, Yang P. Environmental tobacco exposure in women with lung cancer. *Lung Cancer* 2004;43(2):127–34.
- Enstrom JE, Kabat GC. Environmental tobacco smoke and tobacco related mortality in a prospective study of Californians, 1960–98. *British Medical Journal* 2003;326(7398):1057.
- Kreuzer M, Gerken M, Kreienbrock L, Wellmann J, Wichmann HE. Lung cancer in lifetime nonsmoking men—results of a case-control study in Germany. *British Journal of Cancer* 2001;84(1):134–40.
- Vineis P, Airolidi L, Veglia F, Olgiati L, Pastorelli R, Autrup H, Dunning A, Garte S, Gormally E, Hainaut P, et al. Environmental tobacco smoke and risk of respiratory cancer and chronic obstructive pulmonary disease in former smokers and never smokers in the EPIC prospective study. *British Medical Journal* 2005;330(7486):277.

## Chapter 8 Cardiovascular Diseases from Exposure to Secondhand Smoke

---

- Hill S, Blakely T, Kawachi I, Woodward A. Mortality among never smokers living with smokers: two cohort studies, 1981–4 and 1996–9. *British Medical Journal* 2004;328(7446):988–9.

- Iribarren C, Darbinian J, Klatsky AL, Friedman GD. Cohort study of exposure to environmental tobacco smoke and risk of first ischemic stroke and transient ischemic attack. *Neuroepidemiology* 2004;23(1–2):38–44.
- Kamholz SL. Pulmonary and cardiovascular consequences of smoking. *Clinics in Occupational and Environmental Medicine* 2006;5(1):157–71.
- Kaur S, Cohen A, Dolor R, Coffman CJ, Bastian BA. The impact of environmental tobacco smoke on women's risk of dying from heart disease: a meta-analysis. *Journal of Women's Health* 2004;13(8):888–97.
- Kiechl S, Werner P, Egger G, Oberhollenzer F, Mayr M, Xu Q, Poewe W, Willeit J. Active and passive smoking, chronic infections, and the risk of carotid atherosclerosis: prospective results from the Bruneck Study. *Stroke* 2002;33(9):2170–6.
- McGhee SM, Ho SY, Schooling M, Ho LM, Thomas GN, Hedley AJ, Mak KH, Peto R, Lam TH. Mortality associated with passive smoking in Hong Kong. *British Medical Journal* 2005;330(7486):287–8.
- Qureshi AI, Suri MF, Kirmani JF, Divani AA. Cigarette smoking among spouses: another risk factor for stroke in women. *Stroke* 2005;36(9):e74–e76.
- Whincup PH, Gilg JA, Emberson JR, Jarvis MJ, Feyerabend C, Bryant A, Walker M, Cook DG. Passive smoking and risk of coronary heart disease and stroke: prospective study with cotinine measurement. *British Medical Journal* 2004;329(7459):200–5.
- Zhang X, Shu XO, Yang G, Li HL, Xiang YB, Gao Y-T, Li Q, Zheng W. Association of passive smoking by husbands with prevalence of stroke among Chinese women nonsmokers. *American Journal of Epidemiology* 2005;161(3):213–8.

## Chapter 9 Respiratory Effects in Adults from Exposure to Secondhand Smoke

---

- Dhala A, Pinsker K, Prezant DJ. Respiratory health consequences of environmental tobacco smoke. *Clinics in Occupational and Environmental Medicine* 2006;5(1):139–56.
- Eisner MD. Environmental tobacco smoke exposure and pulmonary function among adults in NHANES III: impact on the general population and adults with current asthma. *Environmental Health Perspectives* 2002;110(8):765–70.

- Eisner MD, Klein J, Hammond SK, Koren G, Lactao G, Iribarren C. Directly measured second hand smoke exposure and asthma health outcomes. *Thorax* 2005;60(10):814–21.
- Gilmour MI, Jaakkola MS, London SJ, Nel AE, Rogers CA. How exposure to environmental tobacco smoke, outdoor air pollutants, and increased pollen burdens influences the incidence of asthma. *Environmental Health Perspectives* 2006;114(4):627–33.
- Jaakkola MS, Piipari R, Jaakkola N, Jaakkola JJK. Environmental tobacco smoke and adult-onset asthma: a population-based incident case-control study. *American Journal of Public Health* 2003;93(12):2055–60.
- Maziak W, Ward KD, Rastam S, Mzayek F, Eissenberg T. Extent of exposure to environmental tobacco smoke (ETS) and its dose-response relation to respiratory health among adults. *Respiratory Research* 2005;6(1):13.
- Skorge TD, Eagan TML, Eide GE, Gulsvik A, Bakke PS. The adult incidence of asthma and respiratory symptoms by passive smoking *in utero* or in childhood. *American Journal of Respiratory and Critical Care Medicine* 2005;172(1):61–6.
- Svanes C, Omenaas E, Jarvis D, Chinn S, Gulsvik A, Burney P. Parental smoking in childhood and adult obstructive lung disease: results from the European Community Respiratory Health Survey. *Thorax* 2004;59(4):295–302.
- Upton MN, Smith GD, McConnachie A, Hart CL, Watt GC. Maternal and personal cigarette smoke synergize to increase airflow limitation in adults. *American Journal of Respiratory and Critical Care Medicine* 2004;169(4):479–87.

## Chapter 10 Control of Secondhand Smoke Exposure

---

- Anderson PA, Buller DB, Voeks JH, Borland R, Helme D, Bettinghaus EP, Young WF. Predictors of support for environmental tobacco smoke bans in state government. *American Journal of Preventive Medicine* 2006;30(4):292–9.
- Centers for Disease Control and Prevention. Indoor air quality in hospitality venues before and after implementation of a clean indoor air law—Western New York, 2003. *Morbidity and Mortality Weekly Report* 2004;53(44):1038–41.
- Centers for Disease Control and Prevention. Survey of airport smoking policies—United States, 2002. *Morbidity and Mortality Weekly Report* 2004;53(50):1175–8.
- Javitz HA, Zbikowski SM, Swan GE, Jack LM. Financial burden of tobacco use: an employer's perspective. *Clinics in Occupational and Environmental Medicine* 2006;5(1):9–29.
- Johnsson T, Tuomi T, Riuttala H, Hyvärinen M, Rothberg M, Reijula K. Environmental tobacco smoke in Finnish restaurants and bars before and after smoking restrictions were introduced. *Annals of Occupational Hygiene* 2006; doi:10.1093/annhyg/me1011.
- McMillen RC, Gresham K, Valentine N, Chambers C, Frese W, Cosby AG. The National Social Climate of Tobacco Control, 2000–2005, 2006; <[http://www.ssrc.msstate.edu/socialclimate/reports/2005\\_National\\_Report.pdf](http://www.ssrc.msstate.edu/socialclimate/reports/2005_National_Report.pdf)>; accessed: May 10, 2006.
- Siegel M, Barbeau EM, Osinubi OY. The impact of tobacco use and secondhand smoke on hospitality workers. *Clinics in Occupational and Environmental Medicine* 2006;5(1):31–42.
- Winickoff JP, McMillen RC, Carroll BC, Klein JD, Rigotti NA, Tanski SE, Weitzman M. Addressing parental smoking in pediatrics and family practice: a national survey of parents. *Pediatrics* 2003;112(5):114–651.