

TABLE 2**Laboratory confirmed *Shigella* isolates reported to the CDC by Serotype in 2005**

Rank	Serotype	Reported	Percent
1	<i>S. sonnei</i>	7795	74.4
2	<i>S. flexneri</i> unspecified	838	8.0
3	<i>S. flexneri</i> 2 unspecified	108	1.0
4	<i>S. boydii</i> unspecified	91	0.9
5	<i>S. flexneri</i> 2a	88	0.8
6	<i>S. flexneri</i> 1 unspecified	86	0.8
7	<i>S. flexneri</i> 3 unspecified	51	0.5
8	<i>S. flexneri</i> 4 unspecified	50	0.5
9	<i>S. flexneri</i> 4a	47	0.5
10	<i>S. dysenteriae</i> unspecified	34	0.3
11	<i>S. flexneri</i> 1b	34	0.3
12	<i>S. flexneri</i> 3a	31	0.3
13	<i>S. flexneri</i> 6	28	0.3
14	<i>S. flexneri</i> variant y	26	0.3
15	<i>S. flexneri</i> 2b	17	0.2
16	<i>S. flexneri</i> 3b	17	0.2
17	<i>S. boydii</i> 2	11	0.1
18	<i>S. boydii</i> 1	8	0.1
19	<i>S. dysenteriae</i> 2	5	0.1
20	<i>S. boydii</i> 4	4	0.0
21	<i>S. dysenteriae</i> 3	4	0.0
22	<i>S. dysenteriae</i> 4	4	0.0
23	<i>S. boydii</i> 14	3	0.0
24	<i>S. dysenteriae</i> 1	3	0.0
25	<i>S. flexneri</i> 1a	3	0.0
26	<i>S. boydii</i> 10	2	0.0
27	<i>S. boydii</i> 15	2	0.0
28	<i>S. boydii</i> 20	2	0.0
29	<i>S. flexneri</i> 5 unspecified	2	0.0
30	<i>S. boydii</i> 8	1	0.0
31	<i>S. dysenteriae</i> 12	1	0.0
32	<i>S. dysenteriae</i> 3162-96	1	0.0
33	<i>S. dysenteriae</i> 6	1	0.0
34	<i>S. flexneri</i> 4b	1	0.0
35	<i>S. flexneri</i> 5a	1	0.0
36	<i>S. flexneri</i> 88-893	1	0.0
37	<i>S. flexneri</i> variant x	1	0.0
	Sub Total	9402	89.7
	Unknown	1082	10.3
	Sub Total	1082	10.3
	Total	10484	100.0