

District of Columbia, 2006

Primary and secondary syphilis

- **CASES:** District of Columbia reported 116 cases in 2006.
- **RATES:** District of Columbia ranked 1 among 50 states, DC, and 3 territories with 21.1 cases per 100,000 population compared to the total rate of 3.3 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In District of Columbia, the rate among males was 42.1 per 100,000 population compared to the total male rate of 5.7 per 100,000.
- The rate among females was 2.1 per 100,000 compared to the total female rate of 1.0 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

In District of Columbia, the race/ethnicity adjusted rates per 100,000 population were 27.2 among whites, 20.0 among blacks, 12.7 among Hispanics, 5.6 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

Congenital syphilis

- **CASES:** District of Columbia reported 1 case in 2006.
- **RATES:** District of Columbia ranked 11 among 26 states, DC, and 1 territory reporting congenital syphilis cases with a rate of 12.6 cases per 100,000 live births compared to the total rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, District of Columbia, 1997-2006



Total P&S Syphilis Rate, District of Columbia, 2006

