

A0003514

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 3
2. AMENDMENT/MODIFICATION NO. 0004	3. EFFECTIVE DATE 09/17/93	4. REQUISITION/PURCHASE REQ. NO. ED0000-3117-0034	5. PROJECT NO. (if applicable) d	
6. ISSUED BY US ARMY ENGR DIST NEW ORLEANS PO BOX 60267 NEW ORLEANS LA 70160-0267 Molly M. Block		7. ADMINISTERED BY (if other than Item 6) US ARMY ENGR DIST, NEW ORLEANS ATTN CELMN-CT PO BOX 60267 NEW ORLEANS LA 70160-0267	CODE ISSUE1	ADMIN1
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)		9A. AMENDMENT OF SOLICITATION NO. DACW29-93-B-0080		
		9B. DATED (SEE ITEM 11) 07/29/93		
		10A. MODIFICATION OF CONTRACT/ORDER NO.		
		10B. DATED (SEE ITEM 13)		
CODE OMR68	FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS SEE BELOW

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (if required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

<input checked="" type="checkbox"/>	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
<input type="checkbox"/>	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).
<input type="checkbox"/>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
<input type="checkbox"/>	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENOMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Plans and Specifications covering Lake Pontchartrain, LA and Vicinity, High Level Plan, London Avenue, Outfall Canal Parallel Protection, Pumping Station No. 3 to Mirabeau Avenue Floodwall, Orleans Parish, Louisiana, is hereby amended as follows:

BID OPENING DATE

Bid Opening Date and Time of 28 September 1993, 2:00p.m., LOCAL TIME AT PLACE OF BID OPENING, remains unchanged.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		15A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR (Signature of person authorized to sign)	15C. DATE SIGNED	15B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)	15C. DATE SIGNED

SECTION C

(1) Pages C2G-1 and C2L-1, paragraphs C2G-1 and C2L-1. Add "An independent testing laboratory retained by the Orleans Levee District will monitor vibrations during pile driving operations." to the end of these paragraphs.

(2) Page C2G-7, paragraph C2G-9.1.2. Add "Piles shall not be driven within 100 feet of concrete less than 7 days old nor within 30 feet of concrete less than 28 days old." to the end of this paragraph.

(3) Page C2L-12, paragraph C2L-12.3. In the second line, add "nor 30 feet of concrete less than 28 days old", after "less than 7 days old".

(4) Page C5A-3.

a. Paragraph C5A-4.2.1. Delete the last line in its entirety and substitute "be as specified in C5A-4.2.10." therefor.

b. Paragraphs C5A-4.2.2 and C5A-4.2.2.2. Delete "ASTM A 263-84" from these paragraphs.

(5) Page C5A-4. Add the following new paragraphs after paragraph C5A-4.2.9:

"C5A-4.2.10 Stainless Steel Bolts, Hex Cap Screws, Nuts, Washers, and Set Screws.

C5A-4.2.10.1 Stainless Steel Bolts and Hex Cap Screws. Stainless steel bolts and hex cap screws shall conform to ASTM F 593, Group 2, Alloy 316, Condition CW.

C5A-4.2.10.2 Stainless Steel Nuts. Stainless steel nuts shall conform to ASTM F 594, Group 2, Alloy 316, Condition CW.

C5A-4.2.10.3 Stainless Steel Washers. Stainless steel washers shall conform to Fed. Spec. FF-W-928, Type A, Grade 1 (Sizes: Light and Heavy), Class B (Alloy 316).

C5A-4.2.10.4 Stainless Steel Set Screws. Stainless steel set screws shall conform to Fed. Spec. FF-S-200A(2), Type I, Style 1, Alloy 304."

(6) Page C16B-12, paragraph C16B-16.4. In the 7th line change "three quarters (3/4) inch" to "five-eighths (5/8) inch".

SECTION H

Page H-42. Add the following new paragraph:

" H-39 Vibration Monitoring. An independent testing laboratory retained by the Orleans Levee District will monitor vibrations during pile driving operations. Vibration monitoring during other Contractor operations may be done at the discretion of the Orleans Levee District."