

F I N A L R E P O R T

**THE INTERNATIONAL RESERVOIRS OPERATIONS
AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE**

**Phase I
Development, Testing and Application
Of ROM/CPM Modeling System**

**Phase II
Extension of ROM/CPM Modeling System to Include
Individual Municipal and Irrigation Water Rights Accounts**

submitted to

**TEXAS WATER DEVELOPMENT BOARD
Research and Planning Fund
Contract No. 95-483-143**

August 1998

prepared for

**VALLEY WATER POLICY AND MANAGEMENT COUNCIL
of the
LOWER RIO GRANDE WATER COMMITTEE, INC.**

prepared by

**R. J. BRANDES COMPANY
Austin, Texas**

In association with

**MICHAEL SULLIVAN & ASSOCIATES, INC.
Austin, Texas**

TABLE OF CONTENTS

| | <u>PAGE</u> |
|---|-------------|
| SECTION 1 INTRODUCTION | 1-1 |
| 1.1 OVERVIEW | 1-1 |
| 1.2 BACKGROUND | 1-1 |
| 1.3 SCOPE OF WORK | 1-3 |
| SECTION 2 GENERAL ROM MODELING APPROACH | 2-1 |
| 2.1 SIMYLD-II RESERVOIR SYSTEM MODEL | 2-1 |
| 2.2 AMISTAD-FALCON ROM STRUCTURE | 2-2 |
| 2.2.1 ROM Link-Node Network | 2-2 |
| 2.2.2 ROM Storage/Demand Priorities | 2-4 |
| 2.3 SIMYLD-II SOLUTION PROCESS | 2-4 |
| SECTION 3 AMISTAD-FALCON ROM FEATURES | 3-1 |
| 3.1 SEPARATE UNITED STATES AND MEXICO WATER ACCOUNTING | 3-1 |
| 3.2 CURRENT RESERVOIR ELEVATION-AREA-CAPACITY RELATIONSHIPS | 3-1 |
| 3.3 CURRENT UNITED STATES AND MEXICO STORAGE ALLOCATIONS | 3-2 |
| 3.4 CURRENT RESERVOIR STORAGE/DEMAND OPERATIONS | 3-3 |
| 3.5 MONTHLY STORAGE-BASED EVAPORATION ALLOCATIONS | 3-7 |
| 3.6 SPECIFIED UNITED STATES AND MEXICO WATER DEMANDS | 3-8 |
| 3.7 MINIMUM OPERATIONAL RELEASES FROM AMISTAD RESERVOIR | 3-9 |
| 3.8 NON-HURRICANE SEASON FLOOD POOL STORAGE | 3-9 |
| 3.9 OWNERSHIP TRANSFER OF EXCESS RESERVOIR INFLOWS | 3-11 |
| 3.10 TNRCC RIO GRANDE WATER ACCOUNTING RULES | 3-13 |
| SECTION 4 AMISTAD-FALCON ROM DATA INPUT DEVELOPMENT | 4-1 |
| 4.1 HISTORICAL MONTHLY RESERVOIR INFLOWS | 4-1 |
| 4.2 HISTORICAL MONTHLY RESERVOIR EVAPORATION | 4-2 |
| 4.3 CURRENT AVERAGE ANNUAL WATER DEMANDS AND DIVERSIONS | 4-3 |
| 4.4 1995-1996 MONTHLY TOTAL WATER DEMANDS AND DIVERSIONS | 4-5 |
| 4.5 1995-1996 MONTHLY DEMANDS FOR INDIVIDUAL WATER RIGHTS | 4-6 |
| 4.6 MINIMUM RELEASES FROM AMISTAD RESERVOIR | 4-6 |
| 4.7 STORAGE ACCOUNTS FOR TOTAL WATER RIGHTS | 4-7 |
| 4.8 STORAGE ACCOUNTS FOR INDIVIDUAL WATER RIGHTS | 4-9 |
| 4.9 SAMPLE ROM DATA INPUT FILE LISTING | 4-9 |
| SECTION 5 AMISTAD-FALCON ROM SIMULATIONS | 5-1 |
| 5.1 SAMPLE AMISTAD-FALCON ROM OUTPUT LISTING | 5-1 |
| 5.2 1995-1996 RESERVOIR STORAGE VERIFICATION | 5-2 |
| 5.3 LONG-TERM RESERVOIR STORAGE SIMULATION | 5-3 |
| 5.4 RESERVOIR SYSTEM FIRM ANNUAL YIELD ANALYSIS | 5-5 |
| 5.5 TNRCC RESERVOIR STORAGE ACCOUNTING | 5-8 |

TABLE OF CONTENTS, CONT'D.

| | <u>PAGE</u> |
|--|-------------|
| 5.6 INDIVIDUAL WATER RIGHTS ACCOUNTING | 5-9 |
| SECTION 6 CONDITIONAL PROBABILITY MODELING | 6-1 |
| 6.1 INTRODUCTION | 6-1 |
| 6.2 BASIC CONDITIONAL PROBABILITY ANALYSIS | 6-1 |
| 6.3 AMISTAD-FALCON CPM DEVELOPMENT | 6-3 |
| 6.4 AMISTAD-FALCON CPM APPLICATION | 6-4 |
| APPENDIX 1 MONTHLY RIO GRANDE INFLOWS FOR THE UNITED STATES AND MEXICO AS SPECIFIED IN THE ROM | |
| APPENDIX 2 AMISTAD-FALCON ROM SAMPLE OUTPUT LISTING FROM 1995- 1998 SIMULATION | |
| APPENDIX 3 AMISTAD-FALCON ROM SAMPLE OUTPUT LISTING FOR 1949-1955 FROM 1945-1996 SIMULATION | |
| APPENDIX 4 LETTER DATED APRIL 7, 1998 FROM TEXAS WATER DEVELOPMENT BOARD TRANSMITTING REVIEW COMMENTS FOR REPORT | |

LIST OF TABLES

| | | <u>PAGE</u> |
|------------|--|-------------|
| TABLE 1-1 | PHASE I WORK TASKS | 1-3a |
| TABLE 4-1 | HISTORICAL ANNUAL UNITED STATES AND MEXICAN INFLOWS TO AMISTAD AND FALCON RESERVOIRS ON THE RIO GRANDE | 4-1a |
| TABLE 4-2 | HISTORICAL MONTHLY GROSS RESERVOIR EVAPORATION RATES USED IN ROM FOR AMISTAD RESERVOIR | 4-3a |
| TABLE 4-3 | HISTORICAL MONTHLY GROSS RESERVOIR EVAPORATION RATES USED IN ROM FOR FALCON RESERVOIR | 4-3b |
| TABLE 4-4 | SUMMARY OF CURRENT WATER DEMANDS AND DIVERSIONS FOR THE MIDDLE AND LOWER RIO GRANDE | 4-3c |
| TABLE 4-5 | SUMMARY OF 1995-1996 MONTHLY WATER DEMANDS FOR THE MIDDLE AND LOWER RIO GRANDE | 4-5a |
| TABLE 4-6 | INDIVIDUAL WATER RIGHTS AND ACTUAL MONTHLY DEMANDS USED IN 1995-1996 ROM SIMULATIONS | 4-6a |
| TABLE 4-7 | MONTHLY DEMANDS FOR INDIVIDUAL WATER RIGHTS BASED ON DISTRIBUTED ANNUAL AUTHORIZED DIVERSIONS | 4-6b |
| TABLE 4-8 | HISTORICAL 1995-1996 MONTHLY RELEASES FROM AMISTAD RESERVOIR FOR THE UNITED STATES AND MEXICO | 4-7a |
| TABLE 4-9 | STORAGE BALANCES FOR INDIVIDUAL IRRIGATION ACCOUNTS | 4-9a |
| TABLE 4-10 | DATA INPUT FILE LISTING FOR 1995-1998 ROM SIMULATION | 4-9b |
| TABLE 5-1 | ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR UNITED STATES POOL IN AMISTAD RESERVOIR | 5-4a |
| TABLE 5-2 | ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR UNITED STATES POOL IN FALCON RESERVOIR | 5-4b |
| TABLE 5-3 | ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR MEXICO POOL IN AMISTAD RESERVOIR | 5-4c |
| TABLE 5-4 | ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR MEXICO POOL IN FALCON RESERVOIR | 5-4d |
| TABLE 5-5 | FIRM ANNUAL YIELD RESULTS FROM AMISTAD-FALCON ROM SIMULATIONS | 5-6a |
| TABLE 5-6 | SAMPLE ROM OUTPUT LISTING SHOWING THE SIMULATED TOTAL RESERVOIR STORAGE ACCOUNTING RESULTS FOR 1954 | 5-8c |

LIST OF TABLES, CONT'D.

| | <u>PAGE</u> |
|---|-------------|
| TABLE 5-7 SAMPLE ROM OUTPUT LISTING SHOWING THE SIMULATED INDIVIDUAL WATER RIGHTS ACCOUNTING RESULTS FOR 1954 | 5-9a |

LIST OF FIGURES

| | <u>PAGE</u> |
|--|-------------|
| FIGURE 2-1 LINK-NODE NETWORK FOR AMISTAD-FALCON RESERVOIR OPERATIONS MODEL | 2-4a |
| FIGURE 3-1 CURRENT ELEVATION-AREA RELATIONSHIPS FOR AMISTAD RESERVOIR | 3-2a |
| FIGURE 3-2 CURRENT ELEVATION-CAPACITY RELATIONSHIP FOR AMISTAD RESERVOIR | 3-2b |
| FIGURE 3-3 CURRENT ELEVATION-AREA RELATIONSHIPS FOR FALCON RESERVOIR | 3-2c |
| FIGURE 3-4 CURRENT ELEVATION-CAPACITY RELATIONSHIP FOR FALCON RESERVOIR | 3-2d |
| FIGURE 4-1 12-MONTH AND 60-MONTH AVERAGE ANNUAL INFLOWS OF UNITED STATES WATER INTO AMISTAD AND FALCON RESERVOIRS | 4-2a |
| FIGURE 5-1 COMPARISON OF 1995-1996 SIMULATED AND OBSERVED MONTHLY STORAGE IN AMISTAD AND FALCON RESERVOIRS FOR THE UNITED STATES | 5-2a |
| FIGURE 5-2 COMPARISON OF 1995-1996 SIMULATED AND OBSERVED MONTHLY STORAGE IN AMISTAD AND FALCON RESERVOIRS FOR MEXICO | 5-2b |
| FIGURE 5-3 SIMULATED 1945-1996 MONTHLY STORAGE IN AMISTAD RESERVOIR FOR THE UNITED STATES AND MEXICO WITH HISTORICAL INFLOWS AND CURRENT DEMANDS | 5-3a |
| FIGURE 5-4 SIMULATED 1945-1996 MONTHLY STORAGE IN FALCON RESERVOIR FOR THE UNITED STATES AND MEXICO WITH HISTORICAL INFLOWS AND CURRENT DEMANDS | 5-3b |
| FIGURE 5-5 RESULTS FROM 1950'S DROUGHT SIMULATION SHOWING UNITED STATES STORAGE IN AMISTAD AND FALCON RESERVOIRS WITH HISTORICAL INFLOWS AND EVAPORATION AND CURRENT DEMANDS | 5-8a |
| FIGURE 5-6 RESULTS FROM 1950'S DROUGHT SIMULATION SHOWING UNITED STATES RESERVOIR STORAGE RESERVES AND ACCOUNTS AND CORRESPONDING DEMAND SHORTAGES | 5-8b |
| FIGURE 6-1 CUMULATIVE STORAGE OF THE AMISTAD AND FALCON RESERVOIR SYSTEM BY STORAGE ELEMENT | 6-3a |

LIST OF FIGURES, CONT'D.

| | <u>PAGE</u> | |
|-------------|--|------|
| FIGURE 6-2 | PROBABILITY OF STARTING ANY YEAR AT-OR-BELOW A GIVEN AMOUNT OF UNITED STATES STORAGE IN THE AMISTAD-FALCON SYSTEM | 6-4a |
| FIGURE 6-3 | PROBABILITY OF INSUFFICIENT WATER TO MEET CURRENT AVERAGE UNITED STATES DEMAND FOR ANY GIVEN START-OF-YEAR UNITED STATES STORAGE CONDITION | 6-5a |
| FIGURE 6-4 | COMPOUND PROBABILITY OF INSUFFICIENT WATER TO MEET CURRENT AVERAGE UNITED STATES DEMAND FOR ANY GIVEN START-OF-YEAR UNITED STATES STORAGE CONDITION | 6-6a |
| FIGURE 6-5 | CONCEPTUAL COMPONENTS AND PROCEDURES FOR EXAMPLE STAGED DROUGHT MANAGEMENT AND RESERVOIR OPERATIONS PROGRAM | 6-7a |
| FIGURE 6-6 | PROBABILITY OF STARTING ANY YEAR AT-OR-BELOW A GIVEN AMOUNT OF UNITED STATES STORAGE WITH UNITED STATES DEMANDS BETWEEN 600,000 AND 1,800,000 ACRE-FEET/YEAR | 6-7b |
| FIGURE 6-7 | PROBABILITY OF INSUFFICIENT WATER TO MEET UNITED STATES DEMANDS BETWEEN 600,000 AND 1,800,000 ACRE-FEET/YEAR | 6-7c |
| FIGURE 6-8 | UNITED STATES DEPENDABLE ANNUAL YIELD FROM THE AMISTAD AND FALCON RESERVOIR SYSTEM AS A FUNCTION OF START-OF-YEAR U. S. STORAGE FOR DIFFERENT MANAGEMENT INTERVALS | 6-8a |
| FIGURE 6-9 | EXAMPLE AMISTAD-FALCON CONSERVATION MANAGEMENT PLAN AS A FUNCTION OF START-OF-YEAR UNITED STATES STORAGE | 6-8b |
| FIGURE 6-10 | PROBABILITY OF STARTING ANY YEAR AT-OR-BELOW THE STATED CAPACITY AND PERCENT OF TIME EXAMPLE CONSERVATION MANAGEMENT CONDITIONS WOULD APPLY | 6-9a |

SECTION 1 INTRODUCTION

1.1 OVERVIEW

This study has been undertaken by R. J. Brandes Company (RJBCO) of Austin, Texas, in association with Michael Sullivan & Associates (MSA), for the purpose of developing a computerized reservoir operations model (ROM) for Amistad and Falcon Reservoirs on the Rio Grande in Texas. Basically, this ROM has the capability to simulate the time-varying (monthly) behavior of these reservoirs with regard to the amount of water stored and owned by the United States and by Mexico in each of the reservoirs, subject to specified hydrologic and climatic inputs, prioritized water demands for each country, and current international operating procedures and State of Texas water accounting and allocation rules. The ROM also includes routines to simulate monthly water accounting, including provisions for positive and negative water allocations, for up to three individual Texas water rights holders having specified amounts of authorized municipal water rights and Class A and Class B irrigation water rights. With MSA's assistance, a companion conditional probability model (CPM) also has been developed that processes the outputs from the ROM to provide information regarding the risks associated with meeting certain total United States water demands, given certain known beginning-of-the-year reservoir storage conditions, reservoir operating policies, and drought demand management procedures.

RJBCO has performed this work pursuant to an agreement with the Valley Water Policy and Management Council (VWPMC) of the Lower Rio Grande Water Committee, Inc. that was executed in October, 1995. This agreement was amended in March, 1997, to provide for additional services related to modeling of individual water right accounts. The VWPMC received funding support for this work through a research grant from the Texas Water Development Board (TWDB), with assistance from the Texas Natural Resource Conservation Commission (TNRCC) and the Texas Governor's Office. Throughout the course of this study, technical guidance and assistance and substantial data and information have been provided to RJBCO by the VWPMC, the TWDB, the TNRCC, the Rio Grande Watermaster, and the International Boundary and Water Commission (IBWC).

1.2 BACKGROUND

Historical demands for water in the Rio Grande basin by users in both the United States and Mexico have resulted in a variety of measures aimed at improving the management of the overall water resources of the system. Treaties and various orders have been signed by the two countries that allocate the waters of the basin between the two countries and set forth certain operating and accounting procedures regarding reservoir storage, river diversions, flood control and other water

matters. The IBWC, an international Rio Grande regulatory agency with sections representing both the United States and Mexico, administers the treaties, implements the orders, and generally manages the operation of the river system. Amistad and Falcon Reservoirs have been constructed on the mainstem of the river through the joint efforts of the United States and Mexico, and these major impoundments have greatly enhanced the ability of the system to deliver an increased supply of water to users in both countries on a more dependable basis. In Texas, specific water rights regulations and water accounting and allocation rules have been implemented by the TNRCC and its predecessor agencies to provide for more effective utilization of the United States' share of the existing water supply from the river. The TNRCC's Rio Grande Watermaster is responsible for the day-to-day operation of the water delivery system in the Middle and Lower Rio Grande basins in Texas, including water accounting.

It is common knowledge that the Middle and Lower Rio Grande basins are over-appropriated with regard to existing water rights in Texas. The estimated firm annual yield of the United States share of Amistad and Falcon Reservoirs is not sufficient to fully supply the authorized diversions of existing water rights, should a severe drought occur such as that experienced throughout much of Texas during the 1950's. Certainly, the critical state of the currently available water supply in the Rio Grande reservoirs, for both the United States and Mexico, and the continuing extremely dry conditions in much of the watershed have caused municipal and irrigation water users in the Middle and Lower Rio Grande basins of Texas to be especially concerned with regard to water availability in the immediate future.

The fundamental question facing both water regulators and water users is what should be done now to assure an adequate future supply of water throughout the Middle and Lower Rio Grande system such that essential needs can be satisfied in the future. One of the things needed to effectively answer this question is a knowledge of the risks involved in doing nothing versus those associated with implementing certain reservoir operation and drought management measures that could, in effect, prolong the available water supply from the existing reservoirs. Specifically, information is needed that describes the likelihood that certain levels of demand can be satisfied in the future given that a known amount of water is currently in storage in Amistad and Falcon Reservoirs and that certain critical climatic and hydrologic conditions could occur. More importantly, the specific water resources development and conservation measures that may be needed to avoid a failure of the system, at some required level of probability, with regard to its ability to supply a certain amount of water in the future, need to be identified and evaluated and, if appropriate, implemented as soon as possible.

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

Reservoir operations modeling and conditional probability analyses of reservoir behavior and operations represent an important starting point for developing such information. These techniques and procedures have been applied to other reservoir systems in Texas, with results offering significant insight with regard to the most effective means for managing and operating the reservoirs prior to and during drought periods. The study described herein has been undertaken for the purpose of developing the basic analytical tools required to perform reservoir operations modeling and conditional probability analyses of Amistad and Falcon Reservoirs on the Rio Grande. The outputs and results from utilizing these tools have direct application in water supply planning throughout the Middle and Lower Rio Grande basins. Such applications will be made through future planning efforts.

1.3 SCOPE OF WORK

The work described herein represents the initial phases of a more comprehensive effort to investigate the operation of Amistad and Falcon Reservoirs and the water delivery system in the Middle and Lower Rio Grande basins of Texas within the overall context of regional water resources planning. Certainly, the potential development of revised reservoir operating rules and effective drought management measures will require extensive time and effort. However, the reservoir modeling undertaken in this study provides a solid framework for proceeding with the more comprehensive investigations. Much of the time and effort expended in this study has been spent just compiling and synthesizing the required data and information necessary to describe the current operation of the system and its physical characteristics and the historical long-term trends and extremes in hydrologic and climatic conditions throughout the watershed.

The tasks listed in Table 1-1 have been undertaken as the scope of work for Phase I of the overall ROM/CPM project. Basically, this Phase I effort provides for the development, testing and preliminary application of the ROM/CPM modeling system for Amistad and Falcon Reservoirs. Upon completion of the basic Phase I modeling work outlined in Table 1-1, the scope of this overall effort was expanded through Phase II to include extension of the ROM to provide for individual water rights accounting. This involved additional programming to include water accounting for three individual Texas water rights holders, each having specified authorized diversion amounts of municipal water rights and Class A and Class B irrigation water rights. Results from this Phase II work also are described in this report.

TABLE 1-1 PHASE I WORK TASKS

| | |
|-------------------|---|
| Task I. | Compilation and Analysis of Data and Information |
| Task II. | Compilation and Analysis of Current Operational Constraints |
| Task III. | Preliminary Drought Management Reservoir Operation and Demand Reduction Criteria |
| Task IV. | Development and Testing of a System Operation Model |
| Task V. | Development and Testing of a Conditional Probability Model |
| Task VI. | Application of ROM and CPM Models |
| Task VII. | Analysis and Evaluation of Existing and Proposed Operational Constraints |
| Task VIII. | Model Development and Evaluation Report Preparation |
| Task IX. | Project Coordination and Management |

SECTION 2 GENERAL ROM MODELING APPROACH

2.1 SIMYLD-II RESERVOIR SYSTEM MODEL

As the basis for developing and structuring the reservoir operations model (ROM) for the Amistad-Falcon Reservoir system, the existing SIMYLD-II reservoir system model¹, or computer program, has been used. The original version of this program was formulated and coded by the Texas Water Development Board in the early 1970's as part of that agency's overall mathematical simulation capabilities for analyzing water resources systems. Extensive modifications of the original SIMYLD-II program have been made by RJBCO in this study to adapt the program to the specific features and characteristics of the Amistad-Falcon system that cannot otherwise be described with the normal SIMYLD-II input data.

The basic SIMYLD-II program can be applied to provide a multi-reservoir simulation model capable of describing the movement and storage of water through a system of river reaches, canals, reservoirs and non-storage river junctions over a specified period of time. The SIMYLD-II program, as applied in this study, utilizes a monthly time step to perform time-varying reservoir storage and river flow simulations subject to a specified sequence of water demands, river inflows and reservoir evaporation losses. During the simulation process, the model strives to meet a set of specified demands and target reservoir storage conditions in a given order of priority. If shortages occur during the operation, i. e., not all demands or storage conditions can be satisfied for a particular time period, the shortages are spatially located and assigned at the lowest-priority demand or storage nodes.

The SIMYLD-II program is designed to provide flexibility in selecting operating rules for each reservoir in the system being simulated. The operating rules are formulated as the percentage of each reservoir's capacity (either total or conservation) that is desired to be held in storage at the end of each computational time step (each month). The operating rules provide flexibility by allowing the desired reservoir storage levels and the priorities for allocating water between satisfying demands and maintaining storage in the reservoirs to be varied by month during the year. Furthermore, these priorities can be changed during a simulation according to the hydrologic state of the system being modeled, i. e., dry, normal or wet conditions based on system storage.

The fundamental concept in applying the SIMYLD-II program is that the physical reservoir system must be transformed into a capacitated network flow problem. In making this transformation, the real system's physical elements are represented as a combination of two possible network

¹ Texas Water Development Board; "Economic Optimization & Simulation Techniques for Management of Regional Water Resource Systems, River Basin Simulation Model, SIMYLD-II Program Description"; July, 1972; Austin, Texas.

components -- nodes and links. Given the proper parametric description of these two network components, it becomes a straightforward task to develop the necessary network. Once properly developed, the network system can be analyzed as a direct analog of the real system.

As the nomenclature implies, a node is a connection and/or branching point within the network. Therefore, a node is analogous to a reservoir or a non-storage junction, e. g., a canal junction, major river confluence, etc., in the physical system. Additionally, a node is a network component that is considered to have the capacity to store a finite and bounded amount of the water moving within the network. In the case of SIMYLD-II, reservoirs are represented by nodes which have storage capacity, as well as, the ability to serve as branching points. A non-storage capacitated junction is handled similarly to a capacitated junction (reservoir) except that its storage capacity is always zero. Demands placed on the system must be located at nodal points. Also, any water entering the system, such as might occur naturally from upstream river inflows or artificially by import, must be introduced at nodal points.

The transfer of water among the various network nodes is accomplished by transfer components called links. Typically, a link is a river reach, canal or closed conduit with a specified direction of flow and a fixed maximum and minimum capacity. The specified maximum capacity represents the upper limit on the amount of water that can be conveyed through a link. The minimum capacity establishes a required minimum flow that must be conveyed through a link at all times.

The physical system and its basic time step operation, in this case one month, is formulated as a network flow problem. The set of solutions to this network flow problem provides the sequential operation of the system with the set of monthly operations becoming the operation of the system over the entire length of the desired hydrologic sequence, i. e., the simulation period.

2.2 AMISTAD-FALCON ROM STRUCTURE

2.2.1 ROM Link-Node Network

The initial step in the application of the SIMYLD-II program is the construction of the link-node network describing the physical system. The network used in this study for representing the various components of the Amistad-Falcon Reservoir system as simulated with SIMYLD-II is shown in Figure 2-1. As illustrated by this diagram, the Amistad-Falcon SIMYLD-II model consists basically of two separate water storage and conveyance systems; one for the United States

and one for Mexico. In this network, the physical system elements for each of the two countries are represented by the network elements in the following manner:

For the United States:

1. The portions of Amistad and Falcon Reservoirs used to store United States water are represented by triangles identified as Nodes 1 and 2, respectively;
2. The United States total municipal water demand between Amistad and Falcon Reservoirs is specified at a non-storage junction identified as Node 5;
3. The United States total irrigation water demand between Amistad and Falcon Reservoirs is specified at a non-storage junction identified as Node 6;
4. The United States total municipal water demand below Falcon Reservoir, including channel losses, is specified at the United States Falcon Reservoir storage junction identified as Node 2;
5. The United States total irrigation water demand below Falcon Reservoir, including channel losses, is specified at a non-storage junction identified as Node 7; and
6. River reaches between the United States Amistad and Falcon Reservoir storage nodes and the various United States demand nodes are represented by solid lines showing the direction of flow and numbered 1, 2, 3 and 4.

For Mexico:

1. The portions of Amistad and Falcon Reservoirs used to store Mexican water are represented by triangles identified as Nodes 3 and 4, respectively;
2. The Mexican total municipal and irrigation water demand between Amistad and Falcon Reservoirs is specified at a non-storage junction identified as Node 8;
3. The Mexican total municipal and irrigation water demand below Falcon Reservoir, including channel losses, is specified at the Mexican Falcon Reservoir storage junction identified as Node 4; and
4. River reaches between the Mexican Amistad and Falcon Reservoir storage nodes and the various Mexican demand nodes are represented by solid lines showing the direction of flow and numbered 5 and 6.

The inflows to the reservoir system, which are comprised of Rio Grande inflows to Amistad Reservoir and tributary inflows to the river from the watershed between Amistad and Falcon Reservoirs (referred to as side inflows or incremental inflows), for both the United States and Mexico are indicated on the network diagram by inward arrows at Nodes 1, 3, 5 and 8. Flood spills from Amistad Reservoir are allowed in the model at the Amistad Reservoir storage nodes, i.

e., at Node 1 for the United States and Node 3 for Mexico. These flood spills enter each country's respective storage pool in Falcon Reservoir through Link 7 for the United States and Link 8 for Mexico. Spills from the system into the Lower Rio Grande can occur at the Falcon Reservoir storage nodes, i. e., at Node 2 for the United States and Node 4 for Mexico. The dashed lines with double arrows between Nodes 1 and 3 (Amistad Reservoir) and Nodes 2 and 4 (Falcon Reservoir) indicate the capability of the model for transferring one country's excess inflows to the other country's conservation pool when the first country's conservation pool is full. This feature is provided for in the 1944 Treaty between the United States and Mexico.

2.2.2 ROM Storage/Demand Priorities


Each of the storage nodes and the demand nodes in the SIMYLD-II model network also has been assigned a set of priority numbers that establish the relative priorities among nodes for either storing water or meeting specified water demands during the simulation process. The highest priority for storing water and/or meeting a demand is assigned the lowest number, i. e., a value of one. Sequential higher priority numbers then are assigned in accordance with the order in which storage and/or demands at specific nodes are to be shorted, or left unsatisfied, in the event there is not sufficient water in the system to satisfy all desired storage and demand requirements. The specific priorities assigned to the individual nodes and their respective storage/demand activities in the Amistad-Falcon ROM are indicated on the link-node diagram in Figure 2-1, and they are described in more detail in the next section of this report.

2.3 SIMYLD-II SOLUTION PROCESS

With the model network defined to approximate the components and features of the real physical system, the solution procedure in the SIMYLD-II model progresses stepwise in moving from a known set of state variables, i. e., nodal storage volumes and link flow values, at the beginning of a time step (end of Month J), to the solution for the required set of state variables at the end of the time step (end of Month J+1). The four-step solution process that is repeated each month during a simulation period is as follows:

1. The present status of the network is evaluated, and all system elements are given an appropriate parametric description.
2. All specified hydraulic and hydrologic inputs and demands are accounted for, and the

FIGURE 2-1 LINK-NODE NETWORK FOR AMISTAD-FALCON RESERVOIR OPERATIONS MODEL



THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

mass balance for the entire network system is determined. Bounds are placed on system demands, spills and storage levels.

3. The flows necessary to meet the levels required by Step 2 and, at the same time, to minimize the system's total cost of water transport are determined through the application of an optimization procedure.
4. All necessary state variables have now been determined, and the status of the system at the conclusion of the current time step becomes the status at the beginning of the next time step.

This solution procedure is repeated in a stepwise fashion until the specified simulation period has been spanned. The resulting outputs from the SIMYLD-II program, when operated in this manner, are the time variations in reservoir storage and channel or conduit flow for all of the network elements over the duration of the simulation period. Hence, the basic results from the ROM for the Amistad-Falcon Reservoir system are: (1) the end-of-month values of storage in the United States and the Mexican portions of Amistad and Falcon Reservoirs; (2) the monthly volumes of United States and Mexican water released from Amistad Reservoir to meet downstream demands or Falcon storage requirements; (3) the monthly volumes of United States and Mexico water spilled from Amistad Reservoir when the conservation storage of both countries is full; (4) the monthly volumes of United States and Mexican water released from Falcon Reservoir to meet downstream demands; and (5) the monthly volumes of United States and Mexico water spilled from Falcon Reservoir when the conservation storage of both countries is full.

SECTION 3 AMISTAD-FALCON ROM FEATURES

3.1 SEPARATE UNITED STATES AND MEXICO WATER ACCOUNTING

As indicated by the structure of the Amistad-Falcon SIMYLD-II model illustrated in Figure 2-1, the ROM accounts for water stored in the reservoirs and used by the United States and Mexico separately. Inflows to the system are specified separately for each country in the model, and then simulations are made separately for each country taking into consideration each country's available storage in Amistad and Falcon Reservoirs and separate water demands in the Middle and Lower Rio Grande basins. Total evaporation losses from each of the reservoirs are charged proportionally against each country's reservoir storage amount. At the end of each month of the overall simulation period, the amount of water owned and stored by each country in each of the reservoirs is determined by the ROM. Each country's releases from Amistad Reservoir and the amounts of water that each country has flowing in various reaches (between nodes) of the Rio Grande between Amistad Reservoir and Falcon Reservoir also are simulated each month. Releases from Falcon Reservoir for each country are reported each month, but these releases are not simulated. They only reflect the water demands of each country in the Lower Rio Grande basin as specified as input to the model.

3.2 CURRENT RESERVOIR ELEVATION-AREA-CAPACITY RELATIONSHIPS

Since construction of Falcon Reservoir in the early 1950's and Amistad Reservoir in the late 1960's, the storage capacity of these impoundments has changed, actually has been reduced, as sediments carried with river inflows have been deposited and accumulated in the reservoirs. Periodically, the IBWC has performed sedimentation surveys of each of the reservoirs to establish current storage conditions. The results from such surveys are expressed as elevation-area-capacity tables that indicate the surface area and storage capacity of the reservoirs at different water surface elevations ranging from the bottom of the impoundments, i. e., near the zero area and storage condition, up to near the maximum design water surface elevation, i. e., at the top of the flood pool. Typically, increments of 0.005 meters (0.016 feet) in elevation are used for reporting in the IBWC elevation-area-capacity tables.

The most recent elevation-area-capacity tables^{1,2} developed by the IBWC have been incorporated into the Amistad-Falcon ROM data input file. These tables reflect 1992 sedimentation conditions in both of the reservoirs. It should be noted that the IBWC officially adopted these elevation-area-capacity

¹ International Boundary and Water Commission, United States Section; "Amistad International Reservoir Elevation-Area-Capacity Table Based on Survey of 1992"; October, 1994; El Paso, Texas.

² International Boundary and Water Commission, United States Section; "International Falcon Reservoir Elevation-Area-Capacity Table Based on Survey of May 1992"; November, 1992; El Paso, Texas.

tables for water accounting purposes on May 1, 1993, for Falcon Reservoir and January 1, 1995, for Amistad Reservoir. Prior to these times, previous versions of these tables corresponding to earlier sedimentation conditions in the reservoirs were used by the IBWC; however, only the most recent elevation-area-capacity tables have been used in the ROM for all simulations. Figures 3-1 and 3-2 present plots of the current elevation-area and elevation-capacity relationships, respectively, for Amistad Reservoir. Current elevation-area and elevation-capacity plots for Falcon Reservoir are shown in Figures 3-3 and 3-4, respectively.

3.3 CURRENT UNITED STATES AND MEXICO STORAGE ALLOCATIONS

The ROM for the Amistad-Falcon Reservoir system incorporates allocations of reservoir storage in accordance with agreements made between the United States and Mexico prior to construction of the impoundments. These agreements stipulate that each country shall have control and use of the following shares, or percentages, of the total silt and conservation storage capacity of Amistad and Falcon Reservoirs³.

| | UNITED STATES' PERCENTAGE OF SILT & CONSERVATION STORAGE CAPACITY | MEXICO'S PERCENTAGE OF SILT & CONSERVATION STORAGE CAPACITY |
|-------------------|--|--|
| AMISTAD RESERVOIR | 56.2 % | 43.8 % |
| FALCON RESERVOIR | 58.6 % | 41.4 % |

The IBWC reports⁴ that the top of the silt and conservation pool in Amistad Reservoir is set at elevation 340.462 meters above mean sea level (MSL), which is equal to 1,117.00 feet MSL. For Falcon Reservoir, it is set at 91.805 meters MSL, or 301.20 feet MSL. The maximum silt and conservation storage capacities and associated surface areas of the two reservoirs that correspond to these elevations, based on the most recent IBWC elevation-area-capacity tables for the reservoirs as described and referenced above, are listed in the following table, along with the corresponding silt and conservation storage capacities currently allocated to the United States and to Mexico in accordance with the originally agreed upon shares:

³ International Boundary and Water Commission, United States Section; "An Appraisal of Potential Rio Grande Channel Dams In Hidalgo and Cameron Counties, Texas for Water Conservation"; Prepared for the Texas Department of Water Resources; April, 1983; El Paso, Texas.

⁴ United States of America, Department of State, International Boundary and Water Commission, United States and Mexico; "Flow of the Rio Grande and Related Data, From Elephant Butte Dam, New Mexico to the Gulf of Mexico"; Water Bulletin Number 65; 1995; El Paso, Texas.

FIGURE 3-1 CURRENT ELEVATION-AREA RELATIONSHIP FOR AMISTAD RESERVOIR




FIGURE 3-2 CURRENT ELEVATION-CAPACITY RELATIONSHIP FOR AMISTAD RESERVOIR




FIGURE 3-3 CURRENT ELEVATION-AREA RELATIONSHIP FOR FALCON RESERVOIR





FIGURE 3-4 CURRENT ELEVATION-CAPACITY RELATIONSHIP FOR FALCON RESERVOIR



| | SILT & CONSERVATION STORAGE CAPACITY | | RESERVOIR SURFACE AREA | |
|---------------------|---|---------------------|---------------------------|-----------------|
| | <u>Acre-Feet</u> | <u>1,000 Cu. M.</u> | <u>Acres</u> | <u>Hectares</u> |
| AMISTAD RESERVOIR | 3,151,319 | 3,887,094 | 64,438 | 26,077 |
| United States Share | 1,771,041 | 2,184,547 | - | - |
| Mexico Share | 1,380,278 | 1,702,547 | - | - |
| FALCON RESERVOIR | 2,653,803 | 3,273,418 | 87,181 | 35,281 |
| United States Share | 1,555,129 | 1,918,223 | - | - |
| Mexico Share | 1,098,674 | 1,355,195 | - | - |

3.4 CURRENT RESERVOIR STORAGE/DEMAND OPERATIONS

The current operation of Amistad and Falcon Reservoirs with regard to desired storage levels and the distribution of stored water between the reservoirs appears to follow general guidelines that are utilized by both the United States and Mexico. The allocation of stored water among users in Texas is established by rules promulgated by the TNRCC and its predecessor agencies. Certainly, Mexico recognizes the importance of assuring its municipal water supply before allowing releases and diversions for irrigation of agricultural land.

As described earlier, the Amistad-Falcon ROM incorporates these various reservoir operational rules and guidelines through the assignment of priorities to each storage/demand activity at each node in the model. These priorities are listed in the following table for each country in order from the highest priority to the lowest priority. It should be noted that because storage in the reservoirs is accounted for separately for the two countries, the demand and storage priorities specified in the ROM also are applicable to the two countries individually. Hence, a priority assigned to one country's demand or storage operation has no effect on the demand or storage operations of the other country.

The definition of the storage/demand priorities for the nodes in the Amistad-Falcon ROM generally reflect current operating procedures for the reservoir system and current demand priorities established by both the United States and Mexico. For example, both countries recognize the higher priority of meeting human water needs, i. e., municipal demands, before irrigation water needs. Hence, all of the municipal demands for each country that are included in the ROM are assigned a higher priority (lower priority number) than the irrigation demands. The use of higher priorities for

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE
Phase I - Development, Testing and Application of ROM/CPM Modeling System
Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

water demands below Falcon Reservoir in the Lower Rio Grande basin than those specified for demands along the Middle Rio Grande is purely arbitrary and actually makes little difference with regard to the ability of the reservoirs to supply water to users in either the Lower or the Middle Rio Grande basins.

| PRIORITY | | | | STORAGE/DEMAND NODE ACTIVITY | NODE |
|------------------------------|-----|-----|------|--|------|
| <u>Storage Condition</u> | | | | | |
| | Low | Mod | High | | |
| <u>For the United States</u> | | | | | |
| 1 | 1 | 1 | | U. S. Municipal Demands Along Middle Rio Grande | 5 |
| 2 | 2 | 2 | | U. S. Municipal Demands Below Falcon Reservoir | 2 |
| 3 | 3 | 3 | | U. S. Irrigation Demands Along Middle Rio Grande | 6 |
| 4 | 4 | 4 | | U. S. Irrigation Demands Below Falcon Reservoir | 7 |
| 11 | 10 | 10 | | U. S. Storage in Amistad Reservoir | 1 |
| 10 | 11 | 11 | | U. S. Storage in Falcon Reservoir | 2 |
| <u>For Mexico</u> | | | | | |
| 5 | 5 | 5 | | Mexican Total Demands Along Middle Rio Grande | 8 |
| 6 | 6 | 6 | | Mexican Total Demands Below Falcon Reservoir | 4 |
| 13 | 12 | 12 | | Mexican Storage in Amistad Reservoir | 3 |
| 12 | 13 | 13 | | Mexican Storage in Falcon Reservoir | 4 |

The higher priority assigned to the storage of river inflows in Amistad Reservoir during non-drought conditions, rather than in Falcon Reservoir, is consistent with accepted water conservation and reservoir system operation practices in that it results in less overall evaporation losses from the reservoirs and tends to optimize the river flow capture ability of the two impoundments. Furthermore, Article 8, §(a), of the 1944 Treaty between the United States and Mexico⁵ stipulates that "storage in all major international reservoirs above the lowest shall be maintained at the maximum possible water level, consistent with flood control, irrigation use and power requirements". According to IBWC, Falcon Reservoir is the "lowest international reservoir" on the Rio Grande for purposes of the treaty; therefore, it is the policy of IBWC to maximize the storage of water in Amistad Reservoir upstream.

As indicated in the above table of ROM priorities, three priority assignments are specified for each node in the ROM with regard to storage/demand activities. The three priority assignments reflect the priorities that are active in the model under three different prescribed hydrologic conditions which

⁵ "Treaty Between the United States of America and Mexico, Utilization of Waters of the Colorado and Tijuana Rivers and of the Rio Grande"; February 3, 1944; Washington, D. C.

are defined based on the amount of water in reservoir storage, i. e., a “Mod” (Moderate) storage condition, a “Low” storage condition, and a “High” storage condition. As the Amistad-Falcon ROM is presently structured, the particular hydrologic state of the reservoir system for either the United States or Mexico is determined by the amount of water stored only in Falcon Reservoir, i. e., the most-downstream reservoir. Since the normal reservoir operation practice is to maintain Amistad Reservoir as full as possible, the hydrologic state of the system at any point in time is better reflected by the amount of water stored in Falcon Reservoir, since its storage tends to fluctuate more directly with variations in inflows and demands.

For purposes of establishing the hydrologic state of the reservoir system for each country in the model, the Moderate storage condition is defined by lower and upper percentages of the maximum conservation storage capacity allocated to each country in Falcon Reservoir as follows.

PERCENTAGE AND AMOUNT OF FALCON RESERVOIR
 MAXIMUM CONSERVATION STORAGE USED TO DEFINE
 MODERATE RESERVOIR SYSTEM STORAGE CONDITIONS

| | <u>Lower Limit</u> | | <u>Upper Limit</u> | |
|---------------|--------------------|------------------|--------------------|------------------|
| | <u>Percent</u> | <u>Acre-Feet</u> | <u>Percent</u> | <u>Acre-Feet</u> |
| UNITED STATES | 9.65 | 150,000 | 75.00 | 1,166,347 |
| MEXICO | 10.00 | 109,867 | 75.00 | 824,006 |

The lower values of these Falcon Reservoir storage figures are of most significance because they define the cutoff points between the “Low” storage condition and the “Moderate” storage condition of the two countries’ reservoir systems. As indicated by the storage priorities listed previously, this is the point in the ROM at which storage of river inflows in Falcon Reservoir is given a higher priority than storage of river inflows in Amistad Reservoir. As noted previously, the normal practice in the real system and in the ROM is to maximize the storage of river inflows in Amistad Reservoir since it is the most upstream reservoir in the system; however, when the storage in Falcon Reservoir falls below the lower limits shown above, the reservoir storage priorities are switched in the ROM in order to assure a minimum supply of water in Falcon Reservoir for both countries. While this appears to be consistent with actual reservoir operations, there is no documented minimum level of storage for the United States in Falcon Reservoir that reflects the desired storage condition that is supposed to be maintained during extremely dry periods. However, based on actual reservoir storage records for the current drought period, the lowest that the United States storage in Falcon Reservoir has been allowed to fall has been approximately 176,000 acre-feet,

which occurred in July, 1996. Therefore, for purposes of specifying reservoir operating procedures in the ROM, the minimum desired storage condition of 150,000 acre-feet, or 9.65 percent of the United States maximum conservation storage capacity, has been adopted as the minimum dry-period storage level for the United States in Falcon Reservoir. When the quantity of United States water stored in the reservoir falls to this minimum level of storage, additional releases of United States water from Amistad Reservoir are initiated in the ROM to satisfy downstream water demands, even those below Falcon Reservoir. The minimum desired dry-period storage level for Mexico in Falcon Reservoir has been established at 109,867 acre-feet in the ROM, which represents approximately the same fraction (ten percent) of the Mexican total conservation capacity.

Of course, when the simulated storage of either country in Amistad Reservoir is drawn to near zero during extremely dry periods, releases of water from the minimum storage pools in Falcon Reservoir also are made to meet water demands. The upper storage limits indicated in the above table as the upper bound on the Moderate storage condition actually have no real meaning with respect to the ROM simulations since the storage/demand priorities of the nodes do not change between the Moderate storage condition and the High storage condition.

Another important feature of the ROM with regard to effectively simulating current storage/demand operations for the Amistad-Falcon system is the capability of the model to define target storage levels in each of the reservoirs for both the United States and Mexico for each of the three previously described hydrologic storage conditions. This means that once a particular hydrologic state is determined in the model for either country during the simulation process, the model attempts to maintain prescribed storage levels for that country in the conservation pools of both reservoirs. The assigned storage priorities for each of the reservoirs under the three hydrologic storage conditions determine which of the reservoirs is to be allowed to store water first in order to satisfy its target storage level.

In the current version of the ROM, the target storage levels specified in the following table, expressed in terms of percentages of the maximum conservation storage capacities and corresponding storage amounts, are defined for each country in Amistad and Falcon Reservoirs for each of the three hydrologic storage conditions. It should be noted that the target storage amounts based on the indicated percentages are increased in the model as the maximum conservation storage capacities of the reservoirs are operationally increased during the non-hurricane season as described in Section 3.8.

| | PERCENTAGE OF CONSERVATION STORAGE CAPACITY % | TARGET STORAGE AMOUNT Acre-Feet |
|----------------------------|--|--|
| AMISTAD RESERVOIR | | |
| UNITED STATES | | |
| Low Storage Condition | 75.0 | 1,328,281 |
| Moderate Storage Condition | 100.0 | 1,771,041 |
| High Storage Condition | 100.0 | 1,771,041 |
| MEXICO | | |
| Low Storage Condition | 75.0 | 1,035,209 |
| Moderate Storage Condition | 100.0 | 1,380,278 |
| High Storage Condition | 100.0 | 1,380,278 |
| FALCON RESERVOIR | | |
| UNITED STATES | | |
| Low Storage Condition | 9.65 | 150,070 |
| Moderate Storage Condition | 75.0 | 1,166,347 |
| High Storage Condition | 100.0 | 1,555,129 |
| MEXICO | | |
| Low Storage Condition | 0.1 | 1,099 |
| Moderate Storage Condition | 75.0 | 824,006 |
| High Storage Condition | 100.0 | 1,098,674 |

3.5 MONTHLY STORAGE-BASED EVAPORATION ALLOCATIONS

In accordance with Article 8, §(d), of the 1944 Treaty between the United States and Mexico, current water accounting procedures employed by the IBWC allocate evaporation losses from Amistad and Falcon Reservoirs to the United States and Mexico proportional to the average amount of water stored in each of the reservoirs by each country. In the monthly water accounting process, the IBWC calculates total monthly evaporation losses for each reservoir based on observed gross evaporation rates as measured at several evaporation pans located around the reservoirs. To arrive at the total monthly evaporation losses for the reservoirs, the observed monthly gross evaporation rates are applied to the average surface area of the reservoirs as determined from the elevation-area-capacity tables using the actual reservoir stages as measured by IBWC during each month. The resulting total evaporation losses for each reservoir then are allocated by IBWC to each country in proportion to each country's average amount of storage in each of the reservoirs.

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

This same evaporation allocation procedure has been incorporated into the SIMYLD-II computer program for the Amistad-Falcon ROM. For each month during a given simulation period, the observed monthly gross evaporation rates for each reservoir as reported by the IBWC have been included in the ROM data input file. These gross evaporation rates then are used in an iterative process with the simulated reservoir surface areas to determine total evaporation losses. These losses are proportionally allocated to each country's share of the reservoirs' storage, i. e., the allocated evaporation losses are subtracted from each country's storage amount.

It should be noted that the monthly river inflows specified in the ROM for each of the reservoirs have been determined by IBWC through water balance calculations based on observed monthly changes in historical reservoir storage, calculated gross evaporation losses and known reservoir releases, with no adjustment for direct rainfall on the reservoirs themselves. Hence, the IBWC river inflows inherently include the effective inflows to each reservoir due to direct rainfall on the reservoirs' surface. This is why, in the ROM, the simulated evaporation losses are based on gross evaporation rates and not net evaporation rates.

3.6 SPECIFIED UNITED STATES AND MEXICO WATER DEMANDS

As noted previously, the Amistad-Falcon ROM includes provisions for specifying water demands on the reservoir system by both the United States and Mexico. The demand arrows identified on the ROM network diagram in Figure 2-1 and described in Section 2.2 indicate the locations and types of demands that are accounted for in the model. These include the following demands at the indicated nodes:

For the United States:

- Node 2 United States total municipal water demand below Falcon Reservoir
- Node 5 United States total municipal water demand between Amistad and Falcon Reservoirs
- Node 6 United States total irrigation water demand between Amistad and Falcon Reservoirs
- Node 7 United States total irrigation water demand below Falcon Reservoir

For Mexico:

- Node 4 Mexican total municipal and irrigation water demand below Falcon Reservoir
- Node 8 Mexican total municipal and irrigation water demand between Amistad and Falcon Reservoirs

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

For purposes of developing and testing the ROM, current average values of these demands and their typical monthly distributions throughout a given year have been determined and included in the basic ROM data input file. As described in Sections 4.3 and 4.4 of this report, these values have been established based on available historical water use information and Falcon Reservoir release data compiled from records and publications of the TWDB, the TNRCC and the IBWC. For the ROM simulations described herein, both average and actual monthly demands have been used.

3.7 MINIMUM OPERATIONAL RELEASES FROM AMISTAD RESERVOIR

In the recent past, it appears that certain minimum amounts of water have been released, or possibly leaked, from Amistad Reservoir during non-flood periods to provide sufficient water for hydropower generation at the dam and/or to provide adequate river flows downstream to supply existing municipal, industrial and irrigation diverters and to offset miscellaneous channel losses along the Middle Rio Grande. According to IBWC and the TNRCC Watermaster's Office, there are no established rules regarding the amounts and timing of these minimum releases; although, consideration certainly is given to the specific diversion requirements and requests of known downstream water users.

During the normal process of simulating storage conditions in Amistad and Falcon Reservoirs with the ROM, specified minimum releases from Amistad Reservoir for either the United States or Mexico can be made. In the data input file for the ROM, either a set of twelve minimum monthly Amistad release values can be specified for each country, which are repeated each year of a simulation, or individual monthly values can be specified for every year. All or part of these minimum monthly release amounts may be automatically satisfied by the simulated releases that are determined to be required for satisfying downstream water demands and/or Falcon Reservoir storage conditions.

3.8 NON-HURRICANE SEASON FLOOD POOL STORAGE

According to current IBWC operating procedures for Amistad and Falcon Reservoirs, a portion of the designated flood water storage capacity (flood pool) in each reservoir occasionally may be used to temporarily store excess inflows when the reservoirs' conservation pools are full. In effect, flood water inflows are stored, rather than spilled. The purpose of this practice is to increase the amount of water stored in the reservoirs above their maximum conservation storage capacity in

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

order to increase available short-term water supplies for downstream users. Since this practice effectively reduces the flood control abilities of the reservoirs by reducing their available flood storage capacity, the IBWC only has implemented this procedure during the non-hurricane season when the flooding risks due to major hurricane-generated flood flows in the river are minimal. The non-hurricane season is defined by IBWC as the period November through May, inclusive, of each year.

Ideally, under this procedure, excess river inflows are stored in the flood pools of the reservoirs only to the extent that such water can be utilized by downstream water users during the non-hurricane season. Any of the stored excess inflows that remains in the flood pools of the reservoirs at the end of April normally is evacuated through releases during the month of May in order to restore the fully allocated flood storage capacity of the reservoirs by June 1. When the magnitude of such deliberate releases from the reservoirs exceeds the required water demands of downstream users, the released flood waters ultimately flow into the Gulf of Mexico.

According to IBWC, there are no set rules regarding the storage of excess river inflows in the reservoir flood pools during the non-hurricane season; however, there are some general guidelines that have been incorporated into the Amistad-Falcon ROM. Apparently, the maximum amount of storage utilized in either reservoir for temporarily storing excess inflows in the flood pools is on the order of 100,000 acre-feet; although, this figure has varied considerably between the reservoirs and from year to year. For purposes of the ROM, the available temporary flood storage capacity has been set at 100,000 acre-feet in each reservoir, and this amount has been allocated to the two countries in proportion to their maximum conservation storage capacity. These amounts of flood pool storage, which are listed below for each of the reservoirs, then are utilized in the ROM as additional temporary conservation storage capacity for each of the countries during the non-hurricane season.

TEMPORARY NON-HURRICANE SEASON
FLOOD POOL STORAGE CAPACITY
Acre-Feet

| | <u>United States</u> | <u>Mexico</u> |
|-------------------|----------------------|---------------|
| AMISTAD RESERVOIR | 56,200 | 43,800 |
| FALCON RESERVOIR | 58,600 | 41,400 |

3.9 OWNERSHIP TRANSFER OF EXCESS RESERVOIR INFLOWS

The 1944 Treaty between the United States and Mexico contains the following stipulation in Article 8, §(c):

“In any reservoir the ownership of water belonging to the country whose conservation capacity therein is filled, and in excess of that needed to keep it filled, shall pass to the other country to the extent that such country may have unfilled conservation capacity, except that the one country may at its option temporarily use the conservation capacity of the other country not currently being used in any of the upper reservoirs; provided that in the event of flood discharge or spill occurring while one country is using the conservation capacity of the other, all of such flood discharge or spill shall be charged to the country using the other’s capacity, and all inflow shall be credited to the other country until the flood discharge or spill ceases or until the capacity of the other country becomes filled with its own water.”

The first portion of this paragraph dealing with the transfer of ownership of excess reservoir inflows from the country with a full conservation pool to the other country with available unused conservation storage capacity applies to Falcon Reservoir under all circumstances, since it is the lowest international reservoir on the Rio Grande, i. e., not an “upper” reservoir subject to the exception clause in the above citation. For Amistad Reservoir, which is an “upper” reservoir, the same transfer of ownership of excess inflows is automatic, unless the country with the excess inflows exercises its “option” to temporarily store the excess inflows in the other country’s available unused conservation pool. If this occurs, as noted above, flood discharges from the reservoir are charged first against the storage of the country using the temporary conservation storage capacity, and inflows to the reservoir are credited to the country with the available conservation storage capacity until such flood discharges and spills cease.

Examination of historical storage conditions for Amistad Reservoir indicates that the situation described above under which the temporary inflow-storage option might be exercised by either the United States or Mexico have occurred fairly infrequently. For example, since 1968 when Amistad Reservoir was completed, there have been only five or six periods of time when the conservation storage capacity of the reservoir has been full or exceeded, with excess inflows either stored in the flood pool of the reservoir or discharged or spilled downstream. Furthermore, since most of the historical flood events have extended over several months or even years with continuous flood releases or spills occurring over much of these periods, any amount of excess inflows that was temporarily stored by one country in the available conservation storage capacity of the other country at the outset of a flood event very likely was entirely evacuated from the reservoir as flood spills

and/or releases. Hence, it is unlikely that any of the temporarily stored water was effectively utilized for meeting downstream water demands by the country temporarily storing the water.

For these reasons, the current version of the Amistad-Falcon ROM incorporates for both reservoirs the ability to transfer ownership of excess inflows from the country with a full conservation pool to the other country when it has available unused conservation storage capacity, but the model does not include the provision for the temporary storage of excess inflows. Discussions with IBWC personnel have confirmed that excluding the temporary storage of excess inflows in the reservoirs is not normally of great significance with regard to water ownership.

On the link-node diagram for the Amistad-Falcon ROM shown in Figure 2-1, the dashed lines connecting the two countries' conservation storage pools in Amistad Reservoir and in Falcon Reservoir are intended to indicate the ability of the model to transfer excess reservoir inflows, and ownership of the water, from either country with a full conservation pool to the other country when it has available unused conservation storage capacity. The separate individual links connecting Amistad Reservoir directly to Falcon Reservoir for both the United States and Mexico in the model network, i. e., Links 7 and 8, respectively, are included specifically to convey flood spills and releases from Amistad Reservoir to Falcon Reservoir and to facilitate the transfer of excess inflows and the ownership of the water, between the two countries. Normal releases from Amistad Reservoir to meet downstream demands and/or storage requirements in Falcon Reservoir are made primarily through the other two sets of links, i. e., Links 1, 2 and 3 for the United States and Links 5 and 6 for Mexico.

The ROM program includes provisions that determine when and how much of the excess inflows of one country in Amistad Reservoir or Falcon Reservoir are transferred to the storage pool of the other country. Of course, the amount transferred is always limited by the amount of available storage capacity of the country receiving the water in the reservoir where the excess inflows occur. Also, in Amistad Reservoir, when one country has its conservation storage full and therefore has excess inflows available for transfer to the other country's pool, a check is made first to determine whether or not there is storage capacity available in Falcon Reservoir for the country with the excess inflows. If there is, then all or part of the excess inflows into Amistad Reservoir are allowed to pass downstream into Falcon Reservoir for storage, thus maximizing the water supply of the country with the excess inflows. In the model, the amount of excess inflows passed to Falcon Reservoir is limited by the available storage capacity in Falcon Reservoir or by the average release rate through the penstocks at Amistad Reservoir, whichever is smaller. As presently structured, the

average release rate through the penstocks at Amistad Reservoir is specified in the ROM at 120,000 acre-feet per month, which is about 2,000 cfs (cubic feet per second).

3.10 TNRCC RIO GRANDE WATER ACCOUNTING RULES

Fundamental to any computer modeling approach for describing the operation and behavior of Amistad and Falcon Reservoirs on the Rio Grande, particularly with regard to the United States' share of water stored in these impoundments, is the set of water accounting rules adopted and administered by the TNRCC. These rules determine the amounts of water available for diversion and use from the Middle and Lower Rio Grande for domestic, municipal, industrial and irrigation purposes, and they establish storage accounts in the reservoirs for domestic, municipal and industrial water, irrigation and mining water, and an operations reserve.

The underlying basis and authority for the TNRCC's Rio Grande operating and accounting rules is the decision of the Thirteenth Court of Civil Appeals in the landmark case styled "State of Texas, et al. vs. Hidalgo County Water Control and Improvement District No. 18, et al.", which is commonly referred to as the Lower Rio Grande Valley Water Case. The original suit was filed by the State of Texas in 1956 to restrain the diversion of water from the Rio Grande for irrigation when the share of water due the United States from water impounded in Falcon Reservoir was 50,000 acre-feet or less. The 50,000 acre-feet was the amount of water that the Texas Board of Water Engineers (predecessor agency to the TNRCC) had determined to be necessary to meet municipal, domestic and livestock demands for only a three-month period without additional inflow into Falcon Reservoir. Earlier efforts to apply voluntary restrictions on diversions of water had collapsed due to severe drought conditions and the consequent shortage of water supplies.

The original trial of the Valley Water Case lasted from January, 1964 to August, 1966, and the final judgment of the Appellate Court was entered in 1969. In 1971, the Texas Water Rights Commission (predecessor agency to the TNRCC) adopted rules and regulations implementing the court decision. Based on the judgment rendered in this case, a storage reserve in Falcon Reservoir equal to 60,000 acre-feet was established to meet municipal and industrial demands, and a total of approximately 155,000 acre-feet of water per year were allocated for municipal, industrial and domestic uses. Irrigation water from the Rio Grande was allocated for 742,808.6 acres of agricultural use below Falcon Dam. Of this amount, 641,221 acres were assigned Class A irrigation rights, and the remaining acres were awarded Class B irrigation rights.

Whereas municipal and industrial uses were granted the highest water supply priority, the result of the Valley Water Case was to establish a weighted priority system in the Lower Rio Grande Valley for allocating the remaining surface water supply to irrigation uses. The two classes of irrigation water rights that were established provide a means for differentiating the rates at which water is credited to the individual Amistad-Falcon storage accounts of the irrigators during the year. The Class A water right accrues water at a rate 1.7 times higher than the Class B water right. Although this weighted priority system for irrigation users generally has little significance during years of plentiful water, its effect in water-short years is to distribute the shortage among all users, with the greater shortages occurring on lands with the Class B water rights.

Pursuant to the TNRCC's rules, the Rio Grande Watermaster is responsible for allocating the amount of United States water which can be diverted by each Class A and Class B irrigator and for administering the use of all United States water in the Middle and Lower Rio Grande basins. This includes determining on a monthly basis the amounts of water allocated and stored in the various accounts in Amistad and Falcon Reservoirs.

The current TNRCC rules and regulations⁶ provide a reserve of 225,000 acre-feet of storage in Amistad and Falcon Reservoirs for domestic, municipal, and industrial uses, which is referred to as the "municipal pool" or the "D-M-I" reserve, and an operating reserve that fluctuates between 380,000 acre-feet and 275,000 acre-feet, depending on the amount of water in conservation storage in Amistad and Falcon Reservoirs. The operating reserve is necessary to provide for: (1) loss of water by seepage, evaporation and conveyance; (2) emergency requirements; and (3) adjustments of amounts in storage, as may be necessary by finalization of IBWC provisional United States-Mexico water ownership computations. The operating reserve is calculated monthly by multiplying the percentage of the total United States conservation storage capacity containing water in Amistad and Falcon Reservoirs times the maximum operating reserve of 380,000 acre-feet. The amount of the calculated operating reserve cannot be less than 275,000 acre-feet.

The TNRCC rules also specify procedures for allocating United States water in storage to the domestic-municipal-industrial reserve, the operating reserve, and the agricultural and mining accounts. Such allocations are based on the amount of United States water considered to be "usable storage" in Falcon and Amistad Reservoirs, as reported by the IBWC on the last Saturday of each month. Usable storage is defined as the amount of United States water stored in the conservation pools of the reservoirs less dead storage, which currently is assumed to be 4,600 acre-feet by the

⁶ Chapter 303: Operation of the Rio Grande"; 31 Texas Administrative Code, §§ 303.1-303.73; Texas Water Commission Rules; August 26, 1987; Austin, Texas.

Rio Grande Watermaster. To determine the amounts of United States water to be allocated to the specified reserves and accounts each month, the following computations are made:

1. From the amount of water in usable storage, 225,000 acre-feet are deducted to reestablish the reserve for domestic, municipal and industrial uses, i. e., the municipal pool; hence, storage for these uses is given the highest priority;
2. From the remaining storage, the total end-of-month account balances for all Lower and Middle Rio Grande irrigation and mining allottees are deducted; and
3. From the remaining storage, the operating reserve is deducted.

If the balance available for the operating reserve is less than 275,000 acre-feet, but greater than 150,000 acre-feet, that amount is allocated to the operating reserve. If the balance is less than 150,000 acre-feet, then deductions (negative allocations) are made from the individual irrigation and mining water rights accounts in amounts proportional to their respective storage balances to provide 150,000 acre-feet for the operating reserve.

If there is water remaining in the United States usable storage after the above three sets of allocations are made, the remaining storage amount, provided it is greater than 50,000 acre-feet, is further allocated to the individual irrigation and mining water rights accounts. If the remaining storage amount is less than 50,000 acre-feet, the excess storage is simply unallocated and held until the beginning of the following month. The allotment of the remaining storage amount for irrigation and mining uses is divided into Class A and Class B categories. Class A water rights (allottees) receive 1.7 times as much water as that allotted to Class B rights. Under the rules, an irrigation allottee cannot accumulate in storage more than 1.41 times its annual authorized diversion amount, and, if an allottee does not use water for two consecutive years, its account is reduced to zero.

The Rio Grande Watermaster maintains records of daily, weekly and monthly diversions and usage by all existing water rights holders along the Middle and Lower Rio Grande. Using this information and the amount of United States storage reported by the IBWC at the end of each month for Amistad and Falcon Reservoirs, the Watermaster performs the monthly water accounting and makes the necessary allocations. Monthly and annual reports indicating water usage and account balances are provided by the Watermaster to all water rights holders and diverters on the Middle and Lower Rio Grande.

The Amistad-Falcon ROM as currently structured incorporates the above water accounting rules and procedures for allocating the simulated end-of-month United States storage in Amistad and Falcon

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

Reservoirs among the domestic-municipal-industrial reserve, the operating reserve, and the total irrigation and mining accounts. Provisions for determining positive and negative allocations to the total irrigation and mining storage pool are included in the model. The model also includes the ability to simulate the account balances of three individual water rights holders, with each having a municipal water right, a Class A irrigation water right and a Class B irrigation water right. In the model, these individual accounts are debited as water is used in specified monthly amounts. Each account is restored to its full authorized diversion amount at the beginning of each calendar year. When irrigation and mining allocations are made, irrigation and mining storage accounts are credited with water in accordance with the Class A/Class B allotment procedure and in relative proportion to annual authorized diversion amounts. Negative irrigation and mining account allocations, when required because the reservoir operating reserve falls below 150,000 acre-feet, are deducted from the individual irrigation and mining accounts on a prorata basis depending on the amount of water in each storage account.

SECTION 4 AMISTAD-FALCON ROM DATA INPUT DEVELOPMENT

4.1 HISTORICAL MONTHLY RESERVOIR INFLOWS

As indicated on the link-node network diagram for the current version of the Amistad-Falcon ROM, inflows to the reservoir system in the model are accounted for separately for the United States and Mexico, with each country's individual inflows specified for the Rio Grande upstream of Amistad Reservoir and for the Rio Grande between Amistad and Falcon Reservoirs. Monthly values of these inflows are used in the model.

For operating the ROM in this investigation, historical hydrologic conditions for the Rio Grande corresponding to the 1945 through 1996 historical period have been utilized. The historical monthly inflows to the Rio Grande for this period at the four inflow locations in the ROM, i. e., one for each country above Amistad Reservoir and one for each country between Amistad and Falcon Reservoirs, have been compiled from information obtained from the IBWC. For the period from 1954 through 1996, tabular lists of the four sets of monthly inflows were obtained directly from the IBWC. For the period prior to that time, the monthly inflows were extracted from a previous reservoir operations model of Amistad and Falcon Reservoirs that was developed and operated by the IBWC in the 1970's for special studies requested by the Texas Department of Water Resources. This earlier model considered only United States water in the system. These United States inflow values were subtracted from the total inflow values for the reservoirs (based on streamflow gage records) as reported by the IBWC to derive the corresponding sets of Mexican monthly inflows to the reservoirs. Recent discussions with IBWC staff have indicated that the Mexican inflows to Amistad Reservoir that have been derived for the period prior to 1954 may not be correct and may need further refinement. Such refinements have not been undertaken in this present study, but they are scheduled to be made during the next year as part of the Senate Bill 1 regional water supply planning study for the Middle and Lower Rio Grande basins. It is not expected that these refinements in the Mexican inflows to Amistad Reservoir will appreciably change the modeling results presented in this report.

Table 4-1 presents a listing of the annual amounts of historical Rio Grande inflows for both the United States and Mexico from the watershed upstream of Amistad Reservoir and from the watershed between Amistad and Falcon Reservoirs over the period 1945 through 1996. The monthly values comprising these annual totals, which have been specified in the ROM for all simulations, are listed in the tables in Appendix 1. The total United States annual inflows and the total Mexican annual inflows also are listed in Table 4-1 in descending order. As indicated, over the 52-year period, the total United States annual inflows have ranged from over four million acre-feet in 1954 to just under 700,000 acre-feet in 1952. It is significant to note that the inflows to the Rio

TABLE 4-1 HISTORICAL ANNUAL UNITED STATES AND MEXICAN INFLOWS
TO AMISTAD AND FALCON RESERVOIRS ON THE RIO GRANDE

(Acre-Feet)

| YEAR | UNITED STATES INFLOWS | | | MEXICAN INFLOWS | | | INFLOWS RANKED IN DESCENDING ORDER | | | | |
|------|-------------------------|-------------------------|----------------------|-------------------------|-------------------------|----------------------|------------------------------------|---------------------|-------------|------|-----------------------|
| | Above Amistad Reservoir | Below Amistad Reservoir | Total Annual Inflows | Above Amistad Reservoir | Below Amistad Reservoir | Total Annual Inflows | Year | Total U. S. Inflows | R N K | Year | Total Mexican Inflows |
| 1945 | 1,100,000 | 285,000 | 1,385,000 | 1,703,000 | 278,000 | 1,981,000 | 1954 | 4,120,503 | 1 | 1958 | 4,606,524 |
| 1946 | 1,117,000 | 506,000 | 1,623,000 | 1,635,000 | 521,000 | 2,156,000 | 1971 | 3,984,106 | 2 | 1971 | 3,794,271 |
| 1947 | 875,000 | 426,000 | 1,301,000 | 1,571,000 | 371,000 | 1,942,000 | 1958 | 3,473,823 | 3 | 1981 | 2,668,849 |
| 1948 | 1,384,000 | 595,000 | 1,979,000 | 1,349,000 | 702,000 | 2,051,000 | 1974 | 3,317,228 | 4 | 1976 | 2,467,179 |
| 1949 | 1,589,000 | 783,000 | 2,372,000 | 1,612,000 | 442,000 | 2,054,000 | 1981 | 2,882,903 | 5 | 1978 | 2,318,495 |
| 1950 | 1,035,000 | 248,000 | 1,283,000 | 1,626,000 | 128,000 | 1,754,000 | 1976 | 2,669,234 | 6 | 1990 | 2,226,809 |
| 1951 | 691,000 | 371,000 | 1,062,000 | 1,214,000 | 326,000 | 1,540,000 | 1957 | 2,525,340 | 7 | 1991 | 2,215,340 |
| 1952 | 598,000 | 92,000 | 690,000 | 1,276,000 | 64,000 | 1,340,000 | 1990 | 2,495,386 | 8 | 1953 | 2,191,000 |
| 1953 | 457,000 | 380,000 | 837,000 | 1,188,000 | 1,003,000 | 2,191,000 | 1987 | 2,428,644 | 9 | 1946 | 2,156,000 |
| 1954 | 3,704,101 | 416,402 | 4,120,503 | 779,350 | 474,065 | 1,253,415 | 1949 | 2,372,000 | 10 | 1949 | 2,054,000 |
| 1955 | 1,103,803 | 492,704 | 1,596,507 | 680,494 | 494,774 | 1,175,267 | 1991 | 2,336,391 | 11 | 1948 | 2,051,000 |
| 1956 | 515,774 | 268,064 | 783,838 | 303,177 | 247,474 | 550,652 | 1964 | 2,312,055 | 12 | 1945 | 1,981,000 |
| 1957 | 1,610,739 | 914,601 | 2,525,340 | 566,668 | 839,072 | 1,405,738 | 1978 | 2,299,662 | 13 | 1987 | 1,952,464 |
| 1958 | 1,881,826 | 1,591,997 | 3,473,823 | 1,559,946 | 3,046,578 | 4,606,524 | 1986 | 2,264,727 | 14 | 1947 | 1,942,000 |
| 1959 | 1,279,514 | 707,063 | 1,986,577 | 653,034 | 684,289 | 1,337,326 | 1992 | 2,220,265 | 15 | 1992 | 1,906,696 |
| 1960 | 1,096,226 | 595,785 | 1,692,011 | 845,465 | 473,986 | 1,319,450 | 1988 | 2,009,094 | 16 | 1988 | 1,761,931 |
| 1961 | 1,090,303 | 771,455 | 1,861,758 | 620,768 | 786,956 | 1,407,723 | 1959 | 1,986,577 | 17 | 1950 | 1,754,000 |
| 1962 | 841,972 | 527,290 | 1,369,262 | 515,482 | 396,565 | 912,048 | 1948 | 1,979,000 | 18 | 1986 | 1,748,591 |
| 1963 | 713,470 | 502,426 | 1,215,896 | 487,817 | 430,318 | 918,138 | 1975 | 1,974,648 | 19 | 1967 | 1,733,630 |
| 1964 | 1,602,311 | 709,744 | 2,312,055 | 675,919 | 692,882 | 1,368,802 | 1966 | 1,938,452 | 20 | 1975 | 1,662,148 |
| 1965 | 973,545 | 656,638 | 1,630,183 | 490,504 | 507,366 | 997,873 | 1967 | 1,931,281 | 21 | 1966 | 1,596,129 |
| 1966 | 1,249,166 | 689,286 | 1,938,452 | 1,002,479 | 593,653 | 1,596,129 | 1972 | 1,876,700 | 22 | 1979 | 1,566,852 |
| 1967 | 894,820 | 1,036,461 | 1,931,281 | 605,373 | 1,128,259 | 1,733,630 | 1961 | 1,861,758 | 23 | 1951 | 1,540,000 |
| 1968 | 933,727 | 570,101 | 1,503,828 | 876,137 | 574,792 | 1,450,927 | 1979 | 1,839,699 | 24 | 1974 | 1,517,156 |
| 1969 | 843,864 | 346,676 | 1,190,540 | 705,083 | 382,759 | 1,087,843 | 1980 | 1,738,551 | 25 | 1972 | 1,473,292 |
| 1970 | 844,695 | 297,120 | 1,141,815 | 620,385 | 283,218 | 903,604 | 1960 | 1,692,011 | 26 | 1968 | 1,450,927 |
| 1971 | 1,783,089 | 2,201,017 | 3,984,106 | 692,998 | 3,101,272 | 3,794,271 | 1965 | 1,630,183 | 27 | 1973 | 1,420,825 |
| 1972 | 1,307,088 | 569,612 | 1,876,700 | 802,803 | 670,492 | 1,473,292 | 1977 | 1,627,565 | 28 | 1961 | 1,407,723 |
| 1973 | 918,028 | 707,828 | 1,625,856 | 679,907 | 740,920 | 1,420,825 | 1973 | 1,625,856 | 29 | 1957 | 1,405,738 |
| 1974 | 3,029,423 | 287,805 | 3,317,228 | 1,211,470 | 305,682 | 1,517,156 | 1946 | 1,623,000 | 30 | 1964 | 1,368,802 |
| 1975 | 1,284,972 | 689,676 | 1,974,648 | 748,604 | 913,544 | 1,662,148 | 1955 | 1,596,507 | 31 | 1980 | 1,361,638 |
| 1976 | 1,607,050 | 1,062,184 | 2,669,234 | 773,967 | 1,693,211 | 2,467,179 | 1968 | 1,503,828 | 32 | 1952 | 1,340,000 |
| 1977 | 1,163,283 | 464,282 | 1,627,565 | 550,896 | 554,875 | 1,105,771 | 1985 | 1,467,746 | 33 | 1959 | 1,337,326 |
| 1978 | 1,743,638 | 556,024 | 2,299,662 | 1,517,216 | 801,281 | 2,318,495 | 1982 | 1,458,930 | 34 | 1960 | 1,319,450 |
| 1979 | 1,275,063 | 564,636 | 1,839,699 | 878,202 | 688,648 | 1,566,852 | 1993 | 1,431,890 | 35 | 1954 | 1,253,415 |
| 1980 | 1,329,313 | 409,238 | 1,738,551 | 817,103 | 544,535 | 1,361,638 | 1945 | 1,385,000 | 36 | 1955 | 1,175,267 |
| 1981 | 1,888,274 | 994,629 | 2,882,903 | 1,238,430 | 1,430,420 | 2,668,849 | 1962 | 1,369,262 | 37 | 1985 | 1,146,181 |
| 1982 | 1,118,780 | 340,150 | 1,458,930 | 664,349 | 338,840 | 1,003,190 | 1989 | 1,333,316 | 38 | 1977 | 1,105,771 |
| 1983 | 910,765 | 342,907 | 1,253,672 | 497,472 | 291,291 | 788,762 | 1984 | 1,320,549 | 39 | 1969 | 1,087,843 |
| 1984 | 1,086,407 | 234,142 | 1,320,549 | 775,321 | 243,487 | 1,018,806 | 1947 | 1,301,000 | 40 | 1984 | 1,018,806 |
| 1985 | 1,043,484 | 424,262 | 1,467,746 | 682,379 | 463,802 | 1,146,181 | 1950 | 1,283,000 | 41 | 1993 | 1,018,710 |
| 1986 | 1,887,478 | 377,249 | 2,264,727 | 1,208,462 | 540,129 | 1,748,591 | 1983 | 1,253,672 | 42 | 1982 | 1,003,190 |
| 1987 | 1,797,750 | 630,894 | 2,428,644 | 1,203,973 | 748,490 | 1,952,464 | 1994 | 1,219,854 | 43 | 1965 | 997,873 |
| 1988 | 1,469,121 | 539,973 | 2,009,094 | 929,864 | 831,771 | 1,761,931 | 1963 | 1,215,896 | 44 | 1963 | 918,138 |
| 1989 | 1,055,062 | 278,254 | 1,333,316 | 589,071 | 285,024 | 874,096 | 1969 | 1,190,540 | 45 | 1962 | 912,048 |
| 1990 | 2,076,817 | 418,569 | 2,495,386 | 1,728,668 | 498,141 | 2,226,809 | 1996 | 1,184,139 | 46 | 1970 | 903,604 |
| 1991 | 2,027,658 | 308,733 | 2,336,391 | 1,892,590 | 322,749 | 2,215,340 | 1970 | 1,141,815 | 47 | 1989 | 874,096 |
| 1992 | 1,702,861 | 517,404 | 2,220,265 | 1,283,085 | 623,610 | 1,906,696 | 1995 | 1,113,964 | 48 | 1983 | 788,762 |
| 1993 | 1,181,767 | 250,123 | 1,431,890 | 788,586 | 230,123 | 1,018,710 | 1951 | 1,062,000 | 49 | 1994 | 744,396 |
| 1994 | 924,654 | 295,200 | 1,219,854 | 488,813 | 255,581 | 744,396 | 1953 | 837,000 | 50 | 1996 | 701,431 |
| 1995 | 895,126 | 218,838 | 1,113,964 | 387,891 | 240,841 | 613,077 | 1956 | 783,838 | 51 | 1995 | 613,077 |
| 1996 | 956,466 | 227,673 | 1,184,139 | 441,577 | 259,854 | 701,431 | 1952 | 690,000 | 52 | 1956 | 550,652 |

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

Grande for both the United States and Mexico during the most recent drought, i. e., since 1993, have been some of the lowest experienced in the basin since 1945. For the United States, only the drought of the early 1950's exhibited lower inflows to the Rio Grande, and Mexico's inflows were lower only in 1956.


Another illustration of how the United States inflows to the Rio Grande have varied historically is presented in Figure 4-1. This graph plots the time variation of the 12-month average annual inflow and the 60-month average annual inflow for the total United States inflows to the Rio Grande beginning in the year 1900 and extending through 1996. These monthly inflow quantities are based on the same United States inflows used as input to the ROM as contained in Appendix 1 for the 1945-1996 period. For the period prior to 1945, monthly United States inflows extracted from the IBWC reservoir operations model of Amistad and Falcon Reservoirs previously referenced above have been used. The 12-month average annual inflows are indicative of relatively short-term inflow variations with regard to the available water supply from the Rio Grande, whereas the 60-month average annual inflows illustrate the more long-term trends in flow conditions. Of particular interest are the extended low-flow periods, such as during the early 1950's, when the United States' inflows remained depressed for several consecutive years. These conditions define the critical drought of record for the United States with regard to its inflows to the Rio Grande and the associated available water supply. The plot of the 60-month average annual inflows also illustrates the relative severity of the current drought in the Rio Grande basin for the United States compared to the record drought of the 1950's.

4.2 HISTORICAL MONTHLY RESERVOIR EVAPORATION

For simulations with the Amistad-Falcon ROM, evaporation losses from the reservoirs are determined each month by multiplying the surface area of the reservoirs times a gross reservoir evaporation rate. In these calculations, the surface area used is the average of the simulated reservoir surface areas at the beginning and the end of each month, and the gross evaporation rate is used because the inflow effects of direct rainfall on the reservoirs already are accounted for in the IBWC river inflow values.

For the 1945-1996 simulation period considered in this investigation, the monthly values of gross reservoir evaporation have been derived from two sources. Actual monthly pan evaporation data provided by the IBWC have been used to establish the reservoir evaporation rates since 1957 for Amistad Reservoir and since 1954 for Falcon Reservoir. These data reflect actual evaporation

FIGURE 4-1 12-MONTH AND 60-MONTH AVERAGE ANNUAL INFLOWS OF UNITED STATES WATER INTO AMISTAD AND FALCON RESERVOIRS



conditions at the reservoirs, and they have been adjusted to reservoir evaporation rates using pan evaporation coefficients provided by the IBWC. For the historical periods prior to these years, historical monthly gross reservoir evaporation rates developed by the TWDB¹ have been used. Specifically, the TWDB monthly evaporation rates for Quadrangles H-6 and K-8 have been used for Amistad Reservoir and for Falcon Reservoir, respectively.

The historical monthly gross reservoir evaporation rates for the entire simulation period, i. e., 1945-1996, as used in the ROM are presented in Table 4-2 for Amistad Reservoir and in Table 4-3 for Falcon Reservoir.

4.3 CURRENT AVERAGE ANNUAL WATER DEMANDS AND DIVERSIONS

For purposes of developing and operating the Amistad-Falcon ROM, typical water demands for the United States and Mexico have been developed and specified as inputs to the model. As noted previously in Section 3.6 and as indicated on the ROM link-node network diagram in Figure 2-1, the current version of the ROM has the capability to specify water demands for different types of uses and at different locations for each country.

To develop these demands, information describing historical monthly water usage and actual Falcon Reservoir monthly releases have been compiled from the records of the TWDB, the TNRCC Rio Grande Watermaster, and the IBWC. Based on these data, average annual demand quantities have been determined that are generally representative of the last five years for municipal use and the last ten years for irrigation use. For the Lower Rio Grande demands, the actual historical releases from Falcon Reservoir for each country have been used as the basis for establishing the annual water demands specified in the ROM for users downstream of Falcon Reservoir. The average monthly distributions of the various categories of annual water demands also have been derived from the historical data.

Results from the average historical water demand analyses for the Middle and Lower Rio Grande, including the average annual demands and their average monthly demand distributions, are summarized in Table 4-4. The average annual water demands and their node assignments as specified in the ROM for the different types of water uses and locations accounted for in the model are listed below.

¹ Texas Water Development Board; "Monthly Reservoir Evaporation Rates for Texas, 1940 Through 1965"; Report 64; October, 1967; Austin, Texas.

TABLE 4-2 HISTORICAL MONTHLY GROSS RESERVOIR EVAPORATION RATES
USED IN ROM FOR AMISTAD RESERVOIR

(Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| 1945 | 0.26 | 0.28 | 0.54 | 0.64 | 0.87 | 1.06 | 0.76 | 1.17 | 0.88 | 0.38 | 0.39 | 0.37 | 7.60 |
| 1946 | 0.26 | 0.34 | 0.58 | 0.66 | 0.54 | 0.71 | 1.07 | 0.82 | 0.72 | 0.44 | 0.40 | 0.30 | 6.84 |
| 1947 | 0.23 | 0.33 | 0.42 | 0.58 | 0.76 | 0.91 | 1.15 | 0.92 | 0.86 | 0.73 | 0.38 | 0.25 | 7.52 |
| 1948 | 0.22 | 0.25 | 0.52 | 0.69 | 0.83 | 1.03 | 0.95 | 1.03 | 0.76 | 0.45 | 0.48 | 0.36 | 7.57 |
| 1949 | 0.13 | 0.26 | 0.47 | 0.51 | 0.62 | 0.85 | 0.93 | 0.76 | 0.75 | 0.43 | 0.43 | 0.29 | 6.43 |
| 1950 | 0.16 | 0.23 | 0.55 | 0.45 | 0.63 | 0.85 | 0.93 | 0.88 | 0.73 | 0.66 | 0.59 | 0.42 | 7.08 |
| 1951 | 0.37 | 0.29 | 0.45 | 0.58 | 0.61 | 0.65 | 1.09 | 1.13 | 0.94 | 0.73 | 0.46 | 0.38 | 7.68 |
| 1952 | 0.33 | 0.40 | 0.49 | 0.54 | 0.64 | 0.77 | 1.03 | 1.19 | 0.93 | 0.78 | 0.45 | 0.29 | 7.84 |
| 1953 | 0.43 | 0.38 | 0.37 | 0.70 | 0.83 | 1.05 | 1.24 | 1.08 | 0.80 | 0.66 | 0.46 | 0.35 | 8.35 |
| 1954 | 0.25 | 0.39 | 0.56 | 0.43 | 0.65 | 0.88 | 1.14 | 1.11 | 1.09 | 0.68 | 0.58 | 0.58 | 8.34 |
| 1955 | 0.27 | 0.34 | 0.55 | 0.62 | 0.75 | 0.87 | 1.19 | 0.93 | 0.71 | 0.93 | 0.53 | 0.40 | 8.09 |
| 1956 | 0.28 | 0.34 | 0.45 | 0.61 | 0.82 | 1.16 | 1.26 | 1.10 | 1.21 | 0.78 | 0.49 | 0.35 | 8.85 |
| 1957 | 0.28 | 0.28 | 0.53 | 0.55 | 0.52 | 0.77 | 1.23 | 1.21 | 0.71 | 0.48 | 0.23 | 0.30 | 7.09 |
| 1958 | 0.22 | 0.27 | 0.34 | 0.61 | 0.75 | 0.81 | 0.84 | 1.07 | 0.43 | 0.26 | 0.22 | 0.25 | 6.07 |
| 1959 | 0.27 | 0.24 | 0.54 | 0.54 | 0.66 | 0.79 | 0.78 | 0.66 | 0.75 | 0.45 | 0.33 | 0.28 | 6.29 |
| 1960 | 0.21 | 0.34 | 0.43 | 0.59 | 0.80 | 1.22 | 0.65 | 0.79 | 0.75 | 0.54 | 0.25 | 0.21 | 6.78 |
| 1961 | 0.21 | 0.24 | 0.53 | 0.72 | 0.78 | 0.77 | 0.76 | 0.69 | 0.69 | 0.40 | 0.35 | 0.28 | 6.42 |
| 1962 | 0.27 | 0.47 | 0.64 | 0.57 | 0.95 | 0.86 | 1.11 | 1.15 | 0.99 | 0.71 | 0.36 | 0.29 | 8.37 |
| 1963 | 0.31 | 0.37 | 0.61 | 0.61 | 0.64 | 0.77 | 1.03 | 1.01 | 0.75 | 0.60 | 0.40 | 0.20 | 7.30 |
| 1964 | 0.34 | 0.33 | 0.63 | 0.74 | 0.75 | 0.93 | 1.11 | 0.94 | 0.63 | 0.42 | 0.30 | 0.22 | 7.34 |
| 1965 | 0.29 | 0.24 | 0.42 | 0.61 | 0.50 | 0.71 | 0.99 | 0.91 | 0.68 | 0.49 | 0.29 | 0.22 | 6.35 |
| 1966 | 0.21 | 0.25 | 0.49 | 0.59 | 0.49 | 0.71 | 1.02 | 0.73 | 0.50 | 0.23 | 0.19 | 0.29 | 5.70 |
| 1967 | 0.30 | 0.33 | 0.53 | 0.58 | 0.88 | 1.01 | 1.12 | 0.85 | 0.49 | 0.51 | 0.25 | 0.24 | 7.09 |
| 1968 | 0.14 | 0.22 | 0.33 | 0.46 | 0.52 | 0.74 | 0.76 | 0.92 | 0.54 | 0.46 | 0.34 | 0.27 | 5.70 |
| 1969 | 0.23 | 0.28 | 0.56 | 0.58 | 0.66 | 0.83 | 1.07 | 0.97 | 0.55 | 0.37 | 0.22 | 0.16 | 6.48 |
| 1970 | 0.16 | 0.25 | 0.38 | 0.49 | 0.72 | 0.70 | 0.83 | 0.81 | 0.63 | 0.33 | 0.35 | 0.23 | 5.88 |

TABLE 4-2 CONT'D.

(Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| 1971 | 0.30 | 0.38 | 0.66 | 0.70 | 0.71 | 0.65 | 0.70 | 0.62 | 0.52 | 0.25 | 0.26 | 0.19 | 5.94 |
| 1972 | 0.24 | 0.27 | 0.54 | 0.70 | 0.57 | 0.76 | 0.83 | 0.62 | 0.58 | 0.40 | 0.32 | 0.24 | 6.07 |
| 1973 | 0.25 | 0.17 | 0.52 | 0.57 | 0.76 | 0.58 | 0.71 | 0.77 | 0.56 | 0.34 | 0.27 | 0.32 | 5.82 |
| 1974 | 0.25 | 0.42 | 0.40 | 0.73 | 0.70 | 0.96 | 0.99 | 0.73 | 0.50 | 0.39 | 0.23 | 0.22 | 6.52 |
| 1975 | 0.21 | 0.30 | 0.52 | 0.56 | 0.57 | 0.74 | 0.63 | 0.69 | 0.49 | 0.47 | 0.35 | 0.27 | 5.80 |
| 1976 | 0.27 | 0.39 | 0.52 | 0.48 | 0.49 | 0.79 | 0.59 | 0.71 | 0.53 | 0.37 | 0.20 | 0.18 | 5.52 |
| 1977 | 0.20 | 0.30 | 0.46 | 0.54 | 0.41 | 0.77 | 0.88 | 1.03 | 0.75 | 0.52 | 0.37 | 0.32 | 6.55 |
| 1978 | 0.24 | 0.25 | 0.55 | 0.68 | 0.69 | 0.86 | 0.95 | 0.76 | 0.45 | 0.33 | 0.20 | 0.23 | 6.19 |
| 1979 | 0.20 | 0.24 | 0.35 | 0.51 | 0.64 | 0.69 | 0.78 | 0.76 | 0.72 | 0.69 | 0.36 | 0.24 | 6.18 |
| 1980 | 0.24 | 0.31 | 0.55 | 0.76 | 0.65 | 0.92 | 1.11 | 0.88 | 0.62 | 0.47 | 0.28 | 0.18 | 6.97 |
| 1981 | 0.23 | 0.21 | 0.43 | 0.43 | 0.56 | 0.60 | 0.81 | 0.76 | 0.72 | 0.52 | 0.34 | 0.27 | 5.88 |
| 1982 | 0.28 | 0.28 | 0.37 | 0.57 | 0.58 | 0.79 | 0.94 | 0.94 | 0.81 | 0.56 | 0.34 | 0.23 | 6.69 |
| 1983 | 0.22 | 0.28 | 0.47 | 0.72 | 0.77 | 0.71 | 0.96 | 0.85 | 0.71 | 0.61 | 0.36 | 0.11 | 6.77 |
| 1984 | 0.20 | 0.39 | 0.54 | 0.90 | 0.85 | 0.85 | 0.97 | 1.00 | 0.85 | 0.38 | 0.33 | 0.21 | 7.47 |
| 1985 | 0.23 | 0.19 | 0.38 | 0.52 | 0.70 | 0.71 | 0.82 | 0.97 | 0.66 | 0.43 | 0.26 | 0.23 | 6.10 |
| 1986 | 0.25 | 0.38 | 0.69 | 0.67 | 0.72 | 0.60 | 1.05 | 0.88 | 0.53 | 0.27 | 0.20 | 0.19 | 6.43 |
| 1987 | 0.23 | 0.23 | 0.38 | 0.47 | 0.44 | 0.53 | 0.77 | 0.82 | 0.54 | 0.68 | 0.47 | 0.23 | 5.79 |
| 1988 | 0.21 | 0.28 | 0.58 | 0.71 | 0.71 | 0.77 | 0.79 | 0.79 | 0.73 | 0.38 | 0.40 | 0.24 | 6.59 |
| 1989 | 0.23 | 0.22 | 0.43 | 0.59 | 0.85 | 0.95 | 1.07 | 1.30 | 0.91 | 0.83 | 0.51 | 0.16 | 8.05 |
| 1990 | 0.35 | 0.45 | 0.49 | 0.52 | 0.75 | 1.24 | 0.80 | 0.76 | 0.53 | 0.50 | 0.30 | 0.35 | 7.04 |
| 1991 | 0.23 | 0.37 | 0.70 | 0.73 | 0.86 | 0.86 | 1.00 | 0.98 | 0.73 | 0.70 | 0.47 | 0.20 | 7.83 |
| 1992 | 0.19 | 0.30 | 0.43 | 0.53 | 0.73 | 0.78 | 0.92 | 0.83 | 0.81 | 0.69 | 0.41 | 0.25 | 6.87 |
| 1993 | 0.29 | 0.30 | 0.57 | 0.77 | 0.89 | 0.81 | 1.10 | 1.14 | 0.60 | 0.68 | 0.41 | 0.41 | 7.97 |
| 1994 | 0.34 | 0.33 | 0.55 | 0.67 | 0.65 | 1.15 | 1.11 | 1.16 | 0.70 | 0.55 | 0.34 | 0.28 | 7.83 |
| 1995 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 | 8.46 |
| 1996 | 0.41 | 0.46 | 0.62 | 0.89 | 1.01 | 1.29 | 1.30 | 1.01 | 0.57 | 0.70 | 0.39 | 0.27 | 8.92 |

TABLE 4-3 HISTORICAL MONTHLY GROSS RESERVOIR EVAPORATION RATES
USED IN ROM FOR FALCON RESERVOIR

(Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| 1945 | 0.34 | 0.41 | 0.52 | 0.58 | 0.83 | 0.92 | 1.03 | 0.94 | 1.02 | 0.77 | 0.65 | 0.51 | 8.52 |
| 1946 | 0.30 | 0.30 | 0.50 | 0.50 | 0.58 | 0.71 | 1.02 | 0.93 | 0.63 | 0.61 | 0.54 | 0.38 | 7.00 |
| 1947 | 0.31 | 0.36 | 0.48 | 0.52 | 0.67 | 0.91 | 1.03 | 0.78 | 0.95 | 0.78 | 0.58 | 0.24 | 7.61 |
| 1948 | 0.35 | 0.23 | 0.52 | 0.71 | 0.61 | 0.87 | 0.93 | 1.05 | 0.73 | 0.68 | 0.74 | 0.43 | 7.85 |
| 1949 | 0.32 | 0.20 | 0.34 | 0.37 | 0.56 | 0.73 | 0.88 | 0.88 | 0.68 | 0.65 | 0.55 | 0.35 | 6.51 |
| 1950 | 0.49 | 0.45 | 0.58 | 0.64 | 0.97 | 0.83 | 1.19 | 1.33 | 0.95 | 0.80 | 0.76 | 0.52 | 9.51 |
| 1951 | 0.53 | 0.51 | 0.60 | 0.62 | 0.69 | 0.84 | 1.14 | 0.95 | 0.93 | 0.86 | 0.58 | 0.51 | 8.76 |
| 1952 | 0.46 | 0.53 | 0.53 | 0.69 | 0.75 | 0.83 | 0.91 | 1.23 | 1.03 | 0.93 | 0.51 | 0.38 | 8.78 |
| 1953 | 0.44 | 0.37 | 0.49 | 0.61 | 0.67 | 0.97 | 1.04 | 0.99 | 0.92 | 0.66 | 0.54 | 0.39 | 8.09 |
| 1954 | 0.20 | 0.49 | 0.55 | 0.63 | 0.80 | 0.82 | 0.90 | 0.89 | 0.89 | 0.47 | 0.36 | 0.33 | 7.14 |
| 1955 | 0.31 | 0.28 | 0.56 | 0.63 | 0.80 | 0.89 | 0.96 | 0.84 | 0.51 | 0.55 | 0.38 | 0.25 | 6.96 |
| 1956 | 0.28 | 0.32 | 0.49 | 0.66 | 0.88 | 0.81 | 1.06 | 0.91 | 0.77 | 0.64 | 0.43 | 0.32 | 7.57 |
| 1957 | 0.28 | 0.37 | 0.61 | 0.57 | 0.68 | 0.75 | 1.01 | 0.94 | 0.68 | 0.49 | 0.39 | 0.33 | 7.10 |
| 1958 | 0.23 | 0.24 | 0.35 | 0.54 | 0.70 | 0.71 | 0.86 | 0.90 | 0.44 | 0.25 | 0.23 | 0.18 | 5.63 |
| 1959 | 0.18 | 0.16 | 0.40 | 0.47 | 0.75 | 0.76 | 0.86 | 0.36 | 0.67 | 0.44 | 0.31 | 0.27 | 5.63 |
| 1960 | 0.18 | 0.35 | 0.37 | 0.53 | 0.71 | 0.83 | 0.98 | 0.76 | 0.49 | 0.43 | 0.23 | 0.15 | 6.01 |
| 1961 | 0.17 | 0.32 | 0.57 | 0.72 | 0.77 | 0.78 | 0.87 | 0.69 | 0.57 | 0.43 | 0.24 | 0.19 | 6.32 |
| 1962 | 0.28 | 0.43 | 0.55 | 0.63 | 0.86 | 0.79 | 1.04 | 0.91 | 0.65 | 0.56 | 0.34 | 0.21 | 7.25 |
| 1963 | 0.24 | 0.36 | 0.58 | 0.71 | 0.66 | 0.81 | 0.90 | 0.96 | 0.61 | 0.47 | 0.38 | 0.17 | 6.85 |
| 1964 | 0.28 | 0.30 | 0.51 | 0.62 | 0.67 | 0.72 | 0.89 | 1.00 | 0.64 | 0.46 | 0.34 | 0.22 | 6.65 |
| 1965 | 0.30 | 0.30 | 0.43 | 0.57 | 0.65 | 0.89 | 1.01 | 0.84 | 0.72 | 0.39 | 0.28 | 0.18 | 6.56 |
| 1966 | 0.15 | 0.20 | 0.38 | 0.54 | 0.50 | 0.58 | 0.78 | 0.80 | 0.58 | 0.44 | 0.40 | 0.31 | 5.66 |
| 1967 | 0.26 | 0.32 | 0.53 | 0.74 | 0.77 | 0.88 | 1.04 | 0.72 | 0.43 | 0.35 | 0.17 | 0.18 | 6.39 |
| 1968 | 0.16 | 0.21 | 0.39 | 0.41 | 0.55 | 0.69 | 0.66 | 0.77 | 0.42 | 0.37 | 0.31 | 0.27 | 5.21 |
| 1969 | 0.22 | 0.23 | 0.47 | 0.55 | 0.66 | 0.73 | 0.98 | 0.75 | 0.51 | 0.45 | 0.29 | 0.20 | 6.04 |
| 1970 | 0.15 | 0.26 | 0.45 | 0.59 | 0.62 | 0.72 | 0.77 | 0.76 | 0.55 | 0.39 | 0.37 | 0.29 | 5.92 |

TABLE 4-3 CONT'D.

(Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|------|------|------|------|------|------|------|------|------|------|------|------|------|--------|
| 1971 | 0.33 | 0.40 | 0.63 | 0.72 | 0.74 | 0.84 | 0.87 | 0.61 | 0.54 | 0.32 | 0.29 | 0.20 | 6.49 |
| 1972 | 0.24 | 0.28 | 0.43 | 0.64 | 0.49 | 0.57 | 0.63 | 0.75 | 0.59 | 0.39 | 0.23 | 0.20 | 5.43 |
| 1973 | 0.21 | 0.19 | 0.43 | 0.45 | 0.62 | 0.64 | 0.70 | 0.55 | 0.48 | 0.33 | 0.26 | 0.27 | 5.12 |
| 1974 | 0.18 | 0.39 | 0.43 | 0.55 | 0.64 | 0.76 | 0.84 | 0.86 | 0.54 | 0.41 | 0.27 | 0.17 | 6.03 |
| 1975 | 0.26 | 0.30 | 0.51 | 0.58 | 0.60 | 0.72 | 0.67 | 0.55 | 0.39 | 0.41 | 0.37 | 0.25 | 5.61 |
| 1976 | 0.25 | 0.41 | 0.41 | 0.48 | 0.53 | 0.72 | 0.55 | 0.66 | 0.50 | 0.33 | 0.14 | 0.15 | 5.12 |
| 1977 | 0.13 | 0.28 | 0.41 | 0.50 | 0.55 | 0.71 | 0.84 | 0.81 | 0.56 | 0.39 | 0.31 | 0.25 | 5.73 |
| 1978 | 0.18 | 0.23 | 0.53 | 0.61 | 0.67 | 0.77 | 0.91 | 0.77 | 0.41 | 0.29 | 0.21 | 0.21 | 5.78 |
| 1979 | 0.20 | 0.22 | 0.42 | 0.47 | 0.67 | 0.72 | 0.79 | 0.78 | 0.46 | 0.52 | 0.33 | 0.17 | 5.76 |
| 1980 | 0.19 | 0.20 | 0.45 | 0.60 | 0.59 | 0.94 | 0.98 | 0.71 | 0.64 | 0.43 | 0.27 | 0.17 | 6.18 |
| 1981 | 0.16 | 0.20 | 0.37 | 0.40 | 0.50 | 0.53 | 0.69 | 0.63 | 0.49 | 0.41 | 0.28 | 0.22 | 4.88 |
| 1982 | 0.28 | 0.22 | 0.39 | 0.45 | 0.39 | 0.69 | 0.89 | 0.79 | 0.61 | 0.38 | 0.26 | 0.22 | 5.56 |
| 1983 | 0.17 | 0.25 | 0.44 | 0.63 | 0.58 | 0.68 | 0.64 | 0.69 | 0.53 | 0.42 | 0.34 | 0.19 | 5.55 |
| 1984 | 0.14 | 0.34 | 0.51 | 0.57 | 0.68 | 0.76 | 0.80 | 0.84 | 0.50 | 0.35 | 0.33 | 0.23 | 6.04 |
| 1985 | 0.17 | 0.21 | 0.44 | 0.50 | 0.57 | 0.68 | 0.80 | 0.85 | 0.64 | 0.46 | 0.30 | 0.19 | 5.80 |
| 1986 | 0.24 | 0.33 | 0.59 | 0.51 | 0.59 | 0.59 | 0.86 | 0.80 | 0.62 | 0.39 | 0.20 | 0.14 | 5.85 |
| 1987 | 0.21 | 0.27 | 0.33 | 0.45 | 0.51 | 0.57 | 0.75 | 0.81 | 0.53 | 0.48 | 0.29 | 0.20 | 5.40 |
| 1988 | 0.21 | 0.23 | 0.47 | 0.55 | 0.61 | 0.74 | 0.78 | 0.62 | 0.51 | 0.42 | 0.33 | 0.25 | 5.73 |
| 1989 | 0.22 | 0.25 | 0.54 | 0.55 | 0.76 | 0.80 | 0.83 | 0.71 | 0.63 | 0.48 | 0.31 | 0.21 | 6.30 |
| 1990 | 0.31 | 0.33 | 0.41 | 0.48 | 0.71 | 0.93 | 0.87 | 0.76 | 0.48 | 0.48 | 0.32 | 0.27 | 6.38 |
| 1991 | 0.19 | 0.28 | 0.60 | 0.55 | 0.61 | 0.71 | 0.68 | 0.81 | 0.41 | 0.42 | 0.26 | 0.20 | 5.71 |
| 1992 | 0.15 | 0.24 | 0.34 | 0.43 | 0.47 | 0.67 | 0.92 | 0.74 | 0.63 | 0.43 | 0.28 | 0.20 | 5.49 |
| 1993 | 0.20 | 0.24 | 0.37 | 0.58 | 0.65 | 0.57 | 0.87 | 0.88 | 0.54 | 0.46 | 0.27 | 0.27 | 5.92 |
| 1994 | 0.26 | 0.28 | 0.49 | 0.50 | 0.62 | 0.74 | 1.00 | 0.72 | 0.57 | 0.45 | 0.35 | 0.23 | 6.21 |
| 1995 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 | 6.12 |
| 1996 | 0.28 | 0.34 | 0.51 | 0.67 | 0.81 | 0.87 | 0.99 | 0.69 | 0.56 | 0.39 | 0.34 | 0.24 | 6.69 |

TABLE 4.4 SUMMARY OF CURRENT WATER DEMANDS AND DIVERSIONS
FOR THE MIDDLE AND LOWER RIO GRANDE

UNITED STATES DEMANDS AND DIVERSIONS FROM THE MIDDLE RIO GRANDE

DOMESTIC, MUNICIPAL AND INDUSTRIAL USE [1]

Average Annual Demand: 34,044 Acre-Feet

Percentage Monthly Demand Distribution:

| | | | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|
| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
| 6.11% | 6.10% | 7.60% | 8.26% | 8.92% | 9.61% | 10.86% | 11.08% | 8.80% | 8.51% | 7.24% | 6.91% |

IRRIGATION AND MINING USE [2,3]

Average Annual Demand: 126,804 Acre-Feet

Percentage Monthly Demand Distribution:

| | | | | | | | | | | | |
|-------|-------|-------|--------|-------|--------|--------|--------|-------|-------|-------|-------|
| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
| 4.25% | 4.09% | 9.27% | 10.20% | 8.35% | 10.39% | 11.86% | 13.66% | 8.07% | 8.09% | 6.66% | 5.11% |

DATA BASE: [1] Historical Monthly Surface Water Diversions for Seven Cities in the Middle Rio Grande Basin for 1985-1994 10-Year Period as Reported by IBWC in 1996

[2] Historical Monthly Surface Water Diversions and Return Flows for Maverick Canal and Power Plant for 1985-1994 10-Year Period as Reported by IBWC in 1996

[3] Historical Monthly Surface Water Diversions for Other United States Irrigators in the Middle Rio Grande Basin for 1985-1994 10-Year Period as Reported by IBWC in 1996

TABLE 4-4, CONT'D.

UNITED STATES RELEASES FROM FALCON RESERVOIR TO THE LOWER RIO GRANDE

DOMESTIC, MUNICIPAL AND INDUSTRIAL USE [1,2,3]

Average Annual Demand: 125,412 Acre-Feet

Percentage Monthly Demand Distribution:

| | | | | | | | | | | | |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| <u>JAN</u> | <u>FEB</u> | <u>MAR</u> | <u>APR</u> | <u>MAY</u> | <u>JUN</u> | <u>JUL</u> | <u>AUG</u> | <u>SEP</u> | <u>OCT</u> | <u>NOV</u> | <u>DEC</u> |
| 7.20% | 6.66% | 7.77% | 8.94% | 8.66% | 9.00% | 10.04% | 10.39% | 8.50% | 8.03% | 7.44% | 7.38% |

IRRIGATION AND MINING USE [1,2]

Average Annual Demand: 1,078,030 Acre-Feet

Percentage Monthly Demand Distribution:

| | | | | | | | | | | | |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| <u>JAN</u> | <u>FEB</u> | <u>MAR</u> | <u>APR</u> | <u>MAY</u> | <u>JUN</u> | <u>JUL</u> | <u>AUG</u> | <u>SEP</u> | <u>OCT</u> | <u>NOV</u> | <u>DEC</u> |
| 7.47% | 4.41% | 7.80% | 14.37% | 13.42% | 12.66% | 10.63% | 9.67% | 5.71% | 5.93% | 4.02% | 3.91% |

DATA BASE:

[1] IBWC-Reported Historical Monthly United States Falcon Reservoir Releases for Non-Floodspill Years (1980, 1984, 1985, 1986, 1989, 1990 and 1993)

[2] TWDB-Reported Historical Annual Surface Water Use for Cameron, Willacy, Hidalgo and Starr Counties for Falcon Reservoir Non-Floodspill Years (1980, 1984, 1985, 1986, 1989, 1990 and 1993)

[3] TWDB-Reported Historical Monthly Surface Water Use for Nine Selected Cities in Lower Rio Grande Valley for Falcon Reservoir Non-Floodspill Years (1980, 1984, 1985, 1986, 1989, 1990 and 1993) (McAllen, Edinburg, Weslaco, Mercedes, Harlingen, San Benito, Brownsville, Mission and Donna)

TABLE 4-4, CONT'D.

MEXICO DEMANDS AND DIVERSIONS FROM THE MIDDLE RIO GRANDE

DOMESTIC, MUNICIPAL, INDUSTRIAL AND IRRIGATION USE [1,2]

Average Annual Demand: 65,819 Acre-Feet

Percentage Monthly Demand Distribution:

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 7.85% | 7.27% | 7.45% | 8.49% | 7.99% | 8.30% | 9.15% | 9.10% | 8.96% | 8.60% | 8.25% | 8.59% |

DATA BASE:

[1] Historical Monthly Surface Water Diversions for Four Selected Cities in the Middle Rio Grande Basin for 1985-1994 10-Year Period as Reported by IBWC in 1996
(Ciudad Acuna, Piedras Negras, Nuevo Laredo and Nueva Cd. Guerrero)

[2] Historical Monthly Surface Water Diversions for Other Mexico Irrigators in the Middle Rio Grande Basin for 1985-1994 10-Year Period as Reported by IBWC in 1996

MEXICO RELEASES FROM FALCON RESERVOIR TO THE LOWER RIO GRANDE

DOMESTIC, MUNICIPAL, INDUSTRIAL AND IRRIGATION USE [1]

Average Annual Demand: 1,223,672 Acre-Feet

Percentage Monthly Demand Distribution:

| JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|--------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| 16.20% | 6.49% | 2.43% | 24.13% | 26.51% | 6.53% | 2.95% | 5.92% | 2.27% | 3.44% | 1.21% | 1.92% |

DATA BASE:

[1] IBWC-Reported Historical Monthly Mexico Falcon Reservoir Releases for Non-Floodspill Years (1980, 1984, 1985, 1986, 1989, 1990 and 1993)

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
 FOR THE MIDDLE AND LOWER RIO GRANDE
 Phase I - Development, Testing and Application of ROM/CPM Modeling System
 Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

| | | <u>AVERAGE DEMAND</u> <u>Acre-Feet/Year</u> |
|-------------------------------|---|--|
| <u>For the United States:</u> | | |
| Node 2 | United States total municipal water demand below Falcon Reservoir | 125,000 |
| Node 5 | United States total municipal water demand between Amistad and Falcon Reservoirs | 34,000 |
| Node 6 | United States total irrigation water demand between Amistad and Falcon Reservoirs | 127,000 |
| Node 7 | United States total irrigation water demand below Falcon Reservoir | 1,078,000 |
| <u>For Mexico:</u> | | |
| Node 4 | Mexican total municipal and irrigation water demand below Falcon Reservoir | 1,224,000 |
| Node 8 | Mexican total municipal and irrigation water demand between Amistad and Falcon Reservoirs | 66,000 |

It should be noted that the ROM has the capability to accept as input data specified monthly water demands at any node. For example, if, during a particular simulation, it is desired to specify individual monthly values of water demand at any or all demand nodes in the model, this can be accomplished by appropriately including such monthly demands in the data input file as discrete values. However, for the 1945-1996 simulation period that has been used for operating the Amistad-Falcon ROM, complete historical water use data are not available for developing the entire array of actual monthly water demands for each node in the model. Actually, the historical monthly water demands are not required for the types of model development, testing and operational simulations that have been performed to date in this study. As an alternative, the average annual water demands for each node as listed above have been specified in the model with the corresponding monthly demand distributions. These data then have been used in the ROM to calculate the required monthly demands at each node, with the 12-month sets of demands repeated for each node for each year of the 1945-1996 simulation period.

Another point to note relates to the demands that are specified in the ROM for purposes of simulating storage variations in Amistad and Falcon Reservoirs for each country. For the water demands in the Lower Rio Grande basin below Falcon Reservoir, the releases from Falcon Reservoir actually are specified in the ROM, as opposed to the downstream river diversions. Referring to the ROM link-node network in Figure 2-1, these demands are specified at Nodes 2 and

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

7 for the United States and at Node 4 for Mexico. However, for purposes of water accounting and allocating the United States storage in the reservoirs each month to the different reserves and storage accounts prescribed under the TNRCC Rio Grande operating rules, the amounts of the actual river diversions, and not the reservoir releases, are required.

In the real system, the historical differences between the quantities of river diversions that are actually made along the Lower Rio Grande and the corresponding amounts of releases from Falcon Reservoir that are made to satisfy the downstream diversions are attributable primarily to such channel losses as seepage, evaporation and unauthorized pumping. Results from analyses of historical annual quantities of corresponding river diversions and Falcon Reservoir releases for the Lower Rio Grande and other information from the IBWC and the Rio Grande Watermaster² indicate that channel losses along the Lower Rio Grande typically range from near zero up to about fifteen percent of the flow in the river. Therefore, for purposes of the water accounting process incorporated in the ROM, channel losses in the Lower Rio Grande have been assumed to average eight percent of the releases from Falcon Reservoir, i. e., of the demands specified at Nodes 2, 4 and 7. Consequently, the amounts used for river diversions in the Lower Rio Grande in debiting the total irrigation and mining account balance are calculated as 92 percent of the United States irrigation demand specified at Node 7, i. e., the Falcon Reservoir release amount. Channel losses for the Middle Rio Grande are not considered in the water accounting process in the ROM because the Middle Rio Grande water demands specified in the ROM for the United States at Nodes 5 and 6 reflect actual river diversions, and not reservoir releases.

4.4 1995-1996 MONTHLY TOTAL WATER DEMANDS AND DIVERSIONS

For testing the simulation accuracy of the Amistad-Falcon ROM, actual historical hydrologic and demand conditions as they occurred during the drought period covered by calendar years 1995 and 1996 have been used. For these simulations, the actual quantities of historical water use by category and location and the corresponding Falcon Reservoir releases as reported by the TWDB, the TNRCC Rio Grande Watermaster and the IBWC have been examined to develop the monthly water demands required at each of the nodes in the model. These historical monthly water demands for 1995 and 1996 for the United States and for Mexico for the different use categories and locations (nodes) specified in the ROM are listed in Table 4-5.

² International Boundary and Water Commission, United States Section; "An Appraisal of Potential Rio Grande Channel Dams In Hidalgo and Cameron Counties, Texas for Water Conservation"; Prepared for the Texas Department of Water Resources; April, 1983; El Paso, Texas.

TABLE 4-5 SUMMARY OF 1995-1996 MONTHLY WATER DEMANDS FOR THE MIDDLE AND LOWER RIO GRANDE

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|--------|--------|-----------|
| <u>UNITED STATES</u> | | | | | | | | | | | | | |
| <u>NODE 2. TOTAL MUNICIPAL WATER DEMAND BELOW FALCON RESERVOIR</u> | | | | | | | | | | | | | |
| 1995 | 8,653 | 14,554 | 8,368 | 10,116 | 19,233 | 8,356 | 12,953 | 6,731 | 6,530 | 6,620 | 3,677 | 4,954 | 110,745 |
| 1996 | 5,465 | 13,419 | 12,802 | 12,175 | 13,569 | 9,763 | 10,263 | 7,648 | 4,598 | 5,496 | 9,263 | 8,122 | 112,583 |
| <u>NODE 5. TOTAL MUNICIPAL WATER DEMAND BETWEEN AMISTAD AND FALCON RESERVOIRS</u> | | | | | | | | | | | | | |
| 1995 | 1,497 | 1,574 | 1,813 | 2,167 | 2,451 | 2,463 | 2,503 | 2,402 | 1,956 | 2,185 | 2,053 | 1,497 | 24,561 |
| 1996 | 1,667 | 1,839 | 2,112 | 2,398 | 2,775 | 2,653 | 2,730 | 2,192 | 1,739 | 2,018 | 2,232 | 1,495 | 25,850 |
| <u>NODE 6. TOTAL IRRIGATION WATER DEMAND BETWEEN AMISTAD AND FALCON RESERVOIRS</u> | | | | | | | | | | | | | |
| 1995 | 5,251 | 5,100 | 5,363 | 12,485 | 10,532 | 9,950 | 9,481 | 12,808 | 6,404 | 3,923 | 1,728 | 6,219 | 89,244 |
| 1996 | 6,010 | 5,005 | 12,205 | 9,892 | 10,583 | 10,499 | 11,511 | 14,169 | 6,629 | 6,244 | 5,387 | 3,839 | 101,973 |
| <u>NODE 7. TOTAL IRRIGATION WATER DEMAND BELOW FALCON RESERVOIRS</u> | | | | | | | | | | | | | |
| 1995 | 80,060 | 84,616 | 74,419 | 136,002 | 254,151 | 106,440 | 118,448 | 50,237 | 37,578 | 43,027 | 16,967 | 21,736 | 1,023,681 |
| 1996 | 50,561 | 78,014 | 113,855 | 163,689 | 179,310 | 124,367 | 93,601 | 57,084 | 26,457 | 35,723 | 42,746 | 35,628 | 1,001,035 |
| <u>MEXICO</u> | | | | | | | | | | | | | |
| <u>NODE 4. TOTAL MUNICIPAL AND IRRIGATION WATER DEMANDS BELOW FALCON RESERVOIR</u> | | | | | | | | | | | | | |
| 1995 | 179,835 | 46,531 | 78,080 | 300,801 | 126,402 | 1,605 | 4,452 | 4,630 | 245 | 3,266 | 2,976 | 5,720 | 754,543 |
| 1996 | 6,132 | 4,994 | 7,634 | 166,134 | 27,162 | 15,935 | 14,526 | 9,411 | 2,981 | 3,603 | 16,832 | 4,263 | 279,607 |
| <u>NODE 8. TOTAL MUNICIPAL AND IRRIGATION WATER DEMANDS BETWEEN AMISTAD AND FALCON RESERVOIRS</u> | | | | | | | | | | | | | |
| 1995 | 6,435 | 6,547 | 9,564 | 10,222 | 11,766 | 5,998 | 5,967 | 6,047 | 5,890 | 6,568 | 6,128 | 5,901 | 87,033 |
| 1996 | 6,176 | 5,978 | 6,963 | 9,743 | 9,445 | 6,740 | 7,105 | 6,903 | 6,209 | 6,593 | 6,045 | 5,486 | 83,386 |

4.5 1995-1996 MONTHLY DEMANDS FOR INDIVIDUAL WATER RIGHTS

In Phase II of this modeling effort, the Amistad-Falcon ROM has been extended to include the capability to simulate water accounting for individual water rights pursuant to the TNRCC Rio Grande operating rules. As described previously, the current version of the ROM now performs monthly accounting for up to three individual water rights owners, each with a municipal water right, a Class A irrigation or mining water right and a Class B irrigation or mining water right. In order to simulate the water accounting for these water rights, certain information must be included in the ROM data input file. This includes the maximum annual authorized diversion amount for each type of water right and the monthly demands over the simulation period for each type of water right.

For purposes of demonstrating the individual water rights accounting capability of the ROM, three existing water rights owners in the Lower Rio Grande basin, each with a municipal water right and Class A and Class B irrigation water rights, have been selected. These water rights owners are listed in Table 4-6, along with pertinent characteristics regarding their individual water rights and the actual monthly diversion amounts for the 1995-1996 period as used in the modeling analysis. These data have been compiled from the monthly water accounting reports that are regularly prepared and issued by the Rio Grande Watermaster's Office.

For the long-term 1945-1996 ROM simulations, the annual demands for the selected individual water rights have been set equal to their respective authorized annual diversion amounts as listed in Table 4-6. These annual demands then have been distributed to monthly values using the Lower Rio Grande current average monthly demand factors for municipal uses and for irrigation uses presented in Table 4-4. These 12-month sets of water demands for each of the individual water rights, which are listed in Table 4-7, then have been repeated in the ROM each year over the entire 1945-1996 simulation period.

4.6 MINIMUM RELEASES FROM AMISTAD RESERVOIR

Discussions with representatives from the IBWC and the TNRCC Rio Grande Watermaster's Office indicate that historically certain minimum releases have been made from Amistad Reservoir generally to supply downstream water demands along the river and/or to generate hydropower electricity. However, specific procedures regarding how much water is released and when by each country are not documented and do not appear to be standardized. There is some indication, based

TABLE 4-7 MONTHLY DEMANDS FOR INDIVIDUAL WATER RIGHTS BASED ON
DISTRIBUTED ANNUAL AUTHORIZED DIVERSIONS

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|---|--|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|---------|
| <u>UNITED IRRIGATION DISTRICT</u> | | | | | | | | | | | | | |
| | <u>MUNICIPAL WATER RIGHT, ADJ. NO. 0849-000</u> | | | | | | | | | | | | |
| | 382 | 353 | 412 | 474 | 459 | 477 | 532 | 550 | 450 | 426 | 394 | 391 | 5,300 |
| | <u>CLASS A IRRIGATION WATER RIGHT, ADJ. NO. A847-001</u> | | | | | | | | | | | | |
| | 5,189 | 3,063 | 5,418 | 9,982 | 9,322 | 8,794 | 7,384 | 6,717 | 3,967 | 4,119 | 2,793 | 2,716 | 69,464 |
| | <u>CLASS B IRRIGATION WATER RIGHT, ADJ. NO. B769-00</u> | | | | | | | | | | | | |
| | 299 | 177 | 313 | 576 | 538 | 507 | 426 | 388 | 229 | 238 | 161 | 157 | 4,009 |
| <u>SANTA CRUZ IRRIGATION DISTRICT NO. 15</u> | | | | | | | | | | | | | |
| | <u>MUNICIPAL WATER RIGHT, ADJ. NO. 0240-000</u> | | | | | | | | | | | | |
| | 286 | 264 | 308 | 355 | 343 | 357 | 398 | 412 | 337 | 319 | 295 | 293 | 3,967 |
| | <u>CLASS A IRRIGATION WATER RIGHT, ADJ. NO. 0810-000</u> | | | | | | | | | | | | |
| | 363 | 214 | 379 | 698 | 652 | 615 | 516 | 470 | 277 | 288 | 195 | 190 | 4,857 |
| | <u>CLASS B IRRIGATION WATER RIGHT, ADJ. NO. B804-00</u> | | | | | | | | | | | | |
| | 361 | 213 | 376 | 694 | 648 | 611 | 513 | 467 | 276 | 286 | 194 | 189 | 4,828 |
| <u>HIDALGO COUNTY IRRIGATION DISTRICT NO. 2</u> | | | | | | | | | | | | | |
| | <u>MUNICIPAL WATER RIGHT, ADJ. NO. 0808-001</u> | | | | | | | | | | | | |
| | 442 | 409 | 477 | 549 | 532 | 553 | 616 | 637 | 522 | 493 | 457 | 453 | 6,140 |
| | <u>CLASS A IRRIGATION WATER RIGHT, ADJ. NO. 0808-005</u> | | | | | | | | | | | | |
| | 11,039 | 6,517 | 11,526 | 21,235 | 19,831 | 18,708 | 15,709 | 14,290 | 8,438 | 8,763 | 5,941 | 5,778 | 147,775 |
| | <u>CLASS B IRRIGATION WATER RIGHT, ADJ. NO. 0573-001</u> | | | | | | | | | | | | |
| | 35 | 21 | 37 | 68 | 63 | 59 | 50 | 45 | 27 | 28 | 19 | 18 | 470 |

on information from IBWC and the Rio Grande Watermaster's Office, that in the early to mid 1990's under relatively normal hydrologic conditions the minimum release by the United States was on the order of 25 cubic meters per second (880 cfs) and the minimum release by Mexico was about 10 cubic meters per second (350 cfs). Because of the uncertainties regarding current minimum release procedures, all of the long-term simulations with the ROM, i. e., the 1945-1996 simulations, have been made with no minimum releases specified for Amistad Reservoir. Monthly releases from Amistad Reservoir for each country, therefore, have been simulated by the ROM based solely on downstream water demands and/or storage requirements in Falcon Reservoir, with no consideration of minimum release amounts.

For some simulations with the ROM, the actual historical monthly releases from Amistad Reservoir for specific periods, such the 1995-1996 simulation period, have been specified in the model. These historical release data have been obtained from the records of IBWC. For the 1995-1996 period, they are listed in Table 4-8 for both the United States and Mexico. It is interesting to note that the actual monthly releases from Amistad Reservoir for the United States in 1995 and 1996 were somewhat greater than the minimum releases indicated above corresponding to normal hydrologic conditions. The higher water demands downstream during this drought period and the relatively low storage in Falcon Reservoir are obvious reasons for these higher-than-normal releases.

Mexico's actual monthly releases from Amistad Reservoir during January through May of 1995 were significantly greater the normal minimum releases indicated above, but beginning in June and continuing throughout 1995 and 1996, Mexico's actual releases were about equal to or somewhat less than the normal minimum release amounts. Mexico's available storage in both Amistad and Falcon Reservoirs reached critically low levels in about mid-1995, at which time, out of necessity to extend its available water supply, Mexico substantially reduced its overall water deliveries, particularly for irrigation. Hence, Mexico reduced its Amistad releases.

4.7 STORAGE ACCOUNTS FOR TOTAL WATER RIGHTS

For performing water accounting in accordance with the TNRCC Rio Grande operating rules, the Amistad-Falcon ROM requires that the authorized amounts of Texas water rights (annual diversion amounts) on the Middle and Lower Rio Grande be specified as input data. This includes the annual authorized (permitted) diversion amounts for: (1) total domestic, municipal and industrial water rights; (2) total Class A irrigation and mining water rights on the Middle Rio Grande; (3) total Class

TABLE 4-8 HISTORICAL 1995-1996 MONTHLY RELEASES FROM AMISTAD RESERVOIR
FOR THE UNITED STATES AND MEXICO

| | | (Acre-Feet) | | | | | | | | | | | |
|----------------------|--------|-------------|--------|---------|---------|---------|--------|--------|--------|--------|--------|--------|---------|
| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
| <u>UNITED STATES</u> | | | | | | | | | | | | | |
| 1995 | 67,452 | 61,300 | 69,425 | 58,726 | 69,665 | 69,639 | 68,000 | 66,034 | 66,317 | 65,061 | 63,354 | 66,114 | 791,087 |
| 1996 | 65,689 | 54,830 | 57,313 | 89,764 | 154,787 | 147,757 | 63,930 | 64,243 | 60,874 | 60,473 | 61,433 | 68,800 | 949,893 |
| <u>MEXICO</u> | | | | | | | | | | | | | |
| 1995 | 32,953 | 29,947 | 92,837 | 177,441 | 120,667 | 21,894 | 21,502 | 21,083 | 21,229 | 20,803 | 20,346 | 21,311 | 602,013 |
| 1996 | 14,911 | 10,155 | 11,408 | 13,681 | 14,033 | 11,206 | 11,605 | 11,731 | 11,288 | 11,433 | 11,727 | 12,102 | 145,280 |

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
 FOR THE MIDDLE AND LOWER RIO GRANDE
 Phase I - Development, Testing and Application of ROM/CPM Modeling System
 Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

B irrigation and mining water rights on the Middle Rio Grande; (4) total Class A irrigation and mining water rights on the Lower Rio Grande; and (5) total Class B irrigation and mining water rights on the Lower Rio Grande. The Rio Grande Watermaster's office maintains records of the current amounts of authorized diversions for all water rights in the Texas portion of the Rio Grande basin.

As of January, 1998,³ the amounts listed in the following table reflect the total authorized annual diversions from the Middle and Lower Rio Grande for all existing water rights on record according to the Rio Grande Watermaster's Office. These total amounts have been used for all ROM simulations in this study.

| WATER RIGHTS CLASSIFICATION | MIDDLE RIO GRANDE <u>Acre-Feet</u> | LOWER RIO GRANDE <u>Acre-Feet</u> |
|------------------------------------|--|---|
| Municipal & Domestic | 51,931.583 | 208,485.110 |
| Industrial | 2,308.120 | 8,854.505 |
| Irrigation (Class A) | 161,550.943 | 1,500,319.364 |
| Irrigation (Class B) | 17,254.382 | 195,369.119 |
| Mining (Class A) | 1,252.177 | 400.000 |
| Mining (Class B) | 1,472.900 | 139.875 |
| Total Authorized Diversions | 235,770.105 | 1,913,567.973 |

It should be noted that, in addition to these water rights, there are also significant hydropower water rights associated with Amistad and Falcon Reservoirs, as well as, other facilities. However, since hydroelectric power is generated by run-of-the-river water or by water released from reservoir storage for other downstream uses, the total quantity of water rights attributed to hydropower generation reflects only an accumulation of the permitted use of water and does not represent consumptive use.

Excluding hydropower uses, it is apparent that the vast majority of all of the existing water rights on the Middle and Lower Rio Grande are used for irrigation purposes, whereas, municipal uses comprise less than ten percent of the total amounts authorized. Historically, irrigation demands in the basin have been on the order of about a million acre-feet per year, which represents about forty-five percent of the total authorized irrigation diversions.

³ Rio Grande Watermaster, Texas Natural Resource Conservation Commission; Copies of Monthly Accounting Reports; Provided to R. J. Brandes Company; January, 1998; McAllen, Texas.

In addition to the above authorized diversion amounts for existing water rights, information on the initial total storage balance for the combined irrigation and mining accounts is required as input to the ROM. Again, such information is available from the Rio Grande Watermaster's Office and has been obtained for purposes of this study. For all of the long-term simulations using the 1945-1996 data base, the initial storage balance for the combined irrigation and mining accounts has been set equal to the maximum allowed under current TNRCC rules because both Amistad and Falcon Reservoirs are assumed to be full at the beginning of these simulation periods. This storage balance amount is equal to 1.41 times the total authorized annual diversion amounts of all irrigation and mining water rights⁴, i. e., $1.41 \times (161,551 + 1,500,319 + 17,254 + 195,369 + 1,252 + 400 + 1,473 + 140) = 2,647,639$ acre-feet.

For the 1995-1996 ROM simulations, the actual storage balance of the combined irrigation and mining accounts as of the end of December, 1994, has been used as the initial storage balance condition. Based on information provided by the Rio Grande Watermaster's Office⁵, the December, 1994, irrigation and mining storage balance specified in the ROM is 1,747,743 acre-feet.

4.8 STORAGE ACCOUNTS FOR INDIVIDUAL WATER RIGHTS

For the ROM simulations of water accounting for the three individual water rights owners over the 1995-1996 period, the beginning storage balances of their Class A and Class B irrigation and mining water rights also must be specified in the ROM data input file at the beginning of the simulation period. These storage balances have been obtained from the records of the Rio Grande Watermaster as of the end of December, 1994, and they are listed in Table 4-9 for each of the three selected water rights owners and their individual irrigation accounts.

4.9 SAMPLE ROM DATA INPUT FILE LISTING

Presented in Table 4-10 is a sample of the data input file required by the Amistad-Falcon ROM. This particular data input file corresponds to the test case simulation based on actual 1995 and 1996 hydrologic and water demand conditions for both the United States and Mexico. This case is referred to as the "1995-1998" simulation because the basic 1995 input data are repeated for

⁴ "Chapter 303: Operation of the Rio Grande"; 31 Texas Administrative Code, §303.22(d); Texas Water Commission Rules; August 26, 1987; Austin, Texas.

⁵ Rio Grande Watermaster, Texas Natural Resource Conservation Commission; Fax Report of 1995 Irrigation and Mining Account Storage Balances, Lower and Middle Rio Grande Segments; Provided to R. J. Brandes Company; July 29, 1996; McAllen, Texas.

TABLE 4-9 · STORAGE BALANCES FOR INDIVIDUAL IRRIGATION ACCOUNTS

| | DECEMBER 1994 STORAGE BALANCE <u>Acre-Feet</u> |
|---|--|
| UNITED IRRIGATION DISTRICT | |
| Class A Irrigation Water Right, Adj. No. A847-001 | 87,300 |
| Class B Irrigation Water Right, Adj. No. B769-00 | 3,331 |
| SANTA CRUZ IRRIGATION DISTRICT NO. 15 | |
| Class A Irrigation Water Right, Adj. No. 0810-000 | 6,599 |
| Class B Irrigation Water Right, Adj. No. B804-00 | 6,807 |
| HIDALGO COUNTY IRRIGATION DISTRICT NO. 2 | |
| Class A Irrigation Water Right, Adj. No. 0808-005 | 150,104 |
| Class B Irrigation Water Right, Adj. No. 0573-001 | 14 |

TABLE 4-10 DATA INPUT FILE LISTING FOR 1995-1998 ROM SIMULATION

| | | | | | |
|--|---|----------------------------|--|------------------|---------|
| CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS | | | | | |
| TEST ROM SIMULATION WITH ACTUAL MONTHLY DEMANDS AND AMISTAD RESERVOIR RELEASES | | | | | |
| CARD 01 | NJ | - | NUMBER OF NODES IN THE MODEL NETWORK | | 8 |
| CARD 02 | NRES | - | NUMBER OF RESERVOIRS IN THE MODEL NETWORK | | 4 |
| CARD 03 | NL | - | NUMBER OF LINKS BETWEEN NODES IN THE MODEL NETWORK | | 8 |
| CARD 04 | NR | - | NUMBER OF LINKS THAT ARE RIVER REACHES | | 8 |
| CARD 05 | NYEAR | - | TOTAL NUMBER OF YEARS IN SIMULATION PERIOD | | 04 |
| CARD 06 | ND | - | NUMBER OF DEMAND NODES IN THE MODEL NETWORK | | 8 |
| CARD 07 | NS | - | NUMBER OF SPILL RESERVOIRS IN THE MODEL NETWORK | | 2 |
| CARD 08 | IYEAR | - | BEGINNING CALENDAR YEAR OF SIMULATION PERIOD | | 1995 |
| CARD 09 | IFRM | - | BEGINNING ORDINAL YEAR OF DETAILED PRINTOUT | | 1 |
| CARD 10 | ITDY | - | ENDING ORDINAL YEAR OF DETAILED PRINTOUT | | 04 |
| CARD 11 | INPUT DATA SOURCE ("CARD" OR "TAPE") | | | | CARD |
| CARD 12 | FIRM ANNUAL YIELD ITERATION CONVERGENCE LIMIT | | | | 0.040 |
| CARD 13 | IPLT=0, | DO NOT SAVE; | =NODE, SAVE RES. OPER; | =5, SAVE ACCOUNT | 1 |
| CARD 14 | IYSTR | - | BEGINNING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | 1948 |
| CARD 15 | IYEND | - | ENDING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | 1972 |
| CARD 16 | IFLYLD=0, | NO FAY; | IFLYLD =1, DETERMINE FAY FOR CRITICAL PERIOD | | 0 |
| CARD 17 | MAXMWR | - | TOTAL DOMESTIC-MUNICIPAL-INDUSTRIAL WATER RIGHTS | | 271579 |
| CARD 18 | MXLWR | - | TOTAL IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | 1696228 |
| CARD 19 | MLLAWR | - | TOTAL CLASS A IIRI WATER RIGHTS ON LOWER RIO GRANDE | | 1500719 |
| CARD 20 | MLLBR | - | TOTAL CLASS B IIRI WATER RIGHTS ON LOWER RIO GRANDE | | 195509 |
| CARD 21 | MMIWR | - | TOTAL IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | 181530 |
| CARD 22 | MLLAWR | - | TOTAL CLASS A IIRI WATER RIGHTS ON MIDDLE RIO GRANDE | | 162803 |
| CARD 23 | MLLBR | - | TOTAL CLASS B IIRI WATER RIGHTS ON MIDDLE RIO GRANDE | | 18727 |
| CARD 24 | MAXMPL | - | MAX. U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE POOL | | 225000 |
| CARD 25 | IRSTRT | - | STARTING TOTAL IRRIGATION & MINING ACCOUNT BALANCE | | 1747743 |
| CARD 26 | NUMWR | - | NUMBER OF WATER RIGHTS OWNERS INCLUDED IN ACCOUNTING | | 3 |
| CARD 27 | IRLFLG=0, | READ ALL MONTHLY RELEASES; | =1, READ AVG. MON RELEASES | | 0 |
| CARD 28 | IWRFLG=0, | READ ALL MONTHLY DEMANDS; | =1, READ AVG. MON DEMANDS | | 0 |
| U.S. AMISTAD | 1 | 1827241 | 1771041 | 1771 | 1205614 |
| U.S. FALCON | 2 | 1613729 | 1555129 | 1555 | 937652 |
| MEX AMISTAD | 3 | 1424078 | 1380278 | 1380 | 420666 |
| MEX FALCON | 4 | 1140074 | 1098674 | 1099 | 320826 |
| U.S.MRG MUNI | 5 | 0 | 0 | 0 | 0 |
| U.S.MRG IIRI | 6 | 0 | 0 | 0 | 0 |
| U.S.LRG IIRI | 7 | 0 | 0 | 0 | 0 |
| MEX MRG M&IR | 8 | 0 | 0 | 0 | 0 |
| SPILL RESR | 2 | 4 | | | |
| AMISTAD | 1 | 1 | 930.0 | 0 | 0 |
| AMISTAD | 1 | 2 | 945.0 | 5 | 1 |
| AMISTAD | 1 | 3 | 946.5 | 87 | 294 |
| AMISTAD | 1 | 4 | 948.2 | 180 | 823 |
| AMISTAD | 1 | 5 | 949.1 | 237 | 1180 |
| AMISTAD | 1 | 6 | 950.1 | 297 | 1684 |
| AMISTAD | 1 | 7 | 951.4 | 376 | 2782 |
| AMISTAD | 1 | 8 | 961.3 | 1045 | 13873 |
| AMISTAD | 1 | 9 | 971.1 | 1843 | 33110 |
| AMISTAD | 1 | 10 | 981.0 | 2770 | 59404 |
| AMISTAD | 1 | 11 | 990.8 | 3823 | 93556 |
| AMISTAD | 1 | 12 | 1000.7 | 5004 | 138573 |
| AMISTAD | 1 | 13 | 1010.5 | 6314 | 195568 |
| AMISTAD | 1 | 14 | 1020.3 | 7722 | 264663 |
| AMISTAD | 1 | 15 | 1030.2 | 9758 | 350120 |
| AMISTAD | 1 | 16 | 1040.0 | 12751 | 458690 |
| AMISTAD | 1 | 17 | 1049.9 | 16734 | 605456 |
| AMISTAD | 1 | 18 | 1059.7 | 21627 | 790919 |
| AMISTAD | 1 | 19 | 1069.6 | 27399 | 1029250 |
| AMISTAD | 1 | 20 | 1079.4 | 34051 | 1328996 |
| AMISTAD | 1 | 21 | 1089.2 | 41702 | 1699411 |
| AMISTAD | 1 | 22 | 1094.2 | 45665 | 1911714 |
| AMISTAD | 1 | 23 | 1099.1 | 49658 | 2142942 |

TABLE 4-10, cont'd.

| | | | | | | | | | | | | | |
|---------------------------|----------|-------|-------|---------------|----------|--------|--------|---------------|----------|-------|-------|-------|-------|
| LINK4 | 4 | 2 | 7 | 9000000 | 0 | | | | | | | | |
| LINK5 | 5 | 3 | 8 | 9000000 | 0 | | | | | | | | |
| LINK6 | 6 | 8 | 4 | 9000000 | 0 | | | | | | | | |
| LINK7 | 7 | 1 | 2 | 9000000 | 0 | | | | | | | | |
| LINK8 | 8 | 3 | 4 | 9000000 | 0 | | | | | | | | |
| US AMS REL | 1995 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 |
| US AMS REL | 1996 | 65689 | 54830 | 57313 | 89764 | 154787 | 147757 | 63930 | 64243 | 60874 | 60473 | 61433 | 68800 |
| US AMS REL | 1997 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 |
| US AMS REL | 1998 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 |
| MEX AMS REL | 1995 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 |
| MEX AMS REL | 1996 | 14911 | 10155 | 11408 | 13681 | 14033 | 11206 | 11605 | 11731 | 11288 | 11433 | 11727 | 12102 |
| MEX AMS REL | 1997 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 |
| MEX AMS REL | 1998 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 |
| UNITED I.D. | 1 | | | | | | | | | | | | |
| MUN ADJ NO | 0849-000 | | | CL A ADJ NO | A847-001 | | | CL B ADJ NO | B769-000 | | | | |
| MUN ANN AUTH | 5300 | | | CL A ANN AUTH | 69464 | | | CL B ANN AUTH | 4009 | | | | |
| IRRIG ACCT START BALANCES | | | | CL A BALANCE | 87300 | | | CL B BALANCE | 3331 | | | | |
| MUNICIPAL | 1 | 1995 | 489 | 657 | 595 | 874 | 766 | 657 | 642 | 496 | 125 | 0 | 0 |
| MUNICIPAL | 1 | 1996 | 599 | 748 | 790 | 695 | 874 | 1017 | 575 | 0 | 0 | 0 | 0 |
| MUNICIPAL | 1 | 1997 | 489 | 657 | 595 | 874 | 766 | 657 | 642 | 496 | 125 | 0 | 0 |
| MUNICIPAL | 1 | 1998 | 489 | 657 | 595 | 874 | 766 | 657 | 642 | 496 | 125 | 0 | 0 |
| CLASS A IRR | 1 | 1995 | 756 | 2371 | 2179 | 4283 | 4387 | 26188 | 3734 | 2110 | 2148 | 3016 | 149 |
| CLASS A IRR | 1 | 1996 | 1367 | 3377 | 5238 | 3880 | 3858 | 5441 | 3730 | 3257 | 1435 | 1822 | 2897 |
| CLASS A IRR | 1 | 1997 | 756 | 2371 | 2179 | 4283 | 4387 | 26188 | 3734 | 2110 | 2148 | 3016 | 149 |
| CLASS A IRR | 1 | 1998 | 756 | 2371 | 2179 | 4283 | 4387 | 26188 | 3734 | 2110 | 2148 | 3016 | 149 |
| CLASS B IRR | 1 | 1995 | 100 | 300 | 226 | 191 | 120 | 108 | 74 | 27 | 24 | 178 | 16 |
| CLASS B IRR | 1 | 1996 | 0 | 0 | 0 | 410 | 52 | 20 | 0 | 0 | 0 | 0 | 0 |
| CLASS B IRR | 1 | 1997 | 100 | 300 | 226 | 191 | 120 | 108 | 74 | 27 | 24 | 178 | 16 |
| CLASS B IRR | 1 | 1998 | 100 | 300 | 226 | 191 | 120 | 108 | 74 | 27 | 24 | 178 | 16 |
| SANTACRUZ 15 | 2 | | | | | | | | | | | | |
| MUN ADJ NO | 0240-000 | | | CL A ADJ NO | 0810-000 | | | CL B ADJ NO | B804-000 | | | | |
| MUN ANN AUTH | 3967 | | | CL A ANN AUTH | 4857 | | | CL B ANN AUTH | 4828 | | | | |
| IRRIG ACCT START BALANCES | | | | CL A BALANCE | 6599 | | | CL B BALANCE | 6807 | | | | |
| MUNICIPAL | 2 | 1995 | 239 | 145 | 182 | 248 | 308 | 589 | 406 | 613 | 499 | 268 | 289 |
| MUNICIPAL | 2 | 1996 | 354 | 437 | 463 | 443 | 706 | 702 | 761 | 0 | 0 | 0 | 133 |
| MUNICIPAL | 2 | 1997 | 239 | 145 | 182 | 248 | 308 | 589 | 406 | 613 | 499 | 268 | 289 |
| MUNICIPAL | 2 | 1998 | 239 | 145 | 182 | 248 | 308 | 589 | 406 | 613 | 499 | 268 | 289 |
| CLASS A IRR | 2 | 1995 | 187 | 87 | 82 | 53 | 268 | 118 | 230 | 24 | 69 | 254 | 0 |
| CLASS A IRR | 2 | 1996 | 131 | 151 | 226 | 189 | 252 | 96 | 1111 | 113 | 45 | 206 | 148 |
| CLASS A IRR | 2 | 1997 | 187 | 87 | 82 | 53 | 268 | 118 | 230 | 24 | 69 | 254 | 0 |
| CLASS A IRR | 2 | 1998 | 187 | 87 | 82 | 53 | 268 | 118 | 230 | 24 | 69 | 254 | 0 |
| CLASS B IRR | 2 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLASS B IRR | 2 | 1996 | 0 | 0 | 0 | 0 | 1949 | 2879 | 0 | 0 | 0 | 0 | 0 |
| CLASS B IRR | 2 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLASS B IRR | 2 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HCID2 S. JUAN | 3 | | | | | | | | | | | | |
| MUN ADJ NO | 0808-001 | | | CL A ADJ NO | 0808-005 | | | CL B ADJ NO | 0573-001 | | | | |
| MUN ANN AUTH | 6140 | | | CL A ANN AUTH | 147775 | | | CL B ANN AUTH | 470 | | | | |
| IRRIG ACCT START BALANCES | | | | CL A BALANCE | 150104 | | | CL B BALANCE | 14 | | | | |
| MUNICIPAL | 3 | 1995 | 0 | 0 | 3 | 100 | 56 | 90 | 181 | 120 | 0 | 0 | 1377 |
| MUNICIPAL | 3 | 1996 | 0 | 0 | 941 | 507 | 733 | 724 | 556 | 426 | 241 | 242 | 803 |
| MUNICIPAL | 3 | 1997 | 0 | 0 | 3 | 100 | 56 | 90 | 181 | 120 | 0 | 0 | 1377 |
| MUNICIPAL | 3 | 1998 | 0 | 0 | 3 | 100 | 56 | 90 | 181 | 120 | 0 | 0 | 1377 |
| CLASS A IRR | 3 | 1995 | 2663 | 8039 | 8845 | 10112 | 17240 | 7093 | 11385 | 4441 | 5227 | 4099 | 97 |
| CLASS A IRR | 3 | 1996 | 3998 | 7202 | 9636 | 9490 | 13280 | 14946 | 7571 | 0 | 2405 | 2132 | 3234 |
| CLASS A IRR | 3 | 1997 | 2663 | 8039 | 8845 | 10112 | 17240 | 7093 | 11385 | 4441 | 5227 | 4099 | 97 |
| CLASS A IRR | 3 | 1998 | 2663 | 8039 | 8845 | 10112 | 17240 | 7093 | 11385 | 4441 | 5227 | 4099 | 97 |
| CLASS B IRR | 3 | 1995 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 |
| CLASS B IRR | 3 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CLASS B IRR | 3 | 1997 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 |
| CLASS B IRR | 3 | 1998 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 |

TABLE 4-10, cont'd.

| | | | | | | | | | | | | | | |
|--------|---|------|--------|-------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| FLOW | 1 | 1995 | 67892 | 56680 | 61812 | 75819 | 101801 | 79903 | 80026 | 89329 | 95852 | 66988 | 62195 | 56829 |
| FLOW | 1 | 1996 | 55280 | 55444 | 54797 | 60455 | 77853 | 82278 | 69082 | 101372 | 194441 | 83591 | 61439 | 60434 |
| FLOW | 1 | 1997 | 67892 | 56680 | 61812 | 75819 | 101801 | 79903 | 80026 | 89329 | 95852 | 66988 | 62195 | 56829 |
| FLOW | 1 | 1998 | 67892 | 56680 | 61812 | 75819 | 101801 | 79903 | 80026 | 89329 | 95852 | 66988 | 62195 | 56829 |
| FLOW | 2 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 3 | 1995 | 28687 | 21287 | 23319 | 26625 | 38768 | 29252 | 37006 | 49855 | 43976 | 35154 | 30206 | 23756 |
| FLOW | 3 | 1996 | 23037 | 22888 | 20943 | 19311 | 17171 | 26255 | 34280 | 60233 | 88867 | 79094 | 25897 | 23601 |
| FLOW | 3 | 1997 | 28687 | 21287 | 23319 | 26625 | 38768 | 29252 | 37006 | 49855 | 43976 | 35154 | 30206 | 23756 |
| FLOW | 3 | 1998 | 28687 | 21287 | 23319 | 26625 | 38768 | 29252 | 37006 | 49855 | 43976 | 35154 | 30206 | 23756 |
| FLOW | 4 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 5 | 1995 | 7832 | 7386 | 2433 | 0 | 57403 | 8711 | 1299 | 3501 | 73473 | 17386 | 33696 | 5718 |
| FLOW | 5 | 1996 | 7807 | 10255 | 4586 | 0 | 5213 | 10551 | 18724 | 30928 | 82151 | 36792 | 12953 | 7713 |
| FLOW | 5 | 1997 | 7832 | 7386 | 2433 | 0 | 57403 | 8711 | 1299 | 3501 | 73473 | 17386 | 33696 | 5718 |
| FLOW | 5 | 1998 | 7832 | 7386 | 2433 | 0 | 57403 | 8711 | 1299 | 3501 | 73473 | 17386 | 33696 | 5718 |
| FLOW | 6 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 7 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 7 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 7 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 7 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 8 | 1995 | 3906 | 3825 | 0 | 0 | 58914 | 10260 | 3913 | 5330 | 98882 | 18370 | 33717 | 3724 |
| FLOW | 8 | 1996 | 6958 | 9093 | 4786 | 0 | 12781 | 20695 | 27018 | 40713 | 88400 | 33031 | 11824 | 4555 |
| FLOW | 8 | 1997 | 3906 | 3825 | 0 | 0 | 58914 | 10260 | 3913 | 5330 | 98882 | 18370 | 33717 | 3724 |
| FLOW | 8 | 1998 | 3906 | 3825 | 0 | 0 | 58914 | 10260 | 3913 | 5330 | 98882 | 18370 | 33717 | 3724 |
| DEMAND | 1 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 2 | 1995 | 8653 | 14554 | 8368 | 10116 | 19233 | 8356 | 12953 | 6731 | 6530 | 6620 | 3677 | 4954 |
| DEMAND | 2 | 1996 | 5465 | 13419 | 12802 | 12175 | 13569 | 9763 | 10263 | 7648 | 4598 | 5496 | 9263 | 8122 |
| DEMAND | 2 | 1997 | 8653 | 14554 | 8368 | 10116 | 19233 | 8356 | 12953 | 6731 | 6530 | 6620 | 3677 | 4954 |
| DEMAND | 2 | 1998 | 8653 | 14554 | 8368 | 10116 | 19233 | 8356 | 12953 | 6731 | 6530 | 6620 | 3677 | 4954 |
| DEMAND | 3 | 1995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 3 | 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 3 | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 3 | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 4 | 1995 | 179835 | 46531 | 78080 | 300801 | 126402 | 1605 | 4452 | 4630 | 245 | 3266 | 2976 | 5720 |
| DEMAND | 4 | 1996 | 6132 | 4994 | 7634 | 166134 | 27162 | 15935 | 14526 | 9411 | 2981 | 3603 | 16832 | 4263 |
| DEMAND | 4 | 1997 | 179835 | 46531 | 78080 | 300801 | 126402 | 1605 | 4452 | 4630 | 245 | 3266 | 2976 | 5720 |
| DEMAND | 4 | 1998 | 179835 | 46531 | 78080 | 300801 | 126402 | 1605 | 4452 | 4630 | 245 | 3266 | 2976 | 5720 |
| DEMAND | 5 | 1995 | 1497 | 1574 | 1813 | 2167 | 2451 | 2463 | 2503 | 2402 | 1956 | 2185 | 2053 | 1497 |
| DEMAND | 5 | 1996 | 1667 | 1839 | 2112 | 2398 | 2775 | 2653 | 2730 | 2192 | 1739 | 2018 | 2232 | 1495 |
| DEMAND | 5 | 1997 | 1497 | 1574 | 1813 | 2167 | 2451 | 2463 | 2503 | 2402 | 1956 | 2185 | 2053 | 1497 |
| DEMAND | 5 | 1998 | 1497 | 1574 | 1813 | 2167 | 2451 | 2463 | 2503 | 2402 | 1956 | 2185 | 2053 | 1497 |
| DEMAND | 6 | 1995 | 5251 | 5100 | 5363 | 12485 | 10532 | 9950 | 9481 | 12808 | 6404 | 3923 | 1728 | 6219 |
| DEMAND | 6 | 1996 | 6010 | 5005 | 12205 | 9892 | 10583 | 10499 | 11511 | 14169 | 6629 | 6244 | 5387 | 3839 |
| DEMAND | 6 | 1997 | 5251 | 5100 | 5363 | 12485 | 10532 | 9950 | 9481 | 12808 | 6404 | 3923 | 1728 | 6219 |
| DEMAND | 6 | 1998 | 5251 | 5100 | 5363 | 12485 | 10532 | 9950 | 9481 | 12808 | 6404 | 3923 | 1728 | 6219 |
| DEMAND | 7 | 1995 | 80060 | 84616 | 74419 | 136002 | 254151 | 106440 | 118448 | 50237 | 37578 | 43027 | 16967 | 21736 |
| DEMAND | 7 | 1996 | 50561 | 78014 | 113855 | 163689 | 179310 | 124367 | 93601 | 57084 | 26457 | 35723 | 42746 | 35628 |
| DEMAND | 7 | 1997 | 80060 | 84616 | 74419 | 136002 | 254151 | 106440 | 118448 | 50237 | 37578 | 43027 | 16967 | 21736 |
| DEMAND | 7 | 1998 | 80060 | 84616 | 74419 | 136002 | 254151 | 106440 | 118448 | 50237 | 37578 | 43027 | 16967 | 21736 |
| DEMAND | 8 | 1995 | 6435 | 6547 | 9564 | 10222 | 11766 | 5998 | 5967 | 6047 | 5890 | 6568 | 6128 | 5901 |
| DEMAND | 8 | 1996 | 6176 | 5978 | 6963 | 9743 | 9445 | 6740 | 7105 | 6903 | 6209 | 6593 | 6045 | 5486 |

TABLE 4-10, cont'd.

| | | | | | | | | | | | | | | |
|--------|---|------|------|------|------|-------|-------|------|------|------|------|------|------|------|
| DEMAND | 8 | 1997 | 6435 | 6547 | 9564 | 10222 | 11766 | 5998 | 5967 | 6047 | 5890 | 6568 | 6128 | 5901 |
| DEMAND | 8 | 1998 | 6435 | 6547 | 9564 | 10222 | 11766 | 5998 | 5967 | 6047 | 5890 | 6568 | 6128 | 5901 |
| EVAP | 1 | 1995 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 1 | 1996 | 0.41 | 0.46 | 0.62 | 0.89 | 1.01 | 1.29 | 1.30 | 1.01 | 0.57 | 0.70 | 0.39 | 0.27 |
| EVAP | 1 | 1997 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 1 | 1998 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 2 | 1995 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 2 | 1996 | 0.28 | 0.34 | 0.51 | 0.67 | 0.81 | 0.87 | 0.99 | 0.69 | 0.56 | 0.39 | 0.34 | 0.24 |
| EVAP | 2 | 1997 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 2 | 1998 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 3 | 1995 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 3 | 1996 | 0.41 | 0.46 | 0.62 | 0.89 | 1.01 | 1.29 | 1.30 | 1.01 | 0.57 | 0.70 | 0.39 | 0.27 |
| EVAP | 3 | 1997 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 3 | 1998 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 4 | 1995 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 4 | 1996 | 0.28 | 0.34 | 0.51 | 0.67 | 0.81 | 0.87 | 0.99 | 0.69 | 0.56 | 0.39 | 0.34 | 0.24 |
| EVAP | 4 | 1997 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 4 | 1998 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

calendar years 1997 and 1998 to provide a four-year simulation of the Amistad-Falcon Reservoir system under actual 1995-1996 conditions and assumed 1997-1998 conditions equal to those for 1995. The results from this simulation provide a projection of the behavior and performance of the reservoirs assuming that the 1995 drought conditions reoccur in 1997 and 1998.

The purpose of presenting the data input file listing in Table 4-10 for the 1995-1998 four-year simulation is to provide an idea of the amount of data and information needed to operate the ROM and the overall data file structure and general formatting requirements. For the long-term 1945-1996 simulations, the data input file includes monthly reservoir inflows and evaporation rates for the entire 52-year simulation period.

SECTION 5 AMISTAD-FALCON ROM SIMULATIONS

5.1 SAMPLE AMISTAD-FALCON ROM OUTPUT LISTING

A sample output listing from the current version of the Amistad-Falcon ROM is contained in Appendix 2. This listing has been generated by operation of the ROM for the four-year 1995-1998 data set presented in Table 4-9. Hence, the first two years of this simulation correspond to actual hydrologic and demand conditions for the Middle and Lower Rio Grande. The second two years of the simulation, i. e., 1997 and 1998, reflect assumed conditions with the 1995 monthly river inflows, reservoir evaporation rates, and actual water demands repeated to provide a hypothetical projection of reservoir behavior and performance. Basically, the simulated 1997 and 1998 results reflect the reoccurrence of two years of 1995 hydrologic and demand conditions beyond 1996.

The first four pages of the output present basic data and information that are read into the ROM from the data input file and that describe the simulated conditions and reservoir system characteristics. Nodes and links are defined, demand and storage priorities are identified, specified monthly minimum releases from Amistad Reservoir are printed, reservoir elevation-area-storage characteristics are established, and water rights information for the Middle and Lower Rio Grande is tabulated. Following these initial data input listings are four-page sets of simulated results for each calendar year simulated with the ROM. In this case, there are a total of 16 total pages of simulated reservoir operation results, four four-page sets for the four years simulated.

Each four-page set of yearly results from the ROM includes monthly listings of the simulated reservoir conditions for the United States' storage in Amistad Reservoir (Node 1), the United States' storage in Falcon Reservoir (Node 2), Mexico's storage in Amistad Reservoir (Node 3), and Mexico's storage in Falcon Reservoir (Node 4). The listed parameters include monthly watershed inflows, total reservoir inflows, reservoir releases, end-of-month reservoir surface area, reservoir evaporation rates, reservoir evaporation losses, downstream municipal and irrigation water demands, simulated shortages, flood spills, and simulated end-of-month reservoir content or storage. All parameters are expressed in acre-feet, except for the reservoir surface area, which is expressed in acres, and the evaporation rate, which is expressed in feet. Following the reservoir parameter listings is a matrix of the simulated monthly flows in the links between the nodes in the model.

A listing of the simulated monthly water accounting results for United States water stored in the reservoirs is printed at the bottom of the second page of each four-page set of yearly results. In accordance with TNRCC Rio Grande operating rules, values listed for each month of each year include the simulated beginning-of-month usable storage balance (which is defined as the total

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

amount of United States water stored in the reservoirs less dead storage, which is assumed to be 4,600 acre-feet by the Rio Grande Watermaster), total watershed inflows, total domestic-municipal-industrial demands or usage, total irrigation and mining demands or usage, any simulated demand shortages, the simulated total reservoir evaporation losses, the simulated end-of-month usable storage balance, the end-of-month percentage of the United States' total conservation storage capacity in the reservoirs containing stored water, the domestic-municipal-industrial reserve (225,000 acre-feet), the simulated operating reserve, any excess unallocated usable storage, the simulated total positive and negative allocations to irrigation and mining accounts, the simulated end-of-month total irrigation and mining account balance, and the end-of-month percentage of the maximum total irrigation and mining storage capacity occupied by the end-of-month total irrigation and mining account balance.


Pages three and four of each four-page set of yearly output contain the simulated water accounting results for the three selected individual water rights owners. As described previously, monthly accounting is simulated with the ROM for a municipal water right and for separate Class A and Class B irrigation/mining water rights for each of the three water rights owners. For each of these different water rights, the printout contains the name of the water rights owner, the adjudication number, the authorized annual diversion amount, and monthly listings of specified monthly water demands, any simulated shortages, the Class A and Class B allocation rates calculated in accordance with TNRCC Rio Grande operating rules, simulated monthly positive or negative allocation amounts, the simulated end-of-month storage balance for the Class A and Class B water rights, and the simulated end-of-month usable balance.

Finally, following the end of the yearly sets of results, the ROM output contains an annual summary for each of the four reservoir nodes. These summaries present annual totals and end-of-year values for the basic reservoir operation parameters.

5.2 1995-1996 RESERVOIR STORAGE VERIFICATION

The results from the 1995-1998 ROM simulation contained in Appendix 2 provide the basis for evaluating the simulation accuracy of the Amistad-Falcon model. Figures 5-1 and 5-2 present graphical comparisons of the simulated end-of-month storage for the United States and Mexico during 1995 and 1996 with the corresponding actual historical storage amounts in Amistad and Falcon Reservoirs, respectively. On these plots, the lines represent monthly storage values simulated with the ROM, and the historical storage amounts are represented by the discrete data


FIGURE 5-1 COMPARISON OF 1995-1996 SIMULATED AND OBSERVED MONTHLY STORAGE IN AMISTAD AND FALCON RESERVOIRS FOR THE UNITED STATES



1995

1996

FIGURE 5-2 COMPARISON OF 1995-1996 SIMULATED AND OBSERVED MONTHLY STORAGE IN AMISTAD AND FALCON RESERVOIRS FOR MEXICO



points. The agreement between the two sets of reservoir storage values is considered excellent.

The close agreement between the simulated and observed reservoir storage values in these plots illustrates that the ROM does properly simulate the overall water balance for each of the countries for both of the reservoirs. This is a fundamental requirement of the ROM in order to demonstrate its general simulation capabilities and to provide confidence in the model when applying it for such purposes as investigating different reservoir operating procedures or examining the effectiveness of alternative water development and management programs.

5.3 LONG-TERM RESERVOIR STORAGE SIMULATION

Results from the long-term ROM simulation of the Amistad-Falcon Reservoir system provide insight with regard to the performance and behavior of the reservoirs in terms of their storage variations in response to historical hydrologic conditions and current average water demands. As described in the previous section, the 1945-1996 data input file for the ROM includes historical inflows to the Rio Grande for both the United States and Mexico (see Table 4-1 and Appendix 1) and current average water demands for both countries (see Section 4.3). In effect, using these data as input to the ROM results in a reservoir system simulation that provides an indication of water availability for both countries under current demands assuming that the historical hydrologic trace of the last 50 years or so is repeated.

A portion of the output listing from this simulation is contained in Appendix 3. To reduce the number of pages contained in this output listing, the detailed yearly summaries of monthly reservoir operations and water rights accounting are included only for the years 1949 through 1955. This period has been selected because it encompasses critical drought conditions that demonstrate the various functions and capabilities of the Amistad-Falcon ROM, including reservoir storage accounting.

Figures 5-3 and 5-4 present time plots of the simulated monthly storage in Amistad Reservoir and Falcon Reservoir, respectively, for the United States and Mexico over the entire 1945-1996 simulation period. It is apparent from examination of these plots that the ROM is effectively simulating the higher priority for maintaining storage in Amistad Reservoir, rather than Falcon Reservoir. The simulated storage levels in Amistad Reservoir, relative to the maximum conservation storage capacities, generally are higher than those in Falcon Reservoir. The storage levels in Falcon Reservoir also tend to exhibit more extreme variations as they respond to releases

FIGURE 5-3 SIMULATED 1945-1996 MONTHLY STORAGE IN AMISTAD RESERVOIR FOR THE UNITED STATES AND MEXICO WITH HISTORICAL INFLOWS AND CURRENT DEMANDS





FIGURE 5-4 SIMULATED 1945-1996 MONTHLY STORAGE IN FALCON RESERVOIR FOR THE UNITED STATES AND MEXICO WITH HISTORICAL INFLOWS AND CURRENT DEMANDS



THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

for downstream demands without the full benefit of compensating inflows, which often are stored in Amistad Reservoir upstream. The effect of storing water in the reservoirs above the designated conservation pools during the non-hurricane season also is readily illustrated by the stepped variations in the storage levels for both the United States and Mexico in Amistad Reservoir.

Summaries of annual quantities of pertinent variables from the 1945-1996 long-term reservoir storage simulation are presented in Tables 5-1 and 5-2 for the United States' pools in Amistad and Falcon Reservoirs, respectively, and in Tables 5-3 and 5-4 for Mexico's pools in Amistad and Falcon Reservoirs, respectively. These tables are reproductions of portions of the output listing from the ROM simulation, and they also are contained at the end of the output in Appendix 3. The column headings in these tables generally are self-explanatory, with the possible exception of "FLDWATER TRANSFR", which is the amount of water transferred within either Amistad or Falcon Reservoirs from one country (negative values) with excess inflows and a full conservation pool to the other country (positive values) with available conservation storage capacity, and "SHORTAGE", which is the portion of the municipal (D-M-I) or irrigation (IRRIG) demands (in the columns immediately to the left in the tables) that cannot be satisfied with the available water in the reservoir system. The "MINIMUM STORAGE" parameter refers to the minimum end-of-month storage simulated for each reservoir during each year. All of the quantities listed in the tables represent either annual totals or end-of-year values in acre-feet.

The results shown in Tables 5-1 and 5-2 for the United States indicate that the current average annual demands specified in the simulation (see Section 4.3) are not satisfied in 1953 and 1954. Shortages occur with respect to the specified United States irrigation demands below Amistad Reservoir (Table 5-1, 44,767 and 11,128 acre-feet of shortages in 1953 and 1954, respectively, out of 126,998 acre-feet of irrigation demand) and below Falcon Reservoir (Table 5-2, 347,796 and 133,076 acre-feet of shortages in 1953 and 1954, respectively, out of 1,078,002 acre-feet of irrigation demand). As expected, the simulated storage levels in Amistad and Falcon Reservoirs also fall to their lowest values during these drought years. The occurrence of the simulated shortages and minimum reservoir storage levels in the early 1950's is consistent with the ranking of the available annual inflows to the Rio Grande for the United States as listed in Table 4-1.

It is important to note that when the simulated United States irrigation shortages occur in 1953 and 1954 as indicated in Tables 5-1 and 5-2, there is water remaining in storage for the United States in both Amistad and Falcon Reservoirs; however, under the TNRCC Rio Grande operating rules, which allocate the United States available storage among the different reserves and accounts as

TABLE 5-1 ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR UNITED STATES POOL IN AMISTAD RESERVOIR

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

| SIMULATION PERIOD TOTAL SUMMARY FOR NODE 1 U.S. AMISTAD | | | | | | | | | | | | | |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
| 1945 | 1771041 | 1100000 | 1100000 | 43 | 189389 | 276426 | 33998 | 0 | 126998 | 0 | 578028 | 1827241 | 1758253 |
| 1946 | 1827241 | 1117000 | 1117000 | 0 | 13099 | 249172 | 33998 | 0 | 126998 | 0 | 854729 | 1827241 | 1771041 |
| 1947 | 1827241 | 875000 | 875000 | 0 | 54879 | 273503 | 33998 | 0 | 126998 | 0 | 546640 | 1827219 | 1771041 |
| 1948 | 1827219 | 1384000 | 1384000 | 0 | 68861 | 275508 | 33998 | 0 | 126998 | 0 | 1039623 | 1827227 | 1771041 |
| 1949 | 1827227 | 1589000 | 1589000 | 1 | 14754 | 234041 | 33998 | 0 | 126998 | 0 | 1340192 | 1827241 | 1771041 |
| 1950 | 1827241 | 1035000 | 1035000 | 0 | 76372 | 257611 | 33998 | 0 | 126998 | 0 | 701065 | 1827193 | 1771041 |
| 1951 | 1827193 | 691000 | 691000 | 0 | 82400 | 279294 | 33998 | 0 | 126998 | 0 | 331960 | 1824539 | 1760873 |
| 1952 | 1824539 | 598000 | 598000 | 0 | 1289892 | 216731 | 33998 | 0 | 126998 | 0 | 0 | 915916 | 891681 |
| 1953 | 915916 | 457000 | 457000 | 0 | 763479 | 95646 | 33998 | 0 | 126998 | 44767 | 0 | 513791 | 340704 |
| 1954 | 513791 | 3704101 | 3704101 | 7615 | 1960290 | 220210 | 33998 | 0 | 126998 | 11128 | 217800 | 1827207 | 383292 |
| 1955 | 1827207 | 1103803 | 1103803 | 0 | 604775 | 298178 | 33998 | 0 | 126998 | 0 | 200816 | 1827241 | 1769710 |
| 1956 | 1827241 | 515774 | 515774 | 0 | 438761 | 337121 | 33998 | 0 | 126998 | 0 | 0 | 1567133 | 1567133 |
| 1957 | 1567133 | 1610739 | 1610739 | -305589 | 244487 | 269173 | 33998 | 0 | 126998 | 0 | 531382 | 1827241 | 1411132 |
| 1958 | 1827241 | 1881826 | 1881826 | -244378 | 0 | 242471 | 33998 | 0 | 126998 | 0 | 1394977 | 1827241 | 1771041 |
| 1959 | 1827241 | 1279514 | 1279514 | 0 | 14093 | 229115 | 33998 | 0 | 126998 | 0 | 1036306 | 1827241 | 1771040 |
| 1960 | 1827241 | 1096226 | 1096226 | -10 | 31144 | 246732 | 33998 | 0 | 126998 | 0 | 818340 | 1827241 | 1771025 |
| 1961 | 1827241 | 1090303 | 1090303 | -1 | 0 | 233837 | 33998 | 0 | 126998 | 0 | 856465 | 1827241 | 1771041 |
| 1962 | 1827241 | 841972 | 841972 | 0 | 340131 | 309410 | 33998 | 0 | 126998 | 0 | 192670 | 1827002 | 1770287 |
| 1963 | 1827002 | 713470 | 713470 | 0 | 231469 | 285244 | 33998 | 0 | 126998 | 0 | 245934 | 1777825 | 1770642 |
| 1964 | 1777825 | 1602311 | 1602311 | -128939 | 864215 | 265878 | 33998 | 0 | 126998 | 0 | 293863 | 1827241 | 1187045 |
| 1965 | 1827241 | 973545 | 973545 | -92708 | 0 | 255532 | 33998 | 0 | 126998 | 0 | 625305 | 1827241 | 1771041 |
| 1966 | 1827241 | 1249166 | 1249166 | -208051 | 55946 | 234188 | 33998 | 0 | 126998 | 0 | 750987 | 1827235 | 1771041 |
| 1967 | 1827235 | 894820 | 894820 | 0 | 258346 | 280126 | 33998 | 0 | 126998 | 0 | 356342 | 1827241 | 1657582 |
| 1968 | 1827241 | 933727 | 933727 | -23762 | 97292 | 219107 | 33998 | 0 | 126998 | 0 | 593889 | 1826918 | 1770865 |
| 1969 | 1826918 | 843864 | 843864 | 0 | 913310 | 226854 | 33998 | 0 | 126998 | 0 | 0 | 1530618 | 1409437 |
| 1970 | 1530618 | 844695 | 844695 | 0 | 1122683 | 169914 | 33998 | 0 | 126998 | 0 | 0 | 1082716 | 947258 |
| 1971 | 1082716 | 1783089 | 1783089 | -48059 | 597985 | 167320 | 33998 | 0 | 126998 | 0 | 225200 | 1827241 | 706804 |
| 1972 | 1827241 | 1307088 | 1307088 | -258287 | 0 | 234240 | 33998 | 0 | 126998 | 0 | 814561 | 1827241 | 1771041 |
| 1973 | 1827241 | 918028 | 918028 | 732 | 406858 | 213047 | 33998 | 0 | 126998 | 0 | 301167 | 1824929 | 1770358 |
| 1974 | 1824929 | 3029423 | 3029423 | -599 | 284434 | 239730 | 33998 | 0 | 126998 | 0 | 2502348 | 1827241 | 1769907 |
| 1975 | 1827241 | 1284972 | 1284972 | 0 | 9019 | 211382 | 33998 | 0 | 126998 | 0 | 1064571 | 1827241 | 1771041 |
| 1976 | 1827241 | 1607050 | 1607050 | 0 | 31586 | 201156 | 33998 | 0 | 126998 | 0 | 1374308 | 1827241 | 1771041 |
| 1977 | 1827241 | 1163283 | 1163283 | 0 | 461 | 238493 | 33998 | 0 | 126998 | 0 | 924329 | 1827241 | 1771040 |
| 1978 | 1827241 | 1743638 | 1743638 | 2 | 444896 | 225378 | 33998 | 0 | 126998 | 0 | 1073366 | 1827241 | 1769800 |
| 1979 | 1827241 | 1275063 | 1275063 | 0 | 7690 | 224821 | 33998 | 0 | 126998 | 0 | 1042552 | 1827241 | 1771041 |
| 1980 | 1827241 | 1329313 | 1329313 | -15 | 60122 | 253781 | 33998 | 0 | 126998 | 0 | 1015395 | 1827241 | 1771023 |
| 1981 | 1827241 | 1888274 | 1888274 | 0 | 3482 | 214053 | 33998 | 0 | 126998 | 0 | 1670739 | 1827241 | 1771041 |
| 1982 | 1827241 | 1118780 | 1118780 | 0 | 21115 | 243427 | 33998 | 0 | 126998 | 0 | 854238 | 1827241 | 1771041 |
| 1983 | 1827241 | 910765 | 910765 | 0 | 411265 | 249920 | 33998 | 0 | 126998 | 0 | 249663 | 1827158 | 1770282 |
| 1984 | 1827158 | 1086407 | 1086407 | 0 | 526594 | 291574 | 33998 | 0 | 126998 | 0 | 299999 | 1795398 | 1719121 |
| 1985 | 1795398 | 1043484 | 1043484 | 0 | 959452 | 228833 | 33998 | 0 | 126998 | 0 | 37798 | 1612799 | 1437879 |
| 1986 | 1612799 | 1887478 | 1887478 | -203148 | 914666 | 232988 | 33998 | 0 | 126998 | 0 | 322234 | 1827241 | 1330007 |
| 1987 | 1827241 | 1797750 | 1797750 | -123360 | 938738 | 212431 | 33998 | 0 | 126998 | 0 | 523221 | 1827241 | 1770290 |
| 1988 | 1827241 | 1469121 | 1469121 | 953 | 739349 | 241106 | 33998 | 0 | 126998 | 0 | 489619 | 1827241 | 1769885 |
| 1989 | 1827241 | 1055062 | 1055062 | 0 | 345584 | 292563 | 33998 | 0 | 126998 | 0 | 417112 | 1827044 | 1769345 |
| 1990 | 1827044 | 2076817 | 2076817 | -130759 | 733406 | 265495 | 33998 | 0 | 126998 | 0 | 946960 | 1827241 | 1770434 |
| 1991 | 1827241 | 2027658 | 2027658 | 0 | 62602 | 285132 | 33998 | 0 | 126998 | 0 | 1679924 | 1827241 | 1771041 |
| 1992 | 1827241 | 1702861 | 1702861 | 0 | 4242 | 250028 | 33998 | 0 | 126998 | 0 | 1448591 | 1827241 | 1771041 |
| 1993 | 1827241 | 1181767 | 1181767 | 0 | 30221 | 290243 | 33998 | 0 | 126998 | 0 | 861303 | 1827241 | 1771041 |
| 1994 | 1827241 | 924654 | 924654 | 0 | 343797 | 289940 | 33998 | 0 | 126998 | 0 | 290981 | 1827177 | 1769978 |
| 1995 | 1827177 | 895126 | 895126 | 0 | 774520 | 317488 | 33998 | 0 | 126998 | 0 | 222759 | 1407536 | 1389956 |
| 1996 | 1407536 | 956466 | 956466 | 0 | 1192572 | 242373 | 33998 | 0 | 126998 | 0 | 0 | 929057 | 753135 |

TABLE 5-2 ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR UNITED STATES POOL IN FALCON RESERVOIR

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 2 U.S. FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1555129 | 285000 | 891421 | 117316 | 1203001 | 322630 | 124999 | 0 | 1078002 | 0 | 0 | 1038235 | 700736 |
| 1946 | 1038235 | 506000 | 1212832 | 427547 | 1203001 | 231693 | 124999 | 0 | 1078002 | 0 | 0 | 1243920 | 719155 |
| 1947 | 1243920 | 426000 | 866523 | 182693 | 1203001 | 261489 | 124999 | 0 | 1078002 | 0 | 0 | 828646 | 758001 |
| 1948 | 828646 | 595000 | 1542488 | 286634 | 1203001 | 250787 | 124999 | 0 | 1078002 | 0 | 0 | 1203980 | 409464 |
| 1949 | 1203980 | 783000 | 1976950 | 66697 | 1203001 | 324158 | 124999 | 0 | 1078002 | 0 | 106739 | 1613729 | 1164225 |
| 1950 | 1613729 | 248000 | 864441 | 16876 | 1203001 | 406307 | 124999 | 0 | 1078002 | 0 | 0 | 885738 | 885738 |
| 1951 | 885738 | 371000 | 624364 | 0 | 1203001 | 164223 | 124999 | 0 | 1078002 | 0 | 0 | 142878 | 142878 |
| 1952 | 142878 | 92000 | 1220896 | 0 | 1203001 | 58001 | 124999 | 0 | 1078002 | 0 | 0 | 102772 | 1822 |
| 1953 | 102772 | 380000 | 1027250 | 0 | 855205 | 81071 | 124999 | 0 | 1078002 | 347796 | 0 | 193746 | 59877 |
| 1954 | 193746 | 416402 | 2444624 | 0 | 1069925 | 198679 | 124999 | 0 | 1078002 | 133076 | 0 | 1369766 | 1876 |
| 1955 | 1369766 | 492704 | 1137299 | 0 | 1203001 | 311328 | 124999 | 0 | 1078002 | 0 | 0 | 992736 | 853311 |
| 1956 | 992736 | 268064 | 545829 | 0 | 1203001 | 179840 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 137063 |
| 1957 | 155724 | 914601 | 1529474 | 0 | 1203001 | 124230 | 124999 | 0 | 1078002 | 0 | 0 | 357967 | 110877 |
| 1958 | 357967 | 1591997 | 2825978 | 111366 | 1203001 | 149832 | 124999 | 0 | 1078002 | 0 | 328749 | 1613729 | 343218 |
| 1959 | 1613729 | 707063 | 1596466 | -120792 | 1203001 | 286953 | 124999 | 0 | 1078002 | 0 | 58427 | 1541022 | 1424175 |
| 1960 | 1541022 | 595785 | 1284273 | 0 | 1203001 | 292981 | 124999 | 0 | 1078002 | 0 | 0 | 1329313 | 1180926 |
| 1961 | 1329313 | 771455 | 1466924 | 0 | 1203001 | 306538 | 124999 | 0 | 1078002 | 0 | 0 | 1286698 | 1110382 |
| 1962 | 1286698 | 527290 | 899095 | 0 | 1203001 | 294034 | 124999 | 0 | 1078002 | 0 | 0 | 688758 | 651808 |
| 1963 | 688758 | 502426 | 818833 | 0 | 1203001 | 149013 | 124999 | 0 | 1078002 | 0 | 0 | 155577 | 149179 |
| 1964 | 155577 | 709744 | 1706826 | 0 | 1203001 | 85752 | 124999 | 0 | 1078002 | 0 | 0 | 573650 | 1582 |
| 1965 | 573650 | 656638 | 1120947 | 0 | 1203001 | 170498 | 124999 | 0 | 1078002 | 0 | 0 | 321098 | 321098 |
| 1966 | 321098 | 689286 | 1335223 | 0 | 1203001 | 102038 | 124999 | 0 | 1078002 | 0 | 0 | 351282 | 200475 |
| 1967 | 351282 | 1036461 | 1490153 | 0 | 1203001 | 93278 | 124999 | 0 | 1078002 | 0 | 0 | 545156 | 66528 |
| 1968 | 545156 | 570101 | 1100286 | 0 | 1203001 | 112449 | 124999 | 0 | 1078002 | 0 | 0 | 329992 | 266011 |
| 1969 | 329992 | 346676 | 1098990 | 0 | 1203001 | 70484 | 124999 | 0 | 1078002 | 0 | 0 | 155497 | 118336 |
| 1970 | 155497 | 297120 | 1258807 | 0 | 1203001 | 55978 | 124999 | 0 | 1078002 | 0 | 0 | 155325 | 1581 |
| 1971 | 155325 | 2201017 | 2863206 | 560957 | 1203001 | 116430 | 124999 | 0 | 1078002 | 0 | 649017 | 1613729 | 1587 |
| 1972 | 1613729 | 569612 | 1223177 | -37070 | 1203001 | 279847 | 124999 | 0 | 1078002 | 0 | 0 | 1319355 | 1275630 |
| 1973 | 1319355 | 707828 | 1254857 | 0 | 1203001 | 235265 | 124999 | 0 | 1078002 | 0 | 0 | 1135946 | 995495 |
| 1974 | 1135946 | 287805 | 2913591 | -701628 | 1203001 | 248184 | 124999 | 0 | 1078002 | 0 | 283593 | 1613729 | 605787 |
| 1975 | 1613729 | 689676 | 1602270 | -96903 | 1203001 | 290297 | 124999 | 0 | 1078002 | 0 | 121492 | 1504306 | 1480576 |
| 1976 | 1504306 | 1062184 | 2307082 | 979 | 1203001 | 254359 | 124999 | 0 | 1078002 | 0 | 741297 | 1613729 | 1196374 |
| 1977 | 1613729 | 464282 | 1228076 | -157036 | 1203001 | 280675 | 124999 | 0 | 1078002 | 0 | 0 | 1201093 | 1201093 |
| 1978 | 1201093 | 556024 | 1913290 | 25964 | 1203001 | 245977 | 124999 | 0 | 1078002 | 0 | 77640 | 1613729 | 867419 |
| 1979 | 1613729 | 564636 | 1453882 | -69223 | 1203001 | 292374 | 124999 | 0 | 1078002 | 0 | 121055 | 1381958 | 1381958 |
| 1980 | 1381958 | 409238 | 1323759 | 0 | 1203001 | 266010 | 124999 | 0 | 1078002 | 0 | 0 | 1236706 | 844367 |
| 1981 | 1236706 | 994629 | 2507854 | -102283 | 1203001 | 243536 | 124999 | 0 | 1078002 | 0 | 598689 | 1597051 | 1233410 |
| 1982 | 1597051 | 340150 | 1054507 | -46493 | 1203001 | 275797 | 124999 | 0 | 1078002 | 0 | 0 | 1126267 | 1126267 |
| 1983 | 1126267 | 342907 | 842839 | 0 | 1203001 | 200372 | 124999 | 0 | 1078002 | 0 | 0 | 565733 | 502215 |
| 1984 | 565733 | 234142 | 899739 | 0 | 1203001 | 106853 | 124999 | 0 | 1078002 | 0 | 0 | 155618 | 101028 |
| 1985 | 155618 | 424262 | 1260516 | 0 | 1203001 | 57679 | 124999 | 0 | 1078002 | 0 | 0 | 155454 | 47314 |
| 1986 | 155454 | 377249 | 1453153 | 0 | 1203001 | 53983 | 124999 | 0 | 1078002 | 0 | 0 | 351623 | 1576 |
| 1987 | 351623 | 630894 | 1931857 | 0 | 1203001 | 175605 | 124999 | 0 | 1078002 | 0 | 0 | 904874 | 391522 |
| 1988 | 904874 | 539973 | 1607945 | 0 | 1203001 | 210891 | 124999 | 0 | 1078002 | 0 | 0 | 1098927 | 669896 |
| 1989 | 1098927 | 278254 | 879954 | 0 | 1203001 | 235058 | 124999 | 0 | 1078002 | 0 | 0 | 540822 | 540822 |
| 1990 | 540822 | 418569 | 1937939 | 0 | 1203001 | 176264 | 124999 | 0 | 1078002 | 0 | 0 | 1099496 | 290009 |
| 1991 | 1099496 | 308733 | 1890263 | 87814 | 1203001 | 236593 | 124999 | 0 | 1078002 | 0 | 26137 | 1611842 | 903211 |
| 1992 | 1611842 | 517404 | 1809241 | -124952 | 1203001 | 281695 | 124999 | 0 | 1078002 | 0 | 299670 | 1511765 | 1481160 |
| 1993 | 1511765 | 250123 | 980651 | 0 | 1203001 | 270951 | 124999 | 0 | 1078002 | 0 | 0 | 1018464 | 1017726 |
| 1994 | 1018464 | 295200 | 768982 | 0 | 1203001 | 210118 | 124999 | 0 | 1078002 | 0 | 0 | 374327 | 373565 |
| 1995 | 374327 | 218838 | 1055121 | 0 | 1203001 | 70954 | 124999 | 0 | 1078002 | 0 | 0 | 155493 | 76945 |
| 1996 | 155493 | 227673 | 1259249 | 0 | 1203001 | 56214 | 124999 | 0 | 1078002 | 0 | 0 | 155527 | 1583 |

TABLE 5-3 ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR MEXICO POOL IN AMISTAD RESERVOIR

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

| SIMULATION PERIOD TOTAL SUMMARY FOR NODE 3 MEX AMISTAD | | | | | | | | | | | | | |
|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| YEAR | INITIAL STORAGE | WIRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
| 1945 | 1380278 | 1703000 | 1703000 | -43 | 81692 | 215620 | 65999 | 0 | 0 | 0 | 1361845 | 1424078 | 1380217 |
| 1946 | 1424078 | 1635000 | 1635000 | 0 | 5273 | 194195 | 65999 | 0 | 0 | 0 | 1435532 | 1424078 | 1380278 |
| 1947 | 1424078 | 1571000 | 1571000 | 0 | 86845 | 213261 | 65999 | 0 | 0 | 0 | 1270894 | 1424078 | 1380278 |
| 1948 | 1424078 | 1349000 | 1349000 | 0 | 69994 | 214780 | 65999 | 0 | 0 | 0 | 1064226 | 1424078 | 1380278 |
| 1949 | 1424078 | 1612000 | 1612000 | -1 | 11081 | 182399 | 65999 | 0 | 0 | 0 | 1418519 | 1424078 | 1380278 |
| 1950 | 1424078 | 1626000 | 1626000 | 0 | 86410 | 200980 | 65999 | 0 | 0 | 0 | 1338610 | 1424078 | 1380278 |
| 1951 | 1424078 | 1214000 | 1214000 | 0 | 213392 | 218057 | 65999 | 0 | 0 | 0 | 782551 | 1424078 | 1380243 |
| 1952 | 1424078 | 1276000 | 1276000 | 0 | 553711 | 236183 | 65999 | 0 | 0 | 0 | 486106 | 1424078 | 1379568 |
| 1953 | 1424078 | 1188000 | 1188000 | 0 | 248672 | 274734 | 65999 | 0 | 0 | 0 | 664594 | 1424078 | 1294847 |
| 1954 | 1424078 | 779350 | 779350 | -7615 | 5478 | 253265 | 65999 | 0 | 0 | 0 | 544471 | 1392599 | 1380278 |
| 1955 | 1392599 | 680494 | 680494 | 0 | 441064 | 214825 | 65999 | 0 | 0 | 0 | 0 | 1417204 | 1118278 |
| 1956 | 1417204 | 303177 | 303177 | 0 | 905517 | 154397 | 65999 | 0 | 0 | 0 | 0 | 660467 | 598286 |
| 1957 | 660467 | 566668 | 566668 | 305589 | 492370 | 109890 | 65999 | 0 | 0 | 0 | 0 | 930464 | 327206 |
| 1958 | 930464 | 1559946 | 1559946 | 244378 | 1104752 | 84607 | 65999 | 0 | 0 | 0 | 121351 | 1424078 | 391532 |
| 1959 | 1424078 | 653034 | 653034 | 0 | 12019 | 178463 | 65999 | 0 | 0 | 0 | 462579 | 1424051 | 1380278 |
| 1960 | 1424051 | 845465 | 845465 | 10 | 108320 | 192237 | 65999 | 0 | 0 | 0 | 544891 | 1424078 | 1377648 |
| 1961 | 1424078 | 620768 | 620768 | 1 | 8447 | 182145 | 65999 | 0 | 0 | 0 | 430201 | 1424054 | 1380278 |
| 1962 | 1424054 | 515482 | 515482 | 0 | 297341 | 217012 | 65999 | 0 | 0 | 0 | 100503 | 1324680 | 1126767 |
| 1963 | 1324680 | 487817 | 487817 | 0 | 868090 | 126696 | 65999 | 0 | 0 | 0 | 0 | 817711 | 614775 |
| 1964 | 817711 | 675919 | 675919 | 128939 | 953585 | 55718 | 65999 | 0 | 0 | 0 | 0 | 613266 | 98520 |
| 1965 | 613266 | 490504 | 490504 | 92708 | 449726 | 80922 | 65999 | 0 | 0 | 0 | 0 | 665830 | 410412 |
| 1966 | 665830 | 1002479 | 1002479 | 208051 | 705067 | 54061 | 65999 | 0 | 0 | 0 | 0 | 1117232 | 205851 |
| 1967 | 1117232 | 605373 | 605373 | 0 | 845401 | 99180 | 65999 | 0 | 0 | 0 | 0 | 778024 | 407729 |
| 1968 | 778024 | 876137 | 876137 | 23762 | 146754 | 113520 | 65999 | 0 | 0 | 0 | 0 | 1417649 | 747923 |
| 1969 | 1417649 | 705083 | 705083 | 0 | 887796 | 149574 | 65999 | 0 | 0 | 0 | 0 | 1085362 | 933347 |
| 1970 | 1085362 | 620385 | 620385 | 0 | 1020706 | 69292 | 65999 | 0 | 0 | 0 | 0 | 615749 | 286538 |
| 1971 | 615749 | 692998 | 692998 | 48059 | 750788 | 39986 | 65999 | 0 | 0 | 0 | 0 | 566032 | 1422 |
| 1972 | 566032 | 802803 | 802803 | 258287 | 21899 | 118786 | 65999 | 0 | 0 | 0 | 64672 | 1421765 | 626024 |
| 1973 | 1421765 | 679907 | 679907 | -732 | 255611 | 160236 | 65999 | 0 | 0 | 0 | 275134 | 1409959 | 1202507 |
| 1974 | 1409959 | 1211470 | 1211470 | 599 | 526311 | 174928 | 65999 | 0 | 0 | 0 | 496711 | 1424078 | 1186006 |
| 1975 | 1424078 | 748604 | 748604 | 0 | 978 | 164596 | 65999 | 0 | 0 | 0 | 583066 | 1424042 | 1380278 |
| 1976 | 1424042 | 773967 | 773967 | 0 | 15525 | 156703 | 65999 | 0 | 0 | 0 | 601722 | 1424059 | 1380278 |
| 1977 | 1424059 | 550896 | 550896 | 0 | 0 | 185664 | 65999 | 0 | 0 | 0 | 379373 | 1409918 | 1380278 |
| 1978 | 1409918 | 1517216 | 1517216 | -2 | 56907 | 175656 | 65999 | 0 | 0 | 0 | 1270491 | 1424078 | 1380276 |
| 1979 | 1424078 | 878202 | 878202 | 0 | 2269 | 175100 | 65999 | 0 | 0 | 0 | 712516 | 1412395 | 1380278 |
| 1980 | 1412395 | 817103 | 817103 | 15 | 249236 | 197639 | 65999 | 0 | 0 | 0 | 358573 | 1424065 | 1377308 |
| 1981 | 1424065 | 1238430 | 1238430 | 0 | 0 | 166824 | 65999 | 0 | 0 | 0 | 1071593 | 1424078 | 1380278 |
| 1982 | 1424078 | 664349 | 664349 | 0 | 6006 | 189622 | 65999 | 0 | 0 | 0 | 474720 | 1418079 | 1380278 |
| 1983 | 1418079 | 497472 | 497472 | 0 | 362680 | 176613 | 65999 | 0 | 0 | 0 | 85595 | 1290663 | 1141885 |
| 1984 | 1290663 | 775321 | 775321 | 0 | 1047630 | 129122 | 65999 | 0 | 0 | 0 | 0 | 889232 | 592246 |
| 1985 | 889232 | 682379 | 682379 | 0 | 866727 | 67443 | 65999 | 0 | 0 | 0 | 0 | 637441 | 316616 |
| 1986 | 637441 | 1208462 | 1208462 | 203148 | 832401 | 52089 | 65999 | 0 | 0 | 0 | 0 | 1164561 | 1523 |
| 1987 | 1164561 | 1203973 | 1203973 | 123360 | 672094 | 157454 | 65999 | 0 | 0 | 0 | 238286 | 1424060 | 1064640 |
| 1988 | 1424060 | 929864 | 929864 | -953 | 357760 | 182260 | 65999 | 0 | 0 | 0 | 388875 | 1424076 | 1223371 |
| 1989 | 1424076 | 589071 | 589071 | 0 | 22193 | 228019 | 65999 | 0 | 0 | 0 | 338871 | 1424064 | 1380275 |
| 1990 | 1424064 | 1728668 | 1728668 | 130759 | 848855 | 162324 | 65999 | 0 | 0 | 0 | 848234 | 1424078 | 739778 |
| 1991 | 1424078 | 1892590 | 1892590 | 0 | 45082 | 222129 | 65999 | 0 | 0 | 0 | 1625395 | 1424062 | 1380278 |
| 1992 | 1424062 | 1283085 | 1283085 | 0 | 14354 | 194769 | 65999 | 0 | 0 | 0 | 1073965 | 1424059 | 1380278 |
| 1993 | 1424059 | 788586 | 788586 | 0 | 24534 | 226103 | 65999 | 0 | 0 | 0 | 537957 | 1424051 | 1380278 |
| 1994 | 1424051 | 488813 | 488813 | 0 | 425149 | 200662 | 65999 | 0 | 0 | 0 | 162314 | 1124739 | 1112634 |
| 1995 | 1124739 | 387891 | 387891 | 0 | 1075201 | 83687 | 65999 | 0 | 0 | 0 | 0 | 353742 | 238653 |
| 1996 | 353742 | 441577 | 441577 | 0 | 527977 | 18019 | 65999 | 0 | 0 | 0 | 0 | 249323 | 1357 |

TABLE 5-4 ANNUAL SUMMARY OF 1945-1996 ROM SIMULATION RESULTS FOR MEXICO POOL IN FALCON RESERVOIR

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 4 MEX FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1098674 | 278000 | 1655538 | -117316 | 1224000 | 272822 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 640146 |
| 1946 | 1140074 | 521000 | 1895806 | -427547 | 1224000 | 244259 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 677509 |
| 1947 | 1140074 | 371000 | 1662740 | -182693 | 1224000 | 256069 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 652171 |
| 1948 | 1140074 | 702000 | 1770221 | -286634 | 1224000 | 259601 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 612578 |
| 1949 | 1140074 | 442000 | 1805601 | -66697 | 1224000 | 221568 | 1224000 | 0 | 0 | 0 | 293336 | 1140074 | 833013 |
| 1950 | 1140074 | 128000 | 1487021 | -16876 | 1224000 | 299603 | 1224000 | 0 | 0 | 0 | 0 | 1086616 | 661947 |
| 1951 | 1086616 | 326000 | 1255944 | 0 | 1224000 | 282022 | 1224000 | 0 | 0 | 0 | 0 | 836538 | 617263 |
| 1952 | 836538 | 64000 | 1037818 | 0 | 1224000 | 198283 | 1224000 | 0 | 0 | 0 | 0 | 452073 | 217368 |
| 1953 | 452073 | 1003000 | 1850267 | 0 | 1224000 | 139084 | 1224000 | 0 | 0 | 0 | 0 | 939256 | 1115 |
| 1954 | 939256 | 474065 | 958015 | 0 | 1224000 | 151874 | 1224000 | 0 | 0 | 0 | 0 | 521397 | 246217 |
| 1955 | 521397 | 494774 | 869839 | 0 | 1224000 | 26581 | 1224000 | 0 | 0 | 0 | 0 | 140655 | 1101 |
| 1956 | 140655 | 247474 | 1086992 | 0 | 1224000 | 2507 | 1224000 | 0 | 0 | 0 | 0 | 1140 | 1103 |
| 1957 | 1140 | 839072 | 1265443 | 0 | 1224000 | 9037 | 1224000 | 0 | 0 | 0 | 0 | 33546 | 1114 |
| 1958 | 33546 | 3046578 | 4206682 | -111366 | 1224000 | 26833 | 1224000 | 0 | 0 | 0 | 1737955 | 1140074 | 1119 |
| 1959 | 1140074 | 684289 | 1092888 | 120792 | 1224000 | 160620 | 1224000 | 0 | 0 | 0 | 19132 | 950002 | 662590 |
| 1960 | 950002 | 473986 | 1061198 | 0 | 1224000 | 103860 | 1224000 | 0 | 0 | 0 | 0 | 683340 | 225648 |
| 1961 | 683340 | 786956 | 1159605 | 0 | 1224000 | 93243 | 1224000 | 0 | 0 | 0 | 0 | 525702 | 65962 |
| 1962 | 525702 | 396565 | 728410 | 0 | 1224000 | 27415 | 1224000 | 0 | 0 | 0 | 0 | 2697 | 1103 |
| 1963 | 2697 | 430318 | 1232409 | 0 | 1224000 | 3251 | 1224000 | 0 | 0 | 0 | 0 | 7855 | 1113 |
| 1964 | 7855 | 692882 | 1580468 | 0 | 1224000 | 20339 | 1224000 | 0 | 0 | 0 | 0 | 343984 | 1098 |
| 1965 | 343984 | 507366 | 891093 | 0 | 1224000 | 9837 | 1224000 | 0 | 0 | 0 | 0 | 1240 | 1120 |
| 1966 | 1240 | 593653 | 1232721 | 0 | 1224000 | 3405 | 1224000 | 0 | 0 | 0 | 0 | 6556 | 1129 |
| 1967 | 6556 | 1128259 | 1907661 | 0 | 1224000 | 27746 | 1224000 | 0 | 0 | 0 | 0 | 662471 | 1157 |
| 1968 | 662471 | 574792 | 655547 | 0 | 1224000 | 30726 | 1224000 | 0 | 0 | 0 | 0 | 63292 | 1136 |
| 1969 | 63292 | 382759 | 1204556 | 0 | 1224000 | 3476 | 1224000 | 0 | 0 | 0 | 0 | 40372 | 1098 |
| 1970 | 40372 | 283218 | 1237925 | 0 | 1224000 | 6034 | 1224000 | 0 | 0 | 0 | 0 | 48263 | 1098 |
| 1971 | 48263 | 3101272 | 3786061 | -560957 | 1099188 | 94153 | 1224000 | 124812 | 0 | 0 | 939952 | 1140074 | 1135 |
| 1972 | 1140074 | 670492 | 691064 | 37070 | 1224000 | 116530 | 1224000 | 0 | 0 | 0 | 0 | 527678 | 408818 |
| 1973 | 527678 | 740920 | 1205666 | 0 | 1224000 | 39548 | 1224000 | 0 | 0 | 0 | 0 | 469796 | 1422 |
| 1974 | 469796 | 305682 | 1262705 | 701628 | 1224000 | 46280 | 1224000 | 0 | 0 | 0 | 23775 | 1140074 | 1105 |
| 1975 | 1140074 | 913544 | 1431589 | 96903 | 1224000 | 183744 | 1224000 | 0 | 0 | 0 | 163659 | 1097163 | 745677 |
| 1976 | 1097163 | 1693211 | 2244459 | -979 | 1224000 | 144983 | 1224000 | 0 | 0 | 0 | 831586 | 1140074 | 371754 |
| 1977 | 1140074 | 554875 | 868249 | 157036 | 1224000 | 171579 | 1224000 | 0 | 0 | 0 | 28647 | 741133 | 741133 |
| 1978 | 741133 | 801281 | 2062680 | -25964 | 1224000 | 65989 | 1224000 | 0 | 0 | 0 | 347786 | 1140074 | 8722 |
| 1979 | 1140074 | 688648 | 1337434 | 69223 | 1224000 | 201343 | 1224000 | 0 | 0 | 0 | 122808 | 998580 | 846078 |
| 1980 | 998580 | 544535 | 1086345 | 0 | 1224000 | 110220 | 1224000 | 0 | 0 | 0 | 0 | 750705 | 173492 |
| 1981 | 750705 | 1430420 | 2436014 | 102283 | 1224000 | 160538 | 1224000 | 0 | 0 | 0 | 764390 | 1140074 | 623678 |
| 1982 | 1140074 | 338840 | 753567 | 46493 | 1224000 | 142251 | 1224000 | 0 | 0 | 0 | 0 | 573883 | 573883 |
| 1983 | 573883 | 291291 | 673567 | 0 | 1224000 | 22103 | 1224000 | 0 | 0 | 0 | 0 | 1347 | 1103 |
| 1984 | 1347 | 243487 | 1225118 | 0 | 1224000 | 1219 | 1224000 | 0 | 0 | 0 | 0 | 1246 | 1110 |
| 1985 | 1246 | 463802 | 1264530 | 0 | 1224000 | 3501 | 1224000 | 0 | 0 | 0 | 0 | 38275 | 1100 |
| 1986 | 38275 | 540129 | 1306531 | 0 | 1168593 | 15099 | 1224000 | 55407 | 0 | 0 | 0 | 161114 | 1121 |
| 1987 | 161114 | 748490 | 1592871 | 0 | 1224000 | 41495 | 1224000 | 0 | 0 | 0 | 0 | 488490 | 1109 |
| 1988 | 488490 | 831771 | 1512407 | 0 | 1224000 | 48727 | 1224000 | 0 | 0 | 0 | 0 | 728170 | 1110 |
| 1989 | 728170 | 285024 | 580089 | 0 | 1224000 | 48935 | 1224000 | 0 | 0 | 0 | 0 | 35324 | 3433 |
| 1990 | 35324 | 498141 | 2129231 | 0 | 1224000 | 38473 | 1224000 | 0 | 0 | 0 | 0 | 902082 | 1111 |
| 1991 | 902082 | 322749 | 1927227 | -87814 | 1224000 | 130366 | 1224000 | 0 | 0 | 0 | 247055 | 1140074 | 305613 |
| 1992 | 1140074 | 623610 | 1645930 | 124952 | 1224000 | 196508 | 1224000 | 0 | 0 | 0 | 406941 | 1083507 | 1013955 |
| 1993 | 1083507 | 230123 | 726615 | 0 | 1224000 | 120248 | 1224000 | 0 | 0 | 0 | 0 | 465874 | 330457 |
| 1994 | 465874 | 255581 | 777045 | 0 | 1224000 | 17768 | 1224000 | 0 | 0 | 0 | 0 | 1151 | 1108 |
| 1995 | 1151 | 240841 | 1250043 | 0 | 1224000 | 4368 | 1224000 | 0 | 0 | 0 | 0 | 22826 | 1098 |
| 1996 | 22826 | 259854 | 721832 | 0 | 734651 | 4132 | 1224000 | 489349 | 0 | 0 | 0 | 5875 | 943 |

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

described previously and which are incorporated into the ROM, very little of this water is available for irrigation or mining uses. At the minimum storage condition, which occurs during the simulation period at the end of July, 1953, the simulated total amount of water remaining in United States storage in both reservoirs is 490,756 acre-feet. Because of provisions in the TNRCC Rio Grande operating rules, practically all of this remaining storage either is considered dead storage (4,600 acre-feet) and unavailable for use or is allocated to the domestic-municipal-industrial reserve (225,000 acre-feet) or the operating reserve (261,097 acre-feet). Hence, only 59 acre-feet are contained in the irrigation and mining account balance. With only this amount of water available for irrigation uses and with the summer irrigation demands for the United States specified in the model at about 130,000 acre-feet per month, simulated shortages obviously occur. This demonstrates, of course, the higher priority given to satisfying municipal water needs, as opposed to irrigation demands, in the current Rio Grande operating rules for the United States share of Amistad and Falcon Reservoirs.

Whereas the United States experiences simulated demand shortages in 1953 and 1954, Mexico's specified current average demands in the 1945-1996 long-term ROM simulation are shorted in 1971, 1986 and 1996. As indicated by the annual summaries of Mexico's reservoir operation parameters in Tables 5-3 and 5-4, the simulated minimum storage in Mexico's conservation pools in Amistad and Falcon Reservoirs during these years is essentially zero. What is of most significance is that the greatest demand shortage for Mexico occurs in 1996, i. e., 489,349 acre-feet, suggesting that the Rio Grande inflow conditions for the current drought period may be the most severe for Mexico since 1945.

5.4 RESERVOIR SYSTEM FIRM ANNUAL YIELD ANALYSIS

The firm annual yield of a reservoir or reservoir system is defined as the maximum amount of water that can be withdrawn each year during the occurrence of the worst drought of record without causing storage in the reservoirs to be reduced to zero. Often, the firm annual yield of a reservoir or a system of reservoirs is considered to be the dependable supply of water that can be reasonably relied upon for future water planning purposes, provided allowances are made for future reductions in reservoir storage capacity due to sedimentation. Sometimes, in performing reservoir yield analyses, it is appropriate to maintain during the critical drought period a minimum amount of storage in the reservoir system equal to one year's demand. The yield produced by the reservoir or reservoir system under this storage condition is referred to as the safe yield. Reservoir yield analyses typically are performed using computerized reservoir operation models applied to long-

term hydrologic sequences that are known to include severe drought conditions. Hence, the Amistad-Falcon ROM provides the means for analyzing and determining the yield of the Amistad-Falcon Reservoir system.

In this study, the 1945-1996 ROM data set as described previously has been used to determine the firm annual yield of the reservoir system. For this purpose, the individual water demands specified in the ROM for the United States and for Mexico at the various demand nodes have been adjusted proportionally in accordance with the current average demands developed in Section 4.3 of this report. Adjustments in these demands for each country have been made in successive ROM simulations until the resulting simulated reservoir storage amounts have been reduced to minimum levels with no demand shortages.

The final firm annual yield results from these analyses are summarized in Table 5-5 for both the United States and Mexico. As indicated, the total firm annual yield figures for the United States and for Mexico, under current operating procedures as incorporated in the ROM for the Amistad-Falcon Reservoir system and based on historical river inflows as used in this study, are 1,261,670 and 1,122,280 acre-feet per year, respectively. The individual firm annual yield demands for each of the demand nodes in the ROM also are listed in the table, along with the corresponding current average water demands developed in Section 4.3. As indicated, the total and the individual firm annual yield demands are somewhat lower than the current average water demands for both countries. These lower firm annual yield demands are expected since the long-term ROM simulations with the current average water demands imposed on the system, as described in Section 5.3, result in demand shortages for both the United States and Mexico.

Also indicated in Table 5-5 are the critical drought periods which, based on the ROM results, include the critical hydrologic conditions that determine the firm annual yield amounts. By definition, the critical drought period encompasses the minimum reservoir storage condition, and it extends from the end of one reservoir flood spill period, or maximum storage condition, to the beginning of the next flood spill period, with the minimum reservoir storage level occurring in between. For the United States, the critical drought period as simulated with the ROM occurs from November, 1949, through October, 1958, a period of exactly nine years. This period, of course, encompasses the severe drought of the 1950's. The simulated minimum storage condition during this critical drought period for the United States occurs in August, 1953, when the total United States storage in the two reservoirs is 646,028 acre-feet. The minimum storage condition simulated for the United States during the current drought is 1,197,550 acre-feet, and it occurs in August,

TABLE 5-5 FIRM ANNUAL YIELD RESULTS FROM AMISTAD-FALCON ROM SIMULATIONS

| | FIRM ANNUAL YIELD DEMANDS Acre-Feet | CRITICAL DROUGHT PERIOD | CURRENT AVERAGE ANNUAL DEMANDS Acre-Feet |
|---|--|--------------------------------|---|
| <u>UNITED STATES</u> | | | |
| D-M-I Demand Between Amistad and Falcon Dams | 31,440 | Nov. 1949 through October 1958 | 34,000 |
| Irrigation Demand Between Amistad and Falcon Dams | 117,470 | | 127,000 |
| D-M-I Demand Downstream of Falcon Dam | 115,620 | | 125,000 |
| Irrigation Demand Downstream of Falcon Dam | 997,140 | | 1,078,000 |
| TOTAL FIRM YIELD | 1,261,670 | | 1,364,000 |
| <u>MEXICO</u> | | | |
| Total Demand Between Amistad and Falcon Dams | 57,410 | October 1992 through Present | 66,000 |
| Total Demand Downstream of Falcon Dam | 1,064,870 | | 1,224,000 |
| TOTAL FIRM YIELD | 1,122,280 | | 1,290,000 |

1996. Hence, based on the ROM firm annual yield simulation, the 1950's drought appears to be considerably more severe for the United States than the current drought.

As indicated in Table 5-5, the simulated critical drought period for Mexico actually corresponds to the current drought, which, based on the ROM simulation, begins in October, 1992, and extends through 1996, i. e., the end of the period for which inflow data were available for this study. The simulated minimum storage condition during this current drought period for Mexico occurs in June, 1996, when the total Mexican storage in the two reservoirs is 5,546 acre-feet. The next lowest minimum storage condition simulated for Mexico during the entire 1945-1996 period is 582,670 acre-feet, which occurs in May, 1986. In 1995 of the firm annual yield simulation, Mexico's minimum storage condition is 624,405 acre-feet, and it occurs in August. Based on these results, it appears that the current drought definitely is more severe for Mexico than any previous drought since 1945.

It should be recognized that the firm annual yield figures for the United States and for Mexico as presented in Table 5-5 and discussed herein are based on an analysis of historical river inflow conditions dating back over approximately 50 years. Certainly, there have been many modifications made during the last 50 years throughout the Rio Grande basin in both countries that have had significant influences on flows in the river. Reservoirs and flood control structures have been constructed on tributaries, municipal water demands and tributary diversions have substantially increased, wastewater return flows have changed, and land use modifications have altered runoff patterns. Because of these types of historical changes, the historical river inflows used in this study may not accurately reflect current watershed and hydrologic conditions. The resulting firm annual yield figures for the United States and for Mexico, therefore, also may not accurately reflect current watershed and hydrologic conditions. Considering the types of changes that have affected river inflows, it is likely that the actual firm annual yields for the current Amistad-Falcon Reservoir system are somewhat less than those presented in this study.

Also, as indicated in Section 4.1 of this report, the Mexican inflows to Amistad Reservoir for the period prior to 1954 may not be correct and may need to be refined. These inflow refinements are scheduled to be made as part of the Senate Bill 1 regional water supply planning study for the Middle and Lower Rio Grande basins during the next year, and the resulting revised Mexican inflows, when incorporated into the ROM data base, could produce somewhat different results with regard to the firm annual yields of the reservoir system for the United States and Mexico. It is anticipated that these yield figures will be revised and updated as part of the regional planning study.

5.5 TNRCC RESERVOIR STORAGE ACCOUNTING

Results from the 1949-1955 ROM output listing in Appendix 3 are plotted in Figures 5-5 and 5-6 to illustrate the performance of the TNRCC reservoir storage accounting routine incorporated in the Amistad-Falcon ROM. Again, these results reflect drought conditions during the 1950's as simulated with the ROM assuming historical river inflows as used in this study and current average water demands for both countries. The specific monthly quantities used to construct the plots in Figures 5-5 and 5-6 are printed as part of the ROM output listing for the 1949-1955 period contained in Appendix 3. These results are tabulated at the bottom of the second page of each annual output set under the main heading "ALLOCATION OF U. S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRCC RIO GRANDE RULES". The column headings of this section of the output are consistent with the various operations of the TNRCC water accounting process and should be self explanatory. For convenience, Table 5-6 presents a sample of the TNRCC total reservoir storage accounting portion of the ROM output listing for the year 1954.

As shown by the curves on the graph in the upper part of Figure 5-5, the sum of the total United States water demands and the simulated evaporation losses from the reservoirs during the period from early 1950 through about March, 1954, generally exceed the available United States inflows to the Rio Grande. As a result, the simulated storage in both reservoirs gradually falls from a full condition in late 1949 to relatively low levels in late 1953 and early 1954 as illustrated by the curves on the graph in the lower part of Figure 5-5. The effect of significant United States inflows into the Rio Grande in mid-1954 is indicated by the sudden increases in the simulated storage levels of both reservoirs, which again rise to the full conservation pool condition.

The simulated quantities of stored United States water in Amistad and Falcon Reservoirs that are allocated to the domestic-municipal-industrial (D-M-I) reserve, the operating reserve, and the total irrigation and mining accounts during the 1950-1955 period are indicated by the graphs in the upper part of Figure 5-6. These allocations are made at the end of each month of the simulation period in the ROM in accordance with the TNRCC Rio Grande operating rules. As described previously in Section 3.10, the D-M-I reserve is allocated first (225,000 acre-feet), next the operating reserve (150,000 to 380,000 acre-feet), and finally, the balance of the irrigation and mining accounts. The effect of this allocation sequence is evident in the upper plot in Figure 5-6, where the D-M-I reserve and the operating reserve remain relatively constant throughout the duration of the 1950-1954 low

FIGURE 5-5 RESULTS FROM 1950'S DROUGHT SIMULATION
 SHOWING UNITED STATES STORAGE IN AMISTAD AND FALCON RESERVOIRS
 WITH HISTORICAL INFLOWS AND EVAPORATION AND CURRENT DEMANDS




FIGURE 5-6 RESULTS FROM 1950'S DROUGHT SIMULATION
 SHOWING UNITED STATES RESERVOIR STORAGE RESERVES AND ACCOUNTS
 AND CORRESPONDING DEMAND SHORTAGES




TABLE 5-6 SAMPLE ROM OUTPUT LISTING SHOWING THE SIMULATED TOTAL RESERVOIR STORAGE ACCOUNTING RESULTS FOR 1954

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNCC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLOWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRAING RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------------|-----------------------------|---------------------------|---------------------------|-----------------------------|--------------------------|------------------------------|---------------------|-----------------------------|-------------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|----------------------|
| 1 | 702937 | 34734 | 11077 | 85924 | 0 | 4443 | 636227 | 19.3 | 225000 | 275000 | 34046 | 0 | 79481 | 102181 | 3.9 |
| 2 | 636227 | 47311 | 10399 | 52734 | 0 | 7616 | 612789 | 18.6 | 225000 | 275000 | 0 | 59538 | 48930 | 112789 | 4.3 |
| 3 | 612789 | 39793 | 12296 | 95857 | 0 | 9749 | 534680 | 16.2 | 225000 | 275000 | 11021 | 0 | 89130 | 23659 | .9 |
| 4 | 534680 | 221066 | 13983 | 167863 | 144204 | 9550 | 708554 | 21.4 | 225000 | 275000 | 0 | 206807 | 21912 | 208554 | 7.9 |
| 5 | 708554 | 211640 | 13858 | 155272 | 0 | 15385 | 735679 | 22.3 | 225000 | 275000 | 0 | 170823 | 143698 | 235679 | 8.9 |
| 6 | 735679 | 237073 | 14517 | 149670 | 0 | 18165 | 790400 | 23.9 | 225000 | 275000 | 0 | 193473 | 138752 | 290400 | 11.0 |
| 7 | 790400 | 2715700 | 16242 | 129653 | 0 | 60970 | 3306850 | 99.6 | 225000 | 378318 | 55893 | 2477724 | 120485 | 2647639 | 100.0 |
| 8 | 3306850 | 179155 | 16742 | 121591 | 0 | 88584 | 3259088 | 98.1 | 225000 | 372862 | 13587 | 113251 | 113251 | 2647639 | 100.0 |
| 9 | 3259088 | 150565 | 13617 | 71803 | 0 | 76773 | 3247460 | 97.8 | 225000 | 371533 | 3288 | 66878 | 66878 | 2647639 | 100.0 |
| 10 | 3247460 | 148146 | 12930 | 74199 | 0 | 49470 | 3259007 | 98.1 | 225000 | 372852 | 13516 | 69085 | 69085 | 2647639 | 100.0 |
| 11 | 3259007 | 77615 | 11762 | 51794 | 0 | 39927 | 3233139 | 97.3 | 225000 | 369897 | 38930 | 0 | 48327 | 2599312 | 98.2 |
| 12 | 3233139 | 57705 | 11574 | 48640 | 0 | 38257 | 3192373 | 96.1 | 225000 | 365240 | 48089 | 0 | 45268 | 2554044 | 96.5 |

flow period, but the irrigation and mining pool steadily declines in response to the overall decline in reservoir storage.

As expected, the higher priority D-M-I and operating reserves of the reservoir system, as simulated with the ROM, always are satisfied first at the end of each month, and with only limited inflows into the reservoirs during the 1950-1953 period, no additional allocations are made to the lower priority irrigation and mining accounts. As demands continue, the irrigation and mining pool steadily declines until little or no water is available for irrigation and mining uses. This results in demand shortages, which are indicated by the bar chart in the lower part of Figure 5-6. The monthly amounts of irrigation shortages are shown, and, of course, they occur when the total irrigation and mining account balance is near zero, as indicated by the graph in the upper part of Figure 5-6. No municipal demand shortages are simulated since the D-M-I reserve always is full.

5.6 INDIVIDUAL WATER RIGHTS ACCOUNTING

As described previously, the Amistad-Falcon ROM has the ability to simulate the water accounting process for individual water rights as set forth in the TNRCC Rio Grande operating rules. Monthly water accounting is simulated for up to three individual water rights owners, each of which can have a domestic-municipal-industrial water right, a Class A irrigation or mining water right, and a Class B irrigation or mining water right. The water accounting for individual water rights is performed in the ROM after the total reservoir storage accounting has been completed, thereby allowing any required allocations (positive or negative) to be made in the storage accounts of the individual irrigation and mining water rights.

To demonstrate the capabilities of the Amistad-Falcon ROM for simulating the individual water rights accounting process, the simulated individual water rights accounting results for the year 1954 from the ROM output listing for the 1945-1996 long-term simulation with historical Rio Grande inflows and current average total water demands are presented in Table 5-7. These pages of output also are included in the ROM output listing contained in Appendix 3. As illustrated by the tabulated figures in Table 5-7, simulated water rights accounting information is presented for each of the three individual water rights owners, i. e., United Irrigation District (UNITED I.D.) , Santa Cruz Irrigation District No. 15 (SANTACRUZ 15), and Hidalgo County Irrigation District No. 2 (HCID2 S.JUAN). For each of the owners, the simulated accounting results are presented for their D-M-I water rights and their Class A and Class B irrigation (or mining) water rights.

TABLE 5-7 SAMPLE ROM OUTPUT LISTING SHOWING THE SIMULATED INDIVIDUAL WATER RIGHTS ACCOUNTING RESULTS FOR 1954

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|---------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 2582 | .00000 | 0 | 0 | 66857 | 299 | 299 | .00000 | 0 | 0 | 4009 |
| 2 | 353 | 0 | 4565 | 3063 | 3063 | .03327 | 2311 | 2311 | 66857 | 177 | 177 | .01957 | 78 | 78 | 4009 |
| 3 | 412 | 0 | 4153 | 5418 | 3107 | .00000 | 0 | 0 | 64546 | 313 | 235 | .00000 | 0 | 0 | 3931 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .11556 | 8028 | 8028 | 64546 | 576 | 576 | .06798 | 273 | 273 | 3931 |
| 5 | 459 | 0 | 3220 | 9322 | 1294 | .09546 | 6631 | 6631 | 56518 | 538 | 265 | .05615 | 225 | 225 | 3658 |
| 6 | 477 | 0 | 2743 | 8794 | 2163 | .10811 | 7510 | 7510 | 49887 | 507 | 282 | .06360 | 255 | 255 | 3433 |
| 7 | 532 | 0 | 2211 | 7384 | 0 | 1.38456 | 96177 | 96303 | 42503 | 426 | 171 | .81445 | 3265 | 3265 | 3178 |
| 8 | 550 | 0 | 1661 | 6717 | 0 | .06328 | 4396 | 93982 | 35786 | 388 | 0 | .03723 | 149 | 3026 | 2790 |
| 9 | 450 | 0 | 1211 | 3967 | 0 | .03737 | 2596 | 92611 | 31819 | 229 | 0 | .02198 | 88 | 2885 | 2561 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .03860 | 2682 | 91174 | 27700 | 238 | 0 | .02271 | 91 | 2738 | 2323 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .00000 | 0 | 88381 | 24907 | 161 | 0 | .00000 | 0 | 2577 | 2162 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .00000 | 0 | 85665 | 22191 | 157 | 0 | .00000 | 0 | 2420 | 2005 |
| ANNUAL | 5300 | 0 | | 69464 | 22191 | | 130331 | | | 4009 | 2005 | | 4424 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|---------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 180 | .00000 | 0 | 0 | 4674 | 361 | 361 | .00000 | 0 | 0 | 4828 |
| 2 | 264 | 0 | 3417 | 214 | 214 | .03327 | 162 | 162 | 4674 | 213 | 213 | .01957 | 94 | 94 | 4828 |
| 3 | 308 | 0 | 3109 | 379 | 217 | .00000 | 0 | 0 | 4512 | 376 | 282 | .00000 | 0 | 0 | 4734 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .11556 | 561 | 561 | 4512 | 694 | 694 | .06798 | 328 | 328 | 4734 |
| 5 | 343 | 0 | 2411 | 652 | 91 | .09546 | 464 | 464 | 3951 | 648 | 320 | .05615 | 271 | 271 | 4406 |
| 6 | 357 | 0 | 2054 | 615 | 151 | .10811 | 525 | 525 | 3487 | 611 | 340 | .06360 | 307 | 307 | 4135 |
| 7 | 398 | 0 | 1656 | 516 | 0 | 1.38456 | 6725 | 6734 | 2971 | 513 | 206 | .81445 | 3932 | 3932 | 3828 |
| 8 | 412 | 0 | 1244 | 470 | 0 | .06328 | 307 | 6571 | 2501 | 467 | 0 | .03723 | 180 | 3645 | 3361 |
| 9 | 337 | 0 | 907 | 277 | 0 | .03737 | 182 | 6476 | 2224 | 276 | 0 | .02198 | 106 | 3475 | 3085 |
| 10 | 319 | 0 | 588 | 288 | 0 | .03860 | 188 | 6376 | 1936 | 286 | 0 | .02271 | 110 | 3299 | 2799 |
| 11 | 295 | 0 | 293 | 195 | 0 | .00000 | 0 | 6181 | 1741 | 194 | 0 | .00000 | 0 | 3105 | 2605 |
| 12 | 293 | 0 | 0 | 190 | 0 | .00000 | 0 | 5991 | 1551 | 189 | 0 | .00000 | 0 | 2916 | 2416 |
| ANNUAL | 3967 | 0 | | 4857 | 1551 | | 9114 | | | 4828 | 2416 | | 5328 | | |

TABLE 5-7, cont.

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|---------|---------------------------------|--------------|---------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | | | | | ADJ. NO. | ANNUAL AUTH: | | | | |
| | 0808-001 | 6140 AF | | 0808-005 | 147775 AF | | | | | 0573-001 | 470 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | ALLOCC | STORAGE | USABLE | DEMAND | SHORT | RATE B | ALLOCC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 5494 | .00000 | 0 | 0 | 142230 | 35 | 35 | .00000 | 0 | 0 | 470 |
| 2 | 409 | 0 | 5289 | 6517 | 6517 | .03327 | 4916 | 4916 | 142230 | 21 | 21 | .01957 | 9 | 9 | 470 |
| 3 | 477 | 0 | 4812 | 11526 | 6610 | .00000 | 0 | 0 | 137314 | 37 | 28 | .00000 | 0 | 0 | 461 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .11556 | 17077 | 17077 | 137314 | 68 | 68 | .06798 | 32 | 32 | 461 |
| 5 | 532 | 0 | 3731 | 19831 | 2754 | .09546 | 14106 | 14106 | 120237 | 63 | 31 | .05615 | 26 | 26 | 429 |
| 6 | 553 | 0 | 3178 | 18708 | 4602 | .10811 | 15976 | 15976 | 106131 | 59 | 33 | .06360 | 30 | 30 | 403 |
| 7 | 616 | 0 | 2562 | 15709 | 0 | 1.38456 | 204603 | 204870 | 90422 | 50 | 20 | .81445 | 383 | 383 | 373 |
| 8 | 637 | 0 | 1925 | 14290 | 0 | .06328 | 9352 | 199932 | 76132 | 45 | 0 | .03723 | 17 | 355 | 328 |
| 9 | 522 | 0 | 1403 | 8438 | 0 | .03737 | 5523 | 197017 | 67694 | 27 | 0 | .02198 | 10 | 338 | 301 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .03860 | 5705 | 193959 | 58931 | 28 | 0 | .02271 | 11 | 321 | 273 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .00000 | 0 | 188018 | 52990 | 19 | 0 | .00000 | 0 | 302 | 254 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .00000 | 0 | 182240 | 47212 | 18 | 0 | .00000 | 0 | 284 | 236 |
| ANNUAL | 6140 | 0 | | 147775 | 47212 | | 277258 | | | 470 | 236 | | 518 | | |

For each of the individual water rights, the monthly demand amounts (DEMAND AMOUNT) as specified in the ROM data input file are listed. For this simulation, the annual demands for all of the individual water rights are set equal to their authorized annual diversion amounts, i. e., their full water rights. Also listed are any simulated shortages (SHORT AMOUNT) that occur with respect to the specified demands because of insufficient available water supplies as simulated with the model. In the accounting process, the net amount of the specified demand and shortage (demand minus shortage) in any given month is deducted (debited) from the usable and the storage account balances for each of the water rights. For the irrigation and mining water rights, allocations (ALLOC AMOUNT) to the individual storage account balances (STORAGE BALANCE) are made in accordance with the TNRCC Rio Grande operating rules regarding Class A and Class B allocation rates (RATE A and RATE B). In the model, the allocation rates are determined based on the simulated results from the total reservoir storage accounting process as described in the previous section, in particular, the simulated total irrigation and mining allocation amounts. The amount of water remaining in a particular water right account that can be diverted and used in a given year is referred to as the USABLE BALANCE. In the accounting process, the usable balance is determined at the end of each month by subtracting from the beginning-of-the-month user balance the specified amount of monthly water usage (demands) less any shortages. Of course, at the beginning of each year, the usable balance for each water right is fully restored to the authorized (permitted) annual diversion or use amount.

The simulated monthly amounts of the various water accounting parameters for each of the individual water rights as listed in Table 5-7 illustrate the expected changes in these quantities as they would occur under the river inflow conditions of 1954. In the first half of this year, as indicated by the total reservoir storage accounting results presented in Table 5-6, the simulated total irrigation and mining account balance (IRRIG ACCOUNT BALANCE) is extremely low. Likewise, the corresponding simulated storage balances of the individual irrigation water rights (STORAGE BALANCE) also are low, with the storage balance of each irrigation water right equal to zero at the beginning of the year. Consequently, the specified demands for the individual irrigation water rights cannot be satisfied, and shortages are simulated for the individual Class A irrigation water rights in the first six months of the year and for the individual Class B irrigation water rights in the first seven months of the year. The difference in the simulated allocations (ALLOC AMOUNT) to the Class A water rights as compared to those for the Class B water rights results in the additional month of shortages for the Class B water rights. No shortages occur in any of the months during the year for the individual D-M-I (municipal) water rights since, in accordance with the TNRCC Rio Grande operating rules, the D-M-I reserve for the reservoir system is refilled

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

to its designated amount, i. e., 225,000 acre-feet, each month as part of the total reservoir storage accounting process.

As indicated by the simulated storage amounts for the overall reservoir system in Table 5-6, significant inflows enter the United States portions of the reservoirs in July of 1954. Just as the simulated total irrigation and mining pool is restored to its maximum level at the end of July, the storage balances of the individual irrigation water rights also are restored to near their full storage capacities, i. e., 1.41 times their annual authorized diversion amounts. After July, the storage balances of the individual irrigation water rights gradually decline as monthly demands exceed the simulated monthly allocations for the remainder of the year. At the end of the year, the simulated storage balances are carried forward to January of the following year, and the usable balances are restored to their maximum levels, i. e., to the annual authorized diversion amounts.

SECTION 6 CONDITIONAL PROBABILITY MODELING

6.1 INTRODUCTION

Conditional Probability Analysis (CPA) is a tool that allows resource managers to analyze the current supply and demand conditions of a single or multiple reservoir system, and to develop and evaluate water management policies which may result in more efficient use of the available water resources and provide drought condition management. Through the development and application of a Conditional Probability Model (CPM), a wide variety of potential reservoir operating rules and demand management options can be examined and evaluated, taking into consideration the entire range of possible beginning-of-the-year storage conditions for the reservoir, as well as historical reservoir inflows.

Complex operating rules governing reservoir storage, withdrawals, allocations, releases and diversions can be included in the CPM, just as they have been included in the Amistad-Falcon ROM. The CPM can also be used to evaluate potential management options that provide for reservoir diversions in excess of the firm annual yield of a reservoir system when storage and inflow conditions are higher than normal, and it can provide guidance with regard to the systematic reduction of certain diversions during potential or anticipated drought conditions.

For the Amistad-Falcon Reservoir system, the CPM has been developed as an extension of the previously described Reservoir Operations Model (ROM). Basically, the ROM computer program has been modified to include the various calculations and statistical analyses required for the CPA. The resulting computer program as applied to Amistad and Falcon Reservoirs is referred to as the Amistad-Falcon CPM.

6.2 BASIC CONDITIONAL PROBABILITY ANALYSIS

For any set of reservoir operating rules, the CPA begins by assuming or specifying a known reservoir storage level (the "condition") at the beginning of a year. The ability, or the inability (failure), of the reservoir to satisfy certain prescribed user demands during this year then is calculated or simulated with the ROM, taking into account the assumed start-of-year storage in the reservoir and all of the annual traces of historical reservoir inflows that have occurred over the period of record of available data. This process then is repeated for a sequential series of assumed start-of-year reservoir storage conditions ranging from empty to full. The result of this calculation process is a set of data describing the number of months during each year of the period of record of historical reservoir inflows that the reservoir could not satisfy the specified demands assuming that the reservoir began each year at varying levels of storage. This set of data then can be analyzed to

determine the probability that the reservoir will begin any given year at or below a certain storage level and the probability that the reservoir will not be able to satisfy the specified demands in any given year for the entire range of start-of-year storage conditions.

The probability information from the CPA can be useful for developing and applying reservoir management plans that will allow for optimal use of available water supplies. For example, if the probability of failing to satisfy certain prescribed demands is high for a certain start-of-year storage condition, demands during the upcoming year can be reduced through implementation of drought management or demand management rules. Conversely, if the probability of meeting the prescribed demands is high for a certain start-of-year storage condition, then provisions for increasing the reservoir diversions above the prescribed demands may be considered. Such procedures can be incorporated into the reservoir operating plan so that water supplies in the future can be fully utilized, but not threatened at an unacceptable level of risk.

An advantage of the CPM approach to reservoir management is that it allows water users to predict at the beginning of a year, knowing the amount of water in storage, the quantity of water that potentially will be available for diversion and use in the coming year, with a known level of risk or probability of failure. With CPA information, users have some idea as to how much the reservoir system can be overdrafted during high storage periods and how much conservation is necessary during drought periods in order to avoid future water supply shortfalls for a given level of risk.

The CPM uses historical monthly reservoir inflow sequences, specified reservoir storage and withdrawal (release) rules, and a set of prescribed monthly water demands for a given reservoir or reservoir system to develop information for two relationships. One relationship describes the probability that the amount of water stored in the reservoir or reservoir system at the beginning of any given year, or management period, will be at or below a specified level of storage under the specified rules of operation and demands. Any point along this relationship represents a "start condition" for the upcoming year or management period. The second relationship represents the corresponding probability of meeting the specified demands under the given rules of operation for any start-of-year storage condition. Thus, the "condition" is the system storage at the beginning of the management period, and the "probability" represents the level of risk associated with satisfying certain prescribed demands for a given start-of-year storage condition. The "start condition" probability often is expressed as the probability of starting a management period at or below a specified level, and the demand probability may be expressed as the probability of "failure" to meet certain specified demands.

6.3 AMISTAD-FALCON CPM DEVELOPMENT


The first step in the CPA process is to divide the reservoir or reservoir system into horizontal layers of equal volume. In this study, the elevation-area-capacity relationships for Amistad and Falcon Reservoirs have been examined, and based on these relationships, the combined storage capacity of these impoundments has been divided into 40 horizontal layers (elements) of equal volume. Because of the inverted trapezoidal shape of natural reservoir cross-sections, the elements near the bottom of the impoundments are much thicker than those near the surface. The resulting cumulative storage-per-element relationship for the Amistad-Falcon system is shown in Figure 6-1. As indicated, the CPA process requires that the first element be assigned a volume of zero.

Selection of an appropriate management period for any reservoir system starts with the examination of the historically recorded reservoir inflows. Recorded inflows generally exhibit intra-year serial correlation. The inflows in any month of the year are somewhat related to the inflows of the previous month. Normally, a one-year management period is used for the CPA; however, when statistical analysis reveals significant serial correlations for periods in excess of twelve months, the management period generally must be extended to the next highest whole year interval to be conservative in the CPA. For purposes of analyzing the Amistad-Falcon system, the historical inflow record has been divided into traces with interval lengths ranging from one to five years. Thus, for a management interval of two years, the 1945-1994 hydrologic record that has been used for the CPA has been grouped into independent hydrologic traces corresponding to the periods 1945-1946, 1946-1947, 1947-1948 and so on through 1993-94.

For each selected management interval, the ROM has been operated with specified demands to simulate the storage behavior of the reservoir system for each independent hydrologic trace as a separate hydrologic condition, assuming that the storage in the reservoir system at the beginning of each hydrologic trace is at one of the 41 predefined storage levels. These simulations have been performed beginning with the bottom storage level (Element 1) and proceeding upwards through the top storage level (Element 41). Hence, for the one-year management interval, 41 sets of simulations have been made, with each comprised of 50 independent simulations corresponding to the 50 one-year periods of hydrologic traces for the 1945-1994 analysis period.

From the results of these simulations, two statistical parameters have been derived and recorded in separate arrays. The first array contains the element number corresponding to the simulated storage level of the reservoir system at the end of each hydrologic trace analyzed as a function of the starting

FIGURE 6-1 CUMULATIVE STORAGE OF THE AMISTAD AND FALCON RESERVOIR SYSTEM BY STORAGE ELEMENT



element number (storage condition) that was assumed at the beginning of each hydrologic trace. The second array includes the number of months during each hydrologic trace that the prescribed demands could not be supplied as a function of the starting element number (storage condition) that was assumed at the beginning of each hydrologic trace. For the one-year management interval, each of these arrays represents a 41 x 50 matrix corresponding to the 41 storage elements and the 50 years of independent hydrologic traces.


Through the application of matrix algebra, the starting-ending element array has been reduced to a simple column matrix. Based on historical hydrology and the specified demands, this matrix defines the probability of starting any management period at or below any specified storage volume. If starting at the bottom element, a cumulative sum of probabilities is recorded. This matrix represents the probability of starting any year at or below the specified storage level.

The above sets or matrices of reservoir storage information represent the fundamental outputs from the CPA, and they provide useful data for managing reservoir operations. By observing the level of storage in the reservoir system at the beginning of a year or some other management interval, water users will know the relative frequency of occurrence for that level of storage. Knowing that frequency, they also will know in advance if the system is in a normal or uniquely good or bad storage condition entering the management period. Based on the current level of storage and the desired amount of diversions through the management period, the probability of failure (the inability to supply the desired diversions at least one month during the management period) also will be known. The acceptable level of risk associated with the desired diversions can then be weighed against the potential gains associated with increasing or decreasing diversions during the management period.

6.4 AMISTAD-FALCON CPM APPLICATION

For the Amistad and Falcon Reservoir system, the CPM first has been exercised using the current average annual total United States demand of 1,364,000 acre-feet and the current average annual total Mexican demand of 1,290,000 acre-feet as determined in this study. This first scenario assumes that no water conservation demand reductions are applied during drought conditions to either the United States or Mexican diversions. Each country attempts to divert its full monthly demand each and every year, in accordance with the demands specified in the ROM. Under these conditions, the probability of starting any one-year management interval at any given United States storage level is shown in Figure 6-2. This curve indicates that the probability of starting any year

FIGURE 6-2 PROBABILITY OF STARTING ANY YEAR AT-OR-BELOW
A GIVEN AMOUNT OF UNITED STATES STORAGE
IN THE AMISTAD-FALCON SYSTEM



with United States storage less than 20 percent of the combined maximum conservation capacity of Amistad and Falcon Reservoirs is extremely low, and starting any year with less than 50 percent of maximum conservation capacity is likely to occur only about 10 percent of the time. The curve also suggests that approximately 30 percent of the time, the United States storage at the beginning of any year will be at least 90 percent of the maximum conservation storage. Thus, with current average annual United States and Mexican demands and current rules of reservoir operation, the system tends to operate toward the full storage condition.


The probability of failure to meet the current average annual United States demand, with the current Mexican demand also imposed on the reservoir system, as a function of start-of-year United States storage is presented in Figure 6-3. The probability of failure, which is defined as the probability that the full United States demand can not be satisfied at least one month during any year for a particular start-of-year storage condition, is extremely low for all years where the United States storage starts greater than about 45 percent of the full conservation capacity. In fact, the probability of failure is less than five percent all the way down to a start-of-year storage level of about 28 percent of the maximum capacity. If the start-of-year United States storage is less than 25 percent of capacity, the probability of failure increases dramatically.

The total or compound probability of failure of the reservoir system to supply the specified United States demand is the product of the probability of starting any year with a given storage volume and the probability of failure associated with that start-of-year storage. For example, Figure 6-3 indicates that with the current average annual United States demand and a start-of-year storage level at about 20 percent of the full conservation storage capacity, there is about a 25-percent probability of failure in any given year. However, Figure 6-2 indicates that with the current demand, there is an extremely low probability that any year will start with a storage capacity equal to or less than about 20 percent. Thus, at the 20-percent storage level, the probability of failure to satisfy demands is high, but the probability of occurrence of this reservoir storage condition is low. At the other extreme, these figures show that there is zero probability of failure with the current average annual United States demand if the start-of-year storage is greater than about 50 percent of full capacity, and there is about a 90-percent chance that any given year will start with storage levels above 50 percent. Hence, under these conditions, the probability of failure is low and the probability of occurrence is high.

Figure 6-4 shows the compound probability of failure with respect to satisfying the United States demand under current reservoir operating rules and current average annual United States and

FIGURE 6-3 PROBABILITY OF INSUFFICIENT WATER TO MEET CURRENT AVERAGE UNITED STATES DEMAND FOR ANY GIVEN START-OF-YEAR UNITED STATES STORAGE CONDITION

NOTE: Assumes no water conservation demand reduction.



THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

Mexican demands. Note that below about 15 percent start-of-year capacity for the United States, there is nearly a zero probability of failure. This occurs primarily because, as indicated in Figure 6-2, there is nearly a zero probability that the start-of-year storage in the reservoir system will be less than 15-percent full. A storage level equal to 15 percent of the total conservation storage capacity for the United States is about 500,000 acre-feet. The United States water accounting procedures, in accordance with current TNRCC Rio Grande operating rules, reserve on a priority basis each month 225,000 acre-feet of storage for the domestic, municipal and industrial (DMI) pool and another 275,000 to 380,000 acre-feet of storage for the operating reserve. Although current operating rules do allow for irrigation and mining usage when the total United States storage is less than 500,000 acre-feet, negative allocations of water stored in the irrigation and mining accounts are authorized to be made as necessary to restore and maintain the DMI and operating reserves at their authorized capacities, even under extreme drought conditions when storage in the reservoirs is at low levels and when inflows are minimal.

Under these conditions, such negative allocations can result in significant reductions in the amount of water available for irrigation and mining uses. In practice, however, when drought conditions occur or, to some extent, are anticipated, the projected demands for irrigation water from the reservoir system generally are reduced, usually voluntarily by individual irrigators, at the beginning of a year or prior to planting seasons in anticipation of future limited water supplies. The effect of such action, is, of course, to extend the available supply of water stored in the reservoirs. In the ROM as it is presently structured, the total United States irrigation demand is not reduced at the beginning of each year in response to the projected available water supply stored in the reservoirs; rather, it is maintained constant at the maximum level specified in the input data for any particular simulation. The same is true for Mexico. Hence, the United States irrigation water shortages, and failures to satisfy specified demands, simulated with the ROM reflect the theoretical water shortages that would occur as if the full irrigation demand were to be satisfied.

Figure 6-4 also shows that above a start-of-year reservoir storage condition of about 45 percent, there is approximately a zero probability of failure for satisfying current average annual United States demands under current reservoir operating rules. Hence, it is when the start-of-year storage levels are above 45 percent that there may be opportunities to divert and use water in excess of the current average annual demands. Obviously, these opportunities increase as the start-of-year storage levels approach the full-reservoir condition. For start-of-year storage volumes between 15 percent and 45 percent, the curve in Figure 6-4 indicates that drought management rules and water conservation measures are likely to be necessary in order to extend available supplies and to reduce the risk of curtailment of irrigation diversions. When the start-of-year storage is less than about 15

COMPOUND PROBABILITY OF INSUFFICIENT WATER TO MEET
CURRENT AVERAGE U. S. DEMAND, FRACTION




FIGURE 6-4 COMPOUND PROBABILITY OF INSUFFICIENT WATER TO MEET
CURRENT AVERAGE UNITED STATES DEMAND FOR ANY GIVEN
START-OF-YEAR UNITED STATES STORAGE CONDITION

NOTE: Assumes no water conservation demand reduction.

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts


to 20 percent, drought management measures are automatically implemented through reductions of the available water for irrigation and mining uses through the existing TNRCC operating rules.

Figure 6-5 illustrates conceptually the various components and procedures that might comprise a staged drought management and reservoir operations program for a system such as Amistad and Falcon Reservoirs. Various conditions of demand, reservoir storage, and reservoir inflows are identified, each relating to different levels of water availability. The results from CPM analyses as described and presented above can be useful for defining meaningful reservoir storage and inflow conditions and corresponding demand levels that can provide the basis for developing an effective reservoir management plan. Some of these types of information are described below.

Figure 6-6 presents a graph showing the probabilities of starting a year with a given amount of United States storage in the reservoir system for annual United States demands ranging from 600,000 to 1,800,000 acre-feet/year. These curves have been developed by operating the Amistad-Falcon CPM for the specific annual United States demands indicated. As the demands increase, the probability (or percentage of time) that the United States storage in the reservoir system at the beginning of a year will be at or below any given storage level increases dramatically. The probability of starting any year at-or-below 50 percent of the maximum conservation storage capacity is less than one percent with a United States demand of 600,000 acre-feet/year (approximately half of the current demand), but it increases to more than 55 percent with a demand of 1.8 million acre-feet/year (roughly a 30-percent increase over the total current demand). Figure 6-7 shows the corresponding probabilities of failure for the same 600,000 to 1,800,000 acre-feet/year demand range.

The Amistad-Falcon CPM also has been operated to investigate the dependable yield of the reservoir system as a function of start-of-year storage levels. For purposes of this study, the dependable annual yield (DAY) is defined as the maximum amount of annual United States diversions that can be made from the reservoirs for each start-of-year storage level without failures (shortages) during the worst year of the drought of record. Figure 6-8 is a graph showing the variation of the DAY's for the Amistad-Falcon Reservoir system for one-year through five-year hydrologic traces (management intervals) as a function of start-of-year (or period) storage condition as derived with the CPM. Also plotted on the graph are the United States firm annual yield (FAY) for the reservoir system and the current average annual United States demands. As indicated, all five DAY curves start at 225,000 acre-feet/year for start-of-year storage levels less than 10 percent of the maximum conservation storage capacity. When storage volumes fall below 500,000 acre-feet, irrigation diversions are typically suspended, leaving only the 225,000 acre-feet/year domestic, municipal and

FIGURE 6-5 CONCEPTUAL COMPONENTS AND PROCEDURES FOR EXAMPLE STAGED DROUGHT MANAGEMENT AND RESERVOIR OPERATIONS PROGRAM






FIGURE 6-7 PROBABILITY OF INSUFFICIENT WATER TO MEET UNITED STATES DEMANDS BETWEEN 600,000 AND 1,800,000 ACRE-FEET/YEAR

THE INTERNATIONAL RESERVOIRS OPERATIONS AND DROUGHT CONTINGENCY PLANNING STUDY
FOR THE MIDDLE AND LOWER RIO GRANDE

Phase I - Development, Testing and Application of ROM/CPM Modeling System

Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts

industrial reserve. As expected, as the start-of-year (period) storage condition increases, the DAY curves also steadily increase, with the curve for the one-year management interval increasing more rapidly than those for the two- through five-year hydrologic traces. The DAY curve for the one-year hydrologic trace crosses the firm annual yield line at about 37 percent of maximum capacity and the current average annual demand line at about 42 percent of maximum capacity. Thus, if one year is selected as the management interval, for all start-of-year storage levels less than about 42 percent, the maximum drought condition demands that could be satisfied would be less than current demands, and at start-of-year storage less than about 37 percent, the maximum DAY would be less than the firm annual yield.

For start-of-year capacities greater than about 42 percent, Figure 6-8 suggests that for a one-year management interval, diversions well above current demands, up to 3,200,000 acre-feet/year, possibly could be made with proper management policies. However, examination of the DAY curves for the two-year through five-year management intervals, which generally are grouped together, indicates that this may be too optimistic. The four- and five-year management intervals are approaching the duration of the drought of record for this portion of the Rio Grande (eight years), and the corresponding DAY curves validate the previously-determined FAY for the United States (1,261,670 acre-feet/year) at a start-of-year storage capacity of 100 percent. The maximum three-year DAY is approximately equal to the current average annual demand. The three- through five-year DAY curves suggest that, for all start-of-year storage levels less than about 85 percent of capacity, the Amistad and Falcon Reservoir system should be operated under conservation rules. However, just as selection of a one-year management interval may be too optimistic, three-, four- or five-year management intervals may be too restrictive.

The DAY curve produced by the two-year trace simulations appears to offer the most reasonable management interval for the United States portion of the Amistad-Falcon system under their current rules of operation. At start-of-year storage volumes greater than about 70 percent of capacity, this curve suggests that the system could be moderately overdrafted by the United States, i. e., up to about 180,000 acre-feet/year (30 percent more than current average annual demands). At start-of-year storage levels less than about 70 percent, conservation demand reductions would be required to compensate for the overdrafting in order to avoid shortages during the critical drought period.

Figure 6-9 presents an example of how the DAY curve for a two-year management interval could be used to develop drought definitions and a demand reduction (management) plan for the United States' use of water from Amistad and Falcon Reservoirs. Under this plan, if the start-of-year





FIGURE 6-8 UNITED STATES DEPENDABLE ANNUAL YIELD FROM THE AMISTAD AND FALCON RESERVOIR SYSTEM AS A FUNCTION OF START-OF-YEAR U. S. STORAGE FOR DIFFERENT MANAGEMENT INTERVALS

FIGURE 6-9 EXAMPLE AMISTAD-FALCON CONSERVATION MANAGEMENT PLAN
AS A FUNCTION OF START-OF-YEAR UNITED STATES STORAGE




storage volume for the United States is greater than 70 percent, which is defined as the "normal storage" condition, the system could be safely overdrafted commensurate with the initial volume and inflow conditions. At start-of-year storage volumes between 55 percent and 70 percent of capacity, which is defined as a "partial hydrologic drought" condition, Stage I Conservation measures could be instituted requiring a 10-15 percent demand reduction. In the case of irrigation demands, the percentage of demand reduction should not be interpreted to mean that the amount of irrigation water supplied to all fields would be reduced by the same fraction. Instead, the reductions in irrigation water would be allocated among all irrigators, much as they are today. Depending on the amounts of the irrigation water reductions, individual irrigators could choose to plant either less irrigated acreage or non-irrigated or less water-demanding crops.

For those years when the beginning reservoir storage is between 40 percent and 55 percent of maximum capacity, which is defined as a "full hydrologic drought" condition, Stage II Conservation measures could be instituted, which would result in an additional 10-15 percent reduction in water usage. Finally, when the total United States reservoir storage at the beginning of a year falls below 40 percent of maximum capacity, there is a high probability that there will be insufficient water to meet all irrigation demands. This condition is defined as an "extreme hydrologic drought" and would require Stage III Conservation measures to be implemented, i. e., total demand reductions on the order of 35-40 percent. Under this example management scenario, much as is practiced now, irrigators and agricultural interests would have to decide which crops, if any, should be grown to most effectively and efficiently use the remaining available water supply.

As noted previously, the Amistad and Falcon Reservoir system operated under current rules and with current demands tends to be in the normal storage condition, i. e., greater than 70-percent full at the beginning of any year. Figure 6-10 shows the percentages of time that the Normal Storage condition (overdrafting) and Stages I, II and III Conservation conditions (demand reductions) would occur for the above example. As indicated, diversions from the reservoir system could meet or exceed current demands under the Normal Operation condition approximately 61 percent of the time. In the case of partial hydrologic droughts, Stage I Conservation would be in effect approximately 27 percent of the time. Thus, the system could be operated at or near current demand levels about 88 percent of the time. Stage II Conservation and Stage III Conservation would be in effect only 11 percent and two percent of the time, respectively. While the demand reductions associated with the Stage II and III Conservation levels would be significant, i. e., reductions on the order of 25-40 percent of current demands, these conditions would occur relatively infrequently.

FIGURE 6-10 PROBABILITY OF STARTING ANY YEAR AT OR BELOW THE STATED CAPACITY AND PERCENT OF TIME EXAMPLE CONSERVATION MANAGEMENT CONDITIONS WOULD APPLY



APPENDIX 1

**MONTHLY RIO GRANDE INFLOWS
FOR THE UNITED STATES AND MEXICO
AS SPECIFIED IN THE ROM**

HISTORICAL UNITED STATES MONTHLY RIO GRANDE INFLOWS INTO AMISTAD RESERVOIR
AS ASSIGNED AT ROM NODE 1

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|--------|---------|--------|---------|---------|---------|-----------|---------|---------|---------|---------|--------|
| 1945 | 67,000 | 58,000 | 55,000 | 72,000 | 50,000 | 40,000 | 187,000 | 57,000 | 61,000 | 295,000 | 77,000 | 81,000 |
| 1946 | 81,000 | 58,000 | 58,000 | 71,000 | 90,000 | 177,000 | 71,000 | 55,000 | 77,000 | 229,000 | 73,000 | 77,000 |
| 1947 | 90,000 | 68,000 | 69,000 | 56,000 | 96,000 | 74,000 | 57,000 | 44,000 | 130,000 | 70,000 | 52,000 | 69,000 |
| 1948 | 57,000 | 53,000 | 46,000 | 44,000 | 55,000 | 411,000 | 380,000 | 69,000 | 66,000 | 70,000 | 65,000 | 68,000 |
| 1949 | 65,000 | 137,000 | 98,000 | 161,000 | 164,000 | 126,000 | 178,000 | 225,000 | 132,000 | 138,000 | 81,000 | 84,000 |
| 1950 | 85,000 | 67,000 | 65,000 | 59,000 | 66,000 | 82,000 | 135,000 | 97,000 | 132,000 | 116,000 | 62,000 | 69,000 |
| 1951 | 64,000 | 55,000 | 63,000 | 46,000 | 79,000 | 84,000 | 55,000 | 45,000 | 57,000 | 53,000 | 52,000 | 38,000 |
| 1952 | 38,000 | 34,000 | 30,000 | 37,000 | 65,000 | 53,000 | 170,000 | 34,000 | 27,000 | 35,000 | 36,000 | 39,000 |
| 1953 | 37,000 | 33,000 | 43,000 | 31,000 | 30,000 | 24,000 | 32,000 | 50,000 | 58,000 | 48,000 | 35,000 | 36,000 |
| 1954 | 34,614 | 30,275 | 30,977 | 197,344 | 116,639 | 237,073 | 2,622,785 | 141,349 | 96,082 | 84,666 | 57,034 | 55,263 |
| 1955 | 53,265 | 46,070 | 46,460 | 38,188 | 91,475 | 77,149 | 112,166 | 137,761 | 262,213 | 121,255 | 63,095 | 54,706 |
| 1956 | 51,698 | 46,324 | 42,584 | 35,356 | 39,771 | 34,332 | 28,392 | 36,898 | 37,058 | 86,838 | 39,032 | 37,491 |
| 1957 | 37,596 | 47,316 | 41,800 | 136,538 | 659,505 | 177,265 | 73,927 | 75,096 | 76,050 | 140,350 | 78,115 | 67,181 |
| 1958 | 63,009 | 67,306 | 62,519 | 49,886 | 88,405 | 165,714 | 77,970 | 69,672 | 368,294 | 627,571 | 145,989 | 95,491 |
| 1959 | 86,964 | 70,142 | 70,196 | 62,285 | 91,215 | 97,881 | 159,542 | 94,683 | 127,497 | 259,847 | 82,364 | 76,898 |
| 1960 | 77,578 | 82,910 | 78,171 | 60,722 | 49,659 | 54,643 | 153,709 | 145,031 | 119,889 | 119,400 | 74,599 | 79,915 |
| 1961 | 75,479 | 64,525 | 61,028 | 43,264 | 61,780 | 250,977 | 146,310 | 107,238 | 78,170 | 73,880 | 64,597 | 63,055 |
| 1962 | 59,058 | 51,903 | 50,216 | 47,126 | 44,670 | 66,515 | 82,407 | 47,154 | 112,122 | 149,367 | 69,901 | 61,533 |
| 1963 | 54,323 | 45,290 | 43,948 | 44,657 | 72,860 | 78,232 | 69,548 | 77,256 | 81,927 | 55,644 | 42,633 | 47,152 |
| 1964 | 56,642 | 43,785 | 46,516 | 78,145 | 56,652 | 86,591 | 46,508 | 63,682 | 855,709 | 118,850 | 76,906 | 72,325 |
| 1965 | 67,986 | 61,973 | 60,398 | 52,426 | 93,262 | 241,613 | 59,086 | 73,252 | 83,221 | 70,950 | 56,061 | 53,317 |
| 1966 | 51,052 | 43,226 | 45,316 | 115,240 | 100,037 | 102,287 | 74,195 | 137,367 | 303,118 | 146,858 | 68,020 | 62,450 |
| 1967 | 64,656 | 54,448 | 58,577 | 51,990 | 44,969 | 79,005 | 110,504 | 83,361 | 142,669 | 84,122 | 61,720 | 58,799 |
| 1968 | 57,237 | 45,586 | 46,743 | 69,553 | 77,852 | 54,662 | 131,994 | 93,447 | 164,133 | 94,458 | 59,908 | 38,154 |
| 1969 | 59,631 | 54,983 | 56,636 | 95,899 | 81,456 | 69,074 | 65,326 | 48,985 | 63,267 | 122,658 | 64,670 | 61,279 |
| 1970 | 54,181 | 56,541 | 59,979 | 46,572 | 56,565 | 82,176 | 74,870 | 65,609 | 133,861 | 103,064 | 59,300 | 51,977 |
| 1971 | 47,456 | 74,064 | 51,354 | 59,800 | 57,118 | 122,660 | 122,555 | 769,277 | 169,876 | 178,262 | 61,741 | 68,926 |
| 1972 | 74,371 | 62,622 | 73,565 | 67,437 | 89,356 | 91,731 | 80,713 | 401,460 | 166,768 | 95,550 | 53,831 | 49,684 |

HISTORICAL UNITED STATES MONTHLY RIO GRANDE INFLOWS INTO AMISTAD RESERVOIR, CONT'D.
AS ASSIGNED AT ROM NODE 1

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|---------|
| 1973 | 48,704 | 57,063 | 65,390 | 54,551 | 74,438 | 65,044 | 122,131 | 121,412 | 146,629 | 87,150 | 39,735 | 35,781 |
| 1974 | 49,979 | 40,836 | 87,326 | 90,485 | 103,805 | 78,188 | 58,187 | 155,061 | 1,690,713 | 395,996 | 162,287 | 116,560 |
| 1975 | 96,081 | 104,061 | 147,536 | 131,421 | 107,960 | 85,401 | 154,811 | 126,916 | 97,082 | 83,108 | 75,802 | 74,793 |
| 1976 | 67,703 | 74,070 | 80,445 | 82,235 | 102,453 | 81,918 | 455,057 | 164,994 | 184,622 | 120,053 | 95,102 | 98,398 |
| 1977 | 89,008 | 85,013 | 101,136 | 147,229 | 148,707 | 106,444 | 101,933 | 95,317 | 89,932 | 74,485 | 61,999 | 62,080 |
| 1978 | 60,420 | 61,575 | 75,543 | 91,355 | 134,599 | 168,315 | 107,300 | 154,627 | 118,017 | 445,622 | 240,779 | 85,486 |
| 1979 | 71,806 | 78,664 | 121,406 | 103,579 | 128,394 | 235,341 | 142,118 | 136,697 | 80,578 | 60,607 | 53,330 | 62,543 |
| 1980 | 67,160 | 62,311 | 75,471 | 75,331 | 102,078 | 77,657 | 68,958 | 281,384 | 245,093 | 127,441 | 73,919 | 72,510 |
| 1981 | 83,096 | 74,848 | 96,882 | 220,281 | 174,608 | 150,108 | 110,515 | 147,960 | 179,909 | 443,195 | 112,126 | 94,746 |
| 1982 | 93,576 | 91,846 | 98,486 | 102,927 | 152,460 | 135,910 | 108,229 | 83,599 | 73,987 | 60,019 | 55,632 | 62,109 |
| 1983 | 64,240 | 63,752 | 62,000 | 65,647 | 90,020 | 71,170 | 60,444 | 80,636 | 54,696 | 162,207 | 84,295 | 51,658 |
| 1984 | 71,795 | 65,832 | 70,138 | 73,716 | 85,155 | 127,691 | 112,178 | 122,723 | 103,037 | 114,561 | 65,828 | 73,753 |
| 1985 | 80,817 | 59,997 | 73,653 | 69,616 | 83,746 | 99,230 | 88,313 | 80,917 | 155,521 | 128,097 | 70,269 | 53,308 |
| 1986 | 63,429 | 59,928 | 76,810 | 70,322 | 128,185 | 170,631 | 151,349 | 149,990 | 215,841 | 499,780 | 146,111 | 155,102 |
| 1987 | 156,284 | 140,452 | 143,562 | 143,294 | 179,545 | 236,029 | 186,572 | 185,032 | 132,521 | 121,320 | 91,033 | 82,106 |
| 1988 | 79,165 | 76,343 | 87,264 | 99,944 | 114,589 | 94,284 | 212,892 | 167,090 | 278,705 | 101,198 | 80,012 | 77,635 |
| 1989 | 84,613 | 84,150 | 88,669 | 90,840 | 97,514 | 89,478 | 75,820 | 113,492 | 111,571 | 90,729 | 76,017 | 52,169 |
| 1990 | 70,810 | 71,819 | 84,714 | 87,094 | 125,922 | 82,381 | 237,328 | 409,204 | 350,926 | 338,661 | 129,731 | 88,227 |
| 1991 | 98,305 | 92,208 | 108,985 | 113,656 | 117,755 | 109,018 | 145,834 | 230,821 | 497,082 | 318,888 | 94,443 | 100,663 |
| 1992 | 145,135 | 182,132 | 144,066 | 135,629 | 217,972 | 213,410 | 194,327 | 119,361 | 102,339 | 91,789 | 72,315 | 84,386 |
| 1993 | 67,435 | 72,192 | 87,821 | 80,034 | 97,834 | 111,852 | 187,126 | 118,431 | 127,818 | 80,203 | 73,798 | 77,223 |
| 1994 | 83,071 | 67,994 | 80,523 | 72,772 | 104,279 | 87,619 | 88,168 | 71,032 | 74,270 | 63,971 | 62,796 | 68,159 |
| 1995 | 67,892 | 56,680 | 61,812 | 75,819 | 101,801 | 79,903 | 80,026 | 89,329 | 95,852 | 66,988 | 62,195 | 56,829 |
| 1996 | 55,280 | 55,444 | 54,797 | 60,455 | 77,853 | 82,278 | 69,082 | 101,372 | 194,441 | 83,591 | 61,439 | 60,434 |

HISTORICAL MEXICO MONTHLY RIO GRANDE INFLOWS INTO AMISTAD RESERVOIR
AS ASSIGNED AT ROM NODE 3

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1945 | 143,000 | 132,000 | 139,000 | 94,000 | 95,000 | 101,000 | 247,000 | 112,000 | 89,000 | 297,000 | 148,000 | 106,000 |
| 1946 | 105,000 | 108,000 | 108,000 | 116,000 | 94,000 | 67,000 | 125,000 | 93,000 | 325,000 | 235,000 | 134,000 | 125,000 |
| 1947 | 128,000 | 129,000 | 107,000 | 85,000 | 92,000 | 95,000 | 90,000 | 232,000 | 254,000 | 100,000 | 136,000 | 123,000 |
| 1948 | 106,000 | 111,000 | 118,000 | 80,000 | 82,000 | 123,000 | 147,000 | 102,000 | 137,000 | 112,000 | 122,000 | 109,000 |
| 1949 | 102,000 | 153,000 | 124,000 | 87,000 | 89,000 | 81,000 | 153,000 | 227,000 | 177,000 | 145,000 | 151,000 | 123,000 |
| 1950 | 126,000 | 131,000 | 130,000 | 98,000 | 96,000 | 124,000 | 200,000 | 156,000 | 180,000 | 144,000 | 125,000 | 116,000 |
| 1951 | 85,000 | 107,000 | 92,000 | 75,000 | 133,000 | 86,000 | 130,000 | 109,000 | 102,000 | 94,000 | 94,000 | 107,000 |
| 1952 | 76,000 | 78,000 | 77,000 | 76,000 | 93,000 | 117,000 | 248,000 | 105,000 | 107,000 | 98,000 | 99,000 | 102,000 |
| 1953 | 101,000 | 82,000 | 104,000 | 92,000 | 93,000 | 98,000 | 118,000 | 100,000 | 109,000 | 91,000 | 100,000 | 100,000 |
| 1954 | 17,390 | 16,551 | 14,764 | 70,432 | 45,584 | 99,035 | 236,329 | 122,108 | 67,878 | 44,157 | 23,250 | 21,872 |
| 1955 | 22,309 | 20,812 | 18,282 | 13,271 | 55,394 | 44,002 | 67,429 | 137,336 | 126,021 | 112,111 | 36,852 | 26,675 |
| 1956 | 25,889 | 23,731 | 20,463 | 14,986 | 17,946 | 20,610 | 14,865 | 28,622 | 31,319 | 55,076 | 25,670 | 24,000 |
| 1957 | 24,736 | 27,696 | 24,061 | 66,730 | 142,728 | 63,618 | 23,395 | 40,202 | 31,206 | 62,726 | 31,001 | 28,569 |
| 1958 | 23,940 | 22,878 | 20,651 | 12,641 | 20,969 | 23,527 | 15,297 | 29,713 | 372,761 | 838,948 | 121,126 | 57,495 |
| 1959 | 45,789 | 29,629 | 28,854 | 25,637 | 43,957 | 44,065 | 85,372 | 83,306 | 118,100 | 75,133 | 36,772 | 36,420 |
| 1960 | 48,657 | 63,913 | 53,837 | 31,339 | 22,238 | 32,120 | 129,271 | 138,806 | 125,662 | 80,427 | 54,580 | 64,615 |
| 1961 | 58,196 | 46,153 | 40,262 | 19,605 | 35,729 | 95,189 | 81,651 | 74,157 | 52,368 | 47,267 | 35,408 | 34,783 |
| 1962 | 33,890 | 29,220 | 27,332 | 22,269 | 23,263 | 36,660 | 55,335 | 30,233 | 83,620 | 94,028 | 40,701 | 38,931 |
| 1963 | 33,529 | 25,755 | 23,684 | 19,802 | 31,184 | 51,736 | 45,292 | 66,192 | 78,759 | 45,441 | 32,669 | 33,774 |
| 1964 | 31,819 | 27,405 | 31,982 | 42,084 | 31,161 | 67,232 | 34,790 | 55,504 | 229,645 | 52,529 | 36,964 | 34,804 |
| 1965 | 34,962 | 35,577 | 31,635 | 21,932 | 40,716 | 90,784 | 22,906 | 39,714 | 61,798 | 42,215 | 36,124 | 32,141 |
| 1966 | 29,563 | 24,308 | 24,469 | 28,101 | 27,908 | 57,307 | 55,388 | 132,447 | 431,243 | 110,927 | 44,308 | 36,510 |
| 1967 | 36,690 | 28,670 | 30,543 | 22,954 | 23,163 | 44,749 | 90,038 | 67,081 | 107,022 | 69,327 | 45,904 | 39,232 |
| 1968 | 34,377 | 20,830 | 20,146 | 25,712 | 31,187 | 21,142 | 83,759 | 90,739 | 292,200 | 139,723 | 83,816 | 32,506 |
| 1969 | 85,209 | 80,154 | 84,419 | 82,467 | 46,984 | 50,851 | 58,830 | 35,350 | 52,029 | 61,180 | 35,225 | 32,385 |
| 1970 | 29,729 | 29,280 | 27,597 | 18,748 | 28,634 | 47,680 | 47,475 | 44,817 | 111,656 | 120,358 | 67,719 | 46,692 |
| 1971 | 33,484 | 38,445 | 30,716 | 28,061 | 29,026 | 52,730 | 52,470 | 181,580 | 85,533 | 98,933 | 21,006 | 41,014 |
| 1972 | 63,187 | 35,598 | 42,476 | 40,524 | 47,942 | 68,874 | 63,929 | 112,324 | 194,565 | 75,961 | 30,647 | 26,776 |

HISTORICAL MEXICO MONTHLY RIO GRANDE INFLOWS INTO AMISTAD RESERVOIR, CONT'D.
AS ASSIGNED AT ROM NODE 3

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1973 | 25,789 | 27,363 | 25,781 | 18,269 | 29,477 | 38,917 | 92,508 | 152,806 | 166,534 | 56,001 | 25,263 | 21,199 |
| 1974 | 28,270 | 22,809 | 51,064 | 65,280 | 93,690 | 72,342 | 36,392 | 70,322 | 345,406 | 297,838 | 80,137 | 47,920 |
| 1975 | 39,053 | 67,640 | 152,322 | 95,620 | 50,347 | 38,996 | 82,148 | 70,278 | 54,822 | 34,986 | 30,274 | 32,118 |
| 1976 | 31,054 | 26,043 | 26,135 | 33,893 | 43,999 | 58,258 | 209,414 | 126,796 | 93,956 | 54,289 | 30,968 | 39,162 |
| 1977 | 33,941 | 29,435 | 56,352 | 81,031 | 83,134 | 49,961 | 45,395 | 54,238 | 39,298 | 28,899 | 25,077 | 24,135 |
| 1978 | 22,719 | 24,852 | 27,504 | 50,868 | 93,956 | 79,482 | 59,410 | 135,160 | 196,318 | 549,428 | 227,771 | 49,748 |
| 1979 | 45,558 | 47,475 | 83,573 | 82,227 | 92,494 | 182,466 | 96,608 | 124,367 | 44,682 | 27,348 | 25,017 | 26,387 |
| 1980 | 31,670 | 27,459 | 38,983 | 42,772 | 72,049 | 34,680 | 28,340 | 234,986 | 127,781 | 99,558 | 39,131 | 39,694 |
| 1981 | 52,936 | 61,796 | 85,932 | 139,227 | 76,729 | 82,394 | 58,659 | 111,812 | 212,626 | 214,082 | 79,190 | 63,047 |
| 1982 | 46,492 | 52,387 | 55,228 | 73,876 | 108,660 | 91,900 | 59,594 | 45,538 | 44,351 | 32,322 | 28,943 | 25,058 |
| 1983 | 26,633 | 28,357 | 29,212 | 26,353 | 63,540 | 38,608 | 27,203 | 58,365 | 37,393 | 80,429 | 54,508 | 26,871 |
| 1984 | 38,405 | 39,992 | 34,140 | 30,578 | 44,382 | 105,591 | 91,301 | 132,843 | 79,074 | 92,897 | 39,830 | 46,288 |
| 1985 | 44,361 | 38,288 | 42,656 | 39,042 | 57,737 | 51,125 | 47,111 | 53,823 | 115,025 | 109,010 | 50,043 | 34,158 |
| 1986 | 37,309 | 35,791 | 46,058 | 38,600 | 51,933 | 115,227 | 118,409 | 110,897 | 246,970 | 200,219 | 96,427 | 110,622 |
| 1987 | 104,036 | 84,667 | 112,280 | 100,241 | 131,421 | 169,964 | 122,162 | 129,300 | 84,640 | 82,205 | 43,218 | 39,839 |
| 1988 | 39,143 | 35,653 | 38,000 | 47,346 | 66,499 | 68,397 | 121,618 | 146,122 | 201,853 | 66,692 | 53,970 | 44,571 |
| 1989 | 45,068 | 42,725 | 43,500 | 35,329 | 50,394 | 41,753 | 36,386 | 72,419 | 82,548 | 68,873 | 41,090 | 28,986 |
| 1990 | 31,532 | 41,127 | 48,500 | 45,920 | 49,205 | 31,075 | 106,713 | 434,169 | 280,507 | 499,003 | 119,755 | 41,162 |
| 1991 | 55,727 | 54,954 | 65,690 | 74,159 | 70,030 | 64,513 | 115,050 | 286,483 | 681,512 | 322,515 | 43,267 | 58,690 |
| 1992 | 158,556 | 165,946 | 91,560 | 82,462 | 164,866 | 239,963 | 122,761 | 81,921 | 53,835 | 44,256 | 41,577 | 35,382 |
| 1993 | 47,753 | 31,236 | 36,274 | 33,152 | 46,992 | 93,704 | 215,840 | 69,832 | 78,181 | 47,182 | 43,768 | 44,672 |
| 1994 | 50,832 | 36,937 | 44,798 | 40,202 | 86,549 | 41,047 | 40,014 | 29,349 | 31,169 | 28,947 | 28,074 | 30,895 |
| 1995 | 28,687 | 21,287 | 23,319 | 26,625 | 38,768 | 29,252 | 37,006 | 49,855 | 43,976 | 35,154 | 30,206 | 23,756 |
| 1996 | 23,037 | 22,888 | 20,943 | 19,311 | 17,171 | 26,255 | 34,280 | 60,233 | 88,867 | 79,094 | 25,897 | 23,601 |

HISTORICAL UNITED STATES MONTHLY RIO GRANDE INFLOWS BETWEEN AMISTAD AND FALCON RESERVOIRS
AS ASSIGNED AT ROM NODE 5

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1945 | 20,000 | 15,000 | 19,000 | 65,000 | 14,000 | 2,000 | 0 | 10,000 | 0 | 124,000 | 9,000 | 7,000 |
| 1946 | 7,000 | 7,000 | 2,000 | 32,000 | 177,000 | 69,000 | 37,000 | 41,000 | 33,000 | 72,000 | 18,000 | 11,000 |
| 1947 | 14,000 | 13,000 | 10,000 | 7,000 | 57,000 | 133,000 | 19,000 | 108,000 | 33,000 | 17,000 | 9,000 | 6,000 |
| 1948 | 6,000 | 6,000 | 9,000 | 1,000 | 18,000 | 164,000 | 101,000 | 22,000 | 177,000 | 61,000 | 16,000 | 14,000 |
| 1949 | 10,000 | 76,000 | 37,000 | 283,000 | 70,000 | 83,000 | 4,000 | 73,000 | 52,000 | 47,000 | 26,000 | 22,000 |
| 1950 | 17,000 | 12,000 | 11,000 | 17,000 | 91,000 | 61,000 | 0 | 10,000 | 8,000 | 20,000 | 1,000 | 0 |
| 1951 | 2,000 | 0 | 4,000 | 5,000 | 87,000 | 59,000 | 0 | 10,000 | 163,000 | 27,000 | 9,000 | 5,000 |
| 1952 | 6,000 | 0 | 0 | 1,000 | 41,000 | 17,000 | 1,000 | 1,000 | 24,000 | 1,000 | 0 | 0 |
| 1953 | 0 | 0 | 0 | 0 | 1,000 | 0 | 0 | 97,000 | 223,000 | 59,000 | 0 | 0 |
| 1954 | 120 | 17,036 | 8,816 | 23,722 | 95,001 | 0 | 92,915 | 37,806 | 54,483 | 63,480 | 20,581 | 2,442 |
| 1955 | 27,719 | 36,136 | 41,745 | 42,016 | 44,340 | 38,884 | 35,364 | 71,120 | 76,243 | 30,353 | 30,308 | 18,476 |
| 1956 | 24,027 | 22,890 | 22,304 | 22,667 | 33,004 | 8,166 | 28,351 | 12,254 | 45,630 | 26,178 | 9,088 | 13,505 |
| 1957 | 666 | 6,848 | 29,984 | 142,237 | 264,991 | 137,469 | 55,042 | 57,381 | 102,026 | 51,840 | 33,630 | 32,487 |
| 1958 | 83,612 | 44,490 | 43,508 | 54,526 | 165,740 | 128,223 | 83,150 | 67,382 | 143,882 | 413,093 | 245,106 | 119,285 |
| 1959 | 67,446 | 75,360 | 65,020 | 59,620 | 55,930 | 109,521 | 71,734 | 48,999 | 57,361 | 37,185 | 33,655 | 25,232 |
| 1960 | 19,768 | 36,185 | 42,607 | 52,326 | 57,286 | 52,010 | 56,436 | 47,524 | 61,801 | 113,260 | 36,126 | 20,456 |
| 1961 | 24,492 | 36,355 | 55,070 | 70,773 | 63,554 | 167,818 | 93,676 | 66,355 | 86,250 | 50,534 | 36,089 | 20,489 |
| 1962 | 25,220 | 43,950 | 42,641 | 88,637 | 45,422 | 49,322 | 37,995 | 49,533 | 69,781 | 32,091 | 30,000 | 12,698 |
| 1963 | 12,919 | 20,308 | 30,999 | 48,488 | 86,717 | 96,671 | 41,856 | 31,699 | 50,143 | 55,549 | 18,178 | 8,899 |
| 1964 | 8,227 | 20,520 | 28,305 | 19,004 | 42,062 | 29,108 | 33,132 | 64,686 | 265,141 | 140,329 | 38,818 | 20,412 |
| 1965 | 32,411 | 31,768 | 44,802 | 51,659 | 159,441 | 60,866 | 66,561 | 56,049 | 54,302 | 36,222 | 34,971 | 27,586 |
| 1966 | 14,454 | 22,264 | 30,980 | 77,746 | 214,078 | 48,993 | 50,045 | 47,479 | 96,837 | 32,833 | 29,631 | 23,946 |
| 1967 | 30,020 | 27,311 | 53,604 | 78,908 | 48,490 | 49,296 | 57,694 | 120,387 | 427,295 | 80,031 | 41,238 | 22,187 |
| 1968 | 26,307 | 33,630 | 44,122 | 56,440 | 73,556 | 58,875 | 61,234 | 43,391 | 94,012 | 49,042 | 13,828 | 15,664 |
| 1969 | 5,789 | 10,559 | 5,162 | 49,017 | 48,003 | 12,375 | 0 | 52,548 | 39,826 | 78,384 | 22,435 | 22,578 |
| 1970 | 18,045 | 0 | 34,368 | 16,673 | 18,877 | 20,269 | 28,017 | 15,646 | 69,273 | 48,326 | 13,009 | 14,617 |
| 1971 | 0 | 576 | 21,342 | 16,018 | 0 | 271,318 | 312,041 | 248,103 | 573,395 | 575,018 | 113,862 | 69,344 |
| 1972 | 61,254 | 44,969 | 36,899 | 41,065 | 94,037 | 52,021 | 24,181 | 62,881 | 72,089 | 36,880 | 16,987 | 26,349 |

HISTORICAL UNITED STATES MONTHLY RIO GRANDE INFLOWS BETWEEN AMISTAD AND FALCON RESERVOIRS, CONT'D.
AS ASSIGNED AT ROM NODE 5

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| 1973 | 30,905 | 47,598 | 37,312 | 21,719 | 24,901 | 148,819 | 67,508 | 33,623 | 109,434 | 124,198 | 40,856 | 20,955 |
| 1974 | 26,575 | 11,647 | 48,845 | 22,314 | 21,661 | 21,798 | 11,801 | 24,445 | 0 | 51,818 | 15,978 | 30,923 |
| 1975 | 24,878 | 17,755 | 14,770 | 13,543 | 115,397 | 68,352 | 201,670 | 76,265 | 82,873 | 22,632 | 29,707 | 21,834 |
| 1976 | 16,454 | 11,975 | 30,678 | 34,540 | 55,709 | 25,411 | 359,476 | 115,155 | 134,023 | 95,134 | 96,819 | 86,810 |
| 1977 | 53,404 | 54,556 | 41,583 | 22,609 | 86,065 | 44,932 | 31,825 | 20,654 | 17,762 | 55,146 | 16,643 | 19,103 |
| 1978 | 19,140 | 19,949 | 8,399 | 28,187 | 19,673 | 57,260 | 6,580 | 52,531 | 126,670 | 47,404 | 98,407 | 71,824 |
| 1979 | 49,334 | 42,905 | 21,934 | 90,334 | 22,395 | 167,177 | 75,880 | 23,690 | 43,476 | 11,487 | 4,910 | 11,114 |
| 1980 | 11,983 | 14,518 | 0 | 26,503 | 71,293 | 6,934 | 12,155 | 159,815 | 27,787 | 33,057 | 24,209 | 20,984 |
| 1981 | 26,295 | 25,960 | 30,930 | 166,158 | 289,492 | 199,381 | 121,898 | 34,733 | 9,759 | 47,777 | 22,080 | 20,166 |
| 1982 | 9,489 | 32,572 | 26,535 | 34,189 | 93,272 | 28,362 | 19,944 | 0 | 38,836 | 18,059 | 15,529 | 23,363 |
| 1983 | 20,840 | 31,006 | 24,576 | 32,158 | 32,078 | 29,165 | 19,884 | 14,393 | 37,266 | 57,406 | 33,260 | 10,875 |
| 1984 | 35,650 | 18,978 | 8,161 | 31,527 | 32,981 | 6,317 | 0 | 0 | 16,755 | 65,476 | 12,632 | 5,665 |
| 1985 | 19,161 | 21,194 | 18,312 | 39,286 | 71,939 | 63,669 | 41,702 | 5,797 | 17,189 | 91,810 | 26,710 | 7,493 |
| 1986 | 15,834 | 2,132 | 0 | 0 | 30,473 | 120,162 | 26,243 | 12,285 | 67,776 | 54,315 | 22,767 | 25,262 |
| 1987 | 21,540 | 34,500 | 21,548 | 39,399 | 68,855 | 182,132 | 55,017 | 54,281 | 65,639 | 34,741 | 29,598 | 23,644 |
| 1988 | 20,628 | 28,825 | 23,820 | 25,371 | 27,614 | 36,659 | 29,221 | 31,023 | 126,924 | 112,110 | 55,598 | 22,180 |
| 1989 | 29,811 | 25,920 | 23,516 | 34,875 | 45,249 | 34,662 | 8,975 | 18,321 | 23,890 | 19,335 | 3,198 | 10,502 |
| 1990 | 5,050 | 40,402 | 21,258 | 49,495 | 42,125 | 21,899 | 94,819 | 50,854 | 37,435 | 12,530 | 31,079 | 11,623 |
| 1991 | 29,965 | 27,328 | 15,154 | 29,803 | 54,953 | 41,735 | 11,485 | 0 | 24,682 | 0 | 27,828 | 45,800 |
| 1992 | 35,804 | 35,357 | 11,232 | 46,393 | 72,989 | 80,871 | 69,496 | 53,437 | 41,465 | 21,961 | 22,773 | 25,626 |
| 1993 | 27,011 | 20,357 | 29,487 | 21,487 | 17,471 | 61,463 | 9,805 | 12,271 | 27,953 | 3,339 | 9,876 | 9,603 |
| 1994 | 23,445 | 15,648 | 16,847 | 27,793 | 48,520 | 53,964 | 28,394 | 11,543 | 32,073 | 10,878 | 8,365 | 17,730 |
| 1995 | 7,832 | 7,386 | 2,433 | 0 | 57,403 | 8,711 | 1,299 | 3,501 | 73,473 | 17,386 | 33,696 | 5,718 |
| 1996 | 7,807 | 10,255 | 4,586 | 0 | 5,213 | 10,551 | 18,724 | 30,928 | 82,151 | 36,792 | 12,953 | 7,713 |

HISTORICAL MEXICO MONTHLY RIO GRANDE INFLOWS BETWEEN AMISTAD AND FALCON RESERVOIRS
AS ASSIGNED AT ROM NODE 8

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|--------|---------|--------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|
| 1945 | 24,000 | 18,000 | 17,000 | 0 | 21,000 | 11,000 | 17,000 | 1,000 | 24,000 | 106,000 | 19,000 | 20,000 |
| 1946 | 17,000 | 8,000 | 11,000 | 26,000 | 0 | 175,000 | 51,000 | 43,000 | 81,000 | 55,000 | 28,000 | 26,000 |
| 1947 | 20,000 | 11,000 | 12,000 | 8,000 | 34,000 | 0 | 7,000 | 177,000 | 62,000 | 10,000 | 15,000 | 15,000 |
| 1948 | 11,000 | 8,000 | 20,000 | 13,000 | 9,000 | 0 | 47,000 | 12,000 | 501,000 | 34,000 | 29,000 | 18,000 |
| 1949 | 15,000 | 26,000 | 41,000 | 0 | 104,000 | 0 | 45,000 | 114,000 | 43,000 | 23,000 | 16,000 | 15,000 |
| 1950 | 16,000 | 10,000 | 8,000 | 0 | 0 | 0 | 24,000 | 7,000 | 42,000 | 0 | 11,000 | 10,000 |
| 1951 | 14,000 | 8,000 | 11,000 | 27,000 | 55,000 | 77,000 | 25,000 | 11,000 | 8,000 | 75,000 | 8,000 | 7,000 |
| 1952 | 6,000 | 10,000 | 7,000 | 9,000 | 16,000 | 0 | 6,000 | 1,000 | 0 | 2,000 | 3,000 | 4,000 |
| 1953 | 6,000 | 5,000 | 11,000 | 22,000 | 7,000 | 1,000 | 9,000 | 566,000 | 215,000 | 118,000 | 26,000 | 17,000 |
| 1954 | 12,996 | 24,383 | 19,969 | 38,335 | 135,435 | 0 | 73,957 | 25,816 | 47,928 | 62,864 | 21,169 | 11,213 |
| 1955 | 20,735 | 28,170 | 30,598 | 32,995 | 38,570 | 28,463 | 29,715 | 75,716 | 139,724 | 27,584 | 27,606 | 14,898 |
| 1956 | 19,998 | 19,693 | 20,084 | 21,419 | 33,621 | 5,065 | 23,713 | 5,098 | 57,211 | 20,529 | 9,193 | 11,850 |
| 1957 | 0 | 3,975 | 24,791 | 135,428 | 318,218 | 131,583 | 29,282 | 30,220 | 82,680 | 39,922 | 22,987 | 19,986 |
| 1958 | 73,996 | 33,020 | 27,773 | 33,207 | 145,772 | 91,583 | 55,378 | 32,749 | 336,015 | 1,638,061 | 388,384 | 190,640 |
| 1959 | 93,710 | 100,837 | 68,993 | 52,452 | 47,348 | 85,690 | 63,652 | 39,231 | 47,557 | 36,344 | 29,378 | 19,097 |
| 1960 | 12,268 | 25,383 | 27,317 | 38,143 | 41,857 | 29,855 | 34,518 | 38,158 | 57,197 | 117,814 | 34,219 | 17,257 |
| 1961 | 22,094 | 32,656 | 40,836 | 55,942 | 51,089 | 234,049 | 96,564 | 63,673 | 89,339 | 52,439 | 33,238 | 15,037 |
| 1962 | 17,511 | 32,550 | 27,938 | 77,524 | 26,352 | 33,861 | 13,859 | 32,436 | 73,549 | 29,645 | 23,825 | 7,515 |
| 1963 | 8,665 | 15,397 | 21,083 | 37,211 | 79,242 | 87,221 | 27,846 | 13,268 | 61,536 | 58,505 | 13,566 | 6,778 |
| 1964 | 4,480 | 18,531 | 24,363 | 14,991 | 36,415 | 16,596 | 17,723 | 66,218 | 274,377 | 164,696 | 37,144 | 17,348 |
| 1965 | 25,659 | 23,601 | 32,150 | 35,906 | 162,425 | 45,839 | 36,084 | 35,512 | 38,605 | 23,820 | 26,472 | 21,293 |
| 1966 | 7,562 | 15,756 | 20,125 | 67,321 | 239,170 | 37,546 | 30,526 | 36,275 | 90,076 | 21,451 | 16,746 | 11,099 |
| 1967 | 20,206 | 17,107 | 38,531 | 63,707 | 23,793 | 29,587 | 37,466 | 123,841 | 599,489 | 103,929 | 48,558 | 22,045 |
| 1968 | 27,382 | 30,907 | 39,149 | 49,318 | 63,523 | 49,933 | 72,895 | 45,158 | 106,076 | 57,125 | 14,265 | 19,061 |
| 1969 | 7,463 | 12,749 | 6,707 | 48,940 | 58,291 | 14,705 | 0 | 61,047 | 44,360 | 83,431 | 22,934 | 22,132 |
| 1970 | 15,122 | 0 | 31,513 | 10,956 | 8,590 | 4,552 | 15,650 | 13,371 | 86,786 | 63,622 | 16,034 | 17,022 |
| 1971 | 0 | 926 | 19,747 | 10,471 | 0 | 326,517 | 464,146 | 313,217 | 861,701 | 788,216 | 202,357 | 113,974 |
| 1972 | 52,444 | 58,559 | 44,777 | 47,119 | 105,531 | 63,846 | 31,101 | 78,548 | 87,772 | 50,583 | 22,877 | 27,335 |

HISTORICAL MEXICO MONTHLY RIO GRANDE INFLOWS BETWEEN AMISTAD AND FALCON RESERVOIRS, CONT'D.
AS ASSIGNED AT ROM NODE 8

(Acre-Feet)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1973 | 29,847 | 48,711 | 36,021 | 21,673 | 25,964 | 166,431 | 10,192 | 32,730 | 118,885 | 172,487 | 51,931 | 26,048 |
| 1974 | 28,295 | 13,213 | 49,656 | 19,315 | 18,767 | 23,691 | 4,848 | 23,330 | 0 | 65,290 | 24,321 | 34,956 |
| 1975 | 25,382 | 16,856 | 13,035 | 14,549 | 119,189 | 70,655 | 325,522 | 100,315 | 117,641 | 40,012 | 41,754 | 28,634 |
| 1976 | 21,040 | 17,091 | 31,731 | 37,731 | 66,432 | 26,177 | 613,827 | 232,922 | 204,504 | 146,887 | 153,781 | 141,088 |
| 1977 | 82,341 | 78,369 | 49,815 | 29,152 | 98,027 | 49,766 | 36,403 | 21,094 | 17,272 | 61,562 | 14,856 | 16,218 |
| 1978 | 15,038 | 16,421 | 5,549 | 22,041 | 11,956 | 64,016 | 15,852 | 68,719 | 192,724 | 109,521 | 167,112 | 112,332 |
| 1979 | 78,260 | 54,649 | 27,705 | 97,091 | 24,548 | 221,257 | 89,746 | 26,591 | 46,059 | 8,989 | 3,176 | 10,577 |
| 1980 | 11,215 | 14,203 | 0 | 24,294 | 76,365 | 3,405 | 7,968 | 234,132 | 44,963 | 54,945 | 39,663 | 33,382 |
| 1981 | 34,142 | 34,949 | 37,041 | 253,568 | 438,750 | 297,231 | 170,120 | 43,826 | 15,091 | 56,896 | 26,872 | 21,934 |
| 1982 | 6,954 | 29,023 | 27,603 | 36,133 | 105,173 | 27,068 | 16,728 | 0 | 38,369 | 17,207 | 13,939 | 20,643 |
| 1983 | 17,595 | 31,829 | 28,355 | 30,870 | 26,985 | 19,462 | 6,041 | 4,528 | 27,747 | 51,699 | 38,010 | 8,170 |
| 1984 | 29,926 | 12,813 | 3,946 | 24,218 | 55,034 | 12,610 | 0 | 0 | 22,287 | 71,668 | 8,118 | 2,867 |
| 1985 | 19,931 | 20,762 | 18,517 | 49,636 | 76,989 | 71,436 | 47,557 | 6,934 | 17,243 | 104,559 | 26,962 | 3,276 |
| 1986 | 14,080 | 0 | 0 | 0 | 23,904 | 155,485 | 34,114 | 16,766 | 124,050 | 89,078 | 43,226 | 39,426 |
| 1987 | 32,161 | 44,593 | 30,263 | 41,181 | 31,687 | 190,066 | 97,968 | 72,925 | 90,496 | 48,307 | 38,803 | 30,040 |
| 1988 | 24,985 | 30,643 | 21,676 | 23,952 | 27,909 | 46,658 | 30,118 | 43,196 | 277,506 | 182,655 | 90,303 | 32,170 |
| 1989 | 35,881 | 30,167 | 25,595 | 31,318 | 50,654 | 25,956 | 9,952 | 18,517 | 26,016 | 19,763 | 2,131 | 9,074 |
| 1990 | 0 | 32,965 | 16,719 | 53,902 | 37,287 | 15,060 | 114,041 | 57,849 | 65,956 | 45,551 | 42,909 | 15,902 |
| 1991 | 31,390 | 23,863 | 9,409 | 25,304 | 53,173 | 39,924 | 7,660 | 0 | 40,150 | 7,379 | 34,116 | 50,381 |
| 1992 | 39,062 | 39,748 | 13,890 | 49,775 | 85,743 | 94,973 | 104,991 | 67,637 | 52,173 | 25,106 | 23,703 | 26,809 |
| 1993 | 23,361 | 15,343 | 25,194 | 17,303 | 12,163 | 72,790 | 6,816 | 10,590 | 29,366 | 2,384 | 7,627 | 7,186 |
| 1994 | 21,670 | 13,312 | 14,748 | 21,721 | 43,575 | 47,246 | 27,416 | 8,770 | 32,969 | 6,979 | 4,198 | 12,977 |
| 1995 | 3,906 | 3,825 | 0 | 0 | 58,914 | 10,260 | 3,913 | 5,330 | 98,882 | 18,370 | 33,717 | 3,724 |
| 1996 | 6,958 | 9,093 | 4,786 | 0 | 12,781 | 20,695 | 27,018 | 40,713 | 88,400 | 33,031 | 11,824 | 4,555 |

APPENDIX 2

**AMISTAD-FALCON ROM SAMPLE OUTPUT LISTING
FROM 1995-1998 SIMULATION**

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERATING RULES
 R. J. BRANDES COMPANY SEPT. 1997

DATE: 2-14-1998

FILE: USMX96G2

ECHO PRINT OF INPUT DATA FILE PARAMETERS WITHOUT FLOW, DEMAND, OR EVAPORATION DATA

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

TEST ROM SIMULATION WITH ACTUAL MONTHLY DEMANDS AND AMISTAD RESERVOIR RELEASES

| | | |
|---------------|---|---------|
| CARD 01 | NJ - NUMBER OF NODES IN THE MODEL NETWORK | 8 |
| CARD 02 | NRES - NUMBER OF RESERVOIRS IN THE MODEL NETWORK | 4 |
| CARD 03 | NL - NUMBER OF LINKS BETWEEN NODES IN THE MODEL NETWORK | 8 |
| CARD 04 | NR - NUMBER OF LINKS THAT ARE RIVER REACHES | 8 |
| CARD 05 | NYEAR - TOTAL NUMBER OF YEARS IN SIMULATION PERIOD | 04 |
| CARD 06 | ND - NUMBER OF DEMAND NODES IN THE MODEL NETWORK | 8 |
| CARD 07 | NS - NUMBER OF SPILL RESERVOIRS IN THE MODEL NETWORK | 2 |
| CARD 08 | IYEAR - BEGINNING CALENDAR YEAR OF SIMULATION PERIOD | 1995 |
| CARD 09 | IFRM - BEGINNING ORDINAL YEAR OF DETAILED PRINTOUT | 1 |
| CARD 10 | ITDY - ENDING ORDINAL YEAR OF DETAILED PRINTOUT | 04 |
| CARD 11 | INPUT DATA SOURCE ("CARD" OR "TAPE") | CARD |
| CARD 12 | FIRM ANNUAL YIELD ITERATION CONVERGENCE LIMIT | 0.040 |
| CARD 13 | IPLT=0, DO NOT SAVE; =NODE, SAVE RES. OPER; =5, SAVE ACCOUNT | 1 |
| CARD 14 | IYSTR - BEGINNING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | 1948 |
| CARD 15 | IYEND - ENDING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | 1972 |
| CARD 16 | IFLYLD=0, NO FAY; IFLYLD =1, DETERMINE FAY FOR CRITICAL PERIOD | 0 |
| CARD 17 | MAXMWR - TOTAL DOMESTIC-MUNICIPAL-INDUSTRIAL WATER RIGHTS | 271579 |
| CARD 18 | MXLIWR - TOTAL IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | 1696228 |
| CARD 19 | MLIAWR - TOTAL CLASS A IIRRI WATER RIGHTS ON LOWER RIO GRANDE | 1500719 |
| CARD 20 | MLIBWR - TOTAL CLASS B IIRRI WATER RIGHTS ON LOWER RIO GRANDE | 195509 |
| CARD 21 | MXMIWR - TOTAL IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | 181530 |
| CARD 22 | MMIAWR - TOTAL CLASS A IIRRI WATER RIGHTS ON MIDDLE RIO GRANDE | 162803 |
| CARD 23 | MMIBWR - TOTAL CLASS B IIRRI WATER RIGHTS ON MIDDLE RIO GRANDE | 18727 |
| CARD 24 | MAXMPL - MAX. U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE POOL | 225000 |
| CARD 25 | IRSTRT - STARTING TOTAL IRRIGATION & MINING ACCOUNT BALANCE | 1747743 |
| CARD 26 | NUMWR - NUMBER OF WATER RIGHTS OWNERS INCLUDED IN ACCOUNTING | 3 |
| CARD 27 | IRLFLG=0, READ ALL MONTHLY RELEASES; =1, READ AVG. MON RELEASES | 0 |
| CARD 28 | IWRFLG=0, READ ALL MONTHLY DEMANDS; =1, READ AVG. MON DEMANDS | 0 |
| U.S. AMISTAD | 1 1827241 1771041 1771 1205614 | |
| U.S. FALCON | 2 1613729 1555129 1555 937652 | |
| MEX AMISTAD | 3 1424078 1380278 1380 420666 | |
| MEX FALCON | 4 1140074 1098674 1099 320826 | |
| U.S.MRG MUNI | 5 0 0 0 | |
| U.S.MRG IIRRI | 6 0 0 0 | |
| U.S.LRG IIRRI | 7 0 0 0 | |
| MEX MRG M&IR | 8 0 0 0 | |
| SPILL RESR | 2 4 | |
| AMISTAD | 1 1 930.0 0 0 | |
| AMISTAD | 1 2 945.0 5 1 | |
| AMISTAD | 1 3 946.5 87 294 | |
| AMISTAD | 1 4 948.2 180 823 | |
| AMISTAD | 1 5 949.1 237 1180 | |
| AMISTAD | 1 6 950.1 297 1684 | |
| AMISTAD | 1 7 951.4 376 2782 | |
| AMISTAD | 1 8 961.3 1045 13873 | |
| AMISTAD | 1 9 971.1 1843 33110 | |
| AMISTAD | 1 10 981.0 2770 59404 | |
| AMISTAD | 1 11 990.8 3823 93556 | |

| | | | | | | | | | | | | | | |
|---------------------------|----------|---------------|----------|---------------|----------|-------|-------|-------|------|------|------|------|------|--|
| MUN ADJ NO | 0808-001 | CL A ADJ NO | 0808-005 | CL B ADJ NO | 0573-001 | | | | | | | | | |
| MUN ANN AUTH | 6140 | CL A ANN AUTH | 147775 | CL B ANN AUTH | 470 | | | | | | | | | |
| IRRIG ACCT START BALANCES | | CL A BALANCE | 150104 | CL B BALANCE | 14 | | | | | | | | | |
| MUNICIPAL | 3 1995 | 0 | 0 | 3 | 100 | 56 | 90 | 181 | 120 | 0 | 0 | 1377 | 1843 | |
| MUNICIPAL | 3 1996 | 0 | 0 | 941 | 507 | 733 | 724 | 556 | 426 | 241 | 242 | 803 | 967 | |
| MUNICIPAL | 3 1997 | 0 | 0 | 3 | 100 | 56 | 90 | 181 | 120 | 0 | 0 | 1377 | 1843 | |
| MUNICIPAL | 3 1998 | 0 | 0 | 3 | 100 | 56 | 90 | 181 | 120 | 0 | 0 | 1377 | 1843 | |
| CLASS A IRR | 3 1995 | 2663 | 8039 | 8845 | 10112 | 17240 | 7093 | 11385 | 4441 | 5227 | 4099 | 97 | 0 | |
| CLASS A IRR | 3 1996 | 3998 | 7202 | 9636 | 9490 | 13280 | 14946 | 7571 | 0 | 2405 | 2132 | 3234 | 2293 | |
| CLASS A IRR | 3 1997 | 2663 | 8039 | 8845 | 10112 | 17240 | 7093 | 11385 | 4441 | 5227 | 4099 | 97 | 0 | |
| CLASS A IRR | 3 1998 | 2663 | 8039 | 8845 | 10112 | 17240 | 7093 | 11385 | 4441 | 5227 | 4099 | 97 | 0 | |
| CLASS B IRR | 3 1995 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | |
| CLASS B IRR | 3 1996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CLASS B IRR | 3 1997 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | |
| CLASS B IRR | 3 1998 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | |

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERATING RULES
 R. J. BRANDES COMPANY SEPT. 1997

DATE: 2-14-1998
 TIME: 16: 6:30
 FILE: USMX96G2

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS
 TEST ROM SIMULATION WITH ACTUAL MONTHLY DEMANDS AND AMISTAD RESERVOIR RELEASES

NUMBER OF NODES = 8 NUMBER OF RESERVOIRS = 4
 NUMBER OF LINKS = 8 NUMBER OF RIVER REACHES = 8
 CALENDAR YEAR OPERATION STARTS = 1995 NUMBER OF YEARS TO SIMULATE = 4
 NUMBER OF DEMAND NODES = 8 NUMBER OF SPILL NODES = 2
 NUMBER OF INDIVIDUAL WATER RIGHTS = 3

SYSTEM NODE CHARACTERISTICS

| NODE NO. | NODE NAME | ----- CAPACITIES ----- | | | | YEARLY DEMAND (AC-FT) |
|----------|--------------|------------------------|-----------------|-----------------|------------------|-----------------------|
| | | FLOOD (AC-FT) | CONSERV (AC-FT) | MINIMUM (AC-FT) | STARTING (AC-FT) | |
| 1 | U.S. AMISTAD | 1827241 | 1771041 | 1771 | 1205614 | 0 |
| 2 | U.S. FALCON | 1613729 | 1555129 | 1555 | 937652 | 0 |
| 3 | MEX AMISTAD | 1424078 | 1380278 | 1380 | 420666 | 0 |
| 4 | MEX FALCON | 1140074 | 1098674 | 1099 | 320826 | 0 |
| 5 | U.S.MRG MUNI | 0 | 0 | 0 | 0 | 0 |
| 6 | U.S.MRG IRR1 | 0 | 0 | 0 | 0 | 0 |
| 7 | U.S.LRG IRR1 | 0 | 0 | 0 | 0 | 0 |
| 8 | MEX MRG M&IR | 0 | 0 | 0 | 0 | 0 |

NOTE: FLOOD POOL IS AVAILABLE FOR CONSERVATION STORAGE DURING NOVEMBER-APRIL NON-HURRICANE SEASON

SYSTEM LINK CONFIGURATION

| LINK NO. | FROM NODE | TO NODE | MAX. CAPACITY (AC-FT/MON) | MIN. CAPACITY (AC-FT/MON) |
|----------|-----------|---------|---------------------------|---------------------------|
| 1 | 1 | 5 | 9000000 | 0 |
| 2 | 5 | 6 | 9000000 | 0 |
| 3 | 6 | 2 | 9000000 | 0 |
| 4 | 2 | 7 | 9000000 | 0 |
| 5 | 3 | 8 | 9000000 | 0 |
| 6 | 8 | 4 | 9000000 | 0 |
| 7 | 1 | 2 | 9000000 | 0 |
| 8 | 3 | 4 | 9000000 | 0 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

MINIMUM MONTHLY U. S. OPERATIONAL RELEASES FROM AMISTAD RESERVOIR (AC-FT)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|
| 1995 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 |
| 1996 | 65689 | 54830 | 57313 | 89764 | 154787 | 147757 | 63930 | 64243 | 60874 | 60473 | 61433 | 68800 |
| 1997 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 |
| 1998 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 |

MINIMUM MONTHLY MEXICO OPERATIONAL RELEASES FROM AMISTAD RESERVOIR (AC-FT)

| YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| 1995 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 |
| 1996 | 14911 | 10155 | 11408 | 13681 | 14033 | 11206 | 11605 | 11731 | 11288 | 11433 | 11727 | 12102 |
| 1997 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 |
| 1998 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

STAGE-AREA-CAPACITY RELATIONSHIPS FOR TOTAL STORAGE IN AMISTAD AND FALCON RESERVOIRS

| AMISTAD RESERVOIR | | | | FALCON RESERVOIR | | |
|-------------------|----------------|-----------|------------------|------------------|-----------|------------------|
| POINT NO. | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) |
| 1 | 930.0 | 0 | 0 | 203.3 | 0 | 0 |
| 2 | 945.0 | 5 | 1 | 203.4 | 35 | 57 |
| 3 | 946.5 | 87 | 294 | 205.1 | 195 | 235 |
| 4 | 948.2 | 180 | 823 | 206.7 | 425 | 735 |
| 5 | 949.1 | 237 | 1180 | 207.3 | 539 | 1050 |
| 6 | 950.1 | 297 | 1684 | 208.3 | 727 | 1670 |
| 7 | 951.4 | 376 | 2782 | 210.0 | 1100 | 3158 |
| 8 | 961.3 | 1045 | 13873 | 214.9 | 1559 | 9631 |
| 9 | 971.1 | 1843 | 33110 | 219.8 | 2202 | 18806 |
| 10 | 981.0 | 2770 | 59404 | 224.7 | 3526 | 32732 |
| 11 | 990.8 | 3823 | 93556 | 229.7 | 5169 | 54000 |
| 12 | 1000.7 | 5004 | 138573 | 234.6 | 6531 | 82799 |
| 13 | 1010.5 | 6314 | 195568 | 239.5 | 8061 | 118624 |
| 14 | 1020.3 | 7722 | 264663 | 242.8 | 10341 | 148482 |
| 15 | 1030.2 | 9758 | 350120 | 244.4 | 11654 | 166516 |
| 16 | 1040.0 | 12751 | 458690 | 249.3 | 15894 | 234115 |
| 17 | 1049.9 | 16734 | 605456 | 254.3 | 20562 | 323644 |
| 18 | 1059.7 | 21627 | 790919 | 259.2 | 25677 | 437240 |
| 19 | 1069.6 | 27399 | 1029250 | 264.1 | 30775 | 576159 |
| 20 | 1079.4 | 34051 | 1328996 | 269.0 | 36184 | 740751 |
| 21 | 1089.2 | 41702 | 1699411 | 274.0 | 42448 | 933844 |
| 22 | 1094.2 | 45665 | 1911714 | 278.9 | 48929 | 1158684 |
| 23 | 1099.1 | 49658 | 2142942 | 282.2 | 53474 | 1326587 |
| 24 | 1104.0 | 53679 | 2393700 | 285.4 | 58443 | 1509829 |
| 25 | 1108.9 | 57729 | 2664077 | 288.7 | 65021 | 1712296 |
| 26 | 1115.5 | 63173 | 3055670 | 292.0 | 70235 | 1935151 |
| 27 | 1117.0 | 64438 | 3151319 | 295.3 | 74804 | 2172702 |
| 28 | 1118.8 | 65915 | 3265037 | 298.6 | 82000 | 2429861 |
| 29 | 1122.0 | 68671 | 3483939 | 301.2 | 87181 | 2653803 |
| 30 | 1131.9 | 77013 | 4199954 | 305.1 | 93809 | 3008297 |

SUMMARY OF TEXAS WATER RIGHTS IN MIDDLE AND LOWER RIO GRANDE AND
MAXIMUM STORAGE ALLOCATIONS IN AMISTAD AND FALCON RESERVOIRS

| | | |
|--|-------------|---------|
| TOTAL DOMESTIC, MUNICIPAL AND INDUSTRIAL WATER RIGHTS | (AC-FT/YR): | 271579 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 181530 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 162803 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 18727 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 1696228 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 1500719 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 195509 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON D-M-I POOL | (AC-FT): | 225000 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON IRRIGATION POOL | (AC-FT): | 2647639 |
| TOTAL RESERVOIR DEAD STORAGE USED IN WATER RIGHTS ACCOUNTING | (AC-FT): | 4600 |
| MAXIMUM STORAGE CAPACITY ALLOTTED TO OPERATING RESERVE | (AC-FT): | 380000 |
| MAXIMUM USABLE STORAGE AVAILABLE FOR WATER RIGHTS ACCOUNTING | (AC-FT): | 3321570 |
| TOTAL IRRIGATION & MINING ACCOUNT BALANCE AT BEGINNING OF SIMULATION | (AC-FT): | 1747743 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 1 CALENDAR YEAR 1995

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 67892 | 67892 | 0 | 67452 | 40024 | .31 | 9210 | 1497 | 0 | 5251 | 0 | 0 | 1196844 | 1827241 |
| 2 | 56680 | 56680 | 0 | 61300 | 39539 | .44 | 12961 | 1574 | 0 | 5100 | 0 | 0 | 1179263 | 1827241 |
| 3 | 61812 | 61812 | 0 | 69425 | 38240 | .47 | 13711 | 1813 | 0 | 5363 | 0 | 0 | 1157939 | 1827241 |
| 4 | 75819 | 75819 | 0 | 58726 | 35594 | .77 | 22555 | 2167 | 0 | 12485 | 0 | 0 | 1152477 | 1771041 |
| 5 | 101801 | 101801 | 0 | 69665 | 33050 | .87 | 25881 | 2451 | 0 | 10532 | 0 | 0 | 1158732 | 1771041 |
| 6 | 79903 | 79903 | 0 | 69639 | 32022 | .99 | 29437 | 2463 | 0 | 9950 | 0 | 0 | 1139559 | 1771041 |
| 7 | 80026 | 80026 | 0 | 68000 | 31759 | 1.17 | 34210 | 2503 | 0 | 9481 | 0 | 0 | 1117375 | 1771041 |
| 8 | 89329 | 89329 | 0 | 66034 | 31814 | 1.18 | 33991 | 2402 | 0 | 12808 | 0 | 0 | 1106679 | 1771041 |
| 9 | 95852 | 95852 | 0 | 66317 | 32247 | .86 | 24652 | 1956 | 0 | 6404 | 0 | 0 | 1111562 | 1771041 |
| 10 | 66988 | 66988 | 0 | 65061 | 32434 | .74 | 21056 | 2185 | 0 | 3923 | 0 | 0 | 1092433 | 1771041 |
| 11 | 62195 | 62195 | 0 | 63354 | 32323 | .34 | 9549 | 2053 | 0 | 1728 | 0 | 0 | 1081725 | 1827241 |
| 12 | 56829 | 56829 | 0 | 66114 | 32107 | .32 | 8877 | 1497 | 0 | 6219 | 0 | 0 | 1063563 | 1827241 |
| ANNUAL | 895126 | 895126 | 0 | 791087 | | | 246090 | 24561 | 0 | 89244 | 0 | 0 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 7832 | 68536 | 0 | 88713 | 49162 | .26 | 10102 | 8653 | 0 | 80060 | 0 | 0 | 907373 | 1210297 |
| 2 | 7386 | 62012 | 0 | 99170 | 45545 | .29 | 11203 | 14554 | 0 | 84616 | 0 | 0 | 859012 | 1210297 |
| 3 | 2433 | 64682 | 0 | 82787 | 44087 | .42 | 15739 | 8368 | 0 | 74419 | 0 | 0 | 825168 | 1210297 |
| 4 | 0 | 44074 | 0 | 146118 | 39526 | .68 | 24274 | 10116 | 0 | 136002 | 0 | 0 | 698850 | 1166347 |
| 5 | 57403 | 114085 | 0 | 273384 | 32924 | .73 | 22771 | 19233 | 0 | 254151 | 0 | 0 | 516780 | 1166347 |
| 6 | 8711 | 65937 | 0 | 114796 | 29688 | .80 | 20940 | 8356 | 0 | 106440 | 0 | 0 | 446981 | 1166347 |
| 7 | 1299 | 57315 | 0 | 131401 | 27287 | .87 | 19741 | 12953 | 0 | 118448 | 0 | 0 | 353154 | 1166347 |
| 8 | 3501 | 54325 | 0 | 56968 | 25719 | .61 | 12370 | 6731 | 0 | 50237 | 0 | 0 | 338141 | 1166347 |
| 9 | 73473 | 131430 | 0 | 44108 | 29056 | .58 | 11965 | 6530 | 0 | 37578 | 0 | 0 | 413498 | 1166347 |
| 10 | 17386 | 76339 | 0 | 49647 | 32954 | .43 | 9312 | 6620 | 0 | 43027 | 0 | 0 | 430878 | 1166347 |
| 11 | 33696 | 93269 | 0 | 20644 | 35429 | .25 | 5730 | 3677 | 0 | 16967 | 0 | 0 | 497773 | 1210297 |
| 12 | 5718 | 64116 | 0 | 26690 | 37904 | .20 | 4909 | 4954 | 0 | 21736 | 0 | 0 | 530290 | 1210297 |
| ANNUAL | 218838 | 896120 | 0 | 1134426 | | | 169056 | 110745 | 0 | 1023681 | 0 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 28687 | 28687 | 0 | 32953 | 40024 | .31 | 3197 | 6435 | 0 | 0 | 0 | 0 | 413203 | 1424078 |
| 2 | 21287 | 21287 | 0 | 29947 | 39539 | .44 | 4436 | 6547 | 0 | 0 | 0 | 0 | 400107 | 1424078 |
| 3 | 23319 | 23319 | 0 | 92837 | 38240 | .47 | 4262 | 9564 | 0 | 0 | 0 | 0 | 326327 | 1424078 |
| 4 | 26625 | 26625 | 0 | 177441 | 35594 | .77 | 4852 | 10222 | 0 | 0 | 0 | 0 | 170659 | 1380278 |
| 5 | 38768 | 38768 | 0 | 120667 | 33050 | .87 | 2873 | 11766 | 0 | 0 | 0 | 0 | 85887 | 1035209 |
| 6 | 29252 | 29252 | 0 | 21894 | 32022 | .99 | 2265 | 5998 | 0 | 0 | 0 | 0 | 90980 | 1035209 |
| 7 | 37006 | 37006 | 0 | 21502 | 31759 | 1.17 | 2948 | 5967 | 0 | 0 | 0 | 0 | 103536 | 1035209 |
| 8 | 49855 | 49855 | 0 | 21083 | 31814 | 1.18 | 3550 | 6047 | 0 | 0 | 0 | 0 | 128758 | 1035209 |
| 9 | 43976 | 43976 | 0 | 21229 | 32247 | .86 | 3080 | 5890 | 0 | 0 | 0 | 0 | 148425 | 1035209 |
| 10 | 35154 | 35154 | 0 | 20803 | 32434 | .74 | 2945 | 6568 | 0 | 0 | 0 | 0 | 159831 | 1380278 |
| 11 | 30206 | 30206 | 0 | 20346 | 32323 | .34 | 1441 | 6128 | 0 | 0 | 0 | 0 | 168250 | 1424078 |
| 12 | 23756 | 23756 | 0 | 21311 | 32107 | .32 | 1397 | 5901 | 0 | 0 | 0 | 0 | 169298 | 1424078 |
| ANNUAL | 387891 | 387891 | 0 | 602013 | | | 37246 | 87033 | 0 | 0 | 0 | 0 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 1 CALENDAR YEAR 1995

| RESERVOIR NO. 4 | MEX FALCON | | | MAX FLOOD POOL: 1140074 | | | | MAX CONSERVATION POOL: 1098674 | | | | DEAD POOL: 1099 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 3906 | 30424 | 0 | 179835 | 49162 | .26 | 2680 | 179835 | 0 | 0 | 0 | 0 | 168735 | 855056 |
| 2 | 3825 | 27225 | 0 | 46531 | 45545 | .29 | 2005 | 46531 | 0 | 0 | 0 | 0 | 147424 | 855056 |
| 3 | 0 | 83273 | 0 | 78080 | 44087 | .42 | 2778 | 78080 | 0 | 0 | 0 | 0 | 149839 | 855056 |
| 4 | 0 | 167219 | 0 | 300801 | 39526 | .68 | 2604 | 300801 | 0 | 0 | 0 | 0 | 13653 | 824006 |
| 5 | 58914 | 167815 | 0 | 126402 | 32924 | .73 | 1264 | 126402 | 0 | 0 | 0 | 0 | 53802 | 1099 |
| 6 | 10260 | 26156 | 0 | 1605 | 29688 | .80 | 2810 | 1605 | 0 | 0 | 0 | 0 | 75543 | 1099 |
| 7 | 3913 | 19448 | 0 | 4452 | 27287 | .87 | 3999 | 4452 | 0 | 0 | 0 | 0 | 86540 | 1099 |
| 8 | 5330 | 20366 | 0 | 4630 | 25719 | .61 | 3319 | 4630 | 0 | 0 | 0 | 0 | 98957 | 1099 |
| 9 | 98882 | 114221 | 0 | 245 | 29056 | .58 | 4887 | 245 | 0 | 0 | 0 | 0 | 208046 | 1099 |
| 10 | 18370 | 32605 | 0 | 3266 | 32954 | .43 | 4858 | 3266 | 0 | 0 | 0 | 0 | 232527 | 824006 |
| 11 | 33717 | 47935 | 0 | 2976 | 35429 | .25 | 3127 | 2976 | 0 | 0 | 0 | 0 | 274359 | 855056 |
| 12 | 3724 | 19134 | 0 | 5720 | 37904 | .20 | 2672 | 5720 | 0 | 0 | 0 | 0 | 285101 | 855056 |
| ANNUAL | 240841 | 755821 | 0 | 754543 | | | 37003 | 754543 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|-------|-------|-------|--------|--------|--------|--------|-------|--------|-------|-------|-------|-------|
| 1 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 | 65918 |
| 2 | 73787 | 67112 | 70045 | 56559 | 124617 | 75887 | 66796 | 67133 | 137834 | 80262 | 94997 | 70335 | 82108 |
| 3 | 68536 | 62012 | 64682 | 44074 | 114085 | 65937 | 57315 | 54325 | 131430 | 76339 | 93269 | 64116 | 74672 |
| 4 | 80060 | 84616 | 74419 | 136002 | 254151 | 106440 | 118448 | 50237 | 37578 | 43027 | 16967 | 21736 | 85301 |
| 5 | 32953 | 29947 | 92837 | 177441 | 120667 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 | 50161 |
| 6 | 30424 | 27225 | 83273 | 167219 | 167815 | 26156 | 19448 | 20366 | 114221 | 32605 | 47935 | 19134 | 62979 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 2138666 | 75724 | 10150 | 85311 | 0 | 19312 | 2099617 | 63.3 | 225000 | 205780 | 0 | 0 | 78906 | 1668837 | 63.0 |
| 2 | 2099617 | 64066 | 16128 | 89716 | 0 | 24164 | 2033675 | 61.3 | 225000 | 222784 | 0 | 0 | 82946 | 1585891 | 59.9 |
| 3 | 2033675 | 64245 | 10181 | 79782 | 0 | 29450 | 1978507 | 59.6 | 225000 | 241444 | 0 | 0 | 73828 | 1512063 | 57.1 |
| 4 | 1978507 | 75819 | 12283 | 148487 | 0 | 46829 | 1846727 | 55.7 | 225000 | 247270 | 0 | 0 | 137606 | 1374457 | 51.9 |
| 5 | 1846727 | 159204 | 21684 | 264683 | 0 | 48652 | 1670912 | 50.4 | 225000 | 275000 | 40805 | 0 | 244350 | 1130107 | 42.7 |
| 6 | 1670912 | 88614 | 10819 | 116390 | 0 | 50377 | 1581940 | 47.7 | 225000 | 275000 | 0 | 59707 | 107874 | 1081940 | 40.9 |
| 7 | 1581940 | 81325 | 15456 | 127929 | 0 | 53951 | 1465929 | 44.2 | 225000 | 275000 | 2442 | 0 | 118453 | 963487 | 36.4 |
| 8 | 1465929 | 92830 | 9133 | 63045 | 0 | 46361 | 1440220 | 43.4 | 225000 | 275000 | 35759 | 0 | 59026 | 904461 | 34.2 |
| 9 | 1440220 | 169325 | 8486 | 43982 | 0 | 36617 | 1520460 | 45.9 | 225000 | 275000 | 0 | 156974 | 40975 | 1020460 | 38.5 |
| 10 | 1520460 | 84374 | 8805 | 46950 | 0 | 30368 | 1518711 | 45.8 | 225000 | 275000 | 41758 | 0 | 43507 | 976953 | 36.9 |
| 11 | 1518711 | 95891 | 5730 | 18695 | 0 | 15279 | 1574898 | 47.5 | 225000 | 275000 | 0 | 115282 | 17337 | 1074898 | 40.6 |
| 12 | 1574898 | 62547 | 6451 | 27955 | 0 | 13786 | 1589253 | 47.9 | 225000 | 275000 | 40571 | 0 | 26216 | 1048682 | 39.6 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 1 CALENDAR YEAR 1995

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 489 | 0 | 4811 | 756 | 0 | .00000 | 0 | 86544 | 68708 | 100 | 0 | .00000 | 0 | 3231 | 3909 |
| 2 | 657 | 0 | 4154 | 2371 | 0 | .00000 | 0 | 84173 | 66337 | 300 | 0 | .00000 | 0 | 2931 | 3609 |
| 3 | 595 | 0 | 3559 | 2179 | 0 | .00000 | 0 | 81994 | 64158 | 226 | 0 | .00000 | 0 | 2705 | 3383 |
| 4 | 874 | 0 | 2685 | 4283 | 0 | .00000 | 0 | 77711 | 59875 | 191 | 0 | .00000 | 0 | 2514 | 3192 |
| 5 | 766 | 0 | 1919 | 4387 | 0 | .00000 | 0 | 73324 | 55488 | 120 | 0 | .00000 | 0 | 2394 | 3072 |
| 6 | 657 | 0 | 1262 | 26188 | 0 | .03336 | 2318 | 49454 | 29300 | 108 | 0 | .01963 | 79 | 2365 | 2964 |
| 7 | 642 | 0 | 620 | 3734 | 0 | .00000 | 0 | 45720 | 25566 | 74 | 0 | .00000 | 0 | 2291 | 2890 |
| 8 | 496 | 0 | 124 | 2110 | 0 | .00000 | 0 | 43610 | 23456 | 27 | 0 | .00000 | 0 | 2264 | 2863 |
| 9 | 125 | 1 | 0 | 2148 | 0 | .08772 | 6093 | 47555 | 21308 | 24 | 0 | .05160 | 207 | 2447 | 2839 |
| 10 | 0 | 0 | 0 | 3016 | 0 | .00000 | 0 | 44539 | 18292 | 178 | 0 | .00000 | 0 | 2269 | 2661 |
| 11 | 0 | 0 | 0 | 149 | 0 | .06442 | 4475 | 48865 | 18143 | 16 | 0 | .03789 | 152 | 2405 | 2645 |
| 12 | 0 | 0 | 0 | 1336 | 0 | .00000 | 0 | 47529 | 16807 | 60 | 0 | .00000 | 0 | 2345 | 2585 |
| ANNUAL | 5301 | 1 | | 52657 | 0 | | 12886 | | | 1424 | 0 | | 438 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 239 | 0 | 3728 | 187 | 0 | .00000 | 0 | 6412 | 4670 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 2 | 145 | 0 | 3583 | 87 | 0 | .00000 | 0 | 6325 | 4583 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 3 | 182 | 0 | 3401 | 82 | 0 | .00000 | 0 | 6243 | 4501 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 4 | 248 | 0 | 3153 | 53 | 0 | .00000 | 0 | 6190 | 4448 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 5 | 308 | 0 | 2845 | 268 | 0 | .00000 | 0 | 5922 | 4180 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 6 | 589 | 0 | 2256 | 118 | 0 | .03336 | 162 | 5966 | 4062 | 0 | 0 | .01963 | 0 | 6807 | 4828 |
| 7 | 406 | 0 | 1850 | 230 | 0 | .00000 | 0 | 5736 | 3832 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 8 | 613 | 0 | 1237 | 24 | 0 | .00000 | 0 | 5712 | 3808 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 9 | 499 | 0 | 738 | 69 | 0 | .08772 | 426 | 6069 | 3739 | 0 | 0 | .05160 | 0 | 6807 | 4828 |
| 10 | 268 | 0 | 470 | 254 | 0 | .00000 | 0 | 5815 | 3485 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 11 | 289 | 0 | 181 | 0 | 0 | .06442 | 313 | 6128 | 3485 | 0 | 0 | .03789 | 0 | 6807 | 4828 |
| 12 | 100 | 0 | 81 | 0 | 0 | .00000 | 0 | 6128 | 3485 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| ANNUAL | 3886 | 0 | | 1372 | 0 | | 901 | | | 0 | 0 | | 0 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 1 CALENDAR YEAR 1995

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|----------|----------------------|---------------------------------|----------|------------------------|----------|----------|---------------------------------|---------------|--------------|--------|----------------------|----------------|-----|
| | ADJ. NO. | 0808-001 | ANNUAL AUTH: 6140 AF | ADJ. NO. | 0808-005 | ANNUAL AUTH: 147775 AF | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC STORAGE AMOUNT | USABLE BALANCE | |
| 1 | 0 | 0 | 6140 | 2663 | 0 | .00000 | 0 | 147441 | 145112 | 0 | 0 | .00000 | 0 | 14 | 470 |
| 2 | 0 | 0 | 6140 | 8039 | 0 | .00000 | 0 | 139402 | 137073 | 48 | 34 | .00000 | 0 | 0 | 456 |
| 3 | 3 | 0 | 6137 | 8845 | 0 | .00000 | 0 | 130557 | 128228 | 0 | 0 | .00000 | 0 | 0 | 456 |
| 4 | 100 | 0 | 6037 | 10112 | 0 | .00000 | 0 | 120445 | 118116 | 0 | 0 | .00000 | 0 | 0 | 456 |
| 5 | 56 | 0 | 5981 | 17240 | 0 | .00000 | 0 | 103205 | 100876 | 0 | 0 | .00000 | 0 | 0 | 456 |
| 6 | 90 | 0 | 5891 | 7093 | 0 | .03336 | 4930 | 101042 | 93783 | 0 | 0 | .01963 | 9 | 9 | 456 |
| 7 | 181 | 0 | 5710 | 11385 | 0 | .00000 | 0 | 89657 | 82398 | 0 | 0 | .00000 | 0 | 9 | 456 |
| 8 | 120 | 0 | 5590 | 4441 | 0 | .00000 | 0 | 85216 | 77957 | 0 | 0 | .00000 | 0 | 9 | 456 |
| 9 | 0 | 0 | 5590 | 5227 | 0 | .08772 | 12962 | 92951 | 72730 | 28 | 19 | .05160 | 24 | 24 | 447 |
| 10 | 0 | 0 | 5590 | 4099 | 0 | .00000 | 0 | 88852 | 68631 | 0 | 0 | .00000 | 0 | 24 | 447 |
| 11 | 1377 | 0 | 4213 | 97 | 0 | .06442 | 9520 | 98275 | 68534 | 0 | 0 | .03789 | 18 | 42 | 447 |
| 12 | 1843 | 0 | 2370 | 0 | 0 | .00000 | 0 | 98275 | 68534 | 0 | 0 | .00000 | 0 | 42 | 447 |
| ANNUAL | 3770 | 0 | | 79241 | 0 | | 27412 | | | 76 | 53 | | 51 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 2 CALENDAR YEAR 1996

| RESERVOIR NO. 4 | MEX FALCON | | | | MAX FLOOD POOL: 1140074 | | | | MAX CONSERVATION POOL: 1098674 | | | | DEAD POOL: 1099 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|-----------|-----------|-----------------|--------------------------------|---------------|----------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 6958 | 15693 | 0 | 6132 | 38743 | .28 | 3811 | 6132 | 0 | 0 | 0 | 0 | 290851 | 855056 |
| 2 | 9093 | 13270 | 0 | 4994 | 38266 | .34 | 4730 | 4994 | 0 | 0 | 0 | 0 | 294397 | 855056 |
| 3 | 4786 | 9231 | 0 | 7634 | 36095 | .51 | 7272 | 7634 | 0 | 0 | 0 | 0 | 288722 | 855056 |
| 4 | 0 | 3938 | 0 | 166134 | 29808 | .67 | 7407 | 166134 | 0 | 0 | 0 | 0 | 119119 | 824006 |
| 5 | 12781 | 17369 | 0 | 27162 | 22753 | .81 | 5518 | 27162 | 0 | 0 | 0 | 0 | 103808 | 824006 |
| 6 | 20695 | 25161 | 0 | 15935 | 21119 | .87 | 5771 | 15935 | 0 | 0 | 0 | 0 | 107263 | 1099 |
| 7 | 27018 | 31518 | 0 | 14526 | 20252 | .99 | 7082 | 14526 | 0 | 0 | 0 | 0 | 117173 | 1099 |
| 8 | 40713 | 45541 | 0 | 9411 | 20194 | .69 | 5824 | 9411 | 0 | 0 | 0 | 0 | 147479 | 824006 |
| 9 | 88400 | 93479 | 0 | 2981 | 25114 | .56 | 6278 | 2981 | 0 | 0 | 0 | 0 | 231699 | 824006 |
| 10 | 33031 | 37871 | 0 | 3603 | 29814 | .39 | 5206 | 3603 | 0 | 0 | 0 | 0 | 260761 | 824006 |
| 11 | 11824 | 17506 | 0 | 16832 | 31151 | .34 | 4664 | 16832 | 0 | 0 | 0 | 0 | 256771 | 855056 |
| 12 | 4555 | 11171 | 0 | 4263 | 31670 | .24 | 3258 | 4263 | 0 | 0 | 0 | 0 | 260421 | 855056 |
| ANNUAL | 259854 | 321748 | 0 | 279607 | | | 66821 | 279607 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|------------|-------|-------|--------|--------|--------|--------|-------|-------|--------|-------|-------|-------|-------|
| LINK NO. 1 | 65689 | 54830 | 57313 | 89764 | 154787 | 147757 | 63930 | 64243 | 60874 | 60473 | 61433 | 68800 | 79153 |
| 2 | 71829 | 63246 | 59787 | 87366 | 157225 | 155655 | 79924 | 92979 | 141286 | 95247 | 72154 | 75018 | 95971 |
| 3 | 65819 | 58241 | 47582 | 77474 | 146642 | 145156 | 68413 | 78810 | 134657 | 89003 | 66767 | 71179 | 87473 |
| 4 | 50561 | 78014 | 113855 | 163689 | 179310 | 124367 | 93601 | 57084 | 26457 | 35723 | 42746 | 35628 | 83414 |
| 5 | 14911 | 10155 | 11408 | 13681 | 14033 | 11206 | 11605 | 11731 | 11288 | 11433 | 11727 | 12102 | 12101 |
| 6 | 15693 | 13270 | 9231 | 3938 | 17369 | 25161 | 31518 | 45541 | 93479 | 37871 | 17506 | 11171 | 26805 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRCR RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLOWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|-----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 1589253 | 63087 | 7132 | 56571 | 0 | 18222 | 1570415 | 47.4 | 225000 | 275000 | 0 | 74259 | 52526 | 1070415 | 40.4 |
| 2 | 1570415 | 65699 | 15258 | 83019 | 0 | 20642 | 1517195 | 45.8 | 225000 | 275000 | 23557 | 0 | 76777 | 993638 | 37.5 |
| 3 | 1517195 | 59383 | 14914 | 126060 | 0 | 27565 | 1408039 | 42.5 | 225000 | 275000 | 31352 | 0 | 116951 | 876687 | 33.1 |
| 4 | 1408039 | 60455 | 14573 | 173581 | 0 | 35414 | 1244926 | 37.6 | 225000 | 275000 | 28724 | 0 | 160485 | 716202 | 27.1 |
| 5 | 1244926 | 83066 | 16344 | 189893 | 0 | 37074 | 1084681 | 32.7 | 225000 | 275000 | 44027 | 0 | 175548 | 540654 | 20.4 |
| 6 | 1084681 | 92829 | 12416 | 134866 | 0 | 40518 | 989710 | 29.9 | 225000 | 275000 | 0 | 73972 | 124916 | 489710 | 18.5 |
| 7 | 989710 | 87806 | 12993 | 105112 | 0 | 39227 | 920184 | 27.8 | 225000 | 275000 | 28097 | 0 | 97623 | 392087 | 14.8 |
| 8 | 920184 | 132300 | 9840 | 71253 | 0 | 28402 | 942989 | 28.5 | 225000 | 275000 | 0 | 117588 | 66686 | 442989 | 16.7 |
| 9 | 942989 | 276592 | 6337 | 33086 | 0 | 20083 | 1160075 | 35.0 | 225000 | 275000 | 0 | 248055 | 30969 | 660075 | 24.9 |
| 10 | 1160075 | 120383 | 7514 | 41967 | 0 | 22437 | 1208540 | 36.5 | 225000 | 275000 | 0 | 87574 | 39109 | 708540 | 26.8 |
| 11 | 1208540 | 74392 | 11495 | 48133 | 0 | 14808 | 1208496 | 36.5 | 225000 | 275000 | 44669 | 0 | 44713 | 663827 | 25.1 |
| 12 | 1208496 | 68147 | 9617 | 39467 | 0 | 10411 | 1217148 | 36.7 | 225000 | 275000 | 0 | 89937 | 36616 | 717148 | 27.1 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 2 CALENDAR YEAR 1996

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 55280 | 55280 | 0 | 65689 | 31748 | .41 | 11185 | 1667 | 0 | 6010 | 0 | 0 | 1041969 | 1827241 |
| 2 | 55444 | 55444 | 0 | 54830 | 31565 | .46 | 12362 | 1839 | 0 | 5005 | 0 | 0 | 1030221 | 1827241 |
| 3 | 54797 | 54797 | 0 | 57313 | 31414 | .62 | 16429 | 2112 | 0 | 12205 | 0 | 0 | 1011276 | 1827241 |
| 4 | 60455 | 60455 | 0 | 89764 | 30710 | .89 | 22850 | 2398 | 0 | 9892 | 0 | 0 | 959117 | 1771041 |
| 5 | 77853 | 77853 | 0 | 154787 | 29000 | 1.01 | 24162 | 2775 | 0 | 10583 | 0 | 0 | 858021 | 1771041 |
| 6 | 82278 | 82278 | 0 | 147757 | 26867 | 1.29 | 27915 | 2653 | 0 | 10499 | 0 | 0 | 764627 | 1771041 |
| 7 | 69082 | 69082 | 0 | 63930 | 25768 | 1.30 | 26260 | 2730 | 0 | 11511 | 0 | 0 | 743519 | 1771041 |
| 8 | 101372 | 101372 | 0 | 64243 | 26413 | 1.01 | 20292 | 2192 | 0 | 14169 | 0 | 0 | 760356 | 1771041 |
| 9 | 194441 | 194441 | 0 | 60874 | 29307 | .57 | 12297 | 1739 | 0 | 6629 | 0 | 0 | 881626 | 1771041 |
| 10 | 83591 | 83591 | 0 | 60473 | 32222 | .70 | 16016 | 2018 | 0 | 6244 | 0 | 0 | 888728 | 1771041 |
| 11 | 61439 | 61439 | 0 | 61433 | 32994 | .39 | 8881 | 2232 | 0 | 5387 | 0 | 0 | 879853 | 1827241 |
| 12 | 60434 | 60434 | 0 | 68800 | 32944 | .27 | 6068 | 1495 | 0 | 3839 | 0 | 0 | 865419 | 1827241 |
| ANNUAL | 956466 | 956466 | 0 | 949893 | | | 204717 | 25850 | 0 | 101973 | 0 | 0 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 7807 | 65819 | 0 | 56026 | 38743 | .28 | 7037 | 5465 | 0 | 50561 | 0 | 0 | 533046 | 1210297 |
| 2 | 10255 | 58241 | 0 | 91433 | 38266 | .34 | 8280 | 13419 | 0 | 78014 | 0 | 0 | 491574 | 1210297 |
| 3 | 4586 | 47582 | 0 | 126657 | 36095 | .51 | 11136 | 12802 | 0 | 113855 | 0 | 0 | 401363 | 1210297 |
| 4 | 0 | 77474 | 0 | 175864 | 29808 | .67 | 12564 | 12175 | 0 | 163689 | 0 | 0 | 290409 | 1166347 |
| 5 | 5213 | 146642 | 0 | 192879 | 22753 | .81 | 12912 | 13569 | 0 | 179310 | 0 | 0 | 231260 | 1166347 |
| 6 | 10551 | 145156 | 0 | 134130 | 21119 | .87 | 12603 | 9763 | 0 | 124367 | 0 | 0 | 229683 | 1166347 |
| 7 | 18724 | 68413 | 0 | 103864 | 20252 | .99 | 12967 | 10263 | 0 | 93601 | 0 | 0 | 181265 | 1166347 |
| 8 | 30928 | 78810 | 0 | 64732 | 20194 | .69 | 8110 | 7648 | 0 | 57084 | 0 | 0 | 187233 | 1166347 |
| 9 | 82151 | 134657 | 0 | 31055 | 25114 | .56 | 7786 | 4598 | 0 | 26457 | 0 | 0 | 283049 | 1166347 |
| 10 | 36792 | 89003 | 0 | 41219 | 29814 | .39 | 6421 | 5496 | 0 | 35723 | 0 | 0 | 324412 | 1166347 |
| 11 | 12953 | 66767 | 0 | 52009 | 31151 | .34 | 5927 | 9263 | 0 | 42746 | 0 | 0 | 333243 | 1210297 |
| 12 | 7713 | 71179 | 0 | 43750 | 31670 | .24 | 4343 | 8122 | 0 | 35628 | 0 | 0 | 356329 | 1210297 |
| ANNUAL | 227673 | 1049743 | 0 | 1113618 | | | 110086 | 112583 | 0 | 1001035 | 0 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 23037 | 23037 | 0 | 14911 | 31748 | .41 | 1832 | 6176 | 0 | 0 | 0 | 0 | 175592 | 1424078 |
| 2 | 22888 | 22888 | 0 | 10155 | 31565 | .46 | 2158 | 5978 | 0 | 0 | 0 | 0 | 186167 | 1424078 |
| 3 | 20943 | 20943 | 0 | 11408 | 31414 | .62 | 3048 | 6963 | 0 | 0 | 0 | 0 | 192654 | 1424078 |
| 4 | 19311 | 19311 | 0 | 13681 | 30710 | .89 | 4482 | 9743 | 0 | 0 | 0 | 0 | 193802 | 1380278 |
| 5 | 17171 | 17171 | 0 | 14033 | 29000 | 1.01 | 5128 | 9445 | 0 | 0 | 0 | 0 | 191812 | 1380278 |
| 6 | 26255 | 26255 | 0 | 11206 | 26867 | 1.29 | 6743 | 6740 | 0 | 0 | 0 | 0 | 200118 | 1035209 |
| 7 | 34280 | 34280 | 0 | 11605 | 25768 | 1.30 | 7238 | 7105 | 0 | 0 | 0 | 0 | 215555 | 1035209 |
| 8 | 60233 | 60233 | 0 | 11731 | 26413 | 1.01 | 6385 | 6903 | 0 | 0 | 0 | 0 | 257672 | 1380278 |
| 9 | 88867 | 88867 | 0 | 11288 | 29307 | .57 | 4408 | 6209 | 0 | 0 | 0 | 0 | 330843 | 1380278 |
| 10 | 79094 | 79094 | 0 | 11433 | 32222 | .70 | 6539 | 6593 | 0 | 0 | 0 | 0 | 391965 | 1380278 |
| 11 | 25897 | 25897 | 0 | 11727 | 32994 | .39 | 3987 | 6045 | 0 | 0 | 0 | 0 | 402148 | 1424078 |
| 12 | 23601 | 23601 | 0 | 12102 | 32944 | .27 | 2827 | 5486 | 0 | 0 | 0 | 0 | 410820 | 1424078 |
| ANNUAL | 441577 | 441577 | 0 | 145280 | | | 54775 | 83386 | 0 | 0 | 0 | 0 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 2 CALENDAR YEAR 1996

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|----------------------|--------|---------|---------------------------------|--------|--------|--------|---------|---------------------------------|----------|--------|--------|--------|---------|---------|
| | ADJ. NO. | SHORT | USABLE | ADJ. NO. | SHORT | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| | ADJ. NO. 0808-001 | | | ADJ. NO. 0808-005 | | | | | ADJ. NO. 0573-001 | | | | | | |
| | ANNUAL AUTH: 6140 AF | | | ANNUAL AUTH: 147775 AF | | | | | ANNUAL AUTH: 470 AF | | | | | | |
| 1 | 0 | 0 | 6140 | 3998 | 0 | .04150 | 6132 | 100409 | 143777 | 0 | 0 | .02441 | 11 | 53 | 470 |
| 2 | 0 | 0 | 6140 | 7202 | 0 | .00000 | 0 | 93207 | 136575 | 0 | 0 | .00000 | 0 | 53 | 470 |
| 3 | 941 | 0 | 5199 | 9636 | 0 | .00000 | 0 | 83571 | 126939 | 0 | 0 | .00000 | 0 | 53 | 470 |
| 4 | 507 | 0 | 4692 | 9490 | 0 | .00000 | 0 | 74081 | 117449 | 0 | 0 | .00000 | 0 | 53 | 470 |
| 5 | 733 | 0 | 3959 | 13280 | 0 | .00000 | 0 | 60801 | 104169 | 0 | 0 | .00000 | 0 | 53 | 470 |
| 6 | 724 | 0 | 3235 | 14946 | 0 | .04134 | 6108 | 51963 | 89223 | 0 | 0 | .02432 | 11 | 64 | 470 |
| 7 | 556 | 0 | 2679 | 7571 | 0 | .00000 | 0 | 44392 | 81652 | 0 | 0 | .00000 | 0 | 64 | 470 |
| 8 | 426 | 0 | 2253 | 0 | 0 | .06571 | 9710 | 54102 | 81652 | 0 | 0 | .03865 | 18 | 82 | 470 |
| 9 | 241 | 0 | 2012 | 2405 | 0 | .13861 | 20484 | 72181 | 79247 | 0 | 0 | .08154 | 38 | 120 | 470 |
| 10 | 242 | 0 | 1770 | 2132 | 0 | .04894 | 7232 | 77281 | 77115 | 0 | 0 | .02879 | 14 | 134 | 470 |
| 11 | 803 | 0 | 967 | 3234 | 0 | .00000 | 0 | 74047 | 73881 | 0 | 0 | .00000 | 0 | 134 | 470 |
| 12 | 967 | 0 | 0 | 2293 | 0 | .05026 | 7427 | 79181 | 71588 | 0 | 0 | .02956 | 14 | 148 | 470 |
| ANNUAL | 6140 | 0 | | 76187 | 0 | | 57093 | | | 0 | 0 | | 106 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 2 CALENDAR YEAR 1996

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 599 | 0 | 4701 | 1367 | 0 | .04150 | 2882 | 49044 | 68097 | 0 | 0 | .02441 | 98 | 2443 | 4009 |
| 2 | 748 | 0 | 3953 | 3377 | 0 | .00000 | 0 | 45667 | 64720 | 0 | 0 | .00000 | 0 | 2443 | 4009 |
| 3 | 790 | 0 | 3163 | 5238 | 0 | .00000 | 0 | 40429 | 59482 | 0 | 0 | .00000 | 0 | 2443 | 4009 |
| 4 | 695 | 0 | 2468 | 3880 | 0 | .00000 | 0 | 36549 | 55602 | 410 | 0 | .00000 | 0 | 2033 | 3599 |
| 5 | 874 | 0 | 1594 | 3858 | 0 | .00000 | 0 | 32691 | 51744 | 52 | 0 | .00000 | 0 | 1981 | 3547 |
| 6 | 1017 | 0 | 577 | 5441 | 0 | .04134 | 2871 | 30121 | 46303 | 20 | 0 | .02432 | 97 | 2058 | 3527 |
| 7 | 575 | 0 | 2 | 3730 | 0 | .00000 | 0 | 26391 | 42573 | 0 | 0 | .00000 | 0 | 2058 | 3527 |
| 8 | 0 | 0 | 2 | 3257 | 0 | .06571 | 4564 | 27698 | 39316 | 0 | 0 | .03865 | 155 | 2213 | 3527 |
| 9 | 0 | 0 | 2 | 1435 | 0 | .13861 | 9629 | 35892 | 37881 | 0 | 0 | .08154 | 327 | 2540 | 3527 |
| 10 | 0 | 0 | 2 | 1822 | 0 | .04894 | 3399 | 37469 | 36059 | 0 | 0 | .02879 | 115 | 2655 | 3527 |
| 11 | 0 | 0 | 2 | 2897 | 0 | .00000 | 0 | 34572 | 33162 | 0 | 0 | .00000 | 0 | 2655 | 3527 |
| 12 | 0 | 0 | 2 | 533 | 0 | .05026 | 3491 | 37530 | 32629 | 0 | 0 | .02956 | 119 | 2774 | 3527 |
| ANNUAL | 5298 | 0 | | 36835 | 0 | | 26836 | | | 482 | 0 | | 911 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 354 | 0 | 3613 | 131 | 0 | .04150 | 202 | 6199 | 4726 | 0 | 0 | .02441 | 0 | 6807 | 4828 |
| 2 | 437 | 0 | 3176 | 151 | 0 | .00000 | 0 | 6048 | 4575 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 3 | 463 | 0 | 2713 | 226 | 0 | .00000 | 0 | 5822 | 4349 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 4 | 443 | 0 | 2270 | 189 | 0 | .00000 | 0 | 5633 | 4160 | 0 | 0 | .00000 | 0 | 6807 | 4828 |
| 5 | 706 | 0 | 1564 | 252 | 0 | .00000 | 0 | 5381 | 3908 | 1949 | 0 | .00000 | 0 | 4858 | 2879 |
| 6 | 702 | 0 | 862 | 96 | 0 | .04134 | 201 | 5486 | 3812 | 2879 | 0 | .02432 | 117 | 2096 | 0 |
| 7 | 761 | 0 | 101 | 1111 | 0 | .00000 | 0 | 4375 | 2701 | 0 | 0 | .00000 | 0 | 2096 | 0 |
| 8 | 0 | 0 | 101 | 113 | 0 | .06571 | 319 | 4581 | 2588 | 0 | 0 | .03865 | 187 | 2283 | 0 |
| 9 | 0 | 0 | 101 | 45 | 0 | .13861 | 673 | 5209 | 2543 | 0 | 0 | .08154 | 394 | 2677 | 0 |
| 10 | 0 | 0 | 101 | 206 | 0 | .04894 | 238 | 5241 | 2337 | 0 | 0 | .02879 | 139 | 2816 | 0 |
| 11 | 0 | 0 | 101 | 148 | 0 | .00000 | 0 | 5093 | 2189 | 0 | 0 | .00000 | 0 | 2816 | 0 |
| 12 | 133 | 32 | 0 | 70 | 0 | .05026 | 244 | 5267 | 2119 | 0 | 0 | .02956 | 143 | 2959 | 0 |
| ANNUAL | 3999 | 32 | | 2738 | 0 | | 1877 | | | 4828 | 0 | | 980 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 3 CALENDAR YEAR 1997

| RESERVOIR NO. 4 | MEX FALCON | | | MAX FLOOD POOL: 1140074 | | | | MAX CONSERVATION POOL: 1098674 | | | | DEAD POOL: 1099 | | |
|-----------------|---------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHD INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 3906 | 30424 | 0 | 179835 | 29014 | .26 | 2634 | 179835 | 0 | 0 | 0 | 0 | 108376 | 855056 |
| 2 | 3825 | 27225 | 0 | 46531 | 24354 | .29 | 1695 | 46531 | 0 | 0 | 0 | 0 | 87375 | 1140 |
| 3 | 0 | 83273 | 0 | 78080 | 22421 | .42 | 2292 | 78080 | 0 | 0 | 0 | 0 | 90276 | 1140 |
| 4 | 0 | 218014 | 0 | 300801 | 17012 | .68 | 2164 | 300801 | 0 | 0 | 0 | 0 | 5325 | 1099 |
| 5 | 58914 | 129885 | 0 | 126402 | 6570 | .73 | 394 | 126402 | 0 | 0 | 0 | 0 | 8414 | 1099 |
| 6 | 10260 | 26156 | 0 | 1605 | 7017 | .80 | 1198 | 1605 | 0 | 0 | 0 | 0 | 31767 | 1099 |
| 7 | 3913 | 19448 | 0 | 4452 | 12880 | .87 | 2296 | 4452 | 0 | 0 | 0 | 0 | 44467 | 1099 |
| 8 | 5330 | 20366 | 0 | 4630 | 13797 | .61 | 2150 | 4630 | 0 | 0 | 0 | 0 | 58053 | 1099 |
| 9 | 98882 | 114221 | 0 | 245 | 19460 | .58 | 4214 | 245 | 0 | 0 | 0 | 0 | 167815 | 1099 |
| 10 | 18370 | 32605 | 0 | 3266 | 24909 | .43 | 4593 | 3266 | 0 | 0 | 0 | 0 | 192561 | 824006 |
| 11 | 33717 | 47935 | 0 | 2976 | 27912 | .25 | 2991 | 2976 | 0 | 0 | 0 | 0 | 234529 | 855056 |
| 12 | 3724 | 19134 | 0 | 5720 | 30761 | .20 | 2564 | 5720 | 0 | 0 | 0 | 0 | 245379 | 855056 |
| ANNUAL | 240841 | 768686 | 0 | 754543 | | | 29185 | 754543 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|------------|-------|-------|-------|--------|--------|--------|--------|-------|--------|-------|-------|-------|-------|
| LINK NO. 1 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 | 65918 |
| 2 | 73787 | 67112 | 70045 | 56559 | 124617 | 75887 | 66796 | 67133 | 137834 | 80262 | 94997 | 70335 | 82108 |
| 3 | 68536 | 62012 | 64682 | 44074 | 114085 | 65937 | 57315 | 54325 | 131430 | 76339 | 93269 | 64116 | 74672 |
| 4 | 80060 | 84616 | 74419 | 136002 | 254151 | 106440 | 118448 | 50237 | 37578 | 43027 | 16967 | 21736 | 85301 |
| 5 | 32953 | 29947 | 92837 | 177441 | 82737 | 21894 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 | 47000 |
| 6 | 30424 | 27225 | 83273 | 167219 | 129885 | 26156 | 19448 | 20366 | 114221 | 32605 | 47935 | 19134 | 59818 |
| 7 | 0 | 0 | 0 | 0 | 13329 | 198112 | 85891 | 8969 | 0 | 0 | 0 | 0 | 25523 |
| 8 | 0 | 0 | 0 | 50795 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4232 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHD INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 1217148 | 75724 | 10150 | 85311 | 0 | 11801 | 1185610 | 35.8 | 225000 | 275000 | 47368 | 0 | 78906 | 638242 | 24.1 |
| 2 | 1185610 | 64066 | 16128 | 89716 | 0 | 15054 | 1128778 | 34.1 | 225000 | 275000 | 0 | 73482 | 82946 | 628778 | 23.7 |
| 3 | 1128778 | 64245 | 10181 | 79782 | 0 | 17348 | 1085712 | 32.8 | 225000 | 275000 | 30762 | 0 | 73828 | 554950 | 21.0 |
| 4 | 1085712 | 75819 | 12283 | 148487 | 0 | 26324 | 974437 | 29.4 | 225000 | 275000 | 0 | 57093 | 137606 | 474437 | 17.9 |
| 5 | 974437 | 159204 | 21684 | 264683 | 0 | 23767 | 823507 | 24.9 | 225000 | 275000 | 0 | 93420 | 244350 | 323507 | 12.2 |
| 6 | 823507 | 88614 | 10819 | 116390 | 0 | 23982 | 760930 | 23.0 | 225000 | 275000 | 45297 | 0 | 107874 | 215633 | 8.1 |
| 7 | 760930 | 81325 | 15456 | 127929 | 0 | 27378 | 671492 | 20.3 | 225000 | 275000 | 0 | 74312 | 118453 | 171492 | 6.5 |
| 8 | 671492 | 92830 | 9133 | 63045 | 0 | 23378 | 668766 | 20.2 | 225000 | 275000 | 0 | 56300 | 59026 | 168766 | 6.4 |
| 9 | 668766 | 169325 | 8486 | 43982 | 0 | 19687 | 765936 | 23.2 | 225000 | 275000 | 0 | 138145 | 40975 | 265936 | 10.0 |
| 10 | 765936 | 84374 | 8805 | 46950 | 0 | 17039 | 777516 | 23.5 | 225000 | 275000 | 0 | 55087 | 43507 | 277516 | 10.5 |
| 11 | 777516 | 95891 | 5730 | 18695 | 0 | 8933 | 840049 | 25.4 | 225000 | 275000 | 0 | 79870 | 17337 | 340049 | 12.8 |
| 12 | 840049 | 62547 | 6451 | 27955 | 0 | 8157 | 860033 | 26.0 | 225000 | 275000 | 46200 | 0 | 26216 | 313833 | 11.9 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 3 CALENDAR YEAR 1997

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 67892 | 67892 | 0 | 67452 | 32725 | .31 | 6891 | 1497 | 0 | 5251 | 0 | 0 | 858968 | 1827241 |
| 2 | 56680 | 56680 | 0 | 61300 | 32265 | .44 | 9686 | 1574 | 0 | 5100 | 0 | 0 | 844662 | 1827241 |
| 3 | 61812 | 61812 | 0 | 69425 | 30943 | .47 | 10223 | 1813 | 0 | 5363 | 0 | 0 | 826826 | 1827241 |
| 4 | 75819 | 75819 | 0 | 58726 | 27642 | .77 | 16920 | 2167 | 0 | 12485 | 0 | 0 | 826999 | 1771041 |
| 5 | 101801 | 101801 | 0 | 82994 | 24609 | .87 | 19365 | 2451 | 0 | 10532 | 0 | 0 | 826441 | 1771041 |
| 6 | 79903 | 79903 | 0 | 267751 | 21598 | .99 | 19566 | 2463 | 0 | 9950 | 0 | 0 | 619027 | 1328281 |
| 7 | 80026 | 80026 | 0 | 153891 | 17889 | 1.17 | 18468 | 2503 | 0 | 9481 | 0 | 0 | 526694 | 1328281 |
| 8 | 89329 | 89329 | 0 | 75003 | 17144 | 1.18 | 17112 | 2402 | 0 | 12808 | 0 | 0 | 523908 | 1328281 |
| 9 | 95852 | 95852 | 0 | 66317 | 17932 | .86 | 12614 | 1956 | 0 | 6404 | 0 | 0 | 540829 | 1328281 |
| 10 | 66988 | 66988 | 0 | 65061 | 18453 | .74 | 10921 | 2185 | 0 | 3923 | 0 | 0 | 531835 | 1771041 |
| 11 | 62195 | 62195 | 0 | 63354 | 18519 | .34 | 4946 | 2053 | 0 | 1728 | 0 | 0 | 525730 | 1827241 |
| 12 | 56829 | 56829 | 0 | 66114 | 18383 | .32 | 4569 | 1497 | 0 | 6219 | 0 | 0 | 511876 | 1827241 |
| ANNUAL | 895126 | 895126 | 0 | 1097388 | | | 151281 | 24561 | 0 | 89244 | 0 | 0 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 7832 | 68536 | 0 | 88713 | 29014 | .26 | 4910 | 8653 | 0 | 80060 | 0 | 0 | 331242 | 1210297 |
| 2 | 7386 | 62012 | 0 | 99170 | 24354 | .29 | 5368 | 14554 | 0 | 84616 | 0 | 0 | 288716 | 1210297 |
| 3 | 2433 | 64682 | 0 | 82787 | 22421 | .42 | 7125 | 8368 | 0 | 74419 | 0 | 0 | 263486 | 1210297 |
| 4 | 0 | 44074 | 0 | 146118 | 17012 | .68 | 9404 | 10116 | 0 | 136002 | 0 | 0 | 152038 | 1166347 |
| 5 | 57403 | 127414 | 0 | 273384 | 6570 | .73 | 4402 | 19233 | 0 | 254151 | 0 | 0 | 1666 | 1166347 |
| 6 | 8711 | 264049 | 0 | 114796 | 7017 | .80 | 4416 | 8356 | 0 | 106440 | 0 | 0 | 146503 | 150070 |
| 7 | 1299 | 143206 | 0 | 131401 | 12880 | .87 | 8910 | 12953 | 0 | 118448 | 0 | 0 | 149398 | 150070 |
| 8 | 3501 | 63294 | 0 | 56968 | 13797 | .61 | 6266 | 6731 | 0 | 50237 | 0 | 0 | 149458 | 150070 |
| 9 | 73473 | 131430 | 0 | 44108 | 19460 | .58 | 7073 | 6530 | 0 | 37578 | 0 | 0 | 229707 | 150070 |
| 10 | 17386 | 76339 | 0 | 49647 | 24909 | .43 | 6118 | 6620 | 0 | 43027 | 0 | 0 | 250281 | 1166347 |
| 11 | 33696 | 93269 | 0 | 20644 | 27912 | .25 | 3987 | 3677 | 0 | 16967 | 0 | 0 | 318919 | 1210297 |
| 12 | 5718 | 64116 | 0 | 26690 | 30761 | .20 | 3588 | 4954 | 0 | 21736 | 0 | 0 | 352757 | 1210297 |
| ANNUAL | 218838 | 1202421 | 0 | 1134426 | | | 71567 | 110745 | 0 | 1023681 | 0 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 28687 | 28687 | 0 | 32953 | 32725 | .31 | 3254 | 6435 | 0 | 0 | 0 | 0 | 403300 | 1424078 |
| 2 | 21287 | 21287 | 0 | 29947 | 32265 | .44 | 4511 | 6547 | 0 | 0 | 0 | 0 | 390129 | 1068059 |
| 3 | 23319 | 23319 | 0 | 92837 | 30943 | .47 | 4320 | 9564 | 0 | 0 | 0 | 0 | 316291 | 1068059 |
| 4 | 26625 | 26625 | 0 | 228236 | 27642 | .77 | 4364 | 10222 | 0 | 0 | 0 | 0 | 110316 | 1035209 |
| 5 | 38768 | 38768 | 0 | 82737 | 24609 | .87 | 2045 | 11766 | 0 | 0 | 0 | 0 | 64302 | 1035209 |
| 6 | 29252 | 29252 | 0 | 21894 | 21598 | .99 | 1816 | 5998 | 0 | 0 | 0 | 0 | 69844 | 1035209 |
| 7 | 37006 | 37006 | 0 | 21502 | 17889 | 1.17 | 2462 | 5967 | 0 | 0 | 0 | 0 | 82886 | 1035209 |
| 8 | 49855 | 49855 | 0 | 21083 | 17144 | 1.18 | 3118 | 6047 | 0 | 0 | 0 | 0 | 108540 | 1035209 |
| 9 | 43976 | 43976 | 0 | 21229 | 17932 | .86 | 2808 | 5890 | 0 | 0 | 0 | 0 | 128479 | 1035209 |
| 10 | 35154 | 35154 | 0 | 20803 | 18453 | .74 | 2734 | 6568 | 0 | 0 | 0 | 0 | 140096 | 1380278 |
| 11 | 30206 | 30206 | 0 | 20346 | 18519 | .34 | 1350 | 6128 | 0 | 0 | 0 | 0 | 148606 | 1424078 |
| 12 | 23756 | 23756 | 0 | 21311 | 18383 | .32 | 1314 | 5901 | 0 | 0 | 0 | 0 | 149737 | 1424078 |
| ANNUAL | 387891 | 387891 | 0 | 614878 | | | 34096 | 87033 | 0 | 0 | 0 | 0 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 3 CALENDAR YEAR 1997

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0808-001 ANNUAL AUTH: 6140 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0808-005 ANNUAL AUTH: 147775 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. 0573-001 ANNUAL AUTH: 470 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|--------|-----------------|--------------------|---|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 0 | 0 | 6140 | 2663 | 0 | .00000 | 0 | 76518 | 145112 | 0 | 0 | .00000 | 0 | 148 | 470 |
| 2 | 0 | 0 | 6140 | 8039 | 0 | .04106 | 6068 | 74547 | 137073 | 48 | 0 | .02415 | 11 | 111 | 422 |
| 3 | 3 | 0 | 6137 | 8845 | 0 | .00000 | 0 | 65702 | 128228 | 0 | 0 | .00000 | 0 | 111 | 422 |
| 4 | 100 | 0 | 6037 | 10112 | 0 | .03190 | 4715 | 60305 | 118116 | 0 | 0 | .01877 | 9 | 120 | 422 |
| 5 | 56 | 0 | 5981 | 17240 | 0 | .05220 | 7714 | 50779 | 100876 | 0 | 0 | .03071 | 14 | 134 | 422 |
| 6 | 90 | 0 | 5891 | 7093 | 0 | .00000 | 0 | 43686 | 93783 | 0 | 0 | .00000 | 0 | 134 | 422 |
| 7 | 181 | 0 | 5710 | 11385 | 0 | .04153 | 6136 | 38437 | 82398 | 0 | 0 | .02443 | 11 | 145 | 422 |
| 8 | 120 | 0 | 5590 | 4441 | 0 | .03146 | 4649 | 38645 | 77957 | 0 | 0 | .01851 | 9 | 154 | 422 |
| 9 | 0 | 0 | 5590 | 5227 | 0 | .07720 | 11408 | 44826 | 72730 | 28 | 0 | .04541 | 21 | 147 | 394 |
| 10 | 0 | 0 | 5590 | 4099 | 0 | .03078 | 4549 | 45276 | 68631 | 0 | 0 | .01811 | 9 | 156 | 394 |
| 11 | 1377 | 0 | 4213 | 97 | 0 | .04463 | 6595 | 51774 | 68534 | 0 | 0 | .02625 | 12 | 168 | 394 |
| 12 | 1843 | 0 | 2370 | 0 | 0 | .00000 | 0 | 51774 | 68534 | 0 | 0 | .00000 | 0 | 168 | 394 |
| ANNUAL | 3770 | 0 | | 79241 | 0 | | 51834 | | | 76 | 0 | | 96 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 3 CALENDAR YEAR 1997

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. 8769-000 ANNUAL AUTH: 4009 AF | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 489 | 0 | 4811 | 756 | 0 | .00000 | 0 | 36774 | 68708 | 100 | 0 | .00000 | 0 | 2674 | 3909 |
| 2 | 657 | 0 | 4154 | 2371 | 0 | .04106 | 2852 | 37255 | 66337 | 300 | 0 | .02415 | 97 | 2471 | 3609 |
| 3 | 595 | 0 | 3559 | 2179 | 0 | .00000 | 0 | 35076 | 64158 | 226 | 0 | .00000 | 0 | 2245 | 3383 |
| 4 | 874 | 0 | 2685 | 4283 | 0 | .03190 | 2216 | 33009 | 59875 | 191 | 0 | .01877 | 75 | 2129 | 3192 |
| 5 | 766 | 0 | 1919 | 4387 | 0 | .05220 | 3626 | 32248 | 55488 | 120 | 0 | .03071 | 123 | 2132 | 3072 |
| 6 | 657 | 0 | 1262 | 26188 | 0 | .00000 | 0 | 6060 | 29300 | 108 | 0 | .00000 | 0 | 2024 | 2964 |
| 7 | 642 | 0 | 620 | 3734 | 0 | .04153 | 2885 | 5211 | 25566 | 74 | 0 | .02443 | 98 | 2048 | 2890 |
| 8 | 496 | 0 | 124 | 2110 | 0 | .03146 | 2185 | 5286 | 23456 | 27 | 0 | .01851 | 74 | 2095 | 2863 |
| 9 | 125 | 1 | 0 | 2148 | 0 | .07720 | 5362 | 8500 | 21308 | 24 | 0 | .04541 | 182 | 2253 | 2839 |
| 10 | 0 | 0 | 0 | 3016 | 0 | .03078 | 2138 | 7622 | 18292 | 178 | 0 | .01811 | 73 | 2148 | 2661 |
| 11 | 0 | 0 | 0 | 149 | 0 | .04463 | 3100 | 10573 | 18143 | 16 | 0 | .02625 | 105 | 2237 | 2645 |
| 12 | 0 | 0 | 0 | 1336 | 0 | .00000 | 0 | 9237 | 16807 | 60 | 0 | .00000 | 0 | 2177 | 2585 |
| ANNUAL | 5301 | 1 | | 52657 | 0 | | 24364 | | | 1424 | 0 | | 827 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. 8804-000 ANNUAL AUTH: 4828 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 239 | 0 | 3728 | 187 | 0 | .00000 | 0 | 5080 | 4670 | 0 | 0 | .00000 | 0 | 2959 | 4828 |
| 2 | 145 | 0 | 3583 | 87 | 0 | .04106 | 199 | 5192 | 4583 | 0 | 0 | .02415 | 117 | 3076 | 4828 |
| 3 | 182 | 0 | 3401 | 82 | 0 | .00000 | 0 | 5110 | 4501 | 0 | 0 | .00000 | 0 | 3076 | 4828 |
| 4 | 248 | 0 | 3153 | 53 | 0 | .03190 | 155 | 5212 | 4448 | 0 | 0 | .01877 | 91 | 3167 | 4828 |
| 5 | 308 | 0 | 2845 | 268 | 0 | .05220 | 254 | 5198 | 4180 | 0 | 0 | .03071 | 148 | 3315 | 4828 |
| 6 | 589 | 0 | 2256 | 118 | 0 | .00000 | 0 | 5080 | 4062 | 0 | 0 | .00000 | 0 | 3315 | 4828 |
| 7 | 406 | 0 | 1850 | 230 | 0 | .04153 | 202 | 5052 | 3832 | 0 | 0 | .02443 | 118 | 3433 | 4828 |
| 8 | 613 | 0 | 1237 | 24 | 0 | .03146 | 153 | 5181 | 3808 | 0 | 0 | .01851 | 89 | 3522 | 4828 |
| 9 | 499 | 0 | 738 | 69 | 0 | .07720 | 375 | 5487 | 3739 | 0 | 0 | .04541 | 219 | 3741 | 4828 |
| 10 | 268 | 0 | 470 | 254 | 0 | .03078 | 150 | 5383 | 3485 | 0 | 0 | .01811 | 87 | 3828 | 4828 |
| 11 | 289 | 0 | 181 | 0 | 0 | .04463 | 217 | 5600 | 3485 | 0 | 0 | .02625 | 127 | 3955 | 4828 |
| 12 | 100 | 0 | 81 | 0 | 0 | .00000 | 0 | 5600 | 3485 | 0 | 0 | .00000 | 0 | 3955 | 4828 |
| ANNUAL | 3886 | 0 | | 1372 | 0 | | 1705 | | | 0 | 0 | | 996 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 4 CALENDAR YEAR 1998

| RESERVOIR NO. 4 | MEX FALCON | MAX FLOOD POOL: 1140074 | | | | | MAX CONSERVATION POOL: 1098674 | | | | | DEAD POOL: 1099 | | |
|-----------------|---------------|-------------------------|-----------------|-----------------|--------------|-----------|--------------------------------|-----------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHD INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 3906 | 30424 | 0 | 179835 | 28335 | .26 | 2449 | 179835 | 0 | 0 | 0 | 0 | 93519 | 855056 |
| 2 | 3825 | 27225 | 0 | 46531 | 23529 | .29 | 1456 | 46531 | 0 | 0 | 0 | 0 | 72757 | 1140 |
| 3 | 0 | 83273 | 0 | 78080 | 21609 | .42 | 1946 | 78080 | 0 | 0 | 0 | 0 | 76004 | 1140 |
| 4 | 0 | 77386 | 0 | 150471 | 16346 | .68 | 1766 | 300801 | 150330 | 0 | 0 | 0 | 1153 | 1099 |
| 5 | 58914 | 85918 | 0 | 85937 | 10481 | .73 | 57 | 126402 | 40465 | 0 | 0 | 0 | 1077 | 1099 |
| 6 | 10260 | 5285 | 0 | 1605 | 10663 | .80 | 158 | 1605 | 0 | 0 | 0 | 0 | 4599 | 1099 |
| 7 | 3913 | 19448 | 0 | 4452 | 11373 | .87 | 714 | 4452 | 0 | 0 | 0 | 0 | 18881 | 1099 |
| 8 | 5330 | 20366 | 0 | 4630 | 12093 | .61 | 1114 | 4630 | 0 | 0 | 0 | 0 | 33503 | 1099 |
| 9 | 98882 | 114221 | 0 | 245 | 17861 | .58 | 3384 | 245 | 0 | 0 | 0 | 0 | 144095 | 1099 |
| 10 | 18370 | 32605 | 0 | 3266 | 23561 | .43 | 4069 | 3266 | 0 | 0 | 0 | 0 | 169365 | 824006 |
| 11 | 33717 | 47935 | 0 | 2976 | 26829 | .25 | 2726 | 2976 | 0 | 0 | 0 | 0 | 211598 | 855056 |
| 12 | 3724 | 19134 | 0 | 5720 | 29688 | .20 | 2359 | 5720 | 0 | 0 | 0 | 0 | 222653 | 855056 |
| ANNUAL | 240841 | 563220 | 0 | 563748 | | | 22198 | 754543 | 190795 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|------------|-------|-------|-------|--------|--------|--------|-------|-------|--------|-------|-------|-------|-------|
| LINK NO. 1 | 67452 | 61300 | 69425 | 58726 | 69665 | 69639 | 68000 | 66034 | 66317 | 65061 | 63354 | 66114 | 65918 |
| 2 | 73787 | 67112 | 70045 | 56559 | 124617 | 75887 | 66796 | 67133 | 137834 | 80262 | 94997 | 70335 | 82108 |
| 3 | 68536 | 62012 | 64682 | 44074 | 120600 | 65937 | 63612 | 54325 | 131430 | 76339 | 93269 | 64116 | 75740 |
| 4 | 80060 | 84616 | 74419 | 136002 | 96941 | 106440 | 39773 | 50237 | 37578 | 43027 | 16967 | 21736 | 65644 |
| 5 | 32953 | 29947 | 92837 | 47303 | 1050 | 1023 | 21502 | 21083 | 21229 | 20803 | 20346 | 21311 | 27609 |
| 6 | 30424 | 27225 | 83273 | 37081 | 48198 | 5285 | 19448 | 20366 | 114221 | 32605 | 47935 | 19134 | 40428 |
| 7 | 0 | 0 | 0 | 0 | 4727 | 57229 | 0 | 0 | 0 | 0 | 0 | 0 | 5162 |
| 8 | 0 | 0 | 0 | 40305 | 37720 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6501 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHD INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 860033 | 75724 | 10150 | 85311 | 0 | 9271 | 831025 | 25.1 | 225000 | 275000 | 0 | 96098 | 78906 | 331025 | 12.5 |
| 2 | 831025 | 64066 | 16128 | 89716 | 0 | 11463 | 777784 | 23.5 | 225000 | 275000 | 29705 | 0 | 82946 | 248079 | 9.4 |
| 3 | 777784 | 64245 | 10181 | 79782 | 0 | 13502 | 738564 | 22.3 | 225000 | 275000 | 0 | 64313 | 73828 | 238564 | 9.0 |
| 4 | 738564 | 75819 | 12283 | 148487 | 0 | 19737 | 633876 | 19.2 | 225000 | 275000 | 32918 | 0 | 137606 | 100958 | 3.8 |
| 5 | 633876 | 159204 | 21684 | 264683 | 163725 | 19607 | 650831 | 19.7 | 225000 | 275000 | 0 | 143075 | 93202 | 150831 | 5.7 |
| 6 | 650831 | 88614 | 10819 | 116390 | 0 | 21434 | 590802 | 17.9 | 225000 | 275000 | 47845 | 0 | 107874 | 42957 | 1.6 |
| 7 | 590802 | 81325 | 15456 | 127929 | 84972 | 23610 | 590104 | 17.9 | 225000 | 275000 | 0 | 86922 | 39775 | 90104 | 3.4 |
| 8 | 590104 | 92830 | 9133 | 63045 | 0 | 20902 | 589854 | 17.9 | 225000 | 275000 | 0 | 58776 | 59026 | 89854 | 3.4 |
| 9 | 589854 | 169325 | 8486 | 43982 | 0 | 17953 | 688758 | 20.8 | 225000 | 275000 | 0 | 139879 | 40975 | 188758 | 7.1 |
| 10 | 688758 | 84374 | 8805 | 46950 | 0 | 15612 | 701765 | 21.2 | 225000 | 275000 | 0 | 56514 | 43507 | 201765 | 7.6 |
| 11 | 701765 | 95891 | 5730 | 18695 | 0 | 8307 | 764924 | 23.1 | 225000 | 275000 | 0 | 80496 | 17337 | 264924 | 10.0 |
| 12 | 764924 | 62547 | 6451 | 27955 | 0 | 7568 | 785497 | 23.8 | 225000 | 275000 | 46789 | 0 | 26216 | 238708 | 9.0 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 4 CALENDAR YEAR 1998

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 67892 | 67892 | 0 | 67452 | 18091 | .31 | 4353 | 1497 | 0 | 5251 | 0 | 0 | 507963 | 1827241 |
| 2 | 56680 | 56680 | 0 | 61300 | 17689 | .44 | 6096 | 1574 | 0 | 5100 | 0 | 0 | 497247 | 1827241 |
| 3 | 61812 | 61812 | 0 | 69425 | 16280 | .47 | 6372 | 1813 | 0 | 5363 | 0 | 0 | 483262 | 1827241 |
| 4 | 75819 | 75819 | 0 | 58726 | 14384 | .77 | 10388 | 2167 | 0 | 12485 | 0 | 0 | 489967 | 1771041 |
| 5 | 101801 | 101801 | 0 | 74392 | 13846 | .87 | 12013 | 2451 | 0 | 10532 | 6515 | 0 | 505363 | 1328281 |
| 6 | 79903 | 79903 | 0 | 126868 | 13618 | .99 | 13062 | 2463 | 0 | 9950 | 0 | 0 | 445336 | 1328281 |
| 7 | 80026 | 80026 | 0 | 68000 | 13342 | 1.17 | 14429 | 2503 | 0 | 9481 | 6297 | 0 | 442933 | 1328281 |
| 8 | 89329 | 89329 | 0 | 66034 | 13986 | 1.18 | 14639 | 2402 | 0 | 12808 | 0 | 0 | 451589 | 1771041 |
| 9 | 95852 | 95852 | 0 | 66317 | 15003 | .86 | 10978 | 1956 | 0 | 6404 | 0 | 0 | 470146 | 1328281 |
| 10 | 66988 | 66988 | 0 | 65061 | 15602 | .74 | 9550 | 2185 | 0 | 3923 | 0 | 0 | 462523 | 1771041 |
| 11 | 62195 | 62195 | 0 | 63354 | 15712 | .34 | 4326 | 2053 | 0 | 1728 | 0 | 0 | 457038 | 1827241 |
| 12 | 56829 | 56829 | 0 | 66114 | 15597 | .32 | 3989 | 1497 | 0 | 6219 | 0 | 0 | 443764 | 1827241 |
| ANNUAL | 895126 | 895126 | 0 | 853043 | | | 110195 | 24561 | 0 | 89244 | 12812 | 0 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 7832 | 68536 | 0 | 88713 | 28335 | .26 | 4918 | 8653 | 0 | 80060 | 0 | 0 | 327662 | 1210297 |
| 2 | 7386 | 62012 | 0 | 99170 | 23529 | .29 | 5367 | 14554 | 0 | 84616 | 0 | 0 | 285137 | 1210297 |
| 3 | 2433 | 64682 | 0 | 82787 | 21609 | .42 | 7130 | 8368 | 0 | 74419 | 0 | 0 | 259902 | 1210297 |
| 4 | 0 | 44074 | 0 | 146118 | 16346 | .68 | 9349 | 10116 | 0 | 136002 | 0 | 0 | 148509 | 1166347 |
| 5 | 57403 | 125327 | 0 | 116174 | 10481 | .73 | 7594 | 19233 | 0 | 254151 | 157210 | 0 | 150068 | 150070 |
| 6 | 8711 | 123166 | 0 | 114796 | 10663 | .80 | 8372 | 8356 | 0 | 106440 | 0 | 0 | 150066 | 150070 |
| 7 | 1299 | 63612 | 0 | 52726 | 11373 | .87 | 9181 | 12953 | 0 | 118448 | 78675 | 0 | 151771 | 150070 |
| 8 | 3501 | 54325 | 0 | 56968 | 12093 | .61 | 6263 | 6731 | 0 | 50237 | 0 | 0 | 142865 | 1166347 |
| 9 | 73473 | 131430 | 0 | 44108 | 17861 | .58 | 6975 | 6530 | 0 | 37578 | 0 | 0 | 223212 | 150070 |
| 10 | 17386 | 76339 | 0 | 49647 | 23561 | .43 | 6062 | 6620 | 0 | 43027 | 0 | 0 | 243842 | 1166347 |
| 11 | 33696 | 93269 | 0 | 20644 | 26829 | .25 | 3981 | 3677 | 0 | 16967 | 0 | 0 | 312486 | 1210297 |
| 12 | 5718 | 64116 | 0 | 26690 | 29688 | .20 | 3579 | 4954 | 0 | 21736 | 0 | 0 | 346333 | 1210297 |
| ANNUAL | 218838 | 970888 | 0 | 898541 | | | 78771 | 110745 | 0 | 1023681 | 235885 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 28687 | 28687 | 0 | 32953 | 18091 | .31 | 1255 | 6435 | 0 | 0 | 0 | 0 | 144216 | 1424078 |
| 2 | 21287 | 21287 | 0 | 29947 | 17689 | .44 | 1687 | 6547 | 0 | 0 | 0 | 0 | 133869 | 1068059 |
| 3 | 23319 | 23319 | 0 | 92837 | 16280 | .47 | 1280 | 9564 | 0 | 0 | 0 | 0 | 63071 | 1068059 |
| 4 | 26625 | 26625 | 0 | 87608 | 14384 | .77 | 688 | 10222 | 0 | 0 | 0 | 0 | 1400 | 1035209 |
| 5 | 38768 | 38768 | 0 | 38770 | 13846 | .87 | 33 | 11766 | 0 | 0 | 0 | 0 | 1365 | 1035209 |
| 6 | 29252 | 29252 | 0 | 1023 | 13618 | .99 | 420 | 5998 | 0 | 0 | 0 | 0 | 29174 | 1035209 |
| 7 | 37006 | 37006 | 0 | 21502 | 13342 | 1.17 | 1181 | 5967 | 0 | 0 | 0 | 0 | 43497 | 1035209 |
| 8 | 49855 | 49855 | 0 | 21083 | 13986 | 1.18 | 1864 | 6047 | 0 | 0 | 0 | 0 | 70405 | 1035209 |
| 9 | 43976 | 43976 | 0 | 21229 | 15003 | .86 | 1925 | 5890 | 0 | 0 | 0 | 0 | 91227 | 1035209 |
| 10 | 35154 | 35154 | 0 | 20803 | 15602 | .74 | 1995 | 6568 | 0 | 0 | 0 | 0 | 103583 | 1380278 |
| 11 | 30206 | 30206 | 0 | 20346 | 15712 | .34 | 1016 | 6128 | 0 | 0 | 0 | 0 | 112427 | 1424078 |
| 12 | 23756 | 23756 | 0 | 21311 | 15597 | .32 | 1002 | 5901 | 0 | 0 | 0 | 0 | 113870 | 1424078 |
| ANNUAL | 387891 | 387891 | 0 | 409412 | | | 14346 | 87033 | 0 | 0 | 0 | 0 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 4 CALENDAR YEAR 1998

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | | | | |
|--------|--------------------|----------|----------------------|---------------------------------|----------|------------------------|--------|---------|---------|---------------------------------|----------|----------|---------------------|--------|--------|--------|--------|---------|---------|
| | ADJ. NO. | 0808-001 | ANNUAL AUTH: 6140 AF | ADJ. NO. | 0808-005 | ANNUAL AUTH: 147775 AF | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF | DEMAND | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | | AMOUNT | AMOUNT | | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 0 | 0 | 6140 | 2663 | 0 | .05370 | 7935 | 57046 | 145112 | | 0 | 0 | .03159 | 15 | 183 | 470 | | | |
| 2 | 0 | 0 | 6140 | 8039 | 0 | .00000 | 0 | 49007 | 137073 | | 48 | 0 | .00000 | 0 | 135 | 422 | | | |
| 3 | 3 | 0 | 6137 | 8845 | 0 | .03594 | 5311 | 45473 | 128228 | | 0 | 0 | .02114 | 10 | 145 | 422 | | | |
| 4 | 100 | 0 | 6037 | 10112 | 0 | .00000 | 0 | 35361 | 118116 | | 0 | 0 | .00000 | 0 | 145 | 422 | | | |
| 5 | 56 | 0 | 5981 | 17240 | 0 | .07995 | 11815 | 29936 | 100876 | | 0 | 0 | .04703 | 22 | 167 | 422 | | | |
| 6 | 90 | 0 | 5891 | 7093 | 0 | .00000 | 0 | 22843 | 93783 | | 0 | 0 | .00000 | 0 | 167 | 422 | | | |
| 7 | 181 | 0 | 5710 | 11385 | 0 | .04857 | 7178 | 18636 | 82398 | | 0 | 0 | .02857 | 13 | 180 | 422 | | | |
| 8 | 120 | 0 | 5590 | 4441 | 0 | .03284 | 4854 | 19049 | 77957 | | 0 | 0 | .01932 | 9 | 189 | 422 | | | |
| 9 | 0 | 0 | 5590 | 5227 | 0 | .07816 | 11551 | 25373 | 72730 | | 28 | 0 | .04598 | 22 | 183 | 394 | | | |
| 10 | 0 | 0 | 5590 | 4099 | 0 | .03158 | 4667 | 25941 | 68631 | | 0 | 0 | .01858 | 9 | 192 | 394 | | | |
| 11 | 1377 | 0 | 4213 | 97 | 0 | .04498 | 6647 | 32491 | 68534 | | 0 | 0 | .02646 | 12 | 204 | 394 | | | |
| 12 | 1843 | 0 | 2370 | 0 | 0 | .00000 | 0 | 32491 | 68534 | | 0 | 0 | .00000 | 0 | 204 | 394 | | | |
| ANNUAL | 3770 | 0 | | 79241 | 0 | | 59958 | | | | 76 | 0 | | 112 | | | | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION YEAR 4 CALENDAR YEAR 1998

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|--------|-----------------|--------------------|-------------------|--|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 489 | 0 | 4811 | 756 | 0 | .05370 | 3730 | 12211 | 68708 | 100 | 0 | .03159 | 127 | 2204 | 3909 |
| 2 | 657 | 0 | 4154 | 2371 | 0 | .00000 | 0 | 9840 | 66337 | 300 | 0 | .00000 | 0 | 1904 | 3609 |
| 3 | 595 | 0 | 3559 | 2179 | 0 | .03594 | 2496 | 10157 | 64158 | 226 | 0 | .02114 | 85 | 1763 | 3383 |
| 4 | 874 | 0 | 2685 | 4283 | 0 | .00000 | 0 | 5874 | 59875 | 191 | 0 | .00000 | 0 | 1572 | 3192 |
| 5 | 766 | 0 | 1919 | 4387 | 0 | .07995 | 5554 | 7041 | 55488 | 120 | 0 | .04703 | 189 | 1641 | 3072 |
| 6 | 657 | 0 | 1262 | 26188 | 19147 | .00000 | 0 | 0 | 48447 | 108 | 0 | .00000 | 0 | 1533 | 2964 |
| 7 | 642 | 0 | 620 | 3734 | 3734 | .04857 | 3374 | 3374 | 48447 | 74 | 0 | .02857 | 115 | 1574 | 2890 |
| 8 | 496 | 0 | 124 | 2110 | 0 | .03284 | 2281 | 3545 | 46337 | 27 | 0 | .01932 | 77 | 1624 | 2863 |
| 9 | 125 | 1 | 0 | 2148 | 0 | .07816 | 5430 | 6827 | 44189 | 24 | 0 | .04598 | 184 | 1784 | 2839 |
| 10 | 0 | 0 | 0 | 3016 | 0 | .03158 | 2194 | 6005 | 41173 | 178 | 0 | .01858 | 74 | 1680 | 2661 |
| 11 | 0 | 0 | 0 | 149 | 0 | .04498 | 3125 | 8981 | 41024 | 16 | 0 | .02646 | 106 | 1770 | 2645 |
| 12 | 0 | 0 | 0 | 1336 | 0 | .00000 | 0 | 7645 | 39688 | 60 | 0 | .00000 | 0 | 1710 | 2585 |
| ANNUAL | 5301 | 1 | | 52657 | 22881 | | 28184 | | | 1424 | 0 | | 957 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|--------|-----------------|--------------------|-------------------|--|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 239 | 0 | 3728 | 187 | 0 | .05370 | 261 | 5674 | 4670 | 0 | 0 | .03159 | 153 | 4108 | 4828 |
| 2 | 145 | 0 | 3583 | 87 | 0 | .00000 | 0 | 5587 | 4583 | 0 | 0 | .00000 | 0 | 4108 | 4828 |
| 3 | 182 | 0 | 3401 | 82 | 0 | .03594 | 175 | 5680 | 4501 | 0 | 0 | .02114 | 102 | 4210 | 4828 |
| 4 | 248 | 0 | 3153 | 53 | 0 | .00000 | 0 | 5627 | 4448 | 0 | 0 | .00000 | 0 | 4210 | 4828 |
| 5 | 308 | 0 | 2845 | 268 | 0 | .07995 | 388 | 5747 | 4180 | 0 | 0 | .04703 | 227 | 4437 | 4828 |
| 6 | 589 | 0 | 2256 | 118 | 0 | .00000 | 0 | 5629 | 4062 | 0 | 0 | .00000 | 0 | 4437 | 4828 |
| 7 | 406 | 0 | 1850 | 230 | 0 | .04857 | 236 | 5635 | 3832 | 0 | 0 | .02857 | 138 | 4575 | 4828 |
| 8 | 613 | 0 | 1237 | 24 | 0 | .03284 | 160 | 5771 | 3808 | 0 | 0 | .01932 | 93 | 4668 | 4828 |
| 9 | 499 | 0 | 738 | 69 | 0 | .07816 | 380 | 6082 | 3739 | 0 | 0 | .04598 | 222 | 4890 | 4828 |
| 10 | 268 | 0 | 470 | 254 | 0 | .03158 | 153 | 5981 | 3485 | 0 | 0 | .01858 | 90 | 4980 | 4828 |
| 11 | 289 | 0 | 181 | 0 | 0 | .04498 | 218 | 6199 | 3485 | 0 | 0 | .02646 | 128 | 5108 | 4828 |
| 12 | 100 | 0 | 81 | 0 | 0 | .00000 | 0 | 6199 | 3485 | 0 | 0 | .00000 | 0 | 5108 | 4828 |
| ANNUAL | 3886 | 0 | | 1372 | 0 | | 1971 | | | 0 | 0 | | 1153 | | |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 2 U.S. FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1995 | 937652 | 218838 | 896120 | 0 | 1134426 | 169056 | 110745 | 0 | 1023681 | 0 | 0 | 530290 | 338141 |
| 1996 | 530290 | 227673 | 1049743 | 0 | 1113618 | 110086 | 112583 | 0 | 1001035 | 0 | 0 | 356329 | 181265 |
| 1997 | 356329 | 218838 | 1202421 | 0 | 1134426 | 71567 | 110745 | 0 | 1023681 | 0 | 0 | 352757 | 1666 |
| 1998 | 352757 | 218838 | 970888 | 0 | 898541 | 78771 | 110745 | 0 | 1023681 | 235885 | 0 | 346333 | 142865 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 1 U.S. AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1995 | 1205614 | 895126 | 895126 | 0 | 791087 | 246090 | 24561 | 0 | 89244 | 0 | 0 | 1063563 | 1063563 |
| 1996 | 1063563 | 956466 | 956466 | 0 | 949893 | 204717 | 25850 | 0 | 101973 | 0 | 0 | 865419 | 743519 |
| 1997 | 865419 | 895126 | 895126 | 0 | 1097388 | 151281 | 24561 | 0 | 89244 | 0 | 0 | 511876 | 511876 |
| 1998 | 511876 | 895126 | 895126 | 0 | 853043 | 110195 | 24561 | 0 | 89244 | 12812 | 0 | 443764 | 442933 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 4 MEX FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1995 | 320826 | 240841 | 755821 | 0 | 754543 | 37003 | 754543 | 0 | 0 | 0 | 0 | 285101 | 13653 |
| 1996 | 285101 | 259854 | 321748 | 0 | 279607 | 66821 | 279607 | 0 | 0 | 0 | 0 | 260421 | 103808 |
| 1997 | 260421 | 240841 | 768686 | 0 | 754543 | 29185 | 754543 | 0 | 0 | 0 | 0 | 245379 | 5325 |
| 1998 | 245379 | 240841 | 563220 | 0 | 563748 | 22198 | 754543 | 190795 | 0 | 0 | 0 | 222653 | 1077 |

CURRENT 1995-1996 AND EXTENDED 1997-1998 DROUGHT SIMULATION WITH 1995 CONDITIONS

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 3 MEX AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|----------------|----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1995 | 420666 | 387891 | 387891 | 0 | 602013 | 37246 | 87033 | 0 | 0 | 0 | 0 | 169298 | 85887 |
| 1996 | 169298 | 441577 | 441577 | 0 | 145280 | 54775 | 83386 | 0 | 0 | 0 | 0 | 410820 | 175592 |
| 1997 | 410820 | 387891 | 387891 | 0 | 614878 | 34096 | 87033 | 0 | 0 | 0 | 0 | 149737 | 64302 |
| 1998 | 149737 | 387891 | 387891 | 0 | 409412 | 14346 | 87033 | 0 | 0 | 0 | 0 | 113870 | 1365 |

APPENDIX 3

**AMISTAD-FALCON ROM SAMPLE OUTPUT LISTING FOR 1949-1955
FROM 1945-1996 SIMULATION**

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERATING RULES
 R. J. BRANDES COMPANY SEPT. 1997

DATE: 2-14-1998

FILE: UM4596G2

ECHO PRINT OF INPUT DATA FILE PARAMETERS WITHOUT FLOW, DEMAND, OR EVAPORATION DATA

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

AVERAGE CURRENT HISTORICAL DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION

| | | | | | |
|--------------|---|---------|---------|------|---------|
| CARD 01 | NJ - NUMBER OF NODES IN THE MODEL NETWORK | | | | 8 |
| CARD 02 | NRES - NUMBER OF RESERVOIRS IN THE MODEL NETWORK | | | | 4 |
| CARD 03 | NL - NUMBER OF LINKS BETWEEN NODES IN THE MODEL NETWORK | | | | 8 |
| CARD 04 | NR - NUMBER OF LINKS THAT ARE RIVER REACHES | | | | 8 |
| CARD 05 | NYEAR - TOTAL NUMBER OF YEARS IN SIMULATION PERIOD | | | | 52 |
| CARD 06 | ND - NUMBER OF DEMAND NODES IN THE MODEL NETWORK | | | | 8 |
| CARD 07 | NS - NUMBER OF SPILL RESERVOIRS IN THE MODEL NETWORK | | | | 2 |
| CARD 08 | IYEAR - BEGINNING CALENDAR YEAR OF SIMULATION PERIOD | | | | 1945 |
| CARD 09 | IFRM - BEGINNING ORDINAL YEAR OF DETAILED PRINTOUT | | | | 1 |
| CARD 10 | ITDY - ENDING ORDINAL YEAR OF DETAILED PRINTOUT | | | | 52 |
| CARD 11 | INPUT DATA SOURCE ("CARD" OR "TAPE") | | | | CARD |
| CARD 12 | FIRM ANNUAL YIELD ITERATION CONVERGENCE LIMIT | | | | 0.040 |
| CARD 13 | IPLT=0, DO NOT SAVE; =NODE, SAVE RES. OPER; =5, SAVE ACCOUNT | | | | 1 |
| CARD 14 | IYSTR - BEGINNING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | | | 1948 |
| CARD 15 | IYEND - ENDING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | | | 1972 |
| CARD 16 | IFLYLD=0, NO FAY; IFLYLD =1, DETERMINE FAY FOR CRITICAL PERIOD | | | | 0 |
| CARD 17 | MAXMWR - TOTAL DOMESTIC-MUNICIPAL-INDUSTRIAL WATER RIGHTS | | | | 271579 |
| CARD 18 | MXLIWR - TOTAL IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | | 1696228 |
| CARD 19 | MLIAWR - TOTAL CLASS A IRRI WATER RIGHTS ON LOWER RIO GRANDE | | | | 1500719 |
| CARD 20 | MLIBWR - TOTAL CLASS B IRRI WATER RIGHTS ON LOWER RIO GRANDE | | | | 195509 |
| CARD 21 | MXMIWR - TOTAL IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | | | 181530 |
| CARD 22 | MMAIWR - TOTAL CLASS A IRRI WATER RIGHTS ON MIDDLE RIO GRANDE | | | | 162803 |
| CARD 23 | MMIBWR - TOTAL CLASS B IRRI WATER RIGHTS ON MIDDLE RIO GRANDE | | | | 18727 |
| CARD 24 | MAXMPL - MAX. U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE POOL | | | | 225000 |
| CARD 25 | IRSTRT - STARTING TOTAL IRRIGATION & MINING ACCOUNT BALANCE | | | | 0000000 |
| CARD 26 | NUMWR - NUMBER OF WATER RIGHTS OWNERS INCLUDED IN ACCOUNTING | | | | 3 |
| CARD 27 | IRLFLG=0, READ ALL MONTHLY RELEASES; =1, READ AVG. MON RELEASES | | | | 1 |
| CARD 28 | IWRFLG=0, READ ALL MONTHLY DEMANDS; =1, READ AVG. MON DEMANDS | | | | 1 |
| U.S. AMISTAD | 1 | 1827241 | 1771041 | 1771 | 1771041 |
| U.S. FALCON | 2 | 1613729 | 1555129 | 1555 | 1555129 |
| MEX AMISTAD | 3 | 1424078 | 1380278 | 1380 | 1380278 |
| MEX FALCON | 4 | 1140074 | 1098674 | 1099 | 1098674 |
| U.S.MRG MUNI | 5 | 0 | 0 | 0 | |
| U.S.MRG IRRI | 6 | 0 | 0 | 0 | |
| U.S.LRG IRRI | 7 | 0 | 0 | 0 | |
| MEX MRG M&IR | 8 | 0 | 0 | 0 | |
| SPILL RESR | 2 | 4 | | | |
| AMISTAD | 1 | 1 | 930.0 | 0 | 0 |
| AMISTAD | 1 | 2 | 945.0 | 5 | 1 |
| AMISTAD | 1 | 3 | 946.5 | 87 | 294 |
| AMISTAD | 1 | 4 | 948.2 | 180 | 823 |
| AMISTAD | 1 | 5 | 949.1 | 237 | 1180 |
| AMISTAD | 1 | 6 | 950.1 | 297 | 1684 |
| AMISTAD | 1 | 7 | 951.4 | 376 | 2782 |
| AMISTAD | 1 | 8 | 961.3 | 1045 | 13873 |
| AMISTAD | 1 | 9 | 971.1 | 1843 | 33110 |
| AMISTAD | 1 | 10 | 981.0 | 2770 | 59404 |
| AMISTAD | 1 | 11 | 990.8 | 3823 | 93556 |

| | | | | | | | | | | | | | | |
|---------------------------|----------|------|---------|---------------|----------|-------|-------|---------------|----------|-------|------|------|------|------|
| OPERATING | 1 | 2 | DRY | 11 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| RULES | 1 | 3 | WET | 10 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR | 2 | 1 | AVERAGE | 11 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| OPERATING | 2 | 2 | DRY | 10 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 |
| RULES | 2 | 3 | WET | 11 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR | 3 | 1 | AVERAGE | 12 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| OPERATING | 3 | 2 | DRY | 13 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| RULES | 3 | 3 | WET | 12 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR | 4 | 1 | AVERAGE | 13 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| OPERATING | 4 | 2 | DRY | 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| RULES | 4 | 3 | WET | 13 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| LINK1 | 1 | 1 | 5 | 9000000 | | | | | | | | | | |
| LINK2 | 2 | 5 | 6 | 9000000 | | | | | | | | | | |
| LINK3 | 3 | 6 | 2 | 9000000 | | | | | | | | | | |
| LINK4 | 4 | 2 | 7 | 9000000 | | | | | | | | | | |
| LINK5 | 5 | 3 | 8 | 9000000 | | | | | | | | | | |
| LINK6 | 6 | 8 | 4 | 9000000 | | | | | | | | | | |
| LINK7 | 7 | 1 | 2 | 9000000 | | | | | | | | | | |
| LINK8 | 8 | 3 | 4 | 9000000 | | | | | | | | | | |
| US AMS REL | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEX AMS REL | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNITED I.D. | 1 | | | | | | | | | | | | | |
| MUN ADJ NO | 0849-000 | | | CL A ADJ NO | A847-001 | | | CL B ADJ NO | B769-000 | | | | | |
| MUN ANN AUTH | 5300 | | | CL A ANN AUTH | 69464 | | | CL B ANN AUTH | 4009 | | | | | |
| IRRIG ACCT START BALANCES | | | | CL A BALANCE | 97944 | | | CL B BALANCE | 5653 | | | | | |
| MUNICIPAL | 1 | 1945 | 382 | 353 | 412 | 474 | 459 | 477 | 532 | 550 | 450 | 426 | 394 | 391 |
| CLASS A IRR | 1 | 1945 | 5189 | 3063 | 5418 | 9982 | 9322 | 8794 | 7384 | 6717 | 3967 | 4119 | 2793 | 2716 |
| CLASS B IRR | 1 | 1945 | 299 | 177 | 313 | 576 | 538 | 507 | 426 | 388 | 229 | 238 | 161 | 157 |
| SANTACRUZ | 15 | 2 | | | | | | | | | | | | |
| MUN ADJ NO | 0240-000 | | | CL A ADJ NO | 0810-000 | | | CL B ADJ NO | B804-000 | | | | | |
| MUN ANN AUTH | 3967 | | | CL A ANN AUTH | 4857 | | | CL B ANN AUTH | 4828 | | | | | |
| IRRIG ACCT START BALANCES | | | | CL A BALANCE | 6848 | | | CL B BALANCE | 6807 | | | | | |
| MUNICIPAL | 2 | 1945 | 286 | 264 | 308 | 355 | 343 | 357 | 398 | 412 | 337 | 319 | 295 | 293 |
| CLASS A IRR | 2 | 1945 | 363 | 214 | 379 | 698 | 652 | 615 | 516 | 470 | 277 | 288 | 195 | 190 |
| CLASS B IRR | 2 | 1945 | 361 | 213 | 376 | 694 | 648 | 611 | 513 | 467 | 276 | 286 | 194 | 189 |
| HCID2 S.JUAN | 3 | | | | | | | | | | | | | |
| MUN ADJ NO | 0808-001 | | | CL A ADJ NO | 0808-005 | | | CL B ADJ NO | 0573-001 | | | | | |
| MUN ANN AUTH | 6140 | | | CL A ANN AUTH | 147775 | | | CL B ANN AUTH | 470 | | | | | |
| IRRIG ACCT START BALANCES | | | | CL A BALANCE | 208363 | | | CL B BALANCE | 663 | | | | | |
| MUNICIPAL | 3 | 1945 | 442 | 409 | 477 | 549 | 532 | 553 | 616 | 637 | 522 | 493 | 457 | 453 |
| CLASS A IRR | 3 | 1945 | 11039 | 6517 | 11526 | 21235 | 19831 | 18708 | 15709 | 14290 | 8438 | 8763 | 5941 | 5778 |
| CLASS B IRR | 3 | 1945 | 35 | 21 | 37 | 68 | 63 | 59 | 50 | 45 | 27 | 28 | 19 | 18 |

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERATING RULES
 R. J. BRANDES COMPANY SEPT. 1997

DATE: 2-14-1998
 TIME: 15:56:59
 FILE: UM4596G2

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY
 AVERAGE CURRENT HISTORICAL DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION

NUMBER OF NODES = 8 NUMBER OF RESERVOIRS = 4
 NUMBER OF LINKS = 8 NUMBER OF RIVER REACHES = 8
 CALENDAR YEAR OPERATION STARTS = 1945 NUMBER OF YEARS TO SIMULATE = 52
 NUMBER OF DEMAND NODES = 8 NUMBER OF SPILL NODES = 2
 NUMBER OF INDIVIDUAL WATER RIGHTS = 3

SYSTEM NODE CHARACTERISTICS

| NODE NO. | NODE NAME | CAPACITIES | | | | YEARLY DEMAND (AC-FT) |
|----------|---------------|---------------|-----------------|-----------------|------------------|-----------------------|
| | | FLOOD (AC-FT) | CONSERV (AC-FT) | MINIMUM (AC-FT) | STARTING (AC-FT) | |
| 1 | U.S. AMISTAD | 1827241 | 1771041 | 1771 | 1771041 | 0 |
| 2 | U.S. FALCON | 1613729 | 1555129 | 1555 | 1555129 | 125000 |
| 3 | MEX AMISTAD | 1424078 | 1380278 | 1380 | 1380278 | 0 |
| 4 | MEX FALCON | 1140074 | 1098674 | 1099 | 1098674 | 1224000 |
| 5 | U.S.MRG MUNI | 0 | 0 | 0 | 0 | 34000 |
| 6 | U.S.MRG IIRRI | 0 | 0 | 0 | 0 | 127000 |
| 7 | U.S.LRG IIRRI | 0 | 0 | 0 | 0 | 1078000 |
| 8 | MEX MRG M&IR | 0 | 0 | 0 | 0 | 66000 |

NOTE: FLOOD POOL IS AVAILABLE FOR CONSERVATION STORAGE DURING NOVEMBER-APRIL NON-HURRICANE SEASON

SYSTEM LINK CONFIGURATION

| LINK NO. | FROM NODE | TO NODE | MAX. CAPACITY (AC-FT/MON) | MIN. CAPACITY (AC-FT/MON) |
|----------|-----------|---------|---------------------------|---------------------------|
| 1 | 1 | 5 | 9000000 | 0 |
| 2 | 5 | 6 | 9000000 | 0 |
| 3 | 6 | 2 | 9000000 | 0 |
| 4 | 2 | 7 | 9000000 | 0 |
| 5 | 3 | 8 | 9000000 | 0 |
| 6 | 8 | 4 | 9000000 | 0 |
| 7 | 1 | 2 | 9000000 | 0 |
| 8 | 3 | 4 | 9000000 | 0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

STAGE-AREA-CAPACITY RELATIONSHIPS FOR TOTAL STORAGE IN AMISTAD AND FALCON RESERVOIRS

| AMISTAD RESERVOIR | | | | FALCON RESERVOIR | | |
|-------------------|----------------|-----------|------------------|------------------|-----------|------------------|
| POINT NO. | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) |
| 1 | 930.0 | 0 | 0 | 203.3 | 0 | 0 |
| 2 | 945.0 | 5 | 1 | 203.4 | 35 | 57 |
| 3 | 946.5 | 87 | 294 | 205.1 | 195 | 235 |
| 4 | 948.2 | 180 | 823 | 206.7 | 425 | 735 |
| 5 | 949.1 | 237 | 1180 | 207.3 | 539 | 1050 |
| 6 | 950.1 | 297 | 1684 | 208.3 | 727 | 1670 |
| 7 | 951.4 | 376 | 2782 | 210.0 | 1100 | 3158 |
| 8 | 961.3 | 1045 | 13873 | 214.9 | 1559 | 9631 |
| 9 | 971.1 | 1843 | 33110 | 219.8 | 2202 | 18806 |
| 10 | 981.0 | 2770 | 59404 | 224.7 | 3526 | 32732 |
| 11 | 990.8 | 3823 | 93556 | 229.7 | 5169 | 54000 |
| 12 | 1000.7 | 5004 | 138573 | 234.6 | 6531 | 82799 |
| 13 | 1010.5 | 6314 | 195568 | 239.5 | 8061 | 118624 |
| 14 | 1020.3 | 7722 | 264663 | 242.8 | 10341 | 148482 |
| 15 | 1030.2 | 9758 | 350120 | 244.4 | 11654 | 166516 |
| 16 | 1040.0 | 12751 | 458690 | 249.3 | 15894 | 234115 |
| 17 | 1049.9 | 16734 | 605456 | 254.3 | 20562 | 323644 |
| 18 | 1059.7 | 21627 | 790919 | 259.2 | 25677 | 437240 |
| 19 | 1069.6 | 27399 | 1029250 | 264.1 | 30775 | 576159 |
| 20 | 1079.4 | 34051 | 1328996 | 269.0 | 36184 | 740751 |
| 21 | 1089.2 | 41702 | 1699411 | 274.0 | 42448 | 933844 |
| 22 | 1094.2 | 45665 | 1911714 | 278.9 | 48929 | 1158684 |
| 23 | 1099.1 | 49658 | 2142942 | 282.2 | 53474 | 1326587 |
| 24 | 1104.0 | 53679 | 2393700 | 285.4 | 58443 | 1509829 |
| 25 | 1108.9 | 57729 | 2664077 | 288.7 | 65021 | 1712296 |
| 26 | 1115.5 | 63173 | 3055670 | 292.0 | 70235 | 1935151 |
| 27 | 1117.0 | 64438 | 3151319 | 295.3 | 74804 | 2172702 |
| 28 | 1118.8 | 65915 | 3265037 | 298.6 | 82000 | 2429861 |
| 29 | 1122.0 | 68671 | 3483939 | 301.2 | 87181 | 2653803 |
| 30 | 1131.9 | 77013 | 4199954 | 305.1 | 93809 | 3008297 |

SUMMARY OF TEXAS WATER RIGHTS IN MIDDLE AND LOWER RIO GRANDE AND
MAXIMUM STORAGE ALLOCATIONS IN AMISTAD AND FALCON RESERVOIRS

| | | |
|--|-------------|---------|
| TOTAL DOMESTIC, MUNICIPAL AND INDUSTRIAL WATER RIGHTS | (AC-FT/YR): | 271579 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 181530 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 162803 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 18727 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 1696228 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 1500719 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 195509 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON D-M-I POOL | (AC-FT): | 225000 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON IRRIGATION POOL | (AC-FT): | 2647639 |
| TOTAL RESERVOIR DEAD STORAGE USED IN WATER RIGHTS ACCOUNTING | (AC-FT): | 4600 |
| MAXIMUM STORAGE CAPACITY ALLOTTED TO OPERATING RESERVE | (AC-FT): | 380000 |
| MAXIMUM USABLE STORAGE AVAILABLE FOR WATER RIGHTS ACCOUNTING | (AC-FT): | 3321570 |
| TOTAL IRRIGATION & MINING ACCOUNT BALANCE AT BEGINNING OF SIMULATION | (AC-FT): | 2647639 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 5 CALENDAR YEAR 1949

RESERVOIR NO. 1 U.S. AMISTAD MAX FLOOD POOL: 1827241 MAX CONSERVATION POOL: 1771041 DEAD POOL: 1771

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|---------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 65000 | 65000 | 0 | 0 | 65737 | .13 | 4803 | 2077 | 0 | 5397 | 0 | 60183 | 1827241 | 1827241 |
| 2 | 137000 | 137000 | 0 | 0 | 65737 | .26 | 9606 | 2074 | 0 | 5194 | 0 | 127394 | 1827241 | 1827241 |
| 3 | 98000 | 98000 | 0 | 0 | 65737 | .47 | 17364 | 2584 | 0 | 11773 | 0 | 80636 | 1827241 | 1827241 |
| 4 | 161000 | 161000 | 0 | 0 | 65087 | .51 | 18655 | 2808 | 0 | 12954 | 0 | 198545 | 1771041 | 1771041 |
| 5 | 164000 | 164000 | 0 | 0 | 64438 | .62 | 22453 | 3033 | 0 | 10604 | 0 | 141547 | 1771041 | 1771041 |
| 6 | 126000 | 126000 | 0 | 0 | 64438 | .85 | 30782 | 3267 | 0 | 13195 | 0 | 95218 | 1771041 | 1771041 |
| 7 | 178000 | 178000 | 0 | 14754 | 64438 | .93 | 33679 | 3692 | 0 | 15062 | 0 | 129567 | 1771041 | 1771041 |
| 8 | 225000 | 225000 | 0 | 0 | 64438 | .76 | 27523 | 3767 | 0 | 17348 | 0 | 197477 | 1771041 | 1771041 |
| 9 | 132000 | 132000 | 1 | 0 | 64438 | .75 | 27161 | 2992 | 0 | 10249 | 0 | 104840 | 1771041 | 1771041 |
| 10 | 138000 | 138000 | 0 | 0 | 64438 | .43 | 15572 | 2893 | 0 | 10274 | 0 | 122428 | 1771041 | 1771041 |
| 11 | 81000 | 81000 | 0 | 0 | 65087 | .43 | 15729 | 2462 | 0 | 8458 | 0 | 9071 | 1827241 | 1827241 |
| 12 | 84000 | 84000 | 0 | 0 | 65737 | .29 | 10714 | 2349 | 0 | 6490 | 0 | 73286 | 1827241 | 1827241 |
| ANNUAL | 1589000 | 1589000 | 1 | 14754 | | | 234041 | 33998 | 0 | 126998 | 0 | 1340192 | | |

RESERVOIR NO. 2 U.S. FALCON MAX FLOOD POOL: 1613729 MAX CONSERVATION POOL: 1555129 DEAD POOL: 1555

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|---------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 10000 | 62709 | 0 | 89527 | 77614 | .32 | 12937 | 9000 | 0 | 80527 | 0 | 0 | 1164225 | 1210297 |
| 2 | 76000 | 196126 | 0 | 55865 | 78593 | .20 | 8378 | 8325 | 0 | 47540 | 0 | 0 | 1296108 | 1210297 |
| 3 | 37000 | 103279 | 81672 | 93796 | 81799 | .34 | 14850 | 9712 | 0 | 84084 | 0 | 0 | 1372413 | 1613729 |
| 4 | 283000 | 465783 | -98883 | 166084 | 83730 | .37 | 18100 | 11175 | 0 | 154909 | 0 | 0 | 1555129 | 1555129 |
| 5 | 70000 | 197910 | -13325 | 155493 | 83864 | .56 | 29092 | 10825 | 0 | 144668 | 0 | 0 | 1555129 | 1555129 |
| 6 | 83000 | 161756 | 0 | 147725 | 81189 | .73 | 38093 | 11250 | 0 | 136475 | 0 | 0 | 1531067 | 1555129 |
| 7 | 4000 | 129567 | 0 | 127141 | 81009 | .88 | 44950 | 12550 | 0 | 114591 | 0 | 0 | 1488543 | 1555129 |
| 8 | 73000 | 249362 | 0 | 117218 | 84532 | .88 | 44591 | 12975 | 0 | 104243 | 0 | 20967 | 1555129 | 1555129 |
| 9 | 52000 | 143599 | 0 | 72179 | 87181 | .68 | 34740 | 10625 | 0 | 61554 | 0 | 36680 | 1555129 | 1555129 |
| 10 | 47000 | 156261 | 0 | 73962 | 87181 | .65 | 33207 | 10037 | 0 | 63925 | 0 | 49092 | 1555129 | 1555129 |
| 11 | 26000 | 24151 | 29047 | 52636 | 87009 | .55 | 27615 | 9300 | 0 | 43336 | 0 | 0 | 1528076 | 1613729 |
| 12 | 22000 | 86447 | 68186 | 51375 | 87614 | .35 | 17605 | 9225 | 0 | 42150 | 0 | 0 | 1613729 | 1613729 |
| ANNUAL | 783000 | 1976950 | 66697 | 1203001 | | | 324158 | 124999 | 0 | 1078002 | 0 | 106739 | | |

RESERVOIR NO. 3 MEX AMISTAD MAX FLOOD POOL: 1424078 MAX CONSERVATION POOL: 1380278 DEAD POOL: 1380

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 102000 | 102000 | 0 | 0 | 65737 | .13 | 3743 | 5181 | 0 | 0 | 0 | 98257 | 1424078 | 1424078 |
| 2 | 153000 | 153000 | 0 | 0 | 65737 | .26 | 7486 | 4798 | 0 | 0 | 0 | 145514 | 1424078 | 1424078 |
| 3 | 124000 | 124000 | 0 | 0 | 65737 | .47 | 13532 | 4917 | 0 | 0 | 0 | 110468 | 1424078 | 1424078 |
| 4 | 87000 | 87000 | 0 | 5603 | 65087 | .51 | 14539 | 5603 | 0 | 0 | 0 | 110658 | 1380278 | 1380278 |
| 5 | 89000 | 89000 | 0 | 0 | 64438 | .62 | 17499 | 5273 | 0 | 0 | 0 | 71501 | 1380278 | 1380278 |
| 6 | 81000 | 81000 | 0 | 5478 | 64438 | .85 | 23990 | 5478 | 0 | 0 | 0 | 51532 | 1380278 | 1380278 |
| 7 | 153000 | 153000 | 0 | 0 | 64438 | .93 | 26248 | 6039 | 0 | 0 | 0 | 126752 | 1380278 | 1380278 |
| 8 | 227000 | 227000 | 0 | 0 | 64438 | .76 | 21450 | 6006 | 0 | 0 | 0 | 205550 | 1380278 | 1380278 |
| 9 | 177000 | 177000 | -1 | 0 | 64438 | .75 | 21168 | 5914 | 0 | 0 | 0 | 155831 | 1380278 | 1380278 |
| 10 | 145000 | 145000 | 0 | 0 | 64438 | .43 | 12136 | 5676 | 0 | 0 | 0 | 132864 | 1380278 | 1380278 |
| 11 | 151000 | 151000 | 0 | 0 | 65087 | .43 | 12258 | 5445 | 0 | 0 | 0 | 94942 | 1424078 | 1424078 |
| 12 | 123000 | 123000 | 0 | 0 | 65737 | .29 | 8350 | 5669 | 0 | 0 | 0 | 114650 | 1424078 | 1424078 |
| ANNUAL | 1612000 | 1612000 | -1 | 11081 | | | 182399 | 65999 | 0 | 0 | 0 | 1418519 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 5 CALENDAR YEAR 1949

| RESERVOIR NO. 4 | MEX FALCON | MAX FLOOD POOL: 1140074 | | | | MAX CONSERVATION POOL: 1098674 | | | | DEAD POOL: 1099 | | | | |
|-----------------|-----------------|-------------------------|-----------------|-----------------|--------------|--------------------------------|-----------|-----------------|----------|-----------------|----------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 15000 | 108076 | 0 | 198288 | 77614 | .32 | 11899 | 198288 | 0 | 0 | 0 | 0 | 1037963 | 1140074 |
| 2 | 26000 | 166716 | 0 | 79438 | 78593 | .20 | 7341 | 79438 | 0 | 0 | 0 | 0 | 1117900 | 1140074 |
| 3 | 41000 | 146551 | -81672 | 29743 | 81799 | .34 | 12962 | 29743 | 0 | 0 | 0 | 0 | 1140074 | 1140074 |
| 4 | 0 | 110658 | 98883 | 295351 | 83730 | .37 | 12880 | 295351 | 0 | 0 | 0 | 0 | 1041384 | 1098674 |
| 5 | 104000 | 170228 | 13325 | 324482 | 83864 | .56 | 17872 | 324482 | 0 | 0 | 0 | 0 | 882583 | 1098674 |
| 6 | 0 | 51532 | 0 | 79927 | 81189 | .73 | 21175 | 79927 | 0 | 0 | 0 | 0 | 833013 | 1098674 |
| 7 | 45000 | 165713 | 0 | 36108 | 81009 | .88 | 26338 | 36108 | 0 | 0 | 0 | 0 | 936280 | 1098674 |
| 8 | 114000 | 313544 | 0 | 72461 | 84532 | .88 | 29797 | 72461 | 0 | 0 | 0 | 48892 | 1098674 | 1098674 |
| 9 | 43000 | 192917 | 0 | 27785 | 87181 | .68 | 24543 | 27785 | 0 | 0 | 0 | 140589 | 1098674 | 1098674 |
| 10 | 23000 | 150188 | 0 | 42106 | 87181 | .65 | 23461 | 42106 | 0 | 0 | 0 | 84621 | 1098674 | 1098674 |
| 11 | 16000 | 105497 | -29047 | 14810 | 87009 | .55 | 20240 | 14810 | 0 | 0 | 0 | 0 | 1140074 | 1140074 |
| 12 | 15000 | 123981 | -68186 | 23501 | 87614 | .35 | 13060 | 23501 | 0 | 0 | 0 | 19234 | 1140074 | 1140074 |
| ANNUAL | 442000 | 1805601 | -66697 | 1224000 | | | 221568 | 1224000 | 0 | 0 | 0 | 293336 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 14754 | 0 | 0 | 0 | 0 | 0 | 1229 |
| 2 | 7923 | 73926 | 34416 | 280192 | 66967 | 79733 | 15062 | 69233 | 49008 | 44107 | 23538 | 19651 | 63642 |
| 3 | 2526 | 68732 | 22643 | 267238 | 56363 | 66538 | 0 | 51885 | 38759 | 33833 | 15080 | 13161 | 53055 |
| 4 | 80527 | 47540 | 84084 | 154909 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 89828 |
| 5 | 0 | 0 | 0 | 5603 | 0 | 5478 | 0 | 0 | 0 | 0 | 0 | 0 | 922 |
| 6 | 9819 | 21202 | 36083 | 0 | 98727 | 0 | 38961 | 107994 | 37086 | 17324 | 10555 | 9331 | 32251 |
| 7 | 60183 | 127394 | 80636 | 198545 | 141547 | 95218 | 129567 | 197477 | 104840 | 122428 | 9071 | 73286 | 111677 |
| 8 | 98257 | 145514 | 110468 | 110658 | 71501 | 51532 | 126752 | 205550 | 155831 | 132864 | 94942 | 114650 | 118205 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRCC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLOWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|-----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 3026607 | 75000 | 11077 | 85924 | 0 | 17740 | 2986866 | 89.9 | 225000 | 341762 | 44280 | 0 | 79481 | 2375824 | 89.7 |
| 2 | 2986866 | 213000 | 10399 | 52734 | 0 | 17984 | 3118749 | 93.9 | 225000 | 356829 | 0 | 210026 | 48930 | 2536920 | 95.8 |
| 3 | 3118749 | 135000 | 12296 | 95857 | 0 | 32214 | 3195054 | 96.2 | 225000 | 365546 | 0 | 156718 | 89130 | 2604508 | 98.4 |
| 4 | 3195054 | 444000 | 13983 | 167863 | 0 | 36755 | 3321570 | 100.0 | 225000 | 380000 | 68931 | 198601 | 155470 | 2647639 | 100.0 |
| 5 | 3321570 | 234000 | 13858 | 155272 | 0 | 51545 | 3321570 | 100.0 | 225000 | 380000 | 68931 | 143698 | 143698 | 2647639 | 100.0 |
| 6 | 3321570 | 209000 | 14517 | 149670 | 0 | 68875 | 3297508 | 99.3 | 225000 | 377251 | 47618 | 138752 | 138752 | 2647639 | 100.0 |
| 7 | 3297508 | 182000 | 16242 | 129653 | 0 | 78629 | 3254984 | 98.0 | 225000 | 372393 | 9952 | 120485 | 120485 | 2647639 | 100.0 |
| 8 | 3254984 | 298000 | 16742 | 121591 | 0 | 72114 | 3321570 | 100.0 | 225000 | 380000 | 68931 | 113251 | 113251 | 2647639 | 100.0 |
| 9 | 3321570 | 184000 | 13617 | 71803 | 0 | 61901 | 3321570 | 100.0 | 225000 | 380000 | 68931 | 66878 | 66878 | 2647639 | 100.0 |
| 10 | 3321570 | 185000 | 12930 | 74199 | 0 | 48779 | 3321570 | 100.0 | 225000 | 380000 | 68931 | 69085 | 69085 | 2647639 | 100.0 |
| 11 | 3321570 | 107000 | 11762 | 51794 | 0 | 43344 | 3350717 | 100.0 | 225000 | 380000 | 98078 | 48327 | 48327 | 2647639 | 100.0 |
| 12 | 3350717 | 106000 | 11574 | 48640 | 0 | 28319 | 3436370 | 100.0 | 225000 | 380000 | 183731 | 45268 | 45268 | 2647639 | 100.0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 5 CALENDAR YEAR 1949

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|---------|---------------------------------|--------------|--------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | | | | | ADJ. NO. | ANNUAL AUTH: | | | | |
| | 0849-000 | 5300 AF | | A847-001 | 69464 AF | | | | | B769-000 | 4009 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | ALLOC | STORAGE | USABLE | DEMAND | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 0 | .00000 | 0 | 20949 | 64275 | 299 | 70 | .00000 | 0 | 0 | 3780 |
| 2 | 353 | 0 | 4565 | 3063 | 0 | .11736 | 8152 | 26038 | 61212 | 177 | 177 | .06904 | 277 | 277 | 3780 |
| 3 | 412 | 0 | 4153 | 5418 | 0 | .08757 | 6083 | 26703 | 55794 | 313 | 36 | .05151 | 207 | 207 | 3503 |
| 4 | 474 | 0 | 3679 | 9982 | 0 | .11098 | 7709 | 24430 | 45812 | 576 | 369 | .06528 | 262 | 262 | 3296 |
| 5 | 459 | 0 | 3220 | 9322 | 0 | .08030 | 5578 | 20686 | 36490 | 538 | 276 | .04723 | 189 | 189 | 3034 |
| 6 | 477 | 0 | 2743 | 8794 | 0 | .07753 | 5386 | 17278 | 27696 | 507 | 318 | .04561 | 183 | 183 | 2845 |
| 7 | 532 | 0 | 2211 | 7384 | 0 | .06733 | 4677 | 14571 | 20312 | 426 | 243 | .03960 | 159 | 159 | 2662 |
| 8 | 550 | 0 | 1661 | 6717 | 0 | .06328 | 4396 | 12250 | 13595 | 388 | 229 | .03723 | 149 | 149 | 2503 |
| 9 | 450 | 0 | 1211 | 3967 | 0 | .03737 | 2596 | 10879 | 9628 | 229 | 80 | .02198 | 88 | 88 | 2354 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .03860 | 2682 | 9442 | 5509 | 238 | 150 | .02271 | 91 | 91 | 2266 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .02701 | 1876 | 8525 | 2716 | 161 | 70 | .01589 | 64 | 64 | 2175 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .02530 | 1757 | 7566 | 0 | 157 | 93 | .01488 | 60 | 60 | 2111 |
| ANNUAL | 5300 | 0 | | 69464 | 0 | | 50892 | | | 4009 | 2111 | | 1729 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|---------|---------------------------------|--------------|--------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | | | | | ADJ. NO. | ANNUAL AUTH: | | | | |
| | 0240-000 | 3967 AF | | 0810-000 | 4857 AF | | | | | B804-000 | 4828 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | ALLOC | STORAGE | USABLE | DEMAND | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 0 | .00000 | 0 | 1466 | 4494 | 361 | 85 | .00000 | 0 | 0 | 4552 |
| 2 | 264 | 0 | 3417 | 214 | 0 | .11736 | 570 | 1822 | 4280 | 213 | 213 | .06904 | 333 | 333 | 4552 |
| 3 | 308 | 0 | 3109 | 379 | 0 | .08757 | 425 | 1868 | 3901 | 376 | 43 | .05151 | 249 | 249 | 4219 |
| 4 | 355 | 0 | 2754 | 698 | 0 | .11098 | 539 | 1709 | 3203 | 694 | 445 | .06528 | 315 | 315 | 3970 |
| 5 | 343 | 0 | 2411 | 652 | 0 | .08030 | 390 | 1447 | 2551 | 648 | 333 | .04723 | 228 | 228 | 3655 |
| 6 | 357 | 0 | 2054 | 615 | 0 | .07753 | 377 | 1209 | 1936 | 611 | 383 | .04561 | 220 | 220 | 3427 |
| 7 | 398 | 0 | 1656 | 516 | 0 | .06733 | 327 | 1020 | 1420 | 513 | 293 | .03960 | 191 | 191 | 3207 |
| 8 | 412 | 0 | 1244 | 470 | 0 | .06328 | 307 | 857 | 950 | 467 | 276 | .03723 | 180 | 180 | 3016 |
| 9 | 337 | 0 | 907 | 277 | 0 | .03737 | 182 | 762 | 673 | 276 | 96 | .02198 | 106 | 106 | 2836 |
| 10 | 319 | 0 | 588 | 288 | 0 | .03860 | 188 | 662 | 385 | 286 | 180 | .02271 | 110 | 110 | 2730 |
| 11 | 295 | 0 | 293 | 195 | 0 | .02701 | 131 | 598 | 190 | 194 | 84 | .01589 | 77 | 77 | 2620 |
| 12 | 293 | 0 | 0 | 190 | 0 | .02530 | 123 | 531 | 0 | 189 | 112 | .01488 | 72 | 72 | 2543 |
| ANNUAL | 3967 | 0 | | 4857 | 0 | | 3559 | | | 4828 | 2543 | | 2081 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 5 CALENDAR YEAR 1949

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------|--------|---------------------------------|--------|--------|--------|---------|---------------------------------|----------|--------|--------|--------|---------|--------|
| | ADJ. NO. | SHORT | USABLE | ADJ. NO. | SHORT | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | AMOUNT | AMOUNT | AMOUNT | | AMOUNT | AMOUNT | AMOUNT | AMOUNT | AMOUNT | | AMOUNT | AMOUNT | AMOUNT |
| | 6140 AF | | | 147775 AF | | | | | | 470 AF | | | | | |
| 1 | 442 | 0 | 5698 | 11039 | 0 | .00000 | 0 | 44566 | 136736 | 35 | 9 | .00000 | 0 | 0 | 444 |
| 2 | 409 | 0 | 5289 | 6517 | 0 | .11736 | 17343 | 55392 | 130219 | 21 | 21 | .06904 | 32 | 32 | 444 |
| 3 | 477 | 0 | 4812 | 11526 | 0 | .08757 | 12941 | 56807 | 118693 | 37 | 5 | .05151 | 24 | 24 | 412 |
| 4 | 549 | 0 | 4263 | 21235 | 0 | .11098 | 16400 | 51972 | 97458 | 68 | 44 | .06528 | 31 | 31 | 388 |
| 5 | 532 | 0 | 3731 | 19831 | 0 | .08030 | 11866 | 44007 | 77627 | 63 | 32 | .04723 | 22 | 22 | 357 |
| 6 | 553 | 0 | 3178 | 18708 | 0 | .07753 | 11458 | 36757 | 58919 | 59 | 37 | .04561 | 21 | 21 | 335 |
| 7 | 616 | 0 | 2562 | 15709 | 0 | .06733 | 9949 | 30997 | 43210 | 50 | 29 | .03960 | 19 | 19 | 314 |
| 8 | 637 | 0 | 1925 | 14290 | 0 | .06328 | 9352 | 26059 | 28920 | 45 | 26 | .03723 | 17 | 17 | 295 |
| 9 | 522 | 0 | 1403 | 8438 | 0 | .03737 | 5523 | 23144 | 20482 | 27 | 10 | .02198 | 10 | 10 | 278 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .03860 | 5705 | 20086 | 11719 | 28 | 18 | .02271 | 11 | 11 | 268 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .02701 | 3991 | 18136 | 5778 | 19 | 8 | .01589 | 7 | 7 | 257 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .02530 | 3738 | 16096 | 0 | 18 | 11 | .01488 | 7 | 7 | 250 |
| ANNUAL | 6140 | 0 | | 147775 | 0 | | 108266 | | | 470 | 250 | | 201 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 6 CALENDAR YEAR 1950

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 85000 | 85000 | 0 | 0 | 65737 | .16 | 5911 | 2077 | 0 | 5397 | 0 | 79089 | 1827241 | 1827241 |
| 2 | 67000 | 67000 | 0 | 0 | 65737 | .23 | 8497 | 2074 | 0 | 5194 | 0 | 58503 | 1827241 | 1827241 |
| 3 | 65000 | 65000 | 0 | 3357 | 65737 | .55 | 20319 | 2584 | 0 | 11773 | 0 | 41324 | 1827241 | 1827241 |
| 4 | 59000 | 59000 | 0 | 0 | 65087 | .45 | 16460 | 2808 | 0 | 12954 | 0 | 98740 | 1771041 | 1771041 |
| 5 | 66000 | 66000 | 0 | 0 | 64438 | .63 | 22815 | 3033 | 0 | 10604 | 0 | 43185 | 1771041 | 1771041 |
| 6 | 82000 | 82000 | 0 | 0 | 64438 | .85 | 30782 | 3267 | 0 | 13195 | 0 | 51218 | 1771041 | 1771041 |
| 7 | 135000 | 135000 | 0 | 18754 | 64438 | .93 | 33679 | 3692 | 0 | 15062 | 0 | 82567 | 1771041 | 1771041 |
| 8 | 97000 | 97000 | 0 | 11115 | 64438 | .88 | 31868 | 3767 | 0 | 17348 | 0 | 54017 | 1771041 | 1771041 |
| 9 | 132000 | 132000 | 0 | 5241 | 64438 | .73 | 26436 | 2992 | 0 | 10249 | 0 | 100323 | 1771041 | 1771041 |
| 10 | 116000 | 116000 | 0 | 0 | 64438 | .66 | 23901 | 2893 | 0 | 10274 | 0 | 92099 | 1771041 | 1771041 |
| 11 | 62000 | 62000 | 0 | 9920 | 65087 | .59 | 21514 | 2462 | 0 | 8458 | 0 | 0 | 1801607 | 1827241 |
| 12 | 69000 | 69000 | 0 | 27985 | 65570 | .42 | 15429 | 2349 | 0 | 6490 | 0 | 0 | 1827193 | 1827241 |
| ANNUAL | 1035000 | 1035000 | 0 | 76372 | | | 257611 | 33998 | 0 | 126998 | 0 | 701065 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 17000 | 88615 | 0 | 89527 | 88021 | .49 | 25578 | 9000 | 0 | 80527 | 0 | 0 | 1587239 | 1613729 |
| 2 | 12000 | 63235 | 0 | 55865 | 87158 | .45 | 23349 | 8325 | 0 | 47540 | 0 | 0 | 1571260 | 1613729 |
| 3 | 11000 | 41324 | 16876 | 93796 | 86993 | .58 | 29187 | 9712 | 0 | 84084 | 0 | 0 | 1506477 | 1613729 |
| 4 | 17000 | 99978 | 0 | 166084 | 83640 | .64 | 31206 | 11175 | 0 | 154909 | 0 | 0 | 1409165 | 1555129 |
| 5 | 91000 | 120548 | 0 | 155493 | 74879 | .97 | 45704 | 10825 | 0 | 144668 | 0 | 0 | 1328516 | 1555129 |
| 6 | 61000 | 95756 | 0 | 147725 | 70480 | .83 | 38538 | 11250 | 0 | 136475 | 0 | 0 | 1238009 | 1555129 |
| 7 | 0 | 82567 | 0 | 127141 | 69740 | 1.19 | 51596 | 12550 | 0 | 114591 | 0 | 0 | 1141839 | 1555129 |
| 8 | 10000 | 54017 | 0 | 117218 | 68954 | 1.33 | 52859 | 12975 | 0 | 104243 | 0 | 0 | 1025779 | 1166347 |
| 9 | 8000 | 100323 | 0 | 72179 | 69360 | .95 | 35489 | 10625 | 0 | 61554 | 0 | 0 | 1018434 | 1166347 |
| 10 | 20000 | 98932 | 0 | 73962 | 71204 | .80 | 29158 | 10037 | 0 | 63925 | 0 | 0 | 1014246 | 1166347 |
| 11 | 1000 | 0 | 0 | 52636 | 71146 | .76 | 26582 | 9300 | 0 | 43336 | 0 | 0 | 935028 | 1210297 |
| 12 | 0 | 19146 | 0 | 51375 | 70800 | .52 | 17061 | 9225 | 0 | 42150 | 0 | 0 | 885738 | 1210297 |
| ANNUAL | 248000 | 864441 | 16876 | 1203001 | | | 406307 | 124999 | 0 | 1078002 | 0 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 126000 | 126000 | 0 | 0 | 65737 | .16 | 4607 | 5181 | 0 | 0 | 0 | 121393 | 1424078 | 1424078 |
| 2 | 131000 | 131000 | 0 | 0 | 65737 | .23 | 6623 | 4798 | 0 | 0 | 0 | 124377 | 1424078 | 1424078 |
| 3 | 130000 | 130000 | 0 | 0 | 65737 | .55 | 15836 | 4917 | 0 | 0 | 0 | 114164 | 1424078 | 1424078 |
| 4 | 98000 | 98000 | 0 | 5603 | 65087 | .45 | 12829 | 5603 | 0 | 0 | 0 | 123368 | 1380278 | 1380278 |
| 5 | 96000 | 96000 | 0 | 5273 | 64438 | .63 | 17781 | 5273 | 0 | 0 | 0 | 72946 | 1380278 | 1380278 |
| 6 | 124000 | 124000 | 0 | 5478 | 64438 | .85 | 23990 | 5478 | 0 | 0 | 0 | 94532 | 1380278 | 1380278 |
| 7 | 200000 | 200000 | 0 | 0 | 64438 | .93 | 26248 | 6039 | 0 | 0 | 0 | 173752 | 1380278 | 1380278 |
| 8 | 156000 | 156000 | 0 | 0 | 64438 | .88 | 24837 | 6006 | 0 | 0 | 0 | 131163 | 1380278 | 1380278 |
| 9 | 180000 | 180000 | 0 | 0 | 64438 | .73 | 20604 | 5914 | 0 | 0 | 0 | 159396 | 1380278 | 1380278 |
| 10 | 144000 | 144000 | 0 | 5676 | 64438 | .66 | 18628 | 5676 | 0 | 0 | 0 | 119696 | 1380278 | 1380278 |
| 11 | 125000 | 125000 | 0 | 64380 | 65087 | .59 | 16887 | 5445 | 0 | 0 | 0 | 0 | 1424011 | 1424078 |
| 12 | 116000 | 116000 | 0 | 0 | 65570 | .42 | 12110 | 5669 | 0 | 0 | 0 | 103823 | 1424078 | 1424078 |
| ANNUAL | 1626000 | 1626000 | 0 | 86410 | | | 200980 | 65999 | 0 | 0 | 0 | 1338610 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 6 CALENDAR YEAR 1950

| RESERVOIR NO. 4 | MEX FALCON | MAX FLOOD POOL: 1140074 | | | | MAX CONSERVATION POOL: 1098674 | | | | DEAD POOL: 1099 | | | | |
|-----------------|-----------------|-------------------------|-----------------|-----------------|--------------|--------------------------------|-----------|-----------------|----------|-----------------|----------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 16000 | 132212 | 0 | 198288 | 88021 | .49 | 17552 | 198288 | 0 | 0 | 0 | 0 | 1056446 | 1140074 |
| 2 | 10000 | 129579 | 0 | 79438 | 87158 | .45 | 15872 | 79438 | 0 | 0 | 0 | 0 | 1090715 | 1140074 |
| 3 | 8000 | 117247 | -16876 | 29743 | 86993 | .58 | 21269 | 29743 | 0 | 0 | 0 | 0 | 1140074 | 1140074 |
| 4 | 0 | 123368 | 0 | 295351 | 83640 | .64 | 22324 | 295351 | 0 | 0 | 0 | 0 | 945767 | 1098674 |
| 5 | 0 | 72946 | 0 | 324482 | 74879 | .97 | 26929 | 324482 | 0 | 0 | 0 | 0 | 667302 | 1098674 |
| 6 | 0 | 94532 | 0 | 79927 | 70480 | .83 | 19960 | 79927 | 0 | 0 | 0 | 0 | 661947 | 824006 |
| 7 | 24000 | 191713 | 0 | 36108 | 69740 | 1.19 | 31395 | 36108 | 0 | 0 | 0 | 0 | 786157 | 824006 |
| 8 | 7000 | 132157 | 0 | 72461 | 68954 | 1.33 | 38850 | 72461 | 0 | 0 | 0 | 0 | 807003 | 824006 |
| 9 | 42000 | 195482 | 0 | 27785 | 69360 | .95 | 30403 | 27785 | 0 | 0 | 0 | 0 | 944297 | 824006 |
| 10 | 0 | 119696 | 0 | 42106 | 71204 | .80 | 27805 | 42106 | 0 | 0 | 0 | 0 | 994082 | 1098674 |
| 11 | 11000 | 69935 | 0 | 14810 | 71146 | .76 | 27489 | 14810 | 0 | 0 | 0 | 0 | 1021718 | 1140074 |
| 12 | 10000 | 108154 | 0 | 23501 | 70800 | .52 | 19755 | 23501 | 0 | 0 | 0 | 0 | 1086616 | 1140074 |
| ANNUAL | 128000 | 1487021 | -16876 | 1224000 | | | 299603 | 1224000 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|
| 1 | 0 | 0 | 3357 | 0 | 0 | 0 | 18754 | 11115 | 5241 | 0 | 9920 | 8839 | 4765 |
| 2 | 14923 | 9926 | 11773 | 14192 | 87967 | 57733 | 15062 | 17348 | 10249 | 17107 | 8458 | 6490 | 22597 |
| 3 | 9526 | 4732 | 0 | 1238 | 77363 | 44538 | 0 | 0 | 0 | 6833 | 0 | 0 | 12016 |
| 4 | 80527 | 47540 | 84084 | 154909 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 89828 |
| 5 | 0 | 0 | 0 | 5603 | 5273 | 5478 | 0 | 0 | 0 | 5676 | 0 | 0 | 1834 |
| 6 | 10819 | 5202 | 3083 | 0 | 0 | 0 | 17961 | 994 | 36086 | 0 | 5555 | 4331 | 6997 |
| 7 | 79089 | 58503 | 41324 | 98740 | 43185 | 51218 | 82567 | 54017 | 100323 | 92099 | 0 | 19146 | 60012 |
| 8 | 121393 | 124377 | 114164 | 123368 | 72946 | 94532 | 173752 | 131163 | 159396 | 119696 | 64380 | 103823 | 116910 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLOWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|-----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 3436370 | 102000 | 11077 | 85924 | 0 | 31489 | 3409880 | 100.0 | 225000 | 380000 | 157241 | 79481 | 79481 | 2647639 | 100.0 |
| 2 | 3409880 | 79000 | 10399 | 52734 | 0 | 31846 | 3393901 | 100.0 | 225000 | 380000 | 141262 | 48930 | 48930 | 2647639 | 100.0 |
| 3 | 3393901 | 76000 | 12296 | 95857 | 0 | 49506 | 3329118 | 100.0 | 225000 | 380000 | 76479 | 89130 | 89130 | 2647639 | 100.0 |
| 4 | 3329118 | 76000 | 13983 | 167863 | 0 | 47666 | 3175606 | 95.6 | 225000 | 363324 | 0 | 95113 | 155470 | 2587282 | 97.7 |
| 5 | 3175606 | 157000 | 13858 | 155272 | 0 | 68519 | 3094957 | 93.2 | 225000 | 354110 | 0 | 72263 | 143698 | 2515847 | 95.0 |
| 6 | 3094957 | 143000 | 14517 | 149670 | 0 | 69320 | 3004450 | 90.5 | 225000 | 343770 | 0 | 58585 | 138752 | 2435680 | 92.0 |
| 7 | 3004450 | 135000 | 16242 | 129653 | 0 | 85275 | 2908280 | 87.6 | 225000 | 332783 | 35302 | 0 | 120485 | 2315195 | 87.4 |
| 8 | 2908280 | 107000 | 16742 | 121591 | 0 | 84727 | 2792220 | 84.1 | 225000 | 319524 | 45752 | 0 | 113251 | 2201944 | 83.2 |
| 9 | 2792220 | 140000 | 13617 | 71803 | 0 | 61925 | 2784875 | 83.9 | 225000 | 318685 | 0 | 106124 | 66878 | 2241190 | 84.6 |
| 10 | 2784875 | 136000 | 12930 | 74199 | 0 | 53059 | 2780687 | 83.7 | 225000 | 318207 | 0 | 65375 | 69085 | 2237480 | 84.5 |
| 11 | 2780687 | 63000 | 11762 | 51794 | 0 | 48096 | 2732035 | 82.3 | 225000 | 312648 | 5234 | 0 | 48327 | 2189153 | 82.7 |
| 12 | 2732035 | 69000 | 11574 | 48640 | 0 | 32490 | 2708331 | 81.6 | 225000 | 309940 | 29506 | 0 | 45268 | 2143885 | 81.0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 6 CALENDAR YEAR 1950

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 0 | .04441 | 3085 | 5462 | 64275 | 299 | 239 | .02613 | 105 | 105 | 3949 |
| 2 | 353 | 0 | 4565 | 3063 | 0 | .02734 | 1899 | 4298 | 61212 | 177 | 72 | .01608 | 64 | 64 | 3844 |
| 3 | 412 | 0 | 4153 | 5418 | 1120 | .04981 | 3460 | 3460 | 56914 | 313 | 249 | .02930 | 117 | 117 | 3780 |
| 4 | 474 | 0 | 3679 | 9982 | 6522 | .05315 | 3692 | 3692 | 53454 | 576 | 459 | .03126 | 125 | 125 | 3663 |
| 5 | 459 | 0 | 3220 | 9322 | 5630 | .04038 | 2805 | 2805 | 49762 | 538 | 413 | .02375 | 95 | 95 | 3538 |
| 6 | 477 | 0 | 2743 | 8794 | 5989 | .03274 | 2274 | 2274 | 46957 | 507 | 412 | .01926 | 77 | 77 | 3443 |
| 7 | 532 | 0 | 2211 | 7384 | 5110 | .00000 | 0 | 0 | 44683 | 426 | 349 | .00000 | 0 | 0 | 3366 |
| 8 | 550 | 0 | 1661 | 6717 | 6717 | .00000 | 0 | 0 | 44683 | 388 | 388 | .00000 | 0 | 0 | 3366 |
| 9 | 450 | 0 | 1211 | 3967 | 3967 | .05930 | 4119 | 4119 | 44683 | 229 | 229 | .03488 | 140 | 140 | 3366 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .03653 | 2538 | 2538 | 40564 | 238 | 98 | .02149 | 86 | 86 | 3226 |
| 11 | 394 | 0 | 391 | 2793 | 255 | .00000 | 0 | 0 | 38026 | 161 | 75 | .00000 | 0 | 0 | 3140 |
| 12 | 391 | 0 | 0 | 2716 | 2716 | .00000 | 0 | 0 | 38026 | 157 | 157 | .00000 | 0 | 0 | 3140 |
| ANNUAL | 5300 | 0 | | 69464 | 38026 | | 23872 | | | 4009 | 3140 | | 809 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|--------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 0 | .04441 | 216 | 384 | 4494 | 361 | 289 | .02613 | 126 | 126 | 4756 |
| 2 | 264 | 0 | 3417 | 214 | 0 | .02734 | 133 | 303 | 4280 | 213 | 87 | .01608 | 78 | 78 | 4630 |
| 3 | 308 | 0 | 3109 | 379 | 76 | .04981 | 242 | 242 | 3977 | 376 | 298 | .02930 | 141 | 141 | 4552 |
| 4 | 355 | 0 | 2754 | 698 | 456 | .05315 | 258 | 258 | 3735 | 694 | 553 | .03126 | 151 | 151 | 4411 |
| 5 | 343 | 0 | 2411 | 652 | 394 | .04038 | 196 | 196 | 3477 | 648 | 497 | .02375 | 115 | 115 | 4260 |
| 6 | 357 | 0 | 2054 | 615 | 419 | .03274 | 159 | 159 | 3281 | 611 | 496 | .01926 | 93 | 93 | 4145 |
| 7 | 398 | 0 | 1656 | 516 | 357 | .00000 | 0 | 0 | 3122 | 513 | 420 | .00000 | 0 | 0 | 4052 |
| 8 | 412 | 0 | 1244 | 470 | 470 | .00000 | 0 | 0 | 3122 | 467 | 467 | .00000 | 0 | 0 | 4052 |
| 9 | 337 | 0 | 907 | 277 | 277 | .05930 | 288 | 288 | 3122 | 276 | 276 | .03488 | 168 | 168 | 4052 |
| 10 | 319 | 0 | 588 | 288 | 0 | .03653 | 177 | 177 | 2834 | 286 | 118 | .02149 | 104 | 104 | 3884 |
| 11 | 295 | 0 | 293 | 195 | 18 | .00000 | 0 | 0 | 2657 | 194 | 90 | .00000 | 0 | 0 | 3780 |
| 12 | 293 | 0 | 0 | 190 | 190 | .00000 | 0 | 0 | 2657 | 189 | 189 | .00000 | 0 | 0 | 3780 |
| ANNUAL | 3967 | 0 | | 4857 | 2657 | | 1669 | | | 4828 | 3780 | | 976 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 6 CALENDAR YEAR 1950

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|------|---------------------------------|--------------|--------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | ANNUAL AUTH: | RATE B | ALLOC | STORAGE | USABLE |
| | 0808-001 | 6140 AF | | 0808-005 | 147775 AF | | AMOUNT | BALANCE | BALANCE | 0573-001 | 470 AF | | AMOUNT | BALANCE | BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 0 | .04441 | 6563 | 11620 | 136736 | 35 | 28 | .02613 | 12 | 12 | 463 |
| 2 | 409 | 0 | 5289 | 6517 | 0 | .02734 | 4040 | 9143 | 130219 | 21 | 9 | .01608 | 8 | 8 | 451 |
| 3 | 477 | 0 | 4812 | 11526 | 2383 | .04981 | 7360 | 7360 | 121076 | 37 | 29 | .02930 | 14 | 14 | 443 |
| 4 | 549 | 0 | 4263 | 21235 | 13875 | .05315 | 7854 | 7854 | 113716 | 68 | 54 | .03126 | 15 | 15 | 429 |
| 5 | 532 | 0 | 3731 | 19831 | 11977 | .04038 | 5967 | 5967 | 105862 | 63 | 48 | .02375 | 11 | 11 | 414 |
| 6 | 553 | 0 | 3178 | 18708 | 12741 | .03274 | 4838 | 4838 | 99895 | 59 | 48 | .01926 | 9 | 9 | 403 |
| 7 | 616 | 0 | 2562 | 15709 | 10871 | .00000 | 0 | 0 | 95057 | 50 | 41 | .00000 | 0 | 0 | 394 |
| 8 | 637 | 0 | 1925 | 14290 | 14290 | .00000 | 0 | 0 | 95057 | 45 | 45 | .00000 | 0 | 0 | 394 |
| 9 | 522 | 0 | 1403 | 8438 | 8438 | .05930 | 8763 | 8763 | 95057 | 27 | 27 | .03488 | 16 | 16 | 394 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .03653 | 5398 | 5398 | 86294 | 28 | 12 | .02149 | 10 | 10 | 378 |
| 11 | 457 | 0 | 453 | 5941 | 543 | .00000 | 0 | 0 | 80896 | 19 | 9 | .00000 | 0 | 0 | 368 |
| 12 | 453 | 0 | 0 | 5778 | 5778 | .00000 | 0 | 0 | 80896 | 18 | 18 | .00000 | 0 | 0 | 368 |
| ANNUAL | 6140 | 0 | | 147775 | 80896 | | 50783 | | | 470 | 368 | | 95 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 7 CALENDAR YEAR 1951

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 64000 | 64000 | 0 | 5474 | 65737 | .37 | 13669 | 2077 | 0 | 5397 | 0 | 44809 | 1827241 | 1827241 |
| 2 | 55000 | 55000 | 0 | 7268 | 65737 | .29 | 10714 | 2074 | 0 | 5194 | 0 | 37018 | 1827241 | 1827241 |
| 3 | 63000 | 63000 | 0 | 10357 | 65737 | .45 | 16625 | 2584 | 0 | 11773 | 0 | 36018 | 1827241 | 1827241 |
| 4 | 46000 | 46000 | 0 | 10762 | 65087 | .58 | 21215 | 2808 | 0 | 12954 | 0 | 70223 | 1771041 | 1771041 |
| 5 | 79000 | 79000 | 0 | 0 | 64438 | .61 | 22091 | 3033 | 0 | 10604 | 0 | 56909 | 1771041 | 1771041 |
| 6 | 84000 | 84000 | 0 | 0 | 64438 | .65 | 23539 | 3267 | 0 | 13195 | 0 | 60461 | 1771041 | 1771041 |
| 7 | 55000 | 55000 | 0 | 18754 | 64438 | 1.09 | 39458 | 3692 | 0 | 15062 | 0 | 0 | 1767829 | 1771041 |
| 8 | 45000 | 45000 | 0 | 11115 | 64417 | 1.13 | 40841 | 3767 | 0 | 17348 | 0 | 0 | 1760873 | 1771041 |
| 9 | 57000 | 57000 | 0 | 12911 | 64371 | .94 | 33963 | 2992 | 0 | 10249 | 0 | 0 | 1770999 | 1771041 |
| 10 | 53000 | 53000 | 0 | 0 | 64438 | .73 | 26436 | 2893 | 0 | 10274 | 0 | 26522 | 1771041 | 1771041 |
| 11 | 52000 | 52000 | 0 | 1920 | 65087 | .46 | 16779 | 2462 | 0 | 8458 | 0 | 0 | 1804342 | 1827241 |
| 12 | 38000 | 38000 | 0 | 3839 | 65588 | .38 | 13964 | 2349 | 0 | 6490 | 0 | 0 | 1824539 | 1827241 |
| ANNUAL | 691000 | 691000 | 0 | 82400 | | | 279294 | 33998 | 0 | 126998 | 0 | 331960 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 2000 | 44809 | 0 | 89527 | 68809 | .53 | 16638 | 9000 | 0 | 80527 | 0 | 0 | 824382 | 1210297 |
| 2 | 0 | 37018 | 0 | 55865 | 66159 | .51 | 15467 | 8325 | 0 | 47540 | 0 | 0 | 790068 | 1210297 |
| 3 | 4000 | 36018 | 0 | 93796 | 65320 | .60 | 17099 | 9712 | 0 | 84084 | 0 | 0 | 715191 | 1210297 |
| 4 | 5000 | 70223 | 0 | 166084 | 59812 | .62 | 15755 | 11175 | 0 | 154909 | 0 | 0 | 603575 | 1166347 |
| 5 | 87000 | 130272 | 0 | 155493 | 52469 | .69 | 16363 | 10825 | 0 | 144668 | 0 | 0 | 561991 | 1166347 |
| 6 | 59000 | 102999 | 0 | 147725 | 49124 | .84 | 18767 | 11250 | 0 | 136475 | 0 | 0 | 498498 | 1166347 |
| 7 | 0 | 0 | 0 | 127141 | 47324 | 1.14 | 20765 | 12550 | 0 | 114591 | 0 | 0 | 350592 | 1166347 |
| 8 | 10000 | 0 | 0 | 117218 | 43747 | .95 | 12138 | 12975 | 0 | 104243 | 0 | 0 | 221236 | 1166347 |
| 9 | 163000 | 162670 | 0 | 72179 | 43041 | .93 | 10946 | 10625 | 0 | 61554 | 0 | 0 | 300781 | 1166347 |
| 10 | 27000 | 40355 | 0 | 73962 | 44894 | .86 | 10562 | 10037 | 0 | 63925 | 0 | 0 | 256612 | 1166347 |
| 11 | 9000 | 0 | 0 | 52636 | 44531 | .58 | 5837 | 9300 | 0 | 43336 | 0 | 0 | 198139 | 1210297 |
| 12 | 5000 | 0 | 0 | 51375 | 43760 | .51 | 3886 | 9225 | 0 | 42150 | 0 | 0 | 142878 | 1210297 |
| ANNUAL | 371000 | 624364 | 0 | 1203001 | | | 164223 | 124999 | 0 | 1078002 | 0 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 85000 | 85000 | 0 | 0 | 65737 | .37 | 10654 | 5181 | 0 | 0 | 0 | 74346 | 1424078 | 1424078 |
| 2 | 107000 | 107000 | 0 | 0 | 65737 | .29 | 8350 | 4798 | 0 | 0 | 0 | 98650 | 1424078 | 1424078 |
| 3 | 92000 | 92000 | 0 | 0 | 65737 | .45 | 12957 | 4917 | 0 | 0 | 0 | 79043 | 1424078 | 1424078 |
| 4 | 75000 | 75000 | 0 | 0 | 65087 | .58 | 16535 | 5603 | 0 | 0 | 0 | 102265 | 1380278 | 1380278 |
| 5 | 133000 | 133000 | 0 | 0 | 64438 | .61 | 17216 | 5273 | 0 | 0 | 0 | 115784 | 1380278 | 1380278 |
| 6 | 86000 | 86000 | 0 | 0 | 64438 | .65 | 18346 | 5478 | 0 | 0 | 0 | 67654 | 1380278 | 1380278 |
| 7 | 130000 | 130000 | 0 | 99236 | 64438 | 1.09 | 30779 | 6039 | 0 | 0 | 0 | 0 | 1380263 | 1380278 |
| 8 | 109000 | 109000 | 0 | 77070 | 64417 | 1.13 | 31950 | 6006 | 0 | 0 | 0 | 0 | 1380243 | 1380278 |
| 9 | 102000 | 102000 | 0 | 0 | 64371 | .94 | 26546 | 5914 | 0 | 0 | 0 | 75419 | 1380278 | 1380278 |
| 10 | 94000 | 94000 | 0 | 0 | 64438 | .73 | 20604 | 5676 | 0 | 0 | 0 | 73396 | 1380278 | 1380278 |
| 11 | 94000 | 94000 | 0 | 37086 | 65087 | .46 | 13161 | 5445 | 0 | 0 | 0 | 0 | 1424031 | 1424078 |
| 12 | 107000 | 107000 | 0 | 0 | 65588 | .38 | 10959 | 5669 | 0 | 0 | 0 | 95994 | 1424078 | 1424078 |
| ANNUAL | 1214000 | 1214000 | 0 | 213392 | | | 218057 | 65999 | 0 | 0 | 0 | 782551 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 7 CALENDAR YEAR 1951

| RESERVOIR NO. 4 | MEX FALCON | MAX FLOOD POOL: 1140074 | | | | | MAX CONSERVATION POOL: 1098674 | | | | | DEAD POOL: 1099 | | |
|-----------------|-----------------|-------------------------|-----------------|-----------------|--------------|-----------|--------------------------------|-----------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 14000 | 83165 | 0 | 198288 | 68809 | .53 | 19831 | 198288 | 0 | 0 | 0 | 0 | 951662 | 1140074 |
| 2 | 8000 | 101852 | 0 | 79438 | 66159 | .51 | 18274 | 79438 | 0 | 0 | 0 | 0 | 955802 | 1140074 |
| 3 | 11000 | 85126 | 0 | 29743 | 65320 | .60 | 22093 | 29743 | 0 | 0 | 0 | 0 | 989092 | 1140074 |
| 4 | 27000 | 123662 | 0 | 295351 | 59812 | .62 | 21328 | 295351 | 0 | 0 | 0 | 0 | 796075 | 1098674 |
| 5 | 55000 | 165511 | 0 | 324482 | 52469 | .69 | 19841 | 324482 | 0 | 0 | 0 | 0 | 617263 | 824006 |
| 6 | 77000 | 139176 | 0 | 79927 | 49124 | .84 | 22497 | 79927 | 0 | 0 | 0 | 0 | 654015 | 824006 |
| 7 | 25000 | 118197 | 0 | 36108 | 47324 | 1.14 | 33184 | 36108 | 0 | 0 | 0 | 0 | 702920 | 824006 |
| 8 | 11000 | 82064 | 0 | 72461 | 43747 | .95 | 29422 | 72461 | 0 | 0 | 0 | 0 | 683101 | 824006 |
| 9 | 8000 | 77505 | 0 | 27785 | 43041 | .93 | 29082 | 27785 | 0 | 0 | 0 | 0 | 703739 | 824006 |
| 10 | 75000 | 142720 | 0 | 42106 | 44894 | .86 | 28047 | 42106 | 0 | 0 | 0 | 0 | 776306 | 824006 |
| 11 | 8000 | 39641 | 0 | 14810 | 44531 | .58 | 19991 | 14810 | 0 | 0 | 0 | 0 | 781146 | 855056 |
| 12 | 7000 | 97325 | 0 | 23501 | 43760 | .51 | 18432 | 23501 | 0 | 0 | 0 | 0 | 836538 | 855056 |
| ANNUAL | 326000 | 1255944 | 0 | 1224000 | | | 282022 | 1224000 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|
| 1 | 5474 | 7268 | 10357 | 10762 | 0 | 0 | 18754 | 11115 | 0 | 0 | 1920 | 3839 | 5787 |
| 2 | 5397 | 5194 | 11773 | 12954 | 83967 | 55733 | 15062 | 17348 | 160008 | 24107 | 8458 | 6490 | 33868 |
| 3 | 0 | 0 | 0 | 0 | 73363 | 42538 | 0 | 0 | 149759 | 13833 | 0 | 0 | 23288 |
| 4 | 80527 | 47540 | 84084 | 154909 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 89828 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 8819 | 3202 | 6083 | 21397 | 49727 | 71522 | 18961 | 4994 | 2086 | 69324 | 2555 | 1331 | 21660 |
| 7 | 44809 | 37018 | 36018 | 70223 | 56909 | 60461 | 0 | 0 | 12911 | 26522 | 0 | 0 | 28735 |
| 8 | 74346 | 98650 | 79043 | 102265 | 115784 | 67654 | 99236 | 77070 | 75419 | 73396 | 37086 | 95994 | 82988 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLOWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|-----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 2708331 | 66000 | 11077 | 85924 | 0 | 30307 | 2647023 | 79.7 | 225000 | 302936 | 0 | 54683 | 79481 | 2119087 | 80.0 |
| 2 | 2647023 | 55000 | 10399 | 52734 | 0 | 26181 | 2612709 | 78.7 | 225000 | 299016 | 18536 | 0 | 48930 | 2070157 | 78.2 |
| 3 | 2612709 | 67000 | 12296 | 95857 | 0 | 33724 | 2537832 | 76.4 | 225000 | 290461 | 41344 | 0 | 89130 | 1981027 | 74.8 |
| 4 | 2537832 | 51000 | 13983 | 167863 | 0 | 36970 | 2370016 | 71.4 | 225000 | 275000 | 44459 | 0 | 155470 | 1825557 | 69.0 |
| 5 | 2370016 | 166000 | 13858 | 155272 | 0 | 38454 | 2328432 | 70.1 | 225000 | 275000 | 0 | 146573 | 143698 | 1828432 | 69.1 |
| 6 | 2328432 | 143000 | 14517 | 149670 | 0 | 42306 | 2264939 | 68.2 | 225000 | 275000 | 0 | 75259 | 138752 | 1764939 | 66.7 |
| 7 | 2264939 | 55000 | 16242 | 129653 | 0 | 60223 | 2113821 | 63.7 | 225000 | 244367 | 0 | 0 | 120485 | 1644454 | 62.1 |
| 8 | 2113821 | 55000 | 16742 | 121591 | 0 | 52979 | 1977509 | 59.6 | 225000 | 221306 | 0 | 0 | 113251 | 1531203 | 57.8 |
| 9 | 1977509 | 220000 | 13617 | 71803 | 0 | 44909 | 2067180 | 62.3 | 225000 | 275000 | 0 | 102855 | 66878 | 1567180 | 59.2 |
| 10 | 2067180 | 80000 | 12930 | 74199 | 0 | 36998 | 2023053 | 61.0 | 225000 | 275000 | 24958 | 0 | 69085 | 1498095 | 56.6 |
| 11 | 2023053 | 61000 | 11762 | 51794 | 0 | 22616 | 1997881 | 60.2 | 225000 | 275000 | 48113 | 0 | 48327 | 1449768 | 54.8 |
| 12 | 1997881 | 43000 | 11574 | 48640 | 0 | 17850 | 1962817 | 59.1 | 225000 | 275000 | 0 | 58317 | 45268 | 1462817 | 55.2 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 7 CALENDAR YEAR 1951

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | |
|--------|--------------------|--------------|----------------|---------------------------------|--------------|--------|--------------|-----------------|----------------|---------------------------------|--------------|--------|--------------|-----------------|----------------|
| | ADJ. NO. | 0849-000 | | ADJ. NO. | A847-001 | | | | | ADJ. NO. | B769-000 | | | | |
| | ANNUAL AUTH: | 5300 AF | | ANNUAL AUTH: | 69464 AF | | | | | ANNUAL AUTH: | 4009 AF | | | | |
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 5189 | .03056 | 2123 | 2123 | 69464 | 299 | 299 | .01797 | 72 | 72 | 4009 |
| 2 | 353 | 0 | 4565 | 3063 | 940 | .00000 | 0 | 0 | 67341 | 177 | 105 | .00000 | 0 | 0 | 3937 |
| 3 | 412 | 0 | 4153 | 5418 | 5418 | .00000 | 0 | 0 | 67341 | 313 | 313 | .00000 | 0 | 0 | 3937 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .00000 | 0 | 0 | 67341 | 576 | 576 | .00000 | 0 | 0 | 3937 |
| 5 | 459 | 0 | 3220 | 9322 | 9322 | .08191 | 5689 | 5689 | 67341 | 538 | 538 | .04818 | 193 | 193 | 3937 |
| 6 | 477 | 0 | 2743 | 8794 | 3105 | .04205 | 2921 | 2921 | 61652 | 507 | 314 | .02474 | 99 | 99 | 3744 |
| 7 | 532 | 0 | 2211 | 7384 | 4463 | .00000 | 0 | 0 | 58731 | 426 | 327 | .00000 | 0 | 0 | 3645 |
| 8 | 550 | 0 | 1661 | 6717 | 6717 | .00000 | 0 | 0 | 58731 | 388 | 388 | .00000 | 0 | 0 | 3645 |
| 9 | 450 | 0 | 1211 | 3967 | 3967 | .05748 | 3992 | 3992 | 58731 | 229 | 229 | .03381 | 136 | 136 | 3645 |
| 10 | 426 | 0 | 785 | 4119 | 127 | .00000 | 0 | 0 | 54739 | 238 | 102 | .00000 | 0 | 0 | 3509 |
| 11 | 394 | 0 | 391 | 2793 | 2793 | .00000 | 0 | 0 | 54739 | 161 | 161 | .00000 | 0 | 0 | 3509 |
| 12 | 391 | 0 | 0 | 2716 | 2716 | .03259 | 2264 | 2264 | 54739 | 157 | 157 | .01917 | 77 | 77 | 3509 |
| ANNUAL | 5300 | 0 | | 69464 | 54739 | | 16989 | | | 4009 | 3509 | | 577 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | |
|--------|--------------------|--------------|----------------|---------------------------------|--------------|--------|--------------|-----------------|----------------|---------------------------------|--------------|--------|--------------|-----------------|----------------|
| | ADJ. NO. | 0240-000 | | ADJ. NO. | 0810-000 | | | | | ADJ. NO. | 8804-000 | | | | |
| | ANNUAL AUTH: | 3967 AF | | ANNUAL AUTH: | 4857 AF | | | | | ANNUAL AUTH: | 4828 AF | | | | |
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 363 | .03056 | 148 | 148 | 4857 | 361 | 361 | .01797 | 87 | 87 | 4828 |
| 2 | 264 | 0 | 3417 | 214 | 66 | .00000 | 0 | 0 | 4709 | 213 | 126 | .00000 | 0 | 0 | 4741 |
| 3 | 308 | 0 | 3109 | 379 | 379 | .00000 | 0 | 0 | 4709 | 376 | 376 | .00000 | 0 | 0 | 4741 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .00000 | 0 | 0 | 4709 | 694 | 694 | .00000 | 0 | 0 | 4741 |
| 5 | 343 | 0 | 2411 | 652 | 652 | .08191 | 398 | 398 | 4709 | 648 | 648 | .04818 | 233 | 233 | 4741 |
| 6 | 357 | 0 | 2054 | 615 | 217 | .04205 | 204 | 204 | 4311 | 611 | 378 | .02474 | 119 | 119 | 4508 |
| 7 | 398 | 0 | 1656 | 516 | 312 | .00000 | 0 | 0 | 4107 | 513 | 394 | .00000 | 0 | 0 | 4389 |
| 8 | 412 | 0 | 1244 | 470 | 470 | .00000 | 0 | 0 | 4107 | 467 | 467 | .00000 | 0 | 0 | 4389 |
| 9 | 337 | 0 | 907 | 277 | 277 | .05748 | 279 | 279 | 4107 | 276 | 276 | .03381 | 163 | 163 | 4389 |
| 10 | 319 | 0 | 588 | 288 | 9 | .00000 | 0 | 0 | 3828 | 286 | 123 | .00000 | 0 | 0 | 4226 |
| 11 | 295 | 0 | 293 | 195 | 195 | .00000 | 0 | 0 | 3828 | 194 | 194 | .00000 | 0 | 0 | 4226 |
| 12 | 293 | 0 | 0 | 190 | 190 | .03259 | 158 | 158 | 3828 | 189 | 189 | .01917 | 93 | 93 | 4226 |
| ANNUAL | 3967 | 0 | | 4857 | 3828 | | 1187 | | | 4828 | 4226 | | 695 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 7 CALENDAR YEAR 1951

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | |
|--------|--------------------|----------|---------|---------------------------------|-----------|--------|--------|---------|---------|---------------------------------|----------|--------|--------|---------|---------|
| | ADJ. NO. | 0808-001 | | ADJ. NO. | 0808-005 | | | | | ADJ. NO. | 0573-001 | | | | |
| | ANNUAL AUTH: | 6140 AF | | ANNUAL AUTH: | 147775 AF | | | | | ANNUAL AUTH: | 470 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | ALLOC | STORAGE | USABLE | DEMAND | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 11039 | .03056 | 4516 | 4516 | 147775 | 35 | 35 | .01797 | 8 | 8 | 470 |
| 2 | 409 | 0 | 5289 | 6517 | 2001 | .00000 | 0 | 0 | 143259 | 21 | 13 | .00000 | 0 | 0 | 462 |
| 3 | 477 | 0 | 4812 | 11526 | 11526 | .00000 | 0 | 0 | 143259 | 37 | 37 | .00000 | 0 | 0 | 462 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .00000 | 0 | 0 | 143259 | 68 | 68 | .00000 | 0 | 0 | 462 |
| 5 | 532 | 0 | 3731 | 19831 | 19831 | .08191 | 12104 | 12104 | 143259 | 63 | 63 | .04818 | 23 | 23 | 462 |
| 6 | 553 | 0 | 3178 | 18708 | 6604 | .04205 | 6215 | 6215 | 131155 | 59 | 36 | .02474 | 12 | 12 | 439 |
| 7 | 616 | 0 | 2562 | 15709 | 9494 | .00000 | 0 | 0 | 124940 | 50 | 38 | .00000 | 0 | 0 | 427 |
| 8 | 637 | 0 | 1925 | 14290 | 14290 | .00000 | 0 | 0 | 124940 | 45 | 45 | .00000 | 0 | 0 | 427 |
| 9 | 522 | 0 | 1403 | 8438 | 8438 | .05748 | 8493 | 8493 | 124940 | 27 | 27 | .03381 | 16 | 16 | 427 |
| 10 | 493 | 0 | 910 | 8763 | 270 | .00000 | 0 | 0 | 116447 | 28 | 12 | .00000 | 0 | 0 | 411 |
| 11 | 457 | 0 | 453 | 5941 | 5941 | .00000 | 0 | 0 | 116447 | 19 | 19 | .00000 | 0 | 0 | 411 |
| 12 | 453 | 0 | 0 | 5778 | 5778 | .03259 | 4816 | 4816 | 116447 | 18 | 18 | .01917 | 9 | 9 | 411 |
| ANNUAL | 6140 | 0 | | 147775 | 116447 | | 36144 | | | 470 | 411 | | 68 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 8 CALENDAR YEAR 1952

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 38000 | 38000 | 0 | 106814 | 65174 | .33 | 11961 | 2077 | 0 | 5397 | 0 | 0 | 1743764 | 1370431 |
| 2 | 34000 | 34000 | 0 | 67428 | 64336 | .40 | 14080 | 2074 | 0 | 5194 | 0 | 0 | 1696256 | 1370431 |
| 3 | 30000 | 30000 | 0 | 14357 | 64017 | .49 | 17050 | 2584 | 0 | 11773 | 0 | 0 | 1694849 | 1827241 |
| 4 | 37000 | 37000 | 0 | 273697 | 61975 | .54 | 17668 | 2808 | 0 | 12954 | 0 | 0 | 1440484 | 1328281 |
| 5 | 65000 | 65000 | 0 | 136328 | 59272 | .64 | 19073 | 3033 | 0 | 10604 | 0 | 0 | 1350083 | 1328281 |
| 6 | 53000 | 53000 | 0 | 2514 | 58851 | .77 | 22525 | 3267 | 0 | 13195 | 0 | 0 | 1378044 | 1771041 |
| 7 | 170000 | 170000 | 0 | 293380 | 57977 | 1.03 | 28988 | 3692 | 0 | 15062 | 0 | 0 | 1225676 | 1328281 |
| 8 | 34000 | 34000 | 0 | 153635 | 55734 | 1.19 | 30157 | 3767 | 0 | 17348 | 0 | 0 | 1075884 | 1328281 |
| 9 | 27000 | 27000 | 0 | 0 | 54670 | .93 | 22298 | 2992 | 0 | 10249 | 0 | 0 | 1080586 | 1771041 |
| 10 | 35000 | 35000 | 0 | 158265 | 53631 | .78 | 17677 | 2893 | 0 | 10274 | 0 | 0 | 939644 | 1328281 |
| 11 | 36000 | 36000 | 0 | 74635 | 52469 | .45 | 9328 | 2462 | 0 | 8458 | 0 | 0 | 891681 | 1370431 |
| 12 | 39000 | 39000 | 0 | 8839 | 52634 | .29 | 5926 | 2349 | 0 | 6490 | 0 | 0 | 915916 | 1827241 |
| ANNUAL | 598000 | 598000 | 0 | 1289892 | | | 216731 | 33998 | 0 | 126998 | 0 | 0 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 6000 | 105340 | 0 | 89527 | 41754 | .46 | 3141 | 9000 | 0 | 80527 | 0 | 0 | 155550 | 155725 |
| 2 | 0 | 60160 | 0 | 55865 | 39186 | .53 | 3882 | 8325 | 0 | 47540 | 0 | 0 | 155963 | 155725 |
| 3 | 0 | 0 | 0 | 93796 | 37508 | .53 | 2739 | 9712 | 0 | 84084 | 0 | 0 | 59428 | 1210297 |
| 4 | 1000 | 258935 | 0 | 166084 | 34285 | .69 | 3604 | 11175 | 0 | 154909 | 0 | 0 | 148675 | 150070 |
| 5 | 41000 | 163691 | 0 | 155493 | 27892 | .75 | 6290 | 10825 | 0 | 144668 | 0 | 0 | 150583 | 150070 |
| 6 | 17000 | 3052 | 0 | 147725 | 19080 | .83 | 4088 | 11250 | 0 | 136475 | 0 | 0 | 1822 | 1166347 |
| 7 | 1000 | 275626 | 0 | 127141 | 22823 | .91 | 4112 | 12550 | 0 | 114591 | 0 | 0 | 146195 | 150070 |
| 8 | 1000 | 133520 | 0 | 117218 | 28515 | 1.23 | 10174 | 12975 | 0 | 104243 | 0 | 0 | 152323 | 150070 |
| 9 | 24000 | 10759 | 0 | 72179 | 27184 | 1.03 | 6917 | 10625 | 0 | 61554 | 0 | 0 | 83986 | 1166347 |
| 10 | 1000 | 146098 | 0 | 73962 | 27729 | .93 | 6118 | 10037 | 0 | 63925 | 0 | 0 | 150004 | 150070 |
| 11 | 0 | 63715 | 0 | 52636 | 29457 | .51 | 4266 | 9300 | 0 | 43336 | 0 | 0 | 156817 | 155725 |
| 12 | 0 | 0 | 0 | 51375 | 29906 | .38 | 2670 | 9225 | 0 | 42150 | 0 | 0 | 102772 | 1210297 |
| ANNUAL | 92000 | 1220896 | 0 | 1203001 | | | 58001 | 124999 | 0 | 1078002 | 0 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 76000 | 76000 | 0 | 66930 | 65174 | .33 | 9546 | 5181 | 0 | 0 | 0 | 0 | 1423602 | 1424078 |
| 2 | 78000 | 78000 | 0 | 66353 | 64336 | .40 | 11654 | 4798 | 0 | 0 | 0 | 0 | 1423595 | 1424078 |
| 3 | 77000 | 77000 | 0 | 0 | 64017 | .49 | 14318 | 4917 | 0 | 0 | 0 | 62199 | 1424078 | 1424078 |
| 4 | 76000 | 76000 | 0 | 104711 | 61975 | .54 | 15799 | 5603 | 0 | 0 | 0 | 0 | 1379568 | 1380278 |
| 5 | 93000 | 93000 | 0 | 73780 | 59272 | .64 | 18861 | 5273 | 0 | 0 | 0 | 0 | 1379927 | 1380278 |
| 6 | 117000 | 117000 | 0 | 5478 | 58851 | .77 | 22790 | 5478 | 0 | 0 | 0 | 88381 | 1380278 | 1380278 |
| 7 | 248000 | 248000 | 0 | 217749 | 57977 | 1.03 | 30728 | 6039 | 0 | 0 | 0 | 0 | 1379801 | 1380278 |
| 8 | 105000 | 105000 | 0 | 5006 | 55734 | 1.19 | 36166 | 6006 | 0 | 0 | 0 | 63351 | 1380278 | 1380278 |
| 9 | 107000 | 107000 | 0 | 5914 | 54670 | .93 | 28545 | 5914 | 0 | 0 | 0 | 72541 | 1380278 | 1380278 |
| 10 | 98000 | 98000 | 0 | 3676 | 53631 | .78 | 24155 | 5676 | 0 | 0 | 0 | 70169 | 1380278 | 1380278 |
| 11 | 99000 | 99000 | 0 | 2445 | 52469 | .45 | 14283 | 5445 | 0 | 0 | 0 | 38472 | 1424078 | 1424078 |
| 12 | 102000 | 102000 | 0 | 1669 | 52634 | .29 | 9338 | 5669 | 0 | 0 | 0 | 90993 | 1424078 | 1424078 |
| ANNUAL | 1276000 | 1276000 | 0 | 553711 | | | 236183 | 65999 | 0 | 0 | 0 | 486106 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 8 CALENDAR YEAR 1952

RESERVOIR NO. 4 MEX FALCON MAX FLOOD POOL: 1140074 MAX CONSERVATION POOL: 1098674 DEAD POOL: 1099

| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 6000 | 67749 | 0 | 198288 | 41754 | .46 | 16066 | 198288 | 0 | 0 | 0 | 0 | 689933 | 855056 |
| 2 | 10000 | 71555 | 0 | 79438 | 39186 | .53 | 16887 | 79438 | 0 | 0 | 0 | 0 | 665163 | 855056 |
| 3 | 7000 | 64282 | 0 | 29743 | 37508 | .53 | 17140 | 29743 | 0 | 0 | 0 | 0 | 682562 | 855056 |
| 4 | 9000 | 108108 | 0 | 295351 | 34285 | .69 | 20053 | 295351 | 0 | 0 | 0 | 0 | 475266 | 824006 |
| 5 | 16000 | 84507 | 0 | 324482 | 27892 | .75 | 14629 | 324482 | 0 | 0 | 0 | 0 | 220662 | 824006 |
| 6 | 0 | 88381 | 0 | 79927 | 19080 | .83 | 11748 | 79927 | 0 | 0 | 0 | 0 | 217368 | 824006 |
| 7 | 6000 | 217710 | 0 | 36108 | 22823 | .91 | 16657 | 36108 | 0 | 0 | 0 | 0 | 382313 | 824006 |
| 8 | 1000 | 63351 | 0 | 72461 | 28515 | 1.23 | 24899 | 72461 | 0 | 0 | 0 | 0 | 348304 | 824006 |
| 9 | 0 | 72541 | 0 | 27785 | 27184 | 1.03 | 21083 | 27785 | 0 | 0 | 0 | 0 | 371977 | 824006 |
| 10 | 2000 | 70169 | 0 | 42106 | 27729 | .93 | 19670 | 42106 | 0 | 0 | 0 | 0 | 380370 | 824006 |
| 11 | 3000 | 38472 | 0 | 14810 | 29457 | .51 | 10757 | 14810 | 0 | 0 | 0 | 0 | 393275 | 855056 |
| 12 | 4000 | 90993 | 0 | 23501 | 29906 | .38 | 8694 | 23501 | 0 | 0 | 0 | 0 | 452073 | 855056 |
| ANNUAL | 64000 | 1037818 | 0 | 1224000 | | | 198283 | 1224000 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|--------|-------|-------|--------|--------|--------|--------|--------|-------|--------|-------|-------|-------|
| 1 | 1474 | 7268 | 14357 | 14762 | 0 | 0 | 17754 | 20115 | 0 | 12167 | 10920 | 8839 | 8967 |
| 2 | 5397 | 5194 | 11773 | 12954 | 37967 | 13733 | 15062 | 17348 | 21008 | 10274 | 8458 | 6490 | 13798 |
| 3 | 0 | 0 | 0 | 0 | 27363 | 538 | 0 | 0 | 10759 | 0 | 0 | 0 | 3220 |
| 4 | 80527 | 47540 | 84084 | 154909 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 89828 |
| 5 | 0 | 0 | 0 | 0 | 0 | 5478 | 39 | 5006 | 5914 | 3676 | 2445 | 1669 | 2016 |
| 6 | 819 | 5202 | 2083 | 3397 | 10727 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1850 |
| 7 | 105340 | 60160 | 0 | 258935 | 136328 | 2514 | 275626 | 133520 | 0 | 146098 | 63715 | 0 | 98514 |
| 8 | 66930 | 66353 | 62199 | 104711 | 73780 | 88381 | 217710 | 63351 | 72541 | 70169 | 38472 | 90993 | 84628 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLOWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|-----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 1962817 | 44000 | 11077 | 85924 | 0 | 15102 | 1894714 | 57.1 | 225000 | 275000 | 11378 | 0 | 79481 | 1383336 | 52.2 |
| 2 | 1894714 | 34000 | 10399 | 52734 | 0 | 17962 | 1847619 | 55.7 | 225000 | 275000 | 13213 | 0 | 48930 | 1334406 | 50.4 |
| 3 | 1847619 | 30000 | 12296 | 95857 | 0 | 19789 | 1749677 | 52.7 | 225000 | 275000 | 4401 | 0 | 89130 | 1245276 | 47.0 |
| 4 | 1749677 | 38000 | 13983 | 167863 | 0 | 21272 | 1584559 | 47.8 | 225000 | 269753 | 0 | 0 | 155470 | 1089806 | 41.2 |
| 5 | 1584559 | 106000 | 13858 | 155272 | 0 | 25363 | 1496066 | 45.1 | 225000 | 275000 | 49958 | 0 | 143698 | 946108 | 35.7 |
| 6 | 1496066 | 70000 | 14517 | 149670 | 0 | 26613 | 1375266 | 41.5 | 225000 | 275000 | 0 | 67910 | 138752 | 875266 | 33.1 |
| 7 | 1375266 | 171000 | 16242 | 129653 | 0 | 33100 | 1367271 | 41.2 | 225000 | 275000 | 0 | 112490 | 120485 | 867271 | 32.8 |
| 8 | 1367271 | 35000 | 16742 | 121591 | 0 | 40331 | 1223607 | 36.9 | 225000 | 244587 | 0 | 0 | 113251 | 754020 | 28.5 |
| 9 | 1223607 | 51000 | 13617 | 71803 | 0 | 29215 | 1159972 | 35.0 | 225000 | 247830 | 0 | 0 | 66878 | 687142 | 26.0 |
| 10 | 1159972 | 36000 | 12930 | 74199 | 0 | 23795 | 1085048 | 32.8 | 225000 | 241991 | 0 | 0 | 69085 | 618057 | 23.3 |
| 11 | 1085048 | 36000 | 11762 | 51794 | 0 | 13594 | 1043898 | 31.5 | 225000 | 249168 | 0 | 0 | 48327 | 569730 | 21.5 |
| 12 | 1043898 | 39000 | 11574 | 48640 | 0 | 8596 | 1014088 | 30.6 | 225000 | 264626 | 0 | 0 | 45268 | 524462 | 19.8 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 8 CALENDAR YEAR 1952

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|---------|---------------------------------|--------------|--------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | ANNUAL AUTH: | RATE B | ALLOC | STORAGE | USABLE |
| | 0849-000 | 5300 AF | | A847-001 | 69464 AF | | AMOUNT | AMOUNT | AMOUNT | B769-000 | 4009 AF | | AMOUNT | AMOUNT | AMOUNT |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | AMOUNT | AMOUNT | AMOUNT | DEMAND | SHORT | RATE B | AMOUNT | AMOUNT | AMOUNT |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 2925 | .00000 | 0 | 0 | 67200 | 299 | 222 | .00000 | 0 | 0 | 3932 |
| 2 | 353 | 0 | 4565 | 3063 | 3063 | .00000 | 0 | 0 | 67200 | 177 | 177 | .00000 | 0 | 0 | 3932 |
| 3 | 412 | 0 | 4153 | 5418 | 5418 | .00000 | 0 | 0 | 67200 | 313 | 313 | .00000 | 0 | 0 | 3932 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .00000 | 0 | 0 | 67200 | 576 | 576 | .00000 | 0 | 0 | 3932 |
| 5 | 459 | 0 | 3220 | 9322 | 9322 | .00000 | 0 | 0 | 67200 | 538 | 538 | .00000 | 0 | 0 | 3932 |
| 6 | 477 | 0 | 2743 | 8794 | 8794 | .03795 | 2636 | 2636 | 67200 | 507 | 507 | .02232 | 89 | 89 | 3932 |
| 7 | 532 | 0 | 2211 | 7384 | 4748 | .06286 | 4366 | 4366 | 64564 | 426 | 337 | .03698 | 148 | 148 | 3843 |
| 8 | 550 | 0 | 1661 | 6717 | 2351 | .00000 | 0 | 0 | 60198 | 388 | 240 | .00000 | 0 | 0 | 3695 |
| 9 | 450 | 0 | 1211 | 3967 | 3967 | .00000 | 0 | 0 | 60198 | 229 | 229 | .00000 | 0 | 0 | 3695 |
| 10 | 426 | 0 | 785 | 4119 | 4119 | .00000 | 0 | 0 | 60198 | 238 | 238 | .00000 | 0 | 0 | 3695 |
| 11 | 394 | 0 | 391 | 2793 | 2793 | .00000 | 0 | 0 | 60198 | 161 | 161 | .00000 | 0 | 0 | 3695 |
| 12 | 391 | 0 | 0 | 2716 | 2716 | .00000 | 0 | 0 | 60198 | 157 | 157 | .00000 | 0 | 0 | 3695 |
| ANNUAL | 5300 | 0 | | 69464 | 60198 | | 7002 | | | 4009 | 3695 | | 237 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|---------|---------------------------------|--------------|--------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | ANNUAL AUTH: | RATE B | ALLOC | STORAGE | USABLE |
| | 0240-000 | 3967 AF | | 0810-000 | 4857 AF | | AMOUNT | AMOUNT | AMOUNT | B804-000 | 4828 AF | | AMOUNT | AMOUNT | AMOUNT |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | AMOUNT | AMOUNT | AMOUNT | DEMAND | SHORT | RATE B | AMOUNT | AMOUNT | AMOUNT |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 205 | .00000 | 0 | 0 | 4699 | 361 | 268 | .00000 | 0 | 0 | 4735 |
| 2 | 264 | 0 | 3417 | 214 | 214 | .00000 | 0 | 0 | 4699 | 213 | 213 | .00000 | 0 | 0 | 4735 |
| 3 | 308 | 0 | 3109 | 379 | 379 | .00000 | 0 | 0 | 4699 | 376 | 376 | .00000 | 0 | 0 | 4735 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .00000 | 0 | 0 | 4699 | 694 | 694 | .00000 | 0 | 0 | 4735 |
| 5 | 343 | 0 | 2411 | 652 | 652 | .00000 | 0 | 0 | 4699 | 648 | 648 | .00000 | 0 | 0 | 4735 |
| 6 | 357 | 0 | 2054 | 615 | 615 | .03795 | 184 | 184 | 4699 | 611 | 611 | .02232 | 108 | 108 | 4735 |
| 7 | 398 | 0 | 1656 | 516 | 332 | .06286 | 305 | 305 | 4515 | 513 | 405 | .03698 | 179 | 179 | 4627 |
| 8 | 412 | 0 | 1244 | 470 | 165 | .00000 | 0 | 0 | 4210 | 467 | 288 | .00000 | 0 | 0 | 4448 |
| 9 | 337 | 0 | 907 | 277 | 277 | .00000 | 0 | 0 | 4210 | 276 | 276 | .00000 | 0 | 0 | 4448 |
| 10 | 319 | 0 | 588 | 288 | 288 | .00000 | 0 | 0 | 4210 | 286 | 286 | .00000 | 0 | 0 | 4448 |
| 11 | 295 | 0 | 293 | 195 | 195 | .00000 | 0 | 0 | 4210 | 194 | 194 | .00000 | 0 | 0 | 4448 |
| 12 | 293 | 0 | 0 | 190 | 190 | .00000 | 0 | 0 | 4210 | 189 | 189 | .00000 | 0 | 0 | 4448 |
| ANNUAL | 3967 | 0 | | 4857 | 4210 | | 489 | | | 4828 | 4448 | | 287 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 8 CALENDAR YEAR 1952

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|---------|---------------------------------|--------------|--------|--------|---------|---------------------------------|----------|--------------|--------|--------|---------|---------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | RATE A | ALLOC | STORAGE | USABLE | ADJ. NO. | ANNUAL AUTH: | | ALLOC | STORAGE | USABLE |
| | 0808-001 | 6140 AF | | 0808-005 | 147775 AF | | | | | 0573-001 | 470 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | AMOUNT | AMOUNT | AMOUNT | DEMAND | SHORT | RATE B | AMOUNT | AMOUNT | AMOUNT |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | | | BALANCE | AMOUNT | AMOUNT | | | | BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 6223 | .00000 | 0 | 0 | 142959 | 35 | 26 | .00000 | 0 | 0 | 461 |
| 2 | 409 | 0 | 5289 | 6517 | 6517 | .00000 | 0 | 0 | 142959 | 21 | 21 | .00000 | 0 | 0 | 461 |
| 3 | 477 | 0 | 4812 | 11526 | 11526 | .00000 | 0 | 0 | 142959 | 37 | 37 | .00000 | 0 | 0 | 461 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .00000 | 0 | 0 | 142959 | 68 | 68 | .00000 | 0 | 0 | 461 |
| 5 | 532 | 0 | 3731 | 19831 | 19831 | .00000 | 0 | 0 | 142959 | 63 | 63 | .00000 | 0 | 0 | 461 |
| 6 | 553 | 0 | 3178 | 18708 | 18708 | .03795 | 5608 | 5608 | 142959 | 59 | 59 | .02232 | 10 | 10 | 461 |
| 7 | 616 | 0 | 2562 | 15709 | 10101 | .06286 | 9289 | 9289 | 137351 | 50 | 40 | .03698 | 17 | 17 | 451 |
| 8 | 637 | 0 | 1925 | 14290 | 5001 | .00000 | 0 | 0 | 128062 | 45 | 28 | .00000 | 0 | 0 | 434 |
| 9 | 522 | 0 | 1403 | 8438 | 8438 | .00000 | 0 | 0 | 128062 | 27 | 27 | .00000 | 0 | 0 | 434 |
| 10 | 493 | 0 | 910 | 8763 | 8763 | .00000 | 0 | 0 | 128062 | 28 | 28 | .00000 | 0 | 0 | 434 |
| 11 | 457 | 0 | 453 | 5941 | 5941 | .00000 | 0 | 0 | 128062 | 19 | 19 | .00000 | 0 | 0 | 434 |
| 12 | 453 | 0 | 0 | 5778 | 5778 | .00000 | 0 | 0 | 128062 | 18 | 18 | .00000 | 0 | 0 | 434 |
| ANNUAL | 6140 | 0 | | 147775 | 128062 | | 14897 | | | 470 | 434 | | 27 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 9 CALENDAR YEAR 1953

RESERVOIR NO. 1 U.S. AMISTAD MAX FLOOD POOL: 1827241 MAX CONSERVATION POOL: 1771041 DEAD POOL: 1771

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|---------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 37000 | 37000 | 0 | 153013 | 51827 | .43 | 8353 | 2077 | 0 | 5397 | 0 | 0 | 791550 | 1370431 |
| 2 | 33000 | 33000 | 0 | 67515 | 50501 | .38 | 6740 | 2074 | 0 | 5194 | 0 | 0 | 750295 | 1370431 |
| 3 | 43000 | 43000 | 0 | 14357 | 50356 | .37 | 6491 | 2584 | 0 | 11773 | 0 | 0 | 772447 | 1827241 |
| 4 | 31000 | 31000 | 0 | 274982 | 48022 | .70 | 10593 | 2808 | 0 | 12954 | 0 | 0 | 517872 | 1328281 |
| 5 | 30000 | 30000 | 0 | 174887 | 43368 | .83 | 8875 | 3033 | 0 | 10604 | 261 | 0 | 364110 | 1328281 |
| 6 | 24000 | 24000 | 0 | 4262 | 41180 | 1.05 | 9536 | 3267 | 0 | 13195 | 12200 | 0 | 374312 | 1771041 |
| 7 | 32000 | 32000 | 0 | 54704 | 41192 | 1.24 | 10904 | 3692 | 0 | 15062 | 14966 | 0 | 340704 | 1328281 |
| 8 | 50000 | 50000 | 0 | 0 | 42200 | 1.08 | 9559 | 3767 | 0 | 17348 | 17340 | 0 | 381145 | 1328281 |
| 9 | 58000 | 58000 | 0 | 0 | 43396 | .80 | 7894 | 2992 | 0 | 10249 | 0 | 0 | 431251 | 1771041 |
| 10 | 48000 | 48000 | 0 | 0 | 44229 | .66 | 7197 | 2893 | 0 | 10274 | 0 | 0 | 472054 | 1771041 |
| 11 | 35000 | 35000 | 0 | 10920 | 45175 | .46 | 5311 | 2462 | 0 | 8458 | 0 | 0 | 490823 | 1827241 |
| 12 | 36000 | 36000 | 0 | 8839 | 45943 | .35 | 4193 | 2349 | 0 | 6490 | 0 | 0 | 513791 | 1827241 |
| ANNUAL | 457000 | 457000 | 0 | 763479 | | | 95646 | 33998 | 0 | 126998 | 44767 | 0 | | |

RESERVOIR NO. 2 U.S. FALCON MAX FLOOD POOL: 1613729 MAX CONSERVATION POOL: 1555129 DEAD POOL: 1555

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|---------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 0 | 145539 | 0 | 89527 | 28763 | .44 | 3137 | 9000 | 0 | 80527 | 0 | 0 | 155647 | 155725 |
| 2 | 0 | 60247 | 0 | 55865 | 27250 | .37 | 3280 | 8325 | 0 | 47540 | 0 | 0 | 156749 | 155725 |
| 3 | 0 | 0 | 0 | 93796 | 26262 | .49 | 3076 | 9712 | 0 | 84084 | 0 | 0 | 59877 | 1210297 |
| 4 | 0 | 259220 | 0 | 166084 | 23561 | .61 | 3849 | 11175 | 0 | 154909 | 0 | 0 | 149164 | 150070 |
| 5 | 1000 | 162511 | 0 | 151933 | 16743 | .67 | 6768 | 10825 | 0 | 144668 | 3560 | 0 | 152974 | 150070 |
| 6 | 0 | 0 | 0 | 21544 | 9607 | .97 | 9233 | 11250 | 0 | 136475 | 126181 | 0 | 122197 | 1166347 |
| 7 | 0 | 50916 | 0 | 13278 | 9489 | 1.04 | 9783 | 12550 | 0 | 114591 | 113863 | 0 | 150052 | 150070 |
| 8 | 97000 | 93225 | 0 | 13026 | 25533 | .99 | 10761 | 12975 | 0 | 104243 | 104192 | 0 | 219490 | 150070 |
| 9 | 223000 | 209759 | 0 | 72179 | 41300 | .92 | 11939 | 10625 | 0 | 61554 | 0 | 0 | 345131 | 1166347 |
| 10 | 59000 | 45833 | 0 | 73962 | 47807 | .66 | 9199 | 10037 | 0 | 63925 | 0 | 0 | 307803 | 1166347 |
| 11 | 0 | 0 | 0 | 52636 | 48487 | .54 | 6373 | 9300 | 0 | 43336 | 0 | 0 | 248794 | 1210297 |
| 12 | 0 | 0 | 0 | 51375 | 48105 | .39 | 3673 | 9225 | 0 | 42150 | 0 | 0 | 193746 | 1210297 |
| ANNUAL | 380000 | 1027250 | 0 | 855205 | | | 81071 | 124999 | 0 | 1078002 | 347796 | 0 | | |

RESERVOIR NO. 3 MEX AMISTAD MAX FLOOD POOL: 1424078 MAX CONSERVATION POOL: 1380278 DEAD POOL: 1380

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 101000 | 101000 | 0 | 0 | 51827 | .43 | 13933 | 5181 | 0 | 0 | 0 | 87067 | 1424078 | 1424078 |
| 2 | 82000 | 82000 | 0 | 0 | 50501 | .38 | 12450 | 4798 | 0 | 0 | 0 | 69550 | 1424078 | 1424078 |
| 3 | 104000 | 104000 | 0 | 0 | 50356 | .37 | 12141 | 4917 | 0 | 0 | 0 | 91859 | 1424078 | 1424078 |
| 4 | 92000 | 92000 | 0 | 0 | 48022 | .70 | 23022 | 5603 | 0 | 0 | 0 | 112778 | 1380278 | 1380278 |
| 5 | 93000 | 93000 | 0 | 131123 | 43368 | .83 | 27120 | 5273 | 0 | 0 | 0 | 0 | 1315035 | 1380278 |
| 6 | 98000 | 98000 | 0 | 84485 | 41180 | 1.05 | 33703 | 5478 | 0 | 0 | 0 | 0 | 1294847 | 1035209 |
| 7 | 118000 | 118000 | 0 | 33064 | 41192 | 1.24 | 40174 | 6039 | 0 | 0 | 0 | 0 | 1339609 | 1035209 |
| 8 | 100000 | 100000 | 0 | 0 | 42200 | 1.08 | 36017 | 6006 | 0 | 0 | 0 | 23314 | 1380278 | 1035209 |
| 9 | 109000 | 109000 | 0 | 0 | 43396 | .80 | 26823 | 5914 | 0 | 0 | 0 | 82177 | 1380278 | 1380278 |
| 10 | 91000 | 91000 | 0 | 0 | 44229 | .66 | 21994 | 5676 | 0 | 0 | 0 | 69006 | 1380278 | 1380278 |
| 11 | 100000 | 100000 | 0 | 0 | 45175 | .46 | 15470 | 5445 | 0 | 0 | 0 | 40730 | 1424078 | 1424078 |
| 12 | 100000 | 100000 | 0 | 0 | 45943 | .35 | 11887 | 5669 | 0 | 0 | 0 | 88113 | 1424078 | 1424078 |
| ANNUAL | 1188000 | 1188000 | 0 | 248672 | | | 274734 | 65999 | 0 | 0 | 0 | 664594 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 9 CALENDAR YEAR 1953

RESERVOIR NO. 4 MEX FALCON MAX FLOOD POOL: 1140074 MAX CONSERVATION POOL: 1098674 DEAD POOL: 1099

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 6000 | 87886 | 0 | 198288 | 28763 | .44 | 9519 | 198288 | 0 | 0 | 0 | 0 | 332152 | 855056 |
| 2 | 5000 | 69752 | 0 | 79438 | 27250 | .37 | 6802 | 79438 | 0 | 0 | 0 | 0 | 315664 | 855056 |
| 3 | 11000 | 97942 | 0 | 29743 | 26262 | .49 | 9792 | 29743 | 0 | 0 | 0 | 0 | 374071 | 855056 |
| 4 | 22000 | 129175 | 0 | 295351 | 23561 | .61 | 10523 | 295351 | 0 | 0 | 0 | 0 | 197372 | 824006 |
| 5 | 7000 | 132850 | 0 | 324482 | 16743 | .67 | 4450 | 324482 | 0 | 0 | 0 | 0 | 1290 | 824006 |
| 6 | 1000 | 80007 | 0 | 79927 | 9607 | .97 | 86 | 79927 | 0 | 0 | 0 | 0 | 1284 | 1099 |
| 7 | 9000 | 36025 | 0 | 36108 | 9489 | 1.04 | 86 | 36108 | 0 | 0 | 0 | 0 | 1115 | 1099 |
| 8 | 566000 | 583308 | 0 | 72461 | 25533 | .99 | 14517 | 72461 | 0 | 0 | 0 | 0 | 497445 | 1099 |
| 9 | 215000 | 291263 | 0 | 27785 | 41300 | .92 | 26057 | 27785 | 0 | 0 | 0 | 0 | 734866 | 824006 |
| 10 | 118000 | 181330 | 0 | 42106 | 47807 | .66 | 22354 | 42106 | 0 | 0 | 0 | 0 | 851736 | 824006 |
| 11 | 26000 | 61285 | 0 | 14810 | 48487 | .54 | 19810 | 14810 | 0 | 0 | 0 | 0 | 878401 | 855056 |
| 12 | 17000 | 99444 | 0 | 23501 | 48105 | .39 | 15088 | 23501 | 0 | 0 | 0 | 0 | 939256 | 1140074 |
| ANNUAL | 1003000 | 1850267 | 0 | 1224000 | | | 139084 | 1224000 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|--------|-------|-------|--------|--------|-------|-------|--------|--------|--------|-------|-------|-------|
| 1 | 7474 | 7268 | 14357 | 15762 | 12376 | 4262 | 3788 | 0 | 0 | 0 | 10920 | 8839 | 7083 |
| 2 | 5397 | 5194 | 11773 | 12954 | 10343 | 995 | 96 | 93233 | 220008 | 56107 | 8458 | 6490 | 35914 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 93225 | 209759 | 45833 | 0 | 0 | 29066 |
| 4 | 80527 | 47540 | 84084 | 154909 | 141108 | 10294 | 728 | 51 | 61554 | 63925 | 43336 | 42150 | 60846 |
| 5 | 0 | 0 | 0 | 0 | 0 | 4478 | 0 | 0 | 0 | 0 | 0 | 0 | 373 |
| 6 | 819 | 202 | 6083 | 16397 | 1727 | 0 | 2961 | 559994 | 209086 | 112324 | 20555 | 11331 | 78450 |
| 7 | 145539 | 60247 | 0 | 259220 | 162511 | 0 | 50916 | 0 | 0 | 0 | 0 | 0 | 56534 |
| 8 | 87067 | 69550 | 91859 | 112778 | 131123 | 80007 | 33064 | 23314 | 82177 | 69006 | 40730 | 88113 | 75726 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 1014088 | 37000 | 11077 | 85924 | 0 | 11490 | 942597 | 28.5 | 225000 | 272616 | 0 | 0 | 79481 | 444981 | 16.8 |
| 2 | 942597 | 33000 | 10399 | 52734 | 0 | 10020 | 902444 | 27.3 | 225000 | 275000 | 6393 | 0 | 48930 | 396051 | 15.0 |
| 3 | 902444 | 43000 | 12296 | 95857 | 0 | 9567 | 827724 | 25.0 | 225000 | 275000 | 20803 | 0 | 89130 | 306921 | 11.6 |
| 4 | 827724 | 31000 | 13983 | 167863 | 0 | 14442 | 662436 | 20.1 | 225000 | 275000 | 10985 | 0 | 155470 | 151451 | 5.7 |
| 5 | 662436 | 31000 | 13858 | 155272 | 3821 | 15643 | 512484 | 15.5 | 225000 | 275000 | 1195 | 0 | 140162 | 11289 | .4 |
| 6 | 512484 | 24000 | 14517 | 149670 | 138381 | 18769 | 491909 | 14.9 | 225000 | 266085 | 0 | 0 | 10465 | 824 | .0 |
| 7 | 491909 | 32000 | 16242 | 129653 | 128829 | 20687 | 486156 | 14.8 | 225000 | 261097 | 0 | 0 | 765 | 59 | .0 |
| 8 | 486156 | 147000 | 16742 | 121591 | 121532 | 20320 | 596035 | 18.1 | 225000 | 275000 | 0 | 96030 | 54 | 96035 | 3.6 |
| 9 | 596035 | 281000 | 13617 | 71803 | 0 | 19833 | 771782 | 23.3 | 225000 | 275000 | 0 | 242625 | 66878 | 271782 | 10.3 |
| 10 | 771782 | 107000 | 12930 | 74199 | 0 | 16396 | 775257 | 23.4 | 225000 | 275000 | 0 | 72560 | 69085 | 275257 | 10.4 |
| 11 | 775257 | 35000 | 11762 | 51794 | 0 | 11684 | 735017 | 22.2 | 225000 | 275000 | 8087 | 0 | 48327 | 226930 | 8.6 |
| 12 | 735017 | 36000 | 11574 | 48640 | 0 | 7866 | 702937 | 21.3 | 225000 | 275000 | 21275 | 0 | 45268 | 181662 | 6.9 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 9 CALENDAR YEAR 1953

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|----------------|---------------------------------|--------------|--------|--------------|-----------------|---------------------------------|---------------|--------------|--------|--------------|-----------------|----------------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | | | | | ADJ. NO. | ANNUAL AUTH: | | | | |
| | 0849-000 | 5300 AF | | A847-001 | 69464 AF | | | | | B769-000 | 4009 AF | | | | |
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 5189 | .00000 | 0 | 0 | 69464 | 299 | 299 | .00000 | 0 | 0 | 4009 |
| 2 | 353 | 0 | 4565 | 3063 | 3063 | .00000 | 0 | 0 | 69464 | 177 | 177 | .00000 | 0 | 0 | 4009 |
| 3 | 412 | 0 | 4153 | 5418 | 5418 | .00000 | 0 | 0 | 69464 | 313 | 313 | .00000 | 0 | 0 | 4009 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .00000 | 0 | 0 | 69464 | 576 | 576 | .00000 | 0 | 0 | 4009 |
| 5 | 459 | 0 | 3220 | 9322 | 9322 | .00000 | 0 | 0 | 69464 | 538 | 538 | .00000 | 0 | 0 | 4009 |
| 6 | 477 | 0 | 2743 | 8794 | 8794 | .00000 | 0 | 0 | 69464 | 507 | 507 | .00000 | 0 | 0 | 4009 |
| 7 | 532 | 0 | 2211 | 7384 | 7384 | .00000 | 0 | 0 | 69464 | 426 | 426 | .00000 | 0 | 0 | 4009 |
| 8 | 550 | 0 | 1661 | 6717 | 6717 | .05366 | 3728 | 3728 | 69464 | 388 | 388 | .03157 | 127 | 127 | 4009 |
| 9 | 450 | 0 | 1211 | 3967 | 239 | .13558 | 9418 | 9418 | 65736 | 229 | 102 | .07975 | 320 | 320 | 3882 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .04055 | 2817 | 8116 | 61617 | 238 | 0 | .02385 | 96 | 178 | 3644 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .00000 | 0 | 5323 | 58824 | 161 | 0 | .00000 | 0 | 17 | 3483 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .00000 | 0 | 2607 | 56108 | 157 | 140 | .00000 | 0 | 0 | 3466 |
| ANNUAL | 5300 | 0 | | 69464 | 56108 | | 15963 | | | 4009 | 3466 | | 543 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|--------------|----------------|---------------------------------|--------------|--------|--------------|-----------------|---------------------------------|---------------|--------------|--------|--------------|-----------------|----------------|
| | ADJ. NO. | ANNUAL AUTH: | | ADJ. NO. | ANNUAL AUTH: | | | | | ADJ. NO. | ANNUAL AUTH: | | | | |
| | 0240-000 | 3967 AF | | 0810-000 | 4857 AF | | | | | B804-000 | 4828 AF | | | | |
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 363 | .00000 | 0 | 0 | 4857 | 361 | 361 | .00000 | 0 | 0 | 4828 |
| 2 | 264 | 0 | 3417 | 214 | 214 | .00000 | 0 | 0 | 4857 | 213 | 213 | .00000 | 0 | 0 | 4828 |
| 3 | 308 | 0 | 3109 | 379 | 379 | .00000 | 0 | 0 | 4857 | 376 | 376 | .00000 | 0 | 0 | 4828 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .00000 | 0 | 0 | 4857 | 694 | 694 | .00000 | 0 | 0 | 4828 |
| 5 | 343 | 0 | 2411 | 652 | 652 | .00000 | 0 | 0 | 4857 | 648 | 648 | .00000 | 0 | 0 | 4828 |
| 6 | 357 | 0 | 2054 | 615 | 615 | .00000 | 0 | 0 | 4857 | 611 | 611 | .00000 | 0 | 0 | 4828 |
| 7 | 398 | 0 | 1656 | 516 | 516 | .00000 | 0 | 0 | 4857 | 513 | 513 | .00000 | 0 | 0 | 4828 |
| 8 | 412 | 0 | 1244 | 470 | 470 | .05366 | 261 | 261 | 4857 | 467 | 467 | .03157 | 152 | 152 | 4828 |
| 9 | 337 | 0 | 907 | 277 | 16 | .13558 | 659 | 659 | 4596 | 276 | 124 | .07975 | 385 | 385 | 4676 |
| 10 | 319 | 0 | 588 | 288 | 0 | .04055 | 197 | 568 | 4308 | 286 | 0 | .02385 | 115 | 214 | 4390 |
| 11 | 295 | 0 | 293 | 195 | 0 | .00000 | 0 | 373 | 4113 | 194 | 0 | .00000 | 0 | 20 | 4196 |
| 12 | 293 | 0 | 0 | 190 | 0 | .00000 | 0 | 183 | 3923 | 189 | 169 | .00000 | 0 | 0 | 4176 |
| ANNUAL | 3967 | 0 | | 4857 | 3923 | | 1117 | | | 4828 | 4176 | | 652 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 9 CALENDAR YEAR 1953

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|----------|----------------------|---------------------------------|----------|------------------------|----------|----------|---------------------------------|---------------|--------------|--------|--------------|-----------------|----------------|
| | ADJ. NO. | 0808-001 | ANNUAL AUTH: 6140 AF | ADJ. NO. | 0808-005 | ANNUAL AUTH: 147775 AF | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 11039 | .00000 | 0 | 0 | 147775 | 35 | 35 | .00000 | 0 | 0 | 470 |
| 2 | 409 | 0 | 5289 | 6517 | 6517 | .00000 | 0 | 0 | 147775 | 21 | 21 | .00000 | 0 | 0 | 470 |
| 3 | 477 | 0 | 4812 | 11526 | 11526 | .00000 | 0 | 0 | 147775 | 37 | 37 | .00000 | 0 | 0 | 470 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .00000 | 0 | 0 | 147775 | 68 | 68 | .00000 | 0 | 0 | 470 |
| 5 | 532 | 0 | 3731 | 19831 | 19831 | .00000 | 0 | 0 | 147775 | 63 | 63 | .00000 | 0 | 0 | 470 |
| 6 | 553 | 0 | 3178 | 18708 | 18708 | .00000 | 0 | 0 | 147775 | 59 | 59 | .00000 | 0 | 0 | 470 |
| 7 | 616 | 0 | 2562 | 15709 | 15709 | .00000 | 0 | 0 | 147775 | 50 | 50 | .00000 | 0 | 0 | 470 |
| 8 | 637 | 0 | 1925 | 14290 | 14290 | .05366 | 7930 | 7930 | 147775 | 45 | 45 | .03157 | 15 | 15 | 470 |
| 9 | 522 | 0 | 1403 | 8438 | 508 | .13558 | 20035 | 20035 | 139845 | 27 | 12 | .07975 | 37 | 37 | 455 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .04055 | 5992 | 17264 | 131082 | 28 | 0 | .02385 | 11 | 20 | 427 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .00000 | 0 | 11323 | 125141 | 19 | 0 | .00000 | 0 | 1 | 408 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .00000 | 0 | 5545 | 119363 | 18 | 17 | .00000 | 0 | 0 | 407 |
| ANNUAL | 6140 | 0 | | 147775 | 119363 | | 33957 | | | 470 | 407 | | 63 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

| RESERVOIR NO. 1 | | U.S. AMISTAD | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 34614 | 34614 | 0 | 7354 | 46342 | .25 | 3124 | 2077 | 0 | 5397 | 0 | 0 | 537927 | 1827241 |
| 2 | 30275 | 30275 | 0 | 101426 | 45895 | .39 | 4652 | 2074 | 0 | 5194 | 0 | 0 | 462124 | 1370431 |
| 3 | 30977 | 30977 | 0 | 104110 | 44412 | .56 | 5699 | 2584 | 0 | 11773 | 0 | 0 | 383292 | 1370431 |
| 4 | 197344 | 197344 | 0 | 0 | 45102 | .43 | 4948 | 2808 | 0 | 12954 | 11128 | 0 | 575688 | 1771041 |
| 5 | 116639 | 116639 | 0 | 93654 | 46575 | .65 | 8987 | 3033 | 0 | 10604 | 0 | 0 | 589686 | 1328281 |
| 6 | 237073 | 237073 | 0 | 19397 | 48481 | .88 | 14238 | 3267 | 0 | 13195 | 0 | 0 | 793124 | 1771041 |
| 7 | 2622785 | 2622785 | 7615 | 1620864 | 57685 | 1.14 | 31619 | 3692 | 0 | 15062 | 0 | 0 | 1771041 | 1328281 |
| 8 | 141349 | 141349 | 0 | 0 | 64438 | 1.11 | 40198 | 3767 | 0 | 17348 | 0 | 101151 | 1771041 | 1771041 |
| 9 | 96082 | 96082 | 0 | 0 | 64438 | 1.09 | 39473 | 2992 | 0 | 10249 | 0 | 56609 | 1771041 | 1771041 |
| 10 | 84666 | 84666 | 0 | 0 | 64438 | .68 | 24626 | 2893 | 0 | 10274 | 0 | 60040 | 1771041 | 1771041 |
| 11 | 57034 | 57034 | 0 | 0 | 64716 | .58 | 21165 | 2462 | 0 | 8458 | 0 | 0 | 1806910 | 1827241 |
| 12 | 55263 | 55263 | 0 | 13485 | 65365 | .58 | 21481 | 2349 | 0 | 6490 | 0 | 0 | 1827207 | 1827241 |
| ANNUAL | 3704101 | 3704101 | 7615 | 1960290 | | | 220210 | 33998 | 0 | 126998 | 11128 | 217800 | | |

| RESERVOIR NO. 2 | | U.S. FALCON | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 120 | 0 | 0 | 89527 | 44155 | .20 | 1319 | 9000 | 0 | 80527 | 0 | 0 | 102900 | 1210297 |
| 2 | 17036 | 111194 | 0 | 55865 | 39495 | .49 | 2964 | 8325 | 0 | 47540 | 0 | 0 | 155265 | 155725 |
| 3 | 8816 | 98569 | 0 | 93796 | 38656 | .55 | 4050 | 9712 | 0 | 84084 | 0 | 0 | 155988 | 155725 |
| 4 | 23722 | 19088 | 0 | 33008 | 34838 | .63 | 4602 | 11175 | 0 | 154909 | 133076 | 0 | 137466 | 1166347 |
| 5 | 95001 | 175018 | 0 | 155493 | 28407 | .80 | 6398 | 10825 | 0 | 144668 | 0 | 0 | 150593 | 150070 |
| 6 | 0 | 2935 | 0 | 147725 | 21143 | .82 | 3927 | 11250 | 0 | 136475 | 0 | 0 | 1876 | 1166347 |
| 7 | 92915 | 1695025 | 0 | 127141 | 47825 | .90 | 29351 | 12550 | 0 | 114591 | 0 | 0 | 1540409 | 150070 |
| 8 | 37806 | 117842 | 0 | 117218 | 71232 | .89 | 48386 | 12975 | 0 | 104243 | 0 | 0 | 1492647 | 1555129 |
| 9 | 54483 | 97851 | 0 | 72179 | 71256 | .70 | 37300 | 10625 | 0 | 61554 | 0 | 0 | 1481019 | 1555129 |
| 10 | 63480 | 110353 | 0 | 73962 | 71927 | .47 | 24844 | 10037 | 0 | 63925 | 0 | 0 | 1492566 | 1555129 |
| 11 | 20581 | 9661 | 0 | 52636 | 71684 | .36 | 18762 | 9300 | 0 | 43336 | 0 | 0 | 1430829 | 1613729 |
| 12 | 2442 | 7088 | 0 | 51375 | 70205 | .33 | 16776 | 9225 | 0 | 42150 | 0 | 0 | 1369766 | 1613729 |
| ANNUAL | 416402 | 2444624 | 0 | 1069925 | | | 198679 | 124999 | 0 | 1078002 | 133076 | 0 | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | | |
|-----------------|----------------|----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|----------|-----------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 17390 | 17390 | 0 | 0 | 46342 | .25 | 8461 | 5181 | 0 | 0 | 0 | 8929 | 1424078 | 1424078 |
| 2 | 16551 | 16551 | 0 | 0 | 45895 | .39 | 13247 | 4798 | 0 | 0 | 0 | 3304 | 1424078 | 1424078 |
| 3 | 14764 | 14764 | 0 | 0 | 44412 | .56 | 19172 | 4917 | 0 | 0 | 0 | 0 | 1419670 | 1424078 |
| 4 | 70432 | 70432 | 0 | 0 | 45102 | .43 | 14446 | 5603 | 0 | 0 | 0 | 95378 | 1380278 | 1380278 |
| 5 | 45584 | 45584 | 0 | 0 | 46575 | .65 | 21287 | 5273 | 0 | 0 | 0 | 24297 | 1380278 | 1380278 |
| 6 | 99035 | 99035 | 0 | 5478 | 48481 | .88 | 28425 | 5478 | 0 | 0 | 0 | 65132 | 1380278 | 1380278 |
| 7 | 236329 | 236329 | -7615 | 0 | 57685 | 1.14 | 34142 | 6039 | 0 | 0 | 0 | 194572 | 1380278 | 1380278 |
| 8 | 122108 | 122108 | 0 | 0 | 64438 | 1.11 | 31328 | 6006 | 0 | 0 | 0 | 90780 | 1380278 | 1380278 |
| 9 | 67878 | 67878 | 0 | 0 | 64438 | 1.09 | 30764 | 5914 | 0 | 0 | 0 | 37114 | 1380278 | 1380278 |
| 10 | 44157 | 44157 | 0 | 0 | 64438 | .68 | 19192 | 5676 | 0 | 0 | 0 | 24965 | 1380278 | 1380278 |
| 11 | 23250 | 23250 | 0 | 0 | 64716 | .58 | 16370 | 5445 | 0 | 0 | 0 | 0 | 1387158 | 1424078 |
| 12 | 21872 | 21872 | 0 | 0 | 65365 | .58 | 16431 | 5669 | 0 | 0 | 0 | 0 | 1392599 | 1424078 |
| ANNUAL | 779350 | 779350 | -7615 | 5478 | | | 253265 | 65999 | 0 | 0 | 0 | 544471 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

| RESERVOIR NO. 4 | MEX FALCON | | MAX FLOOD POOL: 1140074 | | | | MAX CONSERVATION POOL: 1098674 | | | | DEAD POOL: 1099 | | | |
|-----------------|----------------|----------------|-------------------------|-----------------|--------------|-----------|--------------------------------|-----------------|----------|---------------|-----------------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 12996 | 16744 | 0 | 198288 | 44155 | .20 | 7512 | 198288 | 0 | 0 | 0 | 0 | 750200 | 1140074 |
| 2 | 24383 | 22889 | 0 | 79438 | 39495 | .49 | 16389 | 79438 | 0 | 0 | 0 | 0 | 677262 | 855056 |
| 3 | 19969 | 15052 | 0 | 29743 | 38656 | .55 | 17211 | 29743 | 0 | 0 | 0 | 0 | 645360 | 855056 |
| 4 | 38335 | 128110 | 0 | 295351 | 34838 | .63 | 17346 | 295351 | 0 | 0 | 0 | 0 | 460773 | 824006 |
| 5 | 135435 | 154459 | 0 | 324482 | 28407 | .80 | 16328 | 324482 | 0 | 0 | 0 | 0 | 274422 | 824006 |
| 6 | 0 | 65132 | 0 | 79927 | 21143 | .82 | 13410 | 79927 | 0 | 0 | 0 | 0 | 246217 | 824006 |
| 7 | 73957 | 262490 | 0 | 36108 | 47825 | .90 | 13691 | 36108 | 0 | 0 | 0 | 0 | 458908 | 824006 |
| 8 | 25816 | 110590 | 0 | 72461 | 71232 | .89 | 15010 | 72461 | 0 | 0 | 0 | 0 | 482027 | 824006 |
| 9 | 47928 | 79128 | 0 | 27785 | 71256 | .70 | 12579 | 27785 | 0 | 0 | 0 | 0 | 520791 | 824006 |
| 10 | 62864 | 82153 | 0 | 42106 | 71927 | .47 | 8962 | 42106 | 0 | 0 | 0 | 0 | 551876 | 824006 |
| 11 | 21169 | 15724 | 0 | 14810 | 71684 | .36 | 7044 | 14810 | 0 | 0 | 0 | 0 | 545746 | 855056 |
| 12 | 11213 | 5544 | 0 | 23501 | 70205 | .33 | 6392 | 23501 | 0 | 0 | 0 | 0 | 521397 | 855056 |
| ANNUAL | 474065 | 958015 | 0 | 1224000 | | | 151874 | 1224000 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|------------|-------|--------|-------|-------|--------|--------|---------|--------|-------|-------|-------|-------|--------|
| LINK NO. 1 | 7354 | 0 | 5541 | 0 | 0 | 16462 | 0 | 0 | 0 | 0 | 0 | 6397 | 2977 |
| 2 | 5397 | 14962 | 11773 | 20914 | 91968 | 13195 | 89223 | 34039 | 51491 | 60587 | 18119 | 6490 | 34839 |
| 3 | 0 | 9768 | 0 | 19088 | 81364 | 0 | 74161 | 16691 | 41242 | 50313 | 9661 | 0 | 25187 |
| 4 | 80527 | 47540 | 84084 | 21833 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 78738 |
| 5 | 0 | 0 | 0 | 0 | 0 | 5478 | 0 | 0 | 0 | 0 | 0 | 0 | 456 |
| 6 | 7815 | 19585 | 15052 | 32732 | 130162 | 0 | 67918 | 19810 | 42014 | 57188 | 15724 | 5544 | 34457 |
| 7 | 0 | 101426 | 98569 | 0 | 93654 | 2935 | 1620864 | 101151 | 56609 | 60040 | 0 | 7088 | 178525 |
| 8 | 8929 | 3304 | 0 | 95378 | 24297 | 65132 | 194572 | 90780 | 37114 | 24965 | 0 | 0 | 45369 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 702937 | 34734 | 11077 | 85924 | 0 | 4443 | 636227 | 19.3 | 225000 | 275000 | 34046 | 0 | 79481 | 102181 | 3.9 |
| 2 | 636227 | 47311 | 10399 | 52734 | 0 | 7616 | 612789 | 18.6 | 225000 | 275000 | 0 | 59538 | 48930 | 112789 | 4.3 |
| 3 | 612789 | 39793 | 12296 | 95857 | 0 | 9749 | 534680 | 16.2 | 225000 | 275000 | 11021 | 0 | 89130 | 23659 | .9 |
| 4 | 534680 | 221066 | 13983 | 167863 | 144204 | 9550 | 708554 | 21.4 | 225000 | 275000 | 0 | 206807 | 21912 | 208554 | 7.9 |
| 5 | 708554 | 211640 | 13858 | 155272 | 0 | 15385 | 735679 | 22.3 | 225000 | 275000 | 0 | 170823 | 143698 | 235679 | 8.9 |
| 6 | 735679 | 237073 | 14517 | 149670 | 0 | 18165 | 790400 | 23.9 | 225000 | 275000 | 0 | 193473 | 138752 | 290400 | 11.0 |
| 7 | 790400 | 2715700 | 16242 | 129653 | 0 | 60970 | 3306850 | 99.6 | 225000 | 378318 | 55893 | 2477724 | 120485 | 2647639 | 100.0 |
| 8 | 3306850 | 179155 | 16742 | 121591 | 0 | 88584 | 3259088 | 98.1 | 225000 | 372862 | 13587 | 113251 | 113251 | 2647639 | 100.0 |
| 9 | 3259088 | 150565 | 13617 | 71803 | 0 | 76773 | 3247460 | 97.8 | 225000 | 371533 | 3288 | 66878 | 66878 | 2647639 | 100.0 |
| 10 | 3247460 | 148146 | 12930 | 74199 | 0 | 49470 | 3259007 | 98.1 | 225000 | 372852 | 13516 | 69085 | 69085 | 2647639 | 100.0 |
| 11 | 3259007 | 77615 | 11762 | 51794 | 0 | 39927 | 3233139 | 97.3 | 225000 | 369897 | 38930 | 0 | 48327 | 2599312 | 98.2 |
| 12 | 3233139 | 57705 | 11574 | 48640 | 0 | 38257 | 3192373 | 96.1 | 225000 | 365240 | 48089 | 0 | 45268 | 2554044 | 96.5 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|---------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 2582 | .00000 | 0 | 0 | 66857 | 299 | 299 | .00000 | 0 | 0 | 4009 |
| 2 | 353 | 0 | 4565 | 3063 | 3063 | .03327 | 2311 | 2311 | 66857 | 177 | 177 | .01957 | 78 | 78 | 4009 |
| 3 | 412 | 0 | 4153 | 5418 | 3107 | .00000 | 0 | 0 | 64546 | 313 | 235 | .00000 | 0 | 0 | 3931 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .11556 | 8028 | 8028 | 64546 | 576 | 576 | .06798 | 273 | 273 | 3931 |
| 5 | 459 | 0 | 3220 | 9322 | 1294 | .09546 | 6631 | 6631 | 56518 | 538 | 265 | .05615 | 225 | 225 | 3658 |
| 6 | 477 | 0 | 2743 | 8794 | 2163 | .10811 | 7510 | 7510 | 49887 | 507 | 282 | .06360 | 255 | 255 | 3433 |
| 7 | 532 | 0 | 2211 | 7384 | 0 | 1.38456 | 96177 | 96303 | 42503 | 426 | 171 | .81445 | 3265 | 3265 | 3178 |
| 8 | 550 | 0 | 1661 | 6717 | 0 | .06328 | 4396 | 93982 | 35786 | 388 | 0 | .03723 | 149 | 3026 | 2790 |
| 9 | 450 | 0 | 1211 | 3967 | 0 | .03737 | 2596 | 92611 | 31819 | 229 | 0 | .02198 | 88 | 2885 | 2561 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .03860 | 2682 | 91174 | 27700 | 238 | 0 | .02271 | 91 | 2738 | 2323 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .00000 | 0 | 88381 | 24907 | 161 | 0 | .00000 | 0 | 2577 | 2162 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .00000 | 0 | 85665 | 22191 | 157 | 0 | .00000 | 0 | 2420 | 2005 |
| ANNUAL | 5300 | 0 | | 69464 | 22191 | | 130331 | | | 4009 | 2005 | | 4424 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|---------|-----------------|--------------------|--|------------------|-----------------|--------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 180 | .00000 | 0 | 0 | 4674 | 361 | 361 | .00000 | 0 | 0 | 4828 |
| 2 | 264 | 0 | 3417 | 214 | 214 | .03327 | 162 | 162 | 4674 | 213 | 213 | .01957 | 94 | 94 | 4828 |
| 3 | 308 | 0 | 3109 | 379 | 217 | .00000 | 0 | 0 | 4512 | 376 | 282 | .00000 | 0 | 0 | 4734 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .11556 | 561 | 561 | 4512 | 694 | 694 | .06798 | 328 | 328 | 4734 |
| 5 | 343 | 0 | 2411 | 652 | 91 | .09546 | 464 | 464 | 3951 | 648 | 320 | .05615 | 271 | 271 | 4406 |
| 6 | 357 | 0 | 2054 | 615 | 151 | .10811 | 525 | 525 | 3487 | 611 | 340 | .06360 | 307 | 307 | 4135 |
| 7 | 398 | 0 | 1656 | 516 | 0 | 1.38456 | 6725 | 6734 | 2971 | 513 | 206 | .81445 | 3932 | 3932 | 3828 |
| 8 | 412 | 0 | 1244 | 470 | 0 | .06328 | 307 | 6571 | 2501 | 467 | 0 | .03723 | 180 | 3645 | 3361 |
| 9 | 337 | 0 | 907 | 277 | 0 | .03737 | 182 | 6476 | 2224 | 276 | 0 | .02198 | 106 | 3475 | 3085 |
| 10 | 319 | 0 | 588 | 288 | 0 | .03860 | 188 | 6376 | 1936 | 286 | 0 | .02271 | 110 | 3299 | 2799 |
| 11 | 295 | 0 | 293 | 195 | 0 | .00000 | 0 | 6181 | 1741 | 194 | 0 | .00000 | 0 | 3105 | 2605 |
| 12 | 293 | 0 | 0 | 190 | 0 | .00000 | 0 | 5991 | 1551 | 189 | 0 | .00000 | 0 | 2916 | 2416 |
| ANNUAL | 3967 | 0 | | 4857 | 1551 | | 9114 | | | 4828 | 2416 | | 5328 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|----------|----------------------|---------------------------------|----------|------------------------|--------|---------|---------------------------------|----------|----------|---------------------|--------|---------|---------|
| | ADJ. NO. | 0808-001 | ANNUAL AUTH: 6140 AF | ADJ. NO. | 0808-005 | ANNUAL AUTH: 147775 AF | ALLOC | STORAGE | USABLE | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF | ALLOC | STORAGE | USABLE |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | AMOUNT | AMOUNT | AMOUNT | DEMAND | SHORT | RATE B | AMOUNT | AMOUNT | AMOUNT |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | | | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 5494 | .00000 | 0 | 0 | 142230 | 35 | 35 | .00000 | 0 | 0 | 470 |
| 2 | 409 | 0 | 5289 | 6517 | 6517 | .03327 | 4916 | 4916 | 142230 | 21 | 21 | .01957 | 9 | 9 | 470 |
| 3 | 477 | 0 | 4812 | 11526 | 6610 | .00000 | 0 | 0 | 137314 | 37 | 28 | .00000 | 0 | 0 | 461 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .11556 | 17077 | 17077 | 137314 | 68 | 68 | .06798 | 32 | 32 | 461 |
| 5 | 532 | 0 | 3731 | 19831 | 2754 | .09546 | 14106 | 14106 | 120237 | 63 | 31 | .05615 | 26 | 26 | 429 |
| 6 | 553 | 0 | 3178 | 18708 | 4602 | .10811 | 15976 | 15976 | 106131 | 59 | 33 | .06360 | 30 | 30 | 403 |
| 7 | 616 | 0 | 2562 | 15709 | 0 | 1.38456 | 204603 | 204870 | 90422 | 50 | 20 | .81445 | 383 | 383 | 373 |
| 8 | 637 | 0 | 1925 | 14290 | 0 | .06328 | 9352 | 199932 | 76132 | 45 | 0 | .03723 | 17 | 355 | 328 |
| 9 | 522 | 0 | 1403 | 8438 | 0 | .03737 | 5523 | 197017 | 67694 | 27 | 0 | .02198 | 10 | 338 | 301 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .03860 | 5705 | 193959 | 58931 | 28 | 0 | .02271 | 11 | 321 | 273 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .00000 | 0 | 188018 | 52990 | 19 | 0 | .00000 | 0 | 302 | 254 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .00000 | 0 | 182240 | 47212 | 18 | 0 | .00000 | 0 | 284 | 236 |
| ANNUAL | 6140 | 0 | | 147775 | 47212 | | 277258 | | | 470 | 236 | | 518 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 11 CALENDAR YEAR 1955

| RESERVOIR NO. 1 | U.S. AMISTAD | | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | DEAD POOL: 1771 | | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|-----------------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 53265 | 53265 | 0 | 0 | 65532 | .27 | 10018 | 2077 | 0 | 5397 | 0 | 43213 | 1827241 | 1827241 |
| 2 | 46070 | 46070 | 0 | 0 | 65627 | .34 | 12584 | 2074 | 0 | 5194 | 0 | 33486 | 1827241 | 1827241 |
| 3 | 46460 | 46460 | 0 | 0 | 65699 | .55 | 20336 | 2584 | 0 | 11773 | 0 | 26124 | 1827241 | 1827241 |
| 4 | 38188 | 38188 | 0 | 0 | 65066 | .62 | 22683 | 2808 | 0 | 12954 | 0 | 71705 | 1771041 | 1771041 |
| 5 | 91475 | 91475 | 0 | 65298 | 62905 | .75 | 27508 | 3033 | 0 | 10604 | 0 | 0 | 1769710 | 1771041 |
| 6 | 77149 | 77149 | 0 | 43930 | 61450 | .87 | 32574 | 3267 | 0 | 13195 | 0 | 0 | 1770355 | 1771041 |
| 7 | 112166 | 112166 | 0 | 67518 | 61038 | 1.19 | 44313 | 3692 | 0 | 15062 | 0 | 0 | 1770690 | 1771041 |
| 8 | 137761 | 137761 | 0 | 103259 | 62000 | .93 | 34363 | 3767 | 0 | 17348 | 0 | 0 | 1770829 | 1771041 |
| 9 | 262213 | 262213 | 0 | 236565 | 63498 | .71 | 25917 | 2992 | 0 | 10249 | 0 | 0 | 1770560 | 1771041 |
| 10 | 121255 | 121255 | 0 | 88205 | 64313 | .93 | 33700 | 2893 | 0 | 10274 | 0 | 0 | 1769910 | 1771041 |
| 11 | 63095 | 63095 | 0 | 0 | 65071 | .53 | 19415 | 2462 | 0 | 8458 | 0 | 0 | 1813590 | 1827241 |
| 12 | 54706 | 54706 | 0 | 0 | 65505 | .40 | 14767 | 2349 | 0 | 6490 | 0 | 26288 | 1827241 | 1827241 |
| ANNUAL | 1103803 | 1103803 | 0 | 604775 | | | 298178 | 33998 | 0 | 126998 | 0 | 200816 | | |

| RESERVOIR NO. 2 | U.S. FALCON | | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | DEAD POOL: 1555 | | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|-----------------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 27719 | 63458 | 0 | 89527 | 66522 | .31 | 15659 | 9000 | 0 | 80527 | 0 | 0 | 1328038 | 1613729 |
| 2 | 36136 | 62354 | 0 | 55865 | 62290 | .28 | 14184 | 8325 | 0 | 47540 | 0 | 0 | 1320343 | 1613729 |
| 3 | 41745 | 53512 | 0 | 93796 | 59935 | .56 | 27751 | 9712 | 0 | 84084 | 0 | 0 | 1252308 | 1613729 |
| 4 | 42016 | 97959 | 0 | 166084 | 54103 | .63 | 30379 | 11175 | 0 | 154909 | 0 | 0 | 1153804 | 1555129 |
| 5 | 44340 | 96001 | 0 | 155493 | 47827 | .80 | 37741 | 10825 | 0 | 144668 | 0 | 0 | 1056571 | 1166347 |
| 6 | 38884 | 66352 | 0 | 147725 | 44284 | .89 | 39361 | 11250 | 0 | 136475 | 0 | 0 | 935837 | 1166347 |
| 7 | 35364 | 84128 | 0 | 127141 | 41210 | .96 | 39513 | 12550 | 0 | 114591 | 0 | 0 | 853311 | 1166347 |
| 8 | 71120 | 153264 | 0 | 117218 | 39913 | .84 | 33484 | 12975 | 0 | 104243 | 0 | 0 | 855873 | 1166347 |
| 9 | 76243 | 299567 | 0 | 72179 | 44709 | .51 | 21597 | 10625 | 0 | 61554 | 0 | 0 | 1061664 | 1166347 |
| 10 | 30353 | 105391 | 0 | 73962 | 49882 | .55 | 24476 | 10037 | 0 | 63925 | 0 | 0 | 1068617 | 1166347 |
| 11 | 30308 | 19388 | 0 | 52636 | 49987 | .38 | 16552 | 9300 | 0 | 43336 | 0 | 0 | 1018817 | 1210297 |
| 12 | 18476 | 35925 | 0 | 51375 | 48804 | .25 | 10631 | 9225 | 0 | 42150 | 0 | 0 | 992736 | 1210297 |
| ANNUAL | 492704 | 1137299 | 0 | 1203001 | | | 311328 | 124999 | 0 | 1078002 | 0 | 0 | | |

| RESERVOIR NO. 3 | MEX AMISTAD | | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | DEAD POOL: 1380 | | | |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------|-----------|-----------|--------------------------------|----------|---------------|-----------------|--------------|-----------------|----------------|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 22309 | 22309 | 0 | 0 | 65532 | .27 | 7676 | 5181 | 0 | 0 | 0 | 0 | 1407232 | 1424078 |
| 2 | 20812 | 20812 | 0 | 0 | 65627 | .34 | 9729 | 4798 | 0 | 0 | 0 | 0 | 1418315 | 1424078 |
| 3 | 18282 | 18282 | 0 | 0 | 65699 | .55 | 15798 | 4917 | 0 | 0 | 0 | 0 | 1420799 | 1424078 |
| 4 | 13271 | 13271 | 0 | 36146 | 65066 | .62 | 17658 | 5603 | 0 | 0 | 0 | 0 | 1380266 | 1380278 |
| 5 | 55394 | 55394 | 0 | 264268 | 62905 | .75 | 19671 | 5273 | 0 | 0 | 0 | 0 | 1151721 | 1035209 |
| 6 | 44002 | 44002 | 0 | 56557 | 61450 | .87 | 20888 | 5478 | 0 | 0 | 0 | 0 | 1118278 | 1035209 |
| 7 | 67429 | 67429 | 0 | 12474 | 61038 | 1.19 | 28322 | 6039 | 0 | 0 | 0 | 0 | 1144911 | 1035209 |
| 8 | 137336 | 137336 | 0 | 2796 | 62000 | .93 | 23297 | 6006 | 0 | 0 | 0 | 0 | 1256154 | 1035209 |
| 9 | 126021 | 126021 | 0 | 0 | 63498 | .71 | 19167 | 5914 | 0 | 0 | 0 | 0 | 1363008 | 1035209 |
| 10 | 112111 | 112111 | 0 | 68823 | 64313 | .93 | 26111 | 5676 | 0 | 0 | 0 | 0 | 1380185 | 1035209 |
| 11 | 36852 | 36852 | 0 | 0 | 65071 | .53 | 15073 | 5445 | 0 | 0 | 0 | 0 | 1401964 | 1424078 |
| 12 | 26675 | 26675 | 0 | 0 | 65505 | .40 | 11435 | 5669 | 0 | 0 | 0 | 0 | 1417204 | 1424078 |
| ANNUAL | 680494 | 680494 | 0 | 441064 | | | 214825 | 65999 | 0 | 0 | 0 | 0 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 11 CALENDAR YEAR 1955

RESERVOIR NO. 4 MEX FALCON MAX FLOOD POOL: 1140074 MAX CONSERVATION POOL: 1098674 DEAD POOL: 1099

| MONTH | WTRSHED INFLWS | RESERVR INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|----------------|----------------|-----------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|----------------|
| 1 | 20735 | 15554 | 0 | 198288 | 66522 | .31 | 4963 | 198288 | 0 | 0 | 0 | 0 | 333700 | 855056 |
| 2 | 28170 | 23372 | 0 | 79438 | 62290 | .28 | 3257 | 79438 | 0 | 0 | 0 | 0 | 274377 | 855056 |
| 3 | 30598 | 25681 | 0 | 29743 | 59935 | .56 | 5813 | 29743 | 0 | 0 | 0 | 0 | 264502 | 855056 |
| 4 | 32995 | 63538 | 0 | 295351 | 54103 | .63 | 3706 | 295351 | 0 | 0 | 0 | 0 | 28983 | 824006 |
| 5 | 38570 | 297565 | 0 | 324482 | 47827 | .80 | 521 | 324482 | 0 | 0 | 0 | 0 | 1545 | 1099 |
| 6 | 28463 | 79542 | 0 | 79927 | 44284 | .89 | 52 | 79927 | 0 | 0 | 0 | 0 | 1108 | 1099 |
| 7 | 29715 | 36150 | 0 | 36108 | 41210 | .96 | 49 | 36108 | 0 | 0 | 0 | 0 | 1101 | 1099 |
| 8 | 75716 | 72506 | 0 | 72461 | 39913 | .84 | 43 | 72461 | 0 | 0 | 0 | 0 | 1103 | 1099 |
| 9 | 139724 | 133810 | 0 | 27785 | 44709 | .51 | 1205 | 27785 | 0 | 0 | 0 | 0 | 105923 | 1099 |
| 10 | 27584 | 90731 | 0 | 42106 | 49882 | .55 | 2959 | 42106 | 0 | 0 | 0 | 0 | 151589 | 1099 |
| 11 | 27606 | 22161 | 0 | 14810 | 49987 | .38 | 2443 | 14810 | 0 | 0 | 0 | 0 | 156497 | 855056 |
| 12 | 14898 | 9229 | 0 | 23501 | 48804 | .25 | 1570 | 23501 | 0 | 0 | 0 | 0 | 140655 | 855056 |
| ANNUAL | 494774 | 869839 | 0 | 1224000 | | | 26581 | 1224000 | 0 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|------------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|
| LINK NO. 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 25642 | 34062 | 39161 | 39208 | 41307 | 35617 | 31672 | 67353 | 73251 | 27460 | 27846 | 16127 | 38220 |
| 3 | 20245 | 28868 | 27388 | 26254 | 30703 | 22422 | 16610 | 50005 | 63002 | 17186 | 19388 | 9637 | 27638 |
| 4 | 80527 | 47540 | 84084 | 154909 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 89828 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 15554 | 23372 | 25681 | 27392 | 33297 | 22985 | 23676 | 69710 | 133810 | 21908 | 22161 | 9229 | 35726 |
| 7 | 43213 | 33486 | 26124 | 71705 | 65298 | 43930 | 67518 | 103259 | 236565 | 88205 | 0 | 26288 | 67127 |
| 8 | 0 | 0 | 0 | 36146 | 264268 | 56557 | 12474 | 2796 | 0 | 68823 | 0 | 0 | 36754 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHED INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERVR EVAP | END-MON USABLE STORAGE | o/o CONS POOL | D-M-I RESERVE STORAGE | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | o/o IRRIG POOL |
|-------|------------------------|----------------------|---------------------|---------------------|-----------------------|--------------------|------------------------|---------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 3192373 | 80984 | 11077 | 85924 | 0 | 25677 | 3150679 | 94.9 | 225000 | 360476 | 0 | 90640 | 79481 | 2565203 | 96.9 |
| 2 | 3150679 | 82206 | 10399 | 52734 | 0 | 26768 | 3142984 | 94.6 | 225000 | 359597 | 42114 | 0 | 48930 | 2516273 | 95.0 |
| 3 | 3142984 | 88205 | 12296 | 95857 | 0 | 48087 | 3074949 | 92.6 | 225000 | 351825 | 0 | 70981 | 89130 | 2498124 | 94.4 |
| 4 | 3074949 | 80204 | 13983 | 167863 | 0 | 53062 | 2920245 | 87.9 | 225000 | 334150 | 18441 | 0 | 155470 | 2342654 | 88.5 |
| 5 | 2920245 | 135815 | 13858 | 155272 | 0 | 65249 | 2821681 | 85.0 | 225000 | 322890 | 0 | 74835 | 143698 | 2273791 | 85.9 |
| 6 | 2821681 | 116033 | 14517 | 149670 | 0 | 71935 | 2701592 | 81.4 | 225000 | 309170 | 32383 | 0 | 138752 | 2135039 | 80.6 |
| 7 | 2701592 | 147530 | 16242 | 129653 | 0 | 83826 | 2619401 | 78.9 | 225000 | 299780 | 0 | 80067 | 120485 | 2094621 | 79.1 |
| 8 | 2619401 | 208881 | 16742 | 121591 | 0 | 67847 | 2622102 | 79.0 | 225000 | 300089 | 0 | 115643 | 113251 | 2097013 | 79.2 |
| 9 | 2622102 | 338456 | 13617 | 71803 | 0 | 47514 | 2827624 | 85.1 | 225000 | 323569 | 0 | 248920 | 66878 | 2279055 | 86.1 |
| 10 | 2827624 | 151608 | 12930 | 74199 | 0 | 58176 | 2833927 | 85.3 | 225000 | 324289 | 0 | 74668 | 69085 | 2284638 | 86.3 |
| 11 | 2833927 | 93403 | 11762 | 51794 | 0 | 35967 | 2827807 | 85.2 | 225000 | 323590 | 42906 | 0 | 48327 | 2236311 | 84.5 |
| 12 | 2827807 | 73182 | 11574 | 48640 | 0 | 25398 | 2815377 | 84.8 | 225000 | 322170 | 0 | 77164 | 45268 | 2268207 | 85.7 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 11 CALENDAR YEAR 1955

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | |
|--------|--------------------|----------|---------|---------------------------------|----------|--------|--------|---------|---------|---------------------------------|----------|--------|--------|---------|---------|
| | ADJ. NO. | 0849-000 | | ADJ. NO. | A847-001 | | | | | ADJ. NO. | B769-000 | | | | |
| | ANNUAL AUTH: | 5300 AF | | ANNUAL AUTH: | 69464 AF | | | | | ANNUAL AUTH: | 4009 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | ALLOC | STORAGE | USABLE | DEMAND | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 0 | .05065 | 3518 | 83994 | 64275 | 299 | 0 | .02979 | 119 | 2240 | 3710 |
| 2 | 353 | 0 | 4565 | 3063 | 0 | .00000 | 0 | 80931 | 61212 | 177 | 0 | .00000 | 0 | 2063 | 3533 |
| 3 | 412 | 0 | 4153 | 5418 | 0 | .03966 | 2755 | 78268 | 55794 | 313 | 0 | .02333 | 94 | 1844 | 3220 |
| 4 | 474 | 0 | 3679 | 9982 | 0 | .00000 | 0 | 68286 | 45812 | 576 | 0 | .00000 | 0 | 1268 | 2644 |
| 5 | 459 | 0 | 3220 | 9322 | 0 | .04182 | 2905 | 61869 | 36490 | 538 | 0 | .02460 | 99 | 829 | 2106 |
| 6 | 477 | 0 | 2743 | 8794 | 0 | .00000 | 0 | 53075 | 27696 | 507 | 0 | .00000 | 0 | 322 | 1599 |
| 7 | 532 | 0 | 2211 | 7384 | 0 | .04474 | 3108 | 48799 | 20312 | 426 | 104 | .02632 | 106 | 106 | 1277 |
| 8 | 550 | 0 | 1661 | 6717 | 0 | .06462 | 4489 | 46571 | 13595 | 388 | 282 | .03801 | 152 | 152 | 1171 |
| 9 | 450 | 0 | 1211 | 3967 | 0 | .13910 | 9662 | 52266 | 9628 | 229 | 77 | .08182 | 328 | 328 | 1019 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .04172 | 2898 | 51045 | 5509 | 238 | 0 | .02454 | 98 | 188 | 781 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .00000 | 0 | 48252 | 2716 | 161 | 0 | .00000 | 0 | 27 | 620 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .04312 | 2995 | 48531 | 0 | 157 | 130 | .02536 | 102 | 102 | 593 |
| ANNUAL | 5300 | 0 | | 69464 | 0 | | 32330 | | | 4009 | 593 | | 1098 | | |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | |
|--------|--------------------|----------|---------|---------------------------------|----------|--------|--------|---------|---------|---------------------------------|----------|--------|--------|---------|---------|
| | ADJ. NO. | 0240-000 | | ADJ. NO. | 0810-000 | | | | | ADJ. NO. | B804-000 | | | | |
| | ANNUAL AUTH: | 3967 AF | | ANNUAL AUTH: | 4857 AF | | | | | ANNUAL AUTH: | 4828 AF | | | | |
| | DEMAND | SHORT | USABLE | DEMAND | SHORT | RATE A | ALLOC | STORAGE | USABLE | DEMAND | SHORT | RATE B | ALLOC | STORAGE | USABLE |
| | AMOUNT | AMOUNT | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE | AMOUNT | AMOUNT | | AMOUNT | BALANCE | BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 0 | .05065 | 246 | 5874 | 4494 | 361 | 0 | .02979 | 144 | 2699 | 4467 |
| 2 | 264 | 0 | 3417 | 214 | 0 | .00000 | 0 | 5660 | 4280 | 213 | 0 | .00000 | 0 | 2486 | 4254 |
| 3 | 308 | 0 | 3109 | 379 | 0 | .03966 | 193 | 5474 | 3901 | 376 | 0 | .02333 | 113 | 2223 | 3878 |
| 4 | 355 | 0 | 2754 | 698 | 0 | .00000 | 0 | 4776 | 3203 | 694 | 0 | .00000 | 0 | 1529 | 3184 |
| 5 | 343 | 0 | 2411 | 652 | 0 | .04182 | 203 | 4327 | 2551 | 648 | 0 | .02460 | 119 | 1000 | 2536 |
| 6 | 357 | 0 | 2054 | 615 | 0 | .00000 | 0 | 3712 | 1936 | 611 | 0 | .00000 | 0 | 389 | 1925 |
| 7 | 398 | 0 | 1656 | 516 | 0 | .04474 | 217 | 3413 | 1420 | 513 | 124 | .02632 | 127 | 127 | 1536 |
| 8 | 412 | 0 | 1244 | 470 | 0 | .06462 | 314 | 3257 | 950 | 467 | 340 | .03801 | 184 | 184 | 1409 |
| 9 | 337 | 0 | 907 | 277 | 0 | .13910 | 676 | 3656 | 673 | 276 | 92 | .08182 | 395 | 395 | 1225 |
| 10 | 319 | 0 | 588 | 288 | 0 | .04172 | 203 | 3571 | 385 | 286 | 0 | .02454 | 118 | 227 | 939 |
| 11 | 295 | 0 | 293 | 195 | 0 | .00000 | 0 | 3376 | 190 | 194 | 0 | .00000 | 0 | 33 | 745 |
| 12 | 293 | 0 | 0 | 190 | 0 | .04312 | 209 | 3395 | 0 | 189 | 156 | .02536 | 122 | 122 | 712 |
| ANNUAL | 3967 | 0 | | 4857 | 0 | | 2261 | | | 4828 | 712 | | 1322 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION YEAR 11 CALENDAR YEAR 1955

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | |
|--------|--------------------|--------------|----------------------|---------------------------------|--------------|------------------------|--------------|-----------------|---------------------|---------------------------------|--------------|---------------------|--------------|-----------------|---------------------|
| | ADJ. NO. | 0808-001 | ANNUAL AUTH: 6140 AF | ADJ. NO. | 0808-005 | ANNUAL AUTH: 147775 AF | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF | ADJ. NO. | 0573-001 | ANNUAL AUTH: 470 AF |
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 0 | .05065 | 7485 | 178686 | 136736 | 35 | 0 | .02979 | 14 | 263 | 435 |
| 2 | 409 | 0 | 5289 | 6517 | 0 | .00000 | 0 | 172169 | 130219 | 21 | 0 | .00000 | 0 | 242 | 414 |
| 3 | 477 | 0 | 4812 | 11526 | 0 | .03966 | 5861 | 166504 | 118693 | 37 | 0 | .02333 | 11 | 216 | 377 |
| 4 | 549 | 0 | 4263 | 21235 | 0 | .00000 | 0 | 145269 | 97458 | 68 | 0 | .00000 | 0 | 148 | 309 |
| 5 | 532 | 0 | 3731 | 19831 | 0 | .04182 | 6180 | 131618 | 77627 | 63 | 0 | .02460 | 12 | 97 | 246 |
| 6 | 553 | 0 | 3178 | 18708 | 0 | .00000 | 0 | 112910 | 58919 | 59 | 0 | .00000 | 0 | 38 | 187 |
| 7 | 616 | 0 | 2562 | 15709 | 0 | .04474 | 6612 | 103813 | 43210 | 50 | 12 | .02632 | 12 | 12 | 149 |
| 8 | 637 | 0 | 1925 | 14290 | 0 | .06462 | 9549 | 99072 | 28920 | 45 | 33 | .03801 | 18 | 18 | 137 |
| 9 | 522 | 0 | 1403 | 8438 | 0 | .13910 | 20555 | 111189 | 20482 | 27 | 9 | .08182 | 38 | 38 | 119 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .04172 | 6166 | 108592 | 11719 | 28 | 0 | .02454 | 12 | 22 | 91 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .00000 | 0 | 102651 | 5778 | 19 | 0 | .00000 | 0 | 3 | 72 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .04312 | 6372 | 103245 | 0 | 18 | 15 | .02536 | 12 | 12 | 69 |
| ANNUAL | 6140 | 0 | | 147775 | 0 | | 68780 | | | 470 | 69 | | 129 | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 1 U.S. AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1771041 | 1100000 | 1100000 | 43 | 189389 | 276426 | 33998 | 0 | 126998 | 0 | 578028 | 1827241 | 1758253 |
| 1946 | 1827241 | 1117000 | 1117000 | 0 | 13099 | 249172 | 33998 | 0 | 126998 | 0 | 854729 | 1827241 | 1771041 |
| 1947 | 1827241 | 875000 | 875000 | 0 | 54879 | 273503 | 33998 | 0 | 126998 | 0 | 546640 | 1827219 | 1771041 |
| 1948 | 1827219 | 1384000 | 1384000 | 0 | 68861 | 275508 | 33998 | 0 | 126998 | 0 | 1039623 | 1827227 | 1771041 |
| 1949 | 1827227 | 1589000 | 1589000 | 1 | 14754 | 234041 | 33998 | 0 | 126998 | 0 | 1340192 | 1827241 | 1771041 |
| 1950 | 1827241 | 1035000 | 1035000 | 0 | 76372 | 257611 | 33998 | 0 | 126998 | 0 | 701065 | 1827193 | 1771041 |
| 1951 | 1827193 | 691000 | 691000 | 0 | 82400 | 279294 | 33998 | 0 | 126998 | 0 | 331960 | 1824539 | 1760873 |
| 1952 | 1824539 | 598000 | 598000 | 0 | 1289892 | 216731 | 33998 | 0 | 126998 | 0 | 0 | 915916 | 891681 |
| 1953 | 915916 | 457000 | 457000 | 0 | 763479 | 95646 | 33998 | 0 | 126998 | 44767 | 0 | 513791 | 340704 |
| 1954 | 513791 | 3704101 | 3704101 | 7615 | 1960290 | 220210 | 33998 | 0 | 126998 | 11128 | 217800 | 1827207 | 383292 |
| 1955 | 1827207 | 1103803 | 1103803 | 0 | 604775 | 298178 | 33998 | 0 | 126998 | 0 | 200816 | 1827241 | 1769710 |
| 1956 | 1827241 | 515774 | 515774 | 0 | 438761 | 337121 | 33998 | 0 | 126998 | 0 | 0 | 1567133 | 1567133 |
| 1957 | 1567133 | 1610739 | 1610739 | -305589 | 244487 | 269173 | 33998 | 0 | 126998 | 0 | 531382 | 1827241 | 1411132 |
| 1958 | 1827241 | 1881826 | 1881826 | -244378 | 0 | 242471 | 33998 | 0 | 126998 | 0 | 1394977 | 1827241 | 1771041 |
| 1959 | 1827241 | 1279514 | 1279514 | 0 | 14093 | 229115 | 33998 | 0 | 126998 | 0 | 1036306 | 1827241 | 1771040 |
| 1960 | 1827241 | 1096226 | 1096226 | -10 | 31144 | 246732 | 33998 | 0 | 126998 | 0 | 818340 | 1827241 | 1771025 |
| 1961 | 1827241 | 1090303 | 1090303 | -1 | 0 | 233837 | 33998 | 0 | 126998 | 0 | 856465 | 1827241 | 1771041 |
| 1962 | 1827241 | 841972 | 841972 | 0 | 340131 | 309410 | 33998 | 0 | 126998 | 0 | 192670 | 1827002 | 1770287 |
| 1963 | 1827002 | 713470 | 713470 | 0 | 231469 | 285244 | 33998 | 0 | 126998 | 0 | 245934 | 1777825 | 1770642 |
| 1964 | 1777825 | 1602311 | 1602311 | -128939 | 864215 | 265878 | 33998 | 0 | 126998 | 0 | 293863 | 1827241 | 1187045 |
| 1965 | 1827241 | 973545 | 973545 | -92708 | 0 | 255532 | 33998 | 0 | 126998 | 0 | 625305 | 1827241 | 1771041 |
| 1966 | 1827241 | 1249166 | 1249166 | -208051 | 55946 | 234188 | 33998 | 0 | 126998 | 0 | 750987 | 1827235 | 1771041 |
| 1967 | 1827235 | 894820 | 894820 | 0 | 258346 | 280126 | 33998 | 0 | 126998 | 0 | 356342 | 1827241 | 1657582 |
| 1968 | 1827241 | 933727 | 933727 | -23762 | 97292 | 219107 | 33998 | 0 | 126998 | 0 | 593889 | 1826918 | 1770865 |
| 1969 | 1826918 | 843864 | 843864 | 0 | 913310 | 226854 | 33998 | 0 | 126998 | 0 | 0 | 1530618 | 1409437 |
| 1970 | 1530618 | 844695 | 844695 | 0 | 1122683 | 169914 | 33998 | 0 | 126998 | 0 | 0 | 1082716 | 947258 |
| 1971 | 1082716 | 1783089 | 1783089 | -48059 | 597985 | 167320 | 33998 | 0 | 126998 | 0 | 225200 | 1827241 | 706804 |
| 1972 | 1827241 | 1307088 | 1307088 | -258287 | 0 | 234240 | 33998 | 0 | 126998 | 0 | 814561 | 1827241 | 1771041 |
| 1973 | 1827241 | 918028 | 918028 | 732 | 406858 | 213047 | 33998 | 0 | 126998 | 0 | 301167 | 1824929 | 1770358 |
| 1974 | 1824929 | 3029423 | 3029423 | -599 | 284434 | 239730 | 33998 | 0 | 126998 | 0 | 2502348 | 1827241 | 1769907 |
| 1975 | 1827241 | 1284972 | 1284972 | 0 | 9019 | 211382 | 33998 | 0 | 126998 | 0 | 1064571 | 1827241 | 1771041 |
| 1976 | 1827241 | 1607050 | 1607050 | 0 | 31586 | 201156 | 33998 | 0 | 126998 | 0 | 1374308 | 1827241 | 1771041 |
| 1977 | 1827241 | 1163283 | 1163283 | 0 | 461 | 238493 | 33998 | 0 | 126998 | 0 | 924329 | 1827241 | 1771040 |
| 1978 | 1827241 | 1743638 | 1743638 | 2 | 444896 | 225378 | 33998 | 0 | 126998 | 0 | 1073366 | 1827241 | 1769800 |
| 1979 | 1827241 | 1275063 | 1275063 | 0 | 7690 | 224821 | 33998 | 0 | 126998 | 0 | 1042552 | 1827241 | 1771041 |
| 1980 | 1827241 | 1329313 | 1329313 | -15 | 60122 | 253781 | 33998 | 0 | 126998 | 0 | 1015395 | 1827241 | 1771023 |
| 1981 | 1827241 | 1888274 | 1888274 | 0 | 3482 | 214053 | 33998 | 0 | 126998 | 0 | 1670739 | 1827241 | 1771041 |
| 1982 | 1827241 | 1118780 | 1118780 | 0 | 21115 | 243427 | 33998 | 0 | 126998 | 0 | 854238 | 1827241 | 1771041 |
| 1983 | 1827241 | 910765 | 910765 | 0 | 411265 | 249920 | 33998 | 0 | 126998 | 0 | 249663 | 1827158 | 1770282 |
| 1984 | 1827158 | 1086407 | 1086407 | 0 | 526594 | 291574 | 33998 | 0 | 126998 | 0 | 299999 | 1795398 | 1719121 |
| 1985 | 1795398 | 1043484 | 1043484 | 0 | 959452 | 228833 | 33998 | 0 | 126998 | 0 | 37798 | 1612799 | 1437879 |
| 1986 | 1612799 | 1887478 | 1887478 | -203148 | 914666 | 232988 | 33998 | 0 | 126998 | 0 | 322234 | 1827241 | 1330007 |
| 1987 | 1827241 | 1797750 | 1797750 | -123360 | 938738 | 212431 | 33998 | 0 | 126998 | 0 | 523221 | 1827241 | 1770290 |
| 1988 | 1827241 | 1469121 | 1469121 | 953 | 739349 | 241106 | 33998 | 0 | 126998 | 0 | 489619 | 1827241 | 1769885 |
| 1989 | 1827241 | 1055062 | 1055062 | 0 | 345584 | 292563 | 33998 | 0 | 126998 | 0 | 417112 | 1827044 | 1769345 |
| 1990 | 1827044 | 2076817 | 2076817 | -130759 | 733406 | 265495 | 33998 | 0 | 126998 | 0 | 946960 | 1827241 | 1770434 |
| 1991 | 1827241 | 2027658 | 2027658 | 0 | 62602 | 285132 | 33998 | 0 | 126998 | 0 | 1679924 | 1827241 | 1771041 |
| 1992 | 1827241 | 1702861 | 1702861 | 0 | 4242 | 250028 | 33998 | 0 | 126998 | 0 | 1448591 | 1827241 | 1771041 |
| 1993 | 1827241 | 1181767 | 1181767 | 0 | 30221 | 290243 | 33998 | 0 | 126998 | 0 | 861303 | 1827241 | 1771041 |
| 1994 | 1827241 | 924654 | 924654 | 0 | 343797 | 289940 | 33998 | 0 | 126998 | 0 | 290981 | 1827177 | 1769978 |
| 1995 | 1827177 | 895126 | 895126 | 0 | 774520 | 317488 | 33998 | 0 | 126998 | 0 | 222759 | 1407536 | 1389956 |
| 1996 | 1407536 | 956466 | 956466 | 0 | 1192572 | 242373 | 33998 | 0 | 126998 | 0 | 0 | 929057 | 753135 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 2 U.S. FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1555129 | 285000 | 891421 | 117316 | 1203001 | 322630 | 124999 | 0 | 1078002 | 0 | 0 | 1038235 | 700736 |
| 1946 | 1038235 | 506000 | 1212832 | 427547 | 1203001 | 231693 | 124999 | 0 | 1078002 | 0 | 0 | 1243920 | 719155 |
| 1947 | 1243920 | 426000 | 866523 | 182693 | 1203001 | 261489 | 124999 | 0 | 1078002 | 0 | 0 | 828646 | 758001 |
| 1948 | 828646 | 595000 | 1542488 | 286634 | 1203001 | 250787 | 124999 | 0 | 1078002 | 0 | 0 | 1203980 | 409464 |
| 1949 | 1203980 | 783000 | 1976950 | 66697 | 1203001 | 324158 | 124999 | 0 | 1078002 | 0 | 106739 | 1613729 | 1164225 |
| 1950 | 1613729 | 248000 | 864441 | 16876 | 1203001 | 406307 | 124999 | 0 | 1078002 | 0 | 0 | 885738 | 885738 |
| 1951 | 885738 | 371000 | 624364 | 0 | 1203001 | 164223 | 124999 | 0 | 1078002 | 0 | 0 | 142878 | 142878 |
| 1952 | 142878 | 92000 | 1220896 | 0 | 1203001 | 58001 | 124999 | 0 | 1078002 | 0 | 0 | 102772 | 1822 |
| 1953 | 102772 | 380000 | 1027250 | 0 | 855205 | 81071 | 124999 | 0 | 1078002 | 347796 | 0 | 193746 | 59877 |
| 1954 | 193746 | 416402 | 2444624 | 0 | 1069925 | 198679 | 124999 | 0 | 1078002 | 133076 | 0 | 1369766 | 1876 |
| 1955 | 1369766 | 492704 | 1137299 | 0 | 1203001 | 311328 | 124999 | 0 | 1078002 | 0 | 0 | 992736 | 853311 |
| 1956 | 992736 | 268064 | 545829 | 0 | 1203001 | 179840 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 137063 |
| 1957 | 155724 | 914601 | 1529474 | 0 | 1203001 | 124230 | 124999 | 0 | 1078002 | 0 | 0 | 357967 | 110877 |
| 1958 | 357967 | 1591997 | 2825978 | 111366 | 1203001 | 149832 | 124999 | 0 | 1078002 | 0 | 328749 | 1613729 | 343218 |
| 1959 | 1613729 | 707063 | 1596466 | -120792 | 1203001 | 286953 | 124999 | 0 | 1078002 | 0 | 58427 | 1541022 | 1424175 |
| 1960 | 1541022 | 595785 | 1284273 | 0 | 1203001 | 292981 | 124999 | 0 | 1078002 | 0 | 0 | 1329313 | 1180926 |
| 1961 | 1329313 | 771455 | 1466924 | 0 | 1203001 | 306538 | 124999 | 0 | 1078002 | 0 | 0 | 1286698 | 1110382 |
| 1962 | 1286698 | 527290 | 899095 | 0 | 1203001 | 294034 | 124999 | 0 | 1078002 | 0 | 0 | 688758 | 651808 |
| 1963 | 688758 | 502426 | 818833 | 0 | 1203001 | 149013 | 124999 | 0 | 1078002 | 0 | 0 | 155577 | 149179 |
| 1964 | 155577 | 709744 | 1706826 | 0 | 1203001 | 85752 | 124999 | 0 | 1078002 | 0 | 0 | 573650 | 1582 |
| 1965 | 573650 | 656638 | 1120947 | 0 | 1203001 | 170498 | 124999 | 0 | 1078002 | 0 | 0 | 321098 | 321098 |
| 1966 | 321098 | 689286 | 1335223 | 0 | 1203001 | 102038 | 124999 | 0 | 1078002 | 0 | 0 | 351282 | 200475 |
| 1967 | 351282 | 1036461 | 1490153 | 0 | 1203001 | 93278 | 124999 | 0 | 1078002 | 0 | 0 | 545156 | 66528 |
| 1968 | 545156 | 570101 | 1100286 | 0 | 1203001 | 112449 | 124999 | 0 | 1078002 | 0 | 0 | 329992 | 266011 |
| 1969 | 329992 | 346676 | 1098990 | 0 | 1203001 | 70484 | 124999 | 0 | 1078002 | 0 | 0 | 155497 | 118336 |
| 1970 | 155497 | 297120 | 1258807 | 0 | 1203001 | 55978 | 124999 | 0 | 1078002 | 0 | 0 | 155325 | 1581 |
| 1971 | 155325 | 2201017 | 2863206 | 560957 | 1203001 | 116430 | 124999 | 0 | 1078002 | 0 | 649017 | 1613729 | 1587 |
| 1972 | 1613729 | 569612 | 1223177 | -37070 | 1203001 | 279847 | 124999 | 0 | 1078002 | 0 | 0 | 1319355 | 1275630 |
| 1973 | 1319355 | 707828 | 1254857 | 0 | 1203001 | 235265 | 124999 | 0 | 1078002 | 0 | 0 | 1135946 | 995495 |
| 1974 | 1135946 | 287805 | 2913591 | -701628 | 1203001 | 248184 | 124999 | 0 | 1078002 | 0 | 283593 | 1613729 | 605787 |
| 1975 | 1613729 | 689676 | 1602270 | -96903 | 1203001 | 290297 | 124999 | 0 | 1078002 | 0 | 121492 | 1504306 | 1480576 |
| 1976 | 1504306 | 1062184 | 2307082 | 979 | 1203001 | 254359 | 124999 | 0 | 1078002 | 0 | 741297 | 1613729 | 1196374 |
| 1977 | 1613729 | 464282 | 1228076 | -157036 | 1203001 | 280675 | 124999 | 0 | 1078002 | 0 | 0 | 1201093 | 1201093 |
| 1978 | 1201093 | 556024 | 1913290 | 25964 | 1203001 | 245977 | 124999 | 0 | 1078002 | 0 | 77640 | 1613729 | 867419 |
| 1979 | 1613729 | 564636 | 1453882 | -69223 | 1203001 | 292374 | 124999 | 0 | 1078002 | 0 | 121055 | 1381958 | 1381958 |
| 1980 | 1381958 | 409238 | 1323759 | 0 | 1203001 | 266010 | 124999 | 0 | 1078002 | 0 | 0 | 1236706 | 844367 |
| 1981 | 1236706 | 994629 | 2507854 | -102283 | 1203001 | 243536 | 124999 | 0 | 1078002 | 0 | 598689 | 1597051 | 1233410 |
| 1982 | 1597051 | 340150 | 1054507 | -46493 | 1203001 | 275797 | 124999 | 0 | 1078002 | 0 | 0 | 1126267 | 1126267 |
| 1983 | 1126267 | 342907 | 842839 | 0 | 1203001 | 200372 | 124999 | 0 | 1078002 | 0 | 0 | 565733 | 502215 |
| 1984 | 565733 | 234142 | 899739 | 0 | 1203001 | 106853 | 124999 | 0 | 1078002 | 0 | 0 | 155618 | 101028 |
| 1985 | 155618 | 424262 | 1260516 | 0 | 1203001 | 57679 | 124999 | 0 | 1078002 | 0 | 0 | 155454 | 47314 |
| 1986 | 155454 | 377249 | 1453153 | 0 | 1203001 | 53983 | 124999 | 0 | 1078002 | 0 | 0 | 351623 | 1576 |
| 1987 | 351623 | 630894 | 1931857 | 0 | 1203001 | 175605 | 124999 | 0 | 1078002 | 0 | 0 | 904874 | 391522 |
| 1988 | 904874 | 539973 | 1607945 | 0 | 1203001 | 210891 | 124999 | 0 | 1078002 | 0 | 0 | 1098927 | 669896 |
| 1989 | 1098927 | 278254 | 879954 | 0 | 1203001 | 235058 | 124999 | 0 | 1078002 | 0 | 0 | 540822 | 540822 |
| 1990 | 540822 | 418569 | 1937939 | 0 | 1203001 | 176264 | 124999 | 0 | 1078002 | 0 | 0 | 1099496 | 290009 |
| 1991 | 1099496 | 308733 | 1890263 | 87814 | 1203001 | 236593 | 124999 | 0 | 1078002 | 0 | 26137 | 1611842 | 903211 |
| 1992 | 1611842 | 517404 | 1809241 | -124952 | 1203001 | 281695 | 124999 | 0 | 1078002 | 0 | 299670 | 1511765 | 1481160 |
| 1993 | 1511765 | 250123 | 980651 | 0 | 1203001 | 270951 | 124999 | 0 | 1078002 | 0 | 0 | 1018464 | 1017726 |
| 1994 | 1018464 | 295200 | 768982 | 0 | 1203001 | 210118 | 124999 | 0 | 1078002 | 0 | 0 | 374327 | 373565 |
| 1995 | 374327 | 218838 | 1055121 | 0 | 1203001 | 70954 | 124999 | 0 | 1078002 | 0 | 0 | 155493 | 76945 |
| 1996 | 155493 | 227673 | 1259249 | 0 | 1203001 | 56214 | 124999 | 0 | 1078002 | 0 | 0 | 155527 | 1583 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 3 MEX AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1380278 | 1703000 | 1703000 | -43 | 81692 | 215620 | 65999 | 0 | 0 | 0 | 1361845 | 1424078 | 1380217 |
| 1946 | 1424078 | 1635000 | 1635000 | 0 | 5273 | 194195 | 65999 | 0 | 0 | 0 | 1435532 | 1424078 | 1380278 |
| 1947 | 1424078 | 1571000 | 1571000 | 0 | 86845 | 213261 | 65999 | 0 | 0 | 0 | 1270894 | 1424078 | 1380278 |
| 1948 | 1424078 | 1349000 | 1349000 | 0 | 69994 | 214780 | 65999 | 0 | 0 | 0 | 1064226 | 1424078 | 1380278 |
| 1949 | 1424078 | 1612000 | 1612000 | -1 | 11081 | 182399 | 65999 | 0 | 0 | 0 | 1418519 | 1424078 | 1380278 |
| 1950 | 1424078 | 1626000 | 1626000 | 0 | 86410 | 200980 | 65999 | 0 | 0 | 0 | 1338610 | 1424078 | 1380278 |
| 1951 | 1424078 | 1214000 | 1214000 | 0 | 213392 | 218057 | 65999 | 0 | 0 | 0 | 782551 | 1424078 | 1380243 |
| 1952 | 1424078 | 1276000 | 1276000 | 0 | 553711 | 236183 | 65999 | 0 | 0 | 0 | 486106 | 1424078 | 1379568 |
| 1953 | 1424078 | 1188000 | 1188000 | 0 | 248672 | 274734 | 65999 | 0 | 0 | 0 | 664594 | 1424078 | 1294847 |
| 1954 | 1424078 | 779350 | 779350 | -7615 | 5478 | 253265 | 65999 | 0 | 0 | 0 | 544471 | 1392599 | 1380278 |
| 1955 | 1392599 | 680494 | 680494 | 0 | 441064 | 214825 | 65999 | 0 | 0 | 0 | 0 | 1417204 | 1118278 |
| 1956 | 1417204 | 303177 | 303177 | 0 | 905517 | 154397 | 65999 | 0 | 0 | 0 | 0 | 660467 | 598286 |
| 1957 | 660467 | 566668 | 566668 | 305589 | 492370 | 109890 | 65999 | 0 | 0 | 0 | 0 | 930464 | 327206 |
| 1958 | 930464 | 1559946 | 1559946 | 244378 | 1104752 | 84607 | 65999 | 0 | 0 | 0 | 121351 | 1424078 | 391532 |
| 1959 | 1424078 | 653034 | 653034 | 0 | 12019 | 178463 | 65999 | 0 | 0 | 0 | 462579 | 1424051 | 1380278 |
| 1960 | 1424051 | 845465 | 845465 | 10 | 108320 | 192237 | 65999 | 0 | 0 | 0 | 544891 | 1424078 | 1377648 |
| 1961 | 1424078 | 620768 | 620768 | 1 | 8447 | 182145 | 65999 | 0 | 0 | 0 | 430201 | 1424054 | 1380278 |
| 1962 | 1424054 | 515482 | 515482 | 0 | 297341 | 217012 | 65999 | 0 | 0 | 0 | 100503 | 1324680 | 1126767 |
| 1963 | 1324680 | 487817 | 487817 | 0 | 868090 | 126696 | 65999 | 0 | 0 | 0 | 0 | 817711 | 614775 |
| 1964 | 817711 | 675919 | 675919 | 128939 | 953585 | 55718 | 65999 | 0 | 0 | 0 | 0 | 613266 | 98520 |
| 1965 | 613266 | 490504 | 490504 | 92708 | 449726 | 80922 | 65999 | 0 | 0 | 0 | 0 | 665830 | 410412 |
| 1966 | 665830 | 1002479 | 1002479 | 208051 | 705067 | 54061 | 65999 | 0 | 0 | 0 | 0 | 1117232 | 205851 |
| 1967 | 1117232 | 605373 | 605373 | 0 | 845401 | 99180 | 65999 | 0 | 0 | 0 | 0 | 778024 | 407729 |
| 1968 | 778024 | 876137 | 876137 | 23762 | 146754 | 113520 | 65999 | 0 | 0 | 0 | 0 | 1417649 | 747923 |
| 1969 | 1417649 | 705083 | 705083 | 0 | 887796 | 149574 | 65999 | 0 | 0 | 0 | 0 | 1085362 | 933347 |
| 1970 | 1085362 | 620385 | 620385 | 0 | 1020706 | 69292 | 65999 | 0 | 0 | 0 | 0 | 615749 | 286538 |
| 1971 | 615749 | 692998 | 692998 | 48059 | 750788 | 39986 | 65999 | 0 | 0 | 0 | 0 | 566032 | 1422 |
| 1972 | 566032 | 802803 | 802803 | 258287 | 21899 | 118786 | 65999 | 0 | 0 | 0 | 64672 | 1421765 | 626024 |
| 1973 | 1421765 | 679907 | 679907 | -732 | 255611 | 160236 | 65999 | 0 | 0 | 0 | 275134 | 1409959 | 1202507 |
| 1974 | 1409959 | 1211470 | 1211470 | 599 | 526311 | 174928 | 65999 | 0 | 0 | 0 | 496711 | 1424078 | 1186006 |
| 1975 | 1424078 | 748604 | 748604 | 0 | 978 | 164596 | 65999 | 0 | 0 | 0 | 583066 | 1424042 | 1380278 |
| 1976 | 1424042 | 773967 | 773967 | 0 | 15525 | 156703 | 65999 | 0 | 0 | 0 | 601722 | 1424059 | 1380278 |
| 1977 | 1424059 | 550896 | 550896 | 0 | 0 | 185664 | 65999 | 0 | 0 | 0 | 379373 | 1409918 | 1380278 |
| 1978 | 1409918 | 1517216 | 1517216 | -2 | 56907 | 175656 | 65999 | 0 | 0 | 0 | 1270491 | 1424078 | 1380276 |
| 1979 | 1424078 | 878202 | 878202 | 0 | 2269 | 175100 | 65999 | 0 | 0 | 0 | 712516 | 1412395 | 1380278 |
| 1980 | 1412395 | 817103 | 817103 | 15 | 249236 | 197639 | 65999 | 0 | 0 | 0 | 358573 | 1424065 | 1377308 |
| 1981 | 1424065 | 1238430 | 1238430 | 0 | 0 | 166824 | 65999 | 0 | 0 | 0 | 1071593 | 1424078 | 1380278 |
| 1982 | 1424078 | 664349 | 664349 | 0 | 6006 | 189622 | 65999 | 0 | 0 | 0 | 474720 | 1418079 | 1380278 |
| 1983 | 1418079 | 497472 | 497472 | 0 | 362680 | 176613 | 65999 | 0 | 0 | 0 | 85595 | 1290663 | 1141885 |
| 1984 | 1290663 | 775321 | 775321 | 0 | 1047630 | 129122 | 65999 | 0 | 0 | 0 | 0 | 889232 | 592246 |
| 1985 | 889232 | 682379 | 682379 | 0 | 866727 | 67443 | 65999 | 0 | 0 | 0 | 0 | 637441 | 316616 |
| 1986 | 637441 | 1208462 | 1208462 | 203148 | 832401 | 52089 | 65999 | 0 | 0 | 0 | 0 | 1164561 | 1523 |
| 1987 | 1164561 | 1203973 | 1203973 | 123360 | 672094 | 157454 | 65999 | 0 | 0 | 0 | 238286 | 1424060 | 1064640 |
| 1988 | 1424060 | 929864 | 929864 | -953 | 357760 | 182260 | 65999 | 0 | 0 | 0 | 388875 | 1424076 | 1223371 |
| 1989 | 1424076 | 589071 | 589071 | 0 | 22193 | 228019 | 65999 | 0 | 0 | 0 | 338871 | 1424064 | 1380275 |
| 1990 | 1424064 | 1728668 | 1728668 | 130759 | 848855 | 162324 | 65999 | 0 | 0 | 0 | 848234 | 1424078 | 739778 |
| 1991 | 1424078 | 1892590 | 1892590 | 0 | 45082 | 222129 | 65999 | 0 | 0 | 0 | 1625395 | 1424062 | 1380278 |
| 1992 | 1424062 | 1283085 | 1283085 | 0 | 14354 | 194769 | 65999 | 0 | 0 | 0 | 1073965 | 1424059 | 1380278 |
| 1993 | 1424059 | 788586 | 788586 | 0 | 24534 | 226103 | 65999 | 0 | 0 | 0 | 537957 | 1424051 | 1380278 |
| 1994 | 1424051 | 488813 | 488813 | 0 | 425149 | 200662 | 65999 | 0 | 0 | 0 | 162314 | 1124739 | 1112634 |
| 1995 | 1124739 | 387891 | 387891 | 0 | 1075201 | 83687 | 65999 | 0 | 0 | 0 | 0 | 353742 | 238653 |
| 1996 | 353742 | 441577 | 441577 | 0 | 527977 | 18019 | 65999 | 0 | 0 | 0 | 0 | 249323 | 1357 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-96 HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 4 MEX FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1098674 | 278000 | 1655538 | -117316 | 1224000 | 272822 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 640146 |
| 1946 | 1140074 | 521000 | 1895806 | -427547 | 1224000 | 244259 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 677509 |
| 1947 | 1140074 | 371000 | 1662740 | -182693 | 1224000 | 256069 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 652171 |
| 1948 | 1140074 | 702000 | 1770221 | -286634 | 1224000 | 259601 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 612578 |
| 1949 | 1140074 | 442000 | 1805601 | -66697 | 1224000 | 221568 | 1224000 | 0 | 0 | 0 | 293336 | 1140074 | 833013 |
| 1950 | 1140074 | 128000 | 1487021 | -16876 | 1224000 | 299603 | 1224000 | 0 | 0 | 0 | 0 | 1086616 | 661947 |
| 1951 | 1086616 | 326000 | 1255944 | 0 | 1224000 | 282022 | 1224000 | 0 | 0 | 0 | 0 | 836538 | 617263 |
| 1952 | 836538 | 64000 | 1037818 | 0 | 1224000 | 198283 | 1224000 | 0 | 0 | 0 | 0 | 452073 | 217368 |
| 1953 | 452073 | 1003000 | 1850267 | 0 | 1224000 | 139084 | 1224000 | 0 | 0 | 0 | 0 | 939256 | 1115 |
| 1954 | 939256 | 474065 | 958015 | 0 | 1224000 | 151874 | 1224000 | 0 | 0 | 0 | 0 | 521397 | 246217 |
| 1955 | 521397 | 494774 | 869839 | 0 | 1224000 | 26581 | 1224000 | 0 | 0 | 0 | 0 | 140655 | 1101 |
| 1956 | 140655 | 247474 | 1086992 | 0 | 1224000 | 2507 | 1224000 | 0 | 0 | 0 | 0 | 1140 | 1103 |
| 1957 | 1140 | 839072 | 1265443 | 0 | 1224000 | 9037 | 1224000 | 0 | 0 | 0 | 0 | 33546 | 1114 |
| 1958 | 33546 | 3046578 | 4206682 | -111366 | 1224000 | 26833 | 1224000 | 0 | 0 | 0 | 1737955 | 1140074 | 1119 |
| 1959 | 1140074 | 684289 | 1092888 | 120792 | 1224000 | 160620 | 1224000 | 0 | 0 | 0 | 19132 | 950002 | 662590 |
| 1960 | 950002 | 473986 | 1061198 | 0 | 1224000 | 103860 | 1224000 | 0 | 0 | 0 | 0 | 683340 | 225648 |
| 1961 | 683340 | 786956 | 1159605 | 0 | 1224000 | 93243 | 1224000 | 0 | 0 | 0 | 0 | 525702 | 65962 |
| 1962 | 525702 | 396565 | 728410 | 0 | 1224000 | 27415 | 1224000 | 0 | 0 | 0 | 0 | 2697 | 1103 |
| 1963 | 2697 | 430318 | 1232409 | 0 | 1224000 | 3251 | 1224000 | 0 | 0 | 0 | 0 | 7855 | 1113 |
| 1964 | 7855 | 692882 | 1580468 | 0 | 1224000 | 20339 | 1224000 | 0 | 0 | 0 | 0 | 343984 | 1098 |
| 1965 | 343984 | 507366 | 891093 | 0 | 1224000 | 9837 | 1224000 | 0 | 0 | 0 | 0 | 1240 | 1120 |
| 1966 | 1240 | 593653 | 1232721 | 0 | 1224000 | 3405 | 1224000 | 0 | 0 | 0 | 0 | 6556 | 1129 |
| 1967 | 6556 | 1128259 | 1907661 | 0 | 1224000 | 27746 | 1224000 | 0 | 0 | 0 | 0 | 662471 | 1157 |
| 1968 | 662471 | 574792 | 655547 | 0 | 1224000 | 30726 | 1224000 | 0 | 0 | 0 | 0 | 63292 | 1136 |
| 1969 | 63292 | 382759 | 1204556 | 0 | 1224000 | 3476 | 1224000 | 0 | 0 | 0 | 0 | 40372 | 1098 |
| 1970 | 40372 | 283218 | 1237925 | 0 | 1224000 | 6034 | 1224000 | 0 | 0 | 0 | 0 | 48263 | 1098 |
| 1971 | 48263 | 3101272 | 3786061 | -560957 | 1099188 | 94153 | 1224000 | 124812 | 0 | 0 | 939952 | 1140074 | 1135 |
| 1972 | 1140074 | 670492 | 691064 | 37070 | 1224000 | 116530 | 1224000 | 0 | 0 | 0 | 0 | 527678 | 408818 |
| 1973 | 527678 | 740920 | 1205666 | 0 | 1224000 | 39548 | 1224000 | 0 | 0 | 0 | 0 | 469796 | 1422 |
| 1974 | 469796 | 305682 | 1262705 | 701628 | 1224000 | 46280 | 1224000 | 0 | 0 | 0 | 23775 | 1140074 | 1105 |
| 1975 | 1140074 | 913544 | 1431589 | 96903 | 1224000 | 183744 | 1224000 | 0 | 0 | 0 | 163659 | 1097163 | 745677 |
| 1976 | 1097163 | 1693211 | 2244459 | -979 | 1224000 | 144983 | 1224000 | 0 | 0 | 0 | 831586 | 1140074 | 371754 |
| 1977 | 1140074 | 554875 | 868249 | 157036 | 1224000 | 171579 | 1224000 | 0 | 0 | 0 | 28647 | 741133 | 741133 |
| 1978 | 741133 | 801281 | 2062680 | -25964 | 1224000 | 65989 | 1224000 | 0 | 0 | 0 | 347786 | 1140074 | 8722 |
| 1979 | 1140074 | 688648 | 1337434 | 69223 | 1224000 | 201343 | 1224000 | 0 | 0 | 0 | 122808 | 998580 | 846078 |
| 1980 | 998580 | 544535 | 1086345 | 0 | 1224000 | 110220 | 1224000 | 0 | 0 | 0 | 0 | 750705 | 173492 |
| 1981 | 750705 | 1430420 | 2436014 | 102283 | 1224000 | 160538 | 1224000 | 0 | 0 | 0 | 764390 | 1140074 | 623678 |
| 1982 | 1140074 | 338840 | 753567 | 46493 | 1224000 | 142251 | 1224000 | 0 | 0 | 0 | 0 | 573883 | 573883 |
| 1983 | 573883 | 291291 | 673567 | 0 | 1224000 | 22103 | 1224000 | 0 | 0 | 0 | 0 | 1347 | 1103 |
| 1984 | 1347 | 243487 | 1225118 | 0 | 1224000 | 1219 | 1224000 | 0 | 0 | 0 | 0 | 1246 | 1110 |
| 1985 | 1246 | 463802 | 1264530 | 0 | 1224000 | 3501 | 1224000 | 0 | 0 | 0 | 0 | 38275 | 1100 |
| 1986 | 38275 | 540129 | 1306531 | 0 | 1168593 | 15099 | 1224000 | 55407 | 0 | 0 | 0 | 161114 | 1121 |
| 1987 | 161114 | 748490 | 1592871 | 0 | 1224000 | 41495 | 1224000 | 0 | 0 | 0 | 0 | 488490 | 1109 |
| 1988 | 488490 | 831771 | 1512407 | 0 | 1224000 | 48727 | 1224000 | 0 | 0 | 0 | 0 | 728170 | 1110 |
| 1989 | 728170 | 285024 | 580089 | 0 | 1224000 | 48935 | 1224000 | 0 | 0 | 0 | 0 | 35324 | 3433 |
| 1990 | 35324 | 498141 | 2129231 | 0 | 1224000 | 38473 | 1224000 | 0 | 0 | 0 | 0 | 902082 | 1111 |
| 1991 | 902082 | 322749 | 1927227 | -87814 | 1224000 | 130366 | 1224000 | 0 | 0 | 0 | 247055 | 1140074 | 305613 |
| 1992 | 1140074 | 623610 | 1645930 | 124952 | 1224000 | 196508 | 1224000 | 0 | 0 | 0 | 406941 | 1083507 | 1013955 |
| 1993 | 1083507 | 230123 | 726615 | 0 | 1224000 | 120248 | 1224000 | 0 | 0 | 0 | 0 | 465874 | 330457 |
| 1994 | 465874 | 255581 | 777045 | 0 | 1224000 | 17768 | 1224000 | 0 | 0 | 0 | 0 | 1151 | 1108 |
| 1995 | 1151 | 240841 | 1250043 | 0 | 1224000 | 4368 | 1224000 | 0 | 0 | 0 | 0 | 22826 | 1098 |
| 1996 | 22826 | 259854 | 721832 | 0 | 734651 | 4132 | 1224000 | 489349 | 0 | 0 | 0 | 5875 | 943 |



TEXAS WATER DEVELOPMENT BOARD

William B. Madden, *Chairman*
Elaine M. Barrón, M.D., *Member*
Charles L. Geren, *Member*

Craig D. Pedersen
Executive Administrator

Noé Fernández, *Vice-Chairman*
Jack Hunt, *Member*
Wales H. Madden, Jr., *Member*

April 7, 1998

Mr. Glenn Jarvis
Valley Water Policy and Management Council
P. O. Box 1499
Weslaco, Texas 78599-1499

Re: Review Comments for Draft Report Submitted by the Lower Rio Grande Water Committee, Inc., TWDB Contract Number 95-483-143

Dear Mr. Jarvis:

Staff members of the Texas Water Development Board have completed a review of the draft report under TWDB Contract No. 95-483-143. The following comment should be considered before the report is finalized.

The CPA portion of the report does not address a portion of Task II, which calls for establishment of appropriate definitions for "Partial Hydrologic Drought" and "Full Hydrologic Drought" with respect to inflows to the system. The terms appear on Figure 6-8 but are not defined in the report. Please include the definitions.

The report is extremely well written. The graphics are plentiful, proceed in a logical and helpful order, and are well incorporated into the text.

The Board looks forward to receiving one (1) unbound camera-ready original and nine (9) bound double-sided copies of the Final Report and the Model Documentation Report on this planning project. Please contact Mr. Jorge Arroyo, the Board's Contract Manager, at (512) 475-3003, if you have any questions about the Board's comments.

Sincerely,

A handwritten signature in black ink, appearing to read "Tommy Knowles".

Tommy Knowles
Deputy Executive Administrator
for Planning

cc: Jorge Arroyo, TWDB

V:\RPP\DRRAFT\95483143.ltr.doc

Our Mission

Exercise leadership in the conservation and responsible development of water resources for the benefit of the citizens, economy, and environment of Texas.

P.O. Box 13231 • 1700 N. Congress Avenue • Austin, Texas 78711-3231
Telephone (512) 463-7847 • Telefax (512) 475-2053 • 1-800- RELAY TX (for the hearing impaired)
URL Address: <http://www.twdb.state.tx.us> • E-Mail Address: info@twdb.state.tx.us

♻️ Printed on Recycled Paper ♻️

APPENDIX 4

**LETTER DATED APRIL 7, 1998 FROM
TEXAS WATER DEVELOPMENT BOARD
TRANSMITTING REVIEW COMMENTS FOR REPORT**

OPERATIONS MANUAL

MEXICO
AMISTAD
RESERVOIR

U.S.
AMISTAD
RESERVOIR

Amistad-Falcon Reservoir Operations Model

MEXICO
FALCON
RESERVOIR

U. S.
FALCON
RESERVOIR

submitted to

TEXAS WATER DEVELOPMENT BOARD
Research and Planning Fund
Contract No. 95-483-143


August 1998

prepared for

VALLEY WATER POLICY AND MANAGEMENT COUNCIL
of the
LOWER RIO GRANDE WATER COMMITTEE, INC.

prepared by

R. J. BRANDES COMPANY
Austin, Texas



OPERATIONS MANUAL

AMISTAD-FALCON RESERVOIR OPERATIONS MODEL

submitted to

TEXAS WATER DEVELOPMENT BOARD
Research and Planning Fund
Contract No. 95-483-143

August 1998

prepared for

VALLEY WATER POLICY AND MANAGEMENT COUNCIL
of the
LOWER RIO GRANDE WATER COMMITTEE, INC.

prepared by

R. J. BRANDES COMPANY
Austin, Texas

OPERATIONS MANUAL

AMISTAD-FALCON RESERVOIR OPERATIONS MODEL

This document describes the data input requirements for the Amistad-Falcon Reservoir Operations Model (ROM) as developed by R. J. Brandes Company for the Valley Water Policy and Management Council (VWPMC) of the Lower Rio Grande Water Committee, Inc. This work was funded through a research grant from the Texas Water Development Board (TWDB), with financial assistance from the Texas Natural Resource Conservation Commission and the Texas Governor's Office. A description of the technical aspects of the Amistad-Falcon ROM, including data development and sample output, is presented in the Final Report as submitted to the VWPMC and the TWDB¹.

The version of the ROM program to which this Operations Manual applies is essentially the same version of the program described in the 1998 Final Report. This version of the program is dated February 15, 1998. Only a few minor modifications to this version of the program are reflected in the data input files described herein. These modifications have been made to improve the ability of the ROM to calculate the firm annual yield of the Amistad-Falcon reservoir system for both the United States and Mexico. A complete listing of the ROM Fortran program is contained in Attachment A.

The Amistad-Falcon ROM computer code was developed by modifying and enhancing the TWDB's existing SIMYLD-II program, and, therefore, much of the data input structure and formatting is very similar to that for SIMYLD-II. The SIMYLD-II Program Description report² provides detailed discussions of the various mathematical formulae and assumptions incorporated into the SIMYLD-II program, its basic solution procedure, and its data requirements and input formats, and this document can be consulted for a general understanding of the program structure, subroutines, solution methodology, and basic data input needs of the ROM.

A complete listing of the basic data input file for the ROM is presented in Attachment B. This file includes all of the data required for operating the ROM to perform a long-term simulation of the Amistad-Falcon reservoir system for the period January, 1945, through

¹ R. J. Brandes Company; "The International Reservoirs Operations and Drought Contingency Planning Study for the Middle and Lower Rio Grande, Phase I - Development, Testing and Application of ROM/CPM Modeling System and Phase II - Extension of ROM/CPM Modeling System to Include Individual Municipal and Irrigation Water Rights Accounts"; Valley Water Policy and Management Council of the Lower Rio Grande Water Committee, Inc.; August, 1998; Austin, Texas.

² Texas Water Development Board; "Economic Optimization & Simulation Techniques for Management of Regional Water Resource Systems, River Basin Simulation Model SIMYLD-II Program Description; July, 1972; Austin, Texas.

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

December, 1998, with demands set equal to current average values as described in the 1998 Final Report. Historical monthly inflows to the system and corresponding monthly reservoir evaporation rates for this 54-year simulation period are included in the file, with one exception. Inflow data from the International Boundary and Water Commission (IBWC) are available only through March, 1998; consequently, in order to provide a complete 1998 data set, the monthly inflows in the data input file for April through December of 1998 are specified based on 1995 flow conditions. The data input file in Attachment B represents the most up-to-date long-term data set that has been compiled for the Amistad-Falcon ROM, and it actually has evolved through work performed as part of Phase II of the Integrated Water Resource Planning Study for the Lower Rio Grande Valley^{3,4}. It should be noted that the monthly inflows to the system that are contained in this data input file do reflect the revisions and corrections that were made by Perez-Freese and Nichols in Phase II of the Integrated Water Resource Planning Study for the Lower Rio Grande Valley.

The different types of data included in the ROM data input file are grouped and identified by alphabetic letter (A through Q) for purposes of describing the required data input structure and formatting. Descriptions of each of these different data groups and their format specifications as required by the ROM program are presented in Attachment C. Options for specifying several of the groups and individual parameters in different ways are described in this document. As currently coded, the ROM program requires all fixed-format data entry.

A set of output generated by operating the ROM using the data input file in Attachment B with current average demands for both countries is contained in Attachment D. To minimize the size of the output, only one year (1954) of simulated reservoir operations and water accounting output is included; however, the complete set of output from the ROM contains similar information for all years in the simulation period. Descriptions of the various types and forms of results included in the output from the ROM are described in the 1998 Final Report as presented to the VWPMC and the TWDB.

The output file for the final firm annual yield determination corresponding to the most recent and revised set of inflows to the reservoir system also is included in Attachment E. Again, to minimize the size of the output, only one year (1954) of simulated reservoir

³ Perez/Freese and Nichols, L.L.C.; "Integrated Water Resource Plan, Phase II, Second Draft, Interim Technical Report"; Lower Rio Grande Valley Development Council and Valley Water Policy and Management Council of the Lower Rio Grande Water Committee, Inc.; October, 1998; McAllen, Texas.

⁴ R. J. Brandes Company; "Evaluation of Amistad-Falcon Water Supply Under Current and Extended Drought Conditions, Lower Rio Grande Valley Regional Integrated Water Resources Planning Study"; Lower Rio Grande Valley Development Council and Valley Water Policy and Management Council of the Lower Rio Grande Water Committee, Inc.; February, 1999; Austin, Texas.

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

operations and water accounting output is included. This output file can be generated with the ROM by changing the IFLYLD parameter on Card 16 of Group B in the data input file in Attachment B from a “zero” to a “2”. This triggers the firm annual yield analysis for the Mexico demands, with the U. S. demands held constant. By alternating this parameter between a value of “1” for the United States and “2” for Mexico in successive simulations with corresponding changes and updating of the demands for each country using the adjustment factors on Cards 17 and 18 of Group B (DRUSFC and DRMXFC), the firm annual yield for both countries has been determined.

Electronic copies of the ROM Fortran code (ROM.FOR), the ROM executable file (ROM.EXE), the current average demands data input file (UM4598AV.INP), the corresponding current average demands output file (UM4598AV.OUT), and the firm annual yield output file (UM4598FY.OUT) as contained in Attachments A, B, D and E, respectively, are included on the accompanying floppy disk in Attachment F. On the disk, these files are compressed into a single ZIP file (ROMFILE.ZIP). The WinZip program was used to compress the ROM files to create the ZIP file. WinZip or some other Zip program will need to be run to decompress the ROM files.

ATTACHMENTS

- A. Listing of the February 15, 1998, Version of the Fortran Code for the Amistad-Falcon Reservoir Operations Model
- B. Listing of the Long-Term (1945-1998) Data Input File for the Amistad-Falcon Reservoir Operations Model Including Current Average Demands for the United States and Mexico and Revised Inflows as Developed in the 1998 Integrated Water Resources Planning Study of the Lower Rio Grande, With Data Group Delineations
- C. Amistad-Falcon Reservoir Operations Model Data Input File Description and Formatting
- D. Abbreviated Output Listing from the Amistad-Falcon Reservoir Operations Model for the 1945-1998 Data Input File with Current Average Demands for the United States and Mexico
- E. Abbreviated Output Listing from the Amistad-Falcon Reservoir Operations Model for the Firm Annual Yield Analysis for the United States and Mexico
- F. Floppy Disk Containing Electronic Copies of the ROM Fortran Code (Attachment A) and Executable Code, the Current Average Demands Data Input File (Attachment B), the Current Average Demands Output File (Complete Version of Attachment D), and the Firm Annual Yield Output File (Complete Version of Attachment E)

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

Attachment A.

**Listing of the February 15, 1998, Version of the Fortran Code
for the Amistad-Falcon Reservoir Operations Model**

```

C *****
C *
C * PROGRAM SIMYLD - RIVER BASIN SIMULATION PROGRAM
C * AUTHOR - CARLOS PUENTES
C * SYSTEMS ENGINEERING DIVISION, TEXAS WATER DEVELOPMENT BOARD
C * MARCH 1972
C *
C * ADAPTED AND MODIFIED FOR MIDDLE AND LOWER RIO GRANDE
C * R. J. BRANDES COMPANY - AUSTIN, TEXAS
C *
C *
C * FEBRUARY 15, 1998
C *
C *****
C
C $DEBUG
C
C COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH
C COMMON/IPRNT/IPRNT,IYLD,ILOY,IFROM,KCRD
C COMMON/FILENM/PROJNM
C DIMENSION EXTNDR(3)
C DIMENSION ICARD(30)
C CHARACTER FF
C CHARACTER*8 PROJNM
C CHARACTER*12 INPNAM, OUTNAM, PLTNAM
C DATA EXTNDR/'.INP','.OUT','.PLT'/
C
C STEP 01
C READ I/O LOGICAL UNITS ASSIGNMENTS
C
C FF = CHAR(12)
C KIN = 5
C KOUT = 6
C KAPE1 = 7
C KAPE2 = 8
C KAPE3 = 9
C WRITE (*,4)
C 4 FORMAT (/, ' PROJECT NAME (8 CHARACTERS MAXIMUM PLEASE) ?')
C READ (*,5) PROJNM
C 5 FORMAT (A8)
C INPNAM = PROJNM//EXTNDR(1)
C OUTNAM = PROJNM//EXTNDR(2)
C PLTNAM = PROJNM//EXTNDR(3)
C OPEN(KIN,FILE=INPNAM,STATUS='OLD')
C OPEN(KOUT,FILE=OUTNAM,STATUS='UNKNOWN')
C OPEN(KAPE2,FILE=PLTNAM,STATUS='UNKNOWN')
C
C STEP 1.5
C ECHO PRINT INPUT FILE DATA CARDS
C CALL GETDAT (IYREND,IMOEND,IDAEND)
C WRITE(KOUT,1111) IMOEND,IDAEND,IYREND,PROJNM
C 1111 FORMAT(/, 25X, 30HRIVER BASIN SIMULATION PROGRAM,7X,'-',
C 1 7X,30HTEXAS WATER DEVELOPMENT BOARD ,10X,'DATE: ',
C 1 I2,'-',I2,'-',I4,/,
C 2 23X,'ADAPTED AND MODIFIED FOR AMISTAD AND FALCON',
C 2 ' RESERVOIRS IN THE RIO GRANDE BASIN', /,
C 4 29X, 'INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERAT',
C 5 'ING RULES',15X, 'FILE: ', A8, /,
C 6 42X, 'R. J. BRANDES COMPANY FEBRUARY 1998', //, 10X,
C 7 'ECHO PRINT OF INPUT DATA FILE PARAMETERS WITHOUT FLOW, DEMAND,',
C 8 ' OR EVAPORATION DATA',//)
C 1110 READ(KIN,1112) (ICARD(I),I=1,30)
C 1112 FORMAT(30A4)
C IF (ICARD(1) .EQ. 'FLOW') GOTO 1114
C WRITE(KOUT,1115) (ICARD(I),I=1,30)
C 1115 FORMAT(10X,30A4)
C GOTO 1110
C 1114 WRITE (KOUT,1113) FF
C 1113 FORMAT (A1)
C REWIND KIN
C
C STEP 02
C CALL INPUT AND OUTPUT SUBROUTINES
C TO READ AND PRINT INPUT VARIABLES
C
C CALL CARDS
C CALL OUT1
C
C STEP 03
C SET SWITCH TO BUILD DATA TAPE

```

Amistad-Falcon Reservoir Operations Model

```

IF(KCRD.EQ.1) GOTO 12
OPEN(KAPE1,FILE='SYM.TP',STATUS='OLD',FORM='UNFORMATTED')
GOTO 13
12 OPEN(KAPE1,FILE='SYM.TP',STATUS='UNKNOWN',FORM='UNFORMATTED')
CALL DATA1
13 CONTINUE
C
C STEP 04
C BUILD NETWORK AND OPERATE SYSTEM 00002500
C
CALL SETNET 00002600
CALL OPRATE 00002700
C
C STEP 05
C CALL SUMMARIES PRINT ROUTINES 00002800
C
CALL OUT3 00002900
C
C STEP 06
C CLOSE I/O UNITS 00003000
C
CLOSE(KIN) 00003100
CLOSE(KOUT)
CLOSE(KAPE1)
CLOSE(KAPE2)
STOP 'PROGRAM TERMINATED NORMALLY'
END 00003300
C
SUBROUTINE CARDS 00000100
INTEGER RCAP,RMIN,FSTART,ACTAB,DEM,DEMR,OPRP,SP,
* CMAX,CMIN,RCON,RFLOOD,USMNRL
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH 00000300
COMMON/IPRNT/IPRNT,IYLD,ILOY,IFROM,KCRD 00000400
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25), 00000500
1 TITLE2(25),NR,ICARD(30) RJB091997
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10), 00000600
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10), 00000700
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12), RJB031896
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10) 00000800
COMMON/LINK/LNODE(15,2),CMAX(15),CMIN(15),USMNRL(55,12), 00000900
1 MXMNRL(55,12) RJB100897
COMMON/CONFAC/AVLOUS,AVHIUS,AVLOMX,AVHIMX,CONFLO,CONDEM,CONINF, 00001000
1 LIMSHT,NSRS,LRULE(10) RJB092697
COMMON/OPER/IPLT,IYRST,IYEND,IFLYLD,NUMWR,IRLFLG,IWRFLG,DRUSFC, 00001100
1 DRMXFC RJB021198
COMMON/WATRIT/MAXMWR,MXMIWR,MMIAWR,MMIBWR,MXLIWR,MLIAWR,MLIBWR, 00001200
1 MAXMPL,MAXIPL,IRSTRT,MAXUSC,WPALLC, RJB100897
2 WRNAME(3,3),MUNWR(3),IRAWR(3),IRBWR(3),MUNMND(3,55,12), 00001300
3 IRAMND(3,55,12),IRBMND(3,55,12),IRAWRB(3),IRBWRB(3), 00001400
4 MUNSHT(3,55,12),IRASHT(3,55,12),IRBSHT(3,55,12), 00001500
5 MUNANB(3),IRAANB(3),IRBANB(3),IRAALC(3,55,12),IRBALC(3,55,12), 00001600
6 RATEA(12),RATEB(12),MNANBP(3,12),IAANBP(3,12),IBANBP(3,12), 00001700
7 IAWRBP(3,12),IBWRBP(3,12),MNADNO(3,3),IAADNO(3,3),IBADNO(3,3) 00001800
DATA TAPE/'TAPE'/
CONFLO = 1.0
CONDEM = 1.0
CONINF = 1.0
DO 4 J=1,NJ 00001900
DO 4 K=1,3 00002000
DEMR(J,K)=99 00002100
OPRP(K,J)=99 00002200
4 CONTINUE 00002300
C
C STEP 01
C READ FILE A CARDS 00002400
C
READ(KIN,11,END=22) (TITLE(I),I=1,25) RJB091997
READ(KIN,11,END=22) (TITLE2(I),I=1,25) RJB091997
11 FORMAT(25A4) RJB030896
C
C STEP 02
C READ FILE B CARDS 00002500
C
READ(KIN,12) NJ,NRES,NL,NR,NYEAR,ND,NS,IYEAR,IFRM,ILOY RJB091997
12 FORMAT(80X,I5) RJB021198
READ(KIN,122) TAPE1,LIMSHT RJB091997
122 FORMAT(81X,A4,/,80X,I5) RJB021198
C
C NEW PARAMETERS FOR SIMYLD ROM MODEL
C
READ(KIN,123) IPLT,IYRST,IYEND,IFLYLD RJB091997
123 FORMAT(80X,I5) RJB021198
READ(KIN,1233) DRUSFC,DRMXFC RJB091997
1233 FORMAT(75X,F10.0) RJB021198
READ(KIN,124) MAXMWR,MXLIWR,MLIAWR,MLIBWR,MXMIWR,MMIAWR,MMIBWR, 00002600
1 MAXMPL,IRSTRT,NUMWR,IRLFLG,IWRFLG RJB021198

```


Amistad-Falcon Reservoir Operations Model

```

124 FORMAT(75X,I10)                                RJB021198
    IFROM=IFRM                                      00003000
    NC=NL-NR                                        00003100
    KCRD=0                                          00003200
    IF(TAPE1.NE.TAPE) KCRD = 1
C
C                                                    00003600
C                STEP 03                            00003700
C                READ FILE C CARDS                  00003800
C
C                DO 105 I=1,NJ                       00003900
105 READ(KIN,13) J, (RNAME(J,K),K=1,3), RFLOOD(J), RCON(J), RMIN(J), RJB031296
    * FSTART(J)                                     RJB031396
13 FORMAT(T13,I5,T1,3A4,T18,4I10)                 RJB091997
C
C                STEP 04                            00004300
C                READ FILE D CARDS                  00004400
C                READ(KIN,18) (SP(I),I=1,NS)         00004500
18 FORMAT(10X,12I5)                                00004600
C                                                    00004700
C                                                    00004800
C                STEP 05                            00004900
C                READ FILES E & F CARDS             00005000
C
C                DO 107 I=1, 2                       RJB030896
C                DO 107 K=1, 30                      RJB030896
C                READ (KIN,15) J, N, ELEV(J,K), (ACTAB(J,K,L),L=1,2) RJB030896
15 FORMAT(10X, I5, I5, F10.1, 2I10)                 RJB030896
C SET MEXICAN AREA-CAPACITIES THE SAME AS U.S.
C                DO 107 L=1, 2                       RJB030896
C                ACTAB(J+2,K,L) = ACTAB(J,K,L)       RJB030896
107 CONTINUE                                       RJB030896
C
C                STEP 06                            00005400
C                READ FILE G CARDS                  00005500
C
C                DO 108 I=1,ND                       00005600
108 READ(KIN,16) J,DEM(J), (DEMR(J,K),K=1,3), (DEMD(J,K),K=1,12) 00005700
16 FORMAT(10X,I3,I8,3I3,12F5.0)                   00005800
C                                                    RJB031996
C                                                    00006000
C                STEP 07                            00006500
C                READ FILE H CARDS                  00006600
C                READ(KIN,23) AVLOUS,AVHIUS,AVLOMX,AVHIMX RJB092697
23 FORMAT(10X,2F10.2)                               00007000
C                                                    00007900
C                STEP 08                            00008000
C                READ FILE I CARDS                  00008100
C                DO 19 K=1,NRES                      00008200
C                READ(KIN,109) (J,OPRP(L,J), (OPRR(L,J,I),I=1,12),L=1,3) 00008200
109 FORMAT(10X,I5,10X,I5,12F6.0)                   RJB020798
C                DO 19 LL=1, 3                       RJB030496
C                DO 19 II=1, 12                      RJB030496
C                OPRR(LL,J,II) = OPRR(LL,J,II)/100.0 RJB030496
19 CONTINUE                                       RJB030496
C
C                STEP 09                            00008400
C                READ FILE J CARDS                  00008500
C                READ(KIN,20) (L, (LNODE(L,I), I=1,2), CMAX(L), CMIN(L), K=1, NL) 00008600
20 FORMAT(10X,3I5,2I10)                             00008700
C                                                    00008800
C                STEP 010                           00008400
C                READ FILE K CARDS                  00008500
C                                                    00008600
C                CHECK FLAG FOR READING AMISTAD RESERVOIR RELEASES
C
C                IF (IRLFLG .EQ. 1) GOTO 139        RJB021198
C
C                READ MONTHLY MINIMUM U.S. RELEASES FROM AMISTAD RESERVOIR BY YEAR
C
C                DO 30 IY = 1,NYEAR
C                READ(KIN,21) IYR, (USMNRL(IY,MON), MON=1,12) RJB092397
30 CONTINUE                                       RJB092397
21 FORMAT(15X,I4,1X,12I7)                           RJB092397
C
C                READ MONTHLY MINIMUM MEXICO RELEASES FROM AMISTAD RESERVOIR BY YEAR
C
C                DO 32 IY = 1,NYEAR
C                READ(KIN,21) IYR, (MXMNRL(IY,MON), MON=1,12) RJB092397
32 CONTINUE                                       RJB021198
GOTO 138                                           RJB021198
C
139 CONTINUE                                       RJB021198

```

Amistad-Falcon Reservoir Operations Model

```

C
C READ AVERAGE MONTHLY MINIMUM U.S. RELEASES FROM AMISTAD RESERVOIR
C
C READ(KIN,21) IYR, (USMNR(1,MON), MON=1,12) RJB100997
C
C READ AVERAGE MONTHLY MINIMUM MEXICO RELEASES FROM AMISTAD RESERVOIR
C
C READ(KIN,21) IYR, (MXMNR(1,MON), MON=1,12) RJB100997
C
C COPY AVERAGE MONTHLY MINIMUM AMISTAD RELEASES TO ALL YEARS OF SIMULATION
C
C DO 33 IY=2, NYEAR RJB100697
C DO 33 IW=1, NUMWR RJB100697
C DO 33 MON=1, 12 RJB100697
C USMNR(IY,MON) = USMNR(1,MON) RJB100997
C MXMNR(IY,MON) = MXMNR(1,MON) RJB100997
C 33 CONTINUE RJB100697
C
C 138 CONTINUE RJB021198
C
C STEP 011 00008400
C READ FILE L, M, & N CARDS 00008500
C 00008600
C
C CHECK FLAG FOR READING INDIVIDUAL WATER RIGHTS DIVERSIONS
C
C IF (IWRFLG .EQ. 1) GOTO 150 RJB021198
C
C READ INDIVIDUAL WATER RIGHTS INFORMATION AND MONTHLY DIVERSIONS BY YEAR
C
C DO 40 IW = 1,NUMWR RJB092497
C READ (KIN,140) JW, (WRNAME(JW,K), K=1,3) RJB092397
140 FORMAT(T15, I1, 3X, T1, 3A4) RJB092597
C READ (KIN,142) (MNADNO(IW,K), K=1,3), (IAADNO(IW,K), K=1,3), RJB092597
C 1 (IBADNO(IW,K), K=1,3) RJB092597
142 FORMAT(10X, 3A4, 20X, 3A4, 20X, 3A4) RJB092597
C READ (KIN,143) MUNWR(IW), IRAWR(IW), IRBWR(IW) RJB092597
143 FORMAT(12X, I10, 22X, I10, 22X, I10) RJB092597
C READ (KIN,144) IRAWRB(JW), IRBWRB(JW) RJB092597
144 FORMAT(44X, I10, 22X, I10) RJB092597
C DO 41 IY = 1, NYEAR RJB092397
C READ (KIN,141) JW, IYR, (MUNMND(JW, IY, MON), MON=1,12) RJB092397
41 CONTINUE RJB092397
C DO 42 IY = 1, NYEAR RJB092397
C READ (KIN,141) JW, IYR, (IRAMND(JW, IY, MON), MON=1,12) RJB092397
42 CONTINUE RJB092397
C DO 43 IY = 1, NYEAR RJB092397
C READ (KIN,141) JW, IYR, (IRBMND(JW, IY, MON), MON=1,12) RJB092397
43 CONTINUE RJB092397
141 FORMAT(11X, I2, 2X, I4, 1X, 12I7) RJB092497
40 CONTINUE RJB092397
C GOTO 52 RJB100697
C
C 150 CONTINUE RJB100997
C
C READ INDIVIDUAL WATER RIGHTS INFORMATION AND AVERAGE MONTHLY DIVERSIONS
C
C DO 50 IW=1, NUMWR RJB100697
C READ (KIN,140) JW, (WRNAME(JW,K), K=1,3) RJB092397
C READ (KIN,142) (MNADNO(IW,K), K=1,3), (IAADNO(IW,K), K=1,3), RJB092597
C 1 (IBADNO(IW,K), K=1,3) RJB092597
C READ (KIN,143) MUNWR(IW), IRAWR(IW), IRBWR(IW) RJB092597
C READ (KIN,144) IRAWRB(JW), IRBWRB(JW) RJB092597
C READ (KIN,141) JW, IYR, (MUNMND(JW, 1, MON), MON=1,12) RJB092397
C READ (KIN,141) JW, IYR, (IRAMND(JW, 1, MON), MON=1,12) RJB092397
C READ (KIN,141) JW, IYR, (IRBMND(JW, 1, MON), MON=1,12) RJB092397
50 CONTINUE RJB100697
C
C COPY AVERAGE MONTHLY WATER RIGHTS DIVERSIONS TO ALL YEARS OF SIMULATION
C
C DO 51 IY=2, NYEAR RJB100697
C DO 51 IW=1, NUMWR RJB100697
C DO 51 MON=1, 12 RJB100697
C MUNMND(IW, IY, MON) = MUNMND(IW, 1, MON) RJB100697
C IRAMND(IW, IY, MON) = IRAMND(IW, 1, MON) RJB100697
C IRBMND(IW, IY, MON) = IRBMND(IW, 1, MON) RJB100697
51 CONTINUE RJB100697

```

Amistad-Falcon Reservoir Operations Model

| | | |
|-----|--|-----------|
| 52 | CONTINUE | RJB100697 |
| C | WRITE (*, 31) | RJB092397 |
| 31 | FORMAT(5X, ' FILE A THRU N CARDS READ') | |
| C | RETURN | 00008900 |
| 22 | STOP 'PROGRAM STOPPED IN SUBROUTINE CARDS' | |
| | END | 00009200 |
| C | SUBROUTINE OUT1 | 00000100 |
| | INTEGER RCAP, RMIN, FSTART, ACTAB, DEM, DEMR, OPRP, SP, | RJB031396 |
| | * CMAX, CMIN, RCON, RFLOOD, USMNR | 00000300 |
| | COMMON/CONTRL/ KIN, KOUT, KAPE1, KAPE2, KAPE3, KPNCH | 00000400 |
| | COMMON/IPRNT/IPRNT, IYLD, ITOY, IFROM, KCRD | 00000500 |
| | COMMON/PARM/NJ, NRES, NJUNC, NL, NC, NYEAR, ND, NS, IYEAR, IMP, TITLE(25), | RJB091997 |
| 1 | TITLE2(25), NR, ICARD(30) | RJB021198 |
| | COMMON/RESV/RNAME(10, 3), RCAP(10), RMIN(10), FSTART(10), | RJB091997 |
| 1 | RCAPSV(10, 12), ACTAB(10, 30, 2), OPRR(3, 10, 12), OPRP(3, 10), SP(10), | RJB031896 |
| 2 | DEM(10), DEMR(10, 3), DEMD(10, 12), EVAP(10, 12), U(10, 12), | 00001700 |
| 3 | DIMP(12), IMPRT, ELEV(2, 30), RCON(10), RFLOOD(10) | RJB031296 |
| | COMMON/LINK/LNODE(15, 2), CMAX(15), CMIN(15), USMNR(55, 12), | RJB100897 |
| 1 | MXMNR(55, 12) | RJB100897 |
| | COMMON/CONFAC/AVLOUS, AVHIUS, AVL OMX, AVHIMX, CONFLO, CONDEM, CONINF, | RJB092697 |
| 1 | LIMSHT, NSRS, LRULE(10) | RJB092697 |
| | COMMON/WATRIT/MAXMWR, MXMIWR, MMIAWR, MMIBWR, MXLIWR, MLIAWR, MLIBWR, | RJB100897 |
| 1 | MAXMPL, MAXIPL, IRSTRT, MAXUSC, WPALLC, | RJB092497 |
| 2 | WRNAME(3, 3), MUNWR(3), IRAWR(3), IRBWR(3), MUNMND(3, 55, 12), | RJB100897 |
| 3 | IRAMND(3, 55, 12), IRBMND(3, 55, 12), IRAWRB(3), IRBWRB(3), | RJB100897 |
| 4 | MUNSHT(3, 55, 12), IRASHT(3, 55, 12), IRBSHT(3, 55, 12), | RJB100897 |
| 5 | MUNANB(3), IRAANB(3), IRBANB(3), IRAALC(3, 55, 12), IRBALC(3, 55, 12), | RJB100897 |
| 6 | RATEA(12), RATEB(12), MNANBP(3, 12), IAANBP(3, 12), IBANBP(3, 12), | RJB092597 |
| 7 | IAWRBP(3, 12), IBWRBP(3, 12), MNADNO(3, 3), IAADNO(3, 3), IBADNO(3, 3) | RJB092597 |
| | COMMON/OPER/IPLT, IYRST, IYEND, IFLYLD, NUMWR, IRLFLG, IWRFLG, DRUSFC, | RJB021198 |
| 1 | DRMXFC | RJB021198 |
| | COMMON/FILENM/PROJNM | RJB091997 |
| | DIMENSION COND(3) | 00001400 |
| | CHARACTER FF | RJB030896 |
| | CHARACTER*8 PROJNM | RJB091997 |
| | DATA COND/'MOD ', ' LO ', ' HI '/ | RJB031596 |
| | CALL GETDAT (IYREND, IMOEND, IDAEND) | RJB030496 |
| | CALL GETTIM (IHREND, IMIEND, ISEEND, IDUM) | RJB030496 |
| | FF = CHAR(12) | RJB030896 |
| | ROFF = 0.499 | RJB032396 |
| C | | 00001600 |
| C | STEP 01 | 00001700 |
| C | PRINT OUT ALL INPUT INFORMATION | 00001800 |
| | WRITE(KOUT, 111) IMOEND, IDAEND, IYREND, IHREND, IMIEND, ISEEND, PROJNM, | RJB091997 |
| 1 | TITLE, TITLE2 | RJB091997 |
| 111 | FORMAT(///, 25X, 30HRIVER BASIN SIMULATION PROGRAM, 7X, '-', | RJB030796 |
| 1 | 7X, 30HTEXAS WATER DEVELOPMENT BOARD, 10X, 'DATE: ', | RJB030496 |
| 1 | I2, '-', I2, '-', I4, // | RJB030496 |
| 2 | 23X, 'ADAPTED AND MODIFIED FOR AMISTAD AND FALCON', | RJB030496 |
| 2 | ' RESERVOIRS IN THE RIO GRANDE BASIN', 9X, 'TIME: ', I2, ':', | RJB030896 |
| 3 | I2, ':', I2, // | RJB030496 |
| 4 | 29X, 'INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERAT', | RJB030896 |
| 5 | 'ING RULES', 15X, 'FILE: ', A8, // | RJB091997 |
| 6 | 42X, 'R. J. BRANDES COMPANY FEBRUARY 1998', ///, 22X, 25A4, // | RJB091997 |
| 7 | 22X, 25A4) | RJB091997 |
| 11 | FORMAT (A1, //, 25X, 25A4) | RJB030896 |
| | WRITE(KOUT, 13) NJ, NRES, NL, NR, IYEAR, NYEAR, ND, NS, NUMWR | RJB093097 |
| 13 | FORMAT(////, 10X, 15X, 17HNUMBER OF NODES =, I5, 7X, | 00002400 |
| 1 | 7X, 22HNUMBER OF RESERVOIRS =, I3 // | 00002500 |
| 2 | 10X, 15X, 17HNUMBER OF LINKS =, I5, 7X, | 00002600 |
| 3 | 4X, 25HNUMBER OF RIVER REACHES =, I3// | 00002700 |
| 4 | 10X, 32HCALENDAR YEAR OPERATION STARTS =, I5, 7X, | 00002800 |
| 5 | 29HNUMBER OF YEARS TO SIMULATE =, I3// | 00002900 |
| 6 | 10X, 8X, 24HNUMBER OF DEMAND NODES =, I5, 7X, | 00003000 |
| 7 | 6X, 23HNUMBER OF SPILL NODES =, I3, // | RJB120595 |
| 8 | 7X, 'NUMBER OF INDIVIDUAL WATER RIGHTS =', I5) | RJB093097 |
| | WRITE(KOUT, 15) | 00003300 |
| 15 | FORMAT(////, 10X, 'SYSTEM NODE CHARACTERISTICS', //, | RJB031896 |
| 1 | 10X, 8HNODE NO., 3X, 9HNODE NAME, 5X, 13(1H-), | RJB031396 |
| 1 | 12H CAPACITIES, 14(1H-), 5X, 6HYEARLY, // | RJB031396 |
| 2 | 10X, 26X, 'FLOOD CONSERV MINIMUM STARTING', 5X, 6HDEMAND, // | RJB031396 |
| 3 | 10X, 25X, '(AC-FT) (AC-FT) (AC-FT) (AC-FT)', 4X, 7H(AC-FT), //) | RJB031396 |
| | DO 5 J=1, NJ | 00003700 |

Amistad-Falcon Reservoir Operations Model

```

IF(J.NE.20) GO TO 5                                00003800
WRITE(KOUT,11) FF, TITLE                          RJB030896
WRITE(KOUT,15)                                     00004000
5 WRITE(KOUT,17) J, (RNAME(J,I),I=1,3), RFLOOD(J), RCON(J), RMIN(J), RJB091997
1 FSTART(J),DEM(J)                                00004200
17 FORMAT(10X,I4,5X,3A4,1X,I10,1X,2I10,1X,I10,3X,I8) RJB091997
WRITE(KOUT,177)                                    RJB031596
177 FORMAT(/,10X,'NOTE: FLOOD POOL IS AVAILABLE FOR CONSERVATION ' RJB031596
1 'STORAGE DURING NOVEMBER-APRIL NON-HURRICANE SEASON') RJB031596
WRITE(KOUT,19)                                     00004500
19 FORMAT(///10X,'SYSTEM LINK CONFIGURATION',//, RJB031896
1 10X,8HLINK NO., 4X,9HFROM NODE,5X, 00004700
2 7HTO NODE,5X,13HMAX. CAPACITY,4X,13HMIN. CAPACITY,/, 00004800
2 48X,'(AC-FT/MON)',4X,'(AC-FT/MON)',/) RJB030896
DO 10 L=1,NL 00004900
IF(MOD(L,20).NE.0) GO TO 10 00005000
WRITE(KOUT,11) FF, TITLE 00005100
WRITE(KOUT,19) 00005200
10 WRITE(KOUT,21) L,(LNODE(L,I),I=1,2), CMAX(L), CMIN(L) 00005300
21 FORMAT(10X,2X,I2,12X,I2,11X,I2,7X,I10,7X,I10) RJB031896
WRITE(KOUT,11) FF, TITLE RJB030896

C
C CHECK FOR AVERAGE MONTHLY AMISTAD RELEASES OR INDIVIDUAL MONTHLY
C AMISTAD RELEASES BY YEAR
C

IF (IRLFLG .EQ. 0) GOTO 238 RJB021198
WRITE(KOUT,242) RJB020898
242 FORMAT(///10X,'MINIMUM MONTHLY U. S. OPERATIONAL RELEASES FROM ', RJB092697
1 'AMISTAD RESERVOIR (AC-FT)',//, RJB100997
2 10X,8X,4HJAN,4X,4HFEB,4X,4HMAR,4X,4HAPR,4X,4HMAY, RJB020898
3 4X,4HJUN,4X,4HJUL,4X,4HAUG,4X,4HSEP,4X,4HOCT, RJB031396
4 4X,4HNOV,4X,4HDEC,/) RJB092697
WRITE(KOUT,243) (USMNR(L),L=1,12) RJB020898
243 FORMAT(10X,4X,12I8) RJB020898
WRITE(KOUT,244) RJB092697
244 FORMAT(///10X,'MINIMUM MONTHLY MEXICO OPERATIONAL RELEASES FROM ', RJB092697
1 'AMISTAD RESERVOIR (AC-FT)',//, RJB100997
2 10X,8X,4HJAN,4X,4HFEB,4X,4HMAR,4X,4HAPR,4X,4HMAY, RJB020898
3 4X,4HJUN,4X,4HJUL,4X,4HAUG,4X,4HSEP,4X,4HOCT, RJB031396
4 4X,4HNOV,4X,4HDEC,/) RJB092697
WRITE(KOUT,243) (MXMNR(L),L=1,12) RJB020898
GOTO 241 RJB100997
238 CONTINUE RJB020898
WRITE(KOUT,23) RJB092697
23 FORMAT(///10X,'MINIMUM MONTHLY U. S. OPERATIONAL RELEASES FROM ', RJB092697
1 'AMISTAD RESERVOIR (AC-FT)',//, RJB100997
2 10X,'YEAR',8X,4HJAN,4X,4HFEB,4X,4HMAR,4X,4HAPR,4X,4HMAY, RJB092697
3 4X,4HJUN,4X,4HJUL,4X,4HAUG,4X,4HSEP,4X,4HOCT, RJB031396
4 4X,4HNOV,4X,4HDEC,/) RJB092697
DO 233 IY = 1, NYEAR RJB092697
IYR = IYEAR + IY - 1 RJB092697
WRITE(KOUT,237) IYR, (USMNR(IY,L),L=1,12) RJB092697
237 FORMAT(10X,I4,4X,12I8) RJB092697
233 CONTINUE RJB092697
WRITE(KOUT,236) RJB092697
236 FORMAT(///10X,'MINIMUM MONTHLY MEXICO OPERATIONAL RELEASES FROM ', RJB092697
1 'AMISTAD RESERVOIR (AC-FT)',//, RJB100997
2 10X,'YEAR',8X,4HJAN,4X,4HFEB,4X,4HMAR,4X,4HAPR,4X,4HMAY, RJB092697
3 4X,4HJUN,4X,4HJUL,4X,4HAUG,4X,4HSEP,4X,4HOCT, RJB031396
4 4X,4HNOV,4X,4HDEC,/) RJB092697
DO 234 IY = 1, NYEAR RJB092697
IYR = IYEAR + IY - 1 RJB092697
WRITE(KOUT,235) IYR, (MXMNR(IY,L),L=1,12) RJB092697
235 FORMAT(10X,I4,4X,12I8) RJB092697
234 CONTINUE RJB092697
241 WRITE(KOUT,11) FF, TITLE RJB030896
WRITE(KOUT,24) (SP(I),I=1,NS) 00005500
24 FORMAT(///10X,'U.S. SPILL RESERVOIR NODE:',1I5,/,10X, RJB092697
1 'MEXICO SPILL RESERVOIR NODE:',1I5) RJB092697
WRITE(KOUT,26) AVL0US,AVHIUS RJB092697
26 FORMAT(///10X,15HU.S. 'AVERAGE', ' STORAGE CONDITION DEFINED AS', RJB031596
1 F6.2, ' TO', F6.2, ' PERCENT OF FALCON U.S. MAXIMUM STORAGE', RJB031596
2 ' CAPACITY') RJB031596
WRITE(KOUT,25) AVL0MX,AVHIMX RJB092697
25 FORMAT(/,10X,17HMEXICO 'AVERAGE', ' STORAGE CONDITION DEFINED', RJB031596
1 ' AS', F6.2, ' TO', F6.2, ' PERCENT OF FALCON MEXICAN ', RJB031596

```

Amistad-Falcon Reservoir Operations Model

```

2 'MAXIMUM STORAGE CAPACITY' ) - RJB031596
WRITE(KOUT,27) 00007100
27 FORMAT(///,10X, 'NODE MONTHLY DEMAND DISTRIBUTIONS AND DEMAND', RJB031896
1 ' PRIORITIES', //, RJB030896
2 10X, 'NODE NO.', //, 32X, 'MONTHLY FRACTIONS OF ANNUAL DEMAND', RJB031396
* 29X, 'PRIORITIES', //, RJB031396
3 10X, 17X, 4HJAN , 3X, 4HFEB , 3X, 4HMAR , 3X, 4HAPR , 3X, 4HMAY , RJB030896
4 3X, 4HJUN , 3X, 4HJUL , 3X, 4HAUG , 3X, 4HSEP , 3X, 4HOCT , RJB030896
5 3X, 4HNOV , 3X, 4HDEC , 4X, 'MOD LO HI',/) RJB031896
WRITE(KOUT,29) (J, (DEMD(J,K), K=1,12), (DEMR(J,I), I=1,3), J=1,NJ) 00007800
29 FORMAT(10X,2X,I2,10X,12F7.4,3X,3I4) 00007900
WRITE(KOUT,31) 00008100
31 FORMAT(///,10X, 'RESERVOIR MONTHLY STORAGE TARGETS AND STORAGE', RJB031896
1 ' PRIORITIES', //, 10X,
2 'RESERVOIR', 15X, 'DESIRED MONTHLY STORAGE LEVEL (PERCENT OF MAXI', RJB031396
* ' MUM STORAGE CAPACITY)', //,
3 10X, 3X, 'NO.', RJB031196
3 11X, 4HJAN , 3X, 4HFEB , 3X, 4HMAR , 3X, 4HAPR , 3X, 4HMAY , RJB031196
4 3X, 4HJUN , 3X, 4HJUL , 3X, 4HAUG , 3X, 4HSEP , 3X, 4HOCT , RJB031196
5 3X, 4HNOV , 3X, 4HDEC , 4X, 10HPRIORITIES) RJB031196
DO 32 J=1,NRES 00008400
32 WRITE(KOUT,33) J, (COND(L), (OPRR(L,J,I)*100.0, I=1, 12), RJB030496
1 OPRP(L,J), L=1,3) 00008600
33 FORMAT(/10X,3X,I2,3X,A4,2X,12F7.3,5X,I5/(17X,A4,3X,12F7.3,5X,I5)) RJB031196

C
C WRITE OUT STAGE - AREA - CAPACITY RELATIONSHIPS
C FOR AMISTAD & FALCON RESERVOIRS
C
WRITE(KOUT,11) FF, TITLE 00010000
WRITE(KOUT,41) RJB030896
41 FORMAT(//,10X, 'STAGE-AREA-CAPACITY RELATIONSHIPS FOR TOTAL', RJB031196
1 ' STORAGE IN AMISTAD AND FALCON RESERVOIRS', RJB031196
2 //, 22X, 'AMISTAD RESERVOIR', 24X, 'FALCON RESERVOIR') RJB031196
WRITE(KOUT,42) RJB030896
42 FORMAT( /,10X, 'POINT STAGE AREA CAPACITY', 15X, RJB031196
1 ' STAGE AREA CAPACITY', //, 11X, 'NO. (FT MSL) (AC)', RJB030896
2 ' (AC-FT) ', 10X, '(FT MSL) (AC) (AC-FT)', /) RJB031196
DO 45 K=1, 30 RJB030896
WRITE(KOUT,43) K, ELEV(1,K), (ACTAB(1,K,L), L=1,2), ELEV(2,K), RJB030896
1 (ACTAB(2,K,M), M=1,2) RJB030896
43 FORMAT(11X,I2,6X,F6.1,2X,I6,3X,I7, 16X,F6.1,2X,I6,3X,I7) RJB031196
45 CONTINUE 00010800

C
C SET CURRENT AMOUNT OF AUTHORIZED ANNUAL IRRIGATION WATER RIGHTS
C IN THE MIDDLE AND LOWER RIO GRANDES SYSTEM, MAXIMUM STORAGE IN
C MUNICIPAL AND IRRIGATION POOLS, AND INITIAL IRRIGATION POOL
C STORAGE AT BEGINNING OF SIMULATION
C
C MAXIMUM TOTAL D-M-I WATER RIGHTS BASED ON 2/5/98 FAX FROM
C C. MARTINEZ OF WATERMASTER'S OFFICE
C MAXMWR = 271579 RJB020798
C MAXIMUM TOTAL IRRIGATION & MINING WATER RIGHTS IN LOWER RIO GRANDE BASED
C ON 2/5/98 WATERMASTER FAX
C MXLIWR = 1696228 RJB020798
C MAXIMUM TOTAL IRRIGATION WATER RIGHTS IN MIDDLE RIO GRANDE
C BASED ON 2/5/98 FAX
C MXMIWR = 181530 RJB020798
C IRWATR = MXMIWR + MXLIWR RJB22996
C MAXIMUM U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE IN ACORDANCE
C WITH TNRCC RULES
C MAXMPL = 225000 RJB22996
C MAXIMUM U.S. USABLE STORAGE IN ACCORDANCE WITH TNRCC RULES
C MAXUSC = RCON(1) + RCON(2) - 4600 RJB071096
C DUMMY = 1.41 * IRWATR + 0.499 RJB22996
C IDUMMY = DUMMY RJB050296
C LIMIT IRRIGATION POOL TO REMAINING BALANCE OF USABLE STORAGE AFTER
C SUBTRACTING MAXMPL AND MINIMUM OPERATING RESERVE
C MAXIPL = MIN(IDUMMY, MAXUSC-MAXMPL-150000) RJB050296
C STARTING 1995 TOTAL IRRIGATION ACCOUNT BALANCE (IRPOL) FOR LOWER AND
C MIDDLE RIO GRANDE BASED ON 7/29/96 MEMO FROM C. MARTINEZ OF
C WATERMASTER'S OFFICE
C IRPOL = 1747743 RJB020798
C SET IRPOL = 0 FOR SIMULATIONS WITHOUT KNOWN STARTING IRRIGATION
C ACCOUNT BALANCE AND DETERMINE IRSTRT BASED ON TNRCC RULES
C
C IF STARTING IRRIGATION ACCOUNT BALANCE IS NOT KNOWN, DETERMINE

```

Amistad-Falcon Reservoir Operations Model

```

C      MAXIMUM IRRIGATION ACCOUNT BALANCE AT BEGINNING OF SIMULATION
C      BASED ON TNRCC RULES
C
C      IF (IRSTRT .GT. 0) GO TO 260
CALL STRTIR (FSTART(1),FSTART(2),IRPOL)
IRSTRT = IRPOL
260 CONTINUE

C      CALCULATE FACTOR FOR USE IN POSITIVE IRRIGATION ALLOCATIONS
C      WPALLC = (1.7 * (MLIAWR+MMIAWR)) + (MLIBWR+MMIBWR)
C
C      WRITE OUT MAXIMUM MUNICIPAL AND IRRIGATION WATER RIGHTS IN MIDDLE
C      AND LOWER RIO GRANDE AND BEGINNING ACCOUNT BALANCES
C
C      WRITE(KOUT,51) MAXMWR,MXMIWR,MMIAWR,MMIBWR
51  FORMAT (/10X, 'SUMMARY OF TEXAS WATER RIGHTS IN MIDDLE AND ',
1  'LOWER RIO GRANDE AND',/,13X, 'MAXIMUM STORAGE ALLOCATIONS IN ',
2  'AMISTAD AND FALCON RESERVOIRS',/,10X,
3  'TOTAL DOMESTIC, MUNICIPAL AND INDUSTRIAL WATER RIGHTS ',
4  ' (AC-FT/YR): ',I10,/,10X,
5  'TOTAL IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE ',
6  ' (AC-FT/YR): ',I10,/,10X,
7  'CLASS A IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE ',
8  ' (AC-FT/YR): ',I10,/,10X,
9  'CLASS B IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE ',
*  ' (AC-FT/YR): ',I10)
WRITE(KOUT,52) MXLIWR,MLIAWR,MLIBWR,MAXMPL,MAXIPL,MAXUSC,IRSTRT
52  FORMAT (10X,
7  'TOTAL IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE ',
8  ' (AC-FT/YR): ',I10,/,10X,
7  'CLASS A IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE ',
8  ' (AC-FT/YR): ',I10,/,10X,
7  'CLASS B IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE ',
8  ' (AC-FT/YR): ',I10,/,10X,
9  'MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON D-M-I POOL ',
*  ' (AC-FT): ',I10,/,10X,
1  'MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON IRRIGATION POOL ',
2  ' (AC-FT): ',I10,/,10X,
3  'TOTAL RESERVOIR DEAD STORAGE USED IN WATER RIGHTS ACCOUNTING ',
4  ' (AC-FT): 4600',/,10X,
4  'MAXIMUM STORAGE CAPACITY ALLOTTED TO OPERATING RESERVE ',
4  ' (AC-FT): 380000',/,10X,
5  'MAXIMUM USABLE STORAGE AVAILABLE FOR WATER RIGHTS ACCOUNTING ',
6  ' (AC-FT): ',I10,/,10X,
7  'TOTAL IRRIGATION & MINING ACCOUNT BALANCE AT BEGINNING OF SIMU',
8  'LATION (AC-FT): ',I10)
RETURN

C      WRITE OUT FIRM ANNUAL YIELD DEMANDS
C
C      ENTRY OUT1A(ITER)
WRITE(KOUT,11) FF, TITLE
WRITE(KOUT,60) ITER
60  FORMAT(///, 10X, 'RESULTS FROM FIRM ANNUAL YIELD ANALYSIS AFTER ',
*  I2, ' CRITICAL DROUGHT ITERATIONS',/,/,
1  20X, 8HNODE NO., 6X, 9HNODE NAME, 10X, 6H FIRM , /,
2  53X, 6HYIELD , /, 52X, 7H(AC-FT),/,)
DO 65 J=1,NJ
65  WRITE(KOUT,67) J, (RNAME(J,I), I=1,3), DEM(J)
67  FORMAT(20X, I4, 3X, 5X, 3A4, 7X, I8, /)
IUSSUM = DEM(2)+DEM(5)+DEM(6)+DEM(7)
IMXSUM = DEM(4)+DEM(8)
WRITE(KOUT,68) IUSSUM, IMXSUM
68  FORMAT (/,20X, 'TOTAL UNITED STATES DEMANDS ',I9,/,/,
*  20X, 'TOTAL MEXICO DEMANDS ',I9)
END

C      SUBROUTINE OUT2(IY)
INTEGER TOTLS
INTEGER RCAP, RMIN, FSTART, ACTAB, DEM, DEMR, OPRP, SP, RCON, RFLOOD
COMMON/CONTRL/ KIN, KOUT, KAPE1, KAPE2, KAPE3, KPNCH
COMMON/IPRNT/IPRNT, IYLD, ITOY, IFROM, KCRD
COMMON/PARM/NJ, NRES, NJUNC, NL, NC, NYEAR, ND, NS, IYEAR, IMP, TITLE(25),
1  TITLE2(25), NR, ICARD(30)
COMMON/PRNT/ICAP(10,12,13), TOTLS(10,55,12), INISTO(10,55)
COMMON/RESV/RNAME(10,3), RCAP(10), RMIN(10), FSTART(10),

```

Amistad-Falcon Reservoir Operations Model

| | | |
|---|---|-----------|
| | 1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10), | RJB031896 |
| | 2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12), | 00001700 |
| | 3 DIMP(2),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10) | RJB031296 |
| | COMMON/LNKFLW/LNKFLO(15,13) | RJB30196 |
| | COMMON/WATRIT/MAXMWR,MXMIWR,MMIAWR,MMIBWR,MXLIWR,MLIAWR,MLIBWR, | RJB100897 |
| | 1 MAXMPL,MAXIPL,IRSTRT,MAXUSC,WPALLC, | RJB092497 |
| | 2 WRNAME(3,3),MUNWR(3),IRAWR(3),IRBWR(3),MUNMND(3,55,12), | RJB100897 |
| | 3 IRAMND(3,55,12),IRBMND(3,55,12),IRAWRB(3),IRBWRB(3), | RJB100897 |
| | 4 MUNSHT(3,55,12),IRASHT(3,55,12),IRBSHT(3,55,12), | RJB100897 |
| | 5 MUNANB(3),IRAANB(3),IRBANB(3),IRALC(3,55,12),IRBALC(3,55,12), | RJB100897 |
| | 6 RATEA(12),RATEB(12),MNaNBP(3,12),IAANBP(3,12),IBANBP(3,12), | RJB092597 |
| | 7 IAWRBP(3,12),IBWRBP(3,12),MNADNO(3,3),IAADNO(3,3),IBADNO(3,3) | RJB092597 |
| | COMMON/OPER/IPLT,IYRST,IYEND,IFLYLD,NUMWR,IRLFLG,IWRFLG,DRUSFC, | RJB021198 |
| | 1 DRMKFC | RJB021198 |
| | CHARACTER FF | RJB030896 |
| | DIMENSION PCTUSC(12),PCTUSI(12) | RJB042996 |
| | FF = CHAR(12) | RJB030896 |
| C | | 00001300 |
| C | STEP 01 | 00001400 |
| C | PRINT OUT MONTHLY DATA FOR YEAR | 00001500 |
| | ICALYR=IYEAR-1+IY | 00001600 |
| C | | |
| C | WRITE OUT MONTHLY RESULTS FOR U.S. AMISTAD AND FALCON RESERVOIRS | |
| C | | |
| | DO 30 J=1, 2 | RJB30896 |
| | IF(J.EQ.1) WRITE(KOUT,11) FF,TITLE,IY,ICALYR | RJB30896 |
| | 11 FORMAT(A1,/25X,25A4//3X,15HSIMULATION YEAR,I3,5X,13HCALENDAR YEAR, | 00002000 |
| | * I5) | 00002100 |
| C | | |
| | WRITE(KOUT,14) J,(RNAME(J,I),I=1,3),RFLOOD(J),RCON(J),RMIN(J) | RJB091997 |
| | 14 FORMAT(/,3X,13HRESERVOIR NO.,I2,4X,3A4,8X,'MAX FLOOD POOL:',I8, | RJB091997 |
| | 1 8X,'MAX CONSERVATION POOL:',I8, 8X,'DEAD POOL:',I6, /) | RJB031396 |
| C | | 00002700 |
| | WRITE(KOUT,16) | 00002800 |
| | 16 FORMAT(10X,7HWTRSHED,1X,8H RESERVR,2X,7HFLDWATR,1X, | RJB31896 |
| | 1 8H DWNSTRM,2X,7HSURFACE,3X,4HEVAP,4X,4HEVAP,2X,7H D-M-I , | RJB30196 |
| | 2 2X,8SHSHORTAGE,1X,7H IRRIG, 2X,8SHSHORTAGE,2X,6H FLOOD,2X, | RJB31496 |
| | 3 7HEND-MON,3X,'TARGET',/, | RJB31596 |
| | 4 1X,55H MONTH INFLOWS INFLOWS TRANSFR RELEASE AREA , | RJB31896 |
| | 5 21HRATE LOSS DEMANDS,11X,27HDEMANDS SPILLS , | RJB31496 |
| | 6 7HSTORAGE,2X,'STORAGE') | RJB31596 |
| C | | 00003500 |
| | DO 17 MON=1,12 | 00003600 |
| | 17 WRITE(KOUT,18) MON,(ICAP(J,MON,I),I=1,5),EVAP(J,MON), | RJB30196 |
| | 1 (ICAP(J,MON,I),I=6,13) | RJB31596 |
| | 18 FORMAT(4X,I2,2X,5I9,2X,F5.2,2X,I6,2I9,4I9,1X,I8) | RJB31596 |
| C | | 00004000 |
| | WRITE(KOUT,20) (TOTLS(J,IY,I),I=1,4),(TOTLS(J,IY,I),I=6,11) | 00004100 |
| | 20 FORMAT(1X,2X,6HANNUAL,I8,3I9,15X,6I9) | RJB031996 |
| C | | 00004300 |
| | 30 CONTINUE | RJB30196 |
| C | | |
| C | WRITE OUT MONTHLY RESULTS FOR MEXICO AMISTAD AND FALCON RESERVOIRS | |
| C | | |
| | DO 40 J=3,4 | RJB30196 |
| | IF(J.EQ.4) WRITE(KOUT,11) FF,TITLE,IY,ICALYR | RJB30896 |
| C | | |
| | WRITE(KOUT,14) J,(RNAME(J,I),I=1,3),RFLOOD(J),RCON(J),RMIN(J) | RJB091997 |
| C | | 00002700 |
| | WRITE(KOUT,41) | 00002800 |
| | 41 FORMAT(10X,7HWTRSHED,1X,8H RESERVR,2X,7HFLDWATR,1X, | RJB31896 |
| | 1 8H DWNSTRM,2X,7HSURFACE,3X,4HEVAP,4X,4HEVAP,2X,7HMUN&IRR, | RJB30196 |
| | 2 2X,8SHSHORTAGE,1X,7H OTHER, 2X,8SHSHORTAGE,2X,6H FLOOD,2X, | RJB31496 |
| | 3 7HEND-MON,3X,'TARGET',/, | RJB31596 |
| | 4 1X,55H MONTH INFLOWS INFLOWS TRANSFR RELEASE AREA , | RJB31896 |
| | 5 21HRATE LOSS DEMANDS,11X,27HDEMANDS SPILLS , | RJB31496 |
| | 6 7HSTORAGE,2X,'STORAGE') | RJB31596 |
| C | | 00003500 |
| | DO 42 MON=1,12 | 00003600 |
| | 42 WRITE(KOUT,18) MON,(ICAP(J,MON,I),I=1,5),EVAP(J,MON), | RJB30196 |
| | 1 (ICAP(J,MON,I),I=6,13) | RJB31596 |
| C | | 00004000 |
| | WRITE(KOUT,20) (TOTLS(J,IY,I),I=1,4),(TOTLS(J,IY,I),I=6,11) | 00004100 |
| C | | 00004300 |
| | 40 CONTINUE | RJB30196 |
| C | | |

Amistad-Falcon Reservoir Operations Model

```

C      WRITE OUT MONTHLY LINK FLOWS FOR ONE YEAR
C
      DO 35 L=1,NL
      IF(L.NE.1) GO TO 31
      WRITE(KOUT,32)
      32 FORMAT(//, 3X, 'MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)', //,
      * 4X,6HMONTH ,
      2      5X, 4HJAN ,4X,4HFEB , 4X, 4HMAR , 4X, 4HAPR , 4X, 4HMAY ,
      3 4X, 4HJUN , 4X, 4HJUL , 4X, 4HAUG , 4X, 4HSEP , 4X, 4HOCT ,
      4 4X, 4HNOV , 4X, 4HDEC , 5X, 3HAVG, /, 3X, 8HLINK NO.)
      31 LNKFLO(L,13)=0
      DO 33 I=1,12
      LNKFLO(L,13)=LNKFLO(L,13)+LNKFLO(L,I)/12
      33 CONTINUE
      WRITE(KOUT,34) L, (LNKFLO(L,I),I=1,13)
      34 FORMAT(1X,5X,I2,3X,13I8)
      35 CONTINUE
      RETURN
C
C      WRITE OUT U.S. STORAGE ALLOCATIONS FOR AMISTAD AND FALCON RESERVOIRS
C
      ENTRY OUT2A(IY,PCTUSC,PCTUSI)
C
      WRITE(KOUT,60)
      60 FORMAT(///,3X, 'ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON',
      1 ' RESERVOIRS PURSUANT TO TNRCC RIO GRANDE RULES',//,
      2 3X, 'MONTH INITIAL TOTAL TOTAL TOTAL TOTAL TOTAL',
      3 ' END-MON o/o D-M-I OPRATNG EXCESS IRRIG IRRIG ',
      4 ' IRRIG o/o',//,
      5 3X, ' USABLE WTRSHED D-M-I IRRIG SYSTEM RESERV'R',
      6 ' USABLE CONS RESERVE RESERVE USABLE ACCOUNT RIVER',
      7 ' ACCOUNT IRRIG',//,
      8 3X, ' STORAGE INFLOWS DEMANDS DEMANDS SHORTAGE EVAP ',
      9 ' STORAGE POOL STORAGE STORAGE STORAGE ALLOCAT DIVERSN',
      * ' BALANCE POOL',//)
C
      DO 61 MON=1,12
      61 WRITE(KOUT,62) MON, (ICAP(10,MON,I),I=1,7), PCTUSC(MON),
      1 ICAP(10,MON,8), (ICAP(10,MON,I),I=10,13), ICAP(10,MON,9),
      2 PCTUSI(MON)
      62 FORMAT (4X,I2,4X,3(I7,2X),I7,1X,I7,2X,I6,2X,I7,1X,F5.1,1X,I7,1X,
      1 3(1X,I7),I8,2X,I7,1X,F5.1)
      RETURN
C
C      WRITE OUT MONTHLY RESULTS FROM INDIVIDUAL WATER RIGHTS ACCOUNTING
C
      ENTRY OUT2B(IY)
      ICALYR = IYEAR-1 + IY
      DO 89 IW=1, NUMWR
      IF (IW.EQ.1 .OR. IW.EQ.3) GOTO 188
      GOTO 191
C
      188 WRITE(KOUT,11) FF,TITLE,IY,ICALYR
      WRITE(KOUT,189)
      189 FORMAT(/,3X,'WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS',
      1 ' WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES')
      191 WRITE(KOUT,190) (WRNAME(IW,K),K=1,3), (MNVADNO(IW,K),K=1,3),
      1 (IAADNO(IW,K),K=1,3), (IBADNO(IW,K),K=1,3),MUNWR(IW),IRAWR(IW),
      2 IRBWR(IW)
      190 FORMAT(///,3X,'NAME OF WATER RIGHTS OWNER:',5X,3A4,//,
      3 13X,'D-M-I WATER RIGHTS',13X,'CLASS A IRRIGATION WATER RIGHTS',
      4 17X,'CLASS B IRRIGATION WATER RIGHTS',/,12X,'ADJ. NO.',3A4,16X,
      5 'ADJ. NO.',1X,3A4,27X,'ADJ. NO.',1X,3A4,/,
      6 11X,'ANNUAL AUTH:',I6,' AF',2X,12X,'ANNUAL AUTH:',I7,' AF',
      7 25X,'ANNUAL AUTH:',I7,' AF')
      WRITE(KOUT,92)
      92 FORMAT(11X,'-----',4X,
      1 '-----',4X,
      2 '-----',//,
      3 3X,'MONTH',3X,' DEMAND SHORT USABLE DEMAND SHORT RATE A',
      4 ' ALLOC STORAGE USABLE DEMAND SHORT RATE B ALLOC ',
      5 'STORAGE USABLE',//,
      6 11X,' AMOUNT AMOUNT BALANCE AMOUNT AMOUNT AMOUNT',
      7 ' BALANCE BALANCE AMOUNT AMOUNT AMOUNT BALANCE ',
      8 'BALANCE',//)
      DO 89 MON=1, 12

```


Amistad-Falcon Reservoir Operations Model

```

WRITE(KOUT,91) MON,MUNMND(IW,IY,MON),MUNSHT(IW,IY,MON),
1 MNANBP(IW,MON),IRAMND(IW,IY,MON),IRASHT(IW,IY,MON),RATEA(MON),
2 IRAALC(IW,IY,MON),IAWRBP(IW,MON),IAANBP(IW,MON),
3 IRBMND(IW,IY,MON),IRBSHT(IW,IY,MON),RATEB(MON),IRBALC(IW,IY,MON),
4 IBWRBP(IW,MON),IBANBP(IW,MON)
91 FORMAT(5X,I2,4X,I7,I7,I8,2X,I8,I7,F8.5,I7,I8,I8,2X,I8,I7,F8.5,
1 I7,I8,I8)
C
C
C
SUM MONTHLY VALUES FOR ANNUAL TOTALS PRINTOUT
MNDTOT = MNDTOT + MUNMND(IW,IY,MON)
MSHTOT = MSHTOT + MUNSHT(IW,IY,MON)
MIAMTO = MIAMTO + IRAMND(IW,IY,MON)
MIASTO = MIASTO + IRASHT(IW,IY,MON)
MIALTO = MIALTO + IRAALC(IW,IY,MON)
MIBMTO = MIBMTO + IRBMND(IW,IY,MON)
MIBSTO = MIBSTO + IRBSHT(IW,IY,MON)
MIBLTO = MIBLTO + IRBALC(IW,IY,MON)
IF(MON.LT.12) GOTO 89
C
C
C
WRITE ANNUAL TOTALS
WRITE(KOUT,93) MNDTOT,MSHTOT,MIAMTO,MIASTO,MIALTO,MIBMTO,MIBSTO,
1 MIBLTO
93 FORMAT(/,5X,'ANNUAL',I7,I7,8X,2X,I8,I7,8X,I7,8X,8X,2X,I8,I7,8X,I7)
C
C
C
ZERO OUT TOTALS AFTER PRINTING EACH WATER RIGHTS HOLDER
MNDTOT = 0
MSHTOT = 0
MIAMTO = 0
MIASTO = 0
MIALTO = 0
MIBMTO = 0
MIBSTO = 0
MIBLTO = 0
89 CONTINUE
RETURN
C
C
C
WRITE OUT MONTHLY RESULTS FOR U.S. AMISTAD AND FALCON RESERVOIRS
FOR PLOTTING PURPOSES
IF IPLT = 0, DO NOT STORE ANY RESULTS IN PLT FILE
IF IPLT = 1, STORE U.S. AMISTAD RESERVOIR RESULTS
IF IPLT = 2, STORE U.S. FALCON RESERVOIR RESULTS
IF IPLT = 3, STORE MEXICAN AMISTAD RESERVOIR RESULTS
IF IPLT = 4, STORE MEXICAN FALCON RESERVOIR RESULTS
IF IPLT = 5, STORE U.S. WATER ACCOUNTING RESULTS
C
C
C
ENTRY OUT2C(IY)
ICALYR=IYEAR-1+IY
IF (IPLT.EQ. 0) GO TO 90
IF (IPLT.EQ. 5) GO TO 80
C
C
C
J = IPLT
IF(IY.NE.IFROM) GO TO 70
WRITE(KAPE2,71) FF,TITLE
71 FORMAT(A1,/25X,25A4//)
WRITE(KAPE2,74) J,(RNAME(J,I),I=1,3),RFLOOD(J),RCON(J),RMIN(J)
* K,(RNAME(K,I),I=1,3),RFLOOD(K),RCON(K),RMIN(K)
C
74 FORMAT(/,3X,13HRESERVOIR NO.,I2,4X,3A4,6X,'MAX FLOOD POOL:',I8,
1 8X,'MAX CONSERVATION POOL:',I8,8X,'DEAD POOL:',I6,/)
* 30X,13HRESERVOIR NO.,I2,4X,3A4,6X,'MAX FLOOD POOL:',I8,
1 8X,'MAX CONSERVATION POOL:',I8,8X,'DEAD POOL:',I6,/)
C
C
C
WRITE(KAPE2,76)
76 FORMAT(20X,7HWTRSHED,8H RESERVR,1X,7HFLDWATR,
1 8H DWNSTRM,1X,7HSURFACE,1X,4HEVAP,2X,4HEVAP,1X,7H D-M-I,
2 1X,8SHSHORTAGE,7H IRRIG,1X,8SHSHORTAGE,1X,6H FLOOD,1X,
3 7HEND-MON,2X,'TARGET',/,
* 10X,7HWTRSHED,8H RESERVR,1X,7HFLDWATR,
1 8H DWNSTRM,1X,7HSURFACE,2X,4HEVAP,3X,4HEVAP,1X,7H D-M-I,
2 1X,8SHSHORTAGE,7H IRRIG,1X,8SHSHORTAGE,1X,6H FLOOD,1X,
3 7HEND-MON,2X,'TARGET',/,
4 2X,'YEAR'4X,
4 1X,49H MONTH INFLOWS INFLOWS TRANSFR RELEASE AREA,

```

Amistad-Falcon Reservoir Operations Model

```

5 20HRATE LOSS DEMANDS , 7X, 24HDEMANDS          SPILLS          , RJB31496
6 7HSTORAGE, 1X, 'STORAGE',/)                    RJB31596
C   * 1X, 55H          INFLOWS INFLOWS TRANSFR RELEASE  AREA          ,RJB31896
C   5 21HRATE LOSS DEMANDS , 11X, 27HDEMANDS          SPILLS          ,RJB31496
C   6 7HSTORAGE, 1X, 'STORAGE',/)                    RJB31596
C                                                     00003500

WRITE (KAPE2,79) (I, I = 1,16)
79 FORMAT(2X,I4,3X,5X,I2,1X,5I8,1X,I5,I6,2I8,4I8,I8,
* 7X,5I8,1X,I5,1X,I6,2I8,4I8,I8)
70 CONTINUE
DO 77 MON=1,12
77 WRITE (KAPE2,78) ICALYR,MON, (ICAP(J,MON,I), I=1,5),EVAP(J,MON),
1 (ICAP(J,MON,I), I=6,13)
78 FORMAT(2X,I4,4X,4X,I2,2X,5I8,1X,F5.2,1X,I5,6I8,I8)
GO TO 90
80 CONTINUE
IF(IY.NE.IFROM) GO TO 85
WRITE (KAPE2,71) FF,TITLE
WRITE (KAPE2,82)
85 CONTINUE
82 FORMAT(/,3X, 'ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON',
1 ' RESERVOIRS PURSUANT TO TNRCC RIO GRANDE RULES',/,3X,'YEAR ' ,
2 ' MONTH INITIAL TOTAL TOTAL TOTAL TOTAL TOTAL '
3 ' END-MON o/o D-M-I OPRTNG EXCESS IRRIG NEGATIV',
4 ' IRRIG o/o',/,
5 9X, ' USABLE WTRSHED D-M-I IRRIG SYSTEM RESERV'R
6 ' USABLE CONS POOL RESERVE USABLE ACCOUNT IRRIG',
7 ' POOL IRRIG',/,
8 9X, ' STORAGE INFLOWS DEMANDS DEMANDS SHORTAGE EVAP '
9 ' STORAGE POOL STORAGE STORAGE STORAGE ALLOCAT ALLOCAT',
* ' STORAGE POOL')
DO 83 MON=1,12
83 WRITE (KAPE2,84) ICALYR,MON, (ICAP(10,MON,I), I=1,7),PCTUSC(MON),
1 ICAP(10,MON,8), (ICAP(10,MON,I), I=10,13), ICAP(10,MON,9),
2 PCTUSI(MON)
84 FORMAT (3X,I4,3X,I2,4X,3(I7,2X), I7,1X,I7,2X,I6,2X,I7,1X,F5.1,1X,
1 I7,1X,4(1X,I7),2X,I7,1X,F5.1)
90 CONTINUE
END
C                                                     00007000

SUBROUTINE STRTIR (ISTOR1,ISTOR2,IRPOL)
COMMON/WATRIT/MAXMWR,MXMIWR,MMIAWR,MMIBWR,MXLIWR,MLIAWR,MLIBWR,
1 MAXMPL,MAXIPL,IRSTRT,MAXUSC,WPALLC,
2 WRNAME(3,3),MUNWR(3),IRAWR(3),IRBWR(3),MUNMND(3,55,12),
3 IRAMND(3,55,12),IRBMND(3,55,12),IRAWRB(3),IRBWRB(3),
4 MUNSHT(3,55,12),IRASHT(3,55,12),IRBSHT(3,55,12),
5 MUNANB(3),IRAANB(3),IRBANB(3),IRAALC(3,55,12),IRBALC(3,55,12),
6 RATEA(12),RATEB(12),MNANBP(3,12),IAANBP(3,12),IBANBP(3,12),
7 IAWRBP(3,12),IBWRBP(3,12),MNADNO(3,3),IAADNO(3,3),IBADNO(3,3)
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10),
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10),
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12),
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10)
ROFF = 0.499
C                                                     RJB041596
C                                                     RJB100897
C                                                     RJB092497
C                                                     RJB100897
C                                                     RJB100897
C                                                     RJB100897
C                                                     RJB100897
C                                                     RJB092597
C                                                     RJB092597
C                                                     RJB091997
C                                                     RJB031896
C                                                     00001700
C                                                     RJB031296
C                                                     RJB032396

DETERMINE AVAILABLE U.S. USABLE STORAGE BASED ON TNRCC RULES
STODUM = MAX(0,(ISTOR1 + ISTOR2 - 4600))
ISTDUM = STODUM
DUMMY = STODUM
DUMMI = MAXUSC
PCTCON = 100 * DUMMY / DUMMI
IF (PCTCON .GT. 100.) PCTCON = 100.
MNPOL = MAXMPL
IRPOS = 0
IRNEG = 0
EXCES = 0
IRPOL = MAXIPL
STOTMP = STODUM - MAXMPL
IF (STOTMP .GT. 0) GO TO 205
MNPOL = STODUM
IRPOL = 0
OPRES = 0
GO TO 260
205 CONTINUE
IF (STOTMP .GT. 150000) GO TO 206
IRPOL = 0
OPRES = STOTMP
C                                                     RJB071096
C                                                     RJB30196
C                                                     RJB22996
C                                                     RJB031896
C                                                     RJB31896
C                                                     RJB031896
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB41596
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996
C                                                     RJB22996

```

Amistad-Falcon Reservoir Operations Model

| | | |
|-----|---|-----------|
| | GO TO 260 | RJB22996 |
| 206 | CONTINUE | RJB22996 |
| | STOTMP = STOTMP - IRPOL | RJB22996 |
| | DUMMY = (380000 * PCTCON / 100) + ROFF | RJB22996 |
| | OPRES = MAX(DUMMY, 275000) | RJB22996 |
| | IF (OPRES .LT. STOTMP) GO TO 210 | RJB22996 |
| | IF (STOTMP .LT. 150000) GO TO 220 | RJB22996 |
| | OPRESV = STOTMP | RJB22996 |
| | GO TO 250 | RJB22996 |
| 220 | CONTINUE | RJB22996 |
| | OPRES = 150000 | RJB22996 |
| | IRNEG = 150000 - STOTMP | RJB22996 |
| | GO TO 250 | RJB22996 |
| 210 | CONTINUE | RJB22996 |
| | AVAILA = STOTMP - OPRES | RJB22996 |
| | IRPOS = AVAILA | RJB22996 |
| | IF (AVAILA .LT. 50000) IRPOS = 0 | RJB22996 |
| 250 | CONTINUE | RJB22996 |
| | IRPOL = IRPOL + IRPOS - IRNEG | RJB31196 |
| | IRDUM = IRPOL | RJB31196 |
| | IF (IRDUM .LT. 0) GOTO 261 | RJB31196 |
| | IF (IRDUM .LT. MAXIPL) GOTO 262 | RJB31196 |
| | IRPOL = MAXIPL | RJB31196 |
| | IRPOS = IRPOS - (IRDUM - MAXIPL) | RJB31196 |
| | GOTO 262 | RJB31196 |
| 261 | CONTINUE | RJB31196 |
| | IRPOL = 0 | RJB31196 |
| | IRNEG = IRNEG + IRDUM | RJB31196 |
| 262 | CONTINUE | RJB31196 |
| | EXCES = STODUM - MNPOL - IRPOL - OPRES | RJB22996 |
| 260 | CONTINUE | RJB041596 |
| | RETURN | RJB041596 |
| | END | RJB041596 |
| C | | |
| | SUBROUTINE OUT3 | 00000100 |
| | INTEGER TOTLS | 00000200 |
| | COMMON/CONTRL/ KIN, KOUT, KAPE1, KAPE2, KAPE3, KPNCH | 00000300 |
| | COMMON/IPRNT/ IPRNT, IYLD, ITOY, IFROM, KCRD | 00000400 |
| | COMMON/PARM/ NJ, NRES, NJUNC, NL, NC, NYEAR, ND, NS, IYEAR, IMP, TITLE(25), | RJB091997 |
| | 1 TITLE2(25), NR, ICARD(30) | RJB021198 |
| | COMMON/PRNT/ ICAP(10, 12, 13), TOTLS(10, 55, 12), INISTO(10, 55) | RJB100897 |
| | COMMON/RESV/ RNAME(10, 3), RCAP(10), RMIN(10), FSTART(10), | RJB091997 |
| | 1 RCAPSV(10, 12), ACTAB(10, 30, 2), OPRR(3, 10, 12), OPRP(3, 10), SP(10), | RJB031896 |
| | 2 DEM(10), DEMR(10, 3), DEMD(10, 12), EVAP(10, 12), U(10, 12), | 00001700 |
| | 3 DIMP(12), IMPRT, ELEV(2, 30), RCON(10), RFLOOD(10) | RJB031296 |
| | COMMON/LNKFLW/LNKFLO(15, 13) | RJB30196 |
| | DIMENSION DNA(2) | 00000900 |
| | CHARACTER FF | RJB030896 |
| | DATA DNA/ 'NODE', 'YEAR' / | 00001100 |
| C | | 00001200 |
| | FF = CHAR(12) | RJB030896 |
| C | | 00002800 |
| C | STEP 01 | 00002900 |
| C | PRINT OUT NODE DATA FOR ALL YEARS | 00003000 |
| C | FOR U.S. AMISTAD AND FALCON RESERVOIRS | |
| | DO 7 J=1, 2 | RJB031996 |
| | WRITE(KOUT, 21) FF, TITLE, DNA(1), J, (RNAME(J, I), I=1, 3), DNA(2) | RJB091997 |
| 21 | FORMAT(A1, /25X, 25A4, /31X, 36HSIMULATION PERIOD TOTAL SUMMARY FOR , | RJB031996 |
| | * A4, I3, 5X, 3A4, /5X, A4, 4X, 7HINITIAL, 2X, 7HWTRSHED, 1X, 8H RESERVR, | RJB091997 |
| | * 2X, 7HFLDWATR, 1X, 8H DWNSTRM, 3X, 4HEVAP, 3X, 7H D-M-I , | RJB32596 |
| | 2 2X, 8HSHORTAGE, 1X, 7H IRRIG , 2X, 8HSHORTAGE, 2X, 6H FLOOD, 2X, | RJB31496 |
| | 3 7HYEAREND, 2X, 7HMINIMUM, /, | RJB31996 |
| | 4 13X, 53HSTORAGE INFLOWS INFLOWS TRANSFR RELEASE LOSS , | RJB032596 |
| | 5 'DEMANDS', | RJB032596 |
| | 6 11X, 27HDEMANDS SPILLS , 7HSTORAGE, 2X, 7HSTORAGE) | RJB31996 |
| | DO 6 KY=1, NYEAR | 00003300 |
| | KYEAR = IYEAR - 1 + KY | RJB031996 |
| | WRITE(KOUT, 22) KYEAR, INISTO(J, KY), (TOTLS(J, KY, N), N=1, 4), | RJB032596 |
| | 1 (TOTLS(J, KY, N), N=6, 12), TOTLS(J, KY, 5) | RJB032596 |
| 22 | FORMAT(5X, I4, 2X, 5I9, 2X, I6, 2I9, 5I9) | RJB31996 |
| | 6 CONTINUE | 00004500 |
| | 7 CONTINUE | 00006500 |
| C | | 00002800 |
| C | STEP 02 | 00002900 |
| C | PRINT OUT NODE DATA FOR ALL YEARS | 00003000 |
| C | FOR MEXICO AMISTAD AND FALCON RESERVOIRS | |

Amistad-Falcon Reservoir Operations Model

```

C
DO 9 J=3,4
WRITE (KOUT,24) FF,TITLE,DNA(1),J,(RNAME(J,I), I=1,3),DNA(2)
24 FORMAT(A1,/25X,25A4//31X,36HSIMULATION PERIOD TOTAL SUMMARY FOR ,
* A4, I3, 5X, 3A4, //5X,A4,4X,7HINITIAL,2X,7HWTRSHED,1X,8H RESERVR,
* 2X, 7HFLDWATR, 1X, 8H DWNSTRM,3X, 4HEVAP, 3X, 7HMUN&IRR,
2 2X,8HSHORTAGE, 1X, 7H OTHER , 2X, 8HSHORTAGE, 2X, 6H FLOOD, 2X,
3 7HYEAREND, 2X, 7HMINIMUM, /,
4 13X,53HSTORAGE INFLOWS INFLOWS TRANSFR RELEASE LOSS ,
5 'DEMANDS',
6 11X, 27HDEMANDS SPILLS , 7HSTORAGE, 2X, 7HSTORAGE)
DO 11 KY=1,NYEAR
KYEAR = IYEAR - 1 + KY
WRITE (KOUT,22) KYEAR, INISTO(J,KY), (TOTLS(J,KY,N),N=1,4),
1 (TOTLS(J,KY,N),N=6,12), TOTLS(J,KY,5)
11 CONTINUE
9 CONTINUE
RETURN
END
C
SUBROUTINE SETNET
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25),
1 TITLE2(25),NR,ICARD(30)
COMMON/LINK/LNODE(15,2),CMAX(15),CMIN(15),USMNL(55,12),
1 MXMNL(55,12)
COMMON/ADATA/NARC,NMAX,FESIBL,NTIME
* ,NT(500),NF(500),HI(500),LO(500),FLOW(500),COST(500)
C
C STEP 01
C SET UP ALL FROM AND TO NODES BY LINK NO.
DO 5 L=1,NL
NF(L)=LNODE(L,1)
NT(L)=LNODE(L,2)
5 CONTINUE
C
C STEP 02
C SET UP ALL INITIAL ARCS
NARC=NL
N=NJ+1
DO 7 K=1,NJ
NARC=NARC+1
NF(NARC)=N
NT(NARC)=K
7 CONTINUE
C
C STEP 03
C SET UP ALL DESIRED STORAGE ARCS
N=NJ+2
DO 9 K=1,NJ
NARC=NARC+1
NF(NARC)=K
NT(NARC)=N
9 CONTINUE
C
C STEP 04
C SET UP ALL FINAL STORAGE ARCS
DO 11 K=1,NJ
NARC=NARC+1
NF(NARC)=K
NT(NARC)=N
11 CONTINUE
C
C STEP 05
C SET UP ALL DEMAND ARCS
N=NJ+3
DO 13 K=1,NJ
NARC=NARC+1
NT(NARC)=N
NF(NARC)=K
13 CONTINUE
C
C STEP 06
C SET UP ALL SPILL ARCS
N=NJ+4
DO 15 K=1,NRES
NARC=NARC+1

```

```

RJB031996
RJB091997
RJB031996
RJB091997
RJB32596
RJB31496
RJB31996
RJB032596
RJB032596
RJB31996
RJB032396
RJB031996
RJB032596
RJB032596
00012000
00012100
00000100
00000200
RJB091997
RJB021198
RJB100897
RJB100897
00000500
00000600
00000700
00000800
00000900
00001000
00001100
00001200
00001300
00001400
00001500
00001600
00001700
00001800
00001900
00002000
00002100
00002200
00002300
00002400
00002500
00002600
00002700
00002800
00002900
00003000
00003100
00003200
00003300
00003400
00003500
00003600
00003700
00003800
00003900
00004000
00004100
00004200
00004300
00004400
00004500
00004600
00004700
00004800
00004900
00005000
00005100
00005200
00005300
00005400

```

Amistad-Falcon Reservoir Operations Model

```

        NT(NARC)=N                                00005500
        NF(NARC)=K                                00005600
15 CONTINUE                                     00005700
C
C                               STEP 07           00005800
C                               SET UP MASS BALANCE ARCS 00005900
C
        NMAX=NJ+5                                 00006000
        NF(NARC+1)=NJ+2                           00006100
        NT(NARC+1)=NMAX                           00006200
        NF(NARC+2)=NJ+4                           00006300
        NT(NARC+2)=NMAX                           00006400
        NF(NARC+3)=NJ+3                           00006500
        NT(NARC+3)=NMAX                           00006600
        NF(NARC+4)=NMAX                           00006700
        NT(NARC+4)=NJ+1                           00006800
C
        NARC=NARC+4                               00006900
        RETURN                                     00007000
        END                                         00007100
C
        END                                         00007200
C
        END                                         00007300
C
        SUBROUTINE RIGHT(I,INDEX)                  00000100
        COMMON/ADATA/NR,NN,FESIBL,NTIME           00000200
1       ,NA(500),NF(500),JSAVE(500),ILO(500),NC(500),ISAVE(500) 00000300
        COMMON IWV(42),LABL(42),NODE(42),MIDL(42),KOS(500),MIR(500) 00000500
        COMMON JWV(500)                           00000500
        MID=MIDL(I)                                00000600
        IA=NODE(I)                                  00000700
        DO 1 II=IA,MID                             00000800
        IF(MIR(II)-INDEX) 1,3,1                   00000900
1       CONTINUE                                  00001000
        KWAY=1                                      00001100
2       WRITE(6,900) I,INDEX,KWAY                 00001200
900    FORMAT(5H NODE,I5,5H ARC,I5,16H LOST ON SHIFT ,I4,4H LOC ,I4)
        IFROM=NODE(I)                              00001300
        ITO=NODE(I+1)-1                            00001400
        WRITE(6,910) IFROM,MIDL(I),ITO,(K,MIR(K),K=IFROM,ITO) 00001500
910    FORMAT(3I6/(20I6))                         00001600
        RETURN                                     00001700
3       ITEMP=MIR(MID)                            00001800
        MIR(MID)=INDEX                             00001900
        MIR(II)=ITEMP                              00002000
        MIDL(I)=MID-1                              00002100
        RETURN                                     00002200
        END                                         00006000
C
        SUBROUTINE LEFT(I,INDEX)                   00000200
        COMMON/ADATA/NR,NN,FESIBL,NTIME           00000300
1       ,NA(500),NF(500),JSAVE(500),ILO(500),NC(500),ISAVE(500) 00000500
        COMMON IWV(42),LABL(42),NODE(42),MIDL(42),KOS(500),MIR(500) 00000500
        COMMON JWV(500)                           00000500
        MID=MIDL(I)+1                              00002400
        IB=NODE(I+1)-1                             00002500
        DO 10 II=MID,IB                            00002600
        IF(MIR(II)-INDEX) 10,12,10                00002700
10      CONTINUE                                  00002800
        KWAY=2                                      00002900
        GO TO 2                                     00003000
12      ITEMP=MIR(MID)                             00003100
        MIR(MID)=INDEX                             00003200
        MIR(II)=ITEMP                              00003300
        MIDL(I)=MID                                00003400
        RETURN                                     00003500
2       WRITE(6,900) I,INDEX,KWAY                 00001200
900    FORMAT(5H NODE,I5,5H ARC,I5,16H LOST ON SHIFT ,I4,4H LOC ,I4)
        IFROM=NODE(I)                              00001300
        ITO=NODE(I+1)-1                            00001400
        WRITE(6,910) IFROM,MIDL(I),ITO,(K,MIR(K),K=IFROM,ITO) 00001500
910    FORMAT(3I6/(20I6))                         00001600
        RETURN                                     00001700
        END                                         00001700
C
        SUBROUTINE DUMPO(NLINES, ID)              00000200
        COMMON/ADATA/NR,NN,FESIBL,NTIME           00000300
1       ,NA(500),NF(500),JSAVE(500),ILO(500),NC(500),ISAVE(500) 00000500
        COMMON IWV(42),LABL(42),NODE(42),MIDL(42),KOS(500),MIR(500) 00000500
        COMMON JWV(500)                           00000500

```

Amistad-Falcon Reservoir Operations Model

```

WRITE(6,1120) ID                                00003800
DO 1070 M=1,NLINES                              00003900
N=M+NR                                           00004000
I=NA(N)                                          00004100
J=NA(M)                                          00004200
L=ILO(M)                                         00004300
K=JSAVE(M)                                       00004400
KOST=ISAVE(M)                                    00004500
KBAR=KOS(M)                                       00004600
IFLOW=K-NC(M)                                    00004700
IF(IFLOW.LT.L .OR. IFLOW.GT.K) WRITE(6,1121)    00004800
IF(KBAR) 1065,1070,1067                          00004900
1065 IF(IFLOW.LT.K) WRITE(6,1122)                00005000
GO TO 1070                                       00005100
1067 IF(IFLOW.GT.L) WRITE(6,1122)                00005200
1070 WRITE(6,1125)M,I,J,L,K,IFLOW,KOST,KBAR     00005300
1125 FORMAT(3I5,3I10,5X,2I10)                   00005400
1120 FORMAT('1 ARC I J L K IFLOW K00005500
*OST KBAR',I15 /)                               00005600
1121 FORMAT(' THE FOLLOWING ARC IS PRIMAL INFEASIBLE') 00005700
1122 FORMAT(' THE FOLLOWING ARC IS DUAL INFEASIBLE') 00005800
RETURN                                           00005900
END                                              00006000

C
SUBROUTINE AREA(X,Y,J)                           00000100
INTEGER RCAP,RMIN,FSTART,ACTAB,DEM,DEMR,OPRP,SP  RJB031396
INTEGER START,STEND,USE,UREG,ISHTM,ISPIL,AREAX,EVPT,AMAX,AMIN
INTEGER X,Y,RCON,RFLOOD
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH 00000300
COMMON/IPRNT/IPRNT,IYLD,IToy,IFROM,KCRD         00000400
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25),
1 TITLE2(25),NR,ICARD(30)                       RJB021198
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10),
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10), RJB031896
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12), 00001700
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10)  RJB031296
COMMON/WRKD/START(10),STEND(10),USE(10),UREG(10),ISHTM(10,12),
* ISPIL(10,12),AREAX(10),EVPT(10),AMAX(10),AMIN(10), 00001100
* IAREA(10)                                       00001200
ROFF = .499                                       00001360

C STEP 01                                         00001400
C BASED ON RES VOL DETERMINE AREA                00001500
DO 5 I=1,30                                       RJB030896
IF(X -ACTAB(J,I,2)) 2,3,5                          00001800
5 CONTINUE                                         00001900
C Y =ACTAB(J,I,1)                                00002200
GO TO 10                                           00002300
C Y =ACTAB(J,I,1)                                00002400
C STEP 02                                         00002500
C IF VOL BETWEEN POINTS INTERPOLATE              00002600
C FOR AREA                                        00002700
C X1=ACTAB(J,I,2)-ACTAB(J,I-1,2)                 00002800
Y1=ACTAB(J,I,1)-ACTAB(J,I-1,1)                   00002900
X2=X -ACTAB(J,I-1,2)                              00003000
X3=(X2/X1)*Y1                                     00003100
Y =ACTAB(J,I-1,1)+IFIX(X3 + ROFF)                 00003200
10 CONTINUE                                       00003300
RETURN                                             00003400
END                                               00003500
SUBROUTINE SUPERK                                00003600
COMMON/ADATA/NR,NN,FESIBL,NTIME                  00000100
1 ,NA(500),NF(500),JSAVE(500),ILO(500),NC(500),ISAVE(500) 00000200
COMMON IWV(42),LABL(42),NODE(42),MIDL(42),KOS(500),MIR(500) 00000300
COMMON JWV(500),NSAVE(42)                        00000500
LOGICAL FESIBL                                   00000600
MAXA=200                                         00000700
FESIBL=.TRUE.                                    00000800
INFIN= 100 000 000                               00000900
IFLOW=0                                           00001000
KLAB=0                                            00001100
KPOT=0                                            00001200
KBRK=0                                            00001300
IP=0                                              00001400
NUMS=0                                            00001500
IPL=0                                            00001600

```

Amistad-Falcon Reservoir Operations Model

```

NR2=NR*2                                00001700
NN1=NN+1                                00001800
IF (NTIME.GT.1) GO TO 12                 00001900
DO 5 I=1,NN1                             00002000
NODE(I)=0                                00002100
5   LABL(I)=0                             00002200
DO 10 M=1,NR                             00002300
N=M+NR                                   00002400
I=NF(M)                                  00002500
J=NA(M)                                  00002600
IFLOW=NC(M)                              00002700
KOST=ISAVE(M)                            00002800
NODE(I)=NODE(I)+1                       00002900
NODE(J)=NODE(J)+1                       00003000
NA(N)=I                                  00003100
KOS(M)=KOST                              00003200
KOS(N)=-KOST                             00003300
NC(M)=JSAVE(M)-IFLOW                    00003400
NC(N)=IFLOW-ILO(M)                      00003500
10  CONTINUE                             00003600
DO 11 I=1,NN1                             00003700
11  NSAVE(I)=NODE(I)                     00003800
GO TO 1401                                00003900
12  DO 13 I=1,NN1                         00004000
NODE(I)=NSAVE(I)                         00004100
13  LABL(I)=0                             00004200
DO 14 M=1,NR                             00004300
N=M+NR                                   00004400
IFLOW=NC(M)                              00004500
KOST=ISAVE(M)+KOS(M)                    00004600
KOS(M)=KOST                              00004700
KOS(N)=-KOST                             00004800
NC(M)=JSAVE(M)-IFLOW                    00004900
NC(N)=IFLOW-ILO(M)                      00005000
14  CONTINUE                             00005100
1401 CONTINUE                             00005200
C   *****                                00005300
C   *****                                00005400
C   SETUP SECTION                          00005500
C   *****                                00005600
C   *****                                00005700
KL=1                                     00005800
DO 15 K=1,NN1                             00005900
JK=NODE(K)                                00006000
NODE(K)=KL                                00006100
JWV(K)=KL                                 00006200
KL=JK+KL                                  00006300
15  MIDL(K)=KL-1                          00006400
DO 20 L=1,NR                             00006500
LL=L+NR                                   00006600
J=NA(L)                                  00006700
I=NA(LL)                                  00006800
KOST=KOS(L)                              00006900
K=NC(L)                                   00007000
LO=-NC(LL)                               00007100
C   RIGHT=2 LEFT=1                        00007200
MAIN=2                                    00007300
MIRROR=2                                  00007400
IF (KOST) 29,29,30                       00007500
29  IF (K) 32,32,31                       00007600
30  IF (LO) 35,36,31                      00007700
31  MAIN=1                                 00007800
32  IF (KOST) 33,34,34                    00007900
33  IF (K) 35,36,36                       00008000
34  IF (LO) 35,36,36                      00008100
35  MIRROR=1                              00008200
36  GO TO(43,44),MAIN                     00008300
43  II=JWV(I)                              00008400
MIR(II)=L                                00008500
JWV(I)=II+1                              00008600
GO TO 45                                  00008700
44  II=MIDL(I)                             00008800
MIR(II)=L                                00008900
MIDL(I)=II-1                              00009000
45  GO TO(46,47),MIRROR                   00009100
46  II=JWV(J)                              00009200

```

Amistad-Falcon Reservoir Operations Model

```

MIR(II)=LL                                00009300
JWV(J)=II+1                                00009400
GO TO 20                                    00009500
47  II=MIDL(J)                               00009600
    MIR(II)=LL                               00009700
    MIDL(J)=II-1                             00009800
20  CONTINUE                                  00009900
C   *****                                00010000
C   GO - SUPERKILTER                          00010100
C   *****                                00010200
C   ND=INFIN                                  00010300
C   *****                                00010400
C   MAIN LOOP (1000)                          00010500
C   NR2=NR*2                                  00010600
C   DO 1000 MAIN=1,NR                         00010700
C   MAINM=MAIN+NR                             00010800
C   DO 1000 MODE=1,2                           00010900
C   GO TO (52,53),MODE                         00011000
52  II=MAIN                                    00011100
    JZ=MAINM                                  00011200
    GO TO 54                                    00011300
53  II=MAINM                                    00011400
    JZ=MAIN                                    00011500
54  IF(NC(II)) 65,55,56                       00011600
55  IF(NC(JZ)) 63,990,990                     00011700
56  IF(KOS(II)) 63,55,55                      00011800
C   IS,IT = START,END NODE NOS, JS,JT = ARC,MIRROR ARC NOS 00011900
C   FOR ARC NEEDING FLOW INCREASE             00012000
C   WANT TO INCREASE FLOW, START LABELING AT JJ 00012100
63  IS=NA(JZ)                                  00012200
    JS=II                                       00012300
    IT=NA(II)                                  00012400
    JT=JZ                                       00012500
    GO TO 70                                    00012600
C   WANT TO DECREASE FLOW, START LABELING AT II 00012700
65  IT=NA(JZ)                                  00012800
    IS=NA(II)                                  00012900
    JS=JZ                                       00013000
    JT=II                                       00013100
C   LABELING PROCEDURE                        00013200
C   IPL=1                                     00013300
C   IPLL=1                                    00013400
C   IPS=0                                     00013500
C   NUMS=0                                    00013600
C   LABEL(IT)=JS                              00013700
C   IWV(IPL)=IT                              00013800
84  KLAB=KLAB+1                               00013900
    GO TO 86                                    00014000
85  IF(IPS-IPL) 86,200,86                     00014100
86  IPS=IPS+1                                  00014200
    IA=IWV(IPS)                                00014300
    IB=NODE(IA)                                00014400
    IE=MIDL(IA)                                00014500
    IF(IB-IE) 87,87,85                         00014600
87  DO 90JJ=IB,IE                             00014700
    J=MIR(JJ)                                  00014800
    NUNODE=NA(J)                               00014900
    IF(LABL(NUNODE)) 90,88,90                  00015000
88  LABEL(NUNODE)=J                           00015100
    IPL=IPL+1                                  00015200
    IWV(IPL)=NUNODE                           00015300
    IF(NUNODE-IS) 90,96,90                     00015400
90  CONTINUE                                  00015500
    GO TO 85                                    00015600
C   BREAKTHROUGH          BREAKTHROUGH        BREAKTHROUGH 00015700
C   KBRK=KBRK+1          00015800
96  IALPHA=INFIN        00015900
C   FIRST RETRACE        00016000

```


Amistad-Falcon Reservoir Operations Model

| | | |
|------|-----------------------------------|----------|
| C | | 00016900 |
| C | IJ = PREDECESSOR ARC INDEX | 00017000 |
| C | JI = MIRROR ARC INDEX | 00017100 |
| C | K = JWV POINTER | 00017200 |
| C | NEXT = PREDECESSOR NODE | 00017300 |
| C | | 00017400 |
| | K=0 | 00017500 |
| | NOW=IS | 00017600 |
| 100 | IJ=LABL(NOW) | 00017700 |
| | JI=IJ-NR | 00017800 |
| | IF(JI) 101,101,102 | 00017900 |
| 101 | JI=JI+NR2 | 00018000 |
| 102 | NEXT=NA(JI) | 00018100 |
| | K=K+1 | 00018200 |
| | IF(KOS(IJ)) 105,105,104 | 00018300 |
| 104 | NET=-NC(JI) | 00018400 |
| | JWV(K)=NET | 00018500 |
| | GO TO 110 | 00018600 |
| 105 | NET=NC(IJ) | 00018700 |
| | JWV(K)=NET | 00018800 |
| 110 | IALPHA=MIN0(IALPHA,NET) | 00018900 |
| | IF(NEXT-IS) 111,120,111 | 00019000 |
| 111 | NOW=NEXT | 00019100 |
| | GO TO 100 | 00019200 |
| C | | 00019300 |
| C | SECOND RETRACE | 00019400 |
| C | | 00019500 |
| 120 | K=0 | 00019600 |
| | NOW=IS | 00019700 |
| 125 | IJ=LABL(NOW) | 00019800 |
| | JI=IJ-NR | 00019900 |
| | IF(JI) 126,126,127 | 00020000 |
| 126 | JI=JI+NR2 | 00020100 |
| 127 | NEXT=NA(JI) | 00020200 |
| | K=K+1 | 00020300 |
| | NC(IJ)=NC(IJ)-IALPHA | 00020400 |
| | NET=NC(JI) | 00020500 |
| | NETNU=NET+IALPHA | 00020600 |
| | NC(JI)=NETNU | 00020700 |
| | IF(KOS(JI)) 128,1271,128 | 00020800 |
| 1271 | IF(NET) 1272,1272,128 | 00020900 |
| 1272 | IF(NETNU) 128,128,1273 | 00021000 |
| 1273 | CALL LEFT(NOW,JI) | 00021100 |
| 128 | IF(JWV(K)-IALPHA) 129,1281,129 | 00021200 |
| 1281 | CALL RIGHT(NEXT,IJ) | 00021300 |
| 129 | IF(NEXT-IS) 130,150,130 | 00021400 |
| 130 | NOW=NEXT | 00021500 |
| | GO TO 125 | 00021600 |
| C | | 00021700 |
| C | ERASE LABELS AND GO FOR O-K CHECK | 00021800 |
| C | | 00021900 |
| 150 | DO 155 I=1,IPL | 00022000 |
| | J=IWV(I) | 00022100 |
| 155 | LABL(J)=0 | 00022200 |
| | GO TO 54 | 00022300 |
| C | | 00022400 |
| C | POTENTIAL CHANGE | 00022500 |
| C | | 00022600 |
| 200 | KPOT=KPOT+1 | 00022700 |
| 201 | KSET=NUMS | 00022800 |
| | NEWLAB=0 | 00022900 |
| | NUMS=0 | 00023000 |
| | IMTHRU=0 | 00023100 |
| | MIN=INFIN | 00023200 |
| | NEW=NONS | 00023300 |
| | NONS=MAXA+1 | 00023400 |
| | IF(KSET) 204,204,202 | 00023500 |
| 202 | IF(NEW-MAXA) 295,295,312 | 00023600 |
| C | NON-S (L,L-) SET RECYCLING FILTER | 00023700 |
| 295 | MAXNEW=MAXA+NEW | 00023800 |
| | DO 310 L=NEW,MAXA | 00023900 |
| | K=MAXNEW-L | 00024000 |
| | KK=JWV(K) | 00024100 |
| | KKK=NA(KK) | 00024200 |
| | IF(LABL(KKK)) 310,300,310 | 00024300 |
| 300 | NONS=NONS-1 | 00024400 |

Amistad-Falcon Reservoir Operations Model

```

JWV(NONS)=KK 00024500
310 CONTINUE 00024600
C S-SET RECYCLING FILTER 00024700
312 DO 203 K=1,KSET 00024800
KK=JWV(K) 00024900
KKK=NA(KK) 00025000
IF(LABL(KKK)) 203,2021,203 00025100
2021 IF(KOS(KK)) 2023,2023,2022 00025200
2022 NUMS=NUMS+1 00025300
JWV(NUMS)=KK 00025400
MIN=MIN0(MIN,KOS(KK)) 00025500
GO TO 203 00025600
2023 NONS=NONS-1 00025700
JWV(NONS)=KK 00025800
203 CONTINUE 00025900
204 CONTINUE 00026000
IF(IPLL-IPL) 2039,2039,2111 00026100
C FIND MIN(C-BAR) OVER SET S 00026200
2039 DO 211 LL=IPLL,IPL 00026300
L=IWV(LL) 00026400
JMID=MIDL(L)+1 00026500
JRT=NODE(L+1)-1 00026600
IF(JMID-JRT) 2045,2045,211 00026700
2045 DO 210KK=JMID,JRT 00026800
K=MIR(KK) 00026900
I=NA(K) 00027000
IF(LABL(I)) 210,2040,210 00027100
2040 IF(NC(K)) 206,2041,2041 00027200
2041 IF(KOS(K)) 206,206,205 00027300
205 NUMS=NUMS+1 00027400
JWV(NUMS)=K 00027500
MIN=MIN0(MIN,KOS(K)) 00027600
GO TO 210 00027700
206 NONS=NONS-1 00027800
JWV(NONS)=K 00027900
210 CONTINUE 00028000
211 CONTINUE 00028100
2111 IPLL=IPL+1 00028200
IF(NUMS) 212,212,215 00028300
212 FESIBL=.FALSE. 00028400
CALL DUMPO(NR,II) 00028500
WRITE(6,2125) IS,IT,II 00028600
WRITE(6,2121) (I,LABL(I),I=1,NN) 00028700
WRITE(6,2122) (I,IWV(I),I=1,IPL) 00028800
WRITE(6,2123) (JWV(I),I=NEW,MAXA) 00028900
2121 FORMAT(' LABELS, BY NODE'/(5(I9,'=',I10))) 00029000
2122 FORMAT(' LABELED NODES (IWV)'/ (10I10)) 00029100
2123 FORMAT(' THE SET (L,L-), NON-S'/(10I10)) 00029200
2125 FORMAT('0IS=',I5,' IT='I5,10X,'INFEASIBLE ARC =',I5) 00029300
RETURN 00029400
C 00029500
C UPDATE RELATIVE COSTS 00029600
C 00029700
C UPDATE COST FOR SET S 00029800
215 DO 230 I=1,NUMS 00029900
IJ=JWV(I) 00030000
JI=IJ-NR 00030100
IF(JI) 216,216,217 00030200
216 JI=IJ+NR 00030300
217 KOST=KOS(IJ)-MIN 00030400
KOS(IJ)=KOST 00030500
KOS(JI)=-KOST 00030600
IF(KOST) 230,218,230 00030700
218 IF(NC(IJ)) 230,230,220 00030800
220 NODEB=NA(IJ) 00030900
CALL LEFT(NA(JI),IJ) 00031000
IF(LABL(NODEB)) 230,223,230 00031100
223 LABL(NODEB)=IJ 00031200
IPL=IPL+1 00031300
IWV(IPL)=NODEB 00031400
IF(NODEB-IS) 230,225,230 00031500
225 IMTHRU=1 00031600
230 CONTINUE 00031700
C UPDATE COST FOR NON-S 00031800
IF(NONS-MAXA) 240,240,345 00031900
240 DO 270 I=NONS,MAXA 00032000

```

Amistad-Falcon Reservoir Operations Model

```

IJ=JWV(I)                                00032100
JI=IJ-NR                                  00032200
IF(JI) 242,242,244                        00032300
242 JI=IJ+NR                               00032400
244 KOSTA=KOS(IJ)                          00032500
      KOSTB=KOSTA-MIN                      00032600
      KOS(IJ)=KOSTB                        00032700
      KOS(JI)=-KOSTB                       00032800
C      CHECK FOR MIRROR LEAVING MU STATE   00032900
C      CHECK LATER FOR COMBINING IF-CHECKS HERE 00033000
260 IF(KOSTA) 270,262,262                  00033100
262 IF(KOSTB) 264,270,270                  00033200
264 IF(NC(IJ)) 270,269,269                 00033300
269 IF(NC(JI)) 270,270,2691               00033400
2691 CALL RIGHT(NA(IJ),JI)                 00033500
270 CONTINUE                               00033600
C      OUT-OF-KILTER CHECK                  00033700
345 IF(NC(II)) 360,350,351                 00033800
350 IF(NC(JZ)) 360,980,980                 00033900
351 IF(KOS(II)) 360,350,350                00034000
C      BREAKTHROUGH CHECK                   00034100
360 IF(IMTHRU) 361,361,96                  00034200
361 IF(IPS-IPL) 84,200,84                  00034300
980 DO 981 I=1,IPL                          00034400
      J=IWV(I)                              00034500
981 LABL(J)=0                               00034600
990 CONTINUE                               00034700
1000 CONTINUE                               00034800
      TOTAL=0.                              00034900
      DO 1010 I=1,NR                         00035000
      KOS(I)=KOS(I)-ISAVE(I)                 00035100
      NC(I)=JSAVE(I)-NC(I)                  00035200
      TOTAL=TOTAL+NC(I)*FLOAT(ISAVE(I))     00035300
1010 CONTINUE                               00035400
      RETURN                                 00035500
      END                                   00035600

C      SUBROUTINE OPRATE WITH FAY ROUTINE
C
SUBROUTINE OPRATE
LOGICAL FESIBL                                00000200
INTEGER TOTLS,STVG,STEMP
INTEGER STVGA13,STVGB13,STVGC13,STVGA24,STVGB24,STVGC24
INTEGER HI,COST,FLOW
INTEGER START,STEND,USE,UREG,ISHTM,ISPIL,AREAX,EVPT,AMAX,AMIN
INTEGER RCAP,RMIN,FSTART,ACTAB,DEM,DEMR,OPRP,SP,
* CMAX,CMIN,RCON,RFLOOD,USMNRL
INTEGER STORUS,OPRESV,EXCESS
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH
COMMON/IPRNT/IPRNT,IYLD,ILOY,IFROM,KCRD
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25),
1 TITLE2(25),NR,ICARD(30)
COMMON/WRKD/START(10),STEND(10),USE(10),UREG(10),ISHTM(10,12),
* ISPIL(10,12),AREAX(10),EVPT(10),AMAX(10),AMIN(10),
* IAREA(10)
COMMON/PRNT/ICAP(10,12,13),TOTLS(10,55,12),INISTO(10,55)
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10),
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10),
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12),
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10)
COMMON/LINK/LNODE(15,2),CMAX(15),CMIN(15),USMNRL(55,12),
1 MXMNRL(55,12)
COMMON/LNKFLW/LNKFLO(15,13)
COMMON/ADATA/NARC,NMAX,FESIBL,NTIME
* ,NT(500),NF(500),HI(500),LO(500),FLOW(500),COST(500)
COMMON/CONFAC/AVLOUS,AVHIUS,AVLOMX,AVHIMX,CONFLO,CONDEM,CONINF,
1 LIMSHT,NSRS,LRULE(10)
COMMON/WATRIT/MAXMWR,MXMIWR,MMIAWR,MMIBWR,MXLIWR,MLIAWR,MLIBWR,
1 MAXMPL,MAXIPL,IRSTRT,MAXUSC,WPALLC,
2 WRNAME(3,3),MUNWR(3),IRAWR(3),IRBWR(3),MUNMND(3,55,12),
3 IRAMND(3,55,12),IRBMND(3,55,12),IRAWRB(3),IRBWRB(3),
4 MUNSHT(3,55,12),IRASHT(3,55,12),IRBSHT(3,55,12),
5 MUNANB(3),IRANB(3),IRBANB(3),IRAALC(3,55,12),IRBALC(3,55,12),
6 RATEA(12),RATEB(12),MNANBP(3,12),IAANBP(3,12),IBANBP(3,12),
7 IAWRBP(3,12),IBWRBP(3,12),MNADNO(3,3),IAADNO(3,3),IBADNO(3,3)
COMMON/DEMON/DEMON(10,12)
COMMON/OPER/IPLT,IYRST,IYEND,IFLYLD,NUMWR,IRLFLG,IWRFLG,DRUSFC,
RJB011596
00000400
00000500
RJB031396
00000700
00000800
00000900
RJB091997
RJB021198
00001100
00001200
00001360
RJB100897
RJB091997
RJB031896
00001700
RJB031296
RJB100897
RJB100897
RJB30196
00002100
00002500
RJB092697
RJB092697
RJB100897
RJB092497
RJB100897
RJB100897
RJB100897
RJB100897
RJB092597
RJB092597
00002600
RJB021198

```

Amistad-Falcon Reservoir Operations Model

```

1   DRMFC
   DIMENSION IA(10),IB(10),IC(10)
   DIMENSION STORUS(55,12),IRPOOL(55,12),OPRESV(55,12),IRAPOS(55,12),
*   IRANEG(55,12),IRRDIV(12),ITOTID(12),EXCESS(12),MNPOOL(12),
*   PCTUSC(12),ISTRUS(12),ITOTQS(12),ITOTMD(12),ITOTSH(12),
*   ITOTEV(12),PCTUSI(12)
   CHARACTER FF
   FF = CHAR(12)
C
C   ESTABLISH AND/OR INITIALIZE VARIABLES
C
   IRWATR = MXMIWR + MXLIWR
C
C   DETERMINE DEMAND RATIOS FOR USE IN FIRM YIELD ANALYSIS
C
   IF (IFLYLD .EQ. 0) GO TO 563
   DEMMUN = DEM(2) + DEM(5)
   RATIO2 = DEM(2) / DEMMUN
   RATIO5 = DEM(5) / DEMMUN
   DEMIRR = DEM(6) + DEM(7) + 1
   RATIO6 = DEM(6) / DEMIRR
   RATIO7 = DEM(7) / DEMIRR
   DEMNEW = DEMIRR - 1 + DEMMUN
   RATIO8 = DEMMUN / DEMNEW
   DMXNEW = DEM(4) + DEM(8)
   RATMX8 = DEM(8) / DMXNEW
C
C   APPLY ADJUSTMENT FACTORS TO ESTABLISH INITIAL TOTAL DEMAND FOR
C   COUNTRY FOR WHICH THE FIRM ANNUAL YIELD IS BEING DETERMINED
C   AND TO ESTABLISH FIXED TOTAL DEMAND FOR OTHER COUNTRY FOR
C   THE FIRM ANNUAL YIELD SIMULATIONS
C
   DEMNEW = DEMNEW * DRUSFC + ROFF
   DEMOLD = 1.005 * DEMNEW
   DMXNEW = DMXNEW * DRMFC + ROFF
   DMXOLD = 1.005 * DMXNEW
563 CONTINUE
C
C   STEP 01
C   ZERO OUT ARRAYS AND INITIALIZE
C   VARIABLES
   NR=NL - NC
   ROFF=0.499
   DO 2 L=1,NL
   DO 2 I=1,13
   LNKFLO(L,I)=0
2 CONTINUE
   DO 4 J=1,NJ
   STEND(J)=0
   DO 4 N=1,12
   ISHTM(J,N)=0
   ISPIL(J,N)=0
4 CONTINUE
C
C   STEP 02
C   SETS BOUND ON ARCS # AND UPPER AND
C   LOWER CONSTRAINTS ON PHYSICAL LINKS
C   SET LIMITS ON ARCS
   L1=NL+1
   L2=NL+NJ
   L3=L2+1
   L4=L2+NJ
   L5=L4+1
   L6=L4+NJ
   L7=L6+1
   L8=L6+NJ
   L9=L8+1
   LA=L8+NRES
   LB=NR+1
C
   DO 5 L=1,NARC
   HI(L)=0
   LO(L)=0
   FLOW(L)=0
   COST(L)=0
5 CONTINUE
C
C   SET HI + LO ON LINKS

```

```

RJB021198
RJB100897
RJB100897
RJB32396
RJB32396
RJB030896
RJB030896
RJB092397
RJB071096
RJB041796
RJB041796
RJB041796
RJB041796
RJB041796
RJB041796
RJB042996
RJB042996
RJB042996
RJB042996
RJB071096
00002700
00002800
00002900
00003000
00003300
00003400
00003500
00003800
00003900
00004100
00004400
00004500
00004600
00004700
00004800
00004900
00005000
00005100
00005200
00005300
00005400
00005500
00005600
00005700
00005800
00005900
00006000
00006100
00006200
00006300
00006400
00006500
00006600
00006700
00006800
00006900
00007000
00007100

```


Amistad-Falcon Reservoir Operations Model

| | | |
|-----|---|-----------|
| C | | 00011000 |
| C | STEP 06 | 00011100 |
| C | NTIME=1 FOR FIRST SOLUTION | 00011200 |
| C | BEGIN YEARLY LOOP | 00011300 |
| C | NTIME=1 | 00011400 |
| C | START YEARLY LOOP | 00011500 |
| C | DO 300 IY=ISTRN,NYR | 00011600 |
| C | IPRTYR = IYEAR - 1 + IY | 00011700 |
| C | INITIALIZE VARIABLES | RJB032396 |
| C | NSHORT = 0 | RJB042996 |
| C | MSHORT = 0 | RJB042996 |
| C | DO 12 J=1,NJ | 00011800 |
| C | DO 112 I=1,12 | RJB040396 |
| C | TOTLS(J,IY,I)=0 | 00012000 |
| 112 | CONTINUE | RJB040396 |
| C | TOTLS(J,IY,5) = 9999999 | RJB040396 |
| 12 | CONTINUE | 00012100 |
| C | RESET INDIVIDUAL WATER RIGHTS ACCOUNTS TO ANNUAL AUTHORIZED DIVERSIONS | |
| C | DO 113 IW = 1,NUMWR | RJB092497 |
| C | MUNANB(IW) = MUNWR(IW) | RJB092397 |
| C | IRANB(IW) = IRAWR(IW) | RJB020898 |
| C | IRBANB(IW) = IRBWR(IW) | RJB020898 |
| 113 | CONTINUE | RJB092397 |
| C | STEP 07 | 00012200 |
| C | READ MONTHLY DATA FOR ONE YEAR | 00012300 |
| C | CALL DATA2 | 00012400 |
| C | STEP 08 | 00012500 |
| C | SET BEGINNING STORAGES TO STARTING AND | 00012600 |
| C | SAVE INITIAL STORAGES EACH YEAR | |
| C | DO 14 J=1,NRES | 00012900 |
| C | IF (IY .EQ. ISTRN) STEND(J)=FSTART(J) | RJB042996 |
| C | INISTO(J,IY) = STEND(J) | RJB032596 |
| 14 | CONTINUE | 00013100 |
| C | ISTDUM = MAX(0, (STEND(1) + STEND(2) - 4600)) | RJB071196 |
| C | STEP 09 | 00013200 |
| C | BEGIN MONTHLY LOOP | 00013300 |
| C | ENTER SEASONAL LOOP | 00013400 |
| C | DO 200 MON=1,12 | 00013500 |
| C | ITOT=0 | 00013600 |
| C | DO 16 J=1,NJ | 00013700 |
| C | USE(J)=0 | 00003100 |
| C | EVPT(J)=0 | 00013800 |
| C | UREG(J)=0 | 00013900 |
| C | START(J)=0 | 00014000 |
| C | CHECK FOR TEMPORARY FLOOD STORAGE DURING NON-HURRICANE SEASON (NOV-APR) | 00014100 |
| C | IF (MON .LT. 4) GOTO 11 | 00014200 |
| C | IF (MON .GE. 11) GOTO 11 | RJB031296 |
| C | RCAP(J) = RCON(J) | RJB031296 |
| C | GOTO 122 | RJB031296 |
| 11 | RCAP(J) = RFLOOD(J) | RJB031296 |
| 122 | CONTINUE | RJB031296 |
| C | RCAPSV(J,MON) = RCAP(J) | RJB031296 |
| C | ITOT=ITOT+RCAP(J) | RJB031896 |
| C | DO 16 I=1,13 | RJB031396 |
| C | ICAP(J, MON,I)=0 | 00014300 |
| 16 | CONTINUE | 00014400 |
| C | DO 17 L=1,NARC | 00014500 |
| C | FLOW(L)=0 | 00014600 |
| 17 | CONTINUE | 00014700 |
| C | STEP 10 | 00014800 |
| C | SET INFLOWS AND DEMANDS - IF A TOTAL | 00014900 |
| C | YEARLY DEMAND IS GIVEN USE IT X DISTRIB. | 00015000 |
| C | DO 19 J=1,NJ | 00015100 |
| C | | 00015200 |
| C | | 00015300 |

Amistad-Falcon Reservoir Operations Model

| | | |
|----|---|-----------|
| | USE(J)=IFIX(DEMON(J,MON)+ ROFF) | 0001540 |
| | IF(DEM(J).GT.0) USE(J)=CONDEM*DEM(J)*DEMD(J,MON)+ROFF | RJB032396 |
| | UREG(J)=IFIX(U(J,MON)+ ROFF) | 00015600 |
| | START(J)=STEND(J) | 00015700 |
| 19 | CONTINUE | 00015800 |
| C | | |
| C | STEP 11 | |
| C | CHECK U.S. IRRIGATION DEMAND AGAINST | |
| C | AVAILABLE STORAGE IN U.S. IRRIGATION POOL | |
| C | AND SET TEMPORARY IRRIGATION DEMANDS TO | |
| C | REFLECT SHORTAGE IN U.S. IRRIGATION POOL | |
| | ISHTI6 = 0 | RJB30596 |
| | ISHTI7 = 0 | RJB30596 |
| | IF(IRSTRT .GE. (USE(6)+USE(7))) GO TO 18 | RJB31396 |
| | ISHTIR = USE(6) + USE(7) - IRSTRT | RJB30596 |
| | DUMMY = USE(6) | RJB30596 |
| | USERAT = DUMMY/(USE(6)+USE(7)) | RJB30506 |
| | DUMMY = USERAT * ISHTIR | RJB31196 |
| | ISHTI6 = DUMMY + ROFF | RJB31196 |
| | USE(6) = USE(6) - ISHTI6 | RJB30596 |
| | ISHTI7 = ISHTIR - ISHTI6 | RJB30596 |
| | USE(7) = USE(7) - ISHTI7 | RJB30596 |
| 18 | CONTINUE | RJB31396 |
| C | | |
| C | STEP 12 | |
| C | DETERMINE RESERVOIR OPERATING RULE FOR | |
| C | U.S. STORAGE | 00016300 |
| | JRULUS = 2 | RJB091997 |
| | JNUSMX = JRULUS | RJB091997 |
| | CALL RULE(JNUSMX) | RJB30596 |
| C | | |
| C | STEP 12B | |
| C | DETERMINE RESERVOIR OPERATING RULE FOR | |
| C | MEXICO STORAGE | RJB091997 |
| | JRULMX = 4 | RJB091997 |
| | JNUSMX = JRULMX | RJB091997 |
| | CALL RULE(JNUSMX) | RJB30596 |
| C | | |
| C | SET MINIMUM U.S. AND MEXICAN FLOWS IN LINKS BELOW AMISTAD RESERVOIR | |
| C | TO OPERATIONAL RELEASES FROM AMISTAD RESERVOIR | |
| C | | |
| | CMIN(1) = USMNL(IY,MON) | RJB071196 |
| | CMIN(5) = MXMNL(IY,MON) | RJB071196 |
| | IF(CMIN(1).GT.0.9*START(1)) CMIN(1) = 0.75*START(1) | RJB071196 |
| | IF(CMIN(5).GT.0.9*START(3)) CMIN(5) = 0.75*START(3) | RJB071196 |
| | LO(1) = CMIN(1) | RJB031396 |
| | LO(5) = CMIN(5) | RJB031396 |
| C | | |
| C | SET MAXIMUM U.S. AND MEXICAN FLOWS IN LINKS BELOW AMISTAD RESERVOIR | |
| C | TO REFLECT REQUIRED RELEASES TO SATISFY MIDDLE RIO GRANDE DEMANDS | |
| C | | |
| | CMAX(1) = MAX(0, (USE(5)+USE(6)-UREG(5)), CMIN(1)) | RJB021098 |
| | CMAX(5) = MAX(0, (USE(8)-UREG(8)), CMIN(5)) | RJB021098 |
| C | | |
| C | STEP 13 | 00016800 |
| C | SET BOUNDS ON INITIAL STORAGE ARCS | 00016900 |
| C | SET BOUNDS + FLOWS ON STORAGE ARCS | 00017000 |
| C | | |
| | IAT=0 | |
| | ISUM=0 | |
| | LO(NARC-3)=0 | 00017100 |
| | DO 28 L=L1,L2 | 00017110 |
| | JN=NT(L) | 00017200 |
| | LO(L)=START(JN)+UREG(JN) | 00017300 |
| | HI(L)=LO(L) | 00017400 |
| | FLOW(L)=LO(L) | 00017500 |
| | ISUM=ISUM+FLOW(L) | 00017600 |
| C | | 00017700 |
| | NP=L+NJ | 00017800 |
| | NN=L+2*NJ | 00017900 |
| | IF(JN.LT.5) GO TO 22 | 00018000 |
| | IA(JN) = 0 | RJB031896 |
| | IB(JN) = 0 | |
| | IC(JN) = 0 | |
| | GO TO 26 | |
| 22 | CONTINUE | RJB031896 |
| C | STEP 14 | RJB031896 |
| | | 00018500 |

Amistad-Falcon Reservoir Operations Model

```

C
ESTIMATE EVAP FOR MONTH
IF (JN .NE. 1) GO TO 20
STVG = 0.5*(START(1) + RCAP(1) + START(3) + RCAP(3))
CALL AREA(STVG, ISURA, JN)
FRCDEN = START(1) + START(3)
FRCSTR = START(1) / FRCDEN
IEVP = ISURA * EVAP(1, MON) + ROFF
IA(1) = IEVP * FRCSTR + ROFF
IA(3) = IEVP - IA(1)
STVGA13 = STVG
ISURA13 = ISURA
IA1 = IA(1)
IA3 = IA(3)
STVG = 0.5*(START(1) + RMIN(1) + START(3) + RMIN(3))
CALL AREA(STVG, ISURA, JN)
IEVP = ISURA * EVAP(1, MON) + ROFF
IB(1) = IEVP * FRCSTR + ROFF
IB(3) = IEVP - IB(1)
STVGB13 = STVG
ISURB13 = ISURA
IB1 = IB(1)
IB3 = IB(3)
LRUL1 = LRULE(1)
LRUL3 = LRULE(3)
STVG = 0.5*(START(1) + OPRR(LRUL1, 1, MON)*RCAP(1) + START(3) +
* OPRR(LRUL3, 3, MON)*RCAP(3))
CALL AREA(STVG, ISURA, JN)
IEVP = ISURA * EVAP(1, MON) + ROFF
IC(1) = IEVP * FRCSTR + ROFF
IC(3) = IEVP - IC(1)
STVGC13 = STVG
ISURC13 = ISURA
IC1 = IC(1)
IC3 = IC(3)
GOTO 21
20 CONTINUE
IF (JN .NE. 2) GO TO 21
STVG = 0.5*(START(2) + RCAP(2) + START(4) + RCAP(4))
CALL AREA(STVG, ISURA, JN)
FRCDEN = START(2) + START(4)
FRCSTR = START(2) / FRCDEN
IEVP = ISURA * EVAP(2, MON) + ROFF
IA(2) = IEVP * FRCSTR + ROFF
IA(4) = IEVP - IA(2)
STVGA24 = STVG
ISURA24 = ISURA
IA2 = IA(2)
IA4 = IA(4)
STVG = 0.5*(START(2) + RMIN(2) + START(4) + RMIN(4))
CALL AREA(STVG, ISURA, JN)
IEVP = ISURA * EVAP(2, MON) + ROFF
IB(2) = IEVP * FRCSTR + ROFF
IB(4) = IEVP - IB(2)
STVGB24 = STVG
ISURB24 = ISURA
IB2 = IB(2)
IB4 = IB(4)
LRUL2 = LRULE(2)
LRUL4 = LRULE(4)
STVG = 0.5*(START(2) + OPRR(LRUL2, 2, MON)*RCAP(2) + START(4) +
* OPRR(LRUL4, 4, MON)*RCAP(4))
CALL AREA(STVG, ISURA, JN)
IEVP = ISURA * EVAP(2, MON) + ROFF
IC(2) = IEVP * FRCSTR + ROFF
IC(4) = IEVP - IC(2)
STVGC24 = STVG
ISURC24 = ISURA
IC2 = IC(2)
IC4 = IC(4)
21 CONTINUE
C
C
C
C
WRITE OUT TEMPORARY VALUES TO AID IN EVAP TROUBLE-SHOOTING
IF (IY .GT. 0) GO TO 725
JRES = JN

```


Amistad-Falcon Reservoir Operations Model

```

WRITE(KOUT,721) MON, JRES, START(JRES), UREG(JRES), EVAP(JN, MON)
WRITE(KOUT,723) STVGA13, ISURA13, IA1, IA3, STVGB13, ISURB13, IB1, IB3, RJB011596
3 STVGC13, ISURC13, IC1, IC3, STVGA24, ISURA24, IA2, IA4, STVGB24, ISURB24, RJB011596
4 IB2, IB4, STVGC24, ISURC24, IC2, IC4
721 FORMAT (5X, 'MON= ', I2, 5X, 'RES NO. ', I2, 5X, 'STRT STOR= ', I9, RJB011096
1 5X, 'UREG= ', I8, 5X, 'EVAP(JN, MON)= ', F7.3)
723 FORMAT (5X, 'STVGA13=', I7, 5X, 'ISURA13=', I5, 5X, 'IA1=', I5,
1 5X, 'IA3=', I5, /,
2 5X, 'STVGB13=', I7, 5X, 'ISURB13=', I5, 5X, 'IB1=', I5,
3 5X, 'IB3=', I5, /,
4 5X, 'STVGC13=', I7, 5X, 'ISURC13=', I5, 5X, 'IC1=', I5,
5 5X, 'IC3=', I5, /,
6 5X, 'STVGA24=', I7, 5X, 'ISURA24=', I5, 5X, 'IA2=', I5,
7 5X, 'IA4=', I5, /,
8 5X, 'STVGB24=', I7, 5X, 'ISURB24=', I5, 5X, 'IB2=', I5,
9 5X, 'IB4=', I5, /,
* 5X, 'STVGC24=', I7, 5X, 'ISURC24=', I5, 5X, 'IC2=', I5,
* 5X, 'IC4=', I5, /)
RJB011596
RJB011596
RJB011596
RJB011596
RJB011596
RJB011596
RJB011596
RJB011596
RJB011596
RJB011596
725 CONTINUE
RJB011596
C
C
C
C
C
C
C
STEP 15
SET UP BOUNDS FOR DESIRED STORAGE ARCS
BASED ON RULES - PRICE ARCS FROM RANK
INPUT - CALCULATE BOUNDS FOR FINAL STORAGE ARCS
00037700
00018900
00019000
00019100
00019200
00019300
00019400
IAT=IAT+IA(JN)
MINPOL=RMIN(JN)
LO(NP)=IB(JN)+MINPOL
IF(LO(L).LT.LO(NP)) LO(NP)=LO(L)
IF(LO(NP).LT.0) LO(NP)=0
LO(NN)=0
LRUL = LRULE(JN)
HI(NP)=OPRR(LRUL, JN, MON)*RCAP(JN)+IC(JN)
COST(NP)--(1000-OPRP(LRUL, JN)*10)
HI(NN)=(1.0-OPRR(LRUL, JN, MON))*RCAP(JN)+IA(JN)-IC(JN)
IF(HI(NN).LT.0) HI(NN)=0
IF(HI(NP).GT.LO(NP)) GO TO 26
HI(NP)=LO(NP)
HI(NN)=RCAP(JN)-HI(NP)
IF(HI(NN).LT.0) HI(NN)=0
26 CONTINUE
FLOW(NN)=FLOW(L)
LO(NARC-3)=LO(NARC-3)+LO(NP)
28 CONTINUE
C
C
C
STEP 16
SET UP BOUNDS IN MASS BALANCE ARCS
FLOW(NARC-3)=ISUM
HI(NARC-3)=ITOT+IAT
FLOW(NARC)=ISUM
HI(NARC)=FLOW(NARC)
LO(NARC)=FLOW(NARC)
C
C
C
C
STEP 17
SET UP DEMAND ARCS AND PRICE
ACCORDING TO RANK
C SET LIMITS ON DEMAND ARCS
MAXD=0
DO 32 L=L7,L8
JN=NF(L)
HI(L)=USE(JN)
LRUL = LRULE(JN)
COST(L)--(1000-DEMR(JN, LRUL)*10)
MAXD=MAXD+HI(L)
32 CONTINUE
HI(NARC-1)=MAXD
C
C
C
C
STEP 18
SET UP SPILL ARCS AND PRICE
ACCORDING TO ORDER
C SET LIMITS ON SPILL ARCS
MAXS=0
DO 34 L=L9,LA
JN=NF(L)
00019500
00019700
00019800
00019900
00019900
RJB031896
RJB31896
RJB30596
RJB31896
00020300
00020400
00020500
00020600
00020700
00020800
00020900
00020910
00021000
00021100
00021200
00021300
00021400
00021500
00021600
00021700
00021800
00021900
00022000
00022100
00022200
00022300
00022400
00022500
00022600
00022700
RJB30596
RJB30596
00022900
00023000
00023100
00023200
00023300
00023400
00023500
00023600
00023700
00023800
00023900
00024000

```

Amistad-Falcon Reservoir Operations Model

```

C      NTX=0
C      DO 36 K=1,NS
C      IF(JN.EQ.SP(K).AND.NS.NE.0) NTX=1
C      IF(NTX.EQ.1) GO TO 33
36 CONTINUE
C      K=0
33 KS=K
C      HI(L)=ITOT*10*NTX
C      COST(L)=NTX*10000*(1+KS)
C      MAXS=MAXS+HI(L)
34 CONTINUE
C      HI(NARC-2)=MAXS
C
C
C
C
C
C
C      STEP 19
C      CALL NETWORK FLOW ALGORITHM
C
C      CALL SUPERK
C      NTIME=1
C
C      IF(.NOT.FESIBL) GO TO 450
C
C
C      STEP 20
C      BUILD SHORTAGE ARRAY
C
C      DO 42 L=L7,L8
C      JN=NF(L)
C      ISHTM(JN,MON)=HI(L)-FLOW(L)
42 CONTINUE
C
C
C      STEP 21
C      BUILD SPILL ARRAY
C
C      DO 44 L=L9,LA
C      JN=NF(L)
C      ISPIL(JN,MON)=FLOW(L)
44 CONTINUE
C
C
C      STEP 22
C      CALCULATE FINAL RESERVOIR STORAGE
C      AND SET MONTHLY EVAPORATION ESTIMATE
C
C      DO 58 L=L3,L4
C      JN=NF(L)
C      LN=L+NJ
C      STEND(JN)=FLOW(L)+FLOW(LN)
C      EVPT(JN)=IA(JN)
C      IF(FLOW(L).EQ.0) EVPT(JN)=IB(JN)
C      IF(FLOW(LN).EQ.0) EVPT(JN)=IC(JN)
C      IF(STEND(JN).LT.0) STEND(JN)=0
58 CONTINUE
C
C
C      STEP 23
C      CALCULATE TOTAL MONTHLY EVAPORATION AND
C      DETERMINE TOTAL RESERVOIR ENDING STORAGE
C      FOR AMISTAD AND FALCON RESERVOIRS
C
C      DO 60 L=1, 2
C      IF (IY.LT.0 .AND. L.EQ.1) WRITE(KOUT,698)
698  FORMAT(5X,'IY,MON,JN,START(JN),START(JN+2),STEND(JN),STEND(JN+2)',
C      * 'EVPT(JN),EVPT(JN+2),EVP,STEMP,STVG,ISURA,ETEMP')
C      ICHK=0
C      JN = L
C      EVP = EVPT(JN) + EVPT(JN+2)
C      STEMP = STEND(JN) + STEND(JN+2)
63  IF (STEMP .GT. (RCAP(JN)+RCAP(JN+2))) STEMP = RCAP(JN)+RCAP(JN+2)
C      STVG = (STEMP+ START(JN) + START(JN+2))*0.5
C      CALL AREA(STVG,ISURA,JN)
C      ETEMP=0.0
C      IAREA(JN)=ISURA
C      IAREA(JN+2)=ISURA
C      IF(EVAP(JN,MON)) 69,1117,69
C      ETEMP=ISURA*EVAP(JN,MON)+ROFF
69  IF (IY.LT.0) WRITE(KOUT,699) IY,MON,JN,START(JN),START(JN+2),
C      * STEND(JN),STEND(JN+2),EVPT(JN),EVPT(JN+2),EVP,STEMP,STVG,
C      * ISURA,ETEMP

```

Amistad-Falcon Reservoir Operations Model

```

699 FORMAT (5X,3I5,6I10,F10.0,3I10,F10.0)
61 IF(ABS(ETEMP - EVP).LT.5.0)GO TO 1111
   ICHK=ICLK + 1
   IF(ICLK.LE.100)GO TO 64
   WRITE(KOUT,1013) JN,ETEMP,EVP,ISURA,START(JN),STEND(JN)
   WRITE(*,1013) JN,ETEMP,EVP,ISURA,START(JN),STEND(JN)
1013 FORMAT(5X,'JN=',I3,5X,'ETEMP=',F12.4,5X,'EVP=',
*F10.4,5X,'ISURA=',I10,'START =',I10,'STEND =',I10)
   WRITE(KOUT,1017) IY,MON,STEMP
   WRITE(*,1017) IY,MON,STEMP
1017 FORMAT(/3I10)
   CLOSE(KOUT)
   STOP 'PROGRAM TERMINATED IN OPRATE AT STATEMENT 64'
64 CONTINUE
   EVP=ETEMP
   STEMP = STEND(JN) + STEND(JN+2) - EVP
   IF(STEMP.LT.0) STEMP=0
   GO TO 63
1111 CONTINUE
C
C ALLOCATE FINAL EVAPORATION TO U.S. AND MEXICO STORAGE IN AMISTAD
C AND FALCON RESERVOIRS
C
   LASTEV = ETEMP
   ICHK = 0
   FRACT1 = 0.5*(START(JN) + STEND(JN))
   FRACT2 = 0.5*(START(JN)+STEND(JN)) + 0.5*(START(JN+2)+STEND(JN+2))
   FRACT1 = FRACT1/FRACT2
   EVPJN = FRACT1 * LASTEV + ROFF
   EVPJN2 = LASTEV - EVPJN
   STMJN = STEND(JN) - EVPJN
   IF (STMJN .LT. 0) STMJN = 0
   IF (STMJN .GT. RCAP(JN)) STMJN = RCAP(JN)
   STMJN2 = STEND(JN+2) - EVPJN2
   IF (STMJN2 .LT. 0) STMJN2 = 0
   IF (STMJN2 .GT. RCAP(JN+2)) STMJN2 = RCAP(JN+2)
1113 CONTINUE
   ICHK = ICHK + 1
   FRACT1 = 0.5*(START(JN) + STMJN)
   FRACT2 = 0.5*(START(JN)+STMJN) + 0.5*(START(JN+2)+STMJN2)
   FRACT1 = FRACT1/FRACT2
   EVPT(JN) = LASTEV * FRACT1 + ROFF
   EVPT(JN+2) = LASTEV - EVPT(JN)
   STMJN = STEND(JN) - EVPT(JN)
   IF (STMJN .LT. 0) STMJN = 0
   IF (STMJN .GT. RCAP(JN)) STMJN = RCAP(JN)
   STMJN2 = STEND(JN+2) - EVPT(JN+2)
   IF (STMJN2 .LT. 0) STMJN2 = 0
   IF (STMJN2 .GT. RCAP(JN+2)) STMJN2 = RCAP(JN+2)
   IF(ICLK.LE.100) GO TO 1114
   WRITE(KOUT,1213) JN,EVPJN,EVPJN2,EVPT(JN),EVPT(JN+2),STMJN,
* STMJN2
1213 FORMAT(5X,'JN=',I3,5X,2F12.1,4I12)
   WRITE(KOUT,1217) IY,MON
1217 FORMAT(/3I10)
   CLOSE(KOUT)
   STOP 'PROGRAM TERMINATED IN OPRATE AT STATEMENT 1114'
1114 IF ((EVPT(JN) - EVPJN) .GT. 5) GO TO 1115
   IF ((EVPT(JN+2) - EVPJN2) .GT. 5) GO TO 1115
   STEND(JN) = STEND(JN) - EVPT(JN)
   STEND(JN+2) = STEND(JN+2) - EVPT(JN+2)
C
C LIMIT FINAL STORAGE VALUES FOR U.S. AND MEXICO WATER IN AMISTAD
C RESERVOIR TO SPECIFIED MAXIMUM CAPACITIES AND ADJUST FLOWS
C ACCORDINGLY
C
   IF (JN .EQ. 2) GO TO 1117
   IF (STEND(1) .LE. RCAP(1)) GO TO 1116
   ISTCOR = STEND(1) - RCAP(1)
   STEND(1) = RCAP(1)
   FLOW(7) = FLOW(7) + ISTCOR
   STEND(2) = STEND(2) + ISTCOR
   IF (ISPIL(2,MON) .GT. 0) ISPIL(2,MON) = ISPIL(2,MON) + ISTCOR
1116 CONTINUE
   IF (STEND(3) .LE. RCAP(3)) GO TO 60
   ISTCOR = STEND(3) - RCAP(3)

```

Amistad-Falcon Reservoir Operations Model

```

STEND(3) = RCAP(3)
FLOW(8) = FLOW(8) + ISTCOR
STEND(4) = STEND(4) + ISTCOR
IF (ISPIL(4,MON) .GT. 0) ISPIL(4,MON) = ISPIL(4,MON) + ISTCOR
GO TO 60
RJB040396
RJB021098
RJB040396
RJB040396
RJB031796

C
C
C
C
BALANCE FINAL STORAGE AND SPILL VALUES FOR U.S. AND MEXICO WATER
IN FALCON RESERVOIR

1117 CONTINUE
IF (STEND(2) .LE. RCAP(2)) GO TO 1118
ISPCOR = STEND(2) - RCAP(2)
ISPIL(2,MON) = ISPIL(2,MON) + ISPCOR
STEND(2) = STEND(2) - ISPCOR
GO TO 1119
RJB031896
RJB040396
RJB040396
RJB040396
RJB040396
RJB040396
RJB031896

1118 CONTINUE
IF (ISPIL(2,MON) .LE. 0) GO TO 1119
ISPCOR = MIN(ISPIL(2,MON), (RCAP(2) - STEND(2)))
STEND(2) = STEND(2) + ISPCOR
ISPIL(2,MON) = ISPIL(2,MON) - ISPCOR
RJB031896
RJB040396
RJB040396
RJB040396
RJB040396
RJB040396
RJB031896

1119 CONTINUE
IF (STEND(4) .LT. RCAP(4)) GO TO 1120
ISPCOR = STEND(4) - RCAP(4)
ISPIL(4,MON) = ISPIL(4,MON) + ISPCOR
STEND(4) = STEND(4) - ISPCOR
GO TO 60
RJB040396
RJB040396
RJB040396
RJB040396
RJB040396
RJB031896

1120 CONTINUE
IF (ISPIL(4,MON) .LE. 0) GO TO 60
ISPCOR = MIN(ISPIL(4,MON), (RCAP(4) - STEND(4)))
STEND(4) = STEND(4) + ISPCOR
ISPIL(4,MON) = ISPIL(4,MON) - ISPCOR
GO TO 60
RJB031896
RJB040396
RJB040396
RJB040396
RJB040396
RJB031896

C
C
C
C
RESET ESTIMATED EVAPORATION LOSSES AND RETURN FOR ANOTHER CYCLE
OF EVAPORATION ALLOCATION CALCULATIONS

1115 CONTINUE
EVPJN = EVPT(JN)
EVPJN2 = EVPT(JN+2)
GO TO 1113
RJB031796
RJB031796
RJB031796
RJB031796
00030300

60 CONTINUE

C
C
C
C
RESTORE FULL IRRIGATION DEMANDS FOLLOWING TEMPORARY REDUCTIONS
FOR SHORTAGES DUE TO INSUFFICIENT U.S. IRRIGATION POOL STORAGE

USE(6) = USE(6) + ISHTI6
USE(7) = USE(7) + ISHTI7
RJB30596
RJB30596

C
C
C
C
ADJUST U.S. IRRIGATION DEMAND SHORTAGES TO REFLECT INSUFFICIENT
U.S. IRRIGATION POOL STORAGE

ISHTM(6,MON) = ISHTM(6,MON) + ISHTI6
ISHTM(7,MON) = ISHTM(7,MON) + ISHTI7
RJB031196
RJB031196

C
C
C
C
DETERMINE U.S. FLOOD SPILL PORTION AND RELEASE PORTION OF TOTAL
U.S. OUTFLOW FROM AMISTAD RESERVOIR

RLUSAM = 0
ISPUSA = 0
IF (STEND(1) .GE. (RCAP(1)-1)) ISPUSA = FLOW(7)
ISPIL(1,MON) = ISPUSA
IF (ISPUSA .EQ. 0) RLUSAM = FLOW(7)
RLUSAM = RLUSAM + FLOW(1)
RJB021098
RJB021098
RJB021098
RJB021098
RJB021098
RJB021098

C
C
C
C
DETERMINE MEXICO FLOOD SPILL PORTION AND RELEASE PORTION OF TOTAL
MEXICO OUTFLOW FROM AMISTAD RESERVOIR

RLMXAM = 0
ISPMXA = 0
IF (STEND(3) .GE. (RCAP(3)-1)) ISPMXA = FLOW(8)
ISPIL(3,MON) = ISPMXA
IF (ISPMXA .EQ. 0) RLMXAM = FLOW(8)
RLMXAM = RLMXAM + FLOW(5)
RJB021098
RJB021098
RJB021098
RJB021098
RJB021098
RJB021098

C
C
C
C
DETERMINE U.S. RELEASE PORTION OF TOTAL U.S. OUTFLOW FROM
FALCON RESERVOIR

```

Amistad-Falcon Reservoir Operations Model

```

C
C   RLUSFL = USE(2) - ISHTM(2,MON) + FLOW(4)                                RJB031596
C
C   DETERMINE MEXICO RELEASE PORTION OF TOTAL MEXICO OUTFLOW FROM
C   FALCON RESERVOIR
C
C   RLMXFL = USE(4) - ISHTM(4,MON)                                          RJB031596
C
C   TRANSFER EXCESS INFLOWS FROM COUNTRY WITH FULL CONSERVATION POOL
C   TO COUNTRY WITH AVAILABLE CONSERVATION STORAGE CAPACITY
C
C   TRAUTM = 0                                                                RJB031496
C   TRAMTU = 0                                                                RJB031496
C   TRFUTM = 0                                                                RJB031496
C   TRFMTU = 0                                                                RJB031496
C
C   SHIFT U.S. SPILLS FROM AMISTAD RESERVOIR TO MEXICO STORAGE, IF POSSIBLE
C   NOTE: UP TO 120,000 ACRE-FEET/MONTH CAN BE PASSED DOWNSTREAM TO FALCON
C   RESERVOIR PROVIDED ADDITIONAL SPILLS DO NOT OCCUR. THE 120,000
C   ACRE-FEET/MONTH AMOUNT IS ABOUT EQUAL TO 2,000 CFS, WHICH IS
C   ASSUMED TO BE THE MAXIMUM AMOUNT THAT CAN BE RELEASED BY EITHER
C   COUNTRY THROUGH ITS PENSTOCKS AT AMISTAD DAM.
C
C   IF (ISPUSA .LE. 0) GO TO 120                                             RJB021098
C   IF (STEND(3) .GE. RCAP(3)) GOTO 120                                       RJB031396
C   MAXSPL = MAX(0, (120000-FLOW(1)))                                         RJB021098
C   TRAMAX = MAX(0, (ISPUSA-MAXSPL))                                         RJB021098
C   TRAUTM = MIN(TRAMAX, (RCAP(3)-STEND(3)))                                   RJB031396
C   ISPIL(1,MON) = ISPUSA - TRAUTM                                           RJB031496
C   FLOW(7) = FLOW(7) - TRAUTM                                               RJB021098
C   STEND(3) = STEND(3) + TRAUTM                                             RJB021098
C   ISTRED = MAX(0, (TRAUTM-ISPIL(2,MON)))                                    RJB021098
C   STEND(2) = STEND(2) - ISTRED                                             RJB021098
C   ISPIL(2,MON) = ISPIL(2,MON) - (TRAUTM-ISTRED)                            RJB021098
C   GOTO 130                                                                    RJB031396
120 CONTINUE
C
C   SHIFT MEXICO SPILLS FROM AMISTAD RESERVOIR TO U.S. STORAGE, IF POSSIBLE
C
C   IF (ISPMXA .LE. 0) GOTO 130                                             RJB021098
C   IF (STEND(1) .GE. RCAP(1)) GOTO 130                                       RJB031396
C   MAXSPL = MAX(0, (120000-FLOW(5)))                                         RJB021098
C   TRAMAX = MAX(0, (ISPMXA-MAXSPL))                                         RJB021098
C   TRAMTU = MIN(TRAMAX, (RCAP(1)-STEND(1)))                                   RJB031396
C   ISPIL(3,MON) = ISPMXA - TRAMTU                                           RJB031496
C   FLOW(8) = FLOW(8) - TRAMTU                                               RJB021098
C   STEND(1) = STEND(1) + TRAMTU                                             RJB021098
C   ISTRED = MAX(0, (TRAMTU-ISPIL(4,MON)))                                    RJB021098
C   STEND(4) = STEND(4) - ISTRED                                             RJB021098
C   ISPIL(4,MON) = ISPIL(4,MON) - (TRAMTU-ISTRED)                            RJB021098
C
C   SHIFT U.S. SPILLS FROM FALCON TO MEXICO STORAGE, IF POSSIBLE
C
C   130 CONTINUE                                                            RJB031396
C   IF (ISPIL(2,MON) .EQ. 0) GOTO 140                                         RJB031396
C   IF (ISPIL(4,MON) .GT. 0) GOTO 140                                         RJB031396
C   TRFUTM = MIN(ISPIL(2,MON), (RCAP(4)-STEND(4)))                            RJB031396
C   ISPIL(2,MON) = ISPIL(2,MON) - TRFUTM                                       RJB031396
C   STEND(4) = STEND(4) + TRFUTM                                             RJB031396
C   GOTO 150                                                                    RJB031396
C
C   SHIFT MEXICO SPILLS FROM FALCON RESERVOIR TO U.S. STORAGE, IF POSSIBLE
C
C   140 CONTINUE                                                            RJB031396
C   IF (ISPIL(4,MON) .EQ. 0) GOTO 150                                         RJB031396
C   IF (ISPIL(2,MON) .GT. 0) GOTO 150                                         RJB031396
C   TRFMTU = MIN(ISPIL(4,MON), (RCAP(2)-STEND(2)))                            RJB031396
C   ISPIL(4,MON) = ISPIL(4,MON) - TRFMTU                                       RJB031396
C   STEND(2) = STEND(2) + TRFMTU                                             RJB031396
150 CONTINUE                                                                    RJB031396
C
C   PERFORM U.S. WATER ACCOUNTING FOR RESERVOIR STORAGE ACCORDING TO
C   8/26/87 TNRCC RIO GRANDE RULES
C
C   ISTRUS(MON) = ISTDUM                                                    RJB30196

```

Amistad-Falcon Reservoir Operations Model

```

ITOTQS(MON) = UREG(1) + UREG(5)
ITOTMD(MON) = USE(5) + USE(2)
ITOTID(MON) = USE(6) + USE(7)
ITOTSH(MON) = ISHTM(5,MON) + ISHTM(6,MON) + ISHTM(2,MON)
* + ISHTM(7,MON)
ITOTEV(MON) = EVPT(1) + EVPT(2)
STORUS(IY,MON) = MAX(0, (STEND(1) + STEND(2) - 4600))
ISTDUM = STORUS(IY,MON)
DUMMY = STEND(1) + STEND(2)
DUMMI = RCON(1) + RCON(2)
PCTUSC(MON) = 100 * DUMMY / DUMMI
IF (PCTUSC(MON) .GT. 100.) PCTUSC(MON) = 100.

NOTE: AS SPECIFIED IN THE ROM DATA INPUT FILE, USE(7) IS THE RELEASE
MADE FROM FALCON RESERVOIR TO SATISFY IRRIGATION DEMANDS IN
THE LOWER RIO GRANDE VALLEY, BUT FOR ACCOUNTING PURPOSES, DEBITS
AGAINST THE IRRIGATION POOL MUST REFLECT THE RIVER DIVERSION AMOUNTS
CHARGED AGAINST INDIVIDUAL WATER RIGHTS. THEREFORE, FOR ACCOUNTING
PURPOSES IN THE ROM, THE AMOUNT OF IRRIGATION DIVERSIONS FOR THE
LOWER RIO GRANDE IS TAKEN AS 92% OF THE U. S. FALCON RELEASES
IN ORDER TO REFLECT THE EFFECTS OF AVERAGE CHANNEL LOSSES FROM
FALCON DAM TO THE INDIVIDUAL DIVERTERS DOWNSTREAM. THIS
ADJUSTMENT IS NOT NECESSARY FOR USE(6) SINCE IT REPRESENTS THE
ACTUAL DIVERSIONS FROM THE RIVER BY MIDDLE RIO GRANDE IRRIGATORS.

IRRDIV(MON) = (USE(6) - ISHTM(6,MON)) + 0.92 * (USE(7) - ISHTM(7,MON))
MNPOOL(MON) = MAXMPL
IRAPOS(IY,MON) = 0
IRANEG(IY,MON) = 0
EXCESS(MON) = 0
IRPOOL(IY,MON) = IRSTRT - IRRDIV(MON)
TNRCC STEP 1
STOTMP = STORUS(IY,MON) - MAXMPL
IF (STOTMP .GT. 0) GO TO 205
MNPOOL(MON) = STORUS(IY,MON)
IRANEG(IY,MON) = IRPOOL(IY,MON)
OPRESV(IY,MON) = 0
GO TO 250
TNRCC STEP 2
CONTINUE
STOTMP = STOTMP - IRPOOL(IY,MON)
IDUMMY = (380000. * PCTUSC(MON) / 100.) + ROFF
OPRESV(IY,MON) = MAX(IDUMMY, 275000)
OPRESV(IY,MON) = MIN(OPRESV(IY,MON), STOTMP)
IF (STOTMP .GE. 275000) GO TO 210
IF (STOTMP .GE. 150000) GO TO 206
GO TO 220
CONTINUE
OPRESV(IY,MON) = STOTMP
GO TO 260
CONTINUE
OPRESV(IY,MON) = 150000
IRANEG(IY,MON) = 150000 - STOTMP
GO TO 250
CONTINUE
AVAILA = STOTMP - OPRESV(IY,MON)
IRAPOS(IY,MON) = AVAILA
IF (AVAILA .LT. 50000) IRAPOS(IY,MON) = 0
CONTINUE
IRPOOL(IY,MON) = IRPOOL(IY,MON) + IRAPOS(IY,MON) - IRANEG(IY,MON)
IRDUM = IRPOOL(IY,MON)
IF (IRDUM .LT. 0) GOTO 261
IF (IRDUM .LE. MAXIPL) GOTO 262
IRPOOL(IY,MON) = MAXIPL
IRAPOS(IY,MON) = IRAPOS(IY,MON) - (IRDUM - MAXIPL)
GOTO 262
CONTINUE
IRPOOL(IY,MON) = 0
IRANEG(IY,MON) = IRANEG(IY,MON) + IRDUM
CONTINUE
EXCESS(MON) = STORUS(IY,MON) - MNPOOL(MON) - IRPOOL(IY,MON)
& - OPRESV(IY,MON)
CONTINUE
DUMIR = IRPOOL(IY,MON)
DUMMXI = MAXIPL
PCTUSI(MON) = 100 * DUMIR / DUMMXI

```

Amistad-Falcon Reservoir Operations Model

```

IRSTRT = IRPOOL(IY,MON)
C
C IF FIRM ANNUAL YIELD ANALYSIS, DO NOT PERFORM INDIVIDUAL WATER
C RIGHTS ACCOUNTING
C IF (IFLYLD.EQ.1 .OR. IFLYLD.EQ.2) GO TO 268
C
C PERFORM INDIVIDUAL WATER RIGHTS ACCOUNTING FOR THREE DIVERTERS
C ACCORDING TO 8/26/87 TNRCC RIO GRANDE RULES
C
RATEA(MON) = 0
RATEB(MON) = 0
IF (IRAPOS(IY,MON).EQ.0 .AND. IRANEG(IY,MON).EQ.0) GO TO 269
C ESTABLISH ALLOCATION RATE FOR POSITIVE IRRIGATION ALLOCATIONS
RATEPB = IRAPOS(IY,MON)/WPALLC
RATEPA = 1.7 * RATEPB
C ESTABLISH ALLOCATION RATE FOR NEGATIVE IRRIGATION ALLOCATIONS
DUM1 = IRANEG(IY,MON)
DUM2 = IRPOOL(IY,MON)
RATENI = 0
IF (DUM2 .GT. 0) RATENI = DUM1/DUM2
269 CONTINUE
C ENTER WATER RIGHTS ACCOUNTING LOOP FOR THREE INDIVIDUAL DIVERTERS
DO 270 IW = 1, NUMWR
C DEDUCT MONTHLY DIVERSIONS FROM WATER RIGHTS BALANCES AND CALCULATE SHORTAGES
IRAWRB(IW) = IRAWRB(IW) - IRAMND(IW, IY, MON)
IRBWRB(IW) = IRBWRB(IW) - IRBMND(IW, IY, MON)
IRASHT(IW, IY, MON) = MAX(0, -IRAWRB(IW))
IRBSHT(IW, IY, MON) = MAX(0, -IRBWRB(IW))
MUNANB(IW) = MUNANB(IW) - MUNMND(IW, IY, MON)
IRAANB(IW) = IRAANB(IW) - (IRAMND(IW, IY, MON) - IRASHT(IW, IY, MON))
IRBANB(IW) = IRBANB(IW) - (IRBMND(IW, IY, MON) - IRBSHT(IW, IY, MON))
MUNSHT(IW, IY, MON) = MAX(0, -MUNANB(IW))
IRASTD = MAX(0, -IRAANB(IW))
IRBSTD = MAX(0, -IRBANB(IW))
MUNANB(IW) = MUNANB(IW) + MUNSHT(IW, IY, MON)
IRAANB(IW) = IRAANB(IW) + IRASTD
IRBANB(IW) = IRBANB(IW) + IRBSTD
IRASHT(IW, IY, MON) = IRASHT(IW, IY, MON) + IRASTD
IRBSHT(IW, IY, MON) = IRBSHT(IW, IY, MON) + IRBSTD
IRAWRB(IW) = IRAWRB(IW) + IRASHT(IW, IY, MON)
IRBWRB(IW) = IRBWRB(IW) + IRBSHT(IW, IY, MON)
C
C MAKE POSITIVE IRRIGATION ALLOCATIONS, IF REQUIRED
C
IF (IRAPOS(IY,MON) .EQ. 0) GO TO 271
RATEA(MON) = RATEPA
RATEB(MON) = RATEPB
AIRDUM = RATEPA * IRAWR(IW)
BIRDUM = RATEPB * IRBWR(IW)
AIRWR = 1.41 * IRAWR(IW)
BIRWR = 1.41 * IRBWR(IW)
AIRDUM = MIN((AIRDUM+IRAWRB(IW)), AIRWR)
BIRDUM = MIN((BIRDUM+IRBWRB(IW)), BIRWR)
IRAALC(IW, IY, MON) = AIRDUM + 0.499 - IRAWRB(IW)
IRBALC(IW, IY, MON) = BIRDUM + 0.499 - IRBWRB(IW)
IRAWRB(IW) = AIRDUM + 0.499
IRBWRB(IW) = BIRDUM + 0.499
GO TO 272
C
C MAKE NEGATIVE IRRIGATION ALLOCATIONS, IF REQUIRED
C
271 CONTINUE
IF (IRANEG(IY,MON) .EQ. 0) GO TO 272
RATEA(MON) = RATENI
RATEB(MON) = RATENI
IRAALC(IW, IY, MON) = RATENI * IRAWRB(IW) + 0.499
IRBALC(IW, IY, MON) = RATENI * IRBWRB(IW) + 0.499
IRAWRB(IW) = IRAWRB(IW) - IRAALC(IW, IY, MON)
IRBWRB(IW) = IRBWRB(IW) - IRBALC(IW, IY, MON)
IRAALC(IW, IY, MON) = -1 * IRAALC(IW, IY, MON)
IRBALC(IW, IY, MON) = -1 * IRBALC(IW, IY, MON)
272 CONTINUE
MNANBP(IW, MON) = MUNANB(IW)
IAANBP(IW, MON) = IRAANB(IW)
IBANBP(IW, MON) = IRBANB(IW)
IAWRBP(IW, MON) = IRAWRB(IW)

```

Amistad-Falcon Reservoir Operations Model

| | | |
|---|---|-----------|
| | IBWRBP(IW,MON) = IRBWRB(IW) | RJB092597 |
| | 270 CONTINUE | RJB09239 |
| | 268 CONTINUE | |
| C | | |
| C | STEP 25 | 00031000 |
| C | BUILD PRINT-ARRAY WITH MONTHY DATA | 00031100 |
| | DO 72 J=1,NRES | 00031200 |
| | ICAP(J,MON,1)=UREG(J) | RJB021496 |
| | ICAP(J,MON,7)=USE(J) | 00031500 |
| | ICAP(J,MON,5)=IAREA(J) + ROFF | 00031600 |
| | ICAP(J,MON,6)=EVPT(J) | 00031700 |
| | ICAP(J,MON,8)=ISHTM(J,MON) | 00031800 |
| | ICAP(J,MON,11)=ISPIL(J,MON) | 00031900 |
| | ICAP(J,MON,12)=STEND(J) | 00032000 |
| | ICAP(J,MON,9)=0 | RJB30196 |
| | ICAP(J,MON,10)=0 | RJB30196 |
| | LRUL = LRULE(J) | RJB201098 |
| | TARGST = OPRR(LRUL,J,MON)*RCAP(J) + 0.499 | RJB021098 |
| | ICAP(J,MON,13) = TARGST | RJB021098 |
| | IDN=0 | 00032200 |
| | IUP=0 | 00032300 |
| | IPI=0 | 00032400 |
| | IPO=0 | 00032500 |
| C | | 00032600 |
| C | STEP 26 | 00032700 |
| C | SET UP UPSTREAM AND DOWNSTREAM FLOWS | 00032800 |
| | IF(NR.EQ.0) GO TO 65 | 00032900 |
| | DO 66 L=1,NR | 00033000 |
| | LNKFLO(L,MON)=FLOW(L) | 00033100 |
| | 66 CONTINUE | 00033400 |
| C | | 00033800 |
| | 65 IF(NC.EQ.0) GO TO 67 | 00033900 |
| | DO 68 L=LB,NL | 00034000 |
| | LNKFLO(L,MON)=FLOW(L) | 00034100 |
| | 68 CONTINUE | 00034400 |
| | 67 CONTINUE | 00034500 |
| | 72 CONTINUE | |
| C | | 00034800 |
| C | STEP 27 | 00034900 |
| C | SET RIO GRANDE OUTPUT VARIABLES | |
| C | | 00036700 |
| | ICAP(1,MON,4) = RLUSAM | RJB03196 |
| | ICAP(2,MON,4) = RLUSFL | RJB031596 |
| | ICAP(3,MON,4) = RLMXAM | RJB03196 |
| | ICAP(4,MON,4) = RLMXFL | RJB031596 |
| | ICAP(1,MON,3) = TRAMTU - TRAUTM | RJB031496 |
| | ICAP(2,MON,3) = TRFMTU - TRFUTM | RJB031496 |
| | ICAP(3,MON,3) = TRAUTM - TRAMTU | RJB031496 |
| | ICAP(4,MON,3) = TRFUTM - TRFMTU | RJB031496 |
| | ICAP(2,MON,1) = UREG(5) | RJB31496 |
| | ICAP(4,MON,1) = UREG(8) | RJB31496 |
| | ICAP(1,MON,2) = UREG(1) | RJB031896 |
| | ICAP(2,MON,2) = FLOW(3) + FLOW(7) | RJB021198 |
| | ICAP(3,MON,2) = UREG(3) | RJB031896 |
| | ICAP(4,MON,2) = FLOW(6) + FLOW(8) | RJB021198 |
| | ICAP(1,MON,7) = USE(5) | RJB30196 |
| | ICAP(3,MON,7) = USE(8) | RJB30196 |
| | ICAP(1,MON,8) = ISHTM(5,MON) | RJB30196 |
| | ICAP(3,MON,8) = ISHTM(8,MON) | RJB30196 |
| | ICAP(1,MON,9) = USE(6) | RJB30196 |
| | ICAP(2,MON,9) = USE(7) | RJB30196 |
| | ICAP(1,MON,10) = ISHTM(6,MON) | RJB30196 |
| | ICAP(2,MON,10) = ISHTM(7,MON) | RJB30196 |
| C | | 00036800 |
| C | STEP 28 | 00036900 |
| C | ADD MONTHLY AMOUNTS FOR YEAR TOTALS | 00037000 |
| | NSHORT = NSHORT + ISHTM(5,MON) + ISHTM(2,MON) + ISHTM(6,MON) | RJB02996 |
| | * + ISHTM(7,MON) | RJB042996 |
| | MSHORT = MSHORT + ISHTM(4,MON) + ISHTM(8,MON) | RJB042996 |
| | IF ((STEND(1)+STEND(2)) .LT. MINSUS) MINSUS = STEND(1) + STEND(2) | |
| | IF ((STEND(3)+STEND(4)) .LT. MINSMX) MINSMX = STEND(3) + STEND(4) | |
| | DO 82 JN=1,NJ | 00037100 |
| | IF(MON.EQ.12) TOTLS(JN,IY,12)=STEND(JN) | 00037300 |
| | IF (STEND(JN) .LT. TOTLS(JN,IY,5)) TOTLS(JN,IY,5) = STEND(JN) | RJB031996 |
| | DO 84 I=1,4 | RJB032396 |
| | TOTLS(JN,IY,I)=TOTLS(JN,IY,I)+ICAP(JN,MON,I) | 00037500 |

Amistad-Falcon Reservoir Operations Model

```

84 CONTINUE                                00037600
DO 83 I=6,11                               RJB032396
TOTLS(JN,IY,I)=TOTLS(JN,IY,I)+ICAP(JN,MON,I) 00037500
83 CONTINUE                                00037600
82 CONTINUE                                RJB032396
GO TO 823

C
C WRITE OUT TEMPORARY VALUES TO AID IN TROUBLE-SHOOTING
C
DO 888 J=1,NRES
WRITE(KOUT,818) MON,(ICAP(J,MON,I),I=1,5),EVAP(J,MON), RJB30196
1 (ICAP(J,MON,I),I=6,12) RJB30196
818 FORMAT(4X,I2,2X,5I9,2X,F5.2,2X,I6,2I9,4I9,I10) RJB30196
888 CONTINUE
DO 820 JRES=1, NRES
WRITE(KOUT,821) MON, JRES, START(JRES), UREG(JRES), ICAP(JRES,MON,3), RJB011096
1 USE(JRES), IAREA(JRES)
WRITE(KOUT,822) EVPT(JRES), ISHTM(JRES,MON), ISPIL(JRES,MON), RJB011096
2 STEND(JRES)
821 FORMAT (5X, 'MON= ', I2, 5X, 'RES NO. ', I2, 5X, 'STRT STOR= ', I9, RJB011096
1 5X, 'UREG= ', I8, 5X, 'UPSPIL= ', I8, 5X, 'DEMD= ', I8, 'AREA= ', RJB011096
2 I6, 5X,)
822 FORMAT (5X, 'EVAP= ', I6, 5X, 'SHORT= ', I8, 5X, 'SPILL= ', I9,
1 5X, 'END STOR= ', I9)
820 CONTINUE
823 CONTINUE

C
C END ONE MONTH OF SIMULATION
C
200 CONTINUE                                00037800
IF (NSHORT .GT. MAXSHT) MAXSHT = NSHORT RJB042996
IF (MSHORT .GT. MEXSHT) MEXSHT = MSHORT RJB042996

C
C STEP 29
C IF SIMULATION YEAR WITHIN ANNUAL PRINT 00037900
C WINDOW, CALL ANNUAL PRINT ROUTINE FOR RJB30196
C AMISTAD AND FALCON RESERVOIR RESULTS RJB30196
C RJB30196
C 00038200
C IF (IFLYLD .EQ. 1 .OR. IFLYLD .EQ. 2) GO TO 201 RJB042996
C IF (IY.LT.IFROM .OR. IY.GT.ITOY) GO TO 201 RJB042996
C CALL OUT2(IY) RJB42996
C 00038500
C STEP 30
C IF SIMULATION YEAR WITHIN ANNUAL PRINT 00037900
C WINDOW, SET PRINT VARIABLES AND CALL RJB30196
C ANNUAL PRINT ROUTINE FOR U.S. WATER RJB30196
C ALLOCATIONS BY TNRCC RULES RJB30196
C RJB30196
C 00038200
C DO 75 MON=1,12 RJB30196
ICAP(10,MON,1) = ISTRUS(MON) RJB30196
ICAP(10,MON,2) = ITOTQS(MON) RJB30196
ICAP(10,MON,3) = ITOTMD(MON) RJB31196
ICAP(10,MON,4) = ITOTID(MON) RJB31196
ICAP(10,MON,5) = ITOTSH(MON) RJB31196
ICAP(10,MON,6) = ITOTEV(MON) RJB31196
ICAP(10,MON,7) = STORUS(IY,MON) RJB31196
ICAP(10,MON,8) = MNPOOL(MON) RJB31196
ICAP(10,MON,9) = IRPOOL(IY,MON) RJB31196
ICAP(10,MON,10) = OPRESV(IY,MON) RJB31196
ICAP(10,MON,11) = EXCESS(MON) RJB31196
ICAP(10,MON,12) = IRAPOS(IY,MON) RJB31196
IF (IRAPOS(IY,MON).EQ.0) ICAP(10,MON,12) = IRANEG(IY,MON) RJB021198
ICAP(10,MON,13) = IRRDIV(MON) RJB021198
75 CONTINUE

C
C CALL OUT2A(IY,PCTUSC,PCTUSI) RJB42996
C CALL OUT2B(IY) RJB092597
C IF (IPLT .NE. 0) CALL OUT2C(IY) RJB093097
201 CONTINUE RJB042996
C 00038500
C END ONE YEAR OF SIMULATION
C
300 CONTINUE                                00038600
IF (IFLYLD .NE. 1 .AND. IFLYLD .NE. 2) GO TO 409 RJB041796
IF (ITER. LT. 500) GO TO 414
WRITE (KOUT,413) ITER

```

Amistad-Falcon Reservoir Operations Model

```

413 FORMAT (5X, 'FAY ANALYSIS STOPPED AT ', I2, ' ITERATIONS')
GO TO 448
414 CONTINUE

C
C   WRITE OUT INTERIM FIRM ANNUAL YIELD RESULTS
C
      IDEMUS = DEMNEW                                RJB042996
      IDEMMX = DMXNEW                                RJB042996
      IF (ITER .EQ. 1) WRITE (KOUT, 3333) FF
3333 FORMAT (A1, //, 5X, 'FIRM ANNUAL YIELD ITERATION RESULTS', //)
      WRITE (KOUT, 333) IFLYLD, ITER, MAXSHT, IDEMUS, MEXSHT, IDEMMX      RJB042996
333  FORMAT (5X, 'IFLYLD = ', I1, 2X, 'ITERATION = ', I3, 2X, 'USSHORTAGE = ', RJB042996
      * I6, 2X, 'USDEMAND = ', I7, 2X, 'MXSHORTAGE = ', I6, 2X, 'MXDEMAND = ', I7) RJB042996

C
C   CHECK FOR U.S. SHORTAGE, REVISE DEMANDS AS REQUIRED, AND THEN
C   CHECK MEXICO SHORTAGES AND RETURN TO BEGINNING TO REPEAT YEARLY
C   COMPUTATION CYCLE FOR FIRM YIELD, IF NECESSARY
C
      IF (IFLYLD .NE. 1) GO TO 444
      IF (MAXSHT .LT. LIMSHT) GO TO 430                                RJB042996
      DEMOLD = DEMNEW                                                RJB041796
      DEMNEW = DEMOLD - 0.05*MAXSHT                                   RJB042996
      GO TO 440
430  CONTINUE                                                        RJB041796
      IF (MAXSHT .GT. 0) GO TO 448
      IF (ABS(DEMNEW - DEMOLD) .LE. 5) GO TO 448
      IF (DEMNEW .LT. DEMOLD) GO TO 421                                RJB041796
      DENTMP = DEMOLD                                                RJB041796
      DEMOLD = DEMNEW                                                RJB041796
      DEMNEW = DEMOLD + 0.5*(DEMOLD - DENTMP)                        RJB041796
      GO TO 440                                                        RJB041796
421  CONTINUE                                                        RJB041796
      DENTMP = DEMOLD                                                RJB041796
      DEMOLD = DEMNEW                                                RJB041796
      DEMNEW = 0.5 * (DEMOLD + DENTMP)                                RJB041796
440  CONTINUE                                                        RJB041796

C
C   SET NEW U.S. DEMANDS BASED ON RATIOS OF INITIALLY-SPECIFIED DEMANDS
C
      DEMMUN = RATIO1 * DEMNEW                                        RJB042996
      DEM2 = RATIO2 * DEMMUN                                        RJB042996
      DEM5 = DEMMUN - DEM2                                          RJB042996
      DEMIRR = DEMNEW - DEMMUN                                       RJB042996
      DEM6 = RATIO6 * DEMIRR                                         RJB042996
      DEM7 = DEMIRR - DEM6                                          RJB042996
445  CONTINUE                                                        RJB042996
      GO TO 447

C
C   CHECK FOR MEXICO SHORTAGE, REVISE DEMANDS AS REQUIRED, AND THEN
C   RETURN TO BEGINNING TO REPEAT YEARLY COMPUTATION CYCLE FOR
C   FIRM YIELD, IF NECESSARY
C
444  CONTINUE
      IF (IFLYLD .NE. 2) GO TO 409
      IF (MEXSHT .LT. LIMSHT) GO TO 420                                RJB042996
      DMXOLD = DMXNEW                                                RJB041796
      DMXNEW = DMXOLD - 0.05*MEXSHT                                   RJB042996
      GO TO 425                                                        RJB041796
420  CONTINUE                                                        RJB041796
      IF (MEXSHT .GT. 0) GO TO 448
      IF (ABS(DMXNEW - DMXOLD) .LE. 5) GO TO 448
      IF (DMXNEW .LT. DMXOLD) GO TO 422                                RJB041796
      DMXTMP = DMXOLD                                                RJB041796
      DMXOLD = DMXNEW                                                RJB041796
      DMXNEW = DMXOLD + 0.5*(DMXOLD - DMXTMP)                        RJB041796
      GO TO 425                                                        RJB041796
422  CONTINUE                                                        RJB041796
      DMXTMP = DMXOLD                                                RJB041796
      DMXOLD = DMXNEW                                                RJB041796
      DMXNEW = 0.5 * (DMXOLD + DMXTMP)                                RJB041796
425  CONTINUE                                                        RJB041796

C
C   SET NEW MEXICO DEMANDS BASED ON RATIOS OF INITIALLY-SPECIFIED DEMANDS
C
      DEM8 = RATMX8 * DMXNEW                                        RJB042996
      DEM4 = DMXNEW - DEM8                                          RJB042996

```

Amistad-Falcon Reservoir Operations Model

```

C RETURN FOR NEW SIMULATION USING REVISED FIRM YIELD DEMANDS
C
447 CONTINUE RJB042996
GO TO 299 RJB041796
C
C SAVE FINAL FIRM YIELD DEMAND VALUES FOR PRINTING
C
448 CONTINUE RJB041796
CALL OUT1A(ITER) RJB042996
409 CONTINUE RJB041796
C
C AFTER FIRM YIELD ANALYSIS, REPEAT ENTIRE SIMULATION USING FIRM
C YIELD DEMANDS
C
IF (IFLYLD .NE. 1 .AND. IFLYLD .NE. 2) GO TO 411 RJB041896
IFLYLD = 3 RJB041896
GO TO 399 RJB041896
411 CONTINUE RJB041896
C
C STEP 31
C PRINT ARC DUMP IS SOLUTION INFEASIBLE
C
RETURN
450 WRITE(KOUT,452) IY,MON,(L,NF(L),NT(L),LO(L),HI(L),FLOW(L), 00040200
* COST(L),L=1,NARC) 00040300
452 FORMAT(1H1/20X,20HSOLUTION INFEASIBLE ,5H YEAR,I3,7H MONTH,I3// 00040400
* 60H LINK FROM TO LO HI FLOW COST //00040500
* (3I5,4I10)) 00040600
RETURN 00040700
END 00040800
C
SUBROUTINE DATA1 00000100
INTEGER RCAP,RMIN,FSTART,ACTAB,DEM,DEMR,OPRP,SP, RJB031396
* CMAX,CMIN,RCON,RFLOOD,USMNR 00000300
INTEGER START,UREG 00000400
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH 00000500
COMMON/IPRNT/IPRNT,IYLD,IYOY,IFROM,KCRD 00000600
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25), RJB091997
1 TITLE2(25),NR,ICARD(30) RJB021198
COMMON/WRKD/START(10),STEND(10),USE(10),UREG(10),ISHTM(10,12), 00001100
* ISPIL(10,12),AREAX(10),EVPT(10),AMAX(10),AMIN(10), 00001200
* IAREA(10) 00001360
COMMON/PRNT/ICAP(10,12,13),TOTLS(10,55,12),INISTO(10,55) RJB100897
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10), RJB091997
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10), RJB031896
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12), 00001700
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10) RJB031296
COMMON/LINK/LNODE(15,2),CMAX(15),CMIN(15),USMNR(55,12), RJB100897
1 MXMNR(55,12) RJB100897
COMMON/CONFAC/AVLOUS,AVHIUS,AVLOMX,AVHIMX,CONFLO,CONDEM,CONINF, RJB092697
1 LIMSHT,NSRS,LRULE(10) RJB092697
COMMON/DEMON/DEMON(10,12) 00001900
DIMENSION W(55,10,12),D(55,10,12),E(55,10,12) RJB100897
EQUIVALENCE (W(1,1,1),ICAP(1,1,1)) 00002200
C STEP 01 00002300
C READ INFLOWS,DEMANDS AND EVAP DATA FOR 00002400
C SYSTEM NODES 00002500
REWIND KAPE1 00002600
READ(KIN,11) (((W(I,J,K),K=1,12),I=1,NYEAR),J=1,NJ) 00002700
A , (((D(I,J,K),K=1,12),I=1,NYEAR),J=1,NJ) 00002800
B , (((E(I,J,K),K=1,12),I=1,NYEAR),J=1,NRES) 00002900
C 00003000
C 00003100
11 FORMAT(20X,12F7.0) RJB120595
C 00003300
C STEP 02 00003400
C WRITE OUT A SCRATCH FILE OF ALL DATA 00003500
DO 5 IY=1,NYEAR
WRITE(KAPE1) ((W(IY,J,K),K=1,12),J=1,NJ),((D(IY,J,K),K=1,12),
* J=1,NJ),((E(IY,J,K),K=1,12),J=1,NRES)
5 CONTINUE
REWIND KAPE1
RETURN
END
C
SUBROUTINE DATA2

```

Amistad-Falcon Reservoir Operations Model

```

INTEGER RCAP,RMIN,FSTART,ACTAB,DEM,DEMR,OPRP,SP, RJB031396
* CMAX,CMIN,RCON,RFLOOD,USMNRJ 00000300
INTEGER START,UREG 00000400
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH 00000500
COMMON/IPRNT/IPRNT,IYLD,ITDY,IFROM,KCRD 00000600
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25), RJB091997
1 TITLE2(25),NR,ICARD(30) RJB021198
COMMON/WRKD/START(10),STEND(10),USE(10),UREG(10),ISHTM(10,12), 00001100
* ISPIL(10,12),AREAX(10),EVPT(10),AMAX(10),AMIN(10), 00001200
* IAREA(10) 00001360
COMMON/PRNT/ICAP(10,12,13),TOTLS(10,55,12),INISTO(10,55) RJB100897
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10), RJB091997
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10), RJB031896
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12), 00001700
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10) RJB031296
COMMON/LINK/LNODE(15,2),CMAX(15),CMIN(15),USMNRJ(55,12), RJB100897
1 MXMNRJ(55,12) RJB100897
COMMON/CONFAC/AVLOUS,AVHIUS,AVLOMX,AVHIMX,CONFLO,CONDEM,CONINF, RJB092697
1 LIMSHT,NSRS,LRULE(10) RJB092697
COMMON/DEMON/DEMON(10,12) 00001900
C 00004200
C STEP 03 00004300
C READ ONE YEAR OF DATA (INFLOW,DEMAND,EVAP) 00004400
C FOR NODES IN SYSTEM 00004500
C READ(KAPE1) ((U(J,K),K=1,12),J=1,NJ),((DEMON(J,K),K=1,12),J=1,NJ), 00004700
* ((EVAP(J,K),K=1,12),J=1,NRES) 00004800
DO 6 J=1,NJ 00004900
DO 6 K=1,12 00005000
C STEP 04 00005100
C MODIFY INFLOWS AND DEMANDS BY MULTIPLIER 00005200
C IF REQUIRED 00005300
U(J,K)=U(J,K)*CONINF 00005400
DEMON(J,K)=DEMON(J,K)*CONDEM 00005500
6 CONTINUE 00005600
RETURN 00005700
END 00008800
C
SUBROUTINE RULE(JNUSMX) RJB30596
INTEGER RCAP,RMIN,FSTART,ACTAB,DEM,DEMR,OPRP,SP, RJB031396
* CMAX,CMIN,RCON,RFLOOD,USMNRJ 00000300
INTEGER START,UREG 00000400
COMMON/CONTRL/ KIN,KOUT,KAPE1,KAPE2,KAPE3,KPNCH 00000500
COMMON/IPRNT/IPRNT,IYLD,ITDY,IFROM,KCRD 00000600
COMMON/PARM/NJ,NRES,NJUNC,NL,NC,NYEAR,ND,NS,IYEAR,IMP,TITLE(25), RJB091997
1 TITLE2(25),NR,ICARD(30) RJB021198
COMMON/WRKD/START(10),STEND(10),USE(10),UREG(10),ISHTM(10,12), 00001100
* ISPIL(10,12),AREAX(10),EVPT(10),AMAX(10),AMIN(10), 00001200
* IAREA(10) 00001360
COMMON/PRNT/ICAP(10,12,13),TOTLS(10,55,12),INISTO(10,55) RJB100897
COMMON/RESV/RNAME(10,3),RCAP(10),RMIN(10),FSTART(10), RJB091997
1 RCAPSV(10,12),ACTAB(10,30,2),OPRR(3,10,12),OPRP(3,10),SP(10), RJB031896
2 DEM(10),DEMR(10,3),DEMD(10,12),EVAP(10,12),U(10,12), 00001700
3 DIMP(12),IMPRT,ELEV(2,30),RCON(10),RFLOOD(10) RJB031296
COMMON/LINK/LNODE(15,2),CMAX(15),CMIN(15),USMNRJ(55,12), RJB100897
1 MXMNRJ(55,12) RJB100897
COMMON/CONFAC/AVLOUS,AVHIUS,AVLOMX,AVHIMX,CONFLO,CONDEM,CONINF, RJB092697
1 LIMSHT,NSRS,LRULE(10) RJB092697
COMMON/DEMON/DEMON(10,12) 00001900
C 00005900
TSMX=0.0 00006100
WTRSYS=0.0 00006200
AVRGLO = AVLOUS RJB092697
AVRGHI = AVHIUS RJB092697
IF (JNUSMX .EQ. 2) GO TO 5 RJB092697
AVRGLO = AVLOMX RJB092697
AVRGHI = AVHIMX RJB092697
5 CONTINUE RJB092697
C STEP 05 00006400
C DETERMINE TOTAL AMOUNT OF STORAGE
C IN SUBSYSTEM 00006600
C
TSMX = RCAP(JNUSMX) RJB091997
WTRSYS = START(JNUSMX) RJB091997
C 00007600
C STEP 06 00007700
C DETERMINE RULE ACCORDING TO SUB-SYSTEM

```

Amistad-Falcon Reservoir Operations Model

```
C          STORAGE (AVERAGE=1, DRY=2, WET=3)
LRULE(JNUSMX) = 1
XMAX=TSUBMX*AVRGHI / 100.
XMIN=TSUBMX*AVRGLO / 100.
IF(WTRSYS.LT.XMIN) LRULE(JNUSMX) = 2
IF(WTRSYS.GT.XMAX) LRULE(JNUSMX) = 3
IF(AVRGLO.LE.0.0) LRULE(JNUSMX) = 1
IF(AVRGHI.LE.0.0) LRULE(JNUSMX) = 1
IF(JNUSMX.EQ.4) GO TO 10
LRULE(1) = LRULE(JNUSMX)
LRULE(5) = LRULE(JNUSMX)
LRULE(6) = LRULE(JNUSMX)
LRULE(7) = LRULE(JNUSMX)
GO TO 20
10 CONTINUE
LRULE(3) = LRULE(JNUSMX)
LRULE(8) = LRULE(JNUSMX)
20 CONTINUE
RETURN
END
```

RJB30596
00008100
00008200
RJB30596
RJB30596
RJB30596
RJB30596
RJB30596
RJB01396
RJB30596
RJB30596
RJB30596
RJB30596
RJB30596
RJB01396
RJB01396
RJB30596
RJB30596
00008700
00008800

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

Attachment B.

**Listing of the Long-Term (1945-1998) Data Input File
for the Amistad-Falcon Reservoir Operations Model
Including Current Average Demands for the United States and Mexico
and Revised Inflows as Developed in the 1998 Integrated Water Resources
Planning Study of the Lower Rio Grande, With Data Group Delineations**

ROM DATA INPUT FILE WITH GROUP DELINEATIONS

| GROUP A | | |
|--|---|-----------|
| HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 HYDROLOGY | | |
| AVERAGE CURRENT HISTORICAL DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION | | |
| CARD 01 | NJ - NUMBER OF NODES IN THE MODEL NETWORK | 8 |
| CARD 02 | NRES - NUMBER OF RESERVOIRS IN THE MODEL NETWORK | 4 |
| CARD 03 | NL - NUMBER OF LINKS BETWEEN NODES IN THE MODEL NETWORK | 8 |
| CARD 04 | NR - NUMBER OF LINKS THAT ARE RIVER REACHES | 8 |
| CARD 05 | NYEAR - TOTAL NUMBER OF YEARS IN SIMULATION PERIOD | 54 |
| CARD 06 | ND - NUMBER OF DEMAND NODES IN THE MODEL NETWORK | 8 |
| CARD 07 | NS - NUMBER OF SPILL RESERVOIRS IN THE MODEL NETWORK | 2 |
| CARD 08 | IYEAR - BEGINNING CALENDAR YEAR OF SIMULATION PERIOD | 1945 |
| CARD 09 | IFRM - BEGINNING ORDINAL YEAR OF DETAILED PRINTOUT | 1 |
| CARD 10 | ILOY - ENDING ORDINAL YEAR OF DETAILED PRINTOUT | 54 |
| CARD 11 | INPUT DATA SOURCE (ALWAYS SET EQUAL TO "CARD") | CARD |
| CARD 12 | DEMAND SHORTAGE LIMIT USED AS CRITERION IN FIRM ANNUAL YIELD ANALYSIS | 10 |
| CARD 13 | IPLT=0, DO NOT SAVE; =NODE, SAVE RES. OPER; =5, SAVE ACCOUNT | 1 |
| CARD 14 | IYSTR - BEGINNING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | 1945 |
| CARD 15 | IYEND - ENDING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | 1972 |
| CARD 16 | IFLYLD=0, NO FIRM ANNUAL YIELD ANALYSIS; =1, U.S. FAY; =2, MEXICO FAY | 0 |
| CARD 17 | DRUSFC - INITIAL FAY ADJUSTMENT FACTOR FOR U.S. DEMANDS | 0.8761716 |
| CARD 18 | DRMXFC - INITIAL FAY ADJUSTMENT FACTOR FOR MEXICO DEMANDS | 0.7691899 |
| CARD 19 | MAXMWR - TOTAL DOMESTIC-MUNICIPAL-INDUSTRIAL WATER RIGHTS | 271579 |
| CARD 20 | MXLIWR - TOTAL IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | 1696228 |
| CARD 21 | MLIAWR - TOTAL CLASS A IRRI WATER RIGHTS ON LOWER RIO GRANDE | 1500719 |
| CARD 22 | MLIBWR - TOTAL CLASS B IRRI WATER RIGHTS ON LOWER RIO GRANDE | 195509 |
| CARD 23 | MXMIWR - TOTAL IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | 181530 |
| CARD 24 | MMIAWR - TOTAL CLASS A IRRI WATER RIGHTS ON MIDDLE RIO GRANDE | 162803 |
| CARD 25 | MMIBWR - TOTAL CLASS B IRRI WATER RIGHTS ON MIDDLE RIO GRANDE | 18727 |
| CARD 26 | MAXMPL - MAX. U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE POOL | 225000 |
| CARD 27 | IRSTRT - STARTING TOTAL IRRIGATION & MINING ACCOUNT BALANCE | 0000000 |
| CARD 28 | NUMWR - NUMBER OF WATER RIGHTS OWNERS INCLUDED IN ACCOUNTING | 3 |
| CARD 29 | IRLFLG=0, READ ALL MONTHLY RELEASES; =1, READ AVG. MON RELEASES | 1 |
| CARD 30 | IWRFLG=0, READ ALL MONTHLY DEMANDS; =1, READ AVG. MON DEMANDS | 1 |

| GROUP B | | | | | |
|----------------|---|---------|---------|------|---------|
| U.S. AMISTAD | 1 | 1827241 | 1771041 | 1771 | 1771041 |
| U.S. FALCON | 2 | 1613729 | 1555129 | 1555 | 1555129 |
| MEX AMISTAD | 3 | 1424078 | 1380278 | 1380 | 1380278 |
| MEX FALCON | 4 | 1140074 | 1098674 | 1099 | 1098674 |
| U.S.MRG MUNI | 5 | 0 | 0 | 0 | 0 |
| U.S.MRG IRRI | 6 | 0 | 0 | 0 | 0 |
| U.S.LRG IRRI | 7 | 0 | 0 | 0 | 0 |
| MEX MRG M&IR | 8 | 0 | 0 | 0 | 0 |

| GROUP C | | | | | |
|----------------|---|---|-------|-----|-----|
| SPILL RESR | 2 | 4 | | | |
| AMISTAD | 1 | 1 | 930.0 | 0 | 0 |
| AMISTAD | 1 | 2 | 945.0 | 5 | 1 |
| AMISTAD | 1 | 3 | 946.5 | 87 | 294 |
| AMISTAD | 1 | 4 | 948.2 | 180 | 823 |

| GROUP D | | | | | |
|----------------|---|---|-------|-----|-----|
| AMISTAD | 1 | 1 | 930.0 | 0 | 0 |
| AMISTAD | 1 | 2 | 945.0 | 5 | 1 |
| AMISTAD | 1 | 3 | 946.5 | 87 | 294 |
| AMISTAD | 1 | 4 | 948.2 | 180 | 823 |

| GROUP E | | | | | |
|----------------|---|---|-------|-----|-----|
| AMISTAD | 1 | 1 | 930.0 | 0 | 0 |
| AMISTAD | 1 | 2 | 945.0 | 5 | 1 |
| AMISTAD | 1 | 3 | 946.5 | 87 | 294 |
| AMISTAD | 1 | 4 | 948.2 | 180 | 823 |

| | | | | | |
|---------|---|----|--------|-------|---------|
| AMISTAD | 1 | 5 | 949.1 | 237 | 1180 |
| AMISTAD | 1 | 6 | 950.1 | 297 | 1684 |
| AMISTAD | 1 | 7 | 951.4 | 376 | 2782 |
| AMISTAD | 1 | 8 | 961.3 | 1045 | 13873 |
| AMISTAD | 1 | 9 | 971.1 | 1843 | 33110 |
| AMISTAD | 1 | 10 | 981.0 | 2770 | 59404 |
| AMISTAD | 1 | 11 | 990.8 | 3823 | 93556 |
| AMISTAD | 1 | 12 | 1000.7 | 5004 | 138573 |
| AMISTAD | 1 | 13 | 1010.5 | 6314 | 195568 |
| AMISTAD | 1 | 14 | 1020.3 | 7722 | 264663 |
| AMISTAD | 1 | 15 | 1030.2 | 9758 | 350120 |
| AMISTAD | 1 | 16 | 1040.0 | 12751 | 458690 |
| AMISTAD | 1 | 17 | 1049.9 | 16734 | 605456 |
| AMISTAD | 1 | 18 | 1059.7 | 21627 | 790919 |
| AMISTAD | 1 | 19 | 1069.6 | 27399 | 1029250 |
| AMISTAD | 1 | 20 | 1079.4 | 34051 | 1328996 |
| AMISTAD | 1 | 21 | 1089.2 | 41702 | 1699411 |
| AMISTAD | 1 | 22 | 1094.2 | 45665 | 1911714 |
| AMISTAD | 1 | 23 | 1099.1 | 49658 | 2142942 |
| AMISTAD | 1 | 24 | 1104.0 | 53679 | 2393700 |
| AMISTAD | 1 | 25 | 1108.9 | 57729 | 2664077 |
| AMISTAD | 1 | 26 | 1115.5 | 63173 | 3055670 |
| AMISTAD | 1 | 27 | 1117.0 | 64438 | 3151319 |
| AMISTAD | 1 | 28 | 1118.8 | 65915 | 3265037 |
| AMISTAD | 1 | 29 | 1122.0 | 68671 | 3483939 |
| AMISTAD | 1 | 30 | 1131.9 | 77013 | 4199954 |

GROUP E

| | | | | | |
|--------|---|----|-------|-------|---------|
| FALCON | 2 | 1 | 203.3 | 0 | 0 |
| FALCON | 2 | 2 | 203.4 | 35 | 57 |
| FALCON | 2 | 3 | 205.1 | 195 | 235 |
| FALCON | 2 | 4 | 206.7 | 425 | 735 |
| FALCON | 2 | 5 | 207.3 | 539 | 1050 |
| FALCON | 2 | 6 | 208.3 | 727 | 1670 |
| FALCON | 2 | 7 | 210.0 | 1100 | 3158 |
| FALCON | 2 | 8 | 214.9 | 1559 | 9631 |
| FALCON | 2 | 9 | 219.8 | 2202 | 18806 |
| FALCON | 2 | 10 | 224.7 | 3526 | 32732 |
| FALCON | 2 | 11 | 229.7 | 5169 | 54000 |
| FALCON | 2 | 12 | 234.6 | 6531 | 82799 |
| FALCON | 2 | 13 | 239.5 | 8061 | 118624 |
| FALCON | 2 | 14 | 242.8 | 10341 | 148482 |
| FALCON | 2 | 15 | 244.4 | 11654 | 166516 |
| FALCON | 2 | 16 | 249.3 | 15894 | 234115 |
| FALCON | 2 | 17 | 254.3 | 20562 | 323644 |
| FALCON | 2 | 18 | 259.2 | 25677 | 437240 |
| FALCON | 2 | 19 | 264.1 | 30775 | 576159 |
| FALCON | 2 | 20 | 269.0 | 36184 | 740751 |
| FALCON | 2 | 21 | 274.0 | 42448 | 933844 |
| FALCON | 2 | 22 | 278.9 | 48929 | 1158684 |
| FALCON | 2 | 23 | 282.2 | 53474 | 1326587 |
| FALCON | 2 | 24 | 285.4 | 58443 | 1509829 |

GROUP F

GROUP F

| | | | | | |
|--------|---|----|-------|-------|---------|
| FALCON | 2 | 25 | 288.7 | 65021 | 1712296 |
| FALCON | 2 | 26 | 292.0 | 70235 | 1935151 |
| FALCON | 2 | 27 | 295.3 | 74804 | 2172702 |
| FALCON | 2 | 28 | 298.6 | 82000 | 2429861 |
| FALCON | 2 | 29 | 301.2 | 87181 | 2653803 |
| FALCON | 2 | 30 | 305.1 | 93809 | 3008297 |

| | | | | | |
|------------|---|---------|-------|----|---|
| US AMISTAD | 1 | 000 | 20 | 20 | .0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000 |
| US FALCON | 2 | 125000 | 2 | 2 | .0720.0666.0777.0894.0866.0900.1004.1038.0850.0803.0744.0738 |
| MX AMISTAD | 3 | 000 | 20 | 20 | .0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000.0000 |
| MX FALCON | 4 | 1224000 | 6 | 6 | .1620.0649.0243.2413.2651.0653.0295.0592.0227.0344.0121.0192 |
| USMRG MUNI | 5 | 34000 | 1 | 1 | .0611.0610.0760.0826.0892.0961.1086.1108.0880.0851.0724.0691 |
| USMRG IRR1 | 6 | 127000 | 3 | 3 | .0425.0409.0927.1020.0835.1039.1186.1366.0807.0809.0666.0511 |
| USLRG IRR1 | 7 | 1078000 | 4 | 4 | .0747.0441.0780.1437.1342.1266.1063.0967.0571.0593.0402.0391 |
| MXMRG M&R | 8 | 66000 | 5 | 5 | .0785.0727.0745.0849.0799.0830.0915.0910.0896.0860.0825.0859 |
| US AVERAGE | | 9.65 | 75.00 | | |
| MX AVERAGE | | 10.00 | 75.00 | | |

GROUP G

| | | | | | | | | | | | | | | | | |
|-----------|---|---|---------|----|------|------|------|------|------|------|------|------|------|------|------|------|
| RESERVOIR | 1 | 1 | AVERAGE | 10 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| OPERATING | 1 | 2 | DRY | 11 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| RULES | 1 | 3 | WET | 10 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR | 2 | 1 | AVERAGE | 11 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| OPERATING | 2 | 2 | DRY | 10 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 |
| RULES | 2 | 3 | WET | 11 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR | 3 | 1 | AVERAGE | 12 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| OPERATING | 3 | 2 | DRY | 13 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| RULES | 3 | 3 | WET | 12 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR | 4 | 1 | AVERAGE | 13 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| OPERATING | 4 | 2 | DRY | 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| RULES | 4 | 3 | WET | 13 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |

GROUP I

| | | | | | |
|-------|---|---|---|---------|---|
| LINK1 | 1 | 1 | 5 | 9000000 | 0 |
| LINK2 | 2 | 5 | 6 | 9000000 | 0 |
| LINK3 | 3 | 6 | 2 | 9000000 | 0 |
| LINK4 | 4 | 2 | 7 | 9000000 | 0 |
| LINK5 | 5 | 3 | 8 | 9000000 | 0 |
| LINK6 | 6 | 8 | 4 | 9000000 | 0 |
| LINK7 | 7 | 1 | 2 | 9000000 | 0 |
| LINK8 | 8 | 3 | 4 | 9000000 | 0 |

GROUP J

| | | | | | | | | | | | | | | | | |
|-------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| US AMS REL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEX AMS REL | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

GROUP K

| | | | | | | | | | | | | | | | | |
|-------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| UNITED I.D. | 1 | | | | | | | | | | | | | | | |
|-------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

GROUP L

| | | | | | | | | | | |
|---------------------------|----------|------|------|------|----------|----------|------|------|----------|----------|
| MUN ADJ NO | 0849-000 | | | CL A | ADJ NO | A847-001 | | CL B | ADJ NO | B769-000 |
| MUN ANN AUTH | 5300 | | | CL A | ANN AUTH | 69464 | | CL B | ANN AUTH | 4009 |
| IRRIG ACCT START BALANCES | | | | CL A | BALANCE | 97944 | | CL B | BALANCE | 5653 |
| MUNICIPAL | 1 | 1945 | 382 | 353 | 412 | 474 | 459 | 477 | 532 | 550 |
| CLASS A IRR | 1 | 1945 | 5189 | 3063 | 5418 | 9982 | 9322 | 8794 | 7384 | 6717 |
| CLASS B IRR | 1 | 1945 | 299 | 177 | 313 | 576 | 538 | 507 | 426 | 388 |
| SANTACRUZ | 15 | 2 | | | | | | | | |
| MUN ADJ NO | 0240-000 | | | CL A | ADJ NO | 0810-000 | | CL B | ADJ NO | B804-000 |
| MUN ANN AUTH | 3967 | | | CL A | ANN AUTH | 4857 | | CL B | ANN AUTH | 4828 |
| IRRIG ACCT START BALANCES | | | | CL A | BALANCE | 6848 | | CL B | BALANCE | 6807 |
| MUNICIPAL | 2 | 1945 | 286 | 264 | 308 | 355 | 343 | 357 | 398 | 412 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

GROUP M

| | | | | | | | | | | |
|---------------------------|----------|------|-----|------|----------|----------|-----|------|----------|----------|
| MUN ADJ NO | 0240-000 | | | CL A | ADJ NO | 0810-000 | | CL B | ADJ NO | B804-000 |
| MUN ANN AUTH | 3967 | | | CL A | ANN AUTH | 4857 | | CL B | ANN AUTH | 4828 |
| IRRIG ACCT START BALANCES | | | | CL A | BALANCE | 6848 | | CL B | BALANCE | 6807 |
| MUNICIPAL | 2 | 1945 | 286 | 264 | 308 | 355 | 343 | 357 | 398 | 412 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

GROUP M

| | | | | | | | | | | | | | |
|---------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CLASS A IRR 2 | 1945 | 363 | 214 | 379 | 698 | 652 | 615 | 516 | 470 | 277 | 288 | 195 | 190 |
| CLASS B IRR 2 | 1945 | 361 | 213 | 376 | 694 | 648 | 611 | 513 | 467 | 276 | 286 | 194 | 189 |

HCID2 S. JUAN 3

MUN ADJ NO 0808-001
MUN ANN AUTH 6140
IRRIG ACCT START BALANCES

CL A ADJ NO 0808-005
CL A ANN AUTH 14775
CL A BALANCE 208363

CL B ADJ NO 0573-001
CL B ANN AUTH 470
CL B BALANCE 663

GROUP N

| | | | | | | | | | | | | | |
|---------------|------|-------|-------|--------|--------|--------|--------|--------|---------|--------|---------|--------|--------|
| MUNICIPAL 3 | 1945 | 442 | 409 | 477 | 549 | 532 | 553 | 616 | 637 | 522 | 493 | 457 | 453 |
| CLASS A IRR 3 | 1945 | 11039 | 6517 | 11526 | 21235 | 19831 | 18708 | 15709 | 14290 | 8438 | 8763 | 5941 | 5778 |
| CLASS B IRR 3 | 1945 | 35 | 21 | 37 | 68 | 63 | 59 | 50 | 45 | 27 | 28 | 19 | 18 |
| FLOW | 1 | 1945 | 71782 | 62390 | 59897 | 76812 | 54490 | 44090 | 193317 | 62795 | 66480 | 301055 | 83055 |
| FLOW | 1 | 1946 | 86204 | 62275 | 63004 | 75697 | 96524 | 185289 | 83280 | 64977 | 86133 | 240206 | 82594 |
| FLOW | 1 | 1947 | 99747 | 76519 | 78133 | 64519 | 104672 | 82212 | 65212 | 51982 | 137675 | 77675 | 59053 |
| FLOW | 1 | 1948 | 63386 | 58726 | 51894 | 49733 | 60541 | 416395 | 386055 | 74940 | 71426 | 76255 | 71009 |
| FLOW | 1 | 1949 | 70288 | 141828 | 105100 | 168176 | 171982 | 133015 | 184670 | 231462 | 138409 | 144432 | 86925 |
| FLOW | 1 | 1950 | 90510 | 71874 | 70089 | 63713 | 70920 | 86720 | 140004 | 102004 | 136766 | 120958 | 66398 |
| FLOW | 1 | 1951 | 68421 | 59006 | 67321 | 50191 | 83436 | 89303 | 60181 | 49644 | 61113 | 57275 | 41669 |
| FLOW | 1 | 1952 | 41469 | 37515 | 33860 | 40822 | 68960 | 56860 | 174252 | 38221 | 30929 | 38952 | 42807 |
| FLOW | 1 | 1953 | 40669 | 36316 | 47313 | 35168 | 33738 | 27431 | 35454 | 54390 | 62958 | 52828 | 39183 |
| FLOW | 1 | 1954 | 38416 | 33736 | 34617 | 202326 | 122060 | 242949 | 2629279 | 147042 | 101092 | 90484 | 62309 |
| FLOW | 1 | 1955 | 57873 | 49938 | 50752 | 42407 | 96296 | 82112 | 116804 | 142889 | 268036 | 126811 | 67824 |
| FLOW | 1 | 1956 | 55820 | 50371 | 46657 | 39337 | 43702 | 37859 | 32284 | 40613 | 41487 | 90540 | 42518 |
| FLOW | 1 | 1957 | 41011 | 50275 | 45132 | 141294 | 668097 | 184680 | 79476 | 80278 | 80906 | 145435 | 82586 |
| FLOW | 1 | 1958 | 67093 | 70865 | 66351 | 53583 | 92334 | 170177 | 83666 | 74336 | 383328 | 644243 | 157338 |
| FLOW | 1 | 1959 | 97614 | 79277 | 80235 | 71789 | 101503 | 107390 | 170352 | 104497 | 136855 | 273227 | 92221 |
| FLOW | 1 | 1960 | 85664 | 90230 | 85760 | 67668 | 56650 | 61036 | 160608 | 152035 | 126641 | 127506 | 82245 |
| FLOW | 1 | 1961 | 82500 | 70743 | 67638 | 49211 | 68009 | 258803 | 154218 | 114646 | 85600 | 81259 | 69389 |
| FLOW | 1 | 1962 | 65073 | 57012 | 55710 | 52270 | 49692 | 71524 | 87601 | 51910 | 117405 | 155195 | 75927 |
| FLOW | 1 | 1963 | 59705 | 49909 | 48918 | 49344 | 77710 | 83304 | 74396 | 81880 | 86448 | 60089 | 46949 |
| FLOW | 1 | 1964 | 60724 | 47551 | 50428 | 82067 | 61187 | 90685 | 50721 | 68377 | 865414 | 130670 | 85916 |
| FLOW | 1 | 1965 | 74558 | 67419 | 66043 | 57564 | 99842 | 248150 | 64812 | 78703 | 88306 | 76177 | 60538 |
| FLOW | 1 | 1966 | 55528 | 47027 | 49387 | 119622 | 105342 | 107379 | 79121 | 143267 | 314169 | 154838 | 74390 |
| FLOW | 1 | 1967 | 70034 | 58893 | 63557 | 56724 | 49880 | 83552 | 114986 | 87643 | 146874 | 89904 | 67473 |
| FLOW | 1 | 1968 | 62953 | 50809 | 52307 | 75723 | 85076 | 82368 | 131994 | 93447 | 164133 | 94458 | 38154 |
| FLOW | 1 | 1969 | 59631 | 54983 | 56636 | 95899 | 81456 | 69074 | 65326 | 48985 | 63267 | 122658 | 64670 |
| FLOW | 1 | 1970 | 54181 | 56541 | 59979 | 46572 | 56565 | 82176 | 74870 | 65609 | 133861 | 103064 | 59300 |
| FLOW | 1 | 1971 | 47456 | 74064 | 51354 | 59800 | 57118 | 122660 | 122555 | 769277 | 169876 | 178262 | 61741 |
| FLOW | 1 | 1972 | 74371 | 62622 | 73565 | 67437 | 89356 | 91731 | 80713 | 401460 | 166768 | 95550 | 53831 |
| FLOW | 1 | 1973 | 48704 | 57063 | 65390 | 54551 | 74438 | 65044 | 122131 | 121412 | 146629 | 87150 | 39735 |
| FLOW | 1 | 1974 | 49979 | 40836 | 87326 | 90485 | 103805 | 74388 | 58187 | 155061 | 1690713 | 395996 | 162287 |
| FLOW | 1 | 1975 | 96081 | 104061 | 147536 | 131421 | 107960 | 85401 | 154811 | 126916 | 97082 | 83108 | 75802 |
| FLOW | 1 | 1976 | 67703 | 74070 | 80445 | 82235 | 102453 | 81918 | 455057 | 164994 | 184622 | 120053 | 95102 |
| FLOW | 1 | 1977 | 89008 | 85013 | 101136 | 147229 | 148707 | 106444 | 101933 | 95317 | 89932 | 74485 | 61999 |
| FLOW | 1 | 1978 | 60420 | 61575 | 75543 | 91355 | 134599 | 168315 | 107300 | 154627 | 118017 | 445622 | 240779 |
| FLOW | 1 | 1979 | 71806 | 78664 | 121406 | 103579 | 128394 | 235341 | 142118 | 136697 | 80578 | 60607 | 53330 |
| FLOW | 1 | 1980 | 67160 | 62311 | 75471 | 75331 | 102078 | 77657 | 68958 | 281384 | 245093 | 127441 | 73919 |
| FLOW | 1 | 1981 | 83096 | 74848 | 96882 | 220281 | 174608 | 150108 | 110515 | 147960 | 179909 | 443195 | 112126 |
| FLOW | 1 | 1982 | 93576 | 91846 | 98486 | 102927 | 152460 | 135910 | 108229 | 83599 | 73987 | 60019 | 55632 |
| FLOW | 1 | 1983 | 64240 | 63752 | 62000 | 65647 | 90020 | 71170 | 60444 | 80636 | 54696 | 162207 | 84295 |
| FLOW | 1 | 1984 | 71795 | 65832 | 70138 | 73716 | 85155 | 127691 | 112178 | 122723 | 103037 | 114561 | 65828 |

GROUP O

| | | | | | | | | | | | | | | |
|------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| FLOW | 1 | 1985 | 80817 | 59997 | 73653 | 69616 | 83746 | 99230 | 88313 | 80917 | 155521 | 128097 | 70269 | 53308 |
| FLOW | 1 | 1986 | 63429 | 59928 | 76810 | 70322 | 128185 | 170631 | 151349 | 149990 | 215841 | 499780 | 146111 | 155102 |
| FLOW | 1 | 1987 | 156284 | 140452 | 143562 | 143294 | 179545 | 236029 | 186572 | 185032 | 132521 | 121320 | 91033 | 82106 |
| FLOW | 1 | 1988 | 79165 | 76343 | 87264 | 99944 | 114589 | 94284 | 212892 | 167090 | 278705 | 101198 | 80012 | 77635 |
| FLOW | 1 | 1989 | 84613 | 84150 | 88669 | 90840 | 97514 | 89478 | 75820 | 113492 | 111571 | 90729 | 76017 | 52169 |
| FLOW | 1 | 1990 | 70810 | 71819 | 84714 | 87094 | 125922 | 82381 | 237328 | 409204 | 350926 | 338661 | 129731 | 88227 |
| FLOW | 1 | 1991 | 98305 | 92208 | 108985 | 113656 | 117755 | 109018 | 145834 | 230821 | 497082 | 318888 | 94443 | 100663 |
| FLOW | 1 | 1992 | 145135 | 182132 | 144066 | 135629 | 217972 | 213410 | 194327 | 119361 | 102339 | 91789 | 72315 | 84386 |
| FLOW | 1 | 1993 | 67435 | 72192 | 87821 | 80034 | 97834 | 111852 | 187126 | 118431 | 127818 | 80203 | 73798 | 77223 |
| FLOW | 1 | 1994 | 83071 | 67994 | 80523 | 72772 | 104279 | 87619 | 88168 | 71032 | 74270 | 63971 | 62796 | 68159 |
| FLOW | 1 | 1995 | 67892 | 56680 | 61812 | 75819 | 101801 | 79903 | 80026 | 89329 | 95852 | 66988 | 62195 | 56829 |
| FLOW | 1 | 1996 | 55280 | 55444 | 54797 | 60455 | 77853 | 82278 | 69082 | 101372 | 194441 | 83591 | 61439 | 60434 |
| FLOW | 1 | 1997 | 59322 | 118427 | 90033 | 67334 | 91328 | 140637 | 84279 | 79060 | 60896 | 60700 | 48598 | 50678 |
| FLOW | 1 | 1998 | 58433 | 51428 | 66714 | 75819 | 101801 | 79903 | 80026 | 89329 | 95852 | 66988 | 62195 | 56829 |
| FLOW | 2 | 1945 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1946 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1947 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1948 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1950 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1951 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1953 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1957 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1960 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1961 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1963 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1964 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1965 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1966 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1967 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1968 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1969 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1970 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1971 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1972 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1973 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1977 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1978 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 2 | 1979 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

GROUP O

| | | | | | | | | | | | | | | |
|------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| FLOW | 3 | 1975 | 39053 | 67640 | 152322 | 95620 | 50347 | 38996 | 82148 | 70278 | 54822 | 34986 | 30274 | 32118 |
| FLOW | 3 | 1976 | 31054 | 26043 | 26135 | 33893 | 43999 | 58258 | 209414 | 126796 | 93956 | 54289 | 30968 | 39162 |
| FLOW | 3 | 1977 | 33941 | 29435 | 56352 | 81031 | 83134 | 49961 | 45395 | 54238 | 39298 | 28899 | 25077 | 24135 |
| FLOW | 3 | 1978 | 22719 | 24852 | 27504 | 50868 | 93956 | 79482 | 59410 | 135160 | 196318 | 549428 | 227771 | 49748 |
| FLOW | 3 | 1979 | 45558 | 47475 | 83573 | 82227 | 92494 | 182466 | 96608 | 124367 | 44682 | 27348 | 25017 | 26387 |
| FLOW | 3 | 1980 | 31670 | 27459 | 38983 | 42772 | 72049 | 34680 | 28340 | 234986 | 127781 | 99558 | 39131 | 39694 |
| FLOW | 3 | 1981 | 52936 | 61796 | 85932 | 139227 | 76729 | 82394 | 58659 | 111812 | 212626 | 214082 | 79190 | 63047 |
| FLOW | 3 | 1982 | 46492 | 52387 | 55228 | 73876 | 108660 | 91900 | 59594 | 45538 | 44351 | 32322 | 28943 | 25058 |
| FLOW | 3 | 1983 | 26633 | 28357 | 29212 | 26353 | 63540 | 38608 | 27203 | 58365 | 37393 | 80429 | 54508 | 26871 |
| FLOW | 3 | 1984 | 38405 | 39992 | 34140 | 30578 | 44382 | 105591 | 91301 | 132843 | 79074 | 92897 | 39830 | 46288 |
| FLOW | 3 | 1985 | 44361 | 38288 | 42656 | 39042 | 57737 | 51125 | 47111 | 53823 | 115025 | 109010 | 50043 | 34158 |
| FLOW | 3 | 1986 | 37309 | 35791 | 46058 | 38600 | 51933 | 115227 | 118409 | 110897 | 246970 | 200219 | 96427 | 110622 |
| FLOW | 3 | 1987 | 104036 | 84667 | 112280 | 100241 | 131421 | 169964 | 122162 | 129300 | 84640 | 82205 | 43218 | 39839 |
| FLOW | 3 | 1988 | 39143 | 35653 | 38000 | 47346 | 66499 | 68397 | 121618 | 146122 | 201853 | 66692 | 53970 | 44571 |
| FLOW | 3 | 1989 | 45068 | 42725 | 43500 | 35329 | 50394 | 41753 | 36386 | 72419 | 82548 | 68873 | 41090 | 28986 |
| FLOW | 3 | 1990 | 31532 | 41127 | 48500 | 45920 | 49205 | 31075 | 106713 | 434169 | 280507 | 499003 | 119755 | 41162 |
| FLOW | 3 | 1991 | 55727 | 54954 | 65690 | 74159 | 70030 | 64513 | 115050 | 286483 | 681512 | 322515 | 43267 | 58690 |
| FLOW | 3 | 1992 | 158556 | 165946 | 91560 | 82462 | 164866 | 239963 | 122761 | 81921 | 53835 | 44256 | 41577 | 35382 |
| FLOW | 3 | 1993 | 47753 | 31236 | 36274 | 33152 | 46992 | 93704 | 215840 | 69832 | 78181 | 47182 | 43768 | 44672 |
| FLOW | 3 | 1994 | 50832 | 36937 | 44798 | 40202 | 86549 | 41047 | 40014 | 29349 | 31169 | 28947 | 28074 | 30895 |
| FLOW | 3 | 1995 | 28687 | 21287 | 23319 | 26625 | 38768 | 29252 | 37006 | 49855 | 43976 | 35154 | 30206 | 23756 |
| FLOW | 3 | 1996 | 23037 | 22888 | 20943 | 19311 | 17171 | 26255 | 34280 | 60233 | 88867 | 79094 | 25897 | 23601 |
| FLOW | 3 | 1997 | 22128 | 31542 | 31264 | 24422 | 60387 | 59218 | 40161 | 37395 | 21742 | 25799 | 21632 | 22878 |
| FLOW | 3 | 1998 | 24980 | 20862 | 24405 | 26625 | 38768 | 29252 | 37006 | 49855 | 43976 | 35154 | 30206 | 23756 |
| FLOW | 4 | 1945 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1946 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1947 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1948 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1950 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1951 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1953 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1957 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1960 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1961 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1963 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1964 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1965 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1966 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1967 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1968 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 4 | 1969 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

GROUP O

| | | | | | | | | | | | | | | |
|------|---|------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| FLOW | 5 | 1965 | 17191 | 17653 | 21574 | 23827 | 127914 | 17012 | 14113 | 16905 | 20332 | 16824 | 21145 | 19940 |
| FLOW | 5 | 1966 | 7604 | 12909 | 11746 | 50644 | 189694 | 18050 | 7434 | 9237 | 67958 | 7636 | 5513 | 2997 |
| FLOW | 5 | 1967 | 14819 | 8728 | 23652 | 41032 | 6943 | 7090 | 13755 | 89004 | 408935 | 58667 | 30941 | 9654 |
| FLOW | 5 | 1968 | 16806 | 20130 | 21264 | 29467 | 38273 | 23643 | 28749 | 6156 | 73144 | 30227 | 0 | 6778 |
| FLOW | 5 | 1969 | 5789 | 10559 | 5162 | 49017 | 48003 | 12375 | 0 | 52548 | 39826 | 78384 | 22435 | 22578 |
| FLOW | 5 | 1970 | 18045 | 0 | 34368 | 16673 | 18877 | 20269 | 28017 | 15646 | 69273 | 48326 | 13009 | 14617 |
| FLOW | 5 | 1971 | 0 | 576 | 21342 | 16018 | 0 | 271318 | 312041 | 248103 | 573395 | 575018 | 113862 | 69344 |
| FLOW | 5 | 1972 | 61254 | 44969 | 36899 | 41065 | 94037 | 52021 | 24181 | 62881 | 72089 | 36880 | 16987 | 26349 |
| FLOW | 5 | 1973 | 30905 | 47598 | 37312 | 21719 | 24901 | 148819 | 67508 | 33623 | 109434 | 124198 | 40856 | 20955 |
| FLOW | 5 | 1974 | 26575 | 11647 | 48845 | 22314 | 21661 | 21798 | 11801 | 24445 | 0 | 51818 | 15978 | 30923 |
| FLOW | 5 | 1975 | 24878 | 17755 | 14770 | 13543 | 115397 | 68352 | 201670 | 76265 | 82873 | 22632 | 29707 | 21834 |
| FLOW | 5 | 1976 | 16454 | 11975 | 30678 | 34540 | 55709 | 25411 | 359476 | 115155 | 134023 | 95134 | 96819 | 86810 |
| FLOW | 5 | 1977 | 53404 | 54556 | 41583 | 22609 | 86065 | 44932 | 31825 | 20654 | 17762 | 55146 | 16643 | 19103 |
| FLOW | 5 | 1978 | 19140 | 19949 | 8399 | 28187 | 19673 | 57260 | 6580 | 52531 | 126670 | 47404 | 98407 | 71824 |
| FLOW | 5 | 1979 | 49334 | 42905 | 21934 | 90334 | 22395 | 167177 | 75880 | 23690 | 43476 | 11487 | 4910 | 11114 |
| FLOW | 5 | 1980 | 11983 | 14518 | 0 | 26503 | 71293 | 6934 | 12155 | 159815 | 27787 | 33057 | 24209 | 20984 |
| FLOW | 5 | 1981 | 26295 | 25960 | 30930 | 166158 | 289492 | 199381 | 121898 | 34733 | 9759 | 47777 | 22080 | 20166 |
| FLOW | 5 | 1982 | 9489 | 32572 | 26535 | 34189 | 93272 | 28362 | 19944 | 0 | 38836 | 18059 | 15529 | 23363 |
| FLOW | 5 | 1983 | 20840 | 31006 | 24576 | 32158 | 32078 | 29165 | 19884 | 14393 | 37266 | 57406 | 33260 | 10875 |
| FLOW | 5 | 1984 | 35650 | 18978 | 8161 | 31527 | 32981 | 6317 | 0 | 0 | 16755 | 65476 | 12632 | 5665 |
| FLOW | 5 | 1985 | 19161 | 21194 | 18312 | 39286 | 71939 | 63669 | 41702 | 5797 | 17189 | 91810 | 26710 | 7493 |
| FLOW | 5 | 1986 | 15834 | 2132 | 0 | 0 | 30473 | 120162 | 26243 | 12285 | 67776 | 54315 | 22767 | 25262 |
| FLOW | 5 | 1987 | 21540 | 34500 | 21548 | 39399 | 68855 | 182132 | 55017 | 54281 | 65639 | 34741 | 29598 | 23644 |
| FLOW | 5 | 1988 | 20628 | 28825 | 23820 | 25371 | 27614 | 36659 | 29221 | 31023 | 126924 | 112110 | 55598 | 22180 |
| FLOW | 5 | 1989 | 29811 | 25920 | 23516 | 34875 | 45249 | 34662 | 8975 | 18321 | 23890 | 19335 | 3198 | 10502 |
| FLOW | 5 | 1990 | 5050 | 40402 | 21258 | 49495 | 42125 | 21899 | 94819 | 50854 | 37435 | 12530 | 31079 | 11623 |
| FLOW | 5 | 1991 | 29965 | 27328 | 15154 | 29803 | 54953 | 41735 | 11485 | 0 | 24682 | 0 | 27828 | 45800 |
| FLOW | 5 | 1992 | 35804 | 35357 | 11232 | 46393 | 72989 | 80871 | 69496 | 53437 | 41465 | 21961 | 22773 | 25626 |
| FLOW | 5 | 1993 | 27011 | 20357 | 29487 | 21487 | 17471 | 61463 | 9805 | 12271 | 27953 | 3339 | 9876 | 9603 |
| FLOW | 5 | 1994 | 23445 | 15648 | 16847 | 27793 | 48520 | 53964 | 28394 | 11543 | 32073 | 10878 | 8365 | 17730 |
| FLOW | 5 | 1995 | 7832 | 7386 | 2433 | 0 | 57403 | 8711 | 1299 | 3501 | 73473 | 17386 | 33696 | 5718 |
| FLOW | 5 | 1996 | 7807 | 10255 | 4586 | 0 | 5213 | 10551 | 18724 | 30928 | 82151 | 36792 | 12953 | 7713 |
| FLOW | 5 | 1997 | 7272 | 12931 | 32382 | 19377 | 37055 | 38075 | 3660 | 6298 | 10209 | 26869 | 18221 | 13812 |
| FLOW | 5 | 1998 | 15363 | 12548 | 10153 | 0 | 57403 | 8711 | 1299 | 3501 | 73473 | 17386 | 33696 | 5718 |
| FLOW | 6 | 1945 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1946 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1947 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1948 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1950 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1951 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1953 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1957 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FLOW | 6 | 1959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

GROUP O

| | | | | | | | | | | | | | | |
|------|---|------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| FLOW | 8 | 1950 | 16000 | 10000 | 8000 | 0 | 0 | 0 | 24000 | 7000 | 42000 | 0 | 11000 | 10000 |
| FLOW | 8 | 1951 | 14000 | 8000 | 11000 | 27000 | 55000 | 77000 | 25000 | 11000 | 8000 | 75000 | 8000 | 7000 |
| FLOW | 8 | 1952 | 6000 | 10000 | 7000 | 9000 | 16000 | 0 | 6000 | 1000 | 0 | 2000 | 3000 | 4000 |
| FLOW | 8 | 1953 | 6000 | 5000 | 11000 | 22000 | 7000 | 1000 | 9000 | 566000 | 215000 | 118000 | 26000 | 17000 |
| FLOW | 8 | 1954 | 4587 | 15854 | 11664 | 30500 | 123844 | 0 | 53312 | 0 | 17300 | 48060 | 10438 | 0 |
| FLOW | 8 | 1955 | 11612 | 19626 | 14105 | 16477 | 23282 | 14084 | 15249 | 61350 | 130829 | 14143 | 16572 | 7082 |
| FLOW | 8 | 1956 | 11581 | 10952 | 9222 | 11059 | 21586 | 0 | 17395 | 0 | 50007 | 11911 | 1726 | 7951 |
| FLOW | 8 | 1957 | 0 | 3655 | 23908 | 131968 | 307573 | 116197 | 5523 | 9801 | 68085 | 29643 | 16890 | 14643 |
| FLOW | 8 | 1958 | 70067 | 28550 | 21112 | 23152 | 134787 | 81101 | 41335 | 17223 | 326607 | 629268 | 378822 | 181858 |
| FLOW | 8 | 1959 | 87085 | 94850 | 54853 | 36929 | 26729 | 63911 | 37843 | 13229 | 25032 | 21091 | 18127 | 9876 |
| FLOW | 8 | 1960 | 6111 | 15069 | 16996 | 22755 | 20800 | 9095 | 12398 | 19098 | 43107 | 103744 | 26483 | 11940 |
| FLOW | 8 | 1961 | 16089 | 20564 | 20447 | 32710 | 29860 | 213109 | 69198 | 41002 | 70595 | 37775 | 24647 | 7964 |
| FLOW | 8 | 1962 | 7568 | 19277 | 12519 | 60151 | 6566 | 20089 | 0 | 17519 | 61238 | 17086 | 15846 | 2236 |
| FLOW | 8 | 1963 | 2337 | 6924 | 8833 | 25586 | 70263 | 74648 | 13007 | 0 | 50064 | 48157 | 4588 | 2754 |
| FLOW | 8 | 1964 | 0 | 11189 | 11450 | 479 | 25315 | 6165 | 3578 | 48742 | 258279 | 149262 | 24577 | 9152 |
| FLOW | 8 | 1965 | 15187 | 14326 | 19188 | 20721 | 148016 | 26325 | 13809 | 17565 | 22806 | 15048 | 19926 | 17142 |
| FLOW | 8 | 1966 | 4049 | 11135 | 11211 | 54538 | 224804 | 17940 | 4492 | 10090 | 70055 | 6109 | 2796 | 0 |
| FLOW | 8 | 1967 | 10811 | 6205 | 20941 | 42047 | 5484 | 9400 | 11964 | 104231 | 585047 | 90677 | 42028 | 14990 |
| FLOW | 8 | 1968 | 21062 | 22641 | 24089 | 33128 | 42526 | 25089 | 49239 | 18226 | 91391 | 43918 | 1448 | 9334 |
| FLOW | 8 | 1969 | 7463 | 12749 | 6707 | 48940 | 58291 | 14705 | 0 | 61047 | 44360 | 83431 | 22934 | 22132 |
| FLOW | 8 | 1970 | 15122 | 0 | 31513 | 10956 | 8590 | 4552 | 15650 | 13371 | 86786 | 36322 | 16034 | 17022 |
| FLOW | 8 | 1971 | 0 | 926 | 19747 | 10471 | 0 | 326517 | 464146 | 133217 | 861701 | 788216 | 202357 | 113974 |
| FLOW | 8 | 1972 | 52444 | 58559 | 44777 | 47119 | 105531 | 63846 | 31101 | 78548 | 87772 | 50583 | 22877 | 27335 |
| FLOW | 8 | 1973 | 29847 | 48711 | 36021 | 21673 | 25964 | 166431 | 10192 | 32730 | 118885 | 172487 | 51931 | 26048 |
| FLOW | 8 | 1974 | 28295 | 13213 | 49656 | 19315 | 18767 | 23691 | 4848 | 23330 | 0 | 65290 | 24321 | 34956 |
| FLOW | 8 | 1975 | 25382 | 16856 | 13035 | 14549 | 119189 | 70655 | 325532 | 100315 | 117641 | 40012 | 41754 | 28634 |
| FLOW | 8 | 1976 | 21040 | 17091 | 31731 | 37731 | 66432 | 26177 | 613827 | 232922 | 204504 | 146887 | 153781 | 141088 |
| FLOW | 8 | 1977 | 82341 | 78369 | 49815 | 29152 | 98027 | 49766 | 36403 | 21094 | 17272 | 61562 | 14856 | 16218 |
| FLOW | 8 | 1978 | 15038 | 16421 | 5549 | 22041 | 11956 | 64016 | 15852 | 68719 | 192724 | 109521 | 167112 | 112332 |
| FLOW | 8 | 1979 | 78260 | 54649 | 27705 | 97091 | 24548 | 221257 | 89746 | 26591 | 46059 | 8989 | 3176 | 10577 |
| FLOW | 8 | 1980 | 11215 | 14203 | 0 | 24294 | 76365 | 3405 | 7968 | 234132 | 44963 | 54945 | 39663 | 33382 |
| FLOW | 8 | 1981 | 34142 | 34949 | 37041 | 253568 | 438750 | 297231 | 170120 | 43826 | 15091 | 56896 | 26872 | 21934 |
| FLOW | 8 | 1982 | 6954 | 29023 | 27603 | 36133 | 105173 | 27068 | 16728 | 0 | 38369 | 17207 | 13939 | 20643 |
| FLOW | 8 | 1983 | 17595 | 31829 | 28355 | 30870 | 26985 | 19462 | 6041 | 4528 | 27747 | 51699 | 38010 | 8170 |
| FLOW | 8 | 1984 | 29926 | 12813 | 3946 | 24218 | 55034 | 12610 | 0 | 0 | 22287 | 71668 | 8118 | 2867 |
| FLOW | 8 | 1985 | 19931 | 20762 | 18517 | 49636 | 76989 | 71436 | 47557 | 6934 | 17243 | 104559 | 26962 | 3276 |
| FLOW | 8 | 1986 | 14080 | 0 | 0 | 0 | 23904 | 155485 | 34114 | 16766 | 124050 | 89078 | 43226 | 39426 |
| FLOW | 8 | 1987 | 32161 | 44593 | 30263 | 41181 | 31687 | 190066 | 97968 | 72925 | 90496 | 48307 | 38803 | 30040 |
| FLOW | 8 | 1988 | 24985 | 30643 | 21676 | 23952 | 27909 | 46658 | 30118 | 43196 | 277506 | 182655 | 90303 | 32170 |
| FLOW | 8 | 1989 | 35881 | 30167 | 25595 | 31318 | 50654 | 25956 | 9952 | 18517 | 26016 | 19763 | 2131 | 9074 |
| FLOW | 8 | 1990 | 0 | 32965 | 16719 | 53902 | 37287 | 15060 | 114041 | 57849 | 65956 | 45551 | 42909 | 15902 |
| FLOW | 8 | 1991 | 31390 | 23863 | 9409 | 25304 | 53173 | 39924 | 7660 | 0 | 40150 | 7379 | 34116 | 50381 |
| FLOW | 8 | 1992 | 39062 | 39748 | 13890 | 49775 | 85743 | 94973 | 104991 | 67637 | 52173 | 25106 | 23703 | 26809 |
| FLOW | 8 | 1993 | 23361 | 15343 | 25194 | 17303 | 12163 | 72790 | 6816 | 10590 | 29366 | 2384 | 7627 | 7186 |
| FLOW | 8 | 1994 | 21670 | 13312 | 14748 | 21721 | 43575 | 47246 | 27416 | 8770 | 32969 | 6979 | 4198 | 12977 |
| FLOW | 8 | 1995 | 3906 | 3825 | 0 | 0 | 58914 | 10260 | 3913 | 5330 | 98882 | 18370 | 33717 | 3724 |
| FLOW | 8 | 1996 | 6958 | 9093 | 4786 | 0 | 12781 | 20695 | 27018 | 40713 | 88400 | 33031 | 11824 | 4555 |
| FLOW | 8 | 1997 | 2713 | 7665 | 36555 | 17408 | 39881 | 42399 | 8118 | 7910 | 12731 | 33052 | 21197 | 13204 |

GROUP O

GROUP O

| FLOW | 8 | 1998 | 13771 | 11090 | 9301 | 0 | 58914 | 10260 | 3913 | 5330 | 98882 | 18370 | 33717 | 3724 |
|--------|---|------|-------|-------|------|---|-------|-------|------|------|-------|-------|-------|------|
| DEMAND | 1 | 1945 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1946 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1947 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1948 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1950 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1951 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1953 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1957 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1960 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1961 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1963 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1964 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1965 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1966 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1967 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1968 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1969 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1970 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1971 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1972 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1973 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1977 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1978 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1979 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1980 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1981 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1982 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1983 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1984 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1985 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1986 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1987 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1988 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1989 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1990 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DEMAND | 1 | 1991 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

GROUP P

| | | | | | | | | | | | | | | |
|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|
| EVAP | 1 | 1976 | 0.27 | 0.39 | 0.52 | 0.48 | 0.49 | 0.79 | 0.59 | 0.71 | 0.53 | 0.37 | 0.20 | 0.18 |
| EVAP | 1 | 1977 | 0.20 | 0.30 | 0.46 | 0.54 | 0.41 | 0.77 | 0.88 | 1.03 | 0.75 | 0.52 | 0.37 | 0.32 |
| EVAP | 1 | 1978 | 0.24 | 0.25 | 0.55 | 0.68 | 0.69 | 0.86 | 0.95 | 0.76 | 0.45 | 0.33 | 0.20 | 0.23 |
| EVAP | 1 | 1979 | 0.20 | 0.24 | 0.35 | 0.51 | 0.64 | 0.69 | 0.78 | 0.76 | 0.72 | 0.69 | 0.36 | 0.24 |
| EVAP | 1 | 1980 | 0.24 | 0.31 | 0.55 | 0.76 | 0.65 | 0.92 | 1.11 | 0.88 | 0.62 | 0.47 | 0.28 | 0.18 |
| EVAP | 1 | 1981 | 0.23 | 0.21 | 0.43 | 0.43 | 0.56 | 0.60 | 0.81 | 0.76 | 0.72 | 0.52 | 0.34 | 0.27 |
| EVAP | 1 | 1982 | 0.28 | 0.28 | 0.37 | 0.57 | 0.58 | 0.79 | 0.94 | 0.94 | 0.81 | 0.56 | 0.34 | 0.23 |
| EVAP | 1 | 1983 | 0.22 | 0.28 | 0.47 | 0.72 | 0.77 | 0.71 | 0.96 | 0.85 | 0.71 | 0.61 | 0.36 | 0.11 |
| EVAP | 1 | 1984 | 0.20 | 0.39 | 0.54 | 0.90 | 0.85 | 0.85 | 0.97 | 1.00 | 0.85 | 0.38 | 0.33 | 0.21 |
| EVAP | 1 | 1985 | 0.23 | 0.19 | 0.38 | 0.52 | 0.70 | 0.71 | 0.82 | 0.97 | 0.66 | 0.43 | 0.26 | 0.23 |
| EVAP | 1 | 1986 | 0.25 | 0.38 | 0.69 | 0.67 | 0.72 | 0.60 | 1.05 | 0.88 | 0.53 | 0.27 | 0.20 | 0.19 |
| EVAP | 1 | 1987 | 0.23 | 0.23 | 0.38 | 0.47 | 0.44 | 0.53 | 0.77 | 0.82 | 0.54 | 0.68 | 0.47 | 0.23 |
| EVAP | 1 | 1988 | 0.21 | 0.28 | 0.58 | 0.71 | 0.71 | 0.77 | 0.79 | 0.79 | 0.73 | 0.38 | 0.40 | 0.24 |
| EVAP | 1 | 1989 | 0.23 | 0.22 | 0.43 | 0.59 | 0.85 | 0.95 | 1.07 | 1.30 | 0.91 | 0.83 | 0.51 | 0.16 |
| EVAP | 1 | 1990 | 0.35 | 0.45 | 0.49 | 0.52 | 0.75 | 1.24 | 0.80 | 0.76 | 0.53 | 0.50 | 0.30 | 0.35 |
| EVAP | 1 | 1991 | 0.23 | 0.37 | 0.70 | 0.73 | 0.86 | 0.86 | 1.00 | 0.98 | 0.73 | 0.70 | 0.47 | 0.20 |
| EVAP | 1 | 1992 | 0.19 | 0.30 | 0.43 | 0.53 | 0.73 | 0.78 | 0.92 | 0.83 | 0.81 | 0.69 | 0.41 | 0.25 |
| EVAP | 1 | 1993 | 0.29 | 0.30 | 0.57 | 0.77 | 0.89 | 0.81 | 1.10 | 1.14 | 0.60 | 0.68 | 0.41 | 0.41 |
| EVAP | 1 | 1994 | 0.34 | 0.33 | 0.55 | 0.67 | 0.65 | 1.15 | 1.11 | 1.16 | 0.70 | 0.55 | 0.34 | 0.28 |
| EVAP | 1 | 1995 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 1 | 1996 | 0.41 | 0.46 | 0.62 | 0.89 | 1.01 | 1.29 | 1.30 | 1.01 | 0.57 | 0.70 | 0.39 | 0.27 |
| EVAP | 2 | 1945 | 0.34 | 0.41 | 0.52 | 0.58 | 0.83 | 0.92 | 1.03 | 0.94 | 1.02 | 0.77 | 0.65 | 0.51 |
| EVAP | 2 | 1946 | 0.30 | 0.30 | 0.50 | 0.50 | 0.58 | 0.71 | 1.02 | 0.93 | 0.63 | 0.61 | 0.54 | 0.38 |
| EVAP | 2 | 1947 | 0.31 | 0.36 | 0.48 | 0.52 | 0.67 | 0.91 | 1.03 | 0.78 | 0.95 | 0.78 | 0.58 | 0.24 |
| EVAP | 2 | 1948 | 0.35 | 0.23 | 0.52 | 0.71 | 0.61 | 0.87 | 0.93 | 1.05 | 0.73 | 0.68 | 0.74 | 0.43 |
| EVAP | 2 | 1949 | 0.32 | 0.20 | 0.34 | 0.37 | 0.56 | 0.73 | 0.88 | 0.88 | 0.68 | 0.65 | 0.55 | 0.35 |
| EVAP | 2 | 1950 | 0.49 | 0.45 | 0.58 | 0.64 | 0.97 | 0.83 | 1.19 | 1.33 | 0.95 | 0.80 | 0.76 | 0.52 |
| EVAP | 2 | 1951 | 0.53 | 0.51 | 0.60 | 0.62 | 0.69 | 0.84 | 1.14 | 0.95 | 0.93 | 0.86 | 0.58 | 0.51 |
| EVAP | 2 | 1952 | 0.46 | 0.53 | 0.53 | 0.69 | 0.75 | 0.83 | 0.91 | 1.23 | 1.03 | 0.93 | 0.51 | 0.38 |
| EVAP | 2 | 1953 | 0.44 | 0.37 | 0.49 | 0.61 | 0.67 | 0.97 | 1.04 | 0.99 | 0.92 | 0.66 | 0.54 | 0.39 |
| EVAP | 2 | 1954 | 0.20 | 0.49 | 0.55 | 0.63 | 0.80 | 0.82 | 0.90 | 0.89 | 0.70 | 0.47 | 0.36 | 0.33 |
| EVAP | 2 | 1955 | 0.31 | 0.28 | 0.56 | 0.63 | 0.80 | 0.89 | 0.96 | 0.84 | 0.51 | 0.55 | 0.38 | 0.25 |
| EVAP | 2 | 1956 | 0.28 | 0.32 | 0.49 | 0.66 | 0.88 | 0.81 | 1.06 | 0.91 | 0.77 | 0.64 | 0.43 | 0.32 |
| EVAP | 2 | 1957 | 0.28 | 0.37 | 0.61 | 0.57 | 0.68 | 0.75 | 1.01 | 0.94 | 0.68 | 0.49 | 0.39 | 0.33 |
| EVAP | 2 | 1958 | 0.23 | 0.24 | 0.35 | 0.54 | 0.70 | 0.71 | 0.86 | 0.90 | 0.44 | 0.25 | 0.23 | 0.18 |
| EVAP | 2 | 1959 | 0.18 | 0.16 | 0.40 | 0.47 | 0.75 | 0.76 | 0.86 | 0.36 | 0.67 | 0.44 | 0.31 | 0.27 |
| EVAP | 2 | 1960 | 0.18 | 0.35 | 0.37 | 0.53 | 0.71 | 0.83 | 0.98 | 0.76 | 0.49 | 0.43 | 0.23 | 0.15 |
| EVAP | 2 | 1961 | 0.17 | 0.32 | 0.57 | 0.72 | 0.77 | 0.78 | 0.87 | 0.69 | 0.57 | 0.43 | 0.24 | 0.19 |
| EVAP | 2 | 1962 | 0.28 | 0.43 | 0.55 | 0.63 | 0.86 | 0.79 | 1.04 | 0.91 | 0.65 | 0.56 | 0.34 | 0.21 |
| EVAP | 2 | 1963 | 0.24 | 0.36 | 0.58 | 0.71 | 0.66 | 0.81 | 0.90 | 0.96 | 0.61 | 0.47 | 0.38 | 0.17 |
| EVAP | 2 | 1964 | 0.28 | 0.30 | 0.51 | 0.62 | 0.67 | 0.72 | 0.80 | 0.84 | 0.64 | 0.46 | 0.34 | 0.22 |
| EVAP | 2 | 1965 | 0.30 | 0.30 | 0.43 | 0.57 | 0.65 | 0.89 | 1.01 | 0.84 | 0.72 | 0.39 | 0.28 | 0.18 |
| EVAP | 2 | 1966 | 0.15 | 0.20 | 0.38 | 0.54 | 0.50 | 0.58 | 0.78 | 0.80 | 0.58 | 0.44 | 0.40 | 0.31 |
| EVAP | 2 | 1967 | 0.26 | 0.32 | 0.53 | 0.74 | 0.77 | 0.88 | 1.04 | 0.72 | 0.43 | 0.35 | 0.17 | 0.18 |
| EVAP | 2 | 1968 | 0.16 | 0.21 | 0.39 | 0.41 | 0.55 | 0.69 | 0.66 | 0.77 | 0.42 | 0.37 | 0.31 | 0.27 |
| EVAP | 2 | 1969 | 0.22 | 0.23 | 0.47 | 0.55 | 0.66 | 0.73 | 0.98 | 0.75 | 0.51 | 0.45 | 0.29 | 0.20 |
| EVAP | 2 | 1970 | 0.15 | 0.26 | 0.45 | 0.59 | 0.62 | 0.72 | 0.77 | 0.76 | 0.55 | 0.39 | 0.37 | 0.29 |
| EVAP | 2 | 1971 | 0.33 | 0.40 | 0.63 | 0.72 | 0.74 | 0.84 | 0.87 | 0.61 | 0.54 | 0.32 | 0.29 | 0.20 |
| EVAP | 2 | 1972 | 0.24 | 0.28 | 0.43 | 0.64 | 0.49 | 0.57 | 0.63 | 0.75 | 0.59 | 0.39 | 0.23 | 0.20 |
| EVAP | 2 | 1973 | 0.21 | 0.19 | 0.43 | 0.45 | 0.62 | 0.64 | 0.70 | 0.55 | 0.48 | 0.33 | 0.26 | 0.27 |

GROUP Q

GROUP Q

| | | | | | | | | | | | | | | |
|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|
| EVAP | 2 | 1974 | 0.18 | 0.39 | 0.43 | 0.55 | 0.64 | 0.76 | 0.84 | 0.86 | 0.54 | 0.41 | 0.27 | 0.17 |
| EVAP | 2 | 1975 | 0.26 | 0.30 | 0.51 | 0.58 | 0.60 | 0.72 | 0.67 | 0.55 | 0.39 | 0.41 | 0.37 | 0.25 |
| EVAP | 2 | 1976 | 0.25 | 0.41 | 0.41 | 0.48 | 0.53 | 0.72 | 0.55 | 0.66 | 0.50 | 0.33 | 0.14 | 0.15 |
| EVAP | 2 | 1977 | 0.13 | 0.28 | 0.41 | 0.50 | 0.55 | 0.71 | 0.84 | 0.81 | 0.56 | 0.39 | 0.31 | 0.25 |
| EVAP | 2 | 1978 | 0.18 | 0.23 | 0.53 | 0.61 | 0.67 | 0.77 | 0.91 | 0.77 | 0.41 | 0.29 | 0.21 | 0.21 |
| EVAP | 2 | 1979 | 0.20 | 0.22 | 0.42 | 0.47 | 0.67 | 0.72 | 0.79 | 0.78 | 0.46 | 0.52 | 0.33 | 0.17 |
| EVAP | 2 | 1980 | 0.19 | 0.20 | 0.45 | 0.60 | 0.59 | 0.94 | 0.98 | 0.71 | 0.64 | 0.43 | 0.27 | 0.17 |
| EVAP | 2 | 1981 | 0.16 | 0.20 | 0.37 | 0.40 | 0.50 | 0.53 | 0.69 | 0.63 | 0.49 | 0.41 | 0.28 | 0.22 |
| EVAP | 2 | 1982 | 0.28 | 0.22 | 0.39 | 0.45 | 0.39 | 0.69 | 0.89 | 0.79 | 0.61 | 0.38 | 0.26 | 0.22 |
| EVAP | 2 | 1983 | 0.17 | 0.25 | 0.44 | 0.63 | 0.58 | 0.68 | 0.64 | 0.69 | 0.53 | 0.42 | 0.34 | 0.19 |
| EVAP | 2 | 1984 | 0.14 | 0.34 | 0.51 | 0.57 | 0.68 | 0.76 | 0.80 | 0.84 | 0.50 | 0.35 | 0.33 | 0.23 |
| EVAP | 2 | 1985 | 0.17 | 0.21 | 0.44 | 0.50 | 0.57 | 0.68 | 0.80 | 0.85 | 0.64 | 0.46 | 0.30 | 0.19 |
| EVAP | 2 | 1986 | 0.24 | 0.33 | 0.59 | 0.51 | 0.59 | 0.59 | 0.86 | 0.80 | 0.62 | 0.39 | 0.20 | 0.14 |
| EVAP | 2 | 1987 | 0.21 | 0.27 | 0.33 | 0.45 | 0.51 | 0.57 | 0.75 | 0.81 | 0.53 | 0.48 | 0.29 | 0.20 |
| EVAP | 2 | 1988 | 0.21 | 0.23 | 0.47 | 0.55 | 0.61 | 0.74 | 0.78 | 0.62 | 0.51 | 0.42 | 0.33 | 0.25 |
| EVAP | 2 | 1989 | 0.22 | 0.25 | 0.54 | 0.55 | 0.76 | 0.80 | 0.83 | 0.71 | 0.63 | 0.48 | 0.31 | 0.21 |
| EVAP | 2 | 1990 | 0.31 | 0.33 | 0.41 | 0.48 | 0.71 | 0.93 | 0.87 | 0.76 | 0.48 | 0.48 | 0.32 | 0.27 |
| EVAP | 2 | 1991 | 0.19 | 0.28 | 0.60 | 0.55 | 0.61 | 0.71 | 0.68 | 0.81 | 0.41 | 0.42 | 0.26 | 0.20 |
| EVAP | 2 | 1992 | 0.15 | 0.24 | 0.34 | 0.43 | 0.47 | 0.67 | 0.92 | 0.74 | 0.63 | 0.43 | 0.28 | 0.20 |
| EVAP | 2 | 1993 | 0.20 | 0.24 | 0.37 | 0.58 | 0.65 | 0.57 | 0.87 | 0.88 | 0.54 | 0.46 | 0.27 | 0.27 |
| EVAP | 2 | 1994 | 0.26 | 0.28 | 0.49 | 0.50 | 0.62 | 0.74 | 1.00 | 0.72 | 0.57 | 0.45 | 0.35 | 0.23 |
| EVAP | 2 | 1995 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 2 | 1996 | 0.28 | 0.34 | 0.51 | 0.67 | 0.81 | 0.87 | 0.99 | 0.69 | 0.56 | 0.39 | 0.34 | 0.24 |
| EVAP | 3 | 1945 | 0.26 | 0.28 | 0.54 | 0.64 | 0.87 | 1.06 | 0.76 | 1.17 | 0.88 | 0.38 | 0.39 | 0.37 |
| EVAP | 3 | 1946 | 0.26 | 0.34 | 0.58 | 0.66 | 0.54 | 0.71 | 1.07 | 0.82 | 0.72 | 0.44 | 0.40 | 0.30 |
| EVAP | 3 | 1947 | 0.23 | 0.33 | 0.42 | 0.58 | 0.76 | 0.91 | 1.15 | 0.92 | 0.86 | 0.73 | 0.38 | 0.25 |
| EVAP | 3 | 1948 | 0.22 | 0.25 | 0.52 | 0.69 | 0.83 | 1.03 | 0.95 | 1.03 | 0.76 | 0.45 | 0.48 | 0.36 |
| EVAP | 3 | 1949 | 0.13 | 0.26 | 0.47 | 0.51 | 0.62 | 0.85 | 0.93 | 0.76 | 0.75 | 0.43 | 0.43 | 0.29 |
| EVAP | 3 | 1950 | 0.16 | 0.23 | 0.55 | 0.45 | 0.63 | 0.85 | 0.93 | 0.88 | 0.73 | 0.66 | 0.59 | 0.42 |
| EVAP | 3 | 1951 | 0.37 | 0.29 | 0.45 | 0.58 | 0.61 | 0.65 | 1.09 | 1.13 | 0.94 | 0.73 | 0.46 | 0.38 |
| EVAP | 3 | 1952 | 0.33 | 0.40 | 0.49 | 0.54 | 0.64 | 0.77 | 1.03 | 1.19 | 0.93 | 0.78 | 0.45 | 0.29 |
| EVAP | 3 | 1953 | 0.43 | 0.38 | 0.37 | 0.70 | 0.83 | 1.05 | 1.24 | 1.08 | 0.80 | 0.66 | 0.46 | 0.35 |
| EVAP | 3 | 1954 | 0.25 | 0.39 | 0.56 | 0.43 | 0.65 | 0.88 | 1.14 | 1.11 | 1.09 | 0.68 | 0.58 | 0.58 |
| EVAP | 3 | 1955 | 0.27 | 0.34 | 0.55 | 0.62 | 0.75 | 0.87 | 1.19 | 0.93 | 0.71 | 0.93 | 0.53 | 0.40 |
| EVAP | 3 | 1956 | 0.28 | 0.34 | 0.45 | 0.61 | 0.82 | 1.16 | 1.26 | 1.10 | 1.21 | 0.78 | 0.49 | 0.35 |
| EVAP | 3 | 1957 | 0.28 | 0.28 | 0.53 | 0.55 | 0.52 | 0.77 | 1.23 | 1.21 | 0.71 | 0.48 | 0.23 | 0.30 |
| EVAP | 3 | 1958 | 0.22 | 0.27 | 0.34 | 0.61 | 0.75 | 0.81 | 0.84 | 1.07 | 0.43 | 0.26 | 0.22 | 0.25 |
| EVAP | 3 | 1959 | 0.27 | 0.24 | 0.54 | 0.54 | 0.66 | 0.79 | 0.78 | 0.66 | 0.75 | 0.45 | 0.33 | 0.28 |
| EVAP | 3 | 1960 | 0.21 | 0.34 | 0.43 | 0.59 | 0.80 | 1.22 | 0.65 | 0.79 | 0.75 | 0.54 | 0.25 | 0.21 |
| EVAP | 3 | 1961 | 0.21 | 0.24 | 0.53 | 0.72 | 0.78 | 0.77 | 0.76 | 0.69 | 0.69 | 0.40 | 0.35 | 0.28 |
| EVAP | 3 | 1962 | 0.27 | 0.47 | 0.64 | 0.57 | 0.95 | 0.86 | 1.11 | 1.15 | 0.99 | 0.71 | 0.36 | 0.29 |
| EVAP | 3 | 1963 | 0.31 | 0.37 | 0.61 | 0.61 | 0.64 | 0.77 | 1.03 | 1.01 | 0.75 | 0.60 | 0.40 | 0.20 |
| EVAP | 3 | 1964 | 0.34 | 0.33 | 0.63 | 0.74 | 0.75 | 0.93 | 1.11 | 0.94 | 0.63 | 0.42 | 0.30 | 0.22 |
| EVAP | 3 | 1965 | 0.29 | 0.24 | 0.42 | 0.61 | 0.50 | 0.71 | 0.99 | 0.91 | 0.68 | 0.49 | 0.29 | 0.22 |
| EVAP | 3 | 1966 | 0.21 | 0.25 | 0.49 | 0.59 | 0.49 | 0.71 | 1.02 | 0.73 | 0.50 | 0.23 | 0.19 | 0.29 |
| EVAP | 3 | 1967 | 0.30 | 0.33 | 0.53 | 0.58 | 0.88 | 1.01 | 1.12 | 0.85 | 0.49 | 0.51 | 0.25 | 0.24 |
| EVAP | 3 | 1968 | 0.14 | 0.22 | 0.33 | 0.46 | 0.52 | 0.74 | 0.76 | 0.92 | 0.54 | 0.46 | 0.34 | 0.27 |
| EVAP | 3 | 1969 | 0.23 | 0.28 | 0.56 | 0.58 | 0.66 | 0.83 | 1.07 | 0.97 | 0.55 | 0.37 | 0.22 | 0.16 |
| EVAP | 3 | 1970 | 0.16 | 0.25 | 0.38 | 0.49 | 0.72 | 0.70 | 0.83 | 0.81 | 0.63 | 0.33 | 0.35 | 0.23 |
| EVAP | 3 | 1971 | 0.30 | 0.38 | 0.66 | 0.70 | 0.71 | 0.65 | 0.70 | 0.62 | 0.52 | 0.25 | 0.26 | 0.19 |

GROUP Q

| | | | | | | | | | | | | | | |
|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|
| EVAP | 3 | 1972 | 0.24 | 0.27 | 0.54 | 0.70 | 0.57 | 0.76 | 0.83 | 0.62 | 0.58 | 0.40 | 0.32 | 0.24 |
| EVAP | 3 | 1973 | 0.25 | 0.17 | 0.52 | 0.57 | 0.76 | 0.58 | 0.71 | 0.77 | 0.56 | 0.34 | 0.27 | 0.32 |
| EVAP | 3 | 1974 | 0.25 | 0.42 | 0.40 | 0.73 | 0.70 | 0.96 | 0.99 | 0.73 | 0.50 | 0.39 | 0.23 | 0.22 |
| EVAP | 3 | 1975 | 0.21 | 0.30 | 0.52 | 0.56 | 0.57 | 0.74 | 0.63 | 0.69 | 0.49 | 0.47 | 0.35 | 0.27 |
| EVAP | 3 | 1976 | 0.27 | 0.39 | 0.52 | 0.48 | 0.49 | 0.79 | 0.59 | 0.71 | 0.53 | 0.37 | 0.20 | 0.18 |
| EVAP | 3 | 1977 | 0.20 | 0.30 | 0.46 | 0.54 | 0.41 | 0.77 | 0.88 | 1.03 | 0.75 | 0.52 | 0.37 | 0.32 |
| EVAP | 3 | 1978 | 0.24 | 0.25 | 0.55 | 0.68 | 0.69 | 0.86 | 0.95 | 0.76 | 0.45 | 0.33 | 0.20 | 0.23 |
| EVAP | 3 | 1979 | 0.20 | 0.24 | 0.35 | 0.51 | 0.64 | 0.69 | 0.78 | 0.76 | 0.72 | 0.69 | 0.36 | 0.24 |
| EVAP | 3 | 1980 | 0.24 | 0.31 | 0.55 | 0.76 | 0.65 | 0.92 | 1.11 | 0.88 | 0.62 | 0.47 | 0.28 | 0.18 |
| EVAP | 3 | 1981 | 0.23 | 0.21 | 0.43 | 0.43 | 0.56 | 0.60 | 0.81 | 0.76 | 0.72 | 0.52 | 0.34 | 0.27 |
| EVAP | 3 | 1982 | 0.28 | 0.28 | 0.37 | 0.57 | 0.58 | 0.79 | 0.94 | 0.94 | 0.81 | 0.56 | 0.34 | 0.23 |
| EVAP | 3 | 1983 | 0.22 | 0.28 | 0.47 | 0.72 | 0.77 | 0.71 | 0.96 | 0.85 | 0.71 | 0.61 | 0.36 | 0.11 |
| EVAP | 3 | 1984 | 0.20 | 0.39 | 0.54 | 0.90 | 0.85 | 0.85 | 0.97 | 1.00 | 0.85 | 0.38 | 0.33 | 0.21 |
| EVAP | 3 | 1985 | 0.23 | 0.19 | 0.38 | 0.52 | 0.70 | 0.71 | 0.82 | 0.97 | 0.66 | 0.43 | 0.26 | 0.23 |
| EVAP | 3 | 1986 | 0.25 | 0.38 | 0.69 | 0.67 | 0.72 | 0.60 | 1.05 | 0.88 | 0.53 | 0.27 | 0.20 | 0.19 |
| EVAP | 3 | 1987 | 0.23 | 0.23 | 0.38 | 0.47 | 0.44 | 0.53 | 0.77 | 0.82 | 0.54 | 0.68 | 0.47 | 0.23 |
| EVAP | 3 | 1988 | 0.21 | 0.28 | 0.58 | 0.71 | 0.71 | 0.77 | 0.79 | 0.79 | 0.73 | 0.38 | 0.40 | 0.24 |
| EVAP | 3 | 1989 | 0.35 | 0.22 | 0.43 | 0.59 | 0.85 | 0.95 | 1.07 | 1.30 | 0.91 | 0.83 | 0.51 | 0.16 |
| EVAP | 3 | 1990 | 0.23 | 0.45 | 0.49 | 0.52 | 0.75 | 1.24 | 0.80 | 0.76 | 0.53 | 0.50 | 0.30 | 0.35 |
| EVAP | 3 | 1991 | 0.23 | 0.37 | 0.70 | 0.73 | 0.86 | 0.86 | 1.00 | 0.98 | 0.73 | 0.70 | 0.47 | 0.20 |
| EVAP | 3 | 1992 | 0.19 | 0.30 | 0.43 | 0.53 | 0.73 | 0.78 | 0.92 | 0.83 | 0.81 | 0.69 | 0.41 | 0.25 |
| EVAP | 3 | 1993 | 0.29 | 0.30 | 0.57 | 0.77 | 0.89 | 0.81 | 1.10 | 1.14 | 0.60 | 0.68 | 0.41 | 0.41 |
| EVAP | 3 | 1994 | 0.34 | 0.33 | 0.55 | 0.67 | 0.65 | 1.15 | 1.11 | 1.16 | 0.70 | 0.55 | 0.34 | 0.28 |
| EVAP | 3 | 1995 | 0.31 | 0.44 | 0.47 | 0.77 | 0.87 | 0.99 | 1.17 | 1.18 | 0.86 | 0.74 | 0.34 | 0.32 |
| EVAP | 3 | 1996 | 0.41 | 0.46 | 0.62 | 0.89 | 1.01 | 1.29 | 1.30 | 1.01 | 0.57 | 0.70 | 0.39 | 0.27 |
| EVAP | 4 | 1945 | 0.34 | 0.41 | 0.52 | 0.58 | 0.83 | 0.92 | 1.03 | 0.94 | 1.02 | 0.77 | 0.65 | 0.51 |
| EVAP | 4 | 1946 | 0.30 | 0.30 | 0.50 | 0.50 | 0.58 | 0.71 | 1.02 | 0.93 | 0.63 | 0.61 | 0.54 | 0.38 |
| EVAP | 4 | 1947 | 0.31 | 0.36 | 0.48 | 0.52 | 0.67 | 0.91 | 1.03 | 0.78 | 0.95 | 0.78 | 0.58 | 0.24 |
| EVAP | 4 | 1948 | 0.35 | 0.23 | 0.52 | 0.71 | 0.61 | 0.87 | 0.93 | 1.05 | 0.73 | 0.68 | 0.74 | 0.43 |
| EVAP | 4 | 1949 | 0.32 | 0.20 | 0.34 | 0.37 | 0.56 | 0.73 | 0.88 | 0.88 | 0.68 | 0.65 | 0.55 | 0.35 |
| EVAP | 4 | 1950 | 0.49 | 0.45 | 0.58 | 0.64 | 0.97 | 0.83 | 1.19 | 1.33 | 0.95 | 0.80 | 0.76 | 0.52 |
| EVAP | 4 | 1951 | 0.53 | 0.51 | 0.60 | 0.62 | 0.69 | 0.84 | 1.14 | 0.95 | 0.93 | 0.86 | 0.58 | 0.51 |
| EVAP | 4 | 1952 | 0.46 | 0.53 | 0.53 | 0.69 | 0.75 | 0.83 | 0.91 | 1.23 | 1.03 | 0.93 | 0.51 | 0.38 |
| EVAP | 4 | 1953 | 0.44 | 0.37 | 0.49 | 0.61 | 0.67 | 0.97 | 1.04 | 0.99 | 0.92 | 0.66 | 0.54 | 0.39 |
| EVAP | 4 | 1954 | 0.20 | 0.49 | 0.55 | 0.63 | 0.80 | 0.82 | 0.90 | 0.89 | 0.70 | 0.47 | 0.36 | 0.33 |
| EVAP | 4 | 1955 | 0.31 | 0.28 | 0.56 | 0.63 | 0.80 | 0.89 | 0.96 | 0.84 | 0.51 | 0.55 | 0.38 | 0.25 |
| EVAP | 4 | 1956 | 0.28 | 0.32 | 0.49 | 0.66 | 0.68 | 0.81 | 1.06 | 0.91 | 0.77 | 0.64 | 0.43 | 0.32 |
| EVAP | 4 | 1957 | 0.28 | 0.37 | 0.61 | 0.57 | 0.88 | 0.75 | 1.01 | 0.94 | 0.68 | 0.49 | 0.39 | 0.33 |
| EVAP | 4 | 1958 | 0.23 | 0.24 | 0.35 | 0.54 | 0.70 | 0.71 | 0.86 | 0.90 | 0.44 | 0.25 | 0.23 | 0.18 |
| EVAP | 4 | 1959 | 0.18 | 0.16 | 0.40 | 0.47 | 0.75 | 0.76 | 0.86 | 0.36 | 0.67 | 0.44 | 0.31 | 0.27 |
| EVAP | 4 | 1960 | 0.18 | 0.35 | 0.37 | 0.53 | 0.71 | 0.83 | 0.98 | 0.76 | 0.49 | 0.43 | 0.23 | 0.15 |
| EVAP | 4 | 1961 | 0.17 | 0.32 | 0.57 | 0.72 | 0.77 | 0.78 | 0.87 | 0.69 | 0.57 | 0.43 | 0.24 | 0.19 |
| EVAP | 4 | 1962 | 0.28 | 0.43 | 0.55 | 0.63 | 0.86 | 0.79 | 1.04 | 0.91 | 0.65 | 0.56 | 0.34 | 0.21 |
| EVAP | 4 | 1963 | 0.24 | 0.36 | 0.58 | 0.71 | 0.66 | 0.81 | 0.90 | 0.96 | 0.61 | 0.47 | 0.38 | 0.17 |
| EVAP | 4 | 1964 | 0.28 | 0.30 | 0.51 | 0.62 | 0.67 | 0.72 | 0.89 | 1.00 | 0.64 | 0.46 | 0.34 | 0.22 |
| EVAP | 4 | 1965 | 0.30 | 0.30 | 0.43 | 0.57 | 0.65 | 0.89 | 1.01 | 0.84 | 0.72 | 0.39 | 0.28 | 0.18 |
| EVAP | 4 | 1966 | 0.15 | 0.20 | 0.38 | 0.54 | 0.50 | 0.58 | 0.78 | 0.80 | 0.58 | 0.44 | 0.40 | 0.31 |
| EVAP | 4 | 1967 | 0.26 | 0.32 | 0.53 | 0.74 | 0.77 | 0.88 | 1.04 | 0.72 | 0.43 | 0.35 | 0.17 | 0.18 |
| EVAP | 4 | 1968 | 0.16 | 0.21 | 0.39 | 0.41 | 0.55 | 0.69 | 0.66 | 0.77 | 0.42 | 0.37 | 0.31 | 0.27 |

GROUP Q

| | | | | | | | | | | | | | | |
|------|---|------|------|------|------|------|------|------|------|------|------|------|------|------|
| EVAP | 4 | 1969 | 0.22 | 0.23 | 0.47 | 0.55 | 0.66 | 0.73 | 0.98 | 0.75 | 0.51 | 0.45 | 0.29 | 0.20 |
| EVAP | 4 | 1970 | 0.15 | 0.26 | 0.45 | 0.59 | 0.62 | 0.72 | 0.77 | 0.76 | 0.55 | 0.39 | 0.37 | 0.29 |
| EVAP | 4 | 1971 | 0.33 | 0.40 | 0.63 | 0.72 | 0.74 | 0.84 | 0.87 | 0.61 | 0.54 | 0.32 | 0.29 | 0.20 |
| EVAP | 4 | 1972 | 0.24 | 0.28 | 0.43 | 0.64 | 0.49 | 0.57 | 0.63 | 0.75 | 0.59 | 0.39 | 0.23 | 0.20 |
| EVAP | 4 | 1973 | 0.21 | 0.19 | 0.43 | 0.45 | 0.62 | 0.64 | 0.70 | 0.55 | 0.48 | 0.33 | 0.26 | 0.27 |
| EVAP | 4 | 1974 | 0.18 | 0.39 | 0.43 | 0.55 | 0.64 | 0.76 | 0.84 | 0.86 | 0.54 | 0.41 | 0.27 | 0.17 |
| EVAP | 4 | 1975 | 0.26 | 0.30 | 0.51 | 0.58 | 0.60 | 0.72 | 0.67 | 0.55 | 0.39 | 0.41 | 0.37 | 0.25 |
| EVAP | 4 | 1976 | 0.25 | 0.41 | 0.41 | 0.48 | 0.53 | 0.72 | 0.55 | 0.66 | 0.50 | 0.33 | 0.14 | 0.15 |
| EVAP | 4 | 1977 | 0.13 | 0.28 | 0.41 | 0.50 | 0.55 | 0.71 | 0.84 | 0.81 | 0.56 | 0.39 | 0.31 | 0.25 |
| EVAP | 4 | 1978 | 0.18 | 0.23 | 0.53 | 0.61 | 0.67 | 0.77 | 0.91 | 0.77 | 0.41 | 0.29 | 0.21 | 0.21 |
| EVAP | 4 | 1979 | 0.20 | 0.22 | 0.42 | 0.47 | 0.67 | 0.72 | 0.79 | 0.78 | 0.46 | 0.52 | 0.33 | 0.17 |
| EVAP | 4 | 1980 | 0.19 | 0.20 | 0.45 | 0.60 | 0.59 | 0.94 | 0.98 | 0.71 | 0.64 | 0.43 | 0.27 | 0.17 |
| EVAP | 4 | 1981 | 0.16 | 0.20 | 0.37 | 0.40 | 0.50 | 0.53 | 0.69 | 0.63 | 0.49 | 0.41 | 0.28 | 0.22 |
| EVAP | 4 | 1982 | 0.28 | 0.22 | 0.39 | 0.45 | 0.39 | 0.69 | 0.89 | 0.79 | 0.61 | 0.38 | 0.26 | 0.22 |
| EVAP | 4 | 1983 | 0.17 | 0.25 | 0.44 | 0.63 | 0.58 | 0.68 | 0.64 | 0.69 | 0.53 | 0.42 | 0.34 | 0.19 |
| EVAP | 4 | 1984 | 0.14 | 0.34 | 0.51 | 0.57 | 0.68 | 0.76 | 0.80 | 0.84 | 0.50 | 0.35 | 0.33 | 0.23 |
| EVAP | 4 | 1985 | 0.17 | 0.21 | 0.44 | 0.50 | 0.57 | 0.68 | 0.80 | 0.85 | 0.64 | 0.46 | 0.30 | 0.19 |
| EVAP | 4 | 1986 | 0.24 | 0.33 | 0.59 | 0.51 | 0.59 | 0.59 | 0.86 | 0.80 | 0.62 | 0.39 | 0.20 | 0.14 |
| EVAP | 4 | 1987 | 0.21 | 0.27 | 0.33 | 0.45 | 0.51 | 0.57 | 0.75 | 0.81 | 0.53 | 0.48 | 0.29 | 0.20 |
| EVAP | 4 | 1988 | 0.21 | 0.23 | 0.47 | 0.55 | 0.61 | 0.74 | 0.78 | 0.62 | 0.51 | 0.42 | 0.33 | 0.25 |
| EVAP | 4 | 1989 | 0.22 | 0.25 | 0.54 | 0.55 | 0.76 | 0.80 | 0.83 | 0.71 | 0.63 | 0.48 | 0.31 | 0.21 |
| EVAP | 4 | 1990 | 0.31 | 0.33 | 0.41 | 0.48 | 0.71 | 0.93 | 0.87 | 0.76 | 0.48 | 0.48 | 0.32 | 0.27 |
| EVAP | 4 | 1991 | 0.19 | 0.28 | 0.60 | 0.55 | 0.61 | 0.71 | 0.68 | 0.81 | 0.41 | 0.42 | 0.26 | 0.20 |
| EVAP | 4 | 1992 | 0.15 | 0.24 | 0.34 | 0.43 | 0.47 | 0.67 | 0.92 | 0.74 | 0.63 | 0.43 | 0.28 | 0.20 |
| EVAP | 4 | 1993 | 0.20 | 0.24 | 0.37 | 0.58 | 0.65 | 0.57 | 0.87 | 0.88 | 0.54 | 0.46 | 0.27 | 0.27 |
| EVAP | 4 | 1994 | 0.26 | 0.28 | 0.49 | 0.50 | 0.62 | 0.74 | 1.00 | 0.72 | 0.57 | 0.45 | 0.35 | 0.23 |
| EVAP | 4 | 1995 | 0.26 | 0.29 | 0.42 | 0.68 | 0.73 | 0.80 | 0.87 | 0.61 | 0.58 | 0.43 | 0.25 | 0.20 |
| EVAP | 4 | 1996 | 0.28 | 0.34 | 0.51 | 0.67 | 0.81 | 0.87 | 0.99 | 0.69 | 0.56 | 0.39 | 0.34 | 0.24 |

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

Attachment C.

**Amistad-Falcon Reservoir Operations Model
Data Input File Description and Formatting**

ATTACHMENT C

ROM DATA INPUT FILE DESCRIPTION AND FORMATTING

GROUP A

Name: Simulation Titles
Description: These two lines, each containing 100 alphanumeric characters, are used to describe simulation conditions.

Lines: 2

| <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|-------------|--------------|---------------|----------------|------------------------------|
| 1 | 1 | 25A4 | 1-100 | Alphanumeric characters |
| 2 | 1 | 25A4 | 1-100 | Alphanumeric characters |

GROUP B

Name: Simulation Control Parameters
Description: This file contains 30 lines, with one parameter per line. These parameters specify various controls for the simulation, including the amounts of authorized diversions and storage for different types of water rights for the Middle and Lower Rio Grande that are recognized for purposes of the simulation.

Lines: 30

| <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|-------------|--------------|---------------|----------------|--|
| 1 | 1 | I5 | 81-85 | Number of nodes in network |
| 2 | 1 | I5 | 81-85 | Number of reservoir nodes |
| 3 | 1 | I5 | 81-85 | Number of links in model network |
| 4 | 1 | I5 | 81-85 | Number of river links |
| 5 | 1 | I5 | 81-85 | Number of years simulated |
| 6 | 1 | I5 | 81-85 | Number of demand nodes |
| 7 | 1 | I5 | 81-85 | Number of spill reservoirs |
| 8 | 1 | I5 | 81-85 | First calendar year of simulation |
| 9 | 1 | I5 | 81-85 | First ordinal year for detailed printout |
| 10 | 1 | I5 | 81-85 | Last ordinal year for detailed printout |
| 11 | 1 | A4 | 82-85 | Always set equal to "CARD" |
| 12 | 1 | I5 | 81-85 | Demand shortage limit used as criterion in firm annual yield analysis |
| 13 | 1 | I5 | 81-85 | Flag for saving plot variables = 0, Save no output for plotting = Node Number, save Reservoir Operations output for this node = 5, Save Water Accounting output |
| 14 | 1 | I5 | 81-85 | First calendar year of critical drought period for firm annual yield analysis |
| 15 | 1 | I5 | 81-85 | Last calendar year of critical drought period for firm annual yield analysis |
| 16 | 1 | I5 | 81-85 | Flag for firm annual yield analysis = 0, No firm annual yield analysis |

ROM Input Data File Description and Formatting

| | | | | |
|----|---|-------|-------|---|
| | | | | = 1, Perform FAY analysis for U. S. holding Mexico demands constant |
| | | | | = 2, Perform FAY analysis for Mexico holding U. S. demands constant |
| 17 | 1 | F10.0 | 76-85 | Demand adjustment factor that is applied to annual demands in Group G data file to establish initial U. S. FAY demands |
| 18 | 1 | F10.0 | 76-85 | Demand adjustment factor that is applied to annual demands in Group G data file to establish initial Mexico FAY demands |
| 19 | 1 | I10 | 76-85 | Total Lower & Middle Rio Grande Domestic-Municipal-Industrial water rights |
| 20 | 1 | I10 | 76-85 | Total Lower Rio Grande irrigation water rights |
| 21 | 1 | I10 | 76-85 | Total Lower Rio Grande Class A irrigation water rights |
| 22 | 1 | I10 | 76-85 | Total Lower Rio Grande Class B irrigation water rights |
| 23 | 1 | I10 | 76-85 | Total Middle Rio Grande irrigation water rights |
| 24 | 1 | I10 | 76-85 | Total Middle Rio Grande Class A irrigation water rights |
| 25 | 1 | I10 | 76-85 | Total Middle Rio Grande Class B irrigation water rights |
| 26 | 1 | I10 | 76-85 | Maximum U. S. Domestic-Municipal-Industrial reserve pool |
| 27 | 1 | I10 | 76-85 | Starting Irrigation & Mining Account balance |
| 28 | 1 | I10 | 76-85 | Number of water rights owners for individual accounting (Max. of 3) |
| 29 | 1 | I10 | 76-85 | Flag for specifying Amistad releases = 0, specify all monthly release values = 1, specify average monthly releases |
| 30 | 1 | I10 | 76-85 | Flag for specifying water demands for individual water rights = 0, specify all monthly demand values = 1, specify average monthly demands |

GROUP C

Name: Reservoir Node Parameters

Description: This file contains eight lines (one line per node), with six parameters per line. These parameters specify the name and storage capacities for each reservoir included in the network.

Lines: 8

| Line | Field | Format | Columns | Parameter Description |
|------|-------|--------|---------|---------------------------------------|
| 1-8 | 1 | 3A4 | 1-12 | Abbreviated name of reservoir |
| | 2 | I5 | 13-17 | Node identification number |
| | 3 | I10 | 18-27 | Maximum flood storage capacity, ac-ft |
| | 4 | I5 | 28-37 | Conservation storage capacity, ac-ft |
| | 5 | I5 | 38-47 | Minimum storage capacity, ac-ft |
| | 6 | I5 | 48-57 | Starting storage capacity, ac-ft |

GROUP D

Name: Spill Reservoir Nodes

Description: This file contains one line, identifying up to 12 node numbers for reservoirs where spills from the network system can occur.

Lines: 1

| Line | Field | Format | Columns | Parameter Description |
|------|-------|--------|---------|--------------------------------|
| 1 | 1 | I5 | 11-15 | Node number of spill reservoir |
| | 2 | I5 | 13-17 | Node number of spill reservoir |
| | 12 | I5 | 66-70 | Node number of spill reservoir |

GROUP E

Name: Amistad Reservoir Stage-Area-Capacity Data

Description: This file contains 30 lines, with stage-area-capacity data for Amistad Reservoir.

Lines: 8

| Line | Field | Format | Columns | Parameter Description |
|------|-------|--------|---------|---|
| 1-30 | 1 | I5 | 11-15 | Value of "1" for U. S. Amistad node |
| | 2 | I5 | 16-20 | Stage-area-capacity data set number |
| | 3 | F10.1 | 21-30 | Reservoir stage value, feet msl |
| | 4 | I10 | 31-40 | Reservoir surface area value, acres |
| | 5 | I10 | 41-50 | Reservoir storage capacity value, ac-ft |

GROUP F

Name: Falcon Reservoir Stage-Area-Capacity Data
 Description: This file contains 30 lines, with stage-area-capacity data for Falcon Reservoir.

Lines: 8

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|---|
| | 1-30 | 1 | I5 | 11-15 | Value of "2" for U. S. Falcon node |
| | | 2 | I5 | 16-20 | Stage-area-capacity data set number |
| | | 3 | F10.1 | 21-30 | Reservoir stage value, feet msl |
| | | 4 | I10 | 31-40 | Reservoir surface area value, acres |
| | | 5 | I10 | 41-50 | Reservoir storage capacity value, ac-ft |

GROUP G

Name: Node Annual Demand Data
 Description: This file contains eight lines (one line per node), with 17 parameters per line. These parameters specify the annual demand amount, demand priorities (ranking), and monthly demand distributions for each demand node included in the network. If the annual demand amount is greater than zero, then this demand amount will be used instead of monthly-varying demands as may be specified in the Group P data file. The priority for a particular demand indicates the order of preference in which this demand should be met in reference to other demand and storage priorities in the system.

Lines: 8

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|--|
| | 1-8 | 1 | I3 | 11-13 | Node identification number |
| | | 2 | I8 | 14-21 | Annual demand, ac-ft |
| | | 3 | I3 | 22-24 | Priority number for average hydrologic state based on Falcon storage |
| | | 4 | I3 | 25-27 | Priority number for dry hydrologic state based on Falcon storage |
| | | 5 | I3 | 28-30 | Priority number for wet hydrologic state based on Falcon storage |
| | 6-17 | 12F5.0 | | 31-90 | Monthly demand distribution factors |

GROUP H

Name: Hydrologic State Definitions

Description: This file contains two lines (one line for the United States and one for Mexico), with two parameters per line that define the lower and upper limits of Falcon storage that bracket the average hydrologic state of the system for each country.

Lines: 2

| <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|-------------|--------------|---------------|----------------|--|
| 1 | 1 | F10.2 | 11-20 | Percent of Falcon maximum capacity that sets the lower bound of the average hydrologic state for the United States |
| | 2 | F10.2 | 21-30 | Percent of Falcon maximum capacity that sets the upper bound of the average hydrologic state for the United States |
| 2 | 1 | F10.2 | 11-20 | Percent of Falcon maximum capacity that sets the lower bound of the average hydrologic state for Mexico |
| | 2 | F10.2 | 21-30 | Percent of Falcon maximum capacity that sets the upper bound of the average hydrologic state for Mexico |

ROM Input Data File Description and Formatting

GROUP I

Name: Reservoir Operating Rules

Description: This file contains four sets of input data (one set each for Amistad and Falcon Reservoirs for both the United States and for Mexico), with each set containing three lines corresponding to the three system hydrologic states (1-average, 2-dry and 3-wet). Parameters on each line specify the reservoir storage priority and monthly storage targets for the associated hydrologic state.

Lines: 12

| Line | Field | Format | Columns | Parameter Description |
|------|-------|---------|---------|---|
| 1,4 | 1 | I5 | 11-15 | <u>United States</u> reservoir node number, "1" for Amistad and "2" for Falcon |
| | 2 | I5 | 26-30 | Reservoir storage priority corresponding to the <u>average</u> hydrologic state |
| | 3-14 | 12F10.6 | 31-102 | Target percentage of reservoir's maximum capacity for <u>average</u> hydrologic state |
| 2,5 | 1 | I5 | 11-15 | <u>United States</u> reservoir node number, "1" for Amistad and "2" for Falcon |
| | 2 | I5 | 26-30 | Reservoir storage priority corresponding to the <u>dry</u> hydrologic state |
| | 3-14 | 12F10.6 | 31-102 | Target percentage of reservoir's maximum capacity for <u>dry</u> hydrologic state |
| 3,6 | 1 | I5 | 11-15 | <u>United States</u> reservoir node number, "1" for Amistad and "2" for Falcon |
| | 2 | I5 | 26-30 | Reservoir storage priority corresponding to the <u>wet</u> hydrologic state |
| | 3-14 | 12F10.6 | 31-102 | Target percentage of reservoir's maximum capacity for <u>wet</u> hydrologic state |
| 7,10 | 1 | I5 | 11-15 | <u>Mexico</u> reservoir node number, "3" for Amistad and "4" for Falcon |
| | 2 | I5 | 26-30 | Reservoir storage priority corresponding to the <u>average</u> hydrologic state |
| | 3-14 | 12F10.6 | 31-102 | Target percentage of reservoir's maximum capacity for <u>average</u> hydrologic state |
| 8,11 | 1 | I5 | 11-15 | <u>Mexico</u> reservoir node number, "3" for Amistad and "4" for Falcon |
| | 2 | I5 | 26-30 | Reservoir storage priority corresponding to the <u>dry</u> hydrologic state |
| | 3-14 | 12F10.6 | 31-102 | Target percentage of reservoir's maximum capacity for <u>dry</u> hydrologic state |
| 9,12 | 1 | I5 | 11-15 | <u>Mexico</u> reservoir node number, "3" for Amistad and "4" for Falcon |
| | 2 | I5 | 26-30 | Reservoir storage priority corresponding to the <u>wet</u> hydrologic state |
| | 3-14 | 12F10.6 | 31-102 | Target percentage of reservoir's maximum capacity for <u>wet</u> hydrologic state |

GROUP J

Name: Network Link Specifications

Description: This file contains eight lines (one line per link), with five parameters per line. These parameters specify the link identification number, the beginning and ending nodes, and the maximum and minimum flow capacities of each link included in the model network.

Lines: 8

| <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|-------------|--------------|---------------|----------------|---|
| 1-8 | 1 | I5 | 11-15 | Link identification number |
| | 2 | I5 | 16-20 | Identification number for node at beginning (upstream end) of link |
| | 3 | I5 | 21-25 | Identification number for node at end (downstream end) of link |
| | 4 | I10 | 26-35 | Maximum flow capacity of link which can never be exceeded, ac-ft/mon |
| | 5 | I10 | 36-45 | Minimum flow capacity of link which always must be satisfied, ac-ft/mon |

GROUP K

Name: Minimum Monthly Amistad Releases

Description: This file can be provided in two different formats, depending on the desired Amistad release specification. The variable "IRLFLG" as specified on Line No. 27 of the Group B data file defines the type of release information to be provided. If IRLFLG = 1, then 12 average minimum monthly release values are specified on two lines (one line each for the United States and Mexico), and these are repeated for each year of the simulation period. If IRLFLG = 0, then individual monthly release values are specified for each month of the simulation period, with two different sets of monthly releases specified for the United States and for Mexico.

For IRLFLG = 1,

Lines: 2

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|---|
| | 1 | 1 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Average minimum monthly Amistad releases for the <u>United States</u> |
| | 2 | 1 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Average minimum monthly Amistad releases for the <u>Mexico</u> |

For IRLFLG = 0,

Lines: 2 times the number of years simulated (N)

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|--|
| | 1 | 1 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Minimum monthly Amistad releases for the <u>United States</u> for Calendar Year 1 |
| | 2 | 1 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Minimum monthly Amistad releases for the <u>United States</u> for Calendar Year 2 |
| ----- | | | | | |
| | N | 1 | I4 | 16-19 | Last calendar year of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Minimum monthly Amistad releases for the <u>United States</u> for last simulation year |
| | N+1 | 1 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Minimum monthly Amistad releases for <u>Mexico</u> for Calendar Year 1 |
| | N+2 | 1 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Minimum monthly Amistad releases for <u>Mexico</u> for Calendar Year 2 |
| ----- | | | | | |
| | 2N | 1 | I4 | 16-19 | Last calendar year of the simulation period |
| | | 2-13 | 12I7 | 20-103 | Minimum monthly Amistad releases for <u>Mexico</u> for last simulation year |

GROUP L

Name: Individual Water Rights Data for Owner No. 1

Description: This file contains four initial lines of data describing the name, adjudication numbers, authorized annual diversion amounts, and initial starting account balances for the individual water rights of Owner No. 1 (Note: Individual water rights accounting can be simulated for a maximum of three water rights owners, each of which can have a municipal water right, a Class A irrigation water right, and a Class B irrigation water right). In addition, the monthly diversions for each of the individual water rights of Owner No. 1 are specified at the end of this file. These monthly diversions can be provided in two different formats, depending on the desired diversion specification. The variable "IWRFLG" as specified on Line No. 28 of the Group B data file defines the type of monthly diversion information to be provided. If IWRFLG = 1, then 12 average monthly diversion values are specified on each of three lines (one line each for the municipal water right, the Class A irrigation water right, and the Class B irrigation water right), and these are repeated for each year of the simulation period. If IWRFLG = 0, then individual monthly diversion values are specified for each month of the simulation period, with three different sets of monthly diversions specified for the municipal water right, the Class A irrigation water right, and the Class B irrigation water right.

Lines: 7 or 4 plus 3 times the number of years simulated (N)

| Format: | Line | Field | Format | Columns | Parameter Description |
|---------|------|-------|--------|---------|---|
| | 1 | 1 | 3A4 | 1-12 | Name of water rights Owner No. 1 |
| | | 2 | I1 | 15 | Value of "1" for Owner No. 1 |
| | 2 | 1 | 3A4 | 11-22 | Municipal adjudication number |
| | | 2 | 3A4 | 43-54 | Class A irrigation adjudication number |
| | | 3 | 3A4 | 73-86 | Class B irrigation adjudication number |
| | 3 | 1 | I10 | 13-22 | Municipal authorized diversion, ac-ft\yr |
| | | 2 | I10 | 45-54 | Class A irrig. authorized diversion, ac-ft/yr |
| | | 3 | I10 | 77-86 | Class B irrig. authorized diversion, ac-ft/yr |
| | 4 | 1 | I10 | 45-54 | Class A irrig. initial account balance, ac-ft |
| | | 2 | I10 | 77-86 | Class B irrig. initial account balance, ac-ft |

For IRLFLG = 1,

| | | | | | |
|--|---|------|------|--------|---|
| | 5 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | | 2 | I4 | 16-19 | Dummy calendar year specification |
| | | 3-14 | 12I7 | 21-104 | Ave. monthly municipal diversion, ac-ft |
| | 6 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | | 2 | I4 | 16-19 | Dummy calendar year specification |
| | | 3-14 | 12I7 | 21-104 | Ave. mon. Class A irrig. diversion, ac-ft |
| | 7 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | | 2 | I4 | 16-19 | Dummy calendar year specification |
| | | 3-14 | 12I7 | 21-104 | Ave. mon. Class B irrig. diversion, ac-ft |

For IRLFLG = 0,

| | | | | | |
|--|---|------|------|--------|--|
| | 5 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | | 2 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 3-14 | 12I7 | 21-104 | Ave. monthly municipal diversion for Calendar Year 1, ac-ft |
| | 6 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |

ROM Input Data File Description and Formatting

| | | | | |
|-------|------|------|--------|--|
| | 2 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. monthly municipal diversion for Calendar Year 2, ac-ft |
| ----- | | | | |
| N | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Last calendar year of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. monthly municipal diversion for last calendar year of simulation period, ac-ft |
| N+1 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. mon. Class A irrigation diversion for Calendar Year 1, ac-ft |
| N+2 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. mon. Class A irrigation diversion for Calendar Year 2, ac-ft |
| ----- | | | | |
| 2N | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Last calendar year of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. mon. Class A irrigation diversion for last year of simulation period, ac-ft |
| 2N+1 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. mon. Class B irrigation diversion for Calendar Year 1, ac-ft |
| 2N+2 | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. mon. Class B irrigation diversion for Calendar Year 2, ac-ft |
| ----- | | | | |
| 3N | 1 | I2 | 12-13 | Value of "1" for Owner No. 1 |
| | 2 | I4 | 16-19 | Last calendar year of the simulation period |
| | 3-14 | 12I7 | 21-104 | Ave. mon. Class B irrigation diversion for last year of simulation period, ac-ft |

GROUP M

Name: Individual Water Rights Data for Owner No. 2
 Description: This file contains the same data in the same format as the Group L file, except it is for water rights Owner No. 2.

GROUP N

Name: Individual Water Rights Data for Owner No. 3
 Description: This file contains the same data in the same format as the Group L file, except it is for water rights Owner No. 3.

GROUP O

Name: Monthly Inflow Data
 Description: This file contains eight sets of monthly inflow data (one set per node), with each set containing a line of 12 monthly inflow values for each year of the simulation period. These inflows represent external flows into the system at each node.

Lines: 8 times the number of years simulated (N)

The following data structure and formats are repeated for each node.

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|--|
| | 1 | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly inflows for Calendar Year 1, ac-ft |
| | 2 | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly inflows for Calendar Year 2, ac-ft |
| ----- | | | | | |
| | N | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Last year of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly inflows for last year, ac-ft |

GROUP P

Name: Node Monthly Demand Data

Description: This file contains eight sets of monthly demand data (one set per node), with each set containing a line of 12 monthly demand values for each year of the simulation period. If these monthly demands are to be used for a particular node, then the annual demand for this node must be set equal to zero in the Group G data file.

Lines: 8 times the number of years simulated (N)

The following data structure and formats are repeated for each node.

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|---|
| | 1 | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly demands for Calndr. Year 1, ac-ft |
| | 2 | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly demands for Calndr. Year 2, ac-ft |
| ----- | | | | | |
| | N | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Last year of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly demands for last year, ac-ft |

GROUP Q

Name: Reservoir Monthly Evaporation Data

Description: This file contains four sets of monthly reservoir evaporation data (one set per reservoir), with each set containing a line of 12 monthly evaporation values for each year of the simulation period. The evaporation data sets for Node No. 1 (United States portion of Amistad Reservoir) and Node No. 3 (Mexico portion of Amistad Reservoir) are the same. Similarly, the evaporation data sets for Node No. 2 (United States portion of Falcon Reservoir) and Node No. 4 (Mexico portion of Falcon Reservoir) are the same. Gross reservoir evaporation rates are specified in the current data files since rainfall on the reservoirs is accounted for in the specified monthly inflows to the system.

Lines: 4 times the number of years simulated (N)

The following data structure and formats are repeated for each reservoir node.

| Format: | <u>Line</u> | <u>Field</u> | <u>Format</u> | <u>Columns</u> | <u>Parameter Description</u> |
|---------|-------------|--------------|---------------|----------------|---|
| | 1 | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Calendar Year 1 of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly evap. rates for Calendar Year 1, ft |
| | 2 | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Calendar Year 2 of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly evap. rates for Calendar Year 2, ft |
| ----- | | | | | |
| | N | 1 | I2 | 12-13 | Node identification number |
| | | 2 | I4 | 16-19 | Last year of the simulation period |
| | | 3-14 | 12F7.0 | 21-104 | Monthly evap. rates for last year, ac-ft |

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

Attachment D.

**Abbreviated Output Listing
from the Amistad-Falcon Reservoir Operations Model
for the 1945-1998 Data Input File with Current Average Demands
for the United States and Mexico**

DATE: 3-22-1999
 FILE: um4598av

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERATING RULES
 R. J. BRANDES COMPANY FEBRUARY 1998

ECHO PRINT OF INPUT DATA FILE PARAMETERS WITHOUT FLOW, DEMAND, OR EVAPORATION DATA

| | | | |
|--|--|--|-----------|
| HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY | | | |
| AVERAGE CURRENT HISTORICAL DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION | | | 8 |
| CARD 01 NJ - NUMBER OF NODES IN THE MODEL NETWORK | | | 4 |
| CARD 02 NRES - NUMBER OF RESERVOIRS IN THE MODEL NETWORK | | | 8 |
| CARD 03 NL - NUMBER OF LINKS BETWEEN NODES IN THE MODEL NETWORK | | | 8 |
| CARD 04 NR - NUMBER OF LINKS THAT ARE RIVER REACHES | | | 54 |
| CARD 05 NYEAR - TOTAL NUMBER OF YEARS IN SIMULATION PERIOD | | | 8 |
| CARD 06 ND - NUMBER OF DEMAND NODES IN THE MODEL NETWORK | | | 2 |
| CARD 07 NS - NUMBER OF SPILL RESERVOIRS IN THE MODEL NETWORK | | | 1945 |
| CARD 08 IYEAR - BEGINNING CALENDAR YEAR OF SIMULATION PERIOD | | | 1 |
| CARD 09 IFRM - BEGINNING ORDINAL YEAR OF DETAILED PRINTOUT | | | 54 |
| CARD 10 ITOY - ENDING ORDINAL YEAR OF DETAILED PRINTOUT | | | CARD |
| CARD 11 INPUT DATA SOURCE ("CARD" OR "TAPE") | | | 10 |
| CARD 12 FIRM ANNUAL YIELD ITERATION SHORTAGE LIMIT (AC-FT/YR) | | | 1 |
| CARD 13 IPLT=0, DO NOT SAVE; =NODE, SAVE RES. OPER; =5, SAVE ACCOUNT | | | 1945 |
| CARD 14 IYSTR - BEGINNING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | | 1972 |
| CARD 15 IYEND - ENDING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | | 0 |
| CARD 16 IFLYD=0, NO FAY; =1, DETERMINE U.S. FAY; =2, DETERMINE MEXICO FAY | | | 0.8761716 |
| CARD 17 DRUSFC - INITIAL FAY ADJUSTMENT FACTOR FOR U.S. DEMANDS | | | 0.7691899 |
| CARD 18 DRMXFC - INITIAL FAY ADJUSTMENT FACTOR FOR MEXICO DEMANDS | | | 271579 |
| CARD 19 DRXMMR - TOTAL DOMESTIC-MUNICIPAL-INDUSTRIAL WATER RIGHTS | | | 1696228 |
| CARD 20 MXLIWR - TOTAL IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | 1500719 |
| CARD 21 MLIAMR - TOTAL CLASS A IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | 195509 |
| CARD 22 MXMIWR - TOTAL CLASS B IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | 181530 |
| CARD 23 MMIAMR - TOTAL CLASS A IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | | 162803 |
| CARD 24 MMIBWR - TOTAL CLASS B IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | | 18727 |
| CARD 25 IRSTRT - MAX. U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE POOL | | | 225000 |
| CARD 26 IRXSTRT - STARTING TOTAL IRRIGATION & MINING ACCOUNT BALANCE | | | 0000000 |
| CARD 27 NUMWR - NUMBER OF WATER RIGHTS OWNERS INCLUDED IN ACCOUNTING | | | 3 |
| CARD 28 IRFLG=0, READ ALL MON AMISTAD RELEASES; =1, READ AVG MON RELEASES | | | 1 |
| CARD 29 IWRFLG=0, READ ALL WATER RIGHTS DEMANDS; =1, READ AVG MON DEMANDS | | | 1 |
| U.S. AMISTAD 1 1827241 1771041 1771 1771041 | | | |
| U.S. FALCON 2 1613729 1555129 1555 1555129 | | | |
| MEX AMISTAD 3 1424078 1380278 1380 1380278 | | | |
| MEX FALCON 4 1140074 1098674 1099 1098674 | | | |
| U.S.MRG MUNI 5 0 0 0 0 | | | |
| U.S.MRG IRR 6 0 0 0 0 | | | |
| U.S.LRG IRR 7 0 0 0 0 | | | |
| MEX MRG M&R 8 0 0 0 0 | | | |
| SPILL RESR 2 4 | | | |
| AMISTAD 1 1 930.0 0 0 0 | | | |
| AMISTAD 1 2 945.0 5 1 1 | | | |
| AMISTAD 1 3 946.5 87 294 | | | |
| AMISTAD 1 4 948.2 180 823 | | | |
| AMISTAD 1 5 949.1 237 1180 | | | |
| AMISTAD 1 6 950.1 297 1684 | | | |
| AMISTAD 1 7 951.4 376 2782 | | | |
| AMISTAD 1 8 961.3 1045 13873 | | | |
| AMISTAD 1 9 971.1 1843 33110 | | | |

DATE: 3-22-1999
 TIME: 13:34:13
 FILE: um4598av

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRC OPERATING RULES
 R. J. BRANDES COMPANY FEBRUARY 1998

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY
 AVERAGE CURRENT HISTORICAL DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION

NUMBER OF NODES = 8 NUMBER OF RESERVOIRS = 4
 NUMBER OF LINKS = 8 NUMBER OF RIVER REACHES = 8
 CALENDAR YEAR OPERATION STARTS = 1945 NUMBER OF YEARS TO SIMULATE = 54
 NUMBER OF DEMAND NODES = 8 NUMBER OF SPILL NODES = 2
 NUMBER OF INDIVIDUAL WATER RIGHTS = 3

SYSTEM NODE CHARACTERISTICS

| NODE NO. | NODE NAME | CAPACITIES | | | STARTING (AC-FT) | YEARLY DEMAND (AC-FT) |
|----------|--------------|------------------|--------------------|--------------------|---------------------|-----------------------------|
| | | FLOOD (AC-FT) | CONSERV (AC-FT) | MINIMUM (AC-FT) | | |
| 1 | U.S. AMISTAD | 1827241 | 1771041 | 1771 | 1771041 | 0 |
| 2 | U.S. FALCON | 1613729 | 1555129 | 1555 | 1555129 | 125000 |
| 3 | MEX AMISTAD | 1424078 | 1380278 | 1380 | 1380278 | 0 |
| 4 | MEX FALCON | 1140074 | 1098674 | 1099 | 1098674 | 1224000 |
| 5 | U.S.MRG MUNI | 0 | 0 | 0 | 0 | 34000 |
| 6 | U.S.MRG IRR1 | 0 | 0 | 0 | 0 | 127000 |
| 7 | U.S.LRG IRR1 | 0 | 0 | 0 | 0 | 1078000 |
| 8 | MEX MRG M&IR | 0 | 0 | 0 | 0 | 66000 |

NOTE: FLOOD POOL IS AVAILABLE FOR CONSERVATION STORAGE DURING NOVEMBER-APRIL NON-HURRICANE SEASON

SYSTEM LINK CONFIGURATION

| LINK NO. | FROM NODE | TO NODE | MAX. CAPACITY (AC-FT/MON) | MIN. CAPACITY (AC-FT/MON) |
|----------|-----------|---------|------------------------------|------------------------------|
| 1 | 1 | 5 | 9000000 | 0 |
| 2 | 5 | 6 | 9000000 | 0 |
| 3 | 6 | 2 | 9000000 | 0 |
| 4 | 2 | 7 | 9000000 | 0 |
| 5 | 3 | 8 | 9000000 | 0 |
| 6 | 8 | 4 | 9000000 | 0 |
| 7 | 1 | 2 | 9000000 | 0 |
| 8 | 3 | 4 | 9000000 | 0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY

STAGE-AREA-CAPACITY RELATIONSHIPS FOR TOTAL STORAGE IN AMISTAD AND FALCON RESERVOIRS

AMISTAD RESERVOIR

| POINT NO. | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) |
|-----------|----------------|-----------|------------------|
| 1 | 930.0 | 0 | 0 |
| 2 | 945.0 | 5 | 1 |
| 3 | 946.5 | 87 | 294 |
| 4 | 948.2 | 180 | 823 |
| 5 | 949.1 | 237 | 1180 |
| 6 | 950.1 | 297 | 1684 |
| 7 | 951.4 | 376 | 2782 |
| 8 | 961.3 | 1045 | 13873 |
| 9 | 971.1 | 1843 | 33110 |
| 10 | 981.0 | 2770 | 59404 |
| 11 | 990.8 | 3823 | 93556 |
| 12 | 1000.7 | 5004 | 138573 |
| 13 | 1010.5 | 6314 | 195568 |
| 14 | 1020.3 | 7722 | 264663 |
| 15 | 1030.2 | 9758 | 350120 |
| 16 | 1040.0 | 12751 | 458690 |
| 17 | 1049.9 | 16734 | 605456 |
| 18 | 1059.7 | 21627 | 790919 |
| 19 | 1069.6 | 27399 | 1029250 |
| 20 | 1079.4 | 34051 | 1328996 |
| 21 | 1089.2 | 41702 | 1699411 |
| 22 | 1094.2 | 45665 | 1911714 |
| 23 | 1099.1 | 49658 | 2142942 |
| 24 | 1104.0 | 53679 | 2393700 |
| 25 | 1108.9 | 57729 | 2664077 |
| 26 | 1115.5 | 63173 | 3055670 |
| 27 | 1117.0 | 64438 | 3151319 |
| 28 | 1118.8 | 65915 | 3265037 |
| 29 | 1122.0 | 68671 | 3483939 |
| 30 | 1131.9 | 77013 | 4199954 |

FALCON RESERVOIR

| STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) |
|----------------|-----------|------------------|
| 203.3 | 0 | 0 |
| 203.4 | 35 | 57 |
| 205.1 | 195 | 235 |
| 206.7 | 425 | 735 |
| 207.3 | 539 | 1050 |
| 208.3 | 727 | 1670 |
| 210.0 | 1100 | 3158 |
| 214.9 | 1559 | 9631 |
| 219.8 | 2202 | 18806 |
| 224.7 | 3526 | 32732 |
| 229.7 | 5169 | 54000 |
| 234.6 | 6531 | 82799 |
| 239.5 | 8061 | 118624 |
| 242.8 | 10341 | 148482 |
| 244.4 | 11654 | 166516 |
| 249.3 | 15894 | 234115 |
| 254.3 | 20562 | 323644 |
| 259.2 | 25677 | 437240 |
| 264.1 | 30775 | 576159 |
| 269.0 | 36184 | 740751 |
| 274.0 | 42448 | 933844 |
| 278.9 | 48929 | 1158684 |
| 282.2 | 53474 | 1326587 |
| 285.4 | 58443 | 1509829 |
| 288.7 | 65021 | 1712296 |
| 292.0 | 70235 | 1935151 |
| 295.3 | 74804 | 2172702 |
| 298.6 | 82000 | 2429861 |
| 301.2 | 87181 | 2653803 |
| 305.1 | 93809 | 3008297 |

SUMMARY OF TEXAS WATER RIGHTS IN MIDDLE AND LOWER RIO GRANDE AND MAXIMUM STORAGE ALLOCATIONS IN AMISTAD AND FALCON RESERVOIRS

| | | |
|--|-------------|---------|
| TOTAL DOMESTIC, MUNICIPAL AND INDUSTRIAL WATER RIGHTS | (AC-FT/YR): | 271579 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 181530 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 162803 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR): | 18727 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 1696228 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 1500719 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR): | 195509 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON D-M-I POOL | (AC-FT): | 225000 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON IRRIGATION POOL | (AC-FT): | 2647639 |
| TOTAL RESERVOIR DEAD STORAGE USED IN WATER RIGHTS ACCOUNTING | (AC-FT): | 4600 |
| MAXIMUM STORAGE CAPACITY ALLOTTED TO OPERATING RESERVE | (AC-FT): | 380000 |
| MAXIMUM USABLE STORAGE AVAILABLE FOR WATER RIGHTS ACCOUNTING | (AC-FT): | 3321570 |
| TOTAL IRRIGATION & MINING ACCOUNT BALANCE AT BEGINNING OF SIMULATION | (AC-FT): | 2647639 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY
 SIMULATION YEAR 10 CALENDAR YEAR 1954

| RESERVOIR NO. 1 | | U. S. AMISTAD | | | | | | | | | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|---------------|----------|---------------|----------|-------------------------|-----------------|----------------|--|--------------------------------|--|--|--|-----------------|--|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE | | | | | | | |
| 1 | 38416 | 38416 | 0 | 7474 | 19209 | .25 | 3954 | 2077 | 0 | 5397 | 0 | 0 | 590721 | 1827241 | | | | | | | |
| 2 | 33736 | 33736 | 0 | 113766 | 18843 | .39 | 5873 | 2074 | 0 | 5194 | 0 | 0 | 504818 | 1370431 | | | | | | | |
| 3 | 34617 | 34617 | 0 | 114281 | 16918 | .56 | 7138 | 2584 | 0 | 11773 | 0 | 0 | 418016 | 1370431 | | | | | | | |
| 4 | 202326 | 202326 | 0 | 0 | 19448 | .43 | 6094 | 2808 | 7801 | 12954 | 0 | 0 | 614248 | 1771041 | | | | | | | |
| 5 | 122060 | 122060 | 0 | 155669 | 20890 | .65 | 10539 | 3033 | 0 | 10604 | 0 | 0 | 570100 | 1328281 | | | | | | | |
| 6 | 242949 | 242949 | 0 | 174217 | 18413 | .88 | 14463 | 3267 | 0 | 13195 | 0 | 0 | 624369 | 1328281 | | | | | | | |
| 7 | 2629279 | 2629279 | -1013826 | 0 | 35580 | 1.14 | 34808 | 3692 | 0 | 15062 | 0 | 433973 | 1771041 | 1328281 | | | | | | | |
| 8 | 147042 | 147042 | 0 | 108301 | 64428 | 1.11 | 40184 | 3767 | 0 | 17348 | 0 | 0 | 1769598 | 1771041 | | | | | | | |
| 9 | 101092 | 101092 | 0 | 61625 | 64419 | 1.09 | 39448 | 2992 | 0 | 10249 | 0 | 0 | 1770150 | 1771041 | | | | | | | |
| 10 | 90484 | 90484 | 0 | 65338 | 64423 | .68 | 24613 | 2893 | 0 | 10274 | 0 | 0 | 1801587 | 1827241 | | | | | | | |
| 11 | 62309 | 62309 | 0 | 9737 | 64677 | .58 | 21135 | 2462 | 0 | 8458 | 0 | 0 | 1826488 | 1827241 | | | | | | | |
| 12 | 60114 | 60114 | 0 | 13822 | 65091 | .58 | 21391 | 2349 | 0 | 6490 | 0 | 0 | 1826488 | 1827241 | | | | | | | |
| ANNUAL | 3764424 | 3764424 | -1013826 | 824230 | | | 229650 | 33998 | 7801 | 126998 | 0 | 433973 | | | | | | | | | |

| RESERVOIR NO. 2 | | U. S. FALCON | | | | | | | | | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|---------------|----------|---------------|----------|-------------------------|-----------------|----------------|--|--------------------------------|--|--|--|-----------------|--|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE | | | | | | | |
| 1 | 0 | 0 | 0 | 89527 | 34611 | .20 | 1468 | 9000 | 0 | 80527 | 0 | 0 | 101418 | 1210297 | | | | | | | |
| 2 | 7080 | 113578 | 0 | 55865 | 29193 | .49 | 3450 | 8325 | 0 | 47540 | 0 | 0 | 155681 | 155725 | | | | | | | |
| 3 | 0 | 99924 | 0 | 93796 | 28141 | .55 | 4798 | 9712 | 0 | 84084 | 0 | 0 | 157011 | 155725 | | | | | | | |
| 4 | 13474 | 5513 | 0 | 72791 | 20009 | .63 | 4870 | 11175 | 0 | 154909 | 93293 | 0 | 84863 | 1166347 | | | | | | | |
| 5 | 83610 | 225642 | 0 | 155493 | 10038 | .80 | 6484 | 10825 | 0 | 144668 | 0 | 0 | 148528 | 150070 | | | | | | | |
| 6 | 0 | 157755 | 0 | 147725 | 10536 | .82 | 8532 | 11250 | 0 | 136475 | 0 | 0 | 150026 | 150070 | | | | | | | |
| 7 | 46245 | 461464 | 0 | 127141 | 38543 | .90 | 34408 | 12550 | 0 | 114591 | 0 | 0 | 449941 | 150070 | | | | | | | |
| 8 | 0 | 87186 | 0 | 117218 | 25798 | .89 | 22091 | 12975 | 0 | 104243 | 0 | 0 | 397818 | 1166347 | | | | | | | |
| 9 | 17585 | 65969 | 0 | 72179 | 24998 | .70 | 16029 | 10625 | 0 | 61554 | 0 | 0 | 375579 | 1166347 | | | | | | | |
| 10 | 37191 | 89362 | 0 | 73962 | 25764 | .47 | 10414 | 10037 | 0 | 63925 | 0 | 0 | 380565 | 1166347 | | | | | | | |
| 11 | 1183 | 0 | 0 | 52636 | 24827 | .36 | 7488 | 9300 | 0 | 43336 | 0 | 0 | 320441 | 1210297 | | | | | | | |
| 12 | 0 | 4983 | 0 | 51375 | 21486 | .33 | 6061 | 9225 | 0 | 42150 | 0 | 0 | 267988 | 1210297 | | | | | | | |
| ANNUAL | 206368 | 1311376 | 0 | 1109708 | | | 126093 | 124999 | 93293 | 1078002 | 0 | 0 | | | | | | | | | |

| RESERVOIR NO. 3 | | MEX AMISTAD | | | | | | | | | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|------------------|----------|---------------|----------|-------------------------|-----------------|----------------|--|--------------------------------|--|--|--|-----------------|--|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUNGAIRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE | | | | | | | |
| 1 | 17883 | 17883 | 0 | 594 | 19209 | .25 | 838 | 5181 | 0 | 0 | 0 | 0 | 130250 | 1424078 | | | | | | | |
| 2 | 16263 | 16263 | 0 | 0 | 18843 | .39 | 1476 | 4798 | 0 | 0 | 0 | 0 | 145037 | 1424078 | | | | | | | |
| 3 | 14282 | 14282 | 0 | 0 | 16918 | .56 | 2336 | 4917 | 0 | 0 | 0 | 0 | 156983 | 1424078 | | | | | | | |
| 4 | 72673 | 72673 | 0 | 0 | 19448 | .43 | 2269 | 5603 | 0 | 0 | 0 | 0 | 227387 | 1380278 | | | | | | | |
| 5 | 46940 | 46940 | 0 | 157091 | 20890 | .65 | 3039 | 5273 | 0 | 0 | 0 | 0 | 114197 | 1035209 | | | | | | | |
| 6 | 1050 | 1050 | 0 | 84015 | 18413 | .88 | 1740 | 5478 | 0 | 0 | 0 | 0 | 29492 | 1035209 | | | | | | | |
| 7 | 342713 | 342713 | 1013826 | 0 | 35580 | 1.14 | 5753 | 6039 | 0 | 0 | 0 | 0 | 1380278 | 1035209 | | | | | | | |
| 8 | 119957 | 119957 | 0 | 88630 | 64428 | 1.11 | 31331 | 6006 | 0 | 0 | 0 | 0 | 1380278 | 1035209 | | | | | | | |
| 9 | 66908 | 66908 | 0 | 0 | 64419 | 1.09 | 30769 | 5914 | 0 | 0 | 0 | 0 | 1380278 | 1035209 | | | | | | | |
| 10 | 44516 | 44516 | 0 | 0 | 64423 | .68 | 19195 | 5676 | 0 | 0 | 0 | 36135 | 1380278 | 1035209 | | | | | | | |
| 11 | 23591 | 23591 | 0 | 0 | 64677 | .58 | 16378 | 5445 | 0 | 0 | 0 | 25321 | 1380278 | 1035209 | | | | | | | |
| 12 | 22185 | 22185 | 0 | 5669 | 65091 | .58 | 16362 | 5669 | 0 | 0 | 0 | 0 | 1387491 | 1068059 | | | | | | | |
| ANNUAL | 788961 | 788961 | 1013826 | 335999 | | | 131486 | 65999 | 0 | 0 | 0 | 61456 | | | | | | | | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

RESERVOIR NO. 4 MEX FALCON MAX FLOOD POOL: 1140074 MAX CONSERVATION POOL: 1098674 DEAD POOL: 1099

| MONTH | WTRSHD INFLWS | RESERV INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
|--------|---------------|---------------|-----------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|--------------|-----------------|----------------|
| 1 | 4587 | 0 | 0 | 198288 | 34611 | .20 | 5454 | 198288 | 0 | 0 | 0 | 444108 | 855056 |
| 2 | 15854 | 11056 | 0 | 79438 | 29193 | .49 | 10855 | 79438 | 0 | 0 | 0 | 364871 | 855056 |
| 3 | 11664 | 6747 | 0 | 29743 | 28141 | .55 | 10680 | 29743 | 0 | 0 | 0 | 331195 | 855056 |
| 4 | 30500 | 24897 | 0 | 295351 | 20009 | .63 | 7736 | 295351 | 0 | 0 | 0 | 53005 | 824006 |
| 5 | 123844 | 275662 | 0 | 324482 | 10038 | .80 | 1546 | 324482 | 0 | 0 | 0 | 2639 | 1099 |
| 6 | 0 | 78537 | 0 | 79927 | 10536 | .82 | 108 | 79927 | 0 | 0 | 0 | 1141 | 1099 |
| 7 | 53312 | 47273 | 0 | 36108 | 38543 | .90 | 281 | 36108 | 0 | 0 | 0 | 12025 | 1099 |
| 8 | 0 | 82624 | 0 | 72461 | 25798 | .89 | 869 | 72461 | 0 | 0 | 0 | 21319 | 1099 |
| 9 | 27300 | 57521 | 0 | 27785 | 24998 | .70 | 1470 | 27785 | 0 | 0 | 0 | 49585 | 1099 |
| 10 | 48060 | 67705 | 0 | 42106 | 25764 | .47 | 1695 | 42106 | 0 | 0 | 0 | 73489 | 1099 |
| 11 | 10438 | 4993 | 0 | 14810 | 24827 | .36 | 1450 | 14810 | 0 | 0 | 0 | 62222 | 1140 |
| 12 | 0 | 0 | 0 | 23501 | 21486 | .33 | 1029 | 23501 | 0 | 0 | 0 | 37692 | 1140 |
| ANNUAL | 325559 | 657015 | 0 | 1224000 | 43173 | | 43173 | 1224000 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|-------|--------|-------|-------|--------|--------|--------|--------|-------|-------|-------|-------|-------|
| 1 | 7474 | 188 | 14357 | 0 | 0 | 16462 | 0 | 21115 | 0 | 0 | 9737 | 8839 | 6510 |
| 2 | 5397 | 5194 | 11773 | 10666 | 80577 | 13195 | 42553 | 17348 | 14593 | 34298 | 8458 | 6490 | 20872 |
| 3 | 0 | 0 | 0 | 5513 | 69973 | 0 | 27491 | 0 | 4344 | 24024 | 0 | 0 | 10944 |
| 4 | 80527 | 47540 | 84084 | 61616 | 144668 | 136475 | 114591 | 104243 | 61554 | 63925 | 43336 | 42150 | 82053 |
| 5 | 594 | 0 | 0 | 0 | 0 | 5478 | 0 | 6006 | 0 | 0 | 0 | 5669 | 1477 |
| 6 | 0 | 11056 | 6747 | 24897 | 118571 | 0 | 47273 | 0 | 21386 | 42384 | 4993 | 0 | 23106 |
| 7 | 0 | 113578 | 99924 | 0 | 155669 | 157755 | 433973 | 87186 | 61625 | 65338 | 0 | 4983 | 98332 |
| 8 | 0 | 0 | 0 | 0 | 157091 | 78537 | 0 | 82624 | 36135 | 25321 | 0 | 0 | 31640 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRCC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHD INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM SHORTAGE | TOTAL RESERV EVAP | END-MON USABLE STORAGE | D-M-I RESERVE POOL | CONSERVATION POOL | OPRATNG RESERVE STORAGE | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | O/O IRRIG POOL |
|-------|------------------------|---------------------|---------------------|---------------------|-----------------------|-------------------|------------------------|--------------------|-------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 751556 | 38416 | 11077 | 85924 | 0 | 5432 | 687539 | 20.8 | 225000 | 275000 | 41764 | 0 | 79481 | 145775 | 5.5 |
| 2 | 687539 | 40816 | 10399 | 52734 | 0 | 9323 | 655899 | 19.9 | 225000 | 275000 | 0 | 59054 | 48930 | 155899 | 5.9 |
| 3 | 655899 | 34617 | 12296 | 95857 | 0 | 11936 | 570427 | 17.3 | 225000 | 275000 | 3658 | 0 | 89130 | 66769 | 2.5 |
| 4 | 570427 | 215800 | 13983 | 167863 | 101094 | 10964 | 694511 | 21.0 | 225000 | 275000 | 0 | 189581 | 61839 | 194511 | 7.3 |
| 5 | 694511 | 205670 | 13858 | 155272 | 0 | 17023 | 714028 | 21.6 | 225000 | 275000 | 0 | 163215 | 143698 | 214028 | 8.1 |
| 6 | 714028 | 242949 | 14517 | 149670 | 0 | 22995 | 769795 | 23.3 | 225000 | 275000 | 0 | 194519 | 138752 | 269795 | 10.2 |
| 7 | 769795 | 2675524 | 16242 | 129653 | 0 | 69216 | 2216382 | 66.8 | 225000 | 275000 | 0 | 1567072 | 120485 | 1716382 | 64.8 |
| 8 | 2216382 | 147042 | 16742 | 121591 | 0 | 62275 | 2162816 | 65.2 | 225000 | 275000 | 0 | 59685 | 113251 | 1662816 | 62.8 |
| 9 | 2162816 | 118677 | 13617 | 71803 | 0 | 55477 | 2140596 | 64.5 | 225000 | 275000 | 44658 | 0 | 66878 | 1595938 | 60.3 |
| 10 | 2140596 | 127675 | 12930 | 74199 | 0 | 35027 | 2146115 | 64.7 | 225000 | 275000 | 0 | 119262 | 69085 | 1646115 | 62.2 |
| 11 | 2146115 | 63492 | 11762 | 51794 | 0 | 28623 | 2117428 | 63.8 | 225000 | 275000 | 19640 | 0 | 48327 | 1597788 | 60.3 |
| 12 | 2117428 | 60114 | 11574 | 48640 | 0 | 27452 | 2089876 | 63.0 | 225000 | 275000 | 37356 | 0 | 45268 | 1552520 | 58.6 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I. D.

| D-M-I WATER RIGHTS | | CLASS A IRRIGATION WATER RIGHTS | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | | |
|----------------------|---------------|---------------------------------|----------------|---------------|--------------|---------------------------------|----------------------|----------------|---------------|--------------|--------|----------------------|----------------|
| ADJ. NO. 0849-000 | | ADJ. NO. A847-001 | | | | ADJ. NO. B769-000 | | | | | | | |
| ANNUAL AUTH: 5300 AF | | ANNUAL AUTH: 69464 AF | | | | ANNUAL AUTH: 4009 AF | | | | | | | |
| MONTH | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC STORAGE AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC STORAGE AMOUNT | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 1130 | .00000 | 0 | 65405 | 299 | 299 | .00000 | 0 | 4009 |
| 2 | 353 | 0 | 4565 | 3063 | 3063 | .03300 | 2292 | 65405 | 177 | 177 | .01941 | 78 | 4009 |
| 3 | 412 | 0 | 4153 | 5418 | 3126 | .00000 | 0 | 63113 | 313 | 235 | .00000 | 0 | 3931 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .10594 | 7359 | 63113 | 576 | 576 | .06232 | 250 | 3931 |
| 5 | 459 | 0 | 3220 | 9322 | 1963 | .09120 | 6335 | 55754 | 538 | 288 | .05365 | 215 | 3681 |
| 6 | 477 | 0 | 2743 | 8794 | 2459 | .10870 | 7551 | 49419 | 507 | 292 | .06394 | 256 | 3466 |
| 7 | 532 | 0 | 2211 | 7384 | 0 | .87568 | 60828 | 42035 | 426 | 170 | .51511 | 2065 | 3210 |
| 8 | 550 | 0 | 1661 | 6717 | 0 | .03335 | 2317 | 35318 | 388 | 0 | .01962 | 79 | 2822 |
| 9 | 450 | 0 | 1211 | 3967 | 0 | .00000 | 0 | 31351 | 229 | 0 | .00000 | 0 | 1527 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .06664 | 4629 | 27232 | 238 | 0 | .03920 | 157 | 2593 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .00000 | 0 | 24439 | 161 | 0 | .00000 | 0 | 2355 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .00000 | 0 | 21723 | 157 | 0 | .00000 | 0 | 2194 |
| ANNUAL | 5300 | 0 | 0 | 69464 | 21723 | 0 | 91311 | 21723 | 4009 | 2037 | 0 | 3100 | 2037 |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| D-M-I WATER RIGHTS | | CLASS A IRRIGATION WATER RIGHTS | | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | | |
|----------------------|---------------|---------------------------------|----------------|---------------|--------------|---------------------------------|----------------------|----------------|---------------|--------------|--------|----------------------|----------------|
| ADJ. NO. 0240-000 | | ADJ. NO. 0810-000 | | | | ADJ. NO. B804-000 | | | | | | | |
| ANNUAL AUTH: 3967 AF | | ANNUAL AUTH: 4857 AF | | | | ANNUAL AUTH: 4828 AF | | | | | | | |
| MONTH | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A | ALLOC STORAGE AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B | ALLOC STORAGE AMOUNT | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 78 | .00000 | 0 | 4572 | 361 | 361 | .00000 | 0 | 4828 |
| 2 | 264 | 0 | 3417 | 214 | 214 | .03300 | 160 | 4572 | 213 | 213 | .01941 | 94 | 4828 |
| 3 | 308 | 0 | 3109 | 379 | 219 | .00000 | 0 | 4412 | 376 | 282 | .00000 | 0 | 4734 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .10594 | 515 | 4412 | 694 | 694 | .06232 | 301 | 4734 |
| 5 | 343 | 0 | 2411 | 652 | 137 | .09120 | 443 | 3897 | 648 | 347 | .05365 | 259 | 4433 |
| 6 | 357 | 0 | 2054 | 615 | 172 | .10870 | 528 | 3454 | 611 | 352 | .06394 | 309 | 4174 |
| 7 | 398 | 0 | 1656 | 516 | 0 | .87568 | 4253 | 2938 | 513 | 204 | .51511 | 2487 | 3865 |
| 8 | 412 | 0 | 1244 | 470 | 0 | .03335 | 162 | 2468 | 467 | 0 | .01962 | 95 | 3398 |
| 9 | 337 | 0 | 907 | 277 | 0 | .00000 | 0 | 2191 | 276 | 0 | .00000 | 0 | 1839 |
| 10 | 319 | 0 | 588 | 288 | 0 | .06664 | 324 | 1903 | 286 | 0 | .03920 | 189 | 1742 |
| 11 | 295 | 0 | 293 | 195 | 0 | .00000 | 0 | 1708 | 194 | 0 | .00000 | 0 | 2836 |
| 12 | 293 | 0 | 0 | 190 | 0 | .00000 | 0 | 1518 | 189 | 0 | .00000 | 0 | 2642 |
| ANNUAL | 3967 | 0 | 0 | 4857 | 1518 | 0 | 6385 | 1518 | 4828 | 2453 | 0 | 4828 | 2453 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY
SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S. JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|--------------------|---------|--------|---------------------------------|---------------|--------|---------------------------------|---------------|--------|--------|-----|-----|-----|
| | ADJ. NO. | USABLE | SHORT | ADJ. NO. | ALLOC STORAGE | SHORT | ADJ. NO. | ALLOC STORAGE | SHORT | | | | |
| | 6140 AF | BALANCE | AMOUNT | 0808-001 | AMOUNT | AMOUNT | 0573-001 | AMOUNT | AMOUNT | | | | |
| | ANNUAL AUTH: | | | ANNUAL AUTH: | | | ANNUAL AUTH: | | | | | | |
| | 6140 AF | | | 147775 AF | | | 470 AF | | | | | | |
| 1 | 442 | 0 | 5698 | 11039 | 2402 | .00000 | 0 | 139138 | 35 | .00000 | 35 | 0 | 470 |
| 2 | 409 | 0 | 5289 | 6517 | 6517 | .03300 | 4876 | 139138 | 21 | .01941 | 21 | 9 | 470 |
| 3 | 477 | 0 | 4812 | 11526 | 6650 | .00000 | 0 | 134262 | 37 | .00000 | 37 | 0 | 461 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .10594 | 15655 | 134262 | 68 | .06232 | 68 | 29 | 461 |
| 5 | 532 | 0 | 3731 | 19831 | 4176 | .09120 | 13478 | 118607 | 63 | .05365 | 63 | 25 | 432 |
| 6 | 553 | 0 | 3178 | 18708 | 5230 | .10870 | 16063 | 105129 | 59 | .06394 | 59 | 30 | 407 |
| 7 | 616 | 0 | 2562 | 15709 | 0 | .87568 | 129404 | 89420 | 50 | .51511 | 50 | 242 | 377 |
| 8 | 637 | 0 | 1925 | 14290 | 0 | .03335 | 4929 | 75130 | 45 | .01962 | 45 | 9 | 332 |
| 9 | 522 | 0 | 1403 | 8438 | 0 | .00000 | 0 | 66692 | 27 | .00000 | 27 | 0 | 305 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .06664 | 9848 | 57929 | 28 | .03920 | 28 | 18 | 277 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .00000 | 0 | 51988 | 19 | .00000 | 19 | 0 | 258 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .00000 | 0 | 46210 | 18 | .00000 | 18 | 0 | 240 |
| ANNUAL | 6140 | 0 | 0 | 147775 | 46210 | 0 | 194253 | 0 | 470 | 0 | 240 | 0 | 362 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY

U.S. AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERV INFLWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|---------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1771041 | 1163203 | 1163203 | -85 | 105686 | 276760 | 33998 | 0 | 126998 | 0 | 724472 | 1827241 | 1762107 |
| 1946 | 1827241 | 1212854 | 1212854 | 1 | 389153 | 250234 | 33998 | 0 | 126998 | 0 | 573468 | 1827241 | 1769979 |
| 1947 | 1827241 | 973130 | 973130 | 0 | 214969 | 279993 | 33998 | 0 | 126998 | 0 | 478391 | 1827018 | 1769623 |
| 1948 | 1827018 | 1454024 | 1454024 | -318786 | 412293 | 289519 | 33998 | 0 | 126998 | 0 | 433203 | 1827241 | 1604237 |
| 1949 | 1827241 | 1666097 | 1666097 | -209876 | 376558 | 239631 | 33998 | 0 | 126998 | 0 | 840032 | 1827241 | 1770262 |
| 1950 | 1827241 | 1093569 | 1093569 | 0 | 441505 | 267712 | 33998 | 0 | 126998 | 0 | 384442 | 1827151 | 1770156 |
| 1951 | 1827151 | 743512 | 743512 | 0 | 988849 | 266760 | 33998 | 0 | 126998 | 0 | 40186 | 1274868 | 1270543 |
| 1952 | 1274868 | 644293 | 644293 | 0 | 1350288 | 163945 | 33998 | 0 | 126998 | 0 | 0 | 404928 | 404928 |
| 1953 | 404928 | 505469 | 505469 | 0 | 248206 | 98448 | 33998 | 0 | 126998 | 81332 | 0 | 563743 | 377020 |
| 1954 | 563743 | 3764424 | 3764424 | -1013826 | 824230 | 229650 | 33998 | 0 | 126998 | 7801 | 433973 | 1826488 | 148016 |
| 1955 | 1826488 | 1161083 | 1161083 | 0 | 1063229 | 288585 | 33998 | 0 | 126998 | 0 | 0 | 1635757 | 1402511 |
| 1956 | 1635757 | 562134 | 562134 | 0 | 1291370 | 233788 | 33998 | 0 | 126998 | 0 | 0 | 672733 | 672733 |
| 1957 | 672733 | 1670650 | 1670650 | 0 | 787496 | 204008 | 33998 | 0 | 126998 | 1294 | 0 | 1351879 | 589097 |
| 1958 | 1351879 | 1969349 | 1969349 | -167064 | 668194 | 209477 | 33998 | 0 | 126998 | 0 | 449252 | 1827241 | 1194271 |
| 1959 | 1827241 | 1400966 | 1400966 | 0 | 34196 | 229110 | 33998 | 0 | 126998 | 0 | 1137660 | 1827241 | 1771040 |
| 1960 | 1827241 | 1183084 | 1183084 | 0 | 511963 | 247204 | 33998 | 0 | 126998 | 0 | 423917 | 1827241 | 1769329 |
| 1961 | 1827241 | 1173210 | 1173210 | -114894 | 183853 | 236345 | 33998 | 0 | 126998 | 0 | 638118 | 1827241 | 1769727 |
| 1962 | 1827241 | 906681 | 906681 | 0 | 674789 | 315386 | 33998 | 0 | 126998 | 0 | 62441 | 1681306 | 1595069 |
| 1963 | 1681306 | 770142 | 770142 | 0 | 1170423 | 234231 | 33998 | 0 | 126998 | 0 | 0 | 1046794 | 1046794 |
| 1964 | 1046794 | 1673626 | 1673626 | 0 | 1009421 | 164124 | 33998 | 107 | 126998 | 107 | 0 | 1546875 | 431816 |
| 1965 | 1546875 | 1039969 | 1039969 | 0 | 1032633 | 227939 | 33998 | 0 | 126998 | 0 | 0 | 1326272 | 1317940 |
| 1966 | 1326272 | 1318285 | 1318285 | 0 | 1022152 | 183184 | 33998 | 0 | 126998 | 0 | 0 | 1439221 | 1103383 |
| 1967 | 1439221 | 954207 | 954207 | 0 | 849505 | 210612 | 33998 | 0 | 126998 | 0 | 0 | 1333311 | 943094 |
| 1968 | 1333311 | 991330 | 991330 | 0 | 986163 | 172604 | 33998 | 0 | 126998 | 0 | 0 | 1165874 | 1060369 |
| 1969 | 1165874 | 843864 | 843864 | 0 | 1076307 | 144261 | 33998 | 0 | 126998 | 0 | 0 | 789170 | 655200 |
| 1970 | 789170 | 844695 | 844695 | 0 | 920951 | 90562 | 33998 | 25734 | 126998 | 25734 | 0 | 622352 | 423318 |
| 1971 | 622352 | 1783089 | 1783089 | 0 | 488320 | 120315 | 33998 | 20671 | 126998 | 20671 | 0 | 1796806 | 383637 |
| 1972 | 1796806 | 1307088 | 1307088 | -279992 | 0 | 235361 | 33998 | 0 | 126998 | 0 | 761300 | 1827241 | 1771041 |
| 1973 | 1827241 | 918028 | 918028 | 0 | 406486 | 213416 | 33998 | 0 | 126998 | 0 | 300439 | 1824928 | 1769701 |
| 1974 | 1824928 | 3029423 | 3029423 | -719 | 283862 | 240232 | 33998 | 0 | 126998 | 0 | 2502297 | 1827241 | 1769852 |
| 1975 | 1827241 | 1284972 | 1284972 | 0 | 9019 | 211382 | 33998 | 0 | 126998 | 0 | 1064571 | 1827241 | 1771041 |
| 1976 | 1827241 | 1607050 | 1607050 | 0 | 31586 | 201156 | 33998 | 0 | 126998 | 0 | 1374308 | 1827241 | 1771041 |
| 1977 | 1827241 | 1163283 | 1163283 | 0 | 461 | 238493 | 33998 | 0 | 126998 | 0 | 924329 | 1827241 | 1771040 |
| 1978 | 1827241 | 1743638 | 1743638 | 2 | 444896 | 225378 | 33998 | 0 | 126998 | 0 | 1073366 | 1827241 | 1769800 |
| 1979 | 1827241 | 1275063 | 1275063 | -15 | 7690 | 224821 | 33998 | 0 | 126998 | 0 | 1042552 | 1827241 | 1771041 |
| 1980 | 1827241 | 1329313 | 1329313 | -15 | 60122 | 253781 | 33998 | 0 | 126998 | 0 | 1015395 | 1827241 | 1771023 |
| 1981 | 1827241 | 1888274 | 1888274 | 0 | 3482 | 214053 | 33998 | 0 | 126998 | 0 | 1670739 | 1827241 | 1771041 |
| 1982 | 1827241 | 1118780 | 1118780 | 0 | 21115 | 243427 | 33998 | 0 | 126998 | 0 | 854238 | 1827241 | 1771041 |
| 1983 | 1827241 | 910765 | 910765 | 0 | 411265 | 249920 | 33998 | 0 | 126998 | 0 | 249663 | 1827158 | 1770282 |
| 1984 | 1827158 | 1086407 | 1086407 | 0 | 526594 | 291574 | 33998 | 0 | 126998 | 0 | 299999 | 1795398 | 1719121 |
| 1985 | 1795398 | 1043484 | 1043484 | 0 | 959452 | 228833 | 33998 | 0 | 126998 | 0 | 37798 | 1612799 | 1437879 |
| 1986 | 1612799 | 1887478 | 1887478 | -203148 | 914666 | 232988 | 33998 | 0 | 126998 | 0 | 322234 | 1827241 | 1330007 |
| 1987 | 1827241 | 1797750 | 1797750 | -123360 | 938738 | 212431 | 33998 | 0 | 126998 | 0 | 523221 | 1827241 | 1770290 |
| 1988 | 1827241 | 1469121 | 1469121 | 953 | 739349 | 241106 | 33998 | 0 | 126998 | 0 | 489619 | 1827241 | 1769885 |
| 1989 | 1827241 | 1055062 | 1055062 | 0 | 345584 | 292563 | 33998 | 0 | 126998 | 0 | 417112 | 1827044 | 1769345 |
| 1990 | 1827044 | 2076817 | 2076817 | -130759 | 733406 | 265495 | 33998 | 0 | 126998 | 0 | 946960 | 1827241 | 1770434 |
| 1991 | 1827241 | 2027658 | 2027658 | 0 | 62602 | 285132 | 33998 | 0 | 126998 | 0 | 1679924 | 1827241 | 1771041 |
| 1992 | 1827241 | 1702861 | 1702861 | 0 | 4242 | 250028 | 33998 | 0 | 126998 | 0 | 1448591 | 1827241 | 1771041 |
| 1993 | 1827241 | 1181767 | 1181767 | 0 | 30221 | 290243 | 33998 | 0 | 126998 | 0 | 861303 | 1827241 | 1771041 |
| 1994 | 1827241 | 924654 | 924654 | 0 | 343797 | 289940 | 33998 | 0 | 126998 | 0 | 290981 | 1827177 | 1769978 |
| 1995 | 1827177 | 895126 | 895126 | 0 | 774520 | 317488 | 33998 | 0 | 126998 | 0 | 222759 | 1407536 | 1389956 |
| 1996 | 1407536 | 956466 | 956466 | 0 | 1192572 | 242373 | 33998 | 0 | 126998 | 0 | 0 | 929057 | 753135 |
| 1997 | 929057 | 951292 | 951292 | 0 | 1187938 | 149372 | 33998 | 0 | 126998 | 0 | 0 | 543039 | 543039 |
| 1998 | 543039 | 885317 | 885317 | 0 | 771425 | 118203 | 33998 | 42436 | 126998 | 42436 | 0 | 538728 | 410223 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY
 SIMULATION PERIOD TOTAL SUMMARY FOR NODE 2 U.S. FALCON

| YEAR | INITIAL STORAGE | WTRSHD INFLOWS | RESERV INFLWS | FLDWATR TRANSFR | DMNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|----------------|---------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1555129 | 285000 | 954162 | 0 | 1203001 | 349701 | 124999 | 0 | 1078002 | 0 | 0 | 956589 | 725362 |
| 1946 | 956589 | 506000 | 1307625 | 0 | 1203001 | 248476 | 124999 | 0 | 1078002 | 0 | 0 | 812737 | 662569 |
| 1947 | 812737 | 426000 | 958364 | 0 | 1203001 | 216867 | 124999 | 0 | 1078002 | 0 | 0 | 351233 | 351233 |
| 1948 | 351233 | 595000 | 1279500 | 0 | 1203001 | 128987 | 124999 | 0 | 1078002 | 0 | 0 | 298745 | 111223 |
| 1949 | 298745 | 783000 | 1838594 | 0 | 1203001 | 199854 | 124999 | 0 | 1078002 | 0 | 0 | 734484 | 272197 |
| 1950 | 734484 | 248000 | 912951 | 0 | 1203001 | 233648 | 124999 | 0 | 1078002 | 0 | 0 | 210786 | 210786 |
| 1951 | 210786 | 371000 | 1239039 | 0 | 1203001 | 91313 | 124999 | 0 | 1078002 | 0 | 0 | 155511 | 1582 |
| 1952 | 155511 | 92000 | 1281292 | 0 | 1203001 | 8078 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 1584 |
| 1953 | 155724 | 380000 | 548542 | 0 | 424317 | 87536 | 124999 | 0 | 1078002 | 778684 | 0 | 192413 | 85487 |
| 1954 | 192413 | 206368 | 1311376 | 0 | 1109708 | 126093 | 124999 | 0 | 1078002 | 93293 | 0 | 267988 | 84863 |
| 1955 | 267988 | 262728 | 1164961 | 0 | 1203001 | 74546 | 124999 | 0 | 1078002 | 0 | 0 | 155402 | 71953 |
| 1956 | 155402 | 146131 | 1276505 | 0 | 1203001 | 73182 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 1584 |
| 1957 | 155724 | 633550 | 1261344 | 0 | 1187524 | 73934 | 124999 | 0 | 1078002 | 15477 | 0 | 155610 | 64434 |
| 1958 | 155610 | 1287790 | 2244240 | 347351 | 1203001 | 61394 | 124999 | 0 | 1078002 | 0 | 0 | 1482806 | 1578 |
| 1959 | 1482806 | 413263 | 1424123 | 0 | 1203001 | 276592 | 124999 | 0 | 1078002 | 0 | 0 | 1427336 | 1268882 |
| 1960 | 1427336 | 304220 | 1079104 | 0 | 1203001 | 273251 | 124999 | 0 | 1078002 | 0 | 0 | 1030188 | 907766 |
| 1961 | 1030188 | 438643 | 1099618 | 0 | 1203001 | 235865 | 124999 | 0 | 1078002 | 0 | 0 | 690940 | 690386 |
| 1962 | 690940 | 222588 | 798822 | 0 | 1203001 | 131037 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 94006 |
| 1963 | 155724 | 259995 | 1269422 | 0 | 1203001 | 66425 | 124999 | 0 | 1078002 | 0 | 0 | 155720 | 1587 |
| 1964 | 155720 | 478465 | 1326997 | 0 | 1202357 | 64340 | 124999 | 644 | 1078002 | 0 | 0 | 216020 | 1581 |
| 1965 | 216020 | 344430 | 1206067 | 0 | 1203001 | 63362 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 1584 |
| 1966 | 155724 | 391422 | 1252578 | 0 | 1203001 | 49577 | 124999 | 0 | 1078002 | 0 | 0 | 155724 | 17827 |
| 1967 | 155724 | 713220 | 1401729 | 0 | 1203001 | 65315 | 124999 | 0 | 1078002 | 0 | 0 | 289137 | 10104 |
| 1968 | 289137 | 294637 | 1119804 | 0 | 1203001 | 50474 | 124999 | 0 | 1078002 | 0 | 0 | 155466 | 72408 |
| 1969 | 155466 | 346676 | 1261987 | 0 | 1203001 | 58955 | 124999 | 0 | 1078002 | 0 | 0 | 155497 | 19215 |
| 1970 | 155497 | 297120 | 1082809 | 0 | 1029487 | 53494 | 124999 | 0 | 1078002 | 173514 | 0 | 155325 | 1581 |
| 1971 | 155325 | 2201017 | 2549012 | 478903 | 967992 | 129978 | 124999 | 0 | 1078002 | 235009 | 471541 | 1613729 | 25529 |
| 1972 | 1613729 | 569612 | 1169916 | -5552 | 1203001 | 280713 | 124999 | 0 | 1078002 | 0 | 0 | 1295665 | 1274189 |
| 1973 | 1295665 | 707828 | 1253757 | 0 | 1203001 | 232925 | 124999 | 0 | 1078002 | 0 | 0 | 1113496 | 973079 |
| 1974 | 1113496 | 287805 | 2912968 | -735713 | 1203001 | 245946 | 124999 | 0 | 1078002 | 0 | 228793 | 1613729 | 585050 |
| 1975 | 1613729 | 689676 | 1602270 | -96903 | 1203001 | 290297 | 124999 | 0 | 1078002 | 0 | 121492 | 1504306 | 1480576 |
| 1976 | 1504306 | 1062184 | 2327082 | 979 | 1203001 | 254359 | 124999 | 0 | 1078002 | 0 | 741297 | 1613729 | 1196374 |
| 1977 | 1613729 | 464282 | 1207082 | -157036 | 1203001 | 280675 | 124999 | 0 | 1078002 | 0 | 0 | 1201093 | 1201093 |
| 1978 | 1201093 | 556024 | 1913290 | 25964 | 1203001 | 245977 | 124999 | 0 | 1078002 | 0 | 77640 | 1613729 | 867419 |
| 1979 | 1613729 | 564636 | 1453882 | -69223 | 1203001 | 292374 | 124999 | 0 | 1078002 | 0 | 121055 | 1381958 | 1381958 |
| 1980 | 1381958 | 409238 | 1323759 | 0 | 1203001 | 266010 | 124999 | 0 | 1078002 | 0 | 0 | 1236706 | 844367 |
| 1981 | 1236706 | 994629 | 2507854 | -102283 | 1203001 | 243536 | 124999 | 0 | 1078002 | 0 | 598689 | 1597051 | 1233410 |
| 1982 | 1597051 | 340150 | 1054507 | -46493 | 1203001 | 275797 | 124999 | 0 | 1078002 | 0 | 0 | 1126267 | 1126267 |
| 1983 | 1126267 | 342907 | 842839 | 0 | 1203001 | 200372 | 124999 | 0 | 1078002 | 0 | 0 | 565733 | 502215 |
| 1984 | 565733 | 234142 | 899739 | 0 | 1203001 | 106853 | 124999 | 0 | 1078002 | 0 | 0 | 155618 | 101028 |
| 1985 | 155618 | 424262 | 1260516 | 0 | 1203001 | 57679 | 124999 | 0 | 1078002 | 0 | 0 | 155454 | 47314 |
| 1986 | 155454 | 377249 | 1453153 | 0 | 1203001 | 53983 | 124999 | 0 | 1078002 | 0 | 0 | 351623 | 1576 |
| 1987 | 351623 | 630894 | 1931857 | 0 | 1203001 | 175605 | 124999 | 0 | 1078002 | 0 | 0 | 904874 | 391522 |
| 1988 | 904874 | 539973 | 1607945 | 0 | 1203001 | 210891 | 124999 | 0 | 1078002 | 0 | 0 | 1098927 | 669896 |
| 1989 | 1098927 | 278254 | 879954 | 0 | 1203001 | 235058 | 124999 | 0 | 1078002 | 0 | 0 | 540822 | 540822 |
| 1990 | 540822 | 418569 | 1937939 | 0 | 1203001 | 176264 | 124999 | 0 | 1078002 | 0 | 0 | 1099496 | 290009 |
| 1991 | 1099496 | 308733 | 1890263 | 87814 | 1203001 | 236593 | 124999 | 0 | 1078002 | 0 | 26137 | 1611842 | 903211 |
| 1992 | 1611842 | 517404 | 1809241 | -124952 | 1203001 | 281695 | 124999 | 0 | 1078002 | 0 | 299670 | 1511765 | 1481160 |
| 1993 | 1511765 | 250123 | 980651 | 0 | 1203001 | 270951 | 124999 | 0 | 1078002 | 0 | 0 | 1018464 | 1017726 |
| 1994 | 1018464 | 295200 | 768982 | 0 | 1203001 | 70954 | 124999 | 0 | 1078002 | 0 | 0 | 374327 | 373565 |
| 1995 | 374327 | 218838 | 1055121 | 0 | 1203001 | 70954 | 124999 | 0 | 1078002 | 0 | 0 | 155493 | 76945 |
| 1996 | 155493 | 227673 | 1259249 | 0 | 1203001 | 56214 | 124999 | 0 | 1078002 | 0 | 0 | 155527 | 1583 |
| 1997 | 155527 | 226161 | 1253103 | 0 | 1203001 | 49913 | 124999 | 0 | 1078002 | 0 | 0 | 155716 | 1570 |
| 1998 | 155716 | 239251 | 892116 | 0 | 835634 | 56704 | 124999 | 0 | 1078002 | 367367 | 0 | 155494 | 18204 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 3 MEX AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1380278 | 883389 | 883389 | 85 | 446819 | 215099 | 65999 | 0 | 0 | 0 | 177756 | 1424078 | 1357376 |
| 1946 | 1424078 | 909841 | 909841 | -1 | 332447 | 189562 | 65999 | 0 | 0 | 0 | 387832 | 1424077 | 1224724 |
| 1947 | 1424077 | 669063 | 669063 | 0 | 407068 | 185761 | 65999 | 0 | 0 | 0 | 157025 | 1343286 | 969964 |
| 1948 | 1343286 | 507768 | 507768 | 318786 | 986540 | 146432 | 65999 | 0 | 0 | 0 | 0 | 1036868 | 613365 |
| 1949 | 1036868 | 1042898 | 1042898 | 209876 | 534714 | 158786 | 65999 | 0 | 0 | 0 | 172064 | 1424078 | 987427 |
| 1950 | 1424078 | 786227 | 786227 | 0 | 802346 | 158752 | 65999 | 0 | 0 | 0 | 135462 | 1113745 | 842418 |
| 1951 | 1113745 | 404486 | 404486 | 0 | 966794 | 99239 | 65999 | 0 | 0 | 0 | 452198 | 452198 | 429023 |
| 1952 | 452198 | 428901 | 428901 | 0 | 828227 | 20279 | 65999 | 0 | 0 | 0 | 32593 | 113759 | 1366 |
| 1953 | 32593 | 222231 | 222231 | 0 | 135467 | 5558 | 65999 | 0 | 0 | 0 | 61456 | 113759 | 1360 |
| 1954 | 113759 | 788961 | 788961 | 1013826 | 335999 | 131486 | 65999 | 0 | 0 | 0 | 0 | 1387645 | 29492 |
| 1955 | 1387645 | 677209 | 677209 | 0 | 947517 | 148975 | 65999 | 0 | 0 | 0 | 0 | 968362 | 589118 |
| 1956 | 968362 | 296764 | 296764 | 0 | 1107735 | 50143 | 65999 | 0 | 0 | 0 | 0 | 107248 | 38653 |
| 1957 | 107248 | 564144 | 564144 | 0 | 351184 | 24564 | 65999 | 0 | 0 | 0 | 0 | 295644 | 1372 |
| 1958 | 295644 | 1567841 | 1567841 | 167064 | 453801 | 26314 | 65999 | 0 | 0 | 0 | 126356 | 1424078 | 1368 |
| 1959 | 1424078 | 667730 | 667730 | 0 | 15586 | 178472 | 65999 | 0 | 0 | 0 | 473695 | 1424055 | 1380278 |
| 1960 | 1424055 | 848707 | 848707 | 0 | 223634 | 190232 | 65999 | 0 | 0 | 0 | 434818 | 1424078 | 1283410 |
| 1961 | 1424078 | 624584 | 624584 | 114894 | 448667 | 171938 | 65999 | 0 | 0 | 0 | 118900 | 1424051 | 1033135 |
| 1962 | 1424051 | 511070 | 511070 | 0 | 904025 | 164066 | 65999 | 0 | 0 | 0 | 0 | 867030 | 685720 |
| 1963 | 867030 | 481290 | 481290 | 0 | 984578 | 54654 | 65999 | 0 | 0 | 0 | 0 | 309088 | 129053 |
| 1964 | 309088 | 672900 | 672900 | 0 | 591689 | 15335 | 65999 | 0 | 0 | 0 | 0 | 374964 | 1360 |
| 1965 | 374964 | 489720 | 489720 | 0 | 656082 | 27341 | 65999 | 0 | 0 | 0 | 0 | 181261 | 70107 |
| 1966 | 181261 | 1003086 | 1003086 | 0 | 530225 | 15573 | 65999 | 0 | 0 | 0 | 0 | 638549 | 1368 |
| 1967 | 638549 | 523436 | 523436 | 0 | 795268 | 30433 | 65999 | 0 | 0 | 0 | 0 | 336284 | 1363 |
| 1968 | 336284 | 841232 | 841232 | 0 | 348911 | 49736 | 65999 | 0 | 0 | 0 | 0 | 778869 | 146058 |
| 1969 | 778869 | 705083 | 705083 | 0 | 934108 | 70615 | 65999 | 0 | 0 | 0 | 0 | 479229 | 293374 |
| 1970 | 479229 | 620385 | 620385 | 0 | 741244 | 17544 | 65999 | 0 | 0 | 0 | 0 | 340826 | 1367 |
| 1971 | 340826 | 692998 | 692998 | 0 | 489994 | 25851 | 65999 | 0 | 0 | 0 | 0 | 517979 | 1367 |
| 1972 | 517979 | 802803 | 802803 | 279992 | 0 | 114337 | 65999 | 0 | 0 | 0 | 64672 | 1421765 | 578204 |
| 1973 | 1421765 | 679907 | 679907 | 0 | 407628 | 158590 | 65999 | 0 | 0 | 0 | 125495 | 1409959 | 1157129 |
| 1974 | 1409959 | 1211470 | 1211470 | 719 | 528575 | 172784 | 65999 | 0 | 0 | 0 | 496711 | 1424078 | 1150528 |
| 1975 | 1424078 | 748604 | 748604 | 0 | 978 | 164596 | 65999 | 0 | 0 | 0 | 583066 | 1424042 | 1380278 |
| 1976 | 1424042 | 773967 | 773967 | 0 | 15525 | 156703 | 65999 | 0 | 0 | 0 | 601722 | 1424059 | 1380278 |
| 1977 | 1424059 | 550896 | 550896 | 0 | 0 | 185664 | 65999 | 0 | 0 | 0 | 379373 | 1409918 | 1380278 |
| 1978 | 1409918 | 1517216 | 1517216 | -2 | 56907 | 175656 | 65999 | 0 | 0 | 0 | 1270491 | 1424078 | 1380276 |
| 1979 | 1424078 | 878202 | 878202 | 0 | 2269 | 175100 | 65999 | 0 | 0 | 0 | 712516 | 1412395 | 1380278 |
| 1980 | 1412395 | 817103 | 817103 | 15 | 249236 | 197639 | 65999 | 0 | 0 | 0 | 358573 | 1424065 | 1377308 |
| 1981 | 1424065 | 1238430 | 1238430 | 0 | 0 | 166824 | 65999 | 0 | 0 | 0 | 1071593 | 1424078 | 1380278 |
| 1982 | 1424078 | 664349 | 664349 | 0 | 6006 | 189622 | 65999 | 0 | 0 | 0 | 474720 | 1418079 | 1380278 |
| 1983 | 1418079 | 497472 | 497472 | 0 | 362680 | 176613 | 65999 | 0 | 0 | 0 | 85595 | 1290663 | 1141885 |
| 1984 | 1290663 | 775321 | 775321 | 0 | 1047630 | 129122 | 65999 | 0 | 0 | 0 | 0 | 889232 | 592246 |
| 1985 | 889232 | 682379 | 682379 | 0 | 866727 | 67443 | 65999 | 0 | 0 | 0 | 0 | 637441 | 316616 |
| 1986 | 637441 | 1208462 | 1208462 | 203148 | 832401 | 52089 | 65999 | 0 | 0 | 0 | 238286 | 1424060 | 1523 |
| 1987 | 1164561 | 1203973 | 1203973 | 123360 | 672094 | 157454 | 65999 | 0 | 0 | 0 | 388875 | 1424076 | 1064640 |
| 1988 | 1424060 | 929864 | 929864 | -953 | 357760 | 182260 | 65999 | 0 | 0 | 0 | 338871 | 1424064 | 1223371 |
| 1989 | 1424076 | 589071 | 589071 | 0 | 22193 | 228019 | 65999 | 0 | 0 | 0 | 848234 | 1424078 | 1380275 |
| 1990 | 1424064 | 1728668 | 1728668 | 130759 | 848855 | 162324 | 65999 | 0 | 0 | 0 | 1625395 | 1424062 | 1380278 |
| 1991 | 1424078 | 1892590 | 1892590 | 0 | 45082 | 222129 | 65999 | 0 | 0 | 0 | 1073965 | 1424059 | 1380278 |
| 1992 | 1424062 | 1283085 | 1283085 | 0 | 14354 | 194769 | 65999 | 0 | 0 | 0 | 537957 | 1424051 | 1380278 |
| 1993 | 1424059 | 788586 | 788586 | 0 | 24534 | 226103 | 65999 | 0 | 0 | 0 | 162314 | 1124739 | 1112634 |
| 1994 | 1424051 | 488813 | 488813 | 0 | 425149 | 200662 | 65999 | 0 | 0 | 0 | 0 | 353742 | 238653 |
| 1995 | 1124739 | 387891 | 387891 | 0 | 1075201 | 83687 | 65999 | 0 | 0 | 0 | 0 | 249323 | 1357 |
| 1996 | 353742 | 441577 | 441577 | 0 | 527977 | 18019 | 65999 | 0 | 0 | 0 | 0 | 41819 | 1365 |
| 1997 | 249323 | 398568 | 398568 | 0 | 601678 | 4394 | 65999 | 0 | 0 | 0 | 0 | 128775 | 1359 |
| 1998 | 41819 | 384845 | 384845 | 0 | 293741 | 4148 | 65999 | 0 | 0 | 0 | 0 | 0 | 0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION - 1945-98 F&N HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 4 MEX FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|---------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1098674 | 278000 | 836576 | 0 | 1224000 | 154821 | 1224000 | 0 | 0 | 0 | 0 | 556429 | 209947 |
| 1946 | 556429 | 521000 | 1175280 | 0 | 1224000 | 63574 | 1224000 | 0 | 0 | 0 | 0 | 444135 | 1561 |
| 1947 | 444135 | 371000 | 869094 | 0 | 1224000 | 33828 | 1224000 | 0 | 0 | 0 | 0 | 55401 | 1114 |
| 1948 | 55401 | 702000 | 1622541 | 0 | 1224000 | 49410 | 1224000 | 0 | 0 | 0 | 0 | 404532 | 1101 |
| 1949 | 404532 | 442000 | 1082779 | 0 | 1224000 | 28248 | 1224000 | 0 | 0 | 0 | 0 | 235063 | 1109 |
| 1950 | 235063 | 128000 | 999809 | 0 | 1224000 | 9682 | 1224000 | 0 | 0 | 0 | 0 | 1190 | 1119 |
| 1951 | 1190 | 326000 | 1226795 | 0 | 1224000 | 2632 | 1224000 | 0 | 0 | 0 | 0 | 1353 | 1098 |
| 1952 | 1353 | 64000 | 826228 | 0 | 825691 | 750 | 1224000 | 398309 | 0 | 0 | 0 | 1140 | 949 |
| 1953 | 1140 | 1003000 | 1072468 | 0 | 339862 | 85896 | 1224000 | 884138 | 0 | 0 | 0 | 647850 | 813 |
| 1954 | 647850 | 325559 | 657015 | 0 | 1224000 | 43173 | 1224000 | 0 | 0 | 0 | 0 | 37692 | 1141 |
| 1955 | 37692 | 344411 | 1225929 | 0 | 1224000 | 7754 | 1224000 | 0 | 0 | 0 | 0 | 31867 | 1098 |
| 1956 | 31867 | 153390 | 1195126 | 0 | 1224000 | 1853 | 1224000 | 0 | 0 | 0 | 0 | 1140 | 1098 |
| 1957 | 1140 | 727886 | 1013071 | 0 | 1008421 | 4536 | 1224000 | 215579 | 0 | 0 | 0 | 1254 | 1062 |
| 1958 | 1254 | 1933882 | 2448040 | -347351 | 935818 | 26051 | 1224000 | 288182 | 0 | 0 | 0 | 1140074 | 1016 |
| 1959 | 1140074 | 489555 | 912837 | 0 | 1224000 | 143980 | 1224000 | 0 | 0 | 0 | 0 | 684931 | 571993 |
| 1960 | 684931 | 307596 | 900049 | 0 | 1224000 | 40888 | 1224000 | 0 | 0 | 0 | 0 | 320092 | 1101 |
| 1961 | 320092 | 583960 | 1085528 | 0 | 1224000 | 31910 | 1224000 | 0 | 0 | 0 | 0 | 149710 | 1113 |
| 1962 | 149710 | 240095 | 1078121 | 0 | 1224000 | 2691 | 1224000 | 0 | 0 | 0 | 0 | 1140 | 1111 |
| 1963 | 1140 | 307161 | 1225740 | 0 | 1224000 | 1736 | 1224000 | 0 | 0 | 0 | 0 | 1144 | 1098 |
| 1964 | 1144 | 548188 | 1073878 | 0 | 762916 | 20732 | 1224000 | 461084 | 0 | 0 | 0 | 291374 | 901 |
| 1965 | 291374 | 350059 | 940142 | 0 | 1224000 | 6376 | 1224000 | 0 | 0 | 0 | 0 | 1140 | 1098 |
| 1966 | 1140 | 417219 | 881445 | 0 | 879683 | 1762 | 1224000 | 344317 | 0 | 0 | 0 | 1140 | 996 |
| 1967 | 1140 | 943825 | 1673094 | 0 | 1045162 | 26860 | 1224000 | 178838 | 0 | 0 | 0 | 602212 | 1071 |
| 1968 | 602212 | 382091 | 665003 | 0 | 1224000 | 26535 | 1224000 | 0 | 0 | 0 | 0 | 16680 | 1116 |
| 1969 | 16680 | 382759 | 1250868 | 0 | 1224000 | 3176 | 1224000 | 0 | 0 | 0 | 0 | 40372 | 1098 |
| 1970 | 40372 | 283218 | 958463 | 0 | 1224000 | 5923 | 1224000 | 279381 | 0 | 0 | 0 | 48293 | 1073 |
| 1971 | 48293 | 3101272 | 3525267 | -478903 | 844619 | 91785 | 1224000 | 385434 | 0 | 0 | 1024232 | 1140074 | 1013 |
| 1972 | 1140074 | 670492 | 669165 | 5552 | 1224000 | 110991 | 1224000 | 0 | 0 | 0 | 0 | 479800 | 380811 |
| 1973 | 479800 | 740920 | 1208044 | 0 | 1224000 | 34309 | 1224000 | 0 | 0 | 0 | 0 | 429535 | 1969 |
| 1974 | 429535 | 305682 | 1264969 | 735713 | 1224000 | 42368 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 1105 |
| 1975 | 1140074 | 913544 | 1431589 | 96903 | 1224000 | 183744 | 1224000 | 0 | 0 | 0 | 0 | 1097163 | 745677 |
| 1976 | 1097163 | 1693211 | 2244459 | -979 | 1224000 | 144983 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 371754 |
| 1977 | 1140074 | 554875 | 868249 | 157036 | 1224000 | 171579 | 1224000 | 0 | 0 | 0 | 0 | 741133 | 741133 |
| 1978 | 741133 | 801281 | 2062680 | -25964 | 1224000 | 65989 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 8722 |
| 1979 | 1140074 | 688648 | 1337434 | 69223 | 1224000 | 201343 | 1224000 | 0 | 0 | 0 | 0 | 998580 | 846078 |
| 1980 | 998580 | 544535 | 1086345 | 0 | 1224000 | 110220 | 1224000 | 0 | 0 | 0 | 0 | 750705 | 173492 |
| 1981 | 750705 | 1430420 | 2436014 | 102283 | 1224000 | 160538 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 623678 |
| 1982 | 1140074 | 338840 | 753567 | 46493 | 1224000 | 142251 | 1224000 | 0 | 0 | 0 | 0 | 573883 | 573883 |
| 1983 | 573883 | 291291 | 673567 | 0 | 1224000 | 22103 | 1224000 | 0 | 0 | 0 | 0 | 1347 | 1103 |
| 1984 | 1347 | 243487 | 1225118 | 0 | 1224000 | 1219 | 1224000 | 0 | 0 | 0 | 0 | 1246 | 1110 |
| 1985 | 1246 | 463802 | 1264530 | 0 | 1224000 | 3501 | 1224000 | 0 | 0 | 0 | 0 | 38275 | 1100 |
| 1986 | 38275 | 540129 | 1306531 | 0 | 1168593 | 15099 | 1224000 | 55407 | 0 | 0 | 0 | 161114 | 1121 |
| 1987 | 161114 | 748490 | 1592871 | 0 | 1224000 | 41495 | 1224000 | 0 | 0 | 0 | 0 | 488490 | 1109 |
| 1988 | 488490 | 831771 | 1512407 | -979 | 1224000 | 48727 | 1224000 | 0 | 0 | 0 | 0 | 728170 | 1110 |
| 1989 | 728170 | 285024 | 580089 | 0 | 1224000 | 48935 | 1224000 | 0 | 0 | 0 | 0 | 35324 | 3433 |
| 1990 | 35324 | 498141 | 2129231 | 0 | 1224000 | 38473 | 1224000 | 0 | 0 | 0 | 0 | 902082 | 1111 |
| 1991 | 902082 | 322749 | 1927227 | -87814 | 1224000 | 130366 | 1224000 | 0 | 0 | 0 | 0 | 1140074 | 305613 |
| 1992 | 1140074 | 623610 | 1645930 | 124952 | 1224000 | 196508 | 1224000 | 0 | 0 | 0 | 0 | 1083507 | 1013955 |
| 1993 | 1083507 | 230123 | 7266615 | 0 | 1224000 | 120248 | 1224000 | 0 | 0 | 0 | 0 | 465874 | 330457 |
| 1994 | 465874 | 255581 | 777045 | 0 | 1224000 | 17768 | 1224000 | 0 | 0 | 0 | 0 | 1151 | 1108 |
| 1995 | 1151 | 240841 | 1250043 | 0 | 1224000 | 4368 | 1224000 | 0 | 0 | 0 | 0 | 22826 | 1098 |
| 1996 | 22826 | 259854 | 721832 | 0 | 734651 | 4132 | 1224000 | 489349 | 0 | 0 | 0 | 5875 | 943 |
| 1997 | 5875 | 242833 | 778512 | 0 | 782654 | 585 | 1224000 | 441346 | 0 | 0 | 0 | 1148 | 1038 |
| 1998 | 1148 | 267272 | 495014 | 0 | 469317 | 4257 | 1224000 | 754683 | 0 | 0 | 0 | 22588 | 784 |

OPERATIONS MANUAL
Amistad-Falcon Reservoir Operations Model

Attachment E.

**Abbreviated Output Listing
from the Amistad-Falcon Reservoir Operations Model
for the Firm Annual Yield Analysis for the United States and Mexico**

DATE: 3-23-1999
FILE: UM4598FY

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRC OPERATING RULES
R. J. BRANDES COMPANY FEBRUARY 1998

ECHO PRINT OF INPUT DATA FILE PARAMETERS WITHOUT FLOW, DEMAND, OR EVAPORATION DATA

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY
FIRM ANNUAL YIELD DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION

| | | | | |
|--------------|---|--|-------|-----------|
| CARD 01 | NJ | - NUMBER OF NODES IN THE MODEL NETWORK | 8 | |
| CARD 02 | NRES | - NUMBER OF RESERVOIRS IN THE MODEL NETWORK | 4 | |
| CARD 03 | NL | - NUMBER OF LINKS BETWEEN NODES IN THE MODEL NETWORK | 8 | |
| CARD 04 | NR | - NUMBER OF LINKS THAT ARE RIVER REACHES | 8 | |
| CARD 05 | NYEAR | - TOTAL NUMBER OF YEARS IN SIMULATION PERIOD | 54 | |
| CARD 06 | ND | - NUMBER OF DEMAND NODES IN THE MODEL NETWORK | 8 | |
| CARD 07 | NS | - NUMBER OF SPILL RESERVOIRS IN THE MODEL NETWORK | 2 | |
| CARD 08 | IYEAR | - BEGINNING CALENDAR YEAR OF SIMULATION PERIOD | 1945 | |
| CARD 09 | IFRM | - BEGINNING ORDINAL YEAR OF DETAILED PRINTOUT | 1 | |
| CARD 10 | ITDY | - ENDING ORDINAL YEAR OF DETAILED PRINTOUT | 54 | |
| CARD 11 | INPUT DATA SOURCE ("CARD" OR "TAPE") | | | CARD |
| CARD 12 | FIRM ANNUAL YIELD ITERATION SHORTAGE LIMIT (AC-FT/YR) | | | 10 |
| CARD 13 | IPLT=0, DO NOT SAVE; =NODE, SAVE RES. OPER; =5, SAVE ACCOUNT | | | 1 |
| CARD 14 | IYSTR - BEGINNING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | | 1945 |
| CARD 15 | IYEND - ENDING YEAR FOR FIRM ANNUAL YIELD ANALYSIS | | | 1972 |
| CARD 16 | IFLYLD=0, NO FAY; =1, DETERMINE U.S. FAY; =2, DETERMINE MEXICO FAY | | | 2 |
| CARD 17 | DRUSFC - INITIAL FAY ADJUSTMENT FACTOR FOR U.S. DEMANDS | | | 0.8761716 |
| CARD 18 | DRMXFC - INITIAL FAY ADJUSTMENT FACTOR FOR MEXICO DEMANDS | | | 0.7691899 |
| CARD 19 | MAXMWR - TOTAL DOMESTIC-MUNICIPAL-INDUSTRIAL WATER RIGHTS | | | 271579 |
| CARD 20 | MXLIWR - TOTAL IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | 1696228 |
| CARD 21 | MLIAWR - TOTAL CLASS A IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | 1500719 |
| CARD 22 | MLIBWR - TOTAL CLASS B IRRIGATION WATER RIGHTS ON LOWER RIO GRANDE | | | 195509 |
| CARD 23 | MMIAWR - TOTAL IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | | 181530 |
| CARD 24 | MMIBWR - TOTAL CLASS A IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | | 162803 |
| CARD 25 | MMIBWR - TOTAL CLASS B IRRIGATION WATER RIGHTS ON MIDDLE RIO GRANDE | | | 18727 |
| CARD 26 | MAXMPL - MAX. U.S. DOMESTIC-MUNICIPAL-INDUSTRIAL RESERVE POOL | | | 225000 |
| CARD 27 | IRSTR - STARTING TOTAL IRRIGATION & MINING ACCOUNT BALANCE | | | 0000000 |
| CARD 28 | NUMWR - NUMBER OF WATER RIGHTS OWNERS INCLUDED IN ACCOUNTING | | | 3 |
| CARD 29 | IRLFLG=0, READ ALL MON AMISTAD RELEASES; =1, READ AVG MON RELEASES | | | 1 |
| CARD 30 | IWRFLG=0, READ ALL WATER RIGHTS DEMANDS; =1, READ AVG MON DEMANDS | | | 1 |
| U.S. AMISTAD | 1 | 1827241 | 1771 | 1771041 |
| U.S. FALCON | 2 | 1613729 | 1555 | 1555129 |
| MEX AMISTAD | 3 | 1424078 | 1380 | 1380278 |
| MEX FALCON | 4 | 1140074 | 1099 | 1098674 |
| U.S.MRG MUNI | 5 | 0 | 0 | 0 |
| U.S.MRG IRR1 | 6 | 0 | 0 | 0 |
| U.S.LRG IRR1 | 7 | 0 | 0 | 0 |
| MEX MRG M&R | 8 | 0 | 0 | 0 |
| SPILL, RESR | 2 | 4 | | |
| AMISTAD | 1 | 1 | 930.0 | 0 |
| AMISTAD | 1 | 2 | 945.0 | 5 |
| AMISTAD | 1 | 3 | 946.5 | 87 |
| AMISTAD | 1 | 4 | 948.2 | 180 |
| AMISTAD | 1 | 5 | 949.1 | 237 |
| AMISTAD | 1 | 6 | 950.1 | 297 |
| AMISTAD | 1 | 7 | 951.4 | 376 |
| AMISTAD | 1 | 8 | 961.3 | 1045 |
| AMISTAD | 1 | 9 | 971.1 | 1843 |

| | | | | | |
|------------|---|---------|--------|---------|---------|
| AMISTAD | 1 | 10 | 981.0 | 2770 | 59404 |
| AMISTAD | 1 | 11 | 990.8 | 3823 | 93556 |
| AMISTAD | 1 | 12 | 1000.7 | 5004 | 138573 |
| AMISTAD | 1 | 13 | 1010.5 | 6314 | 195568 |
| AMISTAD | 1 | 14 | 1020.3 | 7722 | 264663 |
| AMISTAD | 1 | 15 | 1030.2 | 9758 | 350120 |
| AMISTAD | 1 | 16 | 1040.0 | 12751 | 458690 |
| AMISTAD | 1 | 17 | 1049.9 | 16734 | 605456 |
| AMISTAD | 1 | 18 | 1059.7 | 21627 | 790919 |
| AMISTAD | 1 | 19 | 1069.6 | 27399 | 1029250 |
| AMISTAD | 1 | 20 | 1079.4 | 34051 | 1328996 |
| AMISTAD | 1 | 21 | 1089.2 | 41702 | 1699411 |
| AMISTAD | 1 | 22 | 1094.2 | 45665 | 1911714 |
| AMISTAD | 1 | 23 | 1099.1 | 49658 | 2142942 |
| AMISTAD | 1 | 24 | 1104.0 | 53679 | 2393700 |
| AMISTAD | 1 | 25 | 1108.9 | 57729 | 2664077 |
| AMISTAD | 1 | 26 | 1115.5 | 63173 | 3055670 |
| AMISTAD | 1 | 27 | 1117.0 | 64438 | 3151319 |
| AMISTAD | 1 | 28 | 1118.8 | 65915 | 3265037 |
| AMISTAD | 1 | 29 | 1122.0 | 68671 | 3483939 |
| AMISTAD | 1 | 30 | 1131.9 | 77013 | 4199954 |
| FALCON | 2 | 1 | 203.3 | 0 | 0 |
| FALCON | 2 | 2 | 203.4 | 35 | 57 |
| FALCON | 2 | 3 | 205.1 | 195 | 235 |
| FALCON | 2 | 4 | 206.7 | 425 | 735 |
| FALCON | 2 | 5 | 207.3 | 539 | 1050 |
| FALCON | 2 | 6 | 208.3 | 727 | 1670 |
| FALCON | 2 | 7 | 210.0 | 1100 | 3158 |
| FALCON | 2 | 8 | 214.9 | 1559 | 9631 |
| FALCON | 2 | 9 | 219.8 | 2202 | 18806 |
| FALCON | 2 | 10 | 224.7 | 3526 | 32732 |
| FALCON | 2 | 11 | 229.7 | 5169 | 54000 |
| FALCON | 2 | 12 | 234.6 | 6531 | 82799 |
| FALCON | 2 | 13 | 239.5 | 8061 | 118624 |
| FALCON | 2 | 14 | 242.8 | 10341 | 148482 |
| FALCON | 2 | 15 | 244.4 | 11654 | 166516 |
| FALCON | 2 | 16 | 249.3 | 15894 | 234115 |
| FALCON | 2 | 17 | 254.3 | 20562 | 323644 |
| FALCON | 2 | 18 | 259.2 | 25677 | 437240 |
| FALCON | 2 | 19 | 264.1 | 30775 | 576159 |
| FALCON | 2 | 20 | 269.0 | 36184 | 740751 |
| FALCON | 2 | 21 | 274.0 | 42448 | 933844 |
| FALCON | 2 | 22 | 278.9 | 48929 | 1158684 |
| FALCON | 2 | 23 | 282.2 | 53474 | 1326587 |
| FALCON | 2 | 24 | 285.4 | 58443 | 1509829 |
| FALCON | 2 | 25 | 288.7 | 65021 | 1712296 |
| FALCON | 2 | 26 | 292.0 | 70235 | 1935151 |
| FALCON | 2 | 27 | 295.3 | 74804 | 2172702 |
| FALCON | 2 | 28 | 298.6 | 82000 | 2429861 |
| FALCON | 2 | 29 | 301.2 | 87181 | 2653803 |
| FALCON | 2 | 30 | 305.1 | 93809 | 3008297 |
| US AMISTAD | 1 | 000 | 20 | 0.0000 | 0.0000 |
| US FALCON | 2 | 125000 | 2 | 2.0720 | 0.0666 |
| MX AMISTAD | 3 | 000 | 20 | 20.0000 | 0.0000 |
| MX FALCON | 4 | 1224000 | 6 | 6.1620 | 0.0649 |
| USMRG MUNI | 5 | 34000 | 1 | 1.0611 | 0.0610 |
| USMRG IRR1 | 6 | 127000 | 3 | 3.0425 | 0.0409 |
| USLRG IRR1 | 7 | 1078000 | 4 | 4.0747 | 0.0441 |
| MXMRG M&IR | 8 | 66000 | 5 | 5.0785 | 0.0727 |
| US AVERAGE | | 9.65 | 75.00 | | |

| MX AVERAGE | 10.00 | 75.00 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | |
|---------------------------|-------------|-------|---------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|
| RESERVOIR OPERATING | 1 1 AVERAGE | 10 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | |
| RULES | 1 2 DRY | 11 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | |
| RESERVOIR OPERATING | 2 1 AVERAGE | 11 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | |
| RULES | 2 2 DRY | 10 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | 9.65 | |
| RESERVOIR OPERATING | 3 1 AVERAGE | 11 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RULES | 3 2 DRY | 12 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RESERVOIR OPERATING | 3 3 WET | 12 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| RULES | 4 1 AVERAGE | 13 | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. | 75. |
| RESERVOIR OPERATING | 4 2 DRY | 12 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| RULES | 4 3 WET | 13 | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. | 100. |
| LINK1 | 1 1 | 5 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK2 | 2 5 | 6 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK3 | 3 6 | 2 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK4 | 4 2 | 7 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK5 | 5 3 | 8 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK6 | 6 8 | 4 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK7 | 7 1 | 2 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| LINK8 | 8 3 | 4 | 9000000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| US AMS REL | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEX AMS REL | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNITED I.D. | 1 | | | | | | | | | | | | | | | | | | | |
| MUN ADJ NO | 0849-000 | | | | | | | | | | | | | | | | | | | |
| MUN ANN AUTH | 5300 | | | | | | | | | | | | | | | | | | | |
| IRRIG ACCT START BALANCES | | | | | | | | | | | | | | | | | | | | |
| MUNICIPAL | 1 1945 | 382 | 353 | 412 | 474 | 459 | 477 | 532 | 550 | 450 | 426 | 394 | 391 | 426 | 450 | 426 | 394 | 391 | 426 | 450 |
| CLASS A IRR | 1 1945 | 5189 | 3063 | 5418 | 9982 | 9322 | 8794 | 7384 | 6717 | 3967 | 4119 | 2793 | 2716 | 4119 | 3967 | 4119 | 2793 | 2716 | 4119 | 3967 |
| CLASS B IRR | 1 1945 | 299 | 177 | 313 | 576 | 538 | 507 | 426 | 388 | 229 | 238 | 161 | 157 | 238 | 229 | 238 | 161 | 157 | 238 | 229 |
| SANTAFRUZ | 15 2 | | | | | | | | | | | | | | | | | | | |
| MUN ADJ NO | 0240-000 | | | | | | | | | | | | | | | | | | | |
| MUN ANN AUTH | 3967 | | | | | | | | | | | | | | | | | | | |
| IRRIG ACCT START BALANCES | | | | | | | | | | | | | | | | | | | | |
| MUNICIPAL | 2 1945 | 286 | 264 | 308 | 355 | 343 | 357 | 398 | 412 | 337 | 319 | 295 | 293 | 319 | 337 | 319 | 295 | 293 | 319 | 337 |
| CLASS A IRR | 2 1945 | 363 | 214 | 379 | 698 | 652 | 615 | 516 | 470 | 277 | 288 | 195 | 190 | 288 | 277 | 288 | 195 | 190 | 288 | 277 |
| CLASS B IRR | 2 1945 | 361 | 213 | 376 | 694 | 648 | 611 | 513 | 467 | 276 | 286 | 194 | 189 | 286 | 276 | 286 | 194 | 189 | 286 | 276 |
| HCID2 S.JUAN | 3 | | | | | | | | | | | | | | | | | | | |
| MUN ADJ NO | 0808-001 | | | | | | | | | | | | | | | | | | | |
| MUN ANN AUTH | 6140 | | | | | | | | | | | | | | | | | | | |
| IRRIG ACCT START BALANCES | | | | | | | | | | | | | | | | | | | | |
| MUNICIPAL | 3 1945 | 442 | 409 | 477 | 549 | 532 | 553 | 616 | 637 | 522 | 493 | 457 | 453 | 493 | 522 | 493 | 457 | 453 | 493 | 522 |
| CLASS A IRR | 3 1945 | 11039 | 6517 | 11526 | 21235 | 19831 | 18708 | 15709 | 14290 | 8438 | 8763 | 5941 | 5778 | 8763 | 8438 | 8763 | 5941 | 5778 | 8763 | 8438 |
| CLASS B IRR | 3 1945 | 35 | 21 | 37 | 68 | 63 | 59 | 50 | 45 | 27 | 28 | 19 | 18 | 28 | 27 | 28 | 19 | 18 | 28 | 27 |

RIVER BASIN SIMULATION PROGRAM - TEXAS WATER DEVELOPMENT BOARD
 ADAPTED AND MODIFIED FOR AMISTAD AND FALCON RESERVOIRS IN THE RIO GRANDE BASIN
 INCLUDING U.S. / MEXICO WATER ACCOUNTING AND TNRCC OPERATING RULES
 R. J. BRANDES COMPANY FEBRUARY 1998

DATE: 3-23-1999
 TIME: 12:33: 9
 FILE: UM4598FY

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY
 FIRM ANNUAL YIELD DEMANDS, ACTUAL HISTORICAL GROSS EVAPORATION

NUMBER OF NODES = 8 NUMBER OF RESERVOIRS = 4
 NUMBER OF LINKS = 8 NUMBER OF RIVER REACHES = 8
 CALENDAR YEAR OPERATION STARTS = 1945 NUMBER OF YEARS TO SIMULATE = 54
 NUMBER OF DEMAND NODES = 8 NUMBER OF SPILL NODES = 2
 NUMBER OF INDIVIDUAL WATER RIGHTS = 3

SYSTEM NODE CHARACTERISTICS

| NODE NO. | NODE NAME | FLOOD (AC-FT) | CONSERV (AC-FT) | MINIMUM (AC-FT) | STARTING (AC-FT) | YEARLY DEMAND (AC-FT) |
|----------|--------------|---------------|-----------------|-----------------|------------------|-----------------------|
| 1 | U.S. AMISTAD | 1827241 | 1771041 | 1771 | 1771041 | 0 |
| 2 | U.S. FALCON | 1613729 | 1555129 | 1555 | 1555129 | 125000 |
| 3 | MEX AMISTAD | 1424078 | 1380278 | 1380 | 1380278 | 0 |
| 4 | MEX FALCON | 1140074 | 1098674 | 1099 | 1098674 | 1224000 |
| 5 | U.S.MRG MUNI | 0 | 0 | 0 | 0 | 34000 |
| 6 | U.S.MRG IRR1 | 0 | 0 | 0 | 0 | 127000 |
| 7 | U.S.LRG IRR1 | 0 | 0 | 0 | 0 | 1078000 |
| 8 | MEX MRG M&IR | 0 | 0 | 0 | 0 | 66000 |

NOTE: FLOOD POOL IS AVAILABLE FOR CONSERVATION STORAGE DURING NOVEMBER-APRIL NON-HURRICANE SEASON

SYSTEM LINK CONFIGURATION

| LINK NO. | FROM NODE | TO NODE | MAX. CAPACITY (AC-FT/MON) | MIN. CAPACITY (AC-FT/MON) |
|----------|-----------|---------|---------------------------|---------------------------|
| 1 | 1 | 5 | 9000000 | 0 |
| 2 | 5 | 6 | 9000000 | 0 |
| 3 | 6 | 2 | 9000000 | 0 |
| 4 | 2 | 7 | 9000000 | 0 |
| 5 | 3 | 8 | 9000000 | 0 |
| 6 | 8 | 4 | 9000000 | 0 |
| 7 | 1 | 2 | 9000000 | 0 |
| 8 | 3 | 4 | 9000000 | 0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

STAGE-AREA-CAPACITY RELATIONSHIPS FOR TOTAL STORAGE IN AMISTAD AND FALCON RESERVOIRS

AMISTAD RESERVOIR

| POINT NO. | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) |
|-----------|----------------|-----------|------------------|
| 1 | 930.0 | 0 | 0 |
| 2 | 945.0 | 5 | 1 |
| 3 | 946.5 | 87 | 294 |
| 4 | 948.2 | 180 | 823 |
| 5 | 949.1 | 237 | 1180 |
| 6 | 950.1 | 297 | 1684 |
| 7 | 951.4 | 376 | 2782 |
| 8 | 961.3 | 1045 | 13873 |
| 9 | 971.1 | 1843 | 33110 |
| 10 | 981.0 | 2770 | 59404 |
| 11 | 990.8 | 3823 | 93556 |
| 12 | 1000.7 | 5004 | 138573 |
| 13 | 1010.5 | 6314 | 195568 |
| 14 | 1020.3 | 7722 | 264663 |
| 15 | 1030.2 | 9758 | 350120 |
| 16 | 1040.0 | 12751 | 458690 |
| 17 | 1049.9 | 16734 | 605456 |
| 18 | 1059.7 | 21627 | 790919 |
| 19 | 1069.6 | 27399 | 1029250 |
| 20 | 1079.4 | 34051 | 1328996 |
| 21 | 1089.2 | 41702 | 1699411 |
| 22 | 1094.2 | 45665 | 1911714 |
| 23 | 1099.1 | 49658 | 2142942 |
| 24 | 1104.0 | 53679 | 2393700 |
| 25 | 1108.9 | 57729 | 2664077 |
| 26 | 1115.5 | 63173 | 3055670 |
| 27 | 1117.0 | 64438 | 3151319 |
| 28 | 1118.8 | 65915 | 3265037 |
| 29 | 1122.0 | 68671 | 3483939 |
| 30 | 1131.9 | 77013 | 4199954 |

FALCON RESERVOIR

| POINT NO. | STAGE (FT MSL) | AREA (AC) | CAPACITY (AC-FT) |
|-----------|----------------|-----------|------------------|
| 1 | 203.3 | 0 | 0 |
| 2 | 203.4 | 35 | 57 |
| 3 | 205.1 | 195 | 235 |
| 4 | 206.7 | 425 | 735 |
| 5 | 207.3 | 539 | 1050 |
| 6 | 208.3 | 727 | 1670 |
| 7 | 210.0 | 1100 | 3158 |
| 8 | 214.9 | 1559 | 9631 |
| 9 | 219.8 | 2202 | 18806 |
| 10 | 224.7 | 3526 | 32732 |
| 11 | 229.7 | 5169 | 54000 |
| 12 | 234.6 | 6531 | 82799 |
| 13 | 239.5 | 8061 | 118624 |
| 14 | 242.8 | 10341 | 148482 |
| 15 | 244.4 | 11654 | 166516 |
| 16 | 249.3 | 15894 | 234115 |
| 17 | 254.3 | 20562 | 323644 |
| 18 | 259.2 | 25677 | 437240 |
| 19 | 264.1 | 30775 | 576159 |
| 20 | 269.0 | 36184 | 740751 |
| 21 | 274.0 | 42448 | 933844 |
| 22 | 278.9 | 48929 | 1158684 |
| 23 | 282.2 | 53474 | 1326587 |
| 24 | 285.4 | 58443 | 1509829 |
| 25 | 288.7 | 65021 | 1712296 |
| 26 | 292.0 | 70235 | 1935151 |
| 27 | 295.3 | 74804 | 2172702 |
| 28 | 298.6 | 82000 | 2429861 |
| 29 | 301.2 | 87181 | 2653803 |
| 30 | 305.1 | 93809 | 3008297 |

SUMMARY OF TEXAS WATER RIGHTS IN MIDDLE AND LOWER RIO GRANDE AND MAXIMUM STORAGE ALLOCATIONS IN AMISTAD AND FALCON RESERVOIRS

| | | |
|--|--------------|---------|
| TOTAL DOMESTIC, MUNICIPAL AND INDUSTRIAL WATER RIGHTS | (AC-FT/YR) : | 271579 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR) : | 181530 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR) : | 162803 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON MIDDLE RIO GRANDE | (AC-FT/YR) : | 18727 |
| TOTAL IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR) : | 1696228 |
| CLASS A IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR) : | 1500719 |
| CLASS B IRRIGATION & MINING WATER RIGHTS ON LOWER RIO GRANDE | (AC-FT/YR) : | 195509 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON D-M-I POOL | (AC-FT) : | 225000 |
| MAXIMUM STORAGE CAPACITY IN AMISTAD-FALCON IRRIGATION POOL | (AC-FT) : | 2647639 |
| TOTAL RESERVOIR DEAD STORAGE USED IN WATER RIGHTS ACCOUNTING | (AC-FT) : | 4600 |
| MAXIMUM STORAGE CAPACITY ALLOTTED TO OPERATING RESERVE | (AC-FT) : | 380000 |
| MAXIMUM USABLE STORAGE AVAILABLE FOR WATER RIGHTS ACCOUNTING | (AC-FT) : | 3321570 |
| TOTAL IRRIGATION & MINING ACCOUNT BALANCE AT BEGINNING OF SIMULATION | (AC-FT) : | 2647639 |

FIRM ANNUAL YIELD ITERATION RESULTS

| | | | | | | | | |
|------------|---------------|--------------|---|--------------------|--------------|----|------------|--------|
| IFLYLD = 2 | ITERATION = 1 | USSHORTAGE = | 5 | USDEMAND = 1195098 | MXSHORTAGE = | 22 | MXDEMAND = | 992254 |
| IFLYLD = 2 | ITERATION = 2 | USSHORTAGE = | 5 | USDEMAND = 1195098 | MXSHORTAGE = | 22 | MXDEMAND = | 992253 |
| IFLYLD = 2 | ITERATION = 3 | USSHORTAGE = | 3 | USDEMAND = 1195098 | MXSHORTAGE = | 19 | MXDEMAND = | 992252 |
| IFLYLD = 2 | ITERATION = 4 | USSHORTAGE = | 2 | USDEMAND = 1195098 | MXSHORTAGE = | 15 | MXDEMAND = | 992251 |
| IFLYLD = 2 | ITERATION = 5 | USSHORTAGE = | 2 | USDEMAND = 1195098 | MXSHORTAGE = | 15 | MXDEMAND = | 992251 |
| IFLYLD = 2 | ITERATION = 6 | USSHORTAGE = | 3 | USDEMAND = 1195098 | MXSHORTAGE = | 0 | MXDEMAND = | 992250 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH PAY - 1945-98 F&N HYDROLOGY

RESULTS FROM FIRM ANNUAL YIELD ANALYSIS AFTER 6 CRITICAL DROUGHT ITERATIONS

| NODE NO. | NODE NAME | FIRM YIELD (AC-FT) |
|-----------------------------|--------------|--------------------|
| 1 | U.S. AMISTAD | 0 |
| 2 | U.S. FALCON | 109521 |
| 3 | MEX AMISTAD | 0 |
| 4 | MEX FALCON | 941484 |
| 5 | U.S.MRG MUNI | 29790 |
| 6 | U.S.MRG IRR1 | 111274 |
| 7 | U.S.LRG IRR1 | 944513 |
| 8 | MEX MRG M&R | 50766 |
| TOTAL UNITED STATES DEMANDS | | 1195098 |
| TOTAL MEXICO DEMANDS | | 992250 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

| RESERVOIR NO. 1 | U. S. AMISTAD | | | | | | | | | | MAX FLOOD POOL: 1827241 | | | | MAX CONSERVATION POOL: 1771041 | | | | DEAD POOL: 1771 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|--------------|---------------|----------|-------------------------|----------|--------------|-----------------|--------------------------------|--|--|--|-----------------|--|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | EVAP DEMANDS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE | | | | | |
| 1 | 38416 | 38416 | 0 | 108281 | 20891 | .25 | 4353 | 1820 | 4729 | 0 | 4729 | 0 | 0 | 598740 | 1370431 | | | | | |
| 2 | 33736 | 33736 | 0 | 52678 | 19998 | .39 | 6269 | 1817 | 4551 | 0 | 4551 | 0 | 0 | 573529 | 1370431 | | | | | |
| 3 | 34617 | 34617 | 0 | 12579 | 20190 | .56 | 8906 | 2264 | 10315 | 0 | 10315 | 0 | 0 | 586661 | 1827241 | | | | | |
| 4 | 202326 | 202326 | 0 | 228356 | 21016 | .43 | 6713 | 2461 | 11350 | 0 | 11350 | 0 | 0 | 553918 | 1328281 | | | | | |
| 5 | 122060 | 122060 | 0 | 76200 | 22468 | .65 | 10114 | 2657 | 9291 | 0 | 9291 | 0 | 0 | 589664 | 1328281 | | | | | |
| 6 | 242949 | 242949 | 0 | 14424 | 25868 | .88 | 16394 | 2863 | 11561 | 0 | 11561 | 0 | 0 | 801795 | 1771041 | | | | | |
| 7 | 2629279 | 2629279 | -784049 | 0 | 42093 | 1.14 | 35946 | 3235 | 13197 | 0 | 13197 | 0 | 840038 | 1771041 | 1328281 | | | | | |
| 8 | 147042 | 147042 | 0 | 108301 | 64428 | 1.11 | 40184 | 3301 | 15200 | 0 | 15200 | 0 | 0 | 1769598 | 1771041 | | | | | |
| 9 | 101092 | 101092 | 0 | 61625 | 64419 | 1.09 | 39448 | 2622 | 8980 | 0 | 8980 | 0 | 0 | 1769617 | 1771041 | | | | | |
| 10 | 90484 | 90484 | 0 | 65338 | 64423 | .68 | 24613 | 2535 | 9002 | 0 | 9002 | 0 | 0 | 1770150 | 1771041 | | | | | |
| 11 | 62309 | 62309 | 0 | 8385 | 64686 | .58 | 21141 | 2157 | 7411 | 0 | 7411 | 0 | 0 | 1802933 | 1827241 | | | | | |
| 12 | 60114 | 60114 | 0 | 14390 | 65341 | .58 | 21474 | 2058 | 5686 | 0 | 5686 | 0 | 0 | 1827183 | 1827241 | | | | | |
| ANNUAL | 3764424 | 3764424 | -784049 | 750557 | | | 235555 | 29790 | 111273 | 0 | 111273 | 0 | 840038 | | | | | | | |

| RESERVOIR NO. 2 | U. S. FALCON | | | | | | | | | | MAX FLOOD POOL: 1613729 | | | | MAX CONSERVATION POOL: 1555129 | | | | DEAD POOL: 1555 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|--------------|---------------|----------|-------------------------|----------|--------------|-----------------|--------------------------------|--|--|--|-----------------|--|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | EVAP DEMANDS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE | | | | | |
| 1 | 0 | 101732 | 0 | 78441 | 36698 | .20 | 1404 | 7886 | 70555 | 0 | 70555 | 0 | 0 | 155681 | 155725 | | | | | |
| 2 | 7080 | 53390 | 0 | 48947 | 33470 | .49 | 3886 | 7294 | 41653 | 0 | 41653 | 0 | 0 | 156238 | 155725 | | | | | |
| 3 | 0 | 0 | 0 | 82182 | 30576 | .55 | 3344 | 8510 | 73672 | 0 | 73672 | 0 | 0 | 70712 | 1210297 | | | | | |
| 4 | 13474 | 228019 | 0 | 145515 | 26009 | .63 | 4037 | 9791 | 135727 | 3 | 135727 | 3 | 0 | 149179 | 150070 | | | | | |
| 5 | 83610 | 147862 | 0 | 136239 | 19944 | .80 | 7733 | 9485 | 126754 | 0 | 126754 | 0 | 0 | 153069 | 150070 | | | | | |
| 6 | 0 | 0 | 0 | 129432 | 10085 | .82 | 4895 | 9857 | 119575 | 0 | 119575 | 0 | 0 | 18742 | 1166347 | | | | | |
| 7 | 46245 | 869851 | 0 | 111398 | 38429 | .90 | 33029 | 10996 | 100402 | 0 | 100402 | 0 | 0 | 744166 | 150070 | | | | | |
| 8 | 0 | 89800 | 0 | 102702 | 37500 | .89 | 30854 | 11368 | 91334 | 0 | 91334 | 0 | 0 | 700410 | 1166347 | | | | | |
| 9 | 17585 | 67608 | 0 | 63241 | 37462 | .70 | 23226 | 9309 | 53932 | 0 | 53932 | 0 | 0 | 681551 | 1166347 | | | | | |
| 10 | 37191 | 90992 | 0 | 64805 | 38441 | .47 | 15317 | 8795 | 56010 | 0 | 56010 | 0 | 0 | 692421 | 1166347 | | | | | |
| 11 | 1183 | 0 | 0 | 46117 | 38113 | .36 | 11380 | 8148 | 37969 | 0 | 37969 | 0 | 0 | 634924 | 1210297 | | | | | |
| 12 | 0 | 6646 | 0 | 45013 | 35948 | .33 | 9878 | 8083 | 36930 | 0 | 36930 | 0 | 0 | 586679 | 1210297 | | | | | |
| ANNUAL | 206368 | 1655900 | 0 | 1054032 | | | 148983 | 109522 | 944513 | 3 | 944513 | 3 | 0 | | | | | | | |

| RESERVOIR NO. 3 | MEX AMISTAD | | | | | | | | | | MAX FLOOD POOL: 1424078 | | | | MAX CONSERVATION POOL: 1380278 | | | | DEAD POOL: 1380 | |
|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------|-----------|--------------|-----------------|----------|-------------------------|----------|--------------|-----------------|--------------------------------|--|--|--|-----------------|--|
| MONTH | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | EVAP DEMANDS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE | | | | | |
| 1 | 17883 | 17883 | 0 | 0 | 20891 | .25 | 870 | 3985 | 3985 | 0 | 0 | 0 | 0 | 135676 | 1424078 | | | | | |
| 2 | 16263 | 16263 | 0 | 0 | 19998 | .39 | 1530 | 3691 | 3691 | 0 | 0 | 0 | 0 | 150409 | 1424078 | | | | | |
| 3 | 14282 | 14282 | 0 | 0 | 20190 | .56 | 2400 | 3782 | 3782 | 0 | 0 | 0 | 0 | 162291 | 1424078 | | | | | |
| 4 | 72673 | 72673 | 0 | 0 | 21016 | .43 | 2324 | 4310 | 4310 | 0 | 0 | 0 | 0 | 232640 | 1380278 | | | | | |
| 5 | 46940 | 46940 | 0 | 0 | 22468 | .65 | 4490 | 4056 | 4056 | 0 | 0 | 0 | 0 | 275090 | 1380278 | | | | | |
| 6 | 1050 | 1050 | 0 | 4214 | 25868 | .88 | 6370 | 4214 | 4214 | 0 | 0 | 0 | 0 | 265556 | 1035209 | | | | | |
| 7 | 342713 | 342713 | 784049 | 0 | 42093 | 1.14 | 12040 | 4645 | 4645 | 0 | 0 | 0 | 0 | 1380278 | 1035209 | | | | | |
| 8 | 119957 | 119957 | 0 | 88630 | 64428 | 1.11 | 31331 | 4620 | 4620 | 0 | 0 | 0 | 0 | 1380278 | 1035209 | | | | | |
| 9 | 66908 | 66908 | 0 | 0 | 64419 | 1.09 | 30769 | 4549 | 4549 | 0 | 0 | 0 | 0 | 1380278 | 1035209 | | | | | |
| 10 | 44516 | 44516 | 0 | 0 | 64423 | .68 | 19195 | 4366 | 4366 | 0 | 0 | 0 | 36135 | 1380278 | 1035209 | | | | | |
| 11 | 23591 | 23591 | 0 | 0 | 64686 | .58 | 16377 | 4188 | 4188 | 0 | 0 | 0 | 25321 | 1380278 | 1035209 | | | | | |
| 12 | 22185 | 22185 | 0 | 4361 | 65341 | .58 | 16424 | 4361 | 4361 | 0 | 0 | 0 | 0 | 1387492 | 1424078 | | | | | |
| ANNUAL | 788961 | 788961 | 784049 | 97205 | | | 144120 | 50767 | 50767 | 0 | 0 | 0 | 61456 | | | | | | | |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

| RESERVOIR NO. 4 | MEX FALCON | MAX FLOOD POOL: 1140074 | MAX CONSERVATION POOL: 1098674 | DEAD POOL: 1099 | | | | | | | | | |
|-----------------|---------------|-------------------------|--------------------------------|-----------------|--------------|-----------|-----------|-----------------|----------|---------------|--------------|-----------------|----------------|
| MONTH | WTRSHD INFLWS | RESERV INFLWS | FLDWATR TRANSFR | DMNSTRM RELEASE | SURFACE AREA | EVAP RATE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | FLOOD SPILLS | END-MON STORAGE | TARGET STORAGE |
| 1 | 4587 | 602 | 0 | 152520 | 36698 | .20 | 5936 | 152520 | 0 | 0 | 0 | 532939 | 855056 |
| 2 | 15854 | 12163 | 0 | 61102 | 33470 | .49 | 12514 | 61102 | 0 | 0 | 0 | 471486 | 855056 |
| 3 | 11664 | 7882 | 0 | 22878 | 30576 | .55 | 13473 | 22878 | 0 | 0 | 0 | 443017 | 855056 |
| 4 | 30500 | 26190 | 0 | 227180 | 26009 | .63 | 12349 | 227180 | 0 | 0 | 0 | 229678 | 824006 |
| 5 | 123844 | 119788 | 0 | 249587 | 19944 | .80 | 8222 | 249587 | 0 | 0 | 0 | 91657 | 824006 |
| 6 | 0 | 0 | 0 | 61479 | 10085 | .82 | 3375 | 61479 | 0 | 0 | 0 | 26803 | 1099 |
| 7 | 53312 | 48667 | 0 | 27774 | 38429 | .90 | 1557 | 27774 | 0 | 0 | 0 | 46139 | 1099 |
| 8 | 0 | 84010 | 0 | 55736 | 37500 | .89 | 2521 | 55736 | 0 | 0 | 0 | 71892 | 1099 |
| 9 | 27300 | 58886 | 0 | 21372 | 37462 | .70 | 2997 | 21372 | 0 | 0 | 0 | 106409 | 1099 |
| 10 | 48060 | 69015 | 0 | 32387 | 38441 | .47 | 2750 | 32387 | 0 | 0 | 0 | 140287 | 1099 |
| 11 | 10438 | 6250 | 0 | 11392 | 38113 | .36 | 2341 | 11392 | 0 | 0 | 0 | 132804 | 855056 |
| 12 | 0 | 0 | 0 | 18076 | 35948 | .33 | 1985 | 18076 | 0 | 0 | 0 | 112743 | 855056 |
| ANNUAL | 325559 | 433453 | 0 | 941483 | 70020 | | | 941483 | 0 | 0 | 0 | | |

MONTHLY FLOWS IN SYSTEM LINKS (ACRE-FEET)

| MONTH LINK NO. | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | AVG |
|----------------|--------|-------|-------|--------|--------|--------|--------|-------|-------|-------|-------|-------|--------|
| 1 | 6549 | 0 | 12579 | 337 | 0 | 14424 | 0 | 18501 | 0 | 0 | 8385 | 7744 | 5707 |
| 2 | 4729 | 5263 | 10315 | 11350 | 80953 | 11561 | 43010 | 15200 | 14963 | 34656 | 7411 | 5686 | 20419 |
| 3 | 0 | 712 | 0 | 0 | 71662 | 0 | 29813 | 0 | 5983 | 25654 | 0 | 0 | 11149 |
| 4 | 70555 | 41653 | 73672 | 135724 | 126754 | 119575 | 100402 | 91334 | 53932 | 56010 | 37969 | 36930 | 78704 |
| 5 | 0 | 0 | 0 | 0 | 0 | 4214 | 0 | 4620 | 0 | 0 | 0 | 4361 | 1099 |
| 6 | 602 | 12163 | 7882 | 26190 | 119788 | 0 | 48667 | 0 | 22751 | 43694 | 6250 | 0 | 23994 |
| 7 | 101732 | 52678 | 0 | 228019 | 76200 | 0 | 840038 | 89800 | 61625 | 65338 | 0 | 6646 | 126835 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 84010 | 36135 | 25321 | 0 | 0 | 12121 |

ALLOCATION OF U.S. WATER IN AMISTAD AND FALCON RESERVOIRS PURSUANT TO TNRCC RIO GRANDE RULES

| MONTH | INITIAL USABLE STORAGE | TOTAL WTRSHD INFLWS | TOTAL D-M-I DEMANDS | TOTAL IRRIG DEMANDS | TOTAL SYSTEM IRRIG DEMANDS | TOTAL RESERV EVAP | END-MON USABLE STORAGE | D-M-I RESERVE STORAGE | O/O CONS POOL | EXCESS USABLE STORAGE | IRRIG ACCOUNT ALLOCAT | IRRIG RIVER DIVERSN | IRRIG ACCOUNT BALANCE | O/O IRRIG POOL |
|-------|------------------------|---------------------|---------------------|---------------------|----------------------------|-------------------|------------------------|-----------------------|---------------|-----------------------|-----------------------|---------------------|-----------------------|----------------|
| 1 | 802152 | 38416 | 9706 | 75284 | 0 | 5757 | 749821 | 225000 | 22.7 | 47750 | 0 | 69639 | 202071 | 7.6 |
| 2 | 749821 | 40816 | 9111 | 46204 | 0 | 10155 | 725167 | 225000 | 21.9 | 0 | 65967 | 42871 | 225167 | 8.5 |
| 3 | 725167 | 34617 | 10774 | 83987 | 0 | 12250 | 652773 | 225000 | 19.8 | 5699 | 0 | 78093 | 147074 | 5.6 |
| 4 | 652773 | 215800 | 12252 | 147077 | 3 | 10750 | 698497 | 225000 | 21.1 | 0 | 187639 | 136216 | 198497 | 7.5 |
| 5 | 698497 | 205670 | 12142 | 136045 | 0 | 17847 | 738133 | 225000 | 22.3 | 0 | 165540 | 125904 | 238133 | 9.0 |
| 6 | 738133 | 242949 | 12720 | 131136 | 0 | 21289 | 815937 | 225000 | 24.7 | 0 | 199374 | 121570 | 315937 | 11.9 |
| 7 | 815937 | 2675524 | 14231 | 113599 | 0 | 68975 | 2510607 | 225000 | 75.6 | 0 | 1787885 | 105566 | 1998256 | 75.5 |
| 8 | 2510607 | 147042 | 14669 | 106534 | 0 | 71038 | 2465408 | 225000 | 74.3 | 0 | 59192 | 99227 | 1958221 | 74.0 |
| 9 | 2465408 | 118677 | 11931 | 62912 | 0 | 62674 | 2446568 | 225000 | 73.7 | 41909 | 0 | 58597 | 1899624 | 71.7 |
| 10 | 2446568 | 127675 | 11330 | 65012 | 0 | 39930 | 2457971 | 225000 | 74.0 | 0 | 112540 | 60531 | 1951633 | 73.7 |
| 11 | 2457971 | 63492 | 10305 | 45380 | 0 | 32521 | 2433257 | 225000 | 73.3 | 20452 | 0 | 42342 | 1909291 | 72.1 |
| 12 | 2433257 | 60114 | 10141 | 42616 | 0 | 31352 | 2409262 | 225000 | 72.6 | 38859 | 0 | 39661 | 1869630 | 70.6 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRCC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: UNITED I.D.

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0849-000 ANNUAL AUTH: 5300 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. A847-001 ANNUAL AUTH: 69464 AF | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B769-000 ANNUAL AUTH: 4009 AF | | | | | | | | |
|--------|---|-----------------|-------------------|---|-----------------|------------------|--|--------------------|-------------------|------------------|-----------------|------------------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A AMOUNT | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B AMOUNT | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 382 | 0 | 4918 | 5189 | 2135 | .00000 | 0 | 0 | 66410 | 299 | 299 | .00000 | 0 | 0 | 4009 |
| 2 | 353 | 0 | 4565 | 3063 | 3063 | .03686 | 2561 | 2561 | 66410 | 177 | 177 | .02168 | 87 | 87 | 4009 |
| 3 | 412 | 0 | 4153 | 5418 | 2857 | .00000 | 0 | 0 | 63849 | 313 | 226 | .00000 | 0 | 0 | 3922 |
| 4 | 474 | 0 | 3679 | 9982 | 9982 | .10485 | 7284 | 7284 | 63849 | 576 | 576 | .06168 | 247 | 247 | 3922 |
| 5 | 459 | 0 | 3220 | 9322 | 2038 | .09250 | 6426 | 6426 | 56565 | 538 | 291 | .05441 | 218 | 218 | 3675 |
| 6 | 477 | 0 | 2743 | 8794 | 2368 | .11141 | 7739 | 7739 | 50139 | 507 | 289 | .06554 | 263 | 263 | 3457 |
| 7 | 532 | 0 | 2211 | 7384 | 0 | .99907 | 69400 | 69755 | 42755 | 426 | 163 | .58769 | 2356 | 2356 | 3194 |
| 8 | 550 | 0 | 1661 | 6717 | 0 | .03308 | 2298 | 65336 | 36038 | 388 | 0 | .01946 | 78 | 2046 | 2806 |
| 9 | 450 | 0 | 1211 | 3967 | 0 | .00000 | 0 | 61369 | 32071 | 229 | 0 | .00000 | 0 | 1817 | 2577 |
| 10 | 426 | 0 | 785 | 4119 | 0 | .06289 | 4368 | 61618 | 27952 | 238 | 0 | .03699 | 148 | 1727 | 2339 |
| 11 | 394 | 0 | 391 | 2793 | 0 | .00000 | 0 | 58825 | 25159 | 161 | 0 | .00000 | 0 | 1566 | 2178 |
| 12 | 391 | 0 | 0 | 2716 | 0 | .00000 | 0 | 56109 | 22443 | 157 | 0 | .00000 | 0 | 1409 | 2021 |
| ANNUAL | 5300 | 0 | 0 | 69464 | 22443 | 0 | 100076 | 0 | 0 | 4009 | 2021 | 0 | 3397 | 0 | 0 |

NAME OF WATER RIGHTS OWNER: SANTACRUZ 15

| MONTH | D-M-I WATER RIGHTS ADJ. NO. 0240-000 ANNUAL AUTH: 3967 AF | | | CLASS A IRRIGATION WATER RIGHTS ADJ. NO. 0810-000 ANNUAL AUTH: 4857 AF | | | CLASS B IRRIGATION WATER RIGHTS ADJ. NO. B804-000 ANNUAL AUTH: 4828 AF | | | | | | | | |
|--------|---|-----------------|-------------------|--|-----------------|------------------|--|--------------------|-------------------|------------------|-----------------|------------------|-----------------|--------------------|-------------------|
| | DEMAND AMOUNT | SHORT AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A AMOUNT | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B AMOUNT | ALLOC AMOUNT | STORAGE BALANCE | USABLE BALANCE |
| 1 | 286 | 0 | 3681 | 363 | 149 | .00000 | 0 | 0 | 4643 | 361 | 361 | .00000 | 0 | 0 | 4828 |
| 2 | 264 | 0 | 3417 | 214 | 214 | .03686 | 179 | 179 | 4643 | 213 | 213 | .02168 | 105 | 105 | 4828 |
| 3 | 308 | 0 | 3109 | 379 | 200 | .00000 | 0 | 0 | 4464 | 376 | 271 | .00000 | 0 | 0 | 4723 |
| 4 | 355 | 0 | 2754 | 698 | 698 | .10485 | 509 | 509 | 4464 | 694 | 694 | .06168 | 298 | 298 | 4723 |
| 5 | 343 | 0 | 2411 | 652 | 143 | .09250 | 449 | 449 | 3955 | 648 | 350 | .05441 | 263 | 263 | 4425 |
| 6 | 357 | 0 | 2054 | 615 | 166 | .11141 | 541 | 541 | 3506 | 611 | 348 | .06554 | 316 | 316 | 4162 |
| 7 | 398 | 0 | 1656 | 516 | 0 | .99907 | 4852 | 4877 | 2990 | 513 | 197 | .58769 | 2837 | 2837 | 3846 |
| 8 | 412 | 0 | 1244 | 470 | 0 | .03308 | 161 | 4568 | 2520 | 467 | 0 | .01946 | 94 | 2464 | 3379 |
| 9 | 337 | 0 | 907 | 277 | 0 | .00000 | 0 | 4291 | 2243 | 276 | 0 | .00000 | 0 | 2188 | 3103 |
| 10 | 319 | 0 | 588 | 288 | 0 | .06289 | 305 | 4308 | 1955 | 286 | 0 | .03699 | 179 | 2081 | 2817 |
| 11 | 295 | 0 | 293 | 195 | 0 | .00000 | 0 | 4113 | 1760 | 194 | 0 | .00000 | 0 | 1887 | 2623 |
| 12 | 293 | 0 | 0 | 190 | 0 | .00000 | 0 | 3923 | 1570 | 189 | 0 | .00000 | 0 | 1698 | 2434 |
| ANNUAL | 3967 | 0 | 0 | 4857 | 1570 | 0 | 6996 | 0 | 0 | 4828 | 2434 | 0 | 4092 | 0 | 0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION YEAR 10 CALENDAR YEAR 1954

WATER ACCOUNTING FOR SELECTED INDIVIDUAL TEXAS WATER RIGHTS PURSUANT TO TNRC RIO GRANDE RULES

NAME OF WATER RIGHTS OWNER: HCID2 S.JUAN

| MONTH | D-M-I WATER RIGHTS | | | CLASS A IRRIGATION WATER RIGHTS | | | CLASS B IRRIGATION WATER RIGHTS | | | | | | |
|--------|----------------------|-------------------------|-------------------|---------------------------------|-----------------|-------------------|---------------------------------|-------------------|------------------|-----------------|-------------------|-------------------------|-------------------|
| | ADJ. NO. 0808-001 | ANNUAL AUTH: 6140 AF | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE A 0.00000 | ALLOC STORAGE AMOUNT | USABLE BALANCE | DEMAND AMOUNT | SHORT AMOUNT | RATE B 0.00000 | ALLOC STORAGE AMOUNT | USABLE BALANCE |
| 1 | 442 | 0 | 5698 | 11039 | 4543 | .00000 | 0 | 141279 | 35 | 35 | .00000 | 0 | 470 |
| 2 | 409 | 0 | 5289 | 6517 | 6517 | .03686 | 5447 | 141279 | 21 | 21 | .02168 | 10 | 470 |
| 3 | 477 | 0 | 4812 | 11526 | 6079 | .00000 | 0 | 135832 | 37 | 27 | .00000 | 0 | 460 |
| 4 | 549 | 0 | 4263 | 21235 | 21235 | .10485 | 15495 | 135832 | 68 | 68 | .06168 | 29 | 460 |
| 5 | 532 | 0 | 3731 | 19831 | 4336 | .09250 | 13670 | 120337 | 63 | 34 | .05441 | 26 | 431 |
| 6 | 553 | 0 | 3178 | 18708 | 5038 | .11141 | 16464 | 106667 | 59 | 33 | .06554 | 31 | 405 |
| 7 | 616 | 0 | 2562 | 15709 | 0 | .99907 | 147638 | 90958 | 50 | 19 | .58769 | 276 | 374 |
| 8 | 637 | 0 | 1925 | 14290 | 0 | .03308 | 4888 | 138991 | 45 | 0 | .01946 | 9 | 329 |
| 9 | 522 | 0 | 1403 | 8438 | 0 | .00000 | 0 | 68230 | 27 | 0 | .00000 | 0 | 302 |
| 10 | 493 | 0 | 910 | 8763 | 0 | .06289 | 9293 | 59467 | 28 | 0 | .03699 | 17 | 274 |
| 11 | 457 | 0 | 453 | 5941 | 0 | .00000 | 0 | 53526 | 19 | 0 | .00000 | 0 | 255 |
| 12 | 453 | 0 | 0 | 5778 | 0 | .00000 | 0 | 47748 | 18 | 0 | .00000 | 0 | 237 |
| ANNUAL | 6140 | 0 | 0 | 147775 | 47748 | 0 | 212895 | 0 | 470 | 237 | 0 | 398 | 0 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 1 U.S. AMISTAD

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1771041 | 1163203 | 1163203 | -92 | 96265 | 276781 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1764136 |
| 1946 | 1827241 | 1212854 | 1212854 | 0 | 45860 | 249256 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1770979 |
| 1947 | 1827241 | 973130 | 973130 | 0 | 137471 | 273939 | 29790 | 0 | 111273 | 0 | 0 | 1827229 | 1770942 |
| 1948 | 1827229 | 1454024 | 1454024 | 0 | 919966 | 275639 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1769661 |
| 1949 | 1827241 | 1666097 | 1666097 | 1 | 12432 | 234041 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1950 | 1827241 | 1093569 | 1093569 | 0 | 76898 | 257701 | 29790 | 0 | 111273 | 0 | 0 | 1827235 | 1771041 |
| 1951 | 1827235 | 743512 | 743512 | 0 | 253048 | 280254 | 29790 | 0 | 111273 | 0 | 0 | 1826843 | 1769491 |
| 1952 | 1826843 | 644293 | 644293 | 0 | 1004496 | 268367 | 29790 | 0 | 111273 | 0 | 0 | 1826843 | 1769491 |
| 1953 | 1198273 | 505469 | 505469 | 0 | 868159 | 162625 | 29790 | 0 | 111273 | 0 | 0 | 1198273 | 1198273 |
| 1954 | 672958 | 3764424 | 3764424 | -784049 | 750557 | 235555 | 29790 | 0 | 111273 | 0 | 0 | 672958 | 493901 |
| 1955 | 1827183 | 1161083 | 1161083 | -121455 | 396432 | 303717 | 29790 | 0 | 111273 | 0 | 0 | 1827183 | 553918 |
| 1956 | 1826781 | 562134 | 562134 | -4341 | 1029464 | 280478 | 29790 | 0 | 111273 | 0 | 0 | 1826781 | 1770198 |
| 1957 | 1078973 | 1670650 | 1670650 | -264455 | 335331 | 251040 | 29790 | 0 | 111273 | 0 | 0 | 1078973 | 1078973 |
| 1958 | 1827241 | 1969349 | 1969349 | 0 | 154 | 239775 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1959 | 1827241 | 1400966 | 1400966 | 0 | 31582 | 229110 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1960 | 1827241 | 1183084 | 1183084 | -16 | 21103 | 246742 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1961 | 1827241 | 1173210 | 1173210 | 0 | 2192 | 233850 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771013 |
| 1962 | 1827241 | 906681 | 906681 | 0 | 295679 | 304681 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1963 | 1827241 | 770142 | 770142 | 0 | 537204 | 271067 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1769531 |
| 1964 | 1690122 | 1673626 | 1673626 | -82589 | 885927 | 243732 | 29790 | 0 | 111273 | 0 | 0 | 1690122 | 1690122 |
| 1965 | 1827241 | 1039969 | 1039969 | -101108 | 254184 | 239977 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1129262 |
| 1966 | 1827191 | 1318285 | 1318285 | -69316 | 415829 | 217580 | 29790 | 0 | 111273 | 0 | 0 | 1827191 | 1770760 |
| 1967 | 1826871 | 954207 | 954207 | 0 | 572031 | 261861 | 29790 | 0 | 111273 | 0 | 0 | 1826871 | 1743625 |
| 1968 | 1827241 | 991330 | 991330 | 1 | 383480 | 210083 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1616229 |
| 1969 | 1827219 | 843864 | 843864 | 0 | 401816 | 225695 | 29790 | 0 | 111273 | 0 | 0 | 1827219 | 1770234 |
| 1970 | 1694645 | 844695 | 844695 | 0 | 982313 | 181111 | 29790 | 0 | 111273 | 0 | 0 | 1694645 | 1511700 |
| 1971 | 1375916 | 1783089 | 1783089 | -161931 | 522937 | 181541 | 29790 | 0 | 111273 | 0 | 0 | 1375916 | 1208209 |
| 1972 | 1827241 | 1307088 | 1307088 | 0 | 0 | 221100 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1064132 |
| 1973 | 1827241 | 918028 | 918028 | 0 | 0 | 211923 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1974 | 1824929 | 3029423 | 3029423 | 0 | 16233 | 237411 | 29790 | 0 | 111273 | 0 | 0 | 1824929 | 1771041 |
| 1975 | 1827241 | 1284972 | 1284972 | 0 | 7068 | 211382 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1976 | 1827241 | 1607050 | 1607050 | 0 | 31586 | 201156 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1977 | 1827241 | 1163283 | 1163283 | 0 | 0 | 238493 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1978 | 1827241 | 1743638 | 1743638 | 0 | 14032 | 225421 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771040 |
| 1979 | 1827241 | 1275063 | 1275063 | 0 | 4708 | 224825 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1980 | 1827241 | 1329313 | 1329313 | 0 | 56306 | 253780 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1981 | 1827241 | 1888274 | 1888274 | -15 | 1843 | 214053 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1982 | 1827241 | 1118780 | 1118780 | 0 | 18501 | 243427 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1983 | 1827241 | 910765 | 910765 | 0 | 4108 | 246355 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1984 | 1827241 | 1086407 | 1086407 | 0 | 494607 | 272252 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1985 | 1827241 | 1043484 | 1043484 | 0 | 703263 | 223344 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1769744 |
| 1986 | 1827241 | 1887478 | 1887478 | -27298 | 728894 | 237000 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1769943 |
| 1987 | 1827241 | 1797750 | 1797750 | 0 | 17641 | 210849 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1769971 |
| 1988 | 1827241 | 1469121 | 1469121 | 0 | 9180 | 240013 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1989 | 1827241 | 1055062 | 1055062 | 0 | 14007 | 292726 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1990 | 1827241 | 2076817 | 2076817 | -17 | 38974 | 256479 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1991 | 1827241 | 2027658 | 2027658 | 0 | 56036 | 285132 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771013 |
| 1992 | 1827241 | 1702861 | 1702861 | 0 | 2464 | 250028 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1993 | 1827241 | 1181767 | 1181767 | 0 | 30886 | 285048 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1994 | 1827241 | 924654 | 924654 | 0 | 23655 | 290243 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771041 |
| 1995 | 1827241 | 895126 | 895126 | 0 | 30886 | 285048 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1771018 |
| 1996 | 1827241 | 956466 | 956466 | 0 | 296378 | 319795 | 29790 | 0 | 111273 | 0 | 0 | 1827241 | 1769798 |
| 1997 | 1446872 | 951292 | 951292 | 0 | 984869 | 312669 | 29790 | 0 | 111273 | 0 | 0 | 1446872 | 1252564 |
| 1998 | 1135159 | 885317 | 885317 | 0 | 1026589 | 236416 | 29790 | 0 | 111273 | 0 | 0 | 1135159 | 1135099 |
| | | | | | 1008875 | 212135 | 29790 | 0 | 111273 | 0 | 0 | 799466 | 714427 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 2 U.S. FALCON

| YEAR | INITIAL STORAGE | WTRSHD INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | D-M-I DEMANDS | SHORTAGE | IRRIG DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|----------------|-----------------|-----------------|-----------------|-----------|---------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1555129 | 285000 | 974067 | 0 | 1054035 | 363031 | 109522 | 0 | 944513 | 0 | 0 | 1112130 | 860956 |
| 1946 | 1112130 | 506000 | 1328535 | 0 | 1054035 | 278291 | 109522 | 0 | 944513 | 0 | 0 | 1108339 | 940631 |
| 1947 | 1108339 | 426000 | 984140 | 0 | 1054035 | 279728 | 109522 | 0 | 944513 | 0 | 0 | 758716 | 757884 |
| 1948 | 758716 | 595000 | 1632310 | 0 | 1054035 | 291087 | 109522 | 0 | 944513 | 0 | 0 | 1045904 | 437001 |
| 1949 | 1045904 | 783000 | 2073994 | -177289 | 1054035 | 346453 | 109522 | 0 | 944513 | 0 | 0 | 1542121 | 1023496 |
| 1950 | 1542121 | 248000 | 942811 | 0 | 1054035 | 442977 | 109522 | 0 | 944513 | 0 | 0 | 987920 | 987920 |
| 1951 | 987920 | 371000 | 693587 | 0 | 1054035 | 274037 | 109522 | 0 | 944513 | 0 | 0 | 353435 | 353435 |
| 1952 | 353435 | 92000 | 955433 | 0 | 1054035 | 99109 | 109522 | 0 | 944513 | 0 | 0 | 155724 | 77074 |
| 1953 | 155724 | 380000 | 1107096 | 0 | 1054035 | 74991 | 109522 | 0 | 944513 | 0 | 0 | 133794 | 6296 |
| 1954 | 133794 | 206368 | 1655900 | 0 | 1054032 | 148983 | 109522 | 0 | 944513 | 3 | 0 | 586679 | 18742 |
| 1955 | 586679 | 262728 | 857978 | 0 | 1054035 | 136397 | 109522 | 0 | 944513 | 0 | 0 | 254225 | 162301 |
| 1956 | 254225 | 146131 | 1034532 | 0 | 1054035 | 78998 | 109522 | 0 | 944513 | 0 | 0 | 155724 | 67906 |
| 1957 | 155724 | 633550 | 1159488 | 0 | 1054035 | 79991 | 109522 | 0 | 944513 | 0 | 0 | 181186 | 76841 |
| 1958 | 181186 | 1287790 | 2611846 | 314103 | 1054035 | 102929 | 109522 | 0 | 944513 | 0 | 336442 | 1613729 | 130551 |
| 1959 | 1613729 | 413263 | 1444056 | -86181 | 1054035 | 283831 | 109522 | 0 | 944513 | 0 | 87801 | 1545937 | 1402910 |
| 1960 | 1545937 | 304220 | 1099483 | 0 | 1054035 | 285878 | 109522 | 0 | 944513 | 0 | 0 | 1305507 | 1150264 |
| 1961 | 1305507 | 438643 | 1236940 | 0 | 1054035 | 285878 | 109522 | 0 | 944513 | 0 | 0 | 1202947 | 1068520 |
| 1962 | 1202947 | 222588 | 683525 | 0 | 1054035 | 258098 | 109522 | 0 | 944513 | 0 | 0 | 574339 | 534484 |
| 1963 | 574339 | 259995 | 755126 | 0 | 1054035 | 119819 | 109522 | 0 | 944513 | 0 | 0 | 155611 | 101048 |
| 1964 | 155611 | 478465 | 1547588 | 0 | 1054035 | 84833 | 109522 | 0 | 944513 | 0 | 0 | 564331 | 6233 |
| 1965 | 564331 | 334430 | 892301 | 0 | 1054035 | 158768 | 109522 | 0 | 944513 | 0 | 0 | 243829 | 236738 |
| 1966 | 243829 | 391422 | 1282068 | 0 | 1054035 | 85874 | 109522 | 0 | 944513 | 0 | 0 | 385988 | 126866 |
| 1967 | 385988 | 713220 | 1264133 | 0 | 1054035 | 99240 | 109522 | 0 | 944513 | 0 | 0 | 496846 | 146767 |
| 1968 | 496846 | 294637 | 934844 | 0 | 1054035 | 97910 | 109522 | 0 | 944513 | 0 | 0 | 279745 | 210949 |
| 1969 | 279745 | 346676 | 956356 | 0 | 1054035 | 57002 | 109522 | 0 | 944513 | 0 | 0 | 125064 | 54168 |
| 1970 | 125064 | 297120 | 1138370 | 0 | 1054035 | 54162 | 109522 | 0 | 944513 | 0 | 0 | 155237 | 8712 |
| 1971 | 155237 | 2201017 | 3048246 | 303232 | 1054035 | 125118 | 109522 | 0 | 944513 | 0 | 714000 | 1613729 | 7774 |
| 1972 | 1613729 | 569612 | 1514537 | -114249 | 1054035 | 277456 | 109522 | 0 | 944513 | 0 | 187239 | 1495287 | 1403515 |
| 1973 | 1495287 | 707828 | 1275182 | 12269 | 1054035 | 246755 | 109522 | 0 | 944513 | 0 | 0 | 1481948 | 1295424 |
| 1974 | 1481948 | 287805 | 2936442 | -201515 | 1054035 | 277804 | 109522 | 0 | 944513 | 0 | 1271307 | 1613729 | 1055450 |
| 1975 | 1613729 | 689676 | 1622203 | -118931 | 1054035 | 288323 | 109522 | 0 | 944513 | 0 | 236126 | 1538517 | 1501454 |
| 1976 | 1538517 | 1062184 | 2327015 | -118931 | 1054035 | 258143 | 109522 | 0 | 944513 | 0 | 939644 | 1613729 | 1324450 |
| 1977 | 1613729 | 464282 | 1248009 | -155973 | 1054035 | 280697 | 109522 | 0 | 944513 | 0 | 78441 | 1292592 | 1292592 |
| 1978 | 1292592 | 556024 | 1933178 | 5106 | 1054035 | 255710 | 109522 | 0 | 944513 | 0 | 302296 | 1613729 | 1068009 |
| 1979 | 1613729 | 564636 | 1473811 | 0 | 1054035 | 278674 | 109522 | 0 | 944513 | 0 | 325001 | 1420585 | 1420585 |
| 1980 | 1420585 | 409238 | 1343693 | 0 | 1054035 | 247409 | 109522 | 0 | 944513 | 0 | 0 | 1431569 | 991863 |
| 1981 | 1431569 | 994629 | 2527787 | 22082 | 1054035 | 27409 | 109522 | 0 | 944513 | 0 | 1066265 | 1613729 | 1439718 |
| 1982 | 1613729 | 340150 | 1074440 | -140773 | 1054035 | 271298 | 109522 | 0 | 944513 | 0 | 0 | 1222063 | 1220124 |
| 1983 | 1222063 | 342907 | 866254 | 0 | 1054035 | 211452 | 109522 | 0 | 944513 | 0 | 0 | 822830 | 735637 |
| 1984 | 822830 | 234142 | 907234 | 0 | 1054035 | 182837 | 109522 | 0 | 944513 | 0 | 0 | 493192 | 452285 |
| 1985 | 493192 | 424262 | 1103339 | 0 | 1054035 | 133756 | 109522 | 0 | 944513 | 0 | 0 | 408740 | 266183 |
| 1986 | 408740 | 377249 | 1859366 | 0 | 1054035 | 123089 | 109522 | 0 | 944513 | 0 | 0 | 1090982 | 225838 |
| 1987 | 1090982 | 630894 | 2076732 | -80047 | 1054035 | 265691 | 109522 | 0 | 944513 | 0 | 201672 | 1566269 | 1166600 |
| 1988 | 1566269 | 539973 | 1628018 | 40965 | 1054035 | 289736 | 109522 | 0 | 944513 | 0 | 277752 | 1613729 | 1387491 |
| 1989 | 1613729 | 278254 | 899527 | -47114 | 1054035 | 302148 | 109522 | 0 | 944513 | 0 | 0 | 1109959 | 1109959 |
| 1990 | 1109959 | 408569 | 2097827 | -7748 | 1054035 | 280051 | 109522 | 0 | 944513 | 0 | 252223 | 1613729 | 912336 |
| 1991 | 1613729 | 308733 | 1910196 | -73881 | 1054035 | 290051 | 109522 | 0 | 944513 | 0 | 492229 | 1613729 | 1416759 |
| 1992 | 1613729 | 517404 | 1829174 | -68821 | 1054035 | 281741 | 109522 | 0 | 944513 | 0 | 500603 | 1537703 | 1499741 |
| 1993 | 1537703 | 250123 | 1000584 | 0 | 1054035 | 280746 | 109522 | 0 | 944513 | 0 | 0 | 1203506 | 1196344 |
| 1994 | 1203506 | 295200 | 793743 | 0 | 1054035 | 243838 | 109522 | 0 | 944513 | 0 | 0 | 699376 | 691000 |
| 1995 | 699376 | 218838 | 653106 | 0 | 1054035 | 137193 | 109522 | 0 | 944513 | 0 | 0 | 161254 | 161254 |
| 1996 | 161254 | 227673 | 1110776 | 0 | 1054035 | 62566 | 109522 | 0 | 944513 | 0 | 0 | 155429 | 155429 |
| 1997 | 155429 | 226161 | 1111687 | 0 | 1054035 | 57408 | 109522 | 0 | 944513 | 0 | 0 | 155673 | 13526 |
| 1998 | 155673 | 239251 | 1107063 | 0 | 1054035 | 53280 | 109522 | 0 | 944513 | 0 | 0 | 155421 | 5854 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH PAY - 1945-98 F&N HYDROLOGY
 SIMULATION PERIOD TOTAL SUMMARY FOR NODE 3 MEX AMISTAD

| YEAR | INITIAL STORAGE | WTRSHD INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1380278 | 883389 | 883389 | 92 | 444158 | 215088 | 50767 | 0 | 0 | 0 | 180435 | 1424078 | 1357385 |
| 1946 | 1424078 | 909841 | 909841 | 0 | 198380 | 194046 | 50767 | 0 | 0 | 0 | 517416 | 1424077 | 1366919 |
| 1947 | 1424077 | 669063 | 669063 | 0 | 61683 | 212510 | 50767 | 0 | 0 | 0 | 394869 | 1424078 | 1348270 |
| 1948 | 1424078 | 507768 | 507768 | 0 | 112156 | 214166 | 50767 | 0 | 0 | 0 | 181457 | 1424067 | 1363207 |
| 1949 | 1424067 | 1042898 | 1042898 | -1 | 8524 | 182399 | 50767 | 0 | 0 | 0 | 851963 | 1424078 | 1380278 |
| 1950 | 1424078 | 786227 | 786227 | 0 | 16946 | 200871 | 50767 | 0 | 0 | 0 | 568410 | 1424078 | 1380278 |
| 1951 | 1424078 | 404486 | 404486 | 0 | 124235 | 214682 | 50767 | 0 | 0 | 0 | 152479 | 1337168 | 1320427 |
| 1952 | 1337168 | 428901 | 428901 | 0 | 916612 | 148485 | 50767 | 0 | 0 | 0 | 0 | 700972 | 682653 |
| 1953 | 700972 | 222231 | 222231 | 0 | 770570 | 33970 | 50767 | 0 | 0 | 0 | 0 | 118663 | 1375 |
| 1954 | 118663 | 788961 | 788961 | 784049 | 97205 | 144120 | 50767 | 0 | 0 | 0 | 61456 | 1388892 | 135676 |
| 1955 | 1388892 | 677209 | 677209 | 121455 | 606445 | 191015 | 50767 | 0 | 0 | 0 | 0 | 1390096 | 892010 |
| 1956 | 1390096 | 296764 | 296764 | 0 | 780058 | 169817 | 50767 | 0 | 0 | 0 | 0 | 736985 | 680881 |
| 1957 | 736985 | 564144 | 564144 | 4341 | 320114 | 112717 | 50767 | 0 | 0 | 0 | 0 | 872639 | 536215 |
| 1958 | 872639 | 1567841 | 1567841 | 264455 | 1059132 | 95369 | 50767 | 0 | 0 | 0 | 126356 | 1424078 | 519769 |
| 1959 | 1424078 | 667730 | 667730 | 0 | 15586 | 178472 | 50767 | 0 | 0 | 0 | 473695 | 1424055 | 1380278 |
| 1960 | 1424055 | 848707 | 848707 | 16 | 105920 | 192219 | 50767 | 0 | 0 | 0 | 550561 | 1424078 | 1376113 |
| 1961 | 1424078 | 624584 | 624584 | 0 | 10677 | 182143 | 50767 | 0 | 0 | 0 | 431791 | 1424051 | 1380278 |
| 1962 | 1424051 | 511070 | 511070 | 0 | 98862 | 237278 | 50767 | 0 | 0 | 0 | 174924 | 1424057 | 1375744 |
| 1963 | 1424057 | 481290 | 481290 | 0 | 508671 | 177807 | 50767 | 0 | 0 | 0 | 23580 | 1195289 | 1030743 |
| 1964 | 1195289 | 672900 | 672900 | 82589 | 780914 | 131530 | 50767 | 0 | 0 | 0 | 0 | 1038334 | 598145 |
| 1965 | 1038334 | 489720 | 489720 | 101108 | 331566 | 142791 | 50767 | 0 | 0 | 0 | 0 | 1154805 | 954394 |
| 1966 | 1154805 | 1003086 | 1003086 | 69316 | 578242 | 119625 | 50767 | 0 | 0 | 0 | 105272 | 1424068 | 849445 |
| 1967 | 1424068 | 523436 | 523436 | 0 | 624273 | 160558 | 50767 | 0 | 0 | 0 | 0 | 1162673 | 880153 |
| 1968 | 1162673 | 841232 | 841232 | -1 | 278542 | 150059 | 50767 | 0 | 0 | 0 | 151225 | 1424078 | 1187460 |
| 1969 | 1424078 | 705083 | 705083 | 0 | 79295 | 185731 | 50767 | 0 | 0 | 0 | 440057 | 1424078 | 1379934 |
| 1970 | 1424078 | 620385 | 620385 | 0 | 512297 | 151702 | 50767 | 0 | 0 | 0 | 34518 | 1345946 | 1039874 |
| 1971 | 1345946 | 692998 | 692998 | 161931 | 633206 | 143621 | 50767 | 0 | 0 | 0 | 0 | 1424048 | 807402 |
| 1972 | 1424048 | 802803 | 802803 | 0 | 0 | 172246 | 50767 | 0 | 0 | 0 | 632840 | 1421765 | 1380278 |
| 1973 | 1421765 | 679907 | 679907 | 0 | 16286 | 165083 | 50767 | 0 | 0 | 0 | 510344 | 1409959 | 1380278 |
| 1974 | 1409959 | 1211470 | 1211470 | 0 | 11549 | 184998 | 50767 | 0 | 0 | 0 | 1000804 | 1424078 | 1380278 |
| 1975 | 1424078 | 748604 | 748604 | 0 | 978 | 164596 | 50767 | 0 | 0 | 0 | 583066 | 1424042 | 1380278 |
| 1976 | 1424042 | 773967 | 773967 | 0 | 15525 | 156703 | 50767 | 0 | 0 | 0 | 601722 | 1424059 | 1380278 |
| 1977 | 1424059 | 550896 | 550896 | 0 | 0 | 185664 | 50767 | 0 | 0 | 0 | 379373 | 1409918 | 1380278 |
| 1978 | 1409918 | 1517216 | 1517216 | 0 | 1697 | 175649 | 50767 | 0 | 0 | 0 | 1325710 | 1424078 | 1380278 |
| 1979 | 1424078 | 878202 | 878202 | 0 | 1012 | 175106 | 50767 | 0 | 0 | 0 | 712516 | 1413646 | 1380278 |
| 1980 | 1413646 | 817103 | 817103 | 15 | 248084 | 197642 | 50767 | 0 | 0 | 0 | 360973 | 1424065 | 1377308 |
| 1981 | 1424065 | 1238430 | 1238430 | 0 | 0 | 166824 | 50767 | 0 | 0 | 0 | 1071593 | 1424078 | 1380278 |
| 1982 | 1424078 | 664349 | 664349 | 0 | 4620 | 189622 | 50767 | 0 | 0 | 0 | 476106 | 1418079 | 1380278 |
| 1983 | 1418079 | 497472 | 497472 | 0 | 14410 | 191984 | 50767 | 0 | 0 | 0 | 285079 | 1424078 | 1380278 |
| 1984 | 1424078 | 775321 | 775321 | 0 | 298935 | 210433 | 50767 | 0 | 0 | 0 | 265966 | 1424065 | 1317365 |
| 1985 | 1424065 | 682379 | 682379 | 0 | 387896 | 166939 | 50767 | 0 | 0 | 0 | 127532 | 1424077 | 1235896 |
| 1986 | 1424077 | 1208462 | 1208462 | 27298 | 667901 | 170783 | 50767 | 0 | 0 | 0 | 397075 | 1424078 | 1034514 |
| 1987 | 1424078 | 1203973 | 1203973 | 0 | 19319 | 164228 | 50767 | 0 | 0 | 0 | 1020444 | 1424060 | 1380278 |
| 1988 | 1424060 | 929864 | 929864 | 0 | 36434 | 187053 | 50767 | 0 | 0 | 0 | 706361 | 1424076 | 1380278 |
| 1989 | 1424076 | 589071 | 589071 | 0 | 7213 | 228039 | 50767 | 0 | 0 | 0 | 353831 | 1424064 | 1380278 |
| 1990 | 1424064 | 1728668 | 1728668 | 17 | 84268 | 199807 | 50767 | 0 | 0 | 0 | 1444596 | 1424078 | 1376383 |
| 1991 | 1424078 | 1892590 | 1892590 | 0 | 43696 | 222129 | 50767 | 0 | 0 | 0 | 1626781 | 1424062 | 1380278 |
| 1992 | 1424062 | 1283085 | 1283085 | 0 | 14354 | 194769 | 50767 | 0 | 0 | 0 | 1073965 | 1424059 | 1380278 |
| 1993 | 1424059 | 788586 | 788586 | 0 | 23224 | 226103 | 50767 | 0 | 0 | 0 | 539267 | 1424051 | 1380278 |
| 1994 | 1424051 | 488813 | 488813 | 0 | 8078 | 221959 | 50767 | 0 | 0 | 0 | 261203 | 1421624 | 1376910 |
| 1995 | 1421624 | 387891 | 387891 | 0 | 618746 | 190219 | 50767 | 0 | 0 | 0 | 0 | 1000550 | 914255 |
| 1996 | 1000550 | 441577 | 441577 | 0 | 720888 | 113729 | 50767 | 0 | 0 | 0 | 0 | 607510 | 366728 |
| 1997 | 607510 | 398568 | 398568 | 0 | 718303 | 46105 | 50767 | 0 | 0 | 0 | 0 | 241670 | 158758 |
| 1998 | 241670 | 384845 | 384845 | 0 | 484429 | 9500 | 50767 | 0 | 0 | 0 | 0 | 132586 | 1363 |

HISTORICAL LONG-TERM AMISTAD & FALCON RESERVOIR SIMULATION WITH FAY - 1945-98 F&N HYDROLOGY

SIMULATION PERIOD TOTAL SUMMARY FOR NODE 4 MEX FALCON

| YEAR | INITIAL STORAGE | WTRSHED INFLOWS | RESERVR INFLOWS | FLDWATR TRANSFR | DWNSTRM RELEASE | EVAP LOSS | MUN&IRR DEMANDS | SHORTAGE | OTHER DEMANDS | SHORTAGE | FLOOD SPILLS | YEAREND STORAGE | MINIMUM STORAGE |
|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------|-----------------|----------|---------------|----------|--------------|-----------------|-----------------|
| 1945 | 1098674 | 278000 | 851826 | 0 | 941483 | 209134 | 941483 | 0 | 0 | 0 | 0 | 799883 | 434042 |
| 1946 | 799883 | 521000 | 1186029 | 0 | 941483 | 155139 | 941483 | 0 | 0 | 0 | 0 | 889290 | 284911 |
| 1947 | 889290 | 371000 | 776785 | 0 | 941483 | 147265 | 941483 | 0 | 0 | 0 | 0 | 577327 | 239908 |
| 1948 | 577327 | 702000 | 944846 | 0 | 941483 | 80364 | 941483 | 0 | 0 | 0 | 0 | 500326 | 1437 |
| 1949 | 500326 | 442000 | 1251720 | 177289 | 941483 | 108469 | 941483 | 0 | 0 | 0 | 0 | 879383 | 197881 |
| 1950 | 879383 | 128000 | 662589 | 0 | 941483 | 163079 | 941483 | 0 | 0 | 0 | 0 | 437410 | 263238 |
| 1951 | 437410 | 326000 | 551947 | 0 | 941483 | 34220 | 941483 | 0 | 0 | 0 | 0 | 13654 | 1172 |
| 1952 | 13654 | 64000 | 929845 | 0 | 941483 | 876 | 941483 | 0 | 0 | 0 | 0 | 1140 | 1098 |
| 1953 | 1140 | 1003000 | 1722803 | 0 | 941483 | 91667 | 941483 | 0 | 0 | 0 | 0 | 690793 | 1073 |
| 1954 | 690793 | 325559 | 433453 | 0 | 941483 | 70020 | 941483 | 0 | 0 | 0 | 0 | 112743 | 26803 |
| 1955 | 112743 | 344411 | 900089 | 0 | 941483 | 9046 | 941483 | 0 | 0 | 0 | 0 | 62303 | 1114 |
| 1956 | 62303 | 153390 | 882681 | 0 | 941483 | 2361 | 941483 | 0 | 0 | 0 | 0 | 1140 | 1098 |
| 1957 | 1140 | 727886 | 997233 | 0 | 941483 | 18920 | 941483 | 0 | 0 | 0 | 0 | 37970 | 1140 |
| 1958 | 37970 | 1933882 | 3068603 | -314103 | 941483 | 28518 | 941483 | 0 | 0 | 0 | 682395 | 1140074 | 1149 |
| 1959 | 1140074 | 489555 | 928069 | 86181 | 941483 | 172718 | 941483 | 0 | 0 | 0 | 0 | 977446 | 776583 |
| 1960 | 977446 | 307596 | 913310 | 0 | 941483 | 132707 | 941483 | 0 | 0 | 0 | 0 | 816566 | 399345 |
| 1961 | 816566 | 583960 | 975661 | 0 | 941483 | 139529 | 941483 | 0 | 0 | 0 | 0 | 711215 | 320990 |
| 1962 | 711215 | 240095 | 463114 | 0 | 941483 | 69799 | 941483 | 0 | 0 | 0 | 0 | 163047 | 34396 |
| 1963 | 163047 | 307161 | 788645 | 0 | 941483 | 4904 | 941483 | 0 | 0 | 0 | 0 | 5305 | 1121 |
| 1964 | 5305 | 548188 | 1278335 | 0 | 941483 | 19670 | 941483 | 0 | 0 | 0 | 0 | 322487 | 1098 |
| 1965 | 322487 | 350059 | 630858 | 0 | 941483 | 10618 | 941483 | 0 | 0 | 0 | 0 | 1244 | 1121 |
| 1966 | 1244 | 417219 | 1049966 | 0 | 941483 | 7409 | 941483 | 0 | 0 | 0 | 0 | 102318 | 1100 |
| 1967 | 102318 | 943825 | 1517331 | 0 | 941483 | 28299 | 941483 | 0 | 0 | 0 | 0 | 649867 | 1098 |
| 1968 | 649867 | 382091 | 761091 | 0 | 941483 | 50999 | 941483 | 0 | 0 | 0 | 0 | 418476 | 2307 |
| 1969 | 418476 | 882759 | 851344 | 0 | 941483 | 72757 | 941483 | 0 | 0 | 0 | 0 | 255580 | 98535 |
| 1970 | 255580 | 283218 | 779266 | 0 | 941483 | 16355 | 941483 | 0 | 0 | 0 | 0 | 77008 | 1093 |
| 1971 | 77008 | 3101272 | 3683711 | -303232 | 941483 | 94874 | 941483 | 0 | 0 | 0 | 1281056 | 1140074 | 1140 |
| 1972 | 1140074 | 670492 | 1252565 | 114249 | 941483 | 184425 | 941483 | 0 | 0 | 0 | 0 | 285683 | 871015 |
| 1973 | 1095297 | 740920 | 1216783 | -12269 | 941483 | 149264 | 941483 | 0 | 0 | 0 | 0 | 89913 | 5711339 |
| 1974 | 1119151 | 305682 | 1267268 | 201515 | 941483 | 170641 | 941483 | 0 | 0 | 0 | 335736 | 1119151 | 606109 |
| 1975 | 1140074 | 913544 | 1446821 | 118931 | 941483 | 196738 | 941483 | 0 | 0 | 0 | 0 | 458167 | 1109438 |
| 1976 | 1109438 | 1693211 | 2259691 | 0 | 941483 | 158800 | 941483 | 0 | 0 | 0 | 0 | 1128772 | 978525 |
| 1977 | 1140074 | 554875 | 883481 | 155973 | 941483 | 198073 | 941483 | 0 | 0 | 0 | 0 | 67742 | 611851 |
| 1978 | 972230 | 801281 | 2077921 | 0 | 941483 | 137702 | 941483 | 0 | 0 | 0 | 0 | 972230 | 972038 |
| 1979 | 1140074 | 688648 | 1351409 | -5106 | 941483 | 204026 | 941483 | 0 | 0 | 0 | 0 | 830892 | 435368 |
| 1980 | 1019563 | 544535 | 1102825 | 0 | 941483 | 151854 | 941483 | 0 | 0 | 0 | 0 | 1019563 | 921478 |
| 1981 | 1029051 | 1430420 | 2451246 | -22082 | 941483 | 174081 | 941483 | 0 | 0 | 0 | 0 | 321305 | 420712 |
| 1982 | 1140074 | 338840 | 768799 | 140773 | 941483 | 186553 | 941483 | 0 | 0 | 0 | 0 | 1202577 | 947649 |
| 1983 | 921610 | 291291 | 540013 | 0 | 941483 | 103985 | 941483 | 0 | 0 | 0 | 0 | 921610 | 921610 |
| 1984 | 416155 | 243487 | 757621 | 0 | 941483 | 31247 | 941483 | 0 | 0 | 0 | 0 | 416155 | 308979 |
| 1985 | 201046 | 463802 | 928463 | 0 | 941483 | 14226 | 941483 | 0 | 0 | 0 | 0 | 201046 | 1112 |
| 1986 | 173800 | 540129 | 1554338 | 0 | 941483 | 34424 | 941483 | 0 | 0 | 0 | 0 | 173800 | 1122 |
| 1987 | 752231 | 748490 | 1737486 | 80047 | 941483 | 173839 | 941483 | 0 | 0 | 0 | 0 | 752231 | 1184 |
| 1988 | 1130939 | 831771 | 1523799 | -40965 | 941483 | 170613 | 941483 | 0 | 0 | 0 | 0 | 323503 | 677145 |
| 1989 | 1140074 | 285024 | 595301 | 47114 | 941483 | 174039 | 941483 | 0 | 0 | 0 | 0 | 361603 | 662342 |
| 1990 | 666967 | 498149 | 1976238 | 7748 | 941483 | 123445 | 941483 | 0 | 0 | 0 | 0 | 445951 | 641891 |
| 1991 | 1140074 | 322741 | 1942459 | 73881 | 941483 | 188829 | 941483 | 0 | 0 | 0 | 0 | 1140074 | 163814 |
| 1992 | 1140074 | 623610 | 1661162 | 68821 | 941483 | 198947 | 941483 | 0 | 0 | 0 | 0 | 886028 | 826403 |
| 1993 | 1105749 | 230123 | 741847 | 0 | 941483 | 158930 | 941483 | 0 | 0 | 0 | 0 | 623878 | 1094279 |
| 1994 | 747183 | 255581 | 474095 | 0 | 941483 | 89151 | 941483 | 0 | 0 | 0 | 0 | 747183 | 564845 |
| 1995 | 190644 | 240841 | 808820 | 0 | 941483 | 7257 | 941483 | 0 | 0 | 0 | 0 | 190644 | 190644 |
| 1996 | 50724 | 259854 | 929975 | 0 | 941483 | 5826 | 941483 | 0 | 0 | 0 | 0 | 50724 | 1110 |
| 1997 | 33390 | 242833 | 910369 | 0 | 941483 | 1085 | 941483 | 0 | 0 | 0 | 0 | 33390 | 1098 |
| 1998 | 1191 | 267272 | 700934 | 0 | 645901 | 5617 | 941483 | 295582 | 0 | 0 | 0 | 1191 | 955 |

Attachment F.

Floppy Disk Containing

- 1. Electronic Copies of the ROM Fortran Code (Attachment A) and Executable Code**
- 2. Current Average Demands Data Input File (Attachment B)**
- 3. Current Average Demands Output File (Complete Version of Attachment D)**
- 4. Firm Annual Yield Output File (Complete Version of Attachment E)**