

Descriptive Name	Database Field	Data type, length	Values, Format	Description	Look Up Table [db.table.key-field]
Complaint Number	TRACKING-KEY1	char(14)	xxxxxxxxxxxx	Complaint number, unique, assigned when the complaint is created. x-x is a prefix that defines the program area; n is a serial number; z is a letter postfix that defines the type of complaint.	
Action code	ACTION-CODE	char(10)	CMALLaaaa	Last action.	TRACKDB.M01-ACTION-TBL.ACTION-CODE
Complainant Address line 1	ADDRESS1	char(30)	text	1st line of complainant address	
Complainant Address line 2	ADDRESS2	char(30)	text	2nd line of complainant address	
Complainant Address line 3	ADDRESS3	char(30)	text	3rd line of complainant address	
Complainant Address line 4	ADDRESS4	char(30)	text	4th line of complainant address	
Complainant City	CITY	char(20)	text	City of complainant address	GLOBAL.CITY-TABLE.CITY
Respondent City	CITY1	char(20)	text	City of respondent address	GLOBAL.CITY-TABLE.CITY
Complainant County	COUNTY-CODE	char(4)	nnnn	Internal 4 digit code for county based on city name	GLOBAL.COUNTY-TABLE.COUNTY-CODE
Respondent County	COUNTY-CODE1	char(4)	nnnn	Internal 4 digit code for county based on city name	GLOBAL.COUNTY-TABLE.COUNTY-CODE
Create Date	CRT-DATE	char(8)	yyyymmdd	Date complaint was created in the system	
Create operator	CRT-OPR	char(4)	nnnn	HP3000 login of person that created the complaint.	
Create time	CRT-TIME	char(8)	hh:mm:ss	Time the complaint was created in the system.	
Date complaint received	DATE1	char(8)	yyyymmdd	Date complaint was received by TDLR (stamped on form).	
Who has it	EMPLOYEE-NO	char(4)	nnnn	Internal 4 digit employee number that currently has the file.	TRS.NAME.EMPLOYEE-NO
Complainant Field Code	FIELD-CODE	char(2)	nn	Not used by Enforcement. Internal 2 digit code designating the geographic region in which the complainant's county code	GLOBAL.FIELD-TABLE.FIELD-CODE
Respondent Field Code	FIELD-CODE1	char(2)	nn	Not used by Enforcement. Internal 2 digit code designating the geographic region in which the respondent's county code	GLOBAL.FIELD-TABLE.FIELD-CODE
Complainant First Name	FIRST-NAME	char(20)	text		
Respondent First Name	FIRST-NAME1	char(20)	text		
Flag	Flag	char(2)	a	Not used; data can be ignored.	
Functional area	FUNCTIONAL-AREA	char(4)	aaa	Three letter program area code.	TRS.FUNCTIONAL-AREA.FUNCTIONAL-AREA
ID	ID	short int		?? Has data, but can't find any code that uses it or sets it. Present on data from 1991 to 1996.	
ID No (License number)	ID-NO	char(14)	text	License number of respondent, if available. Not verified against licensing database.	
Complainant Last Name	LAST-NAME	char(20)	text		
Respondent Last Name	LAST-NAME1	char(20)	text		
Complainant Middle Initial	MI	char(2)	text		
Respondent Middle Initial	MI1	char(2)	text		
Complainant Company	NAME	char(40)	text		
Respondent Company	NAME2	char(40)	text		
Complainant Phone	PHONE	char(10)	nnnnnnnnnn		
Respondent Phone	PHONE1	char(10)	nnnnnnnnnn		

Attachment 2  
 Request for Offer 09.01.2009  
 Database Schema

Complainant Prefix	PREFIX	char(4)	text	Ms Mr Miss, etc.	GLOBAL.STATE-TABLE.STATE
Respondent Prefix	PREFIX1	char(4)	text	Ms Mr Miss, etc.	GLOBAL.STATE-TABLE.STATE
Complainant Region Code	REGION-CODE	char(2)	nn	2 digit code for the TDLR geographic region	GLOBAL.REGION-TABLE.REGION-CODE
Respondent Region Code	REGION-CODE1	char(2)	nn	2 digit code for the TDLR geographic region	GLOBAL.REGION-TABLE.REGION-CODE
Section	SECTION	char(4)	nn	No longer used, data can be ignored.	
Complainant State	STATE	char(2)	xx		GLOBAL.STATE-TABLE.STATE
Respondent State	STATE1	char(2)	xx		GLOBAL.STATE-TABLE.STATE
Status	STATUS	char(10)	CMALLaaaa	Current status of complaint	
Complainant Name Suffix	SUFFIX	char(4)	text	Jr, II, M.D., etc	
Respondent Names Suffix	SUFFIX1	char(4)	text	Jr, II, M.D., etc	
Complaint type	TYPE	char(2)	x	one letter code, the type of complaint	
Update date	UPD-DATE	char(8)	yyyymmdd	Date of last update	
Update operator	UPD-OPR	char(40)	xxxx	HP3000 login of last person/system that modified the complaint	GLOBAL.ZIPCODE-TABLE.ZIPCODE
Update time	UPD-TIME	char(8)	hh:mm:ss	Time of last update	GLOBAL.ZIPCODE-TABLE.ZIPCODE
Y-OR-N-1	Y-OR-N-1	char(2)	x	Not used; data can be ignored.	
Y-OR-N-2	Y-OR-N-2	char(2)	x	Not used; data can be ignored.	
Complainant zip code	ZIPCODE	char(10)	nnnnnnnn		GLOBAL.ZIPCODE-TABLE.ZIPCODE
Respondent zip code	ZIPCODE1	char(10)	nnnnnnnn		GLOBAL.ZIPCODE-TABLE.ZIPCODE
Complainant zone	ZONE-CODE	char(2)	nn	not used by Enforcement; geographic zone based on county code	GLOBAL.COUNTY-TABLE.COUNTY-CODE
Respondent zone	ZONE-CODE1	char(2)	nn	not used by Enforcement; geographic zone based on county code	GLOBAL.COUNTY-TABLE.COUNTY-CODE

tabse/Table Name  
 CKDB.M01-ACTION-DTL  
 This table is shared with other  
 actions. Not all the data is  
 MS data. CIMS data has an  
 ACTION-CODE value of  
 MALL%

Descriptive Name	Database Field	Data type, length	Values, Format	Description	Look Up Table
Complaint Number	TRACKING-KEY1	char(14)	xxxxxxxxxxxx	Complaint number	TRCKDB.M05-TRACK-MST
second key	TRACKING-KEY2	char(14)	text	unique key within this table	
Action code	ACTION-CODE	char(10)	CMALLaaaa	action taken	TRCKDB.M01-ACTION-TBL
Create operator	CRT-OPR	char(4)	nnnn	HP3000 login of person that entered the action code.	
Create time	CRT-TIME	char(8)	hh:mm:ss	Time the complaint was created in the system.	
Who has it	EMPLOYEE-NO	char(4)	nnnn	Internal 4 digit employee number that currently has the file.	TRS.NAME-EMPLOYEE-NO
Functional area	FUNCTIONAL-AREA	char(4)	aaa	Three letter program area code.	TRS.FUNCTIONAL-AREA.FUNCTIONAL-AREA
Update date	UPD-DATE	char(8)	yyyymmdd	Date of last update	
Update operator	UPD-OPR	char(40)	xxxx	HP3000 login of last person/system that modified the action code	
Update time	UPD-TIME	char(8)	hh:mm:ss	Time of last update	
USER-ACCESS	USER-ACCESS	char(8)	char(8)	not used.	
Create Date	CRT-DATE	char(8)	yyyymmdd	Date complaint was created in the system	

tabse/Table Name  
 CKDB.M01-ACTION-TBL

this table is shared with other functions. Not all the data is CIMS data. CIMS data has an ACTION-CODE value of 'SMALL%'

Database Field	Data type, length	Values, Format	Description	Look Up Table
Action code	char(10)	CMALLaaa	action code	
Begin-date	char(8)	YYYYmmdd	Effective date of action code	
Creator	char(4)	char(4)	not used	
Create date	char(8)	YYYYmmdd	Date action code was created	
Create operator	char(4)	xxxx	HP3000 login of person that created the action code.	
Create time	char(8)	hh:mm:ss	Time action code was created	
Description	char(40)	text	Action code name/description	
End date	char(8)	YYYYmmdd	Date action code no longer used.	
I-D	int		?? not used	
INSERT-TIMES	small int		system use	
LAST-ACTION-YN	char(2)		system use	
LEVEL	numeric(2,0)		system use	
PREV-ACTION-REQ	char(10)		system use	
PREV-STAT-REQ	char(10)		system use	
RELATED-FLD	char(14)		system use	
REPEAT-YN	char(2)		system use	
Action code status	STATUS	CMALLaaa	Status of action code. Last action code sets the status of the complaint	
Update date	UPD-DATE	YYYYmmdd	Date of last update	
Update operator	UPD-OPR	char(40)	HP3000 login of last person/system that modified the action code	
Update time	UPD-TIME	char(8)	Time of last update	
Y-OR-N-1	Y-OR-N-1	char(2)	system use	

The following are look up tables used to verify values or look up descriptions

- LOBAL.CITY-TABLE.CITY
- LOBAL.COUNTY-TABLE.COUNTY.CODE
- LOBAL.FIELD-TABLE.FIELD.CODE
- LOBAL.REGION-TABLE.REGION.CODE
- LOBAL.STATE-TABLE.STATE
- LOBAL.ZIPCODE-TABLE.ZIPCODE
- XS.FUNCTIONAL-AREA.FUNCTIONAL-AREA
- XS.NAME.EMPLOYEE-NO