

Table 124. Death Rates From Malignant Neoplasms by Selected Characteristics: 1990 to 2007

[Rates per 100,000 population. Excludes deaths of nonresidents of the United States. Beginning 1999, deaths classified according to tenth revision of International Classification of Diseases (ICD); for earlier years, causes of death were classified according to the revisions then in use. Changes in classification of causes of death due to these revisions may result in discontinuities in cause-of-death trends. For explanation of age adjustment, see text, this section. See Appendix III]

Characteristic	1990	2000	2003	2004	2005	2006	2007
All ages, age adjusted¹	216.0	199.6	190.1	185.8	183.8	180.7	178.4
All ages, crude²	203.2	196.5	191.5	188.6	188.7	187.0	186.6
Under 1 year	2.3	2.4	1.9	1.8	1.8	1.8	1.7
1 to 4 years	3.5	2.7	2.5	2.5	2.3	2.3	2.2
5 to 14 years	3.1	2.5	2.6	2.5	2.5	2.2	2.4
15 to 24 years	4.9	4.4	4.0	4.1	4.1	3.9	3.9
25 to 34 years	12.6	9.8	9.4	9.1	9.0	9.0	8.5
35 to 44 years	43.3	36.6	35.0	33.4	33.2	31.9	30.8
45 to 54 years	158.9	127.5	122.2	119.0	118.6	116.3	114.3
55 to 64 years	449.6	366.7	343.0	333.4	326.9	321.1	315.4
65 to 74 years	872.3	816.3	770.3	755.1	742.7	727.2	715.5
75 to 84 years	1,348.5	1,335.6	1,302.5	1,280.4	1,274.8	1,263.8	1,256.3
85 years old and over	1,752.9	1,819.4	1,698.2	1,653.3	1,637.7	1,606.1	1,590.2
AGE-ADJUSTED RATES							
Male	280.4	248.9	233.3	227.7	225.1	220.1	217.5
Female	175.7	167.6	160.9	157.4	155.6	153.6	151.3
White male	272.2	243.9	230.1	224.4	222.3	217.9	215.1
Black male	397.9	340.3	308.8	301.2	293.7	284.9	282.3
American Indian, Alaska Native male	145.8	155.8	139.9	147.1	147.6	135.5	139.4
Asian, Pacific Islander male	172.5	150.8	137.2	136.3	133.0	126.7	130.2
Hispanic male ³	174.7	171.7	156.5	151.2	152.7	143.4	141.4
Non-Hispanic, White male ³	276.7	247.7	234.6	229.2	227.3	223.4	(NA)
White female	174.0	166.9	160.2	157.0	155.2	153.6	151.2
Black female	205.9	193.8	187.7	182.5	179.6	176.1	174.9
American Indian, Alaska Native female	106.9	108.3	105.6	108.6	105.9	108.3	102.1
Asian, Pacific Islander female	103.0	100.7	96.7	92.0	94.5	92.2	90.0
Hispanic female ³	111.9	110.8	105.9	101.4	101.9	100.4	98.6
Non-Hispanic, White female ³	177.5	170.0	163.8	160.9	159.1	157.6	(NA)
DEATH RATES FOR MALIGNANT NEOPLASM OF BREASTS FOR FEMALES							
All ages, age adjusted ¹	33.3	29.4	26.6	24.4	24.1	23.5	22.9
All ages, crude ²	34.0	31.3	28.9	27.5	27.3	26.9	26.5
Under 25 years	(B)	(B)	(B)	(B)	(B)	(B)	(B)
25 to 34 years	2.9	2.6	2.2	2.0	1.8	1.8	1.7
35 to 44 years	17.8	14.1	12.0	11.3	11.3	10.8	10.1
45 to 54 years	45.4	38.3	32.9	29.3	28.7	27.6	26.7
55 to 64 years	78.6	66.8	59.2	55.8	54.5	53.7	51.3
65 to 74 years	111.7	98.3	88.9	81.6	79.2	76.9	77.3
75 to 84 years	146.3	137.6	128.9	119.5	119.2	119.2	116.3
85 years old and over	196.8	201.7	200.8	178.6	177.9	169.9	170.4
DEATH RATES FOR MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS, AND LUNG							
All ages, age adjusted ¹	37.1	41.3	41.3	40.9	40.5	40.0	50.6
All ages, crude ²	39.4	45.4	46.1	45.9	45.9	45.7	52.6
Under 25 years	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	0.1
25 to 34 years	0.5	0.5	0.4	0.3	0.3	0.4	0.3
35 to 44 years	5.2	5.3	5.1	5.2	5.1	4.5	4.3
45 to 54 years	34.5	25.0	24.4	24.2	24.5	24.6	28.4
55 to 64 years	105.0	93.3	87.1	83.9	80.7	78.2	95.4
65 to 74 years	177.6	206.9	204.8	205.0	199.6	197.0	248.8
75 to 84 years	190.1	265.6	279.4	277.0	280.9	280.3	371.3
85 years old and over	138.1	212.8	221.0	221.3	226.2	226.9	299.8

B Base figure too small to meet statistical standards for reliability of a derived figure. NA Not available. Z Less than 0.05. ¹ See footnote 1, Table 122. ² The total number of deaths in a given time period divided by the total population as of July 1. ³ Excludes data from states lacking an Hispanic-origin item on their death certificates. See text, this section.

Source: U.S. National Center for Health Statistics, *Health, United States, 2009*. See also <<http://www.cdc.gov/nchs/hus.htm>>.