

**Table 1339. Life Expectancy at Birth and at Age 65 by Sex—Selected Countries: 1990 and 2007**

Country	Life expectancy at birth (years)				Life expectancy at age 65 (years)			
	Females		Males		Females		Males	
	1990	2007	1990	2007	1990	2007	1990	2007
<b>United States</b> <sup>1</sup>	<b>78.8</b>	<b>80.4</b>	<b>71.8</b>	<b>75.4</b>	<b>18.9</b>	<b>19.9</b>	<b>15.1</b>	<b>17.2</b>
Australia	80.1	83.7	73.9	79.0	19.0	21.6	15.2	18.5
Austria	78.8	82.9	72.2	77.3	17.8	20.8	14.3	17.4
Belgium	79.5	82.6	72.7	77.1	18.8	21.0	14.3	17.3
Canada	80.8	(NA)	74.4	(NA)	19.9	(NA)	15.7	(NA)
Czech Republic	75.5	80.2	67.6	73.8	15.3	18.5	11.7	15.1
Denmark	77.8	80.6	72.0	76.2	17.9	19.2	14.0	16.5
Finland	79.0	83.1	71.0	76.0	17.8	21.3	13.8	17.0
France	80.9	84.4	72.8	77.5	19.8	(NA)	15.5	(NA)
Germany	78.5	82.7	72.0	77.4	17.7	20.7	14.0	17.4
Greece	79.5	82.0	74.6	77.0	18.0	19.6	15.7	17.4
Hungary	73.7	77.3	65.1	69.2	15.3	17.3	12.0	13.4
Iceland	80.5	82.9	75.4	79.4	19.5	20.6	16.2	18.3
Ireland	77.7	82.1	72.1	77.4	17.0	20.1	13.3	17.1
Italy	80.4	(NA)	73.9	(NA)	18.9	(NA)	15.1	(NA)
Japan	81.9	86.0	75.9	79.2	20.0	23.6	16.2	18.6
Korea, South	75.5	82.7	67.3	76.1	16.3	20.5	12.4	16.3
Mexico	74.1	77.4	68.3	72.6	18.0	18.2	16.2	16.8
Netherlands	80.1	82.3	73.8	78.0	18.9	20.5	14.4	17.0
New Zealand	78.4	82.2	72.5	78.2	18.3	20.7	14.6	18.1
Norway	79.9	82.9	73.4	78.3	18.7	20.8	14.6	17.5
Poland	75.2	79.7	66.2	71.0	16.1	18.9	12.4	14.6
Portugal	77.5	82.2	70.6	75.9	17.1	20.2	14.0	16.8
Slovakia	75.4	78.1	66.6	70.5	15.7	17.1	12.2	13.4
Spain	80.6	84.3	73.4	77.8	19.3	22.0	15.5	17.8
Sweden	80.4	83.0	74.8	78.9	19.0	20.7	15.3	17.8
Switzerland	80.9	84.4	74.0	79.5	19.7	22.2	15.3	18.6
Turkey	68.3	75.6	63.8	71.1	13.9	15.8	12.4	13.9
United Kingdom	78.5	(NA)	72.9	(NA)	17.9	(NA)	14.0	(NA)

NA Not available.

<sup>1</sup> Source of 2007 life expectancy data: U.S. National Center for Health Statistics, National Vital Statistics Reports, *Deaths: Final Data for 2007*, Vol. 58, No. 19, May 2010, and unpublished data.

Source: Except as noted, Organization for Economic Cooperation and Development (OECD), 2010, "OECD Health Data," OECD Health Statistics database (copyright), <<http://dx.doi.org/10.1787/data-00350-en>>, accessed May 2010.

**Table 1340. People Infected With HIV and AIDS-Related Deaths by Region: 2001 and 2008**

[In thousands (29,000 represents 29,000,000), except percent. Estimates are based on ranges, called 'plausibility bounds,' which reflect the certainty associated with each estimate and define the boundaries within which the actual numbers lie]

Region	Adults and children living with HIV		Adults and children newly infected with HIV		Adult (15–49 yrs.) prevalence (percent)		Adult and child deaths due to AIDS	
	2001	2008	2001	2008	2001	2008	2001	2008
	<b>Total</b>	<b>29,000</b>	<b>33,400</b>	<b>3,200</b>	<b>2,700</b>	<b>0.8</b>	<b>0.8</b>	<b>1,900</b>
Sub-Saharan Africa	19,700	22,400	2,300	1,900	5.8	5.2	1,400	1,400
North Africa and Middle East	200	310	30	35	0.2	0.2	11	20
South and South-East Asia	4,000	3,800	310	280	0.3	0.3	260	270
East Asia	560	850	99	75	(Z)	(Z)	22	59
Oceania	36	59	6	4	0.2	0.3	(Z)	2
Latin America	1,600	2,000	150	170	0.5	0.6	66	77
Caribbean	220	240	21	20	1.1	1.0	20	12
Eastern Europe and Central Asia	900	1,500	280	110	0.5	0.7	26	87
Western and Central Europe	660	850	40	30	0.2	0.3	8	13
North America	1,200	1,400	52	55	0.6	0.6	19	25

Z Less than 0.1 percent or 1,000 deaths.

Source: Joint United Nations Programme on HIV/AIDS (UNAIDS) and World Health Organization (WHO), *AIDS Epidemic Update: December 2009* (copyright). See also <<http://www.unaids.org/en/KnowledgeCentre/HIVData/EpiUpdate/EpiUpdArchive/2009/default.asp>>.

**Table 1341. Percentage of the Adult Population Considered to Be Obese: 2007**

[Obesity rates are defined as the percentage of the population with a Body Mass Index (BMI) over 30 kg/m<sup>2</sup>. The BMI is a single number that evaluates an individual's weight status in relation to height (weight/height<sup>2</sup>, with weight in kilograms and height in meters). For Australia, the United Kingdom, and the United States, figures are based on health examinations, rather than self-reported information. Obesity estimates derived from health examinations are generally higher and more reliable than those coming from self-reports because they preclude any misreporting of people's height and weight. However, health examinations are only conducted regularly in a few countries. For more information on methods by country, see <<http://www.irdes.fr/EspaceAnglais/home.html>>]

Country	2007	Country	2007	Country	2007
<b>United States</b>	<sup>1</sup> <b>34.3</b>	France	<sup>1</sup> 10.5	Luxembourg	20.0
Australia	<sup>2</sup> 21.7	Germany	<sup>4</sup> 13.6	Mexico	<sup>1</sup> 30.0
Austria	<sup>1</sup> 12.4	Greece	<sup>1</sup> 16.4	New Zealand	26.5
Belgium	<sup>3</sup> 12.7	Hungary	<sup>5</sup> 18.8	Norway	<sup>4</sup> 9.0
Canada	15.4	Ireland	15.0	Spain	<sup>1</sup> 14.9
Czech Republic	<sup>4</sup> 17.0	Italy	9.9	Sweden	10.2
Denmark	<sup>4</sup> 11.4	Japan	<sup>1</sup> 3.4	Switzerland	8.1
Finland	14.9	Korea, South	<sup>4</sup> 3.5	United Kingdom	24.0

<sup>1</sup> 2006 data. <sup>2</sup> 1999 data. <sup>3</sup> 2004 data. <sup>4</sup> 2005 data. <sup>5</sup> 2003 data.

Source: Except as noted, Organization for Economic Cooperation and Development (OECD), 2010, "OECD Health Data," OECD Health Statistics database (copyright), accessed May 2010. See also <<http://www.oecd.org>>.