

**Table 202. Drug Use by Type of Drug and Age Group: 2002 and 2007**

[In percent. Data comes from the National Survey on Drug Use and Health (NSDUH). Current users are those who used drugs at least once within month prior to this study. Based on a representative sample of the U.S. population age 12 and older, including persons living in households and in some group quarters such as dormitories and homeless shelters. Estimates are based on computer-assisted interviews of about 68,000 respondents. Subject to sampling variability; see source]

Age and type of drug	Ever used		Current user		Age and type of drug	Ever used		Current user	
	2002	2007	2002	2007		2002	2007	2002	2007
<b>12 YEARS OLD AND OVER</b>					<b>18 TO 25 YEARS OLD</b>				
Any illicit drug <sup>1</sup>	46.0	46.1	8.3	8.0	Any illicit drug <sup>1</sup>	59.8	57.4	20.2	19.7
Marijuana and hashish	40.4	40.6	6.2	5.8	Marijuana and hashish	53.8	50.8	17.3	16.4
Cocaine	14.4	14.5	0.9	0.8	Cocaine	15.4	15.0	2.0	1.7
Crack	3.6	3.5	0.2	0.2	Hallucinogens	24.2	19.2	1.9	1.5
Heroin	1.6	1.5	0.1	0.1	Inhalants	15.7	11.3	0.5	0.4
Hallucinogens	14.6	13.8	0.5	0.4	Any psychotherapeutic <sup>2, 3</sup>	28.3	29.9	5.5	6.0
LSD	10.4	9.1	0.0	0.1	Alcohol	86.7	85.2	60.5	61.2
Ecstasy	4.3	5.0	0.3	0.2	"Binge" alcohol use <sup>4</sup>	(NA)	(NA)	40.9	41.8
Inhalants	9.7	9.1	0.3	0.2	Cigarettes	71.2	64.7	40.8	36.2
Any psychotherapeutic <sup>2, 3</sup>	20.4	20.3	2.7	2.8	Smokeless tobacco	23.7	20.1	4.8	5.3
Pain relievers	12.6	13.3	1.9	2.1	Cigars	45.6	42.3	11.0	11.8
Tranquilizers	8.2	8.2	0.8	0.7	<b>26 TO 34 YEARS OLD</b>				
Stimulants <sup>3</sup>	10.0	8.7	0.6	0.4	Any illicit drug <sup>1</sup>	58.3	56.6	10.5	10.9
Methamphetamine <sup>3</sup>	6.5	5.3	0.3	0.2	Marijuana and hashish	52.2	50.3	7.7	7.9
Sedatives	4.2	3.4	0.2	0.1	Cocaine	17.6	16.6	1.2	1.4
Alcohol	83.1	82.3	51.0	51.1	Hallucinogens	20.6	22.0	0.5	0.7
"Binge" alcohol use <sup>4</sup>	(NA)	(NA)	22.9	23.3	Inhalants	14.1	14.0	0.1	0.2
Cigarettes	69.1	65.3	26.0	24.2	Any psychotherapeutic <sup>2, 3</sup>	25.7	27.2	3.7	3.5
Smokeless tobacco	19.9	18.2	3.3	3.2	<b>35 YEARS OLD AND OVER</b>				
Cigars	37.4	35.7	5.4	5.4	Any illicit drug <sup>1</sup>	42.7	44.6	4.6	4.6
Pipe tobacco	17.0	14.3	0.8	0.8	Marijuana and hashish	38.0	40.2	3.1	3.0
<b>12 TO 17 YEARS OLD</b>					Cocaine	15.4	15.9	0.6	0.6
Any illicit drug <sup>1</sup>	30.9	26.2	11.6	9.5	Hallucinogens	12.6	12.5	0.1	0.1
Marijuana and hashish	20.6	16.2	8.2	6.7	Inhalants	7.2	7.4	0.1	0.1
Cocaine	2.7	2.1	0.6	0.4	Any psychotherapeutic <sup>2, 3</sup>	18.5	18.2	1.6	1.9
Hallucinogens	5.7	3.5	1.0	0.7	<b>26 YEARS OLD AND OVER</b>				
Inhalants	10.5	9.6	1.2	1.2	Alcohol	88.0	87.5	53.9	54.1
Any psychotherapeutic <sup>2, 3</sup>	13.7	11.7	4.0	3.3	"Binge" alcohol use <sup>4</sup>	(NA)	(NA)	21.4	21.9
Alcohol	43.4	39.4	17.6	15.9	Cigarettes	73.7	70.9	25.2	24.1
"Binge" alcohol use <sup>4</sup>	(NA)	(NA)	10.7	9.7	Smokeless tobacco	20.9	19.3	3.2	3.0
Cigarettes	33.3	23.7	13.0	9.8	Cigars	39.0	37.5	4.6	4.4
Smokeless tobacco	8.0	7.7	2.0	2.4					
Cigars	16.3	13.0	4.5	4.2					

NA Not available. <sup>1</sup> Illicit drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. <sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs. <sup>3</sup> Includes data from new methamphetamine items added in 2006 and 2007. Previous estimates have been adjusted to be comparable with new data and differ from those in reports prior to the 2007 data year. <sup>4</sup> Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: U.S. Substance Abuse and Mental Health Services Administration, National Survey on Drug Use and Health, 2002 and 2007; <<http://oas.samhsa.gov/nhsda.htm>>.