

**Bird Impact Data from DOI-ERDC Database Download 16 Nov. 2010**

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

*All data should be considered provisional, incomplete, and subject to change.*

	<b>Grand Total</b>	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
<b>All Species</b>	<b>7835</b>	<b>3075</b>	<b>939</b>	<b>4014</b>	<b>1897</b>	<b>991</b>	<b>2888</b>	<b>931</b>	<b>2</b>	<b>933</b>
American Coot	5				2	2	4	1		1
American Oystercatcher	17	3	3	6	7	3	10	1		1
American Redstart	1	1		1						
American White Pelican	17	2	6	8	2		2	7		7
Audubon's Shearwater	4	2	1	3	1		1			
Barn Owl	1	1		1						
Barn Swallow	1				1		1			
Belted King Fisher	2	1	1	2						
Black Crowned Night Heron	21	7	4	11	6	3	9	1		1
Black Oystercatcher	1	1		1						
Black Skimmer	263	141	13	154	51	17	68	41		41
Black Tern	12	7	3	10	1		1	1		1
Black-Bellied Whistling-Duck	2		2	2						
Black-necked Stilt	3	3		3						
Blue-winged Teal	3	3		3						
Boat-tailed Grackle	2	1	1	2						
Brown Pelican	903	225	143	368	135	206	341	194		194
Canada Goose	4	1	2	3		1	1			
Caspian Tern	19	5	4	9	7	1	8	2		2
Cattle Egret	30	20	3	23	1	1	2	5		5
Clapper Rail	126	61	12	73	27	5	32	21		21
Common Loon	106	22	21	43	33	26	59	4		4
Common Moorhen	4	3		3	1		1			
Common Nighthawk	1		1	1						
Common Tern	30	8	1	9	13	7	20	1		1
Common Yellowthroat	2	2		2						
Cory's Shearwater	1		1	1						
Double-crested Cormorant	23	12	6	18	2	1	3	2		2
Eastern Kingbird	2	1		1	1		1			
Eastern Meadowlark	1	1		1						
Eurasian Collared-Dove	1	1		1						
European Starling	1	1		1						
Forster's Tern	51	13	9	22	15	8	23	6		6
Glossy Ibis	2	1		1				1		1
Great Blue Heron	47	22	13	35	6	2	8	4		4
Great Egret	33	10	3	13	6	6	12	8		8

**Bird Impact Data from DOI-ERDC Database Download 16 Nov. 2010**

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

*All data should be considered provisional, incomplete, and subject to change.*

	<b>Grand Total</b>	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
Great Horned Owl	1	1		1						
Greater Shearwater	28	12	4	16	7	4	11	1		1
Green Heron	17	9	5	14	2		2	1		1
Gull-billed Tern	8	2	4	6				2		2
Herring Gull	42	9	13	22	8	8	16	4		4
Horned Grebe	1					1	1			
House Sparrow	1	1		1						
Killdeer	3	3		3						
King Rail	1		1	1						
Laughing Gull	3198	1314	360	1674	848	334	1182	341	1	342
Least Bittern	5	4	1	5						
Least Tern	110	40	6	46	45	6	51	13		13
Lesser Black-backed Gull	5		1	1	1	1	2	2		2
Lesser Scaup	1							1		1
Little Blue Heron	6	4	1	5				1		1
Long-Billed Dowitcher	1		1	1						
Magnificent Frigatebird	9	1	1	2	3	2	5	2		2
Mallard	31	15	7	22	5	4	9			
Manx Shearwater	1				1		1			
Masked Booby	12	1	4	5	4	3	7			
Mottled Duck	6	5		5				1		1
Mourning Dove	17	8	6	14	2	1	3			
Neotropic Cormorant	3	1		1				2		2
Northern Cardinal	3	3		3						
Northern Gannet	627	89	101	190	217	187	404	32	1	33
Northern Mockingbird	4	3	1	4						
Osprey	11	5	3	8	2	1	3			
Other	153	65	33	98	35	12	47	8		8
Pied-bill Grebe	46	5	3	8	14	23	37	1		1
Piping Plover	1	1		1						
Purple Gallinule	1	1		1						
Purple Martin	5	3	1	4	1		1			
Red-breasted Merganser	4	1	1	2	1	1	2			
Reddish Egret	3	1	1	2	1		1			
Red-tailed Hawk	1	1		1						
Red-winged Blackbird	1	1		1						
Ring-billed Gull	2	1		1		1	1			

**Bird Impact Data from DOI-ERDC Database Download 16 Nov. 2010**

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

*All data should be considered provisional, incomplete, and subject to change.*

	<b>Grand Total</b>	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
Rock Pigeon	19	4	9	13	2	2	4	2		2
Roseate Spoonbill	18	3	2	5	7	1	8	5		5
Royal Tern	342	94	49	143	115	61	176	23		23
Ruddy Duck	1			0	1		1			
Ruddy Turnstone	18	8	5	13	1	3	4	1		1
Sanderling	32	17	6	23	4	2	6	3		3
Sandwich Tern	88	23	13	36	25	18	43	9		9
Seaside Sparrow	6	2		2	4		4			
Semipalmated Sandpiper	2				1		1	1		1
Short-billed Dowitcher	1	1		1						
Snowy Egret	31	8	4	12	10	7	17	2		2
Sooty Tern	4	2	1	3		1	1			
Sora	6	1		1	2	1	3	2		2
Spotted Sandpiper	1	1		1						
Surf Scoter	2				1	1	2			
Tricolored Heron	33	7	3	10	8	4	12	11		11
Unidentified Blackbird	1		1	1						
Unidentified Cormorant	14	10		10	3		3	1		1
Unidentified Dowitcher	5	1	2	3	2		2			
Unidentified Duck	4	2	1	3				1		1
Unidentified Egret	11	7		7	2		2	2		2
Unidentified Flycatcher	1				1		1			
Unidentified Grackle	1				1		1			
Unidentified Grebe	6	2		2	4		4			
Unidentified Gull	254	132	7	139	79	3	82	33		33
Unidentified Hawk	1	1		1						
Unidentified Heron	13	6		6	5		5	2		2
Unidentified Loon	9	4	1	5	2	2	4			
Unidentified Mockingbird	2	1	1	2						
Unidentified Owl	1	1		1						
Unidentified Pelican	26	15	1	16	5	1	6	4		4
Unidentified Pigeon	14	6	5	11	2		2	1		1
Unidentified Rail	4	3		3	1		1			
Unidentified Raptor	1	1		1						
Unidentified Sandpiper	4	2	2	4						
Unidentified Shearwater	4	3		3				1		1
Unidentified Shorebird	2				1		1	1		1

**Bird Impact Data from DOI-ERDC Database Download 16 Nov. 2010**

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

*All data should be considered provisional, incomplete, and subject to change.*

	<b>Grand Total</b>	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
Unidentified Skimmer	6	6		6						
Unidentified Sparrow	3	1		1			2			2
Unidentified Swallow	1	1		1						
Unidentified Tern	123	64	1	65	37	2	39	19		19
Unknown	564	421	3	424	51	2	53	87		87
Virginia Rail	4	3	1	4						
White Ibis	11	4	3	7	1	1	2	2		2
White-winged Dove	1	1		1						
Willet	15	7	3	10	2	1	3	2		2
Wilson's Plover	2	1		1				1		1
Wilson's Storm-petrel	1		1	1						
Yellow-billed Cuckoo	2				2		2			
Yellow-crowned Night-Heron	9	6	2	8				1		1