

Bird Impact Data from DOI-ERDC Database Download 14 Dec. 2010

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

All data should be considered provisional, incomplete, and subject to change.

<i>All Species</i>	<i>Grand Total</i>	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
	8065	3113	960	4073	2067	1058	3125	865	2	867
American Coot	5				2	2	4	1		1
American Oystercatcher	17	3	3	6	7	3	10	1		1
American Redstart	1	1		1						
American White Pelican	22	3	7	10	5	3	8	4		4
Audubon's Shearwater	6	2	2	4	1	1	2			
Barn Owl	1	1		1						
Barn Swallow	1				1		1			
Belted King Fisher	2	1	1	2						
Black Crowned Night Heron	22	7	5	12	6	3	9	1		1
Black Oystercatcher	1	1		1						
Black Skimmer	263	141	14	155	51	16	67	41		41
Black Tern	12	7	3	10	1		1	1		1
Black-Bellied Whistling-Duck	2		2	2						
Black-necked Stilt	3	3		3						
Blue-winged Teal	3	3		3						
Boat-tailed Grackle	2	1	1	2						
Brown Pelican	932	226	149	375	150	227	377	180		180
Brown-headed Cowbird	1		1	1						
Bufflehead	1					1	1			
Canada Goose	4	1	2	3		1	1			
Caspian Tern	20	5	4	9	7	2	9	2		2
Cattle Egret	36	21	4	25	4	4	8	3		3
Clapper Rail	128	63	12	75	27	5	32	21		21
Common Loon	106	22	20	42	33	27	60	4		4
Common Moorhen	4	3		3	1		1			
Common Nighthawk	1		1	1						
Common Tern	33	8	1	9	14	10	24			
Common Yellowthroat	2	2		2						
Cooper's Hawk	1		1	1						
Cory's Shearwater	1		1	1						
Double-crested Cormorant	25	13	7	20	2	1	3	2		2
Eastern Kingbird	2	1		1	1		1			
Eastern Meadowlark	1	1		1						
Eurasian Collared-Dove	1	1		1						
European Starling	2	1		1		1	1			
Forster's Tern	52	13	9	22	16	8	24	6		6
Fulvous Whistling-Duck	1		1	1						
Glossy Ibis	3	1		1	1	1	2			
Great Blue Heron	50	23	16	39	5	2	7	4		4
Great Egret	33	10	3	13	6	6	12	8		8
Great Horned Owl	1	1		1						
Greater Shearwater	28	12	4	16	7	4	11	1		1
Green Heron	18	9	6	15	2		2	1		1
Gull-billed Tern	8	2	4	6				2		2
Herring Gull	46	9	13	22	11	11	22	2		2
Horned Grebe	1					1	1			
House Sparrow	2	1	1	2						

Bird Impact Data from DOI-ERDC Database Download 14 Dec. 2010

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

All data should be considered provisional, incomplete, and subject to change.

	Grand Total	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
Killdeer	3	3		3						
King Rail	1		1	1						
Laughing Gull	3354	1341	368	1709	978	351	1329	315	1	316
Least Bittern	6	4	2	6						
Least Tern	111	40	6	46	46	7	53	12		12
Lesser Black-backed Gull	6	1	2	3	1	1	2	1		1
Lesser Scaup	1							1		1
Little Blue Heron	6	4	1	5				1		1
Long-Billed Dowitcher	1		1	1						
Magnificent Frigatebird	11	2	2	4	3	3	6	1		1
Mallard	31	15	7	22	5	4	9			
Manx Shearwater	1				1		1			
Masked Booby	12	1	4	5	4	3	7			
Mottled Duck	6	5		5				1		1
Mourning Dove	17	8	6	14	2	1	3			
Neotropic Cormorant	3	1		1				2		2
Northern Cardinal	3	3		3						
Northern Gannet	637	89	103	192	226	192	418	26	1	27
Northern Mockingbird	4	3	1	4						
Osprey	11	5	3	8	2	1	3			
Other	119	59	17	76	32	4	36	7		7
Pied-bill Grebe	47	5	3	8	14	24	38	1		1
Piping Plover	1	1		1						
Purple Gallinule	1	1		1						
Purple Martin	5	3	1	4	1		1			
Red-Breasted Merganser	4	1	1	2	1	1	2			
Reddish Egret	4	1	1	2	1	1	2			
Red-shouldered Hawk	1		1	1						
Red-tailed Hawk	1	1		1						
Red-winged Blackbird	1	1		1						
Ring-billed Gull	2	1		1		1	1			
Rock Pigeon	19	4	9	13	2	2	4	2		2
Roseate Spoonbill	18	3	1	4	7	2	9	5		5
Royal Tern	348	95	49	144	116	66	182	22		22
Ruddy Duck	1				1		1			
Ruddy Turnstone	18	8	5	13	1	3	4	1		1
Sanderling	32	17	6	23	4	2	6	3		3
Sandwich Tern	92	23	14	37	27	20	47	8		8
Seaside Sparrow	6	2		2	4		4			
Semipalmated Sandpiper	3			0	2	1	3			
Short-billed Dowitcher	1	1		1						
Snowy Egret	32	7	4	11	11	8	19	2		2
Sooty Shearwater	1		1	1						
Sooty Tern	4	2	1	3		1	1			
Sora	6	1		1	2	1	3	2		2
Spotted Sandpiper	1	1		1						
Surf Scoter	2				1	1	2			
Tricolored Heron	34	7	2	9	9	5	14	11		11

Bird Impact Data from DOI-ERDC Database Download 14 Dec. 2010

These verified data are a proportion of the total unverified data in the daily reports.

The Service is working as quickly as possible to review all of data in order to match up the verified numbers with the unverified numbers reported daily. However, there will continue to be a gap in the two sets of data as the quality assurance/quality control process is completed, which takes one to two weeks for each bird.

Based on our experience with oil spills and the behavior of migratory birds, we expect that the number of oiled birds collected may represent only a portion of the total birds affected by the spill. We are addressing these and other injury-related issues through our ongoing NRDA studies.

Approximately 10% of the grand total represents live birds that later died, so those individuals are counted twice. We are linking those records and will report a revised grand total when the QA/QC process for those links is completed.

All data should be considered provisional, incomplete, and subject to change.

	Grand Total	Not Visibly Oiled			Visibly Oiled			Unknown Oiling		
		Dead	Live	Total	Dead	Live	Total	Dead	Live	Total
Unidentified Blackbird	1		1	1						
Unidentified Cormorant	14	10		10	3		3	1		1
Unidentified Dowitcher	5	1	2	3	2		2			
Unidentified Duck	4	2	1	3				1		1
Unidentified Egret	12	7	1	8	2		2	2		2
Unidentified Flycatcher	1				1		1			
Unidentified Grackle	1				1		1			
Unidentified Grebe	6	2		2	4		4			
Unidentified Gull	253	131	7	138	79	3	82	33		33
Unidentified Hawk	1	1		1						
Unidentified Heron	14	6	1	7	5		5	2		2
Unidentified Loon	9	4	1	5	2	2	4			
Unidentified Mockingbird	2	1	1	2						
Unidentified Owl	1	1		1						
Unidentified Passerine	1	1		1						
Unidentified Pelican	26	15	1	16	5	1	6	4		4
Unidentified Pigeon	17	6	7	13	2	1	3	1		1
Unidentified Rail	4	3		3	1		1			
Unidentified Raptor	1	1		1						
Unidentified Sandpiper	4	2	2	4						
Unidentified Shearwater	4	3		3				1		1
Unidentified Shorebird	3				2		2	1		1
Unidentified Skimmer	6	6		6						
Unidentified Sparrow	3	1		1				2		2
Unidentified Swallow	1	1		1						
Unidentified Tern	129	72	1	73	37	1	38	18		18
Unknown	561	420	3	423	51	2	53	85		85
Virginia Rail	4	3	1	4						
White Ibis	11	4	3	7	1	1	2	2		2
White-winged Dove	2	1	1	2						
Willet	15	7	3	10	2	1	3	2		2
Wilson's Plover	2	1		1				1		1
Yellow-billed Cuckoo	2				2		2			
Yellow-crowned Night-Heron	9	7	2	9						