

UNITED STATES SENTENCING COMMISSION

**VARIABLE CODEBOOK FOR
INDIVIDUAL OFFENDERS**



**STANDARDIZED RESEARCH DATA FILES FOR
FISCAL YEARS 1999 - 2011**

INTRODUCTION

The United States Sentencing Commission collects demographic, sentencing, and guideline application information on cases which are sentenced under the guidelines in the federal court system. Understanding the federal sentencing guidelines is crucial to properly using the Commission's data. To learn more about the Commission and the federal sentencing guidelines, please visit the Commission's website, www.ussc.gov, and read through the Guideline's Manuals, Annual Reports, and Sourcebooks as well as various on-line training materials and reports. *Using multiple years worth of guideline manuals is necessary for most guideline analysis due to yearly amendments in the guidelines.*

This codebook contains information on variables which come directly from the Office of Monitoring's individual offender's database, as well as variables created specifically for research purposes. Since the Commission switched data entry systems from FoxPro to Oracle in fiscal year 1999, several significant variable and coding changes were instituted. Therefore, this codebook covers only the fiscal years since the 1999 datafile. See our older standardized research codebook for fiscal years 1991 - 1998. Datasets prior to 1991 do not contain many important guideline application variables, therefore, these datasets are not covered by either the old or the new codebook.

The first column in the codebook, NAME, lists the SAS name of the each variable in alphabetical order. Under the monitoring variable names, the corresponding research variable name (if one exists) will be listed as: R=Research variable name.

The second column, ORIGIN, lists the source of the variable. Variables are either taken from a specific documents submitted by the courts, or produced by SAS code. This column also includes information on the source document of the raw data. The following list defines the codes for variable origins.

- JC means the information for the variable is obtained solely from the Judgment and Conviction Order.
- PSR states the information for this variable comes only from the Pre-sentencing Report generated by the probation officer.
- JC/PSR indicates the information may be found either on the Judgment and Conviction Order or in the Presentencing Report, with the Judgment and Conviction Order given preference if the information conflicts.
- SOR indicates that the information for the variable is taken only from the Statement of Reasons.
- PSR/SOR means the information for this variable comes from the PSR, but the SOR information is used if it is present and/or conflicts with the PSR.
- PLEA indicates the information comes primarily from the plea agreement.
- IND indicates the information is taken mainly from the indictment/information.
- R indicates the information is generated from other coded variables via SAS code. These are referred to as the "research variables".

The third column, FORM, describes whether the variable is coded as numeric (NUM) or character (CHAR). This column also lists the length of each variable.

The fourth column, CODES, lists all the values for each variable and describes what those values mean. Some of the variables have a large number of values, so these values are listed in the coding attachment at the end of the codebook.

The final column, DESCRIPTION, describes the uses and creation of each variable. This column also contains notes which caution users about variables which have changed definitions from previous years, or are not contained on all years of the data sets. Format statements are also included in bold at the end of each description. These formats will allow users to access the format statements in SAS from the Sun station. The user will type "FORMAT VARIABLENAME BOLDNAME.;" to use these format statements (Note the need for a \$ sign when formatting character variables). Since format statements cannot end in a number, all variables which end in a number "1" will have format statements that end with an "O". Variables which end with a "2" will have format statements ending in "T."

Other sections have been included after the codebook to elaborate on variable information. A code attachment which provides values of lengthy variables follows the codebook. After the code attachment, the code for creating each research variable from the monitoring variables is included. A special section containing helpful SAS fragments has also been added. Additionally, an index has been created to facilitate finding any and all references to a particular variable. Both variables names (ex. MONSEX) and subject headings (ex. GENDER) have been included.

NEW TO THE 2011 CODEBOOK:

- ISMETHMIN
- METHMIN
- ONLY924C
- ONLY1028A
- TIMSERVC

EXPLANATION OF THE NEW GUIDELINE CODING SYSTEM (AVAILABLE STARTING IN FY04):

In order to have access to more guideline cross reference information, the types and quantity of guideline-related data has somewhat changed starting in FY04. The USSC Monitoring Department codes guideline application information about four types of guidelines: Statutory, Reference, Sentencing, and Underlying.

The first guideline coded is known as the statutory guideline (GDSTAT1-GDSTATX¹, GDSTATHI). This guideline is based on the statute(s) of conviction. GDSTAT is the first guideline checked for applicability by the probation officer from the statutory reference list in the back of the *USSG Manual*. All aspects of the statutory guideline are coded (i.e. base offense level and adjustments).

The next guideline is the 1st reference guideline (GDREF1-GDREFX², GDREFHI), coded when applicable. This guideline is only used when the statutory guideline (GDSTAT) refers the probation officer to another guideline (ex. If the statute of conviction is 21:843(b), then the probation officer would go in the USSG Manual to 2D1.6 (the GDSTAT1 guideline). This guideline then refers the probation officer to 2D1.1 (the GDREF1 guideline) in order to find the correct base offense level. All aspects of the reference guideline are captured (i.e. base offense level and adjustments).

There is also an option to code a 2nd reference guideline (GDCROS1-GDCROX, GDCROSHI). A second cross reference occurs when the probation officer (PO) starts out at one guideline and gets cross-referenced to another guideline which then cross-references to a third guideline. All aspects of the cross reference guideline are coded (i.e. base offense level and adjustments).

The guideline which best explains the sentence (i.e. the last guideline which increases or decreases levels) is known as the sentencing guideline (GDLIN1-GDLINEX³, GDLINEHI). The GDLINE will be the same as the GDSTAT if no reference guideline (GDREF) is used (i.e. the probation officer begins and ends at the same guideline, and does not pick up a base offense level or any adjustments from any other guideline). All aspects of the sentencing guideline are coded (i.e. base offense level and adjustments).

Most cases do not contain any cross-references so the GDSTATHI and the GDLINEHI will be the same and the GDREFHI and the GDCROSHI will both be blank. Note that cases can have multiple guideline computations (these will not necessarily match up with the number of counts of conviction - see USSG Manual for grouping rules). The first computation is denoted with a "1" at the end of the guideline fields (i.e. GDSTAT1, GDREF1, GDCROS1, and GDLIN1). The case on the fiscal year datafile with the highest number of guideline computations determines the "top" number for the cases in that year (e.g. If in FY04 there was a case with 27 computations then all cases on the datafile would have GDSTAT1-GDSTAT27, GDREF1-GDREF27, GDCROS1-GDCROS27, and GDLIN1-GDLIN27). The "high" guideline is determined by the computation with the highest adjusted offense level (ADJOFL1-X).

¹ Prior to 1999, only five statutory guideline computations were coded.

² Prior to 1999, only five reference guideline computations were coded.

³ Prior to 1999, only five sentencing guideline computations were coded.

EXAMPLES OF THE GUIDELINE CODING SYSTEM:

1. If the defendant was convicted of one count of selling drugs near a school, then the GDSTATHI would be §2D1.2, the GDREFHI would be §2D1.1, and the GDLINEHI would be §2D1.2. The GDCROS guideline would be blank since there was not a third cross-reference.
2. If a defendant was convicted of one count of selling drugs near a protected location while on supervised release, then the PO starts at §2J1.7 (Commission of an offense while on release) which says to go to the underlying offense. §2J1.7 is the GDSTATHI. The underlying offense (GDREFHI) is §2D1.2 (Drug Offenses near a protected location) which cross-references (GDCROSHI) the PO to §2D1.1 (Drug Trafficking) to get the offense level based on the drug quantity table. Since the PO must go back to §2J1.7 to add the 3 points from this guideline after applying both §2D1.1 and §2D1.2, then the final sentencing guideline (GDLINEHI) is §2J1.7.

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------------------------|---------|----------|---|--|
| ABUS1-ABUSX, ABUSHI | | | 0 = Adjustment Not Applied 1 = Increase (Not in USSG Manual) 2 = Abuse Applied 3 = Increase (Not in USSG Manual) • = Missing, Indeterminable, or Inapplicable | Abuse of Trust (§3B1.3) Adjustment which corresponds with GDLIN1-GDLINEX. This field indicates the number of levels added due to the defendant's abuse of a position of trust or use of a special skill. ABUSHI is generated from the highest sentencing guideline computation and corresponds with GDLIN1. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: ABUSE. |
| ABUSS1-ABUSSX, ABUSSHI | | | 0 = Adjustment Not Applied 1 = Increase (Not in USSG Manual) 2 = Abuse Applied 3 = Increase (Not in USSG Manual) • = Missing, Indeterminable, or Inapplicable | Abuse of Trust (§3B1.3) Adjustment which corresponds with GDSTAT1-GDSTATX. This field indicates the number of levels added due to the defendant's abuse of a position of trust or use of a special skill. ABUSSHI is generated from the highest statutory guideline computation and corresponds with GDSTAT1. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: ABUSE. |
| ABUSR1-ABUSRX, ABUSRHI | | | 0 = Adjustment Not Applied 1 = Increase (Not in USSG Manual) 2 = Abuse Applied 3 = Increase (Not in USSG Manual) • = Missing, Indeterminable, or Inapplicable | Abuse of Trust (§3B1.3) Adjustment which corresponds with GDREF1-GDREFX. This field indicates the number of levels added due to the defendant's abuse of a position of trust or use of a special skill. ABUSRHI is generated from the highest reference computation and corresponds with GDREF1. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: ABUSE. |
| ABUSC1-ABUSCX, ABUSCHI | PSR/SOR | NUM 3 | 0 = Adjustment Not Applied 1 = Increase (Not in USSG Manual) 2 = Abuse Applied 3 = Increase (Not in USSG Manual) • = Missing, Indeterminable, or Inapplicable | Abuse of Trust (§3B1.3) Adjustment which corresponds with GDCRO1-GDCROX. This field indicates the number of levels added due to the defendant's abuse of a position of trust or use of a special skill. ABUSCHI is generated from the highest cross-reference computation and corresponds with GDCRO1. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: ABUSE. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------|---------|----------|--|--|
| ACCAP | R | NUM 3 | 0 = Not Applied 1 = Applied • = Missing, Indeterminable, or Inapplicable | Indicator of whether Armed Career Criminal status was applied under §4B1.4. <i>This variable applies only to cases whose AMENDYR is after 1989.</i> FORMAT: ACCAP. |
| ACCCAT | PSR/SOR | NUM 3 | 1-3 = Category I-III (Not Valid) 4 = Category IV 5 = Category V 6 = Category VI • = Missing, Indeterminable, or Inapplicable | Adjusted criminal history category in the event that any of the following were applied: §4B1.4, Armed Career Criminal, §4B1.1, Career Offender, International Terrorism, or Repeat and Dangerous Sex Offender (Part A). See ACCOFFLV, CAROFFLV, TERORHI, and SEXOFFNA to see which of these adjustments accounts for the adjusted criminal history category. <i>This variable applies only to cases whose AMENDYR is after 1989.</i> FORMAT: ACCCAT. |
| ACCGDLN | SOR | NUM 3 | 0 = Court DOES NOT Accept 1 = Court DOES Accept 2 = Accepts with Changes 8 = No PSR Ordered/Missing • = Missing, or Indeterminable | Explicit statement by the Court on the Statement of Reasons (SOR) regarding acceptance of the findings and guideline factors. FORMAT: ACCGDLN. |
| ACCOFFLV | PSR/SOR | NUM 3 | 4 thru 90 = Adjusted offense level • = Missing, Indeterminable, or Inapplicable | Adjusted offense level, totaling all computations, if the offense level was changed due to the application of Armed Career Criminal status under §4B1.4 (ACCAP=1). <i>Does not incorporate any adjustment applied for acceptance of responsibility.</i> NO SAS FORMAT. |
| ACCTRESP | PSR/SOR | NUM 3 | -4 = Applied (Not in USSG Manual) -3 = Adjustment Applied -2 = Adjustment Applied -1 = Applied (Not in USSG Manual) 0 = Adjustment Not Applied • = Missing, Indeterminable, or Inapplicable | Final Acceptance of Responsibility value (takes higher values from Career Offender, etc. calcs into account), §3E1.1: The number of levels to be subtracted from combined adjusted offense level due to defendant's acceptance of responsibility. <i>The value of (-3) for this variable only applies if AMENDYR is 1992 or later.</i> FORMAT: ACCTRESP. |
| ACPTCOMM | SOR | NUM 3 | 1 = Does Not Accept With Comments 2 = Accepts With Comments • = Missing, Indeterminable, or Inapplicable | Checkbox Indicator of Whether Court Accepts PSR With Comments taken from the SOR AO245B Form. FORMAT: ACPTCOMM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|--------|----------|--|--|
| ADJ_B1-ADJ_BX thru ADJ_R1-ADJ_RX and ADJ_BHI thru ADJ_RHI | PSR | NUM 3 | Range: -20 thru 90 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable | <p>Series of Specific Offense Characteristics (SOCs) which corresponds to GDLINEX. These SOCs will add or subtract levels from the corresponding base offense level (BOL). There are up to seventeen SOC's (B thru R) applied under each Chapter Two guideline. The letter B represents the 1st SOC under the guideline, the letter C represents the second SOC, etc. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADJ_BHI thru ADJ_RHI are generated from the highest sentencing guideline computation and corresponds with GDLINEX.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. <u>SOC information is not useful unless used in conjunction with the specific corresponding guideline.</u></i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|--------|----------|--|--|
| ADJS_B1-ADJS_BX thru ADJS_R1-ADJS_RX and ADJS_BHI thru ADJS_RHI | PSR | NUM 3 | Range: -20 thru 90 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable | <p>Series of Specific Offense Characteristics (SOCs) which corresponds to GDSTAT1-GDSTATX. These SOCs will add or subtract levels from the corresponding base offense level (BOL). There are up to seventeen SOC's (B thru R) applied under each Chapter Two guideline. The letter B represents the 1st SOC under the guideline, the letter C represents the second SOC, etc. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADJS_BHI thru ADJS_RHI are generated from the highest statutory guideline computation and corresponds with GDSTATHI.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. <u>SOC information is not useful unless used in conjunction with the specific corresponding guideline.</u></i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|--|--|
| <p>ADJR_B1-ADJR_BX thru ADJR_R1-ADJR_RX and ADJR_BHI thru ADJR_RHI</p> | PSR | NUM 3 | <p>Range: -20 thru 90 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable</p> | <p>Series of Specific Offense Characteristics (SOCs) which corresponds to GDREF1-GDREFX. These SOCs will add or subtract levels from the corresponding base offense level (BOL). There are up to seventeen SOC's (B thru R) applied under each Chapter Two guideline. The letter B represents the 1st SOC under the guideline, the letter C represents the second SOC, etc. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADJR_BHI thru ADJR_RHI are generated from the highest reference guideline computation and corresponds with GDREFHI. <i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. <u>SOC information is not useful unless used in conjunction with the specific corresponding guideline.</u> NO SAS FORMAT.</i></p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|--|--|
| <p>ADJC_B1-ADJC_BX thru ADJC_R1-ADJC_RX and ADJC_BHI thru ADJC_RHI</p> | PSR | NUM 3 | <p>Range: -20 thru 90 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable</p> | <p>Series of Specific Offense Characteristics (SOCs) which corresponds to GDCROS1-GDCROX. These SOC's will add or subtract levels from the corresponding base offense level (BOL). There are up to seventeen SOC's (B thru R) applied under each Chapter Two guideline. The letter B represents the 1st SOC under the guideline, the letter C represents the second SOC, etc. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADJC_BHI thru ADJC_RHI are generated from the highest cross-reference guideline computation and corresponds with GDCROSHI.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. <u>SOC information is not useful unless used in conjunction with the specific corresponding guideline.</u></i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|-----------|---|--|
| ADCL_B1-ADCL_BX thru ADCL_R1-ADCL_RX and ADCL_BHI-ADCL_RHI | PSR | CHAR 3 | Range: A-F, A1-F7, A1A-F7F • = Missing, Indeterminable, or Inapplicable | <p>Series of labels for each SOC which corresponds to GDCROS1-GDCROX. This field identifies which subsection was applied within the corresponding SOC (see ADJC_B1-ADJC_BX etc for more information about SOCs) if applicable (some SOCs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADCL_BHI thru ADCL_RHI are generated from the highest cross-reference guideline computation and corresponds with GDCROSHI.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. <u>SOC information is not useful unless used in conjunction with the specific corresponding guideline.</u> Field not available prior to FY05.</i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|--------|-----------|--|--|
| <p>ADJL_B1-ADJL_BX thru ADJL_R1-ADJL_RX and ADJL_BHI-ADJL_RHI</p> | PSR | CHAR 3 | <p>Range: A-F, A1-F7, A1A-F7F</p> <ul style="list-style-type: none"> • = Missing, Indeterminable, or Inapplicable | <p>Series of labels for each SOC which corresponds to GDLINEX. This field identifies which subsection was applied within the corresponding SOC (see ADJ_B1-ADJ_BX etc for more information about SOCs) if applicable (some SOCs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADJL_BHI thru ADJL_RHI are generated from the highest sentencing guideline computation and corresponds with GDLINEHI.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline. Field not available prior to FY05.</i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|-----------|---|--|
| ADRL_B1-ADRL_BX thru ADRL_R1-ADRL_RX and ADRL_BHI-ADRL_RHI | PSR | CHAR 3 | Range: A-F, A1-F7, A1A-F7F • = Missing, Indeterminable, or Inapplicable | <p>Series of labels for each SOC which corresponds to GDREF1-GDREFX. This field identifies which subsection was applied within the corresponding SOC (see ADJR_B1-ADJR_BX etc for more information about SOCs) if applicable (some SOCs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADRL_BHI thru ADRL_RHI are generated from the highest reference guideline computation and corresponds with GDREFHI.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline. Field not available prior to FY05.</i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|-----------|--|---|
| <p>ADSL_B1-ADSL_BX thru ADSL_R1-ADSL_RX and ADSL_BHI-ADSL_RHI</p> | PSR | CHAR 3 | <p>Range: A-F, A1-F7, A1A-F7F</p> <ul style="list-style-type: none"> = Missing, Indeterminable, or Inapplicable | <p>Series of labels for each SOC which corresponds to GDSTAT1-GDSTATX. This field identifies which subsection was applied within the corresponding SOC (see ADJS_B1-ADJS_BX etc for more information about SOCs) if applicable (some SOCs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADSL_BHI thru ADSL_RHI are generated from the highest statutory guideline computation and corresponds with GDSTATHI.</p> <p><i>The values of variables change from year to year as well as the location of the SOC (i.e. it may be the 2nd SOC in 2005 and the 3rd SOC in 2006), so AMENDYR should be referenced for all data runs. Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline. Field not available prior to FY05.</i></p> <p>NO SAS FORMAT.</p> |
| <p>ADJOF1-ADJOFX and ADJOFCHI</p> | R | NUM 3 | <p>Range: 0 thru 90</p> <ul style="list-style-type: none"> = Missing, Indeterminable, or Inapplicable | <p>Subtotal for the adjusted offense level corresponding to GDCROS1-GDCROX. This field is derived after all relevant SOC and chapter three adjustments have been applied. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADOFCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI.</p> <p><i>Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline.</i></p> <p>NO SAS FORMAT.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|---|---|
| ADJOFL1-ADJOFLX and ADJOFLHI | R | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Subtotal for the adjusted offense level corresponding to GDLIN1-GDLINEX. This field is derived after all relevant SOC and chapter three adjustments have been applied. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADOFLHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline.</i> NO SAS FORMAT. |
| ADJOFR1-ADJOFRX and ADJOFRHI | R | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Subtotal for the adjusted offense level corresponding to GDREF1-GDREFX. This field is derived after all relevant SOC and chapter three adjustments have been applied. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADOFRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|--|
| ADJOFS1-ADJOFSX and ADJOFSHI | R | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Subtotal for the adjusted offense level corresponding to GDSTAT1-GDSTATX. This field is derived after all relevant SOC and chapter three adjustments have been applied. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. ADOFSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. SOC information is not useful unless used in conjunction with the specific corresponding guideline.</i> NO SAS FORMAT. |
| AGE R=YEARS | R | NUM 3 | Range: 15 thru 105 • = Missing/Indeterminable | Identifies the age of the defendant at the time of sentencing. Generated by DOB and SENTDATE. NO SAS FORMAT. |
| AGGRLC1-AGGRLCX and AGGRLCHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 1 = Applied (Not In Guidelines) 2 = Adjustment Applied (mgr, organizer, supervisor, leader) 3 = Adjustment Applied (mgr or supervisor of 5+ participants) 4 = Adjustment Applied (leader or organizer of 5+ participants) • = Missing, Indeterminable, or Inapplicable | Aggravated Role Adjustment (§3B1.1) which corresponds to GDCROS1-GDCROX. This field contains the number of levels added due to the defendant's aggravating role in the offense. AGGRLCHI is generated from the highest cross-reference computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: AGGROLE. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|--|
| AGGRLR1-AGGRLRX and AGGRLRHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 1 = Applied (Not In Guidelines) 2 = Adjustment Applied (mgr, organizer, supervisor, leader) 3 = Adjustment Applied (mgr or supervisor of 5+ participants) 4 = Adjustment Applied (leader or organizer of 5+ participants) • = Missing, Indeterminable, or Inapplicable | Aggravated Role Adjustment (§3B1.1) which corresponds to GDREF1-GDREFX. This field contains the number of levels added due to the defendant's aggravating role in the offense. AGGRLRHI is generated from the highest reference computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: AGGROLE. |
| AGGRLS1-AGGRLSX and AGGRLSHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 1 = Applied (Not In Guidelines) 2 = Adjustment Applied (mgr, organizer, supervisor, leader) 3 = Adjustment Applied (mgr or supervisor of 5+ participants) 4 = Adjustment Applied (leader or organizer of 5+ participants) • = Missing, Indeterminable, or Inapplicable | Aggravated Role Adjustment (§3B1.1) which corresponds to GDSTAT1-GDSTATX. This field contains the number of levels added due to the defendant's aggravating role in the offense. AGGRLSHI is generated from the highest statutory computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: AGGROLE. |
| AGGROL1-AGGROLX and AGGROLHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 1 = Applied (Not In Guidelines) 2 = Adjustment Applied (mgr, organizer, supervisor, leader) 3 = Adjustment Applied (mgr or supervisor of 5+ participants) 4 = Adjustment Applied (leader or organizer of 5+ participants) • = Missing, Indeterminable, or Inapplicable | Aggravated Role Adjustment (§3B1.1) which corresponds to GDLIN1-GDLINEX. This field contains the number of levels added due to the defendant's aggravating role in the offense. AGGROLHI is generated from the highest sentencing computation and corresponds with GDLINEHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: AGGROLE. |
| ALTDUM | R | NUM 3 | 0 = No 1 = Yes (includes when any of MOHOMDET, MOCOMCON, or MOINTCON = 97) • = Missing | Dummy indicator of alternative sentence (home detention, community confinement, or intermittent confinement), as defined in §5C1.1. FORMAT: ALTDUM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------|--------|----------|---|--|
| ALTMO | R | NUM 3 | Range: 0 thru 96 97 = Alternatives, Not Specified • = Missing, Indeterminable, or Inapplicable | Cumulative months of alternative incarceration (includes home detention, community confinement, and intermittent confinement). FORMAT: ALTMO. |
| AMENDYR | PSR | NUM 3 | Range: 1987 thru Current • = Missing, Indeterminable, or Inapplicable | The guideline amendment year used to calculate the guideline calculations. <i>Use of AMENDYR is <u>critical</u> whenever analysis is performed on guidelines. Base offense levels, SOC's, etc. change from year to year.</i> NO SAS FORMAT. |
| AMTFINEC | R | NUM 6 | Range: 0 thru \$999,999,996 0 = No Fine/Cost of Supervision Ordered • = Missing | Dollar amount of fine/cost of supervision . The total fine amount is the sum of fine and cost of supervision (COSTSUP & FINE). FORMAT: AMTFINEC. |
| AMTREST | R | NUM 6 | Range: 0 thru \$9,999,999,996 0 = No Restitution Ordered • = Missing | Dollar amount of restitution. Similar to the variable TOTREST. FORMAT: AMTREST. |
| AMTTOTAL | R | NUM 6 | Range: 0 thru \$9,999,999,996 0 = No Fine/Cost of Supervision or Restitution Ordered • = Missing | Sum of fine/cost of supervision and restitution (COSTSUP, FINE, & TOTREST). FORMAT: AMTTOTAL. |
| ARMCRIM | PSR | NUM 3 | -3 = Adjustment Applied -2 = Adjustment Applied -1 = Applied (Not in USSG Manual) 0 = Adjustment Not Applied • = Missing, Indeterminable, or Inapplicable | The number of levels to be subtracted from combined adjusted offense level due to defendant's Acceptance of Responsibility, (§3E1.1) for offenders who receive the Armed Career Criminal Adjustment (§4B1.4). This field is collected separately from the overall acceptance field (ACCTRESP) since the offender may be eligible to receive 3 pts instead of 2 since being an armed career criminal can increase an offender's offense level. FORMAT: ARMCRIM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|---|--|
| BASADC1-BASADCX and BASADCHI | PSR | NUM 3 | Range: -25 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) Adjustment corresponding with GDCROS1-GDCROX for those Ch.2 guidelines that require an increase or decrease in levels to the BOL (see BASEC1-BASECX for further info on BOL). One example of a guideline using an adjustment to the BOL is §2D1.2. BASADCHI is generated from the highest cross- reference computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| BASADJ1-BASADJX and BASADJHI | PSR | NUM 3 | Range: -25 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) Adjustment corresponding with GDLIN1-GDLINX for those Ch.2 guidelines that require an increase or decrease in levels to the BOL (see BASE1-BASEX for further info on BOL). One example of a guideline using an adjustment to the BOL is §2D1.2. BASADJHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|---|--|
| BASADR1-BASADRX and BASADRHI | PSR | NUM 3 | Range: -25 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) Adjustment corresponding with GDREF1-GDREFX for those Ch.2 guidelines that require an increase or decrease in levels to the BOL (see BASER1-BASERX for further info on BOL). One example of a guideline using an adjustment to the BOL is §2D1.2. BASADRHI is generated from the highest reference computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| BASADS1-BASADSX and BASADSHI | PSR | NUM 3 | Range: -25 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) Adjustment corresponding with GDSTAT1-GDSTATX for those Ch.2 guidelines that require an increase or decrease in levels to the BOL (see BASES1-BASESX for further info on BOL). One example of a guideline using an adjustment to the BOL is §2D1.2. BASADSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|---|---|
| BASE1-BASEX and BASEHI | PSR/SOR | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) which corresponds to GDLIN1-GDLINX. BOL is the starting point for computing a guideline computation. BASEHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. Note that this field <u>includes</u> any values recorded in the corresponding base adjust fields (BASADJ1-BASADJX and BASADJHI). <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| BASEC1-BASECX and BASECHI | PSR/SOR | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) which corresponds to GDCROS1-GDCROX. BOL is the starting point for computing a guideline computation. BASECHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. Note that this field <u>includes</u> any values recorded in the corresponding base adjust fields (BASADC1-BASADCX and BASADCCHI). <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|---|--|
| BASER1-BASERX and BASERHI | PSR/SOR | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) which corresponds to GDREF1-GDREFX. BOL is the starting point for computing a guideline computation. BASERHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. Note that this field <u>includes</u> any values recorded in the corresponding base adjust fields (BASADR1-BASADR X and BASADRHI). <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| BASES1-BASESX and BASESHI | PSR/SOR | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level (BOL) which corresponds to GDSTAT1-GDSTATX. BOL is the starting point for computing a guideline computation. BASESHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. Note that this field <u>includes</u> any values recorded in the corresponding base adjust fields (BASADS1-BASADS X and BASADSHI). <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|-----------|---|---|
| BASECL1-BASECLX and BASECLHI | PSR | CHAR 3 | Range: A-C • = Missing, Indeterminable, or Inapplicable | Series of labels for Base Offense Level (BOL) which corresponds to GDCROS1-GDCROX. This field identifies which subsection of the BOL was applied (see BASEC1-BASECX etc. for more information about BOLs) if applicable (some BOLs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. BASECLHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. Field not available prior to FY05.</i> NO SAS FORMAT. |
| BASEL1-BASELX and BASELHI | PSR | CHAR 3 | Range: A-C • = Missing, Indeterminable, or Inapplicable | Series of labels for Base Offense Level (BOL) which corresponds to GDLIN1-GDLINX. This field identifies which subsection of the BOL was applied (see BASE1-BASEX etc. for more information about BOLs) if applicable (some BOLs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. BASELHI is generated from the highest sentencing guideline computation and corresponds with GDLINEHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. Field not available prior to FY05.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|-----------|---|--|
| BASERL1-BASERLX and BASERLHI | PSR | CHAR 3 | Range: A-C • = Missing, Indeterminable, or Inapplicable | Series of labels for Base Offense Level (BOL) which corresponds to GDREF1-GDREFX. This field identifies which subsection of the BOL was applied (see BASER1-BASERX etc. for more information about BOLs) if applicable (some BOLs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. BASERLHI is generated from the highest reference guideline computation and corresponds with GDREFHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. Field not available prior to FY05.</i> NO SAS FORMAT. |
| BASESL1-BASESLX and BASESLHI | PSR | CHAR 3 | Range: A-C • = Missing, Indeterminable, or Inapplicable | Series of labels for Base Offense Level (BOL) which corresponds to GDSTAT1-GDSTATX. This field identifies which subsection of the BOL was applied (see BASES1-BASESX etc. for more information about BOLs) if applicable (some BOLs do not contain any subsections). The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. BASESLHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. Field not available prior to FY05.</i> NO SAS FORMAT. |
| BLAKPOST | R | NUM 3 | 0 = Pre-Blakely Time Period (Oct. 1, 2003 thru June 24, 2004) 1 = Post-Blakely Time Period (June 25, 2004 thru Sept. 30, 2004) | This field indicates which time period a case falls within in the FY04 datafile. <i>This field can be used to separate cases for pre and post-Blakely analyses and only exists on the FY04 datafile.</i> FORMAT: BLAKPOST. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|------------------------|---------|--------------------|---|---|
| BODINJ | R | NUM 3 | 0 = No (Includes Missing) 1 = Yes | Indicator of whether the offense includes an SOC enhancement for any type of bodily injury. <i>This variable is not available after 2001.</i> NO SAS FORMAT. |
| BOOKERCD | R | NUM 3 | 0 = Within Range 1 = Upward Departure 2 = Upward Departure w/Booker 3 = Above Range w/Booker 4 = Remaining Above Range 5 = 5K1.1/Substantial Assistance 6 = Early Disposition/5K3.1 7 = Government Sponsored - Below Range 8 = Downward Departure 9 = Downward Departure w/Booker 10 = Below Range w/Booker 11 = Remaining Below Range • = Missing, Indeterminable, or Inapplicable | Assigns cases to one of the 12 post-Booker reporting categories based on relationship between the sentence and guideline range and the reason(s) given for being outside of the range. For more detailed information on the Booker reporting categories, please see Appendix A of the Commission's most recent <i>Sourcebook of Federal Sentencing Statistics</i> . <i>This field is only available for cases sentenced since the U.S. v Booker decision (1/12/05).</i> FORMAT: BOOKERCD. |
| BOOKER2 | R | NUM 3 | 0 = Within Range 1 = Above Departure 2 = Government Sponsored 3 = Below Range • = Missing, Indeterminable, or Inapplicable | Collapsed version of BOOKERCD. <i>This field is only available on or after Fiscal Year 2008.</i> FORMAT: BOOKTWO. |
| BOOKER3 | R | NUM 3 | 0 = Within Range 1 = Upward Departure 2 = Above Range 3 = Government Sponsored 4 = Downward Departure 5 = Below Range • = Missing, Indeterminable, or Inapplicable | Collapsed version of BOOKERCD. <i>This field is only available on or after Fiscal Year 2008.</i> FORMAT: BOOKTHRE. |
| BOOKPOST | R | NUM 3 | 0 = Pre-Booker Time Period (Oct.1, 2004 thru January 11, 2005) 1 = Post-Booker Time Period (January 12, 2005 thru Sept. 30, 2005) | This field indicates which time period a case falls within in the FY05 datafile. <i>This field can be used to separate cases for pre and post-Booker analyses and only exists on the FY05 datafile.</i> FORMAT: BOOKPOST. |
| CAFROM1-CAFROM5 | PSR/SOR | NUM 8 (12.4) | Range: 0.01 to 9999996.9999 • = Missing, Indeterminable, or Inapplicable | The low end of the range of chemical weight for first through fifth drug types (CHEMTYP1-CHEMTYP5) when an exact amount was not specified in CHMAM1-CHMAM5. <i>The weights are reported in several units of measure (CUNIT1-CUNIT5).</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|----------------------------|---------|--------------------|---|---|
| CAROFFAP | R | NUM 3 | 0 = Not Applied 1 = Applied • = Missing or Indeterminable | Indicator to whether Career Offender status was applied under §4B1.1. FORMAT: CAROFFAP. |
| CAROFFEN | PSR/SOR | NUM 3 | -3 = Adjustment Applied -2 = Adjustment Applied -1 = Applied (Not in USSG Manual) 0 = Adjustment Not Applied • = Missing, Indeterminable, or Inapplicable | The number of levels to be subtracted from combined adjusted offense level due to defendant's Acceptance of Responsibility, (§3E1.1) for offenders who receive the Career Offender Adjustment (§4B1.1). This field is collected separately from the overall acceptance field (ACCTRESP) since the offender may be eligible to receive 3 levels instead of 2 since being an career offender can change an offender's offense level. FORMAT: CAROFFEN. |
| CAROFFLV | PSR/SOR | NUM 3 | Range: 0 thru 90 • = Missing or Indeterminable | Adjusted Offense Level, totaling all computations, if the offense level was changed due to the application of career offender status under §4B1.1 (CAROFFAP=1). <i>Does not incorporate any adjustments applied through Acceptance of Responsibility (ACCTRESP).</i> NO SAS FORMAT. |
| CATO1-CATO5 | PSR/SOR | NUM 8 (12.4) | Range: 0.01 to 9999996.9999 • = Missing, Indeterminable, or Inapplicable | The high end of the range of chemical weight for first through fifth drug types (CHEMTYP1-CHEMTYP5) when an exact amount was not specified in CHMAM1-CHMAM5. <i>The weights are reported in several units of measure (CUNIT1-CUNIT5).</i> NO SAS FORMAT. |
| CDESCRIP1-CDESCRIP5 | PSR | CHAR 50 | Text Field | Text description of chemical involved for cases coded as "Other" in CHEMTYP1-CHEMTYP5. <i>Note that this was renamed in FY03 to CHEMDES1-CHEMDES5.</i> NO SAS FORMAT. |
| CH5G13ST | J&C | NUM | Range: 1 thru 9 • = Missing, Indeterminable, or Inapplicable | Specifies any time (in months) granted under §5G1.3 (This guideline directs judges to give credit for state sentences the defendant is generally currently serving for offense conduct which overlaps with the conduct in the instant federal offense). See also CH5G13YN. When time granted under §5G1.3 is added to the time imposed this will often account for the full minimum time to be sentenced within the guideline range. <i>This field is not available prior to FY03.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|------------------------------------|---------|--------------------|---|---|
| CH5G13YN | J&C | NUM 3 | 0 = No 1 = Yes • = Missing, Indeterminable, or Inapplicable | Yes/No Dummy variable to indicate whether any credit under §5G1.3 was applied to the sentence (This guideline directs judges to give credit for state sentences the defendant is generally currently serving for offense conduct which overlaps with the conduct in the instant federal offense). Note that many J&Cs do not specify how much time is specifically granted, but if the amount is available it is entered into field CH5G13ST. <i>This field is not available prior to FY03.</i> FORMAT: CH5G13YN. |
| CHAP2 | R | NUM 3 | Range: 3 thru 90 • = Missing, Indeterminable, or Inapplicable | Base Offense Level plus Chapter Two SOCs (Proxy for offense seriousness). This variable does not include Chapter Three Adjustments. NO SAS FORMAT. |
| CHEMDES1-CHEMDES5 | PSR | CHAR 50 | Text Field | Text description of chemical involved for cases coded as "Other" in CHEMTYP1-CHEMTYP5. <i>Note that this was renamed in FY03 from CDESCRIP1-CDESCRIP5.</i> NO SAS FORMAT. |
| CHEMTYP1-CHEMTYP5 | JC/PSR | NUM 3 | Range: 1 thru 77 (See Code Attachment) | For cases involving chemicals, this variable is an indicator of the first thru fifth types of chemicals. <i>Multiple chemicals are <u>not</u> necessarily ordered by which will incur the highest penalty (base offense level), but, rather, simply in the order in which they are reported in the PSR or J&C.</i> FORMAT: CHEMTYP. |
| CHMAM1-CHMAM5 R = WGT1-WGT5 | PSR/SOR | NUM 8 (12.4) | Range: 0.01 thru 9999999.9997 7777777.7777 = Used when an ambiguous amount is given (e.g., More than 1 KG) 9999999.9997 = Used when the chemical amount is specified in a range (e.g., between 6 and 8 G) • = Missing, Indeterminable, or Inapplicable | Amount of the first through fifth chemical types (CHEMTYP1-CHEMTYP5) for which the defendant was held responsible. <i>The weights are reported in several units of measure (CUNIT1-CUNIT5). For Range amounts, see CAFROM1-CAFROM5 and CATO1-CATO5.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-------------------|--------|-------------|---|--|
| CHP2CHG1-CHP2CHGX | SOR | NUM 3 | 1= Safety Valve 2= Drug Amount 3= BOL 4= Loss Amount 5= Weapon 6= Amendment Year 7 = CH2 change box marked on SOR but details not provided 777-779 = Other • = Missing, Indeterminable, or Inapplicable | Identifies changes, if any, made by the court to findings of fact, as listed in the Ch.2 changes to PSR section of the SOR. <i>Field not available prior to FY06.</i> FORMAT: CHP2CHG. |
| CHP2TXT1-CHP2TXTX | SOR | CHAR 250 | Text Field | Text description of “other” changes made by the court to findings of fact, as listed in the Ch. 2 Section of the SOR (See code 777 in CHP2CHG1-CHP2CHGX). <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| CHP3CHG1-CHP3CHGX | SOR | NUM 3 | 1= Position of Trust 2= Vulnerable Victim 3= Official Victim 4= Restraint of Victim 5= Mitigating Role 6= Aggravating Role 7= Obstruction 8= Reckless Endangerment 9= Acceptance 10= Use of Minor 11= Grouping of Counts 12 = CH3 change box marked on SOR but details not provided 777-779 = Other • = Missing, Indeterminable, or Inapplicable | Identifies changes, if any, made by the court to findings of fact, as listed in the Ch.3 changes to PSR section of the SOR. <i>This field is only available for cases on or after FY06.</i> FORMAT: CHP3CHG. |
| CHP3TXT1-CHP3TXTX | SOR | CHAR 250 | Text Field | Text description of “other” changes made by the court to findings of fact, as listed in the Ch. 3 Section of the SOR (See code 777 in CHP3CHG1-CHP3CHGX). <i>This field is only available for cases on or after FY06.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-------------------------|---------|-------------|--|---|
| CHP4CHG1-CHP4CHGX | SOR | NUM 3 | 1= Removing CH Events 2= Removing CJ Points 3= Removing Recency Points 4= Armed Career Criminal 5= Career Offender 6= Career Sex Offender 7= Changing Points Assigned to Events 8 = Add CH Event 9 = Add Under CJ points [§4A1.1(d)] 10 = Add recency points [§4A1.1(e)] 11 = CH3 change box marked on SOR but details not provided 777-779 = Other • = Missing, Indeterminable, or Inapplicable | Identifies changes, if any, made by the court to findings of fact, as listed in the Ch.4 section of the SOR. <i>This field is only available for cases on or after FY06.</i> FORMAT: CHP4CHG. |
| CHP4TXT1-CHP4TXTX | SOR | CHAR 250 | Text Field | Text description of “other” changes made by the court to findings of fact, as listed in the Ch. 4 Section of the SOR (See code 777 in CHP4CHG1-CHP4CHGX). <i>This field is only available for cases on or after FY06.</i> NO SAS FORMAT. |
| CIRCDIST | R | NUM 3 | Range: 1 thru 94 (See Code Attachment) | Districts in the order in which they appear in the annual report. Generated from DISTRICT and MONCIRC. FORMAT: CIRCDIST. |
| CITIZEN R=NEWCIT | PSR | NUM 3 | 1 = U.S. Citizen 2 = Resident/Legal Alien 3 = Illegal Alien 4 = Not a U.S. Citizen/Alien Status Unknown 5 = Extradited Alien • = Missing or Indeterminable | Identifies the nature of defendant's citizenship with respect to the United States. FORMAT: CITIZEN. |
| CITWHERE | PSR | NUM 3 | Range: 20 thru 216 (See Code Attachment) | Identifies the defendant's country of citizenship, when citizenship is known to be not of the United States. FORMAT: CITWHERE. |
| CO924TAB | PSR/SOR | NUM 3 | 0 = Not Applied 1 = Applied • = Missing or Indeterminable | Identifies if the 18 USC §924c table was used in §4B1.1(c)(3). This table provides for enhanced ranges for career offenders with at least one count of conviction of 18 USC §924c. The table changes the offender's guideline ranges but not their final offense level. <i>Field not available prior to FY04.</i> FORMAT: CO924TAB. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---------------------------|---------|----------|--|--|
| COADJLEV | PSR/SOR | NUM 3 | Range: 0 thru 90 • = Missing, Indeterminable, or Inapplicable | Combined Adjusted Offense Level subtotal, including all guideline calculations, for cases in which multiple counts have been applied. This does not include acceptance of responsibility. NO SAS FORMAT. |
| COMBDRG2 | R | NUM 3 | 1 = Cocaine 2 = Crack 3 = Heroin 4 = Marijuana 6 = Methamphetamine 77 = Other • = Missing, Indeterminable, or Inapplicable | Aggregation of DRUGTYP1 for Sourcebook tables. <i>The code for Methamphetamine includes Meth Mix, Meth Actual, Ice, and Meth pre-cursors.</i> FORMAT: COMBDRGT. |
| COMDUM | R | NUM 3 | 0 = No 1 = Yes (incl. MOCOMCON = 97) • = Missing | Indicator as to whether the defendant received community confinement. FORMAT: COMDUM. |
| COSTSDUM | R | NUM 3 | 0 = No Amount Given for Cost of Supervision 1 = Amount Given for Cost of Supervision • = Missing | Indicator of whether the cost of supervision is given (YES/NO variable). For amount of cost of supervision, see FINECDUM. FORMAT: COSTSDUM. |
| COSTSUP R=COSTSDUM | SOR | NUM 6 | Range: 0 thru 9,999,999,997 0 = No Cost Specified 9,999,999,997= Total Cost of Supervision Ordered But Amount Not Specified • = Missing or Indeterminable | Dollar amount of cost of supervision, only if ordered separately. FORMAT: COSTSUP. |
| CRIMHIST | PSR/SOR | NUM 3 | 0 = No Criminal History 1 = Yes, There is Criminal History • = Missing, Indeterminable, or Inapplicable | Indication as to whether the defendant has any criminal history, <i>including behavior that is not eligible for the application of criminal history points (ex. arrests).</i> FORMAT: CRIMHIST. |
| CRIMLIV | PSR/SOR | NUM 3 | Range: 1 thru 90 0 = Defendant Does Not Earn a Living From the Offense(s) • = Missing, Indeterminable, or Inapplicable | Offense Level based on Criminal Livelihood (earning a living by illegal means). This is coded regardless of criminal history. FORMAT: CRIMLIV. |
| CRIMPTS | R | NUM 3 | Range: 0 thru 125 0 = No History Points Applied • = Missing, Indeterminable, or Inapplicable | Subtotal of criminal history points applied, based on the contributions of one, two, and three point offenses (POINT1-POINT3). FORMAT: CRIMPTS. |
| CRPTS | R | NUM 3 | 0 = No Criminal History Points 1 = Yes, Criminal History Points • = Missing, Indeterminable, or Inapplicable | Indication as to whether any criminal history points were <i>awarded</i> . FORMAT: CRPTS. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------|---------|--------------------|--|--|
| CUNIT1-CUNIT5 | PSR/SOR | NUM 3 | 1 = Gram 2 = Kilogram 3 = Pound 4 = Ounce 5 = Plant 6 = Dose 7 = Gallon 8 = Quart 9 = Liter 10 = Milligram 11 = Grain 12 = Milliliter 77 = Other 97 = Unit Range (e.g. 500G - 2 KG) • = Missing, Indeterminable, or Inapplicable | The unit of measure for the first through fifth chemical types (CHEMTYP1-CHEMTYP5) and amount (CHMAM1-CHMAM5) for which the defendant was held responsible. FORMAT: UNIT. |
| DAFROM1-DAFROM5 | PSR/SOR | NUM 8 (12.4) | Range: 0.01 to 9999996.9999 • = Missing, Indeterminable, or Inapplicable | The low end of the range of drug weight for first through fifth drug types (DRUGTYP1-DRUGTYP5) when an exact amount was not specified in DRGAM1-DRGAM5. <i>The weights are reported in several units of measure (UNIT1-UNIT5).</i> NO SAS FORMAT. |
| DATO1-DATO5 | PSR/SOR | NUM 8 (12.4) | Range: 0.01 to 9999996.9999 • = Missing, Indeterminable, or Inapplicable | The high end of the range of drug weight for first through fifth drug types (DRUGTYP1-DRUGTYP5) when an exact amount was not specified in DRGAM1-DRGAM5. <i>The weights are reported in several units of measure (UNIT1-UNIT5).</i> NO SAS FORMAT. |
| DAYSDEM | R | NUM 3 | 0 = No Prison Beyond That Specified in TOTPRISN 1 = Yes, Days Added • = Missing or Indeterminable | Indicator of whether the defendant received any days in prison. Generated from TOTDAYS. FORMAT: DAYSDEM. |
| DEFCONSL | PSR | NUM 3 | 1 = Privately Retained Counsel 2 = Court Appointed Counsel 3 = Federal Public Defender 4 = Defendant Represented Self 5 = Waived Rights to Counsel 77 = Other Arrangements for Counsel • = Missing, Indeterminable, or Inapplicable | Indicates the type of defense counsel used in the instant offense. <i>Note that this information is often not delineated in the PSR, so it is missing in a significant portion of the cases. This field is not available after FY03.</i> FORMAT: DEFCONSL. |
| DEFCONTX | PSR | CHAR | Text Field | Text field describing the type of defense counsel when the field DEFCONSL is coded as "Other" (Code 77). <i>This field is not available after FY03.</i> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--------------------------|--------|------------|---|---|
| DEPART | SOR | NUM 3 | 0 = No Departure 1 = Upward Departure 2 = Other Downward Departure 3 = Substantial Assistance/§5K1.1 Only 4 = Early Disposition Program (EDP)/§5K3.1 Only 5 = Substantial Assistance/§5K1.1 AND Other Downward Departure 6 = EDP/§5K3.1 AND Other Downward Departure 7 = EDP/§5K3.1 AND Substantial Assistance/§5K1.1 8 = Not Applicable 9 = EDP/§5K3.1 AND Substantial Assistance/§5K1.1 AND Other Downward Departure • = Missing, or Indeterminable | Indicates defendant's departure status. <i>This variable is coded based on the SOR documentation, and does not verify whether the sentence is within the guideline range (for non-departure cases), or out of the guideline range (for departure cases). Note that prior to April 2003 the Congressionally approved EDP Program did not exist. Therefore, codes 4, 5, 6, 7, and 9 were not used. This field is not available after FY03. See Depart_A for FY03 thru pre-Booker FY05. After the U.S. v Booker decision, USSC started reporting information on sentences outside the guideline range as BOOKERCD.</i> FORMAT: DEPART. |
| DEPART_A | R | NUM 3 | 0 = Sentenced Within Range/No Departure 1 = Upward Departure 2 = Substantial Assistance/§5K1.1 3 = §5K3.1/EDP 4 = Government Sponsored (Excludes §5K1.1) 5 = Other Downward Departures 8 = N/A • = Missing, or Indeterminable | This variable combines DEPART_S and DEPART_D into one variable. <i>This field is only available after FY03-Pre-Booker FY05. Please see BOOKERCD for later information.</i> FORMAT: DEPARTA. |
| DEPART_D | R | NUM 3 | 0 = Substantial Assistance/§5K1.1 1 = Government Sponsored (Excludes §5K1.1 but includes §5K3.1) 2 = Other Downward Departures • = Missing, or Indeterminable | This variable is used for departure reporting purposes in the Commission's annual <i>Sourcebook</i> . It combines departure status (DEPART) and reason for departure (REASON1-REASONX) for departure attribution purposes. Commission legal staff reviewed all departure cases/reasons in order to create this variable. <i>This field is only available in FY03.</i> FORMAT: DEPARTD. |
| DEPART_S | R | NUM 3 | 0 = Sentenced Within Range/No Departure 1 = Upward Departure 2 = Downward Departure • = Missing, or Indeterminable | This variable is used for departure reporting purposes in the Commission's annual <i>Sourcebook</i> . It collapses departure status (DEPART). <i>This field is only available in FY03.</i> FORMAT: DEPARTS. |
| DESCRIP1-DESCRIP5 | PSR | CHAR 50 | Text Field | Text description of drug involved for cases coded as "Other" in DRUGTYP1-DRUGTYP5. NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|--------------------|---|---|
| DISPOSIT R=NEWCNVTN | JC/PSR | NUM 3 | 0 = No Imprisonment 1 = Guilty Plea 2 = Nolo Contendere 3 = Jury Trial 4 = Trial by Judge or Bench Trial 5 = Guilty Plea and Trial (>1 Count) • = Missing or Indeterminable | Disposition of the defendant's case. Note that if there is information that the case went to trial but it does not specify whether the trial was a jury trial or a bench trial, then USSC assumes jury trial since these are more common. FORMAT: DISPOSIT. |
| DISTRICT R=CIRCDIST | JC/PSR | NUM 3 | Range: 00 thru 96 (See Code Attachment) | The identifier code indicating the district in which the defendant was sentenced. FORMAT: DISTRICT. |
| DOB | PSR | DATE 8 | FORMAT: MMDDYY8. ###/###/## = Defendant's Date of Birth 01/01/01 = Missing | The defendant's date of birth. <i>Field Not Available after FY04 - See DOBMON and DOBYR.</i> NO SAS FORMAT. |
| DOBMON | PSR | NUM 8 | Range: 1-12 | The defendant's month of birth. <i>Field not on datafiles prior to FY05.</i> NO SAS FORMAT. |
| DOBYR | PSR | NUM 8 | Range: Valid years since 1920 | The defendant's year of birth. <i>Field not on datafiles prior to FY05.</i> NO SAS FORMAT. |
| DRGAM1-DRGAM5 R = WGT1-WGT5 | PSR/SOR | NUM 8 (12.4) | • = Missing, Indeterminable, or Inapplicable | Amount of the first through fifth drug types (DRUGTYP1-DRUGTYP5) for which the defendant was held responsible. Often when weights are missing it is because both parties agreed to a Base Offense Level and the documents do not specify a corresponding drug amount. <i>The weights are reported in several units of measure (UNIT1-UNIT5), see WGT1-WGT5 for the gram weight equivalency. For drug range amounts, see DAFROM1-DAFROM5 and DATO1-DATO5.</i> NO SAS FORMAT. |
| DRUGMIN | R | NUM 3 | Range: 0 thru 9990 9996 = Life • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with drug statutes. FORMAT: DRUGMIN. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--------------------------|--------|----------|--|--|
| DRUGPROB | R | NUM 3 | 0 = No Problem/Not Applicable 1 = Problem Exists • = Missing, Indeterminable, or Inapplicable | Indicates when an unresolved problem between the drug type, drug held accountable amount, and base offense level occurs. Note that normally all mitigating role cap cases (see MITCAP) would be "1" because the drug type/weight/BOL triangulation would not work so they are specifically re-coded to zero. <i>Analyses involving drug weight and base offense level may be advised to use this field to remove problematic cases.</i> FORMAT: DRUGPROB. |
| DRUGTYP1-DRUGTYP5 | JC/PSR | NUM 3 | Range: 1 thru 161 (See Code Attachment) | For cases involving drugs, this variable is an indicator of the first thru fifth types of drug. Multiple drugs are ordered by which will incur the highest penalty (base offense level). FORMAT: DRUGTYP. |
| DSIND | | NUM 3 | 0 = Not Received 1 = Received Complete 3 = Received Partial or Alternate Doc 8 = Will Never Receive (Not used after FY04) • = Missing or Indeterminable | Document status indicator for Indictment or Information. <i>Code 8 was dropped in FY05.</i> FORMAT: DSIND. |
| DSJANDC | JC | NUM 3 | 0 = Not Received 1 = Received Complete J&C 2 = Received Partial/Alternate Doc 8 = Order Will Never Be Available (Not used after FY04) • = Missing or Indeterminable | Document status indicator for Judgement and Conviction Order. <i>Code 8 was dropped in FY05.</i> FORMAT: DSJANDC. |
| DSPLEA | PLEA | NUM 3 | 0 = Not Received 1 = Received 2 = Received Alternate Document 3 = Oral Plea Agreement 5 = Straight up Plea, No Agreement 8 = Trial 9 = Guilty Plea, Type Indeterminable • = Missing or Indeterminable | Document status indicator for Plea Agreement. <i>Code 9 was added in FY04 and the description of Code 5 was changed from "Written, will never be received" in FY04 for better clarity.</i> FORMAT: DSPLEA. |
| DSPSR | PSR | NUM 3 | 0 = Not Received 1 = Received Complete 2 = Received Partial/Alternate Doc 8 = Waived • = Missing or Indeterminable | Document status indicator for Pre-sentence Report. <i>Note that Code 8 was added back in FY04.</i> FORMAT: DSPSR. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|--|---|
| DSSOR | SOR | NUM 3 | 0 = Not Received 1 = Received Complete 2 = Received Partial/Alternate Doc 3 = Received Blank 8 = Will Never Be Received • = Missing or Indeterminable | Document status indicator for the Statement of Reasons. <i>Note that Code "3" is new in FY06. Code 8 was added back in FY04.</i> FORMAT: DSSOR. |
| DUFROM1-DUFROM5 | PSR/SOR | NUM 3 | 1 = Gram 2 = Kilogram 3 = Pound 4 = Ounce 5 = Plant 6 = Dose 7 = Gallon 8 = Quart 9 = Liter 10 = Milligram 11 = Grain 12 = Milliliter 13 = Marijuana Cigarette 77 = Other • = Missing, Indeterminable, or Inapplicable | The unit of measure for the low end of the range of drug weight for first through fifth drug types (DRUGTYP1-DRUGTYP5) when an exact amount was not specified in DRGAM1-DRGAM5. <i>The weights are reported in DAFROM1-DAFROM5.</i> FORMAT: UNIT. |
| DUTO1-DUTO5 | PSR/SOR | NUM 3 | 1 = Gram 2 = Kilogram 3 = Pound 4 = Ounce 5 = Plant 6 = Dose 7 = Gallon 8 = Quart 9 = Liter 10 = Milligram 11 = Grain 12 = Milliliter 13 = Marijuana Cigarette 77 = Other • = Missing, Indeterminable, or Inapplicable | The unit of measure for the high end of the range of drug weight for first through fifth drug types (DRUGTYP1-DRUGTYP5) when an exact amount was not specified in DRGAM1-DRGAM5. <i>The weights are reported in DATO1-DATO5.</i> FORMAT: UNIT. |
| ECONDUM | R | NUM 3 | 0 = Neither Fine/Cost of Supervision or Restitution 1 = Fine/Cost of Supervision, Restitution, or Any Combination • = Missing | Indicator of whether a fine/cost of supervision or restitution amount was given (Compare to COSTSDUM, FINECDUM, TYPEMON, and RESTDUM). FORMAT: ECONDUM. |
| EDUCATN R=NEWEDUC | PSR | NUM 3 | (See Code Attachment) | Indicates the highest level of education completed by the defendant. FORMAT: EDUCATN. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|--|---|
| ENCRYPT1 | PSR | NUM 3 | 0 = No 1 = Yes • = Missing, Indeterminable, or Inapplicable | Indicates if case contained any occurrences of use of encryption or scrambling technology to obstruct justice (defendant did not have to receive points for §3C1.1-Obstruction of Justice). FORMAT: ENCRYPT. |
| ENCRYPT2 | PSR | NUM 3 | 0 = No 1 = Yes • = Missing, Indeterminable, or Inapplicable | For cases which involved encryption (ENCRYPT1=1), indicates if any points were assessed under §3C1.1-Obstruction of Justice. FORMAT: ENCRYPT. |
| FAILMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with convictions under 18§3146 (Penalty for Failure to Appear). <i>Penalty can be anything from 0-120 months and is consecutive to any other count. Field not available prior to FY09. NO SAS FORMAT.</i> |
| FALDM1-FALDMX and FALDMHI | PSR/SOR | NUM 3 | Valid Values: 0 or 2 0 = No Adjustment Applied 2 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3559(f)(1) • = Missing, Indeterminable, or Inapplicable | False Registration of Domain Name (§3C1.4) which corresponds to GDLINEX. This field indicates the number of levels added for the False Registration of Domain Name (§3C1.4). FALDMHI is generated from the highest sentencing guideline computation and corresponds with GDLINEX. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FALDM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|---|
| FALDMC1-FALDMCX and FALDMCHI | PSR/SOR | NUM 3 | Valid Values: 0 or 2 0 = No Adjustment Applied 2 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3559(f)(1) • = Missing, Indeterminable, or Inapplicable | False Registration of Domain Name (§3C1.4) which corresponds to GDCROSS1-GDCROSSX. This field indicates the number of levels added for the False Registration of Domain Name (§3C1.4). FALDMCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FALDM. |
| FALDMR1-FALDMRX and FALDMRHI | PSR/SOR | NUM 3 | Valid Values: 0 or 2 0 = No Adjustment Applied 2 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3559(f)(1) • = Missing, Indeterminable, or Inapplicable | False Registration of Domain Name (§3C1.4) which corresponds to GDREF1-GDREFX. This field indicates the number of levels added for the False Registration of Domain Name (§3C1.4). FALDMRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FALDM. |
| FALDMS1-FALDMSX and FALDMSHI | PSR/SOR | NUM 3 | Valid Values: 0 or 2 0 = No Adjustment Applied 2 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3559(f)(1) • = Missing, Indeterminable, or Inapplicable | False Registration of Domain Name (§3C1.4) which corresponds to GDSTAT1-GDSTATX. This field indicates the number of levels added for the False Registration of Domain Name (§3C1.4). FALDMSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FALDM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|-------------|----------|--|---|
| FINE R=AMTFINEC | JC | NUM 8 | Range: 1 thru 9,999,999,997 0 = No Fine 9,999,999,997 = Fine Ordered, Amount Not Specified • = Missing or Indeterminable | The dollar amount of fine ordered (including cost of supervision when fine and cost of supervision are not reported separately). FORMAT: FINE. |
| FINECDUM | R JC | NUM 3 | 0 = No Fine or Cost of Supervision Amount Specified 1 = Fine/Cost of Supervision Amount Specified (either one or both) • = Missing | Indicates whether the fine/cost of supervision amount was given (YES/NO variable). Compare to AMTFINEC and COSTSDUM. FORMAT: FINECDUM. |
| FINEDUM | R JC | NUM 3 | 0 = No Fine Specified 1 = Fine Specified • = Missing | Indicates whether the fine amount was given (YES/NO variable). Compare to FINECDUM and FINE. FORMAT: FINECDUM. |
| FINEWAIV | JC | NUM 3 | 0 = No Waiver Stated 1 = Waiver Specifically Stated • = Missing, Indeterminable, or Inapplicable | Indicates if the fine (or portion of the fine) was waived because of the defendant's inability to pay or the burden of the fine would have been on the defendant's dependents. FORMAT: FINEWAIV. |
| FIREMIN1 | R | NUM 4 | Range: 0 thru 9990 9996 = Life • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum <u>consecutive</u> sentence (in months) associated with 18§844(h). <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| FIREMIN2 | R | NUM 4 | Range: 0 thru 9990 9996 = Life • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with any 18:844 statutes. <i>Note that this field excludes 18 U.S.C. §844(h) cases - see FIREMIN1 for these cases. Field not available prior to FY06.</i> NO SAS FORMAT. |
| FLGHTC1-FLGHTCX and FLGHTCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Reckless Endangerment Adjustment (§3C1.2) corresponding with GDCROS1-GDCROX. This field is the number of levels added because defendant recklessly endangered another person during flight from law enforcement. FLGHTCHI is generated from the highest cross-reference computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FLIGHT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|--|
| FLGHTR1-FLGHTRX and FLGHTRHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Reckless Endangerment Adjustment (§3C1.2) corresponding with GDREF1-GDREFX. This field is the number of levels added because defendant recklessly endangered another person during flight from law enforcement. FLGHTRHI is generated from the highest reference computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FLIGHT. |
| FLGHTS1-FLGHTSX and FLGHTSHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Reckless Endangerment Adjustment (§3C1.2) corresponding with GDSTAT1-GDSTATX. This field is the number of levels added because defendant recklessly endangered another person during flight from law enforcement. FLGHTSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FLIGHT. |
| FLIGHT1-FLIGHTX and FLIGHTHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Reckless Endangerment Adjustment (§3C1.2) corresponding with GDLIN1-GDLINEX. This field is the number of levels added because defendant recklessly endangered another person during flight from law enforcement. FLIGHTHI is generated from the highest sentencing guideline computation and corresponds with GDLINEHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: FLIGHT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-------------------------------------|--------|-----------|---|--|
| GDCROS1-GDCROX, GDCROSHI | PSR | CHAR 8 | 2_#.# = Guideline Applied • = Missing, Indeterminable, or Inapplicable | Cross-reference guideline applied. GDCROSHI is generated from the highest computation of GDCROS1-GDCROX. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. For further information on USSC guideline coding system, see Introduction. Field not available prior to FY04. NO SAS FORMAT.</i> |
| GDLIN1-GDLINEX, GDLINHI | PSR | CHAR 8 | 2_#.# = Chapter 2 Guideline Applied • = Missing, Indeterminable, or Inapplicable | Sentencing guideline applied. GDLINHI is generated from the highest computation of GDLIN1-GDLINEX. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. For further information on USSC guideline coding system, see Introduction. NO SAS FORMAT.</i> |
| GDREF1-GDREFX, GDREFHI | PSR | CHAR 8 | 2_#.# = Guideline Applied • = Missing, Indeterminable, or Inapplicable | Reference guideline applied. GDREFHI is generated from the highest computation of GDREF1-GDREFX. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. For further information on USSC guideline coding system, see Introduction. NO SAS FORMAT.</i> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|-----------|---|---|
| GDSTAT1-GDSTATX, GDSTATHI | PSR | CHAR 8 | 2_#.# = Guideline Applied • = Missing, Indeterminable, or Inapplicable | Sentencing guideline applied. GDSTATHI is generated from the highest computation of GDSTAT1-GDSTATX. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use the variable NOCOMP to determine how many guideline computations are present in each case. For further information on USSC guideline coding system, see Introduction.</i> NO SAS FORMAT. |
| GLMAX | R | NUM 3 | Range: 6 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Adjusted Guideline Range Maximum, taking STATMAX and STATMIN trumps into account. FORMAT: GLMAX. |
| GLMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Adjusted Guideline Range Minimum taking STATMAX and STATMIN trumps into account. FORMAT: GLMIN. |
| GUNMIN1 | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Represents mandatory minimum <u>consecutive</u> sentence (in months) associated with 18§924(c). NO SAS FORMAT. |
| GUNMIN2 | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with 18§924(e) or 18§922(g). <i>Prior to FY07 this field only captured mandatory minimum sentence (in months) associated with 18§924(e).</i> NO SAS FORMAT. |
| GUNMIN3 | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Represents mandatory minimum <u>consecutive</u> sentence (in months) associated with 18§929. <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| HISPORIG R=NEWRACE | PSR | NUM 3 | 0 = Information on Hispanic Origin Not Available 1 = Non-Hispanic 2 = Hispanic • =Missing, Indeterminable, or Inapplicable | Offender's ethnic origin. See MONRACE for race of the offender. <i>Code 0 not available prior to FY04 - this is used to affirmatively state that the information is not available in the PSR.</i> FORMAT: HISPORIG. |
| HOMDUM | R | NUM 3 | 0 = No 1 = Yes • =Missing, Indeterminable, or Inapplicable | Indicates whether the defendant received home detention. FORMAT: HOMDUM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------|--------|----------|---|---|
| HRCOMSRV | JC | NUM 3 | Range: 0 thru 9996 9996 = Life 9997 = Community Service Ordered, but Term Not Specified • =Missing, Indeterminable, or Inapplicable | Total number of community service hours ordered. FORMAT: HRCOMSRV. |
| IDMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with 18§1028A (Aggravated Identity Theft). <i>This statute is consecutive to other statutes but may be sentenced concurrently with other ID Theft counts. Field not available prior to FY06.</i> NO SAS FORMAT. |
| IMMIMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with 8§1324 (Immigration). <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| INDEXS1-INDESSX | MON | NUM 3 | 0 = Not Sentencing Guideline 1 = Sentencing Guideline • = Missing, Indeterminable, or Inapplicable | Indicator of whether the Statutory Guideline is also the Sentencing guideline. <i>Field not available prior to FY04.</i> FORMAT: INDEX. |
| INDEXR1-INDEXRX | MON | NUM 3 | 0 = Not Sentencing Guideline 1 = Sentencing Guideline • = Missing, Indeterminable, or Inapplicable | Indicator of whether the Reference Guideline is also the Sentencing guideline. <i>Field not available prior to FY04.</i> FORMAT: INDEX. |
| INDEXC1-INDEXCX | MON | NUM 3 | 0 = Not Sentencing Guideline 1 = Sentencing Guideline • = Missing, Indeterminable, or Inapplicable | Indicator of whether the Cross Reference Guideline is also the Sentencing guideline. <i>Field not available prior to FY04.</i> FORMAT: INDEX. |
| INNOPL1-INNOPLX | SOR | NUM 3 | 1 = Based on gov 5K1.1 motion 2 = Based on govt motion for a departure 3 = Pursuant to a defense motion to which govt has NOT objected 4 = Pursuant to a defense motion to which the govt HAS objected 5 = Other than a plea agreement or a motion by the parties 6 = §5K3.1 Early Disposition Program | Indicates (from the new SOR form AO245B Rev 12/3 or later) the origin of the outside the range sentences <u>not</u> generated in Plea Agreements. The end points for this variable are denoted with X because the total number varies from case to case and year to year. <i>This field not available until FY05. See BOOKERCD and REAS1-REASX for more information on outside of the range sentences.</i> FORMAT: INNOPL. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|------------------------|-------------|----------|--|--|
| INOUT | R JC | NUM 3 | 0 = Received Prison Sentence 1 = Received Non-Prison Sentence • = Missing (Includes Cases Not Eligible for Non-Prison Sentences) | Indicates whether a defendant received a prison sentence (for defendants who were eligible for non-prison sentences). This variable is similar to PRISDUM but considers who is eligible for non-prison sentences. FORMAT: INOUT. |
| INPLEA1-INPLEAX | SOR | NUM 3 | 1 = Based on govt 5K1.1 motion 2 = Based on govt motion of 5K3.1 EDP/Fast Track program 3 = Based on BINDING Plea Agreement which court has accepted 4 = Based on Plea Agreement which cites reason for departure which court finds to be justified 5 = Based on Plea Agreement which states govt will NOT oppose defense motion for departure | Indicates (checkboxes available on the newer SOR forms AO245B Rev 12/3 or later) the origin of the outside the range sentences generated in Plea Agreements. <i>Not available until FY05. See DEPART_A and BOOKERCD for outside the range status and REAS1-REASX for further information on the reasons.</i> FORMAT: INPLEA. |
| INRANGE | R | NUM 3 | 0 = Sentence Out of Range 1 = GLMIN<= SENSPLT0<= GLMAX 2 = GLMIN<=SENSPLT0 <=GLMAX and GLMIN <= TOTPRISN <= GLMAX • = Missing, Indeterminable, or Inapplicable | Indicates whether or not a case was sentenced within the guideline range regardless of its departure status (DEPART). <i>This variable is used mainly for editing purposes and is not available after FY03.</i> NO SAS FORMAT. |
| INTDUM | R | NUM 3 | 0 = No 1 = Yes • = Missing, Indeterminable, or Inapplicable | Indicates whether a defendant received intermittent confinement. <i>This variable is also coded "Yes" when MOINTCON is 97.</i> FORMAT: INTDUM. |
| IS924C | R | NUM 3 | 0 = No 18§924(c) Charges (Includes Missing) 1 = At Least One 18 § 924(c) Charge Present | Indicates if there is an 18§924(c) charge present (YES/NO variable). <i>For similar information, see WEAPON and WEAPSOC.</i> FORMAT: IS924C. |
| IS1028A | R | NUM 3 | 0 = No 18§1028A Charges (Includes Missing) 1 = At Least One 18 § 1028A Charge Present | Indicates if there is an 18§1028A charge present (YES/NO variable). <i>Field not available prior to FY09.</i> FORMAT: IS924C. |
| ISMETHMIN | R | NUM 3 | 0 = No 21§860A or 21§865 Charges (Includes Missing) 1 = At Least One 21§860A or 21§865 Charge Present | Indicates if there is an 21§860A or 21§865 charge present (YES/NO variable). <i>Field not available prior to FY11.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|--------|----------|---|---|
| KIMBPOST | R | NUM 3 | 0 = Pre-Kimbrough Time Period (Oct.1, 2007 thru December 9, 2007) 1 = Post-Kimbrough Time Period (December 10, 2007 thru Sept. 30, 2008) | This field indicates which time period a case falls within in the FY08 datafile. <i>This field can be used to separate cases for pre and post-Kimbrough (Supreme Court case) analyses and only exists on the FY08 datafile.</i> FORMAT: BOOKPOST. |
| LOSS1-LOSSX and LOSSHI | PSR | NUM 8 | Range: 0-9,999,999,997 0 = No loss 9,999,999,997 =Some Loss, Amount Not Specified/Range of Amounts • =Missing, Indeterminable, or Inapplicable | The dollar amount attributed to loss involved corresponding to GDLIN1-GDLINEX. Amounts are rounded off to the nearest whole dollar. Cases not involving dollar loss (ex. Drug cases) are coded as zero for the amount. LOSSHI is generated from the highest sentencing guideline computation and corresponds with GDLINEHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| LOSSC1-LOSSCX and LOSSCHI | PSR | NUM 8 | Range: 0-9,999,999,997 0 = No loss 9,999,999,997 =Some Loss, Amount Not Specified/Range of Amounts • =Missing, Indeterminable, or Inapplicable | The dollar amount attributed to loss involved corresponding to GDCROS1-GDCROX. Amounts are rounded off to the nearest whole dollar. Cases not involving dollar loss (ex. Drug cases) are coded as zero for the amount. LOSSCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|--------|----------|---|---|
| LOSSR1-LOSSRX and LOSSRHI | PSR | NUM 8 | Range: 0-9,999,999,997 0 = No loss 9,999,999,997 =Some Loss, Amount Not Specified/Range of Amounts • =Missing, Indeterminable, or Inapplicable | The dollar amount attributed to loss involved corresponding to GDREF1-GDREFX. Amounts are rounded off to the nearest whole dollar. Cases not involving dollar loss (ex. Drug cases) are coded as zero for the amount. LOSSRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| LOSSS1-LOSSSX and LOSSSHI | PSR | NUM 8 | Range: 0-9,999,999,997 0 = No loss 9,999,999,997 =Some Loss, Amount Not Specified/Range of Amounts • =Missing, Indeterminable, or Inapplicable | Dollar amount attributed to loss involved corresponding to GDSTAT1-GDSTATX. Amounts are rounded off to the nearest whole dollar. Cases not involving dollar loss (ex. drug cases) are coded as zero for the amount. LOSSSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> NO SAS FORMAT. |
| LOSSPROB | R | NUM 8 | 0 = No Problem/Not Applicable 1 = Problem Exists | Indicates when an unresolved problem between the loss held accountable amount and SOC range occurs. <i>Analyses using loss may be advised to screen on this variable to remove problem cases. This field is not available prior to FY03.</i> FORMAT: LOSSPROB. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--------------------------|--------|-------------|--|--|
| MAND1-MANDX | SOR | NUM 3 | 1 = Findings of Fact in this case 2 = Substantial Assistance 3 = Statutory Safety Valve 4 = No Count of Conviction Carries a Mandatory Sentence 5 = Mandatory Minimum Sentence Imposed 6 = One or More Counts of Conviction Carry Mandatory But the Court Determined It Does Not Apply • =Missing, Indeterminable, or Inapplicable | Indicates the status of any mandatory minimums at sentencing. These codes mimic the codes available as check-boxes on the AO245B (06/05) SOR form. <i>This field is not available prior to FY05.</i> FORMAT: MAND. |
| MANDTXT1-MANDTXTX | SOR | CHAR 100 | Text Field | Text fields which correspond to the mandatory minimum status fields MAND1-MANDX. These fields are filled in if the SOR provides additional text to go along with the mandatory minimum status description. <i>This field is not available prior to FY05.</i> |
| MARRIED | PSR | NUM 3 | 1 = Single 2 = Married 3 = Co-habiting (not legally married) 4 = Divorced 5 = Widowed 6 = Separated • =Missing, Indeterminable, or Inapplicable | Martial status of offender. <i>This field is not available after FY03.</i> FORMAT: MARRIED. |
| METHMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • =Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with 21§860A (Manufacturing Methamphetamine) or 21§865 (Smuggling Methamphetamine). <i>The minimums included in METHMIN are also included in DRUGMIN. Field not available prior to FY11.</i> NO SAS FORMAT. |
| MITCAP | R | NUM 8 | 0 = Case Does Not Apply Mitigating Rolecap 1 = Case Applied Mitigating Role Cap | This field is a dummy indicator as to whether the Mitigating Role Cap provision under §2D1.1 was applied (see USSC <i>Guidelines Manual</i> for more information). Note that generally all mitigating role cap cases are designated "1" for DRUGPROB because the drug type/weight/BOL triangulation does not work. <i>Field not available prior to FY06.</i> FORMAT: MITCAP. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|---|
| MITRLC1-MITRLCX and MITRLCHI | PSR/SOR | NUM 3 | 0 = No Adjustment -1 = Adjustment (Not in <i>USSG</i> Manual) -2 = Minor Participation -3 = Between Minor and Minimal Participation -4 = Minimal Participation -6 = Adjustment (Not in <i>USSG</i> Manual) • =Missing, Indeterminable, or Inapplicable | Mitigating Role Adjustment (§3B1.2) which corresponds to GDCROS1-GDCROX. This field is the number of levels subtracted due to the defendant's mitigating role in the offense. MITRLCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: MITROLE. |
| MITRLR1-MITRLRX and MITRLRHI | PSR/SOR | NUM 3 | 0 = No Adjustment -1 = Adjustment (Not in <i>USSG</i> Manual) -2 = Minor Participation -3 = Between Minor and Minimal Participation -4 = Minimal Participation -6 = Adjustment (Not in <i>USSG</i> Manual) • =Missing, Indeterminable, or Inapplicable | Mitigating Role Adjustment (§3B1.2) which corresponds to GDREF1-GDREFX. This field is the number of levels subtracted due to the defendant's mitigating role in the offense. MITRLRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: MITROLE. |
| MITRLS1-MITRLSX and MITRLSHI | PSR/SOR | NUM 3 | 0 = No Adjustment -1 = Adjustment (Not in <i>USSG</i> Manual) -2 = Minor Participation -3 = Between Minor and Minimal Participation -4 = Minimal Participation -6 = Adjustment (Not in <i>USSG</i> Manual) • =Missing, Indeterminable, or Inapplicable | Mitigating Role Adjustment (§3B1.2) which corresponds to GDSTAT1-GDSTATX. This field is the number of levels subtracted due to the defendant's mitigating role in the offense. MITRLSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: MITROLE. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|---|
| MITROL1-MITROLX and MITROLHI | PSR/SOR | NUM 3 | 0 = No Adjustment -1 = Adjustment (Not in USSG Manual) -2 = Minor Participation -3 = Between Minor and Minimal Participation -4 = Minimal Participation -6 = Adjustment (Not in USSG Manual) • =Missing, Indeterminable, or Inapplicable | Mitigating Role Adjustment (§3B1.2) which corresponds to GDLIN1-GDLINEX. This field is the number of levels subtracted due to the defendant's mitigating role in the offense. MITROLHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: MITROLE. |
| MOCOMCON R=COMDUM | JC | NUM 3 | Range: 0 thru 97 0 = No Community Confinement Ordered 97 = Community Confinement Ordered, but No Term Specified • =Missing, Indeterminable, or Inapplicable | Total term of community confinement ordered, in months (excluding special requests to BOP). <i>Terms expressed in days have been rounded up to the nearest number of months (ex. 45 days is coded as 2 months).</i> FORMAT: MOCOMCON. |
| MOHOMDET R=HOMDUM | JC | NUM 3 | Range: 0 thru 97 0 = No Home Detention Ordered 97 = Home Detention Ordered, but No Term Specified • =Missing, Indeterminable, or Inapplicable | Total term of home detention ordered, in months (excluding special requests to BOP). <i>Terms expressed in days have been rounded up to the nearest number of months (ex. 45 days is coded as 2 months).</i> FORMAT: MOHOMDET. |
| MOINTCON R=INTDUM | JC | NUM 3 | Range: 0 thru 97 0 = No Intermittent Confinement Ordered 97 = Intermittent Confinement Ordered, but No Term Specified • =Missing, Indeterminable, or Inapplicable | Total term of intermittent confinement ordered, in months (excluding special requests to BOP). <i>Terms expressed in days have been rounded up to the nearest number of months (ex. 45 days is coded as 2 months).</i> FORMAT: MOINTCON. |
| MONACCEP | PSR/SOR | NUM 3 | -4 = Applied (Not in USSG Manual) -3 = Adjustment Applied -2 = Adjustment Applied -1 = Applied (Not in USSG Manual) 0 = Adjustment Not Applied • = Missing, Indeterminable, or Inapplicable | Acceptance of Responsibility value (<i>does NOT takes higher values from Career Offender, etc. calcs into account</i>), §3E1.1: The number of levels to be subtracted from combined adjusted offense level due to defendant's acceptance of responsibility. <i>The value of (-3) for this variable only applies if AMENDYR is 1992 or later.</i> FORMAT: ACCTRESP. |
| MONCIRC R=CIRCDIST | JC/PSR | NUM 3 | Range: 0 thru 11 • =Missing, Indeterminable, or Inapplicable | Indicates the judicial circuit in which the defendant was sentenced. <i>This variable is generated from the entry for judicial district.</i> FORMAT: MONCIRC. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|--------------|----------|---|--|
| MONRACE R=NEWRACE | PSR | NUM 3 | 1 = White/Caucasian 2 = Black/African American 3 = American Indian/Alaskan Native 4 = Asian or Pacific Islander 5 = Multi-racial 7 = Other 8 = Info on Race Not Available in Docs (This code only available FY07 and on) 9 = Non-US American Indians • = Missing, Indeterminable, or Inapplicable | Offender's race (self-reported to the probation officer). <u>Code 8 is not available prior to FY07. Code 9 is not available prior to FY09.</u> NOTE: Hispanic ethnicity is coded in the variable HISPORIG. Race and ethnicity are combined in NEWRACE. FORMAT: MONRACE. |
| MONSEX | PSR | NUM 3 | 0 = Male 1 = Female • = Missing, Indeterminable, or Inapplicable | Indicates the offender's gender. FORMAT: MONSEX. |
| MWEIGHT | R | NUM 8 | Range: 0.01 thru 99,999,999,990 • = Missing, Indeterminable, or Inapplicable | The marijuana weight equivalency, <u>in grams</u> , of all the drug types coded. This variable does not include the weight from any subsequent drugs not coded (if there are more than 5 drug types). NO SAS FORMAT. |
| MWGT1-MWGT5 | R | NUM 8 | Range: 0.01 thru 99,999,999,990 • = Missing, Indeterminable, or Inapplicable | The marijuana weight equivalency, <u>in grams</u> , of the first through fifth drug types (DRUGTYP1-DRUGTYP5) NO SAS FORMAT. |
| NEWCIT | R | NUM 3 | 0 = U.S. 1 = Non-U.S. (Includes Legal and Illegal Aliens) • = Missing, Indeterminable, or Inapplicable | Citizenship of the defendant (Recode of CITIZEN for the annual report). FORMAT: NEWCIT. |
| NEWCNVTN | R | NUM 3 | 0 = Plea 1 = Trial • =Missing, Indeterminable, or Inapplicable | Indicates whether the case was settled by plea agreement or trial. FORMAT: NEWCNVTN. |
| NEWEDUC | R | NUM 3 | 1 = Less Than H.S. Graduate 3 = H.S. Graduate 5 = Some College 6 = College Graduate • = Missing, Indeterminable, or Inapplicable | Highest level of education for offender (Recode of EDUCATN for annual report). FORMAT: NEWEDUC. |
| NEWRACE | R PSR | NUM 3 | 1 = White 2 = Black 3 = Hispanic 6 = Other • =Missing, Indeterminable, or Inapplicable | Race of defendant (Recode of MONRACE and HISPORIG for the annual report). FORMAT: NEWRACE. |
| NOCOMP | R | NUM 3 | Range: 1 thru 99 • =Missing, Indeterminable, or Inapplicable | The number of guideline computations. NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|------------|---|---|
| NOCOUNTS | JC/PSR | NUM 3 | Range: 1 thru 999 • = Missing, Indeterminable, or Inapplicable | The number of counts of conviction. NO SAS FORMAT. |
| NOUSTAT | R | NUM 3 | Range: 1 thru 99 • = Missing, Indeterminable, or Inapplicable | The number of unique statutes in a case. NO SAS FORMAT. |
| NUMDEPEN | PSR | NUM 3 | Range: 1 thru 96 0 = No Dependents 97 = Some Dependents, Exact Number Unknown • = Missing, Indeterminable, or Inapplicable | Number of dependents whom the offender supports (excluding self). FORMAT: NUMDEPEN. |
| NWSTAT1-NWSTATX | R | CHAR 10 | • = Missing, Indeterminable, or Inapplicable | Title, Section, and Subsection number of the UNIQUE statutes for each case generated from <u>all</u> of the statute fields (STAT1_1 thru STAT3_XX). Ex. If a case has a total of 5 counts involving 4 counts of 21:841 and one count of 18:924C then NWSTAT1 will be 21:841, NWSTAT2 will be 18:924C and NWSTAT3-X will be missing/inapplicable. <i>Use with NOUSTAT.</i> NO SAS FORMAT. |
| OBSTCC1-OBSTCCX and OBSTCCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 1 = Adjustment (Not in Guidelines) 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Obstruction of Justice Adjustment (§3C1.1) corresponding with GDCROS1-GDCROX. This field is the number of levels added because defendant willfully obstructed or impeded justice. OBSTCCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OBSTRCT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|---|
| OBSTRC1-OBSTRCX and OBSTRCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 1 = Adjustment (Not in Guidelines) 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Obstruction of Justice Adjustment (§3C1.1) corresponding with GDLIN1-GDLINEX. This field is the number of levels added because defendant willfully obstructed or impeded justice. OBSTRCHI is generated from the highest sentencing guideline computation and corresponds with GDLIN1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OBSTRCT. |
| OBSTRR1-OBSTRRX and OBSTRRHI | PSR/SOR | NUM 3 | 0 = No Adjustment 1 = Adjustment (Not in Guidelines) 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Obstruction of Justice Adjustment (§3C1.1) corresponding with GDREF1-GDREFX. This field is the number of levels added because defendant willfully obstructed or impeded justice. OBSTRCHI is generated from the highest reference guideline computation and corresponds with GDREF1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OBSTRCT. |
| OBSTRS1-OBSTRSX and OBSTRSHI | PSR/SOR | NUM 3 | 0 = No Adjustment 1 = Adjustment (Not in Guidelines) 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Obstruction of Justice Adjustment (§3C1.1) corresponding with GDSTAT1-GDSTATX. This field is the number of levels added because defendant willfully obstructed or impeded justice. OBSTRSHI is generated from the highest statutory guideline computation and corresponds with GDSTAT1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OBSTRCT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|-----------|---|---|
| OFBEG1-OFBEGXX | JC/PSR | DATE 8 | Format: MMDDYY8. | The date the offense began for each count of conviction (use with STA1_1-STA3_XXX). <i>This field is not available after FY05.</i> NO SAS FORMAT. |
| OFEND1-OFENDXX | JC/PSR | DATE 8 | Format: MMDDYY8. | The date the offense ended for each count of conviction (use with STA1_1-STA3_XXX). <i>This field is not available after FY05.</i> NO SAS FORMAT. |
| OFFTYPE2 | R | NUM 3 | (See Code Attachment) | Primary offense type for the case generated from the count of conviction with the highest statutory maximum (in case of a tie, the count with the highest statutory minimum is used). <i>Note that since the primary offense type is derived from statutes of conviction it may not match up logically with the primary guideline (or any of the guidelines applied).</i> FORMAT: OFFTYPET. |
| OFFTYPSE | R | NUM 3 | (See Code Attachment) | Primary offense type variable used in the Fiscal Year 2010 and later Commission's <i>Sourcebook of Federal Sentencing Statistics</i> tables. Generated from the count of conviction with the highest statutory maximum (in case of a tie, the count with the highest statutory minimum is used). <i>Note that since the primary offense type is derived from statutes of conviction it may not match up logically with the primary guideline (or any of the guidelines applied).</i> <i>Field not available prior to FY10.</i> FORMAT: OFFTYPSE. |
| OFFVCC1-OFFVCCX and OFFVCCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied (Not in Guidelines) 3 = Adjustment Applied (See GL Manual for specifics) 6 = Adjustment Applied (See GL Manual for specifics) • = Missing, Indeterminable, or Inapplicable | The Official Victim Adjustment (§3A1.2) which corresponds to GDCROS1-GDCROX. This field is the number of levels added due to involvement of a victim who is a law enforcement or corrections official. OFFVCCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OFFVIC. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|---|
| OFFVCR1-OFFVCRX and OFFVCRHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied (Not in Guidelines) 3 = Adjustment Applied (See GL Manual for specifics) 6 = Adjustment Applied (See GL Manual for specifics) • = Missing, Indeterminable, or Inapplicable | The Official Victim Adjustment (§3A1.2) which corresponds to GDREF1-GDREFX. This field is the number of levels added due to involvement of a victim who is a law enforcement or corrections official. OFFVCRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OFFVICT. |
| OFFVCS1-OFFVCSX and OFFVCSHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied (Not in Guidelines) 3 = Adjustment Applied (See GL Manual for specifics) 6 = Adjustment Applied (See GL Manual for specifics) • = Missing, Indeterminable, or Inapplicable | The Official Victim Adjustment (§3A1.2) which corresponds to GDSTAT1-GDSTATX. This field is the number of levels added due to involvement of a victim who is a law enforcement or corrections official. OFFVCSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OFFVICT. |
| OFFVCT1-OFFVCTX and OFFVCTHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied (Not in Guidelines) 3 = Adjustment Applied (See GL Manual for specifics) 6 = Adjustment Applied (See GL Manual for specifics) • = Missing, Indeterminable, or Inapplicable | The Official Victim Adjustment (§3A1.2) which corresponds to GDLIN1-GDLINEX. This field is the number of levels added due to involvement of a victim who is a law enforcement or corrections official. OFFVCTHI is generated from the highest sentencing guideline computation and corresponds with GDLINEHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: OFFVICT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|------------------|--------|-----------|--|--|
| ONLY924C | R | NUM 3 | 0 = No 18§924(c) Charges (Includes Missing) 1 = Only Charges of 18 § 924(c) Present | Indicates if a charge of 18§924(c) is the only significant charge in a case (YES/NO variable). Cases with a code of "1" may include non-substantive charges such as conspiracy charges in addition to the 18 § 924(c). <i>Field not available prior to FY10.</i> FORMAT: ONLY924C. |
| ONLY1028A | R | NUM 3 | 0 = No 18§1028A Charges (Includes Missing) 1 = Only Charges of 18 § 1028A Present | Indicates if a charge of 18§1028A is the only significant charge in a case (YES/NO variable). Cases with a designation of "1" may include non-substantive charges such as conspiracy charges. <i>Field not available prior to FY10.</i> FORMAT: ONLY1028. |
| OTHRMIN | R | NUM 4 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with any mandatory minimum <u>not covered</u> in DRUGMIN, FIREMIN1-FIREMIN2, IDMIN, IMMIMIN, GUNMIN1-GUNMIN3, PORNMIM, or SEXMIN. <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| POINT1 | PSR | NUM 3 | Range: 1 thru 90 0 = None • = Missing, Indeterminable, or Inapplicable | Number of one-point incidents (sentences < 60 days) included in the criminal history section of the PSR. NOTE: This variable is not yet trumped by the legal limitations. NO SAS FORMAT. |
| POINT2 | PSR | NUM 3 | Range: 1 thru 90 0 = None • = Missing, Indeterminable, or Inapplicable | Number of two-point incidents (\geq 60 days and \leq 13 months) included in the criminal history section of the PSR. NOTE: This variable is not yet trumped by the legal limitations. NO SAS FORMAT. |
| POINT3 | PSR | NUM 3 | Range: 1 thru 90 0 = None • = Missing, Indeterminable, or Inapplicable | Number of three-point incidents (> 13 months) included in the criminal history section of the PSR. NOTE: This variable is not yet trumped by the legal limitations. NO SAS FORMAT. |
| POOFFICE | PSR | CHAR 1 | Range: 0 thru 9/A - J BLANK = Missing (See Code Attachment) | Indicates the code for the probation office where the PSR was prepared. <i>This variable must be used in conjunction with DISTRICT.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|-------------|----------|--|---|
| PORNMIN | R | NUM 4 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with convictions under 18§2251 or 18§2252. <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| PRESENT | PSR | NUM 3 | 1 = In Custody 2 = Out on Bail/Bond 3 = Released on Own Recognizance 4 = Other • = Missing, Indeterminable, or Inapplicable | Offender's pre-sentence detention status. FORMAT: PRESENT. |
| PRISDUM | R | NUM 3 | 0 = No 1 = Yes (includes TOTPRISN= 991 thru 997) • = Missing, Indeterminable, or Inapplicable | Indicates if the defendant received a prison sentence (YES/NO variable). <i>Does not include alternatives.</i> FORMAT: PRISDUM. |
| PROBATN R=PROBDUM | JC | NUM 3 | Range: 0 thru 997 0 = No Probation Ordered 997 = Probation Ordered, But No Term Specified • = Missing, Indeterminable, or Inapplicable | Total probation ordered, in months. FORMAT: PROBATN. |
| PROBDUM | R JC | NUM 3 | 0 = No 1 = Yes (includes PROBATN = 97) • = Missing, Indeterminable, or Inapplicable | Indicates whether the defendant received probation (YES/NO variable). FORMAT: PROBDUM. |
| QUARTER | R | NUM 8 | Range: 1-4 1 = Oct 1 thru Dec 31 2 = Jan 1 thru March 31 3 = April 1 thru June 30 4 = July 1 thru Sept 30 | Fiscal Year quarter in which the case was sentenced. This field is generated based on the sentencing date for use in USSC's quarterly data reports. <i>Field not available prior to FY06.</i> FORMAT: QUARTER. |
| RANGEPT | R | NUM 3 | 1 = Guideline Minimum 2 = Lower Half of Range 3 = Midpoint of Range 4 = Upper Half of Range 5 = Guideline Maximum 6 = Guideline Min/Max Are Equal • = Missing/Departure/Logic Problems | This variable denotes where within the range a case was sentenced. This variable only applies to cases that are <u>not</u> departures from the guidelines (See DEPART). <i>NOTE: Life sentences were coded as 470, so their sentencing range became 360 - 470. Cases with no range (e.g. mandatory minimum trump or LIFE:LIFE range) are placed Category 6.</i> FORMAT: RANGEPT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-------------------|---------|-------------|--|--|
| REAS1-REASX | SOR | NUM 3 | (See Codebook Attachment - same as Reason1-ReasonX) | The first, second, etc. reasons given by the court for why the sentence imposed was outside of the range. 'Other' values are further described in text fields RETEXT1-RETEXTX. <u>Use this field in conjunction with BOOKERCD to select outside the range reasons for a particular subset.</u> <i>This field does not exist prior to FY04. See REASON1-REASONX and REASTXT1-REASTXTX for information in earlier years.</i> FORMAT: REASON. |
| REASON1-REASONX | SOR | NUM 3 | (See Codebook Attachment) | The first, second, etc. reasons given by the court for the departure sentence imposed (when applicable). 'Other' values are further described in text fields REASTXT1-REASTXTX. <i>This field does not exist after FY03. See REAS1-REASX and RETEXT1-RETEXTX.</i> FORMAT: REASON. |
| REASTXT1-REASTXTX | SOR | CHAR 250 | Text Field | Text description when reasons given by the court for departure is not included in REASON1-REASONX (REASON = 777). <i>This field does not exist after FY03. See REAS1-REASX and RETEXT1-RETEXTX.</i> |
| REL2PTS | PSR/SOR | NUM 3 | 0 = None 1 = Adjustment For Commission of Offense < 2 Years After Release (If Adjustment for Commission of Offense While Under Justice System Has Been Applied) 2 = Adjustment For Commission of Offense < 2 Years After Release • = Missing, Indeterminable, or Inapplicable | Number of criminal history points applied for the commission of the instant offense less than two years after release from imprisonment, under §4A1.1(e). FORMAT: REL2PTS. |
| RELMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with convictions under 18§3147 (Penalty for Offense Committed While on Release). <i>Penalty can be anything from 0-120 months and is consecutive to any other count. Field not available prior to FY08.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-------------------|--------|-------------|--|---|
| REPSXMIN | R | NUM 3 | Range: 0 thru 9996 9996 =Life Imprisonment (this used to be code 996) • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with convictions under 18§2260A (Repeat Sex Offender). Field not available prior to FY07. NO SAS FORMAT. |
| RESTDET1-RESTDETX | SOR | NUM 3 | 0 = Not Applicable 1 = Not ordered because the number of identifiable victims is so large as to make restitution impracticable under 18 USC § 3663A(c)(3)(A) 2 = Not ordered because of complex issues of fact and relating them to the cause would complicate or lengthen sentencing process unduly. 3 = Not ordered because the complication and prolongation of sentencing process from fashioning order outweighs the need to provide restitution to victims. 4 = Not ordered for other reasons (Enter Text) 5 = Partial Restitution is ordered under 18 USC § 3663(c) for these reasons (Enter Text) • = Missing, Indeterminable, or Inapplicable | Court's determination of restitution (i.e. if defendant is/is not ordered to pay restitution). This information is generally taken from the 4-page SOR (AO245B 06/05) but may also be taken from the J&C. Note that more than one checkbox may have been marked on the SOR so USSC codes all checked boxes for each case. See also RESTTXT1-RESTTXX for additional information. FORMAT: RESTDET. |
| RESTDUM | R | NUM 3 | 0 = No 1 = Yes • = Missing, Indeterminable, or Inapplicable | Indicates whether a restitution amount was given (YES/NO variable). FORMAT: RESTDUM. |
| RESTTXT1-RESTTXX | SOR | CHAR 100 | Text Field | Additional text description when reasons given by the court concerning why restitution was or was not ordered. See RESTDETI-RESTDETX. |
| RETEXT1-RETEXTX | SOR | CHAR 250 | Text Field | Text description when reasons given by the court for sentence outside the range is not included in REAS1-REASX (i.e. REASX = 777). <u>Use this field in conjunction with BOOKERCD to select outside the range reasons for a particular subset.</u> This field does not exist prior to FY04. See REASON1-REASONX and REASTXT1-REASTXX for information in earlier years. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|--|--|
| RLADJC1-RLADJCX and RLADJCHI | R | NUM 3 | 0 = No Role Adjustment(s) Given 1 = Role Adjustment(s) Given • = Missing, Indeterminable, or Inapplicable | Dummy Indicator of whether any Chapter 3 Role Adjustment was applied. These fields correspond to GDCROS1-GDCROX. This field is “yes” if aggravating role (AGGRLC1-AGGRLCX), mitigating role (MITRLC1-MITRLCX), abuse of position (ABUSC1-ABUSCX), or use of a minor (USKIDC1-USKIDCX) is applied. RLADJCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: ROLEADJ. |
| RLADJR1-RLADJRX and RLADJRHI | R | NUM 3 | 0 = No Role Adjustment(s) Given 1 = Role Adjustment(s) Given • = Missing, Indeterminable, or Inapplicable | Dummy Indicator of whether any Chapter 3 Role Adjustment was applied. These fields correspond to GDREF1-GDREFX. This field is “yes” if aggravating role (AGGRLR1-AGGRLRX), mitigating role (MITRLR1-MITRLRX), abuse of position (ABUSR1-ABUSRX), or use of a minor (USKIDR1-USKIDRX) is applied. RLADJRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: ROLEADJ. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|---|
| RLADJS1-RLADJSX and RLADJSHI | R | NUM 3 | 0 = No Role Adjustment(s) Given 1 = Role Adjustment(s) Given • = Missing, Indeterminable, or Inapplicable | Dummy Indicator of whether any Chapter 3 Role Adjustment was applied. These fields correspond to GDSTAT1-GDSTATX. This field is “yes” if aggravating role (AGGRLS1-AGGRLSX), mitigating role (MITRLS1-MITRLSX), abuse of position (ABUSS1-ABUSSX), or use of a minor (USKIDS1-USKIDSX) is applied. RLADJSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: ROLEADJ. |
| RLEAS1-RLEASX and RLEASHI | PSR/SOR | NUM 3 | Valid Values: 0 or 3 0 = No Adjustment Applied 3 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3147 • = Missing, Indeterminable, or Inapplicable | Commission of Offense While on Release (§3C1.3) which corresponds to GDLIN1-GDLINEX. This field indicates the number of levels added for the Commission of Offense While on Release (§3C1.3). RLEASHI is generated from the highest sentencing guideline computation and corresponds with GDLINEHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. Not available prior to 2008.</i> FORMAT: RLEAS. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|--|--|
| REASC1-REASCX and REASCHI | PSR/SOR | NUM 3 | Valid Values: 0 or 3 0 = No Adjustment Applied 3 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3147 • = Missing, Indeterminable, or Inapplicable | Commission of Offense While on Release (§3C1.3) which corresponds to GDCROS1-GDCROSX. This field indicates the number of levels added for the Commission of Offense While on Release (§3C1.3) . RLEASCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. Not available prior to 2008.</i> FORMAT: RLEAS. |
| REASR1-REASRX and REASRHI | PSR/SOR | NUM 3 | Valid Values: 0 or 3 0 = No Adjustment Applied 3 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3147 • = Missing, Indeterminable, or Inapplicable | Commission of Offense While on Release (§3C1.3) which corresponds to GDREF1-GDREFX. This field indicates the number of levels added for the Commission of Offense While on Release (§3C1.3) . RLEASRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. Not available prior to 2008.</i> FORMAT: RLEAS. |
| REASS1-REASSX and REASSHI | PSR/SOR | NUM 3 | Valid Values: 0 or 3 0 = No Adjustment Applied 3 = Offense Involved Statutory Sentencing Enhancement under 18 U.S.C. §3147 • = Missing, Indeterminable, or Inapplicable | Commission of Offense While on Release (§3C1.3) which corresponds to GDSTAT1-GDSTATX. This field indicates the number of levels added for the Commission of Offense While on Release (§3C1.3) . RLEASSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. Not available prior to 2008.</i> FORMAT: RLEAS. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|---|
| ROLADJ1-ROLADJX and ROLADJHI | R | NUM 3 | 0 = No Role Adjustment(s) Given 1 = Role Adjustment(s) Given • = Missing, Indeterminable, or Inapplicable | Dummy Indicator of whether any Chapter 3 Role Adjustment was applied. These fields correspond to GDLIN1-GDLINX. This field is “yes” if aggravating role (AGGROL1-AGGROLX), mitigating role (MITROL1-MITROLX), abuse of position (ABUS1-ABUSX), or use of a minor (USKID1-USKIDX) is applied. ROLADJHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: ROLEADJ. |
| RSTRCC1-RSTRCCX and RSTRCCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Restraint of Victim Adjustment (§3A1.3) which corresponds with GDCROS1-GDCROX. This field is the number of levels added because victim was physically restrained during the offense. RSTRCCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: RSTRVCT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|--|
| RSTRVC1-RSTRVCX and RSTRVCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Restraint of Victim Adjustment (§3A1.3) which corresponds with GDLIN1-GDLINEX. This field is the number of levels added because victim was physically restrained during the offense. RSTRVCHI is generated from the highest sentencing guideline computation and corresponds with GDLIN1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: RSTRVCT. |
| RSTRVR1-RSTRVRX and RSTRVRHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Restraint of Victim Adjustment (§3A1.3) which corresponds with GDREF1-GDREFX. This field is the number of levels added because victim was physically restrained during the offense. RSTRVRHI is generated from the highest reference guideline computation and corresponds with GDREF1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: RSTRVCT. |
| RSTRVS1-RSTRVSX and RSTRVSHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Restraint of Victim Adjustment (§3A1.3) which corresponds with GDSTAT1-GDSTATX. This field is the number of levels added because victim was physically restrained during the offense. RSTRVSHI is generated from the highest statutory guideline computation and corresponds with GDSTAT1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: RSTRVCT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------|---------|------------|--|---|
| SAFE | R | NUM 3 | 0 = Not Applied 1 = Received -2 levels for SV SOC in §2D1.1 (New Safety Valve) 2 = Sentenced below mandatory per §5C1.2 but did not get any level reduction as per §2D1.1 (Old Safety Valve) . = Inapplicable because not a drug case | Indicator of Safety Valve application under both §2D1.1 and §5C1.2. Originally the safety valve was conceived by Congress to give low level, first time offenders relief from being sentenced to drug mandatory minimums. Later the Commission expanded this idea and in addition to being sentenced below the mandatory minimum, offenders were given an additional 2 level decrease. See the <i>USSC Guideline Manuals</i> for further information of amendment changes. <i>Applies only to cases involving drug trafficking. Note that this variable no longer screens on the variable SOURCES.</i> FORMAT: SAFE. |
| SAFETY | PSR/SOR | NUM 3 | 0 = Safety Valve Not Applied 1 = Safety Valve Applied . = Missing/Inapplicable | Indicator of whether or not the "Safety Valve" provision (§5C1.2 or 2D1.1) was applied. <i>Note that this provision is only applicable to drug cases. See also SAFE.</i> FORMAT: SAFE. |
| SENSPLT | R | NUM 8.2 | Range: 0.01 thru 9997 470 = Life • = Missing, Indeterminable, Inapplicable or Probation | The total prison sentence, in months, plus alternatives, without zeros (probation) . Probation and missing terms are set to "•". <i>Alternatives include home detention, community confinement, and intermittent confinement. SENSPLT is missing if any one of monitoring's alternative variables is coded 97. This variable does not take ZONE into account.</i> NO SAS FORMAT. |
| SENSPLT0 | R | NUM 8.2 | Range: 0 thru 9997 0 = Probation 470 = Life • = Missing, Indeterminable, or Inapplicable | The total prison sentence, in months, plus alternatives, with zeros (probation) . Missing terms are set to "•". <i>Alternatives include home detention, community confinement, and intermittent confinement. SENSPLT is missing if any of monitoring's alternative variables is coded 97. This variable does not take ZONE into account.</i> NO SAS FORMAT. |
| SENTDATE | JC/PSR | DATE 8 | FORMAT: MMDDYY8. | The date on which the defendant was sentenced. <i>This field not available after FY03 - see SENTMON and SENTRYR.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|----------|---------|------------|---|--|
| SENTIMP | R | NUM 3 | 0 = No Prison/Probation (Fine Only) 1 = Prison Only (No Alternatives) 2 = Prison + Confinement Conditions (Alternatives, Including Zone C Split Sentences) 3 = Probation + Confinement Conditions (Alternatives) 4 = Probation Only • = Missing, Indeterminable, or Inapplicable | Indicates what type of sentence was given (prison, probation, probation plus alternatives, or prison/split sentence). <i>Alternatives with values of 97 are included in categories with alternatives.</i> FORMAT: SENTIMP. |
| SENTMON | R | NUM 8 | Range: 1-12 | Sentencing month. Generated from SENTDATE. <i>Field not on datafiles prior to FY05.</i> NO SAS FORMAT. |
| SENTPTS | PSR/SOR | NUM 3 | 0 = None 1 = Adjustment Applied (Not in Guidelines) 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | §4A1.1(d) Number of criminal history points applied from the commission of the instant offense while under the criminal justice system. FORMAT: SENTPTS. |
| SENTTOT | R | NUM 8.2 | Range: 0.01 thru 9997 470 = Life • = Missing, Indeterminable, Inapplicable, or Probation | The total prison sentence (excluding months of alternative confinement), in months, without zeros (probation) . Zero terms and missing cases are set to "•". NO SAS FORMAT. |
| SENTTOT0 | R | NUM 8.2 | Range: 0 thru 9997 0 = Probation 470 = Life • = Missing, Indeterminable, or Inapplicable | The total prison sentence (excluding months of alternative confinement), in months, with zeros (probation) . Missing cases are set to "•". NO SAS FORMAT. |
| SENTYR | R | NUM 8 | Range: Applicable Fiscal Year | Sentencing year. Generated from SENTDATE. <i>Field not on datafiles prior to FY05.</i> NO SAS FORMAT. |
| SEXACCA | | NUM 3 | -3 = Adjustment Applied -2 = Adjustment Applied -1 = Applied (Not in USSG Manual) 0 = Adjustment Not Applied • = Missing, Indeterminable, or Inapplicable | The number of levels to be subtracted for Acceptance of Responsibility, (§3E1.1) for cases which have also received the Repeat and Dangerous Sex Offender (Part A) adjustment (§4B1.5(a)). <i>This field does not exist prior to FY04.</i> FORMAT: ACCEPT. |
| SEXACCB | | NUM 3 | -3 = Adjustment Applied -2 = Adjustment Applied -1 = Applied (Not in USSG Manual) 0 = Adjustment Not Applied • = Missing, Indeterminable, or Inapplicable | The number of levels to be subtracted for Acceptance of Responsibility, (§3E1.1) for cases which have also received the Repeat and Dangerous Sex Offender (Part B) adjustment (§4B1.5(b)). <i>This field does not exist prior to FY04.</i> FORMAT: ACCEPT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--------------------|---------|----------|---|---|
| SEXCAP | | NUM 3 | 0 = Not Applied 1 = Applied • = Missing, Indeterminable, or Inapplicable (PSR Not Received) | Indicates if either Part A or B of the Repeat and Dangerous Sex Offender adjustment (§4B1.5) was applied. FORMAT: SEXCAP. |
| SEXMIN | R | NUM 4 | Range: 0 thru 9996 9996 = Life Imprisonment (this used to be code 996) • = Missing, Indeterminable, or Inapplicable | Represents mandatory minimum sentence (in months) associated with convictions under 18§2422 or 18§2423. <i>Field not available prior to FY06.</i> NO SAS FORMAT. |
| SEXOFFNA | PSR/SOR | NUM 3 | Range: 0-99. 0 = N/A • = Missing, Indeterminable (PSR Not Received) | Indicates the offense level (prior to acceptance of responsibility) the offender received from the Chapter Four Enhanced offense level for Repeat and Dangerous Sex Offender Against Minors (Prong A under §4B1.5: At least 1 prior sex offense conviction). <i>This field does not exist prior to FY02.</i> NO SAS FORMAT. |
| SEXOFFNB | PSR/SOR | NUM 3 | Range: 0-99. 0 = N/A • = Missing, Indeterminable (PSR Not Received) | Indicates the offense level (prior to acceptance of responsibility) the offender received from the Chapter Four Enhanced offense level for Repeat and Dangerous Sex Offender Against Minors (Prong B under §4B1.5: Pattern of Activity). <i>This field does not exist prior to FY02.</i> NO SAS FORMAT. |
| SMAX1-SMAXX | JC/PSR | NUM 3 | Range: 0 thru 9996 9996 = Life • = Missing, Indeterminable, or Inapplicable | Statutory maximum for each individual count of conviction. Use with variable NOCOUNT. See also STATMAX for overall statutory maximum for case. NO SAS FORMAT. |
| SMIN1-SMINX | JC/PSR | NUM 3 | Range: 0 thru 9996 9996 = Life • = Missing, Indeterminable, or Inapplicable | Statutory minimum for each individual count of conviction. Use with variable NOCOUNT. See also STATMIN for overall statutory minimum for case. NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|-----------------|--------|----------|--|---|
| SORFORM | SOR | NUM 3 | 1 = AO245B (Revised 12/03) (AKA the 3-page) *Note that from FY08 onward this is designated as “Other Form Type” 2 = AO245B (Revised 06/05) (AKA the 4-page) *Note that from FY08 onward this value does not exist. 3 = AO245B (Pre- 12/03) (AKA the 1-page) *Note that from FY08 onward this value does not exist. 4 = District Created Form (varies from district to district on what type of information is provided) 5 = No SOR Received • = Missing, Indeterminable | Indicates the type/version of AO SOR form received. Newer SORs are longer in length and have checkboxes provided for more detailed information regarding sentencing determination which is not provided on older-style SORs. <i>Note that USSC requires all pages/no changes on forms to be categorized as that specific form. This field only available after FY04. Note that from FY08 forward, these values have been collapsed and analysts now only have the following choices available: “Current Form” (Code 2), “Not Current Form” (Code 1), and “No SOR Received” (Code 5).</i> FORMAT: SORFORM. |
| SOURCES | SOR | NUM 3 | 1 = Information Represents Known Court Findings: (a) SOR Accepts PSR (b) SOR Differs From PSR, SOR is Coded (c) Court’s Factual Findings Unknown, SOR Criminal History Category and Offense Level Match PSR or SOR Guideline Range Matches PSR Guideline Range 2 = Alternate Docs/Some Info May be Missing from SOR 3 = PSR is Coded (Insufficient Information in SOR) 5 = PSR is Coded (No SOR Present) 6 = 18§924(c) only 8 = No Analogous guidelines (Class A misdemeanor or state assimilated offense with no analogous guidelines) 9 = PSR Waived, Missing, or Multiple Offense Levels | Indicates the extent to which information coded in detailed guideline application is based upon known court findings. This also acts as a “SKIP” field, so if certain codes are chosen then certain screens like guideline application and criminal history are never accessed. <i>Note that Code 2 was discontinued in FY08.</i> FORMAT: SOURCES. |
| SPECASSM | PSR | NUM 8 | Range: 0 - 99,000 0 = No Special Assessment Ordered • = Missing, Indeterminable, or Inapplicable | The dollar value of the special assessment fee assigned by the court. NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|------------|---|---|
| STA1_1-STA1_XXX R=NWSTAT1-NWSTATX | JC | CHAR 15 | • = Missing, Indeterminable, or Inapplicable | Title, Section, and Subsection number, respectively of the <u>first</u> statutes for each count of conviction. <i>For example STA1_123 is the 1st statute for the 123rd count of conviction.</i> USSC records up to 3 statutes for each count. <i>Use with the variable NOCOUNT. See NWSTAT1-NWSTATX to find UNIQUE statutes from all fields.</i> NO SAS FORMAT. |
| STA2_1-STA2_XXX R=NWSTAT1-NWSTATX | JC | CHAR 15 | • = Missing, Indeterminable, or Inapplicable | Title, Section, and Subsection number, respectively of the <u>second</u> statutes for each count of conviction. <i>For example STA2_123 is the 2nd statute for the 123rd count of conviction.</i> USSC records up to 3 statutes for each count. <i>Use with the variable NOCOUNT. See NWSTAT1-NWSTATX to find UNIQUE statutes from all fields.</i> NO SAS FORMAT. |
| STA3_1-STA3_XXX R=NWSTAT1-NWSTATX | JC | CHAR 15 | • = Missing, Indeterminable, or Inapplicable | Title, Section, and Subsection number, respectively of the <u>third</u> statutes for each count of conviction. <i>For example STA3_123 is the 3rd statute for the 123rd count of conviction.</i> USSC records up to 3 statutes for each count. <i>Use with the variable NOCOUNT. See NWSTAT1-NWSTATX to find UNIQUE statutes from all fields.</i> NO SAS FORMAT. |
| STATMAX | PSR/SOR | NUM 3 | Range: 1 thru 9997 9996 =Life 9997 =Death • = Missing, Indeterminable, or Inapplicable | Total statutory maximum prison term, in months, for all counts. <i>In cases with multiple counts of conviction, the maximum penalties are additive.</i> FORMAT: STATMAX. |
| STATMIN | PSR/SOR | NUM 3 | Range: 0 thru 9997 9996 =Life 9997 =Death • = Missing, Indeterminable, or Inapplicable | Total statutory minimum prison term, in months, for all counts of conviction. <i>In multiple count cases, minimum penalties are not necessarily additive.</i> FORMAT: STATMIN. |
| SUPRDUM | R | NUM 3 | 0 = No 1 = Yes (includes SUPREL = 97) • = Missing, Indeterminable, or Inapplicable | Indicates whether the defendant received supervised release. FORMAT: SUPRDUM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|---|
| <p>SUPREL</p> <p>R=SUPRDUM</p> | SOR | NUM 3 | Range: 0 thru 997 0 = No Supervised Release Ordered 996 = Life Term Ordered 997 = Supervised Release Ordered, But No Term Specified • = Missing, Indeterminable, or Inapplicable | Number of months of supervised release ordered. FORMAT: SUPREL. |
| <p>TEROR1-TERORX and TERORHI</p> | PSR/SOR | NUM 3 | Range: 0-32 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable | The Chapter Three Adjustment, International Terrorism (§3A1.4) which corresponds with GDLIN1- GDLINEX. Number of levels added due to international terrorism involvement in the offense. TERORHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use</i> <i>variable NOCOMP to determine how</i> <i>many guideline computations are</i> <i>present in each case.</i> FORMAT: TEROR. |
| <p>TERORC1-TERORCX and TERORCHI</p> | PSR/SOR | NUM 3 | Range: 0-32 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable | The Chapter Three Adjustment, International Terrorism (§3A1.4) which corresponds with GDCROS1- GDCROX. Number of levels added due to international terrorism involvement in the offense. TERORCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use</i> <i>variable NOCOMP to determine how</i> <i>many guideline computations are</i> <i>present in each case.</i> FORMAT: TEROR. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|--|
| TERORR1-TERORRX and TERORRHI | PSR/SOR | NUM 3 | Range: 0-32 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable | The Chapter Three Adjustment, International Terrorism (§3A1.4) which corresponds with GDREF1-GDREFX. Number of levels added due to international terrorism involvement in the offense. TERORRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: TEROR. |
| TERORS1-TERORSX and TERORSHI | PSR/SOR | NUM 3 | Range: 0-32 0 = No Adjustment Applied • = Missing, Indeterminable, or Inapplicable | The Chapter Three Adjustment, International Terrorism (§3A1.4) which corresponds with GDSTAT1-GDSTATX. Number of levels added due to international terrorism involvement in the offense. TERORSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: TEROR. |
| TIMESERV | R | NUM 3 | Range: 0.00 thru 1,500 Months 0.00 = No Months/Less Than 1 Month 470 = Life Sentence • = Missing, Indeterminable, or Inapplicable | USSC <u>estimated</u> minimum prison time the defendant will serve. This accounts for maximum good time reduction in an offender's sentence with 54 days per year credited (reference 18 U.S.C. §3624(b)). <i>Note that this is only an estimate, not an actual value of time served.</i> FORMAT: TIMESERV. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|----------|---------|----------|---|---|
| TIMSERVC | J&C | NUM 3 | Range: 0 thru 990 Months 997 = Time Served, Amount Unknown • = Missing, Indeterminable, or Inapplicable | This is the total amount of time (in months) credited to the offender by the judge at the time of sentencing. It is attributed because the offender either remained in custody between arrest and sentencing or because the offender is serving time in state prison on a related charge. This includes time collected in both the TIMESERVM and TIMESERVD fields. <i>Note that if the J&C does not specify the exact amount of time served credited, then the coder uses the amount of time the offender was incarcerated between arrest and sentencing if this information is in the PSR. Field not available prior to FY11.</i> NO SAS FORMAT. |
| TIMSERVD | J&C | NUM 3 | Range: 0 thru 990 Days 997 = Time Served, Amount Unknown • = Missing, Indeterminable, or Inapplicable | This is the amount of time (in days) credited to the offender by the judge at the time of sentencing. It is attributed because the offender either remained in custody between arrest and sentencing or because the offender is serving time in state prison on a related charge. <i>Note that if the J&C does not specify the exact amount of time served credited, then the coder uses the amount of time the offender was incarcerated between arrest and sentencing if this information is in the PSR.</i> NO SAS FORMAT. |
| TIMSERVM | J&C | NUM 3 | Range: 0 thru 990 Months 997 = Time Served, Amount Unknown • = Missing, Indeterminable, or Inapplicable | This is the amount of time (in months) credited to the offender by the judge at the time of sentencing. It is attributed because the offender either remained in custody between arrest and sentencing or because the offender is serving time in state prison on a related charge. <i>Note that if the J&C does not specify the exact amount of time served credited, then the coder uses the amount of time the offender was incarcerated between arrest and sentencing if this information is in the PSR.</i> NO SAS FORMAT. |
| TOTCHPTS | PSR/SOR | NUM 3 | Range: 0 thru 99 0 = None • = Missing, Indeterminable, or Inapplicable | The total number of criminal history points applied. FORMAT: TOTCHPTS. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|-------------|--|---|
| TOTDAYS R=DAYSDUM | PSR/SOR | NUM 3 | Range: 0 thru 31 0 = None • = Missing, Indeterminable, or Inapplicable | The total number of days of imprisonment ordered (above the terms included in TOTPRISN). NO SAS FORMAT. |
| TOTPRISN R=PRISDUM | PSR/SOR | NUM 3 | Range: 0 thru 9998 0 = No Prison/<1 Month Ordered 9992 = <1 Day of Prison (# hrs) 9996 = Life Imprisonment 9997 = Prison Ordered, But No Term Specified 9998 = Death Penalty • = Missing, Indeterminable, or Inapplicable | The total number of months of imprisonment ordered. See also TOTDAYS, SENTTOT, SENTTOTO, SENSPLT, SENSPLT0. FORMAT: TOTPRISN. |
| TOTREST R=AMTREST | JC | NUM 8 | Range: 0 thru 9,999,999,997 0 = None 9,999,999,997 = Restitution Ordered, Amount Not Specified • = Missing, Indeterminable, or Inapplicable | The dollar amount of restitution ordered. FORMAT: TOTREST. |
| TOTUNIT | PSR/SOR | NUM 3 | Range: 0 thru 99 0 = No MC Units • = Missing, Indeterminable, or Inapplicable | The total number of units used to calculate offense level adjustment to be applied as a result of a multiple count or grouping adjustment. NO SAS FORMAT. |
| TYPEMONY | R | NUM 3 | 1 = No Fine/Cost of Supervision, Nor Restitution Ordered 2 = Restitution Ordered, No Fine/Cost of Supervision 3 = Fine/Cost of Supervision Ordered, No restitution 4 = Both Fine/Cost of Supervision and Restitution Ordered • = Missing | Indicates whether a fine/cost of supervision or restitution was ordered. Compare to RESTDUM, ECONDDUM, and FINECDUM. FORMAT: TYPEMONY. |
| TYPEOTHS | JC | NUM 3 | 0 =No Other Type 1 =Suspended Prison Term 2 =Pay Cost of Prosecution 3 =Denial of Federal Benefits 77 =Other Unique Sentence • = Missing, Indeterminable, or Inapplicable | Other types of sentences ordered. FORMAT: TYPEOTHS. |
| TYPEOTTX | JC | CHAR 100 | Text Field | Text field that accompanies codes of "Other" under the TYPEOTHS field. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|--|--|
| UNIT1-UNIT5 | PSR/SOR | NUM 3 | 1 =Gram 2 =Kilogram 3 =Pound 4 =Ounce 5 =Plant 6 =Dose 7 =Gallon 8 =Quart 9 =Liter 10 =Milligram 11 =Grain 12 = Milliliter 13 = Marijuana Cigarette 77 =Other • = Missing, Indeterminable, or Inapplicable | The unit of measure for the first through fifth drug types (DRUGTYP1-DRUGTYP5) and amount (DRGAM1-DRGAM5) for which the defendant was held responsible. <i>This variable and DRGAM1-DRGAM5 are used to create WGT1-WGT5.</i> FORMAT: UNIT. |
| USARM1-USARMX and USARMHI | PSR/SOR | NUM 3 | Valid Values: 0, 2, or 4 0 = No Adjustment Applied 2 = Offense Involved Use of Body Armor 4 = Offender Used Body Armor During the Commission of the Offense, in Preparation for Offense, or in an Attempt to Avoid Apprehension for Offense • = Missing, Indeterminable, or Inapplicable | Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence Adjustment (§3B1.5) which corresponds to GDLIN1-GDLINX. This field indicates the number of levels added for the Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence (§3B1.5). USARMHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USARM. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--|---------|----------|---|---|
| <p>USARMC1-USARMCX and USARMCHI</p> | PSR/SOR | NUM 3 | <p>Valid Values: 0, 2, or 4 0 = No Adjustment Applied 2 = Offense Involved Use of Body Armor 4 = Offender Used Body Armor During the Commission of the Offense, in Preparation for Offense, or in an Attempt to Avoid Apprehension for Offense • = Missing, Indeterminable, or Inapplicable</p> | <p>Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence Adjustment (§3B1.5) which corresponds to GDCROS1-GDCROX. This field indicates the number of levels added for the Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence (§3B1.5). USARMCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USARM.</p> |
| <p>USARMR1-USARMRX and USARMRHI</p> | PSR/SOR | NUM 3 | <p>Valid Values: 0, 2, or 4 0 = No Adjustment Applied 2 = Offense Involved Use of Body Armor 4 = Offender Used Body Armor During the Commission of the Offense, in Preparation for Offense, or in an Attempt to Avoid Apprehension for Offense • = Missing, Indeterminable, or Inapplicable</p> | <p>Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence Adjustment (§3B1.5) which corresponds to GDREF1-GDREFX. This field indicates the number of levels added for the Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence (§3B1.5). USARMRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USARM.</p> |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|--|
| USARMS1-USARMSX and USARMSHI | PSR/SOR | NUM 3 | Valid Values: 0, 2, or 4 0 = No Adjustment Applied 2 = Offense Involved Use of Body Armor 4 = Offender Used Body Armor During the Commission of the Offense, in Preparation for Offense, or in an Attempt to Avoid Apprehension for Offense • = Missing, Indeterminable, or Inapplicable | Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence Adjustment (§3B1.5) which corresponds to GDSTAT1-GDSTATX. This field indicates the number of levels added for the Use of Body Armor During Drug Trafficking Crimes and Crimes of Violence (§3B1.5). USARMSHI is generated from the highest statutory guideline computation and corresponds with GDSTAT1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USARM. |
| USKID1-USKIDX and USKIDHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Use of Minor in Commission of a Crime (§3B1.4) which corresponds to GDLIN1-GDLINX. This field indicates the number of levels added for the use of a minor. USKIDHI is generated from the highest sentencing guideline computation and corresponds with GDLIN1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USKID. |
| USKIDC1-USKIDCX and USKIDCHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Use of Minor in Commission of a Crime (§3B1.4) which corresponds to GDCRO1-GDCROX. This field indicates the number of levels added for the use of a minor. USKIDCHI is generated from the highest cross-reference guideline computation and corresponds with GDCRO1. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USKID. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|--|--|
| USKIDR1-USKIDRX and USKIDRHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Use of Minor in Commission of a Crime (§3B1.4) which corresponds to GDREF1-GDREFX. This field indicates the number of levels added for the use of a minor. USKIDRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USKID. |
| USKIDS1-USKIDSX and USKIDSHI | PSR/SOR | NUM 3 | 0 = No Adjustment Applied 2 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Use of Minor in Commission of a Crime (§3B1.4) which corresponds to GDSTAT1-GDSTATX. This field indicates the number of levels added for the use of a minor. USKIDSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: USKID. |
| USSCIDN | PSR/JC | NUM 6 | Range: 6 Numbers | Unique sequential identification number given to cases upon receipt at USSC. NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|--------|----------|---|--|
| VCADJC1-VCADJCX and VCADJCHI | R | NUM 3 | 0 = No Adjustment Applied 1 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Adjustments §3A1.1-§3A1.3 which correspond to GDCROS1-GDCROX. Indicates whether any victim related adjustments were applied (vulnerable victim, official victim, or restraint of victim). VCADJCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: VICTADJ. |
| VCADJR1-VCADJRX and VCADJRHI | R | NUM 3 | 0 = No Adjustment Applied 1 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Adjustments §3A1.1-§3A1.3 which correspond to GDREF1-GDREFX. Indicates whether any victim related adjustments were applied (vulnerable victim, official victim, or restraint of victim). VCADJRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: VICTADJ. |
| VCADJS1-VCADJSX and VCADJSHI | R | NUM 3 | 0 = No Adjustment Applied 1 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Adjustments §3A1.1-§3A1.3 which correspond to GDSTAT1-GDSTATX. Indicates whether any victim related adjustments were applied (vulnerable victim, official victim, or restraint of victim). VCADJSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: VICTADJ. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|---|
| VCTADJ1-VCTADJX and VCTADJHI | R | NUM 3 | 0 = No Adjustment Applied 1 = Adjustment Applied • = Missing, Indeterminable, or Inapplicable | Adjustments §3A1.1-§3A1.3 which correspond to GDLIN1-GDLINX. Indicates whether any victim related adjustments were applied (vulnerable victim, official victim, or restraint of victim). VCTADJHI is generated from the highest sentencing guideline computation and corresponds with GDLINHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case. This variable is not available after 2009.</i> FORMAT: VICTADJ. |
| VIOLIPTS | PSR/SOR | NUM 3 | Range: 0 thru 3 0 = No Points Applied 4 = 4 Points Added (Not in Manuals) 5 = 5 Points Added (Not in Manuals) • = Missing, Indeterminable, or Inapplicable | Number of criminal history points applied for each prior sentence resulting from a conviction of a crime of violence that did not already receive points under §§4A1.1(a), 4A1.1(b), or 4A1.1(c). FORMAT: VIOLIPTS. |
| VULVCC1-VULVCCX and VULVCCHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment for Vulnerable Victim 3 = Adjustment for Hate Crime 4 = Adjustment for Multiple Vulnerable Victims 5 = Adjustment for Both Hate Crime and Vulnerable Victim 7 = Adjustment for Hate Crime, Vulnerable Victim, AND Large# of Victims • = Missing, Indeterminable, or Inapplicable | Hate Crime/Vulnerable Victim Adjustment (§3A1.1) which correspond to GDCROS1-GDCROX. Indicates levels added for hate crime/vulnerable victim. VULVCCHI is generated from the highest cross-reference guideline computation and corresponds with GDCROSHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: VULVICT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|---|---------|----------|---|---|
| VULVCR1-VULVCRX and VULVCRHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment for Vulnerable Victim 3 = Adjustment for Hate Crime 4 = Adjustment for Multiple Vulnerable Victims 5 = Adjustment for Both Hate Crime and Vulnerable Victim 7 = Adjustment for Hate Crime, Vulnerable Victim, AND Large# of Victims • = Missing, Indeterminable, or Inapplicable | Hate Crime/Vulnerable Victim Adjustment (§3A1.1) which correspond to GDREF1-GDREFX. Indicates levels added for hate crime/vulnerable victim. VULVCRHI is generated from the highest reference guideline computation and corresponds with GDREFHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: VULVICT. |
| VULVCS1-VULVCSX and VULVCSHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment for Vulnerable Victim 3 = Adjustment for Hate Crime 4 = Adjustment for Multiple Vulnerable Victims 5 = Adjustment for Both Hate Crime and Vulnerable Victim 7 = Adjustment for Hate Crime, Vulnerable Victim, AND Large# of Victims • = Missing, Indeterminable, or Inapplicable | Hate Crime/Vulnerable Victim Adjustment (§3A1.1) which correspond to GDSTAT1-GDSTATX. Indicates levels added for hate crime/vulnerable victim. VULVCSHI is generated from the highest statutory guideline computation and corresponds with GDSTATHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: VULVICT. |
| VULVCT1-VULVCTX and VULVCTHI | PSR/SOR | NUM 3 | 0 = No Adjustment 2 = Adjustment for Vulnerable Victim 3 = Adjustment for Hate Crime 4 = Adjustment for Multiple Vulnerable Victims 5 = Adjustment for Both Hate Crime and Vulnerable Victim 7 = Adjustment for Hate Crime, Vulnerable Victim, AND Large# of Victims • = Missing, Indeterminable, or Inapplicable | Hate Crime/Vulnerable Victim Adjustment (§3A1.1) which correspond to GDLINE1-GDLINEX. Indicates levels added for hate crime/vulnerable victim. VULVCTHI is generated from the highest sentencing guideline computation and corresponds with GDLINEHI. The end points for this variable are denoted with X because the total number of guideline computations recorded varies from case to case and year to year. <i>Use variable NOCOMP to determine how many guideline computations are present in each case.</i> FORMAT: VULVICT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--------------------------------------|---------|----------|---|--|
| WEAPON | R | NUM 3 | 0 = No SOC Weapon Enhancement Nor 18§924(c) Charge Present 1 = SOC Weapon Enhancement or 18§924(c) Charge Present • = Missing, Indeterminable, or Inapplicable | Indicates if there is an SOC weapon enhancement <u>or</u> an 18§924(c) conviction. <i>For more information,</i> <i>see WEAPSOC and IS924C.</i> FORMAT: WEAPON. |
| WEAPSOC | R | NUM 3 | 0 = No SOC Weapon Enhancement Present 1 = SOC Weapon Enhancement Present • = Missing, Indeterminable, or Inapplicable | Indicates if there is an SOC enhancement for a weapon present. <i>For more information, see</i> <i>WEAPON and IS924C.</i> FORMAT: WEAPSOC. |
| WGT1-WGT5 | R | NUM 8 | Range: .00001 - 9,999,999,990 • = Missing, Indeterminable, or Inapplicable | The <u>gram</u> amount of the first through fifth drug types (DRUGTYP1- DRUGTYP5) for which the defendant was held responsible. This field converts whatever the weight (DRGAM1-DRGAM5) and unit (UNIT1-UNIT5) recorded into the gram weight equivalent. Note that if the drug weight was coded in the range amount fields (See DAFROM1- DAFROM5 and DATO1-DATO5) or the weight or unit was missing then this field is missing. NO SAS FORMAT. |
| XCRHISSR | PSR/SOR | NUM 3 | Range: 1 thru 6 • = Missing, Indeterminable, or Inapplicable | Defendant's final criminal history category (I-VI), as determined by the court. <i>If info is missing from the</i> <i>SOR, then PSR values are used - use</i> <i>SOURCES to choose only SOR</i> <i>values.</i> FORMAT: XCRHISSR. |
| XFOLSOR | PSR/SOR | NUM 3 | Range: 1 thru 99 • = Missing, Indeterminable, or Inapplicable | The final offense level, as determined by the court. <i>If info is missing from</i> <i>the SOR, then PSR values are used -</i> <i>use SOURCES to choose only SOR</i> <i>values.</i> NO SAS FORMAT. |
| XMAXSOR R=GLMAX | PSR/SOR | NUM 3 | Range: 6 thru 9996 9996 = Life • = Missing, Indeterminable, or Inapplicable | Maximum guideline range for imprisonment, as determined by the court. <i>This variable DOES NOT</i> <i>take STATMAX and STATMIN</i> <i>trumps into account. If info is</i> <i>missing from the SOR, then PSR</i> <i>values are used - use SOURCES to</i> <i>choose only SOR values.</i> NO SAS FORMAT. |

| NAME | ORIGIN | FORM | CODES | DESCRIPTION |
|--------------------------------------|------------------|-----------|---|--|
| XMINSOR R=GLMIN | PSR/SOR | NUM 3 | Range: 0 thru 9996 9996 = Life • = Missing, Indeterminable, or Inapplicable | Minimum guideline range for imprisonment, as determined by the court. <i>This variable DOES NOT take STATMAX and STATMIN trumps into account. If info is missing from the SOR, then PSR values are used - use SOURCES to choose only SOR values.</i> NO SAS FORMAT. |
| YEARS | R PSR | NUM 3 | 1 = < 21 2 = 21 thru 25 3 = 26 thru 30 4 = 31 thru 35 5 = 36 thru 40 6 = 41 thru 50 7 = > 50 • = Missing | Categories of age ranges (Recode of AGE for USSC <i>Sourcebook</i>). FORMAT: YEARS. |
| ZONE | R PSR/SOR | CHAR 1 | A = Zone A B = Zone B C = Zone C D = Zone D “ ” = Missing | Sentence table group which determines eligibility for probation and alternative prison sentences (See §5B1.1 and §5C1.1). FORMAT: \$ZONE. |

CODE ATTACHMENT TABLE OF CONTENTS

| | |
|---------------------------------------|------|
| CHEMTYP1-CHEMTYP5 | A-2 |
| CIRCDIST | A-2 |
| CITWHERE | A-3 |
| DISTRICT | A-4 |
| DRUGTYP1-DRUGTYP5 | A-5 |
| EDUCATN | A-6 |
| OFFTYPE2 | A-6 |
| OFFTYP5B | A-7 |
| POOFFICE | A-8 |
| REASON1-REASONX and REAS1-REASX | A-11 |
| INDEX TO CODEBOOK | A-16 |

CHEMTYP1-CHEMTYP5

1 = 3,4-Methylenedioxyphenyl-2-propanone
 2 = Acetic Anhydride
 3 = Acetone
 4 = Anthranilic Acid
 5 = Benzaldehyde
 6 = Benzyl Chloride
 7 = Benzyl Cyanide
 8 = Ephedrine
 9 = Ergonovine
 10 = Ergotamine
 11 = Ethyl Ether
 12 = Ethylamine
 13 = Gamma-butyrolactone
 14 = Hydriodic Acid
 15 = Iodine
 16 = Isosafrole
 17 = Methyl Ethyl Ketone
 18 = Methylamine

19 = N-Acetylanthranilic Acid
 20 = Nitroethane
 21 = N-Methylephedrine
 22 = N-Methylpseudoephedrine
 23 = Norpseudoephedrine
 24 = Phenylacetic Acid
 25 = Phenylpropanolamine
 26 = Piperidine
 27 = Piperonal
 28 = Potassium Permanganate
 29 = Propionic Anhydride
 30 = Pseudoephedrine
 31 = Safrole
 32 = Toluene
 33 = Red Phosphorus, White Phosphorus, or Hypophosphorus Acid
 34 = 1,4-Butanediol
 77 = Other

CIRCDIST

01 = Dist of Columbia
 02 = Maine
 03 = Massachusetts
 04 = New Hampshire
 05 = Puerto Rico
 06 = Rhode Island
 07 = Connecticut
 08 = New York East
 09 = New York North
 10 = New York South
 11 = New York West
 12 = Vermont
 13 = Delaware
 14 = New Jersey
 15 = Penn. East
 16 = Penn. Mid
 17 = Penn. West
 18 = Virgin Islands
 19 = Maryland
 20 = N Carolina East
 21 = N Carolina Mid
 22 = N Carolina West
 23 = South Carolina
 24 = Virginia East

25 = Virginia West
 26 = W Virginia North
 27 = W Virginia South
 28 = Louisiana East
 29 = Louisiana Middle
 30 = Louisiana West
 31 = Miss. North
 32 = Miss. South
 33 = Texas East
 34 = Texas North
 35 = Texas South
 36 = Texas West
 37 = Kentucky East
 38 = Kentucky West
 39 = Michigan East
 40 = Michigan West
 41 = Ohio North
 42 = Ohio South
 43 = Tennessee East
 44 = Tennessee Mid
 45 = Tennessee West
 46 = Illinois Cent
 47 = Illinois North
 48 = Illinois South

49 = Indiana North
 50 = Indiana South
 51 = Wisconsin East
 52 = Wisconsin West
 53 = Arkansas East
 54 = Arkansas West
 55 = Iowa North
 56 = Iowa South
 57 = Minnesota
 58 = Missouri East
 59 = Missouri West
 60 = Nebraska
 61 = North Dakota
 62 = South Dakota
 63 = Alaska
 64 = Arizona
 65 = California Cent
 66 = California East
 67 = California North
 68 = California South
 69 = Guam
 70 = Hawaii
 71 = Idaho
 72 = Montana

73 = Nevada
 74 = N Mariana Island
 75 = Oregon
 76 = Washington East
 77 = Washington West
 78 = Colorado
 79 = Kansas
 80 = New Mexico
 81 = Oklahoma East
 82 = Oklahoma North
 83 = Oklahoma West
 84 = Utah
 85 = Wyoming
 86 = Alabama Mid
 87 = Alabama North
 88 = Alabama South
 89 = Florida Mid
 90 = Florida North
 91 = Florida South
 92 = Georgia Mid
 93 = Georgia North
 94 = Georgia South

CITWHERE

| | | | |
|---|--|------------------------------|---|
| 20 = Cuba | 70 = Greece | 126 = Czech Republic | 177 = Saint Lucia |
| 21 = Argentina | 71 = Guinea | 127 = Denmark | 178 = Saint Vincent and the Grenadines |
| 22 = Bahamas | 72 = Hongkong | 128 = Djibouti | 179 = Samoa |
| 23 = Belize | 73 = Indonesia | 129 = Dominica | 180 = San Marino |
| 24 = Bolivia | 74 = Iraq | 130 = Egypt | 181 = Sao Tome and Principe |
| 25 = Canada | 75 = Ireland | 131 = Eritrea | 182 = Saudi Arabia |
| 26 = Chile | 76 = Kuwait | 132 = Estonia | 183 = Senegal |
| 27 = China | 77 = Other | 133 = Ethiopia | 184 = Seychelles |
| 28 = Colombia | 78 = Laos | 134 = Fiji | 185 = Sierra Leone |
| 29 = Cuba /* PRE-1999 CODE FOR CUBA */ | 79 = Liberia | 135 = Finland | 186 = Singapore |
| 30 = Dominican Republic | 80 = Malaysia | 136 = Gabon | 187 = Slovakia |
| 31 = Ecuador | 81 = Netherlands | 137 = Gambia | 188 = Slovenia |
| 32 = El Salvador | 82 = Poland | 138 = Georgia | 189 = Solomon Islands |
| 33 = France | 83 = Romania | 139 = Grenada | 190 = Somalia |
| 34 = Germany | 84 = Portugal | 140 = Hungary | 191 = South Africa |
| 35 = Ghana | 85 = Spain | 141 = Iceland | 192 = Sri Lanka |
| 36 = Great Britain | 87 = Syria | 142 = Japan | 193 = Sudan |
| 37 = Guatemala | 88 = Taiwan | 143 = Kazakhstan | 194 = Suriname |
| 38 = Guyana | 89 = Togo | 144 = Kenya | 195 = Swaziland |
| 39 = Haiti | 90 = Yemen | 145 = Kyrgyzstan | 196 = Sweden |
| 40 = Honduras | 91 = Yugoslavia | 146 = Latvia | 197 = Switzerland |
| 41 = India | 98 = N/A - U.S. /* PRE-1999 CODE */ | 147 = Lesotho | 198 = Tajikistan |
| 42 = Iran | 99 = Missing /* PRE-1999 CODE */ | 148 = Libyan Arab Jamahiriya | 199 = Tanzania |
| 43 = Israel | 100 = Algeria | 149 = Liechtenstein | 200 = Tunisia |
| 44 = Italy | 101 = Andorra | 150 = Lithuania | 201 = Turkey |
| 45 = Jamaica | 102 = Angola | 151 = Luxembourg | 202 = Turkmenistan |
| 46 = Jordan | 103 = Armenia | 152 = Madagascar | 203 = Uganda |
| 47 = Korea | 104 = Austria | 153 = Malawi | 204 = Ukraine |
| 48 = Lebanon | 105 = Azerbaijan | 154 = Maldives | 205 = United Arab Emirates |
| 49 = Mexico | 106 = Bahrain | 155 = Mali | 206 = Uruguay |
| 50 = Nicaragua | 107 = Belarus | 156 = Malta | 207 = Uzbekistan |
| 51 = Nigeria | 108 = Belgium | 157 = Marshall Islands | 208 = Vanuatu |
| 52 = Pakistan | 109 = Bhutan | 158 = Mauritania | 209 = Zambia |
| 53 = Panama | 110 = Bosnia and Herzegovina | 159 = Mauritius | 210 = Zimbabwe |
| 54 = Peru | 111 = Botswana | 160 = Micronesia | 211 = United States (N/A) |
| 55 = Philippines | 112 = Brunei Darussalam | 161 = Moldova | 212 = Bermuda |
| 56 = Russia | 113 = Bulgaria | 162 = Monaco | 213 = Montserrat |
| 57 = Thailand | 114 = Burkina Faso | 163 = Mongolia | 214 = Macedonia |
| 58 = Trinidad and Tobago | 115 = Burundi | 164 = Morocco | 215 = St Kitts - Nevis |
| 59 = Venezuela | 116 = Cambodia | 165 = Mozambique | 216 = Tonga |
| 60 = Vietnam | 117 = Cameroon | 166 = Myanmar | 217 = Niger |
| 61 = Afghanistan | 118 = Cape Verde | 167 = Namibia | 218 = Gilbert Island |
| 62 = Albania | 119 = Central African Repub. | 168 = Nepal | 219 = Montenegro |
| 63 = Antigua and Barbuda | 120 = Chad | 169 = New Zealand | 220 = Serbia |
| 64 = Australia | 121 = Comoros | 170 = Norway | 221 = Kosovo |
| 65 = Bangladesh | 122 = Congo | 171 = Oman | • = Missing |
| 66 = Barbados | 123 = Cote d'Ivoire | 172 = Palau | |
| 67 = Benin | 124 = Croatia | 173 = Papua New Guinea | |
| 68 = Brazil | 125 = Cyprus | 174 = Paraguay | |
| 69 = Costa Rica | | 175 = Qatar | |
| | | 176 = Rwanda | |

DISTRICT

| | | | |
|-------------------------|--------------------------|-------------------------|---------------------------|
| 00 = 'Maine' | 25 = 'W Virginia South' | 49 = 'Tennessee East' | 73 = 'California Central' |
| 01 = 'Massachusetts' | 26 = 'Alabama North' | 50 = 'Tennessee Mid' | 74 = 'California South' |
| 02 = 'New Hampshire' | 27 = 'Alabama Mid' | 51 = 'Tennessee West' | 75 = 'Hawaii' |
| 03 = 'Rhode Island' | 28 = 'Alabama South' | 52 = 'Illinois North' | 76 = 'Idaho' |
| 04 = 'Puerto Rico' | 29 = 'Florida North' | 53 = 'Illinois Cent' | 77 = 'Montana' |
| 05 = 'Connecticut' | 30 = 'Florida Mid' | 54 = 'Illinois South' | 78 = 'Nevada' |
| 06 = 'New York North' | 31 = 'Florida South' | 55 = 'Indiana North' | 79 = 'Oregon' |
| 07 = 'New York East' | 32 = 'Georgia North' | 56 = 'Indiana South' | 80 = 'Washington East' |
| 08 = 'New York South' | 33 = 'Georgia Mid' | 57 = 'Wisconsin East' | 81 = 'Washington West' |
| 09 = 'New York West' | 34 = 'Georgia South'; | 58 = 'Wisconsin West' | 82 = 'Colorado' |
| 10 = 'Vermont' | 35 = 'Louisiana East' | 60 = 'Arkansas East' | 83 = 'Kansas' |
| 11 = 'Delaware' | 36 = 'Louisiana West' | 61 = 'Arkansas West' | 84 = 'New Mexico' |
| 12 = 'New Jersey' | 37 = 'Mississippi North' | 62 = 'Iowa North' | 85 = 'Oklahoma North' |
| 13 = 'Penn. East' | 38 = 'Mississippi South' | 63 = 'Iowa South' | 86 = 'Oklahoma East' |
| 14 = 'Penn. Mid' | 39 = 'Texas North' | 64 = 'Minnesota' | 87 = 'Oklahoma West' |
| 15 = 'Penn. West' | 40 = 'Texas East' | 65 = 'Missouri East' | 88 = 'Utah' |
| 16 = 'Maryland' | 41 = 'Texas South' | 66 = 'Missouri West' | 89 = 'Wyoming' |
| 17 = 'N Carolina East' | 42 = 'Texas West' | 67 = 'Nebraska' | 90 = 'Dist of Columbia' |
| 18 = 'N Carolina Mid' | 43 = 'Kentucky East' | 68 = 'North Dakota' | 91 = 'Virgin Islands' |
| 19 = 'N Carolina West' | 44 = 'Kentucky West' | 69 = 'South Dakota' | 93 = 'Guam' |
| 20 = 'South Carolina' | 45 = 'Michigan East' | 70 = 'Arizona' | 94 = 'N Mariana Islands' |
| 22 = 'Virginia East' | 46 = 'Michigan West' | 71 = 'California North' | 95 = 'Alaska' |
| 23 = 'Virginia West' | 47 = 'Ohio North' | 72 = 'California East' | 96 = 'Louisiana Middle' |
| 24 = 'W Virginia North' | 48 = 'Ohio South' | | |

DRUGTYP1-DRUGTYP5

| | |
|---|---|
| 1 = Cocaine | 121 = N-Ethylamphetamine |
| 2 = Crack/CokeBase | 122 = Fenethyline |
| 3 = Heroin | 123 = Dextroamphetamine |
| 4 = Marijuana | 124 = Khat |
| 5 = Hashish | 125 = Methylaminorex |
| 6 = Methamphetamine | 126 = Ritalin |
| 7 = Methamphetamine Pre-cursor (2D1.11 cases) | 127 = Phenmetrazine |
| 8 = LSD | 128 = Phenylacetone-P2P (for meth mfg.) |
| 9 = PCP | 129 = Phenylacetone-P2P (other) |
| 10 = ICE | 130 = Aminorex |
| 11 = MDMA/Ecstasy | 131 = N-N-Dimethylamphetamine |
| 12 = Steroids | 132 = Bufotenine |
| 13 = Amphetamine | 133 = Diethyltryptamine/DET |
| 14 = Dilaudid | 134 = Dimethyltryptamine/DMT |
| 15 = Opium | 135 = Mescaline |
| 16 =Schedule I/II Depressants (Other nonspecified prescription drugs) | 136 = Dry Psilcybin (mushrooms) |
| 17 = Drug Paraphernalia | 137 = Wet Psilcybin (mushrooms) |
| 18 = Methcathinone | 138 = Dry Peyote |
| 19 = Methamphetamine Actual | 139 = Wet Peyote |
| 20 = PCP Actual | 140 = Psilocin |
| 21 = Hashish Oil | 141 = Psilocybin |
| 22 = Flunitrazepam (Ruffies) | 142 = Pyrrolidine Analog of Phencyclidine/PHP |
| 23 = Gamma-hydroxybutyric acid | 143 = Thiophene Analog of Phencyclidine/TCP |
| 77 = Other | 144 = 4-Bromo-2,5-Dimethoxyamphetamine/DOB |
| 100 = Alpha-Methylfentanyl | 145 = 2.5-Dimethoxy-4-methylamphetamine/DOM |
| 101 = Dextromoramide | 146 = 3,4-Methylenedioxyamphetamine/MDA |
| 102 = Dipipanone | 147 = 3,4-Methylenedioxy-Nethylamphetamine/MDEA |
| 103 = 3-Methylfentanyl | 148 = 1-Piperidinocyclohexanecarbonitrile/PCC |
| 104 = 1-Methyl-4-Phenyl-4-propionoxypiperidine/MPPP | 149 = N-ethyl-phenylcyclohexylamine/PCE |
| 105 = 1-(2-Phenylethyl)-4-phenyl-4-acetyloxypiperidine/PEPAP | 150 = Tetrahydrocannabinol (Organic) |
| 106 = Alphaprodine | 151 = Tetrahydrocannabinol (Synth) |
| 107 = Fentanyl n-phenyl | 152 = Schedule III Subst. |
| 108 = Levorphanol | 153 = Schedule IV Subst. |
| 109 = Meperidine/Pethidine | 154 = Schedule V Subst. |
| 110 = Methadone | 155 = Levo-alpha-methadol/LAAM |
| 111 = Monoacetylmorphine | 156 = Amphetamine Actual |
| 112 = Morphine | 157 = Ephedrine |
| 113 = Oxycodone (Actual) | 158 = Phenylpropanolamine |
| 114 = Oxymorphone | 159 = Pseudoephedrine |
| 115 = Racemorphan | 160 = Oxycontin (SAME AS OXYCONDONE) |
| 116 = Codeine | 161 = Marijuana Plant |
| 117 = Dextropropoxyphene/Propoxyphene-Bulk | 162 = Ketamine |
| 118 = Ethylmorphine | 163 = 1,4-Butanediol |
| 119 = Hydrocodone | 164 = Gamma Butyroleactone |
| 120 = Mixed Alkaloids-Opium/Papveretum | 180 = Hydrocodone (Schedule III) |
| | • = Missing |

EDUCATN

- 0 = No schooling
- 1-11 = Actual years of elementary or high school completed
- 12 = High school graduate
- 13 = One year of college/freshman
- 14 = Two years of college/sophomore
- 15 = Four years of college/junior
- 16 = College graduate
- 21 = G.E.D. (General Education Diploma)
- 22 = Trade or vocational degree
- 23 = Associates Degree (A.A.)
- 24 = Graduate Degree (Masters, J.D., M.D., Ph.D., etc.)
- 31 = Some elementary school
- 32 = Some high school
- 33 = Some trade or vocational school
- 34 = Some college
- 35 = Some graduate school
- 36 = Military training
- 37 = Middle school/Junior high
- = Missing

OFFTYPE2

- 1 = Murder
- 2 = Manslaughter
- 3 = Kidnapping/Hostage Taking
- 4 = Sexual Abuse
- 5 = Assault
- 6 = Robbery
- 9 = Arson
- 10 = Drugs - Trafficking, Manufacturing, and Importing
- 11 = Drugs - Communication Facilities
- 12 = Drugs: - Simple Possession
- 13 = Firearms (Includes Firearms Use, Possession, and Trafficking)
- 15 = Burglary/Breaking and Entering
- 16 = Auto Theft
- 17 = Larceny
- 18 = Fraud
- 19 = Embezzlement
- 20 = Forgery/Counterfeiting
- 21 = Bribery
- 22 = Tax Offenses
- 23 = Money Laundering
- 24 = Racketeering /Extortion
- 25 = Gambling/Lottery
- 26 = Civil Rights Offenses
- 27 = Immigration
- 28 = Pornography/Prostitution (**Value not available after FY09**)
- 29 = Prison Offenses
- 30 = Administration of Justice (Includes accessory after the fact, misprision of felony, and witness tampering)
- 31 = Environmental, Game, Fish, and Wildlife Offenses
- 32 = National Defense Offenses
- 33 = Antitrust Violations
- 34 = Food and Drug Offenses
- 35 = Traffic Violations and Other Offenses (Includes Other Drug, Environmental, Firearms, Miscellaneous Property Crimes, Violent, and Traffic offenses)
- 42 = Child Pornography (**Value not available prior FY10**)
- 43 = Obscenity (**Value not available prior FY10**)
- 44 = Prostitution (**Value not available prior FY10**)
- . = Missing

OFFTYPSE

- 1 = Murder
- 2 = Manslaughter
- 3 = Kidnapping/Hostage Taking
- 4 = Sexual Abuse
- 5 = Assault
- 6 = Robbery
- 9 = Arson
- 10 = Drugs - Trafficking, Manufacturing, and Importing
- 11 = Drugs - Communication Facilities
- 12 = Drugs: - Simple Possession
- 13 = Firearms (Includes Firearms Use, Possession, and Trafficking)
- 15 = Burglary/Breaking and Entering
- 16 = Auto Theft
- 17 = Larceny
- 18 = Fraud
- 19 = Embezzlement
- 20 = Forgery/Counterfeiting
- 21 = Bribery
- 22 = Tax Offenses
- 23 = Money Laundering
- 24 = Racketeering /Extortion
- 25 = Gambling/Lottery
- 26 = Civil Rights Offenses
- 27 = Immigration
- 28 = Child Pornography** (includes OFFTYPE2=42, Child Pornography)
- 29 = Prison Offenses
- 30 = Administration of Justice (Includes accessory after the fact, misprision of felony, and witness tampering)
- 31 = Environmental, Game, Fish, and Wildlife Offenses
- 32 = National Defense Offenses
- 33 = Antitrust Violations
- 34 = Food and Drug Offenses
- 35 = Traffic Violations and Other Offenses (Includes Other Drug, Environmental, Firearms, Miscellaneous Property Crimes, Violent, Traffic offenses, Obscenity, and Prostitution) (Includes OFFTYPE2= 43,44)
- . = Missing

POOFFICE**Alabama, Middle (27)**

- 1 Dothan
- 2 Montgomery

Alabama, Northern (26)

- 1 Anniston
- 2 Birmingham
- 3 Florence
- 4 Gadsden
- 5 Huntsville
- 7 Tuscaloosa

Alabama, Southern (28)

- 1 Mobile
- 2 Selma

Alaska (95)

- 3 Anchorage
- 4 Fairbanks

Arizona (70)

- 0 Yuma
- 2 Phoenix
- 4 Tucson
- 6 Flagstaff
- 9 Chinle
- C Tuba City
- G Sierra Vista

Arkansas, Eastern (60)

- 3 Jonesboro
- 4 Little Rock
- 5 Pine Bluff

Arkansas, Western (61)

- 1 El Dorado/Texarkana
- 2 Fort Smith
- 5 Fayetteville
- 6 Hot Springs

California, Central (73)

- 0 Woodland Hills
- 2 Los Angeles
- 3 Lancaster
- 5 Riverside
- 6 San Bernardino
- 8 Santa Ana
- 9 Santa Barbara
- A Long Beach
- B Santa Fe Springs
- C Ventura
- D Studio City
- E West Covina
- F Inglewood
- G Laguna Hills

California, Eastern (72)

- 0 Elk Grove
- 1 Fresno
- 2 Sacramento
- 3 Redding
- 5 Bakersfield
- 6 Roseville
- 9 Modesto
- J Visalia

California, Northern (71)

- 0 San Mateo
- 2 San Rafael
- 3 San Francisco
- 4 Oakland
- 5 San Jose
- 7 Monterey
- 9 Santa Rosa

California, Southern (74)

- 1 Chula Vista
- 2 El Centro
- 3 San Diego

Colorado (82)

- 1 Denver
- 2 Durango
- 3 Grand Junction
- 8 Colorado Springs

Connecticut (05)

- 2 Hartford
- 3 New Haven
- 5 Bridgeport

Delaware (11)

- 1 Wilmington
- 2 Dover

District of Columbia (90)

- 1 Washington, D.C.

Florida, Middle (30)

- 2 Fort Myers
- 3 Jacksonville
- 5 Ocala
- 6 Orlando
- 8 Tampa
- 9 Sarasota
- B Cocoa
- C Lakeland
- F Naples

Florida, Northern (29)

- 1 Gainesville
- 3 Pensacola
- 4 Tallahassee
- 5 Panama City

Florida, Southern (31)

- 0 Fort Lauderdale
- 1 Miami
- 2 Fort Pierce
- 3 Hollywood
- 4 Key West
- 5 Boca Raton
- 9 West Palm Beach

Georgia, Middle (33)

- 1 Albany
- 3 Athens
- 4 Columbus
- 5 Macon
- 7 Valdosta

Georgia, Northern (32)

- 1 Atlanta
- 2 Gainesville
- 3 Newnan
- 4 Rome
- 5 Marietta
- 6 Tucker

Georgia, Southern (34)

- 1 Augusta
- 2 Brunswick
- 4 Savannah
- 8 Statesboro

Guam (93)

- 1 Hagatna

Hawaii (75)

- 1 Honolulu

Idaho (76)

- 1 Boise
- 2 Coeur d'Alene
- 3 Moscow
- 4 Pocatello

Illinois, Central (53)

- 1 Peoria
- 3 Springfield
- 4 Rock Island
- C Champaign/Urbana

Illinois, Northern (52)

- 1 Chicago
- 3 Rockford
- 8 Lisle

Illinois, Southern (54)

- 3 East St. Louis
- 4 Benton

Indiana, Northern (55)

- 1 Fort Wayne
- 2 Hammond
- 3 South Bend
- 4 Lafayette

Indiana, Southern (56)

- 1 Indianapolis
- 2 Terre Haute
- 3 Evansville
- 4 New Albany
- 5 Bloomington
- 7 Muncie

Iowa, Northern (62)

- 1 Cedar Rapids
- 5 Sioux City

Iowa, Southern (63)

- 3 Davenport
- 4 Des Moines
- 5 Rock Island

Kansas (83)

- 2 Kansas City
- 5 Topeka
- 6 Wichita

Kentucky, Eastern (43)

- 0 Ashland
- 2 Covington
- 3 Frankfort
- 5 Lexington
- 6 London
- 7 Pikeville

Kentucky, Western (44)

- 1 Bowling Green
- 3 Louisville
- 4 Owensboro
- 5 Paducah
- B Hopkinsville

Louisiana, Eastern (35)

- 1 Hammond
- 2 New Orleans
- 3 Houma

Louisiana, Middle (96)

- 3 Baton Rouge

Louisiana, Western (36)

- 1 Alexandria
- 2 Lake Charles
- 3 Monroe
- 5 Shreveport
- 6 Lafayette

Maine (00)

- 1 Bangor
- 2 Portland

Maryland (16)

- 1 Baltimore
- 8 Greenbelt

Massachusetts (01)

- 0 Plymouth
- 1 Boston
- 3 Springfield
- 4 Worcester
- 5 Lawrence

Michigan, Eastern (45)

- 1 Bay City
- 2 Detroit
- 4 Flint
- 5 Ann Arbor
- 6 Southfield

Michigan, Western (46)

- 1 Grand Rapids
- 2 Marquette
- 4 Kalamazoo
- 5 Lansing

Minnesota (64)

- 3 St. Paul
- 4 Minneapolis
- 5 Duluth
- 6 Fergus Falls

Mississippi, Northern (37)

- 1 Aberdeen
- 3 Oxford
- 4 Greenville
- 8 Tupelo

Mississippi, Southern (38)

- 1 Biloxi
- 2 Hattiesburg
- 3 Jackson
- 6 Gulfport

Missouri, Eastern (65)

- 1 Cape Girardeau
- 4 St. Louis

Missouri, Western (66)

- 2 Jefferson City
- 4 Kansas City
- 6 Springfield

Montana (77)

- 1 Billings
- 3 Glasgow
- 4 Great Falls
- 6 Helena
- 9 Missoula

B Browning

E Hardin

Nebraska (67)

- 4 Lincoln
- 7 North Platte
- 8 Omaha

Nevada (78)

- 2 Las Vegas
- 3 Reno

New Hampshire (02)

- 1 Concord

New Jersey (12)

- 0 Northfield
- 1 Camden
- 2 Newark
- 3 Trenton
- 6 Tinton Fields
- D Paterson

New Mexico (84)

- 1 Albuquerque
- 2 Las Cruces
- 5 Roswell
- 6 Santa Fe
- 8 Gallup
- F Farmington

New York, Eastern (07)

- 1 Brooklyn
- 6 Central Islip

New York, Northern (06)

- 1 Albany
- 3 Binghamton
- 5 Syracuse

New York, Southern (08)

- 1 New York City
- 7 White Plains
- 8 Middletown
- 9 Newburgh

New York, Western (09)

- 1 Buffalo
- 6 Rochester

North Carolina, Eastern(17)

- 3 Fayetteville
- 4 New Bern
- 5 Raleigh
- 7 Wilmington
- 8 Wilson
- C Jacksonville
- G Greenville

North Carolina, Middle (18)

- 1 Durham

2 Greensboro

3 Rockingham

4 Salisbury

6 Winston-Salem

North Carolina,Western(19)

- 1 Asheville
- 2 Bryson City
- 3 Charlotte
- 5 Statesville
- H Hickory

North Dakota (68)

- 0 New Town
- 1 Bismarck
- 2 Grand Forks
- 3 Fargo
- 4 Minot
- 6 Devils Lake
- A Belcourt

North Mariana Islands (94)

- 1 Saipan

Ohio, Northern (47)

- 1 Cleveland
- 3 Toledo
- 4 Youngstown
- 5 Akron

Ohio, Southern (48)

- 1 Cincinnati
- 2 Columbus
- 3 Dayton

Oklahoma, Eastern (86)

- 4 Durant
- 6 Muskogee

Oklahoma, Northern (85)

- 4 Tulsa

Oklahoma, Western (87)

- 3 Lawton
- 5 Oklahoma City

Oregon (79)

- 0 Salem
- 1 Medford
- 3 Portland
- 6 Eugene
- E Bend

Pennsylvania, Eastern (13)

- 2 Philadelphia
- 4 Reading
- 5 Allentown

Pennsylvania, Middle (14)

- 1 Harrisburg
- 3 Scranton

4 Williamsport

5 Wilkes-Barre

Pennsylvania, Western (15)

- 1 Erie
- 2 Pittsburgh
- 7 Johnston

Puerto Rico (04)

- 3 San Juan
- 6 Ponce

Rhode Island (03)

- 1 Providence

South Carolina (20)

- 2 Charleston
- 3 Columbia
- 4 Florence
- 6 Greenville
- 7 Spartanburg
- D Beaufort

South Dakota (69)

- 1 Aberdeen
- 2 Mission
- 3 Pierre
- 4 Sioux Falls
- 5 Rapid City
- 6 Pine Ridge
- 7 Timber Lake

Tennessee, Eastern (49)

- 1 Chattanooga
- 2 Greeneville
- 3 Knoxville

Tennessee, Middle (50)

- 1 Columbia
- 2 Cookeville
- 3 Nashville
- 4 Clarksville

Tennessee, Western (51)

- 1 Jackson
- 2 Memphis

Texas, Eastern (40)

- 0 Plano
- 1 Beaumont
- 4 Sherman
- 5 Texarkana
- 6 Tyler
- 9 Lufkin

Texas, Northern (39)

- 0 Garland
- 1 Abilene
- 2 Amarillo
- 3 Dallas
- 4 Fort Worth
- 5 Lubbock
- 6 San Angelo
- 7 Wichita Falls
- 8 Arlington
- 9 Benbrook

Texas, Southern (41)

- 1 Brownsville
- 2 Corpus Christi
- 3 Galveston
- 4 Houston
- 5 Laredo
- 6 Victoria
- 8 McAllen
- 9 Rio Grande City

Texas, Western (42)

- 0 Alpine
- 1 Austin
- 2 Del Rio
- 3 El Paso
- 4 Pecos
- 5 San Antonio
- 6 Waco
- 7 Midland-Odessa
- B Temple

Utah (88)

- 1 Ogden
- 2 Salt Lake City
- 3 St. George
- 4 Vernal
- 5 West Valley City
- 6 Murray

Vermont (10)

- 1 Brattleboro
- 2 Burlington

Virgin Islands (91)

- 4 St. Croix
- 5 St. Thomas

Virginia, Eastern (22)

- 0 Fredericksburg
- 1 Alexandria
- 2 Norfolk
- 3 Richmond
- 4 Newport News
- 6 Colonial Heights
- 9 Williamsburg
- E Manassas

Virginia, Western (23)

- 1 Abingdon
- 2 Big Stone Gap
- 3 Charlottesville
- 4 Danville
- 5 Harrisonburg
- 6 Lynchburg
- 7 Roanoke

Washington, Eastern (80)

- 1 Yakima
- 2 Spokane
- 4 Richland

Washington, Western (81)

- 0 Tukwila
- 1 Everett
- 2 Seattle
- 3 Tacoma
- 5 Vancouver

West Virginia, Northern(24)

- 1 Clarksburg
- 2 Elkins
- 3 Martinsburg
- 5 Wheeling

West Virginia, Southern(25)

- 1 Bluefield
- 2 Charleston
- 3 Huntington
- 5 Beckley

Wisconsin, Eastern (57)

- 1 Green Bay
- 2 Milwaukee

Wisconsin, Western (58)

- 1 Eau Claire
- 3 Madison

Wyoming (89)

- 1 Casper
- 2 Cheyenne
- 4 Lander

REASON1-REASONX and REAS1-REASX

| <u>CODE</u> | <u>DESCRIPTION</u> | <u>DIRECTION</u> |
|-------------|--|------------------|
| 0 | No reason given | B |
| 1 | Nature and circ of offense and history and char. of def (18 3553(a)(1)) | B |
| 2 | Reflect seriousness of offense, promote respect for law, provide just punishment for the offense (18 3553(a)(2)(A)) | B |
| 3 | Afford adequate deterrence to criminal conduct (18 3553(a)(2)(B)) | B |
| 4 | Protect the public from further crimes of the defendant (18 3553(a)(2)(C)) | B |
| 5 | Provide the def with needed educational or vocational training, medical care or other correctional treatment in most effective manner (18 3553(a)(2)(D)) | B |
| 6 | Avoid unwarranted sentencing disparities among defendants | B |
| 7 | Provide Restitution to any victims of the offense | B |
| 10 | (5G1.3) Convictions on related counts | B |
| 11 | (5H1.1) Age (Defendant's youth or old age) | D |
| 12 | (5H1.2) Educational and vocational skills | D |
| 13 | (5H1.3) Mental and emotional conditions | D |
| 14 | (5H1.4) Physical condition | D |
| 15 | (5H1.4) Drug dependence and alcohol abuse | D |
| 16 | (5H1.5) Previous employment record | D |
| 17 | (5H1.6) Family ties and responsibilities | D |
| 18 | (5H1.6) Community ties | D |
| 19 | (5K1.1) Substantial assistance WITH govt. motion | D |
| 20 | (not 5K1.1) Cooperation without motion | D |
| 21 | Cooperation (motion unknown) | D |
| 22 | Several persons injured | U |
| 23 | (5K2.1) Death | U |
| 24 | (5K2.2) Physical injury | U |
| 25 | (5K2.3) Extreme psychological injury | U |
| 26 | (5K2.4) Abduction or unlawful restraint | U |
| 27 | (5K2.5) Property damage or loss | U |
| 28 | (5K2.6) Weapons and dangerous instrumentalities | B |
| 29 | (5K2.7) Disruption of governmental function | U |
| 30 | (5K2.8) Extreme conduct | U |
| 31 | (5K2.9) Criminal purpose | U |
| 32 | (5K2.10) Victim's conduct | B |
| 33 | (5K2.11) Lesser harm | D |
| 34 | (5K2.12) Coercion and duress | D |
| 35 | (5K2.13) Diminished capacity | D |
| 36 | (5K2.14) Public welfare | U |
| 37 | Fast Track | D |
| 38 | Totality of Circumstances/Combination of Factors | D |
| 39 | Circumstances not Considered by the Guidelines | B |
| 40 | EDP Disparity | D |
| 41 | (4A1.3) Criminal History Adequacy Explain | B |
| 42 | (5K2.17) High-Capacity Semiautomatic Firearm | U |
| 43 | (5K2.18) Violent Street Gang | U |
| 44 | (5K2.20) Aberrant Behavior | B |
| 45 | (5K2.21) Dismissed and Uncharged Conduct | U |
| 46 | (5K2.22) Age or Health of Sex Offenders | D |
| 47 | (5K2.23) Discharge Terms of Imprisonment | D |
| 48 | (5K3.1) Early Disposition. Fast Track program | D |
| 49 | (5K2.24) Commit offense while wearing/displaying unauth/counterfeit uniform | U |
| 51 | Charge Bargaining | D |
| 52 | Unspecified government motion (Not 5K1.1 or 5K3.1) | B |
| 53 | Defendant Unaware of Type/Quantity/Purity of Drugs | D |
| 54 | Mitigating Factors Regarding Illegal Entry | D |
| 55 | Victim of Abuse (Not Childhood Abuse) | D |
| 56 | (2D2.1) Application note 1 (Intended Consumption by Person Other than def) | U |
| 57 | No Benefit of Incarceration to Def | D |

CODE DESCRIPTION

DIRECTION

| | | |
|-----|---|---|
| 100 | (2A1.1) Death not caused intentionally | B |
| 101 | (2A2.1, 2A2.2) Degree of injury falls between two categories | B |
| 103 | (2A3.2) Criminal sexual act for commercial purpose | U |
| 105 | (2A6.1) Factors not incorporated in guideline | B |
| 106 | (2B1.3) Monetary value does not reflect extent of harm | B |
| 108 | (2B3.1) Intended to murder the victim | U |
| 110 | (2C1.1) Systematic or pervasive corruption of governmental function | U |
| 111 | (2D1.1) Unusually high drug purity | U |
| 112 | (2D1.1) Unusually high drug amount | U |
| 113 | Drug Quantity | B |
| 114 | (2D1.5) Sanctioned use of violence in enterprise | U |
| 115 | Crack/Powder Disparity | D |
| 118 | (2F1.1) Loss substantially exceeds maximum from loss table | U |
| 119 | (2F1.1) Dollar loss overstates seriousness of offense | D |
| 120 | (2F1.1) Fraudulent statements could be covered by more specific statute | B |
| 121 | (2G1.1) Offense did not involve profit nor physical force or coercion | D |
| 124 | 2H2.1 Corrupting a public official /bodily injury /property damage | U |
| 125 | (2L1.1) Large number of aliens | U |
| 126 | (2L1.1) Dangerous or inhumane treatment | U |
| 127 | (2L2.2, 2L2.4) Deported on one or more prior occasions | U |
| 128 | (2M3.1, 2M3.7, 2M3.9) Revelation causes little or no harm | B |
| 131 | (2M5.1, 2M5.2) Extreme threat to national security | U |
| 132 | (2M5.1, 2M5.2) Extreme volume of commerce involved | U |
| 134 | (2M5.1, 2M5.2) Extreme number of multiple occurrences | U |
| 137 | (2N2.1,2Q1.2) Negligence involved | D |
| 139 | (2Q1.2, 2Q1.3) Harm resulting from emission, release or discharge | B |
| 140 | (2Q1.2, 2Q1.3) Harm resulting from quantity & nature of substance or pollutant | B |
| 141 | (2Q1.2, 2Q1.3) Harm resulting from duration of offense | B |
| 142 | (2Q1.2, 2Q1.3) Harm resulting from risk | B |
| 143 | (2Q1.2, 2Q1.3) Nature of risk | B |
| 144 | (2Q1.2, 2Q1.3) Number of people at risk | B |
| 145 | (2Q1.2, 2Q1.3) Nature of contamination | B |
| 146 | (2Q1.2, 2Q1.3) Similar conduct by civil adjudication | B |
| 147 | (2Q1.2, 2Q1.3) Failure to comply with administrative order | B |
| 148 | (2T1.6) Tax evasion and embezzlement | B |
| 151 | (2T3.1,2) Import. of drugs, obscene matter, firearms, pelts of endangered species | B |
| 152 | (2T3.1) Duties may not adequately reflect harm | B |
| 200 | (3A1.2) Exceptionally high level victim | B |
| 201 | (3C1.1) Further obstruction of justice | B |
| 202 | 5C1.2 (Safety Valve) | D |
| 250 | (3D1.4) Offenses significantly more than 5 units | B |
| 300 | (4A1.3) Pattern of conduct | B |
| 301 | (4A1.3) Pending cases | B |
| 302 | (4A1.3) Related cases | B |
| 304 | Gen. adequacy of crim. history; does not reflect seriousness of crim. hist | B |
| 305 | (4A1.3) Outside applicable time period, but similar misconduct | B |
| 306 | (4A1.3) Outside applicable time period, but substantial portion of income | B |
| 307 | (4A1.3) Significance or similarity of past conduct | B |
| 308 | Other adequacy of criminal history | B |
| 309 | Criminal history category over-represents the defendant's involvement | D |
| 310 | Prior criminal record; risk of future criminal conduct | U |
| 311 | Age of Priors | D |
| 312 | First Federal Conviction | D |
| 313 | Little/No Incarceration for Priors | D |
| 314 | Age when prior was committed | D |
| 400 | Unconvicted behavior added under relevant conduct | D |
| 401 | (4B1.3) Criminal livelihood | U |
| 402 | (4B1.1) Career offender | U |
| 500 | Pursuant to a NONbinding (or unknown type) plea agreement | B |

CODE DESCRIPTION

DIRECTION

| | | |
|-----|---|---|
| 501 | Due to stipulations | B |
| 502 | Other plea agreement reason | B |
| 503 | Pursuant to a binding plea agree 11(c)(1)(C) | B |
| 504 | Statmin/Max | B |
| 648 | Alien Status | B |
| 649 | Cultural Assimilation | D |
| 650 | Mule/Role in the offense | B |
| 651 | Interpolation | B |
| 652 | Deportation | B |
| 653 | Local conditions | D |
| 654 | Adequate punishment to meet the purposes of sentencing | B |
| 655 | Deterrence | B |
| 656 | Prey to other inmates / Susceptibility to abuse in prison | D |
| 657 | Reduce disparity | B |
| 658 | Charge/Plea does not reflect the seriousness of the offense | B |
| 659 | Guidelines do not reflect the seriousness of the offense | B |
| 660 | Justifiable Reasons | B |
| 661 | No prior record/first offender | D |
| 662 | Put sentence in line with codefendant's. (ie Reduce disparity among codefendants) | D |
| 663 | High speed chase | U |
| 664 | Lack of culpability/accountability of defendant | D |
| 665 | Lost job/punishment enough | D |
| 666 | Lack of available facilities/overcrowding | D |
| 668 | Nonviolent Offense/Offender | D |
| 669 | Indigent background | B |
| 670 | Impact on Employment of Self/Others | D |
| 671 | Time or cost involved in the investigation | B |
| 672 | Defendant's propensity for violence | U |
| 673 | Acceptance of responsibility | D |
| 674 | Limited/Minor prior record | D |
| 675 | Training /Treatment Opportunities | B |
| 676 | Rehabilitation | D |
| 677 | Restitution | D |
| 678 | Incapacitation | B |
| 679 | Sufficient punishment | B |
| 680 | Nature/Seriousness of the offense | B |
| 681 | First felony conviction | D |
| 683 | On-going nature of activity | U |
| 684 | Terminated Offense Prior to Arrest/Discovery | B |
| 685 | Low Likelihood of Recidivism | D |
| 686 | Conduct on Release/Bond/Supervision | B |
| 687 | No Loss/Monetary Benefit | D |
| 688 | Dollar amount involved in crime (general) | B |
| 689 | Minors involved | U |
| 690 | Untruthful testimony | U |
| 691 | Terrifying the victim | U |
| 692 | Influenced/Used by Others | D |
| 693 | Cost of Incarceration | D |
| 695 | Currently receiving punishment under state or federal jurisdiction | D |
| 696 | Mitigating Factors regarding Firearms | D |
| 697 | Defendant's positive background/good character | D |
| 698 | Defendant's negative background/bad character | U |
| 699 | Military record | B |
| 700 | Not representative of the 'heartland' | B |
| 701 | Guidelines too high/offense level over-represented | D |
| 702 | Guidelines too low/offense level under-represented | U |
| 703 | (5K2.0) General aggravating or mitigating circumstance | B |
| 704 | (4A1.3) Seriousness of criminal history substantially underrepresented by CHC | U |
| 705 | (4A1.3) Likelihood of recidivism underrepresented by Crim Hist Cat | U |

CODE DESCRIPTION

DIRECTION

| | | |
|-----|---|---|
| 706 | (2C1.1) Payment not reflect seriousness of offense | U |
| 707 | (2L1.1) Knowingly smuggled alien who intended to engage in serious crim. activity | U |
| 708 | (2B1.1) Offense level understate offense seriousness | U |
| 709 | (2B1.1) Offense Level overstates offense seriousness | D |
| 710 | (2B1.1) Offense level disrupts critical infrastructure | U |
| 711 | (5G1.3) | D |
| 712 | Advisory nature of guidelines | B |
| 713 | Judge specifies presence of variance / deviation | B |
| 719 | Cooperation/Attempted Cooperation (not 5K, not with prosecution, per se) | D |
| 720 | 5K1.1 Subst. Assist. WITHOUT govt. motion | B |
| 721 | 5H1.11 Military Record/Charitable Service/Good Works | B |
| 730 | Early Plea | B |
| 731 | Global Plea | B |
| 740 | Savings to government | B |
| 741 | Waiver of appeal | D |
| 742 | Waiver of indictment | D |
| 743 | Global disposition | B |
| 744 | As stated on record | B |
| 745 | SOR references an exhibit (eg., "See Exhibit C") | B |
| 746 | See Transcript/Rider/PSR | B |
| 747 | Party Motion /Agreement /Consent (Reason Unspecified) | B |
| 750 | Reasonableness | B |
| 751 | Interest of Justice | B |
| 760 | US v Booker / US v Fanfan | B |
| 761 | 18 USC 3553(a) | B |
| 762 | Language from 18 USC 3553(a) statute text | B |
| 763 | 2007 New Crack Table Amendment | D |
| 777 | Other (SPECIFY) | B |
| 778 | Other (SPECIFY) | B |
| 779 | Other (SPECIFY) | B |
| 780 | Other (SPECIFY) | B |
| 781 | Other (SPECIFY) | B |
| 782 | Other (SPECIFY) | B |
| 783 | Other (SPECIFY) | B |
| 784 | Other (SPECIFY) | B |
| 785 | Other (SPECIFY) | B |
| 786 | Other (SPECIFY) | B |
| 787 | Other (SPECIFY) | B |
| 788 | Other (SPECIFY) | B |
| 789 | Other (SPECIFY) | B |
| 790 | Other (SPECIFY) | B |
| 791 | Other (SPECIFY) | B |
| 792 | Other (SPECIFY) | B |
| 793 | Other (SPECIFY) | B |
| 794 | Other (SPECIFY) | B |
| 795 | Other (SPECIFY) | B |
| 796 | Other (SPECIFY) | B |
| 797 | Other (SPECIFY) | B |
| 798 | Other (SPECIFY) | B |
| 799 | Other (SPECIFY) | B |
| 801 | 8C4.2, risk of death or bodily injury | U |
| 822 | Defendant is a law enforcement officer or ex-law enforcement officer | B |
| 823 | Offense behavior was an isolated incident | D |
| 824 | A lower sent. gives defend. a chance to become a productive member of society | D |
| 825 | (5K2.16) Voluntary Disclosure | D |
| 826 | Lack of Youthful Guidance | D |
| 827 | Delay in prosecution; evidentiary concerns | B |
| 828 | Time Served | B |
| 830 | Child abuse/ childhood abuse/ battered child syndrome | B |

CODE DESCRIPTION

DIRECTION

| | | |
|------|--|---|
| 831 | Remorse | D |
| 832 | Abuse of trust/skill/position | U |
| 833 | 2L1.2 - Criminal History Issues | D |
| 834 | Limited Duration of Involvement | D |
| 835 | Conditions of Confinement | D |
| 836 | Kimbrough/Gall Supreme Court Decision | D |
| 837 | Good Time | D |
| 838 | Number of Images | B |
| 839 | No Inappropriate Conduct with Children/Not a Pedophile | D |
| 840 | Defendant did not Distribute Child Pornography | D |
| 841 | Rule 35b | D |
| 842 | Due to Spears Supreme Court Decision | D |
| 843 | Has had inappropriate contact with or exploited minors | U |
| 844 | Age of Victim (Only Porn or Sex Offenses) | B |
| 845 | Def participated in psychosexual assessment | D |
| 846 | No history of drug abuse | D |
| 847 | Crime motivated by financial distress | D |
| 848 | Victim request/letter from victim to judge/PO | B |
| 849 | Age of Instant Offense | D |
| 850 | First immigration offense | D |
| 851 | Number of documents | B |
| 853 | No History of Mental Health Issues | B |
| 854 | Lack of Family Support | B |
| 855 | Forfeiture | D |
| 856 | No victims/no harm | D |
| 857 | Letters of support - unspecified from whom | D |
| 1200 | Criminal History Issues | B |
| 1201 | Unusually High Drug Amount/Purity | U |
| 1202 | General Guideline Adequacy Issues | B |
| 1203 | Loss Issues | B |
| 1205 | Insufficient Documentation Provided on SOR to Determine Reason | B |
| 1206 | Reduce Disparity | D |
| 1207 | 5H1.11 - Military Record/Charitable Works/Good Deeds | D |
| 1208 | 5G1.3 | D |
| 1209 | Cooperation without motion (not §5K1.1) | D |
| 1210 | (4A1.1e) Recency Amendment | D |

*Note that reasons 1200 - 1208 combine other reasons from the rest of the reasons list into a group of similar reasons.

INDEX TO CODEBOOK

| | | |
|--|--|----|
| Case Identifier | | |
| USSCIDN | | 77 |
| Chapter 2 | | |
| CHAP2 | | 29 |
| Chapter 2 Base Offense Level Variables | | |
| BASADC1-BASADCX | | 21 |
| BASADCHI | | 21 |
| BASADJ1-BASADJX | | 21 |
| BASADJHI | | 21 |
| BASADR1-BASADRX | | 22 |
| BASADRHI | | 22 |
| BASADS1-BASADSX | | 22 |
| BASADSHI | | 22 |
| BASE1-BASEX | | 23 |
| BASEC1-BASECX | | 23 |
| BASECHI | | 23 |
| BASECL1-BASECLX | | 25 |
| BASECLHI | | 25 |
| BASEHI | | 23 |
| BASEL1-BASELX | | 25 |
| BASELHI | | 25 |
| BASER1-BASERX | | 24 |
| BASERHI | | 24 |
| BASERL1-BASERLX | | 26 |
| BASERLHI | | 26 |
| BASES1-BASESX | | 24 |
| BASESHI | | 24 |
| BASESL1-BASESLX | | 26 |
| BASESLHI | | 26 |
| Chapter 2 Specific Offense Characteristic Variables | | |
| ADCL_B1-ADCL_BX thru ADCL_R1-ADCL_RX | | 13 |
| ADCL_BHI-ADCL_RHI | | 13 |
| ADJ_B1-ADJ_BX thru ADJ_R1-ADJ_RX | | 9 |
| ADJ_BHI thru ADJ_RHI | | 9 |
| ADJC_B1-ADJC_BX thru ADJC_R1-ADJC_RX | | 12 |
| ADJC_BHI thru ADJC_RHI | | 12 |
| ADJL_B1-ADJL_BX thru ADJL_R1-ADJL_RX | | 14 |
| ADJL_BHI-ADJL_RHI | | 14 |
| ADJR_B1-ADJR_BX thru ADJR_R1-ADJR_RX | | 11 |
| ADJR_BHI thru ADJR_RHI | | 11 |
| ADJS_B1-ADJS_BX thru ADJS_R1-ADJS_RX | | 10 |
| ADJS_BHI thru ADJS_RHI | | 10 |
| ADRL_B1-ADRL_BX thru ADRL_R1-ADRL_RX | | 15 |
| ADRL_BHI-ADRL_RHI | | 15 |
| ADSL_B1-ADSL_BX thru ADSL_R1-ADSL_RX | | 16 |
| ADSL_BHI-ADSL_RHI | | 16 |
| BODINJ | | 27 |
| MITCAP | | 48 |
| SAFE | | 65 |
| SAFETY | | 65 |
| WEAPSOC | | 81 |
| Chapter 3 Adjustment Variables | | |
| ABUS1-ABUSX | | 7 |
| ABUSC1-ABUSCX | | 7 |
| ABUSCHI | | 7 |
| ABUSHI | | 7 |
| ABUSR1-ABUSRX | | 7 |
| ABUSRHI | | 7 |
| ABUSS1-ABUSSX | | 7 |

| | |
|-----------------|----|
| ABUSSHI | 7 |
| ACCTRESP | 8 |
| ADJOFC1-ADJOFCX | 16 |
| ADJOFC1 | 16 |
| ADJOFL1-ADJOFLX | 17 |
| ADJOFL1 | 17 |
| ADJOFR1-ADJOFRX | 17 |
| ADJOFR1 | 17 |
| ADJOFRHI | 17 |
| ADJOFS1-ADJOFSX | 18 |
| ADJOFS1 | 18 |
| AGGRLC1-AGGRLCX | 18 |
| AGGRLC1 | 18 |
| AGGRLR1-AGGRLRX | 19 |
| AGGRLR1 | 19 |
| AGGRLRHI | 19 |
| AGGRLS1-AGGRLSX | 19 |
| AGGRLS1 | 19 |
| AGGRLSHI | 19 |
| AGGROL1-AGGROLX | 19 |
| AGGROL1 | 19 |
| FALDM1-FALDMX | 38 |
| FALDM1 | 38 |
| FALDMC1-FALDMCX | 39 |
| FALDMC1 | 39 |
| FALDMCHI | 39 |
| FALDMHI | 38 |
| FALDMR1-FALDMRX | 39 |
| FALDMR1 | 39 |
| FALDMRHI | 39 |
| FALDMS1-FALDMSX | 39 |
| FALDMS1 | 39 |
| FALDMSHI | 39 |
| FLGHTC1-FLGHTCX | 40 |
| FLGHTC1 | 40 |
| FLGHTR1-FLGHTRX | 41 |
| FLGHTR1 | 41 |
| FLGHTRHI | 41 |
| FLGHTS1-FLGHTSX | 41 |
| FLGHTS1 | 41 |
| FLGHTSHI | 41 |
| FLIGHT1-FLIGHTX | 41 |
| FLIGHT1 | 41 |
| FLIGHTHI | 41 |
| MITRLC1-MITRLCX | 49 |
| MITRLC1 | 49 |
| MITRLR1-MITRLRX | 49 |
| MITRLR1 | 49 |
| MITRLRHI | 49 |
| MITRLS1-MITRLSX | 49 |
| MITRLS1 | 49 |
| MITRLSHI | 49 |
| MITROL1-MITROLX | 50 |
| MITROL1 | 50 |
| MITROLHI | 50 |
| MONACCEP | 50 |
| OBSTCC1-OBSTCCX | 52 |
| OBSTCC1 | 52 |
| OBSTCCHI | 52 |
| OBSTRC1-OBSTRCX | 53 |
| OBSTRC1 | 53 |
| OBSTRCHI | 53 |
| OBSTRR1-OBSTRRX | 53 |
| OBSTRR1 | 53 |
| OBSTRRHI | 53 |
| OBSTRS1-OBSTRSX | 53 |
| OBSTRS1 | 53 |
| OBSTRSHI | 53 |
| OFFVCC1-OFFVCCX | 54 |
| OFFVCC1 | 54 |
| OFFVCCHI | 54 |
| OFFVCR1-OFFVCRX | 55 |
| OFFVCR1 | 55 |
| OFFVCRHI | 55 |
| OFFVCS1-OFFVCSX | 55 |
| OFFVCS1 | 55 |
| OFFVCSHI | 55 |
| OFFVCT1-OFFVCTX | 55 |
| OFFVCT1 | 55 |
| OFFVCTHI | 55 |
| RLADJC1-RLADJCX | 60 |
| RLADJC1 | 60 |
| RLADJCHI | 60 |

| | |
|------------------|----|
| RLADJR1-RLADJRXX | 60 |
| RLADJRHI | 60 |
| RLADJS1-RLADJSX | 61 |
| RLADJSHI | 61 |
| RLEAS1-RLEASX | 61 |
| RLEASC1-RLEASCX | 62 |
| RLEASCHI | 62 |
| RLEASHI | 61 |
| RLEASR1-RLEASRX | 62 |
| RLEASRHI | 62 |
| RLEASS1-RLEASSX | 62 |
| RLEASSHI | 62 |
| ROLADJ1-ROLADJX | 63 |
| ROLADJHI | 63 |
| RSTRCC1-RSTRCCX | 63 |
| RSTRCCHI | 63 |
| RSTRVC1-RSTRVCX | 64 |
| RSTRVCHI | 64 |
| RSTRVR1-RSTRVRX | 64 |
| RSTRVRHI | 64 |
| RSTRVS1-RSTRVSX | 64 |
| RSTRVSHI | 64 |
| TEROR1-TERORX | 70 |
| TERORC1-TERORCX | 70 |
| TERORCHI | 70 |
| TERORHI | 70 |
| TERORR1-TERORRX | 71 |
| TERORRHI | 71 |
| TERORS1-TERORSX | 71 |
| TERORSHI | 71 |
| USARM1-USARMX | 74 |
| USARMC1-USARMCX | 75 |
| USARMCHI | 75 |
| USARMHI | 74 |
| USARMR1-USARMRX | 75 |
| USARMRHI | 75 |
| USARMS1-USARMSX | 76 |
| USARMSHI | 76 |
| USKID1-USKIDX | 76 |
| USKIDC1-USKIDCX | 76 |
| USKIDCHI | 76 |
| USKIDHI | 76 |
| USKIDR1-USKIDRX | 77 |
| USKIDRHI | 77 |
| USKIDS1-USKIDSX | 77 |
| USKIDSHI | 77 |
| VCADJC1-VCADJCX | 78 |
| VCADJCHI | 78 |
| VCADJR1-VCADJRXX | 78 |
| VCADJRHI | 78 |
| VCADJS1-VCADJSX | 79 |
| VCADJSHI | 79 |
| VCTADJ1-VCTADJX | 79 |
| VCTADJHI | 79 |
| VULVCC1-VULVCCX | 80 |
| VULVCCHI | 80 |
| VULVCR1-VULVCRX | 80 |
| VULVCRHI | 80 |
| VULVCS1-VULVCSX | 80 |
| VULVCSHI | 80 |
| VULVCT1-VULVCTX | 81 |

| | |
|---|----|
| VULVCTHI | 81 |
| Chapter 4 Criminal History Variables | |
| ACCAP | 8 |
| ACCCAT | 8 |
| ACCOFFLV | 8 |
| ARMCRIM | 20 |
| CAROFFAP | 28 |
| CAROFFEN | 28 |
| CAROFFLV | 28 |
| CO924TAB | 31 |
| CRIMHIST | 32 |
| CRIMLIV | 32 |
| CRIMPTS | 32 |
| CRPTS | 32 |
| POINT1 | 56 |
| POINT2 | 56 |
| POINT3 | 56 |
| REL2PTS | 58 |
| SENTPTS | 66 |
| SEXACCA | 66 |
| SEXACCB | 66 |
| SEXCAP | 67 |
| SEXOFFNA | 67 |
| SEXOFFNB | 67 |
| TOTCHPTS | 72 |
| VIOL1PTS | 79 |
| XCRHISSR | 81 |
| Court Proceedings Variable | |
| ACCGDLN | 8 |
| ACPTCOMM | 8 |
| CHP2CHG1-CHP2CHGX | 30 |
| CHP2TXT1-CHP2TXTX | 30 |
| CHP3CHG1-CHP3CHGX | 30 |
| CHP3TXT1-CHP3TXTX | 30 |
| CHP4CHG1-CHP4CHGX | 31 |
| CHP4TXT1-CHP4TXTX | 31 |
| DEFCONSL | 33 |
| DEFCONTX | 33 |
| DISPOSIT | 35 |
| MAND1-MANDX | 48 |
| MANDTXT1-MANDTXTX | 48 |
| NEWCNVTN | 51 |
| PRESENT | 57 |
| QUARTER | 57 |
| SENTDATE | 65 |
| SENTMON | 66 |
| SENTYR | 66 |
| Demographic Variables | |
| AGE | 18 |
| CIRCDIST | 31 |
| CITIZEN | 31 |
| CITWHERE | 31 |
| DISTRICT | 35 |
| DOB | 35 |
| DOBMON | 35 |
| DOBYR | 35 |
| EDUCATN | 37 |
| HISPORIG | 43 |
| MARRIED | 48 |
| MONCIRC | 51 |
| MONRACE | 51 |

| | |
|---|----|
| MONSEX | 51 |
| NEWCIT | 51 |
| NEWEDUC | 51 |
| NEWRACE | 52 |
| NUMDEPEN | 52 |
| POOFFICE | 56 |
| YEARS | 82 |
| Departure and Variance Variables | |
| REASON1-REASONX | 58 |
| REASTXT1-REASTXTX | 58 |
| Departure and Variance Variables - Post-Booker | |
| BOOKER2 | 27 |
| BOOKER3 | 27 |
| BOOKERCD | 27 |
| INNOPL1-INNOPLX | 44 |
| INPLEA1-INPLEAX | 45 |
| REAS1-REASX | 58 |
| RETEXT1-RETEXTX | 59 |
| Departure and Variance Variables - Pre-Booker | |
| DEPART | 34 |
| DEPART_A | 34 |
| DEPART_D | 34 |
| DEPART_S | 34 |
| Document Receipt and Status Variables | |
| DSIND | 36 |
| DSJANDC | 36 |
| DSPLEA | 36 |
| DSPSR | 36 |
| DSSOR | 37 |
| SORFORM | 68 |
| SOURCES | 68 |
| Drug and Chemical Variables | |
| CAFROM1-CAFROM5 | 27 |
| CATO1-CATO5 | 28 |
| CDESCRIP1-CDESCRIP5 | 28 |
| CHEMDES1-CHEMDES5 | 29 |
| CHEMTYP1-CHEMTYP5 | 29 |
| CHMAM1-CHMAM5 | 30 |
| COMBDRG2 | 32 |
| CUNIT1-CUNIT5 | 33 |
| DAFROM1-DAFROM5 | 33 |
| DATO1-DATO5 | 33 |
| DESCRIP1-DESCRIP5 | 34 |
| DRGAM1-DRGAM5 | 35 |
| DRUGMIN | 35 |
| DRUGPROB | 36 |
| DRUGTYP1-DRUGTYP5 | 36 |
| DUFROM1-DUFROM5 | 37 |
| DUTO1-DUTO5 | 37 |
| ISMETHMIN | 45 |
| METHMIN | 48 |
| MWEIGHT | 51 |
| MWGT1-MWGT5 | 51 |
| UNIT1-UNIT5 | 74 |
| WGT1-WGT5 | 81 |
| Guideline Range Variables | |
| GLMAX | 43 |
| GLMIN | 43 |
| XCRHISSR | 81 |
| XFOLSOR | 82 |
| XMAXSOR | 82 |

| | |
|----------------------------|----|
| XMINSOR | 82 |
| Guideline Variables | |
| AMENDYR | 20 |
| GDCROS1-GDCROX | 42 |
| GDCROSHI | 42 |
| GDLIN1-GDLINX | 42 |
| GDLINHI | 42 |
| GDREF1-GDREFX | 42 |
| GDREFHI | 42 |
| GDSTAT1-GDSTATX | 43 |
| GDSTATHI | 43 |
| INDEXC1-INDEXCX | 44 |
| INDEXR1-INDEXR | 44 |
| INDEXS1-INDEXS | 44 |
| NOCOMP | 52 |
| Loss Variables | |
| LOSS1-LOSSX | 46 |
| LOSSC1-LOSSCX | 46 |
| LOSSCHI | 46 |
| LOSSHI | 46 |
| LOSSPROB | 47 |
| LOSSR1-LOSSRX | 47 |
| LOSSRHI | 47 |
| LOSSS1-LOSSSX | 47 |
| LOSSSHI | 47 |
| Mandatory Minimum | |
| FAILMIN | 38 |
| FINECDUM | 40 |
| FIREMIN1 | 40 |
| FIREMIN2 | 40 |
| GUNMIN1 | 43 |
| GUNMIN2 | 43 |
| GUNMIN3 | 43 |
| IDMIN | 44 |
| IMMIMIN | 44 |
| IS924C | 45 |
| IS1028A | 45 |
| MAND1-MANDX | 48 |
| MANDTXT1-MANDTXT | 48 |
| ONLY924C | 56 |
| ONLY1028A | 56 |
| OTHRMIN | 56 |
| PORNMIN | 57 |
| RELMIN | 58 |
| REPSXMIN | 59 |
| SEXMIN | 67 |
| STATMIN | 69 |
| Monetary Variables | |
| AMTFINEC | 20 |
| AMTREST | 20 |
| AMTTOTAL | 20 |
| COSTSDUM | 32 |
| COSTSUP | 32 |
| ECONDUM | 37 |
| FINE | 40 |
| FINEDUM | 40 |
| FINEWAIV | 40 |
| LOSS1-LOSSX | 46 |
| LOSSC1-LOSSCX | 46 |
| LOSSCHI | 46 |
| LOSSHI | 46 |

| | |
|---|----|
| LOSSPROB | 47 |
| LOSSR1-LOSSRX | 47 |
| LOSSRHI | 47 |
| LOSSS1-LOSSSX | 47 |
| LOSSSHI | 47 |
| RESTDET1-RESTDETX | 59 |
| RESTDUM | 59 |
| RESTTXT1-RESTTXTX | 59 |
| SPECASSM | 68 |
| TOTREST | 73 |
| TYPEMONY | 73 |
| Multiple Count Variables | |
| COADJLEV | 32 |
| TOTUNIT | 73 |
| Offense Information | |
| ENCRYPT1 | 38 |
| ENCRYPT2 | 38 |
| OFBEG1-OFBEGXX | 54 |
| OFEND1-OFENDXX | 54 |
| OFFTYPE2 | 54 |
| OFFTYPSEB | 54 |
| Sentence and Range Determination Variables | |
| BOOKER2 | 27 |
| BOOKER3 | 27 |
| BOOKERCD | 27 |
| INRANGE | 45 |
| RANGEPT | 57 |
| Sentence Variables | |
| ALTDUM | 20 |
| ALTMO | 20 |
| AMTFINEC | 20 |
| AMTREST | 20 |
| AMTTOTAL | 20 |
| CH5G13ST | 29 |
| CH5G13YN | 29 |
| COMDUM | 32 |
| COSTSDUM | 32 |
| COSTSUP | 32 |
| DAYSUM | 33 |
| ECONDUM | 37 |
| FINE | 40 |
| FINECDUM | 40 |
| FINEDUM | 40 |
| FINWAIV | 40 |
| HOMDUM | 43 |
| HRCOMSRV | 44 |
| INOUT | 45 |
| INTDUM | 45 |
| MOCOMCON | 50 |
| MOHOMDET | 50 |
| MOINTCON | 50 |
| PRISDUM | 57 |
| PROBATN | 57 |
| PROBDUM | 57 |
| RESTDET1-RESTDETX | 59 |
| RESTDUM | 59 |
| RESTTXT1-RESTTXTX | 59 |
| SENSPLT | 65 |
| SENSPLT0 | 65 |
| SENTDATE | 65 |
| SENTIMP | 66 |

| | |
|------------------------------|----|
| SENTMON | 66 |
| SENTTOT | 66 |
| SENTTOT0 | 66 |
| SENTYR | 66 |
| SPECASSM | 68 |
| SUPRDUM | 69 |
| SUPREL | 70 |
| TIMESERV | 71 |
| TIMSERVC | 72 |
| TIMSERVD | 72 |
| TIMSERVM | 72 |
| TOTDAYS | 73 |
| TOTPRISN | 73 |
| TOTREST | 73 |
| TYPEMONY | 73 |
| TYPEOTHS | 73 |
| TYPEOTTX | 73 |
| ZONE | 82 |
| Statute Variables | |
| NOCOUNTS | 52 |
| NOUSTAT | 52 |
| NWSTAT1-NWSTATX | 52 |
| SMAX1-SMAXX | 67 |
| SMIN1-SMINX | 67 |
| STA1_1-STA1_XXX | 69 |
| STA2_1-STA2_XXX | 69 |
| STA3_1-STA3_XXX | 69 |
| STATMAX | 69 |
| STATMIN | 69 |
| Time Period Variables | |
| BLAKPOST | 26 |
| BOOKPOST | 27 |
| KIMBPOST | 46 |
| Weapons Variable | |
| GUNMIN1 | 43 |
| GUNMIN2 | 43 |
| GUNMIN3 | 43 |
| WEAPON | 81 |
| WEAPSOC | 81 |