

## Narrative Summary – June 2010

June 2010 was cooler than normal, averaging 66.9°F, 2.4° below normal (69.3°F). The warmest June (1992) averaged 76.8°F, while the coolest (1953) averaged 63.0°F. There were 6 days in June with maximum temperatures  $\geq 90^\circ\text{F}$  compared to a June normal of 8. There were no days with maximum temperatures  $\geq 100^\circ\text{F}$  compared to a June normal of 1. There were no daily temperatures records established during June 2010.

Precipitation for June 2010 totaled 1.15 inch, 280% of normal (0.41 inch). The wettest June (1950) received 2.92 inches, while the driest (2003 and earlier years) received only a trace. June 2010 was the seventh wettest on record. Total precipitation for 2010 (through June) is 5.07 inches, 144% of normal (3.53 inches).

The average wind speed for June 2010 was 9.4 miles per hour (mph), which was 0.3 mph above normal (9.1 mph). The windiest June (1983 and 1949) averaged 10.7 mph, while the June with the lightest winds (1982) averaged 7.3 mph. The peak gust for June 2010 was 43 mph on June 14 and June 9. The record wind gust for June was 72 mph in 1957.

If you are interested in receiving this information via email, please send a note saying so to:

ken.burk@pnl.gov

The monthly climatological data summaries, as well as other information, are available on the Internet.

Address: <http://hms.pnl.gov/>

Ken Burk        373-3215

HMS Staff      373-2716

**Note:** The data in this summary pertain specifically to the Hanford Meteorology Station (HMS), which is located approximately 25 miles northwest of Richland, WA. No attempt should be made to infer meteorological conditions at other locations from these data.