

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 3662
National Average: 35
2x National Average: 70
National Median: 21
Average for Selected Dockets: 35

Facility Name: Brunswick 2 Docket (050- 00324)

Details	Department	Work Type	Docket/Report
Human-System Interface & Environmnt / IR			
170 - HSI or information availability / quality LTA	I - Instrumentation & Control	S - Surveillance	050-00324/2008-004
170 - HSI or information availability / quality LTA	M - Mechanical	M - Maintenance / Repair	050-00324/2008-004
170 - HSI or information availability / quality LTA	M - Mechanical	M - Maintenance / Repair	050-00324/2008-004
Number of Items for this Docket: 3			
Percent of Total for this Docket: 10			
Oversight / IR			
130 - Inadequate supervision / command and control	H - Health Physics	H - Health Physics	050-00324/2008-003
Number of Items for this Docket: 1			
Percent of Total for this Docket: 3			
Procedures & Reference Document / IR			
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00324/2008-003
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00324/2008-004
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00324/2008-004
113 - Procedure / reference document development and maintenance L	G - Engineering	G - Design	050-00324/2007-006
Number of Items for this Docket: 4			
Percent of Total for this Docket: 14			
Problem Identification & Resolution / IR			
142 - Operating experience (OE) review LTA	H - Health Physics	H - Health Physics	050-00324/2008-003
143 - Tracking / trending LTA	M - Mechanical	M - Maintenance / Repair	050-00324/2008-003
147 - Individual corrective action LTA	H - Health Physics	H - Health Physics	050-00324/2008-003
Number of Items for this Docket: 3			
Percent of Total for this Docket: 10			
Work Planning & Practices / IR			
185 - Procedural adherence LTA	H - Health Physics	H - Health Physics	050-00324/2008-003
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00324/2008-004
186 - Failure to take action / meet requirements	H - Health Physics	H - Health Physics	050-00324/2008-002
186 - Failure to take action / meet requirements	H - Health Physics	H - Health Physics	050-00324/2008-003
186 - Failure to take action / meet requirements	H - Health Physics	H - Health Physics	050-00324/2008-003
186 - Failure to take action / meet requirements	I - Instrumentation & Control	S - Surveillance	050-00324/2008-004
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00324/2008-003
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00324/2008-004
187 - Action implementation LTA	G - Engineering	G - Design	050-00324/2007-006

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 3662

National Average: 35

2x National Average: 70

National Median: 21

Average for Selected Dockets: 35

Facility Name: Brunswick 2 Docket (050- 00324)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
187 - Action implementation LTA	H - Health Physics	H - Health Physics	050-00324/2008-002
187 - Action implementation LTA	I - Instrumentation & Control	T - Testing	050-00324/2008-002
189 - Recognition of adverse condition / questioning attitude LTA	H - Health Physics	H - Health Physics	050-00324/2008-002
189 - Recognition of adverse condition / questioning attitude LTA	H - Health Physics	H - Health Physics	050-00324/2008-003
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00324/2007-006
Number of Items for this Docket: 14			
Percent of Total for this Docket: 48			
<hr/>			
Oversight / LER			
131 - Management expectations or directions LTA	G - Engineering	F - Modification	050-00324/2008-006-00
Number of Items for this Docket: 1			
Percent of Total for this Docket: 3			
<hr/>			
Work Planning & Practices / LER			
180 - Scheduling and planning LTA	E - Electrical	T - Testing	050-00324/2008-001-00
187 - Action implementation LTA	G - Engineering	F - Modification	050-00324/2008-006-00
196 - Independent verification / plant tours LTA	G - Engineering	F - Modification	050-00324/2008-006-00
Number of Items for this Docket: 3			
Percent of Total for this Docket: 10			
<hr/>			
Total Items for this Docket: 29			
