
ACIP Genral Immunization Guidelines

March 2012

www.vaccines.mil



Across

- 1 Antigen testing used to check immunity (9)
- **3** Earliest age influenza vaccine can be administered (9)
- **6** Hypersensitivity (7)
- 8 Per OSHA not needed when administering injectable vaccines (6)

Down

- 2 Vaccine type contraindicated for pregnant women (4)
- **4** Only vaccine currently FDA approved for jet injection (3)
- 5 Vaccine indicated for individuals 60 years and older (6)

- **13** Preferred injection site for children aged 3–18 years (13)
- **15** Vaccine indicated for individuals who work with animal population (6)
- **16** Federal program for compensating victims of vaccine-related injuries; abbr. (5)
- **18** Vaccines that can be given at any interval (11)
- Organization to report vaccine preventable disease infections; abbr. (3)
- 21 Live vaccines can be administered same day or separated by how long, days (11)
- Common injection site reaction (8)
- Lethargy after vaccination (7)
- Indicated for new parents to prevent spread of whooping cough (4)
- This sap from rubber trees may cause allergic reaction (5)
- Number of antigens in DTaP (5)
- Route of administration for rotavirus vaccine (4)
- Basis for age-specific vaccine recommendations (4)
- Storage location for varicella vaccine (7)
- Type of immunity conferred by well vaccinated population (4)

- 6 Age group most difficult to capture for routine immunizations (11)
- 7 Vaccine inventory should be rotated to prevent (10)
- **9** Vaccine component that may cause allergic reaction, i.e. MSG (10)
- **10** CDC info sheet before vaccination (3)
- Conjugation with a protein improves effectiveness of which vaccine type (14)
- Protection from disease (8)
- Rule for vaccine syringes filled by staff not used by end of clinic day (7)
- 14 Minimum requirement for storage unit daily temperature checks (5)
- 17 Indicated for children 12 mos and older to prevent contagious pustule rash (9)
- Service member immunization documentation system; abbr. (3)
- May begin within minutes of vaccine administration (11)
- Anaphylaxis antidote; abbr. (3)
- 23 Needle length used for a 60-70 kg women, inches (3)
- Vaccine storage enemy (4)
- Publication for ACIP vaccine recommendations; abbr. (4)
- Minimum age for first dose of MMR, months (6)
- Advisory body that recommends immunization requirements (4)
- Vaccine Adverse Event Reporting System; abbr. (5)
- **32** Trimester of pregnancy that Tdap is recommended (5)
- Consider vaccination valid if administered before minimum interval, days (4)

¹ S	E R	0	² L	0	G	I	С		³ S	Ι	Х	⁴ M	0	Ν	Т	Н	S		
			I									М							
	⁵ Z		V					⁶ A	L	L	⁷ E	R	G	Y					
⁸ G	LO	V	Е	⁹ S				D			Х				¹⁰ V		¹¹ P		
	S			Т				0			Ρ		12 		Ι		0		
	Т			А		¹³ D	Е	L	Т	0	Ι	D	М	U	S	С	L	Е	
	Е			В		I		Ε			R		М				Y		¹⁴ T
	15 R	А	В	Ι	Е	S		S			А		U				S		W
				L		С		С			Т		16 N	С	¹⁷ V	I	А		Ι
¹⁸	N ¹⁹ A	С	Т	Т	V	А	Т	Е	D		Т		I		А		²⁰ C	D	С
Т	Ν			Z		R		Ν			0		Т		R		С		Е
S	А			Е		D		²¹ T	W	²² E	Ν	Т	Y	Е	Ι	G	Н	Т	
	Р			R				S		Р					С		Α		²³ O
	Н									Ι					Е		R		Ν
²⁴ E I	RY	Т	²⁵ H	Е	²⁶ М	А							²⁷ М	А	L	А	Ι	S	Е
	L		Е		М		²⁸ T	D	²⁹ A	Р					L		D		
³⁰ V	А		А		W		W		С					³¹ L	А	³² T	Е	Х	
А	x		³³ T	Н	R	Е	Е		I		³⁴ F					Н			
Е	I						L		Ρ		³⁵ O	R	А	L		Ι			
³⁶ R	I S	Κ					V				U					R			
S					³⁷ F	R	Е	Е	Ζ	Е	R		³⁸ H	Е	R	D			