

NUCLEAR REGULATORY COMMISSION

[Docket No. 030-34506]

Notice of Availability of Environmental Assessment and Finding of No Significant Impact for License Amendment to Byproduct Materials License No. 45-25404-01, for Termination of the License and Unrestricted Release of the Insmed Pharmaceuticals, Incorporated Facility Located in Glen Allen, VA

AGENCY: Nuclear Regulatory Commission.

ACTION: Issuance of Environmental Assessment and Finding of No Significant Impact for License Amendment.

FOR FURTHER INFORMATION CONTACT:

Betsy Ullrich, Senior Health Physicist, Commercial and R&D Branch, Division of Nuclear Materials Safety, Region I, 475 Allendale Road, King of Prussia, Pennsylvania; telephone (610) 337-5040; fax number (610) 337-5269; or by e-mail: exu@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The U.S. Nuclear Regulatory Commission (NRC) is considering the issuance of a license amendment to Byproduct Materials License No. 45-25404-01. This license is held by Insmed Pharmaceuticals, Incorporated (the Licensee), for its facility located at 4851 Lake Brook Drive in Glen Allen, Virginia (the Facility). Issuance of the amendment would authorize release of the Facility for unrestricted use and termination of the NRC license. The Licensee requested this action in a letter dated September 30, 2006. The NRC has prepared an Environmental Assessment (EA) in support of this proposed action in accordance with the requirements of Title 10, Code of Federal Regulations (CFR), part 51 (10 CFR part 51). Based on the EA, the NRC has concluded that a Finding of No Significant Impact (FONSI) is appropriate with respect to the proposed action. The amendment will be issued to the Licensee following the publication of this FONSI and EA in the *Federal Register*.

II. Environmental Assessment

Identification of Proposed Action

The proposed action would approve the Licensee's September 30, 2006, license amendment request, resulting in release of the Facility for unrestricted use and the termination of its NRC materials license. License No. 45-25404-01 was issued on December 10,

1997, pursuant to 10 CFR part 30, and has been amended periodically since that time. This license authorized the Licensee to use unsealed byproduct material for purposes of conducting research and development activities on laboratory bench tops and in hoods.

The Facility is situated in a 70,000 square-foot office park building, and consists of office space and laboratories. The Facility is located in a suburban area. Within the Facility, use of licensed materials was confined to three laboratories having a total area of approximately 3,000 square feet.

On September 28, 2006, the Licensee ceased licensed activities and initiated a survey and decontamination of the Facility. Based on the Licensee's historical knowledge of the site and the conditions of the Facility, the Licensee determined that only routine decontamination activities, in accordance with their NRC-approved, operating radiation safety procedures, were required. The Licensee was not required to submit a decommissioning plan to the NRC because worker cleanup activities and procedures are consistent with those approved for routine operations. The Licensee conducted surveys of the Facility and provided information to the NRC to demonstrate that it meets the criteria in Subpart E of 10 CFR part 20 for unrestricted release and for license termination.

Need for the Proposed Action

The Licensee has ceased conducting licensed activities at the Facility, and seeks the unrestricted use of its Facility and the termination of its NRC materials license. Termination of its license would end the Licensee's obligation to pay annual license fees to the NRC.

Environmental Impacts of the Proposed Action

The historical review of licensed activities conducted at the Facility shows that such activities involved use of the following radionuclides with half-lives greater than 120 days: hydrogen-3 and carbon-14. Prior to performing the final status survey, the Licensee conducted decontamination activities, as necessary, in the areas of the Facility affected by these radionuclides.

The Licensee conducted a final status survey on September 28, 2006. This survey covered all three laboratories used for licensed activities. The final status survey report was attached to the Licensee's amendment request dated September 30, 2006. The Licensee elected to demonstrate compliance with the radiological criteria for unrestricted release as specified in 10 CFR 20.1402 by using the screening approach

described in NUREG-1757, "Consolidated NMSS Decommissioning Guidance," Volume 2. The Licensee used the radionuclide-specific derived concentration guideline levels (DCGLs), developed there by the NRC, which comply with the dose criterion in 10 CFR 20.1402. These DCGLs define the maximum amount of residual radioactivity on building surfaces, equipment, and materials, and in soils, that will satisfy the NRC requirements in Subpart E of 10 CFR part 20 for unrestricted release. The Licensee's final status survey results were below these DCGLs and are in compliance with the As Low As Reasonably Achievable (ALARA) requirement of 10 CFR 20.1402. The NRC thus finds that the Licensee's final status survey results are acceptable.

Based on its review, the staff has determined that the affected environment and any environmental impacts associated with the proposed action are bounded by the impacts evaluated by the "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities" (NUREG-1496) Volumes 1-3 (ML042310492, ML042320379, and ML042330385). The staff finds there were no significant environmental impacts from the use of radioactive material at the Facility. The NRC staff reviewed the docket file records and the final status survey report to identify any non-radiological hazards that may have impacted the environment surrounding the Facility. No such hazards or impacts to the environment were identified. The NRC has identified no other radiological or non-radiological activities in the area that could result in cumulative environmental impacts.

The NRC staff finds that the proposed release of the Facility for unrestricted use and the termination of the NRC materials license is in compliance with 10 CFR 20.1402. Based on its review, the staff considered the impact of the residual radioactivity at the Facility and concluded that the proposed action will not have a significant effect on the quality of the human environment.

Environmental Impacts of the Alternatives to the Proposed Action

Due to the largely administrative nature of the proposed action, its environmental impacts are small. Therefore, the only alternative the staff considered is the no-action alternative, under which the staff would leave things as they are by simply denying the amendment request. This no-action alternative is not feasible because it

conflicts with 10 CFR 30.36(d), requiring that decommissioning of byproduct material facilities be completed and approved by the NRC after licensed activities cease. The NRC's analysis of the Licensee's final status survey data confirmed that the Facility meets the requirements of 10 CFR 20.1402 for unrestricted release and for license termination. Additionally, denying the amendment request would result in no change in current environmental impacts. The environmental impacts of the proposed action and the no-action alternative are therefore similar, and the no-action alternative is accordingly not further considered.

Conclusion

The NRC staff has concluded that the proposed action is consistent with the NRC's unrestricted release criteria specified in 10 CFR 20.1402. Because the proposed action will not significantly impact the quality of the human environment, the NRC staff concludes that the proposed action is the preferred alternative.

Agencies and Persons Consulted

NRC provided a draft of this Environmental Assessment to the Commonwealth of Virginia for review on October 17, 2006. On October 24, 2006, the Commonwealth of Virginia, Division of Radiological Health and Safety Regulation, responded by e-mail. The Commonwealth agreed with the conclusions of the EA, and otherwise had no comments.

The NRC staff has determined that the proposed action is of a procedural nature, and will not affect listed species or critical habitat. Therefore, no further consultation is required under Section 7 of the Endangered Species Act. The NRC staff has also determined that the proposed action is not the type of activity that has the potential to cause effects on historic properties. Therefore, no further consultation is required under Section 106 of the National Historic Preservation Act.

III. Finding of No Significant Impact

The NRC staff has prepared this EA in support of the proposed action. On the basis of this EA, the NRC finds that there are no significant environmental impacts from the proposed action, and that preparation of an environmental impact statement is not warranted. Accordingly, the NRC has determined that a Finding of No Significant Impact is appropriate.

IV. Further Information

Documents related to this action, including the application for license amendment and supporting documentation, are available electronically at the NRC's Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>. From this site, you can access the NRC's Agencywide Document Access and Management System (ADAMS), which provides text and image files of NRC's public documents. The documents related to this action are listed below, along with their ADAMS accession numbers.

1. Letters dated September 30, 2006, (ML062770396) and October 16, 2006, (ML062900505);

2. NUREG-1757, "Consolidated NMSS Decommissioning Guidance;"

3. Title 10 Code of Federal Regulations, Part 20, Subpart E, "Radiological Criteria for License Termination;"

4. Title 10, Code of Federal Regulations, Part 51, "Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions;"

5. NUREG-1496, "Generic Environmental Impact Statement in Support of Rulemaking on Radiological Criteria for License Termination of NRC-Licensed Nuclear Facilities."

If you do not have access to ADAMS, or if there are problems in accessing the documents located in ADAMS, contact the NRC Public Document Room (PDR) Reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to pdr@nrc.gov. These documents may also be viewed electronically on the public computers located at the NRC's PDR, O 1 F21, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852. The PDR reproduction contractor will copy documents for a fee.

Dated at 475 Allendale Road, King of Prussia, Pennsylvania this 20th day of November 2006.

For The Nuclear Regulatory Commission.

James P. Dwyer,

Chief Commercial and R&D Branch, Division of Nuclear Materials Safety, Region 1.

[FR Doc. E6-20327 Filed 11-30-06; 8:45 am]

BILLING CODE 7590-01-P

PENSION BENEFIT GUARANTY CORPORATION

PBGC Flat Premium Rates

AGENCY: Pension Benefit Guaranty Corporation.

ACTION: Notice of flat premium rates.

SUMMARY: This notice informs the public of the PBGC flat premium rates for

premium payment years beginning in 2007. These rates can be derived from information published elsewhere but are published in this notice for the convenience of the public.

DATES: The flat premium rates apply to premium payment years beginning in 2007.

FOR FURTHER INFORMATION CONTACT:

Catherine B. Klion, Manager, Regulatory and Policy Division, Legislative and Regulatory Department, Pension Benefit Guaranty Corporation, 1200 K Street, NW., Washington, DC 20005, 202-326-4024. (TTY/TDD users may call the Federal relay service toll-free at 1-800-877-8339 and ask to be connected to 202-326-4024.)

SUPPLEMENTARY INFORMATION: The Pension Benefit Guaranty Corporation (PBGC) administers the pension plan termination insurance program under Title IV of the Employee Retirement Income Security Act of 1974 (ERISA). Pension plans covered by Title IV must pay premiums to PBGC. Section 4006 of ERISA deals with premium rates.

The Deficit Reduction Act of 2005 (Pub. L. 109-171) (DRA 2005) amends section 4006 of ERISA. DRA 2005 changes the per-participant flat premium rate for plan years beginning in 2006 from \$19 to \$30 for single-employer plans and from \$2.60 to \$8 for multiemployer plans and provides for inflation adjustments to the flat rates for future years. The adjustments are based on changes in the national average wage index as defined in section 209(k)(1) of the Social Security Act, with a two-year lag—for example, for 2007, the 2005 index is compared to the baseline (the 2004 index). The new provisions are written in such a way that the premium rate can never go down; if the change in the national average wage index is negative, the premium rate remains the same as in the preceding year. Also, premium rates are rounded to the nearest whole dollar.

The baseline national average wage index, the 2004 index, was \$35,648.55. The 2005 index is \$36,952.94. The ratio of the 2005 index to the 2004 index is 1.03659. Multiplying this ratio by \$30.00 gives \$31.10 which rounds to \$31.00. Multiplying the ratio by \$8.00 gives \$8.29, which rounds to \$8.00. Thus, the 2007 flat premium rates for PBGC's two insurance programs will be \$31.00 per participant for single-employer plans and \$8.00 per participant for multiemployer plans.

The PBGC will publish the flat premium rates annually for the convenience of the public.