

# CVM ADE Comprehensive Clinical Detail Report Listing:



Cumulative Date Range: 01/01/1987 -thru- 08/31/2012

Drug Listing: J;K;L;M

## DRUG: KANAMYCIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1

## DRUG: KETAMINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	66
PD-MISSING, LABEL(S)	62
PD-SEAL, ABN	57
PD-UNDERFILL, VIAL(S)	36
PD-SOLUTION, ABN	22
PD-VIAL(S), ABN	20
PD-VIAL(S), DAMAGED	18
PD-POTENCY, LO	17
PD-MISSING, CAP	14
PD-PRODUCT DEFECT	12
PD-UNDERFILL, PACKAGE	12
PD-CAP(S), ABN	10
PD-COLOR, ABN	8
PD-CONTAINER(S), DAMAG	6
PD-CONTAMINATION	3
PD-LABEL(S), ABN	3
INEFFECT, ANESTHESIA	2
PD-DEFECT UNKNOWN	2
PD-CONTAINER(S), ABN	1
PD-SYRINGE, ABN	1

## DRUG: KETAMINE

Species: CAT

Route of Administration: MISSING

**DRUG: KETAMINE**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	7
INEFFECT, ANESTHESIA	6
APNEA	3
ARREST, HEART	3
PRURITIS	2
AGGRESSION	1
ANESTH RECOV PROLONGED	1
ANOREXIA	1
BITING/CHEWING	1
CONVULSION(S)	1
DIARRHEA, BLOODY	1
FEVER, BODY	1
FIBRILLATION, VENTRICU	1
HYPERACTIVITY	1
INEFFECT, SEDATION	1
RECUMBENCY	1
SEDATION PROLONGED	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	5
INEFFECT, ANESTHESIA	5
ARREST, HEART	3
APNEA	2
BLD, URINE	2
PD-POTENCY, LO	2
VOMITING	2
BLOAT	1
BUN HI, BLD	1
CASTS, URINE	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
DEHYDRATION	1
DIARRHEA	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DYSPNEA	1
FEVER, BODY	1
PD-SOLUTION, ABN	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, CONGEST	1
PROTEIN, URINE	1
RADIOGRAPH(S) ABN	1
SPEC GRAVITY LO, URINE	1
WBC HI, BLD	1

**DRUG: KETAMINE**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	3
ANESTH RECOV PROLONGED	1
DISTRESS	1
DYSPNEA	1
PD-POTENCY, LO	1
PRESSURE HI, BLD	1
TREMBLING	1
TWITCH	1

**DRUG: KETAMINE**

Species: MISSING INFORMATION

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: MOUSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: KETAMINE**

Species: MOUSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

**DRUG: KETAMINE**

Species: RAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANESTH INDUCTION RAPID	1
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	4
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
ATAXIA	1
CONFUSION	1
DEATH	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
BLD, URINE	1
BUN HI, BLD	1

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
DIZZINESS	1
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PAIN, EYE(S)/LID(S)	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ANESTH RECOV PROLONGED	1
APNEA	1
ARREST, HEART	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

**DRUG: KETAMINE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANESTH DURATION BRIEF	1
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: ORAL

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISSOCIATION	1
HALLUCINATION	1

**DRUG: KETAMINE**

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: CAMEL

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
DEATH	2
THRASHING/PADDLING	2
ARREST, HEART	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	372
INEFFECT, ANESTHESIA	297
APNEA	166
ARREST, HEART	133
ANESTH RECOV PROLONGED	127
ATAXIA	84
FEVER, BODY	61
CONVULSION(S)	58
ANESTH RECOV TURBULENT	42
BLINDNESS	39
CYANOSIS	34

**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	32
DEPRESSION/LETHARGY	29
HYPERACTIVITY	29
DYSYPNEA	28
MYDRIASIS	28
INEFFECT, SEDATION	22
BRADYCARDIA	18
CONFUSION	16
PR-HEART, LESION(S)	16
ANISOCORIA	15
HYPOTHERMIA, BODY	15
AGGRESSION	14
ANESTH TOO DEEP	14
EDEMA, LUNG(S)/TRACHEA	14
HEAD BOBBING	14
HYPOPNEA	14
INTERACTION, DRUG(S)	14
BLINDNESS, TEMP	13
RECUMBENCY	13
SEDATION PROLONGED	13
TREMBLING	13
DEATH(EUTHANIZED)	12
NYSTAGMUS	12
PD-POTENCY, LO	12
POLYPNEA	12
TACHYCARDIA	12
VOCALIZATION	12
DEAFNESS	11
PROLAPSE, THIRD EYELID	11
CYANOSIS, MUCOUS MEMBR	10
NEUROLOGICAL DISORDER	10
TWITCH	10
NERVOUSNESS	9
SPASM	9
VESTIBULAR DISORDER	9
BEHAVIOR DISORDER	8
CIRCLING	8
HEAD TILT	8

**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERESTHESIA	8
HYPERSALIVATION	8
MIOSIS	8
PALLOR, MUCOUS MEMBRAN	8
PRESSURE LO, BLD	8
SHOCK	8
ANAPHYLAXIS/TOID	7
BITING/CHEWING	7
BLD, LUNG(S)/TRACHEA	7
DEHYDRATION	7
DISTRESS, RESP	7
HALLUCINATION	7
PR-LUNG(S), LESION(S)	7
REFLEX(ES) ABN	7
THRASHING/PADDLING	7
UNCONSCIOUS	7
ANESTH DURATION BRIEF	6
COLLAPSE	6
VOMITING	6
WEAKNESS	6
HORNER'S SYNDROME	5
PARESIS, HIND LIMB(S)	5
PUPIL(S), AREFLEXIA	5
RESPIRATORY DISORDER	5
STUPOR	5
BLINDNESS, PARTIAL	4
BREATHING, PERIODIC	4
BUN HI, BLD	4
CNS DISORDER	4
COUGHING	4
GLUCOSE HI, BLD	4
INJ SITE PAIN	4
INJ SITE SWELLING	4
PARALYSIS, HIND LIMB(S)	4
PD-POTENCY, HI	4
PROPRIOCEPTIVE DISORDE	4
STAGGERING	4
ADIPSIA	3



**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BREATHING ABN	3
DYSMETRIA	3
HEART DISORDER	3
HEART FAILURE	3
HYPERPNEA	3
HYPOTHERMIA	3
INJ SITE NECROSIS	3
JERKING	3
PAIN	3
PAIN, HIND LIMB(S)	3
PRESSURE HI, BLD	3
PR-LIVER, LESION(S)	3
PRURITIS	3
SEDATION TOO BRIEF	3
STIFFNESS	3
ULCER(S), MOUTH/LIP(S)	3
ANESTH INDUCTION RAPID	2
BLD, RETINA	2
CONGESTION, LUNG(S)	2
CREATININE HI, BLD	2
DEAFNESS, TEMP	2
DEFECATION	2
DIARRHEA	2
DIARRHEA, BLOODY	2
DISTRESS	2
DYSPHAGIA	2
EAR DISORDER	2
EDEMA, HEAD/FACE	2
EDEMA, LARYNX	2
EDEMA, LIMB(S)	2
INCONTINENCE, URINARY	2
INJ SITE EDEMA	2
LAMENESS	2
PD-SOLUTION, ABN	2
P HI, BLD	2
PR-KIDNEY(S), LESION(S)	2
PROTEIN(TOT) HI, BLD	2
PR-THYMUS, LESION(S)	2

**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SEDATION	2
SOMNOLENCE	2
SOUND ABN, RESPIRATORY	2
SWELLING, LIMB(S)	2
ULCER(S), CORNEA(S)	2
ULCER(S), TONGUE	2
URINATION	2
VISION DISORDER	2
WBC HI, BLD	2
WEIGHT LOSS	2
ABSCCESS, SKIN	1
ALK PHOS HI, BLD	1
ANEMIA	1
ANESTH INDUCTION PROLONGED	1
ANESTH INDUC TURBULENT	1
APPREHENSION	1
BALANCE DISORDER	1
BLD	1
BLD(ECCHYMOSES)	1
BLD, INCISION SITE	1
BLD, MULT SITES	1
CAPILLARY REFILL PROLO	1
CARDIOMEGALY	1
CONGESTION, EYE(S)/LID	1
CONJUNCTIVITIS	1
DELIRIUM	1
DEMENTIA	1
DESTRUCTIVENESS	1
DIARRHEA, SEVERE	1
DISCHARGE, NOSE	1
ECG ABN	1
EDEMA, MULTIPLE SITES	1
EDEMA, SCROTUM	1
EDEMA, VENTRAL	1
EFFUSION	1
EFFUSION, PLEURAL	1
EMPHYSEMA, SQ	1
EPISTAXIS	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EYE DISORDER	1
FROTH, MOUTH/LIP(S)	1
HIDING	1
HYPERSENSITIVE, SOUND	1
HYPERTONIA	1
ILL	1
INEFFECT, DELAYED EFFE	1
INEFFECT, LOSS OF EFFE	1
INJ SITE ABN	1
INJ SITE INFLAM	1
INJ SITE SLOUGH	1
K HI, BLD	1
KIDNEY DISORDER	1
K LO, BLD	1
LESION(S), SKIN	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
LOCOMOTION DISORDER	1
MASS	1
MORIBUND	1
MURMUR, HEART	1
NECK, VENTROFLEXION	1
NYSTAGMUS, HORIZONTAL	1
NYSTAGMUS, VERTICAL	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
OTITIS	1
PAIN, ABDOMEN	1
PALLOR	1
PARALYSIS	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PD-COLOR, ABN	1
PD-CONTAMINATION	1
PHOTOSENSITIZATION	1
POLYCYTHEMIA	1
POSTURAL RXN(S) ABN	1
POSTURE ABN	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-INJ SITE, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PROSTRATION	1
PROTEIN(TOT) LO, BLD	1
PR-PANCREAS, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, FEET/DIGIT(S)	1
PR-WHOLE BODY, LESION(	1
RADIOGRAPH(S) ABN	1
SEDATION RELAPSE	1
SEDATION TOO DEEP	1
SELF-MUTILATION	1
SGPT/ALT HI, BLD	1
SHAKING	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN, NECROSIS	1
SPEC GRAVITY LO, URINE	1
STIFFNESS, HIND LIMB(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, TONGUE	1
THYROID HORMONE(S) LO	1
TREMBLING, FACE	1
UVEITIS	1

**DRUG: KETAMINE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1

**DRUG: KETAMINE**

Species: CHIMPANZEE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	94
INEFFECT, ANESTHESIA	83
CONVULSION(S)	57
APNEA	49
ARREST, HEART	40
FEVER, BODY	35
ANESTH RECOV PROLONGED	33
ANESTH RECOV TURBULENT	23
VOMITING	22
VOCALIZATION	19
ANOREXIA	16
DEPRESSION/LETHARGY	14
BRADYCARDIA	12
DYSYPNEA	12
TREMBLING	10
BUN HI, BLD	8
HEAD PRESSING	8
HYPOPNEA	8
INEFFECT, SEDATION	8
SPASM	8
TACHYCARDIA	8
CREATININE HI, BLD	7
DEATH(EUTHANIZED)	7
HYPERPNEA	7
POLYPNEA	7
THRASHING/PADDLING	7
ATAXIA	6
BLD, URINE	6
SWELLING, HEAD/FACE	6
BLD, INCISION SITE	5
CONFUSION	5

**DRUG: KETAMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERACTIVITY	5
PLATELETS LO, BLD	5
URTICARIA	5
WBC HI, BLD	5
ANAPHYLAXIS/TOID	4
ANESTH DURATION BRIEF	4
ANESTH INDUC TURBULENT	4
ANESTH TOO DEEP	4
CYANOSIS	4
CYANOSIS, MUCOUS MEMBR	4
EDEMA, LUNG(S)/TRACHEA	4
HYPOTHERMIA, BODY	4
INJ SITE SLOUGH	4
INTERACTION, DRUG(S)	4
PR-LUNG(S), LESION(S)	4
RECUMBENCY	4
AGGRESSION	3
BLINDNESS	3
BLINDNESS, TEMP	3
COLLAPSE	3
DIARRHEA	3
DIARRHEA, BLOODY	3
ENLARGEMENT, LYMPH NOD	3
HYPERTONIA	3
INJ SITE SWELLING	3
NERVOUSNESS	3
PALLOR, MUCOUS MEMBRAN	3
PR-LIVER, LESION(S)	3
SGPT/ALT HI, BLD	3
TWITCH	3
WEAKNESS	3
ALK PHOS HI, BLD	2
ANEMIA	2
BITING/CHEWING	2
BLD, LUNG(S)/TRACHEA	2
BREATHING ABN	2
BREATHING, PERIODIC	2
CIRCLING	2

**DRUG: KETAMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CPK HI, BLD	2
DEAFNESS	2
HALLUCINATION	2
HYPERESTHESIA	2
HYPERSALIVATION	2
HYPERSENSITIVE, SOUND	2
INJ SITE EDEMA	2
INJ SITE INFLAM	2
KIDNEY FAILURE	2
LAMENESS	2
LIPASE HI, BLD	2
NEUROLOGICAL DISORDER	2
NYSTAGMUS	2
NYSTAGMUS, ROTARY	2
OPISTHOTONOS	2
P HI, BLD	2
PR-ADRENAL(S), LESION(S)	2
PR-KIDNEY(S), LESION(S)	2
PR-LUNG(S), EDEMA	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN, URINE	2
PULSE THREADY	2
RESPIRATORY DISORDER	2
SGOT/AST HI, BLD	2
SHAKING, HEAD/FACE	2
SPEC GRAVITY LO, URINE	2
STIFFNESS	2
SWELLING, MOUTH/LIP(S)	2
SWELLING, TONGUE	2
UNCONSCIOUS	2
VOLVULUS, STOMACH	2
VOMITING, BLOODY	2
ABN COLOR, URINE	1
ADIPSIA	1
ALBUMIN HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANESTH INDUCTION PROLONGED	1
ANISOCORIA	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ARRHYTHMIA	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABN	1
BLD(HEMATOMA)	1
BLD(PETECHIAE)	1
BLD, SCLERA	1
BLOAT	1
CAPILLARY REFILL PROLO	1
CELLULITIS	1
COAGULATION DISORDER	1
DEATH(STILLBORN)	1
DEHYDRATION	1
DEMENTIA	1
DIC	1
DISCHARGE, NOSE	1
ECCHYMOSIS, INCISION SITE	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LARYNX	1
EDEMA, TONGUE	1
ENLARGEMENT, SALIVARY GLAND	1
EPISTAXIS	1
FIBRILLATION, VENTRICU	1
FLY BITING	1
GAGGING	1
GGT HI, BLD	1
GLUCOSE HI, BLD	1
GRANULOMA, LICK	1
HEART FAILURE	1
HEMOGLOBIN, URINE	1
HYPHEMA	1
ICTERUS, BODY	1
ICTERUS, SERUM	1
INCISION SITE ABN	1
INCISION SITE DISCHARGE	1
INCONTINENCE, URINARY	1



**DRUG: KETAMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT	1
INFECTION, SKIN	1
INJ SITE ABSCESS	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
INJ SITE STERILE ABSCE	1
K HI, BLD	1
KIDNEY VALUES HI, BLD	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
MICROORGANISMS, URINE	1
MUCOUS MEMBR, ABN COLO	1
NA HI, BLD	1
NYSTAGMUS, HORIZONTAL	1
PAIN, ABDOMEN	1
PALLOR	1
PARESIS, HIND LIMB(S)	1
PD-POTENCY, LO	1
PD-SOLUTION, ABN	1
PLATELETS ABN	1
PLATELETS HI, BLD	1
POLYCYTHEMIA	1
POSTURE ABN	1
PR-BLADDER, LESION(S)	1
PRESSURE LO, BLD	1
PR-GALL BLADDER, LESION(S)	1
PR-HEART, LESION(S)	1
PR-HEARTWORM DISEASE	1
PR-MULT SITES, EDEMA	1
PR-PANCREAS, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS	1
RADIOGRAPH(S) ABN	1
RELUCTANT TO MOVE	1
SEDATION PROLONGED	1
SEDATION TOO BRIEF	1
SHAKING	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHOCK	1
SINUSITIS	1
SLOUGH, TONGUE	1
SOUND ABN, RESPIRATORY	1
STAGGERING	1
STUPOR	1
SWELLING, BRISKET/CHES	1
SWELLING, JOINT(S)	1
TENESMUS, RECTAL	1
TREMBLING, FACE	1
URINATION	1
VESTIBULAR DISORDER	1
WEIGHT LOSS	1

**DRUG: KETAMINE**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
DEATH	2
RECUMBENCY	1

**DRUG: KETAMINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	137
ANESTH RECOV TURBULENT	17
DEATH	15
ANESTH DURATION BRIEF	14
INEFFECT, SEDATION	9
ANESTH RECOV PROLONGED	8
ATAXIA	5
DEATH(EUTHANIZED)	5
ARREST, HEART	4

**DRUG: KETAMINE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONVULSION(S)	4
PD-POTENCY, LO	4
RECUMBENCY	4
SPASM	4
APNEA	3
COLLAPSE	3
PRESSURE HI, BLD	3
SWEATING	3
ANESTH INDUCTION PROLONGED	2
ANESTH INDUC TURBULENT	2
DIFFICULTY RISING	2
DYSPNEA	2
NYSTAGMUS	2
PAIN, ABDOMEN	2
TWITCH	2
ALBUMIN LO, BLD	1
ANESTH INDUCTION RAPID	1
BLINDNESS, TEMP	1
BREATHING, PERIODIC	1
CA HI, BLD	1
CHLORIDE LO, BLD	1
CHOLESTEROL HI, BLD	1
CONFUSION	1
CONGESTION	1
CPK HI, BLD	1
CYANOSIS	1
DELIRIUM	1
DEPRESSION/LETHARGY	1
EDEMA, LUNG(S)/TRACHEA	1
EPISTAXIS	1
FEVER, BODY	1
FROTH, NOSE	1
GLOBULIN LO, BLD	1
GLUCOSE HI, BLD	1
HALLUCINATION	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPERTONIA	1

**DRUG: KETAMINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJURY	1
K HI, BLD	1
LAMENESS	1
LDH HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
NERVOUSNESS	1
PARALYSIS, FACIAL NERV	1
PARESIS, HIND LIMB(S)	1
PAWING	1
PD-SOLUTION, ABN	1
P HI, BLD	1
PR-LUNG(S), EDEMA	1
PROTEIN(TOT) LO, BLD	1
PR-TRACHEA, LESION(S)	1
REFLEX(ES) ABN	1
RESPIRATORY DISORDER	1
SEDATION TOO BRIEF	1
SEDATION TOO DEEP	1
SGPT/ALT HI, BLD	1
STIFFNESS, FRONT LIMB(	1
TACHYCARDIA	1
UNCONSCIOUS	1

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HUMAN EXPOSURE, HAND(S	1
URTICARIA	1

**DRUG: KETAMINE**

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2

**DRUG: KETAMINE**

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONFUSION	1
INEFFECT, SEDATION	1

**DRUG: KETAMINE**

Species: MOUSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
APNEA	1
ATAXIA	1

**DRUG: KETAMINE**

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	6
DEATH	3
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
APNEA	1
ARREST, HEART	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
PR-LUNG(S), LESION(S)	1
REFLEX(ES) ABN	1
THRASHING/PADDLING	1
UREMIA	1

**DRUG: KETAMINE**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
FEVER, BODY	2
ANESTH DURATION BRIEF	1
INEFFECT, ANESTHESIA	1
POLYPNEA	1
VOCALIZATION	1

**DRUG: KETAMINE**

Species: PRIMATE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	4
DEATH	3
APNEA	1
BUN HI, BLD	1
COLLAPSE	1
CONVULSION(S)	1
CREATININE HI, BLD	1
GASTRITIS	1
PR-HEART, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SPASM	1
STARING	1
SYNCOPE	1
TACHYCARDIA	1
ULCER(S), GI	1
VOMITING, BLOODY	1

**DRUG: KETAMINE**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	5
INEFFECT, ANESTHESIA	3
ARREST, HEART	2

**DRUG: KETAMINE**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH TOO DEEP	1
ARRHYTHMIA	1
BRADYCARDIA	1
BREATHING, PERIODIC	1
HYPOPNEA	1
INEFFECT, SEDATION	1
INJ SITE NECROSIS	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1

**DRUG: KETAMINE**

Species: RAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
CYANOSIS	2
INEFFECT	2
INEFFECT, ANESTHESIA	2
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1
APNEA	1
CYSTITIS	1
DEATH(EUTHANIZED)	1
DYSYPNEA	1
INJ SITE INFLAM	1
PR-BLADDER, LESION(S)	1
PR-INJ SITE, LESION(S)	1

**DRUG: KETAMINE**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: KETAMINE**

Species: TIGER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1

**DRUG: KETAMINE**

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	2
DEATH	1

**DRUG: KETAMINE**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	27
INEFFECT, SEDATION	8
DEATH	6
APNEA	3
CONVULSION(S)	2
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
ARREST, HEART	1
BREATHING, PERIODIC	1
COLLAPSE	1
HORNER'S SYNDROME	1
HYPOPNEA	1
PRESSURE LO, BLD	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1



**DRUG: KETAMINE**

Species: CAT

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
CONVULSION(S)	1
CPK HI, BLD	1
DEATH	1
DYSPNEA	1
FEVER, BODY	1
GGT HI, BLD	1
INEFFECT, ANESTHESIA	1
POLYCYTHEMIA	1
POLYPNEA	1
PR-MULT SITES, BLD	1
SEGS HI, BLD	1
STARING	1

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PAIN	1
VISION DISORDER	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	71
DEATH	40
ANESTH RECOV PROLONGED	16
ARREST, HEART	13
FEVER, BODY	12
CONVULSION(S)	11
APNEA	10
ANOREXIA	7
ANESTH RECOV TURBULENT	6
ATAXIA	6

**DRUG: KETAMINE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSPNEA	5
BLINDNESS	4
INEFFECT, SEDATION	3
NEUROLOGICAL DISORDER	3
PR-LUNG(S), LESION(S)	3
AGGRESSION	2
CYANOSIS	2
DEAFNESS	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
DYSPHAGIA	2
INJ SITE PAIN	2
PR-LIVER, LESION(S)	2
STAGGERING	2
STUPOR	2
VOCALIZATION	2
ANESTH DURATION BRIEF	1
ANESTH INDUC TURBULENT	1
ANESTH TOO DEEP	1
ANISOCORIA	1
BEHAVIOR DISORDER	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
BREATHING ABN	1
BUN HI, BLD	1
CHEMISTRY ABN	1
CIRCLING	1
CONGESTION	1
CONGESTION, LUNG(S)	1
COUGHING	1
DEMENTIA	1
DESTRUCTIVENESS	1
DISTRESS, RESP	1
EDEMA, LUNG(S)/TRACHEA	1
EEG ABN	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
EPISTAXIS	1
FROTH, NOSE	1
GASTRITIS	1
GLUCOSE HI, BLD	1
HALLUCINATION	1
HEPATITIS	1
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
INJ SITE SWELLING	1
INTERACTION, DRUG(S)	1
JERKING	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
MURMUR, HEART	1
MYDRIASIS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
OPISTHOTONOS	1
PARALYSIS, HIND LIMB(S)	1
PD-POTENCY, LO	1
PRESSURE HI, BLD	1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE, THIRD EYELID	1
PR-STOMACH, LESION(S)	1
PUPIL(S), AREFLEXIA	1
REACTION, UNSPECIFIED	1
SEDATION	1
SEDATION PROLONGED	1
SEDATION TOO BRIEF	1
SHAKING	1
SHAKING, HEAD/FACE	1
SPASM	1
TREMBLING	1
TWITCH	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
US ABN	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	12
CONVULSION(S)	11
INEFFECT, ANESTHESIA	10
ANESTH RECOV PROLONGED	5
ANESTH RECOV TURBULENT	5
FEVER, BODY	5
APNEA	4
INEFFECT, SEDATION	4
ARREST, HEART	3
BRADYCARDIA	2
DEAFNESS	2
HYPOPNEA	2
INEFFECT	2
PD-POTENCY, LO	2
PRESSURE LO, BLD	2
TACHYCARDIA	2
ANESTH INDUC TURBULENT	1
ANESTH TOO DEEP	1
ANOREXIA	1
ANUS, PARALYSIS	1
ASPHYXIA	1
ATAXIA	1
BREATHING ABN	1
COLLAPSE	1
CONFUSION	1
DEATH(EUTHANIZED)	1
DEMENTIA	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DISTRESS, RESP	1
DYSPNEA	1
ECG ABN	1
HEART DISORDER	1
INEFFECT, DELAYED EFFE	1
MRI SCAN ABN	1
PARESIS, HIND LIMB(S)	1
PD-SOLUTION, ABN	1
SEDATION PROLONGED	1
SEDATION TOO BRIEF	1
SEDATION TOO DEEP	1
TAIL DISORDER	1
TREMBLING	1
VOMITING	1

**DRUG: KETAMINE**

Species: FERRET

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
APNEA	1
DEATH	1

**DRUG: KETAMINE**

Species: HORSE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANESTHESIA	16
INEFFECT, SEDATION	4
ANESTH RECOV TURBULENT	1
INEFFECT, ANALGESIA	1
SEDATION TOO BRIEF	1

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HALLUCINATION	1
HUMAN EXPOSURE, INJ	1

**DRUG: KETAMINE**

Species: LLAMA

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: MONKEY

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APNEA	1

**DRUG: KETAMINE**

Species: MOUSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
ANESTH TOO DEEP	1

**DRUG: KETAMINE**

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
APNEA	1
ARREST, HEART	1

**DRUG: KETAMINE**

Species: RAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
ANESTH RECOV PROLONGED	1
APNEA	1
DEATH(EUTHANIZED)	1

**DRUG: KETAMINE**

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	4
DEATH	1

**DRUG: KETAMINE**

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	11
CONVULSION(S)	4
ANESTH RECOV TURBULENT	3
APNEA	3
ANESTH RECOV PROLONGED	2
ANESTH INDUC TURBULENT	1
ATAXIA	1
BLINDNESS	1
DEATH	1
PD-SEAL, ABN	1
PD-SOLUTION, ABN	1

**DRUG: KETAMINE**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	8

**DRUG: KETAMINE**

Species: CAT

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANESTHESIA	8
ARREST, HEART	3
FEVER, BODY	3
APNEA	2
CONVULSION(S)	2
ANESTH RECOV TURBULENT	1
ATAXIA	1
BLINDNESS	1
BRADYCARDIA	1
CNS DISORDER	1
CYANOSIS	1
DEMENTIA	1
HEAD BOBBING	1
HEAD TILT	1
HYPERACTIVITY	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
PALLOR	1
PD-PRODUCT DEFECT	1
SEDATION DELAYED	1
SHAKING	1
TREMBLING	1
URINE ABN	1
VESTIBULAR DISORDER	1
VOCALIZATION	1

**DRUG: KETAMINE**

Species: DOG

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONVULSION(S)	3
ANESTH RECOV PROLONGED	1
APNEA	1
ARREST, HEART	1
DEATH	1
HEAD BOBBING	1



**DRUG: KETAMINE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
SHAKING, HEAD/FACE	1
TREMBLING	1
TWITCH	1

**DRUG: KETAMINE**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: KETAMINE**

Species: RAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANESTHESIA	1

**DRUG: KETAMINE**

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	12
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
HYPOTHERMIA, BODY	1
SEDATION	1

**DRUG: KETOCONAZOLE**

Species: DOG

Route of Administration: ORAL

**DRUG: KETOCONAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	3
DEPRESSION/LETHARGY	3
ANOREXIA	2
BILIRUBIN(TOT) HI, BLD	2
POLYDIPSIA	2
VOMITING	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANEMIA	1
BUN HI, BLD	1
COLLAPSE	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DIARRHEA, BLOODY	1
EDEMA, LUNG(S)/TRACHEA	1
HEMATOCHEZIA	1
HYPOTHERMIA, BODY	1
LESION(S), SKIN	1
NYSTAGMUS, VERTICAL	1
PLATELETS LO, BLD	1
POLYPHAGIA	1
POLYURIA	1
PR-GI, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PRURITIS	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SWELLING, HEAD/FACE	1
UNCONSCIOUS	1
UNPALATABLE	1
WBC HI, BLD	1
WEIGHT LOSS	1

**DRUG: KETOPROFEN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-COLOR, ABN	3
PD-MISSING, LABEL(S)	3
PD-SEAL, ABN	3
PD-SOLUTION, ABN	2
NO SIGNS	1
PD-CONTAINER(S), DAMAG	1
PD-DISPENSER, ABN	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), LEAKING	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	2
ALBUMIN LO, BLD	1
ANOREXIA	1
BUN HI, BLD	1
CA LO, BLD	1
CHLORIDE LO, BLD	1
COLLAPSE	1
CPK HI, BLD	1
CREATININE HI, BLD	1
DEHYDRATION	1
FEVER, BODY	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
NA LO, BLD	1
P HI, BLD	1
RECUMBENCY	1
SEGS HI, BLD	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: MISSING

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	1
CONVULSION(S)	1
ENLARGEMENT, LYMPH NOD	1
INTERACTION, DRUG(S)	1
KIDNEY DISORDER	1
MELENA	1
POLYDIPSIA	1
POLYURIA	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
HYPERESTHESIA	1
PR-LIVER, LESION(S)	1
TWITCH	1
URINE ABN	1
WBC LO, BLD	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	1
FEVER, BODY	1
PERFORATION, STOMACH	1
STOOL ABN	1
ULCER(S), STOMACH	1
VOMITING	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	13
ANOREXIA	9
DEPRESSION/LETHARGY	7
ATAXIA	6
BUN HI, BLD	5
CREATININE HI, BLD	5
HEAD TILT	5
VOMITING	4
ANESTH RECOV PROLONGED	3
BLD(ECCHYMOSES)	3
FEVER, BODY	3
HYPERSALIVATION	3
PR-LUNG(S), EDEMA	3
ANEMIA	2
APNEA	2
ARREST, HEART	2
BLD, INCISION SITE	2
BLINDNESS	2
CIRCLING	2
DEHYDRATION	2
DIARRHEA	2
DYSPNEA	2
EDEMA, LIMB(S)	2
KIDNEY FAILURE	2
NYSTAGMUS	2
PAIN, ABDOMEN	2
P HI, BLD	2
PROTEIN(TOT) HI, BLD	2
SGPT/ALT HI, BLD	2
TREMBLING	2
ULCER(S), MOUTH/LIP(S)	2
VOMITING, BLOODY	2
WEAKNESS	2
WEIGHT LOSS	2
ADIPSIA	1
AGGRESSION	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ANURIA	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BLD, URINE	1
COAGULATION DISORDER	1
COLLAPSE	1
CONFUSION	1
CONSTIPATION	1
CONVULSION(S)	1
CRYSTALS, URINE	1
DEATH(EUTHANIZED)	1
DISTRESS, RESP	1
DYSPHAGIA	1
ECCHYMOSIS, INCISION SITE	1
EDEMA	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1
GLUCOSE LO, BLD	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
INCISION SITE, ECCHYMOSIS	1
INJ SITE MASS	1
INJ SITE SWELLING	1
INTERACTION, DRUG(S)	1
K HI, BLD	1
LYMPHS LO, BLD	1
MELENA	1
MG HI, BLD	1
MICROORANISMS, URINE	1
MYDRIASIS	1
NECROSIS	1
NYSTAGMUS, POSITIONAL	1
PANCREAS ENZYMES HI, B	1
POLYPNEA	1
PR-HEART, LESION(S)	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PR-MUSCLE(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-PLEURAL EFFUSION	1
PR-SKIN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PTT PROLONGED, BLD	1
RECUMBENCY	1
REFLEX(ES) ABN	1
RESPIRATORY DISORDER	1
SGOT/AST HI, BLD	1
SNEEZING	1
SOMNOLENCE	1
SOUND ABN, RESPIRATORY	1
SPEC GRAVITY HI, URINE	1
SPEC GRAVITY LO, URINE	1
STAGGERING	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, SCROTUM	1
TACHYCARDIA	1
THYROID HORMONE(S) LO	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
ULCER(S), TONGUE	1
VESTIBULAR DISORDER	1
VISION DISORDER	1
VOCALIZATION	1
WBC HI, BLD	1
WHEEZING	1

**DRUG: KETOPROFEN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANALGESIA	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	29
BUN HI, BLD	22
DEPRESSION/LETHARGY	20
CREATININE HI, BLD	18
ANOREXIA	13
DEATH	12
FEVER, BODY	12
WBC HI, BLD	12
BLD, INCISION SITE	11
COAGULATION DISORDER	11
POLYDIPSIA	10
VOMITING, BLOODY	9
ANEMIA	8
DIARRHEA	8
INTERACTION, DRUG(S)	7
MELENA	7
POLYURIA	7
KIDNEY FAILURE	6
ALBUMIN LO, BLD	5
BLD, URINE	5
DEHYDRATION	5
DIARRHEA, BLOODY	5
PALLOR, MUCOUS MEMBRAN	5
PLATELETS LO, BLD	5
SPEC GRAVITY LO, URINE	5
ANESTH RECOV PROLONGED	4
AZOTEMIA	4
BLD	4
DEATH(EUTHANIZED)	4
GLUCOSE HI, BLD	4



**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LYMPHS LO, BLD	4
NA LO, BLD	4
RADIOGRAPH(S) ABN	4
SGPT/ALT HI, BLD	4
TACHYCARDIA	4
WEAKNESS	4
ALK PHOS HI, BLD	3
BLD(ECCHYMOSES)	3
CA HI, BLD	3
INJ SITE SWELLING	3
NA HI, BLD	3
POLYCYTHEMIA(RELATIVE)	3
PR-LIVER, LESION(S)	3
PROTEIN(TOT) HI, BLD	3
PROTEIN(TOT) LO, BLD	3
PROTEIN, URINE	3
RBC, NUCLEATED	3
SEGS HI, BLD	3
ALBUMIN HI, BLD	2
ANEMIA, REGEN	2
BANDS HI, BLD	2
BILIRUBIN(TOT) HI, BLD	2
BLD(HEMATOMA)	2
BLD, MOUTH/LIP(S)	2
CASTS, URINE	2
EDEMA	2
GASTRITIS	2
ICTERUS, BODY	2
INJ SITE PAIN	2
K HI, BLD	2
KIDNEY DISORDER	2
K LO, BLD	2
LIPASE HI, BLD	2
LIVER FAILURE	2
MICROORANISMS, URINE	2
P HI, BLD	2
PLATELETS HI, BLD	2
POLYPNEA	2

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-SM INTEST, LESION(S)	2
RECUMBENCY	2
SWELLING	2
TREMBLING	2
VOCALIZATION	2
WEIGHT LOSS	2
ABN COLOR, URINE	1
ADIPSIA	1
A/G RATIO LO, BLD	1
ALKALINE URINE	1
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ANISOCORIA	1
ANURIA	1
ANUS, PARALYSIS	1
ATAXIA	1
BASOS HI, BLD	1
BEHAVIOR DISORDER	1
BILIRUBIN, URINE	1
BLD, ABDOMEN	1
BLD(PETECHIAE)	1
BLD, SCROTUM	1
BRADYCARDIA	1
BUN LO, BLD	1
CAPILLARY REFILL PROLO	1
CHEMISTRY ABN	1
CHLORIDE HI, BLD	1
CHLORIDE LO, BLD	1
CHOLESTEROL HI, BLD	1
CLOUDY URINE	1
COLITIS	1
COLLAPSE	1
CONFUSION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SINUS	1
CONGESTION, SKIN	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CULTURE/TITER DATA ABN	1
CYANOSIS, MUCOUS MEMBR	1
DEHISCENCE	1
DIARRHEA, MILD	1
DIC	1
DYSYPNEA	1
ELECTROLYTE DISORDER	1
EOSINOS HI, BLD	1
EOSINOS LO, BLD	1
EPISTAXIS	1
EXERCISE INTOLERANCE	1
FLY BITING	1
GLOBULIN HI, BLD	1
GLUCOSE LO, BLD	1
HEMATOCHEZIA	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
ILL	1
INCISION SITE DISCHARGE	1
INCISION SITE, ECCHYMOSIS	1
INCONTINENCE, FECAL	1
INJ SITE ALOPECIA	1
INJ SITE EDEMA	1
INJ SITE NECROSIS	1
IRRITATION, ESOPHAGUS	1
KIDNEY VALUES HI, BLD	1
LIVER ENZYMES HI, BLD	1
MG HI, BLD	1
MONOS HI, BLD	1
MONOS LO, BLD	1
NEUROPATHY	1
PAIN, ABDOMEN	1
PALLOR	1
PAPULE(S)	1
PARESIS	1
PR-COLON, LESION(S)	1
PRESSURE LO, BLD	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), EDEMA	1
PR-PANCREAS, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PULSE THREADY	1
RBC ABN	1
RBC, ANISO	1
RBC, POLYCHROM	1
RESPIRATORY DISORDER	1
SEDATION	1
SEDIMENT, URINE	1
SGOT/AST HI, BLD	1
SHOCK	1
SKIN ABNORMAL	1
SKIN, CRUST(S)	1
SOMNOLENCE	1
SPEC GRAVITY HI, URINE	1
STIFFNESS	1
SWELLING, HEAD/FACE	1
SWELLING, SCROTUM	1
TENESMUS, RECTAL	1
TOX	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), EAR(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
UREMIA	1
URINATION	1
US ABN	1
US-LIVER ABN	1
WBC, URINE	1

**DRUG: KETOPROFEN**

Species: HORSE

Route of Administration: PARENTERAL

**DRUG: KETOPROFEN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	4
INJ SITE ABSCESS	4
INJ SITE SWELLING	3
INJ SITE INFLAM	2
SWEATING	2
SWELLING, NECK	2
BRADYCARDIA	1
BREATHING ABN	1
CIRCLING	1
DEATH	1
FEVER, BODY	1
HYPERPNEA	1
INJ SITE ABN	1
INJ SITE PAIN	1
LAMENESS	1
MYDRIASIS	1
PALLOR	1
RECUMBENCY	1
SHAKING	1
STIFFNESS, NECK	1
TWITCH	1
URTICARIA	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: SUPPOSITORY

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, INCISION SITE	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	2
VOMITING	2
ANA POS	1
ANOREXIA	1
BLD	1
BLD, URINE	1
BUN HI, BLD	1
CASTS, URINE	1
COAGULATION DISORDER	1
CONVULSION(S)	1
ECCHYMOSIS, INCISION SITE	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
KIDNEY FAILURE	1
MELENA	1
NEUROLOGICAL DISORDER	1
PLATELETS LO, BLD	1
POLYDIPSIA	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN, URINE	1
RADIOGRAPH(S) ABN	1
RESPIRATORY DISORDER	1
WBC HI, BLD	1

**DRUG: KETOPROFEN**

Species: CAT

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
FEVER, BODY	1
P HI, BLD	1
VOMITING	1

**DRUG: KETOPROFEN**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANEMIA, BLD LOSS	1
BLD	1

**DRUG: KETOPROFEN**

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
COAGULATION DISORDER	1

**DRUG: LACTIC ACID**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	5

**DRUG: LACTULOSE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
NAUSEA	1

**DRUG: LANTANOPROST**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BLINDNESS	1
NECROSIS	1
ULCER(S), CORNEA(S)	1

**DRUG: LASALOCID**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	2
PD-LABEL(S), ABN	2
PD-COLOR, ABN	1
PD-ODOR, ABN	1

**DRUG: LASALOCID**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, COCCIDIA	1

**DRUG: LASALOCID**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
PAIN, ABDOMEN	1

**DRUG: LASALOCID**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	8
CONVULSION(S)	2
HYPERPNEA	2
INEFFECT, COCCIDIA	2
RECUMBENCY	2
OVARIES, CYSTIC	1
PR-HEART, LESION(S)	1
REPRODUCTION DISORDER	1



**DRUG: LASALOCID**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	5
ATAXIA	2
UNCONSCIOUS	2
COLLAPSE	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
HYPERSALIVATION	1
MYDRIASIS	1
PALPITATIONS	1
PARALYSIS	1
PARALYSIS, HIND LIMB(S)	1
RECUMBENCY	1
SHAKING	1
TECH ERROR, MIXING	1
VOMITING	1

**DRUG: LASALOCID**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	5
DEATH(EUTHANIZED)	2
ILL	2
PAIN, ABDOMEN	1

**DRUG: LASALOCID**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
PARALYSIS, HIND LIMB(S)	1

**DRUG: LASALOCID**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: L-ASPARAGINASE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA	1
HYPERPNEA	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: L-ASPARAGINASE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
EDEMA, HEAD/FACE	2
VOMITING	2

**DRUG: LENPERONE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
SEDATION PROLONGED	1

**DRUG: LEVAMISOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-BOLUS, ABN	1
PD-CONTAINER(S), DAMAG	1

**DRUG: LEVAMISOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), ABN	1
PD-VIAL(S), DAMAGED	1

**DRUG: LEVAMISOLE**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
RASH	1

**DRUG: LEVAMISOLE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HYPERPNEA	1
TREMBLING	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	7
HYPERSALIVATION	5
RECUMBENCY	5
ABORTION	4
DEPRESSION/LETHARGY	4
ATAXIA	3
FROTH, MOUTH/LIP(S)	3
POLYDIPSIA	2
WEAKNESS	2
DEHYDRATION	1
DIARRHEA	1
DYSYPNEA	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, HEAD/FACE	1
HYPERACTIVITY	1
MIOSIS	1
ROLLING	1
STAGGERING	1
TREMBLING	1

**DRUG: LEVAMISOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	5
DEATH	4
ATAXIA	3
DEPRESSION/LETHARGY	3
CONVULSION(S)	2
CYANOSIS	2
DYSPNEA	2
FEVER, BODY	2
ANOREXIA	1
BEHAVIOR DISORDER	1
BREATHING ABN	1
DEATH(EUTHANIZED)	1
DEFECATION	1
HYPERPNEA	1
HYPERSALIVATION	1
NEUROLOGICAL DISORDER	1
PARALYSIS	1
PARALYSIS, HIND LIMB(S)	1
STAGGERING	1
THRASHING/PADDLING	1
TREMBLING	1
WEIGHT LOSS	1

**DRUG: LEVAMISOLE**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	2
DEATH	2
TWITCH	2
HYPERACTIVITY	1
HYPERSALIVATION	1
NEUROLOGICAL DISORDER	1
POSTURAL RXN(S) ABN	1
TREMBLING	1
VOCALIZATION	1

**DRUG: LEVAMISOLE**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROLOGICAL DISORDER	1
TREMBLING	1

**DRUG: LEVAMISOLE**

Species: PIG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	4
COUGHING	2
HYPERSALIVATION	2
VOMITING	2
WEAKNESS	2
CONVULSION(S)	1
DYSPNEA	1
HYPOTHERMIA	1
STUPOR	1
TREMBLING	1

**DRUG: LEVAMISOLE**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	18
PR-LUNG(S), LESION(S)	4
ANAPHYLAXIS/TOID	3
ATAXIA	3
FROTH, MOUTH/LIP(S)	3
TREMBLING	3
HYPERSALIVATION	2
PR-TRACHEA, LESION(S)	2
WEAKNESS	2
ABORTION	1
ANOREXIA	1
ASPHYXIA	1
BLINDNESS	1
BLOAT	1
CNS DISORDER	1
COLLAPSE	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSMETRIA	1
DYSPNEA	1
GRINDING TEETH	1
HYPERACTIVITY	1
HYPERPNEA	1
INEFFECT, STRONGYLES	1
INEFFECT, WORMS	1
PARESIS, HIND LIMB(S)	1
PD-PRODUCT DEFECT	1
PR-HEART, LESION(S)	1
PR-LARYNX, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MOUTH/LIP(S), LESIO	1
RECUMBENCY	1
SHAKING	1
TACHYCARDIA	1
TWITCH	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	21
HYPERSALIVATION	6
FROTH, MOUTH/LIP(S)	5
RECUMBENCY	5
ANAPHYLAXIS/TOID	4
TREMBLING	4
INJ SITE SWELLING	3
ABORTION	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
DYSPNEA	2
WEAKNESS	2
AGGRESSION	1
ANOREXIA	1
ATAXIA	1
BLOAT	1
COLLAPSE	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DEATH(SLAUGHTERED)	1
DYSURIA	1
EPISTAXIS	1
HYPERACTIVITY	1
ILL	1
INEFFECT, LUNGWORMS	1
INEFFECT, PARASITE(S)	1
INEFFECT, WORMS	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
PR-LUNG(S), LESION(S)	1
STUMBLING	1
TENESMUS	1
THRASHING/PADDLING	1
TOX	1

**DRUG: LEVAMISOLE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
CONVULSION(S)	1
HYPERACTIVITY	1
HYPERSALIVATION	1
TREMBLING	1

**DRUG: LEVAMISOLE**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
BEHAVIOR DISORDER	1
BRADYCARDIA	1
CONFUSION	1
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
NERVOUSNESS	1
SHAKING	1

**DRUG: LEVAMISOLE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
INJ SITE ABN	1
INJ SITE PAIN	1

**DRUG: LEVAMISOLE**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ATAXIA	2



**DRUG: LEVAMISOLE**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TREMBLING	2
COLLAPSE	1
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
PR-LUNG(S), LESION(S)	1
VOMITING	1

**DRUG: LEVAMISOLE, PIPERAZINE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	4
ATAXIA	3
DEATH	2
DIARRHEA	2
HYPERACTIVITY	2
ABORTION	1
DEPRESSION/LETHARGY	1
NERVOUSNESS	1
PR-COLON, LESION(S)	1
PR-FETUS, LESION(S)	1
SWEATING	1
TACHYCARDIA	1
TWITCH	1

**DRUG: LEVAMISOLE**

Species: BUFFALO

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DIARRHEA	1
HYPERSALIVATION	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALOPECIA	23
DEATH	23
SCALE(S), SKIN	21
IRRITATION, SKIN	12
SLOUGH, SKIN	9
HYPERSALIVATION	8
RECUMBENCY	8
SKIN DISORDER	8
ANOREXIA	5
DEPRESSION/LETHARGY	5
WEIGHT LOSS	4
BLOAT	3
DEATH(STILLBORN)	3
EXFOLIATION, SKIN	3
FROTH, MOUTH/LIP(S)	3
INEFFECT	3
NERVOUSNESS	3
STAGGERING	3
ULCER(S), SKIN	3
ATAXIA	2
DIARRHEA	2
HYPERACTIVITY	2
INEFFECT, STOMACH WORM	2
INEFFECT, WORMS	2
PARESIS, HIND LIMB(S)	2
PR-SKIN, LESION(S)	2
PRURITIS	2
TWITCH	2
VESICLE(S)/BULLAE, SKI	2
ABORTION	1
BEHAVIOR DISORDER	1
CNS DISORDER	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HAIR, ABN	1
HYPOPNEA	1
INEFFECT, LUNGWORMS	1
LEUKODERMA	1
PAIN	1
PAIN, ABDOMEN	1
PARALYSIS	1
PARALYSIS, HIND LIMB(S)	1
PARESTHESIA	1
PR-CEREBRUM, LESION(S)	1
PR-GI, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
PROLAPSE, RECTUM	1
RASH	1
SHAKING	1
SHAKING, HEAD/FACE	1
SLOUGH	1
THRASHING/PADDLING	1
UDDER, AGALACTIA	1
UDDER, HYPOGALACTIA	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: LEVAMISOLE**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	2
PAIN, ABDOMEN	2
ARRHYTHMIA	1
CONSTIPATION	1
DEPRESSION/LETHARGY	1
HEADACHE	1
HYPOESTHESIA	1
ILL	1
IRRITATION, SKIN	1

**DRUG: LEVAMISOLE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NAUSEA	1
NEURITIS	1
PAIN, BACK	1
PAIN, JOINT(S)	1
PAIN, LIMB(S)	1
PAIN, MUSCLE(S)	1
PARESTHESIA	1
RASH	1
TASTE ABNORMALITY	1
VISION DISORDER	1
VOMITING	1

**DRUG: LEVAMISOLE**

Species: SHEEP

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1
FROTH, MOUTH/LIP(S)	1
RECUMBENCY	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INJ SITE PAIN	2
DYSPNEA	1
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
INEFFECT, WORMS	1
SHAKING	1
TREMBLING	1
TWITCH	1
WEAKNESS	1

**DRUG: LEVAMISOLE**

Species: CATTLE

Route of Administration: UNKNOWN

**DRUG: LEVAMISOLE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERSALIVATION	1

**DRUG: LEVAMISOLE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HUMAN EXPOSURE, HAND(S)	1
HUMAN EXPOSURE, INJ	1
INJ SITE PAIN	1
INJ SITE SWELLING	1

**DRUG: LEVAMISOLE**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	5
ATAXIA	2
HYPERSALIVATION	2
BLOAT	1
INEFFECT, WORMS	1
RECUMBENCY	1

**DRUG: LEVOTHYROXINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	3

**DRUG: LEVOTHYROXINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	3
THYROID HORMONE(S) HI	3
VOMITING	3
ANOREXIA	2
INEFFECT	2
PRURITIS	2
ALOPECIA	1
BLD(ECCHYMOSES)	1
BLD, MULT SITES	1
BLD(PETECHIAE)	1
BLD, SKIN	1
CONGESTION, SKIN	1
DEATH	1
DEATH(EUTHANIZED)	1
DERMATITIS, MOIST	1
EDEMA, LIMB(S)	1
ERUPTION(S)	1
ERYTHEMA MULTIFORME	1
EXFOLIATION, SKIN	1
GALL BLADDER, ABN	1
GLUCOSE, URINE	1
HEMATOCHEZIA	1
IMMUNE DISORDER	1
INEFFECT, LOSS OF EFFE	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
LYMPHS HI, BLD	1
NERVOUSNESS	1
PALLOR, MUCOUS MEMBRAN	1
PLATELETS LO, BLD	1
PROTRUSION, EYE(S)	1
SKIN, SCAB(S)	1
STARING	1
STIFFNESS	1
ULCER(S), SKIN	1

**DRUG: LEVOTHYROXINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE, INGEST	1
NAUSEA	1
PAIN	1
PAIN, ABDOMEN	1
VOMITING	1

**DRUG: LIDOCAINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANALGESIA	1

**DRUG: LIDOCAINE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: LINCOMYCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	3
PD-CAP(S), ABN	2
PD-DISPENSER, ABN	2
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, PACKAGE	1

**DRUG: LINCOMYCIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
BLD, MULT SITES	1
CONFUSION	1
DEATH	1
INEFFECT, ANTIBIOTIC	1
PAIN, BACK	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
STIFFNESS, HIND LIMB(S)	1
UNPALATABLE	1
WEAKNESS	1

**DRUG: LINCOMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	4
DEPRESSION/LETHARGY	3
CONGESTION, SKIN	2
DEAFNESS	2
FEVER, BODY	2
INEFFECT, ANTIBIOTIC	2
INFECTION, SKIN	2
POLYDIPSIA	2
URTICARIA	2
AGGRESSION	1
ALK PHOS HI, BLD	1
ANOREXIA	1
ATAXIA	1
BILE ACIDS ABN, BLD	1
CONVULSION(S)	1
COUGHING	1
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DISTENTION, ABDOMEN	1
INFLAM, SKIN	1



**DRUG: LINCOMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PANCREATITIS	1
PLATELETS LO, BLD	1
POLYURIA	1
PR-STOMACH, LESION(S)	1
SEDATION	1
SGPT/ALT HI, BLD	1
VESICLE(S)/BULLAE, SKI	1
WBC HI, BLD	1
WEIGHT LOSS	1

**DRUG: LINCOMYCIN**

Species: PIG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANTIBIOTIC	8
DEATH	5
DIARRHEA, BLOODY	3
DIARRHEA	2
GASTROENTERITIS	2
PR-GI, LESION(S)	2
CONGESTION, SKIN	1
CONVULSION(S)	1
DIARRHEA, MILD	1
HEMATOCHEZIA	1
OFF FEED	1
ULCER(S), GI	1

**DRUG: LINCOMYCIN**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RESIDUE, MEAT	1

**DRUG: LINCOMYCIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SEDATION	1
VOMITING	1

**DRUG: LINCOMYCIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

**DRUG: LINCOMYCIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAMINATION	7
PD-SEAL, ABN	3
PD-SOLUTION, ABN	2
PD-COLOR, ABN	1
PD-VIAL(S), LEAKING	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: BIRD

Route of Administration: ORAL

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
PR-GI, LESION(S)	1
RECUMBENCY	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: DEER

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
DEATH	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: QUAIL

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: PARENTERAL

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	137
DYSPNEA	61
PR-LUNG(S), LESION(S)	49
FROTH, NOSE	31
HYPERSALIVATION	28
RECUMBENCY	23
DIARRHEA	14
DEPRESSION/LETHARGY	13
ANAPHYLAXIS/TOID	10
FROTH, MOUTH/LIP(S)	9
STAGGERING	9
ATAXIA	8
DIARRHEA, SEVERE	8
TREMBLING	8
WEAKNESS	8
REACTION, UNSPECIFIED	7
SHOCK	7
CONVULSION(S)	6
DEATH(EUTHANIZED)	6
HYPERPNEA	6
BLOAT	5
PR-PLEURAL EFFUSION	5
PR-PLEURA, LESION(S)	5
DEHYDRATION	4
EPISTAXIS	4
COLLAPSE	3
HEMATOCHEZIA	3
PAIN	3
PR-HEART, LESION(S)	3
PR-INTEST, LESION(S)	3
SLOUGH, FEET/DIGIT(S)	3
THRASHING/PADDLING	3
UDDER, AGALACTIA	3
UNCONSCIOUS	3
ABORTION	2
ANOREXIA	2
BLD, MOUTH/LIP(S)	2
BLD, MULT SITES	2

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CNS DISORDER	2
CONFUSION	2
COUGHING	2
DIARRHEA, BLOODY	2
ILL	2
INJ SITE BLD	2
PR-LIVER, LESION(S)	2
PR-MULT SITES, BLD	2
PR-SPLEEN, LESION(S)	2
PR-TRACHEA, LESION(S)	2
RELUCTANT TO MOVE	2
SHAKING	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, HEAD/FACE	2
TACHYCARDIA	2
WEIGHT LOSS	2
BLD	1
BLD, URINE	1
CONGESTION, LUNG(S)	1
DEATH(SLAUGHTERED)	1
DISPLACED ABOMASUM	1
EFFUSION	1
EPIPHORA	1
FEVER, BODY	1
FROTH	1
HYPERACTIVITY	1
HYPOPNEA	1
HYPOTHERMIA	1
LAMENESS	1
MIOSIS	1
NYSTAGMUS	1
PAIN, ABDOMEN	1
POLYPNEA	1
PR-KIDNEY(S), LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-UDDER, LESION(S)	1
PULSE THREADY	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1
RESIDUE, MILK	1
SLOUGH, EAR(S)	1
SWELLING, EAR(S)	1
SWELLING, FEET/DIGIT(S)	1
UDDER, HYPOGALACTIA	1
URTICARIA	1
WBC LO, BLD	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CIRCLING	1
CONVULSION(S)	1
DEATH	1
PR-BLD VESSEL(S), LESI	1
TREMBLING	1
VOMITING	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	8
DYSPNEA	6
DEPRESSION/LETHARGY	3
FROTH, MOUTH/LIP(S)	3
PR-LUNG(S), LESION(S)	3
ANOREXIA	2
FROTH, NOSE	2
NERVOUSNESS	2
PR-INTEST, LESION(S)	2
BLD, MULT SITES	1
COUGHING	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
HYPERSALIVATION	1
PR-HEART, LESION(S)	1
PR-MULT SITES, EDEMA	1
PROSTRATION	1
PR-PLEURAL EFFUSION	1
PR-TRACHEA, LESION(S)	1
STAGGERING	1
SWELLING, BRISKET/CHES	1
SWELLING, LIMB(S)	1
SWELLING, VAGINA/VULVA	1
TREMBLING	1
UNCONSCIOUS	1
WEAKNESS	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	7
PR-LUNG(S), LESION(S)	6
RECUMBENCY	5
DYSPNEA	4
PR-HEART, LESION(S)	4
DEPRESSION/LETHARGY	3
DEATH(EUTHANIZED)	2
DIARRHEA	2
FROTH, MOUTH/LIP(S)	2
WEAKNESS	2
ANOREXIA	1
BLD, MOUTH/LIP(S)	1
CNS DISORDER	1
FEVER, BODY	1
HYPERSALIVATION	1
ILL	1

**DRUG: LINCOMYCIN, SPECTINOMYCIN**

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
SHAKING	1
TACHYCARDIA	1
TREMBLING	1
UDDER, HYPOGALACTIA	1

**DRUG: LINCOMYCIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE INFECT	1
INJ SITE INFLAM	1

**DRUG: LIOTHYRONINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: LOMUSTINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COAGULATION DISORDER	1
DEATH	1
WBC LO, BLD	1

**DRUG: LUFENURON**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	48



**DRUG: LUFENURON**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	44
PD-LABEL(S), ABN	10
PD-TABLET(S), ABN	8
PD-TUBE(S), LEAKING	8
PD-MISSING, LABEL(S)	5
PD-SUSPENSION, ABN	5
PD-UNDERFILL, TUBE(S)	4
PD-VIAL(S), LEAKING	4
PD-CONTAINER(S), DAMAG	2
PD-VIAL(S), DAMAGED	2
PD-COLOR, ABN	1
PD-DISPENSER, ABN	1
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH	1
LIVER DISORDER	1
SKIN ABNORMAL	1

**DRUG: LUFENURON**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: ORAL

**DRUG: LUFENURON**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	89
DEPRESSION/LETHARGY	61
ANOREXIA	55
DIARRHEA	23
PRURITIS	22
ALOPECIA	17
DEATH	12
FEVER, BODY	12
ATAXIA	9
DEHYDRATION	7
VOCALIZATION	7
CONGESTION, SKIN	6
CONVULSION(S)	6
DYSPNEA	6
HYPERSALIVATION	6
SGPT/ALT HI, BLD	6
VOMITING, BLOODY	6
WBC HI, BLD	6
WEIGHT LOSS	6
BILIRUBIN(TOT) HI, BLD	5
HYPERACTIVITY	5
WEAKNESS	5
INFLAM, SKIN	4
POLYDIPSIA	4
SKIN DISORDER	4
TREMBLING	4
BUN HI, BLD	3
DIARRHEA, MILD	3
DISCHARGE, EYE(S)/LID(S)	3
GLUCOSE LO, BLD	3
ILL	3
LICKING	3
NERVOUSNESS	3
SGOT/AST HI, BLD	3
SPASM	3
SWELLING, HEAD/FACE	3
ANEMIA	2
ANURIA	2

**DRUG: LUFENURON**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BEHAVIOR DISORDER	2
BITING/CHEWING	2
CHOLESTEROL HI, BLD	2
CONFUSION	2
CONJUNCTIVITIS	2
CPK HI, BLD	2
CREATININE HI, BLD	2
CYANOSIS	2
ERUPTION(S)	2
GLOBULIN HI, BLD	2
GLUCOSE HI, BLD	2
HIDING	2
HYPOTHERMIA	2
ICTERUS	2
KIDNEY DISORDER	2
LDH HI, BLD	2
LESION(S), SKIN	2
LIVER DISORDER	2
LIVER ENZYMES HI, BLD	2
MURMUR, HEART	2
MYDRIASIS	2
PALLOR, MUCOUS MEMBRAN	2
PR-LUNG(S), LESION(S)	2
RADIOGRAPH(S) ABN	2
RECUMBENCY	2
SNEEZING	2
TACHYCARDIA	2
THYROID HORMONE(S) HI	2
URINATION	2
WBC LO, BLD	2
ADIPSIA	1
A/G RATIO LO, BLD	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
AZOTEMIA	1
BANDS HI, BLD	1
BIRTH DEFECT(S)	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BIRTH DEFFECT(S), FEET	1
BLD, URINE	1
BLEPHAROSPASM	1
BREATHING ABN	1
CHLORIDE LO, BLD	1
CONGESTION, EAR(S)	1
CONGESTION, LUNG(S)	1
CONSTIPATION	1
COUGHING	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
CSF ABN	1
CYSTITIS	1
DEATH(EUTHANIZED)	1
DEFECATION ABN	1
DILITATION, STOMACH	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
EAR DISORDER	1
EDEMA, LUNG(S)/TRACHEA	1
ENTERITIS	1
EOSINOS HI, BLD	1
EOSINOS LO, BLD	1
GAGGING	1
GASTRITIS	1
GASTROENTERITIS	1
GI, ABNORMAL	1
GLOBULIN LO, BLD	1
GLUCOSE, URINE	1
HEAD TILT	1
HEALING IMPAIRED	1
HEART DISORDER	1
HYPERPIGMENTATION, SKI	1
HYPERPNEA	1
HYPOMOTILITY	1
ICTERUS, BODY	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
K LO, BLD	1
LESION(S)	1
LESION(S), MOUTH/LIP(S)	1
LESION(S), RINGWORM	1
LYMPHS LO, BLD	1
MASS	1
MONOS HI, BLD	1
NA LO, BLD	1
NAUSEA	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
NYSTAGMUS, ROTARY	1
OLIGURIA	1
PAIN	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PANCREATITIS	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
PLATELETS LO, BLD	1
POLYCYTHEMIA	1
POLYPHAGIA	1
POLYURIA	1
PR-BONE MARROW, LESION	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PR-SPLEEN, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
ROLLING	1
SHAKING	1
SKIN, CRUST(S)	1
SKIN, SCAB(S)	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SOMNOLENCE	1
SPEC GRAVITY LO, URINE	1
SPLENOMEGALY	1
STAGGERING	1
SWELLING, FEET/DIGIT(S	1
SWELLING, PHARYNX/THRO	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
UNPALATABLE, WON'T EAT	1
URTICARIA	1
VESTIBULAR DISORDER	1
VOICE DISORDER	1
VOMITING, PROJECTILE	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	243
DEPRESSION/LETHARGY	138
PRURITIS	121
DIARRHEA	120
ANOREXIA	76
URTICARIA	49
CONGESTION, SKIN	45
CONVULSION(S)	39
ALOPECIA	32
FEVER, BODY	24
INEFFECT, FLEAS	17
ATAXIA	15
ALK PHOS HI, BLD	11
DEATH	11
POLYDIPSIA	11
SKIN DISORDER	11
TREMBLING	11
WBC HI, BLD	11

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, BLOODY	10
HYPERSALIVATION	10
RASH	10
EDEMA, HEAD/FACE	9
BUN HI, BLD	8
CONFUSION	8
POLYPNEA	8
SWELLING, HEAD/FACE	8
WEAKNESS	8
APPREHENSION	7
POLYURIA	7
DEATH(EUTHANIZED)	6
DIARRHEA, SEVERE	6
DYSPNEA	6
EYE DISORDER	6
INFECTION, SKIN	6
INFLAM, SKIN	6
PLATELETS LO, BLD	6
POLYCYTHEMIA	6
SGPT/ALT HI, BLD	6
WEIGHT LOSS	6
AGGRESSION	5
ANEMIA	5
CREATININE HI, BLD	5
HYPERPIGMENTATION, SKI	5
INCONTINENCE, URINARY	5
SCALE(S), SKIN	5
SGOT/AST HI, BLD	5
SHAKING	5
ANEMIA, AUTOIMMUNE HEM	4
BLD, URINE	4
BLINDNESS	4
COLLAPSE	4
DEHYDRATION	4
FLATULENCE	4
GLUCOSE HI, BLD	4
HYPERACTIVITY	4
ILL	4

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LESION(S), SKIN	4
PAPULE(S)	4
PUSTULE(S)	4
RECUMBENCY	4
SWELLING, EYE(S)/LID(S)	4
ADIPSIA	3
ANAPHYLAXIS/TOID	3
BLOAT	3
COAGULATION DISORDER	3
COUGHING	3
CPK HI, BLD	3
DIARRHEA, MILD	3
ENLARGEMENT(S)	3
ERUPTION(S)	3
GASTRITIS	3
LIPASE HI, BLD	3
MELENA	3
MYDRIASIS	3
NERVOUSNESS	3
ODOR	3
PACING	3
PAIN	3
SHOCK	3
SPEC GRAVITY LO, URINE	3
TACHYCARDIA	3
VESICLE(S)/BULLAE, SKI	3
VOCALIZATION	3
VOMITING, BLOODY	3
ANURIA	2
BILIRUBIN(TOT) HI, BLD	2
BREATHING ABN	2
CHOLESTEROL HI, BLD	2
CIRCLING	2
CONJUNCTIVITIS	2
DEFECATION	2
DERMATITIS, MOIST	2
ENLARGEMENT(S), SKIN	2
EOSINOS LO, BLD	2



**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GAGGING	2
GLOBULIN HI, BLD	2
GLOBULIN LO, BLD	2
HAIR, ABN	2
HEAD TILT	2
HYPERESTHESIA	2
LAMENESS	2
LOSS OF CONDITION	2
NEOPLASM	2
NEUROLOGICAL DISORDER	2
PAIN, ABDOMEN	2
PALLOR, MUCOUS MEMBRAN	2
PARALYSIS, ALL LIMBS	2
PARALYSIS, FACIAL NERV	2
PARALYSIS, HIND LIMB(S	2
PD-PRODUCT DEFECT	2
P HI, BLD	2
PICA	2
POLYPHAGIA	2
PRURITIS, FEET/DIGIT(S	2
RESPIRATORY DISORDER	2
SEGS HI, BLD	2
SKIN ABNORMAL	2
SPASM	2
STUPOR	2
SWELLING	2
SWELLING, MOUTH/LIP(S)	2
TWITCH	2
UNCONSCIOUS	2
A/G RATIO HI, BLD	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
ARREST, HEART	1
ARTHRITIS	1
ASCITES	1
BANDS HI, BLD	1
BEHAVIOR DISORDER	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILE ACIDS HI, BLD	1
BIRTH DEFECT(S), HEAD/	1
BITING/CHEWING	1
BLD(HEMATOMA)	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
CA HI, BLD	1
CA LO, BLD	1
CA/P RATIO LO, BLD	1
CHLORIDE HI, BLD	1
CHLORIDE LO, BLD	1
COLITIS	1
CONSTIPATION	1
DEAFNESS, TEMP	1
DISCHARGE, EYE(S)/LID(	1
DISCHARGE, EYE(S)/LID(S)	1
DISTENTION, ABDOMEN	1
DRY, SKIN	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EOSINOS HI, BLD	1
EPIPHORA	1
EPISTAXIS	1
FERTILITY, REDUCED	1
GGT HI, BLD	1
GI, ABNORMAL	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
GRANULOMA, LICK	1
HAIR, ABN COLOR	1
HEMATOCHEZIA	1
HEPATITIS	1
HIDING	1
ICTERUS	1
INCONTINENCE	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFECTION, FEET/DIGIT(	1
INFECTION, URINARY TRA	1
INSOMNIA	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, SKIN	1
K HI, BLD	1
KIDNEY DISORDER	1
KIDNEY FAILURE	1
LESION(S)	1
LICKING	1
LOCOMOTION DISORDER	1
LYMPHS HI, BLD	1
MASS, SKIN	1
MG LO, BLD	1
MICROORGANISMS, URINE	1
MONOS HI, BLD	1
MONOS LO, BLD	1
MUCOUS MEMBR, MUDDY	1
MURMUR, HEART	1
MYOSITIS	1
NA HI, BLD	1
NA LO, BLD	1
NECK, VENTROFLEXION	1
NEOPLASM, MAMMARY	1
NEOPLASM, SKIN	1
NEPHRITIS	1
NOCTURIA	1
NYSTAGMUS	1
PAIN, BACK	1
PAIN, JOINT(S)	1
PALLOR	1
PARALYSIS	1
PARESIS	1
PARESIS, HIND LIMB(S)	1
PHALLITIS	1
PNEUMONIA	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), LESION(S)	1
PR-MOUTH/LIP(S), LESIO	1
PROLAPSE, PENIS	1
PROLAPSE, THIRD EYELID	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PRURITIS, EAR(S)	1
PRURITIS, TAIL	1
PT PROLONGED, BLD	1
PUPIL(S), AREFLEXIA	1
RADIOGRAPH(S) ABN	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
RETINA ABN	1
ROLLING	1
SEBORRHEA	1
SELF-MUTILATION	1
SHAKING, HEAD/FACE	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SLOUGH	1
SLOUGH, SKIN	1
SNEEZING	1
SOMNOLENCE	1
SORE(S)	1
STAGGERING	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
STOOL ABN	1
STOOL, MUCOID	1
STUMBLING	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
TENESMUS	1
TESTICLE, ABN	1
THYROID HORMONE(S) LO	1
URINATION ABN	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UVEITIS	1
VESTIBULAR DISORDER	1
VISION DISORDER	1
VOMITING, SEVERE	1
WEIGHT INCREASE	1

**DRUG: LUFENURON**

Species: FERRET

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
POLYDIPSIA	1
POLYURIA	1
STUPOR	1
VOMITING	1

**DRUG: LUFENURON**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	1

**DRUG: LUFENURON**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
PR-NOSE, LESION(S)	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	91
INJ SITE MASS	89
ANOREXIA	80
INJ SITE SWELLING	66
VOMITING	52
PR-INJ SITE, LESION(S)	44
FEVER, BODY	38
INJ SITE ABSCESS	38
INJ SITE ALOPECIA	27
INJ SITE INFLAM	27
INJ SITE PAIN	27
DIARRHEA	15
INJ SITE ULCER(S)	15
WEIGHT LOSS	14
INJ SITE NEOPLASM	13
INJ SITE STERILE ABSCE	13
ALOPECIA	12
DEATH	12
DEHYDRATION	12
INJ SITE PRURITIS	12
PRURITIS	12
ANAPHYLAXIS/TOID	11
HIDING	10
VOCALIZATION	10
BUN HI, BLD	8
DYSPNEA	8
SKIN, SCAB(S)	8
CREATININE HI, BLD	7
INJ SITE ABN	7
INJ SITE EDEMA	7
WBC HI, BLD	7
GRANULOMA	6
MASS, SKIN	6
PLATELETS LO, BLD	6
COLLAPSE	5
MYDRIASIS	5
PAIN	5
RECUMBENCY	5

**DRUG: LUFENURON**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SGPT/ALT HI, BLD	5
ULCER(S), SKIN	5
WEAKNESS	5
ATAXIA	4
CONVULSION(S)	4
DEATH(EUTHANIZED)	4
HYPERSALIVATION	4
INJ SITE INFECT	4
LESION(S), SKIN	4
POLYPNEA	4
ALK PHOS HI, BLD	3
BEHAVIOR DISORDER	3
BILIRUBIN(TOT) HI, BLD	3
CONFUSION	3
CPK HI, BLD	3
GLOBULIN HI, BLD	3
GLUCOSE HI, BLD	3
ICTERUS, BODY	3
INEFFECT, FLEAS	3
LICKING	3
LYMPHS LO, BLD	3
PALLOR, MUCOUS MEMBRAN	3
PROTEIN(TOT) HI, BLD	3
PR-SKIN, LESION(S)	3
RADIOGRAPH(S) ABN	3
SGOT/AST HI, BLD	3
TACHYCARDIA	3
TECH ERROR ADMINISTRAT	3
TREMBLING	3
VOMITING, UNPRODUCTIVE	3
ANEMIA	2
BLINDNESS	2
CONGESTION, SKIN	2
CYANOSIS	2
DERMATITIS, MOIST	2
DIARRHEA, BLOODY	2
EDEMA, HEAD/FACE	2
ENLARGEMENT(S)	2

**DRUG: LUFENURON**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EOSINOS HI, BLD	2
FROTH, MOUTH/LIP(S)	2
HAIR, ABN	2
HYPERACTIVITY	2
HYPERESTHESIA	2
HYPOTHERMIA	2
INFLAM, SKIN	2
INJ SITE NECROSIS	2
INJ SITE SLOUGH	2
KIDNEY FAILURE	2
LAMENESS	2
LIVER ENZYMES HI, BLD	2
NEOPLASM	2
NEOPLASM, SKIN	2
NERVOUSNESS	2
NYSTAGMUS	2
PAIN, LIMB(S)	2
P HI, BLD	2
P LO, BLD	2
PR-HEART, LESION(S)	2
PT PROLONGED, BLD	2
SEGS LO, BLD	2
SHAKING, HEAD/FACE	2
SKIN ABNORMAL	2
SOMNOLENCE	2
ABN COLOR, URINE	1
ADIPSIA	1
AGGRESSION	1
AMYLASE HI, BLD	1
APPREHENSION	1
BANDS HI, BLD	1
BILIRUBIN, URINE	1
BLEPHAROSPASM	1
BRADYCARDIA	1
BUN LO, BLD	1
CA HI, BLD	1
CARDIOMEGALY	1
CELLULITIS	1



**DRUG: LUFENURON**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CHOLESTEROL HI, BLD	1
CONSTIPATION	1
CULTURE/TITER DATA ABN	1
DIARRHEA, MILD	1
DIARRHEA, MUCOID	1
DIARRHEA, WATERY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISTRESS	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
EFFUSION, PLEURAL	1
ENLARGEMENT(S), SKIN	1
GLUCOSE LO, BLD	1
HAIR, SHEDDING	1
HEAD TILT	1
HYPERPNEA	1
ICTERUS	1
ICTERUS, SERUM	1
ILL	1
INCONTINENCE, URINARY	1
INJ SITE, ALOPECIA	1
INJ SITE EFFUSION	1
INJ SITE SEPSIS	1
INJ SITE SEROMA	1
IRRITATION, SKIN	1
K HI, BLD	1
LIPASE HI, BLD	1
LYMPHS HI, BLD	1
MAMMARY, HYPERPLASIA	1
MUCOUS MEMBR, ABN COLO	1
MURMUR, HEART	1
MYOSITIS	1
PAIN, HEAD/FACE	1
PAIN, NECK	1
PARESIS	1
PARESIS, HIND LIMB(S)	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PLATELETS HI, BLD	1
POLYCYTHEMIA	1
POLYDIPSIA	1
POLYPHAGIA	1
POLYURIA	1
PRESSURE LO, BLD	1
PR-INTEST, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PROLAPSE, THIRD EYELID	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN, URINE	1
PTT PROLONGED, BLD	1
RBC, ANISO	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
RUPTURE	1
SEDATION	1
SHAKING	1
SORE(S)	1
SPASM	1
SPEC GRAVITY LO, URINE	1
SPLENOMEGALY	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
TAIL DISORDER	1
THROMBUS	1
TRIGLYCERIDES HI, BLD	1
TWITCH	1
URINE ABN	1
URTICARIA	1
US-LIVER ABN	1
VOMITING, SEVERE	1
WBC LO, BLD	1
WHEEZING	1

**DRUG: LUFENURON**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PRURITIS	1
SWELLING, HEAD/FACE	1
URTICARIA	1

**DRUG: LUFENURON**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	2
INJ SITE PAIN	2
DIARRHEA	1
HYPOESTHESIA	1
INCISION SITE, ECCHYMOSIS	1
INJ SITE MASS	1
INJ SITE SWELLING	1
NAUSEA	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
VOMITING	1

**DRUG: LUFENURON**

Species: FISH

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
FERTILITY, REDUCED	1
HATCHING ABN	1

**DRUG: LUFENURON**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	3
DEPRESSION/LETHARGY	3
DEATH	2
HIDING	2
INJ SITE ABSCESS	2
INJ SITE EDEMA	2
ANEMIA, AUTOIMMUNE HEM	1
ANURIA	1
ATAXIA	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
CHLORIDE LO, BLD	1
COLLAPSE	1
CONFUSION	1
DEATH(NEWBORN)	1
DEFECATION ABN	1
FEVER, BODY	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
ICTERUS, SERUM	1
INFECTION	1
INJ SITE MASS	1
K LO, BLD	1
LYMPHS LO, BLD	1
MURMUR, HEART	1
NA LO, BLD	1
PALLOR, MUCOUS MEMBRAN	1
PLATELETS LO, BLD	1
PR-HEART, LESION(S)	1
RBC, NUCLEATED	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
WBC HI, BLD	1

**DRUG: LUFENURON**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
INJ SITE SWELLING	1

**DRUG: MARBOFLOXACIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	11
PD-TABLET(S), ABN	7
PD-CAP(S), ABN	4
PD-CONTAINER(S), ABN	2
PD-UNDERFILL, VIAL(S)	2
INEFFECT, ANTIBIOTIC	1
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-LABEL(S), ABN	1
PD-ODOR, ABN	1
PD-POTENCY, LO	1
PD-PRODUCT DEFECT	1
PD-UNKNOWN	1
PD-VIAL(S), DAMAGED	1
VOMITING	1

**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	42
VOMITING	37
DEPRESSION/LETHARGY	35
BLINDNESS	27
INEFFECT, ANTIBIOTIC	27
CONVULSION(S)	24

**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	21
ATAXIA	19
BUN HI, BLD	16
DEATH(EUTHANIZED)	15
ANEMIA	14
WBC HI, BLD	13
CREATININE HI, BLD	11
MYDRIASIS	11
WEIGHT LOSS	11
TREMBLING	10
SGPT/ALT HI, BLD	9
BLD, URINE	8
DYSPNEA	8
BEHAVIOR DISORDER	7
DIARRHEA	7
PLATELETS LO, BLD	7
VOCALIZATION	7
BLINDNESS, TEMP	6
CONGESTION, SKIN	6
FEVER, BODY	6
PARESIS, HIND LIMB(S)	6
PUPIL(S), AREFLEXIA	6
AGGRESSION	5
ALK PHOS HI, BLD	5
ALOPECIA	5
BILIRUBIN(TOT) HI, BLD	5
CIRCLING	5
HYPERSALIVATION	5
PRURITIS	5
RETINA ABN	5
TWITCH	5
WEAKNESS	5
BITING/CHEWING	4
DEHYDRATION	4
REFLEX(ES) ABN	4
SGOT/AST HI, BLD	4
WBC LO, BLD	4
ADIPSIA	3

**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANISOCORIA	3
BLINDNESS, PARTIAL	3
CA HI, BLD	3
CONFUSION	3
DIARRHEA, BLOODY	3
GLUCOSE HI, BLD	3
GLUCOSE, URINE	3
HYPERPNEA	3
ICTERUS, BODY	3
INTERACTION, DRUG(S)	3
MURMUR, HEART	3
NEUROLOGICAL DISORDER	3
RECUMBENCY	3
RESPIRATORY DISORDER	3
STRANGURIA	3
URINATION ABN	3
VISION DISORDER	3
ALBUMIN LO, BLD	2
AMYLASE HI, BLD	2
ARREST, HEART	2
CONSTIPATION	2
CRYSTALS, URINE	2
CYANOSIS	2
DIARRHEA, MILD	2
EOSINOS HI, BLD	2
ERUPTION(S)	2
FROTH, MOUTH/LIP(S)	2
GLOBULIN HI, BLD	2
GLUCOSE LO, BLD	2
HIDING	2
HORNER'S SYNDROME	2
HYPERACTIVITY	2
HYPERESTHESIA	2
HYPOTHERMIA	2
INFECTION, URINARY TRA	2
IRRITATION, SKIN	2
K HI, BLD	2
LAMENESS	2

**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LIVER ENZYMES HI, BLD	2
MORIBUND	2
NERVOUSNESS	2
NO SIGNS	2
PARESIS	2
P HI, BLD	2
POSTURE ABN	2
PRESSURE HI, BLD	2
PR-LYMPH NODE(S), LESI	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) HI, BLD	2
PROTEIN, URINE	2
PR-SKIN, LESION(S)	2
SEGS HI, BLD	2
STOMATITIS	2
URINATION	2
ABN COLOR, URINE	1
ANAPHYLAXIS/TOID	1
ANURIA	1
APPREHENSION	1
ASCITES	1
BALANCE DISORDER	1
BILIRUBIN(DIR) HI, BLD	1
BILIRUBIN, URINE	1
BLD	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1
BRAIN, NEOPLASM	1
BREATHING, DIFFICULT	1
CA LO, BLD	1
CELLULITIS	1
CHOLESTEROL HI, BLD	1
CNS DISORDER	1
COAGULATION DISORDER	1
COLLAPSE	1
CONGESTION, EAR(S)	1
CONJUNCTIVITIS	1
CULTURE/TITER DATA ABN	1



**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIABETES	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
DISSOCIATION	1
DISTENTION, BLADDER	1
DISTRESS, RESP	1
DIZZINESS	1
DYSURIA	1
EAR DISORDER	1
EDEMA, HEAD/FACE	1
EFFUSION	1
EFFUSION, PLEURAL	1
ELIMINATION ABN	1
ENLARGEMENT, LYMPH NOD	1
EPISTAXIS	1
GRANULOMA	1
HEAD TILT	1
HEMATOCHEZIA	1
HYPOMOTILITY	1
HYPOTHERMIA, BODY	1
INCISION SITE, ECCHYMOSIS	1
INCONTINENCE, URINARY	1
INFLAM, SKIN	1
INTUSSUSCEPTION	1
IRRITATION, EAR(S)	1
JERKING	1
KERATOCONJUNCTIVITIS S	1
KETONES, URINE	1
KIDNEY FAILURE	1
K LO, BLD	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
LIVER DISORDER	1
LIVER FAILURE	1
MASS	1
MICROORANISMS, URINE	1

**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MRI SCAN ABN	1
MUCOUS MEMBR, ABN COLO	1
NAUSEA	1
NECK, VENTROFLEXION	1
NEOPLASM, LYMPH NODE(S)	1
NYSTAGMUS	1
NYSTAGMUS, VERTICAL	1
ODOR	1
OTITIS	1
PAIN	1
PAIN, BACK	1
PAIN, EYE(S)/LID(S)	1
PAIN, JOINT(S)	1
PALLOR	1
PANCREATITIS	1
PARESIS, FORELIMB(S)	1
PHOTOPHOBIA	1
PICA	1
PLATELETS ABN	1
PR-BRAIN, LESION(S)	1
PRESSURE LO, BLD	1
PR-EYE(S)/LID(S), LESI	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROSTRATION	1
PROTRUSION, EYE(S)	1
PR-STOMACH, LESION(S)	1
PR-TONGUE, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, FEET/DIGIT(S)	1
RADIOGRAPH(S) ABN	1
RASH	1
RBC, ANISO	1
RBC, NUCLEATED	1

**DRUG: MARBOFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
REPETITIVE MOVEMENTS	1
SCALE(S), SKIN	1
SEGS LO, BLD	1
SKIN, NECROSIS	1
SLOUGH, SKIN	1
SLOUGH, TONGUE	1
SORE(S)	1
SOUND ABN, VOICE	1
SPEC GRAVITY HI, URINE	1
SPEC GRAVITY LO, URINE	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
STOOL ABN	1
STUPOR	1
SWELLING, HEAD/FACE	1
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
TAIL DISORDER	1
TENESMUS, RECTAL	1
TENESMUS, URINARY	1
THROMBUS	1
TONGUE, ABN	1
TREMBLING, FACE	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
UROBILINOGEN HI, URINE	1
UVEITIS	1
VESICLE(S)/BULLAE, SKI	1
VESTIBULAR DISORDER	1
VOMITING, BLOODY	1
WHEEZING	1

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	79
VOMITING	79
ANOREXIA	78
INEFFECT, ANTIBIOTIC	78
LAMENESS	37
CONVULSION(S)	36
ATAXIA	32
DEATH	26
DIARRHEA	26
ALK PHOS HI, BLD	25
POLYDIPSIA	25
DEATH(EUTHANIZED)	21
SGPT/ALT HI, BLD	21
ANEMIA	20
TREMBLING	19
WBC HI, BLD	19
POLYURIA	15
BLINDNESS	14
FEVER, BODY	13
PLATELETS LO, BLD	13
WEIGHT LOSS	13
BILIRUBIN(TOT) HI, BLD	12
BUN HI, BLD	12
HYPERSALIVATION	12
SWELLING, HEAD/FACE	12
ALBUMIN LO, BLD	10
ANAPHYLAXIS/TOID	10
CREATININE HI, BLD	9
URTICARIA	9
BLD, URINE	7
EDEMA, HEAD/FACE	7
PAIN, JOINT(S)	7
PARESIS, HIND LIMB(S)	7
POLYPNEA	7
PROTEIN, URINE	7
PRURITIS	7
SPEC GRAVITY LO, URINE	7
SWELLING, JOINT(S)	7

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WEAKNESS	7
CONFUSION	6
DIARRHEA, BLOODY	6
DYSPNEA	6
GLUCOSE LO, BLD	6
HEAD TILT	6
PAIN	6
P HI, BLD	6
SGOT/AST HI, BLD	6
BLD(ECCHYMOSES)	5
COLLAPSE	5
CONGESTION, SKIN	5
DIFFICULTY RISING	5
HYPERACTIVITY	5
RELUCTANT TO MOVE	5
RETINA ABN	5
SKIN, NECROSIS	5
SWELLING, EYE(S)/LID(S)	5
INFECTION, SKIN	4
INFECTION, URINARY TRA	4
MELENA	4
MYDRIASIS	4
NAUSEA	4
NEUROLOGICAL DISORDER	4
NYSTAGMUS	4
SEGS HI, BLD	4
STOOL ABN	4
TREMBLING, FACE	4
ADIPSIA	3
ALOPECIA	3
ANEMIA, AUTOIMMUNE HEM	3
BEHAVIOR DISORDER	3
BLD(PETECHIAE)	3
CIRCLING	3
CONJUNCTIVITIS	3
COUGHING	3
DIABETES MELLITUS	3
DIARRHEA, MILD	3

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISTENTION, ABDOMEN	3
GLUCOSE HI, BLD	3
HEPATOMEGALY	3
HORNER'S SYNDROME	3
HYPERPNEA	3
ICTERUS, BODY	3
INCONTINENCE, URINARY	3
K HI, BLD	3
LESION(S), SKIN	3
MONOS HI, BLD	3
NERVOUSNESS	3
OPACITY, CORNEA(S)	3
OTITIS	3
PAIN, ABDOMEN	3
PALLOR, MUCOUS MEMBRAN	3
PR-LIVER, LESION(S)	3
PROTEIN(TOT) LO, BLD	3
PR-SKIN, LESION(S)	3
RADIOGRAPH(S) ABN	3
REFLEX(ES) ABN	3
SLOUGH, SKIN	3
TWITCH	3
ULCER(S), SKIN	3
US-LIVER ABN	3
VISION DISORDER	3
VOMITING, BLOODY	3
WBC LO, BLD	3
APNEA	2
BILIRUBIN, URINE	2
BLD, SKIN	2
BUN LO, BLD	2
CATARACT(S)	2
CONGESTION, EYE(S)/LID	2
DEAFNESS	2
EDEMA	2
GGT HI, BLD	2
GLUCOSE, URINE	2
HYPERTONIA	2

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INTERACTION, DRUG(S)	2
JOINT DISORDER	2
LIVER DISORDER	2
MICROORGANISMS, URINE	2
NO SIGNS	2
PAIN, NECK	2
PERITONITIS	2
PHOTOPHOBIA	2
POSTURE ABN	2
PR-MULT SITES, ICTERUS	2
PUPIL(S), AREFLEXIA	2
RECUMBENCY	2
RELUCTANT TO CLIMB	2
SPASM	2
STAGGERING	2
STIFFNESS	2
STUPOR	2
TACHYCARDIA	2
VOCALIZATION	2
ABN COLOR, URINE	1
AGGRESSION	1
AMYLASE HI, BLD	1
ANA POS	1
ANEMIA, HEMOLYTIC	1
ARREST, HEART	1
ASCITES	1
AZOTEMIA	1
BILE ACIDS HI, BLD	1
BLD, ABDOMEN	1
BLD, EAR(S)	1
BLD, EYE(S)	1
BLEPHAROSPASM	1
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BONE, ABN	1
BORBORYGMI	1
BRADYCARDIA	1
CALCULI, BLADDER	1

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CARDIOMEGALY	1
CASTS, URINE	1
CHEMISTRY ABN	1
CHOLECYSTITIS	1
CHOLESTEROL LO, BLD	1
CNS DISORDER	1
COAGULATION DISORDER	1
COOMBS TEST POS	1
CPK HI, BLD	1
CYSTITIS	1
DEFECATION ABN	1
DEHYDRATION	1
DIARRHEA, SEVERE	1
DILITATION, STOMACH	1
DISCHARGE, EYE(S)/LID(S)	1
DYSURIA	1
EDEMA, LIMB(S)	1
EDEMA, MULTIPLE SITES	1
EDEMA, VULVA	1
EFFUSION, JOINT(S)	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
ENTERITIS	1
EPISTAXIS	1
FEVER, JOINT(S)	1
FROTH, MOUTH/LIP(S)	1
GI, ABNORMAL	1
GLAUCOMA	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
HAIR, SHEDDING	1
HEALING IMPAIRED	1
HEMATOCHEZIA	1
HEPATITIS	1
HIDING	1
HYPERPIGMENTATION, SKI	1
HYPHEMA	1
HYPOPNEA	1



**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ICTERUS	1
ILL	1
IMMUNE DISORDER	1
INCISION SITE ABN	1
INEFFECT, SEIZURES	1
INFECTION	1
INFECTION, FEET/DIGIT(	1
INFLAM, SKIN	1
INJ SITE MASS	1
INJ SITE SWELLING	1
IRIS(BLD)	1
IRRITATION, EYE(S)/LID	1
KERATOCONJUNCTIVITIS S	1
KETOSIS	1
KIDNEY FAILURE	1
K LO, BLD	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
LOCOMOTION DISORDER	1
LOSS OF CONDITION	1
LYMPHS LO, BLD	1
MRI SCAN ABN	1
MURMUR, HEART	1
NA:K LO, BLD	1
NEOPLASM, LUNG(S)	1
NEPHRITIS	1
NYSTAGMUS, ROTARY	1
ODOR, MOUTH	1
OPISTHOTONOS	1
PACING	1
PAIN, MOUTH/LIP(S)	1
PALLOR	1
PANCREATITIS	1
PARALYSIS, ALL LIMBS	1
PARESIS, FORE LIMB(S)	1
PRESSURE HI, BLD	1

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROLAPSE, THIRD EYELID	1
PROPRIOCEPTIVE DISORDE	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-TENDON(S), LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PRURITIS, FEET/DIGIT(S)	1
PUSTULE(S)	1
RUPTURE	1
SALIVA, ABN	1
SCROTUM, ABN	1
SEDATION	1
SEPSIS	1
SHAKING, HEAD/FACE	1
SINUSITIS	1
SKIN, DRY	1
SLOUGH, FEET/DIGIT(S)	1
SLOUGH, TONGUE	1
SOMNOLENCE	1
SPLENOMEGALY	1
STIFFNESS, FRONT LIMB(	1
STIFFNESS, HIND LIMB(S)	1
STOMATITIS	1
SWELLING, EAR(S)	1
SWELLING, LIMB(S)	1
SYNCOPE	1
TEETH, ABN	1
THRASHING/PADDLING	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), CORNEA(S)	1
ULCER(S), MOUTH/LIP(S)	1
URINATION ABN	1
UVEITIS	1
VAGINITIS	1
VESTIBULAR DISORDER	1
VOLVULUS	1

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING, UNPRODUCTIVE	1
WBC, URINE	1
XEROSTOMIA	1

**DRUG: MARBOFLOXACIN**

Species: PARROT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1

**DRUG: MARBOFLOXACIN**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MARBOFLOXACIN**

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

**DRUG: MARBOFLOXACIN**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
FEVER, BODY	1
HYPERACTIVITY	1
PRURITIS	1
SWELLING, HEAD/FACE	1
VOMITING	1

**DRUG: MARBOFLOXACIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
NAUSEA	1

**DRUG: MAROPITANT**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	24
PD-SOLUTION, ABN	15
PD-UNDERFILL, VIAL(S)	10
PD-VIAL(S), DAMAGED	10
PD-TABLET(S), ABN	8
PD-COLOR, ABN	5
PD-VIAL(S), LEAKING	4
PD-CAP(S), ABN	3
PD-SEAL, ABN	3
PD-CONTAINER(S), DAMAG	2
PD-CONTAMINATION	2
PD-LABEL(S), ABN	2
PD-CONTAINER(S), ABN	1
PD-MISSING, CAP	1
PD-ODOR, ABN	1
PD-VIAL(S), ABN	1

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1
PRURITIS	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1
CONFUSION	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
KIDNEY FAILURE	1
POLYURIA	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIEMETIC	3
INJ SITE PAIN	2
ALK PHOS HI, BLD	1
ANOREXIA	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
DEATH	1
DEPRESSION/LETHARGY	1
DISCHARGE, VULVA	1
EPISTAXIS	1
ICTERUS, BODY	1
SGPT/ALT HI, BLD	1
TREMBLING	1

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
PAIN, EYE(S)/LID(S)	2
SWELLING, EYE(S)/LID(S)	2
BLD(HEMATOMA)	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	8
DEPRESSION/LETHARGY	7
ATAXIA	6
ANOREXIA	5
DIARRHEA	5
HYPERSALIVATION	5
ANEMIA	3
INEFFECT, ANTIEMETIC	3
VOCALIZATION	3
DEATH(EUTHANIZED)	2
DYSPHAGIA	2
NAUSEA	2
PLATELETS LO, BLD	2
SEDATION	2
WBC LO, BLD	2
WEIGHT LOSS	2
ABORTION	1
ALOPECIA	1
AMYLASE HI, BLD	1
ARRHYTHMIA	1
AZOTEMIA	1
BEHAVIOR DISORDER	1
BLD(HEMATOMA)	1
CA HI, BLD	1
CA LO, BLD	1
CHEMISTRY ABN	1
CIRCLING	1
CONFUSION	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, SKIN	1
CONGESTION, TONGUE	1
DEATH	1
DEHYDRATION	1
DISCHARGE, NOSE	1
DYSPNEA	1
EDEMA, LARYNX	1
EDEMA, LIMB(S)	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
GLUCOSE HI, BLD	1
HYPERPNEA	1
INFLAM, SKIN	1
LAMENESS	1
LEUKODERMA	1
NEOPLASM	1
NERVOUSNESS	1
NOSE ABN	1
PANCYTOPENIA	1
PR-BONE MARROW, LESION	1
PR-ESOPHAGUS, LESION(S)	1
PRESSURE HI, BLD	1
PR-LIVER, LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PROTRUSION, TONGUE	1
PR-SKIN, LESION(S)	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
SOMNOLENCE	1
SPLENOMEGALY	1
STRICTURE, ESOPHAGUS	1
STUPOR	1
SWELLING, HEAD/FACE	1
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
ULCER(S), SKIN	1
US ABN	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC HI, BLD	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIEMETIC	81
ANOREXIA	79
DEPRESSION/LETHARGY	75
HYPERSALIVATION	65
VOMITING	52
TREMBLING	31
ATAXIA	23
DEATH	23
DIARRHEA	18
RADIOGRAPH(S) ABN	18
DEATH(EUTHANIZED)	15
SGPT/ALT HI, BLD	14
ALK PHOS HI, BLD	11
HYPOMOTILITY	11
SWELLING, HEAD/FACE	11
ANAPHYLAXIS/TOID	10
CONVULSION(S)	10
WEIGHT LOSS	9
APPREHENSION	8
POLYDIPSIA	8
POLYPNEA	8
SEDATION	8
BEHAVIOR DISORDER	7
BILIRUBIN(TOT) HI, BLD	7
DIARRHEA, BLOODY	7
LESION(S), SKIN	7
PAIN, ABDOMEN	7
STARING	7
URTICARIA	7
WEAKNESS	7



**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ICTERUS, BODY	6
POLYURIA	6
SHAKING	6
ADIPSIA	5
BUN HI, BLD	5
CONFUSION	5
CREATININE HI, BLD	5
DISTRESS	5
PARESIS, HIND LIMB(S)	5
SOMNOLENCE	5
STUPOR	5
TWITCH	5
WBC HI, BLD	5
ALBUMIN LO, BLD	4
BRADYCARDIA	4
COLLAPSE	4
CONGESTION, SKIN	4
DYSPNEA	4
HYPERACTIVITY	4
LICKING	4
MELENA	4
MONOS HI, BLD	4
NYSTAGMUS	4
PANCREATITIS	4
P HI, BLD	4
PLATELETS LO, BLD	4
PR-LIVER, LESION(S)	4
PRURITIS	4
RECUMBENCY	4
TACHYCARDIA	4
US ABN	4
BLD(HEMATOMA)	3
BUN LO, BLD	3
DEHYDRATION	3
DIARRHEA, MILD	3
ERUPTION(S)	3
FEVER, BODY	3
HEAD TILT	3

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERPNEA	3
INFLAM, SKIN	3
INTERACTION, DRUG(S)	3
KIDNEY FAILURE	3
NERVOUSNESS	3
NEUROLOGICAL DISORDER	3
PALLOR, MUCOUS MEMBRAN	3
PR-KIDNEY(S), LESION(S)	3
PR-LYMPH NODE(S), LESI	3
SEGS HI, BLD	3
SGOT/AST HI, BLD	3
SWELLING, EYE(S)/LID(S)	3
UNCONSCIOUS	3
VOCALIZATION	3
VOMITING, BLOODY	3
AGGRESSION	2
ANEMIA	2
ANOREXIA(NOT NURSING)	2
ARRHYTHMIA	2
BILE ACIDS HI, BLD	2
BLD, URINE	2
BLINDNESS	2
CHOLESTEROL HI, BLD	2
CONGESTION, EAR(S)	2
DEFECATION ABN	2
DIFFICULTY RISING	2
DILITATION, STOMACH	2
DISTENTION, ABDOMEN	2
EDEMA, EYE(S)/LID(S)	2
EYE DISORDER	2
FLATULENCE	2
GLOBULIN LO, BLD	2
GLUCOSE HI, BLD	2
GLUCOSE, URINE	2
HYPOTHERMIA	2
HYPOTHERMIA, BODY	2
INCONTINENCE, URINARY	2
LIPASE HI, BLD	2

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LIVER ENZYMES HI, BLD	2
LOCOMOTION DISORDER	2
MYDRIASIS	2
NA LO, BLD	2
PANCREAS DISORDER	2
PR-HEART, LESION(S)	2
PROTEIN(TOT) LO, BLD	2
PR-SM INTEST, LESION(S)	2
PR-SM INTEST, LESION(S)	2
SALIVA, ABN	2
SHAKING, HEAD/FACE	2
SHOCK	2
SKIN, NECROSIS	2
SLOUGH, SKIN	2
SPASM	2
SPEC GRAVITY LO, URINE	2
STOOL, MUCOID	2
SYNCOPE	2
ULCER(S), STOMACH	2
URINATION	2
VESTIBULAR DISORDER	2
VOMITING, UNPRODUCTIVE	2
WBC LO, BLD	2
AMYLASE HI, BLD	1
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
APNEA	1
ARREST, HEART	1
BALANCE DISORDER	1
BILIRUBIN, URINE	1
BLD, EAR(S)	1
BLD, MOUTH/LIP(S)	1
BLD, PENIS	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLD, SCLERA	1
BLD, SKIN	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CA HI, BLD	1
CAPILLARY REFILL PROLO	1
CARDIOMEGALY	1
CASTS, URINE	1
CATARACT(S)	1
CAT SCAN ABN	1
CHLORIDE LO, BLD	1
CIRCLING	1
COAGULATION DISORDER	1
CONGESTION, EYE(S)/LID	1
CONJUNCTIVITIS	1
CONSTIPATION	1
CPK HI, BLD	1
CSF ABN	1
CYANOSIS, MUCOUS MEMBR	1
CYSTITIS	1
DEFECATION	1
DERMATITIS, MOIST	1
DIARRHEA, MUCOID	1
DIARRHEA, WATERY	1
DILITATION, ESOPHAGUS	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
DYSURIA	1
EDEMA	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, SCROTUM	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S), SKIN	1
EOSINOS HI, BLD	1
ERUCTATION	1
ERYTHEMA, SCROTUM	1
FLY BITING	1
FROTH, MOUTH/LIP(S)	1
GAGGING	1
GGT HI, BLD	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GI, ABNORMAL	1
HCO3 HI, BLD	1
HEART DISORDER	1
HEMATOCHEZIA	1
HEPATOMEGALY	1
HORNER'S SYNDROME	1
HYPERMOTILITY	1
ICTERUS, SERUM	1
INCONTINENCE, FECAL	1
INJ SITE BLD	1
K LO, BLD	1
LDH HI, BLD	1
LEG DISORDER	1
LOSS OF CONDITION	1
MURMUR, HEART	1
NAUSEA	1
NEOPLASM, LYMPH NODE(S)	1
NYSTAGMUS, ROTARY	1
ODOR, MOUTH	1
OLIGURIA	1
OTITIS	1
PACING	1
PAIN	1
PAIN, BACK	1
PAIN, NECK	1
PARESIS	1
PAWING	1
PD-TABLET(S), ABN	1
PERFORATION, GI	1
PERITONITIS	1
PICA	1
PR-COLON, LESION(S)	1
PRESSURE LO, BLD	1
PR-GI, EDEMA	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, THIRD EYELID	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROTEIN, URINE	1
PROTRUSION, EYE(S)	1
PR-PANCREAS, LESION(S)	1
PR-PERITONEAL EFFUSION	1
PR-SKIN, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, EAR(S)	1
PTT PROLONGED, BLD	1
PULSE THREADY	1
PUSTULE(S)	1
RASH	1
REACTION, UNSPECIFIED	1
RETINA ABN	1
SEGS LO, BLD	1
SEPTICEMIA	1
SKIN, CRUST(S)	1
SOUND ABN, RESPIRATORY	1
SPERM ABN	1
STIFFNESS, LIMB(S)	1
SWELLING, EAR(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, PREPUCE	1
SWELLING, SCROTUM	1
SWELLING, TONGUE	1
TENESMUS	1
TENESMUS, URINARY	1
THYROID HORMONE(S) HI	1
THYROID HORMONE(S) LO	1
TREMBLING, FACE	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), SKIN	1
URINATION ABN	1
WHEEZING	1
XEROSTOMIA	1

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIZZINESS	3
ANAPHYLAXIS/TOID	1
BEHAVIOR DISORDER	1
CONFUSION	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
HEADACHE	1
NAUSEA	1
PAIN, BRISKET/CHEST	1
PRURITIS	1
URTICARIA	1

**DRUG: MAROPITANT**

Species: UNKNOWN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANTIEMETIC	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	26
ANOREXIA	19
INJ SITE PAIN	17
HYPERSALIVATION	14
DEATH(EUTHANIZED)	12
DEATH	11
DYSPNEA	10
FEVER, BODY	9
RADIOGRAPH(S) ABN	9
HYPOMOTILITY	8
ATAXIA	7
DIARRHEA	7
RECUMBENCY	7

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	6
CONVULSION(S)	6
MYDRIASIS	6
SEDATION	6
VOMITING	6
BUN HI, BLD	5
DEHYDRATION	5
GLUCOSE HI, BLD	5
HIDING	5
INEFFECT, ANTIEMETIC	5
US ABN	5
VOCALIZATION	5
CONFUSION	4
CREATININE HI, BLD	4
HYPERPNEA	4
K LO, BLD	4
SGPT/ALT HI, BLD	4
WBC HI, BLD	4
ADIPSIA	3
ANAPHYLAXIS/TOID	3
APNEA	3
BLINDNESS	3
CONGESTION, SKIN	3
EFFUSION, PLEURAL	3
PANCREATITIS	3
PLATELETS LO, BLD	3
PR-LIVER, LESION(S)	3
STUPOR	3
TREMBLING	3
WBC LO, BLD	3
AGGRESSION	2
ALK PHOS HI, BLD	2
AMYLASE HI, BLD	2
ARREST, HEART	2
BILIRUBIN(TOT) HI, BLD	2
BILIRUBIN, URINE	2
CARDIOMEGALY	2
CHLORIDE LO, BLD	2



**DRUG: MAROPITANT**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COAGULATION DISORDER	2
COLLAPSE	2
CONGESTION, EAR(S)	2
DISCHARGE, NOSE	2
EDEMA, LUNG(S)/TRACHEA	2
HYPOTHERMIA	2
HYPOTHERMIA, BODY	2
INJ SITE MASS	2
INTERACTION, DRUG(S)	2
NAUSEA	2
PAIN, ABDOMEN	2
PALLOR, MUCOUS MEMBRAN	2
PANCREAS ENZYMES HI, B	2
P LO, BLD	2
POLYCYTHEMIA	2
PROTEIN(TOT) LO, BLD	2
SOMNOLENCE	2
TACHYCARDIA	2
TWITCH	2
UNCONSCIOUS	2
VOMITING, PROJECTILE	2
WEAKNESS	2
WEIGHT LOSS	2
ABN COLOR, URINE	1
ABSCCESS, SKIN	1
ANURIA	1
APPREHENSION	1
ARRHYTHMIA	1
AZOTEMIA	1
BITING/CHEWING	1
BLD, URINE	1
BLINDNESS, TEMP	1
CA LO, BLD	1
CNS DISORDER	1
CONGESTION, MUCOUS MEM	1
CONSTIPATION	1
CULTURE/TITER DATA ABN	1
DIARRHEA, BLOODY	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIC	1
DILITATION, STOMACH	1
DISTRESS	1
EDEMA	1
ENLARGEMENT(S)	1
EOSINOS LO, BLD	1
EPISTAXIS	1
FIBRINOGEN LO, BLD	1
FROTH, MOUTH/LIP(S)	1
GALL BLADDER, ABN	1
GI, ABNORMAL	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
HEART FAILURE	1
HEMATOCHEZIA	1
HEPATOMEGALY	1
HYPERESTHESIA	1
HYPERMOTILITY	1
ICTERUS, BODY	1
ILL	1
INJ SITE ALOPECIA	1
INJ SITE INFECT	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INJ SITE ULCER(S)	1
JERKING	1
KIDNEY DISORDER	1
LICKING	1
LYMPHS LO, BLD	1
MASS, ABDOMEN	1
MIOSIS	1
MURMUR, HEART	1
NA:K LO, BLD	1
NA LO, BLD	1
NECK, VENTROFLEXION	1
NERVOUSNESS	1
PAIN	1
PARESIS	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
P HI, BLD	1
POLYDIPSIA	1
POLYPNEA	1
PR-BONE MARROW, LESION	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PR-PANCREAS, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-THYROID, LESION(S)	1
PRURITIS	1
PTT PROLONGED, BLD	1
PUPIL(S), AREFLEXIA	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
RETINA ABN	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
SPLENOMEGALY	1
STUMBLING	1
SWELLING	1
SWELLING, EAR(S)	1
SWELLING, HEAD/FACE	1
TAIL DISORDER	1
TECH ERROR ADMINISTRAT	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
URINATION ABN	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
US-LIVER ABN	1
UVEITIS	1
VESTIBULAR DISORDER	1
WBC ABN	1
XEROSTOMIA	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	223
INEFFECT, ANTIEMETIC	141
DEPRESSION/LETHARGY	124
DEATH	108
ANAPHYLAXIS/TOID	79
ANOREXIA	77
ATAXIA	63
CONVULSION(S)	56
SWELLING, HEAD/FACE	52
DEATH(EUTHANIZED)	49
HYPERSALIVATION	49
URTICARIA	38
FEVER, BODY	36
RADIOGRAPH(S) ABN	35
TREMBLING	35
HYPOMOTILITY	33
DIARRHEA	30
ALK PHOS HI, BLD	29
VOCALIZATION	29
VOMITING	27
BILIRUBIN(TOT) HI, BLD	26
COLLAPSE	26
SGPT/ALT HI, BLD	26
WBC HI, BLD	26
INJ SITE SWELLING	25
CONGESTION, SKIN	23

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RECUMBENCY	23
DYSPNEA	21
WBC LO, BLD	21
WEAKNESS	21
ANEMIA	20
PLATELETS LO, BLD	18
UNCONSCIOUS	18
DIARRHEA, BLOODY	16
ICTERUS, BODY	15
P HI, BLD	15
SOMNOLENCE	15
SWELLING, EYE(S)/LID(S)	15
BUN HI, BLD	14
INJ SITE MASS	14
PAIN, ABDOMEN	14
PALLOR, MUCOUS MEMBRAN	14
ALBUMIN LO, BLD	13
BLD, URINE	13
CREATININE HI, BLD	13
GLUCOSE LO, BLD	13
PROTEIN(TOT) LO, BLD	13
SEDATION	13
HYPOTHERMIA, BODY	12
AGGRESSION	11
INTERACTION, DRUG(S)	11
LESION(S), SKIN	11
POLYPNEA	11
TACHYCARDIA	11
BEHAVIOR DISORDER	10
EDEMA, HEAD/FACE	10
HEAD TILT	10
INJ SITE ABN	10
STUPOR	10
CONFUSION	9
GLUCOSE HI, BLD	9
MELENA	9
NA LO, BLD	9
PRURITIS	9

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VASCULITIS	9
BRADYCARDIA	8
CYANOSIS, MUCOUS MEMBR	8
INJ SITE ABSCESS	8
INJ SITE ALOPECIA	8
INJ SITE INFLAM	8
NERVOUSNESS	8
PAIN	8
SHAKING	8
TWITCH	8
WEIGHT LOSS	8
BLD(HEMATOMA)	7
HYPERACTIVITY	7
INJ SITE NECROSIS	7
POLYDIPSIA	7
SEGS HI, BLD	7
SGOT/AST HI, BLD	7
VOMITING, BLOODY	7
APNEA	6
CA HI, BLD	6
CHLORIDE LO, BLD	6
CONGESTION, EYE(S)/LID	6
DISTENTION, ABDOMEN	6
GLUCOSE, URINE	6
HYPERPIGMENTATION, SKI	6
INJ SITE EDEMA	6
INTUSSUSCEPTION	6
K LO, BLD	6
LIPASE HI, BLD	6
NYSTAGMUS	6
PANCREATITIS	6
POLYCYTHEMIA	6
PR-SKIN, LESION(S)	6
SKIN, SCAB(S)	6
US ABN	6
ARREST, HEART	5
BITING/CHEWING	5
BLD(ECCHYMOSES)	5

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, MOUTH/LIP(S)	5
CELLULITIS	5
CONGESTION, MUCOUS MEM	5
CONJUNCTIVITIS	5
INJ SITE BLD	5
LAMENESS	5
MONOS HI, BLD	5
NAUSEA	5
PACING	5
POLYURIA	5
PR-INJ SITE, LESION(S)	5
PR-LUNG(S), LESION(S)	5
PROPRIOCEPTIVE DISORDE	5
PTT PROLONGED, BLD	5
PULSE THREADY	5
SWELLING, LIMB(S)	5
ADIPSIA	4
AMYLASE HI, BLD	4
APPREHENSION	4
BILIRUBIN, URINE	4
BLD(PETECHIAE)	4
BREATHING ABN	4
CIRCLING	4
COAGULATION DISORDER	4
DEHYDRATION	4
DISCHARGE, NOSE	4
ENLARGEMENT, LYMPH NOD	4
GALL BLADDER, ABN	4
HYPERPNEA	4
INFLAM, SKIN	4
INJ SITE PRURITIS	4
K HI, BLD	4
MYDRIASIS	4
NEUROLOGICAL DISORDER	4
PRESSURE LO, BLD	4
PROLAPSE, THIRD EYELID	4
PR-SM INTEST, LESION(S)	4
STARING	4

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TREMBLING, FACE	4
VESTIBULAR DISORDER	4
ASCITES	3
BILE ACIDS HI, BLD	3
BLD	3
BLINDNESS	3
BLINDNESS, TEMP	3
CA LO, BLD	3
CAPILLARY REFILL PROLO	3
CHOLESTEROL HI, BLD	3
CRYSTALS, URINE	3
DIARRHEA, WATERY	3
EDEMA, LIMB(S)	3
EOSINOS HI, BLD	3
GGT HI, BLD	3
GLOBULIN LO, BLD	3
HEMATOCHEZIA	3
INJ SITE SEROMA	3
KETONES, URINE	3
LICKING	3
LIVER ENZYMES HI, BLD	3
LOCOMOTION DISORDER	3
PAIN, BACK	3
PAIN, BRISKET/CHEST	3
PAIN, NECK	3
PANCYTOPENIA	3
PARESIS, HIND LIMB(S)	3
PR-BLADDER, LESION(S)	3
PRESSURE HI, BLD	3
PR-INTEST, LESION(S)	3
PR-LUNG(S), EDEMA	3
PR-MULT SITES, BLD	3
PROTEIN, URINE	3
PR-STOMACH, LESION(S)	3
PT PROLONGED, BLD	3
PUPIL(S), AREFLEXIA	3
SHOCK	3
SKIN, NECROSIS	3



**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SPEC GRAVITY LO, URINE	3
SWELLING, BRISKET/CHES	3
SWELLING, EAR(S)	3
SWELLING, MOUTH/LIP(S)	3
ULCER(S), SKIN	3
URINATION ABN	3
ALOPECIA	2
APLASIA, BONE MARROW	2
BLD, RECTUM	2
BLD, SKIN	2
COLON, ABN	2
CONGESTION, EAR(S)	2
CONSTIPATION	2
COUGHING	2
CPK HI, BLD	2
CULTURE/TITER DATA ABN	2
DEFECATION ABN	2
DIARRHEA, SEVERE	2
DILITATION, STOMACH	2
DISTRESS, RESP	2
EDEMA	2
EDEMA, EYE(S)/LID(S)	2
ENLARGEMENT(S), SKIN	2
EOSINOS LO, BLD	2
ERUPTION(S)	2
FLY BITING	2
GASTROENTERITIS	2
HEAD BOBBING	2
HEPATOMEGALY	2
HYPERESTHESIA	2
HYPERMOTILITY	2
HYPOTHERMIA	2
ICTERUS, SERUM	2
ILL	2
INCONTINENCE, URINARY	2
INFECTION, URINARY TRA	2
INJ SITE EFFUSION	2
INJ SITE SLOUGH	2

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KIDNEY FAILURE	2
MURMUR, HEART	2
MYOSITIS	2
NEUROPATHY	2
NYSTAGMUS, HORIZONTAL	2
OTITIS	2
PARALYSIS	2
PARALYSIS, FACIAL NERV	2
PARESIS	2
PD-ODOR, ABN	2
PERITONITIS	2
P LO, BLD	2
PR-BONE MARROW, LESION	2
PR-BRAIN, LESION(S)	2
PR-HEART, LESION(S)	2
PR-KIDNEY(S), LESION(S)	2
PR-LYMPH NODE(S), LESI	2
PR-PANCREAS, LESION(S)	2
PUSTULE(S)	2
RASH	2
SALIVA, ABN	2
SEGS LO, BLD	2
SOUND ABN, RESPIRATORY	2
SPASM	2
SPLENOMEGALY	2
STIFFNESS	2
STIFFNESS, FRONT LIMB(	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, NECK	2
SYNCOPE	2
TACHYCARDIA, VENTRICUL	2
TECH ERROR ADMINISTRAT	2
TENESMUS, URINARY	2
THYROID HORMONE(S) LO	2
ULCER(S), MOUTH/LIP(S)	2
ULCER(S), STOMACH	2
ABSCCESS, SKIN	1
ACCIDENTAL EXPOSURE	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
ANISOCORIA	1
ARRHYTHMIA	1
BILE ACIDS ABN, BLD	1
BIRTH, PREMATURE	1
BLD, ABDOMEN	1
BLD, EAR(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD, PASSING	1
BLD, PENIS	1
BLD(PURPURA)	1
BLD, SCLERA	1
BREATHING, PERIODIC	1
BUN LO, BLD	1
CASTS, URINE	1
CHOLECYSTITIS	1
CO2 HI, BLD	1
CONGESTION, LUNG(S)	1
CONGESTION, SINUS	1
CONGESTION, TONGUE	1
CYSTITIS	1
DEATH(STILLBORN)	1
DERMATITIS, MOIST	1
DIARRHEA, MILD	1
DIARRHEA, MUCOID	1
DIARRHEA, PROJECTILE	1
DIC	1
DYSMETRIA	1
DYSPHAGIA	1
EAR DISORDER	1
EDEMA, BRISKET/CHEST	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, NECK	1
EDEMA, PHARYNX	1
EDEMA, SCLERA	1
EFFUSION	1
EFFUSION, PERICARDIAL	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EFFUSION, PLEURAL	1
EPISTAXIS	1
EYE DISORDER	1
FIBRILLATION, ATRIAL	1
GI, ABNORMAL	1
GRINDING TEETH	1
HAIR, ABN	1
HCO3 HI, BLD	1
HEART DISORDER	1
HEART FAILURE	1
HIDING	1
HORNER'S SYNDROME	1
HYPERSENSITIVE, SOUND	1
HYPOPNEA	1
INFECTION, FEET/DIGIT(	1
INFECTION, SKIN	1
INJ SITE FIBROSIS	1
INJ SITE HAIR, ABN	1
INJ SITE INDURATION	1
INJ SITE STERILE ABSCE	1
INJ SITE ULCER(S)	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
LABOR, PREMATURE	1
LIVER FAILURE	1
LOCKJAW	1
LYMPHS LO, BLD	1
MASS	1
MASS, ABDOMEN	1
MASS, SKIN	1
MIOSIS	1
MORIBUND	1
MUCOUS MEMBR, ABN COLO	1
NECROSIS	1
NEOPLASM, SKIN	1
NOSE, INFLAMMATION	1
NYSTAGMUS, ROTARY	1
NYSTAGMUS, VERTICAL	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
OBSTRUCTION, INTESTINE	1
ODOR	1
ODOR, MOUTH	1
OLIGURIA	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PAIN, LIMB(S)	1
PAIN, MUSCLE(S)	1
PANCREAS DISORDER	1
PANCREAS ENZYMES HI, B	1
PARALYSIS, ALL LIMBS	1
PHOTOPHOBIA	1
PICA	1
PLATELETS HI, BLD	1
POSTURE ABN	1
PR-ASCITES	1
PR-BLD VESSEL(S), LESI	1
PR-CEREBRUM, LESION(S)	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MENINGES, LESION(S)	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, EDEMA	1
PROSTRATION	1
PROTRUSION, EYE(S)	1
PR-PERITONEAL EFFUSION	1
PR-SM INTEST, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS, EYE(S)	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
RETICULOCYTES HI, BLD	1
SHAKING, HEAD/FACE	1
SLEEP ABN	1
SLOUGH, FEET/DIGIT(S)	1
SLOUGH, SKIN	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STOOL, MUCOID	1
STUMBLING	1
SWELLING, ADM SITE	1
SWELLING, JOINT(S)	1
SWELLING, MULT SITES	1
SWELLING, PREPUCE	1
SWELLING, VAGINA/VULVA	1
SWELLING, VENTRUM	1
TEARS, ABN	1
TENESMUS	1
THYROID HORMONE(S) HI	1
TORTICOLLIS	1
TRANSUDATE	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), PHARYNX/THRO	1
URINATION	1
US-LIVER ABN	1
VESICLE(S)/BULLAE, SKI	1
VOMITING, UNPRODUCTIVE	1
WBC, URINE	1

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE PAIN	6
BLD(HEMATOMA)	3
CONGESTION, SKIN	3
HYPOESTHESIA	3
INJ SITE ABN	3
INJ SITE SWELLING	3
HYPERESTHESIA	1
INJ SITE INFLAM	1
INJ SITE STIFFNESS	1
NAUSEA	1
PARAESTHESIA	1

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: PARENTERAL

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE PAIN	1
PARAESTHESIA	1
PARESTHESIA	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1
RASH	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	4
DEPRESSION/LETHARGY	3
DEATH(EUTHANIZED)	2
DYSYPNEA	2
RADIOGRAPH(S) ABN	2
SGPT/ALT HI, BLD	2
SOUND ABN, RESPIRATORY	2
ABN COLOR, URINE	1
ANEMIA	1
BUN HI, BLD	1
CONGESTION, EAR(S)	1
CONGESTION, EYE(S)/LID	1
CONGESTION, TONGUE	1
CREATININE HI, BLD	1
DEATH	1
DYSYPHAGIA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
FEVER, BODY	1
GLUCOSE HI, BLD	1

**DRUG: MAROPITANT**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	1
ICTERUS, BODY	1
INEFFECT, ANTIEMETIC	1
INJ SITE PAIN	1
LYMPHS LO, BLD	1
NERVOUSNESS	1
POLYDIPSIA	1
POSTURE ABN	1
PRESSURE HI, BLD	1
PROTRUSION, TONGUE	1
SWELLING, TONGUE	1
VOCALIZATION	1
WBC HI, BLD	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANTIEMETIC	13
INJ SITE PAIN	7
ANOREXIA	5
DEATH	5
ATAXIA	3
BILIRUBIN(TOT) HI, BLD	3
CONVULSION(S)	3
DEPRESSION/LETHARGY	3
ANAPHYLAXIS/TOID	2
FEVER, BODY	2
PARESIS, HIND LIMB(S)	2
ADIPSIA	1
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
ANURIA	1
ARREST, HEART	1
ARRHYTHMIA	1
BLINDNESS	1



**DRUG: MAROPITANT**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
CARDIOMEGALY	1
CIRCLING	1
COLLAPSE	1
CONGESTION, SKIN	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEFECATION ABN	1
DIARRHEA	1
DYSPNEA	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOMOTILITY	1
INFECTION, URINARY TRA	1
INJ SITE MASS	1
INJ SITE SWELLING	1
KIDNEY DISORDER	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
PAIN	1
PANCREATITIS	1
PANCYTOPENIA	1
PR-LIVER, LESION(S)	1
PR-PANCREAS, LESION(S)	1
PR-PERITONEAL EFFUSION	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1
SEDATION	1
SEDATION PROLONGED	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
TREMBLING	1
US ABN	1
VOCALIZATION	1
VOMITING	1
WBC HI, BLD	1

**DRUG: MAROPITANT**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
BLD(HEMATOMA)	1
HEADACHE	1
INJ SITE INFLAM	1
INJ SITE PAIN	1

**DRUG: MAROPITANT**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
INEFFECT, ANTIEMETIC	1
INJ SITE PAIN	1
SEGS LO, BLD	1
WBC LO, BLD	1

**DRUG: MASTINIB**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	7
ALBUMIN LO, BLD	6
ANOREXIA	3
DEPRESSION/LETHARGY	3
BUN HI, BLD	2
DYSPNEA	2
PROTEIN(TOT) LO, BLD	2
PROTEIN, URINE	2
VOMITING	2
CA LO, BLD	1
CONVULSION(S)	1
CPK HI, BLD	1
CREATININE HI, BLD	1
DIARRHEA	1

**DRUG: MASTINIB**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, VENTRAL	1
EFFUSION, PLEURAL	1
GLOBULIN LO, BLD	1
HYPERPNEA	1
LIVER ENZYMES HI, BLD	1
NA LO, BLD	1
SGOT/AST HI, BLD	1
WBC HI, BLD	1
WEIGHT LOSS	1

**DRUG: MEBENDAZOLE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1
NEUROLOGICAL DISORDER	1

**DRUG: MEBENDAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	19
ANOREXIA	12
SGPT/ALT HI, BLD	12
DEATH	11
DEPRESSION/LETHARGY	10
ICTERUS, BODY	8
ALK PHOS HI, BLD	7
BILIRUBIN(TOT) HI, BLD	5
DIARRHEA	5
PR-LIVER, LESION(S)	5
SGOT/AST HI, BLD	4
ALBUMIN HI, BLD	2

**DRUG: MEBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BUN LO, BLD	2
LIVER DISORDER	2
POLYDIPSIA	2
STUPOR	2
ALBUMIN LO, BLD	1
ATAXIA	1
BILIRUBIN, URINE	1
BORBORYGMI	1
CA LO, BLD	1
CHLORIDE HI, BLD	1
CHOLESTEROL HI, BLD	1
CONVULSION(S)	1
COUGHING	1
CPK HI, BLD	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
FEVER, BODY	1
GLOBULIN LO, BLD	1
HYPOTHERMIA	1
ILL	1
K LO, BLD	1
LDH HI, BLD	1
MIOSIS	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
PAIN, ABDOMEN	1
PALLOR	1
POLYCYTHEMIA	1
POLYPNEA	1
PR-MULT SITES, CONGEST	1
PROTEIN(TOT) LO, BLD	1
SHOCK	1
TACHYCARDIA	1
UNCONSCIOUS	1
URTICARIA	1
WBC HI, BLD	1

**DRUG: MEBENDAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC LO, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: MEBENDAZOLE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
INEFFECT, STRONGYLES	1
PAIN, ABDOMEN	1

**DRUG: MEBENDAZOLE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
GASTRITIS	1
HUMAN EXPOSURE	1
HUMAN EXPOSURE, INGEST	1

**DRUG: MEBENDAZOLE, TRICHLORFON**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
HYPERSALIVATION	2
TREMBLING	2
DEATH	1
DIARRHEA	1
REACTION, UNSPECIFIED	1
TOX, OP	1

**DRUG: MEBENDAZOLE, TRICHLORFON**

Species: DOG

Route of Administration: ORAL

**DRUG: MEBENDAZOLE, TRICHLORFON**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	56
DIARRHEA	27
ANOREXIA	13
HYPERSALIVATION	11
DEPRESSION/LETHARGY	9
DEATH	6
DIARRHEA, SEVERE	5
ROLLING	4
DISCOMFORT, MOUTH/LIP(	3
DYSPNEA	3
RECUMBENCY	3
SWEATING	3
WEAKNESS	3
ATAXIA	2
DIARRHEA, MILD	2
KICKING	2
SWELLING, TONGUE	2
ABORTION	1
ANOREXIA(NOT NURSING)	1
APPREHENSION	1
BITING/CHEWING	1
BLINDNESS	1
BORBORYGMI	1
BRADYCARDIA	1
COLLAPSE	1
CONFUSION	1
DIARRHEA, BLOODY	1
DISCOMFORT	1
EDEMA, LIMB(S)	1
FEVER, BODY	1
FLATULENCE	1
INEFFECT	1
INEFFECT, BOTS	1
INEFFECT, STRONGYLES	1

**DRUG: MEBENDAZOLE, TRICHLORFON**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, WORMS	1
IRRITATION, MOUTH/LIP(	1
NERVOUSNESS	1
PAWING	1
PICA	1
SHAKING, HEAD/FACE	1
STOMATITIS	1
SWELLING, MOUTH/LIP(S)	1

**DRUG: MEBENDAZOLE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
VOMITING	1

**DRUG: MECLIZINE**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
INEFFECT	1

**DRUG: MECLOFENAMIC ACID**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

**DRUG: MECLOFENAMIC ACID**

Species: DOG

Route of Administration: MISSING

**DRUG: MECLOFENAMIC ACID**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
LIVER ENZYMES HI, BLD	1
PANCREAS ENZYMES HI, B	1

**DRUG: MECLOFENAMIC ACID**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
KIDNEY FAILURE	1
P HI, BLD	1
SEDATION	1

**DRUG: MECLOFENAMIC ACID**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	30
DIARRHEA, BLOODY	22
ANOREXIA	16
DIARRHEA	14
DEATH	13
HEMATOCHEZIA	11
PLATELETS LO, BLD	9
DEPRESSION/LETHARGY	8
MELENA	7
ANEMIA	6
GASTROENTERITIS	6
EPISTAXIS	4
VOMITING, BLOODY	4
BLD(ECCHYMOSES)	3
COAGULATION DISORDER	3
DIARRHEA, SEVERE	3
LIVER ENZYMES HI, BLD	3



**DRUG: MECLOFENAMIC ACID**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYDIPSIA	3
POLYURIA	3
ALBUMIN LO, BLD	2
ANEMIA, AUTOIMMUNE HEM	2
BUN HI, BLD	2
DEHYDRATION	2
PROTEIN(TOT) LO, BLD	2
ALK PHOS HI, BLD	1
APLASIA, BONE MARROW	1
ATAXIA	1
AZOTEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD(PETECHIAE)	1
BLINDNESS	1
CA LO, BLD	1
CHOLESTEROL HI, BLD	1
COLLAPSE	1
CONFUSION	1
CONSTIPATION	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DIABETES MELLITUS	1
DIARRHEA, MILD	1
DIC	1
EOSINOS LO, BLD	1
FLATULENCE	1
HYPHEMA	1
ICTERUS	1
INTERACTION, DRUG(S)	1
K HI, BLD	1
PALLOR	1
PANCREAS ENZYMES HI, B	1
POLYPNEA	1
PR-PANCREAS, LESION(S)	1
SEGS LO, BLD	1
SLOUGH	1
STOOL ABN	1
URTICARIA	1

**DRUG: MECLOFENAMIC ACID**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
US-LIVER ABN	1
WBC HI, BLD	1
WBC LO, BLD	1

**DRUG: MEDETOMIDINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	5
PD-SOLUTION, ABN	4
PD-MISSING, LABEL(S)	2
PD-UNKNOWN	2
PD-COLOR, ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAMINATION	1
PD-PRODUCT DEFECT	1
PD-VIAL(S), DAMAGED	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
INTERACTION, DRUG(S)	4
DEATH	3
ANESTH RECOV PROLONGED	2
INEFFECT, SEDATION	2
SEDATION PROLONGED	2
APNEA	1
ARREST, HEART	1
CYANOSIS	1
HYPERSALIVATION	1
MYDRIASIS	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: MISSING

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, SEDATION	8
DEATH	4
DEPRESSION/LETHARGY	4
ANOREXIA	2
FEVER, BODY	2
SEDATION PROLONGED	2
TREMBLING	2
VOMITING	2
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1
APNEA	1
ARREST, HEART	1
BILIRUBIN(TOT) HI, BLD	1
BLD(HEMATOMA)	1
BRADYCARDIA	1
CARDIOMEGALY	1
CONVULSION(S)	1
DIARRHEA	1
EDEMA, LUNG(S)/TRACHEA	1
GLUCOSE LO, BLD	1
HYPERACTIVITY	1
HYPERSALIVATION	1
INEFFECT, ANALGESIA	1
MURMUR, HEART	1
POLYPNEA	1
PR-COLON, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
RASH	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SOMNOLENCE	1
STUPOR	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
TACHYCARDIA	1
TWITCH	1
URTICARIA	1
VOMITING, BLOODY	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
SEDATION PROLONGED	1

**DRUG: MEDETOMIDINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
HYPOESTHESIA, EYE(S)/L	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
EDEMA, HEAD/FACE	2
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARREST, HEART	1
ATAXIA	1
CONVULSION(S)	1
GI, ABNORMAL	1
HYPERSALIVATION	1
PRESSURE LO, BLD	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, CONGEST	1
SEDATION RELAPSE	1
TACHYCARDIA	1
VOMITING	1

**DRUG: MEDETOMIDINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	60
ARREST, HEART	29
APNEA	27
VOMITING	21
DEPRESSION/LETHARGY	20
HYPERSALIVATION	20
INEFFECT, SEDATION	20
ANOREXIA	19
SEDATION PROLONGED	19
ATAXIA	16
DYSPNEA	16
EDEMA, LUNG(S)/TRACHEA	16

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INTERACTION, DRUG(S)	15
CONVULSION(S)	14
CYANOSIS	12
HYPERPNEA	12
GLUCOSE HI, BLD	11
HYPOTHERMIA, BODY	10
VOCALIZATION	10
ANESTH RECOV PROLONGED	9
ANAPHYLAXIS/TOID	8
DEATH(EUTHANIZED)	8
DEHYDRATION	7
MYDRIASIS	7
POLYPNEA	7
TACHYCARDIA	7
DIARRHEA	6
DISTRESS, RESP	6
FEVER, BODY	6
PR-LUNG(S), EDEMA	6
ANISOCORIA	5
BRADYCARDIA	5
CONFUSION	5
HYPERACTIVITY	5
NYSTAGMUS	5
TREMBLING	5
UNCONSCIOUS	5
ALK PHOS HI, BLD	4
ALOPECIA	4
APPREHENSION	4
BILIRUBIN(TOT) HI, BLD	4
BLINDNESS	4
BUN HI, BLD	4
COLLAPSE	4
CONGESTION, LUNG(S)	4
CONGESTION, SKIN	4
DEAFNESS	4
HYPOTHERMIA	4
MURMUR, HEART	4
PALLOR	4

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), LESION(S)	4
ANESTH RECOV TURBULENT	3
ARRHYTHMIA	3
CREATININE HI, BLD	3
CYANOSIS, MUCOUS MEMBR	3
EDEMA, HEAD/FACE	3
HEAD TILT	3
HIDING	3
HORNER'S SYNDROME	3
PR-HEART, LESION(S)	3
PR-LIVER, LESION(S)	3
PROLAPSE, THIRD EYELID	3
SGPT/ALT HI, BLD	3
SOUND ABN, RESPIRATORY	3
STUPOR	3
SWELLING, HEAD/FACE	3
VESTIBULAR DISORDER	3
ALBUMIN LO, BLD	2
BLD, LUNG(S)/TRACHEA	2
BLINDNESS, PARTIAL	2
CIRCLING	2
CPK HI, BLD	2
EFFUSION	2
EFFUSION, PLEURAL	2
FROTH, MOUTH/LIP(S)	2
GLUCOSE, URINE	2
HEAD BOBBING	2
HEART FAILURE	2
HYPERESTHESIA	2
HYPOPNEA	2
INFECTION, SKIN	2
INJ SITE PAIN	2
KIDNEY FAILURE	2
NERVOUSNESS	2
NEUROLOGICAL DISORDER	2
OPISTHOTONOS	2
PR-MULT SITES, CONGEST	2
PR-PLEURAL EFFUSION	2

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PRURITIS	2
RADIOGRAPH(S) ABN	2
RECUMBENCY	2
SEDATION	2
SKIN ABNORMAL	2
ULCER(S), TONGUE	2
WEAKNESS	2
WEIGHT LOSS	2
AGGRESSION	1
ANURIA	1
ARRHYTHMIA, BLOCK	1
ASCITES	1
BEHAVIOR DISORDER	1
BLD, URINE	1
BREATHING ABN	1
CA LO, BLD	1
CIRCULATORY DISORDER	1
CNS DISORDER	1
DEAFNESS, TEMP	1
DEFECATION	1
DEMENTIA	1
DIABETES MELLITUS	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
DISTENTION, BLADDER	1
DYSPHAGIA	1
ECG ABN	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LIMB(S)	1
EMPHYSEMA, SQ	1
EPISTAXIS	1
FIBRILLATION	1
GGT HI, BLD	1
ICTERUS	1
ICTERUS, BODY	1
INCISION SITE INFECTION	1
LESION(S), SKIN	1
LOCOMOTION DISORDER	1



**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MUCOUS MEMBR, MUDDY	1
MUCOUS MEMBR, RED	1
NAUSEA	1
NECK, VENTROFLEXION	1
NEPHRITIS	1
NYSTAGMUS, HORIZONTAL	1
PAIN	1
PAIN, BACK	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS	1
PARESIS, FORELIMB(S)	1
PD-POTENCY, LO	1
P HI, BLD	1
POLYCYTHEMIA	1
POLYDIPSIA	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
PR-INTEST, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
REFLEX(ES) ABN	1
SEDATION TOO DEEP	1
SHOCK	1
SKIN, NECROSIS	1
SLOUGH, TONGUE	1
SORE(S)	1
STIFFNESS	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, TONGUE	1
TONGUE, ABN	1
TREMBLING, FACE	1
TWITCH	1
VOMITING, BLOODY	1
VOMITING, UNPRODUCTIVE	1
WBC LO, BLD	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

**DRUG: MEDETOMIDINE**

Species: COUGAR

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
PARALYSIS, HIND LIMB(S)	1
POLYPNEA	1
STAGGERING	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	445
DEATH	241
BRADYCARDIA	123
SEDATION PROLONGED	114
ARREST, HEART	109
APNEA	92
VOMITING	86
CONVULSION(S)	83
DEPRESSION/LETHARGY	56
INTERACTION, DRUG(S)	54
EDEMA, LUNG(S)/TRACHEA	47
FEVER, BODY	44
ANOREXIA	42
COLLAPSE	41
HYPERACTIVITY	35
CYANOSIS	31
DYSPNEA	31
AGGRESSION	29
ATAXIA	29
ANESTH RECOV PROLONGED	28
PALLOR, MUCOUS MEMBRAN	28
VOCALIZATION	25

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, LUNG(S)/TRACHEA	24
TACHYCARDIA	23
SGPT/ALT HI, BLD	22
SEDATION RELAPSE	21
ANAPHYLAXIS/TOID	20
ARRHYTHMIA	20
HYPERSALIVATION	20
CYANOSIS, MUCOUS MEMBR	18
CONFUSION	17
DEATH(EUTHANIZED)	17
TREMBLING	17
HYPOTHERMIA, BODY	16
POLYPNEA	15
HYPERPNEA	14
RECUMBENCY	14
SEDATION TOO DEEP	14
DIARRHEA	13
PR-LUNG(S), LESION(S)	13
HYPOPNEA	12
MYDRIASIS	12
TWITCH	12
ALK PHOS HI, BLD	11
COUGHING	11
EPISTAXIS	11
RADIOGRAPH(S) ABN	11
VOMITING, BLOODY	11
ARRHYTHMIA, BLOCK	10
NYSTAGMUS	10
URTICARIA	10
BLINDNESS	9
BUN HI, BLD	9
CONGESTION, LUNG(S)	9
DEAFNESS	9
GLUCOSE HI, BLD	9
INEFFECT, ANESTHESIA	9
NERVOUSNESS	9
PALLOR	9
UNCONSCIOUS	9

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WEAKNESS	9
BLD, MOUTH/LIP(S)	8
INCONTINENCE, URINARY	8
PR-LUNG(S), EDEMA	8
ANESTH RECOV TURBULENT	7
CREATININE HI, BLD	7
MURMUR, HEART	7
PRESSURE HI, BLD	7
PRESSURE LO, BLD	7
PR-KIDNEY(S), LESION(S)	7
PR-LIVER, LESION(S)	7
SEDATION DELAYED	7
SHOCK	7
THRASHING/PADDLING	7
WBC HI, BLD	7
DEFECATION	6
EDEMA, HEAD/FACE	6
HYPOTHERMIA	6
PLATELETS LO, BLD	6
SOUND ABN, RESPIRATORY	6
URINATION	6
BLINDNESS, TEMP	5
CIRCLING	5
DEHYDRATION	5
DIARRHEA, BLOODY	5
GLUCOSE LO, BLD	5
NEUROLOGICAL DISORDER	5
P HI, BLD	5
POLYURIA	5
PRURITIS	5
SPASM	5
SWELLING, HEAD/FACE	5
ANEMIA	4
APPREHENSION	4
BITING/CHEWING	4
COAGULATION DISORDER	4
CONGESTION, SKIN	4
DISCHARGE, NOSE	4

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISTRESS, RESP	4
FROTH, MOUTH/LIP(S)	4
ICTERUS, BODY	4
INEFFECT, ANALGESIA	4
INJ SITE PAIN	4
MELENA	4
MIOSIS	4
MUCOUS MEMBR, MUDDY	4
OPISTHOTONOS	4
POLYCYTHEMIA	4
POLYDIPSIA	4
PR-MULT SITES, CONGEST	4
PR-SPLEEN, LESION(S)	4
SEDATION	4
SGOT/AST HI, BLD	4
AMYLASE HI, BLD	3
ANESTH TOO DEEP	3
BILIRUBIN(TOT) HI, BLD	3
BLD, URINE	3
BLOAT	3
CAPILLARY REFILL PROLO	3
CARDIOMEGALY	3
ECG ABN	3
EYE DISORDER	3
FIBRILLATION, VENTRICU	3
FROTH, NOSE	3
HEAD BOBBING	3
HEAD TILT	3
HEART DISORDER	3
HYPERESTHESIA	3
INEFFECT, REVERSAL	3
INJ SITE EDEMA	3
LIVER ENZYMES HI, BLD	3
PACING	3
PARESIS, HIND LIMB(S)	3
PNEUMONIA, ASPIRATION	3
PROLAPSE, THIRD EYELID	3
PROTEIN(TOT) LO, BLD	3

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PUPIL(S), AREFLEXIA	3
SEDATION TOO BRIEF	3
SOMNOLENCE	3
SWELLING, EYE(S)/LID(S)	3
TACHYCARDIA, VENTRICUL	3
US ABN	3
VOLVULUS, STOMACH	3
ADIPSIA	2
ANURIA	2
AZOTEMIA	2
BLD, ABDOMEN	2
BLD(ECCHYMOSES)	2
BLD(PETECHIAE)	2
BLD, RECTUM	2
BLEPHAROSPASM	2
BREATHING ABN	2
BREATHING, PERIODIC	2
CA HI, BLD	2
CONGESTION	2
CONGESTION, EYE(S)/LID	2
CONGESTION, MUCOUS MEM	2
DIARRHEA, MUCOID	2
DISTENTION, ABDOMEN	2
GAGGING	2
HEMATOCHEZIA	2
INEFFECT, ANTIDOTE	2
INJ SITE INFLAM	2
K LO, BLD	2
LAMENESS	2
LIPASE HI, BLD	2
MORIBUND	2
MUCOUS MEMBR, ABN COLO	2
NA LO, BLD	2
NYSTAGMUS, HORIZONTAL	2
PR-ADRENAL(S), LESION(S)	2
PR-GI, LESION(S)	2
PR-HEART, LESION(S)	2
PROTEIN, URINE	2

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-PANCREAS, LESION(S)	2
PT PROLONGED, BLD	2
REFLEX(ES) ABN	2
SEGS HI, BLD	2
SHAKING	2
SPEC GRAVITY LO, URINE	2
SPLENOMEGALY	2
STAGGERING	2
STUPOR	2
VOMITING, UNPRODUCTIVE	2
WEIGHT LOSS	2
ABN COLOR, URINE	1
ACCIDENTAL EXPOSURE	1
ALBUMIN LO, BLD	1
AMMONIA HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANISOCORIA	1
ASCITES	1
BALANCE DISORDER	1
BEHAVIOR DISORDER	1
BILE ACIDS HI, BLD	1
BILIRUBIN, URINE	1
BLD	1
BLD, EYE(S)	1
BLD, FEET/DIGIT(S)	1
BLD, INCISION SITE	1
BLD, RETINA	1
BLD, SCLERA	1
BLD, SCROTUM	1
BLINDNESS, PARTIAL	1
BUN LO, BLD	1
CHLORIDE LO, BLD	1
CHOLESTEROL HI, BLD	1
CONJUNCTIVITIS	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1
DEHISCENCE	1
DEMENTIA	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DESTRUCTIVENESS	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DISCHARGE, MOUTH/LIP(S)	1
DYSURIA	1
ECG, ABN	1
EDEMA	1
EDEMA, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LARYNX	1
EDEMA, NECK	1
EDEMA, TONGUE	1
EOSINOS HI, BLD	1
ERUCTATION	1
EXERCISE INTOLERANCE	1
FIBRILLATION	1
FIBRILLATION, ATRIAL	1
FLY BITING	1
FROTH	1
GLOBULIN LO, BLD	1
GLUCOSE, URINE	1
HALLUCINATION	1
HEAD PRESSING	1
HIDING	1
HYPERSENSITIVE, SOUND	1
ICTERUS, SERUM	1
ILL	1
INCISION SITE ABN	1
INEFFECT	1
INEFFECT, EUTHANASIA	1
INFLAM, SKIN	1
INJ SITE ABN	1
INJ SITE NECROSIS	1
INJ SITE PRURITIS	1
INJ SITE SLOUGH	1
INJ SITE ULCER(S)	1
IRIS(BLD)	1
IRIS, INFLAM	1



**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KERATOCONJUNCTIVITIS S	1
K HI, BLD	1
KIDNEY FAILURE	1
LIVER FAILURE	1
LOCKJAW	1
LOCOMOTION DISORDER	1
LYMPHS LO, BLD	1
MICROORGANISMS, URINE	1
MONOS HI, BLD	1
NYSTAGMUS, VERTICAL	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PANCREATITIS	1
PARALYSIS, ALL LIMBS	1
PARALYSIS, FACIAL NERV	1
PD-POTENCY, LO	1
PD-SOLUTION, ABN	1
PHOTOPHOBIA	1
POLYPHAGIA	1
PR-ASCITES	1
PR-BONE(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-MENINGES, LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, EDEMA	1
PROLAPSE, TONGUE	1
PR-PLEURAL EFFUSION	1
PR-STOMACH, LESION(S)	1
PR-THYMUS, LESION(S)	1
PR-TONGUE, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PTT PROLONGED, BLD	1
RASH	1
REGURGITATION	1
SHAKING, HEAD/FACE	1
STIFFNESS, LIMB(S)	1
STUMBLING	1
SWELLING	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, EAR(S)	1
SWELLING, LIMB(S)	1
SWELLING, TONGUE	1
TECH ERROR ADMINISTRAT	1
TONGUE, ABN	1
UDDER, HYPOGALACTIA	1
US-LIVER ABN	1
UVEITIS	1
VOLVULUS	1
VOMITING, SEVERE	1
WBC LO, BLD	1
WBC, URINE	1

**DRUG: MEDETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FEVER, BODY	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1

**DRUG: MEDETOMIDINE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA	2
ANAPHYLAXIS/TOID	1
COUGHING	1
INJ SITE EDEMA	1
INJ SITE SWELLING	1
IRRITATION, PHARYNX/TH	1
PRESSURE LO, BLD	1
PRURITIS	1
SWELLING, PHARYNX/THRO	1

**DRUG: MEDETOMIDINE**

Species: HUMAN

Route of Administration: PARENTERAL

**DRUG: MEDETOMIDINE**

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
PALLOR, MUCOUS MEMBRAN	2
DEATH	1
PALLOR	1
SEDATION PROLONGED	1

**DRUG: MEDETOMIDINE**

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, SEDATION	1
SEDATION PROLONGED	1

**DRUG: MEDETOMIDINE**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

**DRUG: MEDETOMIDINE**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARREST, HEART	1
DEATH	1
INEFFECT, SEDATION	1

**DRUG: MEDETOMIDINE**

Species: RABBIT

Route of Administration: PARENTERAL

**DRUG: MEDETOMIDINE**

Species: RAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MEDETOMIDINE**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
PR-GI, LESION(S)	1
PR-LUNG(S), LESION(S)	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	19
VOMITING	8
ANOREXIA	6
DEPRESSION/LETHARGY	6
ARREST, HEART	4
BRADYCARDIA	4
DYSPNEA	4
INEFFECT, SEDATION	4
PR-HEART, LESION(S)	4
DEATH(EUTHANIZED)	3
EDEMA, LUNG(S)/TRACHEA	3
HYPOTHERMIA, BODY	3
KIDNEY FAILURE	3
PRESSURE LO, BLD	3
SEDATION PROLONGED	3
VOCALIZATION	3

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANESTH RECOV PROLONGED	2
APNEA	2
ATAXIA	2
BUN HI, BLD	2
CONVULSION(S)	2
DEHYDRATION	2
EOSINOS HI, BLD	2
HYPOPNEA	2
INTERACTION, DRUG(S)	2
ALBUMIN LO, BLD	1
ANESTH INDUC TURBULENT	1
ANESTH RECOV TURBULENT	1
ANESTH TOO DEEP	1
ARRHYTHMIA, BLOCK	1
BILIRUBIN(TOT) HI, BLD	1
BLD, LUNG(S)/TRACHEA	1
BLINDNESS	1
BUN LO, BLD	1
CHLORIDE LO, BLD	1
COLLAPSE	1
CONGESTION, EYE(S)/LID	1
CREATININE HI, BLD	1
EFFUSION, PLEURAL	1
FEVER, BODY	1
FIBRILLATION	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
HEART FAILURE	1
HYPERACTIVITY	1
HYPERSALIVATION	1
ICTERUS, BODY	1
INCONTINENCE, URINARY	1
INEFFECT, ANESTHESIA	1
K HI, BLD	1
MURMUR, HEART	1
NA LO, BLD	1
NEUROLOGICAL DISORDER	1
PALLOR, MUCOUS MEMBRAN	1

**DRUG: MEDETOMIDINE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARALYSIS	1
PARALYSIS, HIND LIMB(S)	1
PD-POTENCY, LO	1
P HI, BLD	1
PLATELETS LO, BLD	1
POLYDIPSIA	1
POLYPNEA	1
POLYURIA	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
RECUMBENCY	1
RELUCTANT TO CLIMB	1
SEDATION RELAPSE	1
SEGS HI, BLD	1
SEGS LO, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SPASM	1
TREMBLING	1
WBC HI, BLD	1
WEIGHT LOSS	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, SEDATION	53
DEATH	29
BRADYCARDIA	23
VOMITING	16
DEPRESSION/LETHARGY	15
ARREST, HEART	11
SEDATION PROLONGED	11
APNEA	10
CONVULSION(S)	10

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, LUNG(S)/TRACHEA	10
ANOREXIA	8
PALLOR, MUCOUS MEMBRAN	8
INEFFECT, ANESTHESIA	7
TACHYCARDIA	7
ANESTH RECOV PROLONGED	6
AGGRESSION	5
ATAXIA	5
CYANOSIS	5
DIARRHEA, BLOODY	5
DYSPNEA	5
DEATH(EUTHANIZED)	4
HYPOPNEA	4
POLYPNEA	4
PRESSURE LO, BLD	4
VOCALIZATION	4
ALK PHOS HI, BLD	3
ANAPHYLAXIS/TOID	3
ANESTH RECOV TURBULENT	3
BITING/CHEWING	3
BUN HI, BLD	3
DIARRHEA	3
FEVER, BODY	3
HYPOTHERMIA	3
SGPT/ALT HI, BLD	3
TREMBLING	3
ARRHYTHMIA	2
ARRHYTHMIA, BLOCK	2
BILIRUBIN(TOT) HI, BLD	2
BLINDNESS	2
COUGHING	2
CYANOSIS, MUCOUS MEMBR	2
HEAD BOBBING	2
HYPERACTIVITY	2
INTERACTION, DRUG(S)	2
PAIN	2
RADIOGRAPH(S) ABN	2
SEDATION RELAPSE	2

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
SOUND ABN, RESPIRATORY	2
BEHAVIOR DISORDER	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLD, SCLERA	1
BLD, SCROTUM	1
BLEPHAROSPASM	1
BLOAT	1
BORBORYGMI	1
BREATHING ABN	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CHOLESTEROL LO, BLD	1
COLLAPSE	1
CONFUSION	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CPK HI, BLD	1
DEHYDRATION	1
DISCHARGE, NOSE	1
DISCOMFORT	1
ENLARGEMENT, LYMPH NOD	1
EPISTAXIS	1
EYE DISORDER	1
FIBRILLATION, VENTRICU	1
FLY BITING	1
FROTH, MOUTH/LIP(S)	1
GLAUCOMA	1
GLOBULIN LO, BLD	1
HEART DISORDER	1
HEMATOCHEZIA	1
HYPERSALIVATION	1
HYPERSENSITIVE, SOUND	1
ICTERUS, BODY	1
IRRITATION, EYE(S)/LID	1
K LO, BLD	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1



**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
MURMUR, HEART	1
OPISTHOTONOS	1
PAIN, EYE(S)/LID(S)	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
PLATELETS ABN	1
POLYCYTHEMIA	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, THIRD EYELID	1
PROPRIOCEPTIVE DISORDE	1
PRURITIS	1
PT PROLONGED, BLD	1
SEDATION TOO BRIEF	1
SEDATION TOO DEEP	1
SEGS HI, BLD	1
SGOT/AST HI, BLD	1
SHAKING, HEAD/FACE	1
SOMNOLENCE	1
SPLENOMEGALY	1
STIFFNESS	1
SWELLING, EAR(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SYNCOPE	1
THRASHING/PADDLING	1
THYROID HORMONE(S) HI	1
THYROID HORMONE(S) LO	1
UNCONSCIOUS	1
URINATION ABN	1
URTICARIA	1
VOLVULUS, STOMACH	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

**DRUG: MEDETOMIDINE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BRADYCARDIA	2
ATAXIA	1
DEPRESSION/LETHARGY	1
HEADACHE	1
HYPOESTHESIA	1
INJ SITE ABN	1
MIOSIS	1
PAIN, EYE(S)/LID(S)	1
PRESSURE LO, BLD	1
REFLEX(ES) ABN	1
SUICIDE ATTEMPT	1
UNCONSCIOUS	1

**DRUG: MEDETOMIDINE**

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: MEDETOMIDINE**

Species: RAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MEDETOMIDINE**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: MEDETOMIDINE**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
GGT HI, BLD	1

**DRUG: MEDETOMIDINE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	27
DEATH	3
APNEA	2
ARREST, HEART	2
ALKALINE URINE	1
BLD, LUNG(S)/TRACHEA	1
CONVULSION(S)	1
CYSTITIS	1
DEPRESSION/LETHARGY	1
DYSYPNEA	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
FROTH, NOSE	1
GLUCOSE, URINE	1
INEFFECT, ANESTHESIA	1
MICROORGANISMS, URINE	1
POLYPNEA	1

**DRUG: MEDETOMIDINE**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
HYPOESTHESIA, EYE(S)/L	1
IRRITATION, SKIN	1
NAUSEA	1
PAIN, EYE(S)/LID(S)	1

**DRUG: MEDETOMIDINE**

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

**DRUG: MEDROXYPROGESTERONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
FEVER, BODY	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1

**DRUG: MEGESTROL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIABETES MELLITUS	14
NEOPLASM, MAMMARY	5
POLYDIPSIA	5
POLYURIA	4
DEATH(EUTHANIZED)	3
DEPRESSION/LETHARGY	3
ANEMIA	2
ANOREXIA	2
DEATH	2
GLUCOSE, URINE	2
HIDING	2
MYDRIASIS	2
NEOPLASM	2
OPACITY, CORNEA(S)	2
PARESIS, HIND LIMB(S)	2
POLYPHAGIA	2
RECUMBENCY	2
VOMITING	2
AMYLASE HI, BLD	1
ASCITES	1

**DRUG: MEGESTROL**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATROPHY, MUSCLE(S)	1
BEHAVIOR DISORDER	1
BLINDNESS, PARTIAL	1
BUN HI, BLD	1
CPK HI, BLD	1
DIABETES	1
DIC	1
DILITATION, ESOPHAGUS	1
ELIMINATION ABN	1
FEVER, BODY	1
GLUCOSE HI, BLD	1
HEPATOMEGALY	1
HYPOADRENOCORTICISM	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
INFECTION, URINARY TRA	1
LAMENESS	1
LIPASE HI, BLD	1
MAMMARY, HYPERPLASIA	1
PAIN	1
PAIN, ABDOMEN	1
PD-TABLET(S), ABN	1
RADIOGRAPH(S) ABN	1
RBC ABN	1
SPLENOMEGALY	1
SWELLING	1
ULCER(S), GI	1
UNPALATABLE, WON'T EAT	1
WBC ABN	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT INCREASE	1
WEIGHT LOSS	1

**DRUG: MEGESTROL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT	2
POLYDIPSIA	2
POLYURIA	2
DEPRESSION/LETHARGY	1
DIABETES MELLITUS	1
ESTRUS CYCLE ABNORMAL	1
INEFFECT, ESTRUS SUPPR	1

**DRUG: MEGESTROL**

Species: UNKNOWN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
UNPALATABLE, WON'T EAT	1

**DRUG: MELARSOMINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-VIAL(S), DAMAGED	88
PD-UNDERFILL, VIAL(S)	66
PD-UNDERFILL, PACKAGE	24
PD-VIAL(S), ABN	23
PD-SOLUTION, ABN	22
PD-CONTAINER(S), DAMAG	13
PD-PRODUCT DEFECT	12
PD-SEAL, ABN	11
PD-CAP(S), ABN	10
PD-COLOR, ABN	8
PD-VIAL(S), LEAKING	5
PD-GRANULES/POWDER, ABN	4
PD-MISSING, CAP	4
PD-CONTAINER(S), ABN	3
PD-CONTAMINATION	3
PD-LABEL(S), ABN	3
PD-MISSING, LABEL(S)	3

**DRUG: MELARSOMINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	1
PD-UNDERFILL, TUBE(S)	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANOREXIA	1
BILIRUBIN(TOT) HI, BLD	1
BIRTH DEFECT(S)	1
BIRTH WEIGHT LO	1
CONVULSION(S)	1
DEATH(STILLBORN)	1
DIARRHEA, BLOODY	1
ICTERUS, BODY	1
LESION(S), SKIN	1
POLYDIPSIA	1
POLYURIA	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, LESION(S)	1
VOMITING	1
WBC HI, BLD	1
WEAKNESS	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, HW ADULTS	4
INJ SITE SWELLING	3
COAGULATION DISORDER	1
DIARRHEA, BLOODY	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
FEVER, BODY	1
INEFFECT, HW MICROFILA	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
PAIN	1
VOMITING	1
WBC HI, BLD	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
ANEMIA	1
DEATH	1
DEHYDRATION	1
MELENA	1

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	13
CONGESTION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	2

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, HW ADULTS	27
DEPRESSION/LETHARGY	6
FEVER, BODY	6
INJ SITE SWELLING	6



**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	6
INJ SITE PAIN	5
ANOREXIA	4
ATAXIA	4
DEATH	3
DIARRHEA	3
POLYPNEA	3
ANAPHYLAXIS/TOID	2
BILIRUBIN(TOT) HI, BLD	2
DIARRHEA, BLOODY	2
DYSPNEA	2
INJ SITE INFLAM	2
LAMENESS	2
NERVOUSNESS	2
RECUMBENCY	2
SGPT/ALT HI, BLD	2
WEAKNESS	2
ALK PHOS HI, BLD	1
ANEMIA	1
APPREHENSION	1
BLD, ABDOMEN	1
BLD, URINE	1
BUN HI, BLD	1
CONGESTION, SKIN	1
CONVULSION(S)	1
COUGHING	1
CREATININE HI, BLD	1
DEHYDRATION	1
DIARRHEA, SEVERE	1
EDEMA, LUNG(S)/TRACHEA	1
EXERCISE INTOLERANCE	1
HEMATOCHEZIA	1
HYPERSALIVATION	1
ICTERUS	1
INJ SITE ABSCESS	1
INJ SITE BLD	1
INJ SITE MASS	1
INJ SITE SEROMA	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LOCOMOTION DISORDER	1
MASS	1
MYDRIASIS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS, HORIZONTAL	1
PAIN, SPINAL	1
POLYDIPSIA	1
POLYURIA	1
PRESSURE LO, BLD	1
RASH	1
STAGGERING	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
SYNCOPE	1
TREMBLING	1
URTICARIA	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WEIGHT LOSS	1

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PARESTHESIA, MOUTH/LIP	1

**DRUG: MELARSOMINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
ACCIDENTAL EXPOSURE	2
DEPRESSION/LETHARGY	2
DISTRESS, RESP	2
VOCALIZATION	2

**DRUG: MELARSOMINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIARRHEA	1
EDEMA, LUNG(S)/TRACHEA	1
POLYPNEA	1
STUPOR	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, HW ADULTS	1,675
VOMITING	1,020
INJ SITE SWELLING	942
DEPRESSION/LETHARGY	928
ANOREXIA	811
POLYPNEA	657
FEVER, BODY	565
INJ SITE PAIN	559
DEATH	547
HYPERSALIVATION	491
COUGHING	429
PAIN	399
DIARRHEA	358
SGPT/ALT HI, BLD	348
DYSYPNEA	345
DIARRHEA, BLOODY	319
ATAXIA	298
COLLAPSE	272
INJ SITE MASS	254
ANAPHYLAXIS/TOID	247
ALK PHOS HI, BLD	197
PARESIS, HIND LIMB(S)	191
NERVOUSNESS	187
WBC HI, BLD	187
VOCALIZATION	181
ANEMIA	180
RECUMBENCY	177

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WEIGHT LOSS	175
CONVULSION(S)	164
WEAKNESS	142
SWELLING, HEAD/FACE	140
TACHYCARDIA	138
BLD, LUNG(S)/TRACHEA	137
DISCOMFORT	135
VOMITING, BLOODY	129
PALLOR, MUCOUS MEMBRAN	128
BUN HI, BLD	127
TREMBLING	126
URTICARIA	115
HYPERPNEA	107
LAMENESS	107
BLD, URINE	99
CREATININE HI, BLD	99
SHOCK	95
PROPRIOCEPTIVE DISORDE	94
DEATH(EUTHANIZED)	93
BILIRUBIN(TOT) HI, BLD	92
PLATELETS LO, BLD	89
EDEMA, HEAD/FACE	88
INJ SITE SEROMA	86
RADIOGRAPH(S) ABN	84
PARALYSIS, HIND LIMB(S)	78
RELUCTANT TO MOVE	77
SHAKING	77
DEFECATION	76
LIVER ENZYMES HI, BLD	75
POLYDIPSIA	70
INJ SITE INFLAM	68
DISTRESS, RESP	64
INJ SITE ABSCESS	64
PALLOR	63
DEHYDRATION	61
ICTERUS, BODY	61
SOUND ABN, RESPIRATORY	61
DISTRESS	58

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EPISTAXIS	58
EDEMA, LUNG(S)/TRACHEA	57
CYANOSIS	56
SGOT/AST HI, BLD	54
CONGESTION, SKIN	53
ENLARGEMENT(S)	53
SEGS HI, BLD	53
PAIN, ABDOMEN	52
CONGESTION, LUNG(S)	51
PACING	50
APPREHENSION	48
PAIN, BACK	47
P HI, BLD	47
INCONTINENCE, URINARY	46
DIARRHEA, MILD	45
HEMATOCHEZIA	44
NEUROLOGICAL DISORDER	44
POLYURIA	44
ADIPSIA	43
CONFUSION	43
GAGGING	43
HEAD TILT	43
PRURITIS	42
ALBUMIN LO, BLD	41
HYPERACTIVITY	41
GLUCOSE HI, BLD	40
ALOPECIA	38
DIFFICULTY RISING	38
MURMUR, HEART	36
URINATION	36
INJ SITE INDURATION	35
MELENA	35
STAGGERING	35
AMYLASE HI, BLD	34
PAIN, HIND LIMB(S)	34
SPEC GRAVITY LO, URINE	34
HYPOTHERMIA	33
ABN COLOR, URINE	32

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLINDNESS	32
INJ SITE ABN	32
BITING/CHEWING	31
HYPOTHERMIA, BODY	31
STUPOR	31
WBC LO, BLD	31
STIFFNESS	30
NYSTAGMUS	28
UNCONSCIOUS	28
BLD, MOUTH/LIP(S)	27
BRADYCARDIA	27
LOCOMOTION DISORDER	27
PARESIS	27
POLYCYTHEMIA(RELATIVE)	27
PULSE THREADY	27
AGGRESSION	26
EMBOLUS	26
MYDRIASIS	26
POLYCYTHEMIA	26
GLOBULIN HI, BLD	25
ICTERUS	25
SWELLING, EYE(S)/LID(S)	25
TWITCH	25
WHEEZING	25
GGT HI, BLD	24
ASCITES	23
DIARRHEA, SEVERE	23
LIPASE HI, BLD	23
MIOSIS	23
NAUSEA	22
REFLEX(ES) ABN	22
SYNCOPE	22
BLD(PETECHIAE)	21
COAGULATION DISORDER	21
DISTENTION, ABDOMEN	21
ENLARGEMENT(S), SKIN	21
SWELLING	21
BILIRUBIN, URINE	20

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISCHARGE, NOSE	20
PARALYSIS	20
PROTEIN(TOT) LO, BLD	20
ARREST, HEART	19
BEHAVIOR DISORDER	19
CAPILLARY REFILL PROLO	19
DIARRHEA, WATERY	19
INFECTION, SKIN	19
KIDNEY FAILURE	19
PRESSURE LO, BLD	19
APNEA	18
CYANOSIS, MUCOUS MEMBR	18
INEFFECT, HW LARVAE	18
INJ SITE EDEMA	18
MUCOUS MEMBR, ABN COLO	18
SPASM	18
SWELLING, ADM SITE	18
VOMITING, SEVERE	18
BLD, RECTUM	17
DIC	17
GASTROENTERITIS	17
PR-INJ SITE, LESION(S)	17
CARDIOMEGALY	16
CPK HI, BLD	16
FROTH, MOUTH/LIP(S)	16
INCONTINENCE, FECAL	16
MONOS HI, BLD	16
THROMBUS	16
EOSINOS HI, BLD	15
INJ SITE STERILE ABSCE	15
PROTEIN, URINE	15
WBC, URINE	15
BLD	14
CIRCLING	14
EDEMA	14
INJ SITE NECROSIS	14
LESION(S), SKIN	14
MUCOUS MEMBR, RED	14

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PNEUMONIA	14
POSTURE ABN	14
PR-HEARTWORM DISEASE	14
PR-LUNG(S), LESION(S)	14
PR-SKIN, LESION(S)	14
STUMBLING	14
ULCER(S), SKIN	14
ARRHYTHMIA	13
CELLULITIS	13
EDEMA, LIMB(S)	13
ILL	13
MUCOUS MEMBR, MUDDY	13
PT PROLONGED, BLD	13
PTT PROLONGED, BLD	13
SWELLING, MOUTH/LIP(S)	13
URINATION ABN	13
AZOTEMIA	12
BLD(ECCHYMOSES)	12
CHEMISTRY ABN	12
DIARRHEA, MUCOID	12
EYE DISORDER	12
INJ SITE BLD	12
INJ SITE PRURITIS	12
PROTEIN(TOT) HI, BLD	12
PUPIL(S), AREFLEXIA	12
SLOUGH, SKIN	12
VOMITING, UNPRODUCTIVE	12
BLD, ABDOMEN	11
CHOLESTEROL HI, BLD	11
HYPERPIGMENTATION, SKI	11
INJ SITE ALOPECIA	11
INJ SITE INFECT	11
K LO, BLD	11
LICKING	11
LIVER FAILURE	11
PARALYSIS, ALL LIMBS	11
SWELLING, LIMB(S)	11
BREATHING ABN	10



**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ENLARGEMENT, LYMPH NOD	10
GLUCOSE LO, BLD	10
HYPERESTHESIA	10
INEFFECT	10
INFLAM, SKIN	10
INJ SITE EFFUSION	10
MYOSITIS	10
PR-LIVER, LESION(S)	10
RESPIRATORY DISORDER	10
SKIN ABNORMAL	10
SKIN, SCAB(S)	10
SNEEZING	10
US ABN	10
ANEMIA, AUTOIMMUNE HEM	9
ATROPHY, MUSCLE(S)	9
BANDS HI, BLD	9
BLD(HEMATOMA)	9
CONGESTION, MUCOUS MEM	9
CONJUNCTIVITIS	9
GLOBULIN LO, BLD	9
HIDING	9
HYPOPNEA	9
MASS, SKIN	9
NYSTAGMUS, HORIZONTAL	9
PAIN, LIMB(S)	9
PANCREATITIS	9
SORE(S)	9
ATONY, BLADDER	8
BALANCE DISORDER	8
HEAD BOBBING	8
INJ SITE FIBROSIS	8
PAIN, MUSCLE(S)	8
PR-KIDNEY(S), LESION(S)	8
RASH	8
SEGS LO, BLD	8
DISCHARGE, EYE(S)/LID(S)	7
HEART FAILURE	7
LIVER DISORDER	7

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MICROORGANISMS, URINE	7
PARALYSIS, FACIAL NERV	7
PR-SPINAL CORD, LESION	7
STIFFNESS, HIND LIMB(S	7
SWELLING, FEET/DIGIT(S	7
URINE ABN	7
BLADDER, PARALYSIS	6
BUN LO, BLD	6
CONGESTION	6
CRYSTALS, URINE	6
DEFECATION ABN	6
DIARRHEA, PROJECTILE	6
EDEMA, MULTIPLE SITES	6
EFFUSION, PERITONEAL	6
HEART DISORDER	6
INJ SITE SLOUGH	6
LYMPHS LO, BLD	6
MASS	6
NECROSIS	6
PAIN, NECK	6
PARESIS, FORE LIMB(S)	6
PUSTULE(S)	6
SHAKING, HEAD/FACE	6
SKIN, CRUST(S)	6
SOMNOLENCE	6
STIFFNESS, FRONT LIMB(	6
ANURIA	5
ANUS, PARALYSIS	5
BLD, ANUS	5
CA HI, BLD	5
CONGESTION, EYE(S)/LID	5
CULTURE/TITER DATA ABN	5
DEATH(NEWBORN)	5
DEMENTIA	5
DYSMETRIA	5
DYSPHAGIA	5
EXERCISE INTOLERANCE	5
FLATULENCE	5

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GI, ABNORMAL	5
GINGIVA, ABN	5
GLUCOSE, URINE	5
GRANULOMA	5
HAIR, ABN	5
INCONTINENCE	5
INJ SITE, ALOPECIA	5
INJ SITE ULCER(S)	5
INTERACTION, DRUG(S)	5
IRRITATION	5
K HI, BLD	5
KIDNEY VALUES HI, BLD	5
NA LO, BLD	5
PANCREAS ENZYMES HI, B	5
PANCYTOPENIA	5
PARESIS, FORELIMB(S)	5
ROLLING	5
SKIN, NECROSIS	5
SWELLING, EAR(S)	5
TENESMUS, RECTAL	5
TREMBLING, FACE	5
ABSCCESS, SKIN	4
BLD, EYE(S)	4
BLD, GI	4
BLD, SCLERA	4
BLD, SKIN	4
BLINDNESS, PARTIAL	4
BLINDNESS, TEMP	4
CACHEXIA	4
CIRCULATORY DISORDER	4
CNS DISORDER	4
COLITIS	4
DEATH(STILLBORN)	4
DILITATION, ESOPHAGUS	4
DISTENTION, BLADDER	4
DYSURIA	4
EDEMA, EYE(S)/LID(S)	4
EDEMA, FEET/DIGIT(S)	4

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, NECK	4
HAIR, SHEDDING	4
INFECTION, URINARY TRA	4
INJ SITE HAIR, ABN	4
INJ SITE NEOPLASM	4
INJ SITE STIFFNESS	4
KIDNEY DISORDER	4
LYMPHS HI, BLD	4
ODOR	4
ODOR, MOUTH	4
OPISTHOTONOS	4
PR-COLON, LESION(S)	4
PR-HEART, LESION(S)	4
PR-INTEST, LESION(S)	4
PR-LUNG(S), EDEMA	4
PR-SPLEEN, LESION(S)	4
PRURITIS, FEET/DIGIT(S)	4
RBC ABN	4
REACTION, UNSPECIFIED	4
SKIN DISORDER	4
SPLENOMEGALY	4
STRANGURIA	4
SWELLING, VENTRUM	4
TECH ERROR ADMINISTRAT	4
THRASHING/PADDLING	4
THYROID HORMONE(S) LO	4
TONGUE, ABN	4
US-LIVER ABN	4
UVEITIS	4
VESICLE(S)/BULLAE, SKI	4
ALBUMIN HI, BLD	3
ALKALINE URINE	3
ANEMIA, HEMOLYTIC	3
BASOS HI, BLD	3
BILE ACIDS HI, BLD	3
BLD, ABN	3
BLD, PENIS	3
BLOAT	3

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BREATHING, DIFFICULT	3
CYSTITIS	3
DEAFNESS	3
DERMATITIS, MOIST	3
DESTRUCTIVENESS	3
DISSOCIATION	3
EAR DISORDER	3
ECG ABN	3
EDEMA, VENTRAL	3
EFFUSION, PLEURAL	3
EMPHYSEMA, SQ	3
EOSINOS LO, BLD	3
ERYTHEMA MULTIFORME	3
HORNER'S SYNDROME	3
HYPERTONIA	3
HYPHEMA	3
INEFFECT, HW ANTIGEN	3
INJ SITE EMPHYSEMA	3
MICROORGANISMS, URINE	3
NEOPLASM	3
NEUROPATHY	3
OTITIS	3
PANCREAS DISORDER	3
POLLAKIURIA	3
PR-BLD VESSEL(S), LESI	3
PRESSURE HI, BLD	3
PROLAPSE, THIRD EYELID	3
PR-PERITONEAL EFFUSION	3
PR-SM INTEST, LESION(S	3
REGURGITATION	3
SCALE(S), SKIN	3
SEDATION	3
SLOUGH, FEET/DIGIT(S)	3
STARING	3
STIFFNESS, LIMB(S)	3
STIFFNESS, NECK	3
STOOL ABN	3
STOOL, MUCOID	3

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, NECK	3
SWELLING, TONGUE	3
TAIL DISORDER	3
TEETH, ABN	3
TENESMUS, URINARY	3
ULCER(S), CORNEA(S)	3
ULCER(S), MOUTH/LIP(S)	3
WEIGHT INCREASE	3
ABORTION	2
ACIDOSIS	2
BLD, MULT SITES	2
BLD(PURPURA)	2
BLD, THORAX	2
BRONCHITIS	2
CA LO, BLD	2
CASTS, URINE	2
CATARACT(S)	2
CHOLESTEROL LO, BLD	2
CONGESTION, EAR(S)	2
CONSTIPATION	2
COOMBS TEST POS	2
DEATH(TX FAILURE)	2
DISCHARGE, VULVA	2
ECG, ABN	2
EDEMA, CORNEA(S)	2
ENTERITIS	2
ERUPTION(S)	2
FLY BITING	2
GLAUCOMA	2
HEAD PRESSING	2
HEMOGLOBIN, URINE	2
HEPATITIS	2
HEPATOMEGALY	2
HYPOADRENOCORTICISM	2
ICTERUS, SERUM	2
INFECTION	2
INFLAM	2
INJECT SITE SEPSIS	2

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, EYE(S)/LID	2
IRRITATION, SKIN	2
JERKING	2
KETONES, URINE	2
LICKING, FEET/DIGIT(S)	2
MASS, ABDOMEN	2
NEOPLASM, SKIN	2
NO SIGNS	2
NYSTAGMUS, ROTARY	2
PAIN, JOINT(S)	2
PAIN, MOUTH/LIP(S)	2
PAPULE(S)	2
PLATELETS ABN	2
PR-EYE(S)/LID(S), LESI	2
PR-LYMPH NODE(S), LESI	2
PR-MULT SITES, BLD	2
PR-MUSCLE(S), LESION(S)	2
PROLAPSE, PENIS	2
PROSTRATION	2
PROTRUSION, EYE(S)	2
PR-PANCREAS, LESION(S)	2
PR-STOMACH, LESION(S)	2
PRURITIS, EAR(S)	2
RBC, NUCLEATED	2
RELUCTANT TO CLIMB	2
REPETITIVE MOVEMENTS	2
RETICULOCYTES LO, BLD	2
RETINA ABN	2
RUPTURE	2
SEPSIS	2
SEPTICEMIA	2
SLOUGH	2
SPEC GRAVITY HI, URINE	2
STRABISMUS	2
SWELLING, BRISKET/CHES	2
SWELLING, MULT SITES	2
TENESMUS	2
TISSUE, GRANULATION	2

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TRIGLYCERIDES HI, BLD	2
ULCER(S), GI	2
ULCER(S), TONGUE	2
UREMIA	2
VASCULITIS	2
VENA CAVAL SYNDROME	2
VESTIBULAR DISORDER	2
VISION DISORDER	2
VOMITING, PROJECTILE	2
ABN ODOR, URINE	1
ACCIDENTAL EXPOSURE	1
A/G RATIO LO, BLD	1
AMMONIA HI, BLD	1
ANA POS	1
ANEMIA, APLASTIC	1
ANEMIA, BLD LOSS	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
ANISOCORIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE MASS	1
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
APPLICATION SITE SWELLING	1
ARRHYTHMIA, BLOCK	1
ARTHRITIS	1
ARTHRITIS, SEPTIC	1
ATROPHY	1
BILIRUBIN(DIR) HI, BLD	1
BLD, FEET/DIGIT(S)	1
BLD, VAGINA	1
BONE, ABN	1
BREATHING, PERIODIC	1
CHLORIDE HI, BLD	1
CHOKING	1
CLOUDY URINE	1
CO2 HI, BLD	1
CO2 LO, BLD	1



**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CREATININE LO, BLD	1
CSF ABN	1
DIABETES	1
DIABETES MELLITUS	1
DISCHARGE, EAR(S)	1
DISCHARGE, MAMMARY	1
DISCHARGE, MOUTH/LIP(S)	1
DISCOMFORT, MOUTH/LIP(S)	1
DIZZINESS	1
DRY, SKIN	1
EDEMA, BRISKET/CHEST	1
EDEMA, PHARYNX	1
EDEMA, VULVA	1
EFFUSION, JOINT(S)	1
EFFUSION, PERICARDIAL	1
ELECTROLYTE DISORDER	1
ELIMINATION ABN	1
EPIPHORA	1
ERECTION, ABN	1
ESTRUS	1
ESTRUS CYCLE ABNORMAL	1
FIBRINOGEN HI, BLD	1
FROTH, NOSE	1
GALL BLADDER, ABN	1
GINGIVITIS	1
GLOSSITIS	1
HAIR, ABN COLOR	1
HEALING IMPAIRED	1
HYPERKERATOSIS	1
HYPERMOTILITY	1
HYPERSENSITIVE, SOUND	1
HYPOESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOESTHESIA, FEET/DIG	1
HYPOESTHESIA, LIMB(S)	1
HYPOSMIA	1
INCISION SITE INFECTION	1
INFARCT	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFECTION, FEET/DIGIT(	1
INFECTION, UTERUS	1
INJURY	1
IRIS, INFLAM	1
IRRITATION, MOUTH/LIP(S)	1
KERATOCONJUNCTIVITIS S	1
KETOSIS	1
LABOR	1
LEG DISORDER	1
LESION(S), MOUTH/LIP(S)	1
LIPIDS HI, BLD	1
LOCKJAW	1
LOSS OF CONDITION	1
MAST CELLS HI, BODY	1
MENSES, ABNORMAL	1
METRITIS	1
MG LO, BLD	1
MYOGLOBIN, URINE	1
NA HI, BLD	1
NAIL DISORDER	1
NEOPLASM, LYMPH NODE(S	1
NOSE ABN	1
NYSTAGMUS, VERTICAL	1
OLIGURIA	1
PAIN, SPINAL	1
PARESTHESIA	1
PHARYNGITIS	1
PHOTOPHOBIA	1
PICA	1
PNEUMONIA, ASPIRATION	1
POLYPHAGIA	1
POSTURAL RXN(S) ABN	1
PR-BONE MARROW, LESION	1
PR-GI, LESION(S)	1
PR-GI, PARASITISM	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, EDEMA	1
PR-MULT SITES, LESION(S)	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-MUSCLE(S), LESION(S)	1
PR-NERVE(S), LESION(S)	1
PROLAPSE, RECTUM	1
PROLAPSE, TONGUE	1
PROSTATOMEGALY	1
PR-PENIS, LESION(S)	1
PR-TONGUE, LESION(S)	1
PRURITIS, TAIL	1
RBC, POLYCHROM	1
RETICULOCYTES HI, BLD	1
SALIVARY GLAND ABN	1
SCROTUM, ABN	1
SEDIMENT, URINE	1
SELF-MUTILATION	1
SHOCK, ENDOTOXEMIA	1
SKIN, DRY	1
SLOUGH, EAR(S)	1
SLOUGH, TONGUE	1
SOUND ABN, VOICE	1
SUMMARY REVIEW	1
SWELLING, ANUS	1
SWELLING, JOINT(S)	1
SWELLING, PHARYNX/THRO	1
TACHYCARDIA, VENTRICUL	1
TETANY	1
TORTICOLLIS	1
TOX	1
UDDER, MASTITIS	1
ULCER(S), FEET/DIGIT(S)	1
VESICLE(S)/BULLAE, MOU	1
VOLVULUS, STOMACH	1

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE INFLAM	4
INJ SITE PAIN	4
INJ SITE SWELLING	4
CONGESTION, SKIN	2
INJ SITE BLD	2
ACCIDENTAL EXPOSURE	1
EDEMA, CORNEA(S)	1
EYE DISORDER	1
HUMAN EXPOSURE, EYE(S)	1
HUMAN EXPOSURE, HAND(S)	1
HUMAN EXPOSURE, INJ	1
INFLAM, SKIN	1
INJ SITE PRURITIS	1
IRRITATION, EYE(S)/LID	1
NO SIGNS	1
PARESTHESIA	1
ULCER(S), CORNEA(S)	1

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, SKIN	1
DISCOMFORT	1
DIZZINESS	1
HUMAN EXPOSURE, EYE(S)	1
HUMAN EXPOSURE, HEAD/F	1
HYPOESTHESIA	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
PAIN, EYE(S)/LID(S)	1
SKIN ABNORMAL	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, HW ADULTS	51
DEATH	12
VOMITING	10
DEPRESSION/LETHARGY	9
INJ SITE SWELLING	8
COLLAPSE	5
FEVER, BODY	5
HYPERSALIVATION	5
POLYPNEA	5
ANOREXIA	4
CONVULSION(S)	4
DIARRHEA, BLOODY	4
DYSYPNEA	4
PAIN	4
WEAKNESS	4
AMYLASE HI, BLD	3
ANEMIA	3
ATAXIA	3
DEHYDRATION	3
HYPERPNEA	3
INJ SITE PAIN	3
NERVOUSNESS	3
PALLOR, MUCOUS MEMBRAN	3
RECUMBENCY	3
SWELLING	3
TREMBLING	3
VOMITING, BLOODY	3
WBC HI, BLD	3
ADIPSIA	2
ALK PHOS HI, BLD	2
BLD	2
CONGESTION, LUNG(S)	2
CREATININE HI, BLD	2
DEATH(STILLBORN)	2
DISCOMFORT	2
GI, ABNORMAL	2
INJ SITE MASS	2
LIPASE HI, BLD	2

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
LIVER ENZYMES HI, BLD	2
MELENA	2
NAUSEA	2
PROTEIN(TOT) LO, BLD	2
SGPT/ALT HI, BLD	2
SHAKING	2
STIFFNESS, LIMB(S)	2
SYNCOPE	2
TACHYCARDIA	2
ABSCCESS, SKIN	1
ADIPOSE, INFLAM	1
ALBUMIN HI, BLD	1
ALOPECIA	1
ANAPHYLAXIS/TOID	1
ATROPHY, MUSCLE(S)	1
BRADYCARDIA	1
BUN HI, BLD	1
CELLULITIS	1
CONFUSION	1
DIARRHEA	1
DIARRHEA, MUCOID	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EFFUSION, PERITONEAL	1
EMBOLUS	1
EXERCISE INTOLERANCE	1
GINGIVA, ABN	1
GLUCOSE HI, BLD	1
HEAD BOBBING	1
HEAD TILT	1
HEART FAILURE	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1

**DRUG: MELARSOMINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ICTERUS	1
INEFFECT	1
INEFFECT, HW LARVAE	1
INJ SITE INDURATION	1
INJ SITE SEROMA	1
JERKING	1
KIDNEY DISORDER	1
LAMENESS	1
LIVER FAILURE	1
MONOS HI, BLD	1
NEOPLASM, MAMMARY	1
NEUROLOGICAL DISORDER	1
PACING	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PALLOR	1
PANCREATITIS	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
PROPRIOCEPTIVE DISORDE	1
PTT PROLONGED, BLD	1
REACTION, UNSPECIFIED	1
RELUCTANT TO MOVE	1
SHOCK	1
STAGGERING	1
STUPOR	1
THROMBUS	1
UNCONSCIOUS	1

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE BLD	1
INJ SITE PAIN	1

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: UNKNOWN

**DRUG: MELARSOMINE**

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SUMMARY REVIEW	10

**DRUG: MELARSOMINE**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: MELENGESTROL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	4
PD-VIAL(S), LEAKING	2
PD-VIAL(S), DAMAGED	1

**DRUG: MELENGESTROL, MONENSIN, RACTOPAMINE, TYI**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ESTRUS BEHAVIOR	1
INEFFECT, WEIGHT INC	1

**DRUG: MELENGESTROL**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: MELENGESTROL**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SUPPR	167
ESTRUS BEHAVIOR	8
DEATH	6
FERTILITY, REDUCED	3
EDEMA, VENTRAL	2
INEFFECT	2
INJURY	2
TECH ERROR, MIXING	2
UDDER, SWELLING	2
ABORTION	1
DEATH(SLAUGHTERED)	1
ESTRUS CYCLE ABNORMAL	1
FEVER, BODY	1
INEFFECT, ESTRUS SYNCH	1
RESIDUE, MEAT	1
SWELLING, VAGINA/VULVA	1

**DRUG: MELENGESTROL**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SUPPR	1

**DRUG: MELOXICAM**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	871
PD-CONTAINER(S), ABN	454
PD-SEAL, ABN	362
PD-CAP(S), ABN	342
PD-CONTAINER(S), DAMAG	279
PD-DEFECT UNKNOWN	233
PD-DISPENSER, ABN	151
PD-PRODUCT DEFECT	108

**DRUG: MELOXICAM**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SYRINGE, ABN	53
PD-UNDERFILL, PACKAGE	30
PD-VIAL(S), ABN	30
PD-SOLUTION, ABN	29
PD-UNDERFILL, VIAL(S)	27
PD-SUSPENSION, ABN	21
PD-ODOR, ABN	18
PD-LABEL(S), ABN	17
PD-VIAL(S), DAMAGED	13
PD-MISSING, CAP	6
PD-CONTAMINATION	4
PD-TUBE(S), LEAKING	4
NO SIGNS	3
PD-COLOR, ABN	3
PD-MISSING, LABEL(S)	3
SYRINGE, LOCKING RING	2
UNPALATABLE	2
INEFFECT, LOSS OF EFFE	1
PD-CONTAM, INSECTS	1
PD-POTENCY, LO	1
TECH ERROR	1

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: INTRANASAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NOSE, INFLAMMATION	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	7
CREATININE HI, BLD	7
BUN HI, BLD	6

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
KIDNEY FAILURE	5
AZOTEMIA	4
P HI, BLD	4
DEHYDRATION	3
DEPRESSION/LETHARGY	3
VOMITING	3
FEVER, BODY	2
SPEC GRAVITY LO, URINE	2
VOCALIZATION	2
WEIGHT LOSS	2
ANEMIA	1
BASOS HI, BLD	1
BEHAVIOR DISORDER	1
BUN LO, BLD	1
CONSTIPATION	1
DEATH	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
EOSINOS HI, BLD	1
HIDING	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
INCONTINENCE, URINARY	1
K LO, BLD	1
NERVOUSNESS	1
NOSE ABN	1
PAIN	1
P LO, BLD	1
POLYDIPSIA	1
POLYURIA	1
SEGS HI, BLD	1
STOOL ABN	1
US ABN	1
WBC HI, BLD	1
WEIGHT INCREASE	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	4
DEPRESSION/LETHARGY	4
DEATH	2
VOMITING	2
ALK PHOS HI, BLD	1
BLD, GI	1
BLD, PENIS	1
BLD, URINE	1
BLINDNESS	1
BREATHING ABN	1
CONFUSION	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DISTRESS, RESP	1
DYSPNEA	1
EDEMA, LARYNX	1
EPISTAXIS	1
HEPATITIS	1
KIDNEY FAILURE	1
LESION(S)	1
MELENA	1
POLYDIPSIA	1
POLYURIA	1
PR-LIVER, LESION(S)	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SGPT/ALT HI, BLD	1
ULCER(S)	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1
WEAKNESS	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: NOT APPLICABLE

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
EDEMA, EYE(S)/LID(S)	2
EDEMA, HEAD/FACE	2
SWELLING, MOUTH/LIP(S)	2
DEATH	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	2
CONJUNCTIVITIS	1
OPACITY, CORNEA(S)	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
CONGESTION, EYE(S)/LID	3
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
PROLAPSE, THIRD EYELID	1
SWELLING, EYE(S)/LID(S)	1
TECH ERROR ADMINISTRAT	1
ULCER(S), CORNEA(S)	1

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	35
PAIN, EYE(S)/LID(S)	10

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	8
VISION DISORDER	6
HUMAN EXPOSURE, EYE(S)	2
CONJUNCTIVITIS	1
EPIPHORA	1
EYE DISORDER	1
INFLAM	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: MELOXICAM**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	7
DEPRESSION/LETHARGY	5
DIARRHEA	4
VOMITING	2
ANOREXIA	1
ATAXIA	1
COLLAPSE	1
DIARRHEA, WATERY	1
FEATHERS, ABNORMAL	1
HEPATITIS	1
INTERACTION, DRUG(S)	1
MELENA	1
NERVOUSNESS	1
PACING	1
POLYDIPSIA	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
SHAKING, HEAD/FACE	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	653
CREATININE HI, BLD	628
BUN HI, BLD	617
DEPRESSION/LETHARGY	545
VOMITING	488
KIDNEY FAILURE	423
AZOTEMIA	281
P HI, BLD	267
DEATH(EUTHANIZED)	160
DEATH	150
DEHYDRATION	119
WEIGHT LOSS	109
DIARRHEA	96
ANEMIA	85
SPEC GRAVITY LO, URINE	85
POLYDIPSIA	79
K HI, BLD	65
KIDNEY VALUES HI, BLD	61
ATAXIA	56
SGPT/ALT HI, BLD	52
ADIPSIA	48
CONVULSION(S)	42
POLYURIA	40
BILIRUBIN(TOT) HI, BLD	37
WBC HI, BLD	37
HIDING	35
BLD, URINE	33
INTERACTION, DRUG(S)	33
PR-KIDNEY(S), LESION(S)	33
PROTEIN(TOT) HI, BLD	32
RECUMBENCY	32
DYSPNEA	31
VOCALIZATION	30
FEVER, BODY	27
GLUCOSE HI, BLD	27
WEAKNESS	27
HYPERSALIVATION	25
US ABN	25

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROTEIN, URINE	23
ULCER(S), MOUTH/LIP(S)	21
HYPOTHERMIA, BODY	20
RADIOGRAPH(S) ABN	20
VOMITING, BLOODY	20
CONSTIPATION	19
PR-LIVER, LESION(S)	18
ANURIA	17
KIDNEY DISORDER	17
STUPOR	17
HYPERACTIVITY	16
MELENA	16
MYDRIASIS	16
PLATELETS LO, BLD	16
WBC, URINE	16
ALBUMIN LO, BLD	15
AMYLASE HI, BLD	15
BEHAVIOR DISORDER	15
ICTERUS, BODY	15
PAIN, ABDOMEN	15
CA HI, BLD	14
EDEMA, LUNG(S)/TRACHEA	14
ILL	14
SGOT/AST HI, BLD	14
ALK PHOS HI, BLD	13
DIARRHEA, BLOODY	13
NA LO, BLD	13
BLINDNESS	12
CASTS, URINE	12
NERVOUSNESS	12
PAIN	12
WBC LO, BLD	12
COLLAPSE	11
DIARRHEA, MILD	11
HYPOTHERMIA	11
MURMUR, HEART	11
TREMBLING	11
GLOBULIN HI, BLD	10



**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PALLOR, MUCOUS MEMBRAN	10
ALOPECIA	9
CHLORIDE LO, BLD	9
HEMATOCHEZIA	9
NA HI, BLD	9
STAGGERING	9
ULCER(S), TONGUE	9
AGGRESSION	8
COAGULATION DISORDER	8
CONFUSION	8
GLUCOSE LO, BLD	8
INFECTION, URINARY TRA	8
K LO, BLD	8
LIVER ENZYMES HI, BLD	8
NAUSEA	8
PARESIS, HIND LIMB(S)	8
PROTEIN(TOT) LO, BLD	8
ALBUMIN HI, BLD	7
CPK HI, BLD	7
DISTENTION, ABDOMEN	7
HYPERPNEA	7
LESION(S), SKIN	7
PRURITIS	7
TACHYCARDIA	7
VOMITING, UNPRODUCTIVE	7
INCONTINENCE, URINARY	6
LYMPHS LO, BLD	6
MG HI, BLD	6
MICROORGANISMS, URINE	6
NEPHRITIS	6
OLIGURIA	6
POLYPNEA	6
SEGS HI, BLD	6
BLD	5
BLD(PETECHIAE)	5
BUN LO, BLD	5
CYANOSIS	5
DIFFICULTY RISING	5

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISTRESS, RESP	5
HEART FAILURE	5
ICTERUS	5
INFLAM, SKIN	5
LAMENESS	5
NEUROLOGICAL DISORDER	5
PARALYSIS, HIND LIMB(S)	5
POLYCYTHEMIA(RELATIVE)	5
PRESSURE HI, BLD	5
PR-HEART, LESION(S)	5
PR-LUNG(S), LESION(S)	5
PROLAPSE, THIRD EYELID	5
RELUCTANT TO MOVE	5
SWELLING, HEAD/FACE	5
TWITCH	5
UNCONSCIOUS	5
URINATION	5
APNEA	4
ARREST, HEART	4
BLD(ECCHYMOSES)	4
BLD, LUNG(S)/TRACHEA	4
BLD, MOUTH/LIP(S)	4
BRADYCARDIA	4
CA LO, BLD	4
CARDIOMEGALY	4
CIRCLING	4
CONGESTION, SKIN	4
DEFECATION ABN	4
DIABETES MELLITUS	4
DISCOMFORT	4
DYSPHAGIA	4
FROTH, MOUTH/LIP(S)	4
GI, ABNORMAL	4
LIVER FAILURE	4
LOCOMOTION DISORDER	4
MONOS HI, BLD	4
ODOR, MOUTH	4
POLLAKIURIA	4

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-PANCREAS, LESION(S)	4
PR-STOMACH, LESION(S)	4
PT PROLONGED, BLD	4
PTT PROLONGED, BLD	4
SEGS LO, BLD	4
SOMNOLENCE	4
STRANGURIA	4
TENESMUS, URINARY	4
THROMBUS	4
URINATION ABN	4
ACIDOSIS	3
ASCITES	3
BLD, INCISION SITE	3
BLINDNESS, PARTIAL	3
CHEMISTRY ABN	3
CHLORIDE HI, BLD	3
COUGHING	3
CYANOSIS, MUCOUS MEMBR	3
DEAFNESS	3
DISCHARGE, EYE(S)/LID(S)	3
DISCHARGE, NOSE	3
DYSURIA	3
EDEMA, HEAD/FACE	3
EDEMA, LIMB(S)	3
EFFUSION, PERITONEAL	3
EFFUSION, PLEURAL	3
ELIMINATION ABN	3
ENLARGEMENT, LYMPH NOD	3
GLUCOSE, URINE	3
HAIR, ABN	3
HYPOPNEA	3
INEFFECT, ANALGESIA	3
LIPASE HI, BLD	3
NECROSIS	3
NEOPLASM	3
NYSTAGMUS	3
PANCREATITIS	3
PERFORATION, GI	3

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PERITONITIS	3
PRESSURE LO, BLD	3
PR-LUNG(S), EDEMA	3
PR-PERITONEAL EFFUSION	3
PR-SM INTEST, LESION(S)	3
SHAKING, HEAD/FACE	3
SHOCK	3
SKIN ABNORMAL	3
SPASM	3
STOOL ABN	3
TECH ERROR ADMINISTRAT	3
THYROID HORMONE(S) HI	3
URINE ABN	3
US-LIVER ABN	3
ACCIDENTAL EXPOSURE	2
AMMONIA HI, BLD	2
ANAPHYLAXIS/TOID	2
ANEMIA, REGEN	2
ANISOCORIA	2
APPREHENSION	2
BILIRUBIN(DIR) HI, BLD	2
BILIRUBIN, URINE	2
BLD, RECTUM	2
BREATHING ABN	2
CACHEXIA	2
CHOLESTEROL HI, BLD	2
CONGESTION	2
CONGESTION, LUNG(S)	2
CRYSTALS, URINE	2
DEHISCENCE	2
DIARRHEA, WATERY	2
DISTRESS	2
EDEMA	2
EDEMA, FEET/DIGIT(S)	2
ENLARGEMENT(S)	2
EOSINOS HI, BLD	2
EPISTAXIS	2
ERUPTION(S)	2

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EYE DISORDER	2
FLATULENCE	2
GAGGING	2
GASTRITIS	2
HEAD TILT	2
HEPATITIS	2
HYPOMOTILITY	2
ICTERUS, SERUM	2
INCISION SITE, ECCHYMOSIS	2
INCISION SITE INFECTION	2
INEFFECT, ANTIINFLAM	2
INFECTION, INCISION SITE	2
IRRITATION, SKIN	2
LESION(S), MOUTH/LIP(S)	2
LICKING	2
LOSS OF CONDITION	2
LYMPHS HI, BLD	2
MICROORANISMS, URINE	2
NEOPLASM, LUNG(S)	2
NEOPLASM, SKIN	2
NOSE ABN	2
OPISTHOTONOS	2
PACING	2
POLYPHAGIA	2
PR-COLON, LESION(S)	2
PR-GI, LESION(S)	2
PR-MULT SITES, CONGEST	2
PR-PLEURAL EFFUSION	2
PR-SPLEEN, LESION(S)	2
PR-TONGUE, LESION(S)	2
PULSE THREADY	2
REACTION, UNSPECIFIED	2
RETINA ABN	2
SEDATION	2
SEDIMENT, URINE	2
SHAKING	2
SNEEZING	2
SPEC GRAVITY HI, URINE	2

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STRABISMUS	2
STUMBLING	2
SWELLING	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, MOUTH/LIP(S)	2
TENESMUS, RECTAL	2
ULCER(S), CORNEA(S)	2
ULCER(S), STOMACH	2
VESTIBULAR DISORDER	2
ABN COLOR, URINE	1
ABORTION	1
ABSCESS, SKIN	1
ACID URINE	1
ALKALINE URINE	1
ANEMIA, APLASTIC	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, BLD LOSS	1
ANEMIA, HEINZ BODY	1
ARRHYTHMIA	1
BILE ACIDS ABN, BLD	1
BILE ACIDS HI, BLD	1
BITING/CHEWING	1
BLD, ANUS	1
BLD, EYE(S)	1
BLD, FEET/DIGIT(S)	1
BLD(HEMATOMA)	1
BLD, SCLERA	1
BLD, SCROTUM	1
BLINDNESS, TEMP	1
CATARACT(S)	1
CAT SCAN ABN	1
CONGESTION, MUCOUS MEM	1
CONJUNCTIVITIS	1
CREATININE LO, BLD	1
DERMATITIS, MOIST	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DILITATION, STOMACH	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIZZINESS	1
EAR DISORDER	1
ECG, ABN	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, SCROTUM	1
EFFUSION	1
EMBOLUS	1
EMPHYSEMA, SQ	1
ENLARGEMENT(S), SKIN	1
ENTERITIS	1
EOSINOS LO, BLD	1
EXERCISE INTOLERANCE	1
FIBROSIS	1
GASTROENTERITIS	1
GLOBULIN LO, BLD	1
GLOSSITIS	1
GRINDING TEETH	1
HAIR, SHEDDING	1
HALLUCINATION	1
HCO3 LO, BLD	1
HEAD BOBBING	1
HEAD PRESSING	1
HEART DISORDER	1
HYPERESTHESIA	1
INCISION SITE ABN	1
INCISION SITE, BLD	1
INCISION SITE DISCHARGE	1
INCONTINENCE, FECAL	1
INFECTION	1
INFECTION, SKIN	1
INFLAM	1
INJ SITE BLD	1
INJ SITE ULCER(S)	1
IRRITATION, PERINEUM	1
IRRITATION, PHARYNX/TH	1
JERKING	1
LIVER DISORDER	1
MASS	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MASS, ABDOMEN	1
MASS, SKIN	1
MG LO, BLD	1
MONOS LO, BLD	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
NA:K LO, BLD	1
NEOPLASM, LIVER	1
NEOPLASM, LYMPH NODE(S)	1
NEOPLASM, MULT SITES	1
NEOPLASM, PANCREAS	1
ODOR, URINE	1
PAIN, BACK	1
PAIN, FEET/DIGIT(S)	1
PAIN, HIND LIMB(S)	1
PAIN, MOUTH/LIP(S)	1
PANCREAS ENZYMES HI, B	1
PANCYTOPENIA	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PAWING	1
PERFORATION, STOMACH	1
PHALLITIS	1
PHARYNGITIS	1
P HI, URINE	1
P LO, BLD	1
P LO,BLD	1
PNEUMONIA	1
POLYCYTHEMIA	1
POSTURE ABN	1
PR-ADRENAL(S), LESION(S)	1
PR-BLADDER, LESION(S)	1
PR-BONE MARROW, LESION	1
PR-CEREBRUM, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MESENTERY, LESION(S)	1
PR-MULT SITES, BLD	1



**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-MULT SITES, ICTERUS	1
PROPRIOCEPTIVE DISORDE	1
PROTRUSION, EYE(S)	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEUM, LESION(	1
PR-SKIN, LESION(S)	1
PR-WHOLE BODY, LESION(S)	1
PUPIL(S), AREFLEXIA	1
RASH	1
REFLEX(ES) ABN	1
RETICULOCYTES HI, BLD	1
ROLLING	1
SEPSIS	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1
SORE(S)	1
SOUND ABN, VOICE	1
SPLENOMEGALY	1
STARING	1
STOMATITIS	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MAMMARY	1
SWELLING, TONGUE	1
TEETH, ABN	1
THYROID HORMONE(S) LO	1
TONGUE, ABN	1
TORTICOLLIS	1
TOX	1
TRANSUDATE	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), GI	1
ULCER(S), PYLORUS	1
UNPALATABLE, WON'T EAT	1
VASCULITIS	1
VISION DISORDER	1
VOMITING, SEVERE	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: ORAL

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	742
ANOREXIA	552
DEPRESSION/LETHARGY	490
DIARRHEA	342
BUN HI, BLD	268
ALK PHOS HI, BLD	217
CREATININE HI, BLD	211
DEATH	193
DIARRHEA, BLOODY	182
SGPT/ALT HI, BLD	179
DEATH(EUTHANIZED)	147
CONVULSION(S)	129
MELENA	126
ANEMIA	122
ATAXIA	89
PRURITIS	85
P HI, BLD	83
POLYPNEA	82
INTERACTION, DRUG(S)	81
POLYDIPSIA	81
WBC HI, BLD	80
WEIGHT LOSS	80
KIDNEY FAILURE	65
LIVER ENZYMES HI, BLD	65
VOMITING, BLOODY	65
HEMATOCHEZIA	60
AZOTEMIA	58
BLD, URINE	56
BILIRUBIN(TOT) HI, BLD	55
ALBUMIN LO, BLD	54
DYSPNEA	54
PLATELETS LO, BLD	54
DIARRHEA, MILD	53
NERVOUSNESS	52

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
FEVER, BODY	48
CONGESTION, SKIN	46
INEFFECT, ANTIINFLAM	44
DEHYDRATION	43
SPEC GRAVITY LO, URINE	43
ADIPSIA	41
HYPERACTIVITY	41
INEFFECT, ANALGESIA	40
PAIN, ABDOMEN	40
PERFORATION, GI	40
POLYURIA	40
RECUMBENCY	40
TREMBLING	38
WEAKNESS	38
SGOT/AST HI, BLD	37
CONFUSION	36
PERITONITIS	35
RADIOGRAPH(S) ABN	35
ULCER(S), GI	34
URTICARIA	34
VOCALIZATION	34
AMYLASE HI, BLD	32
HYPERSALIVATION	32
BEHAVIOR DISORDER	31
SWELLING, HEAD/FACE	31
INFLAM, SKIN	30
PROTEIN(TOT) LO, BLD	30
ALOPECIA	29
COLLAPSE	28
GGT HI, BLD	28
ICTERUS, BODY	28
LIPASE HI, BLD	28
PALLOR, MUCOUS MEMBRAN	28
BLD(ECCHYMOSES)	27
DIFFICULTY RISING	27
LIVER DISORDER	27
AGGRESSION	26
K HI, BLD	26

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARESIS, HIND LIMB(S)	26
ANAPHYLAXIS/TOID	25
EPISTAXIS	25
PACING	25
PR-LIVER, LESION(S)	25
COAGULATION DISORDER	23
LESION(S), SKIN	23
US ABN	23
GLUCOSE HI, BLD	22
ULCER(S), STOMACH	22
TACHYCARDIA	21
PROTEIN, URINE	20
PR-STOMACH, LESION(S)	20
INCONTINENCE, URINARY	19
PANCREATITIS	19
SOMNOLENCE	19
APPREHENSION	18
PERFORATION, STOMACH	18
RASH	18
SKIN, SCAB(S)	18
STAGGERING	18
STUPOR	18
BLD(PETECHIAE)	17
CONSTIPATION	17
COUGHING	17
KIDNEY DISORDER	17
KIDNEY VALUES HI, BLD	17
PAIN	17
SKIN, CRUST(S)	17
ARREST, HEART	16
CIRCLING	16
ULCER(S), MOUTH/LIP(S)	16
CA HI, BLD	15
EFFUSION, PERITONEAL	15
HYPERPNEA	15
RELUCTANT TO MOVE	15
SHAKING	15
CHEMISTRY ABN	14

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DERMATITIS, MOIST	14
DIARRHEA, SEVERE	14
GASTROENTERITIS	14
HYPOTHERMIA, BODY	14
PR-SM INTEST, LESION(S)	14
SEGS HI, BLD	14
US-LIVER ABN	14
VOMITING, UNPRODUCTIVE	14
WBC LO, BLD	14
WBC, URINE	14
ERUPTION(S)	13
HEAD TILT	13
INFECTION, SKIN	13
LAMENESS	13
URINATION ABN	13
DISTENTION, ABDOMEN	12
GI, ABNORMAL	12
GLUCOSE LO, BLD	12
INFECTION, URINARY TRA	12
LICKING	12
NA LO, BLD	12
POLYCYTHEMIA(RELATIVE)	12
PR-KIDNEY(S), LESION(S)	12
TENESMUS, RECTAL	12
ULCER(S), SKIN	12
ULCER(S), TONGUE	12
URINATION	12
ABN COLOR, URINE	11
ANEMIA, AUTOIMMUNE HEM	11
DISCOMFORT	11
INEFFECT, LOSS OF EFFE	11
K LO, BLD	11
POLYCYTHEMIA	11
TWITCH	11
BLD, ABDOMEN	10
BLD, MOUTH/LIP(S)	10
CRYSTALS, URINE	10
DIARRHEA, MUCOID	10

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, WATERY	10
GLOBULIN HI, BLD	10
HIDING	10
PROTEIN(TOT) HI, BLD	10
SHOCK	10
STOOL ABN	10
ANURIA	9
BLD, LUNG(S)/TRACHEA	9
BLINDNESS	9
IMMUNE DISORDER	9
NAUSEA	9
POLYPHAGIA	9
THYROID HORMONE(S) LO	9
BILE ACIDS HI, BLD	8
BLD, GI	8
BORBORYGMI	8
CPK HI, BLD	8
DEAFNESS	8
DIABETES MELLITUS	8
HEPATOMEGALY	8
ICTERUS	8
MICROORGANISMS, URINE	8
PR-GI, LESION(S)	8
SNEEZING	8
STARING	8
SWELLING, EAR(S)	8
ULCER(S), PYLORUS	8
APNEA	7
BLD	7
BREATHING ABN	7
DISCHARGE, NOSE	7
EDEMA, LIMB(S)	7
GASTRITIS	7
GLOBULIN LO, BLD	7
GLUCOSE, URINE	7
LESION(S), MOUTH/LIP(S)	7
LICKING, FEET/DIGIT(S)	7
LIVER FAILURE	7

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LOCOMOTION DISORDER	7
MONOS HI, BLD	7
NYSTAGMUS	7
PR-HEART, LESION(S)	7
PR-PERITONEUM, LESION(	7
SEDATION	7
STRANGURIA	7
STUMBLING	7
VESTIBULAR DISORDER	7
BILIRUBIN, URINE	6
CHLORIDE LO, BLD	6
DISSOCIATION	6
DISTRESS, RESP	6
EOSINOS HI, BLD	6
HEPATITIS	6
INSOMNIA	6
LYMPHS LO, BLD	6
NEOPLASM	6
NEUROLOGICAL DISORDER	6
ODOR, MOUTH	6
POLLAKIURIA	6
PR-COLON, LESION(S)	6
PROPRIOCEPTIVE DISORDE	6
PR-SKIN, LESION(S)	6
PUSTULE(S)	6
SEPSIS	6
SHAKING, HEAD/FACE	6
SORE(S)	6
SPASM	6
SWELLING, EYE(S)/LID(S)	6
SWELLING, MOUTH/LIP(S)	6
WHEEZING	6
ALBUMIN HI, BLD	5
BANDS HI, BLD	5
BITING/CHEWING	5
BLD(HEMATOMA)	5
BLD, SKIN	5
BLINDNESS, PARTIAL	5

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BRADYCARDIA	5
CHOLESTEROL HI, BLD	5
CNS INFARCT	5
DEFECATION ABN	5
DEMENTIA	5
DIARRHEA, PROJECTILE	5
DISTRESS	5
ELIMINATION ABN	5
ENLARGEMENT, LYMPH NOD	5
FLATULENCE	5
FROTH, MOUTH/LIP(S)	5
HAIR, SHEDDING	5
INCONTINENCE, FECAL	5
MURMUR, HEART	5
PALLOR	5
PARESIS	5
PD-SOLUTION, ABN	5
PLATELETS HI, BLD	5
PRESSURE LO, BLD	5
PR-MULT SITES, BLD	5
PR-SM INTEST, LESION(S)	5
PR-SPLEEN, LESION(S)	5
PT PROLONGED, BLD	5
PTT PROLONGED, BLD	5
SEBORRHEA	5
SKIN, NECROSIS	5
STOOL, MUCOID	5
UNCONSCIOUS	5
URINE ABN	5
ANEMIA, REGEN	4
ANISOCORIA	4
BLD, INCISION SITE	4
BLOAT	4
BUN LO, BLD	4
CA LO, BLD	4
CASTS, URINE	4
COLITIS	4
CONGESTION, EYE(S)/LID	4



**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEFECATION	4
DIZZINESS	4
EDEMA, HEAD/FACE	4
EDEMA, LARYNX	4
GINGIVA, ABN	4
HEMOGLOBIN, URINE	4
HYPERPIGMENTATION, SKI	4
HYPOTHERMIA	4
ILL	4
INCISION SITE, ECCHYMOSIS	4
MASS	4
PAIN, MOUTH/LIP(S)	4
PAPULE(S)	4
PICA	4
PNEUMONIA	4
PRESSURE HI, BLD	4
PR-INTEST, LESION(S)	4
PRURITIS, EAR(S)	4
RBC, ANISO	4
REFLEX(ES) ABN	4
REGURGITATION	4
SEGS LO, BLD	4
SLOUGH, SKIN	4
SOUND ABN, RESPIRATORY	4
TECH ERROR ADMINISTRAT	4
TENESMUS, URINARY	4
VESICLE(S)/BULLAE, SKI	4
VOMITING, SEVERE	4
ALKALINE URINE	3
ANEMIA, BLD LOSS	3
ANEMIA, HEMOLYTIC	3
ARRHYTHMIA	3
ASCITES	3
BLD, SCLERA	3
BREATHING, DIFFICULT	3
CARDIOMEGALY	3
CONGESTION	3
CULTURE/TITER DATA ABN	3

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CYANOSIS	3
DIABETES M, POOR REGUL	3
DISCHARGE, INCISION SITE	3
DYSPHAGIA	3
DYSURIA	3
ECCHYMOSIS, INCISION SITE	3
EDEMA, LUNG(S)/TRACHEA	3
EYE DISORDER	3
GAGGING	3
GALL BLADDER, ABN	3
GINGIVITIS	3
INCISION SITE ABN	3
INFLAM	3
KERATOCONJUNCTIVITIS S	3
KETONES, URINE	3
MYDRIASIS	3
NEOPLASM, LIVER	3
NEPHRITIS	3
NOSE ABN	3
PARALYSIS, HIND LIMB(S)	3
PARESIS, FORELIMB(S)	3
PD-ODOR, ABN	3
POSTURE ABN	3
PR-ADRENAL(S), LESION(S)	3
PR-LUNG(S), LESION(S)	3
PROLAPSE, DISC	3
PR-PERITONEAL EFFUSION	3
PRURITIS, FEET/DIGIT(S)	3
SCALE(S), SKIN	3
SKIN, DRY	3
SLEEP ABN	3
SLOUGH, TONGUE	3
SOUND ABN, VOICE	3
STIFFNESS	3
STOMATITIS	3
SWELLING, JOINT(S)	3
SWELLING, LIMB(S)	3
SWELLING, MULT SITES	3

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, TONGUE	3
SYNCOPE	3
THROMBUS	3
WEIGHT INCREASE	3
ABSCESS, SKIN	2
ACCIDENTAL EXPOSURE	2
BALANCE DISORDER	2
BILE ACIDS ABN, BLD	2
BLD, PASSING	2
BLD, PENIS	2
BLD, RECTUM	2
BLINDNESS, TEMP	2
COOMBS TEST POS	2
CREATININE LO, BLD	2
CYANOSIS, MUCOUS MEMBR	2
DEAFNESS, PARTIAL	2
DIC	2
DILITATION, STOMACH	2
DISCHARGE, EYE(S)/LID(S)	2
EAR DISORDER	2
EDEMA, BRISKET/CHEST	2
EFFUSION, PERICARDIAL	2
EFFUSION, PLEURAL	2
ENLARGEMENT(S)	2
ENLARGEMENT(S), SKIN	2
ENTERITIS	2
EOSINOS LO, BLD	2
EPIPHORA	2
GLOSSITIS	2
HAIR, ABN	2
HALLUCINATION	2
HEAD BOBBING	2
HEAD PRESSING	2
HEART FAILURE	2
HORNER'S SYNDROME	2
HYPADRENOCORTICISM	2
INCONTINENCE	2
INFECTION	2

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION	2
LYMPHS HI, BLD	2
MRI SCAN ABN	2
MUCOUS MEMBR, RED	2
NAIL DISORDER	2
NA:K LO, BLD	2
NYSTAGMUS, HORIZONTAL	2
OLIGURIA	2
PAIN, LIMB(S)	2
PAIN, NECK	2
PANCREAS ENZYMES HI, B	2
PARALYSIS, FACIAL NERV	2
PD-POTENCY, LO	2
PR-MESENTERY, LESION(S)	2
PROLAPSE, THIRD EYELID	2
PROLAPSE, TONGUE	2
PR-PANCREAS, LESION(S)	2
PR-PLEURAL EFFUSION	2
PR-TONGUE, LESION(S)	2
RBC, NUCLEATED	2
RBC, POLYCHROM	2
SPLENOMEGALY	2
STIFFNESS, LIMB(S)	2
SWELLING	2
SWELLING, FEET/DIGIT(S)	2
TONGUE, ABN	2
UNPALATABLE, WON'T EAT	2
VESICLE(S)/BULLAE, MOU	2
VISION DISORDER	2
VOLVULUS, STOMACH	2
ABN ODOR, URINE	1
ACIDOSIS	1
ACTH STIM ABN	1
A/G RATIO HI, BLD	1
A/G RATIO LO, BLD	1
ANEMIA, SPHERO	1
ANION GAP HI, BLD	1
APLASIA, BONE MARROW	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE SWELLING	1
ARTHRITIS	1
ATROPHY, TESTICLE(S)	1
BIRTH DEFECT(S)	1
BLADDER, PARALYSIS	1
BLD, ANUS	1
BLD, EYE(S)	1
BLD, VAGINA	1
BONE, ABN	1
BRAIN, NEOPLASM	1
BREATHING, PERIODIC	1
CALCULI, BLADDER	1
CALCULI, KIDNEY	1
CALCULI, URINE	1
CAPILLARY REFILL PROLO	1
CATARACT(S)	1
CAT SCAN ABN	1
CHLORIDE HI, BLD	1
CHOLESTEROL LO, BLD	1
CO2 HI, BLD	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SINUS	1
CONJUNCTIVITIS	1
COPROPHAGIA	1
DEHISCENCE	1
DESTRUCTIVENESS	1
DIGESTION DISORDER	1
DILITATION, ESOPHAGUS	1
DISCHARGE, MOUTH/LIP(S)	1
DISCHARGE, VULVA	1
DISTENTION, BLADDER	1
DRY, SKIN	1
DYSMETRIA	1
EKG, ABN	1
EDEMA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, FEET/DIGIT(S)	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, MULTIPLE SITES	1
EDEMA, VENTRAL	1
EFFUSION	1
EMPHYSEMA, SQ	1
ENCEPHALOPATHY	1
ENLARGEMENT(S), HEAD/F	1
ERUCTATION	1
FEVER, JOINT(S)	1
FIBRINOGEN LO, BLD	1
FIBROSIS	1
FLY BITING	1
GRANULOMA, LICK	1
HAIR, ABN COLOR	1
HEALING IMPAIRED	1
HYPERMOTILITY	1
HYPERSENSITIVE, SOUND	1
HYPERTONIA	1
HYPOPNEA	1
HYPOSMIA	1
ICTERUS, SERUM	1
INCISION SITE, BLD	1
INFARCT	1
INFECTION, FEET/DIGIT(	1
INJ SITE ALOPECIA	1
INJ SITE ULCER(S)	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, PERINEUM	1
IRRITATION, PHARYNX/TH	1
IRRITATION, SKIN	1
JERKING	1
LARYNGITIS	1
LIVER DISORDER, OBSTRU	1
LOCKJAW	1
MASS, ABDOMEN	1
MASS, SKIN	1
MIOSIS	1
MONOS LO, BLD	1
MUCOUS MEMBR, MUDDY	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MYOGLOBIN, URINE	1
NA HI, BLD	1
NECROSIS	1
NEOPLASM, HEART	1
NEOPLASM, LUNG(S)	1
NEOPLASM, LYMPH NODE(S)	1
NEOPLASM, SPLEEN	1
NOCTURIA	1
OBSTRUCTION, INTESTINE	1
OPISTHOTONOS	1
OTITIS	1
PAIN, BACK	1
PAIN, BRISKET/CHEST	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PANCREAS DISORDER	1
PARALYSIS, ALL LIMBS	1
PARESIS, FORE LIMB(S)	1
PAWING	1
PD-CONTAINER(S), DAMAG	1
PD-SUSPENSION, ABN	1
PD-VIAL(S), LEAKING	1
PERFORATION	1
PHOTOPHOBIA	1
PLATELETS ABN	1
P LO, BLD	1
PNEUMONIA, ASPIRATION	1
PR-BLADDER, LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-BRONCHI, LESION(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-ESOPHAGUS, LESION(S)	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, EDEMA	1
PR-LYMPH NODE(S), LESI	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, LESION(S)	1
PROSTATOMEGALY	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PUPIL(S), AREFLEXIA	1
RBC ABN	1
REFLUX, STOMACH	1
REGURGITATION, FOOD	1
RELUCTANT TO CLIMB	1
REPRODUCTION DISORDER	1
RESIDUE, URINE	1
RESPIRATORY DISORDER	1
RETICULOCYTES HI, BLD	1
SEDIMENT, URINE	1
SEPTICEMIA	1
SKIN ABNORMAL	1
SLOUGH, FEET/DIGIT(S)	1
SQUINTING	1
STEATITIS	1
SWELLING, MAMMARY	1
SYNOVIAL FLUID ABN	1
TECH ERROR	1
TEETH, ABN	1
TENESMUS	1
THYROID HORMONE(S) HI	1
TREMBLING, FACE	1
ULCER(S)	1
ULCER(S), CORNEA(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MUCOCUTANEOU	1
UNPALATABLE, WON'T SWA	1
UREMIA	1
VOICE DISORDER	1
VOLVULUS	1
VOMITING, PROJECTILE	1

**DRUG: MELOXICAM**

Species: FERRET

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------



**DRUG: MELOXICAM**

Species: FERRET

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	1
BLD, ABDOMEN	1
BLD, MOUTH/LIP(S)	1
BLD, SKIN	1

**DRUG: MELOXICAM**

Species: GUINEA PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
DEATH	1
DIARRHEA	1
LAMENESS	1
SWELLING, LIMB(S)	1

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
HYPOESTHESIA	1
IRRITATION, PHARYNX/TH	1
IRRITATION, SKIN	1
PAIN, ABDOMEN	1
PRURITIS	1
SWELLING, TONGUE	1
VISION DISORDER	1

**DRUG: MELOXICAM**

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2

**DRUG: MELOXICAM**

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
CONFUSION	1
CONVULSION(S)	1
EYE DISORDER	1
WEIGHT LOSS	1

**DRUG: MELOXICAM**

Species: PARROT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
HEAD BOBBING	1
LIVER ENZYMES HI, BLD	1
REGURGITATION, FOOD	1

**DRUG: MELOXICAM**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MELOXICAM**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	6
ANOREXIA	5
DEPRESSION/LETHARGY	4
DEATH(EUTHANIZED)	3
DIARRHEA	2
BUN HI, BLD	1
CONVULSION(S)	1
CREATININE HI, BLD	1

**DRUG: MELOXICAM**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEFECATION ABN	1
DIARRHEA, MILD	1
DYSPNEA	1
ELIMINATION ABN	1
GI, ABNORMAL	1
GRINDING TEETH	1
HEMATOCHEZIA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
KIDNEY FAILURE	1
PAIN	1
PD-UNDERFILL, VIAL(S)	1
POLYDIPSIA	1
POLYPHAGIA	1
PR-KIDNEY(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
RECUMBENCY	1
SEDATION	1
URINATION	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: MELOXICAM**

Species: TIGER

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEMATOCHEZIA	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CREATININE HI, BLD	281
BUN HI, BLD	280
ANOREXIA	262

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	209
KIDNEY FAILURE	184
VOMITING	182
AZOTEMIA	172
P HI, BLD	126
DEATH	61
DEATH(EUTHANIZED)	61
ANEMIA	59
DEHYDRATION	57
SPEC GRAVITY LO, URINE	52
WEIGHT LOSS	40
K HI, BLD	33
POLYDIPSIA	33
FEVER, BODY	25
DIARRHEA	24
POLYURIA	24
KIDNEY VALUES HI, BLD	21
WBC HI, BLD	21
BLD, URINE	19
INTERACTION, DRUG(S)	19
SGPT/ALT HI, BLD	19
ATAXIA	17
ADIPSIA	16
PROTEIN(TOT) HI, BLD	16
PROTEIN, URINE	15
ANURIA	14
DYSPNEA	14
GLUCOSE HI, BLD	14
HIDING	14
RECUMBENCY	14
HYPERSALIVATION	13
US ABN	13
CONVULSION(S)	12
HYPOTHERMIA, BODY	12
PLATELETS LO, BLD	12
VOCALIZATION	12
PAIN, ABDOMEN	11
PR-KIDNEY(S), LESION(S)	11

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILIRUBIN(TOT) HI, BLD	10
PALLOR, MUCOUS MEMBRAN	10
ANAPHYLAXIS/TOID	8
GLOBULIN HI, BLD	8
INJ SITE ALOPECIA	8
KIDNEY DISORDER	8
RADIOGRAPH(S) ABN	8
STUPOR	8
ULCER(S), MOUTH/LIP(S)	8
VOMITING, BLOODY	8
WEAKNESS	8
ALBUMIN HI, BLD	7
ARREST, HEART	7
DIARRHEA, BLOODY	7
ILL	7
ALBUMIN LO, BLD	6
CONSTIPATION	6
GLUCOSE LO, BLD	6
ALK PHOS HI, BLD	5
APNEA	5
COAGULATION DISORDER	5
COLLAPSE	5
EDEMA, LUNG(S)/TRACHEA	5
HYPOTHERMIA	5
INFLAM, SKIN	5
INJ SITE NECROSIS	5
MELENA	5
TECH ERROR ADMINISTRAT	5
AMYLASE HI, BLD	4
BLD(ECCHYMOSES)	4
BLINDNESS	4
CA HI, BLD	4
ICTERUS, BODY	4
INCISION SITE ABN	4
INJ SITE PAIN	4
INJ SITE SWELLING	4
K LO, BLD	4
LESION(S), SKIN	4

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NA LO, BLD	4
NAUSEA	4
PARESIS, HIND LIMB(S)	4
PERFORATION, GI	4
PR-LIVER, LESION(S)	4
PROTEIN(TOT) LO, BLD	4
PR-SM INTEST, LESION(S)	4
PR-STOMACH, LESION(S)	4
PRURITIS	4
SGOT/AST HI, BLD	4
SNEEZING	4
SWELLING, HEAD/FACE	4
TREMBLING	4
URINATION ABN	4
WBC LO, BLD	4
BLD, INCISION SITE	3
CA LO, BLD	3
CASTS, URINE	3
CPK HI, BLD	3
DEHISCENCE	3
DERMATITIS, MOIST	3
DISCHARGE, NOSE	3
EFFUSION, PLEURAL	3
EOSINOS HI, BLD	3
GGT HI, BLD	3
HYPERPNEA	3
INFECTION, URINARY TRA	3
INJ SITE SLOUGH	3
LAMENESS	3
LIVER ENZYMES HI, BLD	3
LYMPHS LO, BLD	3
MYDRIASIS	3
NERVOUSNESS	3
OLIGURIA	3
PERITONITIS	3
POLYCYTHEMIA	3
PR-LUNG(S), LESION(S)	3
SHOCK	3

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STAGGERING	3
TACHYCARDIA	3
UNCONSCIOUS	3
ACCIDENTAL EXPOSURE	2
ANESTH RECOV PROLONGED	2
ANISOCORIA	2
BEHAVIOR DISORDER	2
BLD, MOUTH/LIP(S)	2
BUN LO, BLD	2
CONFUSION	2
CONGESTION, TONGUE	2
COUGHING	2
CRYSTALS, URINE	2
CYANOSIS	2
DEFECATION	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, INCISION SITE	2
DISCHARGE, MOUTH/LIP(S)	2
DISTENTION, ABDOMEN	2
DISTENTION, BLADDER	2
DISTRESS, RESP	2
DYSURIA	2
EDEMA	2
GLUCOSE, URINE	2
HEAD BOBBING	2
HYPERACTIVITY	2
INFECTION	2
INJ SITE INFLAM	2
INJ SITE MASS	2
LIVER DISORDER	2
LOCOMOTION DISORDER	2
MASS, SKIN	2
NA HI, BLD	2
ODOR, MOUTH	2
PAIN, BACK	2
PAIN, HIND LIMB(S)	2
PALLOR	2
PANCREATITIS	2

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PERFORATION, STOMACH	2
POLYPNEA	2
PRESSURE HI, BLD	2
PR-GI, LESION(S)	2
PR-MULT SITES, BLD	2
PR-SPLEEN, LESION(S)	2
RELUCTANT TO MOVE	2
SKIN, NECROSIS	2
SKIN, SCAB(S)	2
STRANGURIA	2
SWELLING, TONGUE	2
TWITCH	2
ULCER(S), SKIN	2
ULCER(S), STOMACH	2
WBC, URINE	2
ALKALINE URINE	1
ALOPECIA	1
ANEMIA, AUTOIMMUNE HEM	1
BILE ACIDS ABN, BLD	1
BILIRUBIN, URINE	1
BLD	1
BLD, ABDOMEN	1
BLD(HEMATOMA)	1
BLINDNESS, PARTIAL	1
BRADYCARDIA	1
BREATHING ABN	1
CALCULI, BLADDER	1
CALCULI, KIDNEY	1
CARDIOMEGALY	1
CHEMISTRY ABN	1
CHLORIDE HI, BLD	1
CHLORIDE LO, BLD	1
CIRCLING	1
CO2 HI, BLD	1
CONGESTION, EAR(S)	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, NOSE	1



**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, SKIN	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS	1
DEATH(TX FAILURE)	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
DISTRESS	1
ECCHYMOSIS, INCISION SITE	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EFFUSION, PERICARDIAL	1
EFFUSION, PERITONEAL	1
ELIMINATION ABN	1
EMPHYSEMA, SQ	1
ENLARGEMENT, LYMPH NOD	1
EPISTAXIS	1
ERUPTION(S)	1
GAGGING	1
HEAD PRESSING	1
HYPERESTHESIA	1
HYPOMOTILITY	1
ICTERUS	1
INCISION SITE, BLD	1
INCISION SITE, ECCHYMOSIS	1
INCISION SITE INFECTION	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INEFFECT, ANALGESIA	1
INEFFECT, ANTIINFLAM	1
INFECTION, SKIN	1
INJ SITE NEOPLASM	1
INJ SITE PRURITIS	1
INJ SITE STERILE ABSCE	1
INJ SITE STIFFNESS	1
INJ SITE ULCER(S)	1
KETONES, URINE	1
LYMPHS HI, BLD	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MICROORGANISMS, URINE	1
MONOS HI, BLD	1
MURMUR, HEART	1
NEOPLASM	1
NEOPLASM, LIVER	1
NEOPLASM, PANCREAS	1
NEOPLASM, SKIN	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
NYSTAGMUS, VERTICAL	1
OPISTHOTONOS	1
PAIN	1
PANCREAS DISORDER	1
PARESIS	1
PNEUMONIA	1
PR-BLADDER, LESION(S)	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-INTEST, LESION(S)	1
PROLAPSE, THIRD EYELID	1
PR-PANCREAS, LESION(S)	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RETICULOCYTES HI, BLD	1
ROLLING	1
SEGS HI, BLD	1
SEGS LO, BLD	1
SHAKING	1
SKIN ABNORMAL	1
SOMNOLENCE	1
SOUND ABN, RESPIRATORY	1
SPEC GRAVITY HI, URINE	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STRABISMUS	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MAMMARY	1
SWELLING, PHARYNX/THRO	1
TENESMUS	1
TENESMUS, URINARY	1
THROMBUS	1
TONGUE, ABN	1
ULCER(S), GI	1
ULCER(S), TONGUE	1
URINATION	1
VESTIBULAR DISORDER	1
VOMITING, SEVERE	1
VOMITING, UNPRODUCTIVE	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	120
ANOREXIA	82
DEPRESSION/LETHARGY	72
BUN HI, BLD	69
CREATININE HI, BLD	60
DEATH	51
DIARRHEA, BLOODY	51
DIARRHEA	45
ALK PHOS HI, BLD	28
P HI, BLD	26
SGPT/ALT HI, BLD	24
AZOTEMIA	21
DEATH(EUTHANIZED)	21
ANEMIA	20
INTERACTION, DRUG(S)	19
KIDNEY FAILURE	19

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SPEC GRAVITY LO, URINE	19
FEVER, BODY	17
POLYDIPSIA	17
ALBUMIN LO, BLD	15
MELENA	15
PALLOR, MUCOUS MEMBRAN	15
WBC HI, BLD	15
BLD, INCISION SITE	14
WEIGHT LOSS	14
CONVULSION(S)	13
BILIRUBIN(TOT) HI, BLD	12
COLLAPSE	12
HEMATOCHEZIA	12
ANAPHYLAXIS/TOID	11
DEHYDRATION	11
POLYURIA	11
SKIN, NECROSIS	11
VOMITING, BLOODY	11
INJ SITE INFLAM	10
PAIN	10
POLYPNEA	10
BLD, URINE	9
PAIN, ABDOMEN	9
PLATELETS LO, BLD	9
ATAXIA	8
BLD(ECCHYMOSES)	8
COAGULATION DISORDER	8
DYSPNEA	8
INJ SITE SWELLING	8
NERVOUSNESS	8
PRURITIS	8
SWELLING, HEAD/FACE	8
INFLAM, SKIN	7
INJ SITE ABSCESS	7
INJ SITE SLOUGH	7
LAMENESS	7
PERFORATION, GI	7
PROTEIN(TOT) LO, BLD	7

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RADIOGRAPH(S) ABN	7
URTICARIA	7
ANURIA	6
ARREST, HEART	6
CONGESTION, SKIN	6
HYPERACTIVITY	6
INJ SITE ALOPECIA	6
INJ SITE MASS	6
INJ SITE NECROSIS	6
LESION(S), SKIN	6
PERITONITIS	6
POLYCYTHEMIA	6
PROTEIN, URINE	6
SHOCK	6
ULCER(S), GI	6
BLD, ABDOMEN	5
ENLARGEMENT, LYMPH NOD	5
HYPERSALIVATION	5
LIVER ENZYMES HI, BLD	5
PRESSURE LO, BLD	5
SKIN, SCAB(S)	5
SLOUGH, SKIN	5
ULCER(S), SKIN	5
WBC LO, BLD	5
ABN COLOR, URINE	4
APNEA	4
DIARRHEA, MILD	4
ECCHYMOSIS, INCISION SITE	4
EDEMA	4
ERUPTION(S)	4
GLUCOSE LO, BLD	4
HYPOTHERMIA	4
ICTERUS, BODY	4
INCISION SITE, ECCHYMOSIS	4
PANCREATITIS	4
PTT PROLONGED, BLD	4
RECUMBENCY	4
TREMBLING	4

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WBC, URINE	4
AGGRESSION	3
AMYLASE HI, BLD	3
BLD, MOUTH/LIP(S)	3
BUN LO, BLD	3
CONFUSION	3
DIARRHEA, SEVERE	3
DISTENTION, ABDOMEN	3
GGT HI, BLD	3
HIDING	3
HYPOTHERMIA, BODY	3
ILL	3
INJ SITE PAIN	3
KIDNEY DISORDER	3
KIDNEY VALUES HI, BLD	3
K LO, BLD	3
LYMPHS LO, BLD	3
NAUSEA	3
PERFORATION, STOMACH	3
PT PROLONGED, BLD	3
RELUCTANT TO MOVE	3
SEGS HI, BLD	3
SGOT/AST HI, BLD	3
SLOUGH, FEET/DIGIT(S)	3
STUPOR	3
SWELLING	3
TACHYCARDIA	3
ULCER(S), TONGUE	3
VOCALIZATION	3
WEAKNESS	3
ANEMIA, AUTOIMMUNE HEM	2
BILIRUBIN, URINE	2
BLD(HEMATOMA)	2
BLD, LUNG(S)/TRACHEA	2
BLD(PETECHIAE)	2
BLD, THORAX	2
BRADYCARDIA	2
CA HI, BLD	2

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CHEMISTRY ABN	2
CREATININE LO, BLD	2
DEFECATION	2
DEHISCENCE	2
DIC	2
DISCOMFORT	2
DYSURIA	2
EDEMA, NECK	2
EFFUSION, PERITONEAL	2
GASTRITIS	2
GASTROENTERITIS	2
GLUCOSE HI, BLD	2
GLUCOSE, URINE	2
HEPATOMEGALY	2
ICTERUS	2
INCISION SITE ABN	2
INCONTINENCE, URINARY	2
INEFFECT, ANALGESIA	2
INJ SITE ABN	2
INJ SITE EDEMA	2
INJ SITE SEROMA	2
INJ SITE ULCER(S)	2
K HI, BLD	2
LIPASE HI, BLD	2
MONOS HI, BLD	2
NYSTAGMUS	2
PACING	2
PROTEIN(TOT) HI, BLD	2
PR-SKIN, LESION(S)	2
PR-SM INTEST, LESION(S)	2
PRURITIS, FEET/DIGIT(S)	2
RASH	2
SHAKING	2
STIFFNESS	2
STRANGURIA	2
SWELLING, TONGUE	2
ULCER(S), MOUTH/LIP(S)	2
ULCER(S), STOMACH	2

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
URINATION	2
URINATION ABN	2
WBC ABN	2
ADIPSIA	1
ANEMIA, BLD LOSS	1
ANESTH RECOV PROLONGED	1
ANISOCORIA	1
APPREHENSION	1
ARRHYTHMIA	1
ASCITES	1
BANDS HI, BLD	1
BEHAVIOR DISORDER	1
BLD, ANUS	1
BLD, EYE(S)	1
BLD, GI	1
BLD, PASSING	1
BLD, RETINA	1
BLD, SKIN	1
BLINDNESS	1
BLOAT	1
BREATHING, PERIODIC	1
CASTS, URINE	1
CAT SCAN ABN	1
CHLORIDE LO, BLD	1
CO2 HI, BLD	1
COOMBS TEST POS	1
CPK HI, BLD	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS	1
DEFECATION ABN	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, INCISION SITE	1
DISCHARGE, NOSE	1
DISTRESS	1
DYSRHYTHMIA, RESP	1



**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, BRISKET/CHEST	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
EDEMA, VENTRAL	1
EMPHYSEMA, SQ	1
EPISTAXIS	1
EXFOLIATION, SKIN	1
EYE DISORDER	1
FERTILITY, REDUCED	1
FLY BITING	1
GLOSSITIS	1
HYPERPIGMENTATION, SKI	1
INCISION SITE, BLD	1
INFECTION, SKIN	1
INFECTION, URINARY TRA	1
INJ SITE EFFUSION	1
INJ SITE FIBROSIS	1
INJ SITE INFECT	1
INJ SITE PHLEBITIS	1
INJ SITE STIFFNESS	1
KETONES, URINE	1
LARYNGOSPASM	1
LICKING, FEET/DIGIT(S)	1
LIVER FAILURE	1
MICROORANISMS, URINE	1
MONOS LO, BLD	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, RED	1
MYDRIASIS	1
NA LO, BLD	1
NECROSIS	1
ODOR, MOUTH	1
OTITIS	1
PAIN, BACK	1
PALLOR	1
POLYCYTHEMIA(RELATIVE)	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYPHAGIA	1
PR-BRAIN, LESION(S)	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-MULT SITES, BLD	1
PROSTATOMEGALY	1
PR-PERITONEAL EFFUSION	1
PR-PERITONEUM, LESION(	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
RESPIRATORY DISORDER	1
RETINA ABN	1
SCALE(S), SKIN	1
SEDATION PROLONGED	1
SEGS LO, BLD	1
SKIN, CRUST(S)	1
SLOUGH, TONGUE	1
SNEEZING	1
SOMNOLENCE	1
SORE(S)	1
SPASM	1
SPLENOMEGALY	1
STUMBLING	1
SWELLING, EAR(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
TACHYCARDIA, VENTRICUL	1
TENESMUS, RECTAL	1
THRASHING/PADDLING	1
THYROID HORMONE(S) LO	1
TONGUE, ABN	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MUCOCUTANEOU	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ULCER(S), PYLORUS	1
US ABN	1
VASCULITIS	1
VOMITING, UNPRODUCTIVE	1
WHEEZING	1

**DRUG: MELOXICAM**

Species: FERRET

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MELENA	1

**DRUG: MELOXICAM**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMENESS	1

**DRUG: MELOXICAM**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
ALK PHOS HI, BLD	1
BUN LO, BLD	1
CA HI, BLD	1
CHOLESTEROL HI, BLD	1
CREATININE HI, BLD	1
CREATININE LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
SGPT/ALT HI, BLD	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
CONVULSION(S)	1

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRURITIS	4
CONGESTION, SKIN	3
BLEPHAROSPASM	1
CREATININE HI, BLD	1
DIZZINESS	1
HEALING IMPAIRED	1
HUMAN EXPOSURE, EYE(S)	1
HUMAN EXPOSURE, HEAD/F	1
HYPOESTHESIA	1
ILL	1
INFLAM, SKIN	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
PARAESTHESIA	1
PHOTOPHOBIA	1
RASH	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SLOUGH, SKIN	1
SPASM	1
SWELLING	1
SWELLING, MOUTH/LIP(S)	1
TASTE ABNORMALITY	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	9
DEPRESSION/LETHARGY	7
CREATININE HI, BLD	6
DEATH	6
BUN HI, BLD	5
KIDNEY FAILURE	5
VOMITING	5
AZOTEMIA	3
ATAXIA	2
DEATH(EUTHANIZED)	2
KIDNEY DISORDER	2
KIDNEY VALUES HI, BLD	2
POLYDIPSIA	2
SPEC GRAVITY LO, URINE	2
WEIGHT LOSS	2
BILIRUBIN(TOT) HI, BLD	1
BLD(PETECHIAE)	1
CA HI, BLD	1
CONFUSION	1
DEHYDRATION	1
DIARRHEA	1
DISTENTION, BLADDER	1
EPISTAXIS	1
GALL BLADDER, ABN	1
GLUCOSE HI, BLD	1
HEPATITIS	1
HYPERACTIVITY	1
ICTERUS, BODY	1
INFECTION, URINARY TRA	1
LIVER ENZYMES HI, BLD	1
MELENA	1
NERVOUSNESS	1
PANCREATITIS	1
POLYURIA	1
PROTEIN(TOT) HI, BLD	1
US ABN	1
US-LIVER ABN	1
WBC HI, BLD	1

**DRUG: MELOXICAM**

Species: CAT

Route of Administration: UNKNOWN

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	9
ANOREXIA	7
DEPRESSION/LETHARGY	7
DEATH(EUTHANIZED)	5
DIARRHEA	3
FEVER, BODY	3
ANAPHYLAXIS/TOID	2
BUN HI, BLD	2
CREATININE HI, BLD	2
DIARRHEA, BLOODY	2
DISTENTION, ABDOMEN	2
DYSPNEA	2
EPISTAXIS	2
ULCER(S), GI	2
VOMITING, BLOODY	2
ADIPSIA	1
ANURIA	1
APPREHENSION	1
ATAXIA	1
BLD, GI	1
BLD, LUNG(S)/TRACHEA	1
BLD, URINE	1
BONE, ABN	1
BORBORYGMI	1
CA LO, BLD	1
CHLORIDE LO, BLD	1
CONFUSION	1
CONSTIPATION	1
DEATH	1
DEHYDRATION	1
EDEMA, LIMB(S)	1
GLUCOSE HI, BLD	1
HYPERACTIVITY	1
INTERACTION, DRUG(S)	1

**DRUG: MELOXICAM**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
K HI, BLD	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LIVER ENZYMES HI, BLD	1
NA LO, BLD	1
NERVOUSNESS	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PERFORATION, GI	1
PERFORATION, STOMACH	1
PERITONITIS	1
P HI, BLD	1
PLATELETS LO, BLD	1
SWELLING, HEAD/FACE	1
TREMBLING	1
ULCER(S), STOMACH	1
VESTIBULAR DISORDER	1
WEIGHT LOSS	1

**DRUG: MELOXICAM**

Species: PARROT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HALLUCINATION	1
HOT FLUSH	1
PAIN	1
VOCALIZATION	1
VOMITING	1

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
HEADACHE	1

**DRUG: MELOXICAM**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
NAUSEA	1
PAIN, ABDOMEN	1
PARESTHESIA	1
PD-SYRINGE, ABN	1
TONGUE, ABN	1

**DRUG: MELOXICAM**

Species: PIG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANOREXIA	1
FEVER, BODY	1
TECH ERROR ADMINISTRAT	1
WBC HI, BLD	1

**DRUG: MEPIVACAINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	1

**DRUG: MEPIVACAINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	1

**DRUG: MEPIVACAINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: MEPIVACAINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MEPIVACAINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
BRADYCARDIA	1
COLLAPSE	1
DEATH(EUTHANIZED)	1
ERYTHEMA MULTIFORME	1
PAIN	1
POLYPNEA	1

**DRUG: MEPIVACAINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMENESS	3
SWELLING, JOINT(S)	3
INEFFECT, ANALGESIA	2
SEDATION	2
SYNOVITIS	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
BRADYCARDIA	1
COLLAPSE	1
DEATH	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
FEVER, JOINT(S)	1
HYPOMOTILITY	1
HYPOTHERMIA	1
INEFFECT, ANESTHESIA	1
IRRITATION	1

**DRUG: MEPIVACAINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, JOINT(S)	1
PARESIS, HIND LIMB(S)	1
PD-POTENCY, LO	1
POLYURIA	1
POSTURE ABN	1
PR-JOINT(S), SEPSIS	1
RESPIRATORY DISORDER	1
URTICARIA	1

**DRUG: MEPIVACAINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANOREXIA	1
CONFUSION	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
POLYDIPSIA	1
SGPT/ALT HI, BLD	1
TENESMUS, URINARY	1
VOMITING	1

**DRUG: MEPIVACAINE**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	2
INEFFECT	1
PD-CAP(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-ODOR, ABN	1
PD-TUBE(S), LEAKING	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
CONVULSION(S)	1
VOMITING	1
VOMITING, BLOODY	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
APPLICATION SITE PAIN	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: OPHTHALMIC

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	7
CONGESTION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	2
SWELLING, EYE(S)/LID(S)	1
VISION DISORDER	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	5
VOMITING	4
ACCIDENTAL EXPOSURE	2
ANOREXIA	2
COUGHING	2
DEATH	2
EDEMA, HEAD/FACE	2
CONFUSION	1
CONGESTION, SKIN	1
FLATULENCE	1
GLUCOSE LO, BLD	1
HIDING	1
HYPOESTHESIA	1
INEFFECT	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
PRURITIS	1
SNEEZING	1
UNKNOWN	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	2
ACCIDENTAL EXPOSURE	1
ANOREXIA	1
BEHAVIOR DISORDER	1
FLATULENCE	1
HUMAN EXPOSURE, INGEST	1
HYPERSALIVATION	1
NO SIGNS	1
PAIN, ABDOMEN	1
SHAKING	1
TASTE ABNORMALITY	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
NO SIGNS	1
VOMITING	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	14
VOMITING	11
CONGESTION, SKIN	7
ANOREXIA	6
ATAXIA	5
WEAKNESS	5
APPLICATION SITE PAIN	4
APPLICATION SITE LESION(S)	3
INFLAM, SKIN	3

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN	3
PRURITIS	3
AGGRESSION	2
CIRCLING	2
COLLAPSE	2
DEATH	2
INEFFECT	2
LESION(S), SKIN	2
RASH	2
TREMBLING	2
ANAPHYLAXIS/TOID	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE EDEMA	1
BLINDNESS	1
CONVULSION(S)	1
DERMATITIS, MOIST	1
DIARRHEA	1
DISCHARGE, EYE(S)/LID(S)	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
EDEMA, PHARYNX	1
ELECTROLYTE DISORDER	1
EPIPHORA	1
ERUPTION(S)	1
FEVER, BODY	1
HIDING	1
HYPERPNEA	1
HYPERSALIVATION	1
INEFFECT, ANTIINFLAM	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
LOCOMOTION DISORDER	1
POLYDIPSIA	1
POLYURIA	1
PRURITIS, EYE(S)	1
RELUCTANT TO MOVE	1
SKIN ABNORMAL	1
SKIN, SCAB(S)	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SLOUGH, SKIN	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TWITCH	1
URTICARIA	1
VESICLE(S)/BULLAE, SKI	1
VOCALIZATION	1
WEIGHT LOSS	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
PRURITIS	2
RASH	2
HEADACHE	1
ILL	1
INFLAM, SKIN	1
IRRITATION, MOUTH/LIP(	1
PAIN, HEAD/FACE	1
PARESTHESIA	1
SKIN ABNORMAL	1
SWEATING	1
VOCALIZATION	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
INEFFECT	2
ANOREXIA	1
CONVULSION(S)	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
LAMENESS	1
MYDRIASIS	1
NYSTAGMUS	1
VOCALIZATION	1
VOMITING	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
RASH	2
CONGESTION, EYE(S)/LID	1
COUGHING	1
GAGGING	1
ODOR	1
PRURITIS	1
REACTION, UNSPECIFIED	1
TASTE ABNORMALITY	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
INEFFECT, ANTIINFLAM	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: DOG

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	3
DEPRESSION/LETHARGY	2
CIRCLING	1
DEATH	1
DIARRHEA, BLOODY	1
DIARRHEA, MUCOID	1
DISCHARGE, EYE(S)/LID(S)	1
DYSPNEA	1
FLATULENCE	1
HEAD TILT	1
HYPOPNEA	1
LICKING	1
MELENA	1
NYSTAGMUS	1
SHAKING	1
SQUINTING	1

**DRUG: MERCAPTOBENZOTHIAZOLE**

Species: HUMAN

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
GAGGING	1

**DRUG: MERCURIC CHLORIDE**

Species: HORSE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	1
ATAXIA	1
DEATH(EUTHANIZED)	1
DEMENTIA	1
HYPERACTIVITY	1
MELENA	1
PR-KIDNEY(S), LESION(S)	1
TOX	1

**DRUG: MERCURIC CHLORIDE**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
WEAKNESS	1

**DRUG: MEROPENEM**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ALOPECIA	1

**DRUG: METHIMAZOLE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	16
VOMITING	14
DEPRESSION/LETHARGY	13
ANEMIA	8
DEATH	6
PRURITIS	6
WEIGHT LOSS	6
DEATH(EUTHANIZED)	5
INEFFECT	4
DIARRHEA	3
PLATELETS LO, BLD	3
SGPT/ALT HI, BLD	3
ALK PHOS HI, BLD	2
ALOPECIA	2
COAGULATION DISORDER	2
CONGESTION, SKIN	2
EPISTAXIS	2
LIVER FAILURE	2
NAUSEA	2
NERVOUSNESS	2
PROTEIN(TOT) HI, BLD	2
REACTION, UNSPECIFIED	2
RECUMBENCY	2

**DRUG: METHIMAZOLE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALBUMIN LO, BLD	1
ATAXIA	1
BLD(HEMATOMA)	1
BLD, MOUTH/LIP(S)	1
BUN HI, BLD	1
CONSTIPATION	1
DIARRHEA, BLOODY	1
DISCHARGE, NOSE	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
GASTROENTERITIS	1
GLOBULIN HI, BLD	1
GLUCOSE LO, BLD	1
HEART FAILURE	1
HIDING	1
HYPERACTIVITY	1
HYPERSALIVATION	1
INFLAM, SKIN	1
IRRITATION, SKIN	1
LESION(S), SKIN	1
LICKING	1
LYMPHS LO, BLD	1
MYDRIASIS	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PRURITIS, EAR(S)	1
PTT PROLONGED, BLD	1
SEGS LO, BLD	1
SKIN, SCAB(S)	1
THYROID HORMONE(S) HI	1
THYROID HORMONE(S) LO	1
TREMBLING	1
VOCALIZATION	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1
WBC LO, BLD	1

**DRUG: METHIMAZOLE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
CHEMISTRY ABN	1
DEPRESSION/LETHARGY	1
HEPATOMEGALY	1
ICTERUS, BODY	1
LIVER ENZYMES HI, BLD	1
SKIN, CRUST(S)	1
SPLENOMEGALY	1

**DRUG: METHIONINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CALCULI, BLADDER	1

**DRUG: METHOCARBAMOL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SOLUTION, ABN	38
PD-VIAL(S), DAMAGED	4
PD-COLOR, ABN	3
PD-MISSING, CAP	3
PD-SEAL, ABN	3
PD-VIAL(S), LEAKING	3
PD-SUSPENSION, ABN	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-MISSING, LABEL(S)	1
PD-PRODUCT DEFECT	1
PD-VIAL(S), ABN	1

**DRUG: METHOCARBAMOL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	2
ATAXIA	2
DEPRESSION/LETHARGY	2
UNCONSCIOUS	2
ABN COLOR, URINE	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
BILIRUBIN(TOT) HI, BLD	1
CPK HI, BLD	1
DEATH	1
DERMATITIS, MOIST	1
HEALING IMPAIRED	1
HYPERACTIVITY	1
HYPERSALIVATION	1
INEFFECT	1
INFECTION, SKIN	1
LIVER ENZYMES HI, BLD	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS, ROTARY	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
PROPRIOCEPTIVE DISORDE	1
SGPT/ALT HI, BLD	1
SHAKING	1
STRABISMUS	1
STUPOR	1
TOX	1
URTICARIA	1
WBC HI, BLD	1

**DRUG: METHOCARBAMOL**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPOPNEA	1
RECUMBENCY	1
SEDATION	1

**DRUG: METHOCARBAMOL**

Species: CAT

Route of Administration: PARENTERAL

**DRUG: METHOCARBAMOL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
DEATH(EUTHANIZED)	1
EDEMA	1
EDEMA, BRISKET/CHEST	1
INJ SITE SWELLING	1
SWELLING	1

**DRUG: METHOCARBAMOL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
EDEMA, LIMB(S)	1
INJ SITE SWELLING	1

**DRUG: METHOXYFLURANE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-MISSING, LABEL(S)	1
PD-SEAL, ABN	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: METHOXYFLURANE**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	7
INEFFECT, ANESTHESIA	5

**DRUG: METHOXYFLURANE**

Species: DOG

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANESTH RECOV PROLONGED	2
APNEA	2
ARREST, HEART	2
VOMITING	2
ANESTH TOO DEEP	1
BILIRUBIN, URINE	1
BLD	1
BLD, URINE	1
BLOAT	1
CONFUSION	1
CONVULSION(S)	1
CYANOSIS	1
DEPRESSION/LETHARGY	1
HALLUCINATION	1
HEAD PRESSING	1
ICTERUS, BODY	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
THRASHING/PADDLING	1
UNCONSCIOUS	1

**DRUG: METHOXYFLURANE**

Species: HUMAN

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
BIRTH DEFECT(S)	1
DISCHARGE, NOSE	1
DIZZINESS	1
HEADACHE	1
HUMAN EXPOSURE	1
PAIN, HEAD/FACE	1
PARESTHESIA	1
URTICARIA	1

**DRUG: METHOXYFLURANE**

Species: MOUSE

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1

**DRUG: METHOXYFLURANE**

Species: UNKNOWN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: METHOXYFLURANE**

Species: VARIOUS

Route of Administration: INHALATION

Sign:	Number of Times Reported:
APNEA	1

**DRUG: METHOXYPROPYL CYANOACRYALTE MONOMER**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INFECTION, FEET/DIGIT(	1
SWELLING, FEET/DIGIT(S	1

**DRUG: METHYLPREDNISOLONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	11
PD-SOLUTION, ABN	5
PD-VIAL(S), DAMAGED	4
PD-VIAL(S), LEAKING	3
PD-UNDERFILL, PACKAGE	2
PD-SEAL, ABN	1
PD-TABLET(S), ABN	1



**DRUG: METHYLPREDNISOLONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	5
VOMITING	5
DIABETES MELLITUS	4
DEATH	3
DEPRESSION/LETHARGY	3
DYSPNEA	3
GLUCOSE HI, BLD	3
ALOPECIA	2
ATAXIA	2
HYPERSALIVATION	2
INEFFECT, ANTIINFLAM	2
POLYDIPSIA	2
ANEMIA	1
ARREST, HEART	1
BUN HI, BLD	1
CA LO, BLD	1
CONVULSION(S)	1
COUGHING	1
CPK HI, BLD	1
CREATININE HI, BLD	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
GLUCOSE, URINE	1
HEART FAILURE	1
HEPATOMEGALY	1
INJ SITE HAIR, ABN	1
INJ SITE PAIN	1
KETONES, URINE	1
KETOSIS	1
K LO, BLD	1
NEOPLASM	1
PANCREATITIS	1
PARALYSIS	1
PARESIS, HIND LIMB(S)	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
POLYPNEA	1
POLYURIA	1
PR-LIVER, LESION(S)	1
PRURITIS	1
SGPT/ALT HI, BLD	1
SPEC GRAVITY LO, URINE	1
STAGGERING	1
VOCALIZATION	1
WBC LO, BLD	1
WEIGHT LOSS	1
WHEEZING	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	2
SGPT/ALT HI, BLD	2
ANOREXIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
DEPRESSION/LETHARGY	1
EPISTAXIS	1
GLUCOSE HI, BLD	1
SPEC GRAVITY LO, URINE	1
ULCER(S), MOUTH/LIP(S)	1
VOMITING	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ANOREXIA	2
ATAXIA	2

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
STAGGERING	2

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	3
DYSPNEA	2
HYPERSALIVATION	2
ATAXIA	1
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIABETES MELLITUS	1
EDEMA, LUNG(S)/TRACHEA	1
HEART FAILURE	1
MYDRIASIS	1
RECUMBENCY	1
STEATITIS	1
WEIGHT LOSS	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
ANOREXIA	4
DIARRHEA	4
DEATH(EUTHANIZED)	3
DEPRESSION/LETHARGY	3
INEFFECT, ANTIINFLAM	3
MELENA	3
SGPT/ALT HI, BLD	3

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ADIPSIA	2
ALK PHOS HI, BLD	2
DIARRHEA, BLOODY	2
FEVER, BODY	2
LIVER ENZYMES HI, BLD	2
PANCREATITIS	2
PLATELETS LO, BLD	2
WEAKNESS	2
ALOPECIA	1
ANEMIA, AUTOIMMUNE HEM	1
ATAXIA	1
BEHAVIOR DISORDER	1
BILE ACIDS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLD(ECCHYMOSES)	1
BUN HI, BLD	1
CATARACT(S)	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH	1
DIABETES MELLITUS	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
DYSPNEA	1
ENDOCRINE DISORDER	1
GLUCOSE LO, BLD	1
ICTERUS, BODY	1
INJ SITE ABSCESS	1
INJ SITE MASS	1
LESION(S), SKIN	1
MASS, ABDOMEN	1
OTITIS	1
PALLOR, MUCOUS MEMBRAN	1
PANCREAS ENZYMES HI, B	1
PLATELETS HI, BLD	1
POLYCYTHEMIA	1
POLYDIPSIA	1
POLYPHAGIA	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYPNEA	1
PRURITIS	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), SKIN	1
WEIGHT LOSS	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	41
ANOREXIA	30
DEATH	29
GLUCOSE HI, BLD	24
VOMITING	24
DYSPNEA	22
POLYDIPSIA	22
POLYURIA	18
INJ SITE MASS	16
WEIGHT LOSS	16
ATAXIA	15
DIABETES MELLITUS	15
INEFFECT, ANTIINFLAM	13
FEVER, BODY	12
GLUCOSE, URINE	11
INJ SITE SWELLING	10
EDEMA, LUNG(S)/TRACHEA	9
RADIOGRAPH(S) ABN	9
DEATH(EUTHANIZED)	8
DIARRHEA	8
DISTRESS, RESP	8
DEHYDRATION	7
WBC HI, BLD	7
ANEMIA	6
HYPERSALIVATION	6
INJ SITE ABSCESS	6

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MYDRIASIS	6
PALLOR, MUCOUS MEMBRAN	6
SGPT/ALT HI, BLD	6
BUN HI, BLD	5
CONVULSION(S)	5
HIDING	5
POLYPHAGIA	5
PRURITIS	5
VOCALIZATION	5
ALOPECIA	4
ANAPHYLAXIS/TOID	4
BEHAVIOR DISORDER	4
CONFUSION	4
CONGESTION, LUNG(S)	4
HYPERPNEA	4
INEFFECT	4
INJ SITE INFLAM	4
INJ SITE NEOPLASM	4
NERVOUSNESS	4
PAIN	4
POLYPNEA	4
ALK PHOS HI, BLD	3
CYANOSIS	3
HYPERACTIVITY	3
LYMPHS LO, BLD	3
MURMUR, HEART	3
NYSTAGMUS	3
PAIN, ABDOMEN	3
PANCREATITIS	3
PLATELETS LO, BLD	3
RECUMBENCY	3
SEGS HI, BLD	3
URINATION ABN	3
WEAKNESS	3
APPLICATION SITE ALOPECIA	2
APPREHENSION	2
BALANCE DISORDER	2
BILIRUBIN(TOT) HI, BLD	2

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, URINE	2
CARDIOMEGALY	2
COLLAPSE	2
CULTURE/TITER DATA ABN	2
DIARRHEA, BLOODY	2
EFFUSION, PLEURAL	2
HYPERESTHESIA	2
HYPOTHERMIA	2
HYPOTHERMIA, BODY	2
ICTERUS, BODY	2
INJ SITE ABN	2
INJ SITE INFECT	2
INJ SITE STERILE ABSCE	2
KIDNEY DISORDER	2
LESION(S), SKIN	2
LICKING	2
PR-INJ SITE, LESION(S)	2
PR-KIDNEY(S), LESION(S)	2
PR-LUNG(S), LESION(S)	2
PROTEIN, URINE	2
RETINA ABN	2
SGOT/AST HI, BLD	2
SNEEZING	2
TREMBLING	2
US ABN	2
VESTIBULAR DISORDER	2
VOMITING, BLOODY	2
WBC LO, BLD	2
WHEEZING	2
ABSCCESS, SKIN	1
AGGRESSION	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ANISOCORIA	1
APNEA	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE LESION(S)	1
ARREST, HEART	1
BITING/CHEWING	1
BLD(ECCHYMOSES)	1
BLINDNESS	1
BREATHING, DIFFICULT	1
BRONCHITIS	1
BUN LO, BLD	1
CA HI, BLD	1
CHEMISTRY ABN	1
CHOLESTEROL HI, BLD	1
CIRCLING	1
CONJUNCTIVITIS	1
CREATININE HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS	1
DERMATITIS, MOIST	1
DIABETES	1
DIARRHEA, MILD	1
DIC	1
DIFFICULTY RISING	1
DISCHARGE, EAR(S)	1
DISCHARGE, NOSE	1
DYSPHAGIA	1
EDEMA, LIMB(S)	1
EFFUSION, PERICARDIAL	1
EFFUSION, PERITONEAL	1
ELIMINATION ABN	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS HI, BLD	1
EPISTAXIS	1
EYE DISORDER	1
GASTROENTERITIS	1
GINGIVITIS	1
GLOBULIN HI, BLD	1
GRANULOMA	1
HAIR, ABN	1
HEAD TILT	1



**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEART DISORDER	1
HEART FAILURE	1
ICTERUS	1
INEFFECT, ATOPY CONTROL	1
INFECTION, URINARY TRA	1
INFLAM	1
INFLAM, SKIN	1
INJ SITE ALOPECIA	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE EFFUSION	1
INJ SITE FIBROSIS	1
INJ SITE NECROSIS	1
INJ SITE PRURITIS	1
INJ SITE ULCER(S)	1
INTERACTION, DRUG(S)	1
KETONES, URINE	1
KIDNEY VALUES HI, BLD	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
MASS	1
MUCOUS MEMBR, ABN COLO	1
NA LO, BLD	1
NECK, VENTROFLEXION	1
NEOPLASM, HEART	1
NEUROLOGICAL DISORDER	1
PACING	1
PALLOR	1
PD-VIAL(S), ABN	1
PERITONITIS	1
PNEUMONIA	1
PR-BLD VESSEL(S), LESI	1
PRESSURE HI, BLD	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE, THIRD EYELID	1
PROTEIN(TOT) HI, BLD	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROTEIN(TOT) LO, BLD	1
PROTRUSION, EYE(S)	1
PR-PERITONEAL EFFUSION	1
PR-PERITONEUM, LESION(	1
PR-PLEURAL EFFUSION	1
PR-PLEURA, LESION(S)	1
PR-STOMACH, LESION(S)	1
PUPIL(S), AREFLEXIA	1
SEBORRHEA	1
SEGS LO, BLD	1
SHAKING	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SKIN, SCAB(S)	1
SLEEP ABN	1
SLOUGH, SKIN	1
SPEC GRAVITY LO, URINE	1
SPLENOMEGALY	1
STUPOR	1
SWELLING, EYE(S)/LID(S)	1
TACHYCARDIA	1
TONGUE, ABN	1
TWITCH	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
URINE ABN	1
UVEITIS	1
WEIGHT INCREASE	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	16
VOMITING	16

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	13
ANAPHYLAXIS/TOID	13
ANOREXIA	12
DEATH	11
INEFFECT, ANTIINFLAM	10
SGPT/ALT HI, BLD	10
POLYDIPSIA	7
COLLAPSE	6
DEATH(EUTHANIZED)	6
ATAXIA	5
BUN HI, BLD	5
CONFUSION	5
DYSPNEA	5
ANEMIA	4
CHOLESTEROL HI, BLD	4
CONGESTION, SKIN	4
GLUCOSE HI, BLD	4
INEFFECT	4
NERVOUSNESS	4
POLYURIA	4
SHOCK	4
VOMITING, BLOODY	4
WBC HI, BLD	4
WEAKNESS	4
BRADYCARDIA	3
CONVULSION(S)	3
DIARRHEA	3
GGT HI, BLD	3
INFLAM, SKIN	3
INJ SITE ALOPECIA	3
PALLOR, MUCOUS MEMBRAN	3
PANCREATITIS	3
P HI, BLD	3
POLYPNEA	3
TACHYCARDIA	3
ADIPSIA	2
BEHAVIOR DISORDER	2
BILIRUBIN(TOT) HI, BLD	2

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CREATININE HI, BLD	2
DIABETES MELLITUS	2
DIARRHEA, BLOODY	2
DIARRHEA, MILD	2
FEVER, BODY	2
HYPERACTIVITY	2
HYPOPNEA	2
ILL	2
LIVER ENZYMES HI, BLD	2
MELENA	2
PALLOR	2
PR-LIVER, LESION(S)	2
PR-SPLEEN, LESION(S)	2
PRURITIS	2
SWELLING, HEAD/FACE	2
URINATION	2
URTICARIA	2
WEIGHT LOSS	2
AGGRESSION	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
ALOPECIA	1
AMYLASE HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANUS, PARALYSIS	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
ASCITES	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BLD	1
BLD(HEMATOMA)	1
BLD, PASSING	1
BLD(PETECHIAE)	1
BLD, URINE	1
BLINDNESS	1
CA HI, BLD	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CATARACT(S)	1
COAGULATION DISORDER	1
CYANOSIS	1
DEFECATION	1
DERMATITIS, MOIST	1
DISCOMFORT	1
DISTRESS, RESP	1
EDEMA	1
EDEMA, FEET/DIGIT(S)	1
FERTILITY, LACK OF	1
GLOBULIN LO, BLD	1
HAIR, ABN	1
HEAD TILT	1
HIDING	1
HYPERPNEA	1
HYPERSALIVATION	1
INEFFECT, ATOPY CONTROL	1
INJ SITE ABN	1
INJ SITE ABSCESS	1
INJ SITE BLD	1
INJ SITE INDURATION	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
KETONES, URINE	1
KETOSIS	1
K HI, BLD	1
KIDNEY FAILURE	1
LEUKODERMA	1
LIPASE HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
PARALYSIS	1
PARESIS	1
PD-POTENCY, LO	1
PLATELETS HI, BLD	1
POLYPHAGIA	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-COLON, LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
PR-SM INTEST, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PRURITIS, EAR(S)	1
RASH	1
RECUMBENCY	1
SHAKING	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SOMNOLENCE	1
SOUND ABN, RESPIRATORY	1
SPERM ABN	1
SPLENOMEGALY	1
STAGGERING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MAMMARY	1
TECH ERROR ADMINISTRAT	1
THYROID HORMONE(S) LO	1
TREMBLING	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), SKIN	1
UVEITIS	1
VESTIBULAR DISORDER	1
VISION DISORDER	1

**DRUG: METHYLPREDNISOLONE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EFFUSION, JOINT(S)	9
SWELLING, JOINT(S)	9
SYNOVITIS	8
INJ SITE PAIN	7
ARTHRITIS	5

**DRUG: METHYLPREDNISOLONE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFECTION, JOINT(S)	5
LAMENESS	5
DEATH	4
INJ SITE SWELLING	4
PAIN, JOINT(S)	4
COLLAPSE	3
INJ SITE INFLAM	3
ANAPHYLAXIS/TOID	2
DISTRESS, RESP	2
PD-SUSPENSION, ABN	2
WBC HI, SYNOVIAL FLUID	2
DEATH(EUTHANIZED)	1
EDEMA, LIMB(S)	1
FEVER, JOINT(S)	1
GGT HI, BLD	1
JOINT DISORDER	1
LAMINITIS	1
PAIN	1
PAIN, FEET/DIGIT(S)	1
SGOT/AST HI, BLD	1
SYNOVIAL FLUID ABN	1
THRASHING/PADDLING	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: SUPPOSITORY

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
DEATH(EUTHANIZED)	1
EFFUSION, PLEURAL	1
HEART FAILURE	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: UNKNOWN

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	15
DEATH	9
VOMITING	9
DEPRESSION/LETHARGY	7
DYSPNEA	5
DIABETES MELLITUS	4
EDEMA, LUNG(S)/TRACHEA	4
WEIGHT LOSS	4
DEATH(EUTHANIZED)	3
FEVER, BODY	3
INEFFECT	3
INJ SITE MASS	3
POLYDIPSIA	3
BUN HI, BLD	2
CONVULSION(S)	2
GLUCOSE HI, BLD	2
HYPERSALIVATION	2
INEFFECT, ANTIINFLAM	2
INJ SITE NEOPLASM	2
POLYURIA	2
PR-INJ SITE, LESION(S)	2
PROTEIN, URINE	2
RECUMBENCY	2
SGPT/ALT HI, BLD	2
WBC HI, BLD	2
AGGRESSION	1
ALOPECIA	1
ATAXIA	1
AZOTEMIA	1
BILIRUBIN, URINE	1
BLD, URINE	1
BLINDNESS	1
CA HI, BLD	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
CONGESTION, SINUS	1
CONGESTION, SKIN	1
CREATININE HI, BLD	1



**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
CRYSTALS, URINE	1
DISCHARGE, NOSE	1
EFFUSION, PLEURAL	1
FROTH, MOUTH/LIP(S)	1
HEART FAILURE	1
HYPERACTIVITY	1
HYPOTHERMIA	1
INEFFECT, ATOPY CONTROL	1
INEFFECT, LOSS OF EFFE	1
INJ SITE EDEMA	1
INJ SITE NECROSIS	1
INJ SITE SLOUGH	1
INTERACTION, DRUG(S)	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
K LO, BLD	1
LIVER DISORDER	1
LOCOMOTION DISORDER	1
LOSS OF CONDITION	1
MUCOUS MEMBR, MUDDY	1
MYDRIASIS	1
NEOPLASM	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PR-SKIN, LESION(S)	1
PRURITIS	1
PUPIL(S), AREFLEXIA	1
RADIOGRAPH(S) ABN	1
SKIN, NECROSIS	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
STUPOR	1
TACHYCARDIA	1
US ABN	1
WBC, URINE	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	4
DEATH	3
INEFFECT	3
INEFFECT, ANTIINFLAM	3
FLATULENCE	2
ABN COLOR, URINE	1
ALK PHOS HI, BLD	1
APNEA	1
ARREST, HEART	1
ATAXIA	1
ATROPHY, MUSCLE(S)	1
BLOAT	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DYSYPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT, LOSS OF EFFE	1
INFECTION, SKIN	1
INFECTION, URINARY TRA	1
INFLAM, SKIN	1
INJ SITE PAIN	1
PANCREATITIS	1
PAPULE(S)	1
PD-POTENCY, LO	1
POLYDIPSIA	1
POLYPHAGIA	1
PRURITIS	1
RESPIRATORY DISORDER	1
SGPT/ALT HI, BLD	1
UNCONSCIOUS	1
URTICARIA	1
VOMITING	1
WEIGHT INCREASE	1

**DRUG: METHYLPREDNISOLONE**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	2
ANAPHYLAXIS/TOID	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1
HEART FAILURE	1
INJ SITE MASS	1
MYDRIASIS	1

**DRUG: METHYLPREDNISOLONE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANTIINFLAM	1

**DRUG: METHYLSULFONYLMETHANE (MSM OR DIMETHYL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	1
PD-ODOR, ABN	1

**DRUG: METOCLOPRAMIDE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HYPERACTIVITY	1
NERVOUSNESS	1

**DRUG: METOCLOPRAMIDE**

Species: DOG

Route of Administration: PARENTERAL

**DRUG: METOCLOPRAMIDE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1

**DRUG: METOCLOPRAMIDE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
FROTH, MOUTH/LIP(S)	1
POLYPNEA	1
THRASHING/PADDLING	1

**DRUG: METRONIDAZOLE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1

**DRUG: METRONIDAZOLE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
REGURGITATION	2
VOMITING	2
ALK PHOS HI, BLD	1
ANOREXIA	1
BILIRUBIN(TOT) HI, BLD	1
HIDING	1
HYPERSALIVATION	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1

**DRUG: METRONIDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONVULSION(S)	8
ATAXIA	6
WEAKNESS	4
NYSTAGMUS	3
COLLAPSE	2
CONFUSION	2
DEATH	2
HYPERSALIVATION	2
NYSTAGMUS, VERTICAL	2
PARESIS, HIND LIMB(S)	2
RECUMBENCY	2
SPASM	2
VASCULITIS	2
ALK PHOS HI, BLD	1
ANOREXIA	1
BIRTH DEFECT(S)	1
BONE, ABN	1
CARDIOMEGALY	1
CIRCLING	1
CNS DISORDER	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIFFICULTY RISING	1
ECG, ABN	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S), HEAD/F	1
EYE DISORDER	1
GAGGING	1
GI, ABNORMAL	1
HEART FAILURE	1
HYPERACTIVITY	1
LAMENESS	1
MIOSIS	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
OPISTHOTONOS	1
PARESIS, FORE LIMB(S)	1
PLATELETS LO, BLD	1

**DRUG: METRONIDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYPNEA	1
PROLAPSE, TONGUE	1
PROPRIOCEPTIVE DISORDE	1
RADIOGRAPH(S) ABN	1
REFLEX(ES) ABN	1
SHAKING	1
STAGGERING	1
STIFFNESS, LIMB(S)	1
TREMBLING	1
VESTIBULAR DISORDER	1
VOMITING	1

**DRUG: METRONIDAZOLE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	1
APNEA	1
ARREST, HEART	1
DEATH	1
OPISTHOTONOS	1
VOCALIZATION	1

**DRUG: METRONIDAZOLE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA, APLASTIC	1
APNEA	1
CNS DISORDER	1
CONGESTION, SKIN	1
DEATH	1
FEVER, BODY	1
SWELLING	1
VASCULITIS	1

**DRUG: METRONIDAZOLE**

Species: DOG

Route of Administration: UNKNOWN

**DRUG: MIBOLERONE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILIRUBIN(TOT) HI, BLD	2
EPISTAXIS	2
ALK PHOS HI, BLD	1
ANOREXIA	1
BRADYCARDIA	1
BUN LO, BLD	1
CHOLESTEROL LO, BLD	1
CONVULSION(S)	1
DISCHARGE, MAMMARY	1
DISCHARGE, VULVA	1
FERTILITY, LACK OF	1
GGT HI, BLD	1
ICTERUS, BODY	1
MIOSIS	1
PR-UTERUS, LESION(S)	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1

**DRUG: MICONAZOLE, CHLORHEXADINE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROLOGICAL DISORDER	2
ANOREXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
TREMBLING	1
VOMITING	1

**DRUG: MICONAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-APPLICATOR, ABN	3
PD-DISPENSER, ABN	2
NO SIGNS	1
PD-CONTAINER(S), ABN	1
PD-DEFECT UNKNOWN	1
PD-MISSING, CAP	1
PD-MISSING, LABEL(S)	1
PD-PRODUCT DEFECT	1
PD-TUBE(S), ABN	1
PD-VIAL(S), LEAKING	1

**DRUG: MICONAZOLE**

Species: DOG

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, EYE(S)/LID	5
IRRITATION, EYE(S)/LID	5
EDEMA, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1
BLEPHAROSPASM	1
CONJUNCTIVITIS	1
PAIN, EYE(S)/LID(S)	1
PRURITIS, EYE(S)	1
SWELLING, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1

**DRUG: MICONAZOLE**

Species: HUMAN

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1



**DRUG: MICONAZOLE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	3
FEVER, BODY	1
TACHYCARDIA	1
VOMITING	1

**DRUG: MICONAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	2
DIARRHEA	1
HYPERPNEA	1

**DRUG: MICONAZOLE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BANDS HI, BLD	1
FEVER, BODY	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HORNER'S SYNDROME	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEAFNESS	11
DEAFNESS, TEMP	8
DEAFNESS, PARTIAL	6
ANOREXIA	5
VOMITING	5
APPLICATION SITE PAIN	4
DEPRESSION/LETHARGY	4
APPLICATION SITE ERYTHEMA	3
APPLICATION SITE INFLAM	3
APPLICATION SITE LESION(S)	3
DIARRHEA	3
CONVULSION(S)	2
DIARRHEA, BLOODY	2
DIFFICULTY RISING	2
DYSPNEA	2
HYPERSALIVATION	2
SHAKING, HEAD/FACE	2
SWELLING, HEAD/FACE	2
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE EDEMA	1
APPLICATION SITE PRURITIS	1
APPLICATION SITE SWELLING	1
BUN HI, BLD	1
CONFUSION	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
DEHYDRATION	1
DIARRHEA, MUCOID	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, NECK	1
ERUPTION(S)	1
HEMATOCHEZIA	1
HYPERPNEA	1
INEFFECT, OTHER DRUG(S)	1
LAMENESS	1
PARESIS, HIND LIMB(S)	1
POLYCYTHEMIA	1
POLYPNEA	1
PRURITIS	1
ULCER(S), EAR(S)	1
URTICARIA	1
VOCALIZATION	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	3
DEAFNESS, PARTIAL	2
DEAFNESS, TEMP	2
EDEMA, HEAD/FACE	2
ANOREXIA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE PAIN	1
CONGESTION, SKIN	1
DEAFNESS	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DYSYPNEA	1
EDEMA, NECK	1
HEMATOCHEZIA	1
HYPERPNEA	1
PAIN, NECK	1
PRURITIS	1

**DRUG: MICONAZOLE, POLYMYXIN B, PREDNISONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOCALIZATION	1
VOMITING	1

**DRUG: MICONAZOLE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
HYPERSALIVATION	2
SGPT/ALT HI, BLD	2
VOMITING	2
ALBUMIN LO, BLD	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
BILIRUBIN(TOT) HI, BLD	1
BUN HI, BLD	1
BUN LO, BLD	1
COLLAPSE	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
HORNER'S SYNDROME	1
HYPOTHERMIA, BODY	1
INEFFECT	1
INFLAM, SKIN	1
IRRITATION, SKIN	1
LIVER ENZYMES HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PRURITIS	1
SGOT/AST HI, BLD	1
SHAKING	1
SHAKING, HEAD/FACE	1
STAGGERING	1

**DRUG: MICONAZOLE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VESTIBULAR DISORDER	1

**DRUG: MICONAZOLE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	7
DEPRESSION/LETHARGY	3
PRURITIS	2
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
CONGESTION, SKIN	1
EAR DISORDER	1
GAGGING	1
IRRITATION, EAR(S)	1
PAIN	1
PARALYSIS, FACIAL NERV	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SHAKING	1
SWELLING, HEAD/FACE	1
TONGUE, ABN	1

**DRUG: MICONAZOLE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
EDEMA, EYE(S)/LID(S)	1
PRURITIS	1
PRURITIS, EYE(S)	1

**DRUG: MICONAZOLE**

Species: CAT

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	1

**DRUG: MILBEMYCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	641
PD-TABLET(S), ABN	308
PD-CONTAINER(S), ABN	45
PD-UNDERFILL, TUBE(S)	24
PD-CONTAINER(S), DAMAG	20
PD-PRODUCT DEFECT	15
PD-SEAL, ABN	14
PD-LABEL(S), ABN	13
PD-MISSING, LABEL(S)	10
PD-TUBE(S), ABN	7
PD-TUBE(S), LEAKING	4
PD-COLOR, ABN	3
PD-CONTAMINATION	2
PD-DEFECT UNKNOWN	2
PD-CONTAM, MOLD	1
PD-DISPENSER, ABN	1
PD-TUBE(S), DAMAGED	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: INTRAUTERINE

<b>Sign:</b>	<b>Number of Times Reported:</b>
DILITATION, ESOPHAGUS	2
VOMITING	2
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), LIMB(	1
BONE, ABN	1
DEATH	1
DEATH(EUTHANIZED)	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH(STILLBORN)	1
GI, ABNORMAL	1
HAIR, ABN	1
LEG DISORDER	1
LESION(S), MOUTH/LIP(S)	1
PNEUMONIA	1
SKIN ABNORMAL	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	262
PD-TABLET(S), ABN	84
PD-CONTAINER(S), ABN	29
PD-LABEL(S), ABN	25
PD-MISSING, LABEL(S)	14
PD-CONTAINER(S), DAMAG	9
PD-PRODUCT DEFECT	9
SUMMARY REVIEW	3
PD-COLOR, ABN	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
INEFFECT, ASCARIDS	1
INEFFECT, HOOKS	1
TREMBLING	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
AGGRESSION	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	6
ATAXIA	3
STAGGERING	3
VOMITING	3
ANOREXIA	2
TWITCH	2
AMYLASE HI, BLD	1
ANEMIA	1
BUN HI, BLD	1
CONFUSION	1
CREATININE HI, BLD	1
DIARRHEA	1
INEFFECT, HW LARVAE	1
P HI, BLD	1
SPEC GRAVITY LO, URINE	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	2,047
VOMITING	1,008
DEPRESSION/LETHARGY	653
DIARRHEA	522
INEFFECT, HOOKS	453
INEFFECT, ASCARIDS	393
PRURITIS	359
ANOREXIA	344
CONVULSION(S)	261



**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, WHIPS	236
ATAXIA	164
SUMMARY REVIEW	122
TREMBLING	108
DIARRHEA, BLOODY	85
INFLAM, SKIN	72
DIARRHEA, MILD	70
URTICARIA	69
HYPERSALIVATION	68
DEATH	66
ALOPECIA	63
CONGESTION, SKIN	59
FEVER, BODY	59
SGPT/ALT HI, BLD	52
INEFFECT, HOOKS PREVEN	51
INEFFECT, FLEAS	50
POLYDIPSIA	50
ALK PHOS HI, BLD	46
POLYPNEA	46
INEFFECT, ASCARIDS PRE	42
WEIGHT LOSS	40
HYPERACTIVITY	37
RASH	37
CONFUSION	36
WEAKNESS	36
DYSPNEA	35
DEATH(EUTHANIZED)	32
POLYURIA	30
WBC HI, BLD	30
VOCALIZATION	29
BEHAVIOR DISORDER	27
HYPERPNEA	27
HEMATOCHEZIA	26
RADIOGRAPH(S) ABN	26
RECUMBENCY	26
ANEMIA	25
COUGHING	24
DEHYDRATION	24

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFECTION, SKIN	24
ANAPHYLAXIS/TOID	23
NERVOUSNESS	23
PALLOR, MUCOUS MEMBRAN	22
COLLAPSE	21
HYPERPIGMENTATION, SKI	21
LESION(S), SKIN	20
PAIN, ABDOMEN	20
PARESIS, HIND LIMB(S)	20
BILIRUBIN(TOT) HI, BLD	19
LIVER ENZYMES HI, BLD	19
PLATELETS LO, BLD	19
STUPOR	19
APPREHENSION	18
BUN HI, BLD	18
DERMATITIS, MOIST	18
INCONTINENCE, URINARY	18
SWELLING, HEAD/FACE	18
SHAKING	17
INEFFECT, WHIPS PREVEN	16
TACHYCARDIA	16
LAMENESS	15
SKIN, CRUST(S)	15
VOMITING, BLOODY	15
AGGRESSION	14
ALBUMIN LO, BLD	14
GLUCOSE HI, BLD	14
NAUSEA	14
CONSTIPATION	13
CREATININE HI, BLD	13
PAIN	13
SGOT/AST HI, BLD	13
LICKING	12
MYDRIASIS	12
PROTEIN(TOT) LO, BLD	12
ADIPSIA	11
ANEMIA, AUTOIMMUNE HEM	11
BLD, URINE	11

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HAIR, SHEDDING	11
SEGS HI, BLD	11
SPEC GRAVITY LO, URINE	11
TWITCH	11
BITING/CHEWING	10
DIARRHEA, SEVERE	10
OTITIS	10
P HI, BLD	10
PUSTULE(S)	10
SHOCK	10
US ABN	10
BLINDNESS	9
GGT HI, BLD	9
LOCOMOTION DISORDER	9
RELUCTANT TO MOVE	9
STOOL ABN	9
STOOL, MUCOID	9
UNCONSCIOUS	9
BRADYCARDIA	8
CHEMISTRY ABN	8
CONJUNCTIVITIS	8
DISCHARGE, EYE(S)/LID(S)	8
DISCOMFORT	8
DISTENTION, ABDOMEN	8
GLUCOSE LO, BLD	8
HEAD TILT	8
HIDING	8
HYPERESTHESIA	8
PROPRIOCEPTIVE DISORDE	8
PROTEIN(TOT) HI, BLD	8
SCALE(S), SKIN	8
SNEEZING	8
SORE(S)	8
STARING	8
URINATION	8
URINATION ABN	8
WBC LO, BLD	8
DIARRHEA, MUCOID	7

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, WATERY	7
DIFFICULTY RISING	7
EDEMA, HEAD/FACE	7
ENLARGEMENT, LYMPH NOD	7
FLATULENCE	7
HAIR, ABN	7
HEPATOMEGALY	7
ILL	7
PR-LIVER, LESION(S)	7
PROTEIN, URINE	7
SKIN, SCAB(S)	7
STAGGERING	7
STIFFNESS	7
SWELLING, EYE(S)/LID(S)	7
US-LIVER ABN	7
AMYLASE HI, BLD	6
CPK HI, BLD	6
EDEMA, LUNG(S)/TRACHEA	6
ENLARGEMENT(S), SKIN	6
ERUPTION(S)	6
HEAD BOBBING	6
INEFFECT, COCCIDIA	6
LIPASE HI, BLD	6
LIVER DISORDER	6
MONOS HI, BLD	6
PANCREATITIS	6
POLYCYTHEMIA	6
REFLEX(ES) ABN	6
SHAKING, HEAD/FACE	6
SKIN DISORDER	6
SKIN, DRY	6
SWELLING, MOUTH/LIP(S)	6
BORBORYGMI	5
CIRCLING	5
CRYSTALS, URINE	5
DEFECATION	5
EPISTAXIS	5
GI, ABNORMAL	5

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ICTERUS, BODY	5
INEFFECT, HW ANTIGEN	5
INFECTION, URINARY TRA	5
MELENA	5
MURMUR, HEART	5
NA LO, BLD	5
NEOPLASM	5
ODOR	5
PAIN, NECK	5
PALLOR	5
PICA	5
POLYCYTHEMIA(RELATIVE)	5
SKIN ABNORMAL	5
VESICLE(S)/BULLAE, SKI	5
VOMITING, UNPRODUCTIVE	5
ACCIDENTAL EXPOSURE	4
ARRHYTHMIA	4
BLD(ECCHYMOSES)	4
CARDIOMEGALY	4
CHLORIDE LO, BLD	4
CHOLESTEROL HI, BLD	4
CONGESTION, LUNG(S)	4
DEFECATION ABN	4
DIARRHEA, PROJECTILE	4
DYSMETRIA	4
INEFFECT, STRONGYLES	4
K LO, BLD	4
MASS, SKIN	4
NEOPLASM, LIVER	4
NEOPLASM, SPLEEN	4
NEUROLOGICAL DISORDER	4
POLLAKIURIA	4
PRESSURE LO, BLD	4
PRURITIS, FEET/DIGIT(S)	4
SPASM	4
SPLENOMEGALY	4
WHEEZING	4
ALKALINE URINE	3

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA, SPHERO	3
ANISOCORIA	3
ASCITES	3
BANDS HI, BLD	3
BLD, MOUTH/LIP(S)	3
CA HI, BLD	3
CONGESTION	3
CREATININE LO, BLD	3
DEMENTIA	3
DILITATION, STOMACH	3
DISCHARGE, NOSE	3
DRY, SKIN	3
ELIMINATION ABN	3
FROTH, MOUTH/LIP(S)	3
GAGGING	3
GLOBULIN LO, BLD	3
HYPERADRENOCORTICISM	3
HYPOTHERMIA, BODY	3
INCONTINENCE, FECAL	3
INFECTION	3
IRRITATION, PERINEUM	3
K HI, BLD	3
KIDNEY DISORDER	3
LESION(S), MOUTH/LIP(S)	3
LEUKODERMA	3
LOSS OF CONDITION	3
LYMPHS LO, BLD	3
NA HI, BLD	3
NEOPLASM, LYMPH NODE(S)	3
NOSE ABN	3
NYSTAGMUS	3
PACING	3
PAIN, HIND LIMB(S)	3
PAPULE(S)	3
PARESIS	3
PR-SKIN, LESION(S)	3
PRURITIS, EAR(S)	3
SEBORRHEA	3

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SOMNOLENCE	3
STUMBLING	3
TENESMUS, RECTAL	3
THYROID HORMONE(S) LO	3
URINE ABN	3
ACID URINE	2
ALBUMIN HI, BLD	2
ANURIA	2
ARREST, HEART	2
BILE ACIDS ABN, BLD	2
BILE ACIDS HI, BLD	2
BILIRUBIN, URINE	2
BLD, LUNG(S)/TRACHEA	2
BLD, RECTUM	2
CALCULI, BLADDER	2
CA LO, BLD	2
CAPILLARY REFILL PROLO	2
CHLORIDE HI, BLD	2
CNS DISORDER	2
COLITIS	2
CONGESTION, EYE(S)/LID	2
COOMBS TEST POS	2
CORT/CREAT HI, URINE	2
CULTURE/TITER DATA ABN	2
CYANOSIS	2
CYANOSIS, MUCOUS MEMBR	2
CYSTITIS	2
DISSOCIATION	2
DISTENTION, BLADDER	2
DISTRESS, RESP	2
EDEMA	2
EFFUSION, PERITONEAL	2
ENLARGEMENT(S)	2
EOSINOS HI, BLD	2
ERUCTATION	2
ERYTHEMA MULTIFORME	2
ESTRUS CYCLE ABNORMAL	2
EXFOLIATION, SKIN	2

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EYE DISORDER	2
GASTROENTERITIS	2
HALLUCINATION	2
HEART FAILURE	2
HEPATITIS	2
HYPERKERATOSIS	2
HYPOADRENOCORTICISM	2
HYPOMOTILITY	2
ICTERUS	2
INCONTINENCE	2
INEFFECT	2
INTERACTION, DRUG(S)	2
IRRITATION, EAR(S)	2
IRRITATION, SKIN	2
KIDNEY FAILURE	2
LICKING, FEET/DIGIT(S)	2
LIVER FAILURE	2
LYMPHS HI, BLD	2
MASS	2
MASS, ABDOMEN	2
MICROORGANISMS, URINE	2
ODOR, MOUTH	2
PANCREAS DISORDER	2
PARALYSIS, ALL LIMBS	2
PARALYSIS, FACIAL NERV	2
PARALYSIS, HIND LIMB(S)	2
PLATELETS HI, BLD	2
POSTURE ABN	2
PR-HEART, LESION(S)	2
PR-HEARTWORM DISEASE	2
PR-KIDNEY(S), LESION(S)	2
PR-LUNG(S), EDEMA	2
PR-LUNG(S), LESION(S)	2
PR-LYMPH NODE(S), LESI	2
PR-SPLEEN, LESION(S)	2
SELF-MUTILATION	2
SLEEP ABN	2
STIFFNESS, HIND LIMB(S)	2



**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING	2
SWELLING, EAR(S)	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, JOINT(S)	2
SWELLING, MAMMARY	2
SWELLING, MULT SITES	2
SWELLING, NECK	2
TRIGLYCERIDES HI, BLD	2
ULCER(S), CORNEA(S)	2
UNPALATABLE, WON'T EAT	2
UVEITIS	2
VOMITING ROUNDWORMS	2
ABN COLOR, URINE	1
ABN ODOR, URINE	1
ACTH STIM ABN	1
ALBUMIN HI, URINE	1
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
APNEA	1
ARTHRITIS	1
ASPHYXIA	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BILIRUBIN(DIR) HI, BLD	1
BIRTH, PREMATURE	1
BLD	1
BLD, ABDOMEN	1
BLD, ABN	1
BLD, ANUS	1
BLD, EAR(S)	1
BLD, INCISION SITE	1
BLD, MULT SITES	1
BLD(PETECHIAE)	1
BLD, SKIN	1
BLD, TUMOR	1
BLD, VAGINA	1
BLINDNESS, TEMP	1
BREATHING ABN	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BRONCHITIS	1
CALCULI, URINE	1
CATARACT(S)	1
CELLULITIS	1
CHASING TAIL	1
CHOLESTEROL LO, BLD	1
CNS INFARCT	1
CO2 LO, BLD	1
COAGULATION DISORDER	1
COPROPHAGIA	1
CSF ABN	1
DEAFNESS	1
DEAFNESS, PARTIAL	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1
DISCHARGE, EAR(S)	1
DISCOMFORT, MOUTH/LIP(S)	1
DISTRESS	1
DYSPHAGIA	1
ECG, ABN	1
EDEMA, CORNEA(S)	1
EDEMA, LIMB(S)	1
EDEMA, NECK	1
EDEMA, VENTRAL	1
ENTERITIS	1
ESTRUS BEHAVIOR	1
EXERCISE INTOLERANCE	1
FLY BITING	1
GALL BLADDER, ABN	1
GASTRITIS	1
GINGIVITIS	1
GLOBULIN HI, BLD	1
GRANULOMA, LICK	1
GRINDING TEETH	1
HAIR, ABN COLOR	1
HEAD PRESSING	1
HEART DISORDER	1
HEMOGLOBIN, URINE	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSENSITIVE, SOUND	1
HYPERTONIA	1
HYPOPNEA	1
HYPOSALIVATION	1
HYPOTHERMIA	1
IMMUNE DISORDER	1
INEFFECT, HW ADULTS	1
INEFFECT, PARASITE(S)	1
INEFFECT, PROTOZOA	1
INEFFECT, WORMS	1
INFECTION, FEET/DIGIT(	1
INFLAM	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1
KERATOCONJUNCTIVITIS S	1
KETONES, URINE	1
KIDNEY VALUES HI, BLD	1
LEG DISORDER	1
LOCKJAW	1
MG HI, BLD	1
MG LO, BLD	1
MICROORANISMS, URINE	1
MIOSIS	1
MRI SCAN ABN	1
NEOPLASM, LUNG(S)	1
NEOPLASM, PANCREAS	1
NEOPLASM, SKIN	1
NYSTAGMUS, HORIZONTAL	1
NYSTAGMUS, POSITIONAL	1
NYSTAGMUS, VERTICAL	1
OFF FEED	1
OLIGURIA	1
PAIN, BACK	1
PAIN, BRISKET/CHEST	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, LIMB(S)	1
PAIN, SPINAL	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PANCREAS ENZYMES HI, B	1
PARESIS, FORE LIMB(S)	1
P LO, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYPHAGIA	1
PR-BLADDER, LESION(S)	1
PR-BLD VESSEL(S), LESI	1
PR-BRAIN, LESION(S)	1
PR-GI, LESION(S)	1
PR-JOINT(S), LESION(S)	1
PROLAPSE, PENIS	1
PROLAPSE, RECTUM	1
PR-PARATHYROID, LESION	1
PR-SM INTEST, LESION(S	1
PR-SM INTEST, LESION(S)	1
PR-THYROID, LESION(S)	1
PRURITIS, EYE(S)	1
PRURITIS, TAIL	1
PUPIL(S), AREFLEXIA	1
RBC, NUCLEATED	1
REGURGITATION	1
RELUCTANT TO CLIMB	1
SEGS LO, BLD	1
SKIN, NECROSIS	1
SOUND ABN, RESPIRATORY	1
STIFFNESS, LIMB(S)	1
STOMATITIS	1
STRAINING	1
SWELLING, ANUS	1
SWELLING, LIMB(S)	1
SWELLING, PREPUCE	1
SWELLING, VAGINA/VULVA	1
SWELLING, VENTRUM	1
TAIL CHASING	1
TAIL DISORDER	1
THROMBUS	1
TRACHITIS	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TREMBLING, FACE	1
ULCER(S), EAR(S)	1
UNPALATABLE, WON'T SWA	1
VESICLE(S)/BULLAE, MOU	1
VOICE DISORDER	1
VOLVULUS, STOMACH	1
VOMITING, SEVERE	1
WBC, URINE	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	11
VOMITING	6
HEADACHE	3
PAIN, ABDOMEN	3
DIZZINESS	2
TASTE ABNORMALITY	2
APPREHENSION	1
CONGESTION, SKIN	1
DEFECATION ABN	1
DIARRHEA	1
DIARRHEA, MILD	1
DISCHARGE, NOSE	1
ENLARGEMENT(S)	1
ERUCTATION	1
HOT FLASH/FLUSH	1
HOT FLUSH	1
HYPOESTHESIA, LIMB(S)	1
PARAESTHESIA	1
PRURITIS	1
SWEATING	1
SWELLING, NECK	1
TRANSUDATE	1
XEROSTOMIA	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: HUMAN

Route of Administration: ORAL

**DRUG: MILBEMYCIN, LUFENURON**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
IRRITATION, SKIN	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIARRHEA, MILD	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
PRURITIS	2
INFLAM, SKIN	1
LESION(S), SKIN	1
RASH	1
SKIN, CRUST(S)	1
SWELLING, LIMB(S)	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DERMATITIS, MOIST	1
DISCHARGE, EYE(S)/LID(S)	1
ILL	1
PAIN, EYE(S)/LID(S)	1

**DRUG: MILBEMYCIN, LUFENURON**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, JOINT(S)	1
PRURITIS, EYE(S)	1
SWELLING, EYE(S)/LID(S)	1
URTICARIA	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
BIRTH DEFECT(S), HEAD/	1

**DRUG: MILBEMYCIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	32
VOMITING	22
ATAXIA	20
ANOREXIA	12
TREMBLING	7
DIARRHEA	5
INEFFECT, ASCARIDS	5
DEATH	4
FEVER, BODY	4
VOMITING ROUNDWORMS	4
MYDRIASIS	3
TWITCH	3
VOCALIZATION	3
CONVULSION(S)	2
DEHYDRATION	2
HIDING	2
HYPERPNEA	2
ACCIDENTAL EXPOSURE	1
ADIPSIA	1
ALOPECIA	1

**DRUG: MILBEMYCIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANURIA	1
APPREHENSION	1
BLD, URINE	1
BRADYCARDIA	1
BUN HI, BLD	1
CNS DISORDER	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DIARRHEA, WATERY	1
DISTRESS	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
EYE DISORDER	1
HYPERESTHESIA	1
HYPERSALIVATION	1
ICTERUS	1
INEFFECT, ASCARIDS PRE	1
INEFFECT, HW ADULTS	1
INFLAM, SKIN	1
LOCOMOTION DISORDER	1
MICROORANISMS, URINE	1
MURMUR, HEART	1
NAUSEA	1
PAIN, BACK	1
PARESIS	1
PR-BRONCHI, LESION(S)	1
PRESSURE LO, BLD	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SNEEZING	1
SOMNOLENCE	1
STOOL ABN	1



**DRUG: MILBEMYCIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
STUPOR	1
SWELLING	1
TACHYCARDIA	1
WBC HI, BLD	1
WEAKNESS	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	7,519
VOMITING	1,831
DEPRESSION/LETHARGY	1,392
DIARRHEA	1,285
INEFFECT, ASCARIDS	1,203
INEFFECT, HOOKS	1,172
INEFFECT, WHIPS	987
ANOREXIA	685
CONVULSION(S)	550
ATAXIA	426
TREMBLING	303
INEFFECT, ASCARIDS PRE	241
DIARRHEA, BLOODY	219
INEFFECT, HOOKS PREVEN	212
DEATH	201
HYPERSALIVATION	195
PRURITIS	188
DYSPNEA	177
DIARRHEA, MILD	176
INEFFECT, WHIPS PREVEN	169
FEVER, BODY	131
POLYPNEA	123
WEIGHT LOSS	113
WEAKNESS	101
DEATH(EUTHANIZED)	92
SGPT/ALT HI, BLD	89

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	84
ANAPHYLAXIS/TOID	82
HEMATOCHEZIA	82
COLLAPSE	73
PALLOR, MUCOUS MEMBRAN	71
COUGHING	70
HYPERPNEA	70
CONFUSION	69
HYPERACTIVITY	69
URTICARIA	69
INEFFECT, HW ANTIGEN	67
DEHYDRATION	65
VOCALIZATION	65
POLYDIPSIA	64
RECUMBENCY	64
INFLAM, SKIN	58
WBC HI, BLD	57
CONGESTION, SKIN	56
NERVOUSNESS	54
TACHYCARDIA	52
ANEMIA	50
STOOL ABN	50
PAIN, ABDOMEN	49
ALOPECIA	48
BUN HI, BLD	46
BEHAVIOR DISORDER	45
RADIOGRAPH(S) ABN	45
SHAKING	45
SHOCK	43
POLYURIA	41
MYDRIASIS	39
INCONTINENCE, URINARY	38
PLATELETS LO, BLD	38
CREATININE HI, BLD	37
PAIN	34
APPREHENSION	31
ILL	31
RASH	31

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING, BLOODY	31
LAMENESS	29
TWITCH	29
MELENA	28
FLATULENCE	27
BLD, URINE	26
VOMITING, UNPRODUCTIVE	26
AGGRESSION	25
PARESIS, HIND LIMB(S)	25
STAGGERING	24
STUPOR	24
ADIPSIA	23
P HI, BLD	23
STOOL, MUCOID	23
SWELLING, HEAD/FACE	23
BILIRUBIN(TOT) HI, BLD	22
DIARRHEA, MUCOID	22
LIVER ENZYMES HI, BLD	22
ANEMIA, AUTOIMMUNE HEM	21
EDEMA, HEAD/FACE	21
GLUCOSE LO, BLD	21
HEAD TILT	21
NYSTAGMUS	21
ALBUMIN LO, BLD	20
HIDING	20
VOMITING ROUNDWORMS	20
DEFECATION ABN	19
HYPOTHERMIA, BODY	19
LIPASE HI, BLD	19
POLYCYTHEMIA	18
RELUCTANT TO MOVE	18
STIFFNESS	18
DIARRHEA, WATERY	17
DISTENTION, ABDOMEN	17
HEAD BOBBING	17
HYPOTHERMIA	17
LESION(S), SKIN	17
LOCOMOTION DISORDER	17

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LIVER, LESION(S)	17
SNEEZING	17
SOMNOLENCE	17
ACCIDENTAL EXPOSURE	16
GAGGING	16
NEUROLOGICAL DISORDER	16
PROTEIN(TOT) LO, BLD	16
PUSTULE(S)	16
SUMMARY REVIEW	16
GLUCOSE HI, BLD	15
PALLOR	15
SGOT/AST HI, BLD	15
URINATION ABN	15
AMYLASE HI, BLD	14
CYANOSIS	14
EDEMA, LUNG(S)/TRACHEA	14
INFECTION, SKIN	14
NAUSEA	14
PACING	14
UNCONSCIOUS	14
US ABN	14
DIARRHEA, SEVERE	13
DIFFICULTY RISING	13
EOSINOS HI, BLD	13
PICA	13
URINATION	13
CIRCLING	12
EPISTAXIS	12
GASTROENTERITIS	12
LICKING	12
LOSS OF CONDITION	12
PROPRIOCEPTIVE DISORDE	12
SHAKING, HEAD/FACE	12
SKIN, CRUST(S)	12
BILE ACIDS HI, BLD	11
BRADYCARDIA	11
CONGESTION, LUNG(S)	11
GI, ABNORMAL	11

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAPULE(S)	11
SEGS HI, BLD	11
THRASHING/PADDLING	11
WBC LO, BLD	11
BLD, LUNG(S)/TRACHEA	10
BLD(PETECHIAE)	10
DERMATITIS, MOIST	10
HYPERESTHESIA	10
MURMUR, HEART	10
PARESIS	10
PUPIL(S), AREFLEXIA	10
STUMBLING	10
SWELLING, EYE(S)/LID(S)	10
TENESMUS, RECTAL	10
VESTIBULAR DISORDER	10
BLINDNESS	9
CONJUNCTIVITIS	9
DISCOMFORT	9
ENLARGEMENT, LYMPH NOD	9
HAIR, ABN	9
INFECTION, URINARY TRA	9
KIDNEY FAILURE	9
LIVER DISORDER	9
MIOSIS	9
POLYCYTHEMIA(RELATIVE)	9
PRESSURE LO, BLD	9
TREMBLING, FACE	9
URINE ABN	9
ABN COLOR, URINE	8
CPK HI, BLD	8
CYANOSIS, MUCOUS MEMBR	8
EPIPHORA	8
EYE DISORDER	8
GGT HI, BLD	8
GLOBULIN HI, BLD	8
GLOBULIN LO, BLD	8
INEFFECT, HW ADULTS	8
K LO, BLD	8

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NOSE ABN	8
ODOR	8
OTITIS	8
PANCREATITIS	8
PROTEIN, URINE	8
SKIN ABNORMAL	8
SKIN, DRY	8
SOUND ABN, RESPIRATORY	8
STARING	8
VOMITING, SEVERE	8
ARREST, HEART	7
ARRHYTHMIA	7
BITING/CHEWING	7
BLD(ECCHYMOSES)	7
BLD, MOUTH/LIP(S)	7
BORBORYGMI	7
COLITIS	7
DEFECATION	7
DYSMETRIA	7
EDEMA	7
HEART FAILURE	7
ICTERUS	7
ICTERUS, BODY	7
LYMPHS LO, BLD	7
NA LO, BLD	7
NEOPLASM	7
ODOR, MOUTH	7
POLYPHAGIA	7
PR-LUNG(S), LESION(S)	7
PROLAPSE, THIRD EYELID	7
PROTEIN(TOT) HI, BLD	7
STIFFNESS, HIND LIMB(S)	7
BLEPHAROSPASM	6
CARDIOMEGALY	6
COAGULATION DISORDER	6
CONSTIPATION	6
CULTURE/TITER DATA ABN	6
DISCHARGE, EYE(S)/LID(S)	6

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISTRESS	6
ELIMINATION ABN	6
FROTH, MOUTH/LIP(S)	6
HEAD PRESSING	6
IRRITATION, PERINEUM	6
LYMPHS HI, BLD	6
NA HI, BLD	6
NO SIGNS	6
PAIN, BACK	6
POSTURE ABN	6
PR-HEART, LESION(S)	6
PR-LUNG(S), EDEMA	6
PRURITIS, FEET/DIGIT(S)	6
REFLEX(ES) ABN	6
SORE(S)	6
SPASM	6
SPEC GRAVITY LO, URINE	6
THYROID HORMONE(S) LO	6
WHEEZING	6
BLINDNESS, TEMP	5
CHEMISTRY ABN	5
CHLORIDE HI, BLD	5
CHOLESTEROL HI, BLD	5
DIGESTION DISORDER	5
DISCHARGE, NOSE	5
DYSURIA	5
HEPATOMEGALY	5
HYPOPNEA	5
IMMUNE DISORDER	5
INCONTINENCE, FECAL	5
INEFFECT, STRONGYLES	5
INFECTION	5
IRRITATION, EYE(S)/LID	5
K HI, BLD	5
NYSTAGMUS, HORIZONTAL	5
PAIN, JOINT(S)	5
PR-HEARTWORM DISEASE	5
PR-SKIN, LESION(S)	5

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-STOMACH, LESION(S)	5
RELUCTANT TO CLIMB	5
RETICULOCYTES HI, BLD	5
SEDATION	5
SEGS LO, BLD	5
SPLENOMEGALY	5
SWELLING, EAR(S)	5
US-LIVER ABN	5
VISION DISORDER	5
ANISOCORIA	4
APNEA	4
ASCITES	4
BILIRUBIN, URINE	4
BREATHING ABN	4
CA LO, BLD	4
CHLORIDE LO, BLD	4
CONGESTION, EAR(S)	4
CRYSTALS, URINE	4
DEATH(STILLBORN)	4
DISTRESS, RESP	4
EDEMA, EYE(S)/LID(S)	4
ERUPTION(S)	4
FLY BITING	4
HAIR, ABN COLOR	4
INEFFECT, HW MICROFILA	4
LICKING, FEET/DIGIT(S)	4
LIVER FAILURE	4
NEOPLASM, LUNG(S)	4
NEOPLASM, LYMPH NODE(S)	4
PARALYSIS, HIND LIMB(S)	4
PNEUMONIA	4
PR-KIDNEY(S), LESION(S)	4
PRURITIS, EAR(S)	4
RESPIRATORY DISORDER	4
SCALE(S), SKIN	4
SKIN, SCAB(S)	4
STIFFNESS, FRONT LIMB(S)	4
STRABISMUS	4



**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA, HEMOLYTIC	3
BALANCE DISORDER	3
BILE ACIDS ABN, BLD	3
BLD, RECTUM	3
BLOAT	3
CACHEXIA	3
CA HI, BLD	3
CONGESTION, EYE(S)/LID	3
COPROPHAGIA	3
CYSTITIS	3
DEAFNESS	3
DISCHARGE, VULVA	3
DISSOCIATION	3
EAR DISORDER	3
EDEMA, CORNEA(S)	3
EFFUSION, PLEURAL	3
ENLARGEMENT(S)	3
GASTRITIS	3
GLUCOSE, URINE	3
HAIR, SHEDDING	3
HEART DISORDER	3
HEPATITIS	3
HYPERPIGMENTATION, SKI	3
INEFFECT, TAPES	3
INEFFECT, WORMS	3
INJURY	3
INTERACTION, DRUG(S)	3
MASS, ABDOMEN	3
MICROORANISMS, URINE	3
MONOS HI, BLD	3
NEOPLASM, SKIN	3
NEOPLASM, SPLEEN	3
ODOR, URINE	3
PAIN, HIND LIMB(S)	3
PAIN, MUSCLE(S)	3
PAIN, NECK	3
P LO, BLD	3
POLLAKIURIA	3

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-CECUM, LESION(S)	3
PRURITIS, TAIL	3
PULSE THREADY	3
RBC, ANISO	3
SEBORRHEA	3
SKIN DISORDER	3
SLEEP ABN	3
SWELLING, JOINT(S)	3
SWELLING, MOUTH/LIP(S)	3
TAIL DISORDER	3
THROMBUS	3
VESICLE(S)/BULLAE, SKI	3
ALBUMIN HI, BLD	2
ALKALINE URINE	2
ANEMIA, REGEN	2
ANURIA	2
APLASIA, BONE MARROW	2
APPLICATION SITE INFLAM	2
BASOS HI, BLD	2
BLD, ABN	2
BLD, SCLERA	2
BONE, ABN	2
BRONCHITIS	2
CALCULI, BLADDER	2
CAPILLARY REFILL PROLO	2
CASTS, URINE	2
CNS DISORDER	2
COLON, ABN	2
CONGESTION	2
CONGESTION, MUCOUS MEM	2
CORT/CREAT HI, URINE	2
CSF ABN	2
DIABETES MELLITUS	2
DISCHARGE, EAR(S)	2
EDEMA, VENTRAL	2
EFFUSION, PERITONEAL	2
ELECTROLYTE DISORDER	2
ENCEPHALOPATHY	2

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ERUCTATION	2
ERYTHEMA MULTIFORME	2
FIBROSIS	2
HALLUCINATION	2
HYPERSENSITIVE, SOUND	2
HYPERTONIA	2
INJ SITE SWELLING	2
IRRITATION, PHARYNX/TH	2
IRRITATION, SKIN	2
JERKING	2
JOINT DISORDER	2
KIDNEY DISORDER	2
KIDNEY VALUES HI, BLD	2
LEG DISORDER	2
MASS, SKIN	2
MICROORGANISMS, URINE	2
MONOS LO, BLD	2
MUCOUS MEMBR, ABN COLO	2
MUCOUS MEMBR, MUDDY	2
NAIL DISORDER	2
OLIGURIA	2
PAIN, LIMB(S)	2
PANCREAS DISORDER	2
PARALYSIS, ALL LIMBS	2
PHALLITIS	2
PLATELETS HI, BLD	2
PNEUMONIA, ASPIRATION	2
PR-BRAIN, LESION(S)	2
PR-GI, LESION(S)	2
PR-LYMPH NODE(S), LESI	2
PROSTRATION	2
PR-PERITONEAL EFFUSION	2
PR-SM INTEST, LESION(S)	2
PR-SM INTEST, LESION(S)	2
PR-SPLEEN, LESION(S)	2
PRURITIS, EYE(S)	2
RBC, POLYCHROM	2
REACTION, UNSPECIFIED	2

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RETICULOCYTES LO, BLD	2
STIFFNESS, NECK	2
STRANGURIA	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, TONGUE	2
TACHYCARDIA, VENTRICUL	2
TAIL CHASING	2
TEETH, ABN	2
TENESMUS	2
WBC, URINE	2
WEIGHT INCREASE	2
ABN ODOR, URINE	1
ABORTION	1
ABSCESS, SKIN	1
AGRANULOCYTOSIS, BLD	1
AMBLYOPIA	1
AMMONIA HI, BLD	1
ANEMIA, HEINZ BODY	1
ANEMIA, SPHERO	1
ATONY, BLADDER	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BANDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BLD	1
BLD, ANUS	1
BLD, EAR(S)	1
BLD, EYE(S)	1
BLD, GI	1
BLD(HEMATOMA)	1
BLD, PENIS	1
BLD, SKIN	1
BLD, VAGINA	1
BLINDNESS, PARTIAL	1
BREATHING, PERIODIC	1
CALCULI, KIDNEY	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CAT SCAN ABN	1
CHOLECYSTITIS	1
CO2 HI, BLD	1
CONGESTION, TONGUE	1
COOMBS TEST POS	1
CREATININE LO, BLD	1
DEAFNESS, PARTIAL	1
DEATH(NEWBORN)	1
DEMENTIA	1
DESTRUCTIVENESS	1
DIABETES	1
DIARRHEA, PROJECTILE	1
DIC	1
DILITATION, ESOPHAGUS	1
DILITATION, STOMACH	1
DIZZINESS	1
DRY, SKIN	1
DYSPHAGIA	1
DYSRHYTHMIA, RESP	1
DYSTOCIA	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LIMB(S)	1
EDEMA, NECK	1
EMBOLUS	1
ENLARGEMENT(S), HEAD/F	1
ENLARGEMENT(S), NECK	1
ENLARGEMENT(S), SKIN	1
EOSINOS LO, BLD	1
ERYTHEMA, SCROTUM	1
ESTRUS BEHAVIOR	1
ESTRUS CYCLE ABNORMAL	1
EXERCISE INTOLERANCE	1
FERTILITY, LACK OF	1
GALL BLADDER, ABN	1
GINGIVA, ABN	1
GINGIVITIS	1
GLAUCOMA	1
GRANULOMA	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HCO3 HI, BLD	1
HEMOGLOBIN, URINE	1
HORNER'S SYNDROME	1
HYPOADRENOCORTICISM	1
HYPOMOTILITY	1
HYPOSALIVATION	1
ICTERUS, SERUM	1
INEFFECT, COCCIDIA	1
INEFFECT, PARASITE(S)	1
INFECTION, EYE(S)	1
INSOMNIA	1
IRRITATION	1
IRRITATION, EAR(S)	1
IRRITATION, MOUTH/LIP(	1
KERATOCONJUNCTIVITIS S	1
LABOR, PREMATURE	1
LARYNGOSPASM	1
LDH HI, BLD	1
LESION(S), MOUTH/LIP(S)	1
LEUKODERMA	1
LOCKJAW	1
MASS	1
MG HI, BLD	1
MG LO, BLD	1
MYOSITIS	1
NA:K LO, BLD	1
NECK, VENTROFLEXION	1
NEOPLASM, LIVER	1
NEOPLASM, MAMMARY	1
NEPHRITIS	1
NYSTAGMUS, POSITIONAL	1
NYSTAGMUS, VERTICAL	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
PAIN, EYE(S)/LID(S)	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, SPINAL	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PANCYTOPENIA	1
PARALYSIS, FACIAL NERV	1
PARALYSIS, LARYNX	1
PARESIS, FORE LIMB(S)	1
PARESIS, FORELIMB(S)	1
PAWING	1
PHOTOPHOBIA	1
PHOTOSENSITIZATION	1
PLACENTA, ABNORMAL	1
PLATELETS ABN	1
POSTURAL RXN(S) ABN	1
PR-BLD VESSEL(S), LESI	1
PR-BONE MARROW, LESION	1
PRESSURE HI, BLD	1
PRIAPISM	1
PR-INTEST, LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PROTRUSION, EYE(S)	1
PR-PANCREAS, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
RBC, MICRO	1
RBC, NUCLEATED	1
REFLUX, STOMACH	1
REGURGITATION	1
REPETITIVE MOVEMENTS	1
REPRODUCTION DISORDER	1
ROLLING	1
SALIVARY GLAND ABN	1
SHOCK, ENDOTOXEMIA	1
SKIN, NECROSIS	1
SLOUGH, SKIN	1
SQUINTING	1
STIFFNESS, LIMB(S)	1
STOMATITIS	1
STOOL, PALE/GRAY	1
SWELLING, ANUS	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, LIMB(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, VAGINA/VULVA	1
SYNCOPE	1
TENESMUS, URINARY	1
TESTICLE, ABN	1
TONGUE, ABN	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), CORNEA(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), SKIN	1
ULCER(S), STOMACH	1
UNKNOWN	1
UROBILINOGEN HI, URINE	1
UVEITIS	1
VAGINITIS	1
VASCULITIS	1
WBC ABN	1

**DRUG: MILBEMYCIN**

Species: FERRET

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	1

**DRUG: MILBEMYCIN**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NAUSEA	34
DIARRHEA	12
HEADACHE	7
VOMITING	7
PAIN, ABDOMEN	6
DIZZINESS	5



**DRUG: MILBEMYCIN**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, SKIN	3
RASH	3
CONGESTION, EYE(S)/LID	2
DEPRESSION/LETHARGY	2
FEVER, BODY	2
ILL	2
NERVOUSNESS	2
SOMNOLENCE	2
DISCOMFORT	1
DISTENTION, ABDOMEN	1
EAR DISORDER	1
FLATULENCE	1
GASTRITIS	1
GI, ABNORMAL	1
HOT FLASH	1
HOT FLASH/FLUSH	1
HOT FLUSH	1
INFECTION	1
INFECTION, URINARY TRA	1
INFLAM, SKIN	1
INSOMNIA	1
IRRITATION, PHARYNX/TH	1
PAIN, BRISKET/CHEST	1
PAIN, EYE(S)/LID(S)	1
PAIN, LIMB(S)	1
PRESSURE HI, BLD	1
PRURITIS, EYE(S)	1
REACTION, UNSPECIFIED	1
REFLUX, STOMACH	1
SEDATION	1
SHAKING	1
STUPOR	1
TACHYCARDIA	1
TASTE ABNORMALITY	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: MILBEMYCIN**

Species: OTHER

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COUGHING	1

**DRUG: MILBEMYCIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, EAR MITES	11
DEATH	4
PAIN	3
PRURITIS, EAR(S)	3
ANOREXIA	2
ATAXIA	2
CONGESTION, EAR(S)	2
DEPRESSION/LETHARGY	2
DYSPNEA	2
PALLOR, MUCOUS MEMBRAN	2
POLYPNEA	2
TACHYCARDIA	2
VOMITING	2
AGGRESSION	1
ANAPHYLAXIS/TOID	1
BEHAVIOR DISORDER	1
BRADYCARDIA	1
DIARRHEA	1
DISTRESS	1
DISTRESS, RESP	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
RECUMBENCY	1
SHAKING, HEAD/FACE	1
SHOCK	1
TREMBLING	1
TWITCH	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	2
INEFFECT, EAR MITES	1

**DRUG: MILBEMYCIN**

Species: GUINEA PIG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1
DYSYPNEA	1

**DRUG: MILBEMYCIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PARESTHESIA, MOUTH/LIP	1
RASH	1
TASTE ABNORMALITY	1
URTICARIA	1

**DRUG: MILBEMYCIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA, MILD	1
INEFFECT, HOOKS	1
INEFFECT, HOOKS PREVEN	1
WEIGHT LOSS	1

**DRUG: MILBEMYCIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: MILBEMYCIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PRURITIS	1
RASH	1

**DRUG: MIRTAZAPINE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPNEA	2
VOCALIZATION	2
CONFUSION	1
DEATH	1
DEATH(EUTHANIZED)	1
HYPERSALIVATION	1
INCONTINENCE, FECAL	1
NERVOUSNESS	1
POLYPNEA	1
PRESSURE HI, BLD	1
RECUMBENCY	1
SHAKING	1
TREMBLING	1
WHEEZING	1

**DRUG: MITOTANE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	2
BLD, SKIN	1
CONGESTION, TONGUE	1
DEPRESSION/LETHARGY	1
HYPOADRENOCORTICISM	1
INFLAM, SKIN	1
LESION(S), SKIN	1
PD-POTENCY, HI	1
SKIN, NECROSIS	1

**DRUG: MITOTANE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, TONGUE	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1

**DRUG: MITOXANTRONE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANURIA	1
ATAXIA	1
CHOKING	1
DEATH	1
FEVER, BODY	1
GI, ABNORMAL	1
ODOR, MOUTH	1
PARALYSIS, HIND LIMB(S)	1
PARALYSIS, LARYNX	1
PARESIS, FORELIMB(S)	1

**DRUG: MONENSIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	6
PD-POTENCY, LO	5
PD-PRODUCT DEFECT	5
PD-CONTAMINATION	3
PD-GRANULES/POWDER, ABN	2
PD-POTENCY, HI	2
INEFFECT, COCCIDIA	1
NO SIGNS	1
PD-CONTAINER(S), ABN	1
PD-CONTAM, INSECTS	1
PD-CONTAM, MOLD	1
PD-LABEL(S), ABN	1

**DRUG: MONENSIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
TECH ERROR, MIXING	1
UNPALATABLE, WON'T SWA	1

**DRUG: MONENSIN**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ARREST, HEART	1
DIARRHEA	1
EDEMA, LUNG(S)/TRACHEA	1
HEADACHE	1
HUMAN EXPOSURE, INHALA	1
HYPOESTHESIA	1
IRRITATION, ESOPHAGUS	1
K LO, BLD	1
PARESTHESIA	1
PR-LUNG(S), LESION(S)	1
TONGUE, ABN	1
WEAKNESS	1

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DIARRHEA	1

**DRUG: MONENSIN**

Species: UNKNOWN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
NO SIGNS	1

**DRUG: MONENSIN**

Species: ALPACA

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEATH	2
CPK HI, BLD	1
DYSPNEA	1
NECROSIS	1
PR-LIVER, LESION(S)	1
SGOT/AST HI, BLD	1
STIFFNESS	1
TREMBLING	1
ULCER(S), GI	1
WEAKNESS	1

**DRUG: MONENSIN**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
EGG PRODUCTION DOWN	2
ANOREXIA	1
FERTILITY, REDUCED	1
HATCHING ABN	1
PARESIS, HIND LIMB(S)	1
RECUMBENCY	1
TECH ERROR, MIXING	1

**DRUG: MONENSIN**

Species: BUFFALO

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DYSPNEA	1
FEVER, BODY	1
HEART DISORDER	1
RECUMBENCY	1

**DRUG: MONENSIN**

Species: CAMEL

Route of Administration: ORAL

Sign:	Number of Times Reported:
EPISTAXIS	1

**DRUG: MONENSIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
INEFFECT, COCCIDIA	1

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	396
ANOREXIA	220
DIARRHEA	179
UDDER, MILK ABN	143
INEFFECT, COCCIDIA	112
UDDER, HYPOGALACTIA	87
TECH ERROR, MIXING	79
PR-HEART, LESION(S)	72
DIARRHEA, MILD	59
BLOAT	50
DEPRESSION/LETHARGY	49
UNPALATABLE, WON'T EAT	42
RECUMBENCY	39
DIARRHEA, BLOODY	37
OFF FEED	36
DYSPNEA	25
ATAXIA	23
TOX	22
PR-LUNG(S), LESION(S)	21
HAIR, ABN	14
ABORTION	13



**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	13
LOSS OF CONDITION	13
DISPLACED ABOMASUM	12
WEIGHT LOSS	12
FERTILITY, REDUCED	11
PNEUMONIA	11
PR-LUNG(S), EDEMA	11
FEVER, BODY	10
ILL	10
PR-LIVER, LESION(S)	10
RESPIRATORY DISORDER	10
HEART DISORDER	9
HEART FAILURE	9
PR-STOMACH, LESION(S)	9
WEAKNESS	9
HEMATOCHEZIA	8
NEUROLOGICAL DISORDER	8
COLLAPSE	7
DEATH(TX FAILURE)	7
DIARRHEA, WATERY	7
INEFFECT, MILK PROD	7
INEFFECT, WEIGHT INC	7
PR-MUSCLE(S), LESION(S)	7
UDDER, MASTITIS	7
DIARRHEA, SEVERE	6
DISTENTION, ABDOMEN	6
EDEMA, BRISKET/CHEST	6
MELENA	6
OVARIES, CYSTIC	6
PLACENTA, RETAINED	6
PR-PLEURAL EFFUSION	6
STAGGERING	6
ACCIDENTAL EXPOSURE	5
FROTH, MOUTH/LIP(S)	5
PR-BRAIN, LESION(S)	5
PR-GI, LESION(S)	5
PR-INTEST, LESION(S)	5
ACIDOSIS	4

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLINDNESS	4
CA LO, BLD	4
DISTRESS, RESP	4
DYSTOCIA	4
EFFUSION, PERICARDIAL	4
EFFUSION, PLEURAL	4
LIVER DISORDER	4
PR-MUSCLE(S), LESION(S)	4
REACTION, UNSPECIFIED	4
RUMEN, ABN	4
STOOL ABN	4
ACIDOSIS, RUMEN	3
ASCITES	3
BIRTH WEIGHT HI	3
CONFUSION	3
CONGESTION, LUNG(S)	3
CONVULSION(S)	3
COUGHING	3
CULTURE/TITER DATA ABN	3
DEATH(SLAUGHTERED)	3
DIARRHEA, MUCOID	3
EDEMA, LUNG(S)/TRACHEA	3
GI, ABNORMAL	3
HYPERPNEA	3
INEFFECT, PRODUCTION (MEAT)	3
INEFFECT, PRODUCTION (MILK)	3
LAMENESS	3
METRITIS	3
PICA	3
POOR PERFORMANCE	3
POSTURE ABN	3
PR-BLD VESSEL(S), LESI	3
PRESSURE HI, BLD	3
PR-PERITONEAL EFFUSION	3
RELUCTANT TO MOVE	3
STUPOR	3
ANAPHYLAXIS/TOID	2
ANEMIA	2

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLINDNESS, TEMP	2
BREATHING ABN	2
CACHEXIA	2
CARDIOMEGALY	2
CONSTIPATION	2
CPK HI, BLD	2
DEATH(NEWBORN)	2
DEATH(STILLBORN)	2
DEHYDRATION	2
DIFFICULTY RISING	2
DISCHARGE, EYE(S)/LID(S)	2
EFFUSION	2
ENCEPHALOPATHY	2
ESTRUS BEHAVIOR	2
EYE DISORDER	2
HEPATOMEGALY	2
HYPERACTIVITY	2
HYPOMOTILITY	2
INFECTION	2
INFECTION, FEET/DIGIT(	2
KETOSIS	2
LOCOMOTION DISORDER	2
NERVOUSNESS	2
PAIN, ABDOMEN	2
PD-POTENCY, LO	2
POLYDIPSIA	2
PR-KIDNEY(S), LESION(S	2
SHAKING	2
STARING	2
TECH ERROR ADMINISTRAT	2
THRASHING/PADDLING	2
UDDER, AGALACTIA	2
ABN COLOR, URINE	1
AGGRESSION	1
ALOPECIA	1
ANESTRUS	1
APPREHENSION	1
ARRHYTHMIA	1

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATONY, RUMEN	1
BIRTH, PREMATURE	1
BLD, ABDOMEN	1
BLD, GI	1
BLD, RECTUM	1
BLD, THORAX	1
CHEMISTRY ABN	1
DEFECATION ABN	1
DESTRUCTIVENESS	1
DISCHARGE, NOSE	1
DISCHARGE, VULVA	1
DYSMETRIA	1
EAR DISORDER	1
EDEMA, LIMB(S)	1
FERTILITY, LACK OF	1
FIBRILLATION, VENTRICU	1
FLATULENCE	1
FROTH, NOSE	1
HEALING IMPAIRED	1
HYPERSALIVATION	1
ICTERUS	1
INEFFECT, STRONGYLES	1
INJURY	1
INTERACTION, DRUG(S)	1
K HI, BLD	1
KICKING	1
KIDNEY VALUES HI, BLD	1
LAMINITIS	1
LDH HI, BLD	1
LIVER PROFILE HI	1
MORIBUND	1
MURMUR, HEART	1
NA HI, BLD	1
NECROSIS	1
NEOPLASM, MULT SITES	1
OPACITY, CORNEA(S)	1
OVERIES, CYSTIC	1
PALLOR	1

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARALYSIS	1
PARESIS, HIND LIMB(S)	1
PD-CONTAM, INSECTS	1
PLACENTA, ABNORMAL	1
POLYURIA	1
PR-COLON, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MULT SITES, BLD	1
PR-MULT SITES, EDEMA	1
PR-NERVE(S), LESION(S)	1
PROSTRATION	1
PR-TONGUE, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PR-UDDER, LESION(S)	1
PR-VAGINA/VULVA, LESIO	1
RESIDUE, MILK	1
SEPSIS	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
SWELLING, BRISKET/CHES	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
TACHYCARDIA	1
TECH ERROR	1
TRANSUDATE	1
TREMBLING	1
UDDER, HARD	1
UDDER, TEAT(S) DISORDE	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
UNKNOWN	1
UNPALATABLE	1
VOMITING, UNPRODUCTIVE	1
WEAKNESS, NEWBORN	1

**DRUG: MONENSIN**

Species: CHICKEN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	16
INEFFECT, COCCIDIA	9
TECH ERROR, MIXING	5
EGG PRODUCTION DOWN	4
ANOREXIA	3
ADIPSIA	2
COLLAPSE	2
HATCHING ABN	2
OFF FEED	2
RECUMBENCY	2
TOX	2
ACCIDENTAL EXPOSURE	1
BLD, GI	1
CULTURE/TITER DATA ABN	1
DEATH(TX FAILURE)	1
DEHYDRATION	1
HEMATOCHEZIA	1
INEFFECT, ANTIBIOTIC	1
PARALYSIS	1
PARALYSIS, HIND LIMB(S)	1
PAREISIS	1
PAREISIS, HIND LIMB(S)	1
POOR PERFORMANCE	1
POSTURE ABN	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MOUTH/LIP(S), LESIO	1
PR-MUSCLE(S), LESION(S)	1
REACTION, UNSPECIFIED	1
RELUCTANT TO MOVE	1
STOOL, MUCOID	1
TREMBLING	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: MONENSIN**

Species: DEER

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1

**DRUG: MONENSIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	9
DEPRESSION/LETHARGY	8
ANOREXIA	6
DEATH	6
PARESIS, HIND LIMB(S)	5
VOMITING	4
WEAKNESS	4
PARESIS	3
STUPOR	3
CONVULSION(S)	2
DIARRHEA	2
DYSPNEA	2
FEVER, BODY	2
PAIN, ABDOMEN	2
PARALYSIS	2
POLYDIPSIA	2
TACHYCARDIA	2
TREMBLING	2
UNCONSCIOUS	2
ALK PHOS HI, BLD	1
ARRHYTHMIA	1
BUN HI, BLD	1
CONFUSION	1
CPK HI, BLD	1
CYSTITIS	1
DEATH(EUTHANIZED)	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DISTENTION, ABDOMEN	1
EDEMA, HEAD/FACE	1
GGT HI, BLD	1

**DRUG: MONENSIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
INFECTION, URINARY TRA	1
MYDRIASIS	1
NEUROLOGICAL DISORDER	1
PARALYSIS, HIND LIMB(S)	1
PD-CONTAM, MOLD	1
P HI, BLD	1
POLYPNEA	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PROLAPSE, THIRD EYELID	1
RECUMBENCY	1
REFLEX(ES) ABN	1
SGPT/ALT HI, BLD	1
SHAKING	1
STAGGERING	1
THRASHING/PADDLING	1
TWITCH	1
UNPALATABLE, WON'T EAT	1

**DRUG: MONENSIN**

Species: DONKEY

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
NEUROLOGICAL DISORDER	1
PR-HEART, LESION(S)	1
PR-NERVE(S), LESION(S)	1
PR-SM INTEST, LESION(S)	1
TECH ERROR, MIXING	1



**DRUG: MONENSIN**

Species: DUCK

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2

**DRUG: MONENSIN**

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MONENSIN**

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	22
ANOREXIA	8
DIARRHEA	7
DEPRESSION/LETHARGY	5
PR-HEART, LESION(S)	5
RECUMBENCY	4
TECH ERROR, MIXING	3
VOCALIZATION	3
ACIDOSIS, RUMEN	2
BLOAT	2
CONVULSION(S)	2
TREMBLING	2
UNPALATABLE, WON'T EAT	2
ACCIDENTAL EXPOSURE	1
ADIPSIA	1
BLINDNESS	1
DEAFNESS	1
DEATH(TX FAILURE)	1
DISTENTION, ABDOMEN	1
HEART FAILURE	1
INEFFECT, COCCIDIA	1
MELENA	1
PR-BRAIN, LESION(S)	1

**DRUG: MONENSIN**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-INTEST, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-PERICARDIAL EFFUSIO	1
REACTION, UNSPECIFIED	1
REPRODUCTION DISORDER	1
SWELLING, JOINT(S)	1
TONGUE, ABN	1
WEIGHT LOSS	1

**DRUG: MONENSIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	54
PAIN, ABDOMEN	25
RECUMBENCY	17
ANOREXIA	12
DEATH(EUTHANIZED)	8
DIARRHEA	8
DEPRESSION/LETHARGY	7
TECH ERROR, MIXING	7
SWEATING	6
TACHYCARDIA	6
ATAXIA	5
ILL	4
PR-HEART, LESION(S)	4
WEAKNESS	4
ADIPSIA	3
COLLAPSE	3
DEHYDRATION	3
ABORTION	2
ACCIDENTAL EXPOSURE	2
BRADYCARDIA	2
CHEMISTRY ABN	2

**DRUG: MONENSIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIFFICULTY RISING	2
DYSPHAGIA	2
DYSPNEA	2
FEVER, BODY	2
KIDNEY VALUES HI, BLD	2
LIVER ENZYMES HI, BLD	2
PARESIS, HIND LIMB(S)	2
STAGGERING	2
STIFFNESS	2
VOLVULUS	2
ACIDOSIS	1
ANURIA	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLINDNESS	1
BONE, ABN	1
CA HI, BLD	1
CIRCLING	1
COLON, ABN	1
CONFUSION	1
CYANOSIS	1
DILITATION, STOMACH	1
DISTRESS, RESP	1
FERTILITY, REDUCED	1
FLATULENCE	1
HEART DISORDER	1
KICKING	1
KIDNEY DISORDER	1
LAMINITIS	1
LOSS OF CONDITION	1
PAIN, MUSCLE(S)	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
PNEUMONIA	1
POLYDIPSIA	1
POOR PERFORMANCE	1
PR-BLD VESSEL(S), LESI	1
PR-COLON, LESION(S)	1

**DRUG: MONENSIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-MUSCLE(S), LESION(S)	1
PR-STOMACH, LESION(S)	1
SWELLING, LIMB(S)	1
TOX	1
TREMBLING	1
URINATION ABN	1
WBC LO, BLD	1

**DRUG: MONENSIN**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, LUNG(S)/TRACHEA	1

**DRUG: MONENSIN**

Species: LLAMA

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MONENSIN**

Species: MULE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
RECUMBENCY	2
ATAXIA	1
DIARRHEA	1
DYSPNEA	1

**DRUG: MONENSIN**

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
EPISTAXIS	1
INJURY	1

**DRUG: MONENSIN**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	9
ANOREXIA	5
ATAXIA	4
DIARRHEA	3
RECUMBENCY	2
BEHAVIOR DISORDER	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIFFICULTY RISING	1
DISTRESS, RESP	1
FROTH, MOUTH/LIP(S)	1
GASTROENTERITIS	1
HYPERSALIVATION	1
LAMENESS	1
MYOGLOBIN, URINE	1
OFF FEED	1
PARESIS	1
PARESIS, HIND LIMB(S)	1
POLYDIPSIA	1
TECH ERROR, MIXING	1
ULCER(S)	1
ULCER(S), FEET/DIGIT(S)	1
UNPALATABLE, WON'T EAT	1

**DRUG: MONENSIN**

Species: QUAIL

Route of Administration: ORAL

**DRUG: MONENSIN**

Species: QUAIL

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ADIPSIA	1
ANOREXIA	1
BEHAVIOR DISORDER	1
RECUMBENCY	1
TECH ERROR, MIXING	1

**DRUG: MONENSIN**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BIRTH DEFECT(S)	1
DEATH	1
DEATH(STILLBORN)	1
DEPRESSION/LETHARGY	1
DIARRHEA, MILD	1
STOOL ABN	1
UNPALATABLE, WON'T EAT	1

**DRUG: MONENSIN**

Species: RATITE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
DEATH	1
RECUMBENCY	1
THRASHING/PADDLING	1

**DRUG: MONENSIN**

Species: SHEEP

Route of Administration: ORAL

**DRUG: MONENSIN**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	38
ANOREXIA	12
DEPRESSION/LETHARGY	6
DIARRHEA	6
PR-HEART, LESION(S)	6
TECH ERROR, MIXING	4
PR-LUNG(S), LESION(S)	3
RECUMBENCY	3
WEAKNESS	3
ATAXIA	2
BLOAT	2
DYSPNEA	2
FEVER, BODY	2
LOCOMOTION DISORDER	2
OFF FEED	2
PR-MUSCLE(S), LESION(S)	2
STIFFNESS	2
STIFFNESS, LIMB(S)	2
TOX	2
UNPALATABLE, WON'T EAT	2
WEIGHT LOSS	2
ABN COLOR, URINE	1
ABORTION	1
BLD, URINE	1
COLLAPSE	1
CONFUSION	1
CONVULSION(S)	1
CULTURE/TITER DATA ABN	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
EDEMA, LIMB(S)	1
EFFUSION, PERICARDIAL	1
HYPERPNEA	1
HYPERSALIVATION	1
INFECTION	1
LAMENESS	1
NECK, VENTROFLEXION	1
PAIN, ABDOMEN	1

**DRUG: MONENSIN**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PARALYSIS, HIND LIMB(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MUSCLE(S), LESION(S)	1
PR-PLEURAL EFFUSION	1
PR-SM INTEST, LESION(S)	1
STAGGERING	1
STIFFNESS, FRONT LIMB(	1
STIFFNESS, HIND LIMB(S)	1
SWELLING, LIMB(S)	1
TREMBLING	1

**DRUG: MONENSIN**

Species: TURKEY

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	83
RECUMBENCY	45
NEUROLOGICAL DISORDER	14
PARESIS	14
INEFFECT, COCCIDIA	13
WEAKNESS	9
LOCOMOTION DISORDER	8
PARALYSIS	7
ANOREXIA	6
PARALYSIS, LARYNX	6
DEPRESSION/LETHARGY	5
TECH ERROR, MIXING	5
VOCALIZATION	5
ATAXIA	4
DIARRHEA	3
LAMENESS	3
POLYDIPSIA	3
THRASHING/PADDLING	3



**DRUG: MONENSIN**

Species: TURKEY

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	2
DEHYDRATION	2
DIFFICULTY RISING	2
DYSPNEA	2
GI, ABNORMAL	2
OFF FEED	2
PR-CROP, LESION(S)	2
PR-HEART, LESION(S)	2
PR-MUSCLE(S), LESION(S)	2
PR-MUSCLE(S), LESION(S)	2
PROSTRATION	2
RELUCTANT TO MOVE	2
SOUND ABN, VOICE	2
SWELLING, FEET/DIGIT(S)	2
TOX	2
UNPALATABLE, WON'T EAT	2
ACCIDENTAL EXPOSURE	1
BEHAVIOR DISORDER	1
BONE, ABN	1
CONGESTION	1
DEATH(SLAUGHTERED)	1
DEATH(TX FAILURE)	1
DIARRHEA, BLOODY	1
DIARRHEA, WATERY	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
EFFUSION, PERICARDIAL	1
ENLARGEMENT(S)	1
ENTERITIS	1
EYE DISORDER	1
GASTROENTERITIS	1
HEPATOMEGALY	1
HIDING	1
HYPOTHERMIA	1
ILL	1
INFECTION, SKIN	1
INFLAM, SKIN	1
MELENA	1

**DRUG: MONENSIN**

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
NECK, VENTROFLEXION	1
NERVOUSNESS	1
PACING	1
PARALYSIS, ALL LIMBS	1
POLYPHAGIA	1
POLYPNEA	1
PR-ESOPHAGUS, LESION(S)	1
PR-GI, PARASITISM	1
PR-INTEST, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-NERVE(S), LESION(S)	1
REACTION, UNSPECIFIED	1
SEPTICEMIA	1
SPLENOMEGALY	1
STAGGERING	1
SWELLING, JOINT(S)	1
WEIGHT LOSS	1

**DRUG: MONENSIN**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
ATAXIA	1
ILL	1
STAGGERING	1
WEAKNESS	1

**DRUG: MONENSIN**

Species: WATERFOWL

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
RECUMBENCY	1

**DRUG: MONENSIN**

Species: WATERFOWL

Route of Administration: ORAL

**DRUG: MONENSIN, RACTOPAMINE**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	4
BLOAT	3
HYPERACTIVITY	2
LAMENESS	2
ANOREXIA	1
FROTH, NOSE	1
HAIR, ABN COLOR	1
HEART FAILURE	1
HOOF DISORDER	1
INEFFECT, COCCIDIA	1
INEFFECT, WEIGHT INC	1
POLYPHAGIA	1
SKIN, SCAB(S)	1
SORE(S)	1
SPASM	1
STIFFNESS, HIND LIMB(S)	1

**DRUG: MONENSIN, RACTOPAMINE, TYLOSIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	34
BLOAT	21
LAMENESS	5
ACIDOSIS, RUMEN	4
ANOREXIA	4
GI, ABNORMAL	4
DIGESTION DISORDER	3
RESPIRATORY DISORDER	3
HOOF DISORDER	2
HYPERACTIVITY	2
INEFFECT, PRODUCTION (MEAT)	2

**DRUG: MONENSIN, RACTOPAMINE, TYLOSIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, WEIGHT INC	2
MEAT ABN	2
MEAT, ABN COLOR	2
POLYPHAGIA	2
PR-STOMACH, LESION(S)	2
AGGRESSION	1
ATAXIA	1
BEHAVIOR DISORDER	1
BLD	1
CARDIOMEGALY	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
DEATH(SLAUGHTERED)	1
ENTERITIS	1
HEART FAILURE	1
INEFFECT	1
INFECTION	1
INFLAM, SKIN	1
LIVER DISORDER	1
PAIN, JOINT(S)	1
PARESIS, HIND LIMB(S)	1
PNEUMONIA	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE, RECTUM	1
RECUMBENCY	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
UNPALATABLE, WON'T EAT	1

**DRUG: MONENSIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
URTICARIA	2
CONGESTION, SKIN	1

**DRUG: MONENSIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DISCHARGE, EYE(S)/LID(S)	1
HEALING IMPAIRED	1
PRURITIS	1
RASH	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: MONENSIN, TYLOSIN**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
PR-LIVER, LESION(S)	1

**DRUG: MONENSIN, TYLOSIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	28
PR-LIVER, LESION(S)	14
BLOAT	8
ANOREXIA	4
DEATH(SLAUGHTERED)	4
INEFFECT, ANTIBIOTIC	4
DIARRHEA	3
INFECTION	3
DEATH(EUTHANIZED)	2
HEART FAILURE	2
LAMENESS	2
LIVER DISORDER	2
PNEUMONIA	2
ACIDOSIS, RUMEN	1
BLD, LUNG(S)/TRACHEA	1
DEPRESSION/LETHARGY	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
HOOF DISORDER	1

**DRUG: MONENSIN, TYLOSIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ILL	1
INEFFECT, MILK PROD	1
LEG DISORDER	1
LOSS OF CONDITION	1
POLYDIPSIA	1
PR-LUNG(S), LESION(S)	1
RESPIRATORY DISORDER	1
TECH ERROR, MIXING	1
TREMBLING	1
UNPALATABLE, WON'T EAT	1
WEIGHT LOSS	1

**DRUG: MONENSIN, TYLOSIN**

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MONENSIN, TYLOSIN**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
FERTILITY, REDUCED	1

**DRUG: MONENSIN, TYLOSIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRESSURE HI, BLD	1

**DRUG: MONENSIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	3
DEATH	3
RECUMBENCY	2
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA, SEVERE	1
FERTILITY, LACK OF	1
HEART DISORDER	1
INEFFECT, COCCIDIA	1
LOSS OF CONDITION	1
WEAKNESS	1

**DRUG: MONENSIN**

Species: FISH

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MONENSIN**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
DEATH(EUTHANIZED)	1
DIARRHEA	1
FEVER, BODY	1
FIBRILLATION, ATRIAL	1
LAMINITIS	1
PAIN, ABDOMEN	1
POLYURIA	1
SWEATING	1
TACHYCARDIA	1
UNCONSCIOUS	1

**DRUG: MONENSIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1

**DRUG: MONENSIN**

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MONOSODIUM GLUTAMATE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1

**DRUG: MORANTEL**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	6
ANOREXIA	4
DIARRHEA	4
UDDER, HYPOGALACTIA	4
ACIDOSIS, RUMEN	1
CONVULSION(S)	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
DISPLACED ABOMASUM	1
EPIPHORA	1
FEVER, BODY	1
HEMATOCHEZIA	1
INEFFECT, WORMS	1
IRRITATION, EYE(S)/LID	1



**DRUG: MORANTEL**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1
WEIGHT LOSS	1

**DRUG: MORPHINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, TONGUE	5
SWELLING, HEAD/FACE	3
ANAPHYLAXIS/TOID	2
ANESTH RECOV PROLONGED	2
ARREST, HEART	2
DEATH	2
SWELLING, EYE(S)/LID(S)	2
VOMITING	2
APNEA	1
APPREHENSION	1
CONVULSION(S)	1
DIC	1
FEVER, BODY	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
INJ SITE INFECT	1
INJ SITE INFLAM	1
LAMENESS	1
NEUROLOGICAL DISORDER	1
PAIN	1
PRESSURE LO, BLD	1
RECUMBENCY	1
REFLEX(ES) ABN	1
SOMNOLENCE	1
URTICARIA	1

**DRUG: MORPHINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	3
GLUCOSE LO, BLD	2
LIVER FAILURE	2

**DRUG: MOXIDECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-VIAL(S), LEAKING	878
PD-SEAL, ABN	594
PD-CAP(S), ABN	156
PD-DISPENSER, ABN	151
PD-UNDERFILL, PACKAGE	70
PD-VIAL(S), ABN	61
PD-LOCK, ABN	54
PD-CONTAINER(S), DAMAG	46
PD-SUSPENSION, ABN	40
PD-VIAL(S), DAMAGED	35
PD-UNDERFILL, VIAL(S)	34
PD-SOLUTION, ABN	31
PD-TUBE(S), LEAKING	31
PD-MISSING, CAP	30
PD-SYRINGE, ABN	27
PD-UNDERFILL, TUBE(S)	23
PD-CONTAINER(S), ABN	21
PD-GEL/PASTE, ABN	17
PD-APPLICATOR, ABN	16
PD-CONTAMINATION	15
PD-TUBE(S), ABN	15
PD-TUBE(S), DAMAGED	14
PD-PRODUCT DEFECT	12
PD-LABEL(S), ABN	4
PD-ODOR, ABN	4
PD-COLOR, ABN	3
PD-MISSING, LABEL(S)	2
PD-UNKNOWN	2
NO SIGNS	1

**DRUG: MOXIDECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-DEFECT UNKNOWN	1
SYRINGE, LOCKING RING	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
BIRTH DEFECT(S)	1
DEATH	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, LICE	2
ALOPECIA	1
DEATH	1
DISTENTION, ABDOMEN	1
HYPERPNEA	1
INEFFECT, LICE BITING	1
INEFFECT, LICE SUCKING	1
PR-HEART, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PRURITIS	1
RECUMBENCY	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	87
DEPRESSION/LETHARGY	67
ANOREXIA	48
ANAPHYLAXIS/TOID	38
INEFFECT, HW LARVAE	38
CONVULSION(S)	32
DIARRHEA	32
DEATH	28
FEVER, BODY	24
ANEMIA	22
URTICARIA	22
ATAXIA	18
WBC HI, BLD	17
DYSPNEA	14
PRURITIS	14
ALK PHOS HI, BLD	13
PLATELETS LO, BLD	12
WEIGHT LOSS	12
SGPT/ALT HI, BLD	11
WEAKNESS	11
BUN HI, BLD	10
COUGHING	10
COLLAPSE	9
INJ SITE SWELLING	9
BILIRUBIN(TOT) HI, BLD	8
DEATH(EUTHANIZED)	8
DEHYDRATION	8
PALLOR, MUCOUS MEMBRAN	8
SEGS HI, BLD	8
SWELLING, HEAD/FACE	8
ANEMIA, AUTOIMMUNE HEM	7
DIARRHEA, BLOODY	7
POLYPNEA	7
TREMBLING	7
EDEMA, HEAD/FACE	6
INFLAM, SKIN	6
MONOS HI, BLD	6
ALBUMIN LO, BLD	5

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, URINE	5
EDEMA	5
IMMUNE DISORDER	5
INJ SITE ALOPECIA	5
INJ SITE MASS	5
LESION(S), SKIN	5
PAIN	5
RADIOGRAPH(S) ABN	5
VOCALIZATION	5
AMYLASE HI, BLD	4
CONGESTION, SKIN	4
GLOBULIN HI, BLD	4
HEAD TILT	4
ICTERUS, BODY	4
NEUROLOGICAL DISORDER	4
P HI, BLD	4
RECUMBENCY	4
SGOT/AST HI, BLD	4
SHAKING	4
BEHAVIOR DISORDER	3
BLD, LUNG(S)/TRACHEA	3
CHOLESTEROL HI, BLD	3
CREATININE HI, BLD	3
DIARRHEA, MILD	3
DIFFICULTY RISING	3
HYPERACTIVITY	3
ILL	3
KIDNEY FAILURE	3
LAMENESS	3
LIVER ENZYMES HI, BLD	3
NERVOUSNESS	3
POLYCYTHEMIA	3
POLYDIPSIA	3
PR-LIVER, LESION(S)	3
PR-SKIN, LESION(S)	3
PR-STOMACH, LESION(S)	3
RASH	3
RELUCTANT TO MOVE	3

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
SHOCK	3
ULCER(S), SKIN	3
VOMITING, BLOODY	3
ADIPSIA	2
ANEMIA, HEMOLYTIC	2
ASCITES	2
BANDS HI, BLD	2
BILIRUBIN(DIR) HI, BLD	2
BLD(ECCHYMOSES)	2
BRADYCARDIA	2
CHLORIDE LO, BLD	2
COAGULATION DISORDER	2
CONFUSION	2
CONGESTION, EYE(S)/LID	2
CONGESTION, LUNG(S)	2
CPK HI, BLD	2
DEMENTIA	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, NOSE	2
DISTRESS, RESP	2
EFFUSION, PLEURAL	2
ERUPTION(S)	2
ERYTHEMA MULTIFORME	2
GGT HI, BLD	2
HEART DISORDER	2
HIDING	2
HYPERSALIVATION	2
INEFFECT, HOOKS	2
INJ SITE INFLAM	2
INJ SITE PAIN	2
K HI, BLD	2
K LO, BLD	2
LYMPHS LO, BLD	2
MELENA	2
MORIBUND	2
MURMUR, HEART	2
NA HI, BLD	2
OTITIS	2

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
PACING	2
PAIN, ABDOMEN	2
PANCREATITIS	2
PARESIS, HIND LIMB(S)	2
PROTEIN(TOT) HI, BLD	2
PR-SM INTEST, LESION(S)	2
PUSTULE(S)	2
RBC, ANISO	2
SKIN, CRUST(S)	2
SNEEZING	2
STAGGERING	2
STIFFNESS, NECK	2
STUPOR	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, MOUTH/LIP(S)	2
THYROID HORMONE(S) LO	2
US ABN	2
VESTIBULAR DISORDER	2
ABN COLOR, URINE	1
ABSCCESS, SKIN	1
AGGRESSION	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
ANISOCORIA	1
APLASIA, BONE MARROW	1
APPREHENSION	1
AZOTEMIA	1
BILIRUBIN(IND) HI, BLD	1
BILIRUBIN, URINE	1
BITING/CHEWING	1
BLD	1
BLD, EYE(S)	1
BLD(HEMATOMA)	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
BRONCHITIS	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
BUN LO, BLD	1
CA HI, BLD	1
CALCULI, BLADDER	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CARDIOMEGALY	1
CELLULITIS	1
CIRCLING	1
COLON, ABN	1
CONGESTION, EAR(S)	1
CONSTIPATION	1
COOMBS TEST POS	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
CYSTITIS	1
DEATH(NEWBORN)	1
DEFECATION	1
DERMATITIS, MOIST	1
DIARRHEA, MUCOID	1
DIARRHEA, PROJECTILE	1
DIARRHEA, WATERY	1
DIC	1
DISCOMFORT	1
DISTRESS	1
EDEMA, LUNG(S)/TRACHEA	1
EEG ABN	1
EFFUSION, PERITONEAL	1
ELECTROLYTE DISORDER	1
ENCEPHALOPATHY	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS LO, BLD	1
EXERCISE INTOLERANCE	1
EYE DISORDER	1
FIBRINOGEN LO, BLD	1
FIBROSIS	1
FROTH, MOUTH/LIP(S)	1
GASTRITIS	1
GLUCOSE HI, BLD	1



**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
GLUCOSE LO, BLD	1
HAIR, SHEDDING	1
HALLUCINATION	1
HCO3 HI, BLD	1
HEART FAILURE	1
HEMATOCHEZIA	1
HEMOGLOBIN, URINE	1
HEPATITIS	1
HEPATOMEGALY	1
HYPERPNEA	1
HYPERSENSITIVE, SOUND	1
HYPHEMA	1
HYPOADRENOCORTICISM	1
HYPOPNEA	1
HYPOTHERMIA	1
ICTERUS	1
INCONTINENCE, URINARY	1
INEFFECT, HW ADULTS	1
INEFFECT, HW ANTIGEN	1
INFECTION, EYE(S)	1
INFLAM	1
INJ SITE ABN	1
INJ SITE ABSCESS	1
INJ SITE EFFUSION	1
INJ SITE FIBROSIS	1
INJ SITE NEOPLASM	1
INJ SITE PRURITIS	1
INJ SITE SEROMA	1
IRRITATION, EYE(S)/LID	1
LDH HI, BLD	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
LIPASE HI, BLD	1
LIVER FAILURE	1
LOCOMOTION DISORDER	1
LYMPHS HI, BLD	1
MICROORGANISMS, URINE	1
MRI SCAN ABN	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
MUCOUS MEMBR, MUDDY	1
NA LO, BLD	1
NEOPLASM	1
NEOPLASM, SKIN	1
NYSTAGMUS	1
PAIN, BACK	1
PAIN, HIND LIMB(S)	1
PAIN, LIMB(S)	1
PAIN, MUSCLE(S)	1
PAIN, NECK	1
PARALYSIS, FACIAL NERV	1
PARESIS	1
PLATELETS ABN	1
P LO, BLD	1
PNEUMONIA	1
POLYCYTHEMIA(ABSOLUTE)	1
POLYPHAGIA	1
POLYURIA	1
PR-BLADDER, LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-MESENTERY, LESION(S)	1
PR-MULT SITES, CONGEST	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-PERITONEAL EFFUSION	1
PR-PERITONEUM, LESION(	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PRURITIS, EAR(S)	1
PT PROLONGED, BLD	1
RBC, MICRO	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
RESPIRATORY DISORDER	1
RETICULOCYTES HI, BLD	1
SCALE(S), SKIN	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
SEDATION	1
SEGS LO, BLD	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN, SCAB(S)	1
SOMNOLENCE	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
SPASM	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
STOOL ABN	1
SWELLING	1
SWELLING, EAR(S)	1
THROMBUS	1
TRACHITIS	1
TWITCH	1
URINATION ABN	1
VOMITING, UNPRODUCTIVE	1
WBC LO, BLD	1
WHEEZING	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1

**DRUG: MOXIDECTIN**

Species: SHEEP

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
NEUROLOGICAL DISORDER	1

**DRUG: MOXIDECTIN**

Species: SHEEP

Route of Administration: MISSING

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
BIRTH DEFECT(S)	1
EYE DISORDER	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
CONGESTION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
SKIN DISORDER	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: MOXIDECTIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	4
DEPRESSION/LETHARGY	2
STUPOR	2
TWITCH	2
AGGRESSION	1
APPREHENSION	1
CONVULSION(S)	1
HALLUCINATION	1
PARESIS, HIND LIMB(S)	1
RECUMBENCY	1
SEDATION	1
TREMBLING	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RECUMBENCY	2
ANOREXIA	1
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
PARALYSIS	1
WEAKNESS	1

**DRUG: MOXIDECTIN**

Species: DEER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ATAXIA	1
DEPRESSION/LETHARGY	1
HEAD PRESSING	1
RECUMBENCY	1
UNCONSCIOUS	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	173
CONVULSION(S)	70
TREMBLING	68
DEPRESSION/LETHARGY	59
RECUMBENCY	46
UNCONSCIOUS	40
DEATH	37
STUPOR	33
VOMITING	31
HYPERSALIVATION	25
CONFUSION	24
HYPERACTIVITY	21

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TWITCH	21
FEVER, BODY	20
NEUROLOGICAL DISORDER	16
MYDRIASIS	13
WEAKNESS	13
BLINDNESS	12
POLYPNEA	12
DEATH(EUTHANIZED)	10
STAGGERING	10
ACCIDENTAL EXPOSURE	9
BLINDNESS, TEMP	9
DIARRHEA	8
DYSPNEA	8
HALLUCINATION	8
NERVOUSNESS	8
APPREHENSION	6
BEHAVIOR DISORDER	5
CNS DISORDER	5
HYPERESTHESIA	5
SHAKING	5
TACHYCARDIA	5
ANOREXIA	4
HYPERPNEA	4
HYPOTHERMIA	4
DEHYDRATION	3
DIFFICULTY RISING	3
PARALYSIS	3
POLYDIPSIA	3
PROPRIOCEPTIVE DISORDE	3
PUPIL(S), AREFLEXIA	3
REACTION, UNSPECIFIED	3
SEDATION	3
SHOCK	3
WEIGHT LOSS	3
ANAPHYLAXIS/TOID	2
APNEA	2
BLINDNESS, PARTIAL	2
BRADYCARDIA	2

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	2
CYANOSIS	2
DEAFNESS	2
DIARRHEA, BLOODY	2
DYSPHAGIA	2
HIDING	2
HYPOTHERMIA, BODY	2
ILL	2
JERKING	2
MIOSIS	2
NYSTAGMUS	2
PARESIS, HIND LIMB(S)	2
POLYURIA	2
PRURITIS	2
SOMNOLENCE	2
SPASM	2
STUMBLING	2
TOX	2
VISION DISORDER	2
WBC HI, BLD	2
AGGRESSION	1
ALK PHOS HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ARRHYTHMIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD, SCLERA	1
BORBORYGMI	1
BREATHING, PERIODIC	1
CONGESTION, LUNG(S)	1
DIARRHEA, SEVERE	1
EDEMA, HEAD/FACE	1
EXERCISE INTOLERANCE	1
HAIR, SHEDDING	1
HEAD BOBBING	1
HEAD PRESSING	1
HEMATOCHEZIA	1
HYPERSENSITIVE, SOUND	1
HYPERTONIA	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INCONTINENCE	1
INEFFECT, HW ADULTS	1
INEFFECT, HW LARVAE	1
INJ SITE PAIN	1
INJ SITE SEROMA	1
LOCOMOTION DISORDER	1
MUCOUS MEMBR, MUDDY	1
MUCOUS MEMBR, RED	1
PACING	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PARESIS	1
PD-LOCK, ABN	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA(RELATIVE)	1
POLYPHAGIA	1
POSTURE ABN	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MOUTH/LIP(S), LESIO	1
PROTEIN, URINE	1
PR-SPLEEN, LESION(S)	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
SGPT/ALT HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN, NECROSIS	1
SOUND ABN, RESPIRATORY	1
STOOL ABN	1
URTICARIA	1
VOCALIZATION	1
VOMITING ROUNDWORMS	1
WBC LO, BLD	1



**DRUG: MOXIDECTIN**

Species: DONKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-LOCK, ABN	3
DEATH	2
ABORTION	1
ATAXIA	1
ILL	1
PD-DISPENSER, ABN	1
PR-LIVER, LESION(S)	1

**DRUG: MOXIDECTIN**

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MOXIDECTIN**

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	20
ATAXIA	9
RECUMBENCY	9
DEPRESSION/LETHARGY	6
ANOREXIA	4
BLINDNESS	3
DEATH(STILLBORN)	2
PR-GI, PARASITISM	2
TREMBLING	2
UNCONSCIOUS	2
VOMITING	2
ABORTION	1
ANEMIA	1
ANOREXIA(NOT NURSING)	1
BILIRUBIN(TOT) HI, BLD	1
BLOAT	1
BUN HI, BLD	1

**DRUG: MOXIDECTIN**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CIRCLING	1
DEATH(EUTHANIZED)	1
DEATH(NEWBORN)	1
DIARRHEA	1
DIARRHEA, WATERY	1
DYSPHAGIA	1
DYSTOCIA	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
GRINDING TEETH	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA	1
LIVER ENZYMES HI, BLD	1
LOSS OF CONDITION	1
MIOSIS	1
MYDRIASIS	1
OPISTHOTONOS	1
PALLOR	1
PARALYSIS, ALL LIMBS	1
PARESIS, HIND LIMB(S)	1
PD-SOLUTION, ABN	1
PR-LIVER, LESION(S)	1
PR-MEDULLA, LESION(S)	1
PR-SPINAL CORD, LESION	1
RUMEN, ABN	1
STAGGERING	1
STUPOR	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-LOCK, ABN	274

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	230
DEPRESSION/LETHARGY	203
PAIN, ABDOMEN	147
RECUMBENCY	113
ANOREXIA	104
DEATH	74
URTICARIA	45
DIARRHEA	38
DEATH(EUTHANIZED)	29
UNCONSCIOUS	29
FEVER, BODY	26
PRURITIS, TAIL	20
NEUROLOGICAL DISORDER	19
STUPOR	18
TREMBLING	18
WEIGHT LOSS	18
DEHYDRATION	17
WEAKNESS	17
ABORTION	14
INEFFECT, STRONGYLES	14
TACHYCARDIA	14
LAMINITIS	13
ALOPECIA	12
ANOREXIA(NOT NURSING)	12
STAGGERING	12
SWEATING	12
CONVULSION(S)	11
DIARRHEA, MILD	11
DIARRHEA, SEVERE	11
INEFFECT, PINWORMS	11
CONFUSION	10
HAIR, ABN	10
INEFFECT, WORMS	10
PRURITIS	10
COLLAPSE	9
INEFFECT, ASCARIDS	9
LIVER ENZYMES HI, BLD	9
PD-SYRINGE, ABN	9

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, LIMB(S)	9
ANAPHYLAXIS/TOID	8
DYSPNEA	8
EDEMA, HEAD/FACE	8
EDEMA, LIMB(S)	8
NERVOUSNESS	8
PR-COLON, LESION(S)	8
RELUCTANT TO MOVE	8
SYRINGE, LOCKING RING	8
HYPERSALIVATION	7
HYPOTHERMIA, BODY	7
PARESIS, HIND LIMB(S)	7
PD-PRODUCT DEFECT	7
TWITCH	7
WBC HI, BLD	7
ANEMIA	6
COLITIS	6
DIFFICULTY RISING	6
HYPERPNEA	6
LAMENESS	6
MYDRIASIS	6
POLYPNEA	6
SHOCK, ENDOTOXEMIA	6
SOMNOLENCE	6
ADIPSIA	5
BILIRUBIN(TOT) HI, BLD	5
BLINDNESS	5
CIRCLING	5
CPK HI, BLD	5
DIARRHEA, WATERY	5
DISCHARGE, NOSE	5
EDEMA, VENTRAL	5
HYPERACTIVITY	5
HYPERESTHESIA	5
HYPOMOTILITY	5
ILL	5
NYSTAGMUS	5
PAIN	5

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROPRIOCEPTIVE DISORDE	5
SGOT/AST HI, BLD	5
STIFFNESS	5
SWELLING, EYE(S)/LID(S)	5
WBC LO, BLD	5
ALBUMIN LO, BLD	4
APPREHENSION	4
BLINDNESS, TEMP	4
CNS DISORDER	4
COUGHING	4
GGT HI, BLD	4
GLUCOSE HI, BLD	4
INEFFECT, BOTS	4
PD-DISPENSER, ABN	4
SPASM	4
SWELLING, HEAD/FACE	4
SWELLING, PHARYNX/THRO	4
BLINDNESS, PARTIAL	3
BRADYCARDIA	3
COLON, ABN	3
CONSTIPATION	3
CREATININE HI, BLD	3
DIARRHEA, BLOODY	3
DIZZINESS	3
GLOBULIN HI, BLD	3
INEFFECT, PARASITE(S)	3
LOSS OF CONDITION	3
OBSTRUCTION, INTESTINE	3
PAWING	3
PD-TUBE(S), ABN	3
POLYCYTHEMIA	3
PROTEIN(TOT) LO, BLD	3
ROLLING	3
STUMBLING	3
SWELLING, JOINT(S)	3
SWELLING, MOUTH/LIP(S)	3
VISION DISORDER	3
BEHAVIOR DISORDER	2

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BIRTH, PREMATURE	2
BUN HI, BLD	2
CACHEXIA	2
CA LO, BLD	2
CATARACT(S)	2
CONGESTION, LUNG(S)	2
CONGESTION, MUCOUS MEM	2
CREATININE LO, BLD	2
DEATH(TX FAILURE)	2
DISTENTION, ABDOMEN	2
EDEMA	2
EDEMA, BRISKET/CHEST	2
ENCEPHALOPATHY	2
INFLAM, SKIN	2
INTERACTION, DRUG(S)	2
LDH HI, BLD	2
LESION(S), SKIN	2
MUCOUS MEMBR, MUDDY	2
MURMUR, HEART	2
PAIN, LIMB(S)	2
PD-GEL/PASTE, ABN	2
PD-ODOR, ABN	2
POLYDIPSIA	2
PR-BLD VESSEL(S), LESI	2
PR-GI, LESION(S)	2
PR-LIVER, LESION(S)	2
PROTEIN(TOT) HI, BLD	2
PR-SM INTEST, LESION(S)	2
PUPIL(S), AREFLEXIA	2
REFLEX(ES) ABN	2
REFLUX, STOMACH	2
RESPIRATORY DISORDER	2
RETINA ABN	2
RUPTURE	2
SEDATION	2
SHAKING, HEAD/FACE	2
SHOCK	2
SKIN DISORDER	2

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SKIN, SCAB(S)	2
SWELLING, PREPUCE	2
TREMBLING, FACE	2
ULCER(S), MOUTH/LIP(S)	2
ULCER(S), STOMACH	2
WHEEZING	2
ABN COLOR, URINE	1
ALBUMIN HI, BLD	1
ALK PHOS HI, BLD	1
ANURIA	1
APNEA	1
ARREST, HEART	1
ARRHYTHMIA	1
ATONY, BLADDER	1
BANDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BITING/CHEWING	1
BLD(HEMATOMA)	1
BLD(PETECHIAE)	1
BLD, URINE	1
BORBORYGMI	1
BREATHING, DIFFICULT	1
CHEMISTRY ABN	1
COAGULATION DISORDER	1
COLITIS, ULCERATIVE	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DISCHARGE, EYE(S)/LID(	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
DISTENTION, CECUM	1
DISTRESS, RESP	1
DYSMETRIA	1
DYSPHAGIA	1
EDEMA, NECK	1
EDEMA, PREPUCE	1
ELECTROLYTE DISORDER	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S)	1
ENLARGEMENT(S), SKIN	1
ENTERITIS	1
EPIPHORA	1
ERUPTION(S)	1
EXERCISE INTOLERANCE	1
FIBRINOGEN HI, BLD	1
FIBRINOGEN LO, BLD	1
GASTROENTERITIS	1
GINGIVA, ABN	1
GLOBULIN LO, BLD	1
GLUCOSE LO, BLD	1
GRINDING TEETH	1
HAIR, SHEDDING	1
HALLUCINATION	1
HEAD PRESSING	1
HEAD TILT	1
HYPERMOTILITY	1
HYPOESTHESIA	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOPNEA	1
ICTERUS	1
INCONTINENCE, URINARY	1
INEFFECT	1
INEFFECT, STRONGYLE LA	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, PHARYNX/TH	1
JERKING	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LESION(S), MOUTH/LIP(S)	1
LIVER DISORDER	1
LOCOMOTION DISORDER	1
MUCOUS MEMBR, RED	1
NECK, VENTROFLEXION	1
OBSTRUCTION, ESOPHAGUS	1
OPACITY, CORNEA(S)	1



**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
OPISTHOTONOS	1
PACING	1
PAIN, HIND LIMB(S)	1
PAIN, MUSCLE(S)	1
PARALYSIS, FACIAL NERV	1
PARALYSIS, HIND LIMB(S)	1
PERFORATION, GI	1
P LO, BLD	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA(RELATIVE)	1
POLYURIA	1
PR-BLADDER, LESION(S)	1
PR-CECUM, LESION(S)	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, CONGEST	1
PR-NOSE, LESION(S)	1
PROLAPSE, THIRD EYELID	1
PROLAPSE, TONGUE	1
PR-RECTUM, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PUSTULE(S)	1
RADIOGRAPH(S) ABN	1
REACTION, UNSPECIFIED	1
SCALE(S), SKIN	1
SEGS HI, BLD	1
SEGS LO, BLD	1
SEPSIS	1
SGPT/ALT HI, BLD	1
SHAKING	1
SKIN, CRUST(S)	1
SORE(S)	1
SPEC GRAVITY HI, URINE	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STIFFNESS, HIND LIMB(S)	1
STIFFNESS, LIMB(S)	1
STOOL ABN	1
STOOL, MUCOID	1
STRANGURIA	1
SWELLING, NECK	1
SWELLING, TONGUE	1
SWELLING, VENTRUM	1
TECH ERROR ADMINISTRAT	1
THRASHING/PADDLING	1
THROMBUS	1
THYROID HORMONE(S) LO	1
TISSUE, GRANULATION	1
ULCER(S)	1
UNPALATABLE	1
UNPALATABLE, WON'T SWA	1
URINATION ABN	1
VASCULITIS	1
VESICLE(S)/BULLAE, SKI	1
VOCALIZATION	1
VOLVULUS, INTESTINE	1
VOMITING, UNPRODUCTIVE	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	1
VOMITING	1

**DRUG: MOXIDECTIN**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	7

**DRUG: MOXIDECTIN**

Species: SHEEP

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	6
INEFFECT, PARASITE(S)	4
ATAXIA	3
DIARRHEA	2
ABORTION	1
ANOREXIA	1
AZOTEMIA	1
BEHAVIOR DISORDER	1
BLINDNESS	1
COLLAPSE	1
CPK HI, BLD	1
DEATH(NEWBORN)	1
EDEMA, HEAD/FACE	1
HEAD PRESSING	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPERSALIVATION	1
NEUROLOGICAL DISORDER	1
PALLOR, MUCOUS MEMBRAN	1
PROTEIN(TOT) LO, BLD	1
RECUMBENCY	1
SGOT/AST HI, BLD	1
SWELLING, MOUTH/LIP(S)	1
WEAKNESS	1

**DRUG: MOXIDECTIN**

Species: VARIOUS

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
ILL	1

**DRUG: MOXIDECTIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARRHYTHMIA	1
DEATH	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	12
DEPRESSION/LETHARGY	5
INEFFECT, LICE	4
RECUMBENCY	4
DYSPNEA	3
INEFFECT, PARASITE(S)	3
ATAXIA	2
HAIR, ABN	2
HYPERSALIVATION	2
INEFFECT, ASCARIDS	2
PRURITIS	2
ABORTION	1
ALOPECIA	1
CONVULSION(S)	1
COUGHING	1
DEATH(EUTHANIZED)	1
DEATH(SLAUGHTERED)	1
DIARRHEA	1
DIFFICULTY RISING	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
EPISTAXIS	1
GINGIVA, ABN	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
INEFFECT, COCCIDIA	1
INEFFECT, WORMS	1
LOSS OF CONDITION	1
MELENA	1
NEUROLOGICAL DISORDER	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
NYSTAGMUS	1
OPISTHOTONOS	1
PARALYSIS	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PROLAPSE, THIRD EYELID	1
RELUCTANT TO MOVE	1
STAGGERING	1
STIFFNESS, HIND LIMB(S)	1
ULCER(S), MOUTH/LIP(S)	1

**DRUG: MOXIDECTIN**

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
RECUMBENCY	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	2,301
ANAPHYLAXIS/TOID	2,086
DEPRESSION/LETHARGY	1,491
URTICARIA	896
ANOREXIA	833
INEFFECT, HW LARVAE	722
DIARRHEA	709
CONVULSION(S)	563
SWELLING, HEAD/FACE	559
FEVER, BODY	500

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	496
PRURITIS	453
EDEMA, HEAD/FACE	425
PALLOR, MUCOUS MEMBRAN	330
EDEMA	323
SGPT/ALT HI, BLD	320
ALK PHOS HI, BLD	302
WBC HI, BLD	289
DEATH(EUTHANIZED)	278
COLLAPSE	277
WEIGHT LOSS	273
ATAXIA	253
DYSPNEA	248
INJ SITE SWELLING	237
ANEMIA	233
DIARRHEA, BLOODY	231
SHOCK	218
WEAKNESS	199
PLATELETS LO, BLD	188
CONGESTION, SKIN	180
POLYPNEA	180
RECUMBENCY	154
BUN HI, BLD	151
BILIRUBIN(TOT) HI, BLD	117
ALBUMIN LO, BLD	115
RADIOGRAPH(S) ABN	115
TREMBLING	114
COUGHING	110
CREATININE HI, BLD	104
ANEMIA, AUTOIMMUNE HEM	101
SEGS HI, BLD	101
PR-LIVER, LESION(S)	97
HYPERSALIVATION	94
PAIN	92
SGOT/AST HI, BLD	85
TACHYCARDIA	85
DEHYDRATION	84
POLYDIPSIA	83

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, URINE	82
INJ SITE MASS	80
VOMITING, BLOODY	78
ICTERUS, BODY	71
LAMENESS	71
INJ SITE INFLAM	67
PAIN, ABDOMEN	65
PROTEIN(TOT) LO, BLD	65
LIVER ENZYMES HI, BLD	64
US ABN	63
INJ SITE PAIN	61
PALLOR	61
NERVOUSNESS	60
AMYLASE HI, BLD	59
INJ SITE ALOPECIA	59
RELUCTANT TO MOVE	58
SHAKING	58
P HI, BLD	56
ALOPECIA	55
PARESIS, HIND LIMB(S)	55
POLYURIA	55
INFLAM, SKIN	54
BLD(PETECHIAE)	53
DIARRHEA, MILD	53
SWELLING, EYE(S)/LID(S)	52
GGT HI, BLD	49
WBC LO, BLD	49
PR-KIDNEY(S), LESION(S)	48
PR-SKIN, LESION(S)	48
CONFUSION	47
MONOS HI, BLD	46
PR-INJ SITE, LESION(S)	46
MURMUR, HEART	44
PROTEIN, URINE	44
GLUCOSE HI, BLD	43
HYPERACTIVITY	43
HYPERPNEA	43
BRADYCARDIA	42

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIFFICULTY RISING	42
HEMATOCHEZIA	42
MELENA	42
POLYCYTHEMIA	42
ENLARGEMENT, LYMPH NOD	40
STUPOR	40
US-LIVER ABN	40
INJ SITE ABSCESS	39
INJ SITE PRURITIS	39
PR-LUNG(S), LESION(S)	39
GLOBULIN HI, BLD	38
LIPASE HI, BLD	38
VOCALIZATION	38
EPISTAXIS	37
GLUCOSE LO, BLD	37
THYROID HORMONE(S) LO	37
BLD(ECCHYMOSES)	36
INCONTINENCE, URINARY	36
PR-SPLEEN, LESION(S)	35
BEHAVIOR DISORDER	34
BLINDNESS	34
TWITCH	34
ADIPSIA	33
ARREST, HEART	33
HYPOTHERMIA, BODY	33
KIDNEY FAILURE	33
LYMPHS LO, BLD	32
PROPRIOCEPTIVE DISORDE	32
ASCITES	31
BILIRUBIN, URINE	31
CHOLESTEROL HI, BLD	31
CPK HI, BLD	31
AGGRESSION	30
BANDS HI, BLD	30
PR-HEART, LESION(S)	30
PROTEIN(TOT) HI, BLD	30
SPEC GRAVITY LO, URINE	30
STAGGERING	30



**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CARDIOMEGALY	29
LESION(S), SKIN	29
NYSTAGMUS	29
CA HI, BLD	27
CIRCLING	27
INFECTION, SKIN	27
NEOPLASM	27
NEUROLOGICAL DISORDER	27
EDEMA, LUNG(S)/TRACHEA	26
HEAD TILT	26
HEPATOMEGALY	26
INJ SITE SEROMA	26
RASH	26
BILE ACIDS HI, BLD	25
CONGESTION, EAR(S)	25
DERMATITIS, MOIST	25
DISTENTION, ABDOMEN	25
EDEMA, LIMB(S)	25
K LO, BLD	25
NA LO, BLD	25
UNCONSCIOUS	25
PULSE THREADY	24
BLD	23
DEFECATION	23
EOSINOS HI, BLD	23
K HI, BLD	23
MYDRIASIS	23
CONGESTION, LUNG(S)	22
COOMBS TEST POS	22
FROTH, MOUTH/LIP(S)	22
IMMUNE DISORDER	22
PR-LUNG(S), EDEMA	22
SPLENOMEGALY	22
URINATION	22
BLD, MOUTH/LIP(S)	21
BUN LO, BLD	21
DIARRHEA, WATERY	21
NEOPLASM, LYMPH NODE(S)	21

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, NECK	21
PR-LYMPH NODE(S), LESI	21
PR-STOMACH, LESION(S)	21
STIFFNESS	21
CAPILLARY REFILL PROLO	20
CHLORIDE LO, BLD	20
CONJUNCTIVITIS	20
DIARRHEA, MUCOID	20
DISTRESS, RESP	20
DIARRHEA, SEVERE	19
DISCHARGE, NOSE	19
INJ SITE ABN	19
PANCREATITIS	19
CYANOSIS, MUCOUS MEMBR	18
OTITIS	18
PAIN, BACK	18
SKIN, CRUST(S)	18
WBC, URINE	18
APPREHENSION	17
COAGULATION DISORDER	17
GASTROENTERITIS	17
HEART FAILURE	17
ICTERUS	17
INTERACTION, DRUG(S)	17
LIVER DISORDER	17
LYMPHS HI, BLD	17
SOUND ABN, RESPIRATORY	17
BLD, ABDOMEN	16
DISCOMFORT	16
EXERCISE INTOLERANCE	16
PR-SM INTEST, LESION(S)	16
APNEA	15
ATROPHY, MUSCLE(S)	15
BLD, RECTUM	15
CA LO, BLD	15
DIC	15
PACING	15
RBC, NUCLEATED	15

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, EAR(S)	15
SYNCOPE	15
VOMITING, SEVERE	15
GLUCOSE, URINE	14
MASS, SKIN	14
PR-BONE MARROW, LESION	14
PR-BRAIN, LESION(S)	14
PRESSURE LO, BLD	14
PR-MULT SITES, BLD	14
PR-PANCREAS, LESION(S)	14
PTT PROLONGED, BLD	14
SPASM	14
SWELLING, NECK	14
ANEMIA, HEMOLYTIC	13
GAGGING	13
LOCOMOTION DISORDER	13
PAPULE(S)	13
PUPIL(S), AREFLEXIA	13
REFLEX(ES) ABN	13
RETICULOCYTES HI, BLD	13
SHAKING, HEAD/FACE	13
STIFFNESS, HIND LIMB(S)	13
TRIGLYCERIDES HI, BLD	13
VOMITING, UNPRODUCTIVE	13
ANEMIA, REGEN	12
CONGESTION, MUCOUS MEM	12
DISCHARGE, EYE(S)/LID(S)	12
EFFUSION, PLEURAL	12
HEPATITIS	12
HIDING	12
HYPOPNEA	12
INCONTINENCE, FECAL	12
INEFFECT, HOOKS	12
LIVER FAILURE	12
NEOPLASM, LIVER	12
PARALYSIS, HIND LIMB(S)	12
PARESIS	12
P LO, BLD	12

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PRURITIS, FEET/DIGIT(S)	12
PT PROLONGED, BLD	12
SEGS LO, BLD	12
SWELLING, LIMB(S)	12
VESTIBULAR DISORDER	12
ABN COLOR, URINE	11
ANISOCORIA	11
EDEMA, EYE(S)/LID(S)	11
EYE DISORDER	11
GLOBULIN LO, BLD	11
HYPOTHERMIA	11
INFECTION, URINARY TRA	11
INJ SITE BLD	11
INJ SITE EFFUSION	11
MIOSIS	11
NEOPLASM, SKIN	11
NEOPLASM, SPLEEN	11
PARALYSIS, FACIAL NERV	11
PRESSURE HI, BLD	11
STUMBLING	11
SWELLING, JOINT(S)	11
SWELLING, MOUTH/LIP(S)	11
ANA POS	10
ANEMIA, SPHERO	10
BLD, SCLERA	10
BREATHING ABN	10
CONGESTION	10
CRYSTALS, URINE	10
DIABETES MELLITUS	10
ECG ABN	10
GRANULOMA	10
INJ SITE NECROSIS	10
KIDNEY DISORDER	10
MASS, ABDOMEN	10
NA HI, BLD	10
PAIN, HIND LIMB(S)	10
PAIN, JOINT(S)	10
RELUCTANT TO CLIMB	10

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SNEEZING	10
UVEITIS	10
ARRHYTHMIA	9
BLD, LUNG(S)/TRACHEA	9
CONGESTION, EYE(S)/LID	9
CYANOSIS	9
EDEMA, VENTRAL	9
EFFUSION, PERITONEAL	9
ERUPTION(S)	9
HEART DISORDER	9
INJ SITE EDEMA	9
INJ SITE ULCER(S)	9
LICKING, FEET/DIGIT(S)	9
NAUSEA	9
PR-INTEST, LESION(S)	9
PRURITIS, EAR(S)	9
STARING	9
STIFFNESS, NECK	9
SWELLING, FEET/DIGIT(S)	9
ULCER(S), SKIN	9
AZOTEMIA	8
CHOLESTEROL LO, BLD	8
DEAFNESS	8
DEFECATION ABN	8
GI, ABNORMAL	8
HAIR, SHEDDING	8
INJ SITE SLOUGH	8
MASS	8
MICROORANISMS, URINE	8
MONOS LO, BLD	8
POLYCYTHEMIA(RELATIVE)	8
RBC, ANISO	8
SKIN, SCAB(S)	8
SOMNOLENCE	8
SWELLING	8
TENESMUS, RECTAL	8
ALKALINE URINE	7
BILE ACIDS ABN, BLD	7

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, SKIN	7
BRONCHITIS	7
CNS DISORDER	7
CSF ABN	7
DEATH(STILLBORN)	7
ECG, ABN	7
EMBOLUS	7
ENLARGEMENT(S), SKIN	7
EOSINOS LO, BLD	7
GLAUCOMA	7
HYPERKERATOSIS	7
HYPERPIGMENTATION, SKI	7
ICTERUS, SERUM	7
INJ SITE FIBROSIS	7
INJ SITE INFECT	7
INJ SITE STERILE ABSCE	7
LDH HI, BLD	7
MG HI, BLD	7
NEOPLASM, LUNG(S)	7
OPISTHOTONOS	7
PAIN, MUSCLE(S)	7
PLATELETS HI, BLD	7
PNEUMONIA	7
PR-ADRENAL(S), LESION(S)	7
PR-CEREBRUM, LESION(S)	7
PR-COLON, LESION(S)	7
PR-HEARTWORM DISEASE	7
RETINA ABN	7
SCALE(S), SKIN	7
SKIN, NECROSIS	7
STOOL, MUCOID	7
URINATION ABN	7
WHEEZING	7
ALBUMIN HI, BLD	6
ARTHRITIS	6
BITING/CHEWING	6
BRAIN, NEOPLASM	6
CASTS, URINE	6

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEMENTIA	6
DIARRHEA, PROJECTILE	6
EDEMA, LARYNX	6
HAIR, ABN	6
HYPERADRENOCORTICISM	6
HYPERTONIA	6
HYPHEMA	6
HYPADRENOCORTICISM	6
ILL	6
MG LO, BLD	6
MUCOUS MEMBR, RED	6
NEOPLASM, BONE	6
ODOR, MOUTH	6
PAIN, LIMB(S)	6
PAIN, MOUTH/LIP(S)	6
POLYPHAGIA	6
PR-BLADDER, LESION(S)	6
PR-ESOPHAGUS, LESION(S)	6
RBC, POLYCHROM	6
SEDATION	6
SKIN DISORDER	6
SLOUGH, SKIN	6
ULCER(S), STOMACH	6
ANEMIA, APLASTIC	5
BLD, ANUS	5
BLD, GI	5
CACHEXIA	5
CAT SCAN ABN	5
CELLULITIS	5
CREATININE LO, BLD	5
DISTRESS	5
DYSPHAGIA	5
EFFUSION, JOINT(S)	5
EFFUSION, PERICARDIAL	5
HYPERESTHESIA	5
INJ SITE HAIR, ABN	5
INJ SITE NEOPLASM	5
MRI SCAN ABN	5

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MUCOUS MEMBR, ABN COLO	5
NEOPLASM, HEART	5
NEPHRITIS	5
NYSTAGMUS, HORIZONTAL	5
NYSTAGMUS, ROTARY	5
PANCREAS ENZYMES HI, B	5
PANCYTOPENIA	5
PARESIS, FORELIMB(S)	5
POSTURE ABN	5
PR-EYE(S)/LID(S), LESI	5
PR-MENINGES, LESION(S)	5
PROLAPSE, DISC	5
RESPIRATORY DISORDER	5
STIFFNESS, FRONT LIMB(	5
SWELLING, TONGUE	5
TENESMUS	5
THROMBUS	5
TRANSUDATE	5
ULCER(S), CORNEA(S)	5
VESICLE(S)/BULLAE, SKI	5
VOLVULUS, STOMACH	5
ABSCCESS, SKIN	4
BLD, EYE(S)	4
BLD(HEMATOMA)	4
BLD, VAGINA	4
BLINDNESS, PARTIAL	4
BLINDNESS, TEMP	4
CATARACT(S)	4
CHLORIDE HI, BLD	4
DYSMETRIA	4
EDEMA, MULTIPLE SITES	4
ENCEPHALOPATHY	4
ENTERITIS	4
GALL BLADDER, ABN	4
GASTRITIS	4
GINGIVA, ABN	4
GINGIVITIS	4
HCO3 LO, BLD	4



**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEAD BOBBING	4
HEAD PRESSING	4
INSOMNIA	4
IRRITATION, EYE(S)/LID	4
JERKING	4
KERATOCONJUNCTIVITIS S	4
KIDNEY VALUES HI, BLD	4
LESION(S), MOUTH/LIP(S)	4
LICKING	4
MUCOUS MEMBR, MUDDY	4
MYOSITIS	4
NEOPLASM, MULT SITES	4
PAIN, SPINAL	4
PLATELETS ABN	4
PR-CEREBELLUM, LESION(S)	4
PR-GI, LESION(S)	4
PR-MULT SITES, CONGEST	4
PR-NOSE, LESION(S)	4
PROLAPSE, THIRD EYELID	4
PROSTATOMEGALY	4
PR-PERITONEUM, LESION(	4
PR-SM INTEST, LESION(S)	4
PUSTULE(S)	4
REGURGITATION	4
SEBORRHEA	4
STOOL ABN	4
STRABISMUS	4
TACHYCARDIA, VENTRICUL	4
THRASHING/PADDLING	4
VISION DISORDER	4
WEIGHT INCREASE	4
ACIDOSIS	3
ACID URINE	3
APLASIA, BONE MARROW	3
APPLICATION SITE ALOPECIA	3
BASOS HI, BLD	3
BLD, PENIS	3
BLEPHAROSPASM	3

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLOAT	3
BREATHING, DIFFICULT	3
BREATHING, PERIODIC	3
CNS INFARCT	3
COLITIS	3
CONSTIPATION	3
CULTURE/TITER DATA ABN	3
DEAFNESS, TEMP	3
DEATH(NEWBORN)	3
DILITATION, ESOPHAGUS	3
DISCOMFORT, MOUTH/LIP(S)	3
DISSOCIATION	3
EDEMA, FEET/DIGIT(S)	3
EDEMA, NECK	3
EDEMA, PREPUCE	3
EMPHYSEMA	3
EPIPHORA	3
ERYTHEMA MULTIFORME	3
FLY BITING	3
GRINDING TEETH	3
HAIR, ABN COLOR	3
HORNER'S SYNDROME	3
HYPOMOTILITY	3
INJ SITE INDURATION	3
IRIS, INFLAM	3
IRRITATION	3
JOINT DISORDER	3
LIPIDS HI, BLD	3
NEOPLASM, PANCREAS	3
NEUROPATHY	3
NOSE ABN	3
PARALYSIS	3
PARALYSIS, ALL LIMBS	3
PARESIS, FORE LIMB(S)	3
PERITONITIS	3
PHARYNGITIS	3
POLLAKIURIA	3
POLYCYTHEMIA(ABSOLUTE)	3

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-BLD VESSEL(S), LESI	3
PR-MUSCLE(S), LESION(S)	3
PR-TONGUE, LESION(S)	3
PRURITIS, EYE(S)	3
SKIN ABNORMAL	3
SKIN, DRY	3
SLEEP ABN	3
SOUND ABN, VOICE	3
STIFFNESS, LIMB(S)	3
STRANGURIA	3
ULCER(S), MOUTH/LIP(S)	3
ULCER(S), MUCOCUTANEOU	3
ULCER(S), TONGUE	3
VASCULITIS	3
VOMITING, PROJECTILE	3
ABORTION	2
ANURIA	2
ARRHYTHMIA, BLOCK	2
BILIRUBIN(IND) HI, BLD	2
BIRTH DEFECT(S)	2
BLD, RETINA	2
BLD, THORAX	2
CALCULI, KIDNEY	2
CONGESTION, TONGUE	2
CORT/CREAT HI, URINE	2
DEATH(TX FAILURE)	2
DIABETES	2
DYSURIA	2
EAR DISORDER	2
EDEMA, PHARYNX	2
ELECTROLYTE DISORDER	2
ERG ABN	2
ERYTHEMA, SCROTUM	2
FIBRILLATION, ATRIAL	2
HALLUCINATION	2
INEFFECT, HW ADULTS	2
INEFFECT, HW ANTIGEN	2
INFECTION, FEET/DIGIT(	2

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFLAM	2
INJ SITE HAIR, ABN COLOR	2
LEG DISORDER	2
LESION(S)	2
LEUKODERMA	2
LIVER PROFILE HI	2
LOSS OF CONDITION	2
MACULE(S)	2
MORIBUND	2
NEOPLASM, KIDNEY(S)	2
NEURITIS	2
NYSTAGMUS, POSITIONAL	2
ODOR	2
OPACITY, CORNEA(S)	2
PAIN, HEAD/FACE	2
PD-UNDERFILL, VIAL(S)	2
PNEUMONIA, ASPIRATION	2
PR-BONE(S), LESION(S)	2
PR-JOINT(S), LESION(S)	2
PR-MEDULLA, LESION(S)	2
PR-MESENTERY, LESION(S)	2
PR-MIDBRAIN, LESION(S)	2
PR-MOUTH/LIP(S), LESIO	2
PR-MULT SITES, ICTERUS	2
PR-MULT SITES, LESION(S)	2
PROSTRATION	2
PROTRUSION, EYE(S)	2
RBC ABN	2
REPRODUCTION DISORDER	2
SORE(S)	2
SPEC GRAVITY HI, URINE	2
SPINAL CORD, NEOPLASM	2
SQUINTING	2
SWELLING, MULT SITES	2
SWELLING, PREPUCE	2
SWELLING, TESTICLE	2
SWELLING, VAGINA/VULVA	2
TAIL DISORDER	2

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TORTICOLLIS	2
TREMBLING, FACE	2
ULCER(S), EAR(S)	2
URINE ABN	2
VOLVULUS	2
AGRANULOCYTOSIS, BLD	1
A/G RATIO HI, BLD	1
ALBUMIN HI, URINE	1
AMMONIA HI, BLD	1
ANEMIA, BLD LOSS	1
ANESTH RECOV PROLONGED	1
ATROPHY	1
BILIRUBIN(DIR) HI, BLD	1
BLD, EAR(S)	1
BLD, INCISION SITE	1
BLD, MULT SITES	1
BLD(PURPURA)	1
BLINDNESS, NIGHT	1
BORBORYGMI	1
CALCULI, BLADDER	1
CERVICAL SPINE ABN	1
CHEMISTRY ABN	1
CHOLECYSTITIS	1
CLOUDY URINE	1
CO2 HI, BLD	1
COLITIS, ULCERATIVE	1
CONGESTION, PHARYNX	1
CONGESTION, SINUS	1
DIABETES M, POOR REGUL	1
DILITATION, STOMACH	1
DISCHARGE, INCISION SITE	1
DISCHARGE, VULVA	1
DIZZINESS	1
DYSRHYTHMIA, RESP	1
ECCHYMOSIS, INCISION SITE	1
EDEMA, BRISKET/CHEST	1
EDEMA, CORNEA(S)	1
EDEMA, SCLERA	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, SCROTUM	1
EDEMA, TONGUE	1
EDEMA, VULVA	1
EFFUSION	1
ELIMINATION ABN	1
ENLARGEMENT(S)	1
ERUCTATION	1
ESTRUS CYCLE ABNORMAL	1
EXFOLIATION, SKIN	1
FE HI, BLD	1
FIBRINOGEN LO, BLD	1
FIBROSIS	1
FLATULENCE	1
FROTH, NOSE	1
HEADACHE	1
HEMOGLOBIN, URINE	1
HYPERMOTILITY	1
HYPOESTHESIA, EYE(S)/L	1
INCISION SITE ABN	1
INCISION SITE, ECCHYMOSIS	1
INCONTINENCE	1
INEFFECT, HOOKS PREVEN	1
INEFFECT, STRONGYLES	1
INFARCT	1
INFECTION	1
INFECTION, UTERUS	1
INJ SITE, ALOPECIA	1
INJ SITE SEPSIS	1
INJ SITE STIFFNESS	1
INJURY	1
INTUSSUSCEPTION	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, PHARYNX/TH	1
IRRITATION, SKIN	1
KETONES, URINE	1
KETOSIS	1
K HI, URINE	1
LARYNGITIS	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LEUKODERMA, MOUTH/LIP(	1
LIVER DISORDER, OBSTRU	1
MICROORGANISMS, URINE	1
NECK, VENTROFLEXION	1
NEURITIS, OPTIC	1
NOSE, INFLAMMATION	1
NYSTAGMUS, VERTICAL	1
OBSTRUCTION, ESOPHAGUS	1
OLIGURIA	1
PAIN, EYE(S)/LID(S)	1
PANCREAS DISORDER	1
PARAESTHESIA, EYE(S)/L	1
PARESTHESIA, MOUTH/LIP	1
PD-SOLUTION, ABN	1
PERFORATION, GI	1
PHOTOPHOBIA	1
PICA	1
PR-BRONCHI, LESION(S)	1
PR-EAR(S), LESION(S)	1
PR-GALL BLADDER, LESION(S)	1
PR-LARYNX, LESION(S)	1
PR-MULT SITES, EDEMA	1
PR-NERVE(S), LESION(S)	1
PROLAPSE, PENIS	1
PROLAPSE, RECTUM	1
PR-PARATHYROID, LESION	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
PR-PLEURA, LESION(S)	1
PR-RECTUM, LESION(S)	1
PR-SPINAL CORD, LESION	1
PR-THYMUS, LESION(S)	1
PR-THYROID, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS, TAIL	1
REACTION, UNSPECIFIED	1
ROLLING	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SEDIMENT, URINE	1
SELF-MUTILATION	1
SEPSIS	1
SEPTICEMIA	1
SINUSITIS	1
SLOUGH, FEET/DIGIT(S)	1
STOOL, PALE/GRAY	1
SWELLING, PHARYNX/THRO	1
SWELLING, SCROTUM	1
SWELLING, VENTRUM	1
TETANY	1
TONGUE, ABN	1
TRACHEITIS	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), GI	1
ULCER(S), PYLORUS	1
UREMIA	1

**DRUG: MOXIDECTIN**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	1
ATAXIA	1
JERKING	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS	1
PARALYSIS, ALL LIMBS	1
POLYPNEA	1
PROLAPSE, TONGUE	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
DEPRESSION/LETHARGY	1
RECUMBENCY	1
TWITCH	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	2
INJ SITE SWELLING	2
BLD(ECCHYMOSES)	1
CONGESTION, SKIN	1
INJ SITE BLD	1
INJ SITE PAIN	1
INJ SITE STIFFNESS	1
PAIN	1
SWELLING	1
SWELLING, JOINT(S)	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	18
PD-TUBE(S), ABN	7
PD-DISPENSER, ABN	6
PD-UNDERFILL, PACKAGE	6
PD-GEL/PASTE, ABN	1
PD-MISSING, CAP	1
PD-UNDERFILL, TUBE(S)	1
PD-VIAL(S), LEAKING	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	2
IRRITATION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
DYSYPNEA	1
HYPERSALIVATION	1
JERKING	1
STAGGERING	1
VOMITING	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	27
DEPRESSION/LETHARGY	15
TREMBLING	15
HYPERSALIVATION	14
CONVULSION(S)	6
VOMITING	6

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	5
RECUMBENCY	5
CONFUSION	4
HYPERACTIVITY	4
NERVOUSNESS	4
TWITCH	4
UNCONSCIOUS	4
ANOREXIA	3
FEVER, BODY	3
BLINDNESS, TEMP	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
HYPERPNEA	2
HYPOTHERMIA	2
REFLEX(ES) ABN	2
STAGGERING	2
STUPOR	2
AGGRESSION	1
BEHAVIOR DISORDER	1
BLINDNESS	1
BRADYCARDIA	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DYSPHAGIA	1
LOSS OF CONDITION	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
NYSTAGMUS	1
P LO, BLD	1
POLYPNEA	1
SHAKING	1
SOUND ABN, RESPIRATORY	1
THRASHING/PADDLING	1
URTICARIA	1
VOCALIZATION	1
VOMITING, UNPRODUCTIVE	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
RECUMBENCY	1
TREMBLING	1
UNCONSCIOUS	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	25
PAIN, ABDOMEN	24
ANOREXIA	23
RECUMBENCY	14
ATAXIA	10
DIARRHEA	6
HYPERSALIVATION	6
ADIPSIA	5
DEATH	5
TREMBLING	5
INEFFECT, PINWORMS	4
INEFFECT, TAPES	4
SWEATING	4
WEAKNESS	4
DEATH(EUTHANIZED)	3
FEVER, BODY	3
PAWING	3
TACHYCARDIA	3
URTICARIA	3
ABORTION	2
ALOPECIA	2
ANEMIA	2
DIARRHEA, SEVERE	2
EDEMA, EYE(S)/LID(S)	2
EDEMA, LIMB(S)	2
INEFFECT, ASCARIDS	2
INEFFECT, STRONGYLE LA	2
INEFFECT, STRONGYLES	2

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LOCOMOTION DISORDER	2
NYSTAGMUS	2
SGOT/AST HI, BLD	2
SHAKING	2
STUPOR	2
SWELLING, TONGUE	2
ABN COLOR, URINE	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE SWELLING	1
BITING/CHEWING	1
BRADYCARDIA	1
CAPILLARY REFILL PROLO	1
CHEMISTRY ABN	1
COAGULATION DISORDER	1
CONJUNCTIVITIS	1
CONVULSION(S)	1
CPK HI, BLD	1
CULTURE/TITER DATA ABN	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION ABN	1
DIARRHEA, MILD	1
DIARRHEA, PROJECTILE	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DYSPHAGIA	1
EDEMA, BRISKET/CHEST	1
EFFUSION, JOINT(S)	1
ELECTROLYTE DISORDER	1
EYE DISORDER	1
FLATULENCE	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
HEAD TILT	1
HEMATOCHEZIA	1
HYPERACTIVITY	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERPNEA	1
HYPOMOTILITY	1
HYPOTHERMIA	1
ILL	1
INEFFECT, LARGE STRONG	1
INEFFECT, LUNGWORMS	1
INEFFECT, PARASITE(S)	1
INFLAM, SKIN	1
INTUSSUSCEPTION	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1
JERKING	1
LESION(S), MOUTH/LIP(S)	1
LIVER DISORDER	1
MELENA	1
MUCOUS MEMBR, ABN COLO	1
NA LO, BLD	1
NECROSIS	1
OBSTRUCTION, INTESTINE	1
PAIN	1
PAIN, MOUTH/LIP(S)	1
PAIN, MUSCLE(S)	1
PALLOR	1
PARALYSIS, FACIAL NERV	1
PARESIS, HIND LIMB(S)	1
PARESTHESIA, EYE(S)/L	1
PD-GEL/PASTE, ABN	1
PD-ODOR, ABN	1
PD-SYRINGE, ABN	1
PLACENTA, ABNORMAL	1
POLYURIA	1
POOR PERFORMANCE	1
POSTURE ABN	1
PR-MOUTH/LIP(S), LESIO	1
PROLAPSE, PENIS	1
PR-SKIN, LESION(S)	1
PRURITIS	1
RBC ABN	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RELUCTANT TO MOVE	1
ROLLING	1
SEGS LO, BLD	1
SGPT/ALT HI, BLD	1
SKIN, NECROSIS	1
SLOUGH, SKIN	1
STAGGERING	1
STIFFNESS, HIND LIMB(S)	1
STOMATITIS	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
TENESMUS, RECTAL	1
TONGUE, ABN	1
TRIGLYCERIDES HI, BLD	1
UNCONSCIOUS	1
US ABN	1
WBC LO, BLD	1
WEIGHT LOSS	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: LLAMA

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
HYPERSALIVATION	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	2
CONFUSION	1
HYPERPNEA	1
POLYPNEA	1
TREMBLING	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: UNKNOWN

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, WORMS	1

**DRUG: MOXIDECTIN, PRAZIQUANTEL**

Species: FISH, PET

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
DEATH	1

**DRUG: MOXIDECTIN**

Species: BIRD

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
ILL	1
LIVER DISORDER	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1

**DRUG: MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1



**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, LICE	133
DEATH	65
ALOPECIA	55
PRURITIS	42
INEFFECT, PARASITE(S)	34
RECUMBENCY	27
INEFFECT, GRUBS	23
ANOREXIA	20
DEPRESSION/LETHARGY	19
DYSPNEA	18
INEFFECT, STRONGYLES	16
INEFFECT, WORMS	16
ATAXIA	13
DIARRHEA	11
INEFFECT, MITES	11
HAIR, ABN	10
INEFFECT, ECTOPARASITE	10
ANAPHYLAXIS/TOID	8
COLLAPSE	8
FEVER, BODY	8
WEIGHT LOSS	8
APPLICATION SITE ALOPECIA	7
INEFFECT, NEMATODES	7
PARESIS, HIND LIMB(S)	7
UDDER, HYPOGALACTIA	7
ABORTION	6
BLOAT	6
FROTH, MOUTH/LIP(S)	6
HYPERSALIVATION	6
INEFFECT, LICE BITING	6
PR-LUNG(S), LESION(S)	6
WEAKNESS	6
COUGHING	5
DIARRHEA, WATERY	5
INEFFECT	5
INFLAM, SKIN	5
LICKING	5
PR-LUNG(S), EDEMA	5

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIFFICULTY RISING	4
DISCHARGE, NOSE	4
PNEUMONIA	4
PR-LIVER, LESION(S)	4
RESPIRATORY DISORDER	4
SWELLING, EYE(S)/LID(S)	4
ALBUMIN LO, BLD	3
ANOREXIA(NOT NURSING)	3
DEATH(EUTHANIZED)	3
ENTERITIS	3
FROTH, NOSE	3
INEFFECT, STRONGYLE LA	3
IRRITATION, SKIN	3
POOR PERFORMANCE	3
PR-GI, PARASITISM	3
SLOUGH, SKIN	3
URTICARIA	3
ADIPSIA	2
APPLICATION SITE, ALOPECIA	2
APPLICATION SITE INFLAM	2
APPLICATION SITE LESION(S)	2
ATONY, RUMEN	2
BIRTH, PREMATURE	2
BLD	2
CA LO, BLD	2
DEATH(NEWBORN)	2
DEATH(SLAUGHTERED)	2
DEATH(TX FAILURE)	2
DIARRHEA, BLOODY	2
DISCHARGE, EYE(S)/LID(S)	2
DISTRESS, RESP	2
EDEMA	2
EDEMA, LIMB(S)	2
EPISTAXIS	2
HYPERACTIVITY	2
INEFFECT, ASCARIDS	2
INEFFECT, LICE SUCKING	2
K LO, BLD	2

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LOSS OF CONDITION	2
NERVOUSNESS	2
OFF FEED	2
PAIN	2
PALLOR, MUCOUS MEMBRAN	2
PARALYSIS, HIND LIMB(S)	2
PD-VIAL(S), LEAKING	2
POLYPNEA	2
PR-JOINT(S), LESION(S)	2
PR-SKIN, LESION(S)	2
PR-TRACHEA, LESION(S)	2
SCALE(S), SKIN	2
SHAKING	2
SKIN, CRUST(S)	2
STIFFNESS	2
SWELLING, BRISKET/CHES	2
TACHYCARDIA	2
THRASHING/PADDLING	2
TREMBLING	2
TWITCH	2
VOCALIZATION	2
WBC HI, BLD	2
WBC LO, BLD	2
ABN COLOR, URINE	1
ABSCCESS, SKIN	1
A/G RATIO LO, BLD	1
ALK PHOS HI, BLD	1
ANEMIA	1
ANISOCORIA	1
APPLICATION SITE ERYTHEMA	1
BANDS HI, BLD	1
BLD, MOUTH/LIP(S)	1
BLD, SKIN	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
CACHEXIA	1
CONFUSION	1
CONGESTION	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CPK HI, BLD	1
CULTURE/TITER DATA ABN	1
DEATH(STILLBORN)	1
DEHYDRATION	1
DIARRHEA, MILD	1
DISTRESS	1
DYSPHAGIA	1
EDEMA, BRISKET/CHEST	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
EDEMA, VENTRAL	1
EDEMA, VULVA	1
ENCEPHALOPATHY	1
ENLARGEMENT, LYMPH NOD	1
EXFOLIATION, SKIN	1
EYE DISORDER	1
FERTILITY, REDUCED	1
GLOBULIN HI, BLD	1
HAIR, ABN COLOR	1
HAIR, SHEDDING	1
HEADACHE	1
HEAD BOBBING	1
HYPERPNEA	1
HYPOTHERMIA	1
HYPOTHERMIA, EAR(S)	1
ILL	1
INEFFECT, ASCARIDS PRE	1
INEFFECT, LARGE STRONG	1
INEFFECT, PESTS	1
INEFFECT, STOMACH WORM	1
INEFFECT, STRONGYLOIDS	1
INEFFECT, WEIGHT LOSS	1
INJ SITE SWELLING	1
KIDNEY VALUES HI, BLD	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LAMENESS	1
LAMINITIS	1
LDH HI, BLD	1
LESION(S), RINGWORM	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
LYMPHS HI, BLD	1
MELENA	1
NECROSIS	1
NEUROLOGICAL DISORDER	1
NO SIGNS	1
ODOR	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
PAIN, ABDOMEN	1
PARALYSIS	1
PARESIS, FORELIMB(S)	1
PARESTHESIA	1
PD-APPLICATOR, ABN	1
PD-DISPENSER, ABN	1
PD-SEAL, ABN	1
PD-SOLUTION, ABN	1
PHALLITIS	1
P LO, BLD	1
POLYDIPSIA	1
POLYURIA	1
POSTURE ABN	1
PR-BONE(S), LESION(S)	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PR-MENINGES, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PROSTRATION	1
PROTEIN(TOT) LO, BLD	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
PRURITIS, TAIL	1
RASH	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RELUCTANT TO MOVE	1
SGOT/AST HI, BLD	1
SKIN ABNORMAL	1
SKIN, SCAB(S)	1
STIFFNESS, LIMB(S)	1
STOOL ABN	1
STUPOR	1
SWELLING	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
SWELLING, VENTRUM	1
THROMBUS	1
UDDER, SWELLING	1
ULCER(S), MOUTH/LIP(S)	1
VASCULITIS	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: MOXIDECTIN**

Species: DEER

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
BLINDNESS, TEMP	1
DIFFICULTY RISING	1
HEAD PRESSING	1
RECUMBENCY	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	5
COLLAPSE	2
DEPRESSION/LETHARGY	2
P HI, BLD	2

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RADIOGRAPH(S) ABN	2
TREMBLING	2
ACCIDENTAL EXPOSURE	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE PAIN	1
BANDS HI, BLD	1
BLINDNESS	1
BLINDNESS, TEMP	1
BUN HI, BLD	1
DEAFNESS	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DIFFICULTY RISING	1
DYSPNEA	1
FEVER, BODY	1
HYPERSALIVATION	1
HYPOPNEA	1
INJ SITE SWELLING	1
K HI, BLD	1
LAMENESS	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, HIND LIMB(S)	1
SEDATION	1
SHAKING	1
SOMNOLENCE	1
STIFFNESS, HIND LIMB(S)	1
THROMBUS	1
TWITCH	1
UNCONSCIOUS	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: MOXIDECTIN**

Species: GOAT

Route of Administration: TOPICAL

**DRUG: MOXIDECTIN**

Species: GOAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
PARALYSIS, ALL LIMBS	1
PARESIS, HIND LIMB(S)	1
STAGGERING	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
AGGRESSION	1
BEHAVIOR DISORDER	1
BITING/CHEWING	1
DESTRUCTIVENESS	1
KICKING	1
PRURITIS	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIARRHEA	5
HEADACHE	5
NAUSEA	5
INFLAM, SKIN	4
PAIN, ABDOMEN	4
ANOREXIA	3
FEVER, BODY	3
HYPERESTHESIA	3
HYPOESTHESIA	3
PAIN, HEAD/FACE	3
RASH	3



**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	2
DIARRHEA, MILD	2
LESION(S), SKIN	2
PAIN, JOINT(S)	2
PAIN, MUSCLE(S)	2
PARESTHESIA	2
PD-APPLICATOR, ABN	2
PD-DISPENSER, ABN	2
SWELLING, FEET/DIGIT(S)	2
VOMITING	2
ABN COLOR, URINE	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
APPLICATION SITE SWELLING	1
CONGESTION, EYE(S)/LID	1
CONGESTION, SKIN	1
DIARRHEA, BLOODY	1
EXFOLIATION, SKIN	1
FE HI, BLD	1
INSOMNIA	1
IRRITATION, EYE(S)/LID	1
NAIL DISORDER	1
PARAESTHESIA	1
PD-SEAL, ABN	1
PD-VIAL(S), LEAKING	1
PRURITIS	1
SGOT/AST HI, BLD	1
SWELLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, JOINT(S)	1
SWELLING, TONGUE	1
TASTE ABNORMALITY	1
THROMBUS	1
URTICARIA	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: TOPICAL

**DRUG: MOXIDECTIN**

Species: LLAMA

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1

**DRUG: MOXIDECTIN**

Species: MOUSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MOXIDECTIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1

**DRUG: MOXIDECTIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, LICE	3
INJ SITE SWELLING	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	22
VOMITING	16
ANOREXIA	13
DEATH(EUTHANIZED)	12
CONVULSION(S)	11
ATAXIA	10
ANAPHYLAXIS/TOID	9
DEATH	7
ANEMIA	6
DIARRHEA	6
DYSYPNEA	6
SWELLING, HEAD/FACE	6
OTITIS	5
PR-LIVER, LESION(S)	5
WBC HI, BLD	5
WEIGHT LOSS	5
ALBUMIN LO, BLD	4
BUN HI, BLD	4
CREATININE HI, BLD	4
LAMENESS	4
PAIN	4
PRURITIS	4
TREMBLING	4
ALK PHOS HI, BLD	3
EDEMA, HEAD/FACE	3
FEVER, BODY	3
PAIN, BACK	3
PARESIS, HIND LIMB(S)	3
P HI, BLD	3
RECUMBENCY	3
RELUCTANT TO MOVE	3
VOCALIZATION	3
AMYLASE HI, BLD	2
APNEA	2
BILIRUBIN(TOT) HI, BLD	2
COLLAPSE	2
CONFUSION	2
CONGESTION, SKIN	2

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
COUGHING	2
DIARRHEA, BLOODY	2
EDEMA, LIMB(S)	2
HEPATITIS	2
INEFFECT, HW LARVAE	2
INFECTION, SKIN	2
INFLAM, SKIN	2
LESION(S), SKIN	2
MONOS HI, BLD	2
NERVOUSNESS	2
NEUROLOGICAL DISORDER	2
PAIN, MUSCLE(S)	2
PANCREATITIS	2
PLATELETS LO, BLD	2
POLYURIA	2
PR-ADRENAL(S), LESION(S)	2
PR-HEART, LESION(S)	2
PR-SKIN, LESION(S)	2
PR-SPINAL CORD, LESION	2
PR-SPLEEN, LESION(S)	2
RADIOGRAPH(S) ABN	2
SHAKING	2
STUPOR	2
SWELLING, JOINT(S)	2
TWITCH	2
URTICARIA	2
VOMITING, BLOODY	2
WBC LO, BLD	2
AGGRESSION	1
ALOPECIA	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ASCITES	1
BLD, ABDOMEN	1
BLINDNESS	1
BLINDNESS, TEMP	1
CIRCLING	1
CONGESTION, EAR(S)	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, SINUS	1
CPK HI, BLD	1
DEAFNESS	1
DIFFICULTY RISING	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, VENTRAL	1
ENLARGEMENT, LYMPH NOD	1
ERUPTION(S)	1
GGT HI, BLD	1
GLOBULIN HI, BLD	1
GRANULOMA, LICK	1
HEAD BOBBING	1
HEART DISORDER	1
HYPERACTIVITY	1
HYPERADRENOCORTICISM	1
HYPERPIGMENTATION, SKI	1
HYPOTHERMIA	1
ICTERUS	1
ICTERUS, BODY	1
IMMUNE DISORDER	1
INFECTION	1
INJ SITE ABN	1
INJ SITE ABSCESS	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE MASS	1
INJ SITE SWELLING	1
JERKING	1
K HI, BLD	1
KIDNEY DISORDER	1
KIDNEY FAILURE	1
LIVER ENZYMES HI, BLD	1
LIVER FAILURE	1
MASS, ABDOMEN	1
MIOSIS	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
MURMUR, HEART	1
MYDRIASIS	1
NEOPLASM	1
NEOPLASM, LIVER	1
NEOPLASM, LUNG(S)	1
NEOPLASM, LYMPH NODE(S)	1
NEOPLASM, MAMMARY	1
NEOPLASM, PANCREAS	1
NEOPLASM, SKIN	1
NEOPLASM, SPLEEN	1
NEUROPATHY	1
PAIN, HEAD/FACE	1
PAIN, JOINT(S)	1
PALLOR, MUCOUS MEMBRAN	1
PANCREAS ENZYMES HI, B	1
POLYDIPSIA	1
POLYPNEA	1
PR-INJ SITE, LESION(S)	1
PR-MEDULLA, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PR-NERVE(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
SEGS HI, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SKIN, CRUST(S)	1
SKIN, SCAB(S)	1
SORE(S)	1
STAGGERING	1
SWELLING, MULT SITES	1
SWELLING, SCROTUM	1
US ABN	1
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1
WHEEZING	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

**DRUG: MOXIDECTIN**

Species: FISH

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MOXIDECTIN**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
COAGULATION DISORDER	1
DEPRESSION/LETHARGY	1
EDEMA, HEAD/FACE	1
ICTERUS, BODY	1
PAIN, ABDOMEN	1
RECUMBENCY	1
ULCER(S), MOUTH/LIP(S)	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIZZINESS	2
ANEMIA	1
APPREHENSION	1
HEADACHE	1
HOT FLASH/FLUSH	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
KIDNEY FAILURE	1
NAUSEA	1
PAIN, ABDOMEN	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SHAKING	1
VOMITING	1

**DRUG: MOXIDECTIN**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, PARASITE(S)	1
PR-GI, PARASITISM	1

**DRUG: MOXIDECTIN**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE HAIR, ABN	1

**DRUG: MOXIDECTIN**

Species: FISH

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1

**DRUG: MOXIDECTIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
HEADACHE	1



**DRUG: MULTIPLE ELECTROLYTES**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DEPRESSION/LETHARGY	1

**DRUG: MULTIPLE ELECTROLYTES**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1
TACHYCARDIA	1

**DRUG: MUPIROCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	2
PD-UNDERFILL, PACKAGE	2
PD-COLOR, ABN	1
PD-GEL/PASTE, ABN	1
PD-SUSPENSION, ABN	1
PD-TUBE(S), DAMAGED	1

**DRUG: MUPIROCIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
MYDRIASIS	1

**DRUG: MUPIROCIN**

Species: DOG

Route of Administration: ORAL

**DRUG: MUPIROCIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
DIARRHEA, MILD	1
HYPERSALIVATION	1
NO SIGNS	1
SOUND ABN, RESPIRATORY	1
VOMITING	1

**DRUG: MUPIROCIN**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEPRESSION/LETHARGY	2
ANEMIA	1
BLD(PETECHIAE)	1
BUN HI, BLD	1
CREATININE HI, BLD	1
CRYSTALS, URINE	1
DEATH	1
DEATH(EUTHANIZED)	1
DYSPNEA	1
EOSINOS HI, BLD	1
HAIR, ABN COLOR	1
K HI, BLD	1
KIDNEY FAILURE	1
MELENA	1
PAPULE(S)	1
PLATELETS LO, BLD	1
RADIOGRAPH(S) ABN	1
RBC, NUCLEATED	1
VOMITING, BLOODY	1

**DRUG: MUPIROCIN**

Species: DOG

Route of Administration: TOPICAL

**DRUG: MUPIROCIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	2
APPLICATION SITE INFLAM	1
CONGESTION	1
DEATH	1
HAIR, ABN	1
HYPERSALIVATION	1
URTICARIA	1

**DRUG: MUPIROCIN**

Species: RAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSPHAGIA	1
PARALYSIS, HIND LIMB(S	1