

Table 14. Tuberculosis Cases and Percentages by Reason Tuberculosis Therapy Stopped: United States, 1993–2008

| Year | Total Cases ¹ | Completed Therapy | | Adverse Event | | Moved | | Lost | | Refused | | Died ² | | Unknown ³ | |
|------|--------------------------|-------------------|--------|---------------|-------|-------|-------|------|-------|---------|-------|-------------------|--------|----------------------|-------|
| | No. | No. | (%) | No. | (%) | No. | (%) | No. | (%) | No. | (%) | No. | (%) | No. | (%) |
| 1993 | 23756 | 18049 | (76.0) | 0 | (0.0) | 1120 | (4.7) | 1088 | (4.6) | 223 | (0.9) | 3053 | (12.9) | 223 | (0.9) |
| 1994 | 23051 | 17763 | (77.1) | 0 | (0.0) | 1194 | (5.2) | 740 | (3.2) | 183 | (0.8) | 2743 | (11.9) | 428 | (1.9) |
| 1995 | 21706 | 17306 | (79.7) | 0 | (0.0) | 969 | (4.5) | 570 | (2.6) | 156 | (0.7) | 2396 | (11.0) | 309 | (1.4) |
| 1996 | 20298 | 16528 | (81.4) | 0 | (0.0) | 783 | (3.9) | 525 | (2.6) | 156 | (0.8) | 1998 | (9.8) | 308 | (1.5) |
| 1997 | 18930 | 15673 | (82.8) | 0 | (0.0) | 667 | (3.5) | 444 | (2.3) | 119 | (0.6) | 1755 | (9.3) | 272 | (1.4) |
| 1998 | 17584 | 14766 | (84.0) | 0 | (0.0) | 534 | (3.0) | 411 | (2.3) | 104 | (0.6) | 1580 | (9.0) | 189 | (1.1) |
| 1999 | 16862 | 14234 | (84.4) | 0 | (0.0) | 456 | (2.7) | 359 | (2.1) | 104 | (0.6) | 1437 | (8.5) | 272 | (1.6) |
| 2000 | 15785 | 13408 | (84.9) | 0 | (0.0) | 408 | (2.6) | 397 | (2.5) | 112 | (0.7) | 1294 | (8.2) | 166 | (1.1) |
| 2001 | 15409 | 13242 | (85.9) | 0 | (0.0) | 378 | (2.5) | 402 | (2.6) | 99 | (0.6) | 1121 | (7.3) | 167 | (1.1) |
| 2002 | 14564 | 12482 | (85.7) | 0 | (0.0) | 336 | (2.3) | 412 | (2.8) | 87 | (0.6) | 1080 | (7.4) | 167 | (1.1) |
| 2003 | 14379 | 12418 | (86.4) | 0 | (0.0) | 313 | (2.2) | 389 | (2.7) | 84 | (0.6) | 994 | (6.9) | 181 | (1.3) |
| 2004 | 14081 | 12119 | (86.1) | 0 | (0.0) | 337 | (2.4) | 370 | (2.6) | 82 | (0.6) | 975 | (6.9) | 198 | (1.4) |
| 2005 | 13681 | 11732 | (85.8) | 0 | (0.0) | 323 | (2.4) | 338 | (2.5) | 90 | (0.7) | 985 | (7.2) | 213 | (1.6) |
| 2006 | 13316 | 11503 | (86.4) | 0 | (0.0) | 309 | (2.3) | 352 | (2.6) | 79 | (0.6) | 937 | (7.0) | 136 | (1.0) |
| 2007 | 12896 | 11289 | (87.5) | 0 | (0.0) | 265 | (2.1) | 325 | (2.5) | 73 | (0.6) | 815 | (6.3) | 129 | (1.0) |
| 2008 | 12542 | 10813 | (86.2) | 5 | (0.0) | 284 | (2.3) | 315 | (2.5) | 78 | (0.6) | 837 | (6.7) | 210 | (1.7) |

¹Includes all cases in persons reported as alive at diagnosis and taking one or more TB drugs.

²Died = died of any cause (not only TB).

³Includes cases in persons reporting reason therapy stopped = Other, Missing, or Unknown.

Note: Data for all years are updated through July 21, 2011.

Data complete through 2008 only. See Technical Notes (page 9) for details.