

## Methods

### Study Selection

We sought papers published by investigators of The Genetic Association Information Network (GAIN) on genome wide association studies on a range of phenotypes. We searched through papers included in The GAIN Data Access Committee (GAIN DAC) annual reports of investigators requesting access to GAIN genotyping data. Additionally, we requested that the GAIN study investigators send us a list of their network-related publications.

Only publications written by GAIN study investigators were included in the GAIN Bibliography. These publications were scanned for search terms relating to the GAIN project, or genotyping on population cohorts funded by GAIN (ie: *GAIN*, *IMAGE*, etc).

## GAIN Bibliography

1. Rizzi TS, Arias-Vasquez A, Rommelse N, Kuntsi J, Anney R, Asherson P, et al. [The ATXN1 and TRIM31 genes are related to intelligence in an ADHD background: Evidence from a large collaborative study totaling 4,963 Subjects](#). Am J Med Genet B Neuropsychiatr Genet. 2011; 156: 145-57.
2. Pezzolesi MG, Skupien J, Mychaleckyj JC, Warram JH, Krolewski AS. [Insights to the genetics of diabetic nephropathy through a genome-wide association study of the gokind collection](#). Semin Nephrol; 30:126-140.
3. Ferreira MA, Hottenga JJ, Warrington NM, Medland SE, Willemse G, Lawrence RW, Gordon S, de Geus EJ, Henders AK, Smit JH, Campbell MJ, Wallace L, Evans DM, Wright MJ, Nyholt DR, James AL, Beilby JP, Penninx BW, Palmer LJ, Frazer IH, Montgomery GW, Martin NG, Boomsma DI. [Sequence variants in three loci influence monocyte counts and erythrocyte volume](#), Am J Hum Genet 2009; 85:745-749.
4. Benyamin B, Ferreira MA, Willemse G, Gordon S, Middelberg RP, McEvoy BP, Hottenga JJ, Henders AK, Campbell MJ, Wallace L, Frazer IH, Heath AC, de Geus EJ, Nyholt DR, Visscher PM, Penninx BW, Boomsma DI, Martin NG, Montgomery GW, Whitfield JB: [Common variants in tmprss6 are associated with iron status and erythrocyte volume](#). Nat Genet 2009; 41:1173-1175.
5. Feng, BJ, Sun, LD, Soltani-Arabshahi, R, Bowcock, AM, Nair, RP, Stuart, P, Elder, JT, Schrödi, SJ, Begovich, AB, Abecasis, GR, Zhang, XJ, Callis-Duffin, KP, Krueger, GG, Goldgar, DE. [Multiple Loci within the major histocompatibility complex confer risk of psoriasis](#), PLoS Genet 2009; 5: e1000606.
6. Pezzolesi MG, Katavetin P, Kure M, Poznik GD, Skupien J, Mychaleckyj JC, Rich SS, Warram JH, Krolewski AS. [Confirmation of genetic associations at elmo1 in the gokind collection supports its role as a susceptibility gene in diabetic nephropathy](#), Diabetes 2009; 58:2698-2702.

7. Fardo DW, Ionita-Laza I, Lange C. On quality control measures in genome-wide association studies: A test to assess the genotyping quality of individual probands in family-based association studies and an application to the hapmap data, PLoS Genet 2009;5:e1000572.
  
8. Bochdanovits, Z, Verhage, M, Smit, AB, de Geus, EJ, Posthuma, D, Boomsma, DI, Penninx, BW, Hoogendoijk, WJ, Heutink, P. [Joint reanalysis of 29 correlated SNPs supports the role of PCLO/Piccolo as a causal risk factor for major depressive disorder](#), Mol Psychiatry 2009; 14: 650-652.
  
9. Smith, EN, Bloss, CS, Badner, JA, Barrett, T, Belmonte, PL, Berrettini, W, Byerley, W, Coryell, W, Craig, D, Edenberg, HJ, Eskin, E, Foroud, T, Gershon, E, Greenwood, TA, Hipolito, M, Koller, DL, Lawson, WB, Liu, C, Lohoff, F, McInnis, MG, McMahon, FJ, Mirel, DB, Murray, SS, Nievergelt, C, Nurnberger, J, Nwulia, EA, Paschall, J, Potash, JB, Rice, J, Schulze, TG, Scheftner, W, Panganiban, C, Zaitlen, N, Zandi, PP, Zollner, S, Schork, NJ, Kelsoe, JR. [Genome-wide association study of bipolar disorder in European American and African American individuals](#), Mol Psychiatry 2009; 14: 755-763.
  
10. Franke, B, Neale, BM, Faraone, SV. [Genome-wide association studies in ADHD](#), Hum Genet 2009; 126: 13-50.
  
11. Cichon, S, Craddock, N, Daly, M, Faraone, SV, Gejman, PV, Kelsoe, J, Lehner, T, Levinson, DF, Moran, A, Sklar, P, Sullivan, PF. [Genomewide association studies: history, rationale, and prospects for psychiatric disorders](#), Am J Psychiatry 2009; 166: 540-556.
  
12. Vink, JM, Smit, AB, de Geus, EJ, Sullivan, P, Willemsen, G, Hottenga, JJ, Smit, JH, Hoogendoijk, WJ, Zitman, FG, Peltonen, L, Kaprio, J, Pedersen, NL, Magnusson, PK, Spector, TD, Kyvik, KO, Morley, KI, Heath, AC, Martin, NG, Westendorp, RG, Slagboom, PE, Tiemeier, H, Hofman, A, Uitterlinden, AG, Aulchenko, YS, Amin, N, van Duijn, C, Penninx, BW, Boomsma, DI. [Genome-wide association study of smoking initiation and current smoking](#), Am J Hum Genet 2009; 84: 367-379.
  
13. Pezzolesi, MG, Poznik, GD, Mychaleckyj, JC, Paterson, AD, Barati, MT, Klein, JB, Ng, DP, Placha, G, Canani, LH, Bochenski, J, Waggott, D, Merchant, ML, Krolewski, B, Mirea, L, Wanic, K, Katavetin, P, Kure, M, Wolkow, P, Dunn, JS, Smiles, A, Walker, WH, Boright, AP, Bull, SB, Doria, A, Rogus, JJ, Rich, SS, Waram, JH, Krolewski, AS. [Genome-wide association scan for diabetic nephropathy susceptibility genes in type 1 diabetes](#), Diabetes 2009; 58: 1403-1410.
  
14. Nair, RP, Duffin, KC, Helms, C, Ding, J, Stuart, PE, Goldgar, D, Gudjonsson, JE, Li, Y, Tejasvi, T, Feng, BJ, Ruether, A, Schreiber, S, Weichenthal, M, Gladman, D, Rahman, P, Schrodi, SJ, Prahalad, S, Guthery, SL, Fischer, J, Liao, W, Kwok, PY, Menter, A, Lathrop, GM, Wise, CA, Begovich, AB, Voorhees, JJ, Elder, JT, Krueger, GG, Bowcock,

- AM, Abecasis, GR. [Genome-wide scan reveals association of psoriasis with IL-23 and NF-kappaB pathways](#), Nat Genet 2009; 41: 199-204.
15. Zhang, D, Cheng, L, Qian, Y, Alliey-Rodriguez, N, Kelsoe, JR, Greenwood, T, Nievergelt, C, Barrett, TB, McKinney, R, Schork, N, Smith, EN, Bloss, C, Nurnberger, J, Edenberg, HJ, Foroud, T, Sheftner, W, Lawson, WB, Nwulia, EA, Hipolito, M, Coryell, W, Rice, J, Byerley, W, McMahon, F, Schulze, TG, Berrettini, W, Potash, JB, Belmonte, PL, Zandi, PP, McInnis, MG, Zollner, S, Craig, D, Szelinger, S, Koller, D, Christian, SL, Liu, C, Gershon, ES. [Singleton deletions throughout the genome increase risk of bipolar disorder](#), Mol Psychiatry 2008; 14: 376-380.
16. Sullivan, PF, de Geus, EJ, Willemsen, G, James, MR, Smit, JH, Zandbelt, T, Arolt, V, Baune, BT, Blackwood, D, Cichon, S, Coventry, WL, Domschke, K, Farmer, A, Fava, M, Gordon, SD, He, Q, Heath, AC, Heutink, P, Holsboer, F, Hoogendoijk, WJ, Hottenga, JJ, Hu, Y, Kohli, M, Lin, D, Lucae, S, Macintyre, DJ, Maier, W, McGhee, KA, McGuffin, P, Montgomery, GW, Muir, WJ, Nolen, WA, Nothen, MM, Perlis, RH, Pirlo, K, Posthuma, D, Rietschel, M, Rizzu, P, Schosser, A, Smit, AB, Smoller, JW, Tzeng, JY, van Dyck, R, Verhage, M, Zitman, FG, Martin, NG, Wray, NR, Boomsma, DI, Penninx, BW. [Genome-wide association for major depressive disorder: a possible role for the presynaptic protein piccolo](#), Mol Psychiatry 2008; 14: 359-375.
17. Psychiatric GWAS Consortium Steering Committee. [A framework for interpreting genome-wide association studies of psychiatric disorders](#), Mol Psychiatry 2009; 14: 10-17.
18. Zhou, K, Dempfle, A, Arcos-Burgos, M, Bakker, SC, Banaschewski, T, Biederman, J, Buitelaar, J, Castellanos, FX, Doyle, A, Ebstein, RP, Ekholm, J, Forabosco, P, Franke, B, Freitag, C, Friedel, S, Gill, M, Hebebrand, J, Hinney, A, Jacob, C, Lesch, KP, Loo, SK, Lopera, F, McCracken, JT, McGough, JJ, Meyer, J, Mick, E, Miranda, A, Muenke, M, Mulas, F, Nelson, SF, Nguyen, TT, Oades, RD, Ogdie, MN, Palacio, JD, Pineda, D, Reif, A, Renner, TJ, Roeyers, H, Romanos, M, Rothenberger, A, Schafer, H, Sergeant, J, Sinke, RJ, Smalley, SL, Sonuga-Barke, E, Steinhausen, HC, van der Meulen, E, Walitzka, S, Warnke, A, Lewis, CM, Faraone, SV, Asherson, P. [Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1392-1398.
19. Neale, BM, Lasky-Su, J, Anney, R, Franke, B, Zhou, K, Maller, JB, Vasquez, AA, Asherson, P, Chen, W, Banaschewski, T, Buitelaar, J, Ebstein, R, Gill, M, Miranda, A, Oades, RD, Roeyers, H, Rothenberger, A, Sergeant, J, Steinhausen, HC, Sonuga-Barke, E, Mulas, F, Taylor, E, Laird, N, Lange, C, Daly, M, Faraone, SV. [Genome-wide association scan of attention deficit hyperactivity disorder](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1337-1344.
20. Cooper, JD, Smyth, DJ, Smiles, AM, Plagnol, V, Walker, NM, Allen, JE, Downes, K, Barrett, JC, Healy, BC, Mychaleckyj, JC, Warram, JH, Todd, JA. [Meta-analysis of](#)

[genome-wide association study data identifies additional type 1 diabetes risk loci](#), Nat Genet 2008; 40: 1399-1401.

21. Anney, RJ, Lasky-Su, J, O'Dushlaine, C, Kenny, E, Neale, BM, Mulligan, A, Franke, B, Zhou, K, Chen, W, Christiansen, H, Arias-Vasquez, A, Banaschewski, T, Buitelaar, J, Ebstein, R, Miranda, A, Mulas, F, Oades, RD, Roeyers, H, Rothenberger, A, Sergeant, J, Sonuga-Barke, E, Steinhausen, H, Asherson, P, Faraone, SV, Gill, M. [Conduct disorder and ADHD: evaluation of conduct problems as a categorical and quantitative trait in the international multicentre ADHD genetics study](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1369-1378.
22. Neale, BM, Faraone, SV. [Perspective on the genetics of attention deficit/hyperactivity disorder](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1334-1336.
23. Lasky-Su, J, Anney, RJ, Neale, BM, Franke, B, Zhou, K, Maller, JB, Vasquez, AA, Chen, W, Asherson, P, Buitelaar, J, Banaschewski, T, Ebstein, R, Gill, M, Miranda, A, Mulas, F, Oades, RD, Roeyers, H, Rothenberger, A, Sergeant, J, Sonuga-Barke, E, Steinhausen, HC, Taylor, E, Daly, M, Laird, N, Lange, C, Faraone, SV. [Genome-wide association scan of the time to onset of attention deficit hyperactivity disorder](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1355-1358.
24. Sonuga-Barke EJ, Lasky-Su J, Neale BM, Oades R, Chen W, Franke B, Buitelaar J, Banaschewski T, Ebstein R, Gill M, Anney R, Miranda A, Mulas F, Roeyers H, Rothenberger A, Sergeant J, Steinhausen HC, Thompson M, Asherson P, Faraone SV. [Does parental expressed emotion moderate genetic effects in ADHD? An exploration using a genome wide association scan](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1359-1368.
25. Lasky-Su, J, Neale, BM, Franke, B, Anney, RJ, Zhou, K, Maller, JB, Vasquez, AA, Chen, W, Asherson, P, Buitelaar, J, Banaschewski, T, Ebstein, R, Gill, M, Miranda, A, Mulas, F, Oades, RD, Roeyers, H, Rothenberger, A, Sergeant, J, Sonuga-Barke, E, Steinhausen, HC, Taylor, E, Daly, M, Laird, N, Lange, C, Faraone, SV. [Genome-wide association scan of quantitative traits for attention deficit hyperactivity disorder identifies novel associations and confirms candidate gene associations](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1345-1354.
26. Mick, E, Neale, B, Middleton, FA, McGough, JJ, Faraone, SV. [Genome-wide association study of response to methylphenidate in 187 children with attention-deficit/hyperactivity disorder](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1412-1418.
27. Anney, RJ, Kenny, E, O'Dushlaine, CT, Lasky-Su, J, Franke, B, Morris, DW, Neale, BM, Asherson, P, Faraone, SV, Gill, M. [Non-random error in genotype calling procedures: implications for family-based and case-control genome-wide association studies](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1379-1386.

28. Sullivan, PF, Lin, D, Tzeng, JY, van den Oord, E, Perkins, D, Stroup, TS, Wagner, M, Lee, S, Wright, FA, Zou, F, Liu, W, Downing, AM, Lieberman, J, Close, SL. [Genomewide association for schizophrenia in the CATIE study: results of stage 1](#), Mol Psychiatry 2008; 13: 570-584.
29. Boomsma, DI, Willemsen, G, Sullivan, PF, Heutink, P, Meijer, P, Sonderman, D, Kluft, C, Smit, G, Nolen, WA, Zitman, FG, Smit, JH, Hoogendoorn, WJ, van Dyck, R, de Geus, EJ, Penninx, BW. [Genome-wide association of major depression: description of samples for the GAIN Major Depressive Disorder Study: NTR and NESDA biobank projects](#), Eur J Hum Genet 2008; 16: 335-342.
30. Anney, RJ, Hawi, Z, Sheehan, K, Mulligan, A, Pinto, C, Brookes, KJ, Xu, X, Zhou, K, Franke, B, Buitelaar, J, Vermeulen, SH, Banaschewski, T, Sonuga-Barke, E, Ebstein, R, Manor, I, Miranda, A, Mulas, F, Oades, RD, Roeyers, H, Rommelse, N, Rothenberger, A, Sergeant, J, Steinhausen, HC, Taylor, E, Thompson, M, Asherson, P, Faraone, SV, Gill, M. [Parent of origin effects in attention-deficit hyperactivity disorder \(ADHD\): analysis of data from the international multicenter ADHD genetics \(IMAGE\) program](#), Am J Med Genet B Neuropsychiatr Genet 2008; 147B: 1495-1500.
31. Manolio, TA, Rodriguez, LL, Brooks, L, Abecasis, G, Ballinger, D, Daly, M, Donnelly, P, Faraone, SV, Frazer, K, Gabriel, S, Gejman, P, Guttmacher, A, Harris, EL, Insel, T, Kelsoe, JR, Lander, E, McCowin, N, Mailman, MD, Nabel, E, Ostell, J, Pugh, E, Sherry, S, Sullivan, PF, Thompson, JF, Warram, J, Wholley, D, Milos, PM, Collins, FS. [New models of collaboration in genome-wide association studies: the Genetic Association Information Network](#), Nat Genet 2007; 39: 1045-1051.
32. Lasky-Su, J, Lange, C, Biederman, J, Tsuang, M, Doyle, AE, Smoller, JW, Laird, N, Faraone, S. [Family-based association analysis of a statistically derived quantitative traits for ADHD reveal an association in DRD4 with inattentive symptoms in ADHD individuals](#), Am J Med Genet B Neuropsychiatr Genet 2007; 147B: 100-106.