

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE	PAGE OF PAGES 1 2
2. AMENDMENT/MODIFICATION NO. 205	3. EFFECTIVE DATE See Block 16C	4. REQUISITION/PURCHASE REQ. NO. 12EM000881	5. PROJECT NO. (If applicable)
6. ISSUED BY Richland Operations Office U.S. Department of Energy Richland Operations Office P.O. Box 550, MSIN A7-80 Richland WA 99352	CODE 00601	7. ADMINISTERED BY (If other than Item 6) Richland Operations Office U.S. Department of Energy Richland Operations Office P.O. Box 550, MSIN A7-80 Richland WA 99352	CODE 00601
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) CH2M HILL PLATEAU REMEDIATION COMPANY Attn: Reese Bang 2420 Stevens Center Place Richland WA 99354-1659		(x) 9A. AMENDMENT OF SOLICITATION NO.	9B. DATED (SEE ITEM 11)
CODE 805603128	FACILITY CODE	X 10A. MODIFICATION OF CONTRACT/ORDER NO. DE-AC06-08RL14788	10B. DATED (SEE ITEM 13) 06/19/2008

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)
See Schedule

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: I.102-FAR 52.243-2-Changes-Cost Reimbursement
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return 1 copies to the issuing office.



14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

1. The following changes are hereby made to the contract:

A. Change Order 181: Change Order 181 is defined as the revision to Section J, Attachment J.3, Hanford Site Services and Interface Requirements Matrix, as shown in Attachment 1. A conformed copy of Attachment J.3 is provided through Attachment 2 of this modification.

B. Change Order 182: Change Order 182 is defined as the revision to Section J, Attachment J.13, Hanford Site Structures List, as shown in Attachment 3 to this modification. This revision synchronizes the J.13 table in the PRC, MSA and TOC contracts by reflecting the changes already made on these contracts through contract modifications or other approved property transfers. A conformed copy of Attachment J.13 is included through Attachment 4 to Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) John G. Lehew III, President and Chief Executive Officer	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) Jenise C. Connerly
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	16B. UNITED STATES OF AMERICA  (Signature of Contracting Officer)
15C. DATE SIGNED 3/27/12	16C. DATE SIGNED 3/28/2012

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED	PAGE	OF
	DE-AC06-08RL14788/205	2	2

NAME OF OFFEROR OR CONTRACTOR
 CH2M HILL PLATEAU REMEDIATION COMPANY

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	<p>this modification.</p> <p>C. Change Order 183: Change Order 183 is defined as the revision to Section J, Attachment J.14, Hanford Waste Site Assignment, as shown in Attachment 5 to this modification. This revision synchronizes the J.14 table in the PRC, MSA and TOC contracts by reflecting the changes already made on these contracts through contract modifications or other approved waste site transfers. A conformed copy of Attachment J.14 is included through Attachment 6 to this modification.</p> <p>2. By signature on this modification, the Contractor agrees to the following Contractor's Statement of Release:</p> <p>In consideration of the modifications agreed to herein as complete equitable adjustments for the Change Orders identified in item 1 above, the Contractor hereby releases the Government from any and all liability under this contract for further equitable adjustments attributable to such facts or circumstances giving rise to these changes.</p> <p>All other terms and conditions remain the same. End of Modification. Period of Performance: 06/19/2008 to 09/30/2013 .</p>				

ATTACHMENT J.3 HANFORD SITE SERVICES AND INTERFACE REQUIREMENTS MATRIX

Services listed in the *Hanford Site Services and Interface Requirements Matrix* (Matrix) shall be performed in accordance with the Section H Clause entitled, *Hanford Site Services and Interface Requirements Matrix*.

All services are provided during the Hanford alternate work schedule (AWS) defined as 6:00 a.m. to 4:30 p.m. Monday through Thursday and 6:00 a.m. to 3:30 p.m. on standard Site Fridays unless otherwise noted. Hanford Site contractors can request work outside of this schedule by providing a statement of work and requesting that scope as a usage-based service.

Legend for Matrix – The Legend for the primary Matrix users/providers is as follows:

MSC	Mission Support Contract
PRC	Plateau Remediation Contract
TOC	Tank Operations Contract
WTP	Waste Treatment and Immobilization Plant Contract
RCCC	River Corridor Closure Contract
Other Site Users	Examples include: AdvanceMed Hanford (AMH), Occupational Health Services Contractor, Analytical Services Production and Testing Contractor (ASPC), Del Sol, Johnson Controls, Energy Savings Performance Contractor , Pacific Northwest National Laboratory (PNNL) [activities located on the Hanford Site], Metal Benders, Tri-City & Olympia Rail, Unitech Laundry Services Group, Westech Contractor , DOE, etc.
Hanford Site Contractors	General term used to collectively refer to all the above users/providers.

Types of Interfaces –

1. Information (I): knowledge (data, facts, etc) gathered or supplied
2. Physical (P): systems in tangible contact (i.e., 'pipe-to-pipe'), or a physical exchange of product or materials
3. Service (S): provision of work for another contractor

MSC SERVICES AND INTERFACE ACTIVITIES										
MSC General Requirements										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
1	I	Infrastructure and Services Alignment Plan (ISAP), and the Annual Forecast of Services and Infrastructure (including the <i>Hanford Site Services and Interface Requirements Matrix</i>)	Receive input from Sitesite contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors/users bear internal implementation costs
			<p>ISAP is the strategic plan for right-sizing the infrastructure to support the future Hanford Site mission and the <i>Annual Forecast of Services and Infrastructure</i> is a projection of needed utilities, services, and infrastructure from other Hanford Site contractors.</p> <ul style="list-style-type: none"> MSC shall develop, maintain and update an ISAP and the <i>Annual Forecast of Services and Infrastructure</i>, which includes the costs for services. Proposed changes in service providers shall include a justification, and a plan forward, MSC shall solicit input from Hanford Site contractors/users for the ISAP and the <i>Annual Forecast of Services and Infrastructure</i>, including projection of need for services and proposed performance metrics/controlling agreements for the service provider. DOE will evaluate contractor/user input prior to approval. The plan will be approved by DOE 							
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
2	I	Hanford Site Interface Management Plan	Receive input from Sitesite contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p><i>Hanford Site Interface Management Plan</i> is the controlling agreements that ensure effective control of technical, administrative, and regulatory interfaces.</p> <ul style="list-style-type: none"> MSC shall develop and maintain the <i>Hanford Site Interface Management Plan</i> MSC shall collaborate with the Hanford Site contractors/users on the <i>Hanford Site Interface Management Plan</i>. PRC, TOC, and MSC shall sign the <i>Hanford Site Interface Management Plan</i>. 							

Safety, Security and Environment										
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
3	I/S	Protective Forces	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Atomic Energy Act of 1954, as amended CRD M 470.4-1, <i>Safeguards & Security Program Planning and Management</i> CRD M 470.4-3, <i>Protective Force</i>	Funded through MSC; provided at no cost to Hanford Site contractors.
<p>Protective Forces provides security for facilities possessing critical Safeguards and Security interests (e.g., special nuclear material). Coverage is provided 24/7 via the Hanford Patrol.</p> <ul style="list-style-type: none"> • MSC shall provide Protective Force operations. • Hanford Patrol shall provide random and special searches as required. • Hanford Patrol shall provide Protective Force services for WTP facilities when turned over to TOC. • Hanford Site contractors shall provide facility, operational, and system configuration changes that may affect Protective Force operations. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
4	I/S	Physical Security (PSS) Systems (Nuclear Material, Special Nuclear Material, and Classified Matter)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Atomic Energy Act of 1954, as amended CRD M 470.4-2, <i>Physical Protection</i> CRD O 470.3A, <i>Design Basis Threat Policy</i>	Funded through MSC; provided at no cost to Hanford Site contractors with the exception of physical security upgrades within the facility – these may be shared costs between the MSC and the Hanford Site contractor that has responsibility for the facility.
<p>Physical Security under this activity is for accountable quantities of nuclear and classified materials, including performance testing, intrusion detection, entry/access control, explosive detection, locksmith services, and engineering and maintenance of the physical security and access control systems.</p> <ul style="list-style-type: none"> • MSC shall provide Security Representatives for facilities or groups of facilities where there are important safeguards and security (SAS) assets. • MSC shall develop, or assist in the development of facility asset protection requirements and conduct annual reviews of Asset Protection Agreements. • MSC shall design security system upgrades for existing facilities with changing requirements and design security systems for new facilities. • MSC shall provide locksmith support for installation, replacement, and maintenance of locks, keys, and access control systems for the protections of Government property and nuclear materials, including special nuclear materials, classified matter, new facilities and WTP turnover facilities to TOC, etc. • Hanford Site contractors shall provide the MSC information about SAS arrangements and/or changes prior to new operations commencing, or changing operations or configurations that might alter the performance of existing SAS systems; support the MSC in the development of or update of facility <i>Asset Protection Agreements</i>, and requesting locksmith services. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
5	I/S	Physical Security Systems (Government Property)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A PNNL	CRD M 470.4-2, Physical Protection CRD O 470.3A, Design Basis Threat Policy	MSC bears the cost burden of program administration; Hanford Site contractors bear costs of physical security upgrades. If used by PNNL off Hanford Site, they pay full-cost.
<p>Physical security under this activity is for Government property other than nuclear material, special nuclear material, and classified. Physical Security such as fences, locks, etc. through <i>Asset Protection Agreements</i>.</p> <ul style="list-style-type: none"> MSC shall develop, or assist in the development of facility asset protection requirements and conduct annual reviews of <i>Asset Protection Agreements</i>. Hanford Site contractors shall support the MSC in the development of or update of facility <i>Asset Protection Agreements</i> and implement those agreements. MSC shall provide Technical and Engineering Security services as required for the design and/or turnover of new facilities. 										
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
6	I/S	Information Security - (Operations Security (OPSEC))	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC (only DOE)	Atomic Energy Act of 1954, as amended CRD M 470.4-4, Information Security	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>The OPSEC Program helps ensure that sensitive information is protected from compromise and secured from unauthorized disclosure, and provides management with necessary information required for sound risk management decisions concerning the protection of sensitive information.</p> <ul style="list-style-type: none"> MSC shall implement a Hanford Site-wide program; assure conformity of implementation with OPSEC standards and requirements; conduct assessment(s) of all Hanford Site facilities having Category I special nuclear material (SNM) (or credible roll-up to Category I SNM); conduct reviews of all Hanford Site facilities that have the potential to process or store classified or sensitive information; and conduct the <i>Annual Site OPSEC Threat Assessment</i> and prepare the annual <i>OPSEC Plan</i>. Hanford Site contractors shall implement their internal OPSEC responsibilities, participate and support Hanford Site- 										

			wide OPSEC Working and Awareness groups; provide support to the MSC OPSEC assessments; and support the Annual Site OPSEC Threat Assessment and preparation of the annual OPSEC Plan.							
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
7	I/S	Information Security - Classified Matter Protection and Control (CMPC); Classification, Declassification and UCNI Program	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	Atomic Energy Act of 1954, as amended CRD M 470.4-4, Information Security	MSC bears the burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The CMPC Program establishes control and accountability requirements for classified matter, marking of classified matter, reproduction, receipt and transmission, and destruction; and, physical protection requirements for classified matter in storage.</p> <ul style="list-style-type: none"> MSC shall provide a centralized CMPC, Classification, Declassification and Unclassified Controlled Nuclear Information (UCNI) Program that includes operation and management of the Classified Document Control Center and management of classified information in the records holding area. MSC shall provide trained and authorized personnel to conduct inquiries for incidents of security concern, maintain the reporting database, and assist the contractor in report writing as required. Hanford Site contractors shall be responsible for maintaining an updated list of security containers, locations and custodians; support investigation of any incidents of potential or actual compromise of classified; and nominate a sufficient number of Derivative Classifiers and Reviewing Officials who shall be trained and approved by the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
8	I/S	Information Security - Official Use Only (OUO)	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	Atomic Energy Act of 1954, as amended CRD O 471.3, <i>Identifying & Protecting Official Use Only Information</i> CRD M 471.3-1, <i>Manual for Identifying & Protecting Official Use Only Information</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The OUO Program establishes controls to protect sensitive unclassified information as OUO.</p> <ul style="list-style-type: none"> MSC shall manage, integrate, and oversee implementation of a common Hanford Site-wide OUO program to ensure conformity of implementation by performing Hanford Site contractors and coordination of OUO education and awareness. Hanford Site contractors shall manage and implement an OUO information program consistent with the common Hanford Site-wide OUO information program. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
9	S	Personnel Personal Security – Badging	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL	Atomic Energy Act of 1954, as amended CRD M 470.4-2, <i>Physical Protection</i>	Funded through MSC; provided at no cost to Hanford Site contractors
			<p>A DOE security badge is utilized for all DOE and contractor personnel to gain access to DOE-owned or -leased facilities or areas where DOE-sponsored work is ongoing.</p> <ul style="list-style-type: none"> MSC shall provide badging service for the Hanford Site, which includes manufacture, issuance, destruction, control, and accountability for DOE Standard, Hanford Specific, Temporary, and Personal Identify Verification badges. MSC shall coordinate and initiate “STOP ACCESS” procedures, and control and issue private vehicle passes for Property Protection Areas. Hanford Site contractors shall obtain badging service from MSC; participate in “STOP ACCESS” program; and obtain vehicle passes from MSC. 							
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
10	S	Personnel Security – Access Authorization (Security Clearance) Processing Program	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC, N/A for PNNL	CRD M 470.4-5, <i>Personnel Security</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The Access Authorizations (Security Clearances) Program involves processing, granting, and allowing individuals to retain an access authorization when their official duties require access to classified information or matter, or special nuclear material (SNM).</p> <ul style="list-style-type: none"> MSC shall process all security clearances in support of Hanford Site contractors. These activities include requesting, obtaining, maintaining, downgrading and terminating security clearances, including "Special Access" privileges (e.g., SIGMA). The clearance processing program shall include reviews of each requested clearance action to ensure adequate justification exists and that reporting requirements are met. Hanford Site contractors shall request and obtain personnel security clearances, including “Special Access” from the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
11	I/S	Personnel Security – Human Reliability Program (HRP)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	N/A	N/A	N/A	N/A	10 CFR 712, <i>Human Reliability Program</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The Human Reliability Program (HRP) on the Hanford Site is designed to ensure that individuals who occupy positions affording access to special nuclear material and classified materials programs meet the highest standards of reliability and physical and mental suitability.</p> <ul style="list-style-type: none"> MSC shall coordinate and track all Hanford Site drug and alcohol testing; MSC shall notify the PRC of drug and alcohol testing results. MSC shall administer the HRP program, including initial and refresher training. PRC shall identify HRP positions, submit requests to MSC for enrollment in the Hanford Site HRP, and execute their portion of the HRP consistent with the Hanford Site HRP, as administered by the MSC. 							
12	I/S	Personnel Security – Workplace Substance Abuse Programs (WSAP)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC, N/A for PNNL	10 CFR 707, <i>Workplace Substance Abuse Programs at DOE Sites</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The WSAP is responsible for maintaining a workplace free from the use of illegal drugs, and is applicable to DOE contractors and their sub-contractors in testing-designated positions performing work at Sites owned or controlled by DOE under the authority of the Atomic Energy Act of 1954.</p> <ul style="list-style-type: none"> MSC shall administer the WSAP and maintain the procedures for testing and databases. MSC shall notify the respective Hanford Site contractor of drug and alcohol testing results. Hanford Site contractors shall identify individuals in testing-designated positions and execute the program per the MSC procedure. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
13	I/S	Personnel Security – Foreign National Visits and Assignments (FNVA)	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC (N/A PNNL)	CRD O 142.3, <i>Unclassified Foreign Visits & Assignments</i> CRD O 142.1, <i>Classified Visits Involving Foreign Nationals</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			FNVA pertains to unclassified (and potentially classified) foreign national access to the DOE Hanford Site for information and technologies. <ul style="list-style-type: none"> MSC shall process security plans for foreign visitors to Hanford Security areas, coordinate all FNVA requests, and submit to the appropriate contractor FNVA authority for approval. Hanford Site contractors shall notify the MSC of potential foreign visitor or assignment, and prepare and submit security plans to MSC for processing of the visit/assignment. 							
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
14	I/S	Cyber Security – (Classified and Unclassified Cyber Security)	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			Classified/Unclassified Cyber Security Program identifies and protects classified, unclassified and sensitive information generated, processed and stored for the Hanford Site. <ul style="list-style-type: none"> MSC shall provide a Hanford Site Classified Information Systems Security Officer; develop a Hanford Master Classified Information Systems Security Plan; ensure that all classified systems are certified and accredited; and implement the classified cyber security training program. MSC shall implement a centralized Hanford unclassified computer security program. Hanford Site contractors shall manage and execute classified and unclassified cyber security responsibilities consistent with DOE requirements and the MSC centralized program. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
15	I/S	Nuclear Material Controls and Accountability (MC&A)	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	Atomic Energy Act of 1954, as amended CRD M 470.4-6, <i>Nuclear Material Control and Accountability</i>	MSC bears the burden of program administration; Hanford Site contractors bear internal implementation costs.
			<p>The MC&A Program provides control and accountability of nuclear materials within DOE.</p> <ul style="list-style-type: none"> MSC shall manage and conduct a centralized MC&A program for all accountable quantities of nuclear material on the Hanford Site, and approve all implementing procedures of Hanford Site contractors. Hanford Site contractors shall support MSC in preparation and maintenance of a <i>Hanford Site-wide MC&A Plan</i>, administration of treaty-related activities, performance of occurrence investigation and reporting, and scheduling of periodic inventories. Hanford Site contractors shall implement MC&A requirements per the <i>Hanford Site-wide MC&A Plan</i>. Hanford Site Contractors contractors are required to implement facility specific requirements. 							
16	I/S	SAS Program Management – Safeguards and Security (SAS) Awareness	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL.	CRD M 470.4-1, <i>Safeguards and Security Program Planning and Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>SAS Awareness Program is used to inform Hanford Federal and contractor employees, subcontractors, and visitors of their SAS responsibilities and to promote continuing awareness of good security practices.</p> <ul style="list-style-type: none"> MSC shall provide SAS Awareness training for all Hanford Federal and contractor employees, subcontractors, and visitors; and conduct security training for all permanently badged employees on an initial and annual frequency to maintain appropriate levels of awareness. Hanford Site contractors shall comply with the requirements of the Hanford Security Awareness program, as administered by the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
17	I/S	SAS Program Management	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL.	Atomic Energy Act of 1954, as amended CRD O 470.3A, <i>Design Basis Threat Policy (U)</i> CRD M 470.4-1, <i>Safeguards and Security Program Planning and Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>SAS Program Management provides formal organized process for planning, performing, assessing, and improving the secure conduct of work in accordance with risk-based protection strategies.</p> <ul style="list-style-type: none"> MSC shall establish, manage, integrate and execute the processes and services that comprise the SAS Program Management, such as Program Planning, Oversight, and Administration; Security Conditions (SECON); Site Safeguard and Security Plan (SSSP); Vulnerability Assessments; Design Basis Threat; and safeguards and security training. Hanford Site contractors shall coordinate and interface with MSC on SAS Program Management regarding SAS technical, cost, and schedule performance; comply with SECON activities; support the Site Safeguards and Security Plan (SSSP) development, etc. Hanford Site contractors shall manage their internal SAS Program Management activities. 										

Interface Number	Type of Interface	Activity (Service - Mandatory per the MSC Statement of Work, Table C.2.1.2-1; all other services under this Activity are Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
18	I/S	Site Training Services and HAMMER	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Optional	Receive service from and provide input to MSC (Optional for PNNL)	29 CFR 1910.120; Facility-wide RCRA permit, WAC 173-303, <i>Dangerous Waste Regulation</i> ; OSHA Manual and OSHA Safety and Health Standard; and other Safety related requirements	Site Training Service training services are usage-based services reimbursed by the user; HAMMER base operations for the facility are at no cost to Hanford Site contractors contractors for DOE-EM funded Work Scope.
<p>Site Training Services provides training facility, curriculum, and training delivery services to Federal, contractor, and subcontractor employees in support of the Hanford and PNNL missions consistent with the DOE, local, state, and Federal workforce training requirements.</p> <ul style="list-style-type: none"> • MSC shall provide Hanford Site workers (and PNNL, as requested) training per MSC Table C.2.1.2-1, to support maintaining a qualified workforce, develop the <i>Annual Training Needs Forecast and Plan</i>, and operate the HAMMER facility. • MSC shall maintain the employee training records for training provided by MSC. • MSC shall perform mask fit services for Hanford Site contractors. • Hanford Site contractors shall provide training priorities, training needs, and input regarding standardized training programs. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
19	I/S	Fire & Emergency Response Services (Fire Prevention, Fire Suppression, Fire Investigations; Emergency Rescue; Emergency Medical Service and Patient Transport; Incident Command; and Hazardous Material and Chemical/Biological/Radiological Emergency Response)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC (includes Energy Northwest.) May include Non-Hanford Site areas designated by DOE	29 CFR 1910.146 OSHA Manual CRD O 420.1B, Facility Safety	Funded through MSC; provided at no cost to Hanford Site contractors.
			<p>Fire and Emergency Response Services provide fire prevention, fire suppression, fire investigations; emergency rescue; emergency medical service and patient transport; incident command; and hazardous material and chemical/biological/radiological emergency response for the Hanford Site and those non-Hanford Site areas designated by DOE.</p> <ul style="list-style-type: none"> MSC shall provide 24/7 fire-related protection of human life, property, and facilities; and operates basic and advanced life support emergency medical services. MSC shall act as the Site Incident Command Agency for all fires and hazardous/radiological materials emergencies on the Hanford Site. Hanford Site contractors shall support facility access to the MSC fire services personnel, and notify the Fire Department of work activities, events, incidents, etc., that may require Fire Services involvement and/or response (e.g., medical assistance, hazardous or radiological emergency help, etc.). The MSC will provide support for HFD participation in drills and exercises 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
20	I/S	Fire & Emergency Response Services (Fire Protection System Inspection, Testing, and Maintenance)	Provide service to Site Contractors <u>site contractors</u>	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC (RFAR only)	Receive service from and provide input to MSC	Receive service from and provide input to MSC The only service applicable to PNNL is Fire Protection Systems Testing in DOE owned facilities on the Hanford Site.	29 CFR 1910.146 OSHA Manual CRD O 420.1B, <i>Facility Safety</i>	MSC is direct-funded to maintain fire alarm systems for each Hanford Site contractor. Hanford Site contractors are required to provide their own hardware projects.
			<p>Fire and Emergency Response Services also includes fire protection system inspection, testing, and maintenance of existing and new fire systems for the Hanford Site, including backflow prevention devices.</p> <ul style="list-style-type: none"> MSC shall provide a Fire Marshal with authority for fire protection system inspection, testing, and maintenance; respiratory protection services; building inspections; ignitable and reactive waste site inspections; pre-fire planning; etc. Hanford Site contractors shall be required to use certain mandatory Fire Services from the MSC contractor in performance of this work scope (e.g., fire systems inspection, testing, etc.) consistent with the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
21	I/S	Emergency Operations (Centralized Hanford Site Emergency Preparedness Program)	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	DOE/RL-94-02, Hanford Emergency Management Plan CRD O 151.1C, Comprehensive Emergency Management System	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
<p>Emergency Operations consists of the Hanford Site-wide Emergency Preparedness (EP) programProgram, which includes operation of the Emergency Operations Center (EOC), Joint Information Center (JIC), requirements for hazards surveys and hazards assessments, training of EOC staff, Hanford Site-wide exercises, and facility-specific plans and procedures for EP development, training, drills and assessments.</p> <p>MSC shall:</p> <ul style="list-style-type: none"> • Coordinate, integrate, and maintain a centralized Hanford Site EP Program. • Provide instruction in accordance with DOE/RL-94-02, <i>Hanford Emergency Management Plan</i> to all Hanford Site contractors and their subcontractors. • Conduct or support emergency management surveillances and assessments and work with the Hanford Site contractors for corrective action implementation. • Establish procedures and provide direction and coordination for the Hanford Site Occurrence Reporting Program. <p>PNNL shall provide support for the Unified Dose Assessment Center (UDAC). Hanford Site contractors shall develop, maintain, and execute an Emergency Management Program as described in DOE/RL-94-02, <i>Hanford Emergency Management Plan</i> for facilities and waste sites under their control.</p>										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
22	I/S	Emergency Operations (Event Reporting; and Occurrence Notification Center)	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	CRD O 231.1A, <i>Environment, Safety and Health Reporting</i> CRD M 231.1-1A, <i>Environment, Safety, and Health Reporting</i> CRD O 450.1A, <i>Environmental Protection Program</i> DOE O 5400.5, <i>Radiation Protection of the Public and the Environment</i>	MSC bears the burden of program administration; Hanford Site contractors bear internal implementation costs.
			Event Reporting is provided to ensure that DOE is kept fully informed about events that could adversely affect the health and safety of the public or the workers, the environment, the intended purpose of the facilities, or the credibility of the DOE. <ul style="list-style-type: none"> MSC shall operate the Hanford Site-wide Occurrence Notification Center (ONC). Hanford Site contractors shall report their environmental, safety, and health events and related information directly to DOE and to the ONC. 							

Interface Number	Type of Interface	Activity (Interface & Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
23	I/S	Site Safety Standards (Common Safety Processes)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	10 CFR 851.11, <i>Development and Approval of the Worker Safety and Health Program</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
<p>Site Safety Standards are to be used by Hanford Site contractors to ensure common processes for worker safety.</p> <ul style="list-style-type: none"> MSC shall obtain affected Hanford Site contractor approval and establish common safety processes on the Hanford Site per MSC Table C.2.1.2-1. MSC shall maintain a site-wide web-based system with input from other Hanford contractors for sharing operating experiences and lessons learned with a focus on preventing recurrence of safety or reliability events, and to share good work practices in accordance with DOE O 210.2. MSC, PRC, and TOC shall work collaboratively and build coalitions with Hanford Site contractors and workers to continue to build a strong and enduring safety culture. Based on input from Hanford Site contractors and workers, the MSC with the PRC and TOC shall identify DOE opportunities to enhance and measure the Hanford safety culture. MSC shall manage and administer Hanford Site safety activities/initiatives, such as, Annual Safety Exposition, Hanford Worker Electrical Safety Board, etc., as approved by DOE. Affected Hanford Site contractors shall approve common safety standards and develop internal implementing procedures, and participate in Hanford Site safety activities/initiatives, where appropriate, as administered by MSC. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
24	I/S	Radiological Assistance (RAP)	Provide service	Provide staff to MSC	Provide staff to MSC	N/A	N/A	N/A	DOE O 5530.3, Radiological Assistance Program	MSC bears the cost burden of program administration to include travel, equipment, and RAP specific training. PRC and TOC provide personnel and bear personnel costs associated with RAP participation. PNNL also provides personnel to RAP, but is funded through MSC.
			<p>RAP provides first-responder radiological response capabilities 24/7 for the Hanford Site and Region 8 (states of Alaska, Oregon, and Washington).</p> <ul style="list-style-type: none"> MSC shall maintain and implement a first-responder radiological assistance that includes plans, procedures, resources and 24/7 response capabilities for Region 8 in support of the DOE Regional Response Coordinator and provide equipment. PRC and TOC shall provide qualified personnel, technical expertise, and support to the DOE Region 8 RAP to ensure maintenance and staffing of emergency teams with the ability to respond under the direction of DOE National Nuclear Security Administration (NNSA) and the U.S. Department of Homeland Security. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
25	I/S	Environmental Regulatory Management (Site-wide permits, permit applications, and reports; Site-wide NEPA documents; Site-wide environmental reports; Site-wide (environmental) Quality Assurance standards; allocation of permit limits)	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Environmental Regulatory Management ensures a Site-wide environmental program which is compliant with applicable laws, regulations, DOE directives and the Section H Clause entitled, <i>Environmental Responsibility</i>.</p> <p>MSC shall establish and provide Sitesite-wide management, administration, integration, permitting and compliance in coordination with other Hanford Site contractors. The MSC shall obtain concurrence from affected Hanford Site contractors for Site-wide environmental documents. MSC performs all near-field monitoring activities for the Hanford Site, including near-field monitoring required by a facility specific permit.</p> <p>Hanford Site contractors shall:</p> <ul style="list-style-type: none"> • Provide input for the Site-wide Environmental Management System (EMS) Program Management Plan. • Integrate their environmental permitting and regulatory compliance activities with the Hanford site-wide permitting and compliance framework maintained by the MSC. • Provide appropriate and timely input to the MSC and other designated Hanford Site contractors for regulatory required Site-wide environmental reports and metrics for their facilities and activities. • Support MSC in their Site-wide environmental regulatory management roles. • Provide legally and regulatory required air and liquid effluent and near facility environmental monitoring; collect, compile, and/or integrate air and liquid effluent monitoring data from operations and activities under their control. • Provide appropriate environmental data for its facility and operable units to support Hanford Site assessments and preparation of the annual Hanford Site Environmental Report. Obtain unit specific permit modifications in coordination with the MSC. • Inform MSC if any near-field monitor(s) are required as part of contractor's facility monitoring. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	PNNL (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
26	S	Seismic Monitoring Services	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	CRD O 420.1, Facility Safety DOE Guide 420.1-1, Section 4.7, "Emergency Preparedness and Emergency Communications"	Funding provided by DOE –EM to MSC; provided at no cost to Hanford Site contractors
<p>Seismic Monitoring Services are required to operate the Hanford Site seismic network and provide report activities as needed. This information is utilized for operational facilities, to support new facility design and for emergency operations activities.</p> <ul style="list-style-type: none"> MSC shall maintain seismic sensors and systems, monitor seismic activity and report seismic activities on the Hanford Site. MSC shall provide seismic information to Hanford Site contractors upon request. Hanford Site contractors shall request and provide requirements for services when necessary. 											
Interface Number	Type of Interface	Activity (Interface)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
27	I	Hanford Environmental Oversight (HEO)	Provide service to Sitesite contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	DOE O 5400.5, Radiation Protection of the Public and the Environment CRD O 450.1A, General Environmental Protection	Funding provided by DOE –EM to MSC for program administration; Hanford Site contractors bear internal implementation costs
<p>HEO provides program management, coordination and integration of Public Safety and Resource Protection (PSRP) functions. HEO also provides technical and administrative support to DOE associated with the PSRP program including Natural Resource Trustee activities.</p> <ul style="list-style-type: none"> MSC shall provide annual updates of the Hanford Site National Environmental Policy Act (NEPA) Characterization Report. Hanford Site contractors shall provide to MSC appropriate environmental data for its facility and operable units to 											

support Hanford Site assessments and preparation of the *Hanford Site NEPA Characterization Report*.

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
28	I/S	Meteorological and Climatological Services	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC		Funding provided by DOE –EM to MSC for the cost of services, except for special-use information requested by Site contractors
			<p>The Hanford Meteorological Monitoring System includes 30 monitoring stations on the Hanford Site and provides accurate and timely weather information that enable safe conduct of activities and emergency response.</p> <ul style="list-style-type: none"> MSC shall provide all standard, weather-related information for Hanford Site contractors, providing detailed around-the-clock, easily retrieved and understood, real time meteorological data. This includes forecasts, heat indices, historical information, etc. MSC shall maintain and operate the Hanford Meteorological Monitoring system. MSC may be requested to provide special-use information by Site contractors. Hanford Site contractors shall request and provide requirements for service. 								

Interface Number	Type of Interface	Activity (Interface)	MSC	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
29	I/S	Environmental Surveillance	Receive input from and provide information to Sitesite contractors	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC as applicable	DOE O 5400.5 CRD O 450.1A <i>Clean Water Act</i> <i>Clean Air Act</i>	Funding provided by DOE –EM to MSC for program administration; Hanford Site contractors bear internal implementation and request for services costs.
			<p>Environmental Surveillance consists of far-field multimedia environmental monitoring to measure the concentration of radionuclides and chemicals in environmental media and assess the integrated effects of these materials on the environment and the public.</p> <ul style="list-style-type: none"> MSC shall assess impacts and risks of contaminants on human health in order to prepare the annual <i>Hanford Site Environmental Report</i> and the <i>Hanford Site Environmental Surveillance Master Sampling Schedule</i>; and align the surface environmental surveillance with the needs of the environmental clean-up, restoration, and assessment activities at the Hanford Site. MSC shall assess impacts and risks of Hanford contaminants on human health and the environment in support of Hanford cleanup activities as requested. Data and analysis shall be made available to the Hanford risk assessment activities. Hanford Site contractors shall provide appropriate input to support MSC preparation of the annual <i>Hanford Site Environmental Report</i> and <i>Hanford Site Environmental Surveillance Master Sampling Schedule</i> 								

Interface Number	Type of Interface	Activity (Interface & Service - Mandatory)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
30	I/S	Ecological Monitoring and Compliance – Site Wide	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC as applicable	<i>Endangered Species Act</i> <i>Migratory Bird Treaty Act</i> Hanford Site Resource Management Plan	Funding provided by DOE –EM to MSC for program administration; <u>Ecological reviews are a usage-based service.</u> Hanford Site contractors bear internal implementation costs.
<p>Ecological Monitoring and Compliance is to achieve compliance with ecological resource-related legal and regulatory requirements; Biota is monitored to assess the abundance, vigor, or condition, and distribution on the Hanford Site.</p> <p>MSC shall:</p> <ul style="list-style-type: none"> Assess the impacts to biological resources from Hanford Site operations and legacy contaminants to the environment and monitor the abundance, vigor, and distribution of plant and animal populations on the Hanford Site. This includes baseline surveys of protected biological resources, species, and habitats within key areas of the Hanford Site where the majority of routine operations and clean-up are conducted. Conduct ecological compliance reviews for Hanford Site contractors. <u>Ecological reviews that are required to be conducted outside the Hanford alternate work schedule will not charge overtime to OHC projects.</u> <p>Hanford Site contractors shall:</p> <ul style="list-style-type: none"> Allow access to the Ecological Monitoring and Compliance activity for the purpose of collecting information and samples. Provide ecological information to the MSC from their sampling activities such as CERCLA/RCRA risk assessments 											

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
31	I/S	Cultural and Historic Resource Program	Provide service to <u>Sitesite</u> contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Provide input to MSC	Receive service from and provide input to MSC as applicable	<i>National Historic Preservation Act (NHPA), American Indian Religious Freedom Act Archaeological Resources Protection Act Native American Graves Protection and Repatriation Act</i>	Funding provided by DOE –EM to MSC for program administration; <u>Cultural reviews are a usage-based service.</u> Hanford Site contractors bear internal implementation and request-for-services costs.
<p>The Cultural and Historic Resource Program administers the program for protecting Hanford Site cultural and historic resources, and documents and addresses any real or potential Site-wide issues and their impacts; and assures compliance with associated laws, DOE directives, and legally-binding agreements.</p> <ul style="list-style-type: none"> MSC shall monitor and support the resource protection activities of Hanford Site contractors; coordinate surveys performed to document the occurrence of protected resources; evaluate and document impacts to protected resources; perform NHPA Section 106 Reviews for Hanford Site contractors; maintain, establish procedures for and manage Hanford Site cultural and historic resource site files (hard copy and electronic) and associated compliance project files for all such work that occurs at the Hanford Site; and curate files and artifacts in accordance with 36 CFR 79. Hanford Site contractors shall provide information to the MSC necessary to perform NHPA Section 106 Reviews for their scope of work, and provide to MSC information and materials to support MSC execution of the <i>Comprehensive Land Use Plan's (CLUP) Cultural & Historic Resource Program Plan</i>. In particular, mission contractors (who meet 36 CFR 61 standards and guidelines) shall utilize the MSC project records and files for background research. 											

Interface Number	Type of Interface	Activity (Service - Mandatory)	PNNL (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
32	I/S	Radiological Site Services (RSS)	Provide service to Site contractor s	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	DOE and national quality control requirements	RSS is a usage Usage-based service reimbursed by the user.
<p>Radiological Site Services (RSS) is a fully-integrated and documented set of radiological support programs which provide the technical support, dosimetry, data, and records necessary to demonstrate compliance with required radiological monitoring and to verify the adequacy of Site radiological control programs in protecting the health and safety of workers, the public, and the environment. The RSS includes the Hanford External Dosimetry Program, the Hanford Internal Dosimetry Program, the Hanford Radiological Instrumentation Program, and the Hanford Radiological Records Program.</p> <p>PNNL shall provide:</p> <ul style="list-style-type: none"> • Accredited external dosimetry services, including technical support, documentation, and dosimeters, based on the types and quantities of external dosimetry required by all key customers. • Accredited internal dosimetry services, including technical support, documentation, and analyses, based on the types and quantities of internal dosimetry required by all key customers. • Calibration, maintenance, and repair services for a broad range of portable and semi-portable radiological instrumentation, including technical support and documentation, based on the types and quantities of portable and semi-portable radiological instrumentation calibration, maintenance, and repair services required by all key customers, • Management and preservation of current and former radiation monitoring records for DOE (and predecessor agencies) employees, Hanford contractors, sub-contractors, and visitors, including records of existing and past Hanford Site radiation dosimetry policies and practices. <p>Hanford Site contractors shall request, and provide requirements for, service.</p>											

Site Infrastructure And Utilities										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
33	S	Analytical Services (Chemical and Low-Level Radiological Analysis)	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Optional	Receive service from and provide input to MSC as applicable	WAC 173-50, Accreditation of Environmental Laboratories WAC 173-40, Air Operating Permit	Sample Analysis analysis is a usage-based service reimbursed by the user; WSCF Laboratory fixed costs for maintaining the facility in a ready-to-serve capacity are at no cost to Hanford Site contractors <u>contractors</u> .
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
34	S	Biological Controls	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC as applicable	WAC Chapter 16-752 CRD O 450.1A, Environmental Protection Program DOE O 5400.5, Radiation Protection of the Public and the Environment	Basic service funded through MSC; provided at no cost to Hanford Site contractors. Hanford Site contractors may negotiate request additional services beyond direct-funded basic service <u>as a usage-based service</u> .

			<p>program controls vegetation on approximately 2000 acres, traps and removes animals, and eliminates insect infestations.</p> <ul style="list-style-type: none">• MSC shall provide a Hanford Site-wide biological control program.• Hanford Site contractors shall request support as needed.
--	--	--	--

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
35	S	Crane and Rigging	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Optional	Receive service from and provide input to MSC as applicable (Optional for PNNL)	DOE-RL-92-36, Rev. 1	Providing technical support and maintaining Site hoisting and rigging requirements; and the facility and equipment maintenance, consumables and operations support to maintain the Rigging Services Facility in a ready-to-serve capability are at no cost to Hanford Site contractors. Equipment and labor provided for services including hoisting, rigging, scaffolding erection, inspections, load tests, equipment hauling, below the hook fabrications, and guzzler operations are usage based services reimbursed by the user. Usage-based service reimbursed by the user.

			The Crane and Rigging is a ready-to-serve , centralized pool of equipment and manpower for the Hanford Site. <ul style="list-style-type: none"> MSC shall provide a mobile crane pool, a regulated and non-regulated guzzler; coordinate rental and movement of cranes, preventative maintenance inspections and scheduling of necessary repairs; and supervises crane crews. Hanford Site contractors shall request and provide requirements for service. 							
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
36	S	Facility Services	Provide service to Site contractors	Receive service from and provide input to MSC	Receive (limited) service from and provide input to MSC	N/A	N/A	Receive service from and provide input to MSC as applicable (N/A for PNNL)	CRD O 430.1B, Real Property Asset Management	Management and administrative oversight of facility services is provided at no cost to Hanford Site contractors. Labor and materials provided for specified services are usage based and will be reimbursed by the user. Usage-based service reimbursed by the user.
Facility Services is a central maintenance function for non-radiological facilities. <ul style="list-style-type: none"> MSC shall provide management and administrative oversight for all requested facility activities, including planning and directing the work. MSC shall provide for the following facility services in support of the Hanford Site projects and contractors: facility painting, sign painting, carpentry, refrigerated equipment service, insulation, pipefitting, electrical, sheet metal, instrumentation, cement finishing, glazier work, custodial, locksmith, movers, equipment calibration, and HVAC maintenance and repair. PRC and other Site users shall request and provide requirements for service. TOC shall only receive Refrigerated Equipment Service, floor service and Movers Service from and provide input to MSC										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
37	S	Motor Carrier Services	Provide service to Site contractors	Receive service from MSC	Receive service from MSC	N/A	Optional	Receive service from and provide input to MSC as applicable	CRD O 460.1B, Packaging and Transportation Safety CRD O 460.2A, Departmental Materials Transportation and Packaging Management	Management and administration oversight of transportation services is provided at no cost to Hanford Site contractors. Labor and materials provided for specified services are usage-based and will be reimbursed by the user. Usage-based service reimbursed by the user.
			Motor Carrier Services provides ready-to-serve, a centralized pool of vehicles and drivers for the on-site or local transportation of freight including hazardous material at the Hanford Site, including radioactive materials and radioactive/mixed waste. <ul style="list-style-type: none"> MSC shall manage, schedule, and conduct motor carrier services. MSC shall maintain and operate a centralized pool of vehicles and drivers for the on-site and limited local transportation of freight including hazardous and radioactive materials at the Hanford Site. Hanford Site contractors who are customers of this service prepare the waste for transport including shipper/receiver agreement documents, transportation documents for packaging, transportation and receipt by the receiving facility. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
38	S	Fleet Services	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Optional	Receive service from and provide input to MSC as applicable	41CFR102-34, Motor Vehicle Management 41CFR109-38, Motor Equipment Management	Facility maintenance, consumables & ops. support to maintain MSC bears the Fleet Equipment Maintenance Shop, associated buildings, cost of basic service as defined below and Materials Storage Building in a ready-to-serve capability at no cost to Site contractors. Acquisition the MSC for acquisition, control, assignment, and disposal of DOE fleet equipment is also at no cost to Site contractors. Providing fuel and GSA vehicles. Fleet facilities maintenance, operations support, consumables, fuel delivery, and maintenance, parts, and labor for the DOE-owned equipment is fleet are a usage-based service reimbursed by the user. Maintenance labor and parts for vehicles leased

			<p>necessary intersections, taking proper security actions, and making Hanford Site notifications.</p> <ul style="list-style-type: none">• Upon DOE direction, MSC shall maintain and operate the rail system on the Hanford Site.• Hanford Site contractors shall request and provide requirements for service to the MSC.
--	--	--	--

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
40	S	Roads & Grounds	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC per ICD 12 - Roads	Receive service from and provide input to MSC	Receive service from and provide input to MSC (except PNNL off Hanford Site)	CRD O 430.1B, <i>Real Property Asset Management</i>	Basic service funded through MSC; provided at no cost to Hanford Site contractors. Hanford Site contractors may negotiate request additional services for facility specific services, such as, snow removal on sidewalks
<ul style="list-style-type: none"> • Site Roads and Grounds consist of road maintenance, <u>24/7</u> snow removal, traffic management, and common grounds maintenance service for the Hanford Site. • MSC shall maintain primary and secondary Hanford Site roadways, to include patching/paving, striping, and other services; perform maintenance of common grounds; and make recommendations to restrict access and make the appropriate notifications of restricted access or closure to DOE and other Hanford Site contractors in the event that roads are unsafe for travel. MSC shall remove snow at primary and secondary roads and at designated facilities, parking lots, and walkways. • Hanford Site contractors may request roads and grounds services for their facilities. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
41	P/S	Electrical Transmission, Distribution, & Energy Management	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC per ICD 11 - Electricity	Receive service from and provide input to MSC	Receive service from and provide input to MSC	DOE guidance on 2005 <i>Energy Policy Act</i> BPA Network Integrated Transmission Service Agreement DOE EO 430.2A Electric Reliability Standards	Basic service funded through MSC; provided at no cost to Hanford Site contractors. Direct, mission-related upgrade projects are sub-contracted by

									BPA Outage Planning Process	MSC and paid by the requesting Hanford Site contractor.
			<p>Electrical Transmission, Distribution, & Energy Management is the management function of the high voltage electrical utility consisting of a system for providing power to the facilities at the Hanford Site.</p> <ul style="list-style-type: none"> • MSC externally supplies electrical power to Hanford Site contractors. • MSC shall coordinate with other Hanford Site contractors to obtain the following: <ul style="list-style-type: none"> - Energy cost and consumption data for the <i>Annual Energy Conservation Performance Report</i>. - Energy cost and consumption data for the quarterly Hanford Site energy cost and consumption date entry to EMS4 database. - Facility shut down constraints and impacts due to fuel reductions for the <i>Emergency Conservation Plan</i>. - Facility electrical load information for the annual electrical load forecast. - Other facility electrical or energy information, as needed. • Hanford Site contractors shall provide input for EMS4 database, annual Energy Conservation Performance Report, Emergency Conservation Plan, and annual electrical load forecast. • Hanford Site contractors may enter into a service-provider relationship with the MSC and/or other utility providers for the operation, maintenance, and/or closure of all or part of their internal utility systems. • Hanford Site contractors shall protect Hanford Site systems against disruption and damage during performance of work and support Hanford Site utility operations, maintenance, and closure of a service where appropriate. <p><u>Notes:</u></p> <ul style="list-style-type: none"> • The interface point between the MSC electrical distribution system and the Hanford Site contractors' facilities electrical system is routinely the connection at the secondary side of the building service transformer (MSC also owns the electrical meters). However, there may be some facilities where the systems interface is located at a different connection point. The interface points are identified on the electrical utility switching system diagram drawings. • The 300 Area electrical substation and electrical distribution system will be owned by the RCCC. The RCCC may request MSC to operate and maintain the 300 area substation and distribution system on a work order basis. Upon completion of the RCCC, or as directed by DOE, the substation/distribution system may be reassigned to the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
42	P/S	Water System	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC per ICD 01 – Raw Water and ICD 02 – Potable Water	Receive service from and provide input to MSC	Receive service from and provide input to MSC	WAC 246-290, <i>Group A, Public Water Systems</i> WAC 246-291, <i>Group B, Public Water Systems</i> WAC 246-292, <i>Water Works Operator Certification</i> WAC 246-294, <i>Drinking Water Operating Permits</i> CRD O 430.1B, <i>Real Property Asset Management</i>	Hanford Site-wide water upgrades and Basic Service are funded through MSC; provided at no cost to Sitesite contractors. Direct, mission-related upgrade projects are paid for by the Site contractor requiring the upgrade. For water systems outside of the MSC, water system contaminant monitoring management is a usage-based service reimbursed by the user. Water permits for Hanford Site contractors' new facilities is a usage-based service.

		<p>The Water System function is a ready-to-serve water utility service (the geographic areas to be served are the 100, 600, and 200 Areas). The 300 Area and 100N Area water systems are within the scope of the RGCC, along with the 30 inch concrete line supplying the 100F and 100H Areas, and all distribution piping connecting to the concrete main water lines supplying the 100F, 100H, 100D, 100N, and 100B Areas.</p> <ul style="list-style-type: none"> • MSC shall manage the water system in accordance with agreements negotiated with the Hanford Site contractor being served and in accordance with guidance documents cited in state regulations for water systems; and maintain the existing <i>Water System Master Plan</i>. The Plan shall document a strategy for managing repairs, life extensions, replacements, and deactivations for facilities and equipment for the water systems within the scope of this contract over a ten year planning horizon. • MSC shall provide a “purveyor” (per the Washington Administrative Code and other state regulations) for MSC water systems. • MSC shall be responsible for all aspects of the water distribution system only up to and including the first off-valve or demarcation point outside the customer’s facility or complex of facilities. The customer or facility maintains all responsibility for lines downstream of this agreed-upon point. On side-by-side multiple valve isolations and backflow assemblies, the facility assumes responsibility from the discharge side of the downstream isolation valve. For WTP, the demarcation point is the premise isolation backflow prevention at the fence line. For PFP, the demarcation point is the premise isolation backflow assembly. • MSC shall perform, as requested, backflow preventer testing, water system contaminant monitoring management, and pipeline sanitization for other Hanford Site Contractors (e.g., water systems outside of MSC); • Hanford Site contractors shall input to the <i>Water System Master Plan</i> and negotiate agreements for water utility service. • PRC shall identify priority water line upgrades which would prevent further ground water degradation; MSC shall perform priority water line upgrades to prevent further ground water degradation • Upon completion of the RGCC, or at the direction of DOE, the 300 Area water system may be reassigned to the MSC. <p>Note: The 100K Area and 400 Area Water Systems will be operated and maintained by the PRC.</p>
--	--	---

			<p><u>The Water System function is a water utility service (the geographic areas to be served are the 100, 600, and 200 Areas). The 300 Area and 100N Area water systems are within the scope of the RCCC, along with the 30-inch concrete line supplying the 100F and 100H Areas, and all distribution piping connecting to the concrete main water lines supplying the 100F, 100H, 100D, 100N, and 100B Areas.</u></p> <ul style="list-style-type: none"> • <u>MSC shall manage the water system in accordance with agreements negotiated with the Hanford Site contractor being served and in accordance with guidance documents cited in state regulations for water systems; and maintain the existing <i>Water System Master Plan</i>. The Plan shall document a strategy for managing repairs, life extensions, replacements, and deactivations for facilities and equipment for the water systems within the scope of this contract over a ten year planning horizon.</u> • <u>MSC shall provide a “purveyor” (per the Washington Administrative Code and other state regulations) for MSC water systems.</u> • <u>MSC shall be responsible for all aspects of the water distribution system only up to and including the first off-valve or demarcation point outside the customer’s facility or complex of facilities. The customer or facility maintains all responsibility for lines downstream of this agreed-upon point. On side-by-side multiple valve isolations and backflow assemblies, the facility assumes responsibility from the discharge side of the downstream isolation valve. For WTP, the demarcation point is the premise isolation backflow prevention at the fence line. For PFP, the demarcation point is the premise isolation backflow assembly.</u> • <u>MSC shall perform, as requested, backflow preventer testing, water system contaminant monitoring management, and pipeline sanitization for other Hanford Site contractors (e.g., water systems outside of MSC):</u> • <u>Hanford Site contractors shall input to the <i>Water System Master Plan</i> and negotiate agreements for water utility service.</u> • <u>PRC shall identify priority water line upgrades which would prevent further ground water degradation; MSC shall perform priority water line upgrades to prevent further ground water degradation</u> • <u>Upon completion of the RCCC, or at the direction of DOE, the 300 Area water system may be reassigned to the MSC.</u> <p><u>Note: The 100K Area and 400 Area Water Systems will be operated and maintained by the PRC.</u></p>
--	--	--	--

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
43	P/S	Sewer Systems	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Receive service from and provide input to MSC	Receive service from and provide input to MSC	WAC 246-272, 272A, 272B, Large On-site Sewage Systems; WAC 173-224, Sanitary Sewers	Hanford Site-wide sewer upgrades and Basic <u>Service</u> are funded through MSC; provided at no cost to Hanford Site contractors. Direct, mission-related upgrade projects are paid for by the Hanford Site contractor requiring the upgrade. <u>Hanford Site contractors are responsible for facility-specific upgrades or new facilities sewer tie-ins under their control. Sewer permits for Hanford Site contractor new construction or project upgrades are a usage-based service.</u>

			<p>Sewer system operations provide sewer pumper truck services and collection of sewage through piping for treatment and disposal in subsurface soil absorption systems. The geographic areas to be served are the 600 Area and 200 Area. The 100N Area sanitary sewer system, 100-B Area, C Area, D Area, F Area, H Area, and the 200 Area ERDF sanitary sewer holding tanks, and the 300 Area sanitary sewer system are within the scope of the RCCC. Additionally, the RCCC pipes waste directly to the 100N Lagoon from the 100 Area operations.</p> <ul style="list-style-type: none">• MSC shall operate the Hanford Site sanitary sewer systems, including compliance sampling; maintenance of support structures, systems, and components; and performance of sewer administration duties in accordance with the State of Washington sanitary sewer regulations.• MSC shall update the existing <i>Sewer System Master Plan</i>. The Plan shall document a strategy for managing repairs, life extensions, replacements, and deactivations for facilities and equipment for the sewer systems within the scope of this contract over a ten year planning horizon and shall be updated every two (2) years.• MSC shall coordinate termination of 100N lagoon use with RCCC and determine alternate disposal operations for pumped sewer system waste.• Hanford Site contractors shall provide input to the <i>Sewer System Master Plan</i>. <p><u>Notes:</u></p> <ul style="list-style-type: none">• The 100N Area sanitary sewer system, 100-B Area, C Area, D Area, F Area, H Area, and the 200 Area ERDF sanitary sewer holding tanks, and the 300 Area sanitary sewer system are excluded from the scope of this Contract. These sewer systems are within the scope of the RCCC. Additionally, the RCCC pipes waste directly to the 100N Lagoon from the 100 Area operations. Currently, waste pumped from area sewer systems are deposited in that lagoon and are expected to be operated by the MSC until a replacement is in service. Upon completion of the RCCC, or at the direction of DOE, utilities assigned to the RCCC, may be reassigned to the MSC.• The 100K Area and 400 Area sanitary sewer systems will be operated and maintained by the PRC.
--	--	--	--

			<p><u>Sewer system operations provide sewer pumper truck services and collection of sewage through piping for treatment and disposal in subsurface soil absorption systems. The geographic areas to be served are the 600 Area and 200 Area. The 100N Area sanitary sewer system, -100 B Area, C Area, D Area, F Area, H Area, and the 200 Area ERDF sanitary sewer holding tanks, and the 300 Area sanitary sewer system are within the scope of the RCCC. Additionally, the RCCC pipes waste directly to the 100N Lagoon from the 100 Area operations.</u></p> <ul style="list-style-type: none"> • <u>MSC shall operate the Hanford Site sanitary sewer systems, including compliance sampling; maintenance of support structures, systems, and components; and performance of sewer administration duties in accordance with the State of Washington sanitary sewer regulations.</u> • <u>MSC shall update the existing <i>Sewer System Master Plan</i>. The Plan shall document a strategy for managing repairs, life extensions, replacements, and deactivations for facilities and equipment for the sewer systems within the scope of this contract over a ten year planning horizon and shall be updated every two (2) years.</u> • <u>MSC shall coordinate termination of 100N lagoon use with RCCC and determine alternate disposal operations for pumped sewer system waste.</u> • <u>Hanford Site contractors shall provide input to the <i>Sewer System Master Plan</i>.</u> • <u>Legacy facilities that are returned to service will be treated as a base, unless special circumstances require facility upgrades.</u> <p><u>Notes:</u></p> <ul style="list-style-type: none"> • <u>The 100N Area sanitary sewer system, 100 B Area, C Area, D Area, F Area, H Area, and the 200 Area ERDF sanitary sewer holding tanks, and the 300 Area sanitary sewer system are excluded from the scope of this Contract. These sewer systems are within the scope of the RCCC. Additionally, the RCCC pipes waste directly to the 100N Lagoon from the 100 Area operations. Currently, waste pumped from area sewer systems are deposited in that lagoon and are expected to be operated by the MSC until a replacement is in service. Upon completion of the RCCC, or at the direction of DOE, utilities assigned to the RCCC, may be reassigned to the MSC.</u> • <u>The 100K Area and 400 Area sanitary sewer systems will be operated and maintained by the PRC.</u>
--	--	--	---

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
44	S	Sanitary Waste Management and Disposal	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Receive service from and provide input to MSC	Receive service from and provide input to MSC (PNNL on Hanford Site)		Delivery of and disposal of sanitary waste for dumpsters is provided at no cost to Hanford Site Contractors contractors. Delivery and disposal of sanitary waste for roll off boxes is a usage-based service reimbursed by the user.
			<p>Sanitary Waste Management and Disposal function consists of waste collected from on-site dumpsters and transport to off-site landfills for disposal. This includes management and oversight of Hanford sanitary, inert and demolition waste landfills that are currently in operation or closed.</p> <ul style="list-style-type: none"> • MSC shall pick-up, inspect, and dispose of non-radioactive, non-hazardous dry waste. • Hanford Site contractors shall request and provide requirements for service. 							

Site Business Management										
Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
45	I/S	Land-Use Planning and Management (Service mandatory only for site selection and excavation permits)	Provide service	Request service from MSC and provide input	Request service from MSC and provide input	Request service from MSC and provide input per ICD 09 – Land for Siting	Request service from MSC and provide input	Receive service from and provide input to MSC, as applicable	CRD O 430.1B, <i>Real Property Asset Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs. <u>Excavation permits are provided as a usage-based service.</u>
<p>Land-Use Planning and Management consists of land-use planning (for the Hanford Site, in general and specific parcels) and management (including day-to-day implementation of the <i>Comprehensive Land Use Plan [CLUP]</i>).</p> <ul style="list-style-type: none"> MSC shall perform management of real property at the Hanford Site for DOE and coordinate the use of real property among Hanford Site contractors. MSC shall perform a range of real property activities, such as conducting land-use planning for areas and specific parcels; conducting reviews and integrating land-use requests for all new facilities, infrastructure systems, land improvements, or change of land use; conducting land management activities, including day-to-day implementation of the CLUP; managing land use requirements and beneficial reuse of land; and conducting real estate activities in the out-grant and disposal of real property or interests therein. MSC shall implement the CLUP as directed or interpreted by DOE. MSC shall assess the need for updating the existing or developing new Area Management Plans and Resource Management Plans. In coordination with other Hanford Site contractors, the MSC shall develop new plans and update existing plans where applicable. MSC shall administer and manage the Site Selection and Excavation Permit process. MSC shall monitor and assess the use of real property to assure compliance with restrictions, such as institutional controls. MSC shall manage real property by reviewing property uses, reclassifying land use and facilities, investigating and characterizing land, monitor misuse of property or encroachments, identifying orphan or unknown land uses (e.g., non-pristine land, hazards, and waste sites), dispositioning non-permitted activities; and tracking and documenting land-use occurrences and activities. Hanford Site contractors shall support the land-use planning and management program as administered by the MSC, including providing input to the Ten Year Site Plan (TYSP). 										

			<ul style="list-style-type: none">MSC shall develop the TYSP for the Hanford Site in coordination with other Site contractors and in accordance with CRD O 430.1B, Real Property Asset Management.
--	--	--	---

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCC C	Other Site Users	Requirements	Cost Allocations
------------------	-------------------	----------------------	-----	-----	-----	-----	-------	------------------	--------------	------------------

46	I	Long-term Stewardship	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC per ICD 00— Land for Siting	Deliver input to MSC	N/A	Hanford Site Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Records of Decision - Hanford Site Resource Conservation and Recovery Act (RCRA) Post Closure Plans. CERCLA 5-Year Review criteria.	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs. Cost for sites transferred (post-remediated) to MSC are the responsibility of the MSC. Transition costs are the responsibility of the respective Hanford Site contractor.
46	I/S	Long-term	Receiv	Deliv	Deliv	Deliv	Deliv	N/A	Hanford	Long-term stewardship (LTS) includes all engineered and non-

		<u>Stewardship</u>	<u>ve input from Site contractors</u>	<u>er input to MSC</u>	<u>er input to MSC</u>	<u>er input to MSC</u>	<u>er input to MSC</u>		<p><u>Site Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Records of Decision.</u></p> <p><u>Hanford Site Resource Conservation and Recovery Act (RCRA) Post Closure Plans.</u></p> <p><u>CERCLA 5-Year Review criteria.</u></p>	<p>engineered institutional controls designed to contain or to prevent exposures to any potential residual contamination and waste, such as surveillance activities, record-keeping activities, inspections, groundwater monitoring, ongoing pump and treat activities, cap repair, maintenance of entombed buildings or facilities, maintenance of other barriers and containment structures, access control, and posting signs.</p> <ul style="list-style-type: none"> MSC shall provide for integrated planning of LTS for <u>bears</u> the entirety of the Hanford Site. MSC shall prepare and maintain the <i>Hanford Long-Term Stewardship Plan</i>, the <i>Long-Term Surveillance and Maintenance Plan</i>. MSC shall coordinate with <u>cost burden of program administration; Hanford Site contractors</u> and compile data and prepare the Hanford Site-wide assessments of institutional controls, and the Hanford Site-wide <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) 5-year reviews</i> including comment response. MSC shall execute LTS for those portions of the Site assigned to the MSC, with exception of groundwater monitoring, groundwater remediation activities, and ongoing pump and treat activities. Hanford Site contractors provide information for the <i>Hanford Long-Term Stewardship Plan</i>, <i>Annual NEPA Mitigation Action Plan Accomplishments</i>, <i>IC Plan</i>, CERCLA 5-year reviews, & <u>Sitebear internal implementation costs. Cost for sites transferred (post-remediated) to MSC are the responsibility of the MSC. Transition Plans.</u> Hanford Site contractors shall comply with the Transition Plans for transfer of remediated sites to MSC. Hanford Site contractors shall coordinate with the MSC in development of CERCLA RODs including institutional controls to achieve consistency with the LTS Plan. Hanford Site contractors shall provide information for the Hanford Site Institutional Controls Plan (ICP) in accordance with Hanford Site CERCLA Records of Decisions and Hanford Site RCRA post closure plans. costs are the responsibility of the respective Hanford Site contractor.
--	--	--------------------	---------------------------------------	------------------------	------------------------	------------------------	------------------------	--	--	---

				<p><u>Long-term stewardship (LTS) includes all engineered and non-engineered institutional controls designed to contain or to prevent exposures to any potential residual contamination and waste, such as surveillance activities, record-keeping activities, inspections, groundwater monitoring, ongoing pump and treat activities, cap repair, maintenance of entombed buildings or facilities, maintenance of other barriers and containment structures, access control, and posting signs.</u></p> <ul style="list-style-type: none"><u>• Other prime contractors' role is to provide input to the MSC by preparing an LTS Transition and Turnover Package (TTP) in accordance with the approved TTP template.</u><u>• MSC shall provide for integrated planning of LTS for the entirety of the Hanford Site.</u><u>• MSC shall prepare and maintain the <i>Hanford Long-Term Stewardship Program Plan and Long-Term Surveillance and Maintenance Plans</i>.</u><u>• MSC shall coordinate with DOE-RL and Hanford Site contractors to compile the results of the annual Hanford Site-wide institutional controls assessment, and to conduct the Hanford Site-wide <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) 5-year reviews</i> including comment response, interim documentation, and lessons learned.</u><u>• MSC shall execute LTS for those portions of the Site assigned to the MSC.</u><u>• Hanford Site contractors provide information for the <i>Hanford Long-Term Stewardship Program Plan, Long-Term Stewardship Surveillance and Maintenance Plans, Annual NEPA Mitigation Action Plan Accomplishments, IC Plan, CERCLA 5-year reviews, Site Transition Plans, and annual site-wide institutional controls assessment</i>.</u><u>• Hanford Site contractors will coordinate with the Hanford LTS Program Plan and provide input to the LTS Transition and Turnover Packages for a given parcel or segment of land to DOE and concurrently to the MSC.</u><u>• Hanford Site contractors shall coordinate with the MSC in development of CERCLA RODs including institutional controls to achieve consistency with the LTS Plan.</u><u>• Hanford Site contractors shall provide information for the Hanford Site Institutional Controls Plan (ICP) in accordance with Hanford Site CERCLA Records of Decision, Hanford Site RCRA post closure plans, and RCRA Permit Corrective Action Modifications.</u>
--	--	--	--	---

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
47	I	Facility Information Management System (FIMS)	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC, as applicable	CRD O 430.1B, <i>Real Property Asset Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>DOE uses FIMS as the Complex-wide real property database for real property which provides an inventory and management tool that assists with planning and managing real property assets. FIMS is centrally managed at DOE Headquarters.</p> <ul style="list-style-type: none"> • MSC shall manage the local effort for FIMS, meeting specific, annual reporting requirements and shall be responsible for collecting data from Hanford Site contractors in order to meet all mandatory reporting requirements. • Hanford Site contractors deliver FIMS data and input to the <i>Comprehensive Data/Site Management Strategy</i> for spatial data. 							

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
48	I	Hanford Site Structures List and Hanford Waste Site Assignment List	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC per ICD 09 – Land for Siting	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
<p>The <i>Hanford Site Structures List (List)</i> and <i>Hanford Site Assignment List</i> is the integrated, central inventory of Hanford facilities, structures, and waste sites. DOE Hanford uses these lists for integrated planning of baselines, cost-estimating, reporting DOE Gold Chart metrics, establishing assignment of responsibility for each facility and waste site to Site site contractors, support to FIMS, HSTD (Hanford Site Technical Data Base), Caretaker, and WIDS. This activity provides for maintenance, configuration control, and upgrading of the Lists.</p> <ul style="list-style-type: none"> • MSC shall maintain the <i>Hanford Site Structures List</i> and <i>Hanford Waste Site Assignment List</i> serving as Administrator of the data, and is responsible for the platform for the data and Site-wide reporting. • MSC shall be responsible for the Site-wide configuration control process, and shall be responsible for collecting data from Hanford Site contractors in order to meet all mandatory reporting requirements. • Proposed changes in assignment of facilities must be ratified by DOE. <p>Hanford Site contractors deliver facilities, structures, and wastes site data and input to the <i>Hanford Site Structures List</i> and <i>Hanford Waste Site Assignment List</i>.</p> <p>The Hanford Site contractors shall provide data and support to the MSC, for the Hanford Sites contractor's facilities, waste sites and activities, to support maintenance of the <i>Hanford Site Structures List</i> and <i>Hanford Waste Site Assignment List</i>, Hanford Site contractors supplying information/ data are responsible for data quality.</p>										

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
49	I	Condition Assessment Surveys (CAS)	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>CAS is used to assess the current material condition of its facilities, structures, systems, and equipment, and documents maintenance deficiencies. The assessment information for each assessed item is entered into the Condition Assessment Information System (CAIS), which provides an estimate of maintenance upgrade costs.</p> <ul style="list-style-type: none"> • MSC shall manage the Hanford Site CAS/CAIS and provide for the administration of and execution of the CAS inspection program in order to accurately evaluate the existing state of specific facilities and identifying the deferred maintenance liability. • MSC shall coordinate all of the necessary inspection activities with the various site contractors that have eligible facilities for CAS inspections. • MSC shall make the CAS data available to the mission contractors. • Hanford Site contractors shall enable access to MSC for conducting on-site condition assessments. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
50	I/S	Geospatial Information Management	Provide service to Sitesite contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC, as applicable		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs. Hanford Site contractors may request business-specific map services as a usage-based service.
			<p>Geospatial Information (relates the visualization, measurement, and analysis of features or phenomena that occur on the earth) supports the execution of requirements for worker health, land use planning, emergency response, etc., and is available to all Hanford Site contractors.</p> <ul style="list-style-type: none"> MSC shall develop and implement a comprehensive <i>Hanford Geospatial Information Strategy and Implementation Plan (H-GIS)</i> to ensure that all spatial data, information and documentation required for accomplishing the Hanford Site missions are captured, managed, and preserved. The MSC shall provide general and business-specific Hanford Site maps, and act as a central geospatial clearinghouse to coordinate, capture, manage, and share geospatial information, including management of the Hanford Geographical Information System (HGIS). Hanford Site contractors deliver data to MSC and input to <i>Comprehensive Data/Site Management Strategy</i> for spatial data. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
51	I/S	Property Systems/- Acquisition & Materials Management	Provide service to Site site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Optional	Receive service from and provide input to MSC, as applicable (PNNL DOE-EM owned equipment)		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs and any costs associated with delivery of excess materials to the central recycling and turn-over of excess property for disposition
<p>Property Systems/Acquisition & Materials Management consists of Site-wide processes and procedures for centralized personal property management functions, such as recycling of precious metals and processing equipment that is no longer needed through the excess property system. Tracking of all DOE-owned, Contractorcontractor-managed property (Sitesite-wide) is accomplished by means of decentralized data entry into the primary property management site-wide database (Sunflower Asset Management System [SAMS]). The Program also manages the centralized storage and staging of equipment and inventory through the use of various on-Site warehouses.</p> <ul style="list-style-type: none"> • MSC shall provide a Site-wide Personal Property Systems and Materials Management Program that provides for tracking of accountable personal property, management of the property management database (Sunflower Asset Management System [SAMS], including providing Site-wide property management reports) and other related systems; central recycling; excess property dispositioning; and equipment transfers and loans. • MSC shall manage the (on-site) “stores” inventory warehouses. As required, the MSC shall provide for delivery of inventory items to on-Site locations managed by other contractors. MSC shall manage the supply chain, and evaluate Site-wide demand, usage trends, and programmatic requirements to act as lead in the reduction of existing line item site inventory to the lowest achievable levels. • Hanford Site contractors deliver input to MSC to include warehouse requirement needs, Property Information Data Systems (PIDS) data, and Contractor Balanced Scorecard Report data; and deliver property no longer required. 										

Interface Number	Type of Interface	Activity (Interface)	Pension and Savings Committee	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
52	I	Hanford Site Pension Plan (HSPP) Hanford Site Savings Plan (HSSP) Hanford Employee Welfare Trust (HEWT)	Receive input from sponsoring Site contractors and provide to MSC	Sponsor and receive input from Pension and Savings Committee	Sponsor and deliver input to Pension and Savings Committee	Sponsor and deliver input to Pension and Savings Committee	Sponsor and deliver input to Pension and Savings Committee, HSPP only	Sponsor and deliver input to Pension and Savings Committee	PNNL Sponsor and deliver input to Pension and Savings Committee	<i>Employee Retirement Income Security Act</i> Financial Accounting Standards Internal Revenue Code Internal Revenue Service Regulations FAR 31.205 DEAR 970.3102-2	MSC bears the cost burden of program administration . Contributions are allocated to the participating sponsors (Hanford Site contractors)
			<ul style="list-style-type: none"> MSC shall provide administration for the HSPP, HSSP, and HEWT. Hanford Site participating sponsors provide funding and deliver input to the Pension and Savings Committee whose decisions are provided to the MSC. 								

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
53	I/S	External Affairs	Provide service and receive support from Site contractors	Support MSC	Support MSC	Support MSC	Support MSC	Support MSC as applicable		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			External Affairs includes assistance to DOE in its programs to communicate with outside entities for Hanford Site tours. <ul style="list-style-type: none"> • MSC shall work with DOE to strategize, plan, arrange logistics for and conduct or support Hanford Site tours and visits to projects/facilities by external parties as requested. • MSC shall provide transportation, badging coordination, working with other Site contractors, as needed, and providing guides/speakers, handouts, and refreshments, as appropriate or as requested. • Hanford Site contractors shall provide technical staff support to MSC when their facilities or waste sites are visited, to include guides/speakers, and handouts, when the tour involves respective Hanford Site contractor workscope. • MSC shall support DOE's management of the Hanford web site. 							

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
54	I	External Reviews	Receive support from Site contractors	Support MSC	Support MSC	Support MSC	Support MSC	Support MSC as applicable		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>External Reviews provides support to DOE during audits and assessments from outside entities having oversight responsibility for DOE-RL and DOE-ORP and their contractors. These entities include the Defense Nuclear Facilities Safety Board, the Government Accountability Office, the DOE Office of Inspector General, and other governmental and Department of Energy oversight organizations, such as the Office of Health, Safety, and Security and Office of Enforcement.</p> <ul style="list-style-type: none"> The MSC shall support DOE-RL and DOE-ORP in hosting staff from auditing and assessing organizations, providing or coordinating required presentations, responding to information requests, and by providing required subject matter experts to respond to questions and information requests. Hanford Site contractors shall provide support to MSC, as directed by DOE, in their External Reviews responsibilities. 							

Interface Number	Type of Interface	Activity (Service – Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
55	S	Courier Services	Provide service to <u>Sitesite</u> contractors	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC, as applicable		<u>Funded through MSC; provided at no cost to Hanford Site contractors Usage-based service reimbursed by the user.</u>
<p>Courier services for the Hanford Site includes delivery and pickup of miscellaneous items, such as calibrated instruments, medical samples, equipment to be repaired, and essential (time-sensitive, critical) documents.</p> <ul style="list-style-type: none"> MSC shall provide transportation of priority or time-sensitive documents, medical samples or supplies (i.e., serum, blood samples, medical records, etc.), calibrated instruments, new or used office machines to and from repair facilities, and pickup and shredding of classified documents. Hanford Site contractors shall request and provide requirements for service. 										
Interface Number	Type of Interface	Activity (Service – Large Volume: Mandatory; Convenience Copiers: Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
56	S	Reproduction Services	Provide service to <u>Sitesite</u> contractors	Receive service from MSC	Receive service from MSC	Optional	Optional	Optional service (except DOE)		<u>Usage-based Services service reimbursed by the user.</u>
<p>Reproduction Services provides large volume document reproduction services and manages the convenience copier contract. Reproduction includes duplication of paper, digitally transmitted documents, and engineering drawings; high volume copying services; color copies; forms reproduction; special bindings; tabbing, etc.</p> <ul style="list-style-type: none"> MSC shall provide printing, duplicating, binding, and reproduction services for the Hanford Site. Hanford Site contractors shall be responsible for identifying convenience copier locations to the MSC and for costs incurred to utilize equipment provided through the MSC copier contract. Hanford Site contractors shall request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Service – Optional Standards - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
57	S	Multi-media Services	Provide service to Site site contractors	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC, as applicable	Hanford Site Multimedia Standards	Usage--based Service service reimbursed by the user.
<p>Multi-media Services provides for the development, production, or acquisition of photos, videotapes, movies, audio productions, and other similar types of media.</p> <ul style="list-style-type: none"> MSC multi-media organization shall be a centralized resource for the Hanford Site. The Contractor contractor shall establish the standards and written procedures that shall be used by all Hanford Site Contractors contractors and DOE to inventory photographs, videos, etc, identified as records. The standards/procedures shall direct that all photos, videos, etc. taken or acquired are indexed, and that the images/photos are merged into a Hanford Site archive or clearinghouse. MSC shall conduct aerial photography of the Hanford Site (e.g., monthly), as directed by DOE. Whether using MSC, or procuring outside services, Hanford Site contractors shall: <ul style="list-style-type: none"> Comply with Hanford Site multi-media standards; Provide multi-media records to the MSC. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
58	S	Mail Services	Provide service to <u>Sitesite</u> contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC, as applicable	Receive service from MSC, as applicable	DOE G 573.1-1, <i>Mail Services Users Guide</i> 41 CFR 102–192, <i>Mail Management U. S. Postal Services Domestic Mail Management and International Mail Management</i>	Funded through MSC; provided at no cost to Hanford Site contractors.
<p>Mail Services for the Hanford Site includes delivery to major building/locations and relies on the serviced organization/company to deliver mail to individuals within their respective organizations.</p> <ul style="list-style-type: none"> • MSC shall provide for basic mail services, including postage fees, pickup and delivery of interplant and U.S. Postal mail to customers. The work scope includes the pickup, routing and delivery of interplant mail (i.e., mail that does not leave the Hanford Site). • MSC shall distribute and pickup mail at defined locations in the contractor’s facilities. • Hanford Site contractors shall be responsible for mail distribution to contractor staff within their facility. 										

Interface Number	Type of Interface	Activity (Service – Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
59	S	Site Forms Management	Provide service to Site site contractors	Receive service from MSC	Receive service from MSC	N/A	N/A	Receive service from MSC (only DOE)		Funded through MSC; provided at no cost to Hanford Site contractors.
			<p>Site Forms Management consists of a centralized and configuration-controlled forms management program that applies consistent design and utilizes the use of electronic forms in gathering of electronic record information to electronic records systems.</p> <ul style="list-style-type: none"> MSC shall administer the Hanford Site forms management system and process, and design electronic forms for interactive use, as well as, conventional hard copy forms. MSC shall develop/design/revise/approve electronic and hard copy forms, eliminate obsolete or duplicate forms, maintain Site forms historical records, and maintain the system for centralized configuration management of site electronic and conventional hard copy forms. Development of forms shall be coordinated with the sponsor and its users. Hanford Site contractors may request and provide requirements for service. Hanford Site contractors are allowed to create and maintain unique forms relevant solely to their internal use, unless otherwise prohibited by Site policy. 							

Information Resources/Content (Records) Management (IR/CM)										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
60	I	Strategic Planning & Program Management	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	N/A	N/A	Receive service from MSC, as applicable	<i>Clinger-Cohen Act</i> OMB A-11, A-300 all applicable Federal Information Technology requirements	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
Strategic Planning & Program Management assesses the current IR/CM technology infrastructure, systems, applications, and business practices and provides recommendations for improving the scalability and reducing the life-costs over the current approach. <ul style="list-style-type: none"> MSC shall develop a <i>Computing and Telecommunications Strategic Plan</i>. PRC and TOC shall provide input to the <i>Computing, Telecommunications, and Content (Records) Management Strategic Plan</i>. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
61	S	Telephone Services	Provide service to Site site contractors	Receive service from MSC	Receive service from MSC	Optional	Optional	Receive service from MSC, as applicable		Usage-based service reimbursed by the user.
Telephone Services function consist of the Hanford Site Telephone Exchange activities that encompass voice, data, special circuits, 9-1-1 support, and attendant/operator services to Hanford Site programs, projects, and support organizations. <ul style="list-style-type: none"> MSC shall provide and maintain telecommunications capability and capacity sufficient to meet the needs of the Hanford site, encompassing those systems required to maintain data transmissions, including local, state, national, and international subscribers; data and network circuits; off-premise stations; telephone service to offsite offices occupied by Hanford Site end-users; alerting systems; and other miscellaneous voice and data circuits. Hanford Site contractors shall request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Service – Optional, except Emergency Response, which is Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
62	S	Pager Services	Provide service to Site site contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC	Receive service from MSC, as applicable		Usage-based service reimbursed by the user. Emergency Response related pagers are paid by MSC.
			Pager Services provides the electronic network and devices for Hanford Site paging. <ul style="list-style-type: none"> MSC shall provide maintenance, operations and account administration of the Government-owned Hanford Site pager infrastructure and commercial pager services, including site, regional and national paging services. MSC shall provide system designs, integration, maintenance, frequency management, associated engineering services, and support to manage regional, international, and nonstandard inventory for pager replacement parts. Hanford Site contractors may request and provide requirements for service. 							
Interface Number	Type of Interface	Activity (Service – Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
63	S	Radio Services for Crafts	Provide service to Site site contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC	Receive service from MSC, as applicable	National Telecommunications and Information Administration requirements	Usage-based service reimbursed by the user. Equipment (radios, antennas, etc., costs are the responsibility of the Hanford Site contractor.
			Radio Services for Crafts provides radio communication infrastructure and licensing. <ul style="list-style-type: none"> MSC shall provide engineering, maintenance and operations of non-emergency radio communication services, including associated infrastructure. MSC shall manage radio spectrum licensing and design, engineering integration, operations and maintenance, installation, upgrade and required system calibration services, and registration of radio frequencies with the National Telecommunications and Information Administration. Hanford Site contractors shall request and provide requirements for service. If procuring radios, the contractor must comply with Hanford Site specifications. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
64	S	Radio Services for Emergency Services	Provide service to Sitesite contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC	Receive service from MSC, as applicable	National Telecommunications and Information Administration requirements	Funded through MSC; provided at no cost to Hanford Site contractors. Equipment (radios, antennas, etc., costs are the responsibility of the Hanford Site contractor
<p>Radio Services for Emergency Services provides radio communication infrastructure and licensing.</p> <ul style="list-style-type: none"> • MSC shall provide engineering, maintenance and operations of radio communication services, including two-way, fire dispatch, safety and emergency preparedness, security systems and infrastructure. • MSC shall manage radio spectrum licensing and design, engineering integration, operations and maintenance, installation, upgrade and required system calibration services, and registration of radio frequencies with the National Telecommunications and Information Administration. • Hanford Site contractors shall: <ul style="list-style-type: none"> - Follow Hanford Site radio frequency policy and use the MSC for radio spectrum licensing; and - Request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
65	S	Network Services	Provide service to <u>Sitesite</u> contractors	Receive service from MSC	Receive service from MSC	Optional	Optional	Optional, except DOE	CRD M 470.4-2, <i>Physical Protection</i>	Usage-based service reimbursed by the user.
<p>Network Services consist of the Hanford Local Area Network (HLAN) information infrastructure used by DOE-RL, DOE-ORP and Hanford Site contractors for intranet and internet services.</p> <ul style="list-style-type: none"> MSC shall operate and maintain the HLAN information/communication infrastructure including Application Hosting Services, Internet Support, Maintenance and Software License Management, Technology Support for Hardware and Software, network management and maintenance, desktop/user services, hardware maintenance, work station acquisition, redeployment and retirement, engineering and configuration, software distribution, and streaming video engineering services. The MSC will also provide HLAN infrastructure maintenance. Hanford Site contractors shall request and provide requirements for service. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
66	S	Information Systems	Provide service to <u>Sitesite</u> contractors	Receive service from MSC	Receive service from MSC	N/A	Optional	Optional except DOE		Funded through MSC; provided at no cost to Hanford Site contractors. <u>Hanford Site contractors may request additional services as a usage-based service.</u>
<p>Information Systems provide integrated business, technical, and project information systems including management and performance of steady state operations, maintenance, development and enhancements for Hanford Site data systems, and support to project and business functions.</p> <ul style="list-style-type: none"> MSC provides database management, video-teleconferencing (VTC) support services, software and systems engineering, system development, systems operations and maintenance (O&M), software testing, software configuration management, and application hosting services. Hanford Site contractors shall request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Site-wide System – Mandatory Inventory & Scheduling Service - Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
67	I/S	Federal Records Inventory and Schedule Management	Provide service to and receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Optional	Deliver input to MSC	Deliver input to MSC, except PNNL	Various DOE directives and National Archives and Records Administration (NARA) regulations	Funded through MSC; provided at no cost to Hanford Site contractors. Optional service reimbursed by the user.
<p>Inventory and Schedule Management provides the Hanford Site-wide RIDS database for inventorying and scheduling all Federal records for MSC and for designated contractors including those documenting the missions, programs, projects and all administrative functions. This work addresses all records (and non-records) originated or held by any of the covered contractors and includes records in all media, including electronic systems, databases, spreadsheets, microform, photo/negatives, hard copy paper, and all other formats and media.</p> <ul style="list-style-type: none"> MSC shall provide Hanford Site-wide RIDS database for Hanford Site Federal records. Other Hanford Site contractors shall provide RIDS database information. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
68	S	Major Collection Management	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC (Optional)	Optional	Deliver input to MSC, except PNNL		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>Major Collection Management provides continued maintenance of significant collections of records. Examples of major collections include engineering drawings, photographs/negatives, videotapes, etc.</p> <ul style="list-style-type: none"> MSC shall ensure that records in identified collections are indexed, authenticated, metadata complete, and are accessible to those that have a business requirement. Hanford Site contractors shall meet the requirements of Major Collection Management as administered by the MSC. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
69	S	Long-Term Records Storage	Provide service to Site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Optional	Receive service from and provide input to MSC	Various DOE and NARA regulations, including 36 CFR 1228.	MSC bears the cost burden of program administration
			Long-Term Records Storage provides for physical storage of over 110,000 cubic feet of records in various hard copy medium (paper, photographs, video, tapes, etc.). <ul style="list-style-type: none"> MSC shall provide long-term physical storage for paper and other hard copy media records and maintain information systems to manage that collection. Hanford Site contractors shall coordinate with MSC for pickup of records. 							

|

Portfolio Management										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
70	I	Hanford Portfolio Planning, Analysis & Performance Assessment (Integrated Hanford Life-Cycle Clean-up Plan; [Hanford] Programmatic Risk Management Plan; P6 schedules, and State of the Site briefing)	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC, except PNNL and DOE		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Hanford Portfolio Planning, Analysis & Performance Assessment consists of support to DOE-RL and DOE-ORP in maintaining the <i>Integrated Hanford Life-Cycle Clean-up Plan</i> that optimizes the mission life-cycle, enabling DOE to ensure cost and schedule efficiency while adequately anticipating and managing programmatic risk.</p> <ul style="list-style-type: none"> MSC shall perform Hanford Site portfolio integration, provide simulation and optimizing analysis tools, and coordinate and assist with integrated scheduling and performance evaluation. MSC shall develop an <i>Integration Issues Management Plan</i>, provide <i>Hanford Portfolio Planning</i>, develop and maintain an <i>Integrated Hanford Life-Cycle Clean-up Plan</i>, and shall evaluate project and program performance against the <i>Integrated Hanford Life-cycle Baseline</i>. Hanford Site contractors shall provide information to the MSC as necessary to complete the Hanford Portfolio Planning, Analysis & Performance Assessment activities. 							
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
71	I	Project Acquisition and Support	Receive Critical Decision data and information from PRC and TOC	Deliver data and info. to MSC	Deliver data and info. to MSC	N/A	N/A	N/A		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Project Acquisition and Support includes project initiation, design, construction, and/or procurement services to DOE and as an optional service to Hanford Site contractors.</p> <ul style="list-style-type: none"> As directed by DOE, MSC shall provide the means to enable DOE to perform its project owner management responsibilities, in the areas of planning and procurement actions for new projects, by supporting the Critical Decision (CD) 0 through CD-1/2 phase of new project life-cycles and, when requested, act as project lead in support of the CD-3 and 4 phase of new projects. 							

<ul style="list-style-type: none"> Hanford Site contractors shall provide Critical Decision data and information to the MSC as directed by DOE. 										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
72	I	Independent Assessment and Analysis	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC, except PNNL and DOE		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Independent Assessment and Analysis provides to DOE a capability for ensuring that work is being accomplished in accordance with ESH&Q requirements, or to accomplish special DOE studies and obtain recommendations on an as needed basis to resolve technical and regulatory issues.</p> <ul style="list-style-type: none"> As directed by DOE, MSC shall provide specialty technical expertise, on a task-order basis, for areas such as project management, project control, cost estimating and scheduling, environmental, safety, quality and health, quality assurance, criticality, nuclear safety, radiological control, fire protection, environmental protection, regulatory compliance, Integrated Safety Management System, etc., and conduct independent analyses and generate technical assessment reports as needed in these areas. Hanford Site contractors shall provide data and facility access to the MSC as required by the Independent Assessment and Analysis activity. 							

PRC SERVICES AND INTERFACE ACTIVITIES										
Solid and Liquid Waste Stabilization and Disposition										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
73	I	Waste forecast system - Solid Waste Information and Tracking System (SWITS) and Solid Waste Integrated Forecast Technical Database (SWIFT)	Provide data to PRC	Receive data from Site contractors	Provide data to PRC	Provide data to TOC	Provide data to PRC	Provide data to PRC, except DOE	Solid Waste Information and Tracking System (SWITS) – database requirements	PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
			Waste forecast system identifies future quantities of hazardous and radioactive waste generation for wastes managed by the contract. <ul style="list-style-type: none"> • PRC shall operate and maintain SWITS and SWIFT, and make available to other Site contractors. • Hanford Site contractors shall provide waste generation data. 							
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
74	P	Low Level Waste (LLW) and Mixed Low Level Waste (MLLW) Treatment, Storage, and Disposal	N/A	Receive waste	Package and deliver to PRC	Provide waste to TOC	Package and deliver to PRC	Package and deliver to PRC, except DOE	HNF-EP-0063, Hanford Site Solid Waste Acceptance Criteria HNF-25842, Solid Waste Operations Complex (SWOC) Authorization Agreement (AA)	-PRC provides ready-to-serve capability. Waste generators provide funding for packaging, treatment, transport (including unloading), storage, and disposal -RCCC only pays for treatment, packaging, and transport. -TOC pays WTP waste disposal costs.
This activity provides for LLW and MLLW Treatment, Storage, and Disposal.										

				<ul style="list-style-type: none">• PRC shall perform waste unloading, receipt, storage, and disposal of LLW and MLLW.• Hanford Site contractors prepare waste, including packaging and treatment, and provide for waste transport.
--	--	--	--	--

WASTE ACCEPTANCE ACTIVITIES

Interface Number	Type of Interface	Activity (Service – Mandatory)	WIPP Central Core Characterization Project (CCP) (Service Provider)	PRC	TOC	MSC and WTP	RCC C	Other Site Users	Requirements	Cost Allocations
75	I/P/S	Transuranic (TRU) and Transuranic Mixed Waste (TRUM) Packaging, Characterization, Certification, and Transportation	Performs all Hanford TRU Waste Characterization and Certification activities.	Provides support to CCP characterization and certification activities. Receives waste from site users.	Package and deliver TRU to PRC	N/A	Package and deliver TRU to PRC	Except DOE, package and deliver TRU to PRC.	<i>Hanford Site Solid Waste Acceptance Criteria (HSSWAC) (HNF-EP-0063) DOE/WIPP-02-3122, Rev.1, Contact-Handled Transuranic Waste Acceptance Criteria for the Waste Isolation Pilot Plant HNF-25842, Solid Waste Operations Complex (SWOC) Authorization Agreement (AA)</i>	- PRC provides ready-to-serve capability for TRU waste receipt, storage, and repackaging. - Waste generators provide funding to PRC for the increment of work resulting from their waste - RCCC pays only for TRU treatment and packaging, and TRU transport to PRC.
<p>This activity provides for Transuranic (TRU) and Transuranic Mixed Waste (TRUM) certification and loading waste for shipment to the Waste Isolation Pilot Plant (WIPP).</p> <ul style="list-style-type: none"> • <u>PRC shall receive waste from contractors, provides interim storage if required, certifies waste for shipment, prepares payloads, and loads waste for shipment to WIPP or other DOE Sites.</u> • <u>Hanford Site contractors shall conduct and budget for packaging (if required by WAC) and transporting waste to PRC, and certify for WIPP and load waste for shipment to WIPP or other DOE Sites.</u> • CCP will provide, operate, and maintain mobile RTR equipment, drum assay equipment, large box NDE/NDA equipment (if needed), and mobile loading equipment in accordance with approved TRU waste certification program. • <u>CCP will operate and maintain the Hanford Super-HENC equipment for Standard Waste Box (SWB) assay.</u> • <u>CCP will operate the Shipping and Receiving Bay within WRAP for TRUPACT loading. PRC will operate and maintain the balance of the WRAP facility.</u> 										

			<ul style="list-style-type: none">• <u>CCP will provide the equipment for and perform head space gas sampling (HSGS) and analysis.</u>• CCP will establish and implement appropriate ESH&Q programs to support CCP activities.• PRC will perform characterization, certification, and shipping activities in accordance with approved TRU waste certification program.• PRC will provide ready-to-serve capability to support National TRU Program shipping goals.• PRC will perform initial (in-field) assay of retrieved waste, as necessary, to segregate TRU from non-TRU waste.• PRC will perform all waste repackaging activities.• PRC will provide facility records, packaging records, and other documents necessary for CCP to prepare waste certification packages.• PRC will provide the necessary public release clearances for CCP generated documents.• PRC will provide the infrastructure to support installation and operation of the CCP-provided RTR equipment, drum assay equipment, and mobile loading equipment.• PRC will provide the facility and infrastructure to support the installation and operation of the large box NDE/NDA equipment, if needed.• PRC will provide mobile crane and crane operator support for CCP mobile loading equipment.• PRC shall receive TRU waste from other site users and provide interim storage if required.• PRC will identify ESH&Q interfaces with CCP.• Other Hanford Generators of TRU waste will provide TRU waste to PRC that complies with WIPP waste acceptance criteria.
--	--	--	---

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC (Service Provider)	TOC	WTP	RCCC (Service Provider)	Other Site Users	Requirements	Cost Allocations
76	P	Industrial and Radioactive Liquid Effluents Treatment and Disposal and Industrial Liquid Effluents Retention and Transfer	N/A	Receive from TOC, WTP and RCCC	Deliver to PRC	Deliver to PRC	Administration of 300 Area Effluent Discharge Permit, Deliver to PRC	Deliver to PRC or RCCC as applicable, except DOE	Per facility safety analysis and waste acceptance criteria. For WTP, Section C.9 ICD 6 of DE-AC27-01RV14136 and City of Richland Industrial Waste Water Permit No. CR-IU010.	Funded through PRC; provided at no cost to Hanford Site contractors
			<p>This activity provides for treatment and disposal of radioactive liquid effluents in the 200 Area and retention and transfer of industrial liquid effluents in the 300 Area.</p> <ul style="list-style-type: none"> • PRC shall operate the Effluent Treatment Facility (ETF), Liquid Effluent Retention Facility (LERF), 200 Area Treated Effluent Disposal Facility (TEDF), and the State Approved Land Disposal Site (SALDS) to receive, treat, and dispose of industrial and radioactive liquid effluents from Site contractors in the 200 Areas. RCCC is responsible for overall management of the 300 Area combined sanitary/process sewer (CS) that discharges to the City of Richland Publicly Owned Treatment Works and administrative duties associated with Permit No. CR-IU010. • PRC shall operate the 300 Area Retention Transfer System (RTS) to receive, and retain industrial liquid effluents from Site contractors in the 300 Area and discharge compliant effluent to the CS. Hanford Site contractors shall send waste to PRC and RCCC facilities. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
77	P	Immobilized High Level Waste (IHLW) Interim Storage	N/A	Receive from TOC	Transport to PRC	Provide filled IHLW canisters for TOC transport	N/A	N/A	(HNF-29132), Rev. 0, <i>Canister Storage Building and 200 Area Interim Storage Area Authorization Agreement</i> 61 FR 10736, March 15, 1996, Doc. 96-6291 DOE/RW-0351 Rev 3, <i>Waste Acceptance System Requirements Document, E000000000-00811-1708-0001, Rev 03</i>	PRC funds ready to serve operations of the CSB. Modifications to CSB or construction of other storage capability funded by TOC.
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
78	P	Immobilized low activity waste (ILAW) Disposal	N/A	Receive from TOC and dispose	Deliver to PRC	Deliver to TOC	N/A	N/A	Documented Safety Analysis Integrated Disposal Facility Waste Acceptance Criteria [to be developed]	PRC provides ready-to-serve capability; waste generators provide funding to PRC for the increment of work resulting from their waste

Groundwater and Vadose Zone Project										
Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
79	I/S	Groundwater/Vadose Zone Integration	Deliver to PRC	Receive from Site contractors	Deliver to PRC	N/A	Deliver to PRC	N/A		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The Groundwater/Vadose Zone Integration activity maintains and controls site-wide data and models used for groundwater/vadose zone analysis and coordinates site-wide groundwater/vadose zone activities.</p> <ul style="list-style-type: none"> • PRC shall conduct the groundwater/vadose zone integration project. • Hanford Site contractors shall participate in PRC periodic planning and coordination meetings; and deliver modeling and risk assessment information. Mission contractors shall provide comments on the annual update to the <i>Integrated Plan and Schedule for all soil and groundwater work</i>, and the annual <i>Groundwater Monitoring Report</i>. • Hanford Site contractors shall supply groundwater analysis requirements and reporting of risk assessment data and analysis, input for the Fiscal Year Integrated Groundwater Monitoring Plan for the Hanford Site, comments on the <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Groundwater and Deep Vadose Zone Remediation Activity Progress Reports</i>. • Hanford Site contractors shall provide data/information to PRC on self-performed drill and sample soil borings that yield additional vadose zone characterization data, 							

Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
80	I/S	Hanford Environmental Data Integration	N/A	Receive from TOC,RCC C, and other Site site contractors	Deliver input to PRC	N/A	Deliver input to PRC	Deliver input to PRC, except DOE		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>This activity provides for maintenance, configuration control, and upgrading of key Hanford Site environmental assessment databases.</p> <ul style="list-style-type: none"> The PRC shall serve as Data Manager for the following information systems: <ul style="list-style-type: none"> Hanford Environmental Information System (HEIS); Sample Data Tracking (SDT) System; Hanford Well Information System (HWIS); Waste Information Data System (WIDS). The Hanford Site contractors shall provide data and support to the PRC, for the Hanford Sites contractor’s facilities and activities, to support maintenance of the above listed Hanford-wide environmental databases. Hanford Site contractors supplying information/ data are responsible for data quality. 										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
81	I	Hanford Site Well Drilling and Decommissioning	Coordinate with PRC	Coordinate with TOC, RCCC, MSC, and other Site contractors	Coordinate with PRC	N/A	Coordinate with PRC	Coordinate with PRC		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>This activity includes drilling and decommissioning of Hanford Site wells.</p> <ul style="list-style-type: none"> PRC shall coordinate with the mission contractors during the installation and maintenance of wells for the groundwater monitoring well network and maintain and implement the <i>Hanford Site Well Decommissioning Plan</i>. Hanford Site Contractorscontractors shall provide input for the <i>Hanford Site Well Decommissioning Plan</i>. 										

Spent Nuclear Fuel										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
82	P	Special Nuclear Fuel (SNF) Fragments Transportation	N/A	Receive from RCCC	N/A	N/A	Transfer to PRC	N/A		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
SNF fragments are safely stored. <ul style="list-style-type: none"> • RCCC shall package SNF fragments and transport to PRC. • PRC shall receive packaged SNF fragments from RCCC. 										

TOC SERVICES AND INTERFACE ACTIVITIES										
Base Operations										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
83	I	Tank Farm Projects Double Shell Tank (DST) System Management	N/A	N/A	Integrate with WTP	Deliver input to TOC	N/A	N/A		TOC bears the cost burden of program administration
			<p>DST System Management maintains acceptable waste feed specifications for future waste feed delivery to the WTP while also maximizing use of available DST space to facilitate single-shell tank waste retrieval and any in-tank treatment to preserve tank integrity and improve waste feed characteristics.</p> <ul style="list-style-type: none"> • TOC shall integrate with the WTP contractor, develop the <i>Integrated Waste Feed Delivery Plan</i>, and the <i>River Protection Project System Plan</i>, and operate the DST system. • WTP shall provide input for feed delivery integration. 							
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC (Service Provider)	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
84	S	Vent and Balance	Receive service from TOC	Receive service from TOC	Provide service to PRC, RCC, and MSC	Optional N/A	N/A	N/A		Usage-based Service service reimbursed by the user.
			<p>Vent and Balance provides as a variable service, testing of ventilation and filters, and ventilation balance to maintain established flows and pressures on systems. Specifics include ventilation stack flow testing, fume hood flow testing, high efficiency particulate air (HEPA) filter vacuum testing/certification and HEPA filter efficiency testing.</p> <ul style="list-style-type: none"> • TOC shall perform cost-effective/efficient Vent and Balance services (primarily HEPA filter testing and replacement) for RPP facilities and for the balance of the Hanford Site. • PRC <u>MSC</u> and <u>MSCRCCC (optional user)</u> shall request and provide requirements for service. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	ASTC ASPG	MSC	PRC	TOC (Service Provider)	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
85	S	Analytical Laboratory Support (Landlord Services for 222-S Laboratory Complex)	Receive service from TOC	N/A	N/A	Provide service to <u>ASPGASTC</u>	N/A	N/A	N/A		Funded through TOC; provided at no cost to Hanford Site contractors.
<p>Analytical Services are performed by the Analytical Services <u>Production and Testing</u> Contractor (<u>ASPGASTC</u>), a separate prime contractor to DOE-ORP, while laboratory facility operations and maintenance are performed by the Contractorcontractor.</p> <ul style="list-style-type: none"> • TOC shall operate and maintain the 222-S Laboratory Complex to support analysis activities performed by the <u>ASTCASPC</u>. • <u>ASTCASPC</u> will provide input and coordination to support operations. 											
Interface Number	Type of Interface	Activity (Interface)	ASTC ASPG	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
86	I	Analytical Integrated Planning (222-S Laboratory Complex)	Provide data to TOC	N/A	Provide data to TOC	Integrate data	Provide data to TOC	N/A	N/A		TOC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>Analytical Integrated Planning provides integrated Site-wide analysis plans, data quality objectives, and process and analytical technology support.</p> <ul style="list-style-type: none"> • TOC shall interface with the <u>ASPGASTC</u> to develop sample analysis rates and waste generation estimates. • Hanford Site contractors shall use integrated planning products to plan sample analysis expenditures. • Hanford Site contractors shall provide input to support sample analysis planning. 											

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
87	I	Tank Closure and Waste Management Environmental Impact Statement (EIS) and Record of Decision (ROD)	Deliver input to DOE-ORP	Deliver input to DOE-ORP	Deliver input to DOE-ORP	N/A	N/A	N/A	Per EIS Project Plan	Hanford Site contractors bear the cost of their respective resources for this activity
<p><i>Tank Closure and Waste Management EIS and ROD</i> is a regulatory requirement supporting Hanford Site closure activities. DOE is currently preparing the Tank Closure and Waste Management (TC & WM) Environmental Impact Statement (EIS). The TC & WM EIS is evaluating options for managing and disposing of waste, supplemental treatment, tank closure and establishing final end states for the Fast Flux Test Facility (FFTF) at Hanford. These decisions are expected to be applied to the related programs after 2009.</p> <ul style="list-style-type: none"> • DOE-ORP will develop the <i>Tank Closure and Waste Management EIS and ROD</i>. • Hanford Site contractors shall provide input to the <i>Tank Closure and Waste Management EIS and ROD</i>. 										

Waste Treatment and Immobilization Plant Support										
Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC	PRC	TOC (Service Provider)	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
88	I/S	WTP Support	Provide services to WTP	Provide services to WTP	Coordinate and provide services to WTP	Receive service from and provide input to TOC	N/A	N/A	ICD 1, Raw Water ICD 2, Potable Water ICD 3, Radioactive Solid Wastes ICD 5, Non-Radioactive, Non-Dangerous Liquid Effluents ICD 6, Radioactive Dangerous Liquid Effluents ICD 9, Land for Siting ICD 11, Electricity ICD 12, Roads ICD 14, Immobilized High-Level Waste ICD 15, Immobilized Low-Activity Waste ICD 19, Low-Activity Waste Feed ICD 23, Waste Treatability Samples ICD 28, Pit 30 Aggregate Supply for Construction ICD 29, Waste Sodium	Hanford Site Contractors contractors bear internal costs associated with WTP ICD participation, review and approval.

			<p>WTP interface provides support support for WTP construction.</p> <ul style="list-style-type: none"> • MSC, PRC, and TOC shall comply with the existing Interface Control Documents with the WTP contractor and participate in revision and approval of WTP ICDs. • TOC shall be responsible for coordinating, planning and paying for the WTP contractor's requirements for infrastructure, utility, and service support from the MSC and PRC as identified in the J-3 Hanford Site Services and Interface Requirements Matrix. • WTP shall maintain WTP Interface Control Documents.
			<p><u>WTP interface provides support for WTP construction.</u></p> <ul style="list-style-type: none"> <u>• MSC, PRC, and TOC will participate with WTP in the revision and approval of WTP ICDs.</u> <u>• TOC shall be responsible for coordinating, planning and paying for the WTP contractor's requirements for infrastructure, utility, and service support from the MSC and PRC as identified in the J-3 Hanford Site Services and Interface Requirements Matrix.</u> <u>• ICDs identify interface requirements, technical and service gaps, and document issues in order to support efficient and timely construction, startup, commissioning, and operation of WTP. ICDs do not represent contractual obligations between the executing parties or the government.</u> <u>• WTP shall maintain WTP Interface Control Documents.</u>

OTHER DOE DIRECT-CONTRACTED SERVICES

Interface Number	Type of Interface	Activity (Service - Optional)	Del Sol, Inc <u>Janitorial Service Contractor</u> (Service Provider).	MSC	PRC	TOC	WTP	RCC C	Other Site Users	Requirements	Cost Allocations
89	S	Janitorial Service	Provide service to Site site contractors	Receive service	Receive service	Receive service	N/A	Receive service	Receive service		General and Administrative (G&A) cost for each contract
<p>Del Sol, Inc. <u>The Janitorial Service Contractor</u> provides janitorial services for certain buildings in the 600, 700 and 1100 Areas of the DOE-RL, Richland, Washington. Services include light cleaning, high cleaning, and special services, as needed.</p>											
<u>Interface Number</u>	<u>Type of Interface</u>	<u>Activity (Service - Optional)</u>	<u>Laundry Service Contractor</u> (Service Provider)	<u>MSC</u>	<u>PRC</u>	<u>TOC</u>	<u>WTP</u>	<u>RCCC</u>	<u>Other Site Users</u>	<u>Requirements</u>	<u>Cost Allocations</u>
<u>90</u>	<u>S</u>	<u>Laundry Service</u>	<u>Provide service to site contractors</u>	<u>Receive service</u>	<u>Receive service</u>	<u>Receive service</u>	<u>Optional</u>	<u>Receive service</u>	<u>Receive service</u>		<u>Fee for service</u>
<p><u>The Laundry Service Contractor provides for commercial laundry and decontamination services for government-owned protective clothing, non-regulated items, and regulated face pieces. This service includes periodic batch pick-up and drop-off at site locations.</u></p>											

Interface Number	Type of Interface	Activity (Service - Optional)	Unitech Services Group (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
90	S	Laundry Service	Provide service to Site contractors	Receive service	Receive service	Receive service	Optional	Receive service	Receive service		Fee for service

Unitech Services Group provides for commercial laundry and decontamination services for government-owned protective clothing, non-regulated items, and regulated face pieces. This service includes periodic batch pick-up and drop-off at site locations.												
Interface Number	Type of Interface	Activity (Service - Mandatory)	AMH OHSC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations	
91	S	Occupational Medicine Service	Provide service to Site contractors	Receive service	Receive service	Receive service	N/A	Receive service	Optional service		Fee for service	
			<p>AdvanceMed Hanford (AMH) Occupational Health Services Contractor (OHSC), under a separate prime contract to DOE-RL manages the Site Occupational Medical Contract to provide provides occupational health services through health risk management and occupational health services to personnel at Hanford. AMHThe contractor has the lead to coordinate Health Risk Management program teams with the Site in identifying and analyzing the hazards that Hanford personnel face in the work environment and brings an awareness of health and safety issues to DOE, Hanford Site contractors, and others.</p> <p>AMHThe contractor provides the following, but is not limited to these types of services: medical monitoring and qualification examinations, including the controlled substances/alcohol testing program (mandatory use); diagnosis and treatment of occupational injury or illness; monitored care; legacy health issues; employee counseling and health promotion; occupational health process improvement; human reliability testing; records management; emergency and disaster preparedness; health care cost management; field/facility visits; case management; records and data extraction; other occupational medicine services; reporting; and supporting transition.</p>									
Interface Number	Type of Interface	Activity (Interface & Service -- Mandatory)	Westech PSSC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations	
92	I/S	Personnel Security Services	Provide service to Site contractors	Receive service from and provide input to WestechP SSC	Receive service from and provide input to WestechP SSC	Receive service from and provide input to WestechP SSC	N/A	Receive service from and provide input to Westech PSSC	Receive service from and provide input to WestechPS SC (N/A for PNNL)	CRD M 470.4-5, Personnel Security	Direct funded by DOE	
			<p>WestechPersonnel Security Services Contractor (PSSC) currently provides technical and administrative support expertise for the implementation of the DOE Personnel Security Program, including clearance and special access processing, adjudication of investigative reports, human reliability programs, and other personnel security related programs. WestechThe contractor also provides transcription services, screening and processing classified mail, operation of the vault, visitor control and security education for both employees and visitors located in the Federal Office Building (FOB), and management of several personnel security-related databases.</p>									

Interface Number	Type of Interface	Activity (Service - Optional)	PNNL (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
93	S	Research, development, and demonstration	Provide service to Site contractors	Receive service	Receive service	Receive service	Receive service	Receive service	Receive service		Fee for service
<p>PNNL is one of five Office of Science multi-program laboratories that conduct research and development activities. Some of the programs conducted at PNNL are part of the DOE Office of Science laboratory system and require no integration with the Hanford DOE Office of Environmental Management programs; however, many of the research and technology development programs have direct relevance to the Hanford cleanup mission. As applicable, the Contractor contractor is encouraged to utilize the scientific and technical capabilities available from PNNL and work directly with PNNL to maximize the benefit to Hanford from the National research and development program.</p>											
Interface Number	Type of Interface	Activity (Service - Mandatory)	ASPC ASTC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
94	S	Sample Analysis (highly radioactive)	Provide services to TOC and PRC	N/A	Receive services from ASPGAS TC	Receive services from ASPGAS TC	N/A	N/A	N/A		Fee for service and use Service Level Agreements for cost of service.
<p>Analytical Services are performed by the Analytical Services Production and Testing Contractor (ASPCASTC) under a separate prime contract to DOE-ORP. ASPCASTC is responsible for providing analysis of highly radioactive samples in support of Hanford Site projects. These services will be performed in the 222-S Laboratory Complex located in the 200 Area of Hanford.</p> <p>The ASPCASTC is responsible for: receiving samples, which are potentially highly radioactive; preparing samples, which are potentially highly radioactive for analysis; recording and tracking all samples and related waste materials; performing chemical and radionuclide analyses using necessary quality control and quality assurance; reporting the results and archive sample remainders as required by the customer; and providing Standards Laboratory services for the Hanford Site.</p>											

Interface Number	Type of Interface	Activity (Service - Mandatory)	JCI ESPC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
95	S	Steam Services	Deliver service to Site contractor	Receive service	Receive service	Receive service	N/A	Receive service	Receive service		RCCC & TOC "advance" pay from their DOE funding allocations. MSC & PRC costs are funded by DOE-RL directly to JCI from PBS-40
<p>Johnson Controls, Incorporated (JCI) Energy Savings Performance Contractor (ESPC), under a separate prime contract, is responsible for the Energy Savings Performance Contract, which currently includes steam service to support heating and other operations at the Site and air compressors for twenty 300 Area facilities. JCIThe ESPC can also propose additional energy conservation measures. These may include, but are not limited to, lighting system upgrades; pumping system upgrades; automation; heating, ventilation, and air conditioning upgrade; and addition of utility monitoring and control systems.</p>											
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC	PRC	TOC	WTP	RCCC (Service Provider)	Other Site Users	Requirements	Cost Allocations	
96	P	Waste Disposal - CERCLA remediation Low Level (LLW) and Contact-handled and Remote-handled (CH/RH) Mixed Low Level (MLLW)	Deliver to RCCC	Deliver to RCCC	Deliver to RCCC	Deliver to RCCC	Receive from Site contractors	Optional		Hanford Site contractors budget for waste treatment and disposal; deliver waste to ERDF.	
<ul style="list-style-type: none"> RCCC performs treatment, storage, and disposal of <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA)</i> LLW and CH/RH-MLLW. Hanford Site contractors shall request and provide requirements for service. 											

ATTACHMENT J.3 HANFORD SITE SERVICES AND INTERFACE REQUIREMENTS MATRIX

Services listed in the *Hanford Site Services and Interface Requirements Matrix* (Matrix) shall be performed in accordance with the Section H Clause entitled, *Hanford Site Services and Interface Requirements Matrix*.

All services are provided during the Hanford alternate work schedule (AWS) defined as 6:00 a.m. to 4:30 p.m. Monday through Thursday and 6:00 a.m. to 3:30 p.m. on standard Site Fridays unless otherwise noted. Hanford Site contractors can request work outside of this schedule by providing a statement of work and requesting that scope as a usage-based service.

Legend for Matrix – The legend for the primary matrix users/providers is as follows:

MSC	Mission Support Contract
PRC	Plateau Remediation Contract
TOC	Tank Operations Contract
WTP	Waste Treatment and Immobilization Plant Contract
RCCC	River Corridor Closure Contract
Other Site Users	Examples include: Occupational Health Services Contractor, Analytical Services and Testing Contractor, Energy Savings Performance Contractor, Pacific Northwest National Laboratory (PNNL) [activities located on the Hanford Site], Laundry Services Contractor, DOE, etc.
Hanford Site Contractors	General term used to collectively refer to all the above users/providers.

Types of Interfaces –

1. Information (I): knowledge (data, facts, etc) gathered or supplied
2. Physical (P): systems in tangible contact (i.e., 'pipe-to-pipe'), or a physical exchange of product or materials
3. Service (S): provision of work for another contractor

MSC SERVICES AND INTERFACE ACTIVITIES										
MSC General Requirements										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
1	I	Infrastructure and Services Alignment Plan (ISAP), and the Annual Forecast of Services and Infrastructure (including the <i>Hanford Site Services and Interface Requirements Matrix</i>)	Receive input from site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors/users bear internal implementation costs
			<p>ISAP is the strategic plan for right-sizing the infrastructure to support the future Hanford Site mission and the <i>Annual Forecast of Services and Infrastructure</i> is a projection of needed utilities, services, and infrastructure from other Hanford Site contractors.</p> <ul style="list-style-type: none"> MSC shall develop, maintain and update an ISAP and the <i>Annual Forecast of Services and Infrastructure</i>, which includes the costs for services. Proposed changes in service providers shall include a justification, and a plan forward, MSC shall solicit input from Hanford Site contractors/users for the ISAP and the <i>Annual Forecast of Services and Infrastructure</i>, including projection of need for services and proposed performance metrics/controlling agreements for the service provider. DOE will evaluate contractor/user input prior to approval. The plan will be approved by DOE 							
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
2	I	Hanford Site Interface Management Plan	Receive input from site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p><i>Hanford Site Interface Management Plan</i> is the controlling agreements that ensure effective control of technical, administrative, and regulatory interfaces.</p> <ul style="list-style-type: none"> MSC shall develop and maintain the <i>Hanford Site Interface Management Plan</i> MSC shall collaborate with the Hanford Site contractors/users on the <i>Hanford Site Interface Management Plan</i>. PRC, TOC, and MSC shall sign the <i>Hanford Site Interface Management Plan</i>. 							

Safety, Security and Environment										
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
3	I/S	Protective Forces	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Atomic Energy Act of 1954, as amended CRD M 470.4-1, <i>Safeguards & Security Program Planning and Management</i> CRD M 470.4-3, <i>Protective Force</i>	Funded through MSC; provided at no cost to Hanford Site contractors.
<p>Protective Forces provides security for facilities possessing critical Safeguards and Security interests (e.g., special nuclear material). Coverage is provided 24/7 via the Hanford Patrol.</p> <ul style="list-style-type: none"> • MSC shall provide Protective Force operations. • Hanford Patrol shall provide random and special searches as required. • Hanford Patrol shall provide Protective Force services for WTP facilities when turned over to TOC. • Hanford Site contractors shall provide facility, operational, and system configuration changes that may affect Protective Force operations. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
4	I/S	Physical Security (PSS) Systems (Nuclear Material, Special Nuclear Material, and Classified Matter)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Atomic Energy Act of 1954, as amended CRD M 470.4-2, <i>Physical Protection</i> CRD O 470.3A, <i>Design Basis Threat Policy</i>	Funded through MSC; provided at no cost to Hanford Site contractors with the exception of physical security upgrades within the facility – these may be shared costs between the MSC and the Hanford Site contractor that has responsibility for the facility.
<p>Physical Security under this activity is for accountable quantities of nuclear and classified materials, including performance testing, intrusion detection, entry/access control, explosive detection, locksmith services, and engineering and maintenance of the physical security and access control systems.</p> <ul style="list-style-type: none"> • MSC shall provide Security Representatives for facilities or groups of facilities where there are important safeguards and security (SAS) assets. • MSC shall develop, or assist in the development of facility asset protection requirements and conduct annual reviews of Asset Protection Agreements. • MSC shall design security system upgrades for existing facilities with changing requirements and design security systems for new facilities. • MSC shall provide locksmith support for installation, replacement, and maintenance of locks, keys, and access control systems for the protections of Government property and nuclear materials, including special nuclear materials, classified matter, new facilities and WTP turnover facilities to TOC, etc. • Hanford Site contractors shall provide the MSC information about SAS arrangements and/or changes prior to new operations commencing, or changing operations or configurations that might alter the performance of existing SAS systems; support the MSC in the development of or update of facility <i>Asset Protection Agreements</i>, and requesting locksmith services. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
5	I/S	Physical Security Systems (Government Property)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A PNNL	CRD M 470.4-2, <i>Physical Protection</i> CRD O 470.3A, <i>Design Basis Threat Policy</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear costs of physical security upgrades. If used by PNNL off Hanford Site, they pay full-cost.
<p>Physical security under this activity is for Government property other than nuclear material, special nuclear material, and classified. Physical Security such as fences, locks, etc. through <i>Asset Protection Agreements</i>.</p> <ul style="list-style-type: none"> MSC shall develop, or assist in the development of facility asset protection requirements and conduct annual reviews of <i>Asset Protection Agreements</i>. Hanford Site contractors shall support the MSC in the development of or update of facility <i>Asset Protection Agreements</i> and implement those agreements. MSC shall provide Technical and Engineering Security services as required for the design and/or turnover of new facilities. 										
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
6	I/S	Information Security - (Operations Security (OPSEC))	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC (only DOE)	Atomic Energy Act of 1954, as amended CRD M 470.4-4, <i>Information Security</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>The OPSEC Program helps ensure that sensitive information is protected from compromise and secured from unauthorized disclosure, and provides management with necessary information required for sound risk management decisions concerning the protection of sensitive information.</p> <ul style="list-style-type: none"> MSC shall implement a Hanford Site-wide program; assure conformity of implementation with OPSEC standards and requirements; conduct assessment(s) of all Hanford Site facilities having Category I special nuclear material (SNM) (or credible roll-up to Category I SNM); conduct reviews of all Hanford Site facilities that have the potential to process or store classified or sensitive information; and conduct the <i>Annual Site OPSEC Threat Assessment</i> and prepare the annual <i>OPSEC Plan</i>. Hanford Site contractors shall implement their internal OPSEC responsibilities, participate and support Hanford Site- 										

			wide OPSEC Working and Awareness groups; provide support to the MSC OPSEC assessments; and support the Annual Site OPSEC Threat Assessment and preparation of the annual OPSEC Plan.							
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
7	I/S	Information Security - Classified Matter Protection and Control (CMPC); Classification, Declassification and UCNI Program	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	Atomic Energy Act of 1954, as amended CRD M 470.4-4, Information Security	MSC bears the burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The CMPC Program establishes control and accountability requirements for classified matter, marking of classified matter, reproduction, receipt and transmission, and destruction; and, physical protection requirements for classified matter in storage.</p> <ul style="list-style-type: none"> MSC shall provide a centralized CMPC, Classification, Declassification and Unclassified Controlled Nuclear Information (UCNI) Program that includes operation and management of the Classified Document Control Center and management of classified information in the records holding area. MSC shall provide trained and authorized personnel to conduct inquiries for incidents of security concern, maintain the reporting database, and assist the contractor in report writing as required. Hanford Site contractors shall be responsible for maintaining an updated list of security containers, locations and custodians; support investigation of any incidents of potential or actual compromise of classified; and nominate a sufficient number of Derivative Classifiers and Reviewing Officials who shall be trained and approved by the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
8	I/S	Information Security - Official Use Only (OUO)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	Atomic Energy Act of 1954, as amended CRD O 471.3, <i>Identifying & Protecting Official Use Only Information</i> CRD M 471.3-1, <i>Manual for Identifying & Protecting Official Use Only Information</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The OUO Program establishes controls to protect sensitive unclassified information as OUO.</p> <ul style="list-style-type: none"> MSC shall manage, integrate, and oversee implementation of a common Hanford Site-wide OUO program to ensure conformity of implementation by performing Hanford Site contractors and coordination of OUO education and awareness. Hanford Site contractors shall manage and implement an OUO information program consistent with the common Hanford Site-wide OUO information program. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
9	S	Personal Security – Badging	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL	Atomic Energy Act of 1954, as amended CRD M 470.4-2, <i>Physical Protection</i>	Funded through MSC; provided at no cost to Hanford Site contractors
			<p>A DOE security badge is utilized for all DOE and contractor personnel to gain access to DOE-owned or -leased facilities or areas where DOE-sponsored work is ongoing.</p> <ul style="list-style-type: none"> MSC shall provide badging service for the Hanford Site, which includes manufacture, issuance, destruction, control, and accountability for DOE Standard, Hanford Specific, Temporary, and Personal Identify Verification badges. MSC shall coordinate and initiate “STOP ACCESS” procedures, and control and issue private vehicle passes for Property Protection Areas. Hanford Site contractors shall obtain badging service from MSC; participate in “STOP ACCESS” program; and obtain vehicle passes from MSC. 							
10	S	Personnel Security – Access Authorization (Security Clearance) Processing Program	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL	CRD M 470.4-5, <i>Personnel Security</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The Access Authorizations (Security Clearances) Program involves processing, granting, and allowing individuals to retain an access authorization when their official duties require access to classified information or matter, or special nuclear material (SNM).</p> <ul style="list-style-type: none"> MSC shall process all security clearances in support of Hanford Site contractors. These activities include requesting, obtaining, maintaining, downgrading and terminating security clearances, including "Special Access" privileges (e.g., SIGMA). The clearance processing program shall include reviews of each requested clearance action to ensure adequate justification exists and that reporting requirements are met. Hanford Site contractors shall request and obtain personnel security clearances, including “Special Access” from the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
11	I/S	Personnel Security – Human Reliability Program (HRP)	Provide service to site contractors	Receive service from and provide input to MSC	N/A	N/A	N/A	N/A	10 CFR 712, <i>Human Reliability Program</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The Human Reliability Program (HRP) on the Hanford Site is designed to ensure that individuals who occupy positions affording access to special nuclear material and classified materials programs meet the highest standards of reliability and physical and mental suitability.</p> <ul style="list-style-type: none"> MSC shall coordinate and track all Hanford Site drug and alcohol testing; MSC shall notify the PRC of drug and alcohol testing results. MSC shall administer the HRP program, including initial and refresher training. PRC shall identify HRP positions, submit requests to MSC for enrollment in the Hanford Site HRP, and execute their portion of the HRP consistent with the Hanford Site HRP, as administered by the MSC. 							
12	I/S	Personnel Security – Workplace Substance Abuse Programs (WSAP)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC, N/A for PNNL	10 CFR 707, <i>Workplace Substance Abuse Programs at DOE Sites</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>The WSAP is responsible for maintaining a workplace free from the use of illegal drugs, and is applicable to DOE contractors and their sub-contractors in testing-designated positions performing work at Sites owned or controlled by DOE under the authority of the Atomic Energy Act of 1954.</p> <ul style="list-style-type: none"> MSC shall administer the WSAP and maintain the procedures for testing and databases. MSC shall notify the respective Hanford Site contractor of drug and alcohol testing results. Hanford Site contractors shall identify individuals in testing-designated positions and execute the program per the MSC procedure. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
13	I/S	Personnel Security – Foreign National Visits and Assignments (FNVA)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC (N/A PNNL)	CRD O 142.3, <i>Unclassified Foreign Visits & Assignments</i> CRD O 142.1, <i>Classified Visits Involving Foreign Nationals</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>FNVA pertains to unclassified (and potentially classified) foreign national access to the DOE Hanford Site for information and technologies.</p> <ul style="list-style-type: none"> MSC shall process security plans for foreign visitors to Hanford Security areas, coordinate all FNVA requests, and submit to the appropriate contractor FNVA authority for approval. Hanford Site contractors shall notify the MSC of potential foreign visitor or assignment, and prepare and submit security plans to MSC for processing of the visit/assignment. 										
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
14	I/S	Cyber Security – (Classified and Unclassified Cyber Security)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>Classified/Unclassified Cyber Security Program identifies and protects classified, unclassified and sensitive information generated, processed and stored for the Hanford Site.</p> <ul style="list-style-type: none"> MSC shall provide a Hanford Site Classified Information Systems Security Officer; develop a Hanford Master Classified Information Systems Security Plan; ensure that all classified systems are certified and accredited; and implement the classified cyber security training program. MSC shall implement a centralized Hanford unclassified computer security program. Hanford Site contractors shall manage and execute classified and unclassified cyber security responsibilities consistent with DOE requirements and the MSC centralized program. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
15	I/S	Nuclear Material Controls and Accountability (MC&A)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	Atomic Energy Act of 1954, as amended CRD M 470.4-6, <i>Nuclear Material Control and Accountability</i>	MSC bears the burden of program administration; Hanford Site contractors bear internal implementation costs.
			<p>The MC&A Program provides control and accountability of nuclear materials within DOE.</p> <ul style="list-style-type: none"> MSC shall manage and conduct a centralized MC&A program for all accountable quantities of nuclear material on the Hanford Site, and approve all implementing procedures of Hanford Site contractors. Hanford Site contractors shall support MSC in preparation and maintenance of a <i>Hanford Site-wide MC&A Plan</i>, administration of treaty-related activities, performance of occurrence investigation and reporting, and scheduling of periodic inventories. Hanford Site contractors shall implement MC&A requirements per the <i>Hanford Site-wide MC&A Plan</i>. Hanford Site contractors are required to implement facility specific requirements. 							
16	I/S	SAS Program Management – Safeguards and Security (SAS) Awareness	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL.	CRD M 470.4-1, <i>Safeguards and Security Program Planning and Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>SAS Awareness Program is used to inform Hanford Federal and contractor employees, subcontractors, and visitors of their SAS responsibilities and to promote continuing awareness of good security practices.</p> <ul style="list-style-type: none"> MSC shall provide SAS Awareness training for all Hanford Federal and contractor employees, subcontractors, and visitors; and conduct security training for all permanently badged employees on an initial and annual frequency to maintain appropriate levels of awareness. Hanford Site contractors shall comply with the requirements of the Hanford Security Awareness program, as administered by the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
17	I/S	SAS Program Management	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	Receive service from and provide input to MSC. N/A for PNNL.	Atomic Energy Act of 1954, as amended CRD O 470.3A, <i>Design Basis Threat Policy (U)</i> CRD M 470.4-1, <i>Safeguards and Security Program Planning and Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>SAS Program Management provides formal organized process for planning, performing, assessing, and improving the secure conduct of work in accordance with risk-based protection strategies.</p> <ul style="list-style-type: none"> MSC shall establish, manage, integrate and execute the processes and services that comprise the SAS Program Management, such as Program Planning, Oversight, and Administration; Security Conditions (SECON); Site Safeguard and Security Plan (SSSP); Vulnerability Assessments; Design Basis Threat; and safeguards and security training. Hanford Site contractors shall coordinate and interface with MSC on SAS Program Management regarding SAS technical, cost, and schedule performance; comply with SECON activities; support the Site Safeguards and Security Plan (SSSP) development, etc. Hanford Site contractors shall manage their internal SAS Program Management activities. 										

Interface Number	Type of Interface	Activity (Service - Mandatory per the MSC Statement of Work, Table C.2.1.2-1; all other services under this Activity are Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
18	I/S	Site Training Services and HAMMER	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Optional	Receive service from and provide input to MSC (Optional for PNNL)	29 CFR 1910.120; Facility-wide RCRA permit, WAC 173-303, <i>Dangerous Waste Regulation</i> ; OSHA Manual and OSHA Safety and Health Standard; and other Safety related requirements	Site training services are usage-based services reimbursed by the user; HAMMER base operations for the facility are at no cost to Hanford Site contractors for DOE-EM funded Work Scope.
<p>Site Training Services provides training facility, curriculum, and training delivery services to Federal, contractor, and subcontractor employees in support of the Hanford and PNNL missions consistent with the DOE, local, state, and Federal workforce training requirements.</p> <ul style="list-style-type: none"> • MSC shall provide Hanford Site workers (and PNNL, as requested) training per MSC Table C.2.1.2-1, to support maintaining a qualified workforce, develop the <i>Annual Training Needs Forecast and Plan</i>, and operate the HAMMER facility. • MSC shall maintain the employee training records for training provided by MSC. • MSC shall perform mask fit services for Hanford Site contractors. • Hanford Site contractors shall provide training priorities, training needs, and input regarding standardized training programs. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
19	I/S	Fire & Emergency Response Services (Fire Prevention, Fire Suppression, Fire Investigations; Emergency Rescue; Emergency Medical Service and Patient Transport; Incident Command; and Hazardous Material and Chemical/Biological/Radiological Emergency Response)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC (includes Energy Northwest.) May include Non-Hanford Site areas designated by DOE	29 CFR 1910.146 OSHA Manual CRD O 420.1B, Facility Safety	Funded through MSC; provided at no cost to Hanford Site contractors.
			<p>Fire and Emergency Response Services provide fire prevention, fire suppression, fire investigations; emergency rescue; emergency medical service and patient transport; incident command; and hazardous material and chemical/biological/radiological emergency response for the Hanford Site and those non-Hanford Site areas designated by DOE.</p> <ul style="list-style-type: none"> MSC shall provide 24/7 fire-related protection of human life, property, and facilities; and operates basic and advanced life support emergency medical services. MSC shall act as the Site Incident Command Agency for all fires and hazardous/radiological materials emergencies on the Hanford Site. Hanford Site contractors shall support facility access to the MSC fire services personnel, and notify the Fire Department of work activities, events, incidents, etc., that may require Fire Services involvement and/or response (e.g., medical assistance, hazardous or radiological emergency help, etc.). The MSC will provide support for HFD participation in drills and exercises 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
20	I/S	Fire & Emergency Response Services (Fire Protection System Inspection, Testing, and Maintenance)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC (RFAR only)	Receive service from and provide input to MSC	Receive service from and provide input to MSC The only service applicable to PNNL is Fire Protection Systems Testing in DOE owned facilities on the Hanford Site.	29 CFR 1910.146 OSHA Manual CRD O 420.1B, <i>Facility Safety</i>	MSC is direct-funded to maintain fire alarm systems for each Hanford Site contractor. Hanford Site contractors are required to provide their own hardware projects.
			<p>Fire and Emergency Response Services also includes fire protection system inspection, testing, and maintenance of existing and new fire systems for the Hanford Site, including backflow prevention devices.</p> <ul style="list-style-type: none"> MSC shall provide a Fire Marshal with authority for fire protection system inspection, testing, and maintenance; respiratory protection services; building inspections; ignitable and reactive waste site inspections; pre-fire planning; etc. Hanford Site contractors shall be required to use certain mandatory Fire Services from the MSC contractor in performance of this work scope (e.g., fire systems inspection, testing, etc.) consistent with the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
21	I/S	Emergency Operations (Centralized Hanford Site Emergency Preparedness Program)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	DOE/RL-94-02, Hanford Emergency Management Plan CRD O 151.1C, Comprehensive Emergency Management System	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
<p>Emergency Operations consists of the Hanford Site-wide Emergency Preparedness (EP) Program, which includes operation of the Emergency Operations Center (EOC), Joint Information Center (JIC), requirements for hazards surveys and hazards assessments, training of EOC staff, Hanford Site-wide exercises, and facility-specific plans and procedures for EP development, training, drills and assessments.</p> <p>MSC shall:</p> <ul style="list-style-type: none"> • Coordinate, integrate, and maintain a centralized Hanford Site EP Program. • Provide instruction in accordance with DOE/RL-94-02, <i>Hanford Emergency Management Plan</i> to all Hanford Site contractors and their subcontractors. • Conduct or support emergency management surveillances and assessments and work with the Hanford Site contractors for corrective action implementation. • Establish procedures and provide direction and coordination for the Hanford Site Occurrence Reporting Program. <p>PNNL shall provide support for the Unified Dose Assessment Center (UDAC). Hanford Site contractors shall develop, maintain, and execute an Emergency Management Program as described in DOE/RL-94-02, <i>Hanford Emergency Management Plan</i> for facilities and waste sites under their control.</p>										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
22	I/S	Emergency Operations (Event Reporting; and Occurrence Notification Center)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	CRD O 231.1A, <i>Environment, Safety and Health Reporting</i> CRD M 231.1-1A, <i>Environment, Safety, and Health Reporting</i> CRD O 450.1A, <i>Environmental Protection Program</i> DOE O 5400.5, <i>Radiation Protection of the Public and the Environment</i>	MSC bears the burden of program administration; Hanford Site contractors bear internal implementation costs.
			Event Reporting is provided to ensure that DOE is kept fully informed about events that could adversely affect the health and safety of the public or the workers, the environment, the intended purpose of the facilities, or the credibility of the DOE. <ul style="list-style-type: none"> MSC shall operate the Hanford Site-wide Occurrence Notification Center (ONC). Hanford Site contractors shall report their environmental, safety, and health events and related information directly to DOE and to the ONC. 							

Interface Number	Type of Interface	Activity (Interface & Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
23	I/S	Site Safety Standards (Common Safety Processes)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Receive service from and provide input to MSC	N/A	10 CFR 851.11, <i>Development and Approval of the Worker Safety and Health Program</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
<p>Site Safety Standards are to be used by Hanford Site contractors to ensure common processes for worker safety.</p> <ul style="list-style-type: none"> • MSC shall obtain affected Hanford Site contractor approval and establish common safety processes on the Hanford Site per MSC Table C.2.1.2-1. • MSC shall maintain a site-wide web-based system with input from other Hanford contractors for sharing operating experiences and lessons learned with a focus on preventing recurrence of safety or reliability events, and to share good work practices in accordance with DOE O 210.2. • MSC, PRC, and TOC shall work collaboratively and build coalitions with Hanford Site contractors and workers to continue to build a strong and enduring safety culture. Based on input from Hanford Site contractors and workers, the MSC with the PRC and TOC shall identify DOE opportunities to enhance and measure the Hanford safety culture. • MSC shall manage and administer Hanford Site safety activities/initiatives, such as, Annual Safety Exposition, Hanford Worker Electrical Safety Board, etc., as approved by DOE. • Affected Hanford Site contractors shall approve common safety standards and develop internal implementing procedures, and participate in Hanford Site safety activities/initiatives, where appropriate, as administered by MSC. 										

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
24	I/S	Radiological Assistance (RAP)	Provide service	Provide staff to MSC	Provide staff to MSC	N/A	N/A	N/A	DOE O 5530.3, <i>Radiological Assistance Program</i>	MSC bears the cost burden of program administration to include travel, equipment, and RAP specific training. PRC and TOC provide personnel and bear personnel costs associated with RAP participation. PNNL also provides personnel to RAP, but is funded through MSC.
			<p>RAP provides first-responder radiological response capabilities 24/7 for the Hanford Site and Region 8 (states of Alaska, Oregon, and Washington).</p> <ul style="list-style-type: none"> MSC shall maintain and implement a first-responder radiological assistance that includes plans, procedures, resources and 24/7 response capabilities for Region 8 in support of the DOE Regional Response Coordinator and provide equipment. PRC and TOC shall provide qualified personnel, technical expertise, and support to the DOE Region 8 RAP to ensure maintenance and staffing of emergency teams with the ability to respond under the direction of DOE National Nuclear Security Administration (NNSA) and the U.S. Department of Homeland Security. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
25	I/S	Environmental Regulatory Management (Site-wide permits, permit applications, and reports; Site-wide NEPA documents; Site-wide environmental reports; Site-wide (environmental) Quality Assurance standards; allocation of permit limits)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Environmental Regulatory Management ensures a Site-wide environmental program which is compliant with applicable laws, regulations, DOE directives and the Section H Clause entitled, <i>Environmental Responsibility</i>.</p> <p>MSC shall establish and provide site-wide management, administration, integration, permitting and compliance in coordination with other Hanford Site contractors. The MSC shall obtain concurrence from affected Hanford Site contractors for Site-wide environmental documents. MSC performs all near-field monitoring activities for the Hanford Site, including near-field monitoring required by a facility specific permit.</p> <p>Hanford Site contractors shall:</p> <ul style="list-style-type: none"> • Provide input for the Site-wide Environmental Management System (EMS) Program Management Plan. • Integrate their environmental permitting and regulatory compliance activities with the Hanford site-wide permitting and compliance framework maintained by the MSC. • Provide appropriate and timely input to the MSC and other designated Hanford Site contractors for regulatory required Site-wide environmental reports and metrics for their facilities and activities. • Support MSC in their Site-wide environmental regulatory management roles. • Provide legally and regulatory required air and liquid effluent and near facility environmental monitoring; collect, compile, and/or integrate air and liquid effluent monitoring data from operations and activities under their control. • Provide appropriate environmental data for its facility and operable units to support Hanford Site assessments and preparation of the annual Hanford Site Environmental Report. Obtain unit specific permit modifications in coordination with the MSC. • Inform MSC if any near-field monitor(s) are required as part of contractor's facility monitoring. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	PNNL (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
26	S	Seismic Monitoring Services	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	CRD O 420.1, Facility Safety DOE Guide 420.1-1, Section 4.7, "Emergency Preparedness and Emergency Communications"	Funding provided by DOE –EM to MSC; provided at no cost to Hanford Site contractors
			Seismic Monitoring Services are required to operate the Hanford Site seismic network and provide report activities as needed. This information is utilized for operational facilities, to support new facility design and for emergency operations activities. <ul style="list-style-type: none"> MSC shall maintain seismic sensors and systems, monitor seismic activity and report seismic activities on the Hanford Site. MSC shall provide seismic information to Hanford Site contractors upon request. Hanford Site contractors shall request and provide requirements for services when necessary. 								
Interface Number	Type of Interface	Activity (Interface)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
27	I	Hanford Environmental Oversight (HEO)	Provide service to site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	DOE O 5400.5, Radiation Protection of the Public and the Environment CRD O 450.1A, General Environmental Protection	Funding provided by DOE –EM to MSC for program administration; Hanford Site contractors bear internal implementation costs
			HEO provides program management, coordination and integration of Public Safety and Resource Protection (PSRP) functions. HEO also provides technical and administrative support to DOE associated with the PSRP program including Natural Resource Trustee activities. <ul style="list-style-type: none"> MSC shall provide annual updates of the Hanford Site National Environmental Policy Act (NEPA) Characterization Report. Hanford Site contractors shall provide to MSC appropriate environmental data for its facility and operable units to 								

support Hanford Site assessments and preparation of the *Hanford Site NEPA Characterization Report*.

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
28	I/S	Meteorological and Climatological Services	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC		Funding provided by DOE –EM to MSC for the cost of services, except for special-use information requested by Site contractors
			<p>The Hanford Meteorological Monitoring System includes 30 monitoring stations on the Hanford Site and provides accurate and timely weather information that enable safe conduct of activities and emergency response.</p> <ul style="list-style-type: none"> MSC shall provide all standard, weather-related information for Hanford Site contractors, providing detailed around-the-clock, easily retrieved and understood, real time meteorological data. This includes forecasts, heat indices, historical information, etc. MSC shall maintain and operate the Hanford Meteorological Monitoring system. MSC may be requested to provide special-use information by Site contractors. Hanford Site contractors shall request and provide requirements for service. 								

Interface Number	Type of Interface	Activity (Interface)	MSC	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
29	I/S	Environmental Surveillance	Receive input from and provide information to site contractors	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC	Receive information from and provide input to MSC as applicable	DOE O 5400.5 CRD O 450.1A <i>Clean Water Act</i> <i>Clean Air Act</i>	Funding provided by DOE –EM to MSC for program administration; Hanford Site contractors bear internal implementation and request for services costs.
			<p>Environmental Surveillance consists of far-field multimedia environmental monitoring to measure the concentration of radionuclides and chemicals in environmental media and assess the integrated effects of these materials on the environment and the public.</p> <ul style="list-style-type: none"> MSC shall assess impacts and risks of contaminants on human health in order to prepare the annual <i>Hanford Site Environmental Report</i> and the <i>Hanford Site Environmental Surveillance Master Sampling Schedule</i>; and align the surface environmental surveillance with the needs of the environmental clean-up, restoration, and assessment activities at the Hanford Site. MSC shall assess impacts and risks of Hanford contaminants on human health and the environment in support of Hanford cleanup activities as requested. Data and analysis shall be made available to the Hanford risk assessment activities. Hanford Site contractors shall provide appropriate input to support MSC preparation of the annual <i>Hanford Site Environmental Report</i> and <i>Hanford Site Environmental Surveillance Master Sampling Schedule</i> 								

Interface Number	Type of Interface	Activity (Interface & Service - Mandatory)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
30	I/S	Ecological Monitoring and Compliance – Site Wide	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC as applicable	<i>Endangered Species Act</i> <i>Migratory Bird Treaty Act</i> Hanford Site Resource Management Plan	Funding provided by DOE –EM to MSC for program administration; Ecological reviews are a usage-based service. Hanford Site contractors bear internal implementation costs.
<p>Ecological Monitoring and Compliance is to achieve compliance with ecological resource-related legal and regulatory requirements; Biota is monitored to assess the abundance, vigor, or condition, and distribution on the Hanford Site.</p> <p>MSC shall:</p> <ul style="list-style-type: none"> Assess the impacts to biological resources from Hanford Site operations and legacy contaminants to the environment and monitor the abundance, vigor, and distribution of plant and animal populations on the Hanford Site. This includes baseline surveys of protected biological resources, species, and habitats within key areas of the Hanford Site where the majority of routine operations and clean-up are conducted. Conduct ecological compliance reviews for Hanford Site contractors. Ecological reviews that are required to be conducted outside the Hanford alternate work schedule will not charge overtime to OHC projects. <p>Hanford Site contractors shall:</p> <ul style="list-style-type: none"> Allow access to the Ecological Monitoring and Compliance activity for the purpose of collecting information and samples. Provide ecological information to the MSC from their sampling activities such as CERCLA/RCRA risk assessments 											

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PNNL	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
31	I/S	Cultural and Historic Resource Program	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Provide input to MSC	Receive service from and provide input to MSC as applicable	<i>National Historic Preservation Act (NHPA), American Indian Religious Freedom Act Archaeological Resources Protection Act Native American Graves Protection and Repatriation Act</i>	Funding provided by DOE –EM to MSC for program administration; Cultural reviews are a usage-based service. Hanford Site contractors bear internal implementation and request-for-services costs.
<p>The Cultural and Historic Resource Program administers the program for protecting Hanford Site cultural and historic resources, and documents and addresses any real or potential Site-wide issues and their impacts; and assures compliance with associated laws, DOE directives, and legally-binding agreements.</p> <ul style="list-style-type: none"> MSC shall monitor and support the resource protection activities of Hanford Site contractors; coordinate surveys performed to document the occurrence of protected resources; evaluate and document impacts to protected resources; perform NHPA Section 106 Reviews for Hanford Site contractors; maintain, establish procedures for and manage Hanford Site cultural and historic resource site files (hard copy and electronic) and associated compliance project files for all such work that occurs at the Hanford Site; and curate files and artifacts in accordance with 36 CFR 79. Hanford Site contractors shall provide information to the MSC necessary to perform NHPA Section 106 Reviews for their scope of work, and provide to MSC information and materials to support MSC execution of the <i>Comprehensive Land Use Plan's (CLUP) Cultural & Historic Resource Program Plan</i>. In particular, mission contractors (who meet 36 CFR 61 standards and guidelines) shall utilize the MSC project records and files for background research. 											

Interface Number	Type of Interface	Activity (Service - Mandatory)	PNNL (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
32	I/S	Radiological Site Services (RSS)	Provide service to site contractors	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	Receive service from PNNL	DOE and national quality control requirements	Usage-based service reimbursed by the user.
<p>Radiological Site Services (RSS) is a fully-integrated and documented set of radiological support programs which provide the technical support, dosimetry, data, and records necessary to demonstrate compliance with required radiological monitoring and to verify the adequacy of Site radiological control programs in protecting the health and safety of workers, the public, and the environment. The RSS includes the Hanford External Dosimetry Program, the Hanford Internal Dosimetry Program, the Hanford Radiological Instrumentation Program, and the Hanford Radiological Records Program.</p> <p>PNNL shall provide:</p> <ul style="list-style-type: none"> • Accredited external dosimetry services, including technical support, documentation, and dosimeters, based on the types and quantities of external dosimetry required by all key customers. • Accredited internal dosimetry services, including technical support, documentation, and analyses, based on the types and quantities of internal dosimetry required by all key customers. • Calibration, maintenance, and repair services for a broad range of portable and semi-portable radiological instrumentation, including technical support and documentation, based on the types and quantities of portable and semi-portable radiological instrumentation calibration, maintenance, and repair services required by all key customers, • Management and preservation of current and former radiation monitoring records for DOE (and predecessor agencies) employees, Hanford contractors, sub-contractors, and visitors, including records of existing and past Hanford Site radiation dosimetry policies and practices. <p>Hanford Site contractors shall request, and provide requirements for, service.</p>											

Site Infrastructure And Utilities										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
33	S	Analytical Services (Chemical and Low-Level Radiological Analysis)	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Optional	Receive service from and provide input to MSC as applicable	WAC 173-50, Accreditation of Environmental Laboratories WAC 173-40, Air Operating Permit	Sample analysis is a usage-based service reimbursed by the user; WSCF Laboratory fixed costs for maintaining the facility in a ready-to-serve capacity are at no cost to Hanford Site contractors.
			Analytical Services performs chemical and low-level radiological analysis on a variety of sample media. These services are performed at the Hanford Waste Sampling and Characterization Facility (WSCF). <ul style="list-style-type: none"> MSC shall operate the WSCF. Hanford Site contractors shall request analytical services as needed. 							
Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
34	S	Biological Controls	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC as applicable	WAC Chapter 16-752 CRD O 450.1A, Environmental Protection Program DOE O 5400.5, Radiation Protection of the Public and the Environment	Basic service funded through MSC; provided at no cost to Hanford Site contractors. Hanford Site contractors may request additional services beyond direct-funded basic service as a usage-based service.
			Biological Controls is a service to control noxious weeds, industrial weeds, other vegetation, and animal pests. The program controls vegetation on approximately 2000 acres, traps and removes animals, and eliminates insect infestations. <ul style="list-style-type: none"> MSC shall provide a Hanford Site-wide biological control program. 							

			<ul style="list-style-type: none">• Hanford Site contractors shall request support as needed.
--	--	--	---

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
35	S	Crane and Rigging	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Optional	Receive service from and provide input to MSC as applicable (Optional for PNNL)	DOE-RL-92-36, Rev. 1	Usage-based service reimbursed by the user.
			<p>The Crane and Rigging is a centralized pool of equipment and manpower for the Hanford Site.</p> <ul style="list-style-type: none"> MSC shall provide a mobile crane pool, a regulated and non-regulated guzzler; coordinate rental and movement of cranes, preventative maintenance inspections and scheduling of necessary repairs; and supervises crane crews. Hanford Site contractors shall request and provide requirements for service. 							
36	S	Facility Services	Provide service to site contractors	Receive service from and provide input to MSC	Receive (limited) service from and provide input to MSC	N/A	N/A	Receive service from and provide input to MSC as applicable (N/A for PNNL)	CRD O 430.1B, <i>Real Property Asset Management</i>	Usage-based service reimbursed by the user.
			<p>Facility Services is a central maintenance function for non-radiological facilities.</p> <ul style="list-style-type: none"> MSC shall provide management and administrative oversight for all requested facility activities, including planning and directing the work. MSC shall provide for the following facility services in support of the Hanford Site projects and contractors: facility painting, sign painting, carpentry, refrigerated equipment service, insulation, pipefitting, electrical, sheet metal, instrumentation, cement finishing, glazier work, custodial, locksmith, movers, equipment calibration, and HVAC maintenance and repair. PRC and other Site users shall request and provide requirements for service. <p>TOC shall only receive Refrigerated Equipment Service, floor service and Movers Service from and provide input to MSC</p>							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
37	S	Motor Carrier Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	Optional	Receive service from and provide input to MSC as applicable	CRD O 460.1B, <i>Packaging and Transportation Safety</i> CRD O 460.2A, <i>Departmental Materials Transportation and Packaging Management</i>	Usage-based service reimbursed by the user.
			Motor Carrier Services provides a centralized pool of vehicles and drivers for the on-site or local transportation of freight including hazardous material at the Hanford Site, including radioactive materials and radioactive/mixed waste. <ul style="list-style-type: none"> • MSC shall manage, schedule, and conduct motor carrier services. • MSC shall maintain and operate a centralized pool of vehicles and drivers for the on-site and limited local transportation of freight including hazardous and radioactive materials at the Hanford Site. • Hanford Site contractors who are customers of this service prepare the waste for transport including shipper/receiver agreement documents, transportation documents for packaging, transportation and receipt by the receiving facility. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
38	S	Fleet Services	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Optional	Receive service from and provide input to MSC as applicable	41CFR102-34, <i>Motor Vehicle Management</i> 41CFR109-38, <i>Motor Equipment Management</i>	MSC bears the cost of basic service as defined below and in the MSC for acquisition, control, assignment, and disposal of DOE fleet equipment and GSA vehicles. Fleet facilities maintenance, operations support, consumables, fuel delivery, maintenance, parts, and labor for the DOE fleet are a usage-based service.
			<p>Fleet Services administers and manages a fleet of motorized vehicles and equipment including, but not limited to sedans, pickups, vans, busses, ambulances, tractors, flatbeds, dump trucks, tool vans, utility maintenance vans, cab and chassis, trailers, forklifts, cranes, generators, compressors, excavators, frontend loaders, dozers, wreckers, and fuel tankers.</p> <ul style="list-style-type: none"> MSC shall provide management and coordination, statistical usage tracking, and reporting on GSA-leased vehicles and DOE-owned vehicles/equipment; perform vehicle and equipment repair and modification services as required (e.g., in the 200 Area); and perform record-keeping, vehicle assignment, ensuring vehicle utilization, and excess/disposal of fleet vehicles and parts. Some vehicles are designated as "regulated" due to contamination and are required to be serviced within radiologically-controlled areas. MSC shall provide and execute the DOE approval of equipment/vehicle procurements when necessary. Hanford Site contractors shall request and provide requirements for service and those using Fleet Services shall provide report input such as the <i>Transportation Management Scorecard</i>. 							

Interface Number	Type of Interface	Activity (Service - Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
39	P/S	Railroad Services	Coordinate service	Request service from MSC	Request service from MSC	Request service from MSC	Request service from MSC	Request service from MSC	CRD O 460.1B and applicable regulations of the Federal Railway Administration(49 CFR Parts 200-268)	Usage-based service reimbursed by the user.
			<p>The Hanford railroad system consists of approximately 40 miles of Class II track and one signal crossing between Horn Rapids Road and the 200W Area..</p> <ul style="list-style-type: none"> • MSC determines requirements for future use on the Hanford Site and coordinates with Hanford Site contractors, projects, and off-Site entities prior to and during any on-site rail movements, including placement of “flaggers” at necessary intersections, taking proper security actions, and making Hanford Site notifications. • Upon DOE direction, MSC shall maintain and operate the rail system on the Hanford Site. • Hanford Site contractors shall request and provide requirements for service to the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
40	S	Roads & Grounds	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC per ICD 12 - Roads	Receive service from and provide input to MSC	Receive service from and provide input to MSC (except PNNL off Hanford Site)	CRD O 430.1B, <i>Real Property Asset Management</i>	Basic service funded through MSC; provided at no cost to Hanford Site contractors. Hanford Site contractors may request additional services for facility specific services, such as, snow removal on sidewalks
<ul style="list-style-type: none"> Roads and Grounds consist of road maintenance, 24/7 snow removal, traffic management, and common grounds maintenance service for the Hanford Site. MSC shall maintain primary and secondary Hanford Site roadways, to include patching/paving, striping, and other services; perform maintenance of common grounds; and make recommendations to restrict access and make the appropriate notifications of restricted access or closure to DOE and other Hanford Site contractors in the event that roads are unsafe for travel. MSC shall remove snow at primary and secondary roads and at designated facilities, parking lots, and walkways. Hanford Site contractors may request roads and grounds services for their facilities. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
41	P/S	Electrical Transmission, Distribution, & Energy Management	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC per ICD 11 - Electricity	Receive service from and provide input to MSC	Receive service from and provide input to MSC	DOE guidance on 2005 <i>Energy Policy Act</i> BPA Network Integrated Transmission Service Agreement DOE O 430.2A Electric Reliability Standards	Basic service funded through MSC; provided at no cost to Hanford Site contractors. Direct, mission-related upgrade projects are sub-contracted by

									BPA Outage Planning Process	MSC and paid by the requesting Hanford Site contractor.
			<p>Electrical Transmission, Distribution, & Energy Management is the management function of the high voltage electrical utility consisting of a system for providing power to the facilities at the Hanford Site.</p> <ul style="list-style-type: none"> • MSC externally supplies electrical power to Hanford Site contractors. • MSC shall coordinate with other Hanford Site contractors to obtain the following: <ul style="list-style-type: none"> - Energy cost and consumption data for the <i>Annual Energy Conservation Performance Report</i>. - Energy cost and consumption data for the quarterly Hanford Site energy cost and consumption date entry to EMS4 database. - Facility shut down constraints and impacts due to fuel reductions for the <i>Emergency Conservation Plan</i>. - Facility electrical load information for the annual electrical load forecast. - Other facility electrical or energy information, as needed. • Hanford Site contractors shall provide input for EMS4 database, annual Energy Conservation Performance Report, Emergency Conservation Plan, and annual electrical load forecast. • Hanford Site contractors may enter into a service-provider relationship with the MSC and/or other utility providers for the operation, maintenance, and/or closure of all or part of their internal utility systems. • Hanford Site contractors shall protect Hanford Site systems against disruption and damage during performance of work and support Hanford Site utility operations, maintenance, and closure of a service where appropriate. <p><u>Notes:</u></p> <ul style="list-style-type: none"> • The interface point between the MSC electrical distribution system and the Hanford Site contractors' facilities electrical system is routinely the connection at the secondary side of the building service transformer (MSC also owns the electrical meters). However, there may be some facilities where the systems interface is located at a different connection point. The interface points are identified on the electrical utility switching system diagram drawings. • The 300 Area electrical substation and electrical distribution system will be owned by the RCCC. The RCCC may request MSC to operate and maintain the 300 area substation and distribution system on a work order basis. Upon completion of the RCCC, or as directed by DOE, the substation/distribution system may be reassigned to the MSC. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
42	P/S	Water System	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC per ICD 01 – Raw Water and ICD 02 – Potable Water	Receive service from and provide input to MSC	Receive service from and provide input to MSC	WAC 246-290, Group A, Public Water Systems WAC 246-291, Group B, Public Water Systems WAC 246-292, Water Works Operator Certification WAC 246-294, Drinking Water Operating Permits CRD O 430.1B, Real Property Asset Management	Hanford Site-wide water upgrades and Basic Service are funded through MSC; provided at no cost to site contractors. Direct, mission-related upgrade projects are paid for by the Site contractor requiring the upgrade. For water systems outside of the MSC, water system contaminant monitoring management is a usage-based service reimbursed by the user. Water permits for Hanford Site contractors' new facilities is a usage-based service.

		<p>The Water System function is a water utility service (the geographic areas to be served are the 100, 600, and 200 Areas). The 300 Area and 100N Area water systems are within the scope of the RCCC, along with the 30-inch concrete line supplying the 100F and 100H Areas, and all distribution piping connecting to the concrete main water lines supplying the 100F, 100H, 100D, 100N, and 100B Areas.</p> <ul style="list-style-type: none"> • MSC shall manage the water system in accordance with agreements negotiated with the Hanford Site contractor being served and in accordance with guidance documents cited in state regulations for water systems; and maintain the existing <i>Water System Master Plan</i>. The Plan shall document a strategy for managing repairs, life extensions, replacements, and deactivations for facilities and equipment for the water systems within the scope of this contract over a ten year planning horizon. • MSC shall provide a “purveyor” (per the Washington Administrative Code and other state regulations) for MSC water systems. • MSC shall be responsible for all aspects of the water distribution system only up to and including the first off-valve or demarcation point outside the customer’s facility or complex of facilities. The customer or facility maintains all responsibility for lines downstream of this agreed-upon point. On side-by-side multiple valve isolations and backflow assemblies, the facility assumes responsibility from the discharge side of the downstream isolation valve. For WTP, the demarcation point is the premise isolation backflow prevention at the fence line. For PFP, the demarcation point is the premise isolation backflow assembly. • MSC shall perform, as requested, backflow preventer testing, water system contaminant monitoring management, and pipeline sanitization for other Hanford Site contractors (e.g., water systems outside of MSC): • Hanford Site contractors shall input to the <i>Water System Master Plan</i> and negotiate agreements for water utility service. • PRC shall identify priority water line upgrades which would prevent further ground water degradation; MSC shall perform priority water line upgrades to prevent further ground water degradation • Upon completion of the RCCC, or at the direction of DOE, the 300 Area water system may be reassigned to the MSC. <p>Note: The 100K Area and 400 Area Water Systems will be operated and maintained by the PRC.</p>
--	--	---

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
43	P/S	Sewer Systems	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Receive service from and provide input to MSC	Receive service from and provide input to MSC	WAC 246-272, 272A, 272B, <i>Large On-site Sewage Systems</i> ; WAC 173-224, <i>Sanitary Sewers</i>	Hanford Site-wide sewer upgrades and basic service are funded through MSC; provided at no cost to Hanford Site contractors. Direct, mission-related upgrade projects are paid for by the Hanford Site contractor requiring the upgrade. Hanford Site contractors are responsible for facility-specific upgrades or new facilities sewer ties-ins under their control. Sewer permits for Hanford Site contractor new construction or project upgrades are a usage-based service.

		<p>Sewer system operations provide sewer pumper truck services and collection of sewage through piping for treatment and disposal in subsurface soil absorption systems. The geographic areas to be served are the 600 Area and 200 Area. The 100N Area sanitary sewer system, -100 B Area, C Area, D Area, F Area, H Area, and the 200 Area ERDF sanitary sewer holding tanks, and the 300 Area sanitary sewer system are within the scope of the RCCC. Additionally, the RCCC pipes waste directly to the 100N Lagoon from the 100 Area operations.</p> <ul style="list-style-type: none"> • MSC shall operate the Hanford Site sanitary sewer systems, including compliance sampling; maintenance of support structures, systems, and components; and performance of sewer administration duties in accordance with the State of Washington sanitary sewer regulations. • MSC shall update the existing <i>Sewer System Master Plan</i>. The Plan shall document a strategy for managing repairs, life extensions, replacements, and deactivations for facilities and equipment for the sewer systems within the scope of this contract over a ten year planning horizon and shall be updated every two (2) years. • MSC shall coordinate termination of 100N lagoon use with RCCC and determine alternate disposal operations for pumped sewer system waste. • Hanford Site contractors shall provide input to the <i>Sewer System Master Plan</i>. • Legacy facilities that are returned to service will be treated as a base, unless special circumstances require facility upgrades. <p><u>Notes:</u></p> <ul style="list-style-type: none"> • The 100N Area sanitary sewer system, 100 B Area, C Area, D Area, F Area, H Area, and the 200 Area ERDF sanitary sewer holding tanks, and the 300 Area sanitary sewer system are excluded from the scope of this Contract. These sewer systems are within the scope of the RCCC. Additionally, the RCCC pipes waste directly to the 100N Lagoon from the 100 Area operations. Currently, waste pumped from area sewer systems are deposited in that lagoon and are expected to be operated by the MSC until a replacement is in service. Upon completion of the RCCC, or at the direction of DOE, utilities assigned to the RCCC, may be reassigned to the MSC. • The 100K Area and 400 Area sanitary sewer systems will be operated and maintained by the PRC.
--	--	---

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
44	S	Sanitary Waste Management and Disposal	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Receive service from and provide input to MSC	Receive service from and provide input to MSC (PNNL on Hanford Site)		Delivery of and disposal of sanitary waste for dumpsters is provided at no cost to Hanford Site contractors, Delivery and disposal of sanitary waste for roll off boxes is a usage-based service reimbursed by the user.
			<p>Sanitary Waste Management and Disposal function consists of waste collected from on-site dumpsters and transport to off-site landfills for disposal. This includes management and oversight of Hanford sanitary, inert and demolition waste landfills that are currently in operation or closed.</p> <ul style="list-style-type: none"> • MSC shall pick-up, inspect, and dispose of non-radioactive, non-hazardous dry waste. • Hanford Site contractors shall request and provide requirements for service. 							

Site Business Management										
Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
45	I/S	Land-Use Planning and Management (Service mandatory only for site selection and excavation permits)	Provide service	Request service from MSC and provide input	Request service from MSC and provide input	Request service from MSC and provide input per ICD 09 – Land for Siting	Request service from MSC and provide input	Receive service from and provide input to MSC, as applicable	CRD O 430.1B, <i>Real Property Asset Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs. Excavation permits are provided as a usage-based service.
<p>Land-Use Planning and Management consists of land-use planning (for the Hanford Site, in general and specific parcels) and management (including day-to-day implementation of the <i>Comprehensive Land Use Plan [CLUP]</i>).</p> <ul style="list-style-type: none"> MSC shall perform management of real property at the Hanford Site for DOE and coordinate the use of real property among Hanford Site contractors. MSC shall perform a range of real property activities, such as conducting land-use planning for areas and specific parcels; conducting reviews and integrating land-use requests for all new facilities, infrastructure systems, land improvements, or change of land use; conducting land management activities, including day-to-day implementation of the CLUP; managing land use requirements and beneficial reuse of land; and conducting real estate activities in the out-grant and disposal of real property or interests therein. MSC shall implement the CLUP as directed or interpreted by DOE. MSC shall assess the need for updating the existing or developing new Area Management Plans and Resource Management Plans. In coordination with other Hanford Site contractors, the MSC shall develop new plans and update existing plans where applicable. MSC shall administer and manage the Site Selection and Excavation Permit process. MSC shall monitor and assess the use of real property to assure compliance with restrictions, such as institutional controls. MSC shall manage real property by reviewing property uses, reclassifying land use and facilities, investigating and characterizing land, monitor misuse of property or encroachments, identifying orphan or unknown land uses (e.g., non-pristine land, hazards, and waste sites), dispositioning non-permitted activities; and tracking and documenting land-use occurrences and activities. Hanford Site contractors shall support the land-use planning and management program as administered by the MSC, including providing input to the Ten Year Site Plan (TYSP). 										

			<ul style="list-style-type: none">• MSC shall develop the TYSP for the Hanford Site in coordination with other Site contractors.
--	--	--	--

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
46	I/S	Long-term Stewardship	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC per ICD 09 – Land for Siting	Deliver input to MSC	N/A	<p>Hanford Site <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980</i> (CERCLA) Records of Decision.</p> <p>Hanford Site <i>Resource Conservation and Recovery Act</i> (RCRA) Post Closure Plans.</p> <p>CERCLA 5-Year Review criteria.</p>	<p>MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs. Cost for sites transferred (post-remediated) to MSC are the responsibility of the MSC. Transition costs are the responsibility of the respective Hanford Site contractor.</p>

			<p>Long-term stewardship (LTS) includes all engineered and non-engineered institutional controls designed to contain or to prevent exposures to any potential residual contamination and waste, such as surveillance activities, record-keeping activities, inspections, groundwater monitoring, ongoing pump and treat activities, cap repair, maintenance of entombed buildings or facilities, maintenance of other barriers and containment structures, access control, and posting signs.</p> <ul style="list-style-type: none"> • Other prime contractors' role is to provide input to the MSC by preparing an LTS Transition and Turnover Package (TTP) in accordance with the approved TTP template. • MSC shall provide for integrated planning of LTS for the entirety of the Hanford Site. • MSC shall prepare and maintain the <i>Hanford Long-Term Stewardship Program Plan and Long-Term Surveillance and Maintenance Plans</i>. • MSC shall coordinate with DOE-RL and Hanford Site contractors to compile the results of the annual Hanford Site-wide institutional controls assessment, and to conduct the Hanford Site-wide <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA)</i> 5-year reviews including comment response, interim documentation, and lessons learned. • MSC shall execute LTS for those portions of the Site assigned to the MSC. • Hanford Site contractors provide information for the <i>Hanford Long-Term Stewardship Program Plan, Long-Term Stewardship Surveillance and Maintenance Plans, Annual NEPA Mitigation Action Plan Accomplishments, IC Plan, CERCLA 5-year reviews, Site Transition Plans</i>, and annual site-wide institutional controls assessment. • Hanford Site contractors will coordinate with the Hanford LTS Program Plan and provide input to the LTS Transition and Turnover Packages for a given parcel or segment of land to DOE and concurrently to the MSC. • Hanford Site contractors shall coordinate with the MSC in development of CERCLA RODs including institutional controls to achieve consistency with the LTS Plan. • Hanford Site contractors shall provide information for the Hanford Site Institutional Controls Plan (ICP) in accordance with Hanford Site CERCLA Records of Decision, Hanford Site RCRA post closure plans, and RCRA Permit Corrective Action Modifications.
--	--	--	---

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
47	I	Facility Information Management System (FIMS)	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC, as applicable	CRD O 430.1B, <i>Real Property Asset Management</i>	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>DOE uses FIMS as the Complex-wide real property database for real property which provides an inventory and management tool that assists with planning and managing real property assets. FIMS is centrally managed at DOE Headquarters.</p> <ul style="list-style-type: none"> MSC shall manage the local effort for FIMS, meeting specific, annual reporting requirements and shall be responsible for collecting data from Hanford Site contractors in order to meet all mandatory reporting requirements. Hanford Site contractors deliver FIMS data and input to the <i>Comprehensive Data/Site Management Strategy</i> for spatial data. 							

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
48	I	Hanford Site Structures List and Hanford Waste Site Assignment List	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC per ICD 09 – Land for Siting	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
<p>The <i>Hanford Site Structures List (List)</i> and <i>Hanford Site Assignment List</i> is the integrated, central inventory of Hanford facilities, structures, and waste sites. DOE Hanford uses these lists for integrated planning of baselines, cost-estimating, reporting DOE Gold Chart metrics, establishing assignment of responsibility for each facility and waste site to site contractors, support to FIMS, HSTD (Hanford Site Technical Data Base), Caretaker, and WIDS. This activity provides for maintenance, configuration control, and upgrading of the Lists.</p> <ul style="list-style-type: none"> • MSC shall maintain the <i>Hanford Site Structures List</i> and <i>Hanford Waste Site Assignment List</i> serving as Administrator of the data, and is responsible for the platform for the data and Site-wide reporting. • MSC shall be responsible for the Site-wide configuration control process, and shall be responsible for collecting data from Hanford Site contractors in order to meet all mandatory reporting requirements. • Proposed changes in assignment of facilities must be ratified by DOE. <p>Hanford Site contractors deliver facilities, structures, and wastes site data and input to the <i>Hanford Site Structures List</i> and <i>Hanford Waste Site Assignment List</i>.</p> <p>The Hanford Site contractors shall provide data and support to the MSC, for the Hanford Sites contractor's facilities, waste sites and activities, to support maintenance of the <i>Hanford Site Structures List</i> and <i>Hanford Waste Site Assignment List</i>, Hanford Site contractors supplying information/ data are responsible for data quality.</p>										

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
49	I	Condition Assessment Surveys (CAS)	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>CAS is used to assess the current material condition of its facilities, structures, systems, and equipment, and documents maintenance deficiencies. The assessment information for each assessed item is entered into the Condition Assessment Information System (CAIS), which provides an estimate of maintenance upgrade costs.</p> <ul style="list-style-type: none"> • MSC shall manage the Hanford Site CAS/CAIS and provide for the administration of and execution of the CAS inspection program in order to accurately evaluate the existing state of specific facilities and identifying the deferred maintenance liability. • MSC shall coordinate all of the necessary inspection activities with the various site contractors that have eligible facilities for CAS inspections. • MSC shall make the CAS data available to the mission contractors. • Hanford Site contractors shall enable access to MSC for conducting on-site condition assessments. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
50	I/S	Geospatial Information Management	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Receive service from and provide input to MSC, as applicable		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs. Hanford Site contractors may request business-specific map services as a usage-based service.
			<p>Geospatial Information (relates the visualization, measurement, and analysis of features or phenomena that occur on the earth) supports the execution of requirements for worker health, land use planning, emergency response, etc., and is available to all Hanford Site contractors.</p> <ul style="list-style-type: none"> MSC shall develop and implement a comprehensive <i>Hanford Geospatial Information Strategy and Implementation Plan (H-GIS)</i> to ensure that all spatial data, information and documentation required for accomplishing the Hanford Site missions are captured, managed, and preserved. The MSC shall provide general and business-specific Hanford Site maps, and act as a central geospatial clearinghouse to coordinate, capture, manage, and share geospatial information, including management of the Hanford Geographical Information System (HGIS). Hanford Site contractors deliver data to MSC and input to <i>Comprehensive Data/Site Management Strategy</i> for spatial data. 							

Interface Number	Type of Interface	Activity (Service - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
51	I/S	Property Systems/- Acquisition & Materials Management	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	Optional	Optional	Receive service from and provide input to MSC, as applicable (PNNL DOE-EM owned equipment)		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs and any costs associated with delivery of excess materials to the central recycling and turn-over of excess property for disposition
<p>Property Systems/Acquisition & Materials Management consists of Site-wide processes and procedures for centralized personal property management functions, such as recycling of precious metals and processing equipment that is no longer needed through the excess property system. Tracking of all DOE-owned, contractor-managed property (site-wide) is accomplished by means of decentralized data entry into the primary property management site-wide database (Sunflower Asset Management System [SAMS]). The Program also manages the centralized storage and staging of equipment and inventory through the use of various on-Site warehouses.</p> <ul style="list-style-type: none"> • MSC shall provide a Site-wide Personal Property Systems and Materials Management Program that provides for tracking of accountable personal property, management of the property management database (Sunflower Asset Management System [SAMS], including providing Site-wide property management reports) and other related systems; central recycling; excess property dispositioning; and equipment transfers and loans. • MSC shall manage the (on-site) "stores" inventory warehouses. As required, the MSC shall provide for delivery of inventory items to on-Site locations managed by other contractors. MSC shall manage the supply chain, and evaluate Site-wide demand, usage trends, and programmatic requirements to act as lead in the reduction of existing line item site inventory to the lowest achievable levels. • Hanford Site contractors deliver input to MSC to include warehouse requirement needs, Property Information Data Systems (PIDS) data, and Contractor Balanced Scorecard Report data; and deliver property no longer required. 										

Interface Number	Type of Interface	Activity (Interface)	Pension and Savings Committee	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
52	I	Hanford Site Pension Plan (HSPP) Hanford Site Savings Plan (HSSP) Hanford Employee Welfare Trust (HEWT)	Receive input from sponsoring Site contractors and provide to MSC	Sponsor and receive input from Pension and Savings Committee	Sponsor and deliver input to Pension and Savings Committee	Sponsor and deliver input to Pension and Savings Committee	Sponsor and deliver input to Pension and Savings Committee, HSPP only	Sponsor and deliver input to Pension and Savings Committee	PNNL Sponsor and deliver input to Pension and Savings Committee	<i>Employee Retirement Income Security Act</i> Financial Accounting Standards Internal Revenue Code Internal Revenue Service Regulations FAR 31.205 DEAR 970.3102-2	MSC bears the cost burden of program administration . Contributions are allocated to the participating sponsors (Hanford Site contractors)
			<ul style="list-style-type: none"> MSC shall provide administration for the HSPP, HSSP, and HEWT. Hanford Site participating sponsors provide funding and deliver input to the Pension and Savings Committee whose decisions are provided to the MSC. 								

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
53	I/S	External Affairs	Provide service and receive support from Site contractors	Support MSC	Support MSC	Support MSC	Support MSC	Support MSC as applicable		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>External Affairs includes assistance to DOE in its programs to communicate with outside entities for Hanford Site tours.</p> <ul style="list-style-type: none"> • MSC shall work with DOE to strategize, plan, arrange logistics for and conduct or support Hanford Site tours and visits to projects/facilities by external parties as requested. • MSC shall provide transportation, badging coordination, working with other Site contractors, as needed, and providing guides/speakers, handouts, and refreshments, as appropriate or as requested. • Hanford Site contractors shall provide technical staff support to MSC when their facilities or waste sites are visited, to include guides/speakers, and handouts, when the tour involves respective Hanford Site contractor workscope. • MSC shall support DOE's management of the Hanford web site. 							

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
54	I	External Reviews	Receive support from Site contractors	Support MSC	Support MSC	Support MSC	Support MSC	Support MSC as applicable		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>External Reviews provides support to DOE during audits and assessments from outside entities having oversight responsibility for DOE-RL and DOE-ORP and their contractors. These entities include the Defense Nuclear Facilities Safety Board, the Government Accountability Office, the DOE Office of Inspector General, and other governmental and Department of Energy oversight organizations, such as the Office of Health, Safety, and Security and Office of Enforcement.</p> <ul style="list-style-type: none"> The MSC shall support DOE-RL and DOE-ORP in hosting staff from auditing and assessing organizations, providing or coordinating required presentations, responding to information requests, and by providing required subject matter experts to respond to questions and information requests. Hanford Site contractors shall provide support to MSC, as directed by DOE, in their External Reviews responsibilities. 							

Interface Number	Type of Interface	Activity (Service – Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
55	S	Courier Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC, as applicable		Usage-based service reimbursed by the user.
			Courier services for the Hanford Site includes delivery and pickup of miscellaneous items, such as calibrated instruments, medical samples, equipment to be repaired, and essential (time-sensitive, critical) documents. <ul style="list-style-type: none"> MSC shall provide transportation of priority or time-sensitive documents, medical samples or supplies (i.e., serum, blood samples, medical records, etc.), calibrated instruments, new or used office machines to and from repair facilities, and pickup and shredding of classified documents. Hanford Site contractors shall request and provide requirements for service. 							
Interface Number	Type of Interface	Activity (Service – Large Volume: Mandatory; Convenience Copiers: Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
56	S	Reproduction Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	Optional	Optional	Optional service (except DOE)		Usage-based service reimbursed by the user.
			Reproduction Services provides large volume document reproduction services and manages the convenience copier contract. Reproduction includes duplication of paper ,digitally transmitted documents, and engineering drawings; high volume copying services; color copies; forms reproduction; special bindings; tabbing, etc. <ul style="list-style-type: none"> MSC shall provide printing, duplicating, binding, and reproduction services for the Hanford Site. Hanford Site contractors shall be responsible for identifying convenience copier locations to the MSC and for costs incurred to utilize equipment provided through the MSC copier contract. Hanford Site contractors shall request and provide requirements for service. 							

Interface Number	Type of Interface	Activity (Service – Optional Standards - Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
57	S	Multi-media Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC	Receive service from MSC, as applicable	Hanford Site Multimedia Standards	Usage-based service reimbursed by the user.
			<p>Multi-media Services provides for the development, production, or acquisition of photos, videotapes, movies, audio productions, and other similar types of media.</p> <ul style="list-style-type: none"> • MSC multi-media organization shall be a centralized resource for the Hanford Site. The contractor shall establish the standards and written procedures that shall be used by all Hanford Site contractors and DOE to inventory photographs, videos, etc, identified as records. The standards/procedures shall direct that all photos, videos, etc. taken or acquired are indexed, and that the images/photos are merged into a Hanford Site archive or clearinghouse. • MSC shall conduct aerial photography of the Hanford Site (e.g., monthly), as directed by DOE. • Whether using MSC, or procuring outside services, Hanford Site contractors shall: <ul style="list-style-type: none"> - Comply with Hanford Site multi-media standards; - Provide multi-media records to the MSC. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
58	S	Mail Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC, as applicable	Receive service from MSC, as applicable	DOE G 573.1-1, <i>Mail Services Users Guide</i> 41 CFR 102–192, <i>Mail Management</i> U. S. Postal Services <i>Domestic Mail Management</i> and <i>International Mail Management</i>	Funded through MSC; provided at no cost to Hanford Site contractors.
<p>Mail Services for the Hanford Site includes delivery to major building/locations and relies on the serviced organization/company to deliver mail to individuals within their respective organizations.</p> <ul style="list-style-type: none"> • MSC shall provide for basic mail services, including postage fees, pickup and delivery of interplant and U.S. Postal mail to customers. The work scope includes the pickup, routing and delivery of interplant mail (i.e., mail that does not leave the Hanford Site). • MSC shall distribute and pickup mail at defined locations in the contractor’s facilities. • Hanford Site contractors shall be responsible for mail distribution to contractor staff within their facility. 										

Interface Number	Type of Interface	Activity (Service – Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
59	S	Site Forms Management	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	N/A	Receive service from MSC (only DOE)		Funded through MSC; provided at no cost to Hanford Site contractors.
<p>Site Forms Management consists of a centralized and configuration-controlled forms management program that applies consistent design and utilizes the use of electronic forms in gathering of electronic record information to electronic records systems.</p> <ul style="list-style-type: none"> • MSC shall administer the Hanford Site forms management system and process, and design electronic forms for interactive use, as well as, conventional hard copy forms. MSC shall develop/design/revise/approve electronic and hard copy forms, eliminate obsolete or duplicate forms, maintain Site forms historical records, and maintain the system for centralized configuration management of site electronic and conventional hard copy forms. Development of forms shall be coordinated with the sponsor and its users. • Hanford Site contractors may request and provide requirements for service. • Hanford Site contractors are allowed to create and maintain unique forms relevant solely to their internal use, unless otherwise prohibited by Site policy. 										

Information Resources/Content (Records) Management (IR/CM)										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
60	I	Strategic Planning & Program Management	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	N/A	N/A	Receive service from MSC, as applicable	<i>Clinger-Cohen Act</i> OMB A-11, A-300 all applicable Federal Information Technology requirements	MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
Strategic Planning & Program Management assesses the current IR/CM technology infrastructure, systems, applications, and business practices and provides recommendations for improving the scalability and reducing the life-costs over the current approach. <ul style="list-style-type: none"> MSC shall develop a <i>Computing and Telecommunications Strategic Plan</i>. PRC and TOC shall provide input to the <i>Computing, Telecommunications, and Content (Records) Management Strategic Plan</i>. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
61	S	Telephone Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	Optional	Optional	Receive service from MSC, as applicable		Usage-based service reimbursed by the user.
Telephone Services function consist of the Hanford Site Telephone Exchange activities that encompass voice, data, special circuits, 9-1-1 support, and attendant/operator services to Hanford Site programs, projects, and support organizations. <ul style="list-style-type: none"> MSC shall provide and maintain telecommunications capability and capacity sufficient to meet the needs of the Hanford site, encompassing those systems required to maintain data transmissions, including local, state, national, and international subscribers; data and network circuits; off-premise stations; telephone service to offsite offices occupied by Hanford Site end-users; alerting systems; and other miscellaneous voice and data circuits. Hanford Site contractors shall request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Service – Optional, except Emergency Response, which is Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
62	S	Pager Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC	Receive service from MSC, as applicable		Usage-based service reimbursed by the user.
			Pager Services provides the electronic network and devices for Hanford Site paging. <ul style="list-style-type: none"> MSC shall provide maintenance, operations and account administration of the Government-owned Hanford Site pager infrastructure and commercial pager services, including site, regional and national paging services. MSC shall provide system designs, integration, maintenance, frequency management, associated engineering services, and support to manage regional, international, and nonstandard inventory for pager replacement parts. Hanford Site contractors may request and provide requirements for service. 							
Interface Number	Type of Interface	Activity (Service – Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
63	S	Radio Services for Crafts	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC	Receive service from MSC, as applicable	National Telecommunications and Information Administration requirements	Usage-based service reimbursed by the user. Equipment (radios, antennas, etc., costs are the responsibility of the Hanford Site contractor.
			Radio Services for Crafts provides radio communication infrastructure and licensing. <ul style="list-style-type: none"> MSC shall provide engineering, maintenance and operations of non-emergency radio communication services, including associated infrastructure. MSC shall manage radio spectrum licensing and design, engineering integration, operations and maintenance, installation, upgrade and required system calibration services, and registration of radio frequencies with the National Telecommunications and Information Administration. Hanford Site contractors shall request and provide requirements for service. If procuring radios, the contractor must comply with Hanford Site specifications. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
64	S	Radio Services for Emergency Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	Receive service from MSC	Receive service from MSC, as applicable	National Telecommunications and Information Administration requirements	Funded through MSC; provided at no cost to Hanford Site contractors. Equipment (radios, antennas, etc., costs are the responsibility of the Hanford Site contractor
<p>Radio Services for Emergency Services provides radio communication infrastructure and licensing.</p> <ul style="list-style-type: none"> • MSC shall provide engineering, maintenance and operations of radio communication services, including two-way, fire dispatch, safety and emergency preparedness, security systems and infrastructure. • MSC shall manage radio spectrum licensing and design, engineering integration, operations and maintenance, installation, upgrade and required system calibration services, and registration of radio frequencies with the National Telecommunications and Information Administration. • Hanford Site contractors shall: <ul style="list-style-type: none"> - Follow Hanford Site radio frequency policy and use the MSC for radio spectrum licensing; and - Request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
65	S	Network Services	Provide service to site contractors	Receive service from MSC	Receive service from MSC	Optional	Optional	Optional, except DOE	CRD M 470.4-2, <i>Physical Protection</i>	Usage-based service reimbursed by the user.
<p>Network Services consist of the Hanford Local Area Network (HLAN) information infrastructure used by DOE-RL, DOE-ORP and Hanford Site contractors for intranet and internet services.</p> <ul style="list-style-type: none"> MSC shall operate and maintain the HLAN information/communication infrastructure including Application Hosting Services, Internet Support, Maintenance and Software License Management, Technology Support for Hardware and Software, network management and maintenance, desktop/user services, hardware maintenance, work station acquisition, redeployment and retirement, engineering and configuration, software distribution, and streaming video engineering services. The MSC will also provide HLAN infrastructure maintenance. Hanford Site contractors shall request and provide requirements for service. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
66	S	Information Systems	Provide service to site contractors	Receive service from MSC	Receive service from MSC	N/A	Optional	Optional except DOE		Funded through MSC; provided at no cost to Hanford Site contractors. Hanford Site contractors may request additional services as a usage-based service.
<p>Information Systems provide integrated business, technical, and project information systems including management and performance of steady state operations, maintenance, development and enhancements for Hanford Site data systems, and support to project and business functions.</p> <ul style="list-style-type: none"> MSC provides database management, video-teleconferencing (VTC) support services, software and systems engineering, system development, systems operations and maintenance (O&M), software testing, software configuration management, and application hosting services. Hanford Site contractors shall request and provide requirements for service. 										

Interface Number	Type of Interface	Activity (Site-wide System – Mandatory Inventory & Scheduling Service - Optional)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
67	I/S	Federal Records Inventory and Schedule Management	Provide service to and receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Optional	Deliver input to MSC	Deliver input to MSC, except PNNL	Various DOE directives and National Archives and Records Administration (NARA) regulations	Funded through MSC; provided at no cost to Hanford Site contractors. Optional service reimbursed by the user.
<p>Inventory and Schedule Management provides the Hanford Site-wide RIDS database for inventorying and scheduling all Federal records for MSC and for designated contractors including those documenting the missions, programs, projects and all administrative functions. This work addresses all records (and non-records) originated or held by any of the covered contractors and includes records in all media, including electronic systems, databases, spreadsheets, microform, photo/negatives, hard copy paper, and all other formats and media.</p> <ul style="list-style-type: none"> MSC shall provide Hanford Site-wide RIDS database for Hanford Site Federal records. Other Hanford Site contractors shall provide RIDS database information. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
68	S	Major Collection Management	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC (Optional)	Optional	Deliver input to MSC, except PNNL		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>Major Collection Management provides continued maintenance of significant collections of records. Examples of major collections include engineering drawings, photographs/negatives, videotapes, etc.</p> <ul style="list-style-type: none"> MSC shall ensure that records in identified collections are indexed, authenticated, metadata complete, and are accessible to those that have a business requirement. Hanford Site contractors shall meet the requirements of Major Collection Management as administered by the MSC. 										

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC (Service Provider)	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
69	S	Long-Term Records Storage	Provide service to site contractors	Receive service from and provide input to MSC	Receive service from and provide input to MSC	N/A	Optional	Receive service from and provide input to MSC	Various DOE and NARA regulations, including 36 CFR 1228.	MSC bears the cost burden of program administration
			Long-Term Records Storage provides for physical storage of over 110,000 cubic feet of records in various hard copy medium (paper, photographs, video, tapes, etc.). <ul style="list-style-type: none"> MSC shall provide long-term physical storage for paper and other hard copy media records and maintain information systems to manage that collection. Hanford Site contractors shall coordinate with MSC for pickup of records. 							

Portfolio Management										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
70	I	Hanford Portfolio Planning, Analysis & Performance Assessment (Integrated Hanford Life-Cycle Clean-up Plan; [Hanford] Programmatic Risk Management Plan; P6 schedules, and State of the Site briefing)	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC, except PNNL and DOE		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Hanford Portfolio Planning, Analysis & Performance Assessment consists of support to DOE-RL and DOE-ORP in maintaining the <i>Integrated Hanford Life-Cycle Clean-up Plan</i> that optimizes the mission life-cycle, enabling DOE to ensure cost and schedule efficiency while adequately anticipating and managing programmatic risk.</p> <ul style="list-style-type: none"> MSC shall perform Hanford Site portfolio integration, provide simulation and optimizing analysis tools, and coordinate and assist with integrated scheduling and performance evaluation. MSC shall develop an <i>Integration Issues Management Plan</i>, provide <i>Hanford Portfolio Planning</i>, develop and maintain an <i>Integrated Hanford Life-Cycle Clean-up Plan</i>, and shall evaluate project and program performance against the <i>Integrated Hanford Life-cycle Baseline</i>. Hanford Site contractors shall provide information to the MSC as necessary to complete the Hanford Portfolio Planning, Analysis & Performance Assessment activities. 							
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
71	I	Project Acquisition and Support	Receive Critical Decision data and information from PRC and TOC	Deliver data and info. to MSC	Deliver data and info. to MSC	N/A	N/A	N/A		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Project Acquisition and Support includes project initiation, design, construction, and/or procurement services to DOE and as an optional service to Hanford Site contractors.</p> <ul style="list-style-type: none"> As directed by DOE, MSC shall provide the means to enable DOE to perform its project owner management responsibilities, in the areas of planning and procurement actions for new projects, by supporting the Critical Decision (CD) 0 through CD-1/2 phase of new project life-cycles and, when requested, act as project lead in support of the CD-3 and 4 phase of new projects. 							

			<ul style="list-style-type: none"> Hanford Site contractors shall provide Critical Decision data and information to the MSC as directed by DOE.
--	--	--	--

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
72	I	Independent Assessment and Analysis	Receive input from Site contractors	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC	Deliver input to MSC, except PNNL and DOE		MSC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			<p>Independent Assessment and Analysis provides to DOE a capability for ensuring that work is being accomplished in accordance with ESH&Q requirements, or to accomplish special DOE studies and obtain recommendations on an as needed basis to resolve technical and regulatory issues.</p> <ul style="list-style-type: none"> As directed by DOE, MSC shall provide specialty technical expertise, on a task-order basis, for areas such as project management, project control, cost estimating and scheduling, environmental, safety, quality and health, quality assurance, criticality, nuclear safety, radiological control, fire protection, environmental protection, regulatory compliance, Integrated Safety Management System, etc., and conduct independent analyses and generate technical assessment reports as needed in these areas. Hanford Site contractors shall provide data and facility access to the MSC as required by the Independent Assessment and Analysis activity. 							

PRC SERVICES AND INTERFACE ACTIVITIES										
Solid and Liquid Waste Stabilization and Disposition										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
73	I	Waste forecast system - Solid Waste Information and Tracking System (SWITS) and Solid Waste Integrated Forecast Technical Database (SWIFT)	Provide data to PRC	Receive data from Site contractors	Provide data to PRC	Provide data to TOC	Provide data to PRC	Provide data to PRC, except DOE	Solid Waste Information and Tracking System (SWITS) – database requirements	PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs.
Waste forecast system identifies future quantities of hazardous and radioactive waste generation for wastes managed by the contract. <ul style="list-style-type: none"> • PRC shall operate and maintain SWITS and SWIFT, and make available to other Site contractors. • Hanford Site contractors shall provide waste generation data. 										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
74	P	Low Level Waste (LLW) and Mixed Low Level Waste (MLLW) Treatment, Storage, and Disposal	N/A	Receive waste	Package and deliver to PRC	Provide waste to TOC	Package and deliver to PRC	Package and deliver to PRC, except DOE	HNF-EP-0063, Hanford Site Solid Waste Acceptance Criteria HNF-25842, Solid Waste Operations Complex (SWOC) Authorization Agreement (AA)	-PRC provides ready-to-serve capability. Waste generators provide funding for packaging, treatment, transport (including unloading), storage, and disposal -RCCC only pays for treatment, packaging, and transport. -TOC pays WTP waste disposal costs.
This activity provides for LLW and MLLW Treatment, Storage, and Disposal.										

			<ul style="list-style-type: none">• PRC shall perform waste unloading, receipt, storage, and disposal of LLW and MLLW.• Hanford Site contractors prepare waste, including packaging and treatment, and provide for waste transport.
--	--	--	--

ACTIVITIES

Interface Number	Type of Interface	Activity (Service – Mandatory)	WIPP Core Characterization Project (CCP) (Service Provider)	PRC	TOC	MSC and WTP	RCC C	Other Site Users	Requirements	Cost Allocations
75	I/P/S	Transuranic (TRU) and Transuranic Mixed Waste (TRUM) Packaging, Characterization, Certification, and Transportation	Performs all Hanford TRU Waste Characterization and Certification activities.	Provides support to CCP characterization and certification activities. Receives waste from site users.	Package and deliver TRU to PRC	N/A	Package and deliver TRU to PRC	Except DOE, package and deliver TRU to PRC.	<i>Hanford Site Solid Waste Acceptance Criteria (HSSWAC) (HNF-EP-0063) DOE/WIPP-02-3122, Rev.1, Contact-Handled Transuranic Waste Acceptance Criteria for the Waste Isolation Pilot Plant HNF-25842, Solid Waste Operations Complex (SWOC) Authorization Agreement (AA)</i>	- PRC provides ready-to-serve capability for TRU waste receipt, storage, and repackaging. - Waste generators provide funding to PRC for the increment of work resulting from their waste - RCCC pays only for TRU treatment and packaging, and TRU transport to PRC.
<p>This activity provides for TRU and TRUM certification and loading waste for shipment to the Waste isolation Pilot Plant (WIPP).</p> <ul style="list-style-type: none"> • PRC shall receive waste from contractors, provides interim storage if required, certifies waste for shipment, prepares payloads, and loads waste for shipment to WIPP or other DOE Sites. • Hanford Site contractors shall conduct and budget for packaging (if required by WAC) and transporting waste to PRC, and certify for WIPP and load waste for shipment to WIPP or other DOE Sites. • CCP will provide, operate, and maintain RTR equipment, drum assay equipment, large box NDE/NDA equipment (if needed), and mobile loading equipment. • CCP will operate and maintain the Hanford Super-HENC equipment for Standard Waste Box (SWB) assay. • CCP will operate the Shipping and Receiving Bay within WRAP for TRUPACT loading. PRC will operate and maintain the balance of the WRAP facility. • CCP will provide the equipment for and perform head space gas sampling (HSGS) and analysis. • CCP will establish and implement appropriate ESH&Q programs to support CCP activities. • PRC will perform initial (in-field) assay of retrieved waste, as necessary, to segregate TRU from non-TRU waste. 										

		<ul style="list-style-type: none">• PRC will perform all waste repackaging activities.• PRC will provide facility records, packaging records, and other documents necessary for CCP to prepare waste certification packages.• PRC will provide the necessary public release clearances for CCP generated documents.• PRC will provide the infrastructure to support installation and operation of the CCP-provided RTR equipment, drum assay equipment, and mobile loading equipment.• PRC will provide the facility and infrastructure to support the installation and operation of the large box NDE/NDA equipment, if needed.• PRC will provide mobile crane and crane operator support for CCP mobile loading equipment.• PRC shall receive TRU waste from other site users and provide interim storage if required.• PRC will identify ESH&Q interfaces with CCP. <p>Other Hanford Generators of TRU waste will provide TRU waste to PRC that complies with WIPP waste acceptance criteria.</p>
--	--	---

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC (Service Provider)	TOC	WTP	RCCC (Service Provider)	Other Site Users	Requirements	Cost Allocations
76	P	Industrial and Radioactive Liquid Effluents Treatment and Disposal and Industrial Liquid Effluents Retention and Transfer	N/A	Receive from TOC, WTP and RCCC	Deliver to PRC	Deliver to PRC	Administration of 300 Area Effluent Discharge Permit, Deliver to PRC	Deliver to PRC or RCCC as applicable, except DOE	Per facility safety analysis and waste acceptance criteria. For WTP, Section C.9 ICD 6 of DE-AC27-01RV14136 and City of Richland Industrial Waste Water Permit No. CR-IU010.	Funded through PRC; provided at no cost to Hanford Site contractors
			<p>This activity provides for treatment and disposal of radioactive liquid effluents in the 200 Area and retention and transfer of industrial liquid effluents in the 300 Area.</p> <ul style="list-style-type: none"> • PRC shall operate the Effluent Treatment Facility (ETF), Liquid Effluent Retention Facility (LERF), 200 Area Treated Effluent Disposal Facility (TEDF), and the State Approved Land Disposal Site (SALDS) to receive, treat, and dispose of industrial and radioactive liquid effluents from Site contractors in the 200 Areas. RCCC is responsible for overall management of the 300 Area combined sanitary/process sewer (CS) that discharges to the City of Richland Publicly Owned Treatment Works and administrative duties associated with Permit No. CR-IU010. • PRC shall operate the 300 Area Retention Transfer System (RTS) to receive, and retain industrial liquid effluents from Site contractors in the 300 Area and discharge compliant effluent to the CS. Hanford Site contractors shall send waste to PRC and RCCC facilities. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
77	P	Immobilized High Level Waste (IHLW) Interim Storage	N/A	Receive from TOC	Transport to PRC	Provide filled IHLW canisters for TOC transport	N/A	N/A	(HNF-29132), Rev. 0, <i>Canister Storage Building and 200 Area Interim Storage Area Authorization Agreement</i> 61 FR 10736, March 15, 1996, Doc. 96-6291 DOE/RW-0351 Rev 3, <i>Waste Acceptance System Requirements Document, E000000000-00811-1708-0001, Rev 03</i>	PRC funds ready to serve operations of the CSB. Modifications to CSB or construction of other storage capability funded by TOC.
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
78	P	Immobilized low activity waste (ILAW) Disposal	N/A	Receive from TOC and dispose	Deliver to PRC	Deliver to TOC	N/A	N/A	Documented Safety Analysis Integrated Disposal Facility Waste Acceptance Criteria [to be developed]	PRC provides ready-to-serve capability; waste generators provide funding to PRC for the increment of work resulting from their waste

Groundwater and Vadose Zone Project										
Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
79	I/S	Groundwater/Vadose Zone Integration	Deliver to PRC	Receive from Site contractors	Deliver to PRC	N/A	Deliver to PRC	N/A		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>The Groundwater/Vadose Zone Integration activity maintains and controls site-wide data and models used for groundwater/vadose zone analysis and coordinates site-wide groundwater/vadose zone activities.</p> <ul style="list-style-type: none"> • PRC shall conduct the groundwater/vadose zone integration project. • Hanford Site contractors shall participate in PRC periodic planning and coordination meetings; and deliver modeling and risk assessment information. Mission contractors shall provide comments on the annual update to the <i>Integrated Plan and Schedule for all soil and groundwater work</i>, and the annual <i>Groundwater Monitoring Report</i>. • Hanford Site contractors shall supply groundwater analysis requirements and reporting of risk assessment data and analysis, input for the Fiscal Year Integrated Groundwater Monitoring Plan for the Hanford Site, comments on the <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Groundwater and Deep Vadose Zone Remediation Activity Progress Reports</i>. • Hanford Site contractors shall provide data/information to PRC on self-performed drill and sample soil borings that yield additional vadose zone characterization data, 										

Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC	PRC (Service Provider)	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
80	I/S	Hanford Environmental Data Integration	N/A	Receive from TOC,RCC C, and other site contractors	Deliver input to PRC	N/A	Deliver input to PRC	Deliver input to PRC, except DOE		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>This activity provides for maintenance, configuration control, and upgrading of key Hanford Site environmental assessment databases.</p> <ul style="list-style-type: none"> The PRC shall serve as Data Manager for the following information systems: <ul style="list-style-type: none"> Hanford Environmental Information System (HEIS); Sample Data Tracking (SDT) System; Hanford Well Information System (HWIS); Waste Information Data System (WIDS). The Hanford Site contractors shall provide data and support to the PRC, for the Hanford Sites contractor's facilities and activities, to support maintenance of the above listed Hanford-wide environmental databases. Hanford Site contractors supplying information/ data are responsible for data quality. 										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
81	I	Hanford Site Well Drilling and Decommissioning	Coordinate with PRC	Coordinate with TOC, RCCC, MSC, and other Site contractors	Coordinate with PRC	N/A	Coordinate with PRC	Coordinate with PRC		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
<p>This activity includes drilling and decommissioning of Hanford Site wells.</p> <ul style="list-style-type: none"> PRC shall coordinate with the mission contractors during the installation and maintenance of wells for the groundwater monitoring well network and maintain and implement the <i>Hanford Site Well Decommissioning Plan</i>. Hanford Site contractors shall provide input for the <i>Hanford Site Well Decommissioning Plan</i>. 										

Spent Nuclear Fuel										
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
82	P	Special Nuclear Fuel (SNF) Fragments Transportation	N/A	Receive from RCCC	N/A	N/A	Transfer to PRC	N/A		PRC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			SNF fragments are safely stored. <ul style="list-style-type: none"> • RCCC shall package SNF fragments and transport to PRC. • PRC shall receive packaged SNF fragments from RCCC. 							

TOC SERVICES AND INTERFACE ACTIVITIES										
Base Operations										
Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
83	I	Tank Farm Projects Double Shell Tank (DST) System Management	N/A	N/A	Integrate with WTP	Deliver input to TOC	N/A	N/A		TOC bears the cost burden of program administration
			DST System Management maintains acceptable waste feed specifications for future waste feed delivery to the WTP while also maximizing use of available DST space to facilitate single-shell tank waste retrieval and any in-tank treatment to preserve tank integrity and improve waste feed characteristics.							
			<ul style="list-style-type: none"> • TOC shall integrate with the WTP contractor, develop the <i>Integrated Waste Feed Delivery Plan</i>, and the <i>River Protection Project System Plan</i>, and operate the DST system. • WTP shall provide input for feed delivery integration. 							
Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC (Service Provider)	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
84	S	Vent and Balance	Receive service from TOC	Receive service from TOC	Provide service to PRC, RCC, and MSC	Optional	N/A	N/A		Usage-based service reimbursed by the user.
			Vent and Balance provides as a variable service, testing of ventilation and filters, and ventilation balance to maintain established flows and pressures on systems. Specifics include ventilation stack flow testing, fume hood flow testing, high efficiency particulate air (HEPA) filter vacuum testing/certification and HEPA filter efficiency testing.							
			<ul style="list-style-type: none"> • TOC shall perform cost-effective/efficient Vent and Balance services (primarily HEPA filter testing and replacement) for RPP facilities and for the balance of the Hanford Site. • PRC MSC, and RCCC (optional user) shall request and provide requirements for service. 							

Interface Number	Type of Interface	Activity (Service – Mandatory)	ASTC	MSC	PRC	TOC (Service Provider)	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
85	S	Analytical Laboratory Support (Landlord Services for 222-S Laboratory Complex)	Receive service from TOC	N/A	N/A	Provide service to ASTC	N/A	N/A	N/A		Funded through TOC; provided at no cost to Hanford Site contractors.
			Analytical Services are performed by the Analytical Services and Testing Contractor (ASTC), a separate prime contractor to DOE-ORP, while laboratory facility operations and maintenance are performed by the contractor. <ul style="list-style-type: none"> • TOC shall operate and maintain the 222-S Laboratory Complex to support analysis activities performed by the ASTC. • ASTC will provide input and coordination to support operations. 								
Interface Number	Type of Interface	Activity (Interface)	ASTC	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
86	I	Analytical Integrated Planning (222-S Laboratory Complex)	Provide data to TOC	N/A	Provide data to TOC	Integrate data	Provide data to TOC	N/A	N/A		TOC bears the cost burden of program administration; Hanford Site contractors bear internal implementation costs
			Analytical Integrated Planning provides integrated Site-wide analysis plans, data quality objectives, and process and analytical technology support. <ul style="list-style-type: none"> • TOC shall interface with the ASTC to develop sample analysis rates and waste generation estimates. • Hanford Site contractors shall use integrated planning products to plan sample analysis expenditures. • Hanford Site contractors shall provide input to support sample analysis planning. 								

Interface Number	Type of Interface	Activity (Interface)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
87	I	Tank Closure and Waste Management Environmental Impact Statement (EIS) and Record of Decision (ROD)	Deliver input to DOE-ORP	Deliver input to DOE-ORP	Deliver input to DOE-ORP	N/A	N/A	N/A	Per EIS Project Plan	Hanford Site contractors bear the cost of their respective resources for this activity
<p><i>Tank Closure and Waste Management EIS and ROD</i> is a regulatory requirement supporting Hanford Site closure activities. DOE is currently preparing the Tank Closure and Waste Management (TC & WM) Environmental Impact Statement (EIS). The TC & WM EIS is evaluating options for managing and disposing of waste, supplemental treatment, tank closure and establishing final end states for the Fast Flux Test Facility (FFTF) at Hanford. These decisions are expected to be applied to the related programs after 2009.</p> <ul style="list-style-type: none"> • DOE-ORP will develop the <i>Tank Closure and Waste Management EIS and ROD</i>. • Hanford Site contractors shall provide input to the <i>Tank Closure and Waste Management EIS and ROD</i>. 										

Waste Treatment and Immobilization Plant Support										
Interface Number	Type of Interface	Activity (Service – Mandatory and Interface)	MSC	PRC	TOC (Service Provider)	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
88	I/S	WTP Support	Provide services to WTP	Provide services to WTP	Coordinate and provide services to WTP	Receive service from and provide input to TOC	N/A	N/A	ICD 1, Raw Water ICD 2, Potable Water ICD 3, Radioactive Solid Wastes ICD 5, Non-Radioactive, Non-Dangerous Liquid Effluents ICD 6, Radioactive Dangerous Liquid Effluents ICD 9, Land for Siting ICD 11, Electricity ICD 12, Roads ICD 14, Immobilized High-Level Waste ICD 15, Immobilized Low-Activity Waste ICD 19, Low-Activity Waste Feed ICD 23, Waste Treatability Samples ICD 28, Pit 30 Aggregate Supply for Construction ICD 29, Waste Sodium	Hanford Site contractors bear internal costs associated with WTP ICD participation, review and approval.

			<p>WTP interface provides support for WTP construction.</p> <ul style="list-style-type: none">• MSC, PRC, and TOC will participate with WTP in the revision and approval of WTP ICDs.• TOC shall be responsible for coordinating, planning and paying for the WTP contractor's requirements for infrastructure, utility, and service support from the MSC and PRC as identified in the J-3 Hanford Site Services and Interface Requirements Matrix.• ICDs identify interface requirements, technical and service gaps, and document issues in order to support efficient and timely construction, startup, commissioning, and operation of WTP. ICDs do not represent contractual obligations between the executing parties or the government.• WTP shall maintain WTP Interface Control Documents.
--	--	--	--

OTHER DOE DIRECT-CONTRACTED SERVICES											
Interface Number	Type of Interface	Activity (Service - Optional)	Janitorial Service Contractor (Service Provider).	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
89	S	Janitorial Service	Provide service to site contractors	Receive service	Receive service	Receive service	N/A	Receive service	Receive service		General and Administrative (G&A) cost for each contract
The Janitorial Service Contractor provides janitorial services for certain buildings in the 600, 700 and 1100 Areas of the DOE-RL, Richland, Washington. Services include light cleaning, high cleaning, and special services, as needed.											
Interface Number	Type of Interface	Activity (Service - Optional)	Laundry Service Contractor (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
90	S	Laundry Service	Provide service to site contractors	Receive service	Receive service	Receive service	Optional	Receive service	Receive service		Fee for service
The Laundry Service Contractor provides for commercial laundry and decontamination services for government-owned protective clothing, non-regulated items, and regulated face pieces. This service includes periodic batch pick-up and drop-off at site locations.											

Interface Number	Type of Interface	Activity (Service - Mandatory)	OHSC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
91	S	Occupational Medicine Service	Provide service to site contractors	Receive service	Receive service	Receive service	N/A	Receive service	Optional service		Fee for service
Occupational Health Services Contractor (OHSC), under a separate prime contract to DOE-RL provides occupational health services through health risk management and occupational health services to personnel at Hanford. The contractor has the lead to coordinate Health Risk Management program teams with the Site in identifying and analyzing the hazards that Hanford personnel face in the work environment and brings an awareness of health and safety issues to DOE, Hanford Site contractors, and others.											
The contractor provides the following, but is not limited to these types of services: medical monitoring and qualification examinations, including the controlled substances/alcohol testing program (mandatory use); diagnosis of occupational injury or											

			illness; monitored care; legacy health issues; employee counseling and health promotion; occupational health process improvement; human reliability testing; records management; emergency and disaster preparedness; health care cost management; field/facility visits; case management; records and data extraction; other occupational medicine services; reporting; and supporting transition.								
Interface Number	Type of Interface	Activity (Interface & Service -- Mandatory)	PSSC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
92	I/S	Personnel Security Services	Provide service to site contractors	Receive service from and provide input to PSSC	Receive service from and provide input to PSSC	Receive service from and provide input to PSSC	N/A	Receive service from and provide input to PSSC	Receive service from and provide input to PSSC (N/A for PNNL)	CRD M 470.4-5, Personnel Security	Direct funded by DOE
			Personnel Security Services Contractor (PSSC) currently provides technical and administrative support expertise for the implementation of the DOE Personnel Security Program, including clearance and special access processing, adjudication of investigative reports, human reliability programs, and other personnel security related programs. The contractor also provides transcription services, screening and processing classified mail, operation of the vault, visitor control and security education for both employees and visitors located in the Federal Office Building (FOB), and management of several personnel security-related databases.								

Interface Number	Type of Interface	Activity (Service - Optional)	PNNL (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
93	S	Research, development, and demonstration	Provide service to site contractors	Receive service	Receive service	Receive service	Receive service	Receive service	Receive service		Fee for service
			PNNL is one of five Office of Science multi-program laboratories that conduct research and development activities. Some of the programs conducted at PNNL are part of the DOE Office of Science laboratory system and require no integration with the Hanford DOE Office of Environmental Management programs; however, many of the research and technology development programs have direct relevance to the Hanford cleanup mission. As applicable, the contractor is encouraged to utilize the scientific and technical capabilities available from PNNL and work directly with PNNL to maximize the benefit to Hanford from the National research and development program.								

Interface Number	Type of Interface	Activity (Service - Mandatory)	ASTC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
94	S	Sample Analysis (highly radioactive)	Provide services to TOC and PRC	N/A	Receive services from ASTC	Receive services from ASTC	N/A	N/A	N/A		Fee for service and use Service Level Agreements for cost of service.
<p>Analytical Services are performed by the Analytical Services and Testing Contractor (ASTC) under a separate prime contract to DOE-ORP. ASTC is responsible for providing analysis of highly radioactive samples in support of Hanford Site projects. These services will be performed in the 222-S Laboratory Complex located in the 200 Area of Hanford.</p> <p>The ASTC is responsible for: receiving samples, which are potentially highly radioactive; preparing samples, which are potentially highly radioactive for analysis; recording and tracking all samples and related waste materials; performing chemical and radionuclide analyses using necessary quality control and quality assurance; reporting the results and archive sample remainders as required by the customer; and providing Standards Laboratory services for the Hanford Site.</p>											
Interface Number	Type of Interface	Activity (Service - Mandatory)	ESPC (Service Provider)	MSC	PRC	TOC	WTP	RCCC	Other Site Users	Requirements	Cost Allocations
95	S	Steam Services	Deliver service to site contractor	Receive service	Receive service	Receive service	N/A	Receive service	Receive service		RCCC & TOC "advance" pay from their DOE funding allocations. MSC & PRC costs are funded by DOE-RL directly to JCI from PBS-40
<p>Energy Savings Performance Contractor (ESPC), under a separate prime contract, currently includes steam service to support heating and other operations at the Site and air compressors for twenty 300 Area facilities. The ESPC can also propose additional energy conservation measures. These may include, but are not limited to, lighting system upgrades; pumping system upgrades; automation; heating, ventilation, and air conditioning upgrade; and addition of utility monitoring and control systems.</p>											

Interface Number	Type of Interface	Activity (Service – Mandatory)	MSC	PRC	TOC	WTP	RCCC (Service Provider)	Other Site Users	Requirements	Cost Allocations
96	P	Waste Disposal - CERCLA remediation Low Level (LLW) and Contact-handled and Remote-handled (CH/RH) Mixed Low Level (MLLW)	Deliver to RCCC	Deliver to RCCC	Deliver to RCCC	Deliver to RCCC	Receive from Site contractors	Optional		Hanford Site contractors budget for waste treatment and disposal; deliver waste to ERDF.
			<ul style="list-style-type: none"> RCCC performs treatment, storage, and disposal of <i>Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA)</i> LLW and CH/RH-MLLW. Hanford Site contractors shall request and provide requirements for service. 							

HANFORD SITE STRUCTURE LIST				
Structure ID	Title	Geographic Area	Assigned Contractor	Previous Contractor
6643	Bruggemann's Warehouse	600	MSA	TBD

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
100-B (A) Riverlines	100-B (A) \ Riverlines (1904B1)	100B	WCH
100-B (B) Riverlines	100-B (B) \ Riverlines (1904B2)	100B	WCH
100-C (A) Riverlines	100-C (A) \ Riverlines (1904C1)	100B	WCH
100-C (B) Riverlines	100-C (B) \ Riverlines (1904C2)	100B	WCH
100-D (A) Riverlines	100-D (A) \ Riverlines (1904D)	100D	WCH
100-D (B) Riverlines	100-D (B) \ Riverlines 1904D)	100D	WCH
100-DR Riverlines	100-DR \ Riverlines (1904DR)	100D	WCH
100-F (A) Riverlines	100-F (A) \ Riverlines (1904F)	100F	WCH
100-F (B) Riverlines	100-F (B) \ Riverlines (1904F)	100F	WCH
100-H (A) Riverlines	100-H (A) \ Riverlines (1904H)	100H	WCH
100-H (B) Riverlines	100-H (B) \ Riverlines (1904H)	100H	WCH
100-K (A) Riverlines	100-K (A) \ Riverlines (1904K)	100K	CHPRC
100-K (B) Riverlines	100-K (B) \ Riverlines(1904K)	100K	WCH
100-N Riverlines	100-N \ Riverlines (1908N)	100N	WCH
105B	B Reactor Museum	100B	MSA
105C	Cocooned Reactor Building	100B	WCH
105D	Cocooned Reactor Building	100D	WCH
105DR	Cocooned Reactor Building	100D	WCH
105DR Water tunnels	105-DR \ Water tunnels	100D	WCH
105F	Cocooned Reactor Building	100F	WCH
105H	Cocooned Reactor Building	100H	WCH
105KE	Reactor Building	100K	CHPRC
105KE Basin	Spent Fuel Storage Basin	100K	CHPRC
105KE Water Tunnels	Process Water tunnels	100K	CHPRC
105KW	Reactor Building	100K	CHPRC
105KW Basin	Spent Fuel Storage Basin	100K	CHPRC
105KW Water tunnels	Process Water tunnels	100K	CHPRC
105N	Reactor Building and Fuel Storage Basin	100N	WCH
105NA	Emergency Diesel Enclosure	100N	WCH
105ND	Remote Air Intake	100N	WCH
105NE	Fission Product Filter Trap	100N	WCH
107N	Basin Recirculation Cooling Building	100N	WCH
109N	Heat Exchanger Building	100N	WCH
110KE	Gas Storage Facility	100K	CHPRC
110KW	Gas Storage Facility	100K	CHPRC
1112N	Guard Station (Telecommunications Center)	100N	WCH
1112NA	Microwave Tower & Annex Building	100N	WCH
1120N	Storage & Training Building	100N	WCH
1143N	Carpenter / Paint Shop	100N	WCH
115KE	Gas Recirculation Building	100K	CHPRC
115KW	Gas Recirculation Building	100K	CHPRC
116B	Reactor Exhaust Air Stack	100B	MSA
116KE	Reactor Exhaust Stack	100K	CHPRC
116KW	Reactor Exhaust Stack	100K	CHPRC
116N	Exhaust Stack -105N Reactor	100N	WCH
117KE	Exhaust Air Filter Building	100K	CHPRC
117KW	Exhaust Air Filter Building	100K	CHPRC
117N	Air Filter Building	100N	WCH
117NVH	Valve Control House	100N	WCH
118D	100D/DR Field Survey & Packaging Tent	100D	WCH
118KE	Horizontal Control Rod Storage Cave	100K	CHPRC
118KW	Horizontal Control Rod Storage Cave	100K	CHPRC
119B	Exhaust Air Sample Building	100B	MSA
119KE	Exhaust Air Sampling Bldg	100K	CHPRC
119KW	Exhaust Air Sampling Bldg	100K	CHPRC
120N	Bioremediation Equipment Storage Building	100N	WCH
1220	Telephone Exchange	RCHN	MSA
1303N	Radioactive Dummy Burial Facility	100N	WCH
1310N	Chemical Waste Storage Facility	100N	WCH
1315NA	Valve House	100N	WCH
1322N	Waste Treatment Pilot Plant Facility	100N	WCH
1322NA	Effluent Water Pilot Plant	100N	WCH
1322NB	Crib Effluent Iodine Monitoring Facility	100N	WCH

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
1322NC	Crib Sample Pump Pit	100N	WCH
1323N	N8 Wells Sampling Station	100N	CHPRC
142K	Cold Vacuum Drying Facility	100K	CHPRC
142KA	CVDF Generator Building	100K	CHPRC
1506K1	Fiber Optics Computer Hut	100K	MSA
1506K2	HLAN Hub	100K	MSA
151B	Primary Substation	100B	WCH
151D	Primary Substation Switch House	100D	WCH
151K	Electrical Substation (230 kV)	100K	CHPRC
151KE	Electrical Substation (230 kV)	100K	MSA
151KW	Electrical Substation (230 kV)	100K	MSA
1524N	Hazardous Waste Pad	100N	WCH
1525N	Laydown Storage Area	100N	WCH
155N	BPA Switch Yard	100N	BPA
1601D	Pump and Treat Transfer Building	100D	CHPRC
1601H	Transfer Building	100H	CHPRC
1604K	KR-4 Pump & Treat Process Building	100K	CHPRC
1605KE	Guard Tower - East	100K	CHPRC
1605KW	Guard Tower - West	100K	CHPRC
1606K	KR-4 Pump & Treat Transfer Building #2	600	CHPRC
1606KA	KX Pump & Treat Transfer Building #2	600	CHPRC
1607K	KR-4 Pump & Treat Transfer Building #1	600	CHPRC
1607KA	KX Pump & Treat Transfer Building #1	600	CHPRC
1607N1	Sewage Treatment Tank #1 (124N1)	100N	WCH
1607N2	Sewage Treatment Tank #2 (124N2)	100N	WCH
1607N3	Sewage Treatment Tank #3 (124N3)	100N	WCH
1607N9	Sewage Treatment Tank #9 (124N9)	100N	WCH
1608B	Vacuum Seal House	100B	MSA
1608K	KX Pump & Treat Process Building	600	CHPRC
1614K3	Environmental Monitoring Station	100K	CHPRC
165KE	Power Control Building	100K	CHPRC
165KW	Power Control Building	100K	CHPRC
166AKE	Material Storage Building	100K	CHPRC
166KE	Oil Storage Vault	100K	CHPRC
166KW	Oil Storage Vault	100K	CHPRC
167K	Cross Tie Tunnel Building	100K	CHPRC
1705KE	Effluent Water Treatment Pilot Plant	100K	CHPRC
1706KE	Rad Con Count Lab Facility	100K	CHPRC
1706KEL	Development Laboratory	100K	CHPRC
1706KER	Water Studies Recirculation Bldg	100K	CHPRC
1713H	Warehouse	100H	CHPRC
1713KE	Shop Building	100K	CHPRC
1713KER	Warehouse	100K	CHPRC
1713KW	Warehouse	100K	CHPRC
1714KE	Oil & Paint Storage Shed	100K	CHPRC
1714KW	Oil & Paint Storage Shed	100K	CHPRC
1717AKE	Electrical Shed	100K	CHPRC
1717K	Maintenance Transportation Shop	100K	CHPRC
1720K	Administrative Office Building	100K	CHPRC
1722N	Decontamination Shop	100N	WCH
1724K	Maintenance Shop	100K	CHPRC
1724KA	Storage Shed	100K	CHPRC
1724KB	Gas Bottle Storage Facility	100K	CHPRC
181B	River Pump House	100B	MSA
181B101	Raw Water Valve Pit	100B	MSA
181B102	Raw Water Valve House	100B	MSA
181B66	Tank, Diesel Fuel	100B	MSA
181D	River Pump House	100D	MSA
181D101	Raw Water Valve Pit	100D	MSA
181D102	Raw Water Valve House	100D	MSA
181KE	River Pump House & Guard Tower	100K	CHPRC
181KW	River Pump House & Guard Tower	100K	CHPRC
181N	River Water Pump House	100N	WCH

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
181NA	Pump House / Guard Tower	100N	WCH
181NB	Diesel Enclosure #3	100N	WCH
181NE	Hanford Generating Plant River Water Pump House	100N	WCH
182B	Reservoir and Pump House	100B	MSA
182D	Reservoir and Pump House	100D	MSA
182K	Emergency Water Reservoir Pump House	100K	CHPRC
182N	High Lift Pump House Building	100N	WCH
183.1KE	Headhouse	100K	CHPRC
183.1KW	Headhouse	100K	CHPRC
183.2KE	KE Sedimentation Basins	100K	CHPRC
183.2KW	KW Sedimentation Basins	100K	CHPRC
183.3KE	KE Filter Basin	100K	CHPRC
183.3KW	KW Filter Basin	100K	CHPRC
183.4KE	KE Reservoir & Clearwells	100K	CHPRC
183.4KW	KW Reservoir & Clearwells	100K	CHPRC
183.5KE	Lime Feeder Building (West)	100K	CHPRC
183.5KW	Lime Feeder Building (West)	100K	CHPRC
183.6KE	Lime Feeder Building (East)	100K	CHPRC
183.6KW	Lime Feeder Building (East)	100K	CHPRC
183.7KE	Pipe Tunnels	100K	CHPRC
183.7KW	Pipe Tunnels	100K	CHPRC
183D	Water Filtration Plant	100D	MSA
183F	West Clearwell	100F	WCH
183H	Water Treatment Facility	100H	WCH
183KE	Chlorine Vault	100K	CHPRC
185K	Potable Water Treatment Plant	100K	CHPRC
186D	100D Pump and Treat DR-5	100D	CHPRC
186N	100N Alternative Potable Water Plant	100N	WCH
1901U	Valve Pit	600	MSA
1901Y	Export Water Line Valve House	600	MSA
1901Z	Export Water Line Valve House	600	MSA
1902D	Elevated Water Tank & Underground Valve Vault	100D	WCH
1902N81	Fire Protection Valve House	100N	WCH
1903N	Sanitary Sewer Tile Field & Septic Tanks	100N	WCH
1904N	Sewage Lagoon (AKA 100LN)	100N	MSA
1904NA	Sewage Lift Station #1	100N	MSA
1904NB	Sewage Lift Station #2	100N	WCH
1904NC	Sewage Lift Station #3	100N	WCH
1908K	Outfall Structure	100K	CHPRC
1908KE	Effluent Water Monitoring Station	100K	CHPRC
1908N	Outfall Structure	100N	WCH
1908NE	Outfall Structure (Hanford Generating Station)	100N	WCH
1909KE	Effluent Junction Box	100K	CHPRC
1909KW	Effluent Junction Box	100K	CHPRC
1909N	Waste Disposal Valve Pit	100N	WCH
190KE	Warehouse/Pump House	100K	CHPRC
190KW	Main Pump House	100K	CHPRC
1926N	Valve Pit	100N	WCH
200CC-BA	Construction Complex Boiler Annex	200W	JCI
201C	Hot Process Bldg (Hot Semiworks Facility)	200E	CHPRC
201R	Waste Tank Mockup Facility	200W	WRPS
201W	Vegetation & Animal Control Shop (SE Corner 2W)	200W	MSA
2025E	200 Area Effluent Treatment Facility	200E	CHPRC
2025EA	Effluent Treatment Office Bldg	200E	CHPRC
2025EC	Purgewater Receiving Tanks and Containment	200E	CHPRC
2025EC71	ETF LCU Building	200E	CHPRC
2025ED	Purgewater Unloading Facility	200E	CHPRC
202A	PUREX Canyon and Service Facility	200E	CHPRC
202A417	Steam Condensate Pump Pit	200E	CHPRC
202S	REDOX Canyon	200W	CHPRC
203A	Acid Pump House	200E	CHPRC
203UX	Gas Storage Facility	200W	CHPRC
204A	Acid Storage Vault, U Cell below Grade	200E	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
204AR	Railcar Unloading Facility	200E	WRPS
206A	Vacuum Acid Fractionator Building	200E	CHPRC
207B	Cooling Water Retention Basin	200E	CHPRC
207BA	CBC Sampler Building	200E	CHPRC
207SL	Water Retention Basin	200W	WRPS
207U	Water Retention Basins, Sample Pit & Inst. Enclosure	200W	CHPRC
209E	Tank Farm Waste Support Facility	200E	CHPRC
209EA	90 Day Storage Pad with Metal Roof	200E	CHPRC
2101HV	Construction Warehouse - HWVP	200E	WRPS
2101M	Spare Parts Warehouse, Office Bldg	200E	MSA
2102HV	Material Management Pad	200E	WRPS
2102M	Storage Shed	200E	MSA
2102N	Storage Shed	200E	MSA
2103HV	Hazardous Waste Accumulation Area	200E	WRPS
2104M	Utility Truck Shed	200E	MSA
2104N	Breezeway	200E	CHPRC
2105HV	General Storage - Pre-Fabricated Sprung Dome	200E	WRPS
2106HV	HWVP Storage Bldg (Sprung Dome)	200E	WRPS
2107	Drum Vent Facility for TRU Retrieval	200E	CHPRC
2108	CWC Drum Vent System (DV52)	200W	CHPRC
210A	Oil Drum Storage (PUREX)	200E	CHPRC
210E	Cement Storage	200E	MSA
210W	Drum Movement Material storage shed	200W	CHPRC
211A	Chemical Makeup Tank Farm, Pump House	200E	CHPRC
211B	Bulk Chemical Storage	200E	CHPRC
211BA	Electrical Maintenance Equipment Storage	200E	CHPRC
211BA151	Monitoring Station	200E	CHPRC
211BB	Motor Control Center Building	200E	CHPRC
211E	Overflow Storage Tank	200E	MSA
211H	Patrol Storage Shed	200E	MSA
211S	Cold Chemical Makeup Tank Farm	200W	CHPRC
211T	Cold Chemical Makeup Tank Farm	200W	CHPRC
211T52	Instrumentation Building	200W	CHPRC
211U	Cold Chemical Makeup Tank Farm	200W	CHPRC
211UA	Cold Chemical Makeup Tank Farm Addition	200W	CHPRC
2120WA	CWC Equipment Storage Building	200W	CHPRC
2120WB	CWC Equipment Storage Building	200W	CHPRC
2125E	ETF North End Storage Facility (new)	200E	CHPRC
212A	Fission Product Loadout Station	200E	CHPRC
212B	Fission Product Loadout, Cask Transfer Building	200E	CHPRC
212H	Canister Storage Building	200E	CHPRC
212N	Storage Building	600	CHPRC
212P	Electrical Storage & Transformer Shop	600	CHPRC
212R	Storage Building	600	CHPRC
212S	Covered Gas Cylinder Storage Dock	200W	WRPS
212T	T Plant Storage Building	200W	CHPRC
212W	Storage Sheds (Near 272S)	200W	WRPS
213A	Fission Product Load-in Station	200E	CHPRC
213E	Storage Shed	200E	MSA
213J	Storage Vault	600	WCH
213K	Storage Vault	600	WCH
213P	Hanford Patrol K9 Storage	200E	MSA
213S	Covered Pipe Rack & Excess Storage	200W	WRPS
213W	Waste Compactor Building	200W	WRPS
213WB	Skid Mounted Storage Shack	200W	MSA
214A	PUREX Warehouse	200E	CHPRC
214E	Storage Facility	200E	MSA
214T	Chemical Storage Building	200W	CHPRC
215C	Gas Preparation Building	200E	CHPRC
215E	Storage Facility	200E	MSA
216A	Valve Control Facility	200E	WRPS
216A1A	Proportional Sampler Pit #3	200E	CHPRC
216A271	Valve Control House	200E	CHPRC

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
216A29A	Ditch Control Structure	200E	CHPRC
216A30	Crib	200E	CHPRC
216A42	PUREX Effluent Retention Basin	200E	CHPRC
216A42A	Pump Station Pit	200E	CHPRC
216A42B	Valve Box	200E	CHPRC
216A42C	Valve Box	200E	CHPRC
216A42D	Diversion Box	200E	CHPRC
216A42E	Diversion Box	200E	CHPRC
216A508	Control Structure	200E	CHPRC
216A524	Crib Control Structure	200E	CHPRC
216A5A	Proportional Sampler Pit #4	200E	CHPRC
216A8A	Proportional Sampler Pit #2	200E	CHPRC
216B57	Prototype Surface Barrier Test	200E	CHPRC
216B59A	Retention Basin Diversion Station & Valve Pit	200E	CHPRC
216B59B	Retention Basin and Pump Pit	200E	CHPRC
216E28A	Contingency Pond Control Structure	600	WRPS
216E28B	Contingency Pond Bypass Control Structure	600	CHPRC
216E28C	PUREX Cooling Water Line Flow Meter	600	CHPRC
216E43	Control Structures for 200 Area TEDF	600	CHPRC
216E43A	Pond A at 200 Area TEDF	600	CHPRC
216E43B	Pond B at 200 Area TEDF	600	CHPRC
216TY201	Supernatant Disposal Flush Tank	200W	CHPRC
216Z8	Silica Waste Storage Tank(241Z8) & French Drain	200W	CHPRC
216Z9A	Z-9 Contaminated Soil Removal Building	200W	CHPRC
216Z9B	Z-9 Mining Facility Operator's Cubicle	200W	CHPRC
216Z9C	Z-9 Weather Enclosure	200W	CHPRC
216ZP1	Main Process Facility 200-ZP-1	200W	CHPRC
216ZP1A	Injection Manifold Building	200W	CHPRC
216ZP1B	Extraction Manifold Building	200W	CHPRC
216ZP1C	Extraction Manifold Building	200W	CHPRC
217A	PUREX SAMCONS	200E	CHPRC
217B	Deminerlizer Building	200E	CHPRC
217E	Storage Facility	200E	MSA
217F	Portable Building at 4B Burial Ground	200W	CHPRC
217G	Portable Change Building	200W	CHPRC
217H	Portable Building at Burial Ground	200W	CHPRC
217I	Portable Building at Burial Ground	200W	CHPRC
218B	Emergency Equipment Storage Shed	200E	CHPRC
218E14	PUREX Plant Storage Tunnel #1	200E	CHPRC
218E15	PUREX Plant Storage Tunnel #2	200E	CHPRC
218E16	Grout Disposal/Treatment Facility Vaults 102-105	200E	WRPS
218E16101	Grout Disposal Vault 101	200E	WRPS
218E7	Dry Burial Vaults (behind 222B)	200E	CHPRC
218W5-252	Electrical Control Building - Trench 31	200W	CHPRC
218W5-252A	Electrical Control Building - Trench 34	200W	CHPRC
218W5T31T1	Leachate Storage Tank-Trench 31	200W	CHPRC
218W5T34T1	Leachate Storage Tank-Trench 34	200W	CHPRC
218W7	Dry Waste Burial Vault-222S	200W	CHPRC
218W8	Dry Burial Vaults	200E	CHPRC
219A	IDF Crest Pad Building	200E	CHPRC
219A1	IDF Leachate Transfer Building	200E	CHPRC
219A201	IDF Leachate Storage Tank	200E	CHPRC
219C	Storage Unit W of 2025E	200E	CHPRC
219D	Liquid Waste Processing Storage Unit	200E	CHPRC
219E	IDF Crest Pad Building	200E	CHPRC
219E1	IDF Leachate Transfer Building	200E	CHPRC
219E201	IDF Leachate Storage Tank	200E	CHPRC
219F	Weather Protection Tent	200W	CHPRC
219G	Custodial Storage	200W	MSA
219H	Transportation Equipment Storage	200E	MSA
219S	Rad Waste Staging & Transfer Facility	200W	WRPS
2202E	Weather Enclosure for Waste Recovery	200E	CHPRC
220A	Steam Condensate Sampler Pit	200E	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
221A	Former Pipefitter Shop	200E	CHPRC
221B	B Plant Canyon	200E	CHPRC
221BA	Cooling Water Monitoring Station	200E	CHPRC
221BB	Process Steam and Condensate Building	200E	CHPRC
221BC	SWP Change House	200E	CHPRC
221BD	Laundry Storage Building	200E	CHPRC
221BF	Condensate Effluent Discharge Facility at B Plant	200E	CHPRC
221BG	B Plant Cooling Water Sampling Bldg	200E	CHPRC
221BK	B Plant Canyon Ventilation Instrument Bldg	200E	CHPRC
221T	T-Plant Canyon	200W	CHPRC
221TA	Fan House	200W	CHPRC
221TB	Laundry Storage Skid Shack	200W	CHPRC
221U	U Plant Canyon Building	200W	CHPRC
2220E	Telephone Exchange Bldg	200E	MSA
2220W	Telephone Exchange	200W	MSA
222B	Office Building	200E	CHPRC
222S	Central Analytical Laboratory	200W	WRPS
222SA	Standards/Process Development Laboratory	200W	WRPS
222SB	South Filter Building	200W	WRPS
222S-BA	222S Boiler Annex	200W	JCI
222SC	North Filter Building	200W	WRPS
222SD	Solid Waste Storage Pad	200W	WRPS
222SE	Filter Building	200W	WRPS
222SF	Equipment Storage	200W	WRPS
222SH	Office & Change Room	200W	WRPS
222T	Office Administration Building	200W	CHPRC
2230E	Biological Control Storage Facility	200E	MSA
2237E	Pipefitter's Shop	200E	WRPS
223E	105A Mock Tank	200E	WRPS
224B	Concentration Facility	200E	CHPRC
224T	Transuranic Storage and Assay Facility	200W	CHPRC
224U	UO3 Plant Concentration and Loadout Building	200W	CHPRC
224UA	UO3 Calcination and Loadout Facility	200W	CHPRC
2256WTP	Combination Shop East Of Vitrification Bldg	200E	BNI
2258E	Storage Building at A Farm	200E	WRPS
2259W	Pipefitters Storage	200W	CHPRC
225B	Waste Encapsulation & Storage Facility	200E	CHPRC
225BA	K1 Filter Pit Encapsulation Facility	200E	CHPRC
225BB	K3 Filter Pit Encapsulation Facility	200E	CHPRC
225B-BA	225B Boiler Annex	200E	JCI
225BC	Encapsulation Compressor Facility	200E	CHPRC
225BD	Encapsulation Waste Monitoring & Sample Bldg	200E	CHPRC
225BE	Encapsulation Maintenance Shop	200E	CHPRC
225BF	WESF Tanker Loadout Station	200E	CHPRC
225BG	WESF Closed Loop Cooling Equipment Building	200E	CHPRC
225BG-GEN1	Backup Generator & Diesel Fuel Tanks	200E	CHPRC
225E	TEDF Pump Station 2	200E	CHPRC
225EC	TEDF - Local Control Unit 55C-13	200E	CHPRC
225W	TEDF Pump Station 1	200W	CHPRC
225WA	TEDF - Local Control Unit 55C-21	200W	CHPRC
225WB	TEDF - Local Control Unit 55C-22	200W	WRPS
225WC	TEDF - Local Control Unit 55C-23	200W	CHPRC
2262W	Insulators Storage	200W	CHPRC
2263W	Gas Bottle Storage Building	200W	CHPRC
2265W	Storage Building (Ice Storage)	200W	CHPRC
2266E	Closure Support Center	200E	MSA
227S	Conditioned Storage Building	200W	WRPS
229W	Drum Storage Weather Enclosure	200W	CHPRC
2300W	Electrician Shop / Office	200W	CHPRC
2304W	Pipefitter Shop	200W	CHPRC
2305W	Ladder Storage Rack	200W	CHPRC
2306W	Insulators Shop	200W	CHPRC
2307W	Pipefitter Storage	200W	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
2308W	Carpenters Shop	200W	CHPRC
2309W	Sheetmetal Shop	200W	CHPRC
2310W	Material Storage	200W	CHPRC
2314W	Bench Stock Storage (Skid Shack)	200W	CHPRC
2315W	Ice House	200W	CHPRC
2316W	Heavy Equipment Operator Shack	200W	CHPRC
2318W	Painter Shop	200W	CHPRC
231W151	Sump Tank and Well	200W	CHPRC
231Z	Pu Metallurgy Lab	200W	CHPRC
2336W	Waste Receiving & Processing Facility	200W	CHPRC
234-5Z	PFP Pu Processing & Storage	200W	CHPRC
234-5ZA	PFP Micon, Aces, and Mask Fit Stations	200W	CHPRC
234-5Z-BA	PFP Boiler Annex	200W	JCI
234-5Z-BE	Boiler House Electric Annex	200W	JCI
236Z	Plutonium Reclamation Building	200W	CHPRC
2400E	Dry Material Facility Control Room	200E	CHPRC
2401W	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402EA	Dry Material Facility Unloading Pit	200E	CHPRC
2402EB	Dry Material Facility Cement Silo	200E	CHPRC
2402EC	Dry Material Facility Fly Ash Silo	200E	CHPRC
2402ED	Dry Material Facility Pottery Clay Silo	200E	CHPRC
2402EF	Dry Material Facility Attapulgate Clay Silo	200E	CHPRC
2402EG	Dry Material Facility Transfer Pump Pit	200E	CHPRC
2402W	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WB	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WC	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WD	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WE	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WF	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WG	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WH	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WI	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WJ	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WK	Mixed Waste Storage Facility at CWC	200W	CHPRC
2402WL	Mixed Waste Storage Facility at CWC	200W	CHPRC
2403E	DMRHF Dry Blended Storage/Truck Loadout Facility	200E	CHPRC
2403EA	Compressor Bldg	200E	CHPRC
2403WA	RMW Storage Facility	200W	CHPRC
2403WB	RMW Storage Facility	200W	CHPRC
2403WC	RMW Storage Facility	200W	CHPRC
2403WD	RMW Storage Facility	200W	CHPRC
2404E	DMRHF Compressor Building	200E	CHPRC
2404WA	Long Term Drum Storage Building	200W	CHPRC
2404WB	Long Term Drum Storage Building	200W	CHPRC
2404WC	Long Term Drum Storage Building	200W	CHPRC
2405W	W&FM Maintenance Facility	200W	CHPRC
240W	CWC Box Storage Area	200W	CHPRC
241A152	Diversion Box	200E	WRPS
241A201	Emergency Cooling Water Storage Tank SE of PUREX	200E	CHPRC
241A271	Tank Farm Control House	200E	WRPS
241A401	Tank Farm Condenser House	200E	WRPS
241A431	Tank Farm Ventilation House	200E	WRPS
241A701	Tank Farm Compressor House	200E	WRPS
241A702	Tank Farm Fan House	200E	WRPS
241AN271	Instrument Control House	200E	WRPS
241AN273	Compressor Building	200E	WRPS
241AN274	Mixer Pump and Caustic Addition Control Bldg	200E	WRPS
241AN801	Water Service Building	200E	WRPS
241AP271	Tank Farm Instrument Building	200E	WRPS
241AP273	Compressor Building	200E	WRPS
241AP801	Water Service Building	200E	WRPS
241AW271	Tank Farm Control House	200E	WRPS
241AW273	Compressor Building	200E	WRPS

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
241AW801	Water Service Building	200E	WRPS
241AX801A	Tank Farm Control House, North	200E	WRPS
241AX801B	Tank Farm Control House, South	200E	WRPS
241AX801C	Tank Farm Control House (S of A Farm)	200E	WRPS
241AY401	Vent Recirculation Equipment Vault	200E	WRPS
241AY402	Vent Recirculation Equipment Vault	200E	WRPS
241AY51	Electrical Equipment Enclosure	200E	WRPS
241AY51A	Seismic Shutdown System 1A & 1B	200E	WRPS
241AY801A	Tank Farm Instrument House	200E	WRPS
241AZ156	Mixer Pump Speed Control House	200E	WRPS
241AZ271	Change House / Control Building	200E	WRPS
241AZ301A	Chemical Addition Bldg and Receiver Tank	200E	WRPS
241AZ401	Vent Recirculation Equipment Vault	200E	WRPS
241AZ402	Vent Recirculation Equipment Vault	200E	WRPS
241AZ701	Diesel Generator Building	200E	WRPS
241AZ702	Waste Tank Ventilation Building	200E	WRPS
241AZ801A	Instrument House	200E	WRPS
241B361	Underground Waste Settling Tank	200E	CHPRC
241B701	Instrument Air Compressor Building	200E	WRPS
241BY254	Control House and Compressor, ITS2	200E	WRPS
241BY301	Control House For In-Tank Solidification	200E	WRPS
241BY302	Compressor House, ITS1	200E	WRPS
241C51	Electrical Equipment Enclosure at C-Farm	200E	WRPS
241C51A	Seismic Shutdown System 1A & 1B	200E	WRPS
241C73	C-Farm Service Building	200E	WRPS
241C801	Cesium Loadout Building	200E	WRPS
241C90	Air Compressor Facility	200E	WRPS
241C91	241C106 Process Bldg	200E	WRPS
241CR271	Waste Disposal Control House	200E	WRPS
241CX40	Grout Removal Building	200E	CHPRC
241CX70	Mixed Waste Storage Tank	200E	CHPRC
241CX71	Acidic Waste Neutralization Tank	200E	CHPRC
241CX72	Self Concentrator Tank	200E	CHPRC
241CXV	Self Concentrator Vault	200E	CHPRC
241S271A	Electrical/Instrument Control Building	200W	WRPS
241S271B	Electrical/Instrument Control Building	200W	WRPS
241SX271	Tank Farm Control House	200W	WRPS
241SX281	Emergency Cooling Water Pump House	200W	WRPS
241SX401	Waste Disposal Condenser House - North	200W	WRPS
241SX402	Waste Disposal Condenser House - South	200W	WRPS
241SX701	Waste Disposal Condenser House	200W	WRPS
241SY271	Instrument and Electrical Control House	200W	WRPS
241SY272	Electrical Building	200W	WRPS
241SY274	Gas Monitoring Shelter (GMS-1)	200W	WRPS
241SY275	Gas Monitoring Shelter (GMS-2)	200W	WRPS
241SY276	DACS Uninterruptible Power Supply Skid	200W	WRPS
241T361	Waste Settling Tank Underground	200W	CHPRC
241T701	Instrument Air Compressor House	200W	WRPS
241TX701	Laundry Storage Facility	200W	WRPS
241U271	U Farm Control House	200W	WRPS
241U361	Waste Settling Tank Underground	200W	CHPRC
241U701	Instrument Air Compressor House	200W	WRPS
241WR	Vault - Thorium Storage	200W	CHPRC
241ZRB	Retention Basin	200W	CHPRC
2420W	German Logs Storage Pad at CWC	200W	CHPRC
242A	Evaporator	200E	WRPS
242A702	Turbine Building	200E	WRPS
242A81	Water Service Building	200E	WRPS
242AB	Evaporator Control Building	200E	WRPS
242A-BA	Boiler Annex	200E	JCI
242AC	Pipefitter's Shop	200E	WRPS
242AL11	LERF Storage Building	200E	CHPRC
242AL42	LERF Basin 42	200E	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
242AL43	LERF Basin 43	200E	CHPRC
242AL44	LERF Basin 44	200E	CHPRC
242AL71	LERF Instrument Bldg	200E	CHPRC
242B	Radioactive Particle Research Laboratory	200E	CHPRC
242BL	Cask Loading Building	200E	CHPRC
242S	242S Evaporator Facility	200W	WRPS
242S302C	242S Neutralization Tank	200W	WRPS
242S702	Turbine Building, Ventilation	200W	WRPS
242T	Waste Disposal Evaporator Building	200W	WRPS
242T271	Dust Control Barrier	200W	WRPS
242T601	Chemical Makeup Building	200W	WRPS
242T701	TX/TY Compressed Air Station	200W	WRPS
242TB	Vent House	200W	WRPS
242TC	Tank Farm Microcomputer Equipment Bldg	200W	WRPS
242Z	Waste Treatment & Americium Extraction Facility	200W	CHPRC
242ZA	Entrance Control Building for 242Z	200W	CHPRC
243G1	Grout Processing Facility (GPF) Mix-Pump Module	200E	CHPRC
243G12	GPF Mobile Control Room	200E	CHPRC
243G1A	Grout Processing Facility Motor Pit	200E	CHPRC
243G2	GPF Dry Blend Handling & Feed Module	200E	CHPRC
243G3	GPF Additives Module	200E	CHPRC
243G4	GPF Control Room Module	200E	CHPRC
243G6	GPF Electrical Equipment Room	200E	CHPRC
243G8	Grout Filtration Module	200E	CHPRC
243G81	Water Service Building	200E	CHPRC
243G82	GPF Pressure Reducing Valve Pit	200E	CHPRC
243G9	GPF Electrical Substation - GROUT	200E	CHPRC
243T	Waste Storage Structure	200W	CHPRC
243Z	Low-Level Waste Treatment Facility	200W	CHPRC
243ZA	Low Level Waste Storage Facility	200W	CHPRC
243ZB	Cooling Towers and Concrete Pad	200W	CHPRC
244A	Waste Vault and Instrument House	200E	WRPS
244AR	Sludge Vault Storage & Processing	200E	WRPS
244AR40	Cooling Water Diversion Box	200E	WRPS
244AR701	Emergency Generator Building	200E	WRPS
244AR702	500KW Standby Generator Enclosure	200E	WRPS
244AR712	Vault Air Lock and Load Out Bldg	200E	WRPS
244AR715	Closed Loop Cooling System	200E	WRPS
244AR716	South Compressor Bldg	200E	WRPS
244AR717	North Compressor Bldg	200E	WRPS
244BX271	Electrical Instrument Control House	200E	WRPS
244CR	Waste Disposal Vault, C Tank Farm	200E	WRPS
244S271	Instrument Control House	200W	WRPS
244S2904	Flush Pit at 244S Tank Farm	200W	WRPS
244TX271	Electrical Instrumentation Control Bldg	200W	WRPS
244TX2904	Salt Well Receiver Flush Pit Bldg	200W	WRPS
244U271	244U Instrument Control House	200W	WRPS
244U2904	244U Flush Pit	200W	WRPS
2451E	Dry Material Facility Substation	200E	CHPRC
246S	Interim Storage Area-West of 212H	200E	CHPRC
2503Z	13.8kV Switch Yard at 234-5Z	200W	MSA
2506E1	Telecommunications Hub	200E	MSA
2506E2	Telecommunications Hub	200E	MSA
2506E3	Telecommunications Hub	200E	MSA
2506E4	Telecommunications Hub	200E	MSA
2506W1	Telecommunications Hub	200W	MSA
251E	Substation A6 Switchgear Bldg at WTP	200E	MSA
251W	Primary 230kV Switching Station	600	MSA
251W66	Petroleum Tank (Diesel)	600	MSA
2524WTP	LAW Switchgear Building	200E	BNI
252A	13.8kV Electrical Switching Structure	200E	MSA
252AB	PUREX Electrical Substation	200E	CHPRC
252AC	PUREX Mini Electrical Substation	200E	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
252E	Electrical Switching Station -13.8kV	200E	CHPRC
252S	Electrical Switching Station -13.8kV	200W	WRPS
252W	Electrical Switching Station -13.8kV	200W	CHPRC
252Z	Electrical Substation (C8-S6)	200W	MSA
253E	Laydown Yard for Electrical Utilities	200E	MSA
2607E15	Sanitary Sewage Holding Tank Servicing MO493	200E	MSA
2607W1	Septic Tank N41200 W73926	200W	MSA
2620W	Maintenance Facility at WRAP	200W	CHPRC
2652WTP	Warehouse at WTP	200E	BNI
267Z	Fire Riser #9 Valve House	200W	CHPRC
268Z	Mobile Box Assay Unit	200W	CHPRC
2701AB	PUREX Badge House	200E	CHPRC
2701EC	Guard Station for 209E	200E	CHPRC
2701HV	Office Building	200E	CHPRC
2701M	Office Building	200E	CHPRC
2701ZA	Patrol Central Alarm Monitoring Station /Z-Plant	200W	CHPRC
2701ZC	Vehicle Search Portal Outside PFP	200W	CHPRC
2701ZD	PFP Badge House	200W	CHPRC
2701ZE	Vehicle Inspection Shelter at PFP	200W	CHPRC
2702Z	Microwave Tower and Support Building	200W	MSA
2703E	Chemical Engineering Laboratory	200E	WRPS
2704HV	TWRS Office Building	200E	WRPS
2704S	Office Building	200W	WRPS
2704W	Office Building	200W	CHPRC
2704Z	Office Administration Building	200W	CHPRC
2705S	Office Building	200W	WRPS
2705Z	PFP Operations Control Facility	200W	CHPRC
2706T	Equipment Decontamination Building	200W	CHPRC
2706TA	Equipment Decontamination Annex	200W	CHPRC
2706TB	Holding Tanks Building	200W	CHPRC
2707AR	Sludge Vault Change House	200E	WRPS
2707AX	Change House AX Farm	200E	WRPS
2707SX	Carpenter Shop	200W	WRPS
2707W	Change House	200W	CHPRC
2708S	Insulator Shop / Storage Building	200W	CHPRC
270A	Neutralization Tank	200E	CHPRC
270E	Underground Condensate Neutralization Tank	200E	CHPRC
270W	Underground Condensate Neutralization Tank	200W	CHPRC
270Z	PFP Operations Support Building	200W	CHPRC
2710S	Inert Gas Generator Building	200W	CHPRC
2710W	Coal Handlers Shelter	200W	CHPRC
2711A	Air Compressor Building	200E	CHPRC
2711B	Breathing Air Compressor Bldg	200E	CHPRC
2711E	Fleet Equipment Maintenance Shop & Administration	200E	MSA
2711E66	Petroleum Tank (Waste Oil)	200E	MSA
2711E66A	Petroleum Tank (Waste Oil)	200E	MSA
2711EA	Regulated Equipment Maintenance Shop	200E	MSA
2711EB	Heavy Mobile Equipment Maintenance Shop	200E	MSA
2711EC	Equipment Shed for 200E Garage	200E	MSA
2711ED	Heavy Equipment Washdown Carport	200E	MSA
2711EF	Heavy Equipment Washdown Supply Bldg w/Catch Tank	200E	MSA
2711S	Stack Gas Monitoring Station	200W	CHPRC
2712A	Vacuum Pump House	200E	CHPRC
2712B	Electrical/Instrumentation Building	200E	WRPS
2712S	Electrical/Instrumentation Building	200W	WRPS
2712T	Electrical/Instrumentation Building	200W	WRPS
2712U	Electrical/Instrumentation Building	200W	WRPS
2712Z	Stack Sampling & Monitoring Station	200W	CHPRC
2713S	Lab Office Building	200W	WRPS
2713W	200W Carpenter Shop	200W	CHPRC
2713WB	Regulated Garage and Heavy Equipment Repair	200W	WRPS
2713WC	Pesticide Washwater Recovery Facility	200W	MSA
2714A	Dry Chemical Warehouse	200E	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
2714S	Contaminated Equipment Maintenance	200W	WRPS
2715AW	Tank Farm Storage / Staging Facility	200E	WRPS
2715B	Paint Storage Building	200E	CHPRC
2715EC	Paint Shop	200E	MSA
2715ED	Paint Storage Facility	200E	MSA
2715EF	Covered Pad for Paint Supplies	200E	MSA
2715S	Oil Storage Building	200W	CHPRC
2715T	Instrument Tech Shop	200W	CHPRC
2715WA	Tank Farm Storage and Staging Facility	200W	WRPS
2715ZL	Oil Storage Building	200W	CHPRC
2716B	RM Checkout Station, RR Tunnel	200E	CHPRC
2716E	Power Maintenance Storage Building	200E	CHPRC
2716S	Laboratory Storage	200W	WRPS
2716T	RM Checkout Station Near Tunnel	200W	CHPRC
2718E	Critical Mass Laboratory Fissile Storage Building	200E	CHPRC
2718S	Equipment/Lead Shielding Storage Shed	200W	CHPRC
2719EA	Electrical Shop	200E	MSA
2719WB	Modular First Aid Station	200W	MSA
271AB	PUREX Maintenance Support Facility	200E	CHPRC
271B	B Plant Support Building	200E	CHPRC
271BA	Laundry Storage Bldg	200E	CHPRC
271CR	Service and Office Building	200E	WRPS
271T	T Plant Service Building	200W	CHPRC
271U	U Plant Administration Building	200W	CHPRC
2721E	Patrol Headquarters (Central Alarm Facility)	200E	MSA
2721EA	Fire Systems Maintenance North	200E	MSA
2721Z	Emergency Generator Service Building	200W	CHPRC
2722W	Welding Laboratory Building	200W	CHPRC
2723W	Mask Laundry and Office Building	200W	CHPRC
2724A	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724AB	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724AY	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724AZ	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724B	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724BX	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724BY	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724BYA	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724CA	Rad Monitoring & Protective Clothing Bldg	200E	WRPS
2724SX	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724SY	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724T	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724TX	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724TXA	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724TXB	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724U	Rad Monitoring & Protective Clothing Bldg	200W	WRPS
2724WB	Storage Building	200W	MSA
2726S	Propane Storage Yard	200W	CHPRC
2727E	Safeguards and Security Offices	200E	MSA
2727W	Sodium Storage Building	200W	CHPRC
2727WA	Sodium Storage Building	200W	WRPS
2727Z	Supply Storage Building	200W	CHPRC
2728W	Dimensional Inspection Building	200W	CHPRC
2729Z	Storage Building	200W	CHPRC
272AW	Tank Farm Operations Support Facility	200E	WRPS
272B	Electrical Maintenance Shop	200E	CHPRC
272BA	Dry Material Storage Building	200E	CHPRC
272BB	Insulation Shop	200E	CHPRC
272E	Fabrication, Mockup Shop Building	200E	CHPRC
272EA	SWP Change Shelters - Two	200E	WRPS
272HV	CSB Change Room Facility & Office Bldg	200E	CHPRC
272S	Maintenance Shop	200W	WRPS
272W	Machine Shop Building	200W	CHPRC
272WA	Tank Farm Support Facility	200W	WRPS

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
272W-BA	272W Boiler Annex	200W	JCI
2731ZA	Container Storage Building	200W	CHPRC
2734EA	Gas Cylinder Storage Building	200E	CHPRC
2734S	Liquid Nitrogen Storage Facility	200W	WRPS
2734SX	Gas Cylinder Storage Enclosure	200W	WRPS
2734ZA	Gas Bottle Storage	200W	CHPRC
2734ZB	Gas Bottle Storage	200W	CHPRC
2734ZC	Gas Bottle Storage	200W	CHPRC
2734ZD	Process Gas Storage	200W	CHPRC
2734ZJ	Liquid Nitrogen Storage Pad & Tank	200W	CHPRC
2734ZK	Gas Cylinder Storage	200W	CHPRC
2734ZL	Hydrogen Fluoride Facility	200W	CHPRC
2735Z	Chemical Storage Tanks and Catch Basin	200W	CHPRC
2736Z	Plutonium Storage Building	200W	CHPRC
2736ZA	Plutonium Storage Ventilation Structure	200W	CHPRC
2736ZB	Plutonium Storage Support Facility	200W	CHPRC
2736ZC	Cargo Restraint Transport Dock	200W	CHPRC
2736ZD	Vault - EBR II Casks	200W	CHPRC
273E	Vehicle Maintenance Shop	200E	MSA
273EA	Storage Yard / Pad	200E	WRPS
273W	Material Storage	200W	CHPRC
2740W	WRAP Office Building	200W	CHPRC
274AW	Office Building	200E	WRPS
274E	Landlord and Maintenance Shop	200E	MSA
2750E	Office Building	200E	WRPS
2751E	Office Building	200E	MSA
2752E	Office Building	200E	WRPS
2753E	Office Building	200E	CHPRC
2754W	200W Hanford Patrol Center	200W	MSA
275E	Carpenter Shop Building	200E	CHPRC
275EA	Warehouse Essential Materials	200E	CHPRC
275E-BA	Machine Shop	200E	MSA
275W	Heavy Equipment Shop	200W	MSA
276A	Cold Solvent Storage Building, R Cell	200E	CHPRC
276B	Paint Shop	200E	CHPRC
276C	Solvent Handling Bldg	200E	CHPRC
276S	Cold Solvent Storage & Makeup Building	200W	CHPRC
276S141	Hexone Storage Tank-Underground	200W	CHPRC
276S142	Hexone Storage Tank-Underground	200W	CHPRC
276U	Solvent Recovery Tanks	200W	CHPRC
277A	All-Craft Fabrication Shop	200E	WRPS
277T	Material Storage	200W	CHPRC
277W	Fabrication Shop	200W	CHPRC
278AW	Tank Farm Document Control Center	200E	WRPS
278WA	WM/TRU Document Control Center	200W	CHPRC
279W	Sand Blasting Shop	200W	WRPS
281A	Backup Generator Facility	200E	CHPRC
281W	Premises Isolation Enclosure	200W	MSA
282B	Water Pump House South	200E	CHPRC
282BA	Water Pump House North	200E	CHPRC
282E	Pump House and Reservoir	200E	MSA
282EA	Water Reservoir Inlet House, North	200E	MSA
282EB	Water Reservoir Inlet House, South	200E	MSA
282EC	EW Booster SW of Fire Pump House	200E	MSA
282ED	Standby Generator Enclosure	200E	MSA
282W	Reservoir Pump House	200W	MSA
282WA	Water Inlet House	200W	MSA
282WB	Water Plant Seepage & Settling Pond	200W	CHPRC
282WC	EW Booster SW of Fire Pump House	200W	MSA
282WD	Standby Generator Enclosure	200W	MSA
283E	Water Filtration Plant	200E	MSA
283EA	Sanitary Water Tank	200E	MSA
283E-BA	283E Building Boiler Annex	200E	JCI

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
283W	Water Filtration Plant	200W	MSA
283WA	Sanitary Water Tank	200W	MSA
283WB	Equalization Basin & Pump Station	200W	MSA
283W-BA	283W Boiler Annex	200W	JCI
283WC	Solid Contact Clarifier Tank	200W	MSA
283WD	Recycle Pump Station	200W	MSA
283WE	Sludge Lagoons	200W	MSA
283WF	Sample Building	200W	MSA
284E	Power House & Steam Plant	200E	CHPRC
284EA	Salt Brine Storage Tank (Fiberglass)	200E	CHPRC
284EB	Power House Filtration Building	200E	CHPRC
284W	Power House & Steam Plant	200W	CHPRC
284WB	Package Boiler Plant (200W)	200W	CHPRC
285W	Backflow Prevention Building	200W	CHPRC
286W	RMW Backflow Preventer Bldg	200W	CHPRC
287W	Reduced Pressure Backflow Assembly No. 2	200W	MSA
289W	Reduced Pressure Backflow Assembly No 1	200W	MSA
2901A	Elevated Water Storage Tank-PUREX	200E	CHPRC
2901R	Export Water Line Valve Vault	600	MSA
2901S	Elevated Water Storage Tank-REDOX	200W	CHPRC
2901SX1	Water Storage Tank	200W	CHPRC
2901SX2	Water Storage Tank	200W	CHPRC
2901T	Export Water Line Valve Vault	600	MSA
2901U	Export Water Line Valve Vault	600	MSA
2901W	Export Water Line Valve Vault	600	MSA
2901X	Export Water Line Valve House	600	MSA
2901Y	Export Water Line Valve House	600	MSA
2901Z	Export Water Line Valve House	600	MSA
2902B	Elevated Water Storage Tank-B Plant	200E	CHPRC
2902E	200E Elevated Water Storage Tank	200E	CHPRC
2902HV80	Fire Water Storage Tank	200E	CHPRC
2902HV82	Fire Water Pump House	200E	CHPRC
2902HV83	RWX/SWX Manifold Shelter	200E	CHPRC
2902W	200W Elevated Water Storage Tank	200W	CHPRC
2904AR	Cooling Water Sampler Monitoring System	200E	WRPS
2904S160	Control Structure	200W	CHPRC
2904S170	Weir Structure	200W	CHPRC
2904S171	Weir Control Structure	200W	CHPRC
2904S172	Weir Control Structure	200W	CHPRC
2904SA	Cooling Water Sampling Bldg	200W	CHPRC
291A	PUREX Main Exhaust System	200E	CHPRC
291A001	Stack, 202A Main	200E	CHPRC
291AA	Filter Cell #3	200E	CHPRC
291AB	Exhaust Air Sampler House #1	200E	CHPRC
291AC	Exhaust Air Sampler House #2	200E	CHPRC
291AD	Ammonia Off-Gas Building	200E	CHPRC
291AE	Filter Cell #4	200E	CHPRC
291AF	Filter and Drain Tank #2	200E	CHPRC
291AG	Sample Station #2	200E	CHPRC
291AH	AOG Sample Station	200E	CHPRC
291AJ	Sample Station #3	200E	CHPRC
291AK	Tunnel Spray Enclosure with (2) Caissons	200E	CHPRC
291AR	Exhaust Air Filter Stack Bldg	200E	WRPS
291B	Exhaust Fan Control House & Sand Filter	200E	CHPRC
291B001	Stack, 221B Main	200E	CHPRC
291BA	Exhaust Air Sample House	200E	CHPRC
291BB	Instrument Building 1st & 2nd Filter Vaults	200E	CHPRC
291BC	1st & 2nd Filter Vaults & 291BD Access Control Bldg	200E	CHPRC
291BD	Instrument Bldg & 3rd Filter Vault	200E	CHPRC
291BF	Instrument Bldg & 4th Filter Vault	200E	CHPRC
291BG	Instrument Bldg & 5th Filter Vault	200E	CHPRC
291BH	Fifth Filter Vault Plug Cover	200E	CHPRC
291BJ	Instrument Building & 6th Filter Vault	200E	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
291BK	Instrument Bldg for 5th & 6th Filter Vaults	200E	CHPRC
291C	Hot Semi-Works Exhaust System	200E	CHPRC
291CR	244CR Vault Ventilation System	200E	WRPS
291S	Exhaust Fan Control House, Sand Filter & Exhaust Plenums	200W	CHPRC
291S001	Stack (202S Main)	200W	CHPRC
291T	Exhaust Fan, Control House, Sand Filter & Plenum	200W	CHPRC
291T001	Stack, 221T Main	200W	CHPRC
291U	Exhaust Fan Control House, Plenums, Sand Filter, Blower Pit & Sample House	200W	CHPRC
291U001	Exhaust Air Stack (221 Main)	200W	CHPRC
291Z	Exhaust Air Filter Stack Building	200W	CHPRC
291Z001	Main Exhaust Air Stack (234-5Z, 236Z, 242Z)	200W	CHPRC
292AA	PR Stack Sample House	200E	CHPRC
292AB	PUREX Gases Effluent Monitoring Bldg	200E	CHPRC
292AR	244AR Vent System Bldg & Vault	200E	WRPS
292B	Stack Monitor Station	200E	CHPRC
292S	Jet Pit House	200W	CHPRC
292T	Exhaust Gas Laboratory	200W	CHPRC
292U	Stack Monitoring Station	200W	CHPRC
293A	Off Gas Treatment Facility	200E	CHPRC
293S	Acid Recovery & Off Gas Treatment Facility	200W	CHPRC
294A	Off Gas Treatment and Monitoring Station	200E	CHPRC
294B	Backflow Preventer Building	200E	CHPRC
295A	ASD Monitoring/Sample Station	200E	CHPRC
295AA	SCD Sample and Pumpout Station	200E	CHPRC
295AB	PDD Sample Station	200E	CHPRC
295AC	CSL Sample Station	200E	CHPRC
295AD	SWL Sample Station	200E	CHPRC
295AE	PDD Monitoring Bldg	200E	CHPRC
295AZ	ASD Monitoring/Sampling Caisson	200E	CHPRC
296A008	Stack, PUREX Plant Pipe, Operating Gallery, and White Room Exhaust	200E	CHPRC
296A010	Stack, Storage Tunnel No. 2	200E	CHPRC
296A012	Stack, 244AR Vault Vessel Ventilation	200E	WRPS
296A013	Stack, 244AR Vault Canyon/Cells Ventilation	200E	WRPS
296A018	Stack, 241AY101 Tank Annulus Ventilation	200E	WRPS
296A019	Stack, 241AY102 Tank Annulus Ventilation	200E	WRPS
296A020	Stack, 241AZ Tank Annuli Exhaust	200E	WRPS
296A021	Stack, 242A Evaporator Bldg Ventilation	200E	WRPS
296A022	Stack, 242A Evaporator Vessel Ventilation	200E	WRPS
296A027	AW Tank Farm Primary Tank Ventilation	200E	WRPS
296A028	Stack, AW Tank Farm Annulus Ventilation	200E	WRPS
296A029	Stack, AN Tank Farm Primary Tank Ventilation	200E	WRPS
296A030	Stack, AN Tank Farm Annulus Ventilation	200E	WRPS
296A040	Stack, AP Tank Farm Primary Tank Ventilation	200E	WRPS
296A041	Stack, AP Tank Farm Annulus Ventilation	200E	WRPS
296A044	Stack, AN Tank Farm Exhauster	200E	WRPS
296A045	Stack, AN Tank Farm Exhauster	200E	WRPS
296B010	WESF Stack Exhaust	200E	CHPRC
296B013	Stack, 221BF Condensate Effluent Discharge Facility Ventilation	200E	CHPRC
296C005	244CR Vault Ventilation System Stack	200E	WRPS
296C006	Exhaust Stack for Tank 241C106	200E	WRPS
296C007	Exhaust Stack -Tank 241C103 Vapor Mix System	200E	WRPS
296E001	Stack Effluent Treatment Exhaust (2025E)	200E	CHPRC
296G001	Stack, TGF (Grout) Air Filtration Module	200E	CHPRC
296G1	TGE HVAC Exhaust Stack	200E	CHPRC
296H212	Canister Storage Building Main Stack	200E	CHPRC
296K105	Air Sparging Vent 105KW Basin	100K	CHPRC
296K142	Cold Vacuum Drying Facility Main Stack	100K	CHPRC
296P017	Portable Exhauster For Tanks 241A104/105/106	200E	WRPS
296P022	Stack, 241SY Tank Farm Annulus Ventilation	200W	WRPS
296P023	Stack, 241SY Tank Farm Primary Tank Ventilation	200W	WRPS
296P026	Stack, 241AY/AZ Primary Tank Backup Vent, 296A17	200E	WRPS
296P028	Stack, 241SY Primary Tank Backup Vent, 296P23	200W	WRPS
296S012	Twin Stacks at 276S	200W	CHPRC

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
296S015	Stack, 241SX107-112 & 241SX114 Ventilation	200W	WRPS
296S016	Stack, 219S Bldg Vault & Waste Tanks Exhaust	200W	WRPS
296S018	Stack, 242S Evaporator Bldg Ventilation	200W	WRPS
296S021	Stack, 222S Filter House Exhaust Stack	200W	WRPS
296S025	Stack, 241SY Primary Ventilation System	200W	WRPS
296Z015	Exhaust Stack for 243Z Building	200W	CHPRC
300LYS	300 Area Lysimeter Plot	600	PNNL
3020	Environmental Molecular Sciences Laboratory	300	PNNL
307	300 Area Process Sewer Retention Basins	300	CHPRC
308	Fuels Development Laboratory	300	WCH
308A	Fuels Development Laboratory	300	WCH
309	Plutonium Recycle Test Reactor - Offices - Shop	300	WCH
310	Treated Effluent Disposal Facility	300	WCH
310S	Drum Storage Area at 300 TEDF	300	CHPRC
310T1	Equalization Tank T1-TEDF	300	CHPRC
310T2	Diversion Tank T2 - TEDF	300	CHPRC
310T3	Diversion Tank T3 - TEDF	300	CHPRC
310T7A	Clarifier T7A - TEDF	300	WCH
310T7B	Clarifier T7B - TEDF	300	WCH
310V	Valve Vault TEDF	300	CHPRC
312	River Pumping Station	300	WCH
315	Filter Water Plant Building	300	WCH
315A	Chlorinator/Injection Building	300	WCH
315B	Chlorine Storage Building	300	WCH
315C	Backwash Sedimentation Pond	300	WCH
315D	Backwash Recycle Lift Station	300	WCH
318	HTLTR/Radiological Calibrations Laboratory	300	PNNL
318B	HTLTR Stack	300	PNNL
318-BA	318 Boiler Annex	300	JCI
318C	HTLTR Exhaust Filter Pit & Underground Duct	300	PNNL
320	Physical Sciences Laboratory	300	WCH
320-BA	320 Boiler Annex	300	JCI
321	Hydromechanical / Seismic Facility	300	WCH
3212	Records Storage Facility	300	MSA
3220	Telephone Exchange Building	300	MSA
323	Mechanical Properties Laboratory	300	WCH
323-BA	323 Boiler Annex	300	JCI
324	Waste Technology Engineering Laboratory	300	WCH
324A	Exhaust Stack Monitoring Bldg (Original)	300	WCH
324B	Exhaust Stack Monitoring Bldg (Replacement)	300	WCH
324-BA	Boiler Annex	300	JCI
324C	Experimental Lithium Enclosure	300	WCH
324D	Exhaust Stack Sampling Building	300	WCH
324S	RPS Holdup Tank & Diversion System	300	WCH
325	Radiochemical Processing Laboratory	300	PNNL
325A	Cesium Recovery Facility	300	PNNL
325B	Shielded Lab Annex	300	PNNL
325-BA	Boiler Annex	300	JCI
325C	Maintenance Shop Addition	300	PNNL
325D	Fluorine Gas Storage	300	PNNL
325E	Fire Riser/Backflow Preventer Building	300	PNNL
326	Material Science Laboratory	300	WCH
326-BA	326 Boiler Annex	300	JCI
327	Post-irradiation Testing Laboratory	300	WCH
327-BA	327 Boiler Annex	300	WCH
329	Chemical Sciences Laboratory	300	WCH
331	Life Sciences Laboratory	300	PNNL
331-BA	331 Boiler Annex	300	JCI
331C	Interim Waste Storage & Disposal	300	WCH
331D	Biomagnetic Effects Laboratory	300	WCH
331G	Integration Laboratory	300	WCH
331H	Aerosol Wind Tunnel Research Facility	300	WCH
332	Packaging Test Facility	300	WCH

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
335	Sodium Test Facility	300	WCH
336	High Bay Testing Facility	300	WCH
337	Technical Management Center	300	WCH
337B	337 Bldg High-Bay & Service Wing	300	WCH
337-BA	337 Boiler Annex	300	WCH
338	Maintenance Building	300	WCH
339A	Computer Facility	300	MSA
340	Waste Neutralization Facility.	300	WCH
340A	Waste Retention Building	300	WCH
340B	Waste Loadout Building	300	WCH
3410	Material Sciences & Technology Lab	RCHN	PNNL
342	300 Area TEDF Waste Collection Sump	300	CHPRC
3420	Radiation Detection Laboratory	RCHN	PNNL
3425	Ultra Low Background Counting Laboratory	RCHN	PNNL
342A	300 Area TEDF Electrical / Instrumentation Bldg	300	CHPRC
342B	300 Area TEDF Transformer Pad / Vault	300	CHPRC
342C	300 Area TEDF Generator Pad	300	CHPRC
3430	Ultra Trace Laboratory	RCHN	PNNL
3440	Large Detector Laboratory	RCHN	PNNL
350	Plant Operations and Maintenance Facility	300	PNNL
3503B	Electrical Cable Pit No. 3	300	WCH
3506C	Telecommunications Hub	300	WCH
3507	Microwave Tower and Building	300	MSA
350A	Paint Shop	300	PNNL
350B	Warehouse - Maintenance Materials	300	PNNL
350C	Storage Building	300	PNNL
350D	Oil Storage Facility	300	PNNL
351	Substation, 115kV	300	WCH
351A	Meter and Testing Building	300	WCH
351B	Meter Testing and SwitCH2Mear Facility	300	WCH
352E	Switch Station East Side	300	WCH
352F	Electrical Substation 13.8kV	300	WCH
361	CTBT Equipment Shelter	300	WCH
3614A	River Monitoring Station	300	WCH
3621-66	Tank Petroleum (Diesel)	300	WCH
3621BC	Emergency Generator Building	300	WCH
3621D	Emergency Generator Building & Shop	300	WCH
3707F	Radiation Monitoring Bldg	300	WCH
3709A	Fire Station	300	MSA
3709B	Fire Equipment Storage	300	MSA
3714	Soil & Cement Laboratory	300	WCH
3717C	Materials Archive Building	300	WCH
3718	Office & Storage Building	300	WCH
3718A	Laboratory Equipment Central Pool Bldg	300	WCH
3718B	Laboratory Equipment Central Pool Bldg	300	WCH
3718C	Storage Building	300	WCH
3718E	Laboratory Equipment Central Pool Storage Bldg	300	WCH
3718G	Laboratory Equipment Central Pool Storage Bldg	300	WCH
3718M	Sodium Storage Facility	300	WCH
3718N	Insulation Shop	300	WCH
3718P	Storage Building - Environmental	300	WCH
3723	Solvent / Acid Storage	300	WCH
3727	Classified Vault	300	WCH
3728	Geotechnical High Bay	300	WCH
3730	Gamma Irradiation Facility	300	WCH
3760	Technical Library	300	WCH
3766	Office Building	300	WCH
3790	Security Office Building	300	MSA
3802A	Steam PRV Station	300	WCH
382	Pump House Building	300	WCH
382B	Fire Pump Station	300	WCH
382-BA	382 Boiler Annex	300	JCI
382C	Sanitary Water Storage Tank	300	WCH

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
382D	Sanitary Water Storage Tank N of 326	300	WCH
3906	Process Sewer Pump Station	300	WCH
3906A	Sanitary Sewer Lift Station #1	300	WCH
3906B	Sanitary Sewer Lift Station #2	300	WCH
3906C	Sanitary Sewer Monitoring Station	300	WCH
402	Sodium Storage Facility	400	CHPRC
403	Fuel Storage Facility	400	CHPRC
405	FFTF Reactor Containment Building	400	CHPRC
408A	Main Heat Dump, East	400	CHPRC
408B	Main Heat Dump, South	400	CHPRC
408C	Main Heat Dump, West	400	CHPRC
409A	Closed Loop Heat Dump, East #1	400	CHPRC
409B	Closed Loop Heat Dump, East #2	400	CHPRC
4220	Telephone Exchange Bldg	400	MSA
4221	HLAN Fiber Hub	400	MSA
427	Fuels and Materials Examination Facility (FMEF)	400	CHPRC
427A	Argon / Hydrogen Mixing Bldg	400	CHPRC
432A	ISA Covered Equipment Storage	400	CHPRC
436	Training Facility	400	CHPRC
437	Maintenance & Storage Facility (MASF)	400	CHPRC
440	Hazardous Waste Temp Storage	400	CHPRC
451A	FFTF Substation, 115/13.8kV	400	MSA
451B	FFTF Substation, 115/13.8kV	400	MSA
453A	Transformer Station, East DHX A1 2.4kV	400	CHPRC
453B	Transformer Station, South DHX A2 2.4kV	400	CHPRC
453C	Transformer Station, West DHX A3 2.4kV	400	CHPRC
4607	Septic Tank (60,000 gal)	400	CHPRC
4608B	Control Structure & Process Sewer Sampling Station	400	CHPRC
4621E	Auxiliary Equipment Building, East	400	CHPRC
4621W	Auxiliary Equipment Building, West	400	CHPRC
4701A	Guard Station, Kentucky Blvd	400	CHPRC
4701B	Former Guard Station, Grant Ave	400	WCH
4701C	FMEF Gate Bldg, Hayes Street	400	CHPRC
4702	Office Building	400	WCH
4703	FFTF Control Building	400	CHPRC
4704N	CHREST Storage	400	MSA
4704S	400 Area Fire Station	400	MSA
4706	Office Building	400	WCH
4707	400 Area Site Support Office	400	MSA
4710	Operations Support Bldg	400	CHPRC
4713A	Riggers & Drivers Operations Facility	400	CHPRC
4713B	FFTF Maintenance Shop	400	CHPRC
4713C	Contaminated Storage Warehouse	400	CHPRC
4713D	Interim Maintenance and Storage Facility	400	CHPRC
4716	FFTF Rigging Loft	400	CHPRC
4717	Reactor Service Building	400	CHPRC
4718	400 Area Interim Storage Area Pad	400	CHPRC
4719	Patrol Annex	400	WCH
4721	FFTF Emergency Generator Building	400	CHPRC
4722B	Riggers Shop	400	WCH
4722C	Painters Shop	400	MSA
4726	Riggers Supply Storage Bldg	400	WCH
4727	Maintenance Flammable Storage Building	400	WCH
4732A	Warehouse	400	MSA
4732B	Warehouse	400	CHPRC
4732C	Warehouse	400	MSA
4734A	FFTF Argon/Nitrogen DEWAR Pad	400	CHPRC
4734B	Recycle Center	400	MSA
4734C	Vehicle Maintenance Shop	400	MSA
4734D	Warehouse	400	WCH
4760	Construction Shop	400	WCH
4790	Patrol Headquarters Building	400	WCH
4790A	Microwave Tower Storage	400	MSA

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
4791TC	Warehouse (General Storage)	400	WCH
4802	Office / Warehouse	400	CHPRC
480A	Water Supply Well House (P-14)	400	CHPRC
480B	Water Supply Well House (P-15)	400	CHPRC
480D	Water Supply Well House (P-16)	400	CHPRC
481	Water Pump House	400	CHPRC
4814	Warehouse	400	WCH
481A	Water Pump House	400	CHPRC
482A	Water Storage Tank (T-58)	400	CHPRC
482B	Water Storage Tank (T-87)	400	CHPRC
482C	Water Storage Tank (T-330)	400	CHPRC
483	Cooling Towers Chemical Addition Bldg	400	CHPRC
4831	Flammable Storage	400	WCH
483A	FMEF Cooling Tower	400	CHPRC
483B	FMEF Water Treatment Building	400	CHPRC
484	FFTF In-Containment Chiller Water Equipment Bldg	400	CHPRC
4842A	451B Electrical Substation - Switchgear	400	MSA
4842B	Switchgear Bldg for Pump Houses	400	CHPRC
4843	Interim Solid Sanitary Waste Transfer Facility	400	WCH
4852	Gas Bottle Storage-FMEF	400	CHPRC
4862	FMEF Office Wing & Shop	400	CHPRC
491E	HTS Service Building, East	400	CHPRC
491S	HTS Service Building, South	400	CHPRC
491W	HTS Service Building, West	400	CHPRC
506B	Telephone Storage Building	600	CHPRC
506BA	Telecommunications Facility North	600	MSA
6004KW	100KW Pump and Treat Process Facility	600	CHPRC
600LYS	Central Landfill Lysimeter	600	CHPRC
6010	Emergency Vehicle Operations Course (EVOG)	600	MSA
604A	Yakima Barricade Patrol Sentry House	600	MSA
609	Central Fire Station - 100 Areas	600	MSA
6091	HAMMER - Administration Building	600	MSA
6092	HAMMER - AL ALM Building	600	MSA
6092A	HAMMER - Training Tower Structure	600	MSA
6092B	HAMMER - Burn Structure Prop	600	MSA
6092C	HAMMER - HAZMAT Pad	600	MSA
6092D	HAMMER - Pipeline Pad	600	MSA
6092E	HAMMER - 90 Day Storage Pad	600	MSA
6092F	HAMMER - LPG Burn Pad	600	MSA
6092G	HAMMER - Flammable Liquid Burn Pad	600	MSA
6092H	HAMMER - Comfort Station	600	MSA
6092I	HAMMER - Pump House	600	MSA
6092J	HAMMER - Confined Space/Fall Protection Pad	600	MSA
6092K	HAMMER - Waste Tank Prop	600	MSA
6092L	HAMMER - Tanks Prop Pad	600	MSA
6092M	HAMMER - Rail Tank Prop	600	MSA
6092N	HAMMER - LPG Gas Storage Pad	600	MSA
6092O	HAMMER - Rail/Truck Tank Burn Pad	600	MSA
6092P	HAMMER - SCBA Search & Rescue Training Pad	600	MSA
6092Q	HAMMER - Trench Prop	600	MSA
6092R	HAMMER - Crane & Rigging Training Pad	600	MSA
6092S	HAMMER - Dept of State Port of Entry Training Facility	600	MSA
6092U	HAMMER - Vehicle Burn Prop	600	MSA
6092V	HAMMER - Tactical Maze Training Bldg	600	MSA
6093	HAMMER - Storage Building	600	MSA
6094	HAMMER - ALM Building Annex	600	MSA
6095	Simulator Training Building	600	BNI
6096	HAMMER - Volpentest Annex Building	600	MSA
6097	State Department Training Building	600	MSA
6098	Al Alm Storage Building	600	MSA
609A	Fire Station - 200 Areas	600	MSA
609D	Fire Department Training Tower	600	MSA
609G	Fire Alarm and Testing Office Facility	600	MSA

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
609H	Emergency Vehicle Storage	600	MSA
609J	Breathing Air Facility	600	MSA
609K	Fire Station Storage Building	600	MSA
610	Office Chlorinator Storage Shelter Near 609 Bldg	600	MSA
611	Cold Test Facility Warehouse	600	WRPS
6120	Salt/Sand Shed	600	MSA
613	Storage Shelter	600	CHPRC
6130	Salt/Sand Shed	600	MSA
614	Monitor Station	600	CHPRC
6140	Fabric Covered Tent	600	WCH
614A1	Water Sampling Station	600	CHPRC
614B1	Water Sampling Station	600	CHPRC
616	Nonradioactive Dangerous Waste Storage Facility	600	WRPS
616A	State Approved Land Disposal Structure (SALDS)	600	CHPRC
620	Tank Waste Retrieval Pit & Caisson	600	WRPS
622	Meteorology Tower	600	MSA
6221N	ERDS Tower	600	MSA
6221NA	6221N Tower Building	600	MSA
6223	ERDS Tower	600	MSA
6223A	6223 Tower Building	600	MSA
6224	ERDS Tower	600	WCH
6224A	6224 Tower Building	600	WCH
622A	Elevator Control Building	600	MSA
622B	Pilot Balloon Release Building	600	MSA
622C	Environmental Support Storage Building	600	MSA
622F	Field Storage Building	600	MSA
622R	Meteorology Lab	600	MSA
622S	Field Lysimeter Test Facility	600	PNNL
623	Radio Repeater Building (Top of Gable Mtn)	600	CHPRC
6230A	B & C Doppler at 622R (AKA 6232A)	600	MSA
6231NA	NB and NC Doppler between 100N and 100D	600	MSA
6233A	B and C Doppler West of 300 area	600	MSA
6234A	B and C Doppler South of 400 area	600	MSA
623A	Plant Radio Relay Bldg (Top of Rattlesnake Mtn)	600	CHPRC
623B	Backup Radio Repeater Bldg, Gable Mountain	600	MSA
6241A	Diversion Box & Support Bldg	200W	WRPS
6241L	Leak Detection Pkg for 2E/2W X-Site Transfer Line	200E	WRPS
6241V	Vent Station & Support Bldg	600	WRPS
626	Scale House at ERDF	600	WCH
6265	WSCF Utility Building	600	MSA
6265A	WSCF Covered Solid Waste Storage Pad	600	MSA
6266	WSCF Environmental Support Laboratory	600	MSA
6266A	WSCF Contaminated Liquid Waste Retention Vault	600	MSA
6266B	WSCF VAS Pump Building	600	MSA
6267	WSCF Cold Sample Archiving Facility	600	MSA
6268	WSCF Sample Equipment Cleaning Facility	600	MSA
6269	WSCF Mobile Laboratory Storage Facility	600	MSA
6270	WSCF Environmental Data Remedial Tracking System Facility at WSCF	600	MSA
6290	Rigging Services Facility	600	MSA
6291	Fueling Facility	600	MSA
6291-66	Petroleum Tank (Diesel) at Fuel Station	600	MSA
6291-66A	Petroleum Tank (Unleaded Gas) at Fuel Station	600	MSA
6291-66B	Petroleum Tank (E-85) at Fuel Station	600	MSA
6292	Rigging Loft Storage Building South of 6290	600	MSA
6293	Crane & Rigging Change Room & Meeting Bldg	600	MSA
6294	Fuel Station Storage Building	600	MSA
630	Plant Microwave Tower/Equipment Facility	600	MSA
631	Scale House at ERDF	600	WCH
633	Range 5 Shoothouse	600	MSA
635	RCT Shed - Portable	600	WCH
636	Scale House off of Landfill North Road	600	WCH
646	Radioecology Field Laboratory	600	CHPRC
6607-13	Septic Tank N37752, W55100	200E	MSA

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
6607-19	Septic Tank and Drain Field	600	MSA
6607-2	Septic Tank Near 622R N44860, W70105	600	MSA
6607-2A	Septic Tank Near 622A N44830, W70100	600	CHPRC
6607-4	Septic Tank N40490, W62910	600	MSA
6607-8	Septic Tank N50667, W6556	600	MSA
6618	Environmental Restoration Disposal Facility	600	WCH
6618A	ERDF North Crest Circuit Breaker Bldg	600	WCH
6618B	ERDF South Crest Circuit Breaker Bldg	600	WCH
6618C	ERDF Pump House Bldg - Leachate	600	WCH
6618D	ERDF Truck Shop Building	600	WCH
6618E	Cell 3 Crest Pad Bldg	600	WCH
6618F	Cell 4 Crest Pad Bldg	600	WCH
6618G	Cell 5 Crest Pad Building	600	WCH
6618H	Cell 6 Crest Pad Building	600	WCH
6618I	ERDF Cell 7 Crest Pad Building	600	WCH
6618J	ERDF Cell 8 Crest Pad Building	600	WCH
661A	Target Range Control Building	600	MSA
662	Patrol Training Building	600	MSA
6621	Gas Cylinder Storage Shed	600	WCH
662A	Patrol Exercise & Training Facility	600	MSA
663	PTA Storage Facility	600	MSA
6630	Hodges Well & Pumphouse	600	CHPRC
6631	Radio Telescope Pedestal	600	CHPRC
6632	Verizon Telephone Enclosure	600	CHPRC
6633	Franklin County Communication Building	600	CHPRC
6634	ENW Tower and Building	600	CHPRC
6635	Crown Castle/Cingular Tower and Building	600	CHPRC
6636	Columbia Communication Tower and Building	600	CHPRC
6637	Tri City Amateur Radio Tower and Building	600	CHPRC
6638	Community Communication Facility and Tower	600	ENW
664	PTA Administration Building	600	MSA
6643	Bruggemann's Warehouse	600	MSA
6652C	Space Science Laboratory	600	CHPRC
6652CSHED	Storage Building	600	CHPRC
6652D	Pump House	600	CHPRC
6652E	Garden Building	600	USF&W
6652G	ALE Field Storage Building	600	CHPRC
6652H	ALE Laboratory 1	600	CHPRC
6652I	ALE Headquarters	600	CHPRC
6652J	ALE Laboratory II	600	CHPRC
6652K	Pump House	600	USF&W
6652L	Gravitational Experiments Research Facility	600	MSA/CHPRC
6652M	Fallout Laboratory	600	CHPRC
6652O	Storage Building	600	USF&W
6652PH	Fire Protection Pump House	600	USF&W
6652R	Acid Storage Shed	600	USF&W/CHPRC
6652S	Sentry Shed	600	CHPRC
6652T	Fire Protection Lower Pump House	600	CHPRC
6652U	Rattlesnake Mountain Upper Pump House	600	CHPRC
6653	Sample & Monitoring Building	600	CHPRC
6653A	TEDF Pump Station #3	600	CHPRC
6654	AT&T Wireless Services Equipment Shelter	600	AT&T
668	200 East Deep Lysimeter	600	CHPRC
669	Armory Shop	600	MSA
669A	Portable Vault Building	600	MSA
6701	WYE Barricade Guard House	600	MSA
6701A	Guardhouse WYE Barricade	600	MSA
6701B	Rattlesnake Barricade SR240/Beloit Access	600	MSA
6701C	Rattlesnake Barricade SR240/Beloit Access	600	MSA
6701D	Rattlesnake Barricade Inspection Station	600	MSA
6701E	Vehicle Inspection at WYE Barricade	600	MSA
6701F	Vehicle Inspection at Rattlesnake Barricade	600	MSA
6701H	Patrol Enclosure at CSB	600	CHPRC

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
672	Cold Test Administrative Bldg	600	WRPS
674	Cold Test RPP Briefing Center	600	WRPS
676	Communications Support Building	600	MSA
678	ERDF Maintenance Tent	600	WCH
682A	Storage Building at PTA	600	MSA
682B	Storage Building at PTA	600	MSA
682C	Storage Building at PTA	600	MSA
682D	Storage Building at PTA	600	MSA
682E	Storage Building at PTA	600	MSA
683	Control Room at PTA Range 5	600	MSA
684	Range 2 Turning Target Control Booth	600	MSA
712	Records Center Printing and Reproduction Plant	700	MSA
712B	IRM Records Support Facility	700	MSA
7220	Telephone Exchange	700	MSA
C8S49	Main 221B Plant Substation	200E	CHPRC
C8S77	291B Area Substation	200E	CHPRC
HO6405929	ISRM Field Mobile West Side of 100D	100D	CHPRC
HO644259	Mobile Office (AKA MO509)	600	CHPRC
HS Units at WRAP	Alkali Metal Storage Modules at CWC	200W	CHPRC
Low-Level Waste Burial	Low-Level Waste Burial Grounds	200E/W	CHPRC
MO011	Mobile Office - 200W Patrol HQ at PFP	200W	MSA
MO013	Mobile Office (AKA 1158N)	100N	WCH
MO014	Mobile Office at PFP	200W	CHPRC
MO015	Mobile Office at PFP	200W	CHPRC
MO016	Mobile Office at PFP	200W	CHPRC
MO017	Mobile Office at PFP	200W	CHPRC
MO027	Mobile Office at 272S	200W	WRPS
MO028	Mobile Office at S Plant 2704S	200W	WRPS
MO029	Mobile Office at 271B	200E	CHPRC
MO031	Mobile Office at PFP	200W	CHPRC
MO032	Mobile Office at PFP	200W	CHPRC
MO036	Mobile Office East of 3718	300	WCH
MO037	Mobile Office at 222S	200W	WRPS
MO039	Mobile Office at S Plant 2704S	200W	WRPS
MO041	Mobile Office at 243G	200E	WRPS
MO048	Construction Lunch Room (AKA 1733KE)	100K	CHPRC
MO054	Mobile Office South of MO500	100K	CHPRC
MO059	Mobile Office N of 300 Area	300	WCH
MO061	Shower-Restroom Trailer	300	WCH
MO073	Shower Trailer	300	WCH
MO074	Support Mobile	300	WCH
MO075	Decon Trailer	300	WCH
MO086	Material Coordinator Mobile Office	100K	CHPRC
MO100	Mobile Office (AKA 1110N)	100N	WCH
MO101	Mobile Office (AKA 1711K)	100K	CHPRC
MO102	Mobile Office (AKA 1709K)	100K	CHPRC
MO104	Mobile Office at 2719E	200E	CHPRC
MO107	Mobile Office at 224U	200W	CHPRC
MO110	Mobile Office at Sub Burial Pit	200E	CHPRC
MO1101	Mobile Office	100K	CHPRC
MO1103	Mobile Office	100K	CHPRC
MO1112	Mobile Office	100K	CHPRC
MO1113	Office Trailer	100K	CHPRC
MO1114	Office Trailer	100K	CHPRC
MO1115	Office Trailer	100K	CHPRC
MO1116	Office Trailer	100K	CHPRC
MO1117	Locker Room Trailer	100K	CHPRC
MO1118	Locker Room Trailer	100K	CHPRC
MO1119	Crew Trailer	100K	CHPRC
MO112	Mobile Office, A Farm	200E	WRPS
MO1120	Lunchroom Trailer	100K	CHPRC
MO1121	Crew Trailer	100K	CHPRC
MO1122	Crew Trailer	100K	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
MO114	Change Trailer at 241BY	200E	WRPS
MO116	Cold Test Facility Control Office	600	WRPS
MO117	Equipment Storage & Control Trailer	200E	WRPS
MO1304	Restroom Trailer	100K	CHPRC
MO1305	Restroom Trailer	100K	CHPRC
MO1306	Restroom Trailer	100K	CHPRC
MO1307	Restroom Trailer	100K	CHPRC
MO1308	Sink Trailer	100K	CHPRC
MO1309	Mobile Office	100K	CHPRC
MO137	Mobile Office	100D	CHPRC
MO138	Restroom	100D	CHPRC
MO144	AW Restroom Trailer	200E	WRPS
MO145	C Tank Farm Restroom Trailer	200E	WRPS
MO146	Field Trailer	200E	WRPS
MO147	Field Trailer	200E	WRPS
MO148	ETF Tool Crib	200E	CHPRC
MO149	AW Trailer #1	200E	WRPS
MO150	AW Trailer #2	200E	WRPS
MO1502	Shower Trailer	100K	CHPRC
MO1503	Shower Trailer	100K	CHPRC
MO151	AW Trailer #3	200E	WRPS
MO153	A/AX Farm Restroom Trailer	200E	WRPS
MO154	Restroom	200E	CHPRC
MO161	Bathroom and Shower Trailer	300	WCH
MO175	Mobile Office	100K	CHPRC
MO176	Restroom	100K	CHPRC
MO180	Ground Water Mobile Office	200W	CHPRC
MO2100	Mobile Office	200W	CHPRC
MO2101	Mobile Office	200W	CHPRC
MO2102	Mobile Office	200W	CHPRC
MO2103	Mobile Office	200W	CHPRC
MO2104	Mobile Office	200W	CHPRC
MO2105	Mobile Office	200W	CHPRC
MO2106	Mobile Office	200W	CHPRC
MO2107	Mobile Office	200W	CHPRC
MO2108	Mobile Office	200W	CHPRC
MO2109	Mobile Office	200W	CHPRC
MO211	Mobile Office	200E	WRPS
MO2110	Mobile Office	200W	CHPRC
MO2111	Mobile Office	200W	CHPRC
MO2112	Mobile Office	200W	CHPRC
MO2113	Mobile Office	200W	CHPRC
MO2114	Mobile Office	200W	CHPRC
MO2115	Mobile Office	200W	CHPRC
MO2116	Mobile Office	200W	CHPRC
MO2117	Mobile Office	200W	CHPRC
MO2118	Mobile Office	200W	CHPRC
MO2119	Mobile Office	200W	CHPRC
MO2120	Mobile Office	200W	CHPRC
MO2121	Mobile Office	200W	CHPRC
MO2122	Mobile Office	200W	CHPRC
MO2123	Mobile Office	200W	CHPRC
MO2124	Tool Crib	200W	CHPRC
MO2125	PFP Decon Mobile	200W	CHPRC
MO214	Mobile Office -Job Control (AKA 1701KA)	100K	CHPRC
MO2146	Mobile Office	200W	CHPRC
MO2147	Mobile Office	200W	CHPRC
MO2148	Mobile Office	200W	CHPRC
MO2149	Mobile Office	200W	CHPRC
MO215	Mobile Office at 2704W	200W	CHPRC
MO2150	Mobile Office	200W	CHPRC
MO2151	Mobile Office	200W	CHPRC
MO2159	Mobile Office	200W	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
MO2160	Crew Trailer	200W	CHPRC
MO2161	Crew Trailer	200W	CHPRC
MO2162	Tool Crib	200W	CHPRC
MO2163	PPE Change Trailer	200W	CHPRC
MO2172	242S Evaporator Decon Mobile	200W	WRPS
MO2209	Crew/Change Trailer	200E	MSA
MO2210	Mobile Office	200E	CHPRC
MO2211	Mobile Office	200E	CHPRC
MO2212	Mobile Office	200E	CHPRC
MO2213	Mobile Office	200E	CHPRC
MO2214	Mobile Office	200E	CHPRC
MO2215	Mobile Office	200E	CHPRC
MO2216	Mobile Office	200E	CHPRC
MO2219	Mobile Office	200E	CHPRC
MO222	Mobile Office at PTA -Gun Cleaning	600	MSA
MO2220	Mobile Office	200E	CHPRC
MO2221	Mobile Office	200E	CHPRC
MO2222	Mobile Office	200E	CHPRC
MO2223	Mobile Office	200E	CHPRC
MO2224	Mobile Office	200E	CHPRC
MO2225	Mobile Office	200E	CHPRC
MO2226	Mobile Office	200E	CHPRC
MO2227	Mobile Office	200E	CHPRC
MO2228	Mobile Office	200E	CHPRC
MO2229	Mobile Office	200E	CHPRC
MO223	Operations Trailer N of WRAP on Dayton	200W	CHPRC
MO2230	Crew Trailer	200E	CHPRC
MO2231	Crew Trailer	200E	CHPRC
MO2232	EPC Office Trailer	200E	CHPRC
MO2233	EPC Office Trailer	200E	CHPRC
MO2234	EPC Crew POD Trailer	200E	CHPRC
MO2236	Locker Room Trailer	200E	CHPRC
MO2237	Crew Trailer	200E	CHPRC
MO2238	EPC Office Trailer	200E	CHPRC
MO2240	Office Trailer	200E	WRPS
MO2241	Office Trailer	200E	WRPS
MO2242	Office Trailer	200E	WRPS
MO2243	Office Trailer	200E	WRPS
MO2244	241AZ271 Decon Mobile	200E	WRPS
MO226	Office Building (W of 318)	300	PNNL
MO229	Mobile Office, 100H	100H	WCH
MO2301	Restroom Trailer	200W	CHPRC
MO2302	Restroom Trailer	200W	CHPRC
MO2303	Restroom Trailer	200W	CHPRC
MO2304	Restroom Trailer	200W	CHPRC
MO2305	Restroom Trailer	200W	CHPRC
MO2306	Restroom Trailer	200W	CHPRC
MO2307	Restroom Trailer	200W	CHPRC
MO2308	Restroom Trailer	200W	CHPRC
MO2311	Restroom Trailer	200W	CHPRC
MO2312	Restroom Trailer	200W	CHPRC
MO2313	Restroom Trailer	200W	CHPRC
MO2314	Restroom Trailer	200W	CHPRC
MO2315	Restroom Trailer	200W	CHPRC
MO2316	Restroom Trailer	200W	CHPRC
MO232	Mobile Office	200E	CHPRC
MO2323	Restroom Trailer	200W	CHPRC
MO2330	Restroom Trailer	200E	CHPRC
MO2331	Restroom Trailer	200E	CHPRC
MO2332	EPC Restroom Trailer	200E	CHPRC
MO2333	EPC Restroom Trailer	200E	CHPRC
MO2334	EPC Restroom Trailer	200E	CHPRC
MO2336	Restroom Trailer	200E	CHPRC

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
MO234	Mobile Office	200E	CHPRC
MO2340	Restroom Trailer	200E	CHPRC
MO2341	Restroom Trailer	200E	CHPRC
MO235	Water Systems Maintenance Office	200W	MSA
MO2350	Restroom Trailer	200E	WRPS
MO236	Mobile Office -Ops/HPT Change (AKA 1728KW)	100K	CHPRC
MO237	Mobile Office -Construction Forces (AKA 1729KW)	100K	CHPRC
MO240	Mobile Office -Change Room/Office	200W	CHPRC
MO244	Mobile Office -200W Patrol Change at 234-5Z	200W	MSA
MO245	Mobile Office	300	CHPRC
MO246	Mobile Office	300	CHPRC
MO247	12B Burial Ground Waste Retrieval Trailer	200E	CHPRC
MO248	12B Burial Ground Waste Retrieval Trailer	200E	CHPRC
MO249	Mobile Office	200W	CHPRC
MO250	Mobile Office	200W	CHPRC
MO2501	Shower Trailer	200W	CHPRC
MO2502	Shower Trailer	200W	CHPRC
MO2503	Shower Trailer	200W	CHPRC
MO2507	Shower Trailer	200W	CHPRC
MO251	Mobile Office	200E	CHPRC
MO252	Mobile Office	200E	MSA
MO2521	Shower Trailer	200E	CHPRC
MO2522	Shower Trailer	200E	CHPRC
MO253	Mobile Office	200E	MSA
MO254	Mobile Office at CSB	200E	CHPRC
MO256	Mobile Office East of 2711E	200E	MSA
MO257	Mobile Office East of 2711E	200E	MSA
MO258	Mobile Office at FMIT Area	300	JCI
MO259	Mobile Office Classroom at HAMMER	600	MSA
MO260	Mobile Office at HAMMER	600	MSA
MO261	Mobile Office at HAMMER	600	MSA
MO262	Mobile Office at FMIT Area	300	JCI
MO263	Mobile Office at FMIT Area	300	JCI
MO264	Mobile Office S of 19th & Dayton	200W	CHPRC
MO265	Mobile Office at FMIT Area	300	WCH
MO266	Mobile Office	200E	WRPS
MO267	Mobile Office	200E	WRPS
MO268	Mobile Office	200E	WRPS
MO269	Material Coordinator's Trailer S of 2025E	200E	CHPRC
MO270	Mobile Office S of 324	300	WCH
MO271	Mobile Office S of 324	300	WCH
MO272	Mobile Office - Craft Lunchroom	200E	WRPS
MO273	Mobile Office at PFP	200W	CHPRC
MO274	Mobile Office SE of 324 (324TRL1)	300	WCH
MO275	Mobile Office NE of 324 (324TRL2)	300	WCH
MO276	Mobile Office at 2753E	200E	MSA
MO277	Mobile Office at 2753E	200E	CHPRC
MO278	Mobile Office West of 275W	200W	CHPRC
MO279	Mobile Office West of 275W	200W	CHPRC
MO280	Mobile Office at WSCF	600	MSA
MO281	Mobile Office	200W	CHPRC
MO282	Mobile Office	200E	WRPS
MO283	Mobile Office	200E	WRPS
MO284	Mobile Office	200E	WRPS
MO285	Mobile Office W of 2753E	200E	CHPRC
MO286	Mobile Office	200E	MSA
MO287	Mobile Office	200W	CHPRC
MO288	Dispatch Center at Central Waste Complex	200W	CHPRC
MO289	Mobile Office Storage at CWC	200W	CHPRC
MO290	Mobile Office - Computer Hub	200W	MSA
MO291	Mobile Office	200W	WRPS
MO292	Mobile Office	600	MSA
MO293	Mobile Office -Projects & Training /Procedures AKA 1725K)	100K	CHPRC

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
MO294	Mobile Office	200E	CHPRC
MO295	Change Trailer - 242S	200W	WRPS
MO296	Change Trailer - SY Farm	200W	WRPS
MO297	Change Trailer - U Farm	200W	WRPS
MO298	Change Trailer - SX Farm	200W	WRPS
MO299	Change Trailer - BX Farm	200E	WRPS
MO312	Laundry Storage at 225B	200E	CHPRC
MO315	Mobile Office -Storage at WSCF	600	MSA
MO323	Storage Trailer SE of 105KW (AKA 1731KW)	100K	CHPRC
MO354	Mobile Office at 2400E CPP Maintenance	200E	CHPRC
MO368	Mobile Office - Patrol Training	600	CHPRC
MO369	Training Office W of 222T	200W	CHPRC
MO370	Field Trailer at 2230E	200E	MSA
MO374	Mobile Office	200W	CHPRC
MO377	Mobile Office	200E	WRPS
MO382	Mobile Office Radiological Control (AKA 1721K)	100K	CHPRC
MO386	Mobile Office for CPP Maintenance at DMRHF	200E	CHPRC
MO387	Continuous Air Monitor Equipment Storage at 224T	200W	CHPRC
MO388	Fire Systems Maintenance Office	200E	MSA
MO391	Field Trailer	300	WCH
MO398	Mobile Office -Restroom	200E	WRPS
MO399	Field Change Trailer, S PUREX	200E	CHPRC
MO400	Mobile Office (N of B-Plant)	200E	CHPRC
MO401	Mobile Office -K Basins Ops/Admin (AKA 1719K)	100K	CHPRC
MO402	Mobile Office -K Basins Engineering (AKA 1718K)	100K	CHPRC
MO403	Change House & Lunch Room (AKA 1119N)	100N	WCH
MO405	Mobile Office	200E	CHPRC
MO406	Mobile Office -Change /Lunchroom	200W	MSA
MO407	Mobile Office	200E	CHPRC
MO408	Mobile Office	200E	CHPRC
MO409	Mobile Office at 202S	200W	WRPS
MO410	Mobile Office	200E	CHPRC
MO412	Mobile Office - Janitorial	200W	MSA
MO413	Mobile Office - GW Personnel (W of 2101M)	200E	CHPRC
MO414	Mobile Office	200E	MSA
MO415	Admin Office (AKA 1103N)	100N	WCH
MO417	Office/Lunchroom, 100F	100F	WCH
MO420	Mobile Office at Pit #6	600	CHPRC
MO421	Field Trailer East of 277A	200E	WRPS
MO422	Field Trailer	100N	WCH
MO423	Mobile Office at FMIT	300	WCH
MO425	Analytical Lab Facility at 1120N (AKA 1158NA)	100N	WCH
MO426	Sample Receiving/Prep Storage at 1120N (AKA 1158NA)	100N	WCH
MO427	Mobile Change/Break Room (AKA 1158NC)	100N	WCH
MO428	Mobile Office	200W	CHPRC
MO429	Mobile Office	200W	CHPRC
MO432	Mobile Office	200W	CHPRC
MO433	Mobile/Change Office at T-Plant	200W	CHPRC
MO434	Mobile Office - NE of CSB	200E	CHPRC
MO437	Rad Con Mobile for WS&D (E of 272WA)	200W	CHPRC
MO438	Rad Con Mobile for WS&D (NE of 272WA)	200W	CHPRC
MO439	Mobile Change Room/AY Farm N of MO825	200E	WRPS
MO441	Sanitary Water Facility at Yakima Barricade	600	MSA
MO442	Training Classrooms (AKA 1726K)	100K	CHPRC
MO443	Mobile Office	300	WCH
MO444	Mobile Office at WRAP	200W	CHPRC
MO446	Mobile Office at WRAP	200W	CHPRC
MO447	Storage Trailer at C Farm	200E	WRPS
MO450	Storage Mobile N of 241SY Tank Farm	200W	WRPS
MO459	Women's Change Trailer at 271T	200W	CHPRC
MO461	Instrument Mobile at 241SY	200W	WRPS
MO474	Mobile Office On B Ave	100B	WCH
MO480	Shower/Change Room Trailer at ERDF	600	WCH

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
MO481	Operations Trailer at ERDF Site	600	WCH
MO493	Mobile Office S of 274AW	200E	WRPS
MO495	Patrol Locker Room - E of 2754W	200W	MSA
MO497	Mobile Office North of 241-AN	200E	WRPS
MO500	Mobile Office (AKA 1737K)	100K	CHPRC
MO501	Restroom Trailer	200E	MSA
MO502	Field Trailer	600	MSA
MO503	Mobile Office -Storage	200E	WRPS
MO505	Mobile Office at WYE Barricade	600	MSA
MO506	CVD Lunch Room	100K	CHPRC
MO507	CVD Conference Room	100K	CHPRC
MO511	Mobile Office S of 272AW	200E	WRPS
MO512	HPT/Change Trailer for 241C Tank Farm	200E	WRPS
MO513	HPT/Change Trailer for 241AY Tank Farm	200E	WRPS
MO518	Office Trailer	200E	CHPRC
MO527	Restroom Trailer	200E	WRPS
MO528	Restroom Trailer	200E	WRPS
MO529	C Farm Sluicing Control Mobile (SE of Farm)	200E	WRPS
MO530	Restroom Trailer	200E	WRPS
MO532	Mobile Office	200E	WRPS
MO533	HPT Mobile Office	200E	WRPS
MO539	Storage Trailer West of 274E	200E	MSA
MO544	Field Trailer at 100N	100N	WCH
MO545	Field Trailer On Northwest Side Of 105N	100N	WCH
MO546	GRP Field Trailer West of B Plant	200E	CHPRC
MO556	Mobile Office	200W	CHPRC
MO563	Mobile Office By S Farm	200W	WRPS
MO564	Office Trailer North of 244AR	200E	WRPS
MO565	Office Trailer North of 244AR	200E	WRPS
MO566	C-200 Vacuum Retrieval Trailer	200E	WRPS
MO568	Office Trailer North of 244AR	200E	WRPS
MO570	Mobile Office	200E	WRPS
MO571	Mobile Office -Office /Lunchroom	200E	WRPS
MO573	Lunch/Change Trailer	200W	CHPRC
MO575	FFS Office Space (W side of AY Tank Farm)	200E	CHPRC
MO576	Control Trailer for Drum Venting	200E	CHPRC
MO577	AW Trailer	200E	WRPS
MO578	AW Trailer	200E	WRPS
MO579	MARS Control Trailer	200E	WRPS
MO588	Mobile Office	200E	WRPS
MO589	Mobile Office	200E	WRPS
MO590	Mobile Office	200E	WRPS
MO591	Mobile Office	200E	WRPS
MO592	Mobile Office	200E	WRPS
MO593	Mobile Office	200E	WRPS
MO594	Mobile Office	200E	WRPS
MO595	Mobile Office	200E	WRPS
MO596	241C Tank Farm Mobile Office	200E	WRPS
MO597	241C Tank Farm Mobile Office	200E	WRPS
MO598	241C Tank Farm Mobile Office	200E	WRPS
MO599	241C Tank Farm Mobile Office	200E	WRPS
MO605	Conference Room Trailer at ERDF	600	WCH
MO606	Mobile Office at ERDF	600	WCH
MO607	Mobile Office at 13TH and ERDF Ave	600	WCH
MO608	Maintenance Mechanics Break Trailer	600	WCH
MO610	Mobile Office NW of 2404WC	200W	CHPRC
MO611	Remote Venting Field Trailer 218W4C Burial Ground	200W	CHPRC
MO615	Mobile Restroom Facility	200W	CHPRC
MO621	CWC Remote Control Trailer for DVS2 System	200W	CHPRC
MO622	WCH Waste Operations Construction Trailer (ERDF)	600	WCH
MO623	Mobile Office at ERDF	600	WCH
MO627	Restroom Trailer at ERDF	600	WCH
MO633	Mobile Office N of 272S	200W	WRPS

HANFORD SITE STRUCTURE LIST

Structure ID	Title	Geographic Area	Assigned Contractor
MO636	Lunch/Change Trailer SW of 241S	200W	WRPS
MO637	Lunch/Change Trailer	200E	WRPS
MO639	Mobile Restroom	200E	WRPS
MO641	Restroom Trailer	200W	CHPRC
MO644	Office Trailer	200W	CHPRC
MO645	Office Trailer	200W	CHPRC
MO647	Receipt Survey Trailer	600	WCH
MO648	Office Trailer	200W	WRPS
MO649	Office Trailer	200W	WRPS
MO667	Field Laboratory at Cold Test Facility (North)	600	WRPS
MO671	PFP Rad Con Trailer SE of 234-5Z	200W	CHPRC
MO710	Mobile Office Behind T-Plant	200W	CHPRC
MO720	Mobile Office at 272WA at 19th & Dayton	200W	CHPRC
MO721	Mobile Change Facility at 272WA at 19th & Dayton	200W	CHPRC
MO722	Mobile Office	200E	MSA
MO723	Mobile Office	200E	CHPRC
MO724	Mobile Office SW of 2704HV	200E	WRPS
MO725	Mobile Office SW of 2704HV	200E	WRPS
MO727	Mobile at LERF Basins	200E	CHPRC
MO728	Mobile Office	200E	MSA
MO729	SWP Laundry Facility at 231Z	200W	CHPRC
MO730	Restroom Facility at Gate 813	200E	WRPS
MO732	Mobile Office SW of 2704HV	200E	WRPS
MO733	Mobile Office SW of 2704HV	200E	WRPS
MO734	Mobile Office SW of 2704HV	200E	WRPS
MO739	SWP Change Trailer at 271T (NW Side)	200W	CHPRC
MO740	Mobile Office at ERDF	600	WCH
MO741	HPT Office at 340	300	CHPRC
MO742	Mobile Office NE of 2704HV	200E	WRPS
MO743	Shop/Office S of 272WA	200W	CHPRC
MO744	Mobile Office at 310 TEDF	300	WCH
MO745	Mobile Office at 310 TEDF	300	CHPRC
MO757	Pump and Treat Mobile W of 1713H	100H	CHPRC
MO760	Mobile Office S of 19th & Dayton at Burial Ground	200W	CHPRC
MO765	Remediation Trailer (S of MO415)	100N	WCH
MO767	Mobile Office	300	WCH
MO799	Change Trailer	100D	WCH
MO815	Change Trailer at 241AP Tank Farm	200E	WRPS
MO816	Mobile Office -Change Room	200E	WRPS
MO817	Change Trailer at TX Tank Farm	200W	WRPS
MO818	Change Trailer at 241AW Tank Farm	200E	WRPS
MO819	Change Trailer at SX Tank Farm S Of 242S	200W	WRPS
MO820	Change Trailer at 241AN	200E	WRPS
MO821	Change Trailer at 23rd & Camden	200W	WRPS
MO822	Change Trailer at 241C Tank Farm	200E	WRPS
MO823	Change Trailer at 241U	200W	WRPS
MO824	Change Trailer at 241BX	200E	WRPS
MO825	Change Trailer at 241B	200E	WRPS
MO826	Change Trailer 241C Tank Farm	200E	WRPS
MO827	Office / Conference Trailer	300	WCH
MO837	Lunchroom Trailer (on Hill E of Z-Plant)	200W	CHPRC
MO840	Mobile Office -Receiving & Distribution	200E	CHPRC
MO841	Lunchroom Trailer (on Hill E of Z-Plant)	200W	CHPRC
MO842	Mobile Office at PTA Range 7	600	MSA
MO844	Mobile Office	200E	WRPS
MO847	Restroom Trailer (on Hill E of Z-Plant)	200W	CHPRC
MO848	Mobile Office	100H	WCH
MO850	Mobile Office E of 2704HV	200E	WRPS
MO859	Patrol Field Trailer at PTA	600	MSA
MO864	Office Trailer at 100N	100N	WCH
MO865	Office Trailer at 100N	100N	WCH
MO866	Office Trailer at 100N	100N	WCH
MO868	Change Trailer at 100N	100N	WCH

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
MO869	KR-4 Pump and Treat Operations Trailer	600	CHPRC
MO870	Radiological Counting Facility	100D	WCH
MO889	Change Trailer SE of 105D	100D	WCH
MO890	Trailer (SW of 2237E-Pipefitter's Shop)	200E	WRPS
MO892	Training Office (NW of T-Plant)	200W	CHPRC
MO906	Mobile Office (NW of T-Plant)	200W	CHPRC
MO907	Mobile Office -Ops Analysis & Waste Handling (AKA 1722K)	100K	CHPRC
MO917	CVD Administration	100K	CHPRC
MO919	Mobile Office	200E	WRPS
MO924	Mobile Office N of 2704S	200W	WRPS
MO928	Mobile Office -Design /Drafting (AKA 1723K)	100K	CHPRC
MO929	Mobile Office East of 151D	100D	WCH
MO939	Office - S of 2705Z (outside PFP fence)	200W	CHPRC
MO949	Mobile Lab West of 241SX401	200W	WRPS
MO953	Mobile Office	200E	WRPS
MO955	Operations Office (AKA 1732KW)	100K	CHPRC
MO956	Lunchroom /Training at Hill St. Compound	200W	CHPRC
MO969	Maintenance/Change Room (AKA 1730K)	100K	CHPRC
MO970	Mobile Office at PFP	200W	CHPRC
MO971	Mobile Office at PFP	200W	CHPRC
MO972	Mobile Office at Rattlesnake Barricade	600	MSA
MO974	Mobile Office Storage at A Farm	200E	WRPS
MO979	Mobile Office N of 4th & Buffalo (A Farm)	200E	WRPS
MO980	Mobile Office at 100D	100D	WCH
MO987	Mobile office at 300 North	300	WCH
MO989	Field Remediation Trailer	100H	WCH
MO996	Mobile Office at 272AW	200E	CHPRC
MO997	Mobile Office at 243G (Grout)	200E	WRPS
MO998	Field Trailer	200E	WRPS
MO999	Field Trailer SW of 1103N	100N	WCH
T11WTP	Yard/BOF Construction Area Office	200E	BNI
T1WTP	Main Construction Site Office	200E	BNI
T23WTP	South Gate Security Station	200E	BNI
T27WTP	Time Keeping Trailer/Entry West Gate	200E	BNI
T28WTP	Hospitality Mobile/Site Observation	200E	BNI
T31WTP	North Gate Security Station	200E	BNI
T33WTP	Electrical Materials Distribution Center	200E	BNI
T40WTP	BOF GF Trailer	200E	BNI
T520-6	Navy MARS Radio Station	600	CHPRC
TC1301N	N Springs Pump and Treat Facility Weather Protection	100N	CHPRC
TC1301NA	Compressor Building	100N	CHPRC
TC1301NB	Instrument Building	100N	CHPRC
TC272HV	Temporary Maintenance Shop	200E	WRPS
X8	Motor Car Shed	200W	CHPRC
111KE	Compressed Gas Storage	100K	TBD
120DR	Field Remediation Survey Tent	100D	TBD
152K	Switchgear Control Building	100K	TBD
1803K	Water Treatment Storage Tank	100K	TBD
1804D	100-DX Pump and Treat	100D	TBD
1805D	100-DX Pump and Treat Transfer Building M2	100D	TBD
1806D	100-DX Pump and Treat Transfer Building M1	100D	TBD
189K	Water Treatment Facility	100K	TBD
203S	Water Retention Basin (Backfilled W/Soil)	200W	TBD
204S	Tank Retention Basin (Backfilled W/Soil)	200W	TBD
204T	RSSF Test Facility (Railcar Unloading Facility) 2 ea next to 216T34 crib	200W	TBD
205S	Make-Up Building & Process Cell	200W	TBD
207A	Retention Basin	200E	TBD
2109E	Gas Bottle Storage at AP Farm	200E	TBD
210T	Storage Shed	200W	TBD
212Z	Lag Storage Area	200W	TBD
213WTK1	Catch Tank	200W	TBD
216B60	Crib	200E	TBD
216Z9	Recuplex Waste Disposal Facility	200W	TBD

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
226Z	Change Trailer	200W	TBD
240S151	Diversion Box	200W	TBD
240S152	Diversion Box	200W	TBD
240S302	Catch Tank (DB SST Tank)	200W	TBD
241A151	Diversion Box	200E	TBD
241A153	Diversion Box	200E	TBD
241A302A	Catch Tank	200E	TBD
241A302B	Catch Tank	200E	TBD
241A417	Condensate Receiver and Pump Pit	200E	TBD
241A501	Condensate Valve Pit	200E	TBD
241AA	Valve Vault	200E	TBD
241AB	Valve Vault	200E	TBD
241ANA	Valve Vault	200E	TBD
241ANB	Valve Vault	200E	TBD
241AR151	Diversion Box N of 244AR	200E	TBD
241AX151	Diverter Station, Valve Pit, & Instrument Enclosure	200E	TBD
241AX152	Diverter Station	200E	TBD
241AX153	Isolation Jumper Pit	200E	TBD
241AX155	Diversion Box	200E	TBD
241AX501	Condensate Valve Pit	200E	TBD
241AXA	Valve Vault	200E	TBD
241AXB	Valve Vault	200E	TBD
241AY151	Pump-Out Pit	200E	TBD
241AY152	Sluice Transfer Box	200E	TBD
241AY501	Condensate Valve Pit	200E	TBD
241AZ151	Pump Pit/Catch Tank	200E	TBD
241AZ152	Diversion Box	200E	TBD
241AZ154	Condensate Pump Pit	200E	TBD
241AZ155	Contaminated Storage Pit	200E	TBD
241B151	Diversion Box	200E	TBD
241B152	Diversion Box	200E	TBD
241B153	Diversion Box	200E	TBD
241B154	Diversion Box	200E	TBD
241B252	Diversion Box	200E	TBD
241B301	Catch Tank	200E	TBD
241B302	Catch Tank	200E	TBD
241BR152	Diversion Box	200E	TBD
241BX153	Diversion Box	200E	TBD
241BX154	Diversion Box	200E	TBD
241BX155	Diversion Box	200E	TBD
241BX302A	Catch Tank (DB SST Tank)	200E	TBD
241BX302B	Catch Tank (DB SST Tank)	200E	TBD
241BX302C	Catch Tank (DB SST Tank)	200E	TBD
241BXR151	Diversion Box	200E	TBD
241BXR152	Diversion Box	200E	TBD
241BXR153	Waste Material Recovery Facility - Diversion Boxes	200E	TBD
241BY303	Caustic Tanks Containment Dike	200E	TBD
241BY361	Flush Tank	200E	TBD
241BYR152	Diversion Box	200E	TBD
241BYR153	Diversion Box	200E	TBD
241BYR154	Diversion Box	200E	TBD
241C151	Diversion Box	200E	TBD
241C152	Diversion Box	200E	TBD
241C153	Diversion Box	200E	TBD
241C154	Diversion Box	200E	TBD
241C252	Diversion Box	200E	TBD
241C301	Catch Tank	200E	TBD
241CR151	Diversion Box	200E	TBD
241CR152	Diversion Box	200E	TBD
241CR153	Diversion Box	200E	TBD
241ER151	Diversion Box	200E	TBD
241ER152	Diversion Box	200E	TBD
241ER153	Diversion Box	200E	TBD

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
241ER311	Catch Tank	200E	TBD
241ER311A	Catch Tank	200E	TBD
241EW151	Vent Station Diversion Box	600	TBD
241S151	Diversion Box	200W	TBD
241S152	Diversion Box	200W	TBD
241S302A	Catch Tank	200W	TBD
241S302B	Catch Tank	200W	TBD
241S304	Pump Pit with Catch Tank	200W	TBD
241SA	Valve Pits	200W	TBD
241SB	Valve Pits	200W	TBD
241SC	Valve Pits	200W	TBD
241SD	Valve Pits	200W	TBD
241SX151	Diversion Box	200W	TBD
241SX152	Diversion Box	200W	TBD
241SX302	Catch Tank	200W	TBD
241SXA	Valve Pits	200W	TBD
241SXB	Valve Pits	200W	TBD
241SYA	Valve Pit w/ Flush Pit	200W	TBD
241SYB	Valve Pit w/ Flush Pit	200W	TBD
241T151	Diversion Box	200W	TBD
241T152	Diversion Box	200W	TBD
241T153	Diversion Box	200W	TBD
241T201	Catch Tank	200W	TBD
241T202	Catch Tank	200W	TBD
241T203	Catch Tank	200W	TBD
241T204	Catch Tank	200W	TBD
241T252	Diversion Box	200W	TBD
241T301	Catch Tank	200W	TBD
241TR152	Diversion Box	200W	TBD
241TR153	Diversion Box	200W	TBD
241TX152	Diversion Box	200W	TBD
241TX153	Diversion Box	200W	TBD
241TX154	Diversion Box	200W	TBD
241TX155	Diversion Box	200W	TBD
241TX302A	Catch Tank at TX Tank Farm	200W	TBD
241TX302B	Catch Tank at TX Tank Farm	200W	TBD
241TX302BR	Catch Tank at TX Tank Farm	200W	TBD
241TX302C	Catch Tank at T Plant	200W	TBD
241TX302X	Catch Tank at TX Tank Farm	200W	TBD
241TXR151	Diversion Box	200W	TBD
241TXR152	Diversion Box	200W	TBD
241TXR153	Diversion Box	200W	TBD
241TY153	Diversion Box	200W	TBD
241TY302A	Catch Tank at TY Tank Farm	200W	TBD
241TY302B	Catch Tank at TY Tank Farm	200W	TBD
241U151	Diversion Box	200W	TBD
241U152	Diversion Box	200W	TBD
241U153	Diversion Box	200W	TBD
241U201	Catch Tank	200W	TBD
241U202	Catch Tank	200W	TBD
241U203	Catch Tank	200W	TBD
241U204	Catch Tank	200W	TBD
241U252	Diversion Box	200W	TBD
241U301	Catch Tank at U-Plant	200W	TBD
241UA	U Farm Valve & Flush Pit	200W	TBD
241UB	U Farm Valve & Flush Pit	200W	TBD
241UC	U Farm Valve & Flush Pit	200W	TBD
241UD	U Farm Valve & Flush Pit	200W	TBD
241UR151	Diversion Box	200W	TBD
241UR152	Diversion Box	200W	TBD
241UR153	Diversion Box	200W	TBD
241UR154	Diversion Box	200W	TBD
241UX154	Diversion Box (U Plant)	200W	TBD

HANFORD SITE STRUCTURE LIST			
Structure ID	Title	Geographic Area	Assigned Contractor
241UX302A	Catch Tank with Pump Pit	200W	TBD
241Z361	Waste Disposal Settling Tank	200W	TBD
242B151	Diversion Box	200E	TBD
242T151	Diversion Box	200W	TBD
242TA	Waste Receiving Vault	200W	TBD
244BX	Double Contained Receiver Tank	200E	TBD
244BXR	Underground Waste Disposal Vault	200E	TBD
244S	Waste Lift Station (Vault)	200W	TBD
244TX	Salt Well Receiver Vault	200W	TBD
244TXR	Waste Disposal Vault	200W	TBD
244U	Salt Well Receiver Vault	200W	TBD
244UR	Underground Waste Disposal Vault	200W	TBD
2506W4	HLAN Hub at 222S	200W	TBD
2607Z	Septic Tank N39730 W76462	200W	TBD
271E	Load Unloading Steel Frame	200E	TBD
2766E	Laborer Bag/Tent Shop	200E	TBD
2767E	Carpenter's Shop	200E	TBD
276W	Locker Room Connex	200W	TBD
277E	Locker Room Connex	200E	TBD
289E	Purgewater Storage Facility	600	TBD
2902T	Elevated Water Tank (Valve Vault Only)	200W	TBD
296A048	AP Double Shell Tank Exhauster	200E	TBD
296A049	AP Double Shell Tank Exhauster	200E	TBD
4725	Sand Blasting Facility	400	TBD
612	RCT Shed	600	TBD
615	Riverland Quonset Hut	600	TBD
6620	ERDF Container Maintenance Building	600	TBD
6639	Hanford Town High School	600	TBD
6640	Hanford Electrical Switching Station	600	TBD
6641	White Bluffs Bank	600	TBD
6642	Allard Pump House	600	TBD
MO152	Lunch Trailer	200E	TBD
MO2218	EPC Office Trailer	200E	TBD
MO567	C-200 Vacuum Retrieval Trailer	200E	TBD
MO6110	RAD CON Trailer	600	TBD

HANFORD WASTE SITE ASSIGNMENT LIST				
Site Code	Site Names	Designated Area	Assigned Contractor	Previous Contractor
600-222	600-222, H-60 Gun Site	600	MSA	CHPRC
600-235	600-235, Buried Lead Sheathed Telephone Cables	600	MSA	CHPRC
600-264	600-264, Abandoned Oil Drum	600	MSA	WCH
600-275	600-275, 218-W-14, Igloo Site, Army Ammo Site, Regulated Storage Area	600	MSA	CHPRC
600-38	600-38, Railroad Siding Susie, 600-25, Susie Junction	600	MSA	CHPRC
600-4	600-4, Howitzer Site	600	MSA	CHPRC
600-51	600-51, Chemical Dump, Pile of White Powder	600	MSA	CHPRC
600-67	600-67, Bruggemann's Fruit Storage Warehouse	600	MSA	WCH
600-341	600-341, Inter Areas Battery Remnant Area #1 (See Subsites)	600	MSA	TBD
600-342	600-342, Inter Areas Contaminated Clothing Area near Susie Junction	600	MSA	TBD
600-343	600-343, Inter Areas Burn Site #1	600	MSA	TBD
600-344	600-344, Inter Areas Stain Site #1	600	MSA	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-B-1	100-B-1, Surface Chemical and Solid Waste Dumping Area, Laydown Yard	100B	WCH
100-B-10	100-B-10, 107-B Basin Leak and Warm Springs	100B	WCH
100-B-11	100-B-11, 115-B/C Caisson Site, 115-BC Sump, 115-BC Drywell, 115-B Tank, 115-B/C Caisson Valve Pit	100B	WCH
100-B-12	100-B-12, Filter Box Radiological Materials Area (RMA)	100B	WCH
100-B-14	100-B-14, 100-B Area Process and Sanitary Sewer Underground Pipelines (See Subsites)	100B	WCH
100-B-15	100-B-15, 100BC River Effluent Pipelines, 100BC River Lines	100B	WCH
100-B-16	100-B-16, Utility Poles and Fixtures Debris Pile	100B	WCH
100-B-17	100-B-17, Transite on Columbia River Shoreline at 100B	100B	WCH
100-B-18	100-B-18, 184-B Powerhouse Debris Pile	100B	WCH
100-B-19	100-B-19, 100-B/C Stained Soil Sites, 100B/C Chemical Contaminated Surface Soil Areas	100B	WCH
100-B-2	100-B-2, 181-B Backwash Trench, Backwash Trench, Undocumented Liquid Waste Site, Miscellaneous Stream #73	100B	WCH
100-B-20	100-B-20, 1716-B Maintenance Garage Underground Tank	100B	WCH
100-B-21	100-B-21, 100-B/C Miscellaneous Pipelines (See Subsites)	100B	WCH
100-B-22	100-B-22; 100-B Water Treatment Facilities, Pipelines, and Surrounding Soils (See Subsites)	100B	WCH
100-B-23	100-B-23, 100-B/C Surface Debris	100B	WCH
100-B-24	100-B-24, 1904-B1 Spillway (Flume), 100-B-15:1 Flumes from Outfall Structures 116-B-7, 132-B-6, 132-C-2	100B	WCH
100-B-25	100-B-25, 1904-B2 Spillway, 132-B-6 Outfall, 100-B-15:1 Flumes from Outfall Structures 116-B-7, 132-B-6, 132-C-2	100B	WCH
100-B-26	100-B-26, 1904-C Spillway, 100-B-15:1 Flumes from Outfall Structures 116-B-7, 132-B-6, 132-C-2	100B	WCH
100-B-27	100-B-27, Sodium Dichromate Spill	100B	WCH
100-B-28	100-B-28, 183-C Headhouse to 183-B Pumphouse Sodium Dichromate Transfer Pipeline	100B	WCH
100-B-3	100-B-3, Hot Thimble Burial Ground, Undocumented Solid Waste Site	100B	WCH
100-B-4	100-B-4, Building Foundation, Undocumented Solid Waste Site	100B	WCH
100-B-5	100-B-5, Effluent Vent Disposal Trench, 116-B-9, 105-B Effluent Vent Trench	100B	WCH
100-B-7	100-B-7, 100-B Service Water Pipelines, 100-B Clean Water Pipelines	100B	WCH
100-B-8	100-B-8, 100-B Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100B	WCH
100-C-2	100-C-2, Possible Building Foundation and Parking Lot, Monitoring Station 1614-B-1	100C	WCH
100-C-3	100-C-3, 119-C Sample Building French Drain, 119-C French Drain	100C	WCH
100-C-4	100-C-4, Export Water Line Valve Pit	100C	WCH
100-C-5	100-C-5, 100-C Service Water Pipelines, 100-C Clean Water Pipelines	100C	WCH
100-C-6	100-C-6, 100-C Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100C	WCH
100-C-7	100-C-7, 183-C Filter Building /Pumproom Facility Foundation and Demolition Waste (See Subsites)	100C	WCH
100-C-8	100-C-8, 105C Hydraulic Oil Release	100C	WCH
100-C-9	100-C-9, 100-C Area Process and Sanitary Sewer Underground Pipelines (See Subsites)	100C	WCH
100-D-1	100-D-1, Contaminated Drain, Contaminated Storm Drain	100D	WCH
100-D-10	100-D-10, Storm Drain Outfall, Undocumented Liquid Waste Site	100D	WCH
100-D-11	100-D-11, Temporary Garage and Gasoline Dispensing Station, Temporary Garage TC-21	100D	WCH
100-D-12	100-D-12, Sodium Dichromate/Acid Railcar and Truck Unload Station and Associated French Drain, Undocumented Liquid Waste Site	100D	WCH
100-D-13	100-D-13, Unnumbered Septic System A, Septic Tank D-13, 100DR Area Sewage Disposal Unit, 124-DR-3, 1607-DR3	100D	WCH
100-D-14	100-D-14, Unnumbered Septic Tank #2, Unnumbered Septic System (b)	100D	WCH
100-D-15	100-D-15, Debris North of 100-D Area Perimeter Road and Debris South of 100-D Perimeter Road Within 100-D-55, Gravel Pit #2, Pit 21	100D	WCH
100-D-17	100-D-17, Burn Pit, Undocumented Solid Waste Site	100D	WCH
100-D-18	100-D-18, Sludge Trench #4, 107-D Sludge Trench #4, 107-D-4, 107-D4	100D	WCH
100-D-19	100-D-19, Sludge Trench #6, 107-D Sludge Trench #6	100D	WCH
100-D-2	100-D-2, Solid Waste Site, Lead Sheeting	100D	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-D-20	100-D-20, Sludge Trench #3, 107-D Sludge Trench #3, 107-D-3, 107-D3	100D	WCH
100-D-21	100-D-21, Sludge Trench #2, 107-DR Sludge Trench #2, 107-D-2, 107-D2	100D	WCH
100-D-22	100-D-22, Sludge Trench #1, 107-DR Sludge Trench #1, 107-D-1, 107-D1	100D	WCH
100-D-23	100-D-23, 119-DR Sample Building Drywell	100D	WCH
100-D-24	100-D-24, 119-D Sample Building Drywell	100D	WCH
100-D-25	100-D-25, Unplanned Release: 107-DR Basin Leaks	100D	WCH
100-D-26	100-D-26, Borrow Pit, Potential Burial Trenches	600	WCH
100-D-27	100-D-27, 151-D Substation UPR, A-2 Substation Transformer #A401C Leak	100D	WCH
100-D-28	100-D-28, 190-DR Building Septic System (See Subsites)	100D	WCH
100-D-29	100-D-29, Effluent Line Leak #2	100D	WCH
100-D-3	100-D-3, Solid Waste Burial Ground, Silica Gel	100D	WCH
100-D-30	100-D-30, 190-D Sodium Dichromate Soil Contamination, 185-D, 189-D Decontamination & Demolition Project, 185-D Sodium Dichromate Trench & Sump	100D	WCH
100-D-31	100-D-31, 100-D Water Treatment Facilities Underground Pipelines (See Subsites)	100D	WCH
100-D-32	100-D-32, Minor Construction Burial Ground #6	100D	WCH
100-D-33	100-D-33, Minor Construction Burial Ground #4 East Trench	100D	WCH
100-D-34	100-D-34, 100-D/DR Grounds Surrounding Deactivated Areas, Exclusion Area	100D	WCH
100-D-35	100-D-35, Minor Construction Burial Ground #4 East Trench	100D	WCH
100-D-36	100-D-36, Undocumented Concrete Pad, Monitoring Station 1614-D-1, 100-N-20	100D	WCH
100-D-37	100-D-37, Undocumented Concrete Pad, 1614-D-3 Monitoring Station	100D	WCH
100-D-38	100-D-38, Suspect Septic Tank	100D	WCH
100-D-4	100-D-4, Sludge Trench #5, 107-DR Sludge Trench #5, 107-D-5, 107-D5	100D	WCH
100-D-40	100-D-40, Minor Construction Burial Ground #5 Hole	100D	WCH
100-D-41	100-D-41, Minor Construction Burial Ground #5 Trench, 118-18, 118-D-18	100D	WCH
100-D-42	100-D-42, Buried VSR Thimble Site	100D	WCH
100-D-43	100-D-43, Buried VSR Thimble Site, Burial Ground 4C, 118-D-4C	100D	WCH
100-D-45	100-D-45, Buried VSR Thimble Site, Burial Ground 4B, 118-D-4B	100D	WCH
100-D-46	100-D-46, Burial Ground 4A, 118-D-4A	100D	WCH
100-D-47	100-D-47, Construction C.G. 558-Rod Burial, Burial Ground 4E, 118-D-4E	100D	WCH
100-D-48	100-D-48, 100-D Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100D	WCH
100-D-49	100-D-49, 100-DR Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100D	WCH
100-D-5	100-D-5, Waste Site Near 103-D, Undocumented Solid Waste Site, Undocumented Solid Waste Site Near 103-D	100D	WCH
100-D-50	100-D-50, 100-DR Water Treatment Facilities Underground Pipelines (See Subsites)	100D	WCH
100-D-52	100-D-52, 105-D Downcomer Insulation Space Dry Well	100D	WCH
100-D-53	100-D-53, 117-DR Filter Building, 117-DR HEPA Filter Building	100D	WCH
100-D-54	100-D-54, Drywell Near Fire Facility Gravel Scrubber	100D	WCH
100-D-55	100-D-55, Gravel Pit #21, Pit 21	100D	WCH
100-D-56	100-D-56, 100-D Area Sodium Dichromate Underground Supply Lines (See Subsites)	100D	WCH
100-D-57	100-D-57, Earth Crib Near 107-DR	100D	WCH
100-D-58	100-D-58, 100-DR Area On-Site Sewage System for MO-980 & 4-Closet Restroom Facility, 100-DR OSS	100D	WCH
100-D-59	100-D-59 French Drain at the 183-D Acid Transfer Station	100D	WCH
100-D-6	100-D-6, Buried VSR Thimble, Minor Construction Burial Ground #1, Burial Ground 4D, 118-D-4D	100D	WCH
100-D-60	100-D-60, 100D/DR River Effluent Pipelines, 100D River Lines	100D	WCH
100-D-61	100-D-61, Utility Pole and Fixture Debris Piles	100D	WCH
100-D-62	100-D-62, 183-DR Headhouse Septic Tank	100D	WCH
100-D-63	100-D-63, 100-D/DR Service Water Pipelines, 100-D/DR Clean Water Pipelines	100D	WCH
100-D-64	100-D-64, 119-DR, 119-DR Sample Building, 105-DR Reactor Exhaust Stack Sampling Building	100D	WCH
100-D-65	100-D-65, 1904D Spillway, 116-D-5 Outfall Spillway, 100-D-60:1 Flume	100D	WCH
100-D-66	100-D-66, 1904-DR Spillway, 116-DR-5 Outfall, 100-D-60:1 Flume	100D	WCH
100-D-67	100-D-67, D Island Contamination, D Island	100D	WCH
100-D-68	100-D-68, 190-DR Process Water Pump House	100D	WCH
100-D-7	100-D-7, Undocumented Solid Waste Site	100D	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-D-8	100-D-8, 105-DR Process Sewer Outfall Site, Undocumented Liquid Waste Site, 1907-DR	100D	WCH
100-D-9	100-D-9, 184-DA Boiler Oil Tank, 184DA	100D	WCH
100-F-1	100-F-1, 100-FR-2 Depression	100F	WCH
100-F-10	100-F-10, French Drain at East End of 105-F Storage Room (Southeast Corner)	100F	WCH
100-F-11	100-F-11, 108-F Building 18-Inch French Drain	100F	WCH
100-F-12	100-F-12, 36-Inch French Drain at 105-F Building	100F	WCH
100-F-14	100-F-14, 100-FR-2 Vent Pipe, 100-F Carpenter Shop Waste Site Vent	100F	WCH
100-F-15	100-F-15, 108-F Building Ventilation French Drain	100F	WCH
100-F-16	100-F-16, 108-F Building 30-Inch French Drain	100F	WCH
100-F-17	100-F-17, 108-F Chemical Pump House, Chemical Storage Tanks at 108-F, Chemicals Used at 108-F Building	100F	WCH
100-F-18	100-F-18, 105-F Condensate Drain Field, Underground Tank at 105-F Building	100F	WCH
100-F-19	100-F-19, 100-F Reactor Cooling Water Effluent Underground Pipelines, Contaminated Underground Lines, Effluent Water System, 1904-F Process Sewer (See Subsites)	100F	WCH
100-F-2	100-F-2, Strontium Garden, PNL Ecological Study Strontium Garden	100F	WCH
100-F-20	100-F-20, PNL Parallel Pits	100F	WCH
100-F-21	100-F-21, Grounds Surrounding Deactivated Areas, Exclusion Area	100F	WCH
100-F-23	100-F-23, 141-C Drywell	100F	WCH
100-F-24	100-F-24, 145-F Drywell	100F	WCH
100-F-25	100-F-25, 146-FR Drywells	100F	WCH
100-F-26	100-F-26, 100-F Water Treatment Facility Underground Pipelines (See Subsites)	100F	WCH
100-F-28	100-F-28, Septic Tank and Drainfield	100F	WCH
100-F-29	100-F-29, 100-F Experimental Animal Farm Process Sewer Pipelines	100F	WCH
100-F-30	100-F-30, 144-F Drywell	100F	WCH
100-F-31	100-F-31, 144-F Sanitary Sewer System	100F	WCH
100-F-32	100-F-32, 1717-F Underground Fuel Oil Tanks	100F	WCH
100-F-33	100-F-33, 146-F Aquatic Biology Fish Ponds	100F	WCH
100-F-34	100-F-34, Biology Facility French Drain	100F	WCH
100-F-35	100-F-35, Soil Contamination Area Inside the 105-F Exclusion Area	100F	WCH
100-F-36	100-F-36, 108-F Chemical Pump House, 108-F Biological Laboratory	100F	WCH
100-F-37	100-F-37, French Drain Discovered Near Hydrant F-2	100F	WCH
100-F-38	100-F-38, Yellow Stained Soil Near Hydrant F-2	100F	WCH
100-F-39	100-F-39, 100F River Effluent Pipelines, 100F River Lines	100F	WCH
100-F-4	100-F-4, 108-F Building 12-Inch French Drain	100F	WCH
100-F-40	100-F-40, Animal Farm Surface Impoundment	100F	WCH
100-F-41	100-F-41, 100-F Service Water Pipelines, 100-F Clean Water Pipelines (See Subsites)	100F	WCH
100-F-42	100-F-42, 1904-F Spillway, 100-F-39:1 Flume	100F	WCH
100-F-43	100-F-43, Spillway for PNL Outfall, 116-F-16 PNL Outfall, 100-F-39:1	100F	WCH
100-F-44	100-F-44, 100-F Miscellaneous Pipelines (See Subsites)	100F	WCH
100-F-45	100-F-45, Buried River Effluent Pipelines	100F	WCH
100-F-46	100-F-46, 119-F Stack Sampling French Drain	100F	WCH
100-F-47	100-F-47, 151-F Substation	100F	WCH
100-F-48	100-F-48, 184-F Coal Pit Debris	100F	WCH
100-F-49	100-F-49, 1716-F Maintenance Garage Lubrication Pit	100F	WCH
100-F-5	100-F-5, 1717-F Building Drywell	100F	WCH
100-F-50	100-F-50, 100-F Railroad French Drain, Storm Water Run Off Culvert	100F	WCH
100-F-51	100-F-51, 146-F Fish Laboratory Soil	100F	WCH
100-F-52	100-F-52, 146-FR Radioecology/Aquatic Biology Laboratory Soil	100F	WCH
100-F-53	100-F-53, 108-F Septic System	100F	WCH
100-F-54	100-F-54, 100-F Animal Farm Pastures	100F	WCH
100-F-55	100-F-55, 1607-F7 Contaminated Ash Layer	100F	WCH
100-F-56	100-F-56, 100-F Surface Debris/Stains	100F	WCH
100-F-57	100-F-57, 190-F Process Water Pump House Debris	100F	WCH
100-F-6	100-F-6, 1716 FA Fuel Tank and Pump	100F	WCH
100-F-7	100-F-7, Underground Fuel Tank - 1705-F Building	100F	WCH
100-F-8	100-F-8, French Drains Near 105-F Gate	100F	WCH
100-F-9	100-F-9, French Drain at East End of 105-F Storage Room (Northeast Corner)	100F	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-H-1	100-H-1, Rod Cave	100H	WCH
100-H-10	100-H-10, French Drain D	100H	WCH
100-H-11	100-H-11, Expansion Box French Drain E	100H	WCH
100-H-12	100-H-12, Expansion Box French Drain F and Shielding Lead	100H	WCH
100-H-13	100-H-13, French Drain G	100H	WCH
100-H-14	100-H-14, Surface Contamination Zone H	100H	WCH
100-H-15	100-H-15, Possible Septic Tank & Tile Field, 100-H-25	100H	WCH
100-H-16	100-H-16, 184-H Salt Dissolving Pit and Brine Pump House, H Area Power House Brine Pit, 184-H Brine Pit	100H	WCH
100-H-17	100-H-17, 116-H-2 Trench Overflow	100H	WCH
100-H-18	100-H-18, Undocumented Unplanned Airborne Release: Stack Emission No. 1	100H	WCH
100-H-19	100-H-19, Undocumented Unplanned Airborne Release: Stack Emission No. 2	100H	WCH
100-H-2	100-H-2, Buried Thimble Site, Thimble Pit	100H	WCH
100-H-20	100-H-20, Undocumented Unplanned Release: Swallow Nests and Droppings	100H	WCH
100-H-21	100-H-21, 100-H Reactor Cooling Water Effluent Underground Pipelines	100H	WCH
100-H-22	100-H-22, Soil Contaminated by Effluent Line Leakage	100H	WCH
100-H-24	100-H-24, 151-H Electrical Facilities, 100-H-24 Substation, 151-H Substation	100H	WCH
100-H-26	100-H-26, Grounds Surrounding Deactivated Areas, Exclusion Area	100H	WCH
100-H-27	100-H-27, 100-H Area Patrol Headquarters Storm Runoff Ditch	100H	WCH
100-H-28	100-H-28, 100-H Water Treatment Facilities Underground Pipelines (See Subsites)	100H	WCH
100-H-3	100-H-3, 1716-H Garage Fuel Tank Site	100H	WCH
100-H-30	100-H-30, 110-H Sanitary Sewer Trench	100H	WCH
100-H-31	100-H-31, Polychlorinated Biphenyl in Soil on North Side of 105-H Reactor Building	100H	WCH
100-H-32	100-H-32, 184-H Brine Pit French Drain	100H	WCH
100-H-33	100-H-33, 183-H Solar Evaporation Basins Radionuclide Components	100H	WCH
100-H-34	100-H-34, 100H River Effluent Pipelines, 100H River Lines	100H	WCH
100-H-35	100-H-35, 100-H Service Water Pipelines, 100-H Clean Water Pipelines	100H	WCH
100-H-36	100-H-36, 1904-H Spillway, 116-H-5 Spillway, 100-H-34:1 Flume (Spillway) for the 116-H-5 Outfall Structure	100H	WCH
100-H-37	100-H-37, 100-H Mud Dauber Contamination Area	100H	WCH
100-H-4	100-H-4, 1717-H Hot Shop, French Drain, and Contaminated Storage Unit	100H	WCH
100-H-5	100-H-5, 107-H Retention Basin Sludge Burial Site, 107-H Buried Sludge Site, Sludge Disposal Trench, 107-H Grave	100H	WCH
100-H-6	100-H-6, Suspect Waste Site: Contaminated Ramp	100H	WCH
100-H-7	100-H-7, French Drain A	100H	WCH
100-H-8	100-H-8, French Drain B	100H	WCH
100-H-9	100-H-9, French Drain C	100H	WCH
100-K-1	100-K-1, 119-KW French Drain, 119-KW Exhaust Air Sample Building French Drain, 100-K-45	100K	CHPRC
100-K-10	100-K-10, 118-KE-2 French Drain (South), 104-K Dry Well	100K	CHPRC
100-K-11	100-K-11, 118-KW-2 French Drain (North), 104-K Dry Well	100K	CHPRC
100-K-12	100-K-12, 118-KW-2 French Drain (South), 104-K Dry Well	100K	CHPRC
100-K-13	100-K-13, French Drain West of the 166-KW Oil Storage Tank Facility	100K	CHPRC
100-K-14	100-K-14, 183-KE Acid Neutralization Pit and Overflow French Drain	100K	CHPRC
100-K-15	100-K-15, 183-KW Liquid Alum Storage Tank (West)	100K	CHPRC
100-K-16	100-K-16, 183-KW Liquid Alum Storage Tank (East)	100K	CHPRC
100-K-18	100-K-18, 183-KW Caustic Neutralization Pit	100K	CHPRC
100-K-19	100-K-19, 183-KW Caustic Soda Storage Tank Site	100K	CHPRC
100-K-2	100-K-2, 118-K-2, 118-K-2 Sludge Burial Ground, Burial Area	100K	WCH
100-K-20	100-K-20, 183-KW Sodium Silicate Storage Tank (West)	100K	CHPRC
100-K-21	100-K-21, 183-KW Sodium Silicate Storage Tank (East)	100K	CHPRC
100-K-22	100-K-22, 183-KE Sodium Silicate Storage Tank (West)	100K	CHPRC
100-K-23	100-K-23, 183-KE Sodium Silicate Storage Tank (East)	100K	CHPRC
100-K-24	100-K-24, 183-KW Bauxite Tank	100K	CHPRC
100-K-25	100-K-25, 183-KE Caustic Neutralization Pit	100K	CHPRC
100-K-27	100-K-27, 183-KE Caustic Soda Storage Tank Site	100K	CHPRC
100-K-28	100-K-28, 183-KE Bauxite Tank	100K	CHPRC
100-K-29	100-K-29, 183-KE Sandblasting Site	100K	CHPRC
100-K-3	100-K-3, 1706-KE Fish Pond Heat Exchanger Pit and Pump Pit, Water Studies Semi-Works	100K	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-K-30	100-K-30, 183-KE Sulfuric Acid Tank Bases (West Tank)	100K	CHPRC
100-K-31	100-K-31, 183-KE Sulfuric Acid Tank Bases (East Tank)	100K	CHPRC
100-K-32	100-K-32, 183-KW Sulfuric Acid Tank Bases (East Tank)	100K	CHPRC
100-K-33	100-K-33, 183-KW Sulfuric Acid Tank Bases (West Tank)	100K	CHPRC
100-K-34	100-K-34, 183-KW Acid Neutralization Pit	100K	CHPRC
100-K-35	100-K-35, 183-KE Acid Neutralization Pit	100K	CHPRC
100-K-36	100-K-36, 1706-KE Chemical Storage Facility Dry Well	100K	CHPRC
100-K-37	100-K-37, 1706-KE Sulfuric Acid Tank	100K	CHPRC
100-K-38	100-K-38, 1706-KE Caustic Soda Tank	100K	CHPRC
100-K-39	100-K-39, 118-K-3 Filter Crib	100K	WCH
100-K-4	100-K-4, 1706-KE Wet Fish Studies Ponds and Valve Pit	100K	CHPRC
100-K-42	100-K-42, 100 Area KE Basin, 105-KE Fuel Storage Basin, K East Basin, Irradiated Fissile Material Storage, Metal Storage Basin, 100-K-40 Release	100K	CHPRC
100-K-43	100-K-43, KW Basin, 105-KW Fuel Storage Basin, K West Basin, Irradiated Fissile Material Storage	100K	CHPRC
100-K-44	100-K-44, Grounds Surrounding Deactivated Areas, Exclusion Area	100K	CHPRC
100-K-46	100-K-46, 119-KE French Drain, Drywell	100K	CHPRC
100-K-47	100-K-47, 1904-K Process Sewer	100K	CHPRC
100-K-48	100-K-48, 100-KE Oil Contamination Areas	100K	CHPRC
100-K-49	100-K-49, 100-KW Oil Contamination Areas	100K	CHPRC
100-K-5	100-K-5, 1705-KE French Drain	100K	CHPRC
100-K-50	100-K-50, 1725-K & 1726-K Sanitary Sewer System Holding Tank	100K	CHPRC
100-K-51	100-K-51, 105-KE 90-Day Waste Accumulation Area, 100K 90-Day Waste Storage Facility	100K	CHPRC
100-K-52	100-K-52, 1706-KE Wet Fish Studies Laboratory	100K	CHPRC
100-K-53	100-K-53, 100-KE Glycol Heat Recovery Underground Pipelines	100K	CHPRC
100-K-54	100-K-54, 100-KW Glycol Heat Recovery Underground Pipelines	100K	CHPRC
100-K-55	100-K-55, 100-KW Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100K	CHPRC
100-K-56	100-K-56, 100-KE Reactor Cooling Water Effluent Underground Pipelines (See Subsites)	100K	CHPRC
100-K-57	100-K-57, 107-KE Drainage Ditches	100K	CHPRC
100-K-58	100-K-58, 100-KE Service Water Pipelines, 100-KE Clean Water Pipelines	100K	CHPRC
100-K-59	100-K-59, 100-KW Service Water Pipelines, 100-KW Clean Water Pipelines	100K	CHPRC
100-K-6	100-K-6, Vacuum Pit, Cyclone Separator, 105-KE Vacuum Pit	100K	CHPRC
100-K-60	100-K-60, 1904-K Process Sewer (165-KW)	100K	CHPRC
100-K-61	100-K-61, 117-KW Filter Building	100K	CHPRC
100-K-62	100-K-62, 117-KE Filter Building	100K	CHPRC
100-K-63	100-K-63, 100-KW Floodplain, 100-KW Flood Plain Contamination Area, UN-116-KW-1	100K	CHPRC
100-K-64	100-K-64, 100-KE Floodplain, 100-KE Flood Plain Contamination Area, UN-116-KE-1	100K	CHPRC
100-K-66	100-K-66, 165-KW Power Control Building	100K	CHPRC
100-K-67	100-K-67, 165-KE Power Control Building	100K	CHPRC
100-K-68	100-K-68, 105-KE Pump Gallery and Catch Tank, D Sump	100K	CHPRC
100-K-69	100-K-69, 105-KE Sump C	100K	CHPRC
100-K-7	100-K-7, 165-KE Ethylene Glycol Tanks, 165-KE-E and 165-KE-W	100K	CHPRC
100-K-70	100-K-70, 105-KE Waste Storage Tank, Holding Tank	100K	CHPRC
100-K-71	100-K-71, 105-KE Collection Box	100K	CHPRC
100-K-72	100-K-72, 105-KW Pump Gallery and Catch Tank, D Sump	100K	CHPRC
100-K-73	100-K-73, 105-KW Collection Box	100K	CHPRC
100-K-74	100-K-74, 105-KW Waste Storage Tank, Holding Tank	100K	CHPRC
100-K-75	100-K-75, 105-KW Sump C	100K	CHPRC
100-K-76	100-K-76, 105-KW Unplanned Release Discovered Near 130-KW-1 Emergency Diesel Tank	100K	CHPRC
100-K-77	100-K-77, Underground Railroad Ties Southeast of 1706KE	100K	CHPRC
100-K-78	100-K-78, Fenced Contamination Area	100K	WCH
100-K-79	100-K-79, Sodium Dichromate and Sulfuric Acid Product Pipelines at 100-K	100K	CHPRC
100-K-8	100-K-8, 165-KW Ethylene Glycol Tanks, 165-KW-E and 165-KW-W	100K	CHPRC
100-K-80	100-K-80, 100KW River Effluent Pipeline, 100KW River Line, River Line (West) from 116-K-3 Outfall	100K	CHPRC
100-K-81	100-K-81, Contamination Area West of 116-K-3	100K	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-K-82	100-K-82, 105-KW Fuel Storage Basin Leak	100K	CHPRC
100-K-83	100-K-83, 1904-K Spillway, 1904-K Flume, 116-K-3, 1904-K Outfall Structure	100K	CHPRC
100-K-9	100-K-9, 118-KE-2 French Drain (North), 104-K Dry Well	100K	CHPRC
100-N-1	100-N-1, HGP SWMU #6, HGP Settling Pond	100N	ENW WCH
100-N-10	100-N-10, 120-N-5 Facility Liquid Unplanned Release 2 (09/02/87)	100N	WCH
100-N-11	100-N-11, 120-N-5 Transfer Trench Liquid Unplanned Release 3	100N	WCH
100-N-12	100-N-12, 166-N / 184-N Pipelines Liquid Unplanned Release 1 (10/14/87 Cleaned Up)	100N	WCH
100-N-13	100-N-13, Contaminated Soil Solid Waste Site 1	100N	WCH
100-N-14	100-N-14, Contaminated Soil Solid Waste Site 2	100N	WCH
100-N-16	100-N-16, Burn Pit 1, 128N-FS-2	100N	WCH
100-N-17	100-N-17, Burn Pit 2, 128N-FS-1	100N	WCH
100-N-18	100-N-18, Hanford Generating Plant Burn Pit, HGP Burn Pit	100N	WCH
100-N-19	100-N-19, HGP Construction Debris Dump Solid Waste Site, SWMU #11	100N	WCH
100-N-21	100-N-21, Blast Yard Solid Waste Site, 1143-N Blast Yard	100N	WCH
100-N-22	100-N-22, Sanitary Sewer System (Undocumented), 1705-N Septic Tank and Cesspool	100N	WCH
100-N-23	100-N-23, Resin Disposal Pit Liquid Waste Site 1	100N	WCH
100-N-24	100-N-24, Hydrogen Dry Well Liquid Waste Site, Hydrogen Peroxide Drywell	100N	WCH
100-N-25	100-N-25, French Drain 1 Liquid Waste Site (100N TBR 4.86)	100N	WCH
100-N-26	100-N-26, French Drain 2 Liquid Waste Site (100N TBR 4.86)	100N	WCH
100-N-27	100-N-27, 108-N Sump, 108-N Neutralization Pit	100N	WCH
100-N-28	100-N-28, Resin Disposal Pit Liquid Waste Site 2	100N	WCH
100-N-29	100-N-29, Unplanned Release on 25-Centimeter (10-Inch) Blowdown Pipeline #1	100N	WCH
100-N-3	100-N-3, Maintenance Garage French Drain, HGP SWMU #9, Maintenance Garage Waste Water Treatment Unit	100N	ENW WCH
100-N-30	100-N-30, Unplanned Release on 10-Inch Blowdown Pipeline #2	100N	WCH
100-N-31	100-N-31, Unplanned Release on 30-Inch Pipe Line	100N	WCH
100-N-32	100-N-32, Unplanned Release on 25-Centimeter (10-Inch) Blowdown Pipeline #3	100N	WCH
100-N-33	100-N-33, 100-N Military Installation Ash Pit	100N	WCH
100-N-34	100-N-34, Debris Site	100N	WCH
100-N-35	100-N-35, BPA Hanford Substation, Hanford Generating Plant (HGP) Substation	100N	WCH
100-N-36	100-N-36, 107-N Oil Stained Pad	100N	WCH
100-N-37	100-N-37, 109-N Asbestos Release	100N	WCH
100-N-38	100-N-38, Unplanned Release at 1300-N	100N	WCH
100-N-39	100-N-39, Hanford Substation Construction Dump Area, SWMU #11	100N	WCH
100-N-4	100-N-4, HGP SWMU #5, HGP Tile Field	100N	ENW WCH
100-N-40	100-N-40, Unplanned Release at 108-N	100N	WCH
100-N-41	100-N-41, 1701-NE Gate House Septic Tank, HGP SWMU #9	100N	ENW WCH
100-N-45	100-N-45, 1703-N Office Building Septic Tank, HGP SWMU #9	100N	ENW WCH
100-N-46	100-N-46, HGP Diesel Oil Storage Tank	100N	ENW WCH
100-N-47	100-N-47, Military Artillery Site Solid Waste Site	100N	WCH
100-N-5	100-N-5, HGP Disposal and Storage Area, HGP Bone Yard, HGP SWMU #10	100N	ENW WCH
100-N-50	100-N-50, HGP SWMU #4, Turbine Oil Filter Unit, Turbine Oil Cleaning System	100N	ENW WCH
100-N-51	100-N-51, HGP Building Oil Storage Area, 100-N-51A, HGP SWMU #2	100N	ENW WCH
100-N-51B	100-N-51B, HGP Building Floor Drains and Sumps, HGP SWMU #3	100N	WCH
100-N-52	100-N-52, HGP Gasoline Storage Tank	100N	ENW WCH
100-N-53	100-N-53, 181-N Building Waste Oil Tank	100N	WCH
100-N-54	100-N-54, 151-N Building Drywell, Miscellaneous Stream #727	100N	WCH
100-N-55	100-N-55, 153-N Building Drywell, Miscellaneous Stream #728	100N	WCH
100-N-56	100-N-56, 181-N Building Drywell	100N	WCH
100-N-57	100-N-57, 1304-N Emergency Dump Tank	100N	WCH
100-N-58	100-N-58, South Pond, 120-N South Settling Pond, 1324-N South Settling Pond	100N	WCH
100-N-59	100-N-59, Radioactively Contaminated Soil Northeast of 105-NB Building	100N	WCH
100-N-6	100-N-6, 128-N-1, 128N-FS-3	100N	WCH
100-N-60	100-N-60, 1314-N Drywell	100N	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-N-61	100-N-61, 100-N Water Treatment and Storage Facilities Underground Pipelines	100N	WCH
100-N-62	100-N-62, 100-N 105-N, 109-N, 163-N, 182-N, 183-N and 184-N Underground Pipelines	100N	WCH
100-N-63	100-N-63, 100-N Reactor (1314-N, 116-N-1 and 116-N-3) TSD Underground Pipelines (See Subsites)	100N	WCH
100-N-64	100-N-64, 100-N Reactor 105/109-N Cooling Water Effluent Underground Pipelines	100N	WCH
100-N-65	100-N-65, UPR-100-N-17 Interceptor Trench, Diesel Oil Interceptor Trench	100N	WCH
100-N-66	100-N-66, 105-N/109-N Reactor Building Complex	100N	WCH
100-N-67	100-N-67, HGP Dumping Area	100N	WCH
100-N-68	100-N-68, N Basin Low Level Radioactive Water Spill	100N	WCH
100-N-69	100-N-69, 105-NB Stormwater Injection Well, Miscellaneous Stream #801	100N	WCH
100-N-7	100-N-7, 182-N Facility Liquid Unplanned Release (Remediated)	100N	WCH
100-N-70	100-N-70, 1705-N Stormwater Injection Well, Miscellaneous Stream #802	100N	WCH
100-N-71	100-N-71, 100-N Sewer System, Project 4546.010	100N	WCH
100-N-72	100-N-72, 107-N Building East Area Stormwater Runoff, Miscellaneous Stream #396	100N	WCH
100-N-73	100-N-73, 107-N Building West Area Stormwater Runoff, Miscellaneous Stream #395	100N	WCH
100-N-74	100-N-74, 183-N Building Fire System Drain, Miscellaneous Stream #492	100N	WCH
100-N-75	100-N-75, 183-N Building Fire System Relief Valve, Miscellaneous Stream #493	100N	WCH
100-N-76	100-N-76, 181-N Pumphouse French Drains	100N	WCH
100-N-77	100-N-77, 100N River Effluent Pipeline, River Line from 1908-N Outfall	100N	WCH
100-N-78	100-N-78, 1716-NE Maintenance Garage, HGP SWMU #8	100N	WCH
100-N-79	100-N-79, 1908-N Spillway, 1908 N Outfall Structure, 100-N-77:1 Flume	100N	WCH
100-N-8	100-N-8, 108-N Facility, 108-N CUF	100N	WCH
100-N-80	100-N-80, River Line from 1908-NE Outfall	100N	WCH
100-N-81	100-N-81, 100-N Kaiser Shops Garnet Sandblasting Material	100N	WCH
100-N-9	100-N-9, 120-N-5 Facility Liquid Unplanned Release 1 (08/07/87)	100N	WCH
1100 BSUHR	1100 BSUHR, 1100 Area Bus Shop Underground Hoist Rams	1100	CHPRC
1100 HPADS	1100 HPADS, 1100 Area Hanford Patrol Academy Demolition Site	600	CHPRC
1100 HWSA	1100 HWSA, 1100 Area HWSA, 1100 Area Hazardous Waste Storage Area	1100	CHPRC
1100 UOT4	1100 UOT4, 1100 Area Used Oil Tank 4, 1100 Area Underground Used Oil Tank (Tank #4), 1171-4	1100	CHPRC
1100 UOT5	1100 UOT5, 1100 Area Used Oil Tank 5, 1100 Area Underground Used Oil Tank (Tank #5), 1171-5	1100	CHPRC
1100 UOT6	1100 UOT6, 1100 Area Used Oil Tank 6, 1100 Area Underground Used Oil Tank (Tank #6), 1171-6	1100	CHPRC
1100 USPT2	1100 USPT2, 1100 Area Underground Steam Pad Tank 2, 1171-2	1100	CHPRC
1100 USPT3	1100 USPT3, 1100 Area Underground Steam Pad Tank 3, 1171-3	1100	CHPRC
1100-1	1100-1, Battery Acid Pit, 1171 Building Sandpit Spills, UPR-1100-1	1100	CHPRC
1100-11	1100-11, Ephemerol Pool	1100	CHPRC
1100-12	1100-12 Dumping Areas	1100	CHPRC
1100-13	1100-13, Gravel Pit #1, Pit 1	1100	CHPRC
1100-14	1100-14, Gravel Pit #2, Pit 2	1100	CHPRC
1100-15	1100-15, Gravel Pit #3, Pit 3	1100	CHPRC
1100-18	1100-18, Cistern and Possible Historic Disposal Site Identified During RCRA General Inspection 1100FY98 Item #3	1100	CHPRC
1100-19	1100-19, Tar Flow and Stained Sands Areas	1100	CHPRC
1100-2	1100-2, Paint and Solvent Pit, UPR-1100-2	1100	CHPRC
1100-20	1100-20, Hammer 90-Day Storage Pad	1100	CHPRC
1100-3	1100-3, Antifreeze and Degreaser Pit, Antifreeze Pit, UPR-1100-3	1100	CHPRC
1100-4	1100-4, Antifreeze Tank Site, UN-1100-4, 1171 Building Spills, UPR-1100-4	1100	CHPRC
1100-8	1100-8, 1171 Hoist Oil Leak	1100	CHPRC
1100-9	1100-9, 1164 Building 90-Day Waste Accumulation Area	1100	CHPRC
116-B-1	116-B-1, 107-B Liquid Waste Disposal Trench, Process Effluent Trench	100B	WCH
116-B-10	116-B-10, 108-B Dry Well, Quench Tank	100B	WCH
116-B-11	116-B-11, 107-B Retention Basin, 116-B-11 Retention Basin	100B	WCH
116-B-12	116-B-12, 117-B Crib, 117-B Seal Pit Crib	100B	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
116-B-13	116-B-13, 107-B South Sludge Trench, 116-B-8, 107-B #2 Grave, Basin Sludge Burial Pit	100B	WCH
116-B-14	116-B-14, 107-B North Sludge Trench, 107-B Liquid Waste Disposal Trench No. 1, 116-B-2, 107-B #1 Grave	100B	WCH
116-B-15	116-B-15, 105-B Fuel Storage Basin Cleanout Percolation Pit, 105-B Fuel Storage Discharge Pond, 105-B Pond	100B	WCH
116-B-16	116-B-16, 111-B Fuel Examination Tank	100B	WCH
116-B-2	116-B-2, 105-B Storage Basin Trench, B-Storage Basin Crib	100B	WCH
116-B-3	116-B-3, 105-B Pluto Crib	100B	WCH
116-B-4	116-B-4, 105-B Dummy Decontamination French Drain, 105-B Dummy Decontamination Disposal Crib	100B	WCH
116-B-5	116-B-5, 116-B-5 Crib, 116-B-5 Trench, 108-B Crib	100B	WCH
116-B-6A	116-B-6A, 111-B Crib No. 1, 116-B-6-1	100B	WCH
116-B-6B	116-B-6B, 111-B Crib No. 2, 116-B-6-2	100B	WCH
116-B-7	116-B-7, 1904-B-1 Outfall Structure, 1904-B1	100B	WCH
116-B-9	116-B-9, 104-B-2 French Drain	100B	WCH
116-C-1	116-C-1, 107-C Liquid Waste Disposal Trench	100C	WCH
116-C-2A	116-C-2A, 105-C Pluto Crib, 116-C-2, 105-C Crib	100C	WCH
116-C-2B	116-C-2B, 105-C Pluto Crib Pump Station, 116-C-2-1, 116-C-2B Pump Station	100C	WCH
116-C-2C	116-C-2C, 105-C Pluto Crib Sand Filter, 116-C-2-2, 116-C-8	100C	WCH
116-C-3	116-C-3, 105-C Chemical Waste Tanks	100C	WCH
116-C-5	116-C-5, 116-C-5 Retention Basins, 107-C Retention Basins	100C	WCH
116-C-6	116-C-6, 105-C Fuel Storage Basin Cleanout Percolation Pit, 105-C Pond	100C	WCH
116-D-10	116-D-10, 105-D Fuel Storage Basin Cleanout Percolation Pit, 105-D Fuel Storage Discharge Ponds, 105-D Ponds	100D	WCH
116-D-1A	116-D-1A, 105-D Storage Basin Trench #1	100D	WCH
116-D-1B	116-D-1B, 105-D Storage Basin Trench #2	100D	WCH
116-D-2	116-D-2, 105-D Pluto Crib, 116-D-2A	100D	WCH
116-D-3	116-D-3, 108-D Crib #1	100D	WCH
116-D-4	116-D-4, 108-D Crib #2	100D	WCH
116-D-5	116-D-5, 1904-D Outfall Structure	100D	WCH
116-D-6	116-D-6, 105-D Cushion Corridor French Drain	100D	WCH
116-D-7	116-D-7, 107-D Retention Basin, 107-D	100D	WCH
116-D-8	116-D-8, 100-D Cask Storage Pad	100D	WCH
116-D-9	116-D-9, 117-D Crib, 117-D Seal Pit Crib	100D	WCH
116-DR-1&2	116-DR-1&2, 107-DR Liquid Waste Disposal Trench #1, 107-DR Liquid Waste Disposal Trench #2, 116-DR-1, 116-DR-2, Emergency Crib Trench	100D	WCH
116-DR-10	116-DR-10, 105-DR Fuel Storage Basin Cleanout Percolation, 105-DR Fuel Storage Discharge Pond, 105-DR Pond	100D	WCH
116-DR-3	116-DR-3, 105-DR Storage Basin Trench	100D	WCH
116-DR-4	116-DR-4, 105-DR Pluto Crib	100D	WCH
116-DR-5	116-DR-5, 1904-DR Outfall Structure, 1904-DR	100D	WCH
116-DR-6	116-DR-6, 1608-DR Liquid Waste Disposal Trench, Wash Pad Liquid Waste Site 3C	100D	WCH
116-DR-7	116-DR-7, 105-DR Inkwell Crib	100D	WCH
116-DR-8	116-DR-8, 117-DR Crib, 117-DR Seal Pit Crib (CERCLA)	100D	WCH
116-DR-9	116-DR-9, 107-DR Retention Basin, 107-DR	100D	WCH
116-F-1	116-F-1, Lewis Canal	100F	WCH
116-F-10	116-F-10, 105-F Dummy Decontamination French Drain, 116-F-8, 105 Dummy/Perf Decontamination Crib, Perf Decontamination Drain	100F	WCH
116-F-11	116-F-11, 105-F Cushion Corridor French Drain	100F	WCH
116-F-12	116-F-12, 148-F French Drain	100F	WCH
116-F-13	116-F-13, 1705-F Experimental Garden French Drain	100F	WCH
116-F-14	116-F-14, 107-F Retention Basin, 107-F	100F	WCH
116-F-15	116-F-15, 108-F Radiation Crib	100F	WCH
116-F-16	116-F-16, PNL Outfall	100F	WCH
116-F-2	116-F-2, 107-F Liquid Waste Disposal Trench	100F	WCH
116-F-3	116-F-3, 105-F Storage Basin Trench	100F	WCH
116-F-4	116-F-4, 105-F Pluto Crib	100F	WCH
116-F-5	116-F-5, Ball Washer Crib	100F	WCH
116-F-6	116-F-6, 1608-F Liquid Waste Disposal Trench, 105-F Cooling Water Trench	100F	WCH
116-F-7	116-F-7, 117-F Crib and Pipeline, 116-F-7 Seal Pit Water Crib and Pipeline (See Subsites)	100F	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
116-F-8	116-F-8, 1904-F Outfall Structure	100F	WCH
116-F-9	116-F-9, Animal Waste Leaching Trench	100F	WCH
116-H-1	116-H-1, 107-H Liquid Waste Disposal Trench	100H	WCH
116-H-2	116-H-2, 1608-H Liquid Waste Disposal Trench, 1608-H Crib & Trench	100H	WCH
116-H-3	116-H-3, 105-H Dummy Decontamination French Drain, Perf Decontamination Drain	100H	WCH
116-H-4	116-H-4, 105-H Pluto Crib	100H	WCH
116-H-5	116-H-5, 116-H-5 Outfall Structure, 1904-H Outfall Structure	100H	WCH
116-H-6	116-H-6, 183-H Solar Evaporation Basins	100H	WCH
116-H-7	116-H-7, 107-H Retention Basin, 107-H	100H	WCH
116-H-9	116-H-9, 117-H Crib, 117-H Seal Pit Crib	100H	WCH
116-K-1	116-K-1, 100-K Crib, 100-K Pond, 116-K-1 Trench, 107-K Pond, 107-K(E) Sump, 100-K Emergency Pond	100K	WCH
116-K-2	116-K-2, 100-K Mile Long Trench, K Trench, 116-K-2 Trench, 100-K Emergency Trench, 107-K Effluent Trench, Bypass Crib Ditch	100K	WCH
116-K-3	116-K-3, 1904-K Outfall Structure, 1908-K Outfall Structure	100K	CHPRC
116-KE-1	116-KE-1, 115-KE Condensate Crib	100K	CHPRC
116-KE-2	116-KE-2, 1706-KER Waste Crib	100K	CHPRC
116-KE-3	116-KE-3, 105-KE Storage Basin French Drain, 105-KE Fuel Storage Basin Sub-Basin Drainage Disposal System Crib	100K	CHPRC
116-KE-4	116-KE-4, 107-KE Retention Basins, 107-KE	100K	CHPRC
116-KE-5	116-KE-5, 150-KE Heat Recovery Station	100K	WCH
116-KE-6A	116-KE-6A, 1706-KE Condensate Collection Tank, 1706-KE Waste Treatment System	100K	CHPRC
116-KE-6B	116-KE-6B, 1706-KE Evaporation Tank, 1706-KE Waste Treatment System	100K	CHPRC
116-KE-6C	116-KE-6C, 1706-KE Waste Accumulation Tank, 1706-KE Waste Treatment System	100K	CHPRC
116-KE-6D	116-KE-6D, 1706-KE Ion Exchange Column, 1706-KE Waste Treatment System	100K	CHPRC
116-KW-1	116-KW-1, 115-KW Condensate Crib	100K	CHPRC
116-KW-2	116-KW-2, 105-KW Storage Basin French Drain, 105-KW Basin Reverse Well, 105-KW Fuel Storage Basin Sub-Basin Drainage Disposal System Crib	100K	CHPRC
116-KW-3	116-KW-3, 107-KW Retention Basin, 107-KW	100K	WCH
116-KW-4	116-KW-4, 150-KW Heat Recovery Station	100K	WCH
116-N-1	116-N-1, 1301-N Liquid Waste Disposal Facility, 1301-N Crib and Trench	100N	WCH
116-N-2	116-N-2, 1310-N Chemical Waste Storage Tank, The Golf Ball, 1310-N Waste Storage Area	100N	WCH
116-N-3	116-N-3, 1325-N Liquid Waste Disposal Facility, 1325-N Crib and Trench	100N	WCH
116-N-4	116-N-4, 1300-N Emergency Dump Basin	100N	WCH
116-N-8	116-N-8, 163-N Mixed Waste and Hazardous Waste Container Storage Pad, 1330-N, 116-N-8 Storage Pad	100N	WCH
118-B-1	118-B-1, 105-B Burial Ground, 105-B Solid Waste Burial Ground, Operations, Solid Waste Burial Ground, 108-B Burial Ground, Ext. to BG No. 1	100B	WCH
118-B-10	118-B-10, Ball 3X Storage Vault	100B	WCH
118-B-2	118-B-2, Construction Burial Ground No. 1, Minor Construction Burial Ground No. 1	100B	WCH
118-B-3	118-B-3, Construction Burial Ground No. 2	100B	WCH
118-B-4	118-B-4, 105-B Spacer Burial Ground, 105-B Dummy Burial Ground	100B	WCH
118-B-5	118-B-5, Ball 3X Burial Ground	100B	WCH
118-B-6	118-B-6, 108-B Solid Waste Burial Ground, 108-B Solid Waste Burial Ground No. 2	100B	WCH
118-B-7	118-B-7, 111-B Solid Waste Burial Site	100B	WCH
118-B-8	118-B-8, 105-B Reactor Building, B Reactor (See Subsites)	100B	MSA
118-B-9	118-B-9, 104-B-1 Tritium Vault and 104-B-2 Tritium Laboratory, 104-B2 Storage Building	100B	WCH
118-C-1	118-C-1, 105-C Burial Ground, 105-C Solid Waste Burial Ground, 118-C-1 Burial Ground	100C	WCH
118-C-2	118-C-2, 105-C Ball Storage Tank, Ball 3X Storage Tank	100C	WCH
118-C-3	118-C-3, 105-C Reactor Building (See Subsites)	100C	WCH
118-C-4	118-C-4, 105-C Horizontal Control Rod Storage Cave	100C	WCH
118-D-1	118-D-1, 100-D Burial Ground No. 1	100D	WCH
118-D-2	118-D-2, 100-D Burial Ground No. 2	100D	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
118-D-3	118-D-3, 100-D Burial Ground No. 3 (See Subsites)	100D	WCH
118-D-4	118-D-4, Construction Burial Ground, Burial Ground 4F, 118-D-4F	100D	WCH
118-D-5	118-D-5, Minor Construction Burial Ground Number 3, Ball 3X Burial Ground, Burial Ground 4G, 118-D-4G, Minor Construction Burial Ground Number 5	100D	WCH
118-D-6	118-D-6, 105-D Reactor Building (See Subsites)	100D	WCH
118-DR-1	118-DR-1, 105-DR Gas Loop Burial Ground	100D	WCH
118-DR-2	118-DR-2, 105-DR Reactor Building, 105-DR (See Subsites)	100D	WCH
118-F-1	118-F-1, Minor Construction Burial Ground No. 2, Burial Ground No. 1, Solid Waste Burial Ground No. 2	100F	WCH
118-F-2	118-F-2, Burial Ground No. 2, Solid Waste Burial Ground No. 1	100F	WCH
118-F-3	118-F-3, Minor Construction Burial Ground No. 1, Burial Ground No. 3	100F	WCH
118-F-4	118-F-4, 115-F Pit, 115-F Crib	100F	WCH
118-F-5	118-F-5, PNL Sawdust Pit, PNL Sawdust Respository, Battelle Sawdust Pit	100F	WCH
118-F-6	118-F-6, PNL Solid Waste Burial Ground	100F	WCH
118-F-7	118-F-7, 100-F Miscellaneous Hardware Storage Vault, Concrete Box	100F	WCH
118-F-8	118-F-8, 105-F Reactor Building (See Subsites)	100F	WCH
118-F-9	118-F-9, PNL Rad Site	100F	WCH
118-H-1	118-H-1, 100-H Burial Ground No. 1, 100-H-1, See Subsites	100H	WCH
118-H-2	118-H-2, H-1 Loop Burial Ground, 100-H Burial Ground No. 2, P-13 Test Loop	100H	WCH
118-H-3	118-H-3, Construction Burial Ground	100H	WCH
118-H-4	118-H-4, Ball 3X Burial Ground	100H	WCH
118-H-5	118-H-5, 105-H Thimble Pit	100H	WCH
118-H-6	118-H-6, 105-H Reactor Building (See Subsites)	100H	WCH
118-K-1	118-K-1, 100-K Burial Ground, 118-K	100K	WCH
118-KE-1	118-KE-1, 105-KE Reactor Building	100K	CHPRC
118-KE-2	118-KE-2, 105-KE Horizontal Control Rod Storage Cave, Rod Cave	100K	CHPRC
118-KW-1	118-KW-1, 105-KW Reactor Building	100K	CHPRC
118-KW-2	118-KW-2, 105-KW Horizontal Control Rod Storage Cave	100K	CHPRC
118-N-1	118-N-1, 100-N Area Silos, 100-N Area Spacer Silos, 118-N, 1303-N Spacer Silos, 1303-N Radioactive Dummy Burial Facility	100N	WCH
120-B-1	120-B-1, 105-B Battery Acid Sump	100B	WCH
120-D-1	120-D-1, 100-D Ponds	100D	WCH
120-D-2	120-D-2, 186-D Waste Acid Reservoir	100D	WCH
120-F-1	120-F-1, Glass Dump	100F	WCH
120-KE-1	120-KE-1, 183-KE Filter Waste Facility Dry Well, 100-KE-1, 183-KE Filter Water Facility, 183-KE Acid Neutralization Pit, 100-K-26	100K	CHPRC
120-KE-2	120-KE-2, 183-KE Filter Waste Facility French Drain, 100-KE-2, 183 KE Filter Water Facility	100K	CHPRC
120-KE-3	120-KE-3, 100-KE-3, 183-KE Filter Water Facility Trench	100K	CHPRC
120-KE-4	120-KE-4, 183-KE1 Sulfuric Acid Storage Tank	100K	CHPRC
120-KE-5	120-KE-5, 183-KE2 Sulfuric Acid Storage Tank	100K	CHPRC
120-KE-6	120-KE-6, 183-KE Sodium Dichromate Tank	100K	CHPRC
120-KE-8	120-KE-8, 165-KE Brine Pit, 165-KE Brine Mixing Tank	100K	CHPRC
120-KE-9	120-KE-9, 183-KE Brine Pit, 183-KE Salt Dissolving Pits and Brine Pump Pit	100K	CHPRC
120-KW-1	120-KW-1, 183-KW Filter Water Facility Dry Well, 100-KW-1, 183-KW Acid Neutralization Pit, 100-K-17	100K	CHPRC
120-KW-2	120-KW-2, 183-KW Filter Water Facility French Drain, 100-KW-2	100K	CHPRC
120-KW-3	120-KW-3, 183-KW1 Sulfuric Acid Storage Tank	100K	CHPRC
120-KW-4	120-KW-4, 183-KW2 Sulfuric Acid Storage Tank	100K	CHPRC
120-KW-5	120-KW-5, 183-KW Sodium Dichromate Storage Tank	100K	CHPRC
120-KW-6	120-KW-6, 165-KW Brine Pit, 165-KW Brine Mixing Tank	100K	CHPRC
120-KW-7	120-KW-7, 183-KW Brine Pit, 183-KW Salt Dissolving Pits and Brine Pump Pit	100K	CHPRC
120-N-1	120-N-1, 1324-NA Percolation Pond	100N	WCH
120-N-2	120-N-2, 1324-N Surface Impoundment	100N	WCH
120-N-3	120-N-3, 163-N Neutralization Pit and French Drain	100N	WCH
120-N-4	120-N-4, 1310-N Hazardous Waste Storage Area, 1310-N Waste Oil Storage Pad, 1310-N Non-Hazardous Waste Pad	100N	WCH
120-N-5	120-N-5, 108-N/163-N Transfer Line and Neutralization Pit	100N	WCH
120-N-6	120-N-6, 108-N Acid Tank Vent French Drains	100N	WCH
120-N-7	120-N-7, 108-N Acid Unloading Facility French Drain	100N	WCH
120-N-8	120-N-8, 163-N Sulfuric Acid Tank Vent French Drain	100N	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
122-DR-1	122-DR-1, 105-DR Sodium Fire Facility, 105-DR Large Sodium Fire Facility, 100-D-51 (See Subsites)	100D	WCH
124-C-4	124-C-4, Sanitary Waste Site	100C	WCH
124-N-1	124-N-1, 124-N-1 Septic Tank, 100-N Sanitary Sewer System No. 1	100N	WCH
124-N-10	124-N-10, 124-N-10 Sanitary Sewer System, 100-N Central Sewer System No. 10, Project H-677, 100-N Sewage Lagoon	100N	WCH
124-N-2	124-N-2, 124-N-2 Septic Tank, 100-N Sanitary Sewer System No. 2	100N	WCH
124-N-3	124-N-3, 124-N-3 Septic Tank, 100-N Sanitary Sewer System No. 3	100N	WCH
124-N-4	124-N-4, 100-N Sanitary Sewer System No. 4, 124-N-4 Septic Tank	100N	WCH
124-N-5	124-N-5, 100-N Sanitary Sewer System No. 5, 124-N-5 Septic Tank	100N	WCH
124-N-6	124-N-6, 100-N Sanitary Sewer System No. 6, 124-N-6 Septic Tank	100N	WCH
124-N-7	124-N-7, 100-N Sanitary Sewer System No. 7, 124-N-7 Septic Tank	100N	WCH
124-N-8	124-N-8, 100-N Sanitary Sewer System No. 8, 124-N-8 Septic Tank	100N	WCH
124-N-9	124-N-9, 124-N-9 Septic Tank, 100-N Sanitary Sewer System No. 9	100N	WCH
126-B-1	126-B-1, 184-B Power House Ash Pit, 188-B Ash Disposal Area	100B	WCH
126-B-2	126-B-2, 183-B Clearwells	100B	WCH
126-B-3	126-B-3, 184-B Coal Pit	100B	WCH
126-B-4	126-B-4, B Area Brine and Salt Dilution Pits, 126-B-4 Brine Pit. 184-B Salt Dissolving Pit and Brine Pump House	100B	WCH
126-D-1	126-D-1, 184-D Powerhouse Ash Pit, 188-D Ash Disposal Area, 100-D Ash Disposal Basin	100D	WCH
126-D-2	126-D-2, 184-D Coal Pit, Inert Landfill	100D	WCH
126-D-3	126-D-3, D Area Brine and Salt Dilution Pits, 184-D Salt Dissolving Pit and Brine Pump House	100D	WCH
126-DR-1	126-DR-1, 190-DR Clearwell Tank Pit, 100-DR Clearwells	100D	WCH
126-F-1	126-F-1, 184-F Powerhouse Ash Pit, 188-F Ash Disposal Area	100F	WCH
126-F-2	126-F-2, 183-F Clearwells	100F	WCH
126-H-1	126-H-1, 184-H Powerhouse Ash Pit, 188-H Ash Disposal Area	100H	WCH
126-H-2	126-H-2, 183-H Clearwells/Disposal Pit	100H	WCH
126-K-1	126-K-1, 100-K Gravel Pit	100K	WCH
126-KE-2	126-KE-2, 183-KE Liquid Alum Storage Tank #2	100K	CHPRC
126-KE-3	126-KE-3, 183-KE Liquid Alum Storage Tank #1	100K	CHPRC
128-B-1	128-B-1, 100 B/C Burning Pit, 100-B Burning Pit	100B	WCH
128-B-2	128-B-2, 100-B Burn Pit #2	600	WCH
128-B-3	128-B-3, 100-B Dump Site, 128-B-3 Coal Ash and Demolition Waste Site, 128-B-3 Burning Pit Site, 600-57	100B	WCH
128-C-1	128-C-1, 100-C Burning Pit	100C	WCH
128-D-1	128-D-1, 100 D/DR Burning Pit	100D	WCH
128-D-2	128-D-2, 128-D-2 Burn Pit	100D	WCH
128-F-1	128-F-1, 100-F Burning Pit, 100-F Burning Pit No. 1	100F	WCH
128-F-2	128-F-2, 100-F Burning Pit	100F	WCH
128-F-3	128-F-3, PNL Burn Pit	100F	WCH
128-H-1	128-H-1, 100-H Burning Pit, 100-H Burning Pit No. 1	100H	WCH
128-H-2	128-H-2, 100-H Burning Ground #2	100H	WCH
128-H-3	128-H-3, 100-H Burning Ground #3	100H	WCH
128-K-1	128-K-1, 100-K Burning Pit	100K	WCH
128-K-2	128-K-2, 100-K Construction Dump	100K	WCH
128-N-1	128-N-1, 100-N Burning Pit, 128-N-1 Burning Pit	100N	WCH
130-D-1	130-D-1, 1716-D Gasoline Storage Tank, 1706-D Gasoline Storage Tank	100D	WCH
130-K-1	130-K-1, 1717-K Gasoline Storage Tank	100K	CHPRC
130-K-2	130-K-2, 1717-K Waste Oil Storage Tank	100K	CHPRC
130-K-3	130-K-3, 182-K Emergency Diesel Oil Storage Tank, 130-K-3A and 130-K-3B	100K	CHPRC
130-KE-1	130-KE-1, 105-KE Emergency Diesel Oil Storage Tank, 105-KE Emergency Diesel Fuel Tank	100K	CHPRC
130-KE-2	130-KE-2, 166-KE Oil Storage Tank, Oil Bunker	100K	CHPRC
130-KW-1	130-KW-1, 105-KW Emergency Diesel Oil Storage Tank, 130-KW-1A/130-KW-1B Tanks, 105-KW Emergency Diesel Fuel Tank	100K	CHPRC
130-KW-2	130-KW-2, 166-KW Oil Storage Tank	100K	CHPRC
130-N-1	130-N-1, 183-N Backwash Discharge Pond, 126-N-1, 183-N Filter Backwash Pond	100N	WCH
132-B-1	132-B-1, 108-B Tritium Separation Facility	100B	WCH
132-B-2	132-B-2, 116-B Reactor Exhaust Stack, 132-B-2 Stack	100B	MSA

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
132-B-3	132-B-3, 108-B Ventilation Exhaust Stack Site, 108-B Tritium Pilot Facility, Ventilation Exhaust Stack Site	100B	WCH
132-B-4	132-B-4, 117-B Filter Building	100B	WCH
132-B-5	132-B-5, 115-B/C Gas Recirculation Facility	100B	WCH
132-B-6	132-B-6, 1904-B-2 Outfall Structure Site, 116-B-8, 1904-B2	100B	WCH
132-C-1	132-C-1, 116-C Reactor Exhaust Stack Site, 105-C Reactor Stack Site	100C	WCH
132-C-2	132-C-2, 1904-C Outfall, 116-C-4	100B	WCH
132-C-3	132-C-3, 117-C Filter Building	100C	WCH
132-D-1	132-D-1, 115-D/DR Gas Recirculating Facility	100D	WCH
132-D-2	132-D-2, 117-D Filter Building	100D	WCH
132-D-3	132-D-3, 1608-D Waste Water Pumping Station, 1608-D Effluent Pumping Station	100D	WCH
132-D-4	132-D-4, 105-D Reactor Exhaust Stack, 116-D Reactor Exhaust Stack	100D	WCH
132-DR-1	132-DR-1, 1608-DR Waste Water Pumping Station, 1608-DR Effluent Pumping Station	100D	WCH
132-DR-2	132-DR-2, 116-DR Reactor Exhaust Stack	100D	WCH
132-F-1	132-F-1, 132-F-1 Chronic Feeding Barn, 141-F, 141-F Sheep Barn	100F	WCH
132-F-2	132-F-2, 132-F-2 Inhalation Laboratory, 144-F, 144-FB	100F	WCH
132-F-3	132-F-3, 115-F Gas Recirculating Facility	100F	WCH
132-F-4	132-F-4, 116-F Reactor Stack, 116-F Reactor Exhaust Stack, 132-F-4 Reactor Stack Demolition Site (See Subsites)	100F	WCH
132-F-5	132-F-5, 117-F Filter Building	100F	WCH
132-F-6	132-F-6, 1608-F Waste Water Pumping Station, 1608-F Effluent Pumping Station, 132-F-6 Lift Station	100F	WCH
132-H-1	132-H-1, 116-H Reactor Exhaust Stack Burial Site	100H	WCH
132-H-2	132-H-2, 117-H Filter Building Site	100H	WCH
132-H-3	132-H-3, 1608-H Waste Water Pumping Station Site, 116-H-8, 1608-H Effluent Pumping Station Site	100H	WCH
132-KE-1	132-KE-1, 116-KE Reactor Exhaust Stack	100K	CHPRC
132-KW-1	132-KW-1, 116-KW Reactor Exhaust Stack	100K	CHPRC
141-C	141-C, 141-C Animal Barn, Large Animal Barn & Biology Laboratory, Hog Barn	100F	WCH
1607-B1	1607-B1, 1607-B1 Septic Tank System, 124-B-1, 1607-B1 Sanitary Sewer System	100B	WCH
1607-B10	1607-B10, 1607-B10 Septic Tank System, Sewage Disposal Field	100C	WCH
1607-B11	1607-B11, 1607-B11 Septic Tank System	100C	WCH
1607-B2	1607-B2, 1607-B2 Septic Tank System, 124-B-2, 1607-B2 Sanitary Sewer System (See Subsites)	100B	WCH
1607-B3	1607-B3, 1607-B3 Septic Tank System, 124-B-3, 1607-B3 Sanitary Sewer System	100B	WCH
1607-B4	1607-B4, 1607-B4 Septic Tank System, 124-B-6, 1607-B4 Sanitary Sewer System, 1607-B4 Septic Tank	100B	WCH
1607-B5	1607-B5, 1607-B5 Septic Tank System, 1607-B4, 1607-B4 Septic Tank System, 124-B-4, 1607-B4 Sanitary Sewer System	100B	WCH
1607-B6	1607-B6, 1607-B6 Septic Tank System, 1607-B5, 1607-B5 Septic Tank System, 124-B-5, 1607-B5 Sanitary Sewer System	100B	MSA
1607-B7	1607-B7, 1607-B7 Septic Tank System, 1607-B7 Sanitary Sewer System, 124-C-1	100B	WCH
1607-B8	1607-B8, 1607-B8 Septic Tank System, 124-C-2, 1607-B8 Sanitary Sewer System, Septic Tank & Disposal Field for 190-C Pumphouse	100B	WCH
1607-B9	1607-B9, 1607-B9 Septic Tank System, 1607-B9 Sanitary Sewer System, 124-C-3	100C	WCH
1607-D1	1607-D1, 1607-D1 Septic Tank and Associated Drain Field, 124-D-1, 1607-D1 Sanitary Sewer System, 1607-D1 Septic Tank	100D	WCH
1607-D2	1607-D2, 1607-D2 Septic Tank and Associated Drain Fields, 124-D-2, 1607-D2 Sanitary Sewer System, 1607-D2 Septic Tank (See Subsites)	100D	WCH
1607-D3	1607-D3, 1607-D3 Septic Tank and Associated Drain Field, 1607-D3 Sanitary Sewer System, 1607-D3 Septic Tank	100D	WCH
1607-D4	1607-D4, 1607-D4 Septic Tank and Associated Drain Field, 124-D-4, 1607-D4 Sanitary Sewer System, 1607-D4 Septic Tank	100D	WCH
1607-D5	1607-D5, 1607-D5 Septic Tank and Associated Drain Field, 124-D-5, 1607-D5 Sanitary Sewer System, 1607-D5 Septic Tank	100D	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
1607-F1	1607-F1, 1607-F1 Septic Tank and Associated Drain Field, 124-F-1, 1607-F1 Sanitary Sewer System, 1607-F1 Septic Tank	100F	WCH
1607-F2	1607-F2, 1607-F2 Septic Tank, 124-F-2, 1607-F2 Sanitary Sewer System	100F	WCH
1607-F3	1607-F3, 1607-F3 Septic Tank, 124-F-3, 1607-F3 Sanitary Sewer System	100F	WCH
1607-F4	1607-F4, 1607-F4 Septic Tank, 124-F-4, 1607-F4 Sanitary Sewer System	100F	WCH
1607-F5	1607-F5, 1607-F5 Septic Tank, 124-F-5, 1607-F5 Sanitary Sewer System	100F	WCH
1607-F6	1607-F6, 1607-F6 Septic Tank, 124-F-6, 1607-F6 Sanitary Sewer System	100F	WCH
1607-F7	1607-F7, 141-M Building Septic Tank, 124-F-7	100F	WCH
1607-H1	1607-H1, 1607-H1 Septic Tank and Associated Drain Field, 124-H-1, 1607-H1 Sanitary Sewer System, 1607-H1 Septic Tank	100H	WCH
1607-H2	1607-H2, 1607-H2 Septic Tank and Associated Drain Field, Septic System, 1607-H2 Sanitary Sewer System, 124-H-2, 1607-H2 Septic Tank	100H	WCH
1607-H3	1607-H3, 1607-H3 Septic Tank and Associated Drain Field, 124-H-3, 1607-H3 Sanitary Sewer System, 1607-H3 Septic Tank	100H	WCH
1607-H4	1607-H4, 1607-H4 Septic Tank and Associated Drain Field, 1607-H4 Sanitary Sewer System, 124-H-4, 1607-H4 Septic Tank	100H	WCH
1607-K1	1607-K1, 1607-K1 Septic Tank and Associated Drain Field, 124-K-1, 1607-K1 Sanitary Sewer System, 1607-K1 Septic Tank	100K	CHPRC
1607-K2	1607-K2, 1607-K2 Septic Tank and Associated Drain Field, 124-KE-1, 1607-K2 Sanitary Sewer System, 1607-K2 Septic Tank	100K	CHPRC
1607-K3	1607-K3, 1607-K3 Septic Tank and Associated Drain Field, 124-KW-2, 1607-K3 Sanitary Sewer System, 1607-K3 Septic Tank	100K	CHPRC
1607-K4	1607-K4, 1607-K4 Septic Tank and Associated Drain Field, 124-K-2, 1607-K4 Sanitary Sewer System, 1607-K4 Septic Tank	100K	CHPRC
1607-K5	1607-K5, 1607-K5 Septic Tank and Associated Drain Field, 124-KE-2, 1607-K5 Sanitary Sewer System, 1607-K5 Septic Tank	100K	CHPRC
1607-K6	1607-K6, 1607-K6 Septic Tank and Associated Drain Field, 124-KW-1, 1607-K6 Sanitary Sewer System, 1607-K6 Septic Tank	100K	CHPRC
182-F	182-F, 182-F Reservoir	100F	WCH
1908-N	1908-N, 1908-N Outfall	100N	WCH
1908-NE	1908-NE, HGP Outfall, 1908-NE Building, HGP SWMU #7	100N	WCH
200 CP	200 CP, 200 Area Construction Pit, 200 Area Construction Waste Site, Hanford Site Gravel Pit 29	200E	CHPRC
200 ETF	200 ETF, 200 Area Effluent Treatment Facility (ETF), 2025-E	200E	CHPRC
200-A TEDF	200-A TEDF, 200 Area Treated Effluent Disposal Facility, TEDF Basin, 600-145, 216-E-43A and 216-E-43B	600	CHPRC
200-E BP	200-E BP, 200-E Burning Pit, 200 East Burn Pit	200E	CHPRC
200-E PAP	200-E PAP, 200-E Powerhouse Ash Pit and Ash Disposal Pile, Ash Basin	200E	CHPRC
200-E PD	200-E PD 200-E Powerhouse Ditch, 200 East Powerhouse Pond	200E	CHPRC
200-E-1	200-E-1, 284-E Landfill	200E	CHPRC
200-E-10	200-E-10, Paint/Solvent Dump South of Sub Trenches, 200-E-3 Toluene Dump Site	200E	CHPRC
200-E-100	200-E-100, Steam Trap 2P-Yard-MSS-TRP-019, Miscellaneous Stream #571	200E	CHPRC
200-E-101	200-E-101, 200 East Deep Lysimeter Site	200E	CHPRC
200-E-102	200-E-102, Contaminated Soil Trench	200E	CHPRC
200-E-103	200-E-103, Radiologically Controlled Area - South Side of PUREX, PUREX Stabilized Area	200E	CHPRC
200-E-105	200-E-105, Soil Contamination Area on the 216-B-61 Crib	200E	CHPRC
200-E-106	200-E-106, ILAW, Immobilized Low-Activity Waste, Immobilized Low-Activity Tank Waste, IDWF, IDF Integrated Disposal Facility	200E	CHPRC
200-E-107	200-E-107, Contamination Area East of PUREX, PUREX E Field	200E	CHPRC
200-E-108	200-E-108, Well Drilling Laydown Yard Pit	200E	CHPRC
200-E-109	200-E-109, Contaminated Tumbleweed Accumulation, Contamination Spread in Northeast Corner of 200 East Area	200E	CHPRC
200-E-11	200-E-11, Diesel Oil Spill at BX-BY Tank Farm	200E	CHPRC
200-E-110	200-E-110, Contaminated Tumbleweed Dump Site	200E	CHPRC
200-E-111-PL	200-E-111-PL; Encased Pipeline from 241-ER-151 Diversion Box to 241-C Tank Farm and 244-AR Vault; 3-38 Encasement; Lines V108/V837/8618/8653/8901PAS, 809, 818, V836, and V834	200E	CHPRC
200-E-112-PL	200-E-112-PL, B Plant Process Sewer, 2904-E-1, Pipeline from B Plant to 207-B Retention Basin, 24-Inch VP Line (See Subsites)	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-113-PL	200-E-113-PL, Pipeline from PUREX to 216-A-6 and 216-A-30 Crib, 216-A-42C Valve Box, Line 8824	200E	CHPRC
200-E-114-PL	200-E-114-PL, Pipeline from 241-BY Tank Farm to 241-C Tank Farm and BC Cribs Trenches, 2805-E1, 2805-E2, 2805-E3, 2805-E4, 216-BC-2805, Pipeline from 216-BY-201 to 216-BC-201 (See Subsites)	200E	CHPRC
200-E-115	200-E-115, Contamination Area East of 241-C Tank Farm	200E	CHPRC
200-E-116-PL	200-E-116-PL; Pipelines from 241-B-154 Diversion Box to 241-C-151 and 241-C-152 Diversion Boxes; Direct Buried Pipelines V111/V210/V130, 8902, and V122	200E	CHPRC
200-E-117	200-E-117, Contamination Zone South of B Plant	200E	CHPRC
200-E-118	200-E-118, 216-B-3 Diverter Station and Shack, Main Diverter Structure #3, Diverter Station #3	200E	CHPRC
200-E-119	200-E-119, 225-B West Side 90 Day Pad	200E	CHPRC
200-E-12	200-E-12, Sand Piles from RCRA General Inspection #200EFY95 Item #5	200E	CHPRC
200-E-120	200-E-120, Contaminated Soil at 241-B Tank Farm, Contamination Migration Beyond the 241-B fence	200E	WRPS
200-E-121	200-E-121, Soil Contamination Area East and West of Baltimore Avenue	200E	CHPRC
200-E-122	200-E-122, Construction Forces Bullpen, CF Bullpen, Equipment Storage Yard	200E	CHPRC
200-E-123	200-E-123, Contamination Area South of 216-B-2 Stabilized Ditches	200E	CHPRC
200-E-124	200-E-124, URM on East Side of 275-EA	200E	CHPRC
200-E-125	200-E-125, Contamination Area Northwest of 244-AR Building	200E	CHPRC
200-E-126-PL	200-E-126-PL, Underground Pipeline from 207-B to 216-B-3 Ditch (See Subsites)	200E	CHPRC
200-E-127-PL	200-E-127-PL, PUREX Cooling Water Line, Pipeline from PUREX to Gable and B-Ponds (216-A-25 and 216-B-3), Line 1601	200E	CHPRC
200-E-128	200-E-128, Radioactive Contamination "Hot Spot" Under Gravel Road	200E	CHPRC
200-E-129	200-E-129, Stabilized Area on East Side of B Plant Railroad Cut	200E	CHPRC
200-E-13	200-E-13, Rubble Piles from RCRA General Inspection #200EFY95 Item #7	200E	CHPRC
200-E-130	200-E-130, Stabilized Area on West Side of B Plant Chemical Spur	200E	CHPRC
200-E-131	200-E-131, Contaminated Soil Associated with 241-A Tank Farm Complex	200E	WRPS
200-E-132	200-E-132, 241-BX/BY Tank Farm Contaminated Soil, Contamination Migration Beyond the 241-BX/BY fence	200E	WRPS
200-E-133	200-E-133, Contaminated Soil at C Farm, Contaminated Soil at 241-C Tank Farm	200E	WRPS
200-E-134	200-E-134, Potentially Contaminated Soil in 241-AW Tank Farm	200E	WRPS
200-E-135	200-E-135, Contamination Area South of 241-C Tank Farm	200E	CHPRC
200-E-136	200-E-136, 202-A TSD, PUREX	200E	CHPRC
200-E-137	200-E-137, 291-B Exhaust Stack, 291-B-1	200E	CHPRC
200-E-138	200-E-138, 296-B-1 Exhaust Stack, 291-B Replacement Stack, Canyon Exhaust System, Canyon Ventilation Upgrade	200E	CHPRC
200-E-139	200-E-139, Contamination Area North of C Farm	200E	CHPRC
200-E-14	200-E-14, 216-BC-201 Siphon Tank, 216-B-201, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
200-E-140	200-E-140, Gravel Pit 32	200E	CHPRC
200-E-141	200-E-141, 2715EC Paint Shop French Drain, Miscellaneous Stream #223	200E	CHPRC
200-E-142	200-E-142, Paint Brush Cleaning Station	200E	CHPRC
200-E-143-PL	200-E-143-PL; Tank Farm Transfer Lines 4101, 4102, 4103, 4104, 4105, 4106, 4107/V033, 4017, 4018, and 8656; Encased Transfer Line from 241-AX-151 Diversion Box to 241-A Tank Farms and 244-CR Vault in 241-C Tank Farm	200E	WRPS
200-E-144-PL	200-E-144-PL; Tank Farm Transfer Line 4012, Transfer Line 4013 (A-4013); Encased Transfer Line from 241-CR-152 and 241-CR-153 to 241-AX-151; Lines 4006 and 4007 from 244-AR Vault to 241-AX-151	200E	WRPS
200-E-145-PL	200-E-145-PL; Interplant Transfer Line, Tank Farm Transfer Line V228; Transfer Pipeline from 241-CR-153 to 241-ER-153, 241-ER-152 and 241-ER-151	200E	CHPRC
200-E-146-PL	200-E-146-PL, Tank Farm Transfer Line A-4013, Transfer Line from 241-CR-152 to 241-AX-151	200E	WRPS
200-E-147-PL	200-E-147-PL, Interplant Transfer Line, Tank Farm Transfer Line PAS-244, Transfer Line from 244-CR-TK-003 to 241-ER-153	200E	CHPRC
200-E-148-PL	200-E-148-PL, Tank Farm Transfer Line V109, Direct Buried Transfer Line from 241-C-151 to 241-A-01A	200E	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-149-PL	200-E-149-PL, Tank Farm Transfer Line V175, Direct Buried Transfer Line from 241-C-252 to 201-C Hot Semi Works, Tank Farm Pipeline	200E	CHPRC
200-E-150-PL	200-E-150-PL, Tank Farm Transfer Line 8900, Direct Buried Transfer Line from 244-CR-TK-003 to 201-C Hot Semi Works Valve Box, Tank Farm Pipeline	200E	CHPRC
200-E-151-PL	200-E-151-PL, Tank Farm Transfer Line V050, Direct Buried Transfer Line from 241-C-104 to 241-A-152, Tank Farm Pipeline	200E	WRPS
200-E-152-PL	200-E-152-PL, Tank Farm Transfer Line V051, Direct Buried Transfer Line from 241-C-104 to 241-A-152, Tank Farm Pipeline	200E	WRPS
200-E-153-PL	200-E-153-PL, Tank Farm Transfer Line V108/812, Direct Buried Transfer Line from 241-C-151 to 244-AR-TK-002, Tank Farm Pipeline	200E	CHPRC
200-E-154-PL	200-E-154-PL, Tank Farm Transfer Line V113, Direct Buried Transfer Line from 241-C-151 to 241-AX-01A, Tank Farm Pipeline	200E	WRPS
200-E-155-PL	200-E-155-PL, Pipeline from 241-C Fence to Radioactive Process Sewer Line 2904-CR-1	200E	WRPS
200-E-156-PL	200-E-156-PL, 216-C-1 Pipelines, Pipelines from 201-C to 216-C-1	200E	CHPRC
200-E-157-PL	200-E-157-PL, 216-C-10 Pipeline, Pipeline from 201-C to 216-C-10 Crib (See Subsites)	200E	CHPRC
200-E-158-PL	200-E-158-PL, 216-A-1 Pipeline, Pipeline from Sample Pit #3 to 216-A-1 Crib	200E	CHPRC
200-E-159-PL	200-E-159-PL, Pipeline from 203-A to 216-A-22, Pipeline from 203-A to 216-A-28 Crib, Pipeline from UNH Truck Apron to 216-A-22 (See Subsites)	200E	CHPRC
200-E-16	200-E-16, B Plant Waste Concentrator, Low Level Waste Concentrator, Single-Stage Thermal Siphon Reboiler	200E	CHPRC
200-E-160-PL	200-E-160-PL, Pipeline from 270-E-1 to 216-B-12 Crib, V219	200E	CHPRC
200-E-161-PL	200-E-161-PL, Pipeline from 221-BB to 216-B-55 Crib, V841	200E	CHPRC
200-E-162-PL	200-E-162-PL, Pipeline from 221-BB to 216-B-62 Crib, V842, Lateral Line to 216-B-12 Crib #2 (See Subsites)	200E	CHPRC
200-E-163-PL	200-E-163-PL, Pipeline from BCS Diverting Pit to 216-B-64 Retention Basin	200E	CHPRC
200-E-164-PL	200-E-164-PL, Pipeline to 216-A-8 Crib, Pipeline Between the 216-A-8 Control Structure and the 216-A-508 Control Structure	200E	CHPRC
200-E-165-PL	200-E-165-PL, Pipeline to 216-A-24 Crib (See Subsites)	200E	CHPRC
200-E-166-PL	200-E-166-PL, Pipeline to 216-A-34 Ditch	200E	CHPRC
200-E-167-PL	200-E-167-PL, Underground Pipelines from 244-A Lift Station to 241-A-A and 241-A-B Valve Pits, Lines SN-215 and SN-216	200E	CHPRC
200-E-168-PL	200-E-168-PL, Underground Pipeline to 216-A-3	200E	CHPRC
200-E-17	200-E-17, 200 Area Liquid Effluent Retention Facility (LERF), LERF Basins	200E	CHPRC
200-E-19	200-E-19, 216-B-3 Borrow Pit, B Pond Borrow Area	200E	CHPRC
200-E-2	200-E-2, Soil Stains at the 2101-M SW Parking Lot, MO-234 Parking Lot	200E	CHPRC
200-E-20	200-E-20, 218-E-10 Annex, Unused Portion of 218-E-10 Burial Ground, 218-E-10 Borrow Pit, 218-E-10 Borrow Area,	200E	CHPRC
200-E-21	200-E-21, Pit 33, 218-E-12A and 218-E-12B Borrow Pit, 218-E-12A and 218-E-12B Soil Borrow Area	200E	CHPRC
200-E-23	200-E-23, UN-216-E-33 Borrow Pit, UPR-200-E-56 Borrow Pit	200E	CHPRC
200-E-24	200-E-24, 6607-11, 2704-HV Septic System	200E	MSA
200-E-25	200-E-25, 272-BB French Drain, Insulation Shop French Drain, Miscellaneous Stream #659	200E	CHPRC
200-E-26	200-E-26, Heavy Equipment Storage Area, Diesel Fuel Contaminated Soil	200E	CHPRC
200-E-27	200-E-27, 242AC Pipefitter Shop Lead Cutting Area, 242-AC	200E	CHPRC
200-E-28	200-E-28, 221-B Building Steam Condensate Release	200E	CHPRC
200-E-29	200-E-29, Unplanned Release from 241-ER-152 Diversion Box	200E	CHPRC
200-E-3	200-E-3, Toluene Dump Site, Paint/Solvent Dump	200E	CHPRC
200-E-30	200-E-30, 291-B Sand Filter, 221-B Stack Sand Filter	200E	CHPRC
200-E-32	200-E-32, 226-B Pad East Side 90-Day Waste Accumulation Area	200E	CHPRC
200-E-33	200-E-33, PUREX 214-A 90-Day Waste Accumulation Areas	200E	CHPRC
200-E-34	200-E-34, PUREX High Level Waste Room 90-Day Waste Accumulation Area	200E	CHPRC
200-E-35	200-E-35, 209-E 90-Day Waste Accumulation Area, 209-EA	200E	CHPRC
200-E-36	200-E-36, 241-AZ 90-Day Waste Accumulation Area	200E	WRPS
200-E-39	200-E-39, PUREX Room 52, Hood 32 90-Day Waste Accumulation Area	200E	CHPRC
200-E-4	200-E-4, Critical Mass Laboratory Dry Well North, 209-E North Dry Well, Miscellaneous Stream #730	200E	CHPRC
200-E-40	200-E-40, PUREX Sample Gallery 90-Day Waste Accumulation Area	200E	CHPRC
200-E-41	200-E-41, Stabilized Hot Semiworks Area, UN-216-E-38, Strontium Semi-Works Stabilized Area	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-42	200-E-42, UN-216-E-34, PUREX Stack Release, 291-A Release	200E	CHPRC
200-E-43	200-E-43, Tank Car Storage Area, Regulated Equipment Storage Area, TC-4 Spur Tank Car Storage Area	200E	CHPRC
200-E-44	200-E-44, PUREX Railroad Cut	200E	CHPRC
200-E-45	200-E-45, HI Shaft, Health Instrument Shaft, Contaminated Pump Run-in Caisson	200E	CHPRC
200-E-46	200-E-46, RCRA Permit General Inspection #200EFY96 Item #3, Debris Southeast of 282-E	200E	CHPRC
200-E-47	200-E-47, RCRA Permit General Inspection #200EFY96 Item #7	200E	CHPRC
200-E-48	200-E-48, RCRA Permit General Inspection #200EFY96 Item #15	200E	CHPRC
200-E-49	200-E-49, Borrow Pit North of BC Cribs and Trenches	200E	CHPRC
200-E-5	200-E-5, 2607-E2, 2607-E2 Septic Tank & Tile Field	200E	CHPRC
200-E-50	200-E-50, 284-E Brine Pit, 284-E Salt Dissolving Pit and Brine Pump Pit	200E	CHPRC
200-E-51	200-E-51, 284-E Powerhouse Coal Ramp Washdown Pit, 200 East Powerhouse Coal Ramp Washdown Pit, Miscellaneous Stream #177	200E	CHPRC
200-E-52	200-E-52, 200 East Powerhouse Coal Pile	200E	CHPRC
200-E-53	200-E-53, Contaminated Zone Adjacent to 218-E-12B and 218-E-8, Overground Storage Area, Above Ground Storage Area	200E	CHPRC
200-E-54	200-E-54, Liquid Release to the Environment from PUREX Deep Filter Bed #1	200E	CHPRC
200-E-55	200-E-55, Effluent Drain East of 291-B Sand Filter, Miscellaneous Stream #322	200E	CHPRC
200-E-56	200-E-56, 241-C Waste Line Leak Adjacent to 201-C, Waste Line Leak #1	200E	CHPRC
200-E-57	200-E-57, 241-C Waste Line Leak East of 201-C, Waste Line Leak #2	200E	CHPRC
200-E-58	200-E-58, 216-A-5 Neutralization Tank, 216-A-5 NU, 270A, Tank A5, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
200-E-59	200-E-59, 241-BY-ITS2-TK-1, 241-BY-ITS2 Condenser Vessel, ITS-2, IMUST	200E	WRPS
200-E-6	200-E-6, Septic Tank, Sanitary Sewer Repair and Replacement 2607-E4	200E	CHPRC
200-E-60	200-E-60, 241-BY-ITS2-TK-2, 241-BY-ITS2 Heater Flush Tank, ITS-2, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	WRPS
200-E-61	200-E-61, 202A Building Stormwater Runoff, Miscellaneous Stream #467	200E	CHPRC
200-E-62	200-E-62, 202A Building Steam Condensate, Miscellaneous Stream #71, Injection Well (Z)	200E	CHPRC
200-E-63	200-E-63, Line #8801 Steam Condensate, Miscellaneous Stream #72, Injection Well (AA)	200E	CHPRC
200-E-64	200-E-64, Line #8801 Steam Condensate, Miscellaneous Stream #69, Injection Well (W)	200E	CHPRC
200-E-65	200-E-65, 202A Building Steam Condensate, Miscellaneous Stream #466 Injection Well (R)	200E	CHPRC
200-E-67	200-E-67, 202A Building Steam Condensate, Miscellaneous Stream #494	200E	CHPRC
200-E-68	200-E-68, 291A Control House Steam Condensate, Miscellaneous Stream #59, Injection Well (L)	200E	CHPRC
200-E-69	200-E-69, Line #8801 Steam Condensate, Miscellaneous Stream #56, Injection Well (A)	200E	CHPRC
200-E-7	200-E-7, 2607-E0 Septic Tank & Tile Field	200E	MSA
200-E-70	200-E-70, Line #8801 Steam Condensate, Miscellaneous Stream #64, Injection Well (Q)	200E	CHPRC
200-E-71	200-E-71, Line #8801 Steam Condensate, Miscellaneous Stream #63, Injection Well (O)	200E	CHPRC
200-E-72	200-E-72, Line #8801 Steam Condensate, Miscellaneous Stream #60, Injection Well (G)	200E	CHPRC
200-E-73	200-E-73, Line #8801 Steam Condensate, Miscellaneous Stream #61, Injection Well (M)	200E	CHPRC
200-E-74	200-E-74, Line #8801 Steam Condensate, Miscellaneous Stream #62, Injection Well (N)	200E	CHPRC
200-E-75	200-E-75, Line #8801 Steam Condensate, Miscellaneous Stream #57, Injection Well (B)	200E	CHPRC
200-E-76	200-E-76, Line #8801 Steam Condensate, Miscellaneous Stream #67, Injection Well (U)	200E	CHPRC
200-E-77	200-E-77, Line #8801 Steam Condensate, Miscellaneous Stream #65, Injection Well (S)	200E	CHPRC
200-E-78	200-E-78, Line #8801 Steam Condensate, Miscellaneous Stream #70, Injection Well (Y)	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-79	200-E-79, Line #8801 Steam Condensate, Miscellaneous Stream #66, Injection Well (T)	200E	CHPRC
200-E-8	200-E-8, 200 East Trench 94 Diesel Spill	200E	CHPRC
200-E8 BPDS	200-E8 BPDS, 218-E8 BPDS, 218-E-8 BPDS, 200-E8 Borrow Pit Demolition Site, 200-E Burn Pit Demolition Site, 218-E-8 Borrow Pit Demolition Site	200E	CHPRC
200-E-80	200-E-80, Line #8801 Steam Condensate, Miscellaneous Stream #68, Injection Well (V)	200E	CHPRC
200-E-81	200-E-81, MO-035 Facility Water Valve, Miscellaneous Stream #533	200E	CHPRC
200-E-82	200-E-82, Steam Trap 2P, Yard-MSS-TRP-040, Miscellaneous Stream #115	200E	CHPRC
200-E-84	200-E-84, 202A Building Steam Condensate, Miscellaneous Stream #58, Injection Well (C)	200E	CHPRC
200-E-85	200-E-85, 202A Building Pump Seal Water, Miscellaneous Stream #459	200E	CHPRC
200-E-88	200-E-88, B Plant Yard Steam Condensate, Miscellaneous Stream #3	200E	CHPRC
200-E-89	200-E-89, B Plant Yard Steam Condensate, Miscellaneous Stream #4	200E	CHPRC
200-E-9	200-E-9, 2607-EN, 2727-E Septic System, 2607-EN Septic Tank/Pump Station	200E	MSA
200-E-90	200-E-90, B Plant Yard Steam Condensate, Miscellaneous Stream #5	200E	CHPRC
200-E-91	200-E-91, B Plant Yard Steam Condensate, Miscellaneous Stream #6	200E	CHPRC
200-E-92	200-E-92, B Plant Yard Steam Condensate, Miscellaneous Stream #7	200E	CHPRC
200-E-93	200-E-93, B Plant Yard Steam Condensate, Miscellaneous Stream #8	200E	CHPRC
200-E-94	200-E-94, B Plant Yard Steam Condensate, Miscellaneous Stream #9	200E	CHPRC
200-E-95	200-E-95, 222B Steam Condensate, Miscellaneous Stream #308	200E	CHPRC
200-E-97	200-E-97, 212B Building Steam Condensate, Miscellaneous Stream #470	200E	CHPRC
200-E-98	200-E-98, 271B Building Ice Machine Overflow, Miscellaneous Stream #490	200E	CHPRC
200-E-99	200-E-99, Steam Trap 2P-Yard-MSS-TRP-017, Miscellaneous Stream #570	200E	CHPRC
200-N-3	200-N-3, Ballast Pits	600	CHPRC
200-W ADB	200-W ADB, 200-W Ash Disposal Basin	200W	CHPRC
200-W ADS	200-W ADS, 200-W Ashpit Demolition Site	200W	MSA
200-W BP	200-W BP, 200-W Burning Pit, Pit 34, Gravel Pit 34	200W	MSA
200-W CSLA	200-W CSLA, 200-W Construction Surface Laydown Area, Non-Rad Burial Ground, Construction Surface Laydown Area	200W	CHPRC
200-W PAP	200-W PAP, 200-W Powerhouse Ash Pit	200W	CHPRC
200-W PP	200-W PP, 200-W Powerhouse Pond, 200 West Powerhouse Ponds, 284-W-B	200W	CHPRC
200-W-1	200-W-1, REDOX Mud Pit West	200W	CHPRC
200-W-10	200-W-10, Item 10 (RCRA General Inspection), Grout Wall Test, Lysimeter Test Site	200W	CHPRC
200-W-100-PL	200-W-100-PL; Encased Pipeline from 241-UX-154 to 241-SX-152 Diversion Box; Lines 4700, 4701, 4853, V762, V503 and V505	200W	CHPRC
200-W-101	200-W-101, Contaminated Material West of 216-S-12 Crib	200W	CHPRC
200-W-102-PL	200-W-102-PL, Pipeline from Laundry, Powerhouse and Shops to 216-U-14 Ditch, 200-W-102	200W	CHPRC
200-W-103	200-W-103, 201-W Concrete Silo	200W	CHPRC
200-W-104	200-W-104, 2714-U Building, UO3 Storage Warehouse, 2714-U Foundation	200W	CHPRC
200-W-105-PL	200-W-105-PL; Encased Transfer Line Between 241-UX-154 Diversion Box and 241-TX-155-Diversion Box; Encased Lines V375, V382, and 4859/4703	200W	CHPRC
200-W-106	200-W-106, Soil Contamination Area Adjacent to 200-W-55	200W	CHPRC
200-W-107	200-W-107, Miscellaneous Stream #685, 222-U Building Stormwater Runoff	200W	CHPRC
200-W-108	200-W-108, Miscellaneous Stream #687, 222-U Building Stormwater Runoff	200W	CHPRC
200-W-109	200-W-109, Miscellaneous Stream #521, 222-U Building Stormwater Runoff	200W	CHPRC
200-W-11	200-W-11, Concrete Foundation South of 241-S, S-Farm Foundation and Dump Site	200W	CHPRC
200-W-110	200-W-110, Miscellaneous Stream #393	200W	CHPRC
200-W-111	200-W-111, Miscellaneous Stream #394, 222-U Building Stormwater Runoff	200W	CHPRC
200-W-112	200-W-112, Miscellaneous Stream #52, Steam Condensate	200W	CHPRC
200-W-113	200-W-113, Miscellaneous Stream #54, North Steam Pit	200W	CHPRC
200-W-114	200-W-114, Miscellaneous Stream #55	200W	CHPRC
200-W-115	200-W-115, Miscellaneous Stream #138, Steam Condensate MSS-003, 063	200W	CHPRC
200-W-116	200-W-116, Miscellaneous Stream #139, Steam Condensate MSS-TRP-004	200W	CHPRC
200-W-117	200-W-117, Miscellaneous Stream #140, Steam Condensate MSS-TRP-005	200W	CHPRC
200-W-118	200-W-118, Miscellaneous Stream #141, Steam Condensate MSS-TRP-006	200W	CHPRC
200-W-119	200-W-119, Miscellaneous Stream #142, Steam Trap 007	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-W-12	200-W-12, 201-W Soil Mound and Plastic Pipe	200W	CHPRC
200-W-120	200-W-120, Miscellaneous Stream #143, Miscellaneous Steam Trap 008	200W	CHPRC
200-W-121	200-W-121, Miscellaneous Stream #144, Miscellaneous Steam Trap 009	200W	CHPRC
200-W-122	200-W-122, Miscellaneous Stream #145, Miscellaneous Steam Trap 014	200W	CHPRC
200-W-123	200-W-123, Gravel Pit 35	200W	CHPRC
200-W-124	200-W-124, PFP Stormwater Pond, Z-9 Pond	200W	CHPRC
200-W-125-PL	200-W-125-PL, 216-Z-1 Ditch Replacement Pipeline (See Subsites)	200W	CHPRC
200-W-126	200-W-126, Tank Farm Vertical Storage Units, Vertical Storage Units West of 241-T Tank Farm	200W	WRPS
200-W-127	200-W-127, Surface Stabilized Area East of UPR-200-W-29/UPR-200-W-97 (UN-216-W-5)	200W	CHPRC
200-W-128	200-W-128, Underground Radioactive Material Area East of 218-W-4A	200W	CHPRC
200-W-129-PL	200-W-129-PL; Encased Pipeline from 241-T-151 and 241-T-152 to 241-TX-155 Diversion Box; Lines V399, V405, and V411	200W	CHPRC
200-W-13	200-W-13, 2713-WB Green Hut Complex, Regulated Vehicle Maintenance shop.	200W	CHPRC
200-W-130-PL	200-W-130-PL; Pipelines from 241-T-151 and 241-T-152 Diversion Boxes to 241-U-151 Diversion Box; Lines V445, V663, V601, and V416 and Spare Lines V662, V663, V682, and V683	200W	CHPRC
200-W-131-PL	200-W-131-PL, V601, Spur to 241-TX Tank Farm	200W	CHPRC
200-W-132-PL	200-W-132-PL; Pipelines from 221-T to 241-T-151 and 241-T-152; V653, V654, V667, V668, V669, V706, and V707	200W	CHPRC
200-W-133-PL	200-W-133-PL, V682 Spare Line	200W	CHPRC
200-W-134-PL	200-W-134-PL, V683 Spare Line	200W	CHPRC
200-W-135-PL	200-W-135-PL, V662, Spare Line	200W	CHPRC
200-W-136	200-W-136, Underground Radioactive Material Area Including 222-U Building Foundation, Demolished 203-U Area and Contaminated Soil	200W	CHPRC
200-W-137-PL	200-W-137-PL, Pipeline from 241-S-151 Diversion Box to 216-S-1 & 2 Cribs, Line V533	200W	CHPRC
200-W-138-PL	200-W-138-PL, Pipeline from 240-S-151 to 216-S-7 Crib, V547	200W	CHPRC
200-W-139-PL	200-W-139-PL, Pipeline from 200-W-138-PL to 216-S-9 Crib, V547	200W	CHPRC
200-W-14	200-W-14, 200 West Heavy Equipment Storage Area	200W	CHPRC
200-W-140-PL	200-W-140-PL, Pipeline from 292-T(200-W-40)	200W	CHPRC
200-W-141-PL	200-W-141-PL, Pipeline Connecting 200-W-139-PL Pipeline to 216-S-23 Crib, V547	200W	CHPRC
200-W-142-PL	200-W-142-PL, Pipeline from 222-T to 216-T-8 Crib	200W	CHPRC
200-W-143-PL	200-W-143-PL; Encased Pipeline from 241-TX-154 Diversion Box to 241-TX-152 and 241-TX-155 Diversion Boxes; Lines V383, V384, V385, V387, V388, V391, V392, and V393	200W	CHPRC
200-W-144	200-W-144, Room 4E 222-S Laboratory TSD	200W	CHPRC
200-W-145	200-W-145, Hidden Wells South of U-Plant, U Plant Dry Wells	200W	CHPRC
200-W-146-PL	200-W-146-PL, 216-S-22 Crib Pipeline	200W	CHPRC
200-W-147-PL	200-W-147-PL, Pipeline from 207-SL to 216-S-19 Pond	200W	CHPRC
200-W-148-PL	200-W-148-PL, 216-S-26 Crib Pipeline	200W	CHPRC
200-W-149-PL	200-W-149-PL, Pipelines Related to 216-S-20 Crib (See Subsites)	200W	CHPRC
200-W-15	200-W-15, S Plant Project W-087 Hexone Discovery	200W	CHPRC
200-W-150-PL	200-W-150-PL, Pipelines Associated with 216-S-13 Crib (See Subsites)	200W	CHPRC
200-W-16	200-W-16, 292-T Underground Tanks, IMUST, Inactive Miscellaneous Underground Storage Tank, 292-TK-1, 292-TK-2	200W	CHPRC
200-W-17	200-W-17, S Plant Project W-087 Aluminum Silicate Discovery	200W	CHPRC
200-W-18	200-W-18, S Plant Project W-087 Aluminum Oxide Discovery	200W	CHPRC
200-W-19	200-W-19, Steam Line Asbestos Release	200W	CHPRC
200-W-2	200-W-2, REDOX Berms West	200W	CHPRC
200-W-20	200-W-20, T Plant Complex	200W	CHPRC
200-W-21	200-W-21, 204-T Unloading Station, T-Plant Waste Railcar Unloading Facility, Unloading Station 1 and Unloading Station 2	200W	CHPRC
200-W-22	200-W-22, 203-S/204-S/205-S Stabilized Area	200W	CHPRC
200-W-23	200-W-23, 203-S and 205-S Underground Contaminated Zone	200W	CHPRC
200-W-24	200-W-24, 216-S-10 Borrow Pit, S-10 Pond Borrow Area	200W	CHPRC
200-W-25	200-W-25, 216-S-16 Borrow Pit	200W	CHPRC
200-W-26	200-W-26, 216-S-17 Borrow Pit	200W	CHPRC
200-W-27	200-W-27, 216-S-19 Borrow Pit	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-W-28	200-W-28, 216-U-10 Borrow Pit, U Pond Borrow Area	200W	CHPRC
200-W-29	200-W-29, 216-U-11 Borrow Pit	200W	CHPRC
200-W-3	200-W-3, 2713-W North Parking Lot, 220-W-1	200W	CHPRC
200-W-30	200-W-30, 218-W-1A Borrow Pit	200W	CHPRC
200-W-31	200-W-31, 218-W-2A Borrow Pit	200W	CHPRC
200-W-32	200-W-32, 216-Z-19 Borrow Pit	200W	CHPRC
200-W-33	200-W-33, Solid Waste Dumping Area, Debris Near 609 Gate	600	CHPRC
200-W-34	200-W-34, 272-WA Septic System North of 213W, 2607-WL, Duplicate of 2607-WL	200W	CHPRC
200-W-35	200-W-35, Various Sites North of 201-W, 200-W-35-A Infiltration Test Site, Lysimeter Test Site, 200-W-35-B Bentonite Slurry Test Site, 200-W-35-C Buried Garbage Can with Lid (See Subsites)	200W	CHPRC
200-W-36	200-W-36, TK-SQ-143, EP 211-143	200W	CHPRC
200-W-37	200-W-37, Buried Tygon Tubing Near 241-S-101	200W	CHPRC
200-W-4	200-W-4, U-Farm Landfill	200W	CHPRC
200-W-40	200-W-40, 292-T, Emission Control Lab, Stack Gas Sampling Building	200W	CHPRC
200-W-41	200-W-41, Abandoned Drums, Drums Found East of T Plant	200W	CHPRC
200-W-42	200-W-42, U Plant Radioactive Process Sewer from 221-U to 216-U-8 & 216-U-12 Cribs, 200-W-42-PL	200W	CHPRC
200-W-43	200-W-43, 291-S Stack Sand Filter	200W	CHPRC
200-W-44	200-W-44, 291-U Stack Sand Filter	200W	CHPRC
200-W-45	200-W-45, 291-T Sand Filter, T Plant Stack Sand Filter	200W	CHPRC
200-W-46	200-W-46, 222-S Laboratory Room 4-E 90-Day Waste Accumulation Area, Satellite Accumulation Area	200W	CHPRC
200-W-47	200-W-47, 211-T Storage Pad 90-Day Waste Accumulation Area	200W	CHPRC
200-W-48	200-W-48, 241-TX 90-Day Waste Accumulation Area	200W	CHPRC
200-W-49	200-W-49, 222-S Laboratory Room 2-D 90-Day Waste Accumulation Area	200W	CHPRC
200-W-5	200-W-5, Burial Ground/Burning Pit, U Plant Burning Pit, UPR-200-W-8	200W	CHPRC
200-W-50	200-W-50, 2706-T 90-Day Waste Accumulation Area	200W	CHPRC
200-W-51	200-W-51, Septic Tank (Abandoned)	200W	CHPRC
200-W-52	200-W-52, 216-T-7 Crib, 241-T-3 Crib	200W	WRPS
200-W-53	200-W-53, UPR-200-W-166, UN-216-W-31	200W	CHPRC
200-W-54	200-W-54, Contamination Migration from 241-SX Tank Farm	200W	CHPRC
200-W-55	200-W-55, Dumping Area North of 231-Z	200W	CHPRC
200-W-56	200-W-56, Debris North of 221-U	200W	CHPRC
200-W-57	200-W-57, Excess Equipment Laydown Area Identified in RCRA General Inspection #200Wfy97 Item #10, Area West of 2714-U Fence	200W	CHPRC
200-W-58	200-W-58, Z-Plant Diversion Box #1	200W	CHPRC
200-W-59	200-W-59, Z-Plant Diversion Box #2	200W	CHPRC
200-W-6	200-W-6, 200-W Painter Shop Paint Solvent Disposal Area	200W	CHPRC
200-W-60	200-W-60, 284-W Brine Pit, 284-W Salt Dissolving Pit and Brine Pump Pit	200W	CHPRC
200-W-61	200-W-61, 284 Powerhouse Coal Ramp Washdown Pit, 200 West Powerhouse Coal Ramp Washdown Pit, Miscellaneous Stream #471	200W	CHPRC
200-W-62	200-W-62, 200 West Powerhouse Coal Pile	200W	CHPRC
200-W-63	200-W-63, Contaminated Concrete Pad	200W	CHPRC
200-W-64	200-W-64, 2724-W Contaminated Laundry Facility Building Foundation	200W	CHPRC
200-W-65	200-W-65, Concrete Vault Northwest of WRAP, Water Pumping Station Vault, Abandoned Water System Pump Vault	200W	CHPRC
200-W-66	200-W-66, Oil Spill at JCI Annex Feeding 283-W/262-WC	200W	CHPRC
200-W-67	200-W-67, Contaminated Soil at the Corner of Cooper and 16th Street	200W	CHPRC
200-W-68	200-W-68, RCRA General Inspection Report 200Wfy99 Item #3, Historic Disposal Site	200W	CHPRC
200-W-69	200-W-69, 222-S Laboratory Complex	200W	WRPS
200-W-7	200-W-7, 246-L, 241-S-TK-1, 243S-TK-1, 243-S-TK1, 200-W Personnel Decontamination Facility Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
200-W-70	200-W-70, Old Burn Pit Southeast of Z Plant, 200 West Original Burn Pit, 2731 Burning Pit	200W	CHPRC
200-W-71	200-W-71, Undocumented Trench, Undocumented Burn Pit	200W	CHPRC
200-W-72	200-W-72, 200-ZP-1 Pump and Treat Unplanned Release	200W	CHPRC
200-W-73	200-W-73, Contaminated Debris Near Railroad Track (East of 218-W-2A)	200W	CHPRC
200-W-74	200-W-74, 90 Day Storage Area East Side of 622 F	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-W-75	200-W-75, Radiological Logging System (RLS) Calibration Silos	200W	CHPRC
200-W-76	200-W-76, Room 2B 222-S Laboratory TSD	200W	WRPS
200-W-77	200-W-77, Posted Contamination Area East of 216-U-14 Ditch	200W	CHPRC
200-W-78-PL	200-W-78-PL; Pipeline Between 241-TX/TY and 241-T Tank Farms; Lines 6012, 6025, 7624 and 7630	200W	CHPRC
200-W-79-PL	200-W-79-PL, 216-T-36 Crib Pipeline, V663	200W	CHPRC
200-W-80	200-W-80, Stabilized Contaminated Soil Area Southwest of T Plant, Mound of Contaminated Soil Southwest of T Plant	200W	CHPRC
200-W-81	200-W-81, Contaminated Tumbleweed Fragments Along Railroad Track East of 218-W-3AE	200W	CHPRC
200-W-82	200-W-82; Risers East of 216-TY-201 and 216-T-26, 216-T-27, and 216-T-28 Crib; Crib Unloading Station	200W	CHPRC
200-W-83	200-W-83, Contamination Area North of 2727W	200W	CHPRC
200-W-84-PL	200-W-84-PL, U Plant Chemical Process Sewer to 216-U-14 Ditch, 200-W-84, VCP Process Sewer (See Subsites)	200W	CHPRC
200-W-85	200-W-85, Soil Contamination Area East of 2727 W	200W	CHPRC
200-W-86	200-W-86, Contamination Area Around Light Pole	200W	CHPRC
200-W-87	200-W-87, Unplanned Release on Chemical Spur Railroad Track Northwest of 221-U Plant	200W	CHPRC
200-W-88-PL	200-W-88-PL, T Plant Process Sewer Pipeline, 221-T Process Sewer, 24 Inch Process Sewer, 200-W-88 (See Subsites)	200W	CHPRC
200-W-89	200-W-89, 252-U, U Plant Electrical Substation, C8S17 Substation, U-Cat Substation	200W	CHPRC
200-W-9	200-W-9, Project W291 Excavation VCP Contamination	200W	CHPRC
200-W-90	200-W-90, Underground Radioactive Material Areas Posted Along 23rd Street in 200 West Area	200W	CHPRC
200-W-91	200-W-91, Underground Radioactive Material Area Adjacent to the North Side of 241-U Tank Farm	200W	CHPRC
200-W-92	200-W-92, Contaminated Mound of Soil and Debris, Soil Mound West of 241-TY Tank Farm	200W	CHPRC
200-W-93	200-W-93, Contaminated Soil at 241-T Tank Farm	200W	WRPS
200-W-94	200-W-94, Contaminated Soil at 241-TX/TY Tank Farm	200W	WRPS
200-W-95	200-W-95, Contaminated Soil at 241-U Tank Farm, Contamination Migration Beyond the 241-U fence	200W	WRPS
200-W-96	200-W-96, Contaminated Soil at 241-S/SX/SY Tank Farm	200W	WRPS
200-W-97-PL	200-W-97-PL; Encased Pipeline from 240-S-151 Diversion Box to 241-S-151 Diversion Box; Lines V508, V509, V512, V513, V514, V515, V516, V517/3603, and V519/1115	200W	CHPRC
200-W-98-PL	200-W-98-PL; Encased Pipeline from 240-S-151 to 241-U-153 Diversion Box; V458, V459, and V460	200W	CHPRC
200-W-99-PL	200-W-99-PL, Encased Pipeline from 241-U-151 to 241-S-151 Diversion Boxes, Lines V455 and V456	200W	CHPRC
201-C	201-C, 201-C Process Building	200E	CHPRC
202-A HWSA	202-A HWSA, 202-A Hazardous Waste Storage Area	200E	CHPRC
202-A NU	202-A NU, 202-A Neutralization Unit, Elementary Neutralization Unit/202-A Building, PUREX	200E	CHPRC
202-A-E5	202-A-E5, 202-A-TK-E5, PUREX Tank E5	200E	CHPRC
202-A-E-F11	202-A-E-F11, 202-A-TK-E-F11, PUREX Tank E-F11	200E	CHPRC
202-A-F15	202-A-F15, 202-A-TK-F15, PUREX Tank F-15	200E	CHPRC
202-A-F16	202-A-F16, 202-A-TK-F16, PUREX Tank F16	200E	CHPRC
202-A-F18	202-A-F18, 202-A-TK-F18, PUREX Tank F18	200E	CHPRC
202-A-G7	202-A-G7, 202-A-TK-G7, PUREX Tank G7	200E	CHPRC
202-A-U3	202-A-U3, 202-A-TK-U3, PUREX Tank U3	200E	CHPRC
202-A-U4	202-A-U4, 202-A-TK-U4, PUREX Tank U4	200E	CHPRC
202-A-WS-1	202-A-WS-1, PUREX Waste Piles	200E	CHPRC
202-S	202-S, 202-S REDOX, S Plant (See Subsites)	200W	CHPRC
203-S & 205-S	203-S & 205-S; 203-S, 204-S, and 205-S Stabilized Area; 203-S Uranyl Nitrate Hexahydrate Tank Farm; 204-S Tank Farm & Pumphouse; 205-S Process Vault & Chemical Makeup Building; 205-S Uranyl Nitrate Hexahydrate Processing Facility	200W	CHPRC
204-AR	204-AR, 204-AR Waste Unloading Station, 204-AR-TK-1	200E	WRPS
205-A	205-A, 205-A Silica Gel Facility	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
207-A-NORTH	207-A-NORTH, 207-A, 207-A Retention Basin, 207-A-NORTH Retention Basin, 207-A North	200E	CHPRC
207-A-SOUTH	207-A-SOUTH, 207-A, 207-A Retention Basin, 207-A-SOUTH Retention Basin, 207-A South	200E	CHPRC
207-B	207-B, B Plant Retention Basin, 207-B Retention Basin	200E	CHPRC
207-S	207-S, REDOX Retention Basin, 207-S Retention Basin	200W	CHPRC
207-SL	207-SL, 222-S Retention Basin, REDOX Lab Retention Basin, 207-SL Retention Basin	200W	WRPS
207-T	207-T, T Plant Retention Basin, 207-T Retention Basin	200W	CHPRC
207-U	207-U, 207-U Retention Basin	200W	CHPRC
207-Z	207-Z, 207-Z Retention Basin, 241-Z Retention Basin, 241-ZRB, 241-Z-RB	200W	CHPRC
209-E-WS-1	209-E-WS-1, 209-E French Drain	200E	CHPRC
209-E-WS-2	209-E-WS-2, Critical Mass Lab French Drain	200E	CHPRC
209-E-WS-3	209-E-WS-3, Critical Mass Laboratory Valve Pit and Hold Up Tank (209-E-TK-111), IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200E	CHPRC
2101-M POND	2101-M POND, 2101-M Pond	200E	CHPRC
211-A NU	211-A NU, 211-A Neutralization Unit, Elementary Neutralization Unit/211-A Building, PUREX	200E	CHPRC
212-N	212-N, 212-N Building, Metal and Fuel Storage Basin Facility, 212-N Fissile Storage Facility	600	CHPRC
212-P	212-P, 212-P Building PCB Storage Facility, 212-P Storage Facility	600	CHPRC
212-R	212-R, 212-R Storage Facility	600	CHPRC
213-W	213-W, 213-W Compactor Facility	200W	CHPRC
213-W-1	213-W-1, 213-W-TK-1, 213-W Compactor Facility Retention Tank	200W	CHPRC
215-C	215-C, 215-C Gas Preparation Building	200E	CHPRC
216-A-1	216-A-1, 216-A-1 Cavern, 216-A-1 Trench	200E	CHPRC
216-A-10	216-A-10, 216-A-10 Crib	200E	CHPRC
216-A-11	216-A-11 French Drain, Miscellaneous Stream #465	200E	CHPRC
216-A-12	216-A-12, Miscellaneous Stream #463	200E	CHPRC
216-A-13	216-A-13, 216-A-13 French Drain, Miscellaneous Stream #460	200E	CHPRC
216-A-14	216-A-14, French Drain - Vacuum Cleaner Filter Pit, Miscellaneous Stream #462	200E	CHPRC
216-A-15	216-A-15, Miscellaneous Stream #461	200E	CHPRC
216-A-16	216-A-16, 216-A-16 Dry Well	200E	CHPRC
216-A-17	216-A-17, 216-A-17 Dry Well	200E	CHPRC
216-A-18	216-A-18, 216-A-18 Excavation, 216-A-18 Grave, 216-A-18 Sump, 216-A-18 Crib	200E	CHPRC
216-A-19	216-A-19, 216-A-19 Test Hole, 216-A-19 Grave, 216-A-19 Sump, 216-A-19 Crib	200E	CHPRC
216-A-2	216-A-2, 216-A-2 Cavern, 216-A-2 Crib	200E	CHPRC
216-A-20	216-A-20, 216-A-20 Test Hole, 216-A-20 Grave, 216-A-20 Sump, 216-A-20 Crib	200E	CHPRC
216-A-21	216-A-21, 216-A-21 Crib	200E	CHPRC
216-A-22	216-A-22, 216-A-22 French Drain, 216-A-22 Crib	200E	CHPRC
216-A-23A	216-A-23A, 216-A-23-A French Drain	200E	CHPRC
216-A-23B	216-A-23B, 216-A-23-B French Drain	200E	CHPRC
216-A-24	216-A-24, 216-A-24 Crib	200E	CHPRC
216-A-25	216-A-25, Gable Pond, Gable Mountain Swamp, 216-A-25 Swamp, Gable Mountain Pond	200E	CHPRC
216-A-26	216-A-26, 216-A-26 French Drain, 216-A-26B, Miscellaneous Stream #464	200E	CHPRC
216-A-26A	216-A-26A, 216-A-25 Crib, 216-A-26 French Drain, 291-A French Drain	200E	CHPRC
216-A-27	216-A-27, 216-A-27 Crib	200E	CHPRC
216-A-28	216-A-28, 216-A-28 French Drain, 216-A-28 Crib	200E	CHPRC
216-A-29	216-A-29, Snow's Canyon, 216-A-29 Ditch, A-29 Ditch	200E	CHPRC
216-A-3	216-A-3, 216-A-3 Cavern, 216-A-3 Crib	200E	CHPRC
216-A-30	216-A-30, 216-A-30 Crib	200E	CHPRC
216-A-31	216-A-31, 216-A-31 Crib	200E	CHPRC
216-A-32	216-A-32, 216-A-32 Crib	200E	CHPRC
216-A-33	216-A-33, 216-A-33 Dry Well, 216-A-26B	200E	CHPRC
216-A-34	216-A-34, 216-A-34 Ditch, 216-A-34 Crib	200E	CHPRC
216-A-35	216-A-35, 216-A-35 French Drain, 216-A-35 Dry Well	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
216-A-36A	216-A-36A, 216-A-36 Crib	200E	CHPRC
216-A-36B	216-A-36B, 216-A-36 Crib, Purex Ammonia Scrubber Distillate (ASD)	200E	CHPRC
216-A-37-1	216-A-37-1, 216-A-37 Crib	200E	CHPRC
216-A-37-2	216-A-37-2, 216-A-37-2 Crib	200E	CHPRC
216-A-38-1	216-A-38-1, 216-A-38 Crib (See Subsites)	200E	CHPRC
216-A-39	216-A-39, 216-A-39 Crib, 216-A-39 Trench	200E	CHPRC
216-A-4	216-A-4, 216-A-4 Cavern	200E	CHPRC
216-A-40	216-A-40, 216-A-40 Retention Basin, 216-A-39 Crib, 216-A-39 Trench	200E	CHPRC
216-A-41	216-A-41, Crib, 291-AR Stack Drain, 296-A-13 Stack Drain	200E	CHPRC
216-A-42	216-A-42, 207-AA Retention Basin, 216-A-42 Trench, 216-A-42 Retention Basin	200E	CHPRC
216-A-45	216-A-45, 216-A-45 Crib	200E	CHPRC
216-A-5	216-A-5, 216-A-5 Cavern	200E	CHPRC
216-A-508	216-A-508, Control Structure for 216-A-8 Crib, 216-A-8 Distribution Box	200E	CHPRC
216-A-524	216-A-524, 216-A-524 Control Structure, 216-A 524 Weir, 216-A-24 Control Structure	200E	CHPRC
216-A-6	216-A-6, 216-A-6 Cavern	200E	CHPRC
216-A-7	216-A-7, 216-A-7 Cavern	200E	CHPRC
216-A-8	216-A-8, 216-A-8 Crib and Overflow Pond	200E	CHPRC
216-A-9	216-A-9, 216-A-9 Crib	200E	CHPRC
216-B-10A	216-B-10A, 222-B-1 Crib, 216-B-10 Crib, 292-B Drainage	200E	CHPRC
216-B-10B	216-B-10B, 222-B-2 Crib, 216-B-10 Crib	200E	CHPRC
216-B-11A&B	216-B-11A&B, 216-B-11 Crib, 242-B-1 Crib, 216-B-11A & B, 216-B-11B	200E	CHPRC
216-B-12	216-B-12; 216-ER Crib; 216-ER-1,2,3 Cribs	200E	CHPRC
216-B-13	216-B-13, 216-B-13 French Drain, 291-B Crib, 216-B-B, 216-B-13 Crib	200E	CHPRC
216-B-14	216-B-14, 216-BC-1 Crib	200E	CHPRC
216-B-15	216-B-15, 216-BC-2 Crib	200E	CHPRC
216-B-16	216-B-16, 216-BC-3 Crib	200E	CHPRC
216-B-17	216-B-17, 216-BC-4 Crib	200E	CHPRC
216-B-18	216-B-18, 216-BC-5 Crib	200E	CHPRC
216-B-19	216-B-19, 216-BC-6 Crib	200E	CHPRC
216-B-20	216-B-20, 216-BC-7 Trench, 216-B-20 Trench	200E	CHPRC
216-B-21	216-B-21, 216-BC-8 Trench, 216-B-21 Trench	200E	CHPRC
216-B-2-1	216-B-2-1, 216-B-1, B Swamp Ditch, 216-B-2, B Ditch, 216-B-2W	200E	CHPRC
216-B-22	216-B-22, 216-BC-9 Trench, 216-B-22 Trench	200E	CHPRC
216-B-2-2	216-B-2-2, 216-B-2-2W, 216-B-1 Ditch	200E	CHPRC
216-B-23	216-B-23, 216-BC-10 Trench, 216-B-23 Trench	200E	CHPRC
216-B-2-3	216-B-2-3, B Pond Ditch, B Swamp Ditch, 216-B-2-3W	200E	CHPRC
216-B-24	216-B-24, 216-BC-11 Trench, 216-B-24 Trench	200E	CHPRC
216-B-25	216-B-25, 216-BC-12 Trench, 216-B-25 Trench	200E	CHPRC
216-B-26	216-B-26, 216-BC-13 Trench, 216-B-26 Trench	200E	CHPRC
216-B-27	216-B-27, 216-BC-14 Trench, 216-B-27 Trench	200E	CHPRC
216-B-28	216-B-28, 216-BC-15 Trench, 216-B-28 Trench	200E	CHPRC
216-B-29	216-B-29, 216-BC-16 Trench	200E	CHPRC
216-B-3	216-B-3, B Pond, B-3 Pond, 216-B-3 Main Pond, B Swamp, 216-B-3 Swamp, B Plant Swamp	200E	CHPRC
216-B-30	216-B-30, 216-BC-17 Trench, 216-B-30 Trench	200E	CHPRC
216-B-31	216-B-31, 216-BC-18 Trench, 216-B-31 Trench	200E	CHPRC
216-B-3-1	216-B-3-1, B Swamp Ditch, 216-B-2, 216-B-3 Ditch, 216-B-2E	200E	CHPRC
216-B-32	216-B-32, 216-BC-19 Trench, 216-B-32 Trench	200E	CHPRC
216-B-3-2	216-B-3-2, 216-B Ditch, 216-B-1 Ditch, B Swamp Ditch, 216-B-2-2E	200E	CHPRC
216-B-33	216-B-33, 216-BC-20 Trench, 216-B-33 Trench	200E	CHPRC
216-B-3-3	216-B-3-3, B Swamp Ditch, 216-B-3-3 Ditch	200E	CHPRC
216-B-34	216-B-34, 216-BC-21 Trench	200E	CHPRC
216-B-35	216-B-35, 241-BX-1 Grave, 216-BX-1 Trench, 216-B-35 Trench	200E	CHPRC
216-B-36	216-B-36, 241-BX-2 Grave, 216-BX-2 Trench, 216-B-36 Trench	200E	CHPRC
216-B-37	216-B-37, 241-BX-3 Grave, 216-BX-3 Trench, 216-B-37 Trench	200E	CHPRC
216-B-38	216-B-38, 241-BX-4 Grave, 216-BX-4 Trench, 216-B-38 Trench	200E	CHPRC
216-B-39	216-B-39, 241-BX-5 Grave, 216-BX-5 Trench, 216-B-39 Trench	200E	CHPRC
216-B-3A	216-B-3A, B Pond Lobe A, B Pond First Expansion Lobe, West Expansion Lobe	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
216-B-3A RAD	216-B-3A RAD, 216-B-3A Expansion Lobe Residual Radioactive Waste, 216-B-3 1st Overflow Pond, West Expansion Lobe	200E	CHPRC
216-B-3B	216-B-3B, B Pond Lobe B, B Pond Second Expansion Lobe, East Expansion Lobe	200E	CHPRC
216-B-3B RAD	216-B-3B RAD, 216-B-3B Expansion Lobe Residual Radioactive Waste, East Expansion Lobe	200E	CHPRC
216-B-3C	216-B-3C, B Pond Lobe C, B Pond Third Expansion Lobe	200E	CHPRC
216-B-3C RAD	216-B-3C RAD, 216-B-3C Expansion Lobe Residual Radioactive Waste	200E	CHPRC
216-B-4	216-B-4, 216-B-4 French Drain, 216-B-4 Dry Well, 216-B-4 Reverse Well	200E	CHPRC
216-B-40	216-B-40, 241-BX-6 Grave, 241-BX-6 Trench, 216-B-40 Trench, 216-BX-6 Trench	200E	CHPRC
216-B-41	216-B-41, 241-BX-7 Grave, 216-BX-7 Trench, 216-B-41 Trench	200E	CHPRC
216-B-42	216-B-42, 241-BX-8 Grave, 216-BX-8 Trench, 216-B-42 Trench	200E	CHPRC
216-B-43	216-B-43, 216-BY-1 Crib, 216-BY-1 Cavern	200E	CHPRC
216-B-44	216-B-44, 216-BY-2 Crib, 216-BY-2 Cavern	200E	CHPRC
216-B-45	216-B-45, 216-BY-3 Crib, 216-BY-3 Cavern	200E	CHPRC
216-B-46	216-B-46, 216-BY-4 Crib, 216-BY-4 Cavern	200E	CHPRC
216-B-47	216-B-47, 216-BY-5 Crib, 216-BY-5 Cavern	200E	CHPRC
216-B-48	216-B-48, 216-BY-6 Crib, 216-BY-6 Cavern	200E	CHPRC
216-B-49	216-B-49, 216-BY-7 Crib, 216-BY-7 Cavern	200E	CHPRC
216-B-5	216-B-5, 241-B-361 Reverse Well, 241-B-361 Dry Well, 241-B-5 Dry Well, 299-E28-29	200E	CHPRC
216-B-50	216-B-50, 216-BY-8 Crib, 216-BY-8 Cavern	200E	CHPRC
216-B-51	216-B-51, 216-BY-9 Crib	200E	CHPRC
216-B-52	216-B-52, 216-B-52 Trench, 216-BC-22	200E	CHPRC
216-B-53A	216-B-53A, 216-B-53A Trench, PRTR Trench	200E	CHPRC
216-B-53B	216-B-53B, 216-B-53 Trench, 216-B-53B Trench	200E	CHPRC
216-B-54	216-B-54, 216-B-54 Trench	200E	CHPRC
216-B-55	216-B-55, 216-B-55 Enclosed Trench, 216-B-55 Crib	200E	CHPRC
216-B-56	216-B-56, 216-B-56 Crib	200E	CHPRC
216-B-57	216-B-57, 216-B-57 Enclosed Trench, Hanford Prototype Barrier, 200-BP-1 Prototype Barrier	200E	CHPRC
216-B-58	216-B-58, 216-B-58 Trench, 216-B-59 Crib	200E	CHPRC
216-B-59	216-B-59, 216-B-58 Trench, 216-B-58 Ditch	200E	CHPRC
216-B-59B	216-B-59B, 216-B-59 Retention Basin	200E	CHPRC
216-B-6	216-B-6, 222-B-110 Reverse Well, 216-B-6 Dry Well, 216-B-6 Crib, 222-B-110 Dry Well	200E	CHPRC
216-B-60	216-B-60, 216-B-60 Crib	200E	CHPRC
216-B-61	216-B-61, 216-B-61 Crib	200E	CHPRC
216-B-62	216-B-62, 216-B-62 Enclosed Trench, 216-B-62 Crib	200E	CHPRC
216-B-63	216-B-63, B Plant Chemical Sewer Ditch, 216-B-63 Trench, 216-B-63 Ditch	200E	CHPRC
216-B-64	216-B-64, 216-B-64 Retention Basin, 216-B-64 Trench, 216-B-64 Crib	200E	CHPRC
216-B-7A&B	216-B-7A&B, 241-B-201 Crib, 216-B-7 Crib, 216-B-7A Sump, 216-B-7B Sump, 241-B-1 and 2 Crips, 216-B-7A & B	200E	CHPRC
216-B-8	216-B-8, 241-B-3 Crib, 216-B-8, 216-B-8TF	200E	CHPRC
216-B-9	216-B-9, 241-B-361 Crib, 5-6 Crib and Tile Field, 216-B-361 Crib, 216-B-9TF	200E	CHPRC
216-BY-201	216-BY-201, 241-BY Flush Tank, 216-BY-47, Supernatant Disposal Flush Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
216-C-1	216-C-1, 216-C-1 Crib, 216-C Crib	200E	CHPRC
216-C-10	216-C-10, 216-C-10 Crib	200E	CHPRC
216-C-2	216-C-2, 291-C Dry Well, 216-C-2 Dry Well, 216-C-2 Reverse Well	200E	CHPRC
216-C-3	216-C-3, 201-C Leaching Pit, 216-C-3 Crib	200E	CHPRC
216-C-4	216-C-4, 216-C-4 Crib	200E	CHPRC
216-C-5	216-C-5, 216-C-5 Crib	200E	CHPRC
216-C-6	216-C-6, 241-CX Crib	200E	CHPRC
216-C-7	216-C-7, 216-C-7 Crib	200E	CHPRC
216-C-8	216-C-8, 271-CR Crib, 216-C-8 Crib, 216-C-8 French Drain	200E	CHPRC
216-C-9	216-C-9, 216-C-9 Pond, 216-C-7 Swamp, Former 221-C Canyon Excavation, 216-C-9 Swamp, Semi-Works Swamp, 216-C-9 C Canyon Excavation Semiworks Swamp	200E	CHPRC
216-E-28	216-E-28, 216-E-25, 200 East Area Contingency Pond	200E	CHPRC
216-N-1	216-N-1, 212-N Swamp, 216-N-1 Swamp, 216-N-1 Covered Pond	600	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
216-N-2	216-N-2, 212-N Storage Basin Crib #1, 212-N #1 Trench, 216-N-1 Trench, 216-N-2 Trench	600	CHPRC
216-N-3	216-N-3, 212-N Storage Basin Crib #2, 212-N #2 Trench, 212-N #2 Grave, 212-N-2 Trench, 216-N-3 Trench	600	CHPRC
216-N-4	216-N-4, 216-N-2, 216-N-4 Swamp, 212-P Swamp	600	CHPRC
216-N-5	216-N-5, 212-P Storage Basin Crib, 212-P Trench, 212-P Grave, 216-N-5 Trench	600	CHPRC
216-N-6	216-N-6, 212-R Swamp, 216-N-6 Swamp	600	CHPRC
216-N-7	216-N-7, 212-R Storage Basin Crib, 212-R Trench, 212-R Grave, 216-N-7 Trench	600	CHPRC
216-N-8	216-N-8, West Lake, West Pond, 216-N-8 Pond, Honeyhill Pond, Seepage Pond	600	CHPRC
216-S-1&2	216-S-1&2, 216-S-5 Crib, 216-S-1 & 2	200W	CHPRC
216-S-10D	216-S-10D, 216-S-10D Ditch, 202 Chemical Sump #1 and Ditch, Chemical Sewer Trench, Open Ditch to the Chemical Sewer Trench, 216-S-10 Ditch	200W	CHPRC
216-S-10P	216-S-10P, 216-S-10P Pond, 202-S Chemical Sump #1 and Ditch, Chemical Sewer Trench	200W	CHPRC
216-S-11	216-S-11, 202-S Chemical Sump #2, Chemical Sewer Trenches, 216-S-11 Swamp	200W	CHPRC
216-S-12	216-S-12, UPR-200-W-30, 291-S Stack Wash Sump, REDOX Stack Flush Trench	200W	CHPRC
216-S-13	216-S-13, 276-S Crib, 216-S-6	200W	CHPRC
216-S-14	216-S-14, Buried Contaminated Hexone, Cold Organic Trench or Grave, 216-S-4 Burial Contaminated Hexone	200W	CHPRC
216-S-15	216-S-15, 216-S-2, 241-S-110 Pond, 110-S Tank Overflow Pond, UN-216-W-3	200W	CHPRC
216-S-16D	216-S-16D, 202-S Swamp (New) and Ditch, 202-S Swamp #1, REDOX Pond #2, 216-S-24 Ditch	200W	CHPRC
216-S-16P	216-S-16P, 202-S Swamp and Ditch, 202-S Swamp #1, REDOX Pond #2	200W	CHPRC
216-S-17	216-S-17, 202-S Swamp, 202-S REDOX Swamp, 216-S-1 REDOX Pond No. 1, REDOX Swamp, 216-S-1	200W	CHPRC
216-S-172	216-S-172, 216-S-172 Weir Box and Control Structure, 2904-S-172 Weir, 216-S-172 Control Structure	200W	CHPRC
216-S-18	216-S-18, 241-SX Steam Cleaning Pit, 216-S-14 Steam Cleaning Pit	200W	CHPRC
216-S-19	216-S-19, 222-S Lab Swamp, 216-SL-1, REDOX Lab Swamp, 216-S-19 Pond	200W	CHPRC
216-S-20	216-S-20, 216-SL-1&2 Crib, 216-SL-2	200W	CHPRC
216-S-21	216-S-21, 216-SX-1, 216-SX-1 Cavern or Crib	200W	CHPRC
216-S-22	216-S-22, 216-S-22 Crib	200W	CHPRC
216-S-23	216-S-23, 216-S-23 Crib	200W	CHPRC
216-S-25	216-S-25, 216-S-25 Crib	200W	CHPRC
216-S-26	216-S-26, 216-S-19 Replacement Facility, 216-S-26 Crib	200W	CHPRC
216-S-3	216-S-3, 216-S-5, 216-S-3 Crib	200W	CHPRC
216-S-4	216-S-4, 216-S-7, 216-S-4 Sump or Crib, UN-216-W-1	200W	CHPRC
216-S-5	216-S-5, 216-S-5 Cavern #1, 216-S-6 Crib, 216-S-9 (See Subsites)	200W	CHPRC
216-S-6	216-S-6, 216-S-6 Cavern #2, 216-S-5 Crib, 216-S-13 Crib	200W	CHPRC
216-S-7	216-S-7, 216-S-7 Crib, 216-S-15	200W	CHPRC
216-S-8	216-S-8, Cold Aqueous Trench, Cold Aqueous Crib, 216-S-3, Unirradiated Uranium Waste Trench, Cold Aqueous Grave	200W	CHPRC
216-S-9	216-S-9 Crib	200W	CHPRC
216-SX-2	216-SX-2, 216-SX-2 Crib	200W	CHPRC
216-T-1	216-T-1, 221-T Ditch, 221-T Trench, 216-T-1 Trench	200W	CHPRC
216-T-10	216-T-10, Decontamination Trenches, Equipment Decontamination Area	200W	CHPRC
216-T-11	216-T-11, Decontamination Trenches, Equipment Decontamination Area	200W	CHPRC
216-T-12	216-T-12, 207-T Sludge Grave, 207-T Sludge Pit, 216-T-11	200W	CHPRC
216-T-13	216-T-13, 269-W Regulated Garage, 269-W Decontamination Pit or Trench, 216-T-12, 269-W Regulated Garage Decontamination Pit	200W	CHPRC
216-T-14	216-T-14, 241-T-1 Trench, 216-T-1 Grave, 216-T-13	200W	CHPRC
216-T-15	216-T-15, 241-T-2 Trench, 241-T-2 Grave, 216-T-14, 216-T-15 Crib	200W	CHPRC
216-T-16	216-T-16, 241-T-3 Trench, 241-T-3 Grave, 216-T-15, 216-T-16 Crib	200W	CHPRC
216-T-17	216-T-17, 241-T-4 Trench, 216-T-4 Grave, 216-T-16	200W	CHPRC
216-T-18	216-T-18, Test Crib for 221-U Building, Scavenged TBP Waste, 216-T-17, 241-T-17 Crib	200W	CHPRC
216-T-19	216-T-19, 241-TX-153 Crib and Tile Field, 216-TX-1, 241-TX-3, 216-T-19TF	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
216-T-2	216-T-2, 222-T-110 Dry Well, 222-T Reverse Well	200W	CHPRC
216-T-20	216-T-20, 216-TX-2, 216-T-20 Crib, 241-TX-155 Contaminated Acid Grave	200W	CHPRC
216-T-21	216-T-21, 241-TX-1 Trench, 216-TX-1 Grave, 216-TX-3	200W	CHPRC
216-T-22	216-T-22, 241-TX-2 Trench, 216-TX-2 Grave, 216-TX-4	200W	CHPRC
216-T-23	216-T-23, 241-TX-3 Trench, 216-TX-3 Grave, 216-TX-5, 241-TX-3 Grave	200W	CHPRC
216-T-24	216-T-24, 241-TX-4 Trench, 216-TX-4 Grave, 216-TX-6	200W	CHPRC
216-T-25	216-T-25, 241-TX-5 Trench, 216-TX-5 Grave, 216-TX-7	200W	CHPRC
216-T-26	216-T-26, 216-TY-1 Cavern, 216-TY-1 Crib, 241-TX-1 Cavern, 216-TX-1 Crib	200W	CHPRC
216-T-27	216-T-27, 216-TY-2 Cavern, 216-TY-2 Crib, 216-TX-2 Cavern, 216-TX-2 Crib	200W	CHPRC
216-T-28	216-T-28, 216-TY-3 Cavern, 216-TY-3 Crib, 216-TX-3 Cavern, 216-TX-3 Crib	200W	CHPRC
216-T-29	216-T-29, 291-T Sand Filter Sewer, 216-T-29 French Drain	200W	CHPRC
216-T-3	216-T-3, 241-T-361-A Reverse Well, 361-T Reverse Well	200W	CHPRC
216-T-31	216-T-31, 216-T-31 French Drain	200W	CHPRC
216-T-32	216-T-32, 241-T #1 & 2 Cribs, 216-T-6	200W	CHPRC
216-T-33	216-T-33, 216-T-33 Crib	200W	CHPRC
216-T-34	216-T-34, 216-T-34 Crib	200W	CHPRC
216-T-35	216-T-35, 216-T-35 Crib	200W	CHPRC
216-T-36	216-T-36 Crib	200W	CHPRC
216-T-4-1D	216-T-4-1D, 216-T-4 Ditch, 216-T-4 Swamp	200W	CHPRC
216-T-4-2	216-T-4-2, 216-T-4-2 Ditch	200W	CHPRC
216-T-4A	216-T-4A, 216-T-4 Swamp, 216-T-4-1 (P), 216-T-4-1 Pond	200W	CHPRC
216-T-4B	216-T-4B, 216-T-4 New Pond, 216-T-4-2 (P), 216-T-4-2 Pond	200W	CHPRC
216-T-5	216-T-5, 216-T-5 Grave, 216-T-12, 216-T-5 Trench, 241-T-5 Trench	200W	CHPRC
216-T-6	216-T-6, 241-T-361 (1&2 Cribs), 216-T-5, 361-T-1&2 Cribs	200W	CHPRC
216-T-7	216-T-7, 216-T-7TF, 216-T-7 Tile Field, 241-T-3 Tile Field	200W	CHPRC
216-T-8	216-T-8, 222-T-1 & 2 Cribs	200W	CHPRC
216-T-9	216-T-9, Decontamination Trenches, Equipment Decontamination Area	200W	CHPRC
216-TY-201	216-TY-201, Supernatant Disposal Flush Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
216-U-1&2	216-U-1&2, 361-WR (Crib 2), 216-U-3, 216-UR #1&2 Cribs, 216-U-1 & 2, 216-U-1, 216-U-2	200W	CHPRC
216-U-10	216-U-10, U Swamp, 216-U-1, 216-U-10 Pond, 231 Swamp	200W	CHPRC
216-U-11	216-U-11, U Swamp Extension Ditch, 216-U-12, 216-U-11 Trench, 216-U-11 Ditch, 216-U-11 (Old Ditch), 216-U-11 (New Ditch)	200W	CHPRC
216-U-12	216-U-12, 216-U-12 Crib	200W	CHPRC
216-U-13	216-U-13, 216-U-13 Cribs, 216-U-13, Vehicle Steam Cleaning Pit	200W	CHPRC
216-U-14	216-U-14, 216-U-14 Ditch, Laundry Ditch	200W	CHPRC
216-U-15	216-U-15, UN-216-W-10, 388-U Tank Dumping, UPR-200-W-125, UN-200-W-158, U-152 Interface Crud Burial	200W	CHPRC
216-U-16	216-U-16, UO3 Crib	200W	CHPRC
216-U-17	216-U-17, 216-U-17 Crib	200W	CHPRC
216-U-3	216-U-3, 216-U-11, 216-U-3 French Drain	200W	CHPRC
216-U-4	216-U-4, 222-U Dry Well, 222-U-110 Dry Well, 216-U-2, 216-U-4 Dry Well	200W	CHPRC
216-U-4A	216-U-4A, 216-U-4 Reverse Well Replacement French Drain, 216-U-4 Dry Well	200W	CHPRC
216-U-4B	216-U-4B, 216-U-4B Dry Well, 216-U-4B French Drain	200W	CHPRC
216-U-5	216-U-5, 216-U-4, 221-U Cold U Trench #2	200W	CHPRC
216-U-6	216-U-6, U Facility Unirradiated Uranium Waste Trench, 221-U Cold U Trench, 216-U Cold U Trench #1, 216-U-5, 221-U Cold U Grave #1	200W	CHPRC
216-U-7	216-U-7, 221-U Counting Box French Drain, 221-U Vessel Vent Blower Pit French Drain	200W	CHPRC
216-U-8	216-U-8, 216-WR-1,2,3 Cribs, 216-U-9	200W	CHPRC
216-U-9	216-U-9, U Swamp-S Swamp Ditch, 216-U-6	200W	CHPRC
216-W-LWC	216-W-LWC, 216-W-LC, Laundry Waste Crib, 216-W-LWC Crib, 216-W-1	200W	CHPRC
216-Z-1&2	216-Z-1&2, 234-5 No. 1 Crib, 216-Z-7, 234-5 No. 2 Crib, 216-Z-1 & 2TF, 216-Z-1 and 216-Z-2 Cribs	200W	CHPRC
216-Z-10	216-Z-10, 216-Z-2, 231-W Reverse Well, 231-W-151 Dry Well or Reverse Well, 231-Z Well, 299-W15-51, 231-W-150	200W	CHPRC
216-Z-11	216-Z-11, 216-Z-11 Ditch, Z Plant Ditch	200W	CHPRC
216-Z-12	216-Z-12, 241-Z-12 Crib	200W	CHPRC
216-Z-13	216-Z-13, 234-5 Dry Well #1, 216-Z-13 Dry Well, Miscellaneous Stream #261, 216-Z-13 A and B	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
216-Z-14	216-Z-14, 234-5 Dry Well #2, 216-Z-14 Dry Well, Miscellaneous Stream #262, 216-Z-14 A and B	200W	CHPRC
216-Z-15	216-Z-15, 234-5 Dry Well #3, 216-Z-15 Dry Well, Miscellaneous Stream #263	200W	CHPRC
216-Z-16	216-Z-16 Crib	200W	CHPRC
216-Z-17	216-Z-17, 216-Z-17 Ditch	200W	CHPRC
216-Z-18	216-Z-18, 216-Z-18 Crib	200W	CHPRC
216-Z-19	216-Z-19, 216-U-10 Ditch, Z Plant Ditch, 216-Z-19 Ditch	200W	CHPRC
216-Z-1A	216-Z-1A, 216-Z-1A Tile Field, 216-Z-7, 234-5 Tile Field, 216-Z-1AA, 216-Z-1AB, 216-Z-1AC	200W	CHPRC
216-Z-1D	216-Z-1D, 216-Z-1, Drainage Ditch to U Swamp, Z Plant Ditch	200W	CHPRC
216-Z-20	216-Z-20, Z-19 Ditch Replacement Tile Field	200W	CHPRC
216-Z-21	216-Z-21, 216-Z-21 Seepage Basin, PFP Cold Waste Pond	200W	CHPRC
216-Z-3	216-Z-3, 216-Z-3 Culvert, 216-Z-8, 234-5 No. 3 & 4 Cribs	200W	CHPRC
216-Z-4	216-Z-4, 231-W-3 Pit, 231-W-3 Sump, 231-W-3 Crib, 216-Z-3, 216-Z-4 Crib	200W	CHPRC
216-Z-5	216-Z-5, 231-W Sumps, 231-W-1 & 2 Cribs	200W	CHPRC
216-Z-6	216-Z-6, 231-W-4 Crib, 231-Z-6, 216-W-4, 231-W Crib, 216-Z-4, 216-Z-6 & 6A Crib	200W	CHPRC
216-Z-7	216-Z-7, 231-W Crib, 231-W Trench, 216-Z-6	200W	CHPRC
216-Z-8	216-Z-8, 234-5 Recuplex French Drain, 216-Z-9, 216-Z-8 Crib	200W	CHPRC
216-Z-9	216-Z-9, 216-Z-9 Crib and Support Structures, 216-Z-9 Cavern, 234-5 Recuplex Cavern, 216-Z-9 Covered Trench, 216-Z-9A, 216-Z-9B, 216-Z-9C	200W	CHPRC
217-B NU	217-B NU, 217-B Neutralization Unit, Elementary Neutralization Unit/217-B Building	200E	CHPRC
218-C-9	218-C-9, Dry Waste No.0C9, 218-C-9 Burial Ground, 218EC9	200E	CHPRC
218-E-1	218-E-1, 200 East Dry Waste No. 001	200E	CHPRC
218-E-10	218-E-10, 200 East Industrial Waste No. 10, Equipment Burial Ground #10	200E	CHPRC
218-E-12A	218-E-12A, 200 East Dry Waste No. 12A	200E	CHPRC
218-E-12B	218-E-12B, 200 East Dry Waste No. 12B, 218-E-12B Burial Ground - Trench 94	200E	CHPRC
218-E-14	218-E-14, PUREX Tunnel No. 1, PUREX Storage Tunnel	200E	CHPRC
218-E-15	218-E-15, PUREX Tunnel No. 2, PUREX Storage Tunnel	200E	CHPRC
218-E-2	218-E-2, 200 East Industrial Waste No. 002, Equipment Burial Ground #2	200E	CHPRC
218-E-2A	218-E-2A, Regulated Equipment Storage Site No. 02A, Burial Trench	200E	CHPRC
218-E-3	218-E-3, Construction Scrap Pit	200E	CHPRC
218-E-4	218-E-4, 200 East Minor Construction No. 4, Equipment Burial Ground #4	200E	CHPRC
218-E-5	218-E-5, 200 East Industrial Waste No. 05, Equipment Burial Ground #5	200E	CHPRC
218-E-5A	218-E-5A, 200 East Industrial Waste No. 005A, Equipment Burial Ground #5A	200E	CHPRC
218-E-6	218-E-6, B Stack Shack Burning Pit, Buried Contamination	200E	CHPRC
218-E-7	218-E-7, 200 East 222-B Vaults	200E	CHPRC
218-E-8	218-E-8, 200 East Construction Burial Grounds	200E	CHPRC
218-E-9	218-E-9, 200 East Regulated Equipment Storage Site No. 009, Burial Vault (HISS)	200E	CHPRC
218-W-1	218-W-1, 200-W Area Dry Waste No. 001, Solid Waste Burial Ground #1	200W	CHPRC
218-W-11	218-W-11, Regulated Storage Site	200W	CHPRC
218-W-1A	218-W-1A, 200-W Area Industrial Waste Burial Ground #1, Equipment Burial Ground #1	200W	CHPRC
218-W-2	218-W-2, 200-W Area Dry Waste No. 002, Dry Waste Burial Ground No. 2	200W	CHPRC
218-W-2A	218-W-2A, Industrial Waste No. 02A, Equipment Burial Ground #2	200W	CHPRC
218-W-3	218-W-3, Dry Waste No. 003	200W	CHPRC
218-W-3A	218-W-3A, Dry Waste No. 003A	200W	CHPRC
218-W-3AE	218-W-3AE, Industrial Waste No. 3AE, Dry Waste No. 3AE	200W	CHPRC
218-W-4A	218-W-4A, Dry Waste No. 04A	200W	CHPRC
218-W-4B	218-W-4B, Dry Waste No. 04B	200W	CHPRC
218-W-4C	218-W-4C, Dry Waste No. 004C	200W	CHPRC
218-W-5	218-W-5, Dry Waste Burial Ground, Low-Level Radioactive Mixed Waste Burial Grounds	200W	CHPRC
218-W-6	218-W-6 Burial Ground	200W	CHPRC
218-W-7	218-W-7, 222-S Vault	200W	CHPRC
218-W-8	218-W-8, 222-T Vault	200W	CHPRC
218-W-9	218-W-9, Dry Waste Burial Ground No. 9, Non-TRU Dry Waste No. 009	200W	CHPRC
219-S-101	219-S-101, 219-S-TK-101, TK-101 Crib Waste Receiver, 219-S, TK-101 Receiver Tank	200W	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
219-S-102	219-S-102, 219-S-TK-102, 219-S Storage Tank 102, 219-S Primary Treatment Tank TK-102	200W	WRPS
219-S-103	219-S-103, 219-S-TK-103, 219-S Storage Tank 103, 219-S Backup Treatment Tank TK-103, 219-S-104, TK-104	200W	WRPS
219-S-104	219-S-104, 219-S-TK-104, 219-S Storage Tank 104	200W	CHPRC
221-B NANU	221-B NANU, 221-B Nitric Acid Neutralization Unit, 221-B Elementary Neutralization Unit for Nitric Acid	200E	CHPRC
221-B SDT	221-B SDT, 221-B Settle and Decant Tank, B Plant Settle and Decant Tank, 221-B-8-1 and 221-B-8-2, 221-B-TK-8-1 and 221-B-TK-8-2	200E	CHPRC
221-B SHNU	221-B SHNU, 221-B Sodium Hydroxide Neutralization Unit, 221-B Elementary Neutralization Unit for Sodium Hydroxide	200E	CHPRC
221-B-26-1	221-B-26-1, 221-B-TK-26-1, B Plant Radioactive Organic Waste Solvent Tank 1	200E	CHPRC
221-B-27-2	221-B-27-2, 221-B-TK-27-2, 221-B Tank 27-2	200E	CHPRC
221-B-27-3	221-B-27-3, 221-B-TK-27-3, B Plant Radioactive Organic Waste Solvent Tank 2	200E	CHPRC
221-B-27-4	221-B-27-4, 221-B-TK-27-4, B Plant Radioactive Organic Waste Solvent Tank 3	200E	CHPRC
221-B-28-3	221-B-28-3, 221-B-TK-28-3, B Plant Radioactive Organic Waste Solvent Tank 4	200E	CHPRC
221-B-28-4	221-B-28-4, 221-B-TK-28-4, B Plant Radioactive Organic Waste Solvent Tank 5	200E	CHPRC
221-B-29-4	221-B-29-4, 221-B-TK-29-4, B Plant Radioactive Organic Waste Storage Tank #7, 221-B TK-29-4	200E	CHPRC
221-B-30-3	221-B-30-3, 221-B-TK-30-3, B Plant Radioactive Organic Waste Solvent Tank #6, 221-B TK-30-3	200E	CHPRC
221-B-WS-1	221-B-WS-1, B Plant Storage	200E	CHPRC
221-B-WS-2	221-B-WS-2, B Plant Waste Piles	200E	CHPRC
221-T CSTF	221-T CSTF, 221-T Containment System Test Facility, T Plant Laboratory, 221-T Head End	200W	CHPRC
221-T-11-R	221-T-11-R, 221-T-TK-11-R, Tank 11-R 221-T System, T Plant Complex	200W	CHPRC
221-T-15-1	221-T-15-1, 221-T-TK-15-1, Tank 15-1 221-T System, T Plant Complex	200W	CHPRC
221-T-5-6	221-T-5-6, 221-T-TK-5-6, Tank 5-6 221-T System, T Plant Complex	200W	CHPRC
221-T-5-7	221-T-5-7, 221-T-TK-5-7, Tank 5-7 221-T System, T Plant Complex	200W	CHPRC
221-T-5-9	221-T-5-9, 221-T-TK-5-9, Tank 5-9 221-T System, T Plant Complex	200W	CHPRC
221-T-6-1	221-T-6-1, 221-T-TK-6-1, Tank 6-1 221-T System, T Plant Complex	200W	CHPRC
221-U	221-U, 221-U Canyon Building, 221-U Building, U Plant, 276-U (See Subsites)	200W	CHPRC
222-SD	222-SD, 222 SD, 222-S DMWSA, 222-S TSD Dangerous and Mixed Waste Storage Area	200W	WRPS
224-B	224-B, 224-B Concentration Facility	200E	CHPRC
224-T	224-T, 224-T Canyon, Plutonium Concentration Facility	200W	CHPRC
224-U CNT	224-U CNT, 224-U Condensate Neutralization Tank, 224-U Process Condensate Neutralization Tank, Process Condensate Elementary Neutralization Unit, Tank TK-C-5, 224-U-TK-C-5	200W	CHPRC
224-U HWSA	224-U HWSA, 224-U Hazardous Waste Storage Area	200W	CHPRC
226-B HWSA	226-B HWSA, 226-B Hazardous Waste Storage Area	200E	CHPRC
231-W-151	231-W-151, 231-W-151 Vault, 231-W-151-001 (Tank), 231-W-151-002 (Tank), 231-W-151 Sump, 231-Z-151 Sump, IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200W	CHPRC
232-Z	232-Z, 232-Z Building Foundation, 232-Z Waste Incineration Facility, 232-Z Incineration Facility, 232-Z Incinerator (See Subsites)	200W	CHPRC
233-S	233-S, 233-S Plutonium Concentration Facility	200W	CHPRC
233-SA	233-SA, 233-SA Exhaust Filter Building	200W	CHPRC
234-5Z HWSA	234-5Z HWSA, 234-5Z Hazardous Waste Storage Area	200W	CHPRC
240-S-151	240-S-151, 240-S-151 Diversion Box	200W	CHPRC
240-S-152	240-S-152, 240-S-152 Diversion Box	200W	CHPRC
240-S-302	240-S-302, 240-S-302 Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, Line V556 and V557	200W	CHPRC
241-A-101	241-A-101, 241-A-TK-101	200E	WRPS
241-A-102	241-A-102, 241-A-TK-102	200E	WRPS
241-A-103	241-A-103, 241-A-TK-103	200E	WRPS
241-A-104	241-A-104, 241-A-TK-104	200E	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
241-A-105	241-A-105, 241-A-TK-105	200E	WRPS
241-A-106	241-A-106, 241-A-TK-106	200E	WRPS
241-A-151	241-A-151, 241-A-151 Diversion Box	200E	WRPS
241-A-152	241-A-152, 241-A-152 Diversion Box	200E	WRPS
241-A-153	241-A-153, 241-A-153 Diversion Box, 241-A-153 Transfer Station	200E	WRPS
241-A-302A	241-A-302A, 241-A-302-A Catch Tank, Line V028	200E	WRPS
241-A-302B	241-A-302B, 241-A-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, V062	200E	WRPS
241-A-350	241-A-350, 241-A-350 Catch Tank, 241-A-350 Drainage Lift Station	200E	WRPS
241-A-417	241-A-417, 241-A-417 Condensate Tank	200E	WRPS
241-A-431	241-A-431, 241-A-431 Ventilation Building, 241-A-431 Tank Farm Ventilation Building	200E	WRPS
241-A-501	241-A-501, 241-A-501 Contact Condenser Valve Pit	200E	CHPRC
241-A-702-WS-1	241-A-702-WS-1, 702-A Drain Lines	200E	WRPS
241-A-A	241-A-A, 241-A-A Diversion Box, 241-A-A Structural Valve Pit	200E	WRPS
241-A-B	241-A-B, 241-A-B Diversion Box, 241-A-B Structural Valve Pit	200E	WRPS
241-AN-101	241-AN-101, 241-AN-TK-101	200E	WRPS
241-AN-102	241-AN-102, 241-AN-TK-102	200E	WRPS
241-AN-103	241-AN-103, 241-AN-TK-103	200E	WRPS
241-AN-104	241-AN-104, 241-AN-TK-104	200E	WRPS
241-AN-105	241-AN-105, 241-AN-TK-105	200E	WRPS
241-AN-106	241-AN-106, 241-AN-TK-106	200E	WRPS
241-AN-107	241-AN-107, 241-AN-TK-107	200E	WRPS
241-AN-A	241-AN-A, 241-AN-A Diversion Box	200E	WRPS
241-AN-B	241-AN-B, 241-AN-B Diversion Box	200E	WRPS
241-AP VP	241-AP VP, 241-AP Valve Pit	200E	WRPS
241-AP-101	241-AP-101, 241-AP-TK-101	200E	WRPS
241-AP-102	241-AP-102, 241-AP-TK-102	200E	WRPS
241-AP-103	241-AP-103, 241-AP-TK-103	200E	WRPS
241-AP-104	241-AP-104, 241-AP-TK-104	200E	WRPS
241-AP-105	241-AP-105, 241-AP-TK-105	200E	WRPS
241-AP-106	241-AP-106, 241-AP-TK-106	200E	WRPS
241-AP-107	241-AP-107, 241-AP-TK-107	200E	WRPS
241-AP-108	241-AP-108, 241-AP-TK-108	200E	WRPS
241-AR-151	241-AR-151, 241-AR-151 Diversion Box	200E	WRPS
241-AW-101	241-AW-101, 241-AW-TK-101	200E	WRPS
241-AW-102	241-AW-102, 241-AW-TK-102	200E	WRPS
241-AW-103	241-AW-103, 241-AW-TK-103	200E	WRPS
241-AW-104	241-AW-104, 241-AW-TK-104	200E	WRPS
241-AW-105	241-AW-105, 241-AW-TK-105	200E	WRPS
241-AW-106	241-AW-106, 241-AW-TK-106	200E	WRPS
241-AW-A	241-AW-A, 241-AW-A Valve Pit, 241-AW-A Diversion Box	200E	WRPS
241-AW-B	241-AW-B, 241-AW-B Valve Pit, 241-AW-B Diversion Box	200E	WRPS
241-AX-101	241-AX-101, 241-AX-TK-101	200E	WRPS
241-AX-102	241-AX-102, 241-AX-TK-102	200E	WRPS
241-AX-103	241-AX-103, 241-AX-TK-103	200E	WRPS
241-AX-104	241-AX-104, 241-AX-TK-104	200E	WRPS
241-AX-151	241-AX-151, 241-AX-151 Diversion Box, 241-AX-151 Diverter Station, IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200E	WRPS
241-AX-152CT	241-AX-152CT, 241-AX-152-CT Catch Tank	200E	WRPS
241-AX-152DS	241-AX-152DS, 241-AX-152 Diverter Station, 241-AX-152-DS Diverter Station, Line V713	200E	WRPS
241-AX-153	241-AX-153, 241-AX-153 Isolation Jumper Pit	200E	CHPRC
241-AX-155	241-AX-155, 241-AX-155 Diversion Box, Line V713	200E	WRPS
241-AX-501	241-AX-501, 241-AX-501 Valve Pit, 241-AX-501 Condensate Valve Pit	200E	WRPS
241-AX-A	241-AX-A, 241-AX-A Diversion Box, 241-AX-A Structural Valve Pit, 241-AX-A Valve Pit	200E	WRPS
241-AX-B	241-AX-B, 241-AX-B Diversion Box, 241-AX-B Structural Valve Pit, 241-AX-B Valve Pit	200E	WRPS
241-AX-IX	241-AX-IX, 241-AX Ion Exchanger, IMUST	200E	WRPS
241-AY-101	241-AY-101, 241-AY-TK-101	200E	WRPS
241-AY-102	241-AY-102, 241-AY-TK-102	200E	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
241-AY-151	241-AY-151, 241-AY-151 Diversion Box, 241-AY-151 Pump Out Pit	200E	WRPS
241-AY-152	241-AY-152, 241-AY-152 Diverter Station, 241-AY-152 Sluice Transfer Box, Line DR0074	200E	WRPS
241-AY-501	241-AY-501, 241-AY-501 Condensate Valve Pit	200E	CHPRC
241-AZ VP	241-AZ VP, 241-AZ Valve Pit	200E	CHPRC
241-AZ-101	241-AZ-101, 241-AZ-TK-101	200E	WRPS
241-AZ-102	241-AZ-102, 241-AZ-TK-102	200E	WRPS
241-AZ-151CT	241-AZ-151CT, 241-AZ-151 Catch Tank	200E	WRPS
241-AZ-151DS	241-AZ-151DS, 241-AZ-151-DS Diverter Station, 241-AZ-151 Diverter Station	200E	WRPS
241-AZ-152	241-AZ-152, 241-AZ-152 Diversion Box, 241-AZ-152 Sluice Transfer Box	200E	WRPS
241-AZ-154	241-AZ-154, 241-AZ-154 Catch Tank	200E	CHPRC
241-AZ-155	241-AZ-155, 241-AZ-155 Contaminated Storage Pit	200E	CHPRC
241-AZ-301	241-AZ-301, Condensate Receiver Tank	200E	CHPRC
241-B-101	241-B-101, 241-B-TK-101	200E	WRPS
241-B-102	241-B-102, 241-B-TK-102	200E	WRPS
241-B-103	241-B-103, 241-B-TK-103	200E	WRPS
241-B-104	241-B-104, 241-B-TK-104	200E	WRPS
241-B-105	241-B-105, 241-B-TK-105	200E	WRPS
241-B-106	241-B-106, 241-B-TK-106	200E	WRPS
241-B-107	241-B-107, 241-B-TK-107	200E	WRPS
241-B-108	241-B-108, 241-B-TK-108	200E	WRPS
241-B-109	241-B-109, 241-B-TK-109	200E	WRPS
241-B-110	241-B-110, 241-B-TK-110	200E	WRPS
241-B-111	241-B-111, 241-B-TK-111	200E	WRPS
241-B-112	241-B-112, 241-B-TK-112	200E	WRPS
241-B-151	241-B-151, 241-B-151 Diversion Box	200E	WRPS
241-B-152	241-B-152, 241-B-152 Diversion Box	200E	WRPS
241-B-153	241-B-153, 241-B-153 Diversion Box	200E	WRPS
241-B-154	241-B-154, 241-B-154 Diversion Box	200E	WRPS
241-B-201	241-B-201, 241-B-TK-201	200E	WRPS
241-B-202	241-B-202, 241-B-TK-202	200E	WRPS
241-B-203	241-B-203, 241-B-TK-203	200E	WRPS
241-B-204	241-B-204, 241-B-TK-204	200E	WRPS
241-B-252	241-B-252, 241-B-252 Diversion Box	200E	WRPS
241-B-301	241-B-301; 241-B-301-B Catch Tank; 241-B-301B; IMUST; Inactive Miscellaneous Underground Storage Tank; Lines V238 and V312	200E	WRPS
241-B-302B	241-B-302B, 241-B-302-B Catch Tank, 241-B-302, IMUST, Inactive Miscellaneous Underground Storage Tank, Line V217	200E	WRPS
241-B-361	241-B-361, 241-B-361 Settling Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
241-BR-152	241-BR-152, 241-BR-152 Diversion Box	200E	WRPS
241-BX-101	241-BX-101, 241-BX-TK-101	200E	WRPS
241-BX-102	241-BX-102, 241-BX-TK-102	200E	WRPS
241-BX-103	241-BX-103, 241-BX-TK-103	200E	WRPS
241-BX-104	241-BX-104, 241-BX-TK-104	200E	WRPS
241-BX-105	241-BX-105, 241-BX-TK-105	200E	WRPS
241-BX-106	241-BX-106, 241-BX-TK-106	200E	WRPS
241-BX-107	241-BX-107, 241-BX-TK-107	200E	WRPS
241-BX-108	241-BX-108, 241-BX-TK-108	200E	WRPS
241-BX-109	241-BX-109, 241-BX-TK-109	200E	WRPS
241-BX-110	241-BX-110, 241-BX-TK-110	200E	WRPS
241-BX-111	241-BX-111, 241-BX-TK-111	200E	WRPS
241-BX-112	241-BX-112, 241-BX-TK-112	200E	WRPS
241-BX-153	241-BX-153, 241-BX-153 Diversion Box	200E	WRPS
241-BX-154	241-BX-154, 241-BX-154 Diversion Box	200E	WRPS
241-BX-155	241-BX-155, 241-BX-155 Diversion Box	200E	WRPS
241-BX-302A	241-BX-302A; 241-BX-302-A Catch Tank; IMUST; Inactive Miscellaneous Underground Storage Tank; Drain Lines V357, 9053, 9253, and 9453	200E	WRPS
241-BX-302B	241-BX-302B, 241-BX-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, Line V288	200E	WRPS
241-BX-302C	241-BX-302C, 241-BX-302-C Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, Line V322	200E	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
241-BXR-151	241-BXR-151, 241-BXR-151 Diversion Box	200E	WRPS
241-BXR-152	241-BXR-152, 241-BXR-152 Diversion Box	200E	WRPS
241-BXR-153	241-BXR-153, 241-BXR-153 Diversion Box, Line 9453	200E	WRPS
241-BY-101	241-BY-101, 241-BY-TK-101	200E	WRPS
241-BY-102	241-BY-102, 241-BY-TK-102	200E	WRPS
241-BY-103	241-BY-103, 241-BY-TK-103	200E	WRPS
241-BY-104	241-BY-104, 241-BY-TK-104	200E	WRPS
241-BY-105	241-BY-105, 241-BY-TK-105	200E	WRPS
241-BY-106	241-BY-106, 241-BY-TK-106	200E	WRPS
241-BY-107	241-BY-107, 241-BY-TK-107	200E	WRPS
241-BY-108	241-BY-108, 241-BY-TK-108	200E	WRPS
241-BY-109	241-BY-109, 241-BY-TK-109	200E	WRPS
241-BY-110	241-BY-110, 241-BY-TK-110	200E	WRPS
241-BY-111	241-BY-111, 241-BY-TK-111	200E	WRPS
241-BY-112	241-BY-112, 241-BY-TK-112	200E	WRPS
241-BY-ITS1	241-BY-ITS1, ITS-1, In-Tank Solidification System	200E	WRPS
241-BYR-152	241-BYR-152, 241-BYR-152 Diversion Box	200E	WRPS
241-BYR-153	241-BYR-153, 241-BYR-153 Diversion Box	200E	WRPS
241-BYR-154	241-BYR-154, 241-BYR-154 Diversion Box	200E	WRPS
241-C-101	241-C-101, 241-C-TK-101	200E	WRPS
241-C-102	241-C-102, 241-C-TK-102	200E	WRPS
241-C-103	241-C-103, 241-C-TK-103	200E	WRPS
241-C-104	241-C-104, 241-C-TK-104	200E	WRPS
241-C-105	241-C-105, 241-C-TK-105	200E	WRPS
241-C-106	241-C-106, 241-C-TK-106	200E	WRPS
241-C-107	241-C-107, 241-C-TK-107	200E	WRPS
241-C-108	241-C-108, 241-C-TK-108	200E	WRPS
241-C-109	241-C-109, 241-C-TK-109	200E	WRPS
241-C-110	241-C-110, 241-C-TK-110	200E	WRPS
241-C-111	241-C-111, 241-C-TK-111	200E	WRPS
241-C-112	241-C-112, 241-C-TK-112	200E	WRPS
241-C-151	241-C-151, 241-C-151 Diversion Box	200E	WRPS
241-C-152	241-C-152, 241-C-152 Diversion Box	200E	WRPS
241-C-153	241-C-153, 241-C-153 Diversion Box	200E	WRPS
241-C-154	241-C-154, 241-C-154 Diversion Box	200E	WRPS
241-C-201	241-C-201, 241-C-TK-201	200E	WRPS
241-C-202	241-C-202, 241-C-TK-202	200E	WRPS
241-C-203	241-C-203, 241-C-TK-203	200E	WRPS
241-C-204	241-C-204, 241-C-TK-204	200E	WRPS
241-C-252	241-C-252, 241-C-252 Diversion Box	200E	WRPS
241-C-301	241-C-301, 241-C-301-C Catch Tank, 241-C-301C, IMUST, Inactive Miscellaneous Underground Storage Tank, Lines V114 and V155	200E	WRPS
241-C-801	241-C-801, 241-C-801 Cesium Loadout Facility	200E	WRPS
241-CR-151	241-CR-151, 241-CR-151 Diversion Box	200E	WRPS
241-CR-152	241-CR-152, 241-CR-152 Diversion Box, Line 8253	200E	WRPS
241-CR-153	241-CR-153, 241-CR-153 Diversion Box, Line 8307	200E	WRPS
241-CX-70	241-CX-70, 241-CX-TK-70 Tank, Strontium Hot Semi-Works, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
241-CX-71	241-CX-71, 241-CX-TK-71, 241-CX Neutralization Tank, Strontium Hot Semi-Works, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
241-CX-72	241-CX-72, 241-CX-TK-72 Vault and Tank, 241-CX-72 Waste Self Concentrator, Strontium Hot Semi-Works, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
241-ER-151	241-ER-151, 241-ER-151 Diversion Box	200E	CHPRC
241-ER-152	241-ER-152, 241-ER-152 Diversion Box, Line DR311	200E	CHPRC
241-ER-153	241-ER-153, 241-ER-153 Diversion Box	200E	CHPRC
241-ER-311	241-ER-311, 241-ER-311 Catch Tank, 241-ER-311A Replacement Tank	200E	CHPRC
241-ER-311A	241-ER-311A, 241-ER-311A Catch Tank, Old 241-ER-311, Original 241-ER-311 Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
241-EW-151	241-EW-151, 241-EW-151 Vent Station Catch Tank, 241-EW-151 Vent Station, Vent Station, 200 Area East-West Vent Station	600	CHPRC
241-S-101	241-S-101, 241-S-TK-101	200W	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
241-S-102	241-S-102, 241-S-TK-102	200W	WRPS
241-S-103	241-S-103, 241-S-TK-103	200W	WRPS
241-S-104	241-S-104, 241-S-TK-104	200W	WRPS
241-S-105	241-S-105, 241-S-TK-105	200W	WRPS
241-S-106	241-S-106, 241-S-TK-106	200W	WRPS
241-S-107	241-S-107, 241-S-TK-107	200W	WRPS
241-S-108	241-S-108, 241-S-TK-108	200W	WRPS
241-S-109	241-S-109, 241-S-TK-109	200W	WRPS
241-S-110	241-S-110, 241-S-TK-110	200W	WRPS
241-S-111	241-S-111, 241-S-TK-111	200W	WRPS
241-S-112	241-S-112, 241-S-TK-112	200W	WRPS
241-S-151	241-S-151, 241-S-151 Diversion Box	200W	WRPS
241-S-152	241-S-152, 241-S-152 Diversion Box	200W	WRPS
241-S-302A	241-S-302A; 241-S-302-A Catch Tank; IMUST; Inactive Miscellaneous Underground Storage Tank; Lines V542, V763, V764, and DR324	200W	WRPS
241-S-302B	241-S-302B, 241-S-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	WRPS
241-S-304	241-S-304, 241-S-304 Catch Tank	200W	WRPS
241-S-A	241-S-A, 241-S-A Valve Pit, 241-S-A Diversion Box	200W	WRPS
241-S-B	241-S-B, 241-S-B Valve Pit, 241-S-B Diversion Box	200W	WRPS
241-S-C	241-S-C, 241-S-C Valve Pit, 241-S-C Diversion Box	200W	WRPS
241-S-D	241-S-D, 241-S-D Valve Pit, 241-S-D Diversion Box	200W	WRPS
241-SX-101	241-SX-101, 241-SX-TK-101	200W	WRPS
241-SX-102	241-SX-102, 241-SX-TK-102	200W	WRPS
241-SX-103	241-SX-103, 241-SX-TK-103	200W	WRPS
241-SX-104	241-SX-104, 241-SX-TK-104	200W	WRPS
241-SX-105	241-SX-105, 241-SX-TK-105	200W	WRPS
241-SX-106	241-SX-106, 241-SX-TK-106	200W	WRPS
241-SX-107	241-SX-107, 241-SX-TK-107	200W	WRPS
241-SX-108	241-SX-108, 241-SX-TK-108	200W	WRPS
241-SX-109	241-SX-109, 241-SX-TK-109	200W	WRPS
241-SX-110	241-SX-110, 241-SX-TK-110	200W	WRPS
241-SX-111	241-SX-111, 241-SX-TK-111	200W	WRPS
241-SX-112	241-SX-112, 241-SX-TK-112	200W	WRPS
241-SX-113	241-SX-113, 241-SX-TK-113	200W	WRPS
241-SX-114	241-SX-114, 241-SX-TK-114	200W	WRPS
241-SX-115	241-SX-115, 241-SX-TK-115	200W	WRPS
241-SX-151	241-SX-151, 241-SX-151 Diversion Box	200W	WRPS
241-SX-152	241-SX-152, 241-SX-152 Diversion Box, 241-SX-152 Transfer Box	200W	WRPS
241-SX-302	241-SX-302, 241-SX-302 Catch Tank, SX-304, IMUST, Inactive Miscellaneous Underground Storage Tank, Line V595	200W	WRPS
241-SX-401	241-SX-401, 241-SX-401 Condenser Shielding Building, 241-SX-401 Waste Disposal Condenser House	200W	WRPS
241-SX-402	241-SX-402, 241-SX-402 Condenser Shielding Building, 241-SX-402 Waste Disposal Condenser House	200W	WRPS
241-SX-A	241-SX-A, 241-SX-A Diversion Box, 241-SX-A Valve Pit	200W	WRPS
241-SX-B	241-SX-B, 241-SX-B Diversion Box, 241-SX-B Valve Pit	200W	WRPS
241-SY-101	241-SY-101, 241-SY-TK-101	200W	WRPS
241-SY-102	241-SY-102, 241-SY-TK-102	200W	WRPS
241-SY-103	241-SY-103, 241-SY-TK-103	200W	WRPS
241-SY-A	241-SY-A, 241-SY-A Diversion Box, 241-SY-A Valve Pit	200W	WRPS
241-SY-B	241-SY-B, 241-SY-B Diversion Box, 241-SY-B Valve Pit	200W	WRPS
241-T-101	241-T-101, 241-T-TK-101	200W	WRPS
241-T-102	241-T-102, 241-T-TK-102	200W	WRPS
241-T-103	241-T-103, 241-T-TK-103	200W	WRPS
241-T-104	241-T-104, 241-T-TK-104	200W	WRPS
241-T-105	241-T-105, 241-T-TK-105	200W	WRPS
241-T-106	241-T-106, 241-T-TK-106	200W	WRPS
241-T-107	241-T-107, 241-T-TK-107	200W	WRPS
241-T-108	241-T-108, 241-T-TK-108	200W	WRPS
241-T-109	241-T-109, 241-T-TK-109	200W	WRPS
241-T-110	241-T-110, 241-T-TK-110	200W	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
241-T-111	241-T-111, 241-T-TK-111	200W	WRPS
241-T-112	241-T-112, 241-T-TK-112	200W	WRPS
241-T-151	241-T-151, 241-T-151 Diversion Box	200W	WRPS
241-T-152	241-T-152, 241-T-152 Diversion Box	200W	WRPS
241-T-153	241-T-153, 241-T-153 Diversion Box	200W	WRPS
241-T-201	241-T-201, 241-T-TK-201	200W	WRPS
241-T-202	241-T-202, 241-T-TK-202	200W	WRPS
241-T-203	241-T-203, 241-T-TK-203	200W	WRPS
241-T-204	241-T-204, 241-T-TK-204	200W	WRPS
241-T-252	241-T-252, 241-T-252 Diversion Box	200W	WRPS
241-T-301B	241-T-301B, 241-T-301 Catch Tank, 241-T-301-B, 241-T-0301, IMUST, Inactive Miscellaneous Underground Storage Tank, Lines V664 and V727	200W	WRPS
241-T-302	241-T-302, 241-T-302 Catch Tank	200W	WRPS
241-T-361	241-T-361, 241-T-361 Settling Tank, 361-T-TANK, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
241-TR-152	241-TR-152, 241-TR-152 Diversion Box, Line 6053	200W	WRPS
241-TR-153	241-TR-153, 241-TR-153 Diversion Box, 241-TR-153 Booster Pump Pit, Line 6172	200W	WRPS
241-TX-101	241-TX-101, 241-TX-TK-101	200W	WRPS
241-TX-102	241-TX-102, 241-TX-TK-102	200W	WRPS
241-TX-103	241-TX-103, 241-TX-TK-103	200W	WRPS
241-TX-104	241-TX-104, 241-TX-TK-104	200W	WRPS
241-TX-105	241-TX-105, 241-TX-TK-105	200W	WRPS
241-TX-106	241-TX-106, 241-TX-TK-106	200W	WRPS
241-TX-107	241-TX-107, 241-TX-TK-107	200W	WRPS
241-TX-108	241-TX-108, 241-TX-TK-108	200W	WRPS
241-TX-109	241-TX-109, 241-TX-TK-109	200W	WRPS
241-TX-110	241-TX-110, 241-TX-TK-110	200W	WRPS
241-TX-111	241-TX-111, 241-TX-TK-111	200W	WRPS
241-TX-112	241-TX-112, 241-TX-TK-112	200W	WRPS
241-TX-113	241-TX-113, 241-TX-TK-113	200W	WRPS
241-TX-114	241-TX-114, 241-TX-TK-114	200W	WRPS
241-TX-115	241-TX-115, 241-TX-TK-115	200W	WRPS
241-TX-116	241-TX-116, 241-TX-TK-116	200W	WRPS
241-TX-117	241-TX-117, 241-TX-TK-117	200W	WRPS
241-TX-118	241-TX-118, 241-TX-TK-118	200W	WRPS
241-TX-152	241-TX-152, 241-TX-152 Diversion Box	200W	WRPS
241-TX-153	241-TX-153, 241-TX-153 Diversion Box	200W	WRPS
241-TX-154	241-TX-154, 241-TX-154 Diversion Box	200W	WRPS
241-TX-155	241-TX-155, 241-TX-155 Diversion Box	200W	WRPS
241-TX-302A	241-TX-302A, 241-TX-302-A Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, Lines V627 and V628	200W	WRPS
241-TX-302B	241-TX-302B, 241-TX-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, Lines V414 and V415	200W	WRPS
241-TX-302BR	241-TX-302BR, 241-TX-302BR Catch Tank, 241-TXR-302BR, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	WRPS
241-TX-302C	241-TX-302C, 241-TX-302-C Catch Tank, Lines V741 and V742	200W	WRPS
241-TX-302XB	241-TX-302XB, 241-TX-302B Catch Tank, 241-TX-302-X, 241-TX-302-X (B), IMUST, Inactive Miscellaneous Underground Storage Tank	200W	WRPS
241-TXR-151	241-TXR-151, 241-TXR-151 Diversion Box, Line 7765	200W	WRPS
241-TXR-152	241-TXR-152, 241-TXR-152 Diversion Box, Line 7053	200W	WRPS
241-TXR-153	241-TXR-153, 241-TXR-153 Diversion Box, Line 7253	200W	WRPS
241-TY-101	241-TY-101, 241-TY-TK-101	200W	WRPS
241-TY-102	241-TY-102, 241-TY-TK-102	200W	WRPS
241-TY-103	241-TY-103, 241-TY-TK-103	200W	WRPS
241-TY-104	241-TY-104, 241-TY-TK-104	200W	WRPS
241-TY-105	241-TY-105, 241-TY-TK-105	200W	WRPS
241-TY-106	241-TY-106, 241-TY-TK-106	200W	WRPS
241-TY-153	241-TY-153, 241-TY-153 Diversion Box	200W	WRPS
241-TY-302A	241-TY-302A, 241-TY-302-A Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank, Line V651	200W	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
241-TY-302B	241-TY-302B, 241-TY-302-B Catch Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	WRPS
241-U-101	241-U-101, 241-U-TK-101	200W	WRPS
241-U-102	241-U-102, 241-U-TK-102	200W	WRPS
241-U-103	241-U-103, 241-U-TK-103	200W	WRPS
241-U-104	241-U-104, 241-U-TK-104	200W	WRPS
241-U-105	241-U-105, 241-U-TK-105	200W	WRPS
241-U-106	241-U-106, 241-U-TK-106	200W	WRPS
241-U-107	241-U-107, 241-U-TK-107	200W	WRPS
241-U-108	241-U-108, 241-U-TK-108	200W	WRPS
241-U-109	241-U-109, 241-U-TK-109	200W	WRPS
241-U-110	241-U-110, 241-U-TK-110	200W	WRPS
241-U-111	241-U-111, 241-U-TK-111	200W	WRPS
241-U-112	241-U-112, 241-U-TK-112	200W	WRPS
241-U-151	241-U-151, 241-U-151 Diversion Box	200W	WRPS
241-U-152	241-U-152, 241-U-152 Diversion Box	200W	WRPS
241-U-153	241-U-153, 241-U-153 Diversion Box	200W	WRPS
241-U-201	241-U-201, 241-U-TK-201	200W	WRPS
241-U-202	241-U-202, 241-U-TK-202	200W	WRPS
241-U-203	241-U-203, 241-U-TK-203	200W	WRPS
241-U-204	241-U-204, 241-U-TK-204	200W	WRPS
241-U-252	241-U-252, 241-U-252 Diversion Box	200W	WRPS
241-U-301	241-U-301, 241-U-301B, 231-U-301 Catch Tank, V478	200W	WRPS
241-U-361	241-U-361, 241-U-361 Settling Tank, 361-U-TANK, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
241-U-A	241-U-A, 241-U-A Diversion Box, 241-U-A Valve Pit	200W	WRPS
241-U-B	241-U-B, 241-U-B Diversion Box, 241-U-B Valve Pit	200W	WRPS
241-U-C	241-U-C, 241-U-C Diversion Box, 241-U-C Valve Pit	200W	WRPS
241-U-D	241-U-D, 241-U-D Diversion Box, 241-U-D Valve Pit	200W	WRPS
241-UR-151	241-UR-151, 241-UR-151 Diversion Box	200W	WRPS
241-UR-152	241-UR-152, 241-UR-152 Diversion Box, Line 5053	200W	WRPS
241-UR-153	241-UR-153, 241-UR-153 Diversion Box, Line 5253	200W	WRPS
241-UR-154	241-UR-154, 241-UR-154 Diversion Box, Line 5453	200W	WRPS
241-UX-154	241-UX-154, 241-UX-154 Diversion Box	200W	WRPS
241-UX-302A	241-UX-302A, 241-U-302 Catch Tank, 241-UX-302 Catch Tank, 241-UX-302, Lines V380 and V381	200W	WRPS
241-WR VAULT	241-WR VAULT, 241-WR Vault (Tanks -001 Through -009), 241-WR-01 Thru 09, 241-WR Diversion Station Vault, 241WR, 244-WR Vault, 296-U-6 Stack, IMUST, Inactive Miscellaneous Underground Storage Tank (See Subsites)	200W	CHPRC
241-Z	241-Z, 241-Z Treatment and Storage Tanks, 241-Z Tank Farm, 241-Z Treatment and Storage System, 241-Z-D-4, 241-Z-D-5, 241-Z-D-7, 241-Z-D-8, 241-Z Sump, 241-Z Tank Pit	200W	CHPRC
241-Z-361	241-Z-361, 241-Z-361 Settling Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
241-Z-8	241-Z-8, 241-Z-TK-8, Silica Slurry Tank, 216-Z-8, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
242-A	242-A, 242-A Evaporator	200E	WRPS
242-B	242-B, 242-B Evaporator	200E	CHPRC
242-B-151	242-B-151, 242-B Evaporator Building Diversion Box	200E	CHPRC
242-S	242-S, 242-S Evaporator	200W	WRPS
242-T	242-T, 242-T Evaporator Facility, 241-T Evaporator	200W	CHPRC
242-T-135	242-T-135, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
242-T-151	242-T-151, 242-T-151 Diversion Box. Line V830	200W	CHPRC
242-TA-R1	242-TA-R1, 242-TA, Receiver TK-Vault, 242-TA Receiver Tank Vault, Z Waste, Receiver Tank TK-R1, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
244-A CT	244-A CT, 244-A Catch Tank, 244-A RT, 244-A Receiver Tank, 244-A DCRT, 244-A-TK/SMP	200E	WRPS
244-A LS	244-A LS, 244-A Lift Station, 244-AR Lift Station, 244-AR LS, SN-232, SN-233, SN-234 (See Subsites)	200E	WRPS
244-AR VAULT	244-AR VAULT, 244-AR Vault	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
244-BX DCRT	244-BX DCRT, 244-BX Double-Contained Receiver Tank, 244-BX RT, 244-BX Receiver Tank, 244-BX-TK/SMP, 244-BX Receiver Vault	200E	WRPS
244-BXR VAULT	244-BXR VAULT, 244-BXR Vault, 244-BXR Receiving Vault (Subsites 244-BXR-001, 244-BXR-002, 244-BXR-003, 244-BXR-011), IMUST, Inactive Miscellaneous Underground Storage Tank, Lines 9765 and 7453 (See Subsites)	200E	WRPS
244-CR VAULT	244-CR VAULT, 244-CR Vault, Line 8765 (See Subsites)	200E	WRPS
244-CR-WS-1	244-CR-WS-1, 244-CR French Drain	200E	WRPS
244-S DCRT	244-S DCRT, 244-S Double-Contained Receiver Tank, 244-S RT, 244-S Receiver Tank, 244-S Catch Station, 244-S-TK/SMP, Lines 5350 and 5351	200W	WRPS
244-TX DCRT	244-TX DCRT, 244-TX Double-Contained Receiver Tank, 244-TX RT, 244-TX Receiver Tank, 244-TX Receiver Vessel, 244-TX-TK/SMP	200W	WRPS
244-TXR VAULT	244-TXR VAULT, 244-TXR, 244-TXR Vault (Tanks TXR-001, -002, -003), IMUST, Inactive Miscellaneous Underground Storage Tank, 241-TXR-244 (See Subsites)	200W	WRPS
244-U DCRT	244-U DCRT, 244-U Double-Contained Receiver Tank, 244-U RT, 244-U Receiver Tank, 244-U Receiving Vault, 244-U-TK/SUMP	200W	WRPS
244-U-2904	244-U-2904, 244-U Flush Pit	200W	CHPRC
244-UR VAULT	244-UR VAULT, 244-UR Vault, (Tanks -001 Through -004), IMUST, Inactive Miscellaneous Underground Storage Tank, Lines 5764 and 5765 (See Subsites)	200W	WRPS
2607-E1	2607-E1, Septic Tank and Tile Field	200E	CHPRC
2607-E10	2607-E10	200E	MSA
2607-E11	2607-E11, 2607-E11 Septic Tank	200E	CHPRC
2607-E12	2607-E12, 2607-E12 Septic System, See Subsites	200E	MSA
2607-E13	2607-E13, Septic Holding Tank South of 277-A	200E	MSA
2607-E14	2607-E14, A Farm Pipefitters Shop Septic, 242-AC Septic	200E	MSA
2607-E1A	2607-E1A, 2607-E1A Septic System, L-272 Regional System, 2607-E1-A	200E	MSA
2607-E3	2607-E3, 2607-E3 Septic Tank and Drainfield, 2607-E3 Septic System, TFS of 218-E-4, Tile Field South of 218-E-4	200E	CHPRC
2607-E4	2607-E4, 2607-E4 Septic Tank and Tile Field	200E	CHPRC
2607-E5	2607-E5; 209-E Septic Tank, 209-E, 276-C, and 2718-E Septic Tank	200E	CHPRC
2607-E6	2607-E6, 2607-E6 Septic Tank and Tile Field	200E	CHPRC
2607-E7A	2607-E7A, 2607-E7	200E	CHPRC
2607-E7B	2607-E7B, 2607-E7B Septic System, 2607-E7	200E	CHPRC
2607-E8	2607-E8, 2607-E8 Septic Tank and Tile Field	200E	CHPRC
2607-E8A	2607-E8A, 2607-E8A Regional Septic System, 2607-E8-A	200E	MSA
2607-E9	2607-E9, 242B/BL Septic Tank and Drain Field, 2607-E9 Septic System	200E	CHPRC
2607-EA	2607-EA, 2607-EA Septic Tank and Drywell	200E	CHPRC
2607-EB	2607-EB, 241-BY-254 (ITS #2) Sanitary Septic System	200E	CHPRC
2607-EC	2607-EC	200E	WRPS
2607-ED	2607-ED	200E	WRPS
2607-EE	2607-EE, 2607-EE Septic System	200E	CHPRC
2607-EG	2607-EG	200E	WRPS
2607-EH	2607-EH, 2607-EH Septic System	200E	CHPRC
2607-EJ	2607-EJ, 2607-EJ Septic System	200E	CHPRC
2607-EK	2607-EK	200E	CHPRC
2607-EL	2607-EL, 2607-EL Septic Tank/Pump Station	200E	MSA
2607-EM	2607-EM	200E	MSA
2607-EP	2607-EP, 2607-EP Septic System	200E	MSA
2607-EQ	2607-EQ	200E	MSA
2607-ER	2607-ER	200E	CHPRC
2607-ES	2607-ES, Septic Tank and Dry Well North of 204-AR	200E	MSA
2607-FSM	2607-FSM, 609 Building Septic Tank 2607-FSM, 100 Area Fire Station Septic Tank, 1607-FSM, 6607-FSM	600	MSA
2607-FSN	2607-FSN, 609A Building Septic Tank 2607-FSN, 6607-4, 6607-04	600	CHPRC
2607-GF	2607-GF, 2607-GF Septic System, 2607-GF Septic Tank and Drain Field	200E	CHPRC
2607-N	2607-N, 2743-N Guard House Septic Tank and Tile Field	600	CHPRC
2607-P	2607-P, 2743-P Guard House Septic Tank and Tile Field	600	CHPRC
2607-R	2607-R, 2743-R Guard House Septic Tank and Tile Field	600	CHPRC
2607-W1	2607-W1	200W	MSA
2607-W10	2607-W10, Septic Servicing 278-WA, MO-281 and MO-438	200W	MSA

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
2607-W11	2607-W11, Septic Servicing MO-720	200W	MSA
2607-W12	2607-W12, Septic Servicing MO-721 and MO-743	200W	MSA
2607-W14	2607-W14, WRAP Facility Septic, 2336 Bldg. Septic	200W	MSA
2607-W15	2607-W15, Septic System for 2740W and 2620W	200W	MSA
2607-W16	2607-W16, 200 West Area Regional Wastewater System, Large Onsite Sewer System (LOSS)	200W	MSA
2607-W2	2607-W2	200W	CHPRC
2607-W3	2607-W3	200W	CHPRC
2607-W4	2607-W4, T Plant Septic Tank and Drain Field	200W	CHPRC
2607-W5	2607-W5, Septic Tank and Drain Field	200W	MSA
2607-W6	2607-W6	200W	MSA
2607-W7	2607-W7, Septic Tank	200W	CHPRC
2607-W8	2607-W8	200W	CHPRC
2607-W9	2607-W9, 2707-SX Septic Tank	200W	CHPRC
2607-WA	2607-WA	200W	MSA
2607-WB	2607-WB, 2607-WB Septic System	200W	CHPRC
2607-WC	2607-WC, 2607-WC Septic System	200W	MSA
2607-WL	2607-WL, 2607-WL Septic System	200W	CHPRC
2607-WT	2607-WT, 241-T-601 Control Bldg. Tile Field	200W	CHPRC
2607-WTX	2607-WTX	200W	CHPRC
2607-WUT	2607-WUT	200W	CHPRC
2607-WWA	2607-WWA, 2607-WWA Septic System	200W	CHPRC
2607-WZ	2607-WZ	200W	CHPRC
2607-Z	2607-Z	200W	CHPRC
2607-Z1	2607-Z1, Septic Tank and Drainfield	200W	CHPRC
2607-Z8	2607-Z8	200W	CHPRC
2703-E HWSA	2703-E HWSA, 2703-E Hazardous Waste Storage Area	200E	CHPRC
2704-C-WS-1	2704-C-WS-1, 2704-C French Drain, Gatehouse French Drain	200E	CHPRC
2704-E HWSA	2704-E HWSA, 2704-E Hazardous Waste Storage Area	200E	CHPRC
270-E-1	270-E-1, 270-E CNT, 270-E Condensate Neutralization Tank, 216-ER-1, IMUST, Inactive Miscellaneous Underground Storage Tank	200E	CHPRC
270-W	270-W, 270-W Tank, 270-W Neutralization Tank, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
2711-S	2711-S, 2711-S Stack Monitoring Building	200W	CHPRC
2715-EA HWSA	2715-EA HWSA, 2715-EA Hazardous Waste Storage Area, 2715-EA Paint Spray Booth Annex	200E	CHPRC
2718-E-WS-1	2718-E-WS-1, 2718 French Drains	200E	CHPRC
2718-S	2718-S, 2718-S Sand Filter Monitor, 2718-S Sand Filter Sampler, 2718-S Filter Monitoring Building	200W	CHPRC
271-U	271-U, 271-U Office Building, 271-U Building	200W	CHPRC
2727-S	2727-S, 2727-S Nonradioactive Dangerous Waste Storage Facility, 2727-S NRDWS Facility	200W	CHPRC
2727-WA	2727-WA, 2727-WA SRE Sodium Storage Building	200W	WRPS
276-S	276-S, 276-S Solvent Handling Facility, 276-S Solvent Facility	200W	CHPRC
276-S-141	276-S-141, 276-S-TK-141, 276-S-306A, 276-S-141 Solvent Storage Tank, Tank 276-141, Hexone Storage Tank, 244-SX-15, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
276-S-142	276-S-142, 276-S-TK-142, 276-S-306B, 276-S-142 Solvent Storage Tank, Tank 276-142, Hexone Storage Tank, 244-SX-15, IMUST, Inactive Miscellaneous Underground Storage Tank	200W	CHPRC
276-U	276-U, 276-U Solvent Handling Facility, 276-U Solvent Facility, 276-U Solvent Recovery Facility	200W	CHPRC
2904-S-160	2904-S-160, 2904-S-160 Control Structure, 2904-S-160 Weir	200W	CHPRC
2904-S-170	2904-S-170, 2904-S-170 Weir Box, 2904-S-170 Control Structure	200W	CHPRC
2904-S-171	2904-S-171, 2904-S-171 Weir Box, 2904-S-171 Control Structure, 216-S-171	200W	CHPRC
2904-SA	2904-SA, 2904-SA Cooling Water Sampler Building, 2904-SA Sample Building	200W	CHPRC
291-C	291-C, 291-C Filter/Fan House, 291-C Fan and Filter Building, 201-C Air Tunnel	200E	CHPRC
291-C-1	291-C-1, 291-C-1 Stack, 291-C Stack Burial Trench	200E	CHPRC
291-S	291-S, 291-S Fan Control Building, 291-S Fan House, 291-S Fan and Filter Building	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
291-S-1	291-S-1, 291-S-1 Stack, REDOX Process and Canyon Exhaust	200W	CHPRC
291-U	291-U, 291-U Fan Control House	200W	CHPRC
291-U-1	291-U-1, 291-U-1 Stack, 291-U Stack	200W	CHPRC
292-S	292-S, 292-S Fan and Filter Building	200W	CHPRC
293-S	293-S, 293-S Offgas Treatment Facility, 293-S Off Gas Treatment, 293-S Off-Gas Treatment and Recovery	200W	CHPRC
296-A-13	296-A-13, 291-AR Filter Building Stack	200E	WRPS
296-S-1	296-S-1, 296-S-1 Stack	200W	CHPRC
296-S-12	296-S-12, 296-S-12 Stacks	200W	CHPRC
296-S-13	296-S-13, 222-S Stack	200W	WRPS
296-S-16	296-S-16, 219-S Stack	200W	WRPS
296-S-2	296-S-2, REDOX North Sample Gallery, Hoods Ventilation and PR Cage, 296-S-2 Stack	200W	CHPRC
296-S-21	296-S-21, 222-S Stack	200W	WRPS
296-S-4	296-S-4, REDOX Decontamination Room, Regulated Shop, Regulated Tool Room, Low-Level Decontamination Sink and Special Work Permit Lobby Vent	200W	CHPRC
296-S-6	296-S-6, 296-S-6 Stack, REDOX Silo Ventilation	200W	CHPRC
296-S-7	296-S-7, 296-S-7E, 296-S-7W, REDOX Product Building (233-S) Ventilation, Dual Stacks, 296-S-7 East and West Stacks	200W	CHPRC
296-U-10	296-U-10, 296-U-10 Stack	200W	CHPRC
299-E24-111	299-E24-111, Experimental Test Well Site, Miscellaneous Stream #803, Lysimeter Test Site	200E	CHPRC
300 ASH PITS	300 ASH PITS, 300 Ash Pits, 300 Area Ash Pits	300	WCH
300 FBP	300 FBP, 300 Area Filter Backwash Pond (See Subsites)	300	WCH
300 IFBD	300 IFBD, 300 Area Interim Filter Backwash Disposal	300	WCH
300 PHWSA	300 PHWSA, 300 Area Powerhouse HWSA, 300 Area Powerhouse Hazardous Waste Storage Area	300	WCH
300 RFBP	300 RFBP, 300 Area Retired Filter Backwash Pond, Pond 5, East Bay of South Process Pond	300	WCH
300 RLWS	300 RLWS, 300 Area RLWS, 300 Area Radioactive Liquid Waste Sewer	300	WCH
300 RRLWS	300 RRLWS, 300 Area Retired RLWS, 300 Area Retired Radioactive Liquid Waste Sewer System, Crib Waste System, Contaminated Sewer, Intermediate Level Radioactive Liquid Waste System	300	WCH
300 SE	300 SE, 300 Area Solvent Evaporator, Solvent Evaporator, 300 ASE	300	WCH
300 SSS	300 SSS, 300 Area Sanitary Sewer System, 3607, 3707	300	WCH
300 VTS	300 VTS, 300 Area Vitrification Test Site, In-Situ Vitrification (ISV) Test Site	300	WCH
3000 JYHWSA	3000 JYHWSA, 3000 Area Jones Yard HWSA, 3000 Area Jones Yard Hazardous Waste Storage Area, Hazardous Waste Storage Area (Jones Yard)	3000	CHPRC
3000 UUOT	3000 UUOT, 3000 Area Underground Used Oil Tank, 3000-12	3000	CHPRC
3000/1208 HWSA	3000/1208 HWSA, 3000 Area 1208 HWSA, 3000 Area 1208 Building Hazardous Waste Storage Area, Hazardous Waste Storage Area (1208)	3000	CHPRC
3000/1226 HWSA	3000/1226 HWSA, 3000 Area 1226 HWSA, 3000 Area 1226 Building Hazardous Waste Storage Area, Hazardous Waste Storage Area (1226)	3000	CHPRC
3000/1234	3000/1234, 1234 Laydown Yard, 3000 Area 1234 Storage Yard, 1234 Building Storage Yard	3000	CHPRC
3000/1240 HWSA	3000/1240 HWSA, 3000 Area 1240 HWSA, 3000 Area 1240 Building Hazardous Waste Storage Area, Hazardous Waste Storage Area (1240)	3000	CHPRC
300-1	300-1, Old North Richland Automotive Maintenance Yard	300	WCH
300-10	300-10, Burial Trench West of Process Trenches	300	WCH
300-100	300-100, 325 Building Stormwater Runoff, Miscellaneous Stream #408	300	WCH
300-101	300-101, 326 Building Stormwater Runoff and Steam Condensate, Miscellaneous Stream #409	300	WCH
300-102	300-102, 328 Building Steam Condensate, Miscellaneous Stream #353	300	WCH
300-103	300-103, 329 Building Stormwater Runoff, Miscellaneous Stream #422	300	WCH
300-104	300-104, 329 Building Stormwater Runoff, Miscellaneous Stream #546	300	WCH
300-105	300-105, 331 Building Steam Condensate, Miscellaneous Stream #513, Pit U1	300	WCH
300-106	300-106, 331 Building Steam Condensate, Miscellaneous Stream #574	300	WCH
300-107	300-107, 331 Building Stormwater Runoff, Miscellaneous Stream #447, Injection Well #32	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
300-108	300-108, 331 Building Stormwater Runoff, Miscellaneous Stream #448, Injection Well #37	300	WCH
300-109	300-109, 333 Building Stormwater Runoff, Miscellaneous Stream #455	300	WCH
300-111	300-111, Pumphouse Underground Gasoline Tank, 382 Pumphouse UGT, 382-1	300	WCH
300-110	300-110, 333 Building Stormwater Runoff, Miscellaneous Stream #456	300	WCH
300-111	300-111, 337 Building Stormwater Runoff, Miscellaneous Stream #516	300	WCH
300-112	300-112, 340 P-3 Pump Pit, Retention Process Sewer Pump Pit #3 French Drain, Miscellaneous Stream #428	300	WCH
300-113	300-113, 340 Building Steam Condensate/ Water Heater Overflow, Miscellaneous Stream #341	300	WCH
300-114	300-114, 340A Building Steam Condensate, Miscellaneous Stream #427	300	WCH
300-115	300-115, 340B Building Backflow Preventer Emergency Drain, Miscellaneous Stream #426	300	WCH
300-116	300-116, 3506A Building Steam Condensate, Miscellaneous Stream #381	300	WCH
300-117	300-117, 3506A Building Steam Condensate, Miscellaneous Stream #382	300	WCH
300-118	300-118, 3621D Building Steam Condensate, Miscellaneous Stream #700, Pit U-7	300	WCH
300-119	300-119, 3621D HVAC Condensate, Miscellaneous Stream #401, 3621D Air/Condensate Blowdown Drain	300	WCH
300-12	300-12, 325 Laboratory Diesel Fuel Tank	300	WCH
300-120	300-120, 3621D Building Diesel Generator Cooling System Condensate, Miscellaneous Stream #402, 3621D Air Driven Starter Motor Discharge Drain	300	WCH
300-121	300-121, 3621D Building Stormwater Runoff, Miscellaneous Stream #403, Injection Well #26	300	WCH
300-122	300-122, 366 Building Fuel Oil Bunker Loading Station Steam Condensate, Miscellaneous Stream #344	300	WCH
300-123	300-123, 366 Building Fuel Oil Bunker Loading Station Steam Condensate French Drain, Miscellaneous Stream #342	300	WCH
300-124	300-124, 366 Building Fuel Oil Bunker Steam Condensate, Miscellaneous Stream #653	300	WCH
300-125	300-125, 3702 Building Steam Condensate, Miscellaneous Stream #346	300	WCH
300-126	300-126, 3703 Building Steam Condensate, Miscellaneous Stream #431	300	WCH
300-127	300-127, 3705 Building Stormwater Runoff, Miscellaneous Stream #410	300	WCH
300-128	300-128, 3705 Building Stormwater Runoff, Miscellaneous Stream #411	300	WCH
300-129	300-129, 3705 Building Stormwater Runoff, Miscellaneous Stream #412	300	WCH
300-13	300-13, 350 Building Release to Sanitary Sewer System	300	WCH
300-130	300-130, 3705 Building Stormwater Runoff, Miscellaneous Stream #413	300	WCH
300-131	300-131, 3706 Fire Sprinkler System Water, Miscellaneous Stream #515	300	WCH
300-132	300-132, 3706 Building Steam Condensate, Miscellaneous Stream #368	300	WCH
300-133	300-133, 3706 Building Steam Condensate, Miscellaneous Stream #367, Injection Well #27	300	WCH
300-134	300-134, 3706 Building Steam Condensate, Miscellaneous Stream #362	300	WCH
300-135	300-135, 3706 Building Steam Condensate, Miscellaneous Stream #365	300	WCH
300-136	300-136, 3706 Building Steam Condensate, Miscellaneous Stream #366	300	WCH
300-137	300-137, 3706 Building Steam Condensate, Miscellaneous Stream #440	300	WCH
300-138	300-138, 3706 Building Steam Condensate, Miscellaneous Stream #360	300	WCH
300-139	300-139, 3706 Building Steam Condensate, Miscellaneous Stream #357	300	WCH
300-14	300-14, 331 Building Animal Waste Tanks Pit	300	WCH
300-140	300-140, 3706 Building Steam Condensate, Miscellaneous Stream #356	300	WCH
300-141	300-141, 3706 Building Steam Condensate, Miscellaneous Stream #439, Injection Well #29	300	WCH
300-142	300-142, 3706 Building Steam Condensate, Miscellaneous Stream #369, Injection Well #30	300	WCH
300-143	300-143, 3706 Building Steam Condensate, Miscellaneous Stream #361	300	WCH
300-144	300-144, 3706 Building Steam Condensate, Miscellaneous Stream #358	300	WCH
300-145	300-145, 3706 Building Steam Condensate, Miscellaneous Stream #438, Injection Well #25	300	WCH
300-146	300-146, 3706 Building Stormwater Runoff, Miscellaneous Stream #364	300	WCH
300-147	300-147, 3706 Building Stormwater Runoff, Miscellaneous Stream #363	300	WCH
300-148	300-148, 3706 Building Stormwater Runoff, Miscellaneous Stream #359, Injection Well #22	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
300-149	300-149, 3706A Building Steam Condensate, Miscellaneous Stream #432, Injection Well #28	300	WCH
300-15	300-15, 300 Area Process Sewer System	300	WCH
300-150	300-150, 3706 Building Steam Condensate, Miscellaneous Stream #430	300	WCH
300-151	300-151, 3707B Building Steam Condensate, Miscellaneous Stream #327	300	WCH
300-152	300-152, 3707B Building Steam Condensate, Miscellaneous Stream #326, U57	300	WCH
300-153	300-153, 3707B Building Steam Condensate, Miscellaneous Stream #328	300	WCH
300-154	300-154, 3707B Building Steam Condensate, Miscellaneous Stream #325	300	WCH
300-155	300-155, 3707C Building Steam Condensate, Miscellaneous Stream #179, Injection Well #24	300	WCH
300-156	300-156, 3707C Building Steam Condensate, Miscellaneous Stream #178, Injection Well #23	300	WCH
300-157	300-157, 3707C Building Steam Condensate, Miscellaneous Stream #337	300	WCH
300-158	300-158, 3707C Building Steam Condensate, Miscellaneous Stream #336, F.D. #31	300	WCH
300-159	300-159, 3707C Building Steam Condensate, Miscellaneous Stream #335, F.D. #4	300	WCH
300-16	300-16, Solid Waste Near 314 Building, Contamination Found During Utility Pole Replacements	300	WCH
300-160	300-160, 3707D Building Steam Condensate, Miscellaneous Stream #443, Injection Well #10	300	WCH
300-161	300-161, 3707D Building Stormwater Runoff, Miscellaneous Stream #441	300	WCH
300-162	300-162, 3707D Building Stormwater Runoff, Miscellaneous Stream #442	300	WCH
300-163	300-163, 3708 Building Steam Condensate, Miscellaneous Stream #423	300	WCH
300-164	300-164, 3709 Building Steam Condensate, Miscellaneous Stream #338, F.D. #3	300	WCH
300-165	300-165, 3709A Building Condensate, Miscellaneous Stream #347	300	WCH
300-166	300-166, 3709A Building Steam Trap, Miscellaneous Stream #355	300	WCH
300-167	300-167, 3711 Building Steam Condensate, Miscellaneous Stream #343	300	WCH
300-168	300-168, 3711 Building Steam Condensate, Miscellaneous Stream #433	300	WCH
300-169	300-169, 3712 Building Steam Condensate, Miscellaneous Stream #351	300	WCH
300-17	300-17, 331 Building Trench, 331-D Ditch, Outfall A	300	WCH
300-170	300-170, 3712 Building Steam Condensate, Miscellaneous Stream #437	300	WCH
300-171	300-171, 3713 Building Steam Condensate and Stormwater Runoff, Miscellaneous Stream #333, F.D. #7	300	WCH
300-172	300-172, 3713 Building Steam Condensate, Miscellaneous Stream #435	300	WCH
300-173	300-173, 3713 Building Steam Condensate, Miscellaneous Stream #512	300	WCH
300-174	300-174, 3713 Building Stormwater Runoff and Steam Condensate, Miscellaneous Stream #544	300	WCH
300-175	300-175, 3714 Building Steam Condensate, Miscellaneous Stream #434	300	WCH
300-176	300-176, 3715 Building Steam Condensate, Miscellaneous Stream #678	300	WCH
300-177	300-177, 3717 Building Steam Condensate, Miscellaneous Stream #330	300	WCH
300-178	300-178, 3717 Building Steam Condensate, Miscellaneous Stream #329	300	WCH
300-179	300-179, 3717 Building Steam Condensate, Miscellaneous Stream #324	300	WCH
300-18	300-18, SCA #4, Surface Contaminated Area #4	300	WCH
300-180	300-180, 3717 Building Stormwater Runoff, Miscellaneous Stream #545	300	WCH
300-181	300-181, 3717 Building Steam Condensate, Miscellaneous Stream #180	300	WCH
300-182	300-182, 3717B Building Steam Condensate, Miscellaneous Stream #323	300	WCH
300-183	300-183, 3718 Building Steam Condensate, Miscellaneous Stream #340, F.D. #40	300	WCH
300-184	300-184, 3718A Building Stormwater Runoff, Miscellaneous Stream #270	300	WCH
300-185	300-185, 3722 Building Steam Condensate, Miscellaneous Stream #436, Injection Well #6	300	WCH
300-186	300-186, 3730 Building Steam Condensate, Miscellaneous Stream #383	300	WCH
300-187	300-187, 3730 Building Steam Condensate, Miscellaneous Stream #421	300	WCH
300-188	300-188, 3730 Building Steam Condensate, Miscellaneous Stream #420	300	WCH
300-189	300-189, 3731 Building Steam Condensate, Miscellaneous Stream #269	300	WCH
300-19	300-19, 324 Sodium Removal Pilot Plant, 324 Building Sodium Removal Pilot Plant	300	WCH
300-190	300-190, 3731 Building Stormwater Runoff, Miscellaneous Stream #517	300	WCH
300-191	300-191, 3731 Building Stormwater Runoff, Miscellaneous Stream #518	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
300-192	300-192, 3732 Building Steam Condensate, Miscellaneous Stream #349	300	WCH
300-193	300-193, 3732 Building Steam Condensate, Miscellaneous Stream #419, Injection Well #15	300	WCH
300-194	300-194, 3734 Building Steam Condensate, Miscellaneous Stream #334, F.D. #8	300	WCH
300-195	300-195, 3734A Building Steam Condensate, Miscellaneous Stream #519	300	WCH
300-196	300-196, 3745 Building Steam Condensate, Miscellaneous Stream #399	300	WCH
300-197	300-197, 3745 Building Steam Condensate, Miscellaneous Stream #398, Injection Well #5	300	WCH
300-198	300-198, 3745 Building Steam Condensate, Miscellaneous Stream #397, Injection Well #1	300	WCH
300-199	300-199, 3745A Building Steam Condensate, Miscellaneous Stream #380	300	WCH
300-2	300-2, Contaminated Light Water Disposal	300	WCH
300-200	300-200, 3745B Building Steam Condensate, Miscellaneous Stream #379	300	WCH
300-201	300-201, 3762 Building Steam Condensate, Miscellaneous Stream #491, Injection Well #42	300	WCH
300-202	300-202, 3765 Building HVAC Condensate, Miscellaneous Stream #345	300	WCH
300-203	300-203, 377 Building Steam Condensate, Miscellaneous Stream #446, Injection Well #36	300	WCH
300-204	300-204, 3790 Building Stormwater Runoff, Miscellaneous Stream #378, F.D. #19, Injection Well #19	300	WCH
300-205	300-205, 3790 Building Stormwater Runoff, Miscellaneous Stream #377, F.D. #18, Injection Well #18	300	WCH
300-206	300-206, 3790 Building Stormwater Runoff, Miscellaneous Stream #373	300	WCH
300-207	300-207, 3790 Building Stormwater Runoff, Miscellaneous Stream #375, F.D. #16, Injection Well #16	300	WCH
300-208	300-208, 3790 Building Stormwater Runoff, Miscellaneous Stream #376, F.D. #17, Injection Well #17	300	WCH
300-209	300-209, 3790 Building Stormwater Runoff, Miscellaneous Stream #374	300	WCH
300-21	300-21, 333 Building Underground Limestone Tank	300	WCH
300-210	300-210, 3790 Building Stormwater Runoff, Miscellaneous Stream #514	300	WCH
300-211	300-211, 382 Building Steam Condensate, Miscellaneous Stream #429	300	WCH
300-212	300-212, MO010 Building Steam Condensate Sump, Miscellaneous Stream #400	300	WCH
300-213	300-213, West High Tank (Water Tower) Overflow and Steam Condensate, Miscellaneous Stream #332	300	WCH
300-214	300-214, 300 Area Retention Process Sewer, 300 RPS	300	WCH
300-215	300-215, 300 Area South	300	WCH
300-217	300-217, 300 Area Laydown Yard	300	WCH
300-218	300-218, 314, 314A and 314B Buildings, Engineering Development Laboratory	300	WCH
300-219	300-219, 300 Area Waste Acid Transfer Line	300	WCH
300-22	300-22, 309 Building B-Cell Cleanout Leak	300	WCH
300-220	300-220, Gravel Pit #7, Pit 7	300	WCH
300-222	300-222, 384-W Brine Pit, 384-W Salt Dissolving Pit and Brine Pump Pit	300	WCH
300-223	300-223, 384 Powerhouse Fuel Oil Day Tanks #1 and #2	300	WCH
300-224	300-224, WATS and U-Bearing Piping Trench	300	WCH
300-225	300-225, 3790 Building Stormwater Runoff, Miscellaneous Stream #767	300	WCH
300-226	300-226, 3709A Building Miscellaneous Stream #768, Drip Station U39	300	WCH
300-227	300-227, 3709A Building Miscellaneous Stream #769, Drip Station U38	300	WCH
300-228	300-228, Miscellaneous Stream #770, Drip Station U28, Steam Trap 3G-U28, HPD-TRP-026	300	WCH
300-23	300-23, PRTR Diesel Storage Tank, 309-1 UST	300	WCH
300-230	300-230, Steam Trap 3G-U44, HPD-TRP-29, U44, Miscellaneous Stream #771	300	WCH
300-231	300-231, Vitrification Test Site Transformer Pad, Substation C3-S15	300	WCH
300-235	300-235, 3713 Building Storm Water Runoff and Steam Condensate, Miscellaneous Stream #766	300	WCH
300-236	300-236, Steam Trap 3G-U45, HPD-TRP-020, U-45, Miscellaneous Stream #772	300	WCH
300-237	300-237, Steam Trap HPD-TRP-010, Miscellaneous Stream #773	300	WCH
300-238	300-238, Steam Trap 3G-U24, HPD-TRP-016, U-24, Miscellaneous Stream #774	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
300-239	300-239, Steam Trap 3G-U26, HPD-TRP-058, U26, Miscellaneous Stream #775	300	WCH
300-24	300-24, Soil Contamination at the 314 Metal Extrusion Building	300	WCH
300-240	300-240, 314 Building Stormwater Drain, Miscellaneous Stream #789	300	WCH
300-241	300-241, 320 Building Irrigation Line Effluent, Miscellaneous Stream #790	300	WCH
300-242	300-242, 325 Building Stormwater Runoff, Miscellaneous Stream #791	300	WCH
300-243	300-243, 318 Building Stormwater Runoff, Miscellaneous Stream #792	300	WCH
300-244	300-244, 318 Building Stormwater Runoff, Miscellaneous Stream #793	300	WCH
300-248	300-248, 340B Steam Condensate Sump Pit	300	WCH
300-249	300-249, 304 Building, Residual Rad Contamination	300	WCH
300-25	300-25, 324 Building	300	WCH
300-250	300-250, Valve Pit Southeast of 303A	300	WCH
300-251	300-251, Unplanned Release Outside the 303-K Building	300	WCH
300-253	300-253, 384-W Original Brine Pit, 384-W Original Salt Dissolving Pit and Brine Pump Pit	300	WCH
300-255	300-255, 309 Tank Farm Contaminated Soil	300	WCH
300-256	300-256, 306E Fabrication and Testing Laboratory Releases	300	WCH
300-257	300-257, 309 Process Sewer to River	300	WCH
300-258	300-258, Abandoned Pipe Trench Between 334 Tank Farm and 306E	300	WCH
300-259	300-259, Contamination Area Surrounding 618-1 Burial Ground	300	WCH
300-26	300-26, Powerhouse Fuel Oil Spill, 384 Powerhouse #6 Fuel Oil Spill, Delivery Truck Spillage on Roads	300	WCH
300-260	300-260, Contaminated Soil West of 313 Building	300	WCH
300-261	300-261, 315 Filter Plant Process Sewer to River	300	WCH
300-262	300-262, Contaminated Soil West of South Process Pond	300	WCH
300-263	300-263, 324 Building Diversion Tank	300	WCH
300-264	300-264, 327 Building, Postirradiation Testing Laboratory (PTL)	300	WCH
300-265	300-265, Pipe Trench Between 324 and 325 Buildings	300	WCH
300-266	300-266, Soil Under 3728 Building Drain Pipe	300	WCH
300-267	300-267, French Drain on Northeast Corner of 3728 Building	300	WCH
300-268	300-268, 3741 Building Foundation, Special Machine Shop, Box Storage Building Foundation	300	WCH
300-269	300-269, 331-A Virology Laboratory Foundation	300	WCH
300-27	300-27, Soil Contamination at 329 Biophysics Laboratory	300	WCH
300-270	300-270, Unplanned Release at 313 Building	300	WCH
300-271	300-271, 324/327 Buildings 90 Day Storage Pad, HS-027	300	WCH
300-272	300-272, Underground Storage Tank Near the 377 Building	300	WCH
300-273	300-273, Fuel Oil Transfer Pipeline, 366 Bunker Pipeline	300	WCH
300-274	300-274, Surface Debris	300	WCH
300-275	300-275, Potential Landfill on River Edge	300	WCH
300-276	300-276, 3607 Sanitary System Miscellaneous Components, 300 Area Sanitary Sewer Disposal System, 3607 Sanitary Sewer System, 3707	300	WCH
300-277	300-277, 300 Area Queue Contamination	300	WCH
300-28	300-28, Contamination Found Along Ginko Street, Solid Waste Site Near 303-G Building	300	WCH
300-29	300-29, 305-B Berm, Source Location of UPR-600-11 Contaminated Soil	300	WCH
300-3	300-3, 300-FF-1 Aluminum Hydroxide	300	WCH
300-30	300-30, 3705 Photography Building	300	WCH
300-32	300-32, 333 Building, 333 N Fuels Manufacturing Building, New Fuel Cladding Facility	300	WCH
300-33	300-33, 306W Metal Fabrication Development Building Releases	300	WCH
300-34	300-34, 300 Area Process Sewer Leak (Found During Project L-070 Excavation at Manhole PS-87)	300	WCH
300-35	300-35, 3706A Fuel Storage Tank	300	WCH
300-36	300-36, 384 Powerhouse Oil Release to French Drain	300	WCH
300-37	300-37, PCB Leak to Soil Adjacent to 335A	300	WCH
300-39	300-39, 309 Building Ex-Vessel Irradiated Fuel Storage Basin, 309 Building Irradiated Fuel Storage Basin, 309 Fuel Storage Basin	300	WCH
300-4	300-4, DOE 351 Substation Soil Contamination	300	WCH
300-40	300-40, Corrosion of Vitrified Clay Process Sewer Pipe	300	WCH
300-41	300-41, 306E Neutralization Tank, Underground Lime Tank and Valve Pit	300	WCH
300-42	300-42, 306E Fabrication and Testing Laboratory	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
300-43	300-43, Unplanned Release Outside the 304 Building	300	WCH
300-44	300-44, R-32, UPR-300-FF-1, UN-300-FF-1	300	WCH
300-45	300-45; Surface Contamination Area, Location 3: Bird Droppings Area (Southwest Corner of the 316-5 Process Trenches Fence Line); SCA #1	300	WCH
300-46	300-46, Soil Contamination Surrounding 3706 Building	300	WCH
300-47	300-47, Residual Hazardous Substances Northwest of 3708 Building	300	WCH
300-48	300-48, Thorium Oxide and Fuel Fabrication Chemical Wastes Around 3732 Building	300	WCH
300-49	300-49, Landfill 1a, UPR-300-FF-1, UN-300-FF-1	300	WCH
300-5	300-5, 300 Area Fire Station Fuel Tanks, 3709A Fire Station	300	WCH
300-50	300-50, Landfill 1b, UPR-300-FF-1, UN-300-FF-1	300	WCH
300-51	300-51, Landfill 1c, UPR-300-FF-1, UN-300-FF-1	300	WCH
300-52	300-52, 300 Area Sanitary Trenches	300	WCH
300-53	300-53, Unplanned Release East Side of 303-G	300	WCH
300-55	300-55, 309 Rupture Loop Holding Tank, Rupture Loop Hold-Up Tank, RLT-2, 307-D	300	WCH
300-56	300-56, 306-E 90-Day Waste Accumulation Area	300	WCH
300-57	300-57, 335 Building 90-Day Waste Accumulation Area	300	WCH
300-58	300-58, 305B Steam Condensate Injection Well, Miscellaneous Stream #449	300	WCH
300-59	300-59, 305 Building Steam Condensate, Miscellaneous Stream #417	300	WCH
300-6	300-6, 366/366A Fuel Oil Bunkers	300	WCH
300-60	300-60, 303A Building Steam Condensate, Miscellaneous Stream #339, F.D. #26	300	WCH
300-61	300-61, 303B Building Steam Condensate, Miscellaneous Stream #444, Injection Well #12	300	WCH
300-62	300-62, 303C Building - Steam Condensate, Miscellaneous Stream #495	300	WCH
300-63	300-63, 305B Building Stormwater Runoff, Miscellaneous Stream #458	300	WCH
300-64	300-64, 303F Building Steam Condensate, Miscellaneous Stream #352	300	WCH
300-65	300-65, 303J Building - Steam Condensate Mud Leg (Part of 300 Main Supply), Miscellaneous Stream #266	300	WCH
300-66	300-66, 303J Building HVAC Condensate, Miscellaneous Stream #267	300	WCH
300-67	300-67, Steam Condensate from 300 Area Main Steam Header, Miscellaneous Stream #414	300	WCH
300-68	300-68, 305 Building - Steam Condensate, Miscellaneous Stream #451, Pit U23	300	WCH
300-69	300-69, 305 Building Steam Condensate, Miscellaneous Stream #415	300	WCH
300-7	300-7, Undocumented Solid Waste Burial Ground Adjacent to 618-8, Possible Early Burial Ground Site	300	WCH
300-70	300-70, 305 Building Steam Condensate, Miscellaneous Stream #416	300	WCH
300-71	300-71, 306E Building - HVAC Condensate, Miscellaneous Stream #454	300	WCH
300-72	300-72, 308 Building Stormwater Runoff, Miscellaneous Stream #404	300	WCH
300-73	300-73, 308 Building Stormwater Runoff, Miscellaneous Stream #405	300	WCH
300-74	300-74, 308 Building Stormwater Runoff, Miscellaneous Stream #406	300	WCH
300-75	300-75, 309 Building Stormwater Runoff and Chiller Water, Miscellaneous Stream #445, Injection Well #20	300	WCH
300-76	300-76, 306W Building Steam Condensate, Miscellaneous Stream #418	300	WCH
300-77	300-77, 309 Building Stormwater Runoff, Miscellaneous Stream #450	300	WCH
300-78	300-78, 300 Area Main Header Steam Trap (Southwest Corner of 313 Building), Miscellaneous Stream #331	300	WCH
300-79	300-79, 313 Building Stormwater Runoff, Miscellaneous Stream #457	300	WCH
300-8	300-8, Aluminum Recycle Storage Area, North of Railroad and North of 618-8, Aluminum Shavings Area	300	WCH
300-80	300-80, 314 Building Stormwater Runoff and Steam Condensate, Miscellaneous Stream #268	300	WCH
300-81	300-81, 321 Building Steam Condensate, Miscellaneous Stream #370	300	WCH
300-82	300-82, 321 Building Steam Condensate, Miscellaneous Stream #371	300	WCH
300-83	300-83, 321 Building Steam Condensate, Miscellaneous Stream #372	300	WCH
300-84	300-84, 321 Building Vent Valve on Water Line, Miscellaneous Stream #348	300	WCH
300-85	300-85, 323 Building Steam Valve Pit, Miscellaneous Stream #453	300	WCH
300-86	300-86, 300 Area South Parking Lot Stormwater Runoff, Miscellaneous Stream #524	300	WCH
300-87	300-87, 309 Building Stormwater Runoff, Miscellaneous Stream #679	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
300-88	300-88, 320 Building Irrigation Line Effluent, Miscellaneous Stream #626	300	WCH
300-89	300-89, 320 Building Irrigation Line Effluent, Miscellaneous Stream #627	300	WCH
300-9	300-9, Possible Early Burial Ground Sites North of RR and North of 618-8, Solid Waste Burial Ground	300	WCH
300-90	300-90, 320 Building Irrigation Line Effluent, Miscellaneous Stream #628	300	WCH
300-91	300-91, 320 Building, Miscellaneous Stream #350	300	WCH
300-92	300-92, 321 Building Stormwater Runoff, Miscellaneous Stream #680	300	WCH
300-93	300-93, 324 Building Stormwater Runoff, Miscellaneous Stream #354	300	WCH
300-94	300-94, 324 Building Stormwater Runoff, Miscellaneous Stream #711, 300-234	300	WCH
300-95	300-95, 324/336 Buildings Stormwater Runoff and Steam Condensate, Miscellaneous Stream #425	300	WCH
300-96	300-96, 325 Building Steam Condensate, Miscellaneous Stream #707	300	WCH
300-97	300-97, 325 Building Stormwater Runoff and Fire System Testing Water, Miscellaneous Stream #706	300	WCH
300-98	300-98, 325 Building South Stairwell Drain, Miscellaneous Stream #264, 300-229	300	WCH
300-99	300-99, 325 Building Nitrogen Tank Blowdown Miscellaneous Stream #265, Injection Well #399-3	300	WCH
303-K CWS	303-K CWS, 303-K Contaminated Waste Storage	300	WCH
303-M SA	303-M SA, 303-M Storage Area, 303-M Building Storage Area	300	WCH
303-M UOF	303-M UOF, 303-M Uranium Oxide Facility	300	WCH
304 CF	304 CF, 304 Concretion Facility	300	WCH
304 SA	304 SA, 304 Storage Area, 304 Building Storage Area	300	WCH
305-B SF	305-B SF, 305-B Storage Facility	300	WCH
307 RB	307 RB, 307 Retention Basins	300	CHPRC
309-TW-1	309-TW-1, 309-TW Tank #1, 309 Holdup Tanks	300	WCH
309-TW-2	309-TW-2, 309-TW Tank #2, 309 Holdup Tanks	300	WCH
309-TW-3	309-TW-3, 309-TW Tank #3, 309 Holdup Tank	300	WCH
309-WS-1	309-WS-1, 309 Plutonium Recycle Test Reactor Ion Exchanger Vault, Reactor Ion Exchange Pit, PRTR Ion Exchange Vault	300	WCH
309-WS-2	309-WS-2, Rupture Loop Ion Exchange Pit, Ion Exchange Vault, Rupture Loop Annex Ion Exchange Loop Vault, RLAI, PRTR Rupture Loop	300	WCH
309-WS-3	309-WS-3, 309 Brine Tank	300	WCH
311 MT1	311 MT1, 311 Methanol Tank 1, 311 Tank Farm Underground Methanol Tank #1, 311-1	300	WCH
311 MT2	311 MT2, 311 Methanol Tank 2, 311 Tank Farm Underground Methanol Tank #2, 311-2	300	WCH
311-TK-40	311-TK-40, 311 Neutralized Waste Tank 1	300	WCH
311-TK-50	311-TK-50, 311 Neutralized Waste Tank 2, 311 Neutralization Tank #2	300	WCH
313 CENTRIFUGE	313 CENTRIFUGE, 313 Centrifuge, 300 Area WATS	300	WCH
313 CRO	313 CRO, 313 Copper Remelt Operations, 313 Building Copper Remelt Operations	300	WCH
313 ESSP	313 ESSP, 313 East Side Storage Pad, 313 Building East Site Storage Pad	300	WCH
313 FP	313 FP, 313 Filter Press, 300 Area Waste Acid Treatment System	300	WCH
313 MT	313 MT, 313 Methanol Tank, 313 Building Underground Methanol Storage Tank	300	WCH
313 URO	313 URO, 313 Uranium Recovery Operations, Uranium Recovery Operations	300	WCH
313-TK-2	313-TK-2, 313 Waste Acid Neutralization Tank, 300 Area Waste Acid Treatment System	300	WCH
315 RSDF	315 RSDF, 315 Retired Sanitary Drain Field	300	WCH
316-1	316-1, South (Old) Pond, 300 Area South Process Pond	300	WCH
316-2	316-2, North (New) Pond, 300 Area North Process Pond	300	WCH
316-3	316-3, 307 Disposal Trenches, Process Water Trenches	300	WCH
316-4	316-4, 321 Cribs, 300 North Cribs, 316-N-1, 616-4	600	WCH
316-5	316-5, 3904 Process Waste Trenches, 300 Area Process Trenches, 300 APT	300	WCH
323 TANK 1	323 Tank 1, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	WCH
323 TANK 2	323 Tank 2, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	WCH
323 TANK 3	323 Tank 3, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	WCH
323 TANK 4	323 Tank 4, 321 Building Underground Waste Tanks, 321 Tank Farm #3	300	WCH
325 WTF	325 WTF, 325 Waste Treatment Facility, 325 Hazardous Waste Treatment Units	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
331 LSLDF	331 LSLDF, 331 LSL Drain Field, 331 Life Sciences Laboratory Drainfield	300	WCH
331 LSLT1	331 LSLT1, 331 LSL Trench 1, 331 Life Sciences Laboratory Trench #1	300	WCH
331 LSLT2	331 LSLT2, 331 LSL Trench 2, 331 Life Sciences Laboratory Trench #2	300	WCH
331-C HWSA	331-C HWSA, 331-C Hazardous Waste Storage Area, 331-C Low Level Radioactive Storage Area	300	WCH
332 SF	332 SF, 332 Storage Facility, 332 Hazardous Waste Storage Area, 332 Interim Holding Facility, 332 Packaging Test Facility	300	WCH
333 ESHTSSA	333 ESHTSSA, 333 East Side Heat Treat Salt Storage Area	300	WCH
333 ESHWSA	333 ESHWSA, 333 East Side HWSA, 333 Building East Side Hazardous Waste Storage Area	300	WCH
333 LHWSA	333 LHWSA, 333 Laydown HWSA, 333 Laydown Hazardous Waste Storage Area	300	WCH
333 WSTF	333 WSTF, 333 West Side Tank Farm, 333 West Side Waste Oil Tank, 333 West Side Uranium Bearing Acid Tanks, 333 WSWOT	300	WCH
333-TK-11	333-TK-11, 333 West Side Storage Tank for Uranium Bearing Acid, 333 Chromium Treatment Tank 2	300	WCH
333-TK-7	333-TK-7, 333 West Side Storage Tank for Uranium Bearing Acid, 333 Chromium Treatment Tank 1	300	WCH
334 TFWAST	334 TFWAST, 334 Tank Farm Waste Acid Storage Tank, Tank 4	300	WCH
334-A-TK-B	334-A-TK-B, 334-A Waste Acid Storage Tank 1	300	WCH
334-A-TK-C	334-A-TK-C, 334-A Waste Acid Storage Tank 2	300	WCH
335 & 336 RSDF	335 & 336 RSDF, 335 & 336 Retired Sanitary Drain Field	300	WCH
340 CHWSA	340 CHWSA, 340 Complex HWSA, 340 Complex Hazardous Waste Storage Area	300	WCH
340 COMPLEX	340 COMPLEX, 340 Radioactive Liquid Waste Handling Facility, 340 Vault	300	WCH
350 HWSA	350 HWSA, 350 Building Hazardous Waste Storage Area, 350-D Hazardous Waste Staging Area	300	WCH
3712 USSA	3712 USSA, 3712 Uranium Scrap Storage Area, 3712 Building Uranium Scrap Storage Area, 3712 Fuels Warehouse	300	WCH
3713 PSHWSA	3713 PSHWSA, 3713 Paint Shop Hazardous Waste Satellite Area	300	WCH
3713 SSHWSA	3713 SSHWSA, 3713 Sign Shop Hazardous Waste Satellite Area	300	WCH
3718-F BS	3718-F BS, 3718-F Burn Shed	300	WCH
3718-F SF	3718-F SF, 3718-F Storage Facility, 3718-F Alkali Metal Treatment Facility	300	WCH
3718-F TT1	3718-F TT1, 3718-F Treatment Tank 1	300	WCH
3718-F TT2	3718-F TT2, 3718-F Treatment Tank 2	300	WCH
3746-D SR	3746-D SR, 3746-D Silver Recovery, 3746-D Silver Recovery Process	300	WCH
400 FD10	400 FD10, 400 Area French Drain 10, 482A Building - T-58 Stormwater, Miscellaneous Stream #25, Injection Well #10	400	CHPRC
400 FD10A	400 FD10A, 400 Area French Drain 10A, 482A Building -T-87 Stormwater, Miscellaneous Stream #24, Injection Well #10A	400	CHPRC
400 FD1A	400 FD1A, 400 Area French Drain 1A, 4717 Reactor Service Building HVAC Condensate, Miscellaneous Stream #14, Injection Well #1A	400	CHPRC
400 FD1B	400 FD1B, 400 Area French Drain 1B, 4703 Building (FFTF Control Building) HVAC Condensate, Miscellaneous Stream #15, Injection Well #1B	400	CHPRC
400 FD2	400 FD2, 400 Area French Drain 2, 4621E Building HVAC Condensate and Stormwater, Miscellaneous Stream #16, Injection Well #02	400	CHPRC
400 FD3	400 FD3, 400 Area French Drain 3, 408A East Dump Heat Exchanger Stormwater, Miscellaneous Stream #17, Injection Well #03	400	CHPRC
400 FD4	400 FD4, 400 Area French Drain 4, 491E Heat Transport Building Stormwater and HVAC Condensate, Miscellaneous Stream #18	400	CHPRC
400 FD5	400 FD5, 400 Area French Drain 5, 408 South Building Stormwater and Condensate, Miscellaneous Stream #19, Injection Well #05	400	CHPRC
400 FD6	400 FD6, 400 Area French Drain 6, 408C West Dump Heat Exchanger Sump Stormwater, Miscellaneous Stream #20	400	CHPRC
400 FD7	400 FD7, 400 Area French Drain 7, 4621W Auxiliary Equipment Building HVAC Condensate and Stormwater, Miscellaneous Stream #21, 453C Switch Gear Pad Stormwater, Miscellaneous Stream #27, Injection Well #07	400	CHPRC
400 FD8	400 FD8, 400 Area French Drain 8, 4621W Auxiliary Equipment Building HVAC Condensate, Miscellaneous Stream #22, Injection Well #08	400	CHPRC
400 FD9	400 FD9, 400 Area French Drain 9, 481 Pumphouse Sanitary Water and Salt Water, Miscellaneous Stream #23, Injection Well #09	400	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
400 PPSS	400 PPSS, 400 Area Process Pond and Sewer System, 4904 Process Sewer System, 4904 Process Sewer Main, 4608 Percolation Pond, 4608B Control Structure and Process Sewer Sampling Site	400	CHPRC
400 RFD	400 RFD, 400 Area Retired French Drains	400	CHPRC
400 RSP	400 RSP, 400 Area Retired Sanitary Pond	400	CHPRC
400 RST	400 RST, 400 Area Retired Septic Tanks	400	CHPRC
400 SBT	400 SBT, 400 Area Sand Bottom Trench, 400 Area Retired Sand Bottom Trench, Cooling Tower Overflow Trench	400	CHPRC
400 SS	400 SS, 400 Area Sanitary Sewer, 4608 Sanitary Sewer, 4608 SS	400	CHPRC
400 STF	400 STF, 400 Area Sanitary Tile Field, 4608 Sanitary Tile Field, 4608 STF	400	CHPRC
400-1	400-1, 400-1 Dump Site	400	CHPRC
400-10	400-10, 400 FD11, 400 Area French Drain #11, 453B Switch Gear Pad Stormwater, Miscellaneous Stream #26, Injection Well #11	400	CHPRC
400-11	400-11, 4607 SSL, 4607 Sanitary Sewer Lagoon, 400 Area Wetlands	400	CHPRC
400-12	400-12, 4607 STF, 4607 Sanitary Tile Field, 4608A Sanitary Sewer Leaching Field, 4608A Leaching Field	400	CHPRC
400-13	400-13, Waste Dumping Site (East of FFTF)	400	CHPRC
400-14	400-14, Burn Pit (East of FFTF)	400	CHPRC
400-15	400-15, Diesel Fuel Tank Fitting Leak	400	CHPRC
400-16	400-16, 4831 Flammable Storage Facility, 4831 FSF	400	CHPRC
400-17	400-17, Buried Construction Waste Area #1, Buried Construction Waste Area	400	CHPRC
400-18	400-18, Buried Construction Waste Area #2, Buried Construction Waste Area	400	CHPRC
400-19	400-19, Hazardous Waste Temporary Storage Facility, 400-30, 440 Building 90-Day Waste Accumulation Area	400	CHPRC
400-2	400-2, Concrete Batch Plant	400	CHPRC
400-20	400-20, Altitude Valve Pit T-58, Miscellaneous Stream #31	400	CHPRC
400-21	400-21, Altitude Valve Pit T-87, Miscellaneous Stream #32	400	CHPRC
400-22	400-22, Altitude Valve Pit T-330 French Drain, Miscellaneous Stream #30	400	CHPRC
400-23	400-23, Well Pump P-14 French Drain, Miscellaneous Stream #34, 480-A Pump House French Drain	400	CHPRC
400-24	400-24, Well Pump P-15 French Drain, Miscellaneous Stream #35	400	CHPRC
400-25	400-25, Well Pump P-16 French Drain, Miscellaneous Stream #36	400	CHPRC
400-26	400-26, 451-A Substation and B/N Plant French Drain	400	CHPRC
400-28	400-28, FFTF Dichlorodifluoromethane Releases	400	CHPRC
400-29	400-29, FFTF PCB Containing Transformers (See Subsites)	400	CHPRC
400-3	400-3, 400 DT, 400 Area Drainage Trench, 400 Area Storm Drain Outfall Trench, Miscellaneous Stream #732	400	CHPRC
400-31	400-31, Sodium Storage Facility, 402 Building	400	CHPRC
400-32	400-32, U.G. Drywell - North, Construction Dry Well	400	CHPRC
400-33	400-33, U.G. Drywell - South, Construction Dry Well	400	CHPRC
400-34	400-34, Northwest Surface Water Drainage Ditch, Miscellaneous Stream #733	400	CHPRC
400-35	400-35, Southwest Surface Water Drainage Ditch, Miscellaneous Stream #734	400	CHPRC
400-36	400-36, 4843 Building Temporary Transfer Station, Sanitary Waste Check Station, 4843 Waste Inspection Facility	400	CHPRC
400-37	400-37, Fuel Oil Tank South of 4732-B	400	WCH
400-38	400-38, Fuel Oil Tank East of 4722-A Building Pad	400	WCH
400-39	400-39, 400 Area Bioremediation Pad, 400 Area Soil Cell	400	CHPRC
400-4	400-4, Suspected Burial Ground (East of FFTF)	400	CHPRC
400-5	400-5, Septic Tank or Cistern	400	CHPRC
400-6	400-6, Material Dumping Area (North of FFTF), Material Dumping Area and Building Foundation	400	CHPRC
400-7	400-7, 4607 SSST, 4607 Sanitary Sewer Septic Tank, 4607 SS, 4607 Sanitary Sewer	400	CHPRC
400-8	400-8, Construction Material Dumping Area (North of FFTF)	400	CHPRC
400-9	400-9, 400 RPSSTP, 400 Area Retired Portable Sanitary Sewer Treatment Plant	400	CHPRC
403 FD	403 FD, Discharge Point from the 403 Building, 403 French Drain, 400 Area French Drain Discharge from 403, 400 Area Drain Discharge from 403, Miscellaneous Stream #37	400	CHPRC
427 HWSA	427 HWSA, 427 Building Fuel Cycle Plant Hazardous Waste Storage Area, 427 Building Fuels and Materials Exam. Facility HWSA	400	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
437 MASF	437 MASF, 400 Area Maintenance and Storage Facility, 437 Maintenance and Storage Facility (See Subsites)	400	CHPRC
4713-B FD	4713-B FD, 4713-B French Drain, Miscellaneous Stream #33	400	CHPRC
4713-B HWSA	4713-B HWSA, 4713-B Hazardous Waste Storage Area	400	CHPRC
4713-B LDFD	4713-B LDFD, 4713-B Loading Dock French Drain, Miscellaneous Stream #469	400	CHPRC
4721 FD	4721 FD, 4721 French Drain, 400 Area French Drain Discharge from 4721 Building, Miscellaneous Stream #28	400	CHPRC
4722 PSHWSA	4722 PSHWSA, 4722 Paint Shop HWSA, 4722 Paint Shop Hazardous Waste Storage Area, 4722-C Hazardous Waste Storage Area	400	CHPRC
4722-B FD	4722-B FD, 4722-B French Drain	400	CHPRC
4722-C FD	4722-C FD, 4722-C French Drain, French Drain South of 4722-C, Miscellaneous Stream #29	400	CHPRC
4831 LHWSA	4831 LHWSA, 4831 Laydown HWSA, 4831 Laydown Hazardous Waste Storage Area, 4831 Flammable Storage Facility	400	CHPRC
4843	4843, 4843 Building, 4843 Alkali Metal Storage Facility, 4843 AMSF, 4843 FFTF Sodium Storage, 4843 Laydown Area Warehouse	400	CHPRC
600 BPHWSA	600 BPHWSA, 600 Area Batch Plant HWSA, Hazardous Waste Storage Area (607 Batch Plant)	600	CHPRC
600 CL	600 CL, 600 Area Central Landfill, Central Landfill, Central Waste Landfill, CWL, Solid Waste Landfill, SWL, 671 Facility	600	CHPRC
600 ESHWSA	600 ESHWSA, 600 Area Exploratory Shaft HWSA, 600 Area Exploratory Shaft Hazardous Waste Storage Area, Hazardous Waste Storage Area (Exploratory Shaft)	600	CHPRC
600 ESST	600 ESST, 600 Area Exploratory Shaft Septic Tank, Septic Tank - Exploratory Shaft	600	CHPRC
600 NRDWL	600 NRDWL, 600 Area Nonradioactive Dangerous Waste Landfill, NRDW Landfill, Nonradioactive Dangerous Waste Landfill (Central Landfill), NRDWL	600	CHPRC
600 NSTFST	600 NSTFST, 600 Area Near Surface Test Facility Septic Tank, Septic Tank, Near Surface Test Facility	600	CHPRC
600 NSTFUT	600 NSTFUT, 600 Area Near Surface Test Facility Underground Tank, Underground Tank, Near Surface Test Facility	600	CHPRC
600 OCL	600 OCL, 600 Area Original Central Landfill, Original CLF	600	CHPRC
600-1	600-1, Westinghouse Debris Pit	600	WCH
600-10	600-10, MIL - H-12C, Battery B Nike Missile Control Center	600	WCH
600-100	600-100, White Bluffs Landfill, White Bluffs City Landfill, WBL, White Bluffs City Dump, 600-119	600	WCH
600-101	600-101, RRCWP, Riverland Railroad Car Wash Pit	600	WCH
600-102	600-102, 600 AMBS, 600 Area Army Munitions Burial Site	600	WCH
600-104	600-104; USBR; USBR 2,4-D Burial Site; USBR-2.4-D	600	WCH
600-105	600-105, SDBDL, Sodium Dichromate Barrel Disposal Landfill	600	WCH
600-106	600-106, WBPAC, White Bluffs Pickling Acid Cribs, White Bluff Pickling Acid Cribs	600	WCH
600-107	600-107, 213-J&K Cribs, Gable Mountain Plutonium Storage Vault Cribs, 213-J & K Cribs	600	WCH
600-108	600-108, 213-K Vault, 213-J&K Storage Facility (SF), 218-E-16, 213-J & K Magazine Waste Storage Cavern	600	WCH
600-109	600-109, HTCL, Hanford Trailer Camp Landfill	600	WCH
600-11	600-11, MIL - H-81R	600	WCH
600-110	600-110, HTL, Hanford Townsite Landfill	600	WCH
600-111	600-111, P-11 Critical Mass Laboratory Complex (Buildings, Crib, 2 septs and associated piping,	600	WCH
600-112	600-112, 6652-C SSLAST, 6652-C SSL Active Septic Tank, 6652-C Space Science Laboratory Active Septic Tank	600	CHPRC
600-113	600-113, 6652-C SSLIST, 6652-C SSL Inactive Septic Tank, 6652-C Space Science Laboratory Inactive Septic Tank, 6607-15	600	CHPRC
600-114	600-114, 6652-G ALEFSBST, 6652-G ALE Field Storage Building Septic Tank, 6607-14B	600	CHPRC
600-115	600-115, 6652-I ALEHST, 6652-I ALE Headquarters Septic Tank, 6652-I Arid Lands Ecology (ALE) Headquarters Septic Tank, 6607-14	600	CHPRC
600-116	600-116, RMNMB, Rattlesnake Mountain Nike Missile Base	600	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
600-117	600-117, 300 Area Treated Effluent Disposal Facility (TEDF), 310 Building, 342 Sump (See Subsites)	300	WCH
600-118	600-118, Hot Spot Northwest of Gable Mountain Pond, Contaminated Soil Northwest of Gable Mountain Pond	600	CHPRC
600-12	600-12, MIL - H-83C, Battery C Control Center	600	WCH
600-120	600-120, White Bluffs Spare Parts Burn Pit, Spare Parts Burn Pit	600	WCH
600-121	600-121, White Bluffs Coal Ash Piles, Coal Ash Piles	600	WCH
600-122	600-122, White Bluffs Large Fenced Depression	600	WCH
600-123	600-123, White Bluffs Farm Site, Farm Site	600	WCH
600-124	600-124, White Bluffs Burn Site and Paint Disposal Area, Burn Site and Paint Disposal Area	600	WCH
600-125	600-125, White Bluffs Waste Disposal Trench 1, Waste Disposal Trenches	600	WCH
600-126	600-126, White Bluffs Small Subsidence, Small Subsidence	600	WCH
600-127	600-127, White Bluffs Loading Docks and Fuel Storage Area, Fuel Storage Area	600	WCH
600-128	600-128, White Bluffs Oil and Oil Filter Dump Site, Oil and Oil Filter Dump Site	600	WCH
600-129	600-129, White Bluffs Pre-MED Community Dump Site 1, Pre-MED White Bluffs Community Dump Site (Oil Can Site)	600	WCH
600-13	600-13, MIL - H-83L, Battery "C" Launch Site, PSN 80	600	WCH
600-130	600-130, American Pipe Company Facilities, Stephensen's Cement Pipe Factory	600	WCH
600-131	600-131, White Bluffs Water Station and Special Fabrication Shops and Warehouse, Special Fabrication Shop and Warehouse	600	WCH
600-132	600-132, White Bluffs Construction Contractor Shop Landfill, Construction Contractor Shop Landfill	600	WCH
600-135	600-135, White Bluffs Spare Parts Machine Shop Landfill and Pit, Spare Parts Machine Shop Landfill, Horseshoe Pit	600	WCH
600-136	600-136, White Bluffs Insulation Warehouses, Insulation Warehouses	600	WCH
600-138	600-138, White Bluffs Fumigation Building, Fumigation Chamber Building	600	WCH
600-139	600-139, White Bluffs Automotive Repair Shop and Associated Waste Sites, Automotive Repair Shop	600	WCH
600-14	600-14, MIL - PSN 01	600	WCH
600-140	600-140, Gunny Sacks South of H-70 Antiaircraft Site	600	WCH
600-141	600-141, Barrels South of H-70 Antiaircraft Site	600	WCH
600-142	600-142, Car Body at McGee Ranch Fish Farm	600	WCH
600-143	600-143, Car Body at Ford Well	600	WCH
600-144	600-144, Car Body Near Top of Umptanum Ridge	600	WCH
600-146	600-146, Steel Structure on Northwest Side of Gable Mountain	600	CHPRC
600-147	600-147, Wood Shack (Northwest of Gable Mountain)	600	CHPRC
600-148	600-148, ERDF, Environmental Restoration Disposal Facility	600	WCH
600-149	600-149, Small Arms Range, Rifle and Pistol Range, 661 Complex, 600-54 (See Subsites)	600	WCH
600-15	600-15, MIL - PSN 04	600	WCH
600-151	600-151, Dumping Areas 50 Yards and 200 Yards Downstream of River Mile 14, Military Installation NW of 100H Area	600	WCH
600-152	600-152, Military Septic Tanks	600	WCH
600-153	600-153, Dumping Area Between River Mile Markers 29 and 30	600	WCH
600-154	600-154, Remains of Windmill, RCRA General Inspection HIRIV-FY96 Item #6	600	WCH
600-155	600-155, Dumping Area Upstream of River Mile Marker 35 Identified During RCRA General Inspection #HIRIV-FY96 Item #7	600	WCH
600-156	600-156, Construction Debris Dump Site	600	CHPRC
600-157	600-157, White Bluffs Concrete Foundation Pads	600	WCH
600-158	600-158, White Bluffs Ground Storage Tank and Booster Pump Station	600	WCH
600-159	600-159, White Bluffs Bank Well	600	WCH
600-16	600-16, MIL - PSN 07/10, PSN 10, H-07-H, Base Camp 500	600	WCH
600-160	600-160, White Bluffs Irrigation Debris	600	WCH
600-161	600-161, White Bluffs Plumbing Debris	600	WCH
600-162	600-162, White Bluffs Pipe Debris and Bucket of Lead	600	WCH
600-163	600-163, White Bluffs Pipe Testing Shop	600	WCH
600-164	600-164, White Bluffs Earth Berm and Trench	600	WCH
600-165	600-165, White Bluffs Valve Box	600	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
600-166	600-166, White Bluffs Subsidences	600	WCH
600-167	600-167, White Bluffs Cistern	600	WCH
600-168	600-168, Buckholdt Ranch Toilet Pits, Herriford Ranch Toilet Pits	600	WCH
600-169	600-169, Hanford Construction Camp Trenches	600	WCH
600-17	600-17, MIL - PSN 12/14 Site and Military Dump, Tent Camp 505, PSN 12, H-14	600	WCH
600-170	600-170, White Bluffs Subsurface Concrete Structure	600	WCH
600-171	600-171, White Bluffs Townsite (See Subsides)	600	WCH
600-172	600-172, White Bluffs French Drain or Dry Well	600	WCH
600-173	600-173, White Bluffs Domestic Debris Dump and Building Foundations	600	WCH
600-174	600-174, White Bluffs French Drain	600	WCH
600-175	600-175, Original Priest Rapids Ice House Drain Field	600	WCH
600-176	600-176, White Bluffs Paint Disposal Area	600	WCH
600-177	600-177, White Bluffs Pipe Bender and Equipment Dumping Area	600	WCH
600-178	600-178, 213-J and 213-K Guard House Toilet Pit	600	WCH
600-179	600-179, Priest Rapids Ice House	600	WCH
600-18	600-18, MIL - PSN 72/82, PSN 72, H-82, Tent Camp 515	600	WCH
600-180	600-180, White Bluffs Suspect Automotive Repair Shop	600	WCH
600-181	600-181, White Bluffs Oil Dump	600	WCH
600-182	600-182, White Bluffs Asbestos Pipe Lagging and Excess Piping	600	WCH
600-183	600-183, White Bluffs Burn Pile and Debris	600	WCH
600-184	600-184, White Bluffs Townsite Septic System	600	WCH
600-185	600-185, Hanford Construction Camp Honey Dump Site	600	WCH
600-186	600-186, Hanford Construction Camp Septic Tanks and Sewage Treatment Plants	600	WCH
600-187	600-187, West Lake Honey Dump Station	600	CHPRC
600-188	600-188, White Bluffs Waste Disposal Trench 2	600	WCH
600-189	600-189, White Bluffs Warehouse Facility French Drains, 100-H-23	600	WCH
600-19	600-19, MIL - PSN 90, H-90, Base Camp 410	600	WCH
600-190	600-190, White Bluffs Warehouse Tar and/or Paint Disposal Area	600	WCH
600-191	600-191, White Bluffs Pre-MED Community Dump Site 2	600	WCH
600-192	600-192, Hanford Construction Camp Fumigation Chamber	600	WCH
600-193	600-193, White Bluffs Gas Station	600	WCH
600-194	600-194, White Bluffs Main Pipe Fabrication Shop, Main Pipe Fabrication and Blacksmith Shop	600	WCH
600-195	600-195, White Bluffs Townsite Electrical Substation	600	WCH
600-196	600-196, White Bluffs Farm Dump Site and Partially Backfilled Pit	600	WCH
600-198	600-198, White Bluffs River Bank Concrete Structure, RCRA General Inspection LORIVFY96 Item #2	600	WCH
600-199	600-199, White Bluffs Ash Covered Concrete Pad	600	WCH
600-2	600-2, Army Landfill	600	CHPRC
600-20	600-20, Tank Cleaning Site, 615 Hot Mix Plant for Road Materials	600	WCH
600-200	600-200, Priest Rapids Ice House Septic Tank	600	WCH
600-201	600-201, White Bluffs Paint and Solid Waste Disposal Site	600	WCH
600-202	600-202, Hanford Townsite Four Burn and Burial Pits	600	WCH
600-203	600-203, White Bluffs French Drains	600	WCH
600-204	600-204, Hanford Townsite Burn and Burial Trench	600	WCH
600-205	600-205, Hanford Townsite Landfill 2	600	WCH
600-206	600-206, 101 Building Graphite Dump Site	600	WCH
600-207	600-207, Hanford Construction Camp Powerhouse Ash Pile	600	WCH
600-208	600-208, Hanford Construction Camp Boiler House Ponds	600	WCH
600-209	600-209, White Bluffs Excess Railroad Tie Materials	600	WCH
600-210	600-210, 300 Area TEDF Outfall	600	WCH
600-211	600-211, State Approved Land Disposal Site, SALDS, 616A, 616-A	600	CHPRC
600-212	600-212, Relocatable Latrine Facility Holding Tank System	600	MSA
600-213	600-213, Hanford Airport Underground Fuel Storage Tanks	600	WCH
600-214	600-214, 600 Area Purgewater Storage and Treatment Facility, MODU-Tanks, 600-PSTF	600	CHPRC
600-215	600-215, 6265A 90-Day Waste Accumulation Area	600	CHPRC
600-216	600-216, 600-48, H-61-H Anti-Aircraft Artillery Site Building Foundations	600	CHPRC
600-217	600-217, H-61-H Anti-Aircraft Artillery Site Sewer System	600	CHPRC
600-218	600-218, H-61-H Anti-Aircraft Artillery Site Dumping Area	600	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
600-219	600-219, H-61-R Radar Site	600	CHPRC
600-22	600-22, UFO Landing Site	600	WCH
600-220	600-220, H-51 Anti-Aircraft Artillery Site Dumping Area	600	CHPRC
600-222	600-222, H-60 Gun Site	600	MSA
600-223	600-223, Military Camp South of 200W, H-50 Gun Site Pit	600	CHPRC
600-224	600-224 Military Camp South of 200W, H-50 Gun Site Septic System	600	CHPRC
600-226	600-226, Gun Site H-42 Dumping Area	600	CHPRC
600-227	600-227, H-40 Gun Site Building Foundations	600	CHPRC
600-228	600-228, H-40 Gun Site Dumping Area	600	CHPRC
600-229	600-229, RCRA General Inspection 200WY97 Item #21 Historic Disposal Site, Dumping Area Near White Bluffs Ferry Landing (East Side)	600	WCH
600-23	600-23, Dumping Area Within Gravel Pit #11, Gravel Pit 11	600	WCH
600-230	600-230, RCRA General Inspection 200WY97 Item #4 Historic Disposal Site	600	WCH
600-231	600-231, RCRA General Inspection 200WY97 Item #5 Historic Disposal Site	600	WCH
600-232	600-232, 100B Electrical Laydown Area	600	WCH
600-233	600-233, Vertical Pipe Near 100B Electrical Laydown Area	600	WCH
600-234	600-234, RCRA General Inspection 200WY97 Item #11 Historic Disposal Site	600	WCH
600-235	600-235, Buried Lead Sheathed Telephone Cables	600	MSA
600-236	600-236, Soilcell 607 Site, Petroleum Contaminated Soil, Bioremediation Site	600	CHPRC
600-237	600-237, Gable Pond (216-A-25) North and South Borrow Pits	600	CHPRC
600-239	600-239, Debris in Pit 16, Hanford Aggregate Pit Debris, 615 Hot Mix Plant Debris	600	CHPRC
600-24	600-24, West P-11, H-21 Anti-Aircraft Artillery Compound and Dump Site	600	WCH
600-240	600-240, Debris in Pit 17, Hanford Aggregate Pit Debris, 615 Hot Mix Plant Debris	600	WCH
600-243	600-243, Petroleum Contaminated Soil Bioremediation Pad, Bioremediation Pad Inside Gravel Pit #6, Pit 6, Oil Contaminated Soil	600	WCH
600-244	600-244, Gravel Pit #6, Pit 6, Gravel Pit 6	600	WCH
600-245	600-245, Gravel Pit #8, Pit 8	600	WCH
600-246	600-246, Gravel Pit #9, Inert/Demolition Waste Landfill, Pit 9	600	WCH
600-247	600-247, Gravel Pit #10, Inert Landfill, Pit 10	600	WCH
600-248	600-248, Gravel Pit #11, Pit 11	600	WCH
600-249	600-249, Debris Within Gravel Pit 6	600	WCH
600-25	600-25, Susie Junction	600	CHPRC
600-250	600-250, Metal Debris from RCRA General Inspection #LORIVFY97 Item #4	600	WCH
600-251	600-251, Steel Pipe from RCRA General Inspection #LORIVFY97 Item #6	600	WCH
600-252	600-252, Old Tank from RCRA General Inspection #LORIVFY97 Item #8	600	WCH
600-253	600-253, Gravel Pit #24, Pit 24	600	WCH
600-254	600-254, Abandoned 251-W Substation Mineral Oil Underground Pipelines	600	CHPRC
600-255	600-255, 300 Area Stormwater Percolation Pond	600	WCH
600-256	600-256, Atmospheric Dispersion Modeling Towers, Ethylene Glycol Release	600	CHPRC
600-257	600-257, 213-J Vault, 213-J&K Storage Facility, 213-J Magazine Waste Storage Cavern	600	WCH
600-258	600-258, RCRA General Inspection Summary Sheet HIRIVFY99, Item #1	600	WCH
600-259	600-259, Special Waste Form Lysimeter, Grout Waste Test Lysimeter, Inactive Lysimeter Site East End, Special Waste Form Lysimeter, Grout Waste Test Lysimeter (See Subsites)	600	WCH
600-26	600-26, Hanford Townsite Burn Pile	600	WCH
600-260	600-260, Roped Off Area Near Meteorological Tower	600	CHPRC
600-261	600-261, Standard Gauge Railroad Track, 601 Structures	600	CHPRC
600-262	600-262, West Lake Test Crib, Lysimeter Test Site	600	CHPRC
600-263	600-263, Pile of Cans and White Powder	600	WCH
600-264	600-264, Abandoned Oil Drum	600	MSA
600-265	600-265, Unidentified Pipes Near the 618-10 Burial Ground	600	WCH
600-266	600-266, Trash Dump West of Gate 117A	600	CHPRC
600-267	600-267, Weather Station 90 Day Storage Pad	600	CHPRC
600-268	600-268, 200 East Pipe Yard Drum Accumulation Area, Pipe Laydown Yard Accumulation Area	600	CHPRC
600-269-PL	600-269-PL, Cross Site Transfer Line Replacement, New Cross-Site Transfer Line, Lines SNL-3150 and 3160	600	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
600-27	600-27; Well DC-6, Well 699-50-18C, 6-54-18A, A8855; 6-54-18B, A8856; 6-54-18C, A8857; 6-54-18D, A58858; Water Supply Valve Pits, Foundations and Dumping Area	600	WCH
600-270	600-270, Horseshoe Landfill, Nike Missile Base	600	WCH
600-271	600-271, Nike Missile Base Landfill	600	WCH
600-272	600-272, Petroleum-Contaminated Borehole, Well 699-43-2	600	CHPRC
600-273	600-273, Pile of Red Material at Riverland	600	WCH
600-274	600-274; 2,4-D Can Site at McGee Ranch, Riverland	600	WCH
600-275	600-275, 218-W-14, Igloo Site, Army Ammo Site, Regulated Storage Area	600	MSA
600-276	600-276, Hanford Geotechnical Engineering and Development Facility, GEDF, Cold Test Facility, Little Egypt	600	CHPRC
600-278	600-278, Bioremediation Pad Within Gravel Pit 9, Oil Contaminated Soil	600	WCH
600-279	600-279, Vegetation Free Area Between White Bluffs and 100F	600	WCH
600-28	600-28, Rattlesnake Construction Dump	600	WCH
600-280	600-280, Hardened Tar Site	600	WCH
600-281	600-281, Scattered Debris South of Army Loop Road	600	CHPRC
600-282	600-282, Wood and Coal Debris Piles	600	CHPRC
600-283	600-283, Suspect Buried Equipment in Gravel Pit 11	600	CHPRC
600-285-PL	600-285-PL, Pipeline from 212-N to 216-N-1 Pond	600	CHPRC
600-286-PL	600-286-PL, Pipeline from 212-P to 216-N-4 Pond	600	CHPRC
600-287-PL	600-287-PL, Pipeline from 212-R to 216-N-6 Pond	600	CHPRC
600-29	600-29, 100-K Construction Lay-down Area, 100-K-41	600	WCH
600-3	600-3, Hanford Townsite Excess Material Storage Yard/Paint Pit	600	WCH
600-30	600-30, 100-DR Construction Lay-down Area	600	WCH
600-31	600-31, 100-F Area Bottle Disposal Site	600	WCH
600-32	600-32, N Area Landfill	600	WCH
600-33	600-33, 105-C Reactor Test Loop Burial Site	600	WCH
600-337	600-337, Rigging Services Facility Septic, 6290 Building Drain Field, 6607-1, 6607-01	600	MSA
600-34	600-34, 100-B Baled Tumbleweed Disposal Site	600	WCH
600-341	600-341, Inter Areas Battery Remnant Area #1 (See Subsites)	600	MSA
600-342	600-342, Inter Areas Contaminated Clothing Area near Susie Junction	600	MSA
600-343	600-343, Inter Areas Burn Site #1	600	MSA
600-344	600-344, Inter Areas Stain Site #1	600	MSA
600-35	600-35, Debris Area Between 100-N and 100-D Areas	600	WCH
600-36	600-36, Ethel Railroad Siding (Burn Pit)	600	CHPRC
600-37	600-37, Browns Wells, Johnson's Wells	600	CHPRC
600-38	600-38, Railroad Siding Susie, 600-25, Susie Junction	600	MSA
600-39	600-39, Military Camp South of 200W, H-50 Gun Site Building Foundations and Ammunition Storage	600	CHPRC
600-4	600-4, Howitzer Site	600	MSA
600-40	600-40, West of West Lake Dumping Area	600	CHPRC
600-41	600-41, H 70 Anti-Aircraft Artillery (AAA) Site	600	WCH
600-42	600-42, H 71 Anti-Aircraft Artillery (AAA) Site	600	WCH
600-43	600-43, McGee Fish Farm	600	WCH
600-44	600-44, Herbicide/Pesticide Empty Container Pile, Enyert Well Empty Pesticide Container Dump, 600-68	600	WCH
600-45	600-45, Transite and Metal Debris Pile	600	WCH
600-46	600-46, Cutup Oil Dump	600	WCH
600-47	600-47, Dumping Area North of 300-FF-1	600	WCH
600-49	600-49, H-42 Gun Site Building Foundations and Ammunition Storage	600	CHPRC
600-5	600-5, White Bluffs Waste Oil Dump, Asphalt Heliport	600	WCH
600-50	600-50, Hanford Construction Camp Coal Yard	600	WCH
600-51	600-51, Chemical Dump, Pile of White Powder	600	MSA
600-52	600-52, White Bluffs Surface Basin	600	WCH
600-53	600-53, H-51 Anti-Aircraft Artillery Site Building Foundations	600	CHPRC
600-55	600-55, Paved Area and Collapsed Structure	600	CHPRC
600-56	600-56, Pre-Hanford Farm Site, Undocumented Solid Waste Site	600	WCH
600-58	600-58, H.J. Ashe Substation Oil/Water Separator & Drywells, BPA SWMU #13	600	WCH
600-59	600-59, H.J. Ashe Substation Storage Area, BPA SWMU #12, Generator Storage Area Sump	600	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
600-6	600-6, MIL - H-12-L, Battery B Nike Missile Launch Site	600	WCH
600-60	600-60, H.J. Ashe Substation Switchyard Facility	600	WCH
600-61	600-61, White Bluffs Substation	600	CHPRC
600-62	600-62, Benton Switch Substation Releases	600	WCH
600-63	600-63, 300-N Lysimeter Area, Recharge Study Site, Buried Waste Test Facility, Vadose Zone Field Study - 300 North, VZFS300N	600	WCH
600-64	600-64, Underground Sanitary Sewer Line from 400 Area to WPPSS, Sanitary Waste Tie-Line from the 400 Area to WPPSS	600	WCH
600-65	600-65, 607 Batch Plant Drum Site	600	CHPRC
600-66	600-66, 607 Batch Plant Orphan Drums	600	CHPRC
600-67	600-67, Bruggemann's Fruit Storage Warehouse	600	MSA
600-69	600-69, Red Stained Soil (Rust)	600	CHPRC
600-7	600-7, Nike Asbestos Pipe Site, Concrete/Asbestos Pipe Site	600	WCH
600-70	600-70, Solid Waste Management Unit (SWMU) #2 - Miscellaneous Solid Waste	600	CHPRC
600-71	600-71, 607 Batch Plant Burn Pit	600	CHPRC
600-72	600-72, Wahluke Slope H-12-R Debris Site, H-12R	600	WCH
600-73	600-73, Wahluke Slope Igloo Sites	600	WCH
600-74	600-74, Wahluke Slope PSN 12/14 Military Construction Dump, Motor Pool Dump	600	WCH
600-75	600-75, Wahluke Slope PSN 80 Debris Site	600	WCH
600-76	600-76, Wahluke Slope Radar Site, Underground Rooms	600	WCH
600-77	600-77; Wahluke Slope Shrapnel Sites; Antiaircraft Gun Shrapnel Sites 1, 2, and 3	600	WCH
600-78	600-78, Power Pole 12-3 Cistern, 12-3 Cistern	600	WCH
600-79	600-79, Wahluke Slope Clay Pit Cistern	600	WCH
600-8	600-8, MIL - H-06C, Control Center for Battery A Nike Missile, Wahluke Slope Nike Missile Base, WSNMB, 600-103 (Part)	600	WCH
600-80	600-80, Wahluke Slope Cow Camp Cistern	600	WCH
600-81	600-81, Wahluke Slope Homestead Cistern	600	WCH
600-82	600-82, Wahluke Slope Overlook Cistern	600	WCH
600-83	600-83, Wahluke Slope Stock Tank Cistern	600	WCH
600-84	600-84, Wahluke Slope Wagon Road Cistern	600	WCH
600-85	600-85, Wahluke Slope Stove Cistern	600	WCH
600-86	600-86, Wahluke Slope Wasteway Cistern	600	WCH
600-87	600-87, Wahluke Slope Dune Homestead	600	WCH
600-88	600-88, Wahluke Slope Lonetree Homestead	600	WCH
600-89	600-89, Wahluke Slope Asphalt Batch Plant	600	WCH
600-9	600-9, MIL - H-06L, Battery A Nike Missile Installation Launch Site, Wahluke Slope Nike Missile Base, WSNMB, 600-103 (Part)	600	WCH
600-90	600-90, Wahluke Slope Coyote Bait Can/Bait Station	600	WCH
600-91	600-91, Wahluke Slope Gravel Pit #47, Pit 47	600	WCH
600-92	600-92, Wahluke Slope Gravel Pit #56, Borrow Pit #56, Pit 56	600	WCH
600-93	600-93, Hanford Firing Range	600	WCH
600-94	600-94, Wahluke Schoolhouse	600	WCH
600-95	600-95, Wahluke Slope Bridge Disposal Area, Bridge Overlook Site	600	WCH
600-96	600-96, 618-10 Borrow Pit	600	WCH
600-97	600-97, 618-11 Borrow Pit	600	WCH
600-98	600-98, East White Bluffs City Landfills, East White Bluffs Dump and East White Bluffs Dump #2, East White Bluffs Landfill, EWBCL	600	WCH
600-99	600-99, JA Jones 2, J. A. Jones #2, JA JONES2	600	WCH
616	616, 616 Building Non-Radioactive Dangerous Waste Storage Facility, 616 Nonradioactive Dangerous Waste Storage, 616 NRDWSF	600	CHPRC
616-WS-1	616-WS-1, 616 NRDWSF French Drain	600	CHPRC
618-1	618-1, Solid Waste Burial Ground No. 1, 318-1, 300 Area Burial Ground No. 1 (See Subsites)	300	WCH
618-10	618-10, 300 North Solid Waste Burial Ground, 318-10	600	WCH
618-11	618-11, Y Burial Ground, 318-11, 300 Wye Burial Ground	600	WCH
618-12	618-12, North Process Pond Scraping Disposal Area	600	WCH
618-13	618-13, 618-13 Burial Ground, 318-13, 303 Building Contaminated Soil Burial Site	600	WCH
618-2	618-2, Solid Waste Burial Ground No. 2, 318-2	600	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
618-3	618-3, Solid Waste Burial Ground No. 3, 318-3, Burial Ground #3, Dry Waste Burial Ground No. 3	600	WCH
618-4	618-4, Burial Ground No. 4, 318-4	600	WCH
618-5	618-5, Burial Ground No. 5, Regulated Burning Ground, 318-5	600	WCH
618-6	618-6, Solid Waste Burial Ground #6	300	WCH
618-7	618-7, Solid Waste Burial Ground No. 7, Burial Ground #7, 318-7	600	WCH
618-8	618-8, Solid Waste Burial Ground No. 8, 318-8, Early Solid Waste Burial Ground	600	WCH
618-9	618-9, 300 West Burial Ground, 318-9, Dry Waste Burial Site No. 9	600	WCH
622-1	622-1, Construction and Demolition Debris	600	CHPRC
622-R ST	622-R ST, 622-R Septic Tank, 622-R Atmospheric Physics Laboratory Septic Tank, 6607-02, 6607-2	600	MSA
6241-A	6241-A, 6241-A Diversion Box	200W	CHPRC
6241-V	6241-V, 6241-V Vent Station	200W	CHPRC
628-1	628-1, White Bluffs Burn Pit	600	WCH
628-2	628-2, 100 Area Fire Station Burn Pit	600	CHPRC
628-3	628-3, 628-3 Burn Pit	600	WCH
628-4	628-4, Landfill 1D	600	WCH
6607-1	6607-1, H-40 Gun Site Septic Tank	600	CHPRC
6607-13	6607-13, Core Area Septic, Project FP-0003 Septic	600	MSA
6607-16	6607-16, Septic Tank, Project C-018H, ECN-C018H-040	600	MSA
6607-17	6607-17, 6291 Service Station Building Septic System, Conoco Service Station Septic System	600	MSA
6607-18	6607-18, 609-G and MO292 Septic System	600	MSA
6607-19	6607-19, Emergency Vehicle Operations Facility Mobile Office Septic	600	MSA
6607-2	6607-2, Gun Site H-42 Septic Tank	600	CHPRC
6607-3	6607-3, Anti-Aircraft Artillery Site H-51 Septic Tank	600	CHPRC
6607-4	6607-4, 6607-4 Septic System, 6607-04, 609A Building Septic Tank, Replacement for 2607-FSN	600	MSA
6607-5	6607-5, 616 Building Septic System, 6607-05	600	MSA
6607-6	6607-6, 6701 Building Septic Tank and Tile Field, Wye Barricade Septic, 6607-06	600	MSA
6607-7	6607-7, Yakima Barricade Septic System and Permitted Holding Tank, 6607-07	600	MSA
6607-8	6607-8, 251-W Electrical Substation Septic System, 6607-08	600	MSA
6607-9	6607-9, Septic Tank 6607-9 Large On-Site Sewage System, Project W-011H, 6607-09	600	MSA
700 WST	700 WST, 700 Area Waste Solvent Tank, 700 Area Underground Waste Solvent Tank, 703-1	700	CHPRC
700-1	700-1, 747 Building 90-Day Waste Accumulation Area	700	CHPRC
B PLANT FILTER	B PLANT FILTER, B Plant Filter, 221-B-TK-34-2 Decant Filter, Filter F-34-4	200E	CHPRC
BTF	BTF, Biological Treatment Test Facilities	300	WCH
CTFN 2703-E	CTFN 2703-E, 200-E Chemical Drain Field, Chemical Tile Field North of 2703-E	200E	CHPRC
GTF	GTF, Grout Treatment Facility	200E	CHPRC
GTFL	GTFL, Grout Treatment Facility Landfill, GTF Vaults, PSW Vault, 218-E-16	200E	CHPRC
HRD	HRD, Horn Rapids Disposal, ITT Waste Disposal Landfill, Horn Rapid Landfill (HRL), Gravel Pit 4, Gravel Pit 5	600	CHPRC
HSVP	HSVP, Hot Semiworks Valve Pit, 201-C Diversion Box, Semiworks Valve Pit, 201-C Valve Box	200E	CHPRC
HWVP	HWVP, Hanford Waste Vitrification Plant (Original Proposed Site)	200E	CHPRC
JA JONES 1	JA JONES 1, JA Jones 1, JA Jones Dumping Pit #1, JA Jones Construction Pit #1	600	WCH
OCSA	OCSA, Old Central Shop Area, Central Shop Area	600	CHPRC
PCTTF	PCTTF, Physical and Chemical Treatment Test Facilities	300	WCH
RMWSF	RMWSF; Radioactive Mixed Waste Storage Facility; Hanford Central Waste Complex; 2401W, 2402W, 2402WB, 2402WC, 2402WD, 2402WE, 2402WF, 2402WG, 2402WH, 2402WI, 2402WJ, 2402WK, 2402WL, 2403WA, 2403WB, 2403WC, 2403WD, 2404WA, 2404WB, 2404WC	200W	CHPRC
SHLWSTS	SHLWSTS, Simulated High-Level Waste Slurry Treatment/Storage	3000	CHPRC
TFS OF 218-E-4	TFS OF 218-E-4, Tile Field South of 218-E-4, 2607-E3 Tile Field	200E	CHPRC
TRUSAF	TRUSAF, 224-T TRUSAF, Transuranic Assay Facility	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
TTTF	TTTF, Thermal Treatment Test Facilities	300	WCH
UPR-100-D-1	UPR-100-D-1, Oil Soaked Soil	100D	WCH
UPR-100-D-2	UPR-100-D-2, Effluent Line Leak #1	100D	WCH
UPR-100-D-3	UPR-100-D-3, Effluent Line Leak #3	100D	WCH
UPR-100-D-4	UPR-100-D-4, Unplanned Release: 107-D Basin Leaks	100D	WCH
UPR-100-D-5	UPR-100-D-5, Effluent Line Leak #4	100D	WCH
UPR-100-F-1	UPR-100-F-1, 141 Building Sewer Line Spill, UN-100-F-1, 141-C to 141-M Sewer Line Leak	100F	WCH
UPR-100-F-2	UPR-100-F-2, Basin Leak Ditch, 107-F Basin Leak Ditch, 100-F-3	100F	WCH
UPR-100-F-3	UPR-100-F-3, Mercury Spill	100F	WCH
UPR-100-K-1	UPR-100-K-1, 105-KE Fuel Storage Basin Leak, UN-100-K-1, UN-116-KE-2	100K	CHPRC
UPR-100-N-1	UPR-100-N-1, 100-N 1304-N Dump Tank, UN-100-N-1, Emergency Dump Tank Inlet Valve Box Leak	100N	WCH
UPR-100-N-10	UPR-100-N-10, 100-N Area 105-N Check Valve, UN-100-N-10, Lift Station Gravity Drain Line Leak	100N	WCH
UPR-100-N-11	UPR-100-N-11, Five Hundred Pound Valve Bonnet Contamination in Uncontrolled Area, 100-N Area Valve Bonnet, UN-100-N-11	100N	WCH
UPR-100-N-12	UPR-100-N-12, Spacer Transport Line Leak, UN-100-N-12	100N	WCH
UPR-100-N-13	UPR-100-N-13, 1314-N Loading Station, 1314-N Drywell Overflow, UN-100-N-13	100N	WCH
UPR-100-N-14	UPR-100-N-14, 119-N Drain System Leak, UN-100-N-14	100N	WCH
UPR-100-N-15	UPR-100-N-15, 108-N Neutralization Sump Spill, UN-116-N-15, UN-100-N-15, Acid Spill at 108-N	100N	WCH
UPR-100-N-17	UPR-100-N-17, 166-N Diesel Oil Supply Line Leak, UN-100-N-17	100N	WCH
UPR-100-N-18	UPR-100-N-18, 166-N Four-Inch Diesel Oil Supply Line to 184-N Leak, UN-100-N-18	100N	WCH
UPR-100-N-19	UPR-100-N-19, 184-N Day Tank Fuel Oil Spill, UN-116-N-19, UN-100-N-19	100N	WCH
UPR-100-N-2	UPR-100-N-2, 100-N FLV-858 Valve Leak, UN-100-N-2	100N	WCH
UPR-100-N-20	UPR-100-N-20, 166-N Two-Inch Diesel Oil Return Line Leak, UN-116-N-20, UN-100-N-20	100N	WCH
UPR-100-N-21	UPR-100-N-21, 184-N Diesel Oil Day Tank Overflow, UN-116-N-21, UN-100-N-21	100N	WCH
UPR-100-N-22	UPR-100-N-22, 184-N Diesel Oil Supply Line Leak No. 1, UN-100-N-22, UN-116-N-22	100N	WCH
UPR-100-N-23	UPR-100-N-23, 184-N Diesel Oil Supply Line Leak No. 2, UN-100-N-23, UN-116-N-23	100N	WCH
UPR-100-N-24	UPR-100-N-24, 166-N Fuel Oil Supply Line Leak, UN-116-N-24, UN-100-N-24	100N	WCH
UPR-100-N-25	UPR-100-N-25, Uncontrolled Venting of 1310-N Tank, UN-100-N-25	100N	WCH
UPR-100-N-26	UPR-100-N-26, Backflow of Radioactive Waste in 1314-N Facility, UN-100-N-26	100N	WCH
UPR-100-N-29	UPR-100-N-29, 1304-N Dump Tank, Emergency Dump Tank Bypass Line Leak, UN-100-N-29	100N	WCH
UPR-100-N-3	UPR-100-N-3, Dummy Fuel Transfer Line, UN-100-N-3, Spacer Disposal System Transport Line Leak, UN-116-N-3	100N	WCH
UPR-100-N-30	UPR-100-N-30, 1304-N Dump Tank, Emergency Dump Tank Overflow, UN-100-N-30	100N	WCH
UPR-100-N-31	UPR-100-N-31, Radioactive Effluent Water Spill Near 116-N-1 (1301-N), UN-100-N-31	100N	WCH
UPR-100-N-32	UPR-100-N-32, 1304-N Dump Tank, Emergency Dump Tank Bypass Line Leak, UN-100-N-32	100N	WCH
UPR-100-N-33	UPR-100-N-33, 108-N Acid Transfer Spill, UN-116-N-33, UN-100-N-33	100N	WCH
UPR-100-N-34	UPR-100-N-34, 108-N Tank Transfer, Sulfuric Acid Line Break, UN-100-N-34	100N	WCH
UPR-100-N-35	UPR-100-N-35, 100-N Fuel Basin Drainage System Leak, UN-116-N-35, 105-N Fuel Storage Basin Drainage System Leak, UN-100-N-35	100N	WCH
UPR-100-N-36	UPR-100-N-36, 184N Annex, 184N, Diesel Generator Area	100N	WCH
UPR-100-N-37	UPR-100-N-37, HGP Transformer Yard Oil Stained Gravel, SWMU #1	100N	ENW WCH
UPR-100-N-38	UPR-100-N-38, 116-N-2 Facility Liquid Unplanned Release, 100-N Spring 1983 Caustic, Truck Spill 116-N-2	100N	WCH
UPR-100-N-39	UPR-100-N-39, Corridor 22 Suspect Liquid Unplanned Release (Cleaned Up)	100N	WCH
UPR-100-N-4	UPR-100-N-4, 1322-A Sump Overflow, UN-100-N-4	100N	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-100-N-40	UPR-100-N-40, Regeneration Waste Transport System Liquid UPR 1 (06/14/86, Cleaned Up), 6/14/86 163-N Cation/Anion Regeneration Waste Spill, UN-116-N-27	100N	WCH
UPR-100-N-41	UPR-100-N-41, Regeneration Waste Transport System Liquid UPR 2, 163-N Regeneration, Waste Spill	100N	WCH
UPR-100-N-42	UPR-100-N-42, 184-N Day Tank Area Liquid Unplanned Release, 10/9/87 184-N, Day Tank Diesel Oil Spill	100N	WCH
UPR-100-N-43	UPR-100-N-43, 166-N / 184-N Pipelines Liquid Unplanned Release 2 (4/26/89, Cleaned Up)	100N	WCH
UPR-100-N-5	UPR-100-N-5, 1310-N Chemical Waste Storage Tank Leak, UN-100-N-5, 116-N-2 Radioactive Chemical Waste Treatment Storage Facility	100N	WCH
UPR-100-N-6	UPR-100-N-6, 1 1/2 Inch Chemical Decontam. Waste Drain Line Leaks, UN-100-N-6, UN-116-N-6, Chemical Decontamination Waste Drain Line Leak	100N	WCH
UPR-100-N-7	UPR-100-N-7, Ten-Inch Radioactive Drain Return Line Leak, UN-116-N-7, UN-100-N-7	100N	WCH
UPR-100-N-8	UPR-100-N-8, 1322-A Sump Overflow, UN-100-N-8	100N	WCH
UPR-100-N-9	UPR-100-N-9, 119-N Cooling Water Drain Line Leak, UN-100-N-9	100N	WCH
UPR-1100-5	UPR-1100-5, UN-1100-5, 1171 Parking Lot	1100	CHPRC
UPR-1100-6	UPR-1100-6, Discolored Soil Site, UN-1100-6	1100	CHPRC
UPR-200-E-1	UPR-200-E-1, Waste Line Failure on South Side of 221-B	200E	CHPRC
UPR-200-E-10	UPR-200-E-10, Contaminated Purex Railroad Spur, UN-200-E-10	200E	CHPRC
UPR-200-E-100	UPR-200-E-100, Radioactive Contamination Near 244-A Lift Station, UN-216-E-100, UN-216-E-29, UN-200-E-100	200E	CHPRC
UPR-200-E-101	UPR-200-E-101, UN-216-E-30, UN-216-E-101, UN-200-E-101, Radioactive Spill Near 242-B Evaporator	200E	CHPRC
UPR-200-E-103	UPR-200-E-103, UN-200-E-103, BCS Line Leak South of R-17 at 221-B	200E	CHPRC
UPR-200-E-105	UPR-200-E-105, UN-200-E-105, Liquid Release in the 241-BY Tank Farm	200E	WRPS
UPR-200-E-106	UPR-200-E-106, Contamination at a Burning Ground, UN-200-E-106	200E	CHPRC
UPR-200-E-107	UPR-200-E-107, UN-200-E-107, Contamination Spread in 241-C Tank Farm	200E	WRPS
UPR-200-E-108	UPR-200-E-108, 241-B-102 Tank Release, UN-200-E-108	200E	WRPS
UPR-200-E-109	UPR-200-E-109, Release from 241-B-104, UN-200-E-109	200E	WRPS
UPR-200-E-11	UPR-200-E-11, Railroad Track Contamination Spread, UN-200-E-11	200E	CHPRC
UPR-200-E-110	UPR-200-E-110, 241-BY Valve Pit Release, UN-200-E-110	200E	WRPS
UPR-200-E-112	UPR-200-E-112, UN-200-E-112, Contaminated Railroad Track from B-Plant to the Burial Ground	200E	CHPRC
UPR-200-E-114	UPR-200-E-114, 202-A Valve Pit, UN-200-E-114	200E	CHPRC
UPR-200-E-115	UPR-200-E-115, UN-200-E-115, Contamination Spread Inside 241-AX	200E	WRPS
UPR-200-E-116	UPR-200-E-116, UN-200-E-116, 241-BY-112 Flush Release	200E	WRPS
UPR-200-E-117	UPR-200-E-117, Contaminated Liquid Spill, UN-200-E-117	200E	CHPRC
UPR-200-E-118	UPR-200-E-118, UN-200-E-118, Airborne Release from 241-C-107	200E	WRPS
UPR-200-E-119	UPR-200-E-119, UN-200-E-119, Contamination Spread Inside 241-AX	200E	WRPS
UPR-200-E-12	UPR-200-E-12, Contaminated Purex Railroad Spur, UN-200-E-12	200E	CHPRC
UPR-200-E-125	UPR-200-E-125, UN-200-E-125, 241-A-104 Release	200E	WRPS
UPR-200-E-126	UPR-200-E-126, UN-200-E-126, 241-A-105 Tank Leak	200E	WRPS
UPR-200-E-127	UPR-200-E-127, 241-B-107 Leak, UN-200-E-127	200E	WRPS
UPR-200-E-128	UPR-200-E-128, 241-B-110 Leak, UN-200-E-128	200E	WRPS
UPR-200-E-129	UPR-200-E-129, 241-B-201 Leak, UN-200-E-129	200E	WRPS
UPR-200-E-13	UPR-200-E-13, Overflow from 216-A-4, UN-200-E-13, UPR-200-E-15	200E	CHPRC
UPR-200-E-130	UPR-200-E-130, UN-200-E-130, 241-B-203 Leak	200E	WRPS
UPR-200-E-131	UPR-200-E-131, UN-200-E-131, 241-BX-102 Release	200E	WRPS
UPR-200-E-132	UPR-200-E-132, UN-200-E-132, 241-BX-102 Tank Leak	200E	WRPS
UPR-200-E-133	UPR-200-E-133, UN-200-E-133, 241-BX-108 Leak	200E	WRPS
UPR-200-E-134	UPR-200-E-134, UN-200-E-134, 241-BY-103 Tank Leak	200E	WRPS
UPR-200-E-135	UPR-200-E-135, UN-200-E-135, 241-BY-108 Tank Leak	200E	WRPS
UPR-200-E-136	UPR-200-E-136, UN-200-E-136, 241-C-101 Tank Leak	200E	WRPS
UPR-200-E-137	UPR-200-E-137, UN-200-E-137, 241-C-203 Leak	200E	WRPS
UPR-200-E-138	UPR-200-E-138, Liquid Release from B-Plant, UN-200-E-138, UPR-200-W-66	200E	CHPRC
UPR-200-E-14	UPR-200-E-14, UN-200-E-14, 216-B-3 Pond Dike Break	200E	CHPRC
UPR-200-E-140	UPR-200-E-140, PCB Oil Spill at 211-B Bulk Chemical Storage Area, UN-200-E-140	200E	CHPRC
UPR-200-E-141	UPR-200-E-141, 2718-E Building Uranyl Nitrate Spill to Ground, UN-200-E-141	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-200-E-142	UPR-200-E-142, 202-A Diesel Fuel Spill, UN-200-E-142	200E	CHPRC
UPR-200-E-143	UPR-200-E-143, Contamination Adjacent to 244-A Lift Station, UN-216-E-43	200E	CHPRC
UPR-200-E-144	UPR-200-E-144, Soil Contamination North of 241-B, UN-216-E-44	200E	CHPRC
UPR-200-E-145	UPR-200-E-145, W049H Green Soil, VCP Pipeline Leak	200E	CHPRC
UPR-200-E-15	UPR-200-E-15, Overflow at 216-A-4, UN-200-E-15, UPR-200-E-13	200E	CHPRC
UPR-200-E-16	UPR-200-E-16, 241-C Overground Transfer Line Leak, UN-200-E-16	200E	WRPS
UPR-200-E-17	UPR-200-E-17, Overflow at 216-A-22, UN-200-E-17	200E	CHPRC
UPR-200-E-18	UPR-200-E-18, Contamination Release at the 216-A-8 Sampler Pit, UN-200-E-18	200E	CHPRC
UPR-200-E-19	UPR-200-E-19, Contamination Release at 216-A-6 Sampler, UN-200-E-19	200E	CHPRC
UPR-200-E-2	UPR-200-E-2, UN-200-E-2, Spotty Contamination Around the B and T Plant Stacks	200E	CHPRC
UPR-200-E-20	UPR-200-E-20, Contaminated Purex Railroad Spur, UN-200-E-20	200E	CHPRC
UPR-200-E-21	UPR-200-E-21, 216-A-6 Overflow, UN-200-E-21	200E	CHPRC
UPR-200-E-22	UPR-200-E-22, 291-A-1 Stack Fallout Area, UN-200-E-22	200E	CHPRC
UPR-200-E-23	UPR-200-E-23, Burial Box Collapse at 218-E-10, UPR-200-W-158	200E	CHPRC
UPR-200-E-24	UPR-200-E-24, Contamination Plume from the 218-E-10 Burial Ground, UN-200-E-24	200E	CHPRC
UPR-200-E-25	UPR-200-E-25, Contamination Spread from the 241-A-151 Diversion Box, UN-200-E-25	200E	WRPS
UPR-200-E-26	UPR-200-E-26, 241-A-151 Release, UN-200-E-26	200E	WRPS
UPR-200-E-27	UPR-200-E-27, 244-CR Contamination Spread, UN-200-E-27	200E	WRPS
UPR-200-E-28	UPR-200-E-28, Contamination Release Inside the PUREX Exclusion Area, UN-200-E-28	200E	CHPRC
UPR-200-E-29	UPR-200-E-29, 216-A-6 Overflow, UN-200-E-29	200E	CHPRC
UPR-200-E-3	UPR-200-E-3, Line Leak from 221-B to 241-BX-154, UN-200-E-3	200E	CHPRC
UPR-200-E-30	UPR-200-E-30, Contamination Within 218-E-10, UN-200-E-30	200E	CHPRC
UPR-200-E-31	UPR-200-E-31, 241-A-151 Release, UN-200-E-31	200E	WRPS
UPR-200-E-32	UPR-200-E-32, UN-200-E-32, Coil Leak from 221-B	200E	CHPRC
UPR-200-E-33	UPR-200-E-33, Contaminated Purex Railroad Tracks, UN-200-E-33	200E	CHPRC
UPR-200-E-34	UPR-200-E-34, Liquid Release to B-Pond and Gable Pond, UN-200-E-34	200E	CHPRC
UPR-200-E-35	UPR-200-E-35, Buried Contaminated Pipe, UN-218-E-1, 218-E-13	200E	CHPRC
UPR-200-E-36	UPR-200-E-36, Contamination Spread North of Semi-Works, Road Contamination North of Semiworks, UN-200-E-36	200E	CHPRC
UPR-200-E-37	UPR-200-E-37, Contamination East of Hot Semi-Works, UN-200-E-37, UN-216-E-37, UN-216-E-39	200E	CHPRC
UPR-200-E-38	UPR-200-E-38, Release from 241-B-152, UN-200-E-38, UN-216-E-4	200E	CHPRC
UPR-200-E-39	UPR-200-E-39, Release from 216-A-36B Crib Sampler (295-A), UN-200-E-39	200E	CHPRC
UPR-200-E-4	UPR-200-E-4, 241-B-151 Diversion Box Contamination Spread, UN-200-E-4	200E	WRPS
UPR-200-E-40	UPR-200-E-40, Release from the 216-A-36B Crib Sampler, UN-200-E-40	200E	CHPRC
UPR-200-E-41	UPR-200-E-41, UN-200-E-41 Soil Contamination in the Vicinity of R-13 Stairwell (221-B), UPR-200-E-85	200E	CHPRC
UPR-200-E-42	UPR-200-E-42, 241-AX-151 Release, UN-200-E-42	200E	WRPS
UPR-200-E-43	UPR-200-E-43, Road Contamination Near 241-BY Tank Farm, UN-200-E-43	200E	CHPRC
UPR-200-E-44	UPR-200-E-44, UN-200-E-44, BCS Waste Line Leak South of 221-B	200E	CHPRC
UPR-200-E-45	UPR-200-E-45, UN-200-E-45, Contamination Spread from the 241-B-154 Diversion Box	200E	CHPRC
UPR-200-E-47	UPR-200-E-47, UN-200-E-47, Contamination Spread from 241-A Tank Farm	200E	WRPS
UPR-200-E-48	UPR-200-E-48, UN-200-E-48, 241-A-106 Pump Pit Release	200E	WRPS
UPR-200-E-49	UPR-200-E-49, Roadway Contamination, UN-200-E-49	200E	CHPRC
UPR-200-E-5	UPR-200-E-5, UN-200-E-5, 241-BX-102 Tank Overflow	200E	WRPS
UPR-200-E-50	UPR-200-E-50, Soil Contamination at the Overground Equipment Storage Yard, UN-200-E-50	200E	CHPRC
UPR-200-E-51	UPR-200-E-51, Liquid Release from Purex to B-Pond, UN-200-E-51	200E	CHPRC
UPR-200-E-52	UPR-200-E-52, UN-200-E-52, Contamination Spread Outside the North Side of 221-B	200E	CHPRC
UPR-200-E-53	UPR-200-E-53, UN-200-E-53, Contamination at 218-E-1	200E	CHPRC
UPR-200-E-54	UPR-200-E-54, UN-200-E-54, Contamination Outside 225-B Doorway	200E	CHPRC
UPR-200-E-55	UPR-200-E-55, UN-200-E-55, Contamination Spread South of B Plant	200E	CHPRC
UPR-200-E-56	UPR-200-E-56, 216-A-24 Crib Excavation, Excavated Contamination Adjacent to 216-A-24 Crib, UN-200-E-56, UN-216-E-33	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-200-E-58	UPR-200-E-58, Contaminated Tumbleweeds Found on Dirt Road, UN-200-E-58	200E	CHPRC
UPR-200-E-59	UPR-200-E-59, Contaminated Bird Nests and Mud at 216-A-40 and 244-AR Vault, UN-200-E-59	200E	CHPRC
UPR-200-E-6	UPR-200-E-6, UN-200-E-6, Contamination Around the 241-B-153 Diversion Box	200E	WRPS
UPR-200-E-60	UPR-200-E-60, UN-216-E-60, Radioactively Contaminated Dirt Spill, UN-200-E-60	200E	CHPRC
UPR-200-E-61	UPR-200-E-61, Radioactive Contamination from Railroad Burial Cars, UN-216-E-61, UN-200-E-61	200E	CHPRC
UPR-200-E-62	UPR-200-E-62, Transportation Spill Near 200-E Burning Ground, UN-216-E-62, UN-200-E-62	200E	CHPRC
UPR-200-E-63	UPR-200-E-63, Radioactively Contaminated Tumbleweeds, UN-216-E-63, UN-200-E-63	200E	CHPRC
UPR-200-E-64	UPR-200-E-64, Radioactive Soil and Ant Hills, UN-200-E-64, UN-216-E-36	200E	CHPRC
UPR-200-E-65	UPR-200-E-65, UN-216-E-65, 241-A-151 Diversion Box Radioactive Contamination, UN-200-E-65	200E	WRPS
UPR-200-E-66	UPR-200-E-66, 216-A-42 Basin Contamination Release, UN-216-E-66, UN-200-E-66	200E	CHPRC
UPR-200-E-67	UPR-200-E-67, UN-216-E-67, Excavation of Radioactively Contaminated Pipe Encasement (V004, V005, V006, V007, V008) UN-200-E-67	200E	WRPS
UPR-200-E-68	UPR-200-E-68, Radioactive Contamination Spread, UN-216-E-68, UN-200-E-68	200E	CHPRC
UPR-200-E-69	UPR-200-E-69, UN-216-E-69, Railroad Car Flush Water Radioactive Spill, UN-200-E-69	200E	CHPRC
UPR-200-E-7	UPR-200-E-7, UN-200-E-7, Cave-In Near 216-B-9 (241-B-361 Crib), Pipeline Leak	200E	CHPRC
UPR-200-E-70	UPR-200-E-70, Radioactive Contamination from Jumper Removal, UPR-216-E-70, UN-200-E-70	200E	CHPRC
UPR-200-E-72	UPR-200-E-72, Radioactive Contamination from Uncovered Buried Waste, UN-200-E-72	200E	CHPRC
UPR-200-E-73	UPR-200-E-73, UN-216-E-1, 241-B-151 Diversion Box Contamination, UN-200-E-73	200E	WRPS
UPR-200-E-74	UPR-200-E-74, UN-216-E-2, 241-B-152 Diversion Box Contamination, UN-200-E-74	200E	WRPS
UPR-200-E-75	UPR-200-E-75, UN-216-E-3, 241-B-153 Diversion Box Contamination, UN-200-E-75	200E	WRPS
UPR-200-E-76	UPR-200-E-76, UN-216-E-4, 241-B-152 Pipeline Break, UN-200-E-76	200E	WRPS
UPR-200-E-77	UPR-200-E-77, UN-216-E-5, 241-B-154 Diversion Box Ground Contamination, UN-200-E-77	200E	WRPS
UPR-200-E-78	UPR-200-E-78, UN-216-E-6, 241-BX-155 Diversion Box Ground Contamination, UN-200-E-78	200E	WRPS
UPR-200-E-79	UPR-200-E-79, UN-216-E-7, 242-B to 207-B Line Break, UN-200-E-79, 200-E-264-PL Line Break	200E	CHPRC
UPR-200-E-80	UPR-200-E-80, UN-216-E-8, 221-B R-3 Line Break, R-3 Radiation Zone, UN-200-E-80	200E	CHPRC
UPR-200-E-81	UPR-200-E-81, UN-216-E-9, 241-CR-151 Line Break, UN-200-E-81	200E	WRPS
UPR-200-E-82	UPR-200-E-82, UN-216-E-10, 241-C-152 Line Break, UN-200-E-82, B Plant Ion Exchange Feed Line Leak, V122	200E	WRPS
UPR-200-E-83	UPR-200-E-83, UN-216-E-11, BC Cribs Controlled Area, BC Controlled Area, UN-200-E-83, Zone A, Zone B, Zone C, See Subsites	200E	CHPRC
UPR-200-E-84	UPR-200-E-84, 241-ER-151 Catch Tank Leak (241-ER-311A), UN-200-E-84, UN-216-E-12	200E	CHPRC
UPR-200-E-85	UPR-200-E-85, Line Leak at 221-B Stairwell R-13, UN-216-E-13, UPR-200-E-41, UN-200-E-85, UN-200-E-41	200E	CHPRC
UPR-200-E-86	UPR-200-E-86, UN-216-E-14, 241-C Tank Farm Line (V812) Break Southwest Corner, UN-200-E-86	200E	WRPS
UPR-200-E-87	UPR-200-E-87, UN-216-E-15, 224-B South Side Plutonium Ground Contamination, UN-200-E-87, 216-E-15	200E	CHPRC
UPR-200-E-88	UPR-200-E-88, TC-4 Spur Contaminated Railroad Track, UN-216-E-88, UN-216-E-16, UN-200-E-88. Ground Contamination Around the Western Purex Railroad Spur	200E	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-200-E-89	UPR-200-E-89, UN-216-E-17, UN-200-E-89, Contamination Migration to the North, East & West of BX-BY Tank Farms	200E	CHPRC
UPR-200-E-9	UPR-200-E-9, Liquid Overflow at 216-BY-201, UN-200-E-9	200E	CHPRC
UPR-200-E-90	UPR-200-E-90, UN-216-E-18, Ground Contamination Around B Plant Sand Filter, UN-216-E-90, Radioactive Spill Near 221-B Building, UN-200-E-90	200E	CHPRC
UPR-200-E-91	UPR-200-E-91, UN-216-E-19, UN-200-E-91	200E	CHPRC
UPR-200-E-92	UPR-200-E-92, 216-E-20, UN-216-E-20, UN-216-20, Ground Contamination Outside 200 East Fence, UN-200-E-92, UN-216-E-92	200E	CHPRC
UPR-200-E-93	UPR-200-E-93, UN-216-E-21 Ground Contamination Along 200 East Area fence	200E	CHPRC
UPR-200-E-94	UPR-200-E-94, Vehicle Decontamination Area, UN-216-E-22, UN-200-E-94	200E	CHPRC
UPR-200-E-95	UPR-200-E-95, UN-216-E-23, UN-200-E-95, Ground Contamination Around RR Spur Between 218-E-2A and 218-E-2	200E	CHPRC
UPR-200-E-96	UPR-200-E-96, Ground Contamination SE of PUREX, UN-216-E-24, UN-200-E-96	200E	CHPRC
UPR-200-E-97	UPR-200-E-97, Ground Contamination Around Cribs South of PUREX, Contamination Near PUREX Railroad Tunnel, UN-216-E-25, UN-200-E-97	200E	CHPRC
UPR-200-E-98	UPR-200-E-98, UN-216-E-26, Ground Contamination East of C Plant (Hot Semi Works), UN-200-E-98	200E	CHPRC
UPR-200-E-99	UPR-200-E-99, UN-216-E-27, Contamination Adjacent to 244-CR Vault, UN-200-E-99	200E	WRPS
UPR-200-N-1	UPR-200-N-1, Unplanned Release at the 212-R Railroad Spur	600	CHPRC
UPR-200-N-2	UPR-200-N-2, 200-N-2, Unplanned Release Near Well Pumphouse No. 2, Well Pumphouse East of 212-R	600	CHPRC
UPR-200-W-10	UPR-200-W-10, UN-200-W-10, Contamination Spread at 203-S UNH Tanks	200W	CHPRC
UPR-200-W-100	UPR-200-W-100, UN-216-W-8, 105-TX to 118-TX Process Line Leak, UN-200-W-100	200W	WRPS
UPR-200-W-101	UPR-200-W-101, UN-216-W-9, 221-U Acid Spill R-1 Through R-9, UN-200-W-101	200W	CHPRC
UPR-200-W-102	UPR-200-W-102, UN-216-W-12, UN-200-W-102, 224-T Underground Line Leak	200W	CHPRC
UPR-200-W-103	UPR-200-W-103, 216-Z-18 Line Break, UN-216-W-13, UN-200-W-103, Pipe Line Leak	200W	CHPRC
UPR-200-W-104	UPR-200-W-104, UN-216-W-14, 216-U-10 Pond Leach Trench, U Pond Fingers	200W	CHPRC
UPR-200-W-105	UPR-200-W-105, UN-216-W-15, 216-U-10 Pond Leach Trench	200W	CHPRC
UPR-200-W-106	UPR-200-W-106, UN-216-W-16, 216-U-10 Pond Leach Trench	200W	CHPRC
UPR-200-W-107	UPR-200-W-107, UN-216-W-17, 216-U-10 Pond Flood Plain	200W	CHPRC
UPR-200-W-108	UPR-200-W-108, Line Leak at 216-S-9 Crib, UN-216-W-18, UN-200-W-108	200W	CHPRC
UPR-200-W-109	UPR-200-W-109, Waste Line Leak Near 218-W-9, UN-216-W-19, UN-200-W-109	200W	CHPRC
UPR-200-W-11	UPR-200-W-11, 218-W-1 Burial Ground Fire, UN-200-W-11, UPR-200-W-16	200W	CHPRC
UPR-200-W-110	UPR-200-W-110, Contaminated Soil from 216-Z-1, UN-216-W-20 Spoil Trench	200W	CHPRC
UPR-200-W-111	UPR-200-W-111, Sludge Trench at 207-U, UN-216-W-21	200W	CHPRC
UPR-200-W-112	UPR-200-W-112, Sludge Trench at 207-U, UN-216-W-22	200W	CHPRC
UPR-200-W-113	UPR-200-W-113, Soil Contamination East of 241-TX, UN-216-W-23, Contamination Areas Around 241-TX-155 Diversion Box, UN-200-W-113	200W	WRPS
UPR-200-W-114	UPR-200-W-114, UN-216-W-24, Ground Contamination East of 241-SX Tank Farm, UN-200-W-114	200W	CHPRC
UPR-200-W-115	UPR-200-W-115, UN-216-W-25, Ground Contamination Above Transfer Line Along Cooper Street	200W	CHPRC
UPR-200-W-116	UPR-200-W-116, UN-216-W-26, Ground Contamination North of 202-S, UN-200-W-116	200W	CHPRC
UPR-200-W-117	UPR-200-W-117, Railroad Track Contamination, 221-U Railroad Cut Contamination, UN-216-W-27, UN-200-W-117	200W	CHPRC
UPR-200-W-118	UPR-200-W-118, Contamination at 211-U, UN-216-W-28, UN-200-W-118	200W	CHPRC
UPR-200-W-12	UPR-200-W-12, Ground Contamination Near 242-T	200W	CHPRC
UPR-200-W-123	UPR-200-W-123, 204-S Unloading Facility Frozen Discharge Line, UN-200-W-123	200W	CHPRC
UPR-200-W-124	UPR-200-W-124, Dike Break at the REDOX Pond, UN-200-W-124	200W	CHPRC
UPR-200-W-125	UPR-200-W-125, 216-U-15, UN-200-W-125, UN-216-W-10	200W	CHPRC
UPR-200-W-126	UPR-200-W-126, Contamination Release Inside 241-TX Tank Farm	200W	WRPS

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-200-W-127	UPR-200-W-127, Liquid Release from 242-S Evaporator to the Ground, UN-200-W-127	200W	WRPS
UPR-200-W-128	UPR-200-W-128, Contamination Release Inside 241-U Tank Farm	200W	WRPS
UPR-200-W-129	UPR-200-W-129, Contamination Release Inside 241-TX Tank Farm	200W	WRPS
UPR-200-W-13	UPR-200-W-13, Liquid Release from REDOX to 207-S and 216-S-17 Pond, UN-200-W-13	200W	CHPRC
UPR-200-W-130	UPR-200-W-130, Line Leak at 231-W-151 Sump, UN-200-W-130	200W	CHPRC
UPR-200-W-131	UPR-200-W-131, Release from 241-TX-155	200W	WRPS
UPR-200-W-132	UPR-200-W-132, UN-200-W-132, 241-UR-151 Diversion Box Release	200W	WRPS
UPR-200-W-134	UPR-200-W-134, Improper Drum Burial at 218-W-3A	200W	CHPRC
UPR-200-W-135	UPR-200-W-135, Release from 241-TX-155, UN-200-W-135	200W	WRPS
UPR-200-W-137	UPR-200-W-137, 218-W-7, UN-200-W-137	200W	CHPRC
UPR-200-W-138	UPR-200-W-138, 221-U Vessel Vent Blower Pit French Drain, UN-216-W-11, UN-200-W-138, UN-200-W-22, UPR-200-W-22	200W	CHPRC
UPR-200-W-139	UPR-200-W-139, Liquid Release to the 216-U-9 Ditch, UN-200-W-139, UPR-200-W-18	200W	CHPRC
UPR-200-W-14	UPR-200-W-14, Waste Line Leak at 242-T Evaporator, UN-200-W-14	200W	CHPRC
UPR-200-W-140	UPR-200-W-140, 241-SX-107 Leak	200W	WRPS
UPR-200-W-141	UPR-200-W-141, 241-SX-108 Leak	200W	WRPS
UPR-200-W-142	UPR-200-W-142, 241-SX-109 Leak	200W	WRPS
UPR-200-W-143	UPR-200-W-143, 241-SX-111 Leak	200W	WRPS
UPR-200-W-144	UPR-200-W-144, 241-SX-112 Leak	200W	WRPS
UPR-200-W-145	UPR-200-W-145, 241-SX-113 Leak	200W	WRPS
UPR-200-W-146	UPR-200-W-146, 241-SX-115 Leak	200W	WRPS
UPR-200-W-147	UPR-200-W-147, 241-T-103 Leak	200W	WRPS
UPR-200-W-148	UPR-200-W-148, 241-T-106 Leak	200W	WRPS
UPR-200-W-149	UPR-200-W-149, 241-TX-107 Leak	200W	WRPS
UPR-200-W-15	UPR-200-W-15, Liquid Release from REDOX to 207-S and 216-S-17 Pond, UN-200-W-15	200W	CHPRC
UPR-200-W-150	UPR-200-W-150, 241-TY-103 Leak	200W	WRPS
UPR-200-W-151	UPR-200-W-151, 241-TY-104 Leak	200W	WRPS
UPR-200-W-152	UPR-200-W-152, 241-TY-105 Leak	200W	WRPS
UPR-200-W-153	UPR-200-W-153, 241-TY-106 Leak	200W	WRPS
UPR-200-W-154	UPR-200-W-154, 241-U-101 Leak	200W	WRPS
UPR-200-W-155	UPR-200-W-155, 241-U-104 Leak	200W	WRPS
UPR-200-W-156	UPR-200-W-156, 241-U-110 Leak	200W	WRPS
UPR-200-W-157	UPR-200-W-157, 241-U-112 Leak	200W	WRPS
UPR-200-W-159	UPR-200-W-159, Caustic Spill at Plutonium Finishing Plant, UN-200-W-159	200W	CHPRC
UPR-200-W-16	UPR-200-W-16, Fire at 218-W-1 Burial Ground	200W	CHPRC
UPR-200-W-160	UPR-200-W-160, Line Break at 241-TX-302C, UPR-200-W-38, UPR-200-W-40, 216-T-30	200W	CHPRC
UPR-200-W-161	UPR-200-W-161, UN-216-W-35, UN-200-W-161, Large Area East of 241-U Tank Farm	200W	CHPRC
UPR-200-W-162	UPR-200-W-162, Contaminated Area on East Side of 221-U, UN-216-W-37	200W	CHPRC
UPR-200-W-163	UPR-200-W-163, Contaminated Vegetation at the 216-U-8 Pipeline (200-W-42-PL), UN-216-W-33	200W	CHPRC
UPR-200-W-164	UPR-200-W-164, Overhead UNH Line Leak, UN-216-W-29	200W	CHPRC
UPR-200-W-165	UPR-200-W-165, Contamination Area East of 241-S, UN-216-W-30	200W	CHPRC
UPR-200-W-166	UPR-200-W-166, Contamination Migration from 241-T Tank Farm, UN-216-W-31	200W	CHPRC
UPR-200-W-167	UPR-200-W-167, Contamination Migration from 241-TY, UN-216-W-32	200W	WRPS
UPR-200-W-17	UPR-200-W-17, UN-200-W-17, Contamination Spread from 241-TX-106 Pump Removal	200W	WRPS
UPR-200-W-18	UPR-200-W-18, Liquid Release to 216-U-9	200W	CHPRC
UPR-200-W-19	UPR-200-W-19, 241-U-361 Overflow, UN-200-W-19	200W	CHPRC
UPR-200-W-2	UPR-200-W-2, UN-200-W-2, Underground Waste Line Leak	200W	CHPRC
UPR-200-W-20	UPR-200-W-20, UN-200-W-20, Spread of Contamination from a Diversion Box	200W	WRPS
UPR-200-W-21	UPR-200-W-21, UN-200-W-21, UN-216-W-36, Process Line Cave-in at 241-TX-154 Diversion Box	200W	WRPS
UPR-200-W-23	UPR-200-W-23, Waste Box Fire at 234-5Z, UN-200-W-23	200W	CHPRC
UPR-200-W-24	UPR-200-W-24, Release from the 244-UR Vault, UN-200-W-24	200W	WRPS
UPR-200-W-26	UPR-200-W-26, Contamination Spread During Burial Operation	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-200-W-27	UPR-200-W-27, Transfer Line Leak at 23rd and Camden, UN-200-W-27, UN-216-W-5, Duplicate of UPR-200-W-29	200W	CHPRC
UPR-200-W-28	UPR-200-W-28, Release from 241-TX-155 Diversion Box, UN-200-W-28	200W	WRPS
UPR-200-W-29	UPR-200-W-29, Transfer Line Leak, UN-200-W-29, UPR-200-W-27, UN-200-W-27, UN-216-W-5, 23rd and Camden Line Break	200W	CHPRC
UPR-200-W-3	UPR-200-W-3, Railroad Contamination, UN-200-W-3	200W	CHPRC
UPR-200-W-30	UPR-200-W-30, 216-S-12, UN-200-W-30	200W	CHPRC
UPR-200-W-32	UPR-200-W-32, UNH Transfer Line Break, UN-200-W-32	200W	CHPRC
UPR-200-W-33	UPR-200-W-33, Ground Contamination at 224-U, UN-200-W-33	200W	CHPRC
UPR-200-W-34	UPR-200-W-34, Overflow of the 216-S-10 Ditch, UN-200-W-34	200W	CHPRC
UPR-200-W-35	UPR-200-W-35, Ground Contamination Near UNH Process Line, UN-200-W-35, REDOX to 224-U UNH Line Leak	200W	CHPRC
UPR-200-W-36	UPR-200-W-36, Groundwater Contamination at 216-S-1 and 216-S-2	200W	CHPRC
UPR-200-W-37	UPR-200-W-37, Contaminated Boxes Found in a Burn Pit (Z Plant Burn Pit)	200W	CHPRC
UPR-200-W-38	UPR-200-W-38, Line Break at 241-TX-302C, UPR-200-W-160, UPR-200-W-40, UN-200-W-38, 216-T-30	200W	CHPRC
UPR-200-W-39	UPR-200-W-39, UN-200-W-39, 224-U Buried Contamination Trench	200W	CHPRC
UPR-200-W-4	UPR-200-W-4, Railroad Contamination, UN-200-W-4	200W	CHPRC
UPR-200-W-40	UPR-200-W-40, Line Break Near 241-TX-154, UPR-200-W-38, UPR-200-W-160, 216-T-30, UN-200-W-40	200W	CHPRC
UPR-200-W-41	UPR-200-W-41, Railroad Contamination, UN-200-W-41, REDOX Railroad Cut Contamination	200W	CHPRC
UPR-200-W-42	UPR-200-W-42, Contamination found at 2706-S, UN-200-W-42	200W	CHPRC
UPR-200-W-43	UPR-200-W-43, Contaminated Blacktop East of 233-S, UN-200-W-43	200W	CHPRC
UPR-200-W-44	UPR-200-W-44, Railroad Track Contamination, UN-200-W-44	200W	CHPRC
UPR-200-W-45	UPR-200-W-45, Burial Box Collapse	200W	CHPRC
UPR-200-W-46	UPR-200-W-46, Contaminated Railroad Track, H-2 Centrifuge Burial, UN-200-W-46	200W	CHPRC
UPR-200-W-47	UPR-200-W-47, 216-S-16P Dike Release, UN-200-W-47	200W	CHPRC
UPR-200-W-48	UPR-200-W-48, Contaminated Railroad Track Near 221-U, UN-200-W-48	200W	CHPRC
UPR-200-W-49	UPR-200-W-49, Contamination Southeast of 241-SX, UN-200-W-49	200W	CHPRC
UPR-200-W-5	UPR-200-W-5, Overflow at 241-TX-155, UN-200-W-5	200W	WRPS
UPR-200-W-50	UPR-200-W-50, UN-200-W-50, Contamination Spread from 241-SX-114	200W	WRPS
UPR-200-W-51	UPR-200-W-51, Release from 241-S Diversion Box, UN-200-W-51, UPR-200-W-52	200W	CHPRC
UPR-200-W-52	UPR-200-W-52, Release from 241-S Diversion Box, UN-200-W-52	200W	CHPRC
UPR-200-W-53	UPR-200-W-53, Burial Box Collapse	200W	CHPRC
UPR-200-W-55	UPR-200-W-55, Uranium Powder Spill at 224-U, UN-200-W-55	200W	CHPRC
UPR-200-W-56	UPR-200-W-56, Contamination at the REDOX Column Carrier Trench, UN-200-W-56	200W	CHPRC
UPR-200-W-57	UPR-200-W-57, UPR-200-E-120 (error in area number assignment), UN-200-W-57, 233-S Fire	200W	CHPRC
UPR-200-W-58	UPR-200-W-58, Railroad Track Contamination, UN-200-W-58	200W	CHPRC
UPR-200-W-59	UPR-200-W-59, Contaminated Liquid Released to 216-S-16P	200W	CHPRC
UPR-200-W-6	UPR-200-W-6, UN-200-W-6, Contamination Spread from 241-U-151 and 241-U-152 Diversion Boxes	200W	WRPS
UPR-200-W-60	UPR-200-W-60, Railroad Contamination, UN-200-W-60	200W	CHPRC
UPR-200-W-61	UPR-200-W-61, REDOX Ground Contamination, UN-200-W-61	200W	CHPRC
UPR-200-W-62	UPR-200-W-62, UN-200-W-62, Line Leak at 23rd and Camden, UN-216-W-5, Duplicate of UPR-200-W-97	200W	CHPRC
UPR-200-W-63	UPR-200-W-63, Road Contamination Along the South Shoulder of 23rd Street, UN-200-W-63	200W	CHPRC
UPR-200-W-64	UPR-200-W-64, Road Contamination at 23rd and Camden, UN-200-W-64	200W	CHPRC
UPR-200-W-65	UPR-200-W-65, Contamination in the T-Plant Railroad Cut, UN-200-W-65	200W	CHPRC
UPR-200-W-67	UPR-200-W-67, Contamination Near 2706-T, UN-200-W-67	200W	CHPRC
UPR-200-W-68	UPR-200-W-68, Road Contamination, UN-200-W-68	200W	CHPRC
UPR-200-W-69	UPR-200-W-69, Railroad Contamination, UN-200-W-69	200W	CHPRC
UPR-200-W-7	UPR-200-W-7, Contamination Spread from the 241-T-151 and 241-T-152 Diversion Boxes, UN-200-W-7	200W	WRPS
UPR-200-W-70	UPR-200-W-70, Contamination Found at the 200 West Burning Ground East of Beloit Ave.	200W	CHPRC

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-200-W-71	UPR-200-W-71, UN-200-W-71, Contamination Spread from 16th Street to Dayton Ave.	200W	CHPRC
UPR-200-W-72	UPR-200-W-72, Contamination at 218-W-4A	200W	CHPRC
UPR-200-W-73	UPR-200-W-73, Contaminated Railroad Track at 221-T, UN-200-W-73	200W	CHPRC
UPR-200-W-74	UPR-200-W-74, Overground Line Leak at 241-Z, UN-200-W-74	200W	CHPRC
UPR-200-W-75	UPR-200-W-75, Contamination Spread at 241-Z, UN-200-W-75	200W	CHPRC
UPR-200-W-76	UPR-200-W-76, UN-200-W-76, Contamination Found at 241-TX-155	200W	WRPS
UPR-200-W-77	UPR-200-W-77, Contaminated Coyote Feces, UN-200-W-77	200W	CHPRC
UPR-200-W-78	UPR-200-W-78, UO3 Powder Spill at 224-U, UN-200-W-78	200W	CHPRC
UPR-200-W-79	UPR-200-W-79, Contamination Spread at 241-Z, UN-200-W-79	200W	CHPRC
UPR-200-W-8	UPR-200-W-8, UN-200-W-8, 200-W-5, Old Burial/Burning Pit, U-Plant Burning Pit/Burial Ground	200W	CHPRC
UPR-200-W-80	UPR-200-W-80, UN-200-W-80, 241-S/SX Contamination Migration	200W	WRPS
UPR-200-W-81	UPR-200-W-81, UN-200-W-81, Contamination Specks in 241-S/SX	200W	WRPS
UPR-200-W-82	UPR-200-W-82, UN-200-W-82, Contamination Spread at 240-S-151	200W	CHPRC
UPR-200-W-83	UPR-200-W-83, Radioactive Spill Near 204-S Radiation Zone, UN-216-W-82, UN-200-W-83	200W	CHPRC
UPR-200-W-84	UPR-200-W-84, Ground Contamination During Burial Operation at 218-W-3A	200W	CHPRC
UPR-200-W-85	UPR-200-W-85, Radioactive Spill from Multipurpose Transfer Box, UN-216-W-85, UN-200-W-85	200W	CHPRC
UPR-200-W-86	UPR-200-W-86, Contaminated Pigeon Feces at 221-U and 204-S, UN-200-W-86, UN-216-W-86	200W	CHPRC
UPR-200-W-87	UPR-200-W-87, UN-216-W-87, Radioactive Spill from 219-S Filter Housing, UN-200-W-87	200W	WRPS
UPR-200-W-88	UPR-200-W-88, Radioactive Spill from Uranyl Nitrate (UNH) Trailer, UN-216-W-88, UN-200-W-88	200W	CHPRC
UPR-200-W-89	UPR-200-W-89, Radioactive Contamination Southwest of 236-Z Building, UN-216-W-89, UN-200-W-89	200W	CHPRC
UPR-200-W-90	UPR-200-W-90, Radioactive Contamination South of 236-Z Building, UN-216-N-90, UN-200-W-90	200W	CHPRC
UPR-200-W-91	UPR-200-W-91, Radioactive Contamination Near 234-5Z Building, UN-216-W-91, UN-200-W-91	200W	CHPRC
UPR-200-W-95	UPR-200-W-95, UN-216-W-2, 207-S Retention Basin	200W	CHPRC
UPR-200-W-96	UPR-200-W-96, UN-216-W-4, 233-S Floor Overflow, 233-SA Floor Overflow	200W	CHPRC
UPR-200-W-97	UPR-200-W-97, Transfer Line Leak, UN-216-W-5, UN-200-W-97	200W	CHPRC
UPR-200-W-98	UPR-200-W-98, UN-216-W-6, 221-T Waste Line Break at R-19, UN-200-W-98	200W	CHPRC
UPR-200-W-99	UPR-200-W-99, UN-216-W-7, 241-153-TX Diversion Box Contamination Spread, UN-200-W-99	200W	CHPRC
UPR-3000-1	UPR-3000-1, UN-3000-1, Release from the Physical Science Laboratory	3000	CHPRC
UPR-300-1	UPR-300-1, 316-1A, 307-340 Waste Line Leak, UN-300-1	300	CHPRC
UPR-300-10	UPR-300-10, Contamination Under 325 Building, UN-300-10	300	WCH
UPR-300-11	UPR-300-11, Underground Radioactive Liquid Line Leak, UN-300-11	300	CHPRC
UPR-300-12	UPR-300-12, UN-300-12, Contaminated Soil Beneath the 325 Building	300	WCH
UPR-300-13	UPR-300-13, UN-300-13, Acid Neutralization Tank Leak East of 333 Building	300	WCH
UPR-300-14	UPR-300-14, UN-300-14, Acid Leak at 334 Tank Farm	300	WCH
UPR-300-15	UPR-300-15, Uranium Bearing Acid Release from 313 to the Process Sewer	300	WCH
UPR-300-17	UPR-300-17, UN-300-17, Metal Shavings Fire	300	WCH
UPR-300-18	UPR-300-18, UN-300-18, Release at 321 Tank Farms	300	WCH
UPR-300-19	UPR-300-19, Chemical Release to the Process Sewer	300	WCH
UPR-300-2	UPR-300-2, Releases at the 340 Facility, UN-300-2, UN-316-2	300	CHPRC
UPR-300-20	UPR-300-20, Acid Release to the Process Sewer	300	WCH
UPR-300-21	UPR-300-21, Nitric Acid Release to the Process Sewer	300	WCH
UPR-300-22	UPR-300-22, Acid Release to the Process Sewer	300	WCH
UPR-300-23	UPR-300-23, Acid Release to the Process Sewer	300	WCH
UPR-300-24	UPR-300-24, Acid Release to the Process Sewer	300	WCH
UPR-300-25	UPR-300-25, Release to the Process Sewer	300	WCH
UPR-300-26	UPR-300-26, Caustic Release to the Process Sewer	300	WCH
UPR-300-27	UPR-300-27, Acid Release to the Process Sewer	300	WCH
UPR-300-28	UPR-300-28, Release to the Process Sewer	300	WCH
UPR-300-29	UPR-300-29, Release to the Process Sewer	300	WCH
UPR-300-30	UPR-300-30, Acid Release to the Process Sewer	300	WCH
UPR-300-31	UPR-300-31, UN-300-3, 300-31	300	WCH

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
UPR-300-32	UPR-300-32, Acid Leaks at the 333 Building	300	WCH
UPR-300-33	UPR-300-33, Waste Leak at the 333 Building	300	WCH
UPR-300-34	UPR-300-34, Release to the Process Pond	300	WCH
UPR-300-35	UPR-300-35, Leak at the 333 Building	300	WCH
UPR-300-36	UPR-300-36, Acid Leak at the 333 Building	300	WCH
UPR-300-37	UPR-300-37, 333 Building Leaks	300	WCH
UPR-300-38	UPR-300-38, Soil Contamination Beneath the 313 Building	300	WCH
UPR-300-39	UPR-300-39, UN-300-39, Sodium Hydroxide Leak at 311 Tank Farm	300	WCH
UPR-300-4	UPR-300-4, UN-300-4, Contaminated Soil Beneath the 321 Building	300	WCH
UPR-300-40	UPR-300-40, Acid Release at the 303-F Pipe Trench, UN-300-40, UPR-300-31, UN-300-31	300	WCH
UPR-300-41	UPR-300-41, 300 Area #340 Building Phosphoric Acid Spill, UN-300-41	300	WCH
UPR-300-42	UPR-300-42, 300 Area Powerhouse Fuel Oil Spill, UN-300-42	300	WCH
UPR-300-43	UPR-300-43, 300 Area Solvent Refined Coal Spill, UN-300-43	300	WCH
UPR-300-44	UPR-300-44, 313 Building, Uranium Bearing Waste Etch-Acid Spill, UN-300-44	300	WCH
UPR-300-45	UPR-300-45, 303-F Building Uranium-Bearing Acid Spill, UN-300-45	300	WCH
UPR-300-46	UPR-300-46, Contamination North of 333 Building	300	WCH
UPR-300-47	UPR-300-47, 309 Building, Ethylene Glycol Release, Glycol Spill from the 309, Chiller System	300	WCH
UPR-300-48	UPR-300-48, 325 Building Basement Topsy Pit	300	WCH
UPR-300-5	UPR-300-5, UN-300-5, Spill at 309 Storage Basin	300	WCH
UPR-300-7	UPR-300-7, UN-300-7, Oil Spill at 384 Building	300	WCH
UPR-300-8	UPR-300-8, Caustic Spill from 311 Tank Farm to Process Sewer	300	WCH
UPR-300-9	UPR-300-9, Nitric Acid Leak from 306-W to the Process Sewer	300	WCH
UPR-300-FF-1	UPR-300-FF-1, 300-FF-1 Hot Spots, Surface Radiation Survey for 300-FF-1, UN-300-FF-1	300	WCH
UPR-400-1	UPR-400-1, 400 Area Coolant Spill, UN-400-1	400	CHPRC
UPR-600-1	UPR-600-1, Contamination Spread at 618-10 Burial Ground, UN-600-1	600	WCH
UPR-600-10	UPR-600-10, Contamination Spread at 618-11	600	WCH
UPR-600-11	UPR-600-11, Contaminated Soil Dumped at JA Jones Pit #1	600	WCH
UPR-600-12	UPR-600-12, UN-600-12, UNH Spill to Route 4S	600	CHPRC
UPR-600-15	UPR-600-15, UN-600-15, Contaminated Material found at 618-4	600	WCH
UPR-600-16	UPR-600-16, P-11 Fire and Contamination Spread, UN-600-16, UN-616-16	600	WCH
UPR-600-17	UPR-600-17, 600 Area Patrol Boat Spill, UN-600-17	600	WCH
UPR-600-18	UPR-600-18, Tank Truck Gasoline Spill, UN-600-18	600	WCH
UPR-600-19	UPR-600-19, Lime Sulfur Barrel	600	WCH
UPR-600-2	UPR-600-2, Contamination Spread at 618-10, UN-600-2	600	WCH
UPR-600-20	UPR-600-20, UN-216-E-41, Old Cross Site Transfer Line Surface Contamination	600	CHPRC
UPR-600-21	UPR-600-21, Contamination Found Northeast of 200 East Area, UN-216-E-31	600	CHPRC
UPR-600-22	UPR-600-22, WPPSS Windrow Site, 600-21	600	WCH
UPR-600-3	UPR-600-3, Contamination Spread at 618-10	600	WCH
UPR-600-4	UPR-600-4, Contamination Spread at 618-11	600	WCH
UPR-600-5	UPR-600-5, Contamination Spread at 618-11	600	WCH
UPR-600-6	UPR-600-6, Contamination Spread at 618-11	600	WCH
UPR-600-7	UPR-600-7, Contamination Spread at 618-11	600	WCH
UPR-600-8	UPR-600-8, Contamination Spread at 618-11	600	WCH
UPR-600-9	UPR-600-9, Contamination Spread at 618-11	600	WCH
WESF	WESF, Waste Encapsulation and Storage Facility, 225-B (See Subsites)	200E	CHPRC
WRAP	WRAP, Waste Receiving and Processing Facility	200W	CHPRC
Z PLANT BP	Z PLANT BP, Z Plant Burning Pit, Z Plant Burn Pit	200W	CHPRC
100-B-29	100-B-29, Pipe Located Southeast of the 183-B Clearwells	100B	TBD
100-B-30	100-B-30, Pipe Located South of the 100-B/C Perimeter Road	100B	TBD
100-B-31	100-B-31, Garnet Sand Located at 183-C Clearwell Pads	100B	TBD
100-B-32	100-B-32, Soil Contamination Area Associated with Legacy Waste, SCA #1	100B	TBD
100-B-33	100-B-33, Soil Contamination Area 2 Associated with Legacy Waste, SCA #2	100B	TBD
100-D-100	100-D-100, Sodium Dichromate Near Southern Portion of 100-D-56	100D	TBD
100-D-101	100-D-101, Miscellaneous Structures, 108-D Acid Pit and Sump, 108-D Sodium Silicate Sump, 108-D Storage Tanks, 108-D Car Spot	100D	TBD
100-D-102	100-D-102, Suspect Effluent Leak Adjacent to 107-DR Basin	100D	TBD
100-D-103	100-D-103, Suspected Trench and French Drain from 116-D-8 Cask Pad	100D	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-D-104	100-D-104, Unplanned Release near 185-D Sodium Dichromate Storage Tank and Acid Neutralization French Drain	100D	TBD
100-D-69	100-D-69, Sodium Dichromate Found Near Pacific Avenue and Paddock Street	100D	TBD
100-D-70	100-D-70, 184DA Steam Generating Plant Dry Well, 184-DA	100D	TBD
100-D-71	100-D-71, Vertical Safety Rod Tower Components	100D	TBD
100-D-72	100-D-72, 183D Acid Facility	100D	TBD
100-D-73	100-D-73, 108-D Chemical Pump House	100D	TBD
100-D-74	100-D-74, Drywell Well	100D	TBD
100-D-75	100-D-75, 151-D Primary Electrical Substation, 152-C1-D & 152-E1-D Secondary Electrical Substations (see subsites)	100D	TBD
100-D-76	100-D-76, Potential Crib Next to 108D, Potential Former 116-D-3 Crib	100D	TBD
100-D-77	100-D-77, DR Reactor Water Treatment Facility, Acid Facility, 183-DR Head House, 183-DR Filter Building, Sodium Dichromate Systems, 183-DR Flocculation Basins, 183-DR Sedimentation Basins	100D	TBD
100-D-78	100-D-78, 100D Yellow Stained Soils	100D	TBD
100-D-79	100-D-79, 100D Posted Soil Contamination Areas, SCA Area 1, SCA Area 2	100D	TBD
100-D-80	100-D-80, 100D Tar Stained Soils & Miscellaneous Debris	100D	TBD
100-D-81	100-D-81, 100D Burn Areas and Other Stained Areas	100D	TBD
100-D-82	100-D-82, 100D Garnet Sand Sites	100D	TBD
100-D-83	100-D-83, 100D Treated Water Pipelines (See Subsites)	100D	TBD
100-D-84	100-D-84, 100D Sanitary Sewer Pipelines (See Subsites)	100D	TBD
100-D-85	100-D-85, 100D Reactor Effluent Pipelines (See Subsites)	100D	TBD
100-D-86	100-D-86, 100D Process Sewer Pipelines (See Subsites)	100D	TBD
100-D-87	100-D-87, Spill Near Railroad Car Spot	100D	TBD
100-D-88	100-D-88, 100D Miscellaneous Pipelines	100D	TBD
100-D-89	100-D-89, Power Pole and Junction Box Debris	100D	TBD
100-D-90	100-D-90, 100-D/DR Out of Service Transformers	100D	TBD
100-D-91	100-D-91, 100-D/DR Electrical Components Debris	100D	TBD
100-D-92	100-D-92, Second Potential UST Near Dichromate Station	100D	TBD
100-D-93	100-D-93, Potential UST Near Dichromate Station	100D	TBD
100-D-94	100-D-94, Dichromate Contaminated Pit Associated with 187-DR	100D	TBD
100-D-95	100-D-95, 100-D/DR Unnumbered Septic Tanks and Tile Field	100D	TBD
100-D-96	100-D-96, 100-D/DR Additional French Drains	100D	TBD
100-D-97	100-D-97, 184-DA 500-Gallon Fuel Tank, 184DA	100D	TBD
100-D-98	100-D-98, 152D Substations	100D	TBD
100-D-99	100-D-99, Two Suspect Features Identified by Ground Penetrating Radar	100D	TBD
100-F-58	100-F-58, 100-F Surface Debris Potentially Containing Asbestos	100F	TBD
100-F-59	100-F-59, Riparian Area Contamination Originating from 128-F-2	100F	TBD
100-F-60	100-F-60, Cast Iron Pipe	100F	TBD
100-F-61	100-F-61, Stained Soil near 100-F-12	100F	TBD
100-F-62	100-F-62, Animal Farm Septic Lines	100F	TBD
100-F-63	100-F-63, Animal Farm Radioactive Effluent Lines	100F	TBD
100-H-38	100-H-38, Trenches and Pit Southwest of 105-H	100H	TBD
100-H-39	100-H-39, Possible Thimble Pit Locations, Potential Thimble Burial Site, Orphan Site H-007	100H	TBD
100-H-40	100-H-40, Disposal Pit	100H	TBD
100-H-41	100-H-41, Contaminated Area	100H	TBD
100-H-42	100-H-42, 1906-H Drainage Lift Station	100H	TBD
100-H-43	100-H-43, Maintenance Garage, Repair Shop	100H	TBD
100-H-44	100-H-44, 183-H Neutralization Pit, H-016	100H	TBD
100-H-45	100-H-45, 1717-H UST, Underground Propane Tank, H-015	100H	TBD
100-H-46	100-H-46, 190-H Potential Contaminated Soil	100H	TBD
100-H-47	100-H-47, 1717-H Geophysical Anomaly, Possible UST, Orphan Site H-015	100H	TBD
100-H-48	100-H-48, 184-HA Underground Fuel Oil Tanks Associated Piping	100H	TBD
100-H-49	100-H-49, Potentially Contaminated French Drains, (See Subsites)	100H	TBD
100-H-50	100-H-50, 100-H Steam Condensate French Drains	100H	TBD
100-H-51	100-H-51, 100-H-51, Potentially Contaminated Pipeline Segments (See subsites)	100H	TBD
100-H-52	100-H-52, 184-HA Septic Drain Field and Associated Piping	100H	TBD
100-H-53	100-H-53, Carbon Steel Pipe in River Bank	100H	TBD
100-H-54	100-H-54, GPERs 100-H Shoreline Survey Unplanned Release	100H	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
100-H-55	100-H-55, Cast Iron Pipe	100H	TBD
100-H-56	100-H-56, H-Area Miscellaneous Pipelines	100H	TBD
100-H-57	100-H-57, Water Tower Foundations at 100-H	100H	TBD
100-H-58	100-H-58, Mud Dauber Nests On Active Powerlines In H Area	100H	TBD
100-K-100	100-K-100, Radioactive Material Area Remaining After 107-KW Basin Removal, 116-KW-3 Remaining Contaminated Soil and Items	100K	TBD
100-K-101	100-K-101, French Drains and Mercury Stained Soils near the 183KE Sedimentation Basin	100K	TBD
100-K-102	100-K-102, French Drains and Mercury Stained Soils near the 183KW Sedimentation Basin	100K	TBD
100-K-103	100-K-103, 1704-K and 1717-K Septic Systems, Additional Components of 1607-K4	100K	TBD
100-K-104	100-K-104, 166-KE French Drain	100K	TBD
100-K-105	100-K-105, Pit at Southeast Corner of 100K	100K	TBD
100-K-106	100-K-106, 182-K Fuel Oil Crib	100K	TBD
100-K-107	100-K-107, 1706-KER Abandoned Drain Field	100K	TBD
100-K-108	100-K-108, 1706-KER Septic System, 1706-KER Septic Tank, Crib and Sewer Line	100K	TBD
100-K-109	100-K-109, Unplanned Chemical Release near 183.1KW Head House, Yellow Stained Soil adjacent to 183.1KW Head House	100K	TBD
100-K-84	100-K-84, Red Soil Found Southwest of 118-K-1	100K	TBD
100-K-85	100-K-85, 100-K Temporary Construction Pit	100K	TBD
100-K-86	100-K-86, 100-K Stain Areas, Four Areas of Stained Soil in 100-K Area	100K	TBD
100-K-87	100-K-87, 100-K Asbestos Lagging	100K	TBD
100-K-88	100-K-88, Yellow Granular Material	100K	TBD
100-K-89	100-K-89, 100-K Burn Site	100K	TBD
100-K-90	100-K-90, 100-K White Granular Material	100K	TBD
100-K-91	100-K-91, 100-K Battery	100K	TBD
100-K-92	100-K-92, 100-K Reddish Stained Gravels	100K	TBD
100-K-93	100-K-93, 100-K Drum Remnant	100K	TBD
100-K-94	100-K-94, 1702-KE and 1702-KW Guard House Dry Wells	100K	TBD
100-K-95	100-K-95, 100-K Tar Dump	100K	TBD
100-K-96	100-K-96, 100KE River Effluent Pipeline, 100KE River Line, River Line (East) from 116-K-3 Outfall	100K	TBD
100-K-97	100-K-97, 183-KW French Drain and Rail Spur Unplanned Release	100K	TBD
100-K-98	100-K-98, 183-KE French Drain and Rail Spur Unplanned Release	100K	TBD
100-K-99	100-K-99, Radioactive Material Area Remaining After 107-KE Basin Removal, 116-KE-4 Contaminated Soil and Items	100K	TBD
100-N-100	100-N-100, 100-N Oil Filters #4	100N	TBD
100-N-101	100-N-101, 100-N Stain Area #4	100N	TBD
100-N-102	100-N-102, 100-N Potentially Contaminated French Drains	100N	TBD
100-N-103	100-N-103, 100-N Steam Condensate French Drains	100N	TBD
100-N-82	100-N-82, 100-N Decontamination Pad	100N	TBD
100-N-83	100-N-83, Two Contamination Areas Found Near 116-N-1	100N	TBD
100-N-84	100-N-84, 100-N 100-N Miscellaneous Pipelines (See Subsites)	100N	TBD
100-N-85	100-N-85, Gas Station Fuel Tanks	100N	TBD
100-N-86	100-N-86, 151-N Substation Transformer and Oil Circuit Breakers	100N	TBD
100-N-87	100-N-87, 116-N Ventilation Stack Piping and French Drain	100N	TBD
100-N-88	100-N-88, 1143-N French Drain	100N	TBD
100-N-89	100-N-89, 117-NVH French Drain	100N	TBD
100-N-90	100-N-90, 100-N Reactor Rod Caves	100N	TBD
100-N-91	100-N-91, 100-N Battery Debris	100N	TBD
100-N-92	100-N-92, 100-N Stain Area #1	100N	TBD
100-N-93	100-N-93, 100-N Stain Area #2	100N	TBD
100-N-94	100-N-94, 100-N Oil Filters #1	100N	TBD
100-N-95	100-N-95, Hanford Generating Plant (185-N) Septic Tank	100N	TBD
100-N-96	100-N-96, 100-N Military Camp Disposal Pits	100N	TBD
100-N-97	100-N-97, 100-N Oil Filters #2	100N	TBD
100-N-98	100-N-98, 100-N Stain Area #3	100N	TBD
100-N-99	100-N-99, 100-N Oil Filters #3	100N	TBD
200-E-126-PL-A	200-E-126-PL-A, Segments of 200-E-126-PL Pipeline Located in the Outer Area	200E	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-126-PL-B	200-E-126-PL-B, Segments of 200-E-126-PL Pipeline Located in the Inner Area	200E	TBD
200-E-127-PL-A	200-E-127-PL-A, Segments of Gable Mountain Pond Pipeline Located in the Outer Area	200E	TBD
200-E-127-PL-B	200-E-127-PL-B, Segments of Gable Mountain Pond Pipeline Located in the Inner Area	200E	TBD
200-E-169-PL	200-E-169-PL, Pipeline to the 216-C-3 Crib	200E	TBD
200-E-170-PL	200-E-170-PL, Pipeline from 276-C to 216-C-4 Crib	200E	TBD
200-E-171-PL	200-E-171-PL, Pipeline to the 216-C-6 Crib	200E	TBD
200-E-172-PL	200-E-172-PL, Pipeline from 209-E to the 216-C-7 Crib	200E	TBD
200-E-173-PL	200-E-173-PL, Pipeline from 241-CX-71 to 216-C-5 Crib	200E	TBD
200-E-174-PL	200-E-174-PL, 216-B-10 (A&B) Pipeline, Pipeline from 221-BC and 222-B to 216-B-10 A&B Cribs (See Subsites)	200E	TBD
200-E-175-PL	200-E-175-PL, Pipeline from 292-B to 216-B-10 A&B	200E	TBD
200-E-176-PL	200-E-176-PL, Pipeline from 242-B to 216-B-11-A&B	200E	TBD
200-E-177-PL	200-E-177-PL, Pipeline Rerouting Waste from 216-B-8 Crib Pipeline to 216-B-11A&B Reverse Wells	200E	TBD
200-E-178-PL	200-E-178-PL, Pipeline from Tank 241-B-110 to 216-B-8 Crib and Tile Field	200E	TBD
200-E-179	200-E-179, R-13 Catch Tank, Catch Tank in 216-B-10 A&B Pipeline (See Sitecode 200-E-174-PL)	200E	TBD
200-E-180-PL	200-E-180-PL, 216-B-57 Crib Pipeline	200E	TBD
200-E-181-PL	200-E-181-PL, 216-B-61 Crib Pipeline	200E	TBD
200-E-182-PL	200-E-182-PL, 216-A-7 Crib Pipeline	200E	TBD
200-E-183-PL	200-E-183-PL, Pipelines from 241-A-151 Diversion Box to 216-A-2, Lines V010 and V011	200E	TBD
200-E-184-PL	200-E-184-PL, 216-A-2 Crib Pipelines, V010, V011	200E	TBD
200-E-185-PL	200-E-185-PL, 216-A-4 Crib Pipelines, V014, V016	200E	TBD
200-E-186-PL	200-E-186-PL, 216-A-31 Crib Pipelines, V010, V011	200E	TBD
200-E-187-PL	200-E-187-PL; Chemical Sewer from 202-A to 216-A-29 Ditch; PUREX Chemical Sewer (CSL); Lines 8819, 5802, and 5701	200E	TBD
200-E-188-PL	200-E-188-PL, B Plant Chemical Sewer Line, 2904-E-2, 15-Inch VP Line, BCE	200E	TBD
200-E-189	200-E-189, 216-A-TK-1 Carbonate Neutralization Tank	200E	TBD
200-E-190	200-E-190, 216-A-TK-2 Catch Tank	200E	TBD
200-E-191-PL	200-E-191-PL, 216-B-63 Pipeline, Pipeline from Valve Pit to 216-B-63 Ditch	200E	TBD
200-E-192-PL	200-E-192-PL, 216-A-10 Pipelines (See Subsites), Lines from Sample Pit 4 to 216-A-10 Crib	200E	TBD
200-E-193-PL	200-E-193-PL, 216-A-21 Crib Pipeline, Line X015	200E	TBD
200-E-194-PL	200-E-194-PL, 216-A-32 Crib Pipeline	200E	TBD
200-E-195-PL	200-E-195-PL, 241-B-361 Settling Tank and 216-B-9 Crib Pipelines, Line V204 (See Subsites)	200E	TBD
200-E-196-PL	200-E-196-PL; Lines T167 and T022; Stainless Steel Line to 216-A-4, 216-A-21 and 216-A-27 Cribs	200E	TBD
200-E-197-PL	200-E-197-PL; Encased Pipelines Between 241-BR-152 Diversion Box and 241-B Tank Farm; Lines 9002, 9006, 9010, 9014, 9017, 9020, 9031, 9032, 9035, 9037, 9038, 9041, 9044, and 9047	200E	TBD
200-E-198-PL	200-E-198-PL; Encased Tank Farm Pipeline from 241-BX-154 Diversion to 241-BX-155 Diversion Box; Lines V282, V283, V284, and V285	200E	TBD
200-E-199-PL	200-E-199-PL; Tank Farm Lines from 241-B-154 Diversion Box to 241-B Tank Farm; Lines V204, V206, V208, V209, V211, V213, V215, and V285	200E	TBD
200-E-200-PL	200-E-200-PL; Pipelines from 244-AR Vault to 241-AY-152 and 241-A-153 Diversion Boxes; Lines 801, 802, 806, and 805	200E	TBD
200-E-201-PL	200-E-201-PL, Transfer Lines from 241-BX-155 to Diversion Boxes in 241-B Tank Farm, Lines V315 and V319	200E	TBD
200-E-202-PL	200-E-202-PL; Transfer Lines from 241-BX-155 Diversion Box to 241-BX-153 Diversion Box; Lines V315, V316, V317, V318, and V319	200E	TBD
200-E-203-PL	200-E-203-PL, Pipeline from 241-BYR-154 Diversion Box to 216-B-2-2 Ditch, Line 9712	200E	TBD
200-E-204-PL	200-E-204-PL, Pipeline to 216-B-2-1 and 216-B-2-2 Ditches (See Subsites)	200E	TBD
200-E-205-PL	200-E-205-PL, 216-B-2-3 Ditch Pipelines (See Subsites)	200E	TBD
200-E-206-PL	200-E-206-PL; Lines V716, V717, and V718/817; Double Pipes from 244-AR Vault to 241-AR-151 Diversion Box	200E	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-207-PL	200-E-207-PL; Encased Transfer Line from 241-A-151 Diversion Box to 241-A-152 Diversion Box; Lines V004, V005, V006, V007, and V008	200E	TBD
200-E-208-PL	200-E-208-PL, Lines V304 and V305 from 241-BY Tank Farm to 241-B-252 Diversion Box	200E	TBD
200-E-209-PL	200-E-209-PL, Pipeline from 272-BB to 200-E-25 Dry Well	200E	TBD
200-E-210-PL	200-E-210-PL; Encased Lines Between 241-AW Tank Farm and 242-A Evaporator Building; Lines SL-167, SL-168, SN-219, SN-220, SN-269, and SN-270	200E	TBD
200-E-211-PL	200-E-211-PL; Transfer Lines from 241-AW to 242-A Evaporator Building; Lines DR334, DR335, and DR343	200E	TBD
200-E-212-PL	200-E-212-PL; Transfer Lines Between 241-AW Tank Farm and 241-AP Tank Farm; Lines SL-509, SL-510, SN-609, and SN-610	200E	TBD
200-E-213-PL	200-E-213-PL; Transfer Lines from 221-B to 241-B-154 Diversion Box; Lines V200, V329, V330, V331, V332, V333, and V334	200E	TBD
200-E-214-PL	200-E-214-PL, Pipeline to 200-E-55 French Drain, Pipeline from 291-B Sand Filter to French Drain	200E	TBD
200-E-215-PL	200-E-215-PL, Transfer Line Between 241-ER-151 Diversion Box and 241-ER-152 Diversion Box, Line V229	200E	TBD
200-E-216-PL	200-E-216-PL; Transfer Lines Between 241-BX-153, 241-B-151 and 241-B-152 Diversion Boxes; Lines V235, V236, V237, V242, C251, V252, and V253 (See Subsites)	200E	TBD
200-E-217-PL	200-E-217-PL; Encased Transfer Line from 241-ER-151 Diversion Box to 241-BX Tank Farm; Lines 9808, 9653, 9719, and V225 (See Subsites)	200E	TBD
200-E-218-PL	200-E-218-PL; Transfer Lines Between 241-A-151 Diversion Box and 241-AW Tank Farm; Lines V021, V022, and V023	200E	TBD
200-E-219-PL	200-E-219-PL; BY Crib Distribution Pipelines; Pipelines from 216-BY-201 Flush Tank to 216-B-43, 216-B-44, 216-B-45, 216-B-46, 216-B-47, 216-B-48, 216-B-49, and 216-B-50 Cribs (See Subsites)	200E	TBD
200-E-220-PL	200-E-220-PL, Pipeline from 241-BY Tank Farm to 216-BY-201 Flush Tank and Monitoring Pit (See Subsites)	200E	TBD
200-E-221-PL	200-E-221-PL, Pipeline to 216-B-51 French Drain, BC Crib Pipeline Drain Line	200E	TBD
200-E-222-PL	200-E-222-PL, Distribution Pipelines from 216-BC-201 Siphon Tank to BC Cribs (See Subsites)	200E	TBD
200-E-223	200-E-223, BC Pipeline Valve Pit, 200-E-114-PL Valve Pit	200E	TBD
200-E-224-PL	200-E-224-PL, 241-A-151 Diversion Box Drain Line to 241-A-302A Catch Tank, Line V027	200E	TBD
200-E-225-PL	200-E-225-PL, Transfer Line from 241-AR-151 Diversion Box to 241-AY-102 Tank, Line V720	200E	TBD
200-E-226-PL	200-E-226-PL, Transfer Line from 221-B to 241-C-154, Promethium Transfer Line, V743	200E	TBD
200-E-227-PL	200-E-227-PL; Transfer Lines Between 244-AR Vault Facility and 241-AX-151 Diversion Box; Lines 4005/810, 4015/814, and 4019/817	200E	TBD
200-E-228-PL	200-E-228-PL; Drain Lines from 241-ER-151 Diversion Box to 241-ER-311 and 241-ER-311A Catch Tanks; Lines V224, V226, and V226-1 (See Subsites)	200E	TBD
200-E-229-PL	200-E-229-PL, Transfer Line Between tank 241-AP-102 and 241-A-B Valve Pit, Line SN-650	200E	TBD
200-E-230-PL	200-E-230-PL, Pipeline from 292-B to 216-B-4 Reverse Well	200E	TBD
200-E-231-PL	200-E-231-PL, 216-A-45 Crib Pipeline	200E	TBD
200-E-232-PL	200-E-232-PL, Pipeline from 207-A Basins to 216-A-30 and 216-A-37-1 Cribs (See Subsites)	200E	TBD
200-E-233-PL	200-E-233-PL, Pipeline from 216-A-30 Crib Distribution Box to the 216-A-37-2 Crib Distribution Box	200E	TBD
200-E-234-PL	200-E-234-PL; Pipelines from 242-A Evaporator Building to the 207-A Basins; Lines 300, 501, 505, and 557 (See Subsites)	200E	TBD
200-E-235-PL	200-E-235-PL; 207-A North Basin Distribution Lines; Lines 501,502, 503, 504, 506, and 507	200E	TBD
200-E-236-PL	200-E-236-PL; 207-A South Basin Distribution Lines; Lines 557, 558, 559, 560, 562, and 563	200E	TBD
200-E-237-PL	200-E-237-PL, Pipeline to 200 East Powerhouse Ditch and Pipeline from Powerhouse Ditch to 216-B-3 Ditches, Line 2904-E-1, 2904-E-24 (See Subsites)	200E	TBD
200-E-238-PL	200-E-238-PL, Pipeline from 206-A to 216-A-9 Crib	200E	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-239-PL	200-E-239-PL, Pipeline from 216-A-5 Sample Pit #4 to 216-A-5 Crib	200E	TBD
200-E-240-PL	200-E-240-PL, Pipeline from Valve Pit West of Sample Pit 4 to the 216-A-38-1 Crib	200E	TBD
200-E-241-PL	200-E-241-PL, Pipeline from 200-E-58 Neutralization Tank to the 216-A-5 Sample Pit #4, Lines 7717 and 7718 (See Subsites)	200E	TBD
200-E-242-PL	200-E-242-PL, Pipeline from 216-A-5 Sample Pit #4 to 216-A-15 French Drain	200E	TBD
200-E-243-PL	200-E-243-PL, Pipeline to the 216-B-13 French Drain	200E	TBD
200-E-244-PL	200-E-244-PL, Pipeline from 201-C Valve Pit to 241-CX-70	200E	TBD
200-E-245-PL	200-E-245-PL, Pipeline from 201-C Hot Shop to 241-CX-71	200E	TBD
200-E-246-PL	200-E-246-PL, Pipeline from 201-C Valve Pit to 241-CX-72	200E	TBD
200-E-247-PL	200-E-247-PL, Pipelines to the 209-E-WS-2 French Drain (See Subsites)	200E	TBD
200-E-248-PL	200-E-248-PL, Pipelines to the 209-E-WS-3 Valve Pit (See Subsites)	200E	TBD
200-E-249-PL	200-E-249-PL, Pipelines to 200-E-4 French Drain (See Subsites)	200E	TBD
200-E-250-PL	200-E-250-PL, Pipeline from 2704-C to 2704-C-WS-1 Quench Tank	200E	TBD
200-E-251-PL	200-E-251-PL, Pipeline from 291-C Stack to 216-C-2 Reverse Well	200E	TBD
200-E-252-PL	200-E-252-PL, Pipeline from 291-C Air Filter Building to 216-C-2 Reverse Well	200E	TBD
200-E-253-PL	200-E-253-PL, Pipeline from 202-A to 216-A-36A and 216-A-36B Cribs	200E	TBD
200-E-254-PL	200-E-254-PL, Pipeline from 209-E to 216-C-9 Pond	200E	TBD
200-E-255-PL	200-E-255-PL, Pipeline Connecting 216-C-9 Pond to Pipeline 200-E-169-PL	200E	TBD
200-E-256-PL	200-E-256-PL, Pipelines from 201-C (South Side) to 216-C-9 Pond	200E	TBD
200-E-257-PL	200-E-257-PL, Pipeline from 201-C (East Side) to 216-C-9 Pond	200E	TBD
200-E-258-PL	200-E-258-PL, 216-C-9 Pond Lobe Distribution Piping	200E	TBD
200-E-259-PL	200-E-259-PL, Pipeline from 291-C Fan House to 216-C-9 Pond	200E	TBD
200-E-260-PL	200-E-260-PL, Steam Condensate By-Pass Line from PUREX to 216-A-30, Line 8824A	200E	TBD
200-E-261-PL	200-E-261-PL, Effluent Recycle Line from 216-A-42 Basin to PUREX	200E	TBD
200-E-262-PL	200-E-262-PL, Pipelines Associated with 216-A-42 Basin, 216-A-42A Pump Station, 216-A-42B Valve Box and 216-A-42C Diversion Box	200E	TBD
200-E-263-PL	200-E-263-PL, 216-A-42 Basin Pipeline to 216-A-42C Diversion Box	200E	TBD
200-E-264-PL	200-E-264-PL, Pipeline from 242-B Evaporator Building to 207-B Retention Basin	200E	TBD
200-E-265-PL	200-E-265-PL, 241-BY and 241-BX Tank Farm Cooling Water Pipeline to 207-B Retention Basin (See Subsites)	200E	TBD
200-E-266-PL	200-E-266-PL, Pipeline from PUREX Trap Pit #1 to 216-A-11 French Drain	200E	TBD
200-E-267-PL	200-E-267-PL, Pipeline from PUREX Trap Pit #3 to 216-A-12 French Drain	200E	TBD
200-E-268-PL	200-E-268-PL, Pipeline from PUREX Vacuum Cleaner Filter Box to 216-A-14 French Drain, Line T073	200E	TBD
200-E-269-PL	200-E-269-PL, Pipeline from 291-A Fan Building to 216-A-33 French Drain	200E	TBD
200-E-270-PL	200-E-270-PL, Pipeline from 291-A Fan Control House to 216-A-26 and 216-A-26A French Drains, Line T022	200E	TBD
200-E-271-PL	200-E-271-PL, PUREX Cooling Water Header Pipeline, Line 8823	200E	TBD
200-E-272-PL	200-E-272-PL, Pipeline to 216-A-35 French Drain	200E	TBD
200-E-273-PL	200-E-273-PL, Pipeline to 216-A-13 French Drain (See Subsites)	200E	TBD
200-E-274-PL	200-E-274-PL, Pipeline from 244-A Lift Station to 216-A-40 Basin, Line 323	200E	TBD
200-E-275-PL	200-E-275-PL, Cooling Water Pipeline to 216-A-40 Basin, Line 815	200E	TBD
200-E-276-PL	200-E-276-PL, 216-A-41 Crib Pipeline	200E	TBD
200-E-277-PL	200-E-277-PL, 216-B-59 and 216-B-59B Pipelines (See Subsites)	200E	TBD
200-E-278-PL	200-E-278-PL, Process Sewer Pipeline from 272-E to CTFN 2703E, Pipeline to Chemical Tile Field North of 2703E	200E	TBD
200-E-279-PL	200-E-279-PL, Pipeline from 241-B-361 Settling Tank to 216-B-5 Reverse Well	200E	TBD
200-E-280	200-E-280, 2711E Parking Lot, Oil Spots	200E	TBD
200-E-281-PL	200-E-281-PL, Pipeline from 241-B Tank Farm to 216-B-7A and 216-B-7B Cribs, Line V306	200E	TBD
200-E-282-PL	200-E-282-PL; Process Waste Lines from 202-A to 241-AX-151 Diversion Box; Lines 4001, 4002, 4003, and 4004	200E	TBD
200-E-283-PL	200-E-283-PL, Pipeline from 242-A Bldg to 200-E-127-PL (to Gable and B Ponds)	200E	TBD
200-E-284	200-E-284, Septic Tank East of 241-BY-102	200E	TBD
200-E-285	200-E-285, 216-A-8 Sample Pit, Sample Pit #2, 216-A-8 Control Structure	200E	TBD
200-E-286	200-E-286, Original 200 East Area Powerhouse Effluent Pond, A-Swamp and Ditch, A Swamp, Powerhouse Swamp	200E	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-E-287	200-E-287, Posted Contamination Areas on Pipe Berm east of 241-A, AN, AX, AY, AZ Tank Farms	200E	TBD
200-E-288-PL	200-E-288-PL, Pipeline from 242-A Evaporator to Liquid Effluent Retention Facility, PC-5000	200E	TBD
200-E-289-PL	Pipelines between AP-02D Pit and WTP; Lines 637, SN-700 and SN-701	200E	TBD
200-W-147-PL-A	200-W-147-PL-A; Portion of 200-W-147-PL Pipeline in the Central Plateau Outer Area	600	TBD
200-W-147-PL-B	200-W-147-PL-B, Portion of Pipeline in the 200 West Inner Area	200W	TBD
200-W-151-PL	200-W-151-PL, 200-W-42 Pipe Remaining Under 16th Street	200W	TBD
200-W-152-PL	200-W-152-PL, Pipeline from 202-S to 2904-S-170, 207-S Retention Basin and 216-S-17 Pond, REDOX Process Sewer	200W	TBD
200-W-153-PL	200-W-153-PL, Steel Pipeline from 240-S-151 Diversion Box to the 2904-S-172 and 2904-S-171 Control Structures (See Subsite)	200W	TBD
200-W-154-PL	200-W-154-PL, Pipeline from 200-W-152-PL to 216-S-5 Crib	200W	TBD
200-W-155-PL	200-W-155-PL, Pipeline from 2904-S-160 Control Structure to 216-S-16 Ditch	200W	TBD
200-W-155-PL-A	200-W-155-PL-A, Portion of 200-W-155-PL Pipeline in the Outer Area	200W	TBD
200-W-155-PL-B	200-W-155-PL-B, Portion of Pipeline 200-W-155-PL that is located in the Central Plateau Inner Area	200W	TBD
200-W-156-PL	200-W-156-PL, 216-S-6 Crib Pipeline, Pipeline from 200-W-155-PL to the 2904-S-171 Control Structure	200W	TBD
200-W-157-PL	200-W-157-PL, REDOX Chemical Sewer, Pipeline from 202-S to 200-W-152-PL, Pipeline from 205-S to REDOX Chemical Sewer (See Subsites)	200W	TBD
200-W-158-PL	200-W-158-PL, Pipeline from 293-S to 200-W-152-PL	200W	TBD
200-W-159-PL	200-W-159-PL, Cooling Water Lines from 241-SX-401 and 241-SX-402 to 216-U-10 Pond	200W	TBD
200-W-160-PL	200-W-160-PL, Pipeline from 241-SX-401 and 241-SX-402 to 216-S-21 Crib	200W	TBD
200-W-161-PL	200-W-161-PL, Pipeline from 242-S to 216-S-25 Crib, Line 557	200W	TBD
200-W-162-PL	200-W-162-PL, Pipeline from 241-SX-701 to 216-SX-2 Crib	200W	TBD
200-W-163-PL	200-W-163-PL, T Plant Process Sewer, 18-Inch 221-T Process Sewer Pipeline (See Subsites)	200W	TBD
200-W-164-PL	200-W-164-PL, Pipeline from 207-T Retention Basin to the 216-T-4 Ditch	200W	TBD
200-W-165-PL	200-W-165-PL, Pipeline from Tank 241-TX-112 to 207-T Retention Basin	200W	TBD
200-W-166-PL	200-W-166-PL, Pipeline from 242-T Evaporator Building to the 207-T Retention Basin	200W	TBD
200-W-167-PL	200-W-167-PL, Pipeline from 242-T Evaporator to 207-T Retention Basin, V610	200W	TBD
200-W-168-PL	200-W-168-PL, 216-U-3 Crib and 216-U-14 Ditch Pipelines (See Subsites)	200W	TBD
200-W-169-PL	200-W-169-PL, Pipeline Between 216-U-10 Pond and 216-U-11 Overflow	200W	TBD
200-W-170-PL	200-W-170-PL, 216-U-16 Crib Pipeline	200W	TBD
200-W-171	200-W-171, Leak from 234-5Z Pipe Trench to 241-Z Tank D-6, 200-W-219-PL Line Leak	200W	TBD
200-W-172	200-W-172, Liquid Leaking from Drain Laterals Below 234-5Z Floor Slab	200W	TBD
200-W-173-PL	200-W-173-PL, 216-T-33 Crib Pipeline, Pipeline from 2706-T to 216-T-33 Crib	200W	TBD
200-W-174-PL	200-W-174-PL, Pipelines from 234-5Z to 216-Z-1A and 216-Z-18 Crib, 216-Z-1A Modified Pipeline, Lines 1035 and 1036 (See Subsites)	200W	TBD
200-W-175-PL	200-W-175-PL; Pipeline to Route Waste from 241-T-112 to 216-TY-201 Flush Tank and 216-T-26, 216-T-27, and 216-T-28 Crib; Line V681	200W	TBD
200-W-176-PL	200-W-176-PL; Encased Transfer Lines Between 241-TX-153 Diversion Box and 241-TX-155 Diversion Box; Lines V396, V397, V401, V403, V407, V409, and V413	200W	TBD
200-W-177-PL	200-W-177-PL, Direct Buried Tank Farm Lines Between 241-TXR-151 and 241-TX-155 Diversion Boxes, Lines V7616 and V7653	200W	TBD
200-W-178-PL	200-W-178-PL, Pipeline from 241-Z to 244-TX DCRT, Lines HSW-202 and HSW-203	200W	TBD
200-W-179-PL	200-W-179-PL; Pipelines Between 241-S-152 Diversion Box and 241-U Tank Farm; Lines SL100, SL101, SN216/281, and DR327	200W	TBD
200-W-180-PL	200-W-180-PL, Pipelines from 221-T to 216-T-1 Ditch (See Subsites)	200W	TBD
200-W-181-PL	200-W-181-PL; Transfer Lines Between 241-U-152 and 241-U-153 Diversion Boxes; Lines V426, V427, and V428/V461	200W	TBD
200-W-182-PL	200-W-182-PL; Encased Transfer Lines Between 241-U-152 Diversion Box and 241-TX-152 and 241-TX-155 Diversion Boxes; Lines V398, V404, and V410	200W	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-W-183-PL	200-W-183-PL, Transfer Lines Between 241-U-151 and 241-U-152 Diversion Boxes, Lines V422/V452 and V421/V453	200W	TBD
200-W-184-PL	200-W-184-PL; Drain Lines from 241-U-151, 241-U-152 and 241-U-153 Diversion Boxes to 241-U-301 Catch Tank; Line V478	200W	TBD
200-W-185-PL	200-W-185-PL; Transfer Lines Between 241-U-151 and 241-U-153 Diversion Boxes; Lines V450 and V451	200W	TBD
200-W-186-PL	200-W-186-PL, Transfer Lines from 240-S-152 Diversion Box to 204-S and 205-S, Lines 1006 and 1045	200W	TBD
200-W-187-PL	200-W-187-PL; Transfer Lines Between 240-S-151 and 240-S-152 Diversion Boxes; Lines V552, V553, and V555	200W	TBD
200-W-188-PL	200-W-188-PL; Waste Distribution Line from 216-TY-201 Flush Tank to 216-T-26, 216-T-27 and 216-T-28 Cribs and Truck Unloading Station Line (See Subsites)	200W	TBD
200-W-189-PL	200-W-189-PL, Transfer Lines from 219-S to 241-SY Tank Farm, Lines SNL-5350 and SNL-5351	200W	TBD
200-W-190-PL	200-W-190-PL, Discharge Line from 240-S-151 Diversion Box to 240-S-302 Catch Tank, Line V554	200W	TBD
200-W-191-PL	200-W-191-PL; Encased Transfer Line Between 241-TX-155 and 241-TY-153 Diversion Boxes; Lines V402, V406, V408, and V412	200W	TBD
200-W-192-PL	200-W-192-PL; U Plant Process Sewer; Pipeline from 221-U, 222-U and 224-U to the 207-U Retention Basin (See Subsites)	200W	TBD
200-W-193-PL	200-W-193-PL, Pipeline from 224-U to 241-U-361 Settling Tank	200W	TBD
200-W-194-PL	200-W-194-PL, Pipeline from 241-U-361 Settling Tank to 216-U-1 and 216-U-2 Cribs	200W	TBD
200-W-195-PL	200-W-195-PL, Pipeline from U Plant (224-U) to 216-U-17 Crib	200W	TBD
200-W-196-PL	200-W-196-PL, Pipelines from Railcar Unloading Stations to 216-T-34 Crib	200W	TBD
200-W-197-PL	200-W-197-PL, Pipelines from Railcar Unloading Stations to 216-T-35 Crib	200W	TBD
200-W-198-PL	200-W-198-PL, Pipelines from Truck Unloading Station to 216-T-34 and 216-T-35 Cribs	200W	TBD
200-W-199-PL	200-W-199-PL, Pipelines from Building 231-Z to 231-W-151 Vault	200W	TBD
200-W-200-PL	200-W-200-PL, 216-Z-16 Crib Pipeline	200W	TBD
200-W-201-PL	200-W-201-PL, 216-Z-17 Crib Pipeline	200W	TBD
200-W-202-PL	200-W-202-PL, Pipeline from 231-W-151 to 216-Z-5 Crib (See Subsites)	200W	TBD
200-W-203-PL	200-W-203-PL, Pipeline from 231-W-151 Vault to 216-Z-7 Crib	200W	TBD
200-W-204-PL	200-W-204-PL, Pipeline from 231-W-151 Vault to 216-Z-10 Reverse Well	200W	TBD
200-W-205-PL	200-W-205-PL, Pipelines from 235-5Z to 241-Z-8 Silica Storage Tank and 216-Z-8 French Drain (See Subsites)	200W	TBD
200-W-206-PL	200-W-206-PL, Pipelines from 234-5Z to 216-Z-9 Crib	200W	TBD
200-W-207-PL	200-W-207-PL; Z Plant Radioactive Process Sewer to 216-Z-11, 216-Z-19 and 216-Z-20 Ditches (See Subsites)	200W	TBD
200-W-208-PL	200-W-208-PL, Pipeline from Diversion Boxes 200-W-58 and 200-W-59 to 216-Z-12 Crib (See Subsites)	200W	TBD
200-W-209-PL	200-W-209-PL, 207-Z Pipelines (See Subsites)	200W	TBD
200-W-210-PL	200-W-210-PL; Pipeline from 241-Z-361 Settling Tank to 216-Z-1, 216-Z-2 and 216-Z-3 Cribs and 216-Z-1A Tile Field (See Subsites)	200W	TBD
200-W-211-PL	200-W-211-PL, 207-SL Retention Basin Sewer Pipelines, Retention Waste Sewer from 219-S and 222-S to 207-SL Basin, Pipelines from Boiler Annex and Pump Lift Station to 207-SL Basin (See Subsites)	200W	TBD
200-W-212-PL	200-W-212-PL; Encased Transfer Line from 240-S-151 Diversion Box to Pipeline 200-W-153-PL; Lines V550, V551, V544, V546, V548, and V549	200W	TBD
200-W-213-PL	200-W-213-PL Pipelines from 241-TX-153 Diversion Box and 241-TX-302A to 216-T-19 Crib, Lines V795 and V605 (See Subsites)	200W	TBD
200-W-214-PL	200-W-214-PL, Pipeline from 291-Z to 216-Z-13 French Drain	200W	TBD
200-W-215-PL	200-W-215-PL, Pipeline from 291-Z to 216-Z-14 French Drain	200W	TBD
200-W-216-PL	200-W-216-PL, Pipelines from 291-Z to 216-Z-15 French Drain	200W	TBD
200-W-217-PL	200-W-217-PL, Pipeline from the Counting Box to 216-U-7 French Drain	200W	TBD
200-W-218-PL	200-W-218-PL, Pipeline from 216-U-10 Pond to 216-U-9 Ditch	200W	TBD
200-W-219-PL	200-W-219-PL, Pipelines from 235-Z to the North Side of 241-Z, 241-Z Primary Pipe Trench, Pipe Tunnel 3	200W	TBD
200-W-220-PL	200-W-220-PL, Pipeline from 241-Z to 241-Z-361 Settling Tank	200W	TBD
200-W-221-PL	200-W-221-PL, Laundry Waste Crib (LWC) Pipeline	200W	TBD
200-W-222-PL	200-W-222-PL, 207-U Retention Basin Outlet Pipeline to the 216-U-14 Ditch	200W	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
200-W-223-PL	200-W-223-PL, Pipeline from 242-S Evaporator to 216-U-14 Ditch	200W	TBD
200-W-224-PL	200-W-224-PL, Pipeline from 234-5Z and 236-Z to West Side of 241-Z (See Subsites)	200W	TBD
200-W-225-PL	200-W-225-PL, PFP Six Inch Condensate Line Connecting to Process Sewer	200W	TBD
200-W-226-PL	200-W-226-PL; Pipeline from 224-T Plutonium Concentration Facility to 241-T-361 Settling Tank and 216-T-3 Reverse Well; Lines V326, V671, and V706	200W	TBD
200-W-227-PL	200-W-227-PL, Pipeline from 221-T Separations Facility to 216-T-6 Crib	200W	TBD
200-W-228-PL	200-W-228-PL, Pipeline from 232-Z to 241-Z, 3-Inch Contaminated Waste Line	200W	TBD
200-W-229-PL	200-W-229-PL, Pipeline from 2736-ZB to 241-Z	200W	TBD
200-W-230-PL	200-W-230-PL, Pipeline from Railroad Unloading Station to 276-S-141 and 276-S-142 Hexone Tanks (See Subsites)	200W	TBD
200-W-231	200-W-231, Temporary Facilities Construction Trailer Septic Tank and Tile Field	200W	TBD
200-W-232	200-W-232, 2607-WT Replacement Septic Tank and Dry Well	200W	TBD
200-W-233	200-W-233, Plutonium Finishing Plant (PFP) Treatment Unit, TSD: T-2-9	200W	TBD
200-W-234	200-W-234, 291-U Sand Filter French Drain	200W	TBD
200-W-235-PL	200-W-235-PL, Pipeline from 241-SX-701 Building to S Pit, 200-W-162-PL Replacement Pipeline	200W	TBD
200-W-236	200-W-236, Pit South of 241-SX Tank Farm	200W	TBD
202-A	202-A, PUREX Facility, PUREX Canyon	200E	TBD
218-E-12B Annex	218-E-12B Annex, Unused Portion of 218-W-12B, 218-E-12B West of Trench 37	200E	TBD
218-W-4C Annex	218-W-4C Annex, Unused Portion of 218-W-4C Burial Ground	200W	TBD
221-B	221-B, B Plant Facility, B Plant Canyon	200E	TBD
241-BYR-09A	241-BYR-09A, 241-BY-109 Valve Pit	200E	TBD
241-C-103 VP	241-C-103 VP, 241-C Valve Pit, 241-C-103 Valve Pit	200E	TBD
2607-EF	2607-EF, Septic Tank West of 241-BX Tank Farm	200E	TBD
2607-W13	2607-W13, Construction Trailers Septic, JA Jones/Kaiser Constriction Trailers Septic	200W	TBD
292-U	292-U, 292-U Stack Monitoring Station, 291-U Stack Exhaust Monitoring Building	200W	TBD
300-278	300-278, 331-C Storage Unit	300	TBD
300-279	300-279, 3716 Automotive Repair Building Fuel Tanks	300	TBD
300-280	300-280, Construction Debris Disposal Pit West of George Washington Way Extension	300	TBD
300-281	300-281, Septic Tank Near 325 Building	300	TBD
300-282	300-282, Crib Near 3717-B Building	300	TBD
300-283	300-283, Contaminated Light Water Disposal Site #2	300	TBD
300-284	300-284, Sand Blasting Area Near 3221 Building	300	TBD
300-285	300-285, 300 Area Steam Condensate French Drains/Dry Wells, Ten French Drains and Dry Wells in 300 Area	300	TBD
300-286	300-286, Three 300 Area Potentially Contaminated French Drain/Drywells	300	TBD
300-287	300-287, Transit Debris west of Route 4 South	300	TBD
300-288	300-288, Piles of Garnet Sand/Soil Mixture within Gravel Pit 6	300	TBD
300-289	300-289, Stained Soil Area North of 300 Area	300	TBD
300-290	300-290, Radiological Debris Area East of Horn Rapids Disposal Landfill	300	TBD
300-291	300-291, Garnet Sand West of 350-A Paint Shop	300	TBD
300-292	300-292, 315 Water Filter Plant Waste Pipeline Segments	300	TBD
300-293	300-293, 300 Area Miscellaneous Pipelines	300	TBD
300-294	300-294, Garnet Sand East of 350 Building	300	TBD
300-295	300-295, 384 Powerhouse Coal Ash Waste Pipeline Segments	300	TBD
300-296	300-296, Soil Contamination Under the 324 Building B-Cell	300	TBD
400-40	400-40, 400 Area Waste Management Unit, 403 Building Fuel Storage Facility (FSF), 400 Area Interim Storage Area (ISA), 4718 ISA, TSD S-4-2, See Subsites	400	TBD
600-284-PL	600-284-PL; Old Cross Site Transfer Line; Original Cross Site Transfer Pipeline; Piping Associated with UPR-600-20, Cross Site Transfer Line; Lines V360, V361, V362, V363, V364, and V366; Cross Site Transfer Pipeline	600	TBD
600-288	600-288, Soil Corrosion Test Site	600	TBD
600-289	600-289, Dumping Area Near Shooting Range	600	TBD
600-290	600-290, Contaminated Concrete Foundation West of 618-13, Pad and Loading Dock Near 618-13, 300 West Storage Area (See Subsites)	600	TBD

HANFORD WASTE SITE ASSIGNMENT LIST			
Site Code	Site Names	Designated Area	Assigned Contractor
600-291-PL	600-291-PL, 200 Area Treated Effluent Disposal Facility Pipeline, TEDF Line	600	TBD
600-292-PL	600-292-PL, State Approved Land Disposal Site Pipeline, SALDS Pipeline	600	TBD
600-293	600-293, White Bluffs Service Station #1	600	TBD
600-294	600-294, White Bluffs Service Station #2	600	TBD
600-295	600-295, White Bluffs Paint Shop	600	TBD
600-296	600-296, White Bluffs Fire Department Septic System	600	TBD
600-297	600-297, White Bluffs Imhoff Tank	600	TBD
600-298	600-298, Surface Debris and Stained Soil in 100-IU-2	600	TBD
600-299	600-299, Surface Debris and Batteries	600	TBD
600-300	600-300, Miscellaneous Surface Debris Sites	600	TBD
600-301	600-301, White Bluffs Sanitary Sewer Pipelines	600	TBD
600-302	600-302, French Drain with Vent Pipe	600	TBD
600-303	600-303, Vertical Pipes	600	TBD
600-304	600-304, White Bluffs Sanitary Water	600	TBD
600-305	600-305, Suspect Asbestos Containing Material Sites	600	TBD
600-306	600-306, Burn Site #1	600	TBD
600-307	600-307, Burn Site #2	600	TBD
600-308	600-308, Garnet Sand	600	TBD
600-309	600-309, Burn Site #3	600	TBD
600-310	600-310, Burn Site #4	600	TBD
600-311	600-311, Burn Site #5	600	TBD
600-312	600-312, Burn Site #6	600	TBD
600-313	600-313, Burned Area and Oil Stained Soil	600	TBD
600-314	600-314, Telecommunication Component	600	TBD
600-315	600-315, Black Granular Stain	600	TBD
600-316	600-316, Dry Cell Batteries	600	TBD
600-317	600-317, Battery and Burn Area	600	TBD
600-318	600-318, Wet Cell Batteries	600	TBD
600-319	600-319, Miscellaneous Debris	600	TBD
600-320	600-320, Oil Stains	600	TBD
600-321	600-321, Suspect Asbestos Containing Material and Debris	600	TBD
600-322	600-322, Rail Spur Pipe	600	TBD
600-323	600-323, Suspect Bermed Area	600	TBD
600-324	600-324, Burnt Debris Area	600	TBD
600-325	600-325, Burned Roofing Materials	600	TBD
600-326	600-326, Odorous Black Material	600	TBD
600-327	600-327, Suspect Dichromate Facility	600	TBD
600-328	600-328, Lead Slag	600	TBD
600-329	600-329, Concrete Outfall Structure	600	TBD
600-330	600-330, Division Street Service Station	600	TBD
600-331	600-331, Lime Sulfur Barrel Site	600	TBD
600-332	600-332, Gable Mountain Firing Range Septic System	600	TBD
600-333	600-333, Underground Concrete Structure	600	TBD
600-334	600-334, CMX Building	600	TBD
600-335	600-335, Service Station and UST	600	TBD
600-336	600-336, 609-G Septic Tank and Tile Field, 6607-3, 6607-03	600	TBD
600-338	600-338, Spill near 623A Bldg on Rattlesnake Mountain	600	TBD
600-339	600-339, 100 Area Fire Station Dry Well	600	TBD
600-340	600-340, 100 area Fire Station Soil Stained Areas	600	TBD
600-345	600-345, 100-BC Vicinity Oil Stain and Filter Area	600	TBD
600-346	600-346, 100-BC Vicinity Ash and Debris Area	600	TBD
600-347	600-347, 100 Area Fire Station Burn Pit	600	TBD
600-348	600-348, 100 Area Fire Station Underground Storage Tanks	600	TBD
600-349	600-349, Unexploded Ordnance (UXO) outside of 600-149	600	TBD
600-350	600-350, PNL Water Catchment Experiment	600	TBD
600-351	600-351, Stained areas outside of 100-F Area	600	TBD
600-352-PL	600-352-PL, Pipeline from 342 Sump to 310 Facility (300 Area TEDF), 300 Area Retention/Transfer System (RTS) pipeline	600	TBD
6607-10	6607-10, Hanford Patrol Training Academy Septic System	600	TBD

PART III – LIST OF DOCUMENTS, EXHIBITS, AND OTHER ATTACHMENTS

SECTION J -- LIST OF ATTACHMENTS

TABLE OF CONTENTS

Attachment Number	Title of Attachment	Revision Number	Number of Pages
J.1	ABBREVIATIONS AND ACRONYM LIST	0	6
J.2	REQUIREMENTS SOURCES AND IMPLEMENTING DOCUMENTS	15	8
J.3	HANFORD SITE SERVICES AND INTERFACE REQUIREMENTS MATRIX	2	81
J.4	PERFORMANCE EVALUATION AND MEASUREMENT PLAN (PEMP)	3	50
J.5	PERFORMANCE GUARANTEE AGREEMENT	0	3
J.6	SMALL BUSINESS SUBCONTRACTING PLAN	1	48
J.7	SMALL DISADVANTAGED BUSINESS PARTICIPATION PROGRAM TARGETS	1	2
J.8	ADVANCE UNDERSTANDING OF COSTS	0	3
J.9	SPECIAL FINANCIAL INSTITUTION ACCOUNT AGREEMENT	1	7
J.10	WAGE DETERMINATIONS – SERVICE CONTRACT ACT (SCA) AND DAVIS-BACON ACT	1	21
J.11	SUPPLEMENTAL WORK DESCRIPTION TABLES	0	8
J.12	GOVERNMENT-FURNISHED SERVICES AND INFORMATION (GFS/I)	1	1
J.13	HANFORD SITE STRUCTURES LIST	4	31
J.14	HANFORD WASTE SITE ASSIGNMENT LIST	4	69
J.15	AGREEMENT FOR SUBCONTRACTORS TO PARTICIPATE IN THE HANFORD SITE BENEFIT PLANS	0	1