

Photon Sciences Material Handling Equipment

NOTES

- (1) For lifts or hoists that show no key number, a key is not assigned.
- (2) The Research Space Manager's key is a Master key. All other assigned keys are crane specific.
- (3) Those assigned or request a key for a particular crane must be listed as a Responsible Person.
- (4) Crane keys will not be issued to Responsible Persons if a crane is out of service.
- (5) Authorized and Responsible Persons must satisfy both the primary and specific crane JTAs.
- (6) Persons with newly assigned JTAs take 1 day to indicate qualifications are current.
- (7) FO staff (riggers, etc.) may use NSLS cranes provided training for the primary and specific JTAs is current.
- (8) FO Electrician R. Eger is authorized to operate NSLS cranes for servicing and maintenance (no rigging). HP-Q-010-W must be current.
- (9) For FO staff, verify training in BTMS at: <http://training.bnl.gov> >> Training Records >> See Your Training History
- (10) Cranes and small material handling lifts are included in this list. Forklifts, slings, etc. may be added at a later date.

RESPONSIBLE PERSONS

A "Responsible Person" is responsible for evaluating and approving all lifts for his/her material handling equipment. He/she is designated as follows and must:

- (1) Meet the training and practical instruction requirements to be designated as "Authorized."
 - (2) Be specifically assigned as a "Responsible Person," based on experience with material handling, specific equipment, and the facility, by the Research Space Manager who serves as the Crane/Rigging Evaluator and Forklift Evaluator for the facility.
 - (3) Be informed of this designation and is responsible for evaluating and approving all lifts completed using the devices assigned.
 - (4) Ensure that any person requesting use of the equipment is "authorized" on that equipment and has the appropriate qualifications before using the equipment.
-

PS-DBase ID#	11	Make	Yale	Category	Bridge Crane (<5T)
Bldg	725	Serial	A-422-3749	Lift Type	Pendant & IR
Location	UV East	Key #	Remote Control (O	Load Cap.	2 ton
Status	Active	EP-Equip-#	725-CRNE-002	Primary JTA	GE-56 Specific JTA PS-C01

Notes on Use Control Room has IR controller (there are no keys).

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/23/2007 Crane out of service for suspect parts.

1/23/2007 Crane needed at U5UA for 54 lb load. Hynan inspected; only deficiency found is suspect bolts.

1/23/2007 Haas, Ackerman requested/received approval for one-time use for 54 lb. Lift at U5UA.

1/25/2007 Annual inspection report (Hynan): Deficiency: Suspect bolts, loose coupling.

5/15/2007 Changed status to active per R Kiss (Kiss received email from Kane to okay use of crane).

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
12678	Carlson	Dennis	PSEW	Active	Y	Y	Y	
16559	Caruso	Michael	PSEW	Active	N	Y	Y	
15109	De Boer	Walter	PSBG	Active	N	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
20563	Hubbard Jr	Rodger	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
18014	Pop	Sorin	PSBL	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID# 12 **Make** Yale **Category** Bridge Crane (<5T)
Bldg 725 **Serial** A-Y22-3747 **Lift Type** Pendant & IR
Location UV West **Key #** Remote Control (O) **Load Cap.** 2 ton
Status Active **EP-Equip-#** 725-CRNE-001 **Primary JTA** GE-56 **Specific JTA** PS-C01
Notes on Use Control Room has IR controller (there are no keys).

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 3/2/2007 Corrected serial number from A422-3747 to A-Y22-3747.
- 5/15/2007 Changed status to active per R Kiss (Kiss received email from Kane to okay use of crane).

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
12678	Carlson	Dennis	PSEW	Active	Y	Y	Y	
15109	De Boer	Walter	PSBG	Active	N	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
20563	Hubbard Jr	Rodger	PSBL	Active	Y	Y	Y	
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
18014	Pop	Sorin	PSBL	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	3	Make	Yale/Spantec	Category	Jib Crane (<1T)
Bldg	725	Serial	TH011EJ	Lift Type	Electric
Location	Beamline U7	Key #	YJA5	Load Cap.	1/2 ton
Status	Active	EP-Equip-#	10	Primary JTA	GE-56 Specific JTA PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

1/25/2007 Hynan report states Make as Spanco/Yale.

1/25/2007 Hynan report states SN 0595-17100.

2/24/2009 Per Kiss, Load Test Report issued 11/6/95 is on file, Engineering Review Memo approving installation issued 2/13/09, annual inspection completed 2/24/09, put in active service (full capacity, 1/2 ton) 2/24/09.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 23 **Make** Ingersol/Rand **Category** Bridge Crane (<5T)
Bldg 725 **Serial** VR0184 **Lift Type** Manual
Location Beamline U13U **Key #** YJA6 **Load Cap.** 300 lb
Status Out of Service (Load Test) **EP-Equip-#** 11 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.
 1/25/2007 Hynan's inspection report states crane is a Coffing with SN VR0184; Kiss to verify.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 4 **Make** Jet **Category** Jib Crane (<1T)
Bldg 725 **Serial** 4202 **Lift Type** Manual
Location Beamline U14 **Key #** YJA7 **Load Cap.** 1 ton
Status Out of Service (Load Test) **EP-Equip-#** 12 **Primary JTA** GE-56 **Specific JTA** PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

List of Photon Sciences Mat'l Handling Equip

PS-DBase ID#	39	Make	Indy	Category	Portable Automotive (Engine/Shop) Lift (<5T)		
Bldg	725	Serial		Lift Type	Manual		
Location	Beamline X1	Key #	None	Load Cap.	2 ton		
Status	Removed from Building	EP-Equip-#	14	Primary JTA	GE-56	Specific JTA	PS-D64

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID# 24 **Make** Chester **Category** Bridge Crane (<5T)
Bldg 725 **Serial** LP2417 **Lift Type** Manual
Location Beamline X1-X2 **Key #** YJA8 **Load Cap.** 1 ton
Status Out of Service (Load Test + Sus **EP-Equip-#** 13 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 25 **Make** Chester **Category** Bridge Crane (<5T)
Bldg 725 **Serial** LP2207 **Lift Type** Manual
Location Beamline X3-X4 **Key #** YJA10 **Load Cap.** 1 ton
Status Active **EP-Equip-#** 15 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/25/2007 Annual inspection report (Hynan): No deficiencies.
- 6/11/2007 DMJM Harris (inspection company) submitted proposal to inspect and analyze crane.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
A0271	Abramowitz	Randy	LSUG	Auto-Term	Y	Y	Y	Y
20559	Beaman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	14	Make	Yale	Category	Bridge Crane (<5T)
Bldg	725	Serial	K193569D-3	Lift Type	Pendant
Location	Beamline X5A LEGS	Key #	YJA31	Load Cap.	3 ton
Status	Active	EP-Equip-#	725-CRNE-004	Primary JTA	GE-56 Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 13 **Make** Yale **Category** Monorail Crane (<5T)
Bldg 725 **Serial** K193569D **Lift Type** Pendant
Location Beamline X5A LEGS **Key #** YJA31 **Load Cap.** 1 ton
Status Active **EP-Equip-#** 725-CRNE-005 **Primary JTA** GE-56 **Specific JTA** PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 15 **Make** CM **Category** Monorail Crane (<5T)
Bldg 725 **Serial** L-1733NX **Lift Type** Pendant
Location Beamline X5A LEGS 1-169 **Key #** YJA26 **Load Cap.** 1 ton
Status Active **EP-Equip-#** 34 **Primary JTA** GE-56 **Specific JTA** PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 26 **Make** Chester **Category** Bridge Crane (<5T)
Bldg 725 **Serial** LP2169 **Lift Type** Manual
Location Beamline X8 **Key #** YJA11 **Load Cap.** 1 ton
Status Out of Service (Load Test + Sus **EP-Equip-#** 16 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

List of Photon Sciences Mat'l Handling Equip

PS-DBase ID# 27 **Make** Yale **Category** Static Underhung Hoist (Structural) (<5T)
Bldg 725 **Serial** 07100-03-8 **Lift Type** Manual
Location Beamline X8C **Key #** YJA23 **Load Cap.** 2 ton
Status Active **EP-Equip-#** 725-CRNE-007 **Primary JTA** GE-56 **Specific JTA** PS-D04

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/18/2007 Reviewed Keister as possible authorized user; needs TQ-MHQQUAL-CRANE-SM1+ practical.

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	5	Make	Coffin	Category	Jib Crane (<1T)
Bldg	725	Serial	11-B	Lift Type	Manual
Location	Beamline X9	Key #	YJA24	Load Cap.	1/4 ton
Status	Removed from Building	EP-Equip-#	33	Primary JTA	GE-56 Specific JTA PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

```

-----
PS-DBase ID# 29          Make      Chester        Category   Bridge Crane (<5T)
Bldg         725          Serial      LP2134        Lift Type   Manual
Location     Beamline X10 Front End  Key #      YJA12        Load Cap.  1 ton
Status       Out of Service (Load Test + Sus EP-Equip-# 17        Primary JTA GE-56        Specific JTA PS-C01

```

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 28	Make Chester	Category Bridge Crane (<5T)
Bldg 725	Serial LP1854	Lift Type Manual
Location Beamline X10 Rear End	Key # YJA12	Load Cap. 1 ton
Status Out of Service (Load Test + Sus	EP-Equip-# 18	Primary JTA GE-56 Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	54	Make		Category	Monorail Crane (<5T)	
Bldg	725	Serial	I-155FG	Lift Type	Manual	
Location	Beamline X10A	Key #		Load Cap.	1/2 ton	
Status	Removed from Building	EP-Equip-#	19	Primary JTA	GE-56	Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID# 30 **Make** Chester **Category** Bridge Crane (<5T)
Bldg 725 **Serial** LP2046 **Lift Type** Manual
Location Beamline X11-X12 **Key #** YJA13 **Load Cap.** 1 ton
Status Out of Service (Load Test + Sus **EP-Equip-#** 20 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
K5102	Kirkland	Johnny	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 48	Make CM	Category Static Underhung Hoist (Structural) (<5T)
Bldg 725	Serial H7-P	Lift Type Manual
Location Beamline X12B	Key # YJA27	Load Cap. 500 lb
Status Active	EP-Equip-# 41	Primary JTA GE-56 Specific JTA PS-D04

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/19/2007 Reviewed Fareria as possible authorized user; needs TQ-MHQVAL-CRANE-SM1 practical.
- 2/23/2007 Inspection & Load Test completed by Hynan.
- 2/27/2007 Per Kiss: Hoist approved, rated to 500 lbs.
- 2/27/2007 Returned to full active service.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	55	Make	CM	Category	Monorail Crane (<5T)		
Bldg	725	Serial	H7-P	Lift Type	Manual		
Location	Beamline X12B	Key #	YJA27	Load Cap.	300 lb		
Status	Removed from Building	EP-Equip-#	42	Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID#	56	Make	CM	Category	Static Underhung Hoist (Structural) (<5T)		
Bldg	725	Serial	H7-0	Lift Type	Manual		
Location	Beamline X12B	Key #	YJA27	Load Cap.	300 lb		
Status	Removed from Building	EP-Equip-#	43	Primary JTA	GE-56	Specific JTA	PS-D04
Notes on Use	Formerly considered a structural mount crane (up to 1 ton).						

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID#	6	Make	CM	Category	Jib Crane (<1T)		
Bldg	725	Serial	P-C3FH	Lift Type	Manual		
Location	Beamline X14	Key #	YJA14	Load Cap.	1 ton		
Status	Active	EP-Equip-#	21	Primary JTA	GE-56	Specific JTA	PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 8/21/2008 Since crane is out of service, removed Jianming Bai (B6114) as an authorized user.
- 12/31/2008 Per Kiss (email 12/31/08) status changed to active. Engineering analysis completed. Memo to be issued approving service to 200 lbs. Crane and hoist labeled to 200 lbs. Load tested to 250 lbs. Attached caution tag limiting service to 200 lbs.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	7	Make	Yale	Category	Jib Crane (<1T)		
Bldg	725	Serial	K179645D	Lift Type	Electric		
Location	Beamline X15-X16	Key #	YJA15	Load Cap.	1/2 ton		
Status	Active	EP-Equip-#	22	Primary JTA	GE-56	Specific JTA	PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

12/31/2008 Per B. Kiss (email 12/31/08) changed status to active. Suspect bolts were replaced. Engineering analysis has been completed. Kiss has memo approval to full capacity (1/2 ton.) Load test done (1250 lbs).

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 31 **Make** Chester **Category** Bridge Crane (<5T)
Bldg 725 **Serial** LP2222 **Lift Type** Manual
Location Beamline X17 Rear End **Key #** YJA16 **Load Cap.** 1 ton
Status Out of Service (Load Test + Sus **EP-Equip-#** 23 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	32	Make	Coffin	Category	Bridge Crane (<5T)		
Bldg	725	Serial	CB2-113-HUM	Lift Type	Manual		
Location	Beamline X17 Rear End		Key #	Load Cap.	2 ton		
Status	Removed from Building		EP-Equip-#	32	Primary JTA	GE-56	Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID# 33 **Make** Spantec/Chester H **Category** Bridge Crane (<5T)
Bldg 725 **Serial** LP2140 **Lift Type** Manual
Location Beamline X17-X18 **Key #** YJA17 **Load Cap.** 700 lbs.
Status Active **EP-Equip-#** 24 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use Manufactured to carry loads up to 1 ton loads, max load per F&O engineering calculations is 700 lbs (2009).

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

12/7/2009 Email received from Bob Kiss to change crane to in service (from OOS for Load Test & Suspect Bolts). Kiss said all suspect bolts were replaced, annual inspection completed, load tested to 700 lbs per F&O engineering calculations.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	8	Make	Tiger	Category	Jib Crane (<1T)		
Bldg	725	Serial	5956	Lift Type	Manual		
Location	Beamline X19C	Key #	YJA19	Load Cap.	1 ton		
Status	Out of Service (Load Test + Sus	EP-Equip-#	26	Primary JTA	GE-56	Specific JTA	PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	34	Make	Chester	Category	Bridge Crane (<5T)
Bldg	725	Serial	LP1937	Lift Type	Manual
Location	Beamline X19-X20	Key #	YJA18	Load Cap.	1 ton
Status	Out of Service (Load Test)	EP-Equip-#	25	Primary JTA	GE-56 Specific JTA PS-C01

Notes on Use**Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)**

1/19/2007 Reviewed Tikhonov as possible authorized user; needs TQ-MHQUAL-CRANE-B5+ practical.

1/25/2007 Annual inspection report (Hynan): No deficiencies.

1/25/2007 Hynan inspection report states: SN LP1973; Kiss to verify.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
J5010	Jordan-Sweet	Jean	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 35 **Make** CM **Category** Bridge Crane (<5T)
Bldg 725 **Serial** THA069GT **Lift Type** Manual
Location Beamline X20A **Key #** YJA20 **Load Cap.** 1 ton
Status Out of Service (Load Test) **EP-Equip-#** 27 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.
 1/25/2007 Hynan inspection report states: SN THA066GT; Kiss to verify

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
J5010	Jordan-Sweet	Jean	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	36	Make	CM	Category	Bridge Crane (<5T)	
Bldg	725	Serial	THA069GT	Lift Type	Manual	
Location	Beamline X20B	Key #	YJA20	Load Cap.	1 ton	
Status	Out of Service (Load Test)	EP-Equip-#	28	Primary JTA	GE-56	Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
J5010	Jordan-Sweet	Jean	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 37 Make CM Category Bridge Crane (<5T)
Bldg 725 Serial THA041GH Lift Type Manual
Location Beamline X20C Key # YJA20 Load Cap. 1 ton
Status Out of Service (Load Test) EP-Equip-# 29 Primary JTA GE-56 Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
J5010	Jordan-Sweet	Jean	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 16 **Make** Yale **Category** Bridge Crane (<5T)
Bldg 725 **Serial** K186741D **Lift Type** Pendant
Location Beamline X22 **Key #** YJA21 **Load Cap.** 1 ton
Status Out of Service (Load Test) **EP-Equip-#** 30 **Primary JTA** GE-56 **Specific JTA** PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

6/11/2007 DMJM Harris (inspection company) submitted proposal to inspect and analyze crane.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	49	Make	CM Cyclone	Category	Static Underhung Hoist (Structural) (<5T)	
Bldg	725	Serial	SO-401QA	Lift Type	Manual	
Location	Beamline X23B	Key #	YJA28	Load Cap.	1/4 ton	
Status	Active	EP-Equip-#	44	Primary JTA	GE-56	Specific JTA PS-D04

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
K5102	Kirkland	Johnny	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	38	Make	Chester	Category	Bridge Crane (<5T)		
Bldg	725	Serial	LP1937	Lift Type	Manual		
Location	Beamline X23-X24	Key #	YJA22	Load Cap.	1 ton		
Status	Out of Service (Load Test)	EP-Equip-#	31	Primary JTA	GE-56	Specific JTA	PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/19/2007 Status until today: Out of service, no docs on load test.
- 1/19/2007 Per Kiss, crane installed 1983; crane states load cap 2000 lbs. Docs not located. See Kiss for 11/3/83 memo approving use.
- 1/19/2007 No suspect bolts found. Work order placed with EP for engineering analysis of installation, then load test.
- 1/19/2007 Crane use restricted to removal/installation of chamber flange.
- 1/19/2007 Per S Kane, must have engineering docs before use.
- 1/20/2007 Ackerman wrote Kirkland: Use not permitted; need approval by mechanical engineer.
- 1/22/2007 Corwin changed status back to out of service (load test).
- 1/22/2007 Kirkland returned key to Ackerman. Key held by Boerner for return to Kiss.
- 6/11/2007 DMJM Harris (inspection company) submitted proposal to inspect and analyze crane.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
K5102	Kirkland	Johnny	LSUG	Auto-Term	Y	Y	Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

List of Photon Sciences Mat'l Handling Equip

PS-DBase ID#	1	Make	Yale/Spantec	Category	Jib Crane (<1T)		
Bldg	725	Serial	D-1-94	Lift Type	Electric		
Location	Booster Ring	Key #	YJA1	Load Cap.	1 ton		
Status	Active	EP-Equip-#	1	Primary JTA	GE-56	Specific JTA	PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	2	Make	Budget/Spanco	Category	Jib Crane (<1T)	
Bldg	725	Serial	901056	Lift Type	Air	
Location	IR-4 Platform	Key #	YJA2	Load Cap.	1/4 ton	
Status	Active	EP-Equip-#	2	Primary JTA	GE-56	Specific JTA PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): Suspect bolts replaced; load test documented.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
12678	Carlson	Dennis	PSEW	Active	Y	Y	Y	N
16559	Caruso	Michael	PSEW	Active	N			
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	Y
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	9	Make	Yale	Category	Monorail Crane (<5T)		
Bldg	725	Serial	K177976D	Lift Type	Electric Pendant		
Location	MER A	Key #	YJA30	Load Cap.	1 ton		
Status	Active	EP-Equip-#	725-CRNE-006	Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/25/2007 NSLS listed crane as MER 1 (aka MER A) due to historical information.
- 1/25/2007 Beauman indicated crane is at MER A (not MER 1). Note: EP documents may incorrectly list crane as MER 1.
- 1/25/2007 Per Beauman, no key issued to him. Info updated.
- 1/25/2007 Annual inspection report (Hynan): No rated cap on monorail, missing washers, correct slack chain container. Okay to use but repair ASAP.
- 1/25/2007 Hynan inspection report states 2 ton.
- 2/5/2007 Per Kiss, key is signed out to Beauman. Database updated Beauman has key.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y	Y	Y
15109	De Boer	Walter	PSBG	Active	N	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	57	Make	CM 622	Category	Monorail Crane (<5T)			
Bldg	725	Serial	PY-6	Lift Type	Manual			
Location	MER A	Key #	YJA29	Load Cap.	1 ton			
Status	Active	EP-Equip-#	49	Primary JTA	GE-56	Specific JTA	PS-C20	

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.
 1/25/2007 Hynan inspection report states: 1/2 ton; Kiss to verify

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y	Y	Y
15109	De Boer	Walter	PSBG	Active	N	Y	Y	
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	47	Make	CM	Category	Monorail Crane (<5T)		
Bldg	725	Serial	E-2778 (Model 622)	Lift Type	Manual		
Location	MER 2	Key #	YJA3	Load Cap.	1 ton		
Status	Active	EP-Equip-#	3	Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/19/2007 Crane had been listed out of service (no docs on load test).

1/19/2007 Kiss spoke w/Beauman who has load test from BNL and print.

1/19/2007 Kiss approved status to active.

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y	Y	Y
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y	Y	
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	22	Make	CM	Category	Monorail Crane (<5T)		
Bldg	725	Serial	THO-16EJ	Lift Type	Manual		
Location	RF Block H 2	Key #	YJA4	Load Cap.	1 ton		
Status	Active	EP-Equip-#	8	Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.
 1/25/2007 Hynan report states 2 Ton.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	53	Make	Chester Zephyr	Category	Monorail Crane (<5T)		
Bldg	725	Serial	ZLG-4296	Lift Type	Manual		
Location	RF Cav #1	Key #	YJA4	Load Cap.	2 ton		
Status	Out of Service (Not in use)	EP-Equip-#	55	Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	17	Make	Chester Zephyr	Category	Monorail Crane (<5T)
Bldg	725	Serial	ZLG-4295	Lift Type	Manual
Location	RF Cav #1	Key #	YJA4	Load Cap.	2 ton
Status	Out of Service (Not in use)	EP-Equip-#	54	Primary JTA	GE-56 Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	18	Make	CM Cyclone	Category	Monorail Crane (<5T)		
Bldg	725	Serial	TH018DU	Lift Type	Manual		
Location	RF Cav #2	Key #	YJA4	Load Cap.	1 ton		
Status	Out of Service (Not in use)	EP-Equip-#	4	Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	52	Make	CM Cyclone	Category	Monorail Crane (<5T)
Bldg	725	Serial	TH017DU	Lift Type	Manual
Location	RF Cav #2	Key #	YJA4	Load Cap.	1 ton
Status	Out of Service (Not in use)	EP-Equip-#	5	Primary JTA	GE-56 Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	laccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

List of Photon Sciences Mat'l Handling Equip

PS-DBase ID#	19	Make	CM Cyclone	Category	Monorail Crane (<5T)
Bldg	725	Serial	THA068GD	Lift Type	Manual
Location	RF Cav #3	Key #	YJA4	Load Cap.	2 ton
Status	Out of Service (Not in use)	EP-Equip-#	7	Primary JTA	GE-56 Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beaman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID# 20 **Make** **CM** **Category** **Monorail Crane (<5T)**
Bldg 725 **Serial** **THA066GD** **Lift Type** **Manual**
Location RF Cav #4 **Key #** **YJA4** **Load Cap.** **2 ton**
Status Out of Service (Not in use) **EP-Equip-#** **6** **Primary JTA** **GE-56** **Specific JTA** **PS-C20**

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID# 60 **Make** Cosmo/Hu - Cheste **Category** Jib Crane (<1T)
Bldg 725 **Serial** LP-3922 **Lift Type** Manual
Location Xray Tunnel **Key #** YJA4 **Load Cap.** 1 ton
Status Active (Inspect Before Using) **EP-Equip-#** 50 **Primary JTA** GE-56 **Specific JTA** PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/19/2007 Per Kiss, original designer was Cosmo (formerly BNL). Current designer is Eugene Hu (BNL/NSLS).

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	40	Make	Ruger	Category	Portable Automotive (Engine/Shop) Lift (<5T)		
Bldg	725	Serial	27882	Lift Type	Hydraulic		
Location	Stock Room	Key #	None	Load Cap.	1/2 ton		
Status	Active	EP-Equip-#	36	Primary JTA	GE-56	Specific JTA	PS-D64

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y	Y		
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID#	58	Make	C&H	Category	Material (Manual) Lift		
Bldg	725	Serial	20848	Lift Type	Manual		
Location	Stock Room	Key #	None	Load Cap.	1/2 ton		
Status	Removed from Building	EP-Equip-#	38	Primary JTA	PS-D70	Specific JTA	PS-D70

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID#	59	Make	Big Joe	Category	Material (Manual) Lift
Bldg	725	Serial	51341	Lift Type	Manual
Location	Stock Room	Key #	None	Load Cap.	1/2 ton
Status	Active	EP-Equip-#	39	Primary JTA	PS-D70 Specific JTA PS-D70

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beauman	Ronald	PSBL	Active	Y	Y		
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y	Y		
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		

PS-DBase ID# 68 Make Bishamon Category Pallet Lifter (Manual)
Bldg 725 Serial Lift Type Manual
Location Stock Room Key # Load Cap. 5500 lbs.
Status Active EP-Equip-# Primary JTA PS-D46 Specific JTA PS-D46

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y	Y		

PS-DBase ID#	67	Make	Bishamon	Category	Pallet Lifter (Manual)	
Bldg	725	Serial		Lift Type	Manual	
Location	Stock Room	Key #		Load Cap.	5500 lbs.	
Status	Active	EP-Equip-#		Primary JTA	PS-D46	Specific JTA PS-D46

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y	Y		

PS-DBase ID#	70	Make	Regal	Category	Portable Lifts (Motorized) and Transporters (<2T)		
Bldg	725	Serial	35305	Lift Type	Electric		
Location	Stock Room	Key #		Load Cap.	750 lbs.		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-D66

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

8/5/2008 Equipment noted U3A; per Bob Kiss, equipment given to NSLS.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y	Y		

PS-DBase ID#	69	Make	Presto	Category	Portable Lifts (Motorized) and Transporters (<2T)		
Bldg	725	Serial	118973	Lift Type	Electric		
Location	Stock Room	Key #		Load Cap.	1000 lbs		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-D66

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y	Y		

PS-DBase ID#	66	Make	Multition MIC Corp.	Category	Pallet Lifter (Motorized) (<10T)
Bldg	725	Serial	90154798	Lift Type	Electric
Location	Stock Room	Key #		Load Cap.	2041 KG (4,490 lbs), 2 tons
Status	Active	EP-Equip-#	725EP-A052386	Primary JTA	GE-56 Specific JTA PS-D44

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y			
24298	Durfee	Douglas	PSBD	Active	Y			
15213	Greene	Richard	PSEW	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y			
14354	Kiss	Robert	PSCG	Active	Y		Y	
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
24661	McDonald	Keith	PSBD	Active	Y			

PS-DBase ID#	10	Make	Yale	Category	Bridge Crane (<5T)
Bldg	725	Serial	W-306432-A	Lift Type	Pendant
Location	Stock Room	Key #	YJA32	Load Cap.	2 ton
Status	Active	EP-Equip-#	725-CRNE-003	Primary JTA	GE-56 Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
12678	Carlson	Dennis	PSEW	Active	Y	Y	Y	Y
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
18089	Fulkerson	Michael	PSBK	Active	Y	Y		
15213	Greene	Richard	PSEW	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
J5010	Jordan-Sweet	Jean	LSUG	Auto-Term	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
22841	LaMarra	Steven	PSED	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y	Y	
22151	Oliva	Jorge	PSBD	Active	Y	Y		
24321	Papu	Joseph	PSBD	Active	Y	Y		
22348	Pedersen	Kenneth	PSBD	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	
24125	Sorrentino	Christopher	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	62	Make	Jet/Hitachi	Category	Chain Fall (Manual) (<5T)		
Bldg	726	Serial	H390169030	Lift Type	Manual		
Location	Hi Bay	Key #		Load Cap.	1/2 Ton		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-D06

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): Dent in cover; nut missing; okay to use; repair ASAP.
 1/25/2007 Added to crane database from Hynan report.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	63	Make	Duff-Lynx	Category	Chain Fall (Manual) (<5T)
Bldg	726	Serial	KC-9010	Lift Type	Manual
Location	Locker	Key #		Load Cap.	1-1/2 Ton
Status	Active	EP-Equip-#		Primary JTA	GE-56 Specific JTA PS-D06

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.
 1/25/2007 Hynan inspection report states type as Come Along.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
D6967	Stanisci	Joseph	PSGU	Inactive				

List of Photon Sciences Mat'l Handling Equip

Page 63 of 79

8/13/2012 4:40:52 PM

PS-DBase ID#	42	Make	CM	Category	Portable Gantry (Frame) Crane (<12T)		
Bldg	727	Serial	THA067GD	Lift Type	Manual		
Location	Magnet Measurement Lab	Key #	YJA9	Load Cap.	1 ton		
Status	Active	EP-Equip-#	727-CRNE001	Primary JTA	GE-56	Specific JTA	PS-D62

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/25/2007 Annual inspection report (Hynan): No deficiencies.

1/25/2007 Hynan inspection report states: Manual Chain Hoist; Kiss to verify.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
18702	Harder	David	PSBC	Active	Y	Y	Y	Y
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
20125	Lehecka	Michael	PSBC	Active	Y	Y	Y	
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	43	Make	Budget	Category	Portable Gantry (Frame) Crane (<12T)		
Bldg	727	Serial	163-781	Lift Type	Pendant		
Location	Magnet Measurement Lab	Key #	YJA9	Load Cap.	1 ton		
Status	Active	EP-Equip-#	727-CRNE002	Primary JTA	GE-56	Specific JTA	PS-D62

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/25/2007 Annual inspection report (Hynan): No deficiencies.
- 1/25/2007 Hynan inspection report states: Electric Chain Hoist; Kiss to verify.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
18702	Harder	David	PSBC	Active	Y	Y	Y	Y
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
20125	Lehecka	Michael	PSBC	Active	Y	Y	Y	
15585	Newburgh	William	PSBL	Active	Y	Y		
14938	Nintzel	Gary	PSEW	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	

PS-DBase ID#	44	Make	Hein-Werner	Category	Portable Automotive (Engine/Shop) Lift (<5T)		
Bldg	727	Serial	382019	Lift Type	Manual		
Location	Storage Area	Key #	None	Load Cap.	1/2 ton		
Status	Discarded	EP-Equip-#	727-CRNE003	Primary JTA	GE-56	Specific JTA	PS-D64

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID#	65	Make	ATD Tools	Category	Portable Automotive (Engine/Shop) Lift (<5T)	
Bldg	727	Serial	55060420491	Lift Type	Hydraulic	
Location	SDL	Key #	None	Load Cap.	2 ton	
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA PS-D64

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

3/21/2007 Kiss has Operator's Manual

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
15109	De Boer	Walter	PSBG	Active	N	Y		
20563	Hubbard Jr	Rodger	PSBL	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
15585	Newburgh	William	PSBL	Active	Y	Y		
18014	Pop	Sorin	PSBL	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	45	Make	Yale	Category	Bridge Crane (<5T)
Bldg	729	Serial	Budget	Lift Type	Pendant
Location	Bldg. 729 (SDL)	Key #	YJA25	Load Cap.	1 ton
Status	Active	EP-Equip-#	729-CRNE001	Primary JTA	GE-56 Specific JTA PS-C01

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/25/2007 Annual inspection report (Hynan): Clearance; hook position; stop limits; okay to use; correct ASAP.
- 1/25/2007 Hynan inspection report states SN 215LG21P2.
- 1/25/2007 Hynan inspection report states 2 ton.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
20559	Beuman	Ronald	PSBL	Active	Y	Y		
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
18089	Fulkerson	Michael	PSBK	Active	Y	Y		
22429	Iaccarino	Richard	PSBL	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
24661	McDonald	Keith	PSBD	Active	Y	Y		
15585	Newburgh	William	PSBL	Active	Y	Y	Y	
14938	Nintzel	Gary	PSEW	Active	Y	Y		
22348	Pedersen	Kenneth	PSBD	Active	Y	Y		
19658	Santangelo	Leonard	PSBL	Active	Y	Y		
15355	Scheuerer	Robert	PSBL	Active	Y	Y	Y	
15262	Singh	Pooran	PSBF	Active	Y	Y	Y	Y
24125	Sorrentino	Christopher	PSBD	Active	Y	Y		

PS-DBase ID#	46	Make	Ruger	Category	Portable Automotive (Engine/Shop) Lift (<5T)		
Bldg	729	Serial	78-H208-20	Lift Type	Manual		
Location	Bldg. 729 (SDL)	Key #	None	Load Cap.	2 ton		
Status	Removed from Building	EP-Equip-#	729-CRNE003	Primary JTA	GE-56	Specific JTA	PS-D64

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
------	------	-------	------	------------	------------------------------	-------------------------------	-----------------	-------------

PS-DBase ID#	64	Make	Northern	Category	Static Underhung Hoist (Structural) (<5T)		
Bldg	727	Serial	C-180UF250V	Lift Type	Electric		
Location	Storage Area	Key #		Load Cap.	1100 lbs.		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-D04

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

- 1/25/2007 Annual inspection report (Hynan): No deficiencies.
- 1/25/2007 Hynan inspection report states type as Electric Hoist.
- 1/25/2007 Need other crane info from Kiss.
- 1/25/2007 Added to crane database from Hynan report.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
14354	Kiss	Robert	PSCG	Active	Y	Y		

PS-DBase ID#	75	Make	Ingersoll Rand	Category	Monorail Crane (<5T)		
Bldg	740	Serial	QCH100-14855-10	Lift Type	Electric		
Location	SB-1	Key #		Load Cap.	2 ton		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

9/29/2011 Info provided by John Hynan.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	76	Make	Ingersoll Rand	Category	Monorail Crane (<5T)	
Bldg	740	Serial	QCH100-14764-10	Lift Type	Electric	
Location	SB-2	Key #		Load Cap.	2 ton	
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

9/29/2011 Crane info provided by John Hynan.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	77	Make	Ingersoll Rand	Category	Monorail Crane (<5T)	
Bldg	740	Serial	QCH100-1613-10	Lift Type	Electric	
Location	SB-3	Key #		Load Cap.	2 ton	
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

9/29/2011 Crane info provided by John Hynan.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	78	Make	Ingersoll Rand	Category	Monorail Crane (<5T)	
Bldg	740	Serial	QCH100-16129-10	Lift Type	Electric	
Location	SB-4	Key #		Load Cap.	2 ton	
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

9/29/2011 Crane info provided by John Hynan.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	79	Make	Ingersoll Rand	Category	Monorail Crane (<5T)		
Bldg	740	Serial	QCH10014854-10	Lift Type	Electric		
Location	SB-5	Key #		Load Cap.	2 ton		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	74	Make	Ingersoll Rand	Category	Monorail Crane (<5T)
Bldg	740	Serial	QCH-200-11471-10	Lift Type	Electric
Location	Injection Bldg	Key #		Load Cap.	3 ton
Status	Active	EP-Equip-#		Primary JTA	GE-56 Specific JTA PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

9/29/2011 Crane info provided by John Hynan.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	73	Make	Ingersoll Rand	Category	Monorail Crane (<5T)		
Bldg	740	Serial	QCH200-11472-10	Lift Type	Electric		
Location	RF Bldg	Key #		Load Cap.	3 ton		
Status	Active	EP-Equip-#		Primary JTA	GE-56	Specific JTA	PS-C20

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

9/29/2011 Crane info provided by John Hynan.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23844	Davila	Peter	PSBD	Active	Y	Y		
24298	Durfee	Douglas	PSBD	Active	Y	Y		
24661	McDonald	Keith	PSBD	Active	Y	Y		
D6967	Stanisci	Joseph	PSGU	Inactive				

PS-DBase ID#	61	Make	Category	Bridge Crane (<5T)	
Bldg	820A	Serial	Lift Type		
Location	ATF Bldg 820A	Key #	Load Cap.	1 ton	
Status	Active	EP-Equip-#	Primary JTA	GE-56	Specific JTA PS-C01
Notes on Use					

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

1/23/2007 Crane added to database. Awaiting make, model, etc. from Kiss.

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
18089	Fulkerson	Michael	PSBK	Active	Y	Y		
14354	Kiss	Robert	PSCG	Active	Y	Y	Y	Y
15585	Newburgh	William	PSBL	Active	Y	Y		

PS-DBase ID#	72	Make	Virginia	Category	Bridge Crane (>21T)
Bldg	832	Serial	VC-94-674	Lift Type	Pendant
Location	NSLS-II Bldg 832	Key #		Load Cap.	30-ton
Status	Active	EP-Equip-#	832-CRNE001	Primary JTA	GE-56 Specific JTA PS-C03

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
18702	Harder	David	PSBC	Active	Y	Y		
15359	Mendez	Jose	PSCG	Active	Y	Y		
22151	Oliva	Jorge	PSBD	Active	Y	Y		
16874	Sikora	Robert	PSBD	Active	Y	Y		
15262	Singh	Pooran	PSBF	Active	Y	Y		

PS-DBase ID#	80	Make	Category	Jib Crane (<1T)	
Bldg	945	Serial	Lift Type		
Location	Ultra Sonic Clean Fac	Key #	Load Cap.		
Status	Active	EP-Equip-#	Primary JTA	GE-56	Specific JTA PS-C10

Notes on Use

Comments on Status, Inspections, Keys, Users (Shows last 8 comments only)

Authorized Persons (as of the date of this report) shown below (Responsible Persons shown with "Y")

Life	Last	First	DEPT	BNL Status	Qualified for Primary JTA	Qualified for Specific JTA	Resp Person?	Has Key?
23922	Wilson	King	PSBG	Active	Y	Y		