American Time Use Survey (ATUS) Data Dictionary:

2009 ATUS-CPS File

Variables collected in the Current Population Survey (CPS)

July 2010

Important Information about the ATUS Data Dictionary (ATUS-CPS)

Introduction

The American Time Use Survey (ATUS) is sponsored by the Bureau of Labor Statistics and conducted by the U.S. Census Bureau. The purpose of this document is to provide information about the variables available on one of the 2009 ATUS data files, the ATUS-CPS file. Variables that also appear on the Activity Summary file are identified.

The ATUS-CPS file contains information collected in the Current Population Survey (CPS) interviews about persons selected to participate in ATUS and members of their households. The file has one record for each household member. The CPS interviews were conducted two to five months prior to the ATUS interview. For this reason, some of the information on the ATUS-CPS file was out of date at the time of the ATUS interview. When possible, it is best to use variables collected in ATUS rather than their CPS counterparts.

This data dictionary lists all the variables available on the ATUS-CPS file and their valid values. It also provides directions on how to read the data dictionary.

Three additional data dictionaries describe other 2009 ATUS files:

- ATUS Interview Data Dictionary: Describes the variables that were collected and assigned in the ATUS interview. The variables described are available on the Roster file, Activity file, Activity Summary file, Who file and Respondent file.
- Survey Methodology Data Dictionary: Describes the variables available on the Case History file and the Call History file.
- Trips Data Dictionary: Describes the variables available on the Trips file.

These additional data dictionaries are available on the ATUS Web site at www.bls.gov/tus/dictionaries.

Naming Conventions and Definitions

Variables on the ATUS-CPS file are named according to ATUS and CPS rules (the only two exceptions to these rules are the variables OCCURNUM and QSTNUM):

- The first character of the variable name identifies the level of the variable (whether it refers to a person, a household, a household location, or an ATUS variable)
- The second character of the variable name identifies the variable type (whether it is unedited, edited, a recode, an allocation flag, or topcoded)
- The remaining characters consist of a descriptive name

The table below lists the meaning of the first character in more detail.

First	Level of	Definition
Character	Variable	
G	CPS Geography variable	Geography variables are collected in CPS and identify a household location. For example, GESTFIPS gives the FIPS state code for the location of the household.
		Geography variables have separate values for each household in the ATUS-CPS file. Thus, they are the same for each member of the household. They are only found in the ATUS-CPS file and not in any of the other ATUS files (except GTMETSTA, which is also found on the Activity Summary file).
Н	CPS Household variable	Household variables are collected in CPS and describe a household characteristic. For example, HRNUMHOU gives the total number of persons living in the household.
		Household variables have separate values for each household in the ATUS-CPS file. Thus, they are the same for each member of the household. They are only found in the ATUS-CPS file and not in any of the other ATUS files.
Р	CPS Person variable	Person variables are collected in CPS and describe a characteristic of a person. For example, PRTAGE gives the age of an individual.
		Person variables have separate values for each person in the ATUS-CPS file. They are only found in the ATUS-CPS file and not in any of the other ATUS files (except PEEDUCA, PTDTRACE, and PEHSPNON, which are also found on the Activity Summary file).
Т	ATUS variable	ATUS variables ("T" for time use) are collected through ATUS interviews.
		There are only three ATUS variables in the ATUS-CPS file. Two of these are the ATUS case ID (TUCASEID) and ATUS person line number (TULINENO); these variables are used for linking the ATUS-CPS file to other ATUS files. The third variable is TRATUSR, which identifies those persons who responded to the ATUS interview.

The following table gives more information regarding the second character of the variable name (note that the variables on the Activity Summary file that start with a lowercase "t" do not follow these rules).

Second	Variable	Definition
character U	Type Unedited Variable	An unedited variable generally is produced by the Computer Assisted Telephone Interview (CATI) or Computer Assisted Personal Interview (CAPI) instrument and is either collected or assigned during the interview.
		"U" variables on ATUS-CPS file are either person ("P"), household ("H"), or ATUS ("T") variables.
Е	Edited Variable	An edited variable is one that has gone through an editing process (a process checking for consistency). Values of edited variables are almost always equal to values of the corresponding unedited variables. Data differ when a value is allocated or imputed by the processing system based on CPS allocation rules. Allocations are typically performed when the unedited variable contains a missing value or a value of "don't know" or "refused."
		An edited version of a variable exists only if that variable goes through an editing process. If there are no edits for a variable, then only an unedited version of the variable exists.
		"E" variables on the ATUS-CPS file can be either person ("P"), household ("H"), or geography ("G") variables.
R	Recode	A recode is a variable calculated by the processing system from a combination of other items on the file. For example, PRMJOCC1 is the major occupation code for the respondent's main job; this is not a response to a question but rather a variable that summarizes (or "groups") the more finely detailed occupation variable PEIO1OCD.
		Recodes on the ATUS-CPS file are either person ("P"), household ("H"), or ATUS ("T") variables.
Х	Allocation Flag	Each edited person or household variable has a corresponding allocation flag indicating the nature of the allocation. For example, if PUSEX is blank, PESEX would be allocated and have the corresponding allocation flag of PXSEX = 41 (blank to allocated value). See the section on allocation flags for the complete list of values. There are three "X" variables that do not have corresponding "E" variables but rather correspond to "R" or "T" variables (PXAGE, PXRACE1, and PXINUSYR).
	<u> </u>	"X" variables on the ATUS-CPS file can be either person ("P") or household ("H") variables.
Т	Topcode Indicator	These variables indicate topcoding, or the assigning of maximum values. Three topcode variables on the ATUS-CPS file are indicator flags that relate to earnings, and the others are variables that have been topcoded.
		Topcode Indicator variables on the ATUS-CPS file can be either person ("P") variables or geography variables ("G").

Using these rules, variables can be more readily understood based on their names. For example, the variable PESEX can be broken down as follows:

- The first character "P" indicates that this is a person-level variable that was collected or created through the CPS interviews
- The second character "E" indicates that this variable went through an editing process; it also means that there will be a corresponding allocation flag, PXSEX, to indicate the nature of the allocation
- The final part of the variable name, "SEX," is descriptive

Some questions asked in the CPS interviews allow for more than one response. For such multiple entry questions, there is a separate variable for each possible response. Each variable has the same descriptive name but a different (sequential) number. For example, respondents can provide up to six answers to the question "You said you have been trying to find work – how did you go about looking?" The variable names are PULKDK1, PULKDK2, PULKDK3, etc.

Not all CPS variables are on the ATUS-CPS file. When there is an edited variable, the corresponding unedited variable is usually omitted from the files. This is typically done to protect the confidentiality of CPS or ATUS respondents as required by law. If an unedited variable is included on the files, it generally means that an edited version does not exist and that the unedited version cannot be used to identify individual respondents.

ATUS Data Files

1) ATUS-CPS File

This file contains most of the variables on the CPS files for households selected to participate in ATUS, whether or not there was a completed ATUS interview.

There is a record for each person in the households from which an individual was selected to participate in ATUS. However, the ATUS-CPS file represents households as they were at the time of the CPS interview (also referred to as CPS Month-In-Sample 8 data or CPS MIS-8 data). The information on the ATUS-CPS file was collected two to five months before the ATUS interview and in some cases was out of date at the time of the ATUS survey. Because household composition can change, the ATUS Roster file may contain more individuals for the same household. If an individual moved into the household after the CPS interview, CPS information will not be available for that person. Those persons who are no longer living in the household at the time of the ATUS interview are not included on the ATUS-CPS file.

In addition to updating the household roster, many of the CPS questions related to employment, earnings, and school enrollment are re-asked in the ATUS interview. When possible, it is better to use a more up-to-date variable from the ATUS interview than a variable from the ATUS-CPS file. However, some information is not re-asked in the ATUS interview, such as race and educational attainment, and is available only on the ATUS-CPS file.

A simplified example is shown below (the actual ATUS-CPS file contains many more variables). The TUCASEID identifies each ATUS case, and the TULINENO identifies each individual in the household. In the example below, TUCASEID 20090100234567 has three persons residing in the household, while TUCASEID 20090100234570 and TUCASEID 20090100234585 have one person. Each household member has the same TUCASEID and a different TULINENO.

The example includes a household variable (HUFAMINC), a geography variable (GEREG), and two person variables (PEMARITL and PRTAGE). All members of the same household have the same value for HUFAMINC (family income) and GEREG (region) because the variables describe a given household. Each household member has an individual value for PEMARITL (marital status) and PRTAGE (age). Some household members do not have information for all person variables. For example, TULINENO 3 of TUCASEID 20090100234567 is missing (value = -1) marital status (PEMARITL). This is because PRMARITL is not defined for individuals younger than 15.

TUCASEID	TULINENO	HUFAMINC	GEREG	PEMARITL	PRTAGE
20090100234567	1	12	1	1	45
20090100234567	2	12	1	1	44
20090100234567	3	12	1	-1	12
20090100234570	1	7	3	3	70
20090100234585	1	13	2	4	57

2.) ATUS Activity Summary File

The ATUS Activity Summary file contains information about the total number of minutes each respondent spent doing each activity. The file also includes selected variables from the ATUS Respondent, ATUS Roster, and ATUS-CPS files. The Activity Summary file contains variables not described in this data dictionary. Variables beginning with a lower-case "t" correspond to specific activity codes; definitions for each activity code can be found in the 2009 Activity Lexicon (www.bls.gov/tus/lexiconwex2009.pdf).

There is one record for each ATUS respondent.

A simplified example of the ATUS Activity Summary file appears below. The variable TUCASEID is the unique identifier for each respondent and the variable TEAGE, which also appears on the ATUS Roster file, shows each respondent's age. The variable t010101 contains the total number of minutes each respondent spent doing activity 010101, "sleeping"; the variable t010102 contains the total number of minutes each respondent spent doing activity 010102, "sleeplessness."

The ATUS Activity Summary file contains more variables describing each activity as well as many more lines than the example below.

TUCASEID	TEAGE	t010101	t010102
20090101020210	26	480	0
20090101020211	53	430	30
20090101020212	76	457	0
20090101020213	16	600	0

Differences between ATUS-CPS File and CPS File

Most of the variables available on the CPS file also are available on the ATUS-CPS file, but there are some variables that appear on one file and not on the other. Some of these variables do not exist on one of the files, and others correspond to variables with different names.

The table below lists the variables that are missing from either the 2009 ATUS-CPS file or the August 2008 to October 2009 CPS files and shows whether there is a corresponding variable.

CPS Variable	Definition of Variable	ATUS Variable
Variables on CPS Files tha	t have no corresponding variable on the 2009 ATUS-C	PS File
GTCBSA	CBSA FIPS code	
GTCSA	Consolidated Statistical Area]
GTCO	County code	
GTCBSAST	Principle City/Balance Status	
GTINDVPC	Individual Principle City	
GTCBSASZ	Metropolitan Area (CBSA) Size	
HWHHWGT	Household weight	No corresponding variable
PWCMPWGT	Composite weight	No corresponding variable
PWFMWGT	Family weight	
PWLGWGT	Longitudinal weight	
PWORWGT	Outgoing rotation weight	
PWSSWGT	Second stage weight	
PWVETWGT	Veteran weight	
PRCHLD	Presence of own children by selected age group	
Variables on CPS Files tha	t have corresponding variables on the 2009 ATUS-CP	S File
PEAGE	Person's age as of survey week	PRTAGE
PRINUSYR	Immigrant's year of entry	PRINUYER
Variables on the 2009 ATU	S-CPS File that have no corresponding variable on CF	PS Files
	ATUS case ID	TUCASEID
No corresponding veriable	ATUS person line number	TULINENO
No corresponding variable	Scrambled pseudo PSU cluster	GEPSEUCL
	Scrambled pseudo PSU collapsed stratum	GEPSEUST
	ATUS respondent	TRATUSR

CPS variable information found in this document is based on the CPS data dictionaries and data files found at www.bls.census.gov/cps/datamain.htm. It is important to note that CPS data from other sources can have different names, different formats, or different default values for the same variables.

Valid Values

Each variable has a number of valid values or a range of valid values. For example, the variable PESEX has two valid values: 1 for male and 2 for female. The variable PRTAGE, on the other hand, has a range of valid values—any entry between 0 and 85 (except 81 through 84) is considered valid. Individual valid values or a range of valid values are listed under each variable in the data dictionary. A few variables have so many valid values that they are not included in the data dictionary; instead, they are provided in an appendix or a separate document. (References to these are included as a "Note" under the relevant variables in the data dictionary.) One example of such a variable is PEIO1ICD, which identifies the industry code of the respondent's main job.

Many variables have the following possible valid values:

Value	Description
-1	Blank
-2	Don't know
-3	Refused

Since so many variables have these possible values, they are not shown as valid entries for each item.

Two variables on the ATUS-CPS file do not list either valid values or a range of valid values. These are identifying variables: the primary identifier for ATUS cases (TUCASEID) and the primary identifier for CPS cases (HRHHID).

53

Allocation Flags

For every person-level or household-level edited item (or all "PE" and "HE" variables), there is a corresponding allocation flag whose second character is "X." All remaining characters of the two variables' names are the same. For example, PXSEX is the allocation flag for PESEX.

All allocation flags have the following list of possible values:

0 Value – no change 1 Blank - no change 2 Don't know - no change 3 Refused – no change Value to value 10 Blank to value 11 12 Don't know to value 13 Refused to value 20 Value to longitudinal value Blank to longitudinal value 21 Don't know to longitudinal value 22 Refused to longitudinal value 23 Value to allocated longitudinal value (unused) 30 Blank to allocated longitudinal value (unused) 31 Don't know to allocated longitudinal value (unused) 32 Refused to allocated longitudinal value (unused) 33 40 Value to allocated value 41 Blank to allocated value 42 Don't know to allocated value 43 Refused to allocated value 50 Value to blank 52 Don't know to blank

Each digit of these valid values identifies how and why edited variables were allocated.

Refused to blank

The first digit indicates how the allocation was made to the "E" (or edited) variable.

	First Digit
0 or Blank	No change between "U" variable and "E" variable
1	"E" variable changed to a value
	"E" variable changed to a longitudinal value (the corresponding value from
2	a prior CPS interview)
	"E" variable changed to an allocated longitudinal value (the corresponding
3	allocated value from a prior CPS interview) - unused
4	"E" variable changed to allocated value
5	"E" variable changed to a blank

The second digit indicates why the "U" variable was allocated, whether the value was changed, missing, don't know, or refused.

	Second Digit
0	"U" variable was equal to some value
1	"U" variable was blank (or -1)
2	"U" variable was don't know (or -2)
3	"U" variable was refused (or -3)

All "X" variables follow this standard format. One ATUS-CPS variable (PRCITFLG) is an allocation flag with the standard list of 53 variables and yet does not follow the standard naming convention. PRCITFLG is an allocation flag for PRCITSHP (citizenship status).

Two other variables (PRERNWAL and PRHERNAL) indicate allocation and do not follow the "X" variable values; these variables have values of either 0 or 1, with 1 indicating that other variables (PRERNWA and PRERNHLY respectively) have been allocated.

All "PE" and "HE" variables have a corresponding "X" variable. However, there are three "X" variables that correspond to an "R" variable rather than an "E" variable. These are:

PXRACE1 PRDTRACE: allocation flag
PXAGE PRTAGE: allocation flag
PXINUSYR PRINUYER: allocation flag

Edited Universe

Edited variables and recodes are defined for certain universes, and these are listed in the data dictionary. For example, PEMJNUM (number of jobs) is only defined for those who have indicated that they have more than one job. Therefore, the universe for PEMJNUM is PEMJOT = 1 (PEMJOT is the multiple job status of the individual, and a value of 1 indicates that the individual has more than one job).

Certain variables might initially appear to be the same because their descriptions are very similar. These variables are different in that they were asked of different groups of survey respondents. For example, the variables PEERNH1O and PEERNH2 both have the same question text of "Excluding overtime pay, tips, and commissions, what is your hourly rate of pay on your main job?" The difference between these two variables has to do with which group of respondents was asked each question, and this can be determined by looking at the edited universe. PEERNH1O was asked of respondents with PEERNPER = 1, or those who said it was easiest to report their earnings hourly. PEERNH2, on the other hand, was asked of respondents who said it was easiest to report their earnings some other way than hourly even though they were paid hourly.


CPS Design and Methodology

More information on CPS design and methodology can be found in CPS Technical Paper 66 at www.census.gov/prod/2006pubs/tp-66.pdf.

Organization of the Data Dictionary

Variables are listed in the data dictionary in alphabetical order.

Below is a sample entry from the ATUS-CPS data dictionary:



Frequently Used Variables

The ATUS files have many variables and users may sometimes have difficulty determining which ones to use. A list of the most commonly used ATUS variables is available at www.bls.gov/tus/freqvariables.pdf.

Linking ATUS Files

Each of the ATUS files contains useful information, but in order to produce most estimates, the files need to be linked. All of the files contain the variable TUCASEID, which is the ATUS identification number. Two other variables that can be used for linking in conjunction with TUCASEID are TULINENO (person line number) and TUACTIVITY_N (activity line number). For more information on linking ATUS files, please see www.bls.gov/tus/howto.htm#linking.

Linking ATUS Files to the Final CPS Interview

The ATUS files can also be linked to the CPS files using information on the ATUS-CPS file. Cases on the ATUS-CPS file can be linked to their final CPS interview. Because the last CPS interview occurs two to five months before the ATUS interview, CPS files from August 2007 to October 2008 link to the 2009 ATUS-CPS file. More detailed information about linking ATUS files to CPS files is available in Appendix K of the ATUS User's Guide (/www.bls.gov/tus/atususersquide.pdf).

CPS files can be downloaded from the CPS Web site at www.bls.census.gov/cps/datamain.htm. CPS variable information found in this document is based on the CPS microdata files found on this Web site. It is important to note that CPS data from other sources can have different names, different formats, or different default values for the same variables.

Changes between ATUS 2003 to 2009 Data Files

Those wishing to use multiple years of ATUS data should be aware of changes to ATUS survey methods between years. From 2003 to 2009, there are a number of new, discontinued, and changed variables. For a list of these changes, see the ATUS changes document (www.bls.gov/tus/changes.pdf). Additionally, there are some differences from the 2003 to 2009 Activity Coding Lexicons. A document detailing these differences can found at www.bls.gov/tus/lexiconchanges.pdf.

2009 ATUS Data Dictionary: Public ATUS-CPS Data

Name	Description			File
GEPSEUCL	Scrambled pseudo	primary sampling unit (PSU) cluster	ATUS-CPS File
	Edited Universe:	All households in sample		
	Valid Entries:	20	Min Value	
OFFICE		16000	Max Value	47110 000 5"
GEPSEUST	Scrambled pseudo	primary sampling unit (PSU) collapsed stratum	ATUS-CPS File
	Edited Universe:	All households in sample		
	Valid Entries:	100 6000	Min Value Max Value	
GEREG	Region			ATUS-CPS File
	Edited Universe:	All households in sample		
	Valid Entries:	 Northeast Midwest (form South West 	nerly North Central)	
	* Note: Region of	definitions are listed in Apper	ndix A	
GESTCEN	Census state code	•		ATUS-CPS File
	Edited Universe:	All households in sample		
	Valid Entries:	11 95	Min Value Max Value	
	* Note: Census	state codes are listed in App	endix A	
GESTFIPS	Federal Processin	g Information Standards (FIF	S) state code	ATUS-CPS File
	Edited Universe:	All households in sample		
	Valid Entries:	01	Min Value	
	* Note: FIPS sta	56 Ite codes are listed in Append	Max Value	
GTMETSTA		s (2000 definitions)	JIX A	ATUS-CPS File, Activity Summary File
	Edited Universe	All bouseholds in semple		
	Edited Universe:	All households in sample		
	Valid Entries:	 Metropolitan Non-metropo Not identified 	litan	
		STA is based on MSA definiti able to GEMETSTA (available		
HEHOUSUT	Edited: type of hou	•		ATUS-CPS File
	Edited Universe:	All households in sample		
	Valid Entries:	3 Housing unit	ment, flat in nontransient hotel, mote permanent in transient hote in rooming house	

Name	Description			File
	Edited Universe:	All househol	ds in sample	
	Valid Entries:	5 6 7 8 9 10 11	Mobile home or trailer with no permanent Mobile home or trailer with 1 or more root Housing unit not specified above Quarters not housing unit in rooming/boat Unit not permanent in transient hotel/most Unoccupied tent site or trailer site Student quarters in college dorm Other unit not specified above	ms added arding house
HEPHONEO	Edited: is a telepho	one interview a	acceptable?	ATUS-CPS File
	Edited Universe:	HETELHHD	= 1 or HETELAVL = 1	
	Valid Entries:	0 1 2	Unknown Yes No	
HETELAVL	Edited: is there a te can be contacted?	elephone else	where on which people in this household	ATUS-CPS File
	Edited Universe:	HETELHHD	= 2	
	Valid Entries:	1 2	Yes No	
HETELHHD	Edited: is there a te	elephone in th	is house/apartment?	ATUS-CPS File
	Edited Universe:	HRINTSTA:	= 1	
	Valid Entries:	1 2	Yes No	
HETENURE	Edited: are your liv without payment of		wned, rented for cash, or occupied	ATUS-CPS File
	Edited Universe:	HRINTSTA:	= 1	
	Valid Entries:	1 2 3	Owned or being bought by a household r Rented for cash Occupied without payment of cash rent	member
HRHHID	Household ID (15-0			ATUS-CPS File
	Edited Universe:	All househol	ds in sample	
HRHHID2	Household ID part	2 (5-digit iden	tifier)	ATUS-CPS File
	Edited Universe:	All househol	ds in sample	
	Valid Entries:	1 99999	Min Value Max Value	
HRHTYPE	Household type			ATUS-CPS File
	Edited Universe:	All househol	ds in sample	
	Valid Entries:	1 2 3 4	Husband/wife primary family (neither Arn Husband/wife primary family (either/both Unmarried civilian male - primary family Unmarried civilian female - primary family	Armed Forces) householder

Name	Description				File
	Valid Entries:	5		y householder - responder	nt in Armed Forces,
		6	unmarried Civilian male	primary individual	
		7		le primary individual	
		8		idual householder - respon	dent in Armed Forces
		9	Group quarte		4011 117 111104 T 01000
		10		rs without family	
HRINTSTA	Interview status				ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	1	Interview		
HRLONGLK	Longitudinal link in	ndicator			ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	0 2	Replacement Link to previo	: household - no link to prio	r month
HRMIS	Month in sample	_	10 p. 0 1.0		ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	8	Month in sam	ple 8 (MIS-8)	
HRMONTH	Month of interview				ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	1 12		Min Value Max Value	
HRNUMHOU	Total number of p	ersons in the h	nousehold (hou	sehold members)	ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	0 16		Min Value Max Value	
	the final each Tl	CPS interview JCASEID on the	w (MIS-8) and n he ATUS-CPS f	eople who were living in th nay not match the total nur file. Those persons who ard terview are eliminated fron	e no longer living in the
HRYEAR4	Year of interview				ATUS-CPS File
	Edited Universe:	All househo	lds in sample		
	Valid Entries:	2008 2009		Min Value Max Value	
HUBUS	Does anyone in the	nis household l	have a busines	s or a farm?	ATUS-CPS File
	Valid Entries:	1 2	Yes No		
HUBUSL1	PULINENO of fari	m or business	owner (first own	ner)	ATUS-CPS File
	Valid Entries:	1		Min Value	
		99		Max Value	
HUBUSL2	PULINENO of fari	m or business	owner (second	owner)	ATUS-CPS File
	Valid Entries:	1		Min Value	
		99		Max Value	

Name	Description			File
HUBUSL3	PULINENO of far	m or business	owner (third owner)	ATUS-CPS File
	Valid Entries:	1	Min Value	
LILIDLICI A	DI II INCNO effe	99	Max Value	ATUC ODC Ella
HUBUSL4			owner (fourth owner)	ATUS-CPS File
	Valid Entries:	1	Min Value	
HUFAMINC	Family income	99	Max Value	ATUS-CPS File
TIOI AWIINO	Valid Entries:	4	Lana than \$5,000	ATOO-OF OT IIC
	valid Entries:	1 2	Less than \$5,000 \$5,000 to \$7,499	
		3	\$7,500 to \$9,999	
		4	\$10,000 to \$12,499	
		5	\$12,500 to \$14,999	
		6	\$15,000 to \$19,999	
		7	\$20,000 to \$24,999	
		8	\$25,000 to \$29,999	
		9	\$30,000 to \$34,999	
		10	\$35,000 to \$39,999	
		11	\$40,000 to \$49,999	
		12	\$50,000 to \$59,999	
		13	\$60,000 to \$74,999	
		14	\$75,000 to \$99,999	
		15	\$100,000 to \$149,999	
		16	\$150,000 and over	
			e of all family members during the last 1	
			from business, farm or rent; pensions;	
		y payments; ar If age or older.	nd any other money income received by	family members who are 15
HUFINAL	Final outcome co			
				ATUS-CPS File
	Valid Entries		Fully complete CATI	ATUS-CPS File
	Valid Entries:	001	Fully complete CATI	ATUS-CPS File
	Valid Entries:	001 002	Partially complete CATI	
	Valid Entries:	001 002 004	Partially complete CATI Partial CATI - not complete at closeo	ut
	Valid Entries:	001 002 004 005	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc	ut complete, CATI
	Valid Entries:	001 002 004	Partially complete CATI Partial CATI - not complete at closeo	ut complete, CATI with supplement complete,
	Valid Entries:	001 002 004 005	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview	ut complete, CATI with supplement complete,
	Valid Entries:	001 002 004 005 006	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close	ut complete, CATI with supplement complete, eout, ASEC only
	Valid Entries:	001 002 004 005 006 201 203 204	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout	ut complete, CATI with supplement complete, eout, ASEC only
		001 002 004 005 006 201 203 204 205	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI
	* Note : CATI =	001 002 004 005 006 201 203 204 205 computer assi	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI buter assisted personal
HUINTTYP	* Note : CATI =	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI buter assisted personal
HUINTTYP	* Note: CATI = intervie	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp CPS Annual Social and Economic Su Personal	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI outer assisted personal pplement
	* Note: CATI = intervie Type of interview Valid Entries:	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp = CPS Annual Social and Economic Su Personal Telephone	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI cuter assisted personal applement ATUS-CPS File
HUINTTYP	* Note: CATI = intervie Type of interview Valid Entries:	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp CPS Annual Social and Economic Su Personal	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI outer assisted personal pplement
	* Note: CATI = intervie Type of interview Valid Entries:	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp = CPS Annual Social and Economic Su Personal Telephone d personal contacts Min Value	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI cuter assisted personal applement ATUS-CPS File
HUPRSCNT	* Note: CATI = interviee Type of interview Valid Entries: Number of actual Valid Entries:	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC :	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp = CPS Annual Social and Economic Su Personal Telephone d personal contacts Min Value Max Value	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI outer assisted personal applement ATUS-CPS File ATUS-CPS File
	* Note: CATI = intervie Type of interview Valid Entries: Number of actual	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC :	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp = CPS Annual Social and Economic Su Personal Telephone d personal contacts Min Value Max Value	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI cuter assisted personal applement ATUS-CPS File
HUPRSCNT	* Note: CATI = interviee Type of interview Valid Entries: Number of actual Valid Entries:	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC:	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp = CPS Annual Social and Economic Su Personal Telephone d personal contacts Min Value Max Value	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI outer assisted personal applement ATUS-CPS File ATUS-CPS File
HUPRSCNT	* Note: CATI = interview Type of interview Valid Entries: Number of actual Valid Entries: PULINENO of the	001 002 004 005 006 201 203 204 205 computer assi w, and ASEC :	Partially complete CATI Partial CATI - not complete at closeo Labor force complete, supplement inc Fully completed labor force interview Don't Know items incomplete at close Fully complete CAPI Sufficient partial CAPI - pre-closeout Sufficient partial CAPI - at closeout Labor force complete, supplement inc isted telephone interview, CAPI = comp = CPS Annual Social and Economic Su Personal Telephone d personal contacts Min Value Max Value	ut complete, CATI with supplement complete, eout, ASEC only complete, CAPI outer assisted personal applement ATUS-CPS File ATUS-CPS File

Name	Description			File
HUTYPB	Type B non-intervi	ew categories		ATUS-CPS File
	Valid Entries:	1 2 3 4	Vacant regular Temporarily occupied by persons with Vacant storage of household furniture Unfit or to be demolished	usual residence elsewhere
HUTYPC	Type C non-intervi	9 ew categories	Other type B	ATUS-CPS File
HOTTFO	Valid Entries:	1	Min Value	ATUS-CFSTILE
	valid Elitiles.	9	Max Value	
	* Note: HUTYPO	C is missing fo	r all ATUS cases	
HUTYPEA	Type A non-intervi	ew categories		ATUS-CPS File
	Valid Entries: * Note: HUTYPE	1 4	Min Value Max Value	
HXHOUSUT	HEHOUSUT: alloc		or all ATUS cases	ATUS-CPS File
TIXTIOUSUT	Valid Entries:	0 53	Min Value Max Value location flag values	ATOO-OF STITE
HXPHONEO	HEPHONEO: alloc			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value location flag values	
HXTELAVL	HETELAVL: alloca		ocation hag values	ATUS-CPS File
10012002	Valid Entries:	0 53	Min Value Max Value	71100 01 0 7 110
HXTELHHD	* Note: See Intro HETELHHD: alloca		location flag values	ATUS-CPS File
TIXTELIIID	Valid Entries:	0 53	Min Value Max Value location flag values	ATOO-OF OT IIC
HXTENURE	HETENURE: alloc			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
OOOLIDAII IM			ocation flag values	ATUO ODO E'U-
OCCURNUM	Unique person ide		Mr. Val.	ATUS-CPS File
	Valid Entries: * Note: Valid online	1 16 ly within any s _l	Min Value Max Value pecific month	
PEABSPDO	week?		ur employer for any of the time off last	ATUS-CPS File
	Edited Universe:		= 4-12 or 14	
	Valid Entries:	1 2	Yes No	

Name	Description			File
PEABSRSN	Edited: what was the	he main reasc	n you were absent from work last week?	ATUS-CPS File
	Edited Universe:	PEMLR = 2		
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13	On layoff Slack work/business conditions Waiting for a new job to begin Vacation/personal days Own illness/injury/medical problems Childcare problems Other family/personal obligation Maternity/paternity leave Labor dispute Weather affected job School/training Civic/military duty Does not work in the business Other	
PEAFEVER	Edited: did you eve		tive duty in the U.S. Armed Forces?	ATUS-CPS File
	Edited Universe:	PRTAGE >=	: 17	
	Valid Entries:	1 2	Yes No	
PEAFNOW	Edited: are you not	w in the Arme	d Forces?	ATUS-CPS File
	Edited Universe:	PRPERTYP	= 2 or 3	
	Valid Entries:	1 2	Yes No	
PEAFWHN1	Edited: when did y	ou serve in the	e Armed Forces? (first period)	ATUS-CPS File
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	1 2 3 4 5 6 7 8 9	September 2001 or later August 1990 to August 2001 May 1975 to July 1990 Vietnam Era (August 1964 to April 1975) February 1955 to July 1964 Korean War (July 1950 to January 1955) January 1947 to June 1950 World War II (December 1941 to December 1941 or earlier	per 1946)
PEAFWHN2	Edited: when did y	ou serve in the	e Armed Forces? (second period)	ATUS-CPS File
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	1 2 3 4 5 6 7	September 2001 or later August 1990 to August 2001 May 1975 to July 1990 Vietnam Era (August 1964 to April 1975) February 1955 to July 1964 Korean War (July 1950 to January 1955) January 1947 to June 1950	

Name	Description			File
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	8	World War II (December 1941 to Decemb	per 1946)
PEAFWHN3	Editod: whon did w	9	November 1941 or earlier	ATUS-CPS File
PEARVOINS			e Armed Forces? (third period)	ATUS-CPS FILE
	Edited Universe:	PEAFEVER	= 1	
	Valid Entries:	1	September 2001 or later	
		2	August 1990 to August 2001	
		3	May 1975 to July 1990	
		4	Vietnam Era (August 1964 to April 1975)	
		5	February 1955 to July 1964	
		6	Korean War (July 1950 to January 1955)	
		7 8	January 1947 to June 1950	or 1046)
		9	World War II (December 1941 to December 1941 or earlier	Jei 1940)
PEAFWHN4	Edited: when did yo		e Armed Forces? (fourth period)	ATUS-CPS File
	Edited Universe:	PEAFEVER		
	Valid Entries:	1	Contombox 2001 ox later	
	valiu Entries.	1 2	September 2001 or later August 1990 to August 2001	
		3	May 1975 to July 1990	
		4	Vietnam Era (August 1964 to April 1975)	
		5	February 1955 to July 1964	
		6	Korean War (July 1950 to January 1955)	
		7	January 1947 to June 1950	
		8	World War II (December 1941 to Decemb	per 1946)
		9	November 1941 or earlier	
PECOHAB	Edited: PULINENC	of cohabiting	g partner	ATUS-CPS File
	Edited Universe:	All responde	ents	
	Valid Entries:	1	Min Value	
		16	Max Value	
PECYC	Edited: how many	years of colle	ge credit have you completed?	ATUS-CPS File
	Edited Universe:	PEEDUCA =	= 40 - 42	
	Valid Entries:	1	Less than 1 year (includes 0 years compl	eted)
		2	The first or freshman year	
		3	The second or sophomore year	
		4	The third or junior year	
		5	Four or more years	
PEDADTYP	Edited: Is househo	ld child a biolo	ogical, step or adopted child?	ATUS-CPS File
	Edited Universe:	PERRP=4		
	Valid Entries:	1	Biological	
		2	Step	
		3	Adopted	
PEDIPGED	Edited: how did you		•	ATUS-CPS File
	Edited Universe:	PEEDUCA =	= 39	

Name	Description			File
	Valid Entries:	1	Graduation from high school	
DEDICADO	5 !!	2	GED or other equivalent	4.T.1.0. O.D.0. F.11
PEDISDRS			ifficulty dressing or bathing?	ATUS-CPS File
	Edited Universe:	PRPERTYP:	=2	
	Valid Entries:	1	Yes	
DEDIOEAD	F 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	No	ATUO ODO 5''
PEDISEAR	hearing?		es this person have serious difficulty	ATUS-CPS File
	Edited Universe:	PRPERTYP:	=2	
	Valid Entries:	1	Yes	
DEDIOE)/E	- 1 1 4 1 1	2	No	4.T.10.000.5"
PEDISEYE	seeing even when	wearing glass		ATUS-CPS File
	Edited Universe:	PRPERTYP:	=2	
	Valid Entries:	1	Yes	
PEDISOUT	Editad: Passues of	2	No ental, or emotional condition does this	ATUS-CPS File
PEDISOUT			nds alone such as visiting a doctor's office	ATUS-CPS FILE
	Edited Universe:	Edited: PRP	ERTYP=2	
	Valid Entries:	1 2	Yes No	
PEDISPHY	Edited: Do you hav		culty walking or climbing stairs?	ATUS-CPS File
	Edited Universe:	Edited: PRP	ERTYP=2	
	Valid Entries:	1	Yes	
	* Note:	2	No	
PEDISREM		a physical m	ental, or emotional condition, does this	ATUS-CPS File
FEDISNEIM			ncentrating, remembering, or making	ATOS-CFS FILE
	Edited Universe:	PRPERTYP:	=2	
	Valid Entries:	1 2	Yes No	
PEDW4WK	Edited: did you do	_	rk during the last 4 weeks?	ATUS-CPS File
	Edited Universe:	PEDWWK =	1	
	Valid Entries:	1	Yes	
DEDIA(A) (I	- B	2	No	4.T.10.000.5"
PEDWAVL		·	e started a job if one had been offered?	ATUS-CPS File
	Edited Universe:	PEDWWK =	2 or PEDWLKWK = 1	
	Valid Entries:	1	Yes	
	Tana Englos.	2	No	

Name	Description			File
PEDWAVR	Edited: why could week?	you not have	started a job if one had been offered last	ATUS-CPS File
	Edited Universe:	PEDWAVL	= 2	
	Valid Entries:	1 2 3	Own temporary illness Going to school Other	
PEDWLKO	Edited: did you loo	k for work any	y time in the last 12 months?	ATUS-CPS File
	Edited Universe:	PUDWCK4	= 1 - 3 or PEDWRSN = 1 - 11	
	Valid Entries:	1 2	Yes No	
PEDWLKWK	Edited: and since	you left that jo	b or business have you looked for work?	ATUS-CPS File
	Edited Universe:	PEDW4WK	= 2	
	Valid Entries:	1	Yes	
		2	No	
PEDWRSN	Edited: what is the last 4 weeks?		you were not looking for work during the	ATUS-CPS File
	Edited Universe:	PUDWCK4	= 4 or -1	
	Valid Entries:	1 2 3 4 5 6 7 8 9 10	Believes no work available in area of explant Couldn't find any work Lacks necessary schooling/training Employers think too young or too old Other types of discrimination Can't arrange childcare Family responsibilities In school or other training Ill-health, physical disability Transportation problems Other	pertise
PEDWWK	Edited: did you act months?	tually work at	a job or business during the last 12	ATUS-CPS File
	Edited Universe:	PEDWLKO	= 1	
	Valid Entries:	1	Yes	
		2	No	
PEDWWNTO	Edited: do you cur	rently want a j	ob, either full or part time?	ATUS-CPS File
	Edited Universe:	PUDWCK1	= 3, 4, or -1	
	Valid Entries:	1 2 3 4 5	Yes, or maybe/it depends No Retired Disabled Unable to work	
PEEDUCA	Edited: what is the highest degree you		of school you have completed or the ed?	ATUS-CPS File, Activity Summary File

Name	Description				File
	Edited Universe:	PRPERTYP	= 2 or 3		
	Valid Entries:	31	Less than 1st	grade	
		32	1st, 2nd, 3rd,	_	
		33	5th or 6th grad		
		34	7th or 8th grad	de	
		35	9th grade		
		36	10th grade		
		37	11th grade		
		38	12th grade - n		L . (OED)
		39		raduate - diploma or equiva	ilent (GED)
		40	•	but no degree	a d
		41 42	•	ree - occupational/vocation	lai
		42	_	ree - academic program gree (BA, AB, BS, etc.)	
		43 44		ee (MA, MS, MEng, MEd, N	19\N/ oto \
		45	•	school degree (MD, DDS, D	
		46		ee (PhD, EdD, etc.)	vivi, ctc.)
PEERN	Edited: total weekly			,	ATUS-CPS File
			• , .	<i>'</i>	
	Edited Universe:	PEERNOOT	= 1 and PEER	NPER = I	
	Valid Entries:	0		Min Value	
		288461		Max Value	
PEERNCOV	Edited: on this job, contract?	are you cover	red by a union o	or employee association	ATUS-CPS File
	Edited Universe:	PEIO1COW	= 1 - 5 and PE	MLR = 1 - 2	
	Valid Entries:	1	Yes		
		2	No		
PEERNH10	Edited: excluding or rate of pay on your			issions, what is your hourly ls)	ATUS-CPS File
	Edited Universe:	PEERNPER	= 1		
	Valid Entries:	0		Min Value	
		9999		Max Value	
PEERNH2	Edited: excluding or rate of pay on your			issions, what is your hourly ls)	ATUS-CPS File
	Edited Universe:	PEERNRT =	: 1		
	Valid Entries:	0		Min Value	
	valia Eliaioo.	9999		Max Value	
	* Note: Subject t		uch that PEERI	NHRO x PEERNH2 < or = 2	2884.61
PEERNHRO				er week at this rate?	ATUS-CPS File
I LLIWING		·		i week at this rate:	ATOO OF OT IIC
	Edited Universe:	PEERNH10	>= 0		
	Valid Entries:	0		Min Value	
		99		Max Value	
PEERNHRY	Edited: hourly/non-	hourly status			ATUS-CPS File
	Edited Universe:	PRERELG =	: 1		
	Valid Entries:	1	Hourly worker		

Name	Description			File
	Edited Universe:	PRERELG:	= 1	
	Valid Entries:	2	New house, weeker	
PEERNLAB		are you a me	Non-hourly worker ember of a labor union or of an employee	ATUS-CPS File
	association similar			71100 01 01 110
	Edited Universe:	PEIO1COW	/ = 1 - 5 and PEMLR = 1 - 2	
	Valid Entries:	1	Yes	
		2	No	
PEERNPER		re taxes or ot	s the easiest way for you to report your her deductions: hourly, weekly, annually,	ATUS-CPS File
	Edited Universe:	PRERELG:	= 1	
	Valid Entries:	1	Hourly	
		2	Weekly	
		3	Bi-weekly	
		4	Twice monthly	
		5	Monthly	
		6	Annually	
		7	Other	
PEERNRT			e it is easier to report your earnings hourly rate on your main job?	ATUS-CPS File
	Edited Universe:	PEERNPER	R = 2 - 7	
	Valid Entries:	1	Yes	
		2	No	
PEERNUOT	Edited: do you usu job?	ally receive o	vertime pay, tips, or commissions at your	ATUS-CPS File
	Edited Universe:	PRERELG:	= 1	
	Valid Entries:	1	Yes	
		2	No	
PEERNWKP	Edited: how many	weeks a year	do you get paid?	ATUS-CPS File
	Edited Universe:	PEERNPER	₹ = 6	
	Valid Entries:	1	Min Value	
		52	Max Value	17110 ODO 5''
PEFNTVTY	Edited: in what cou			ATUS-CPS File
	Edited Universe:	PRPERTYF	P = 1 - 3	
	Valid Entries:	57	United States	
		66	Guam	
		73	Puerto Rico	
		78	U.S. Virgin Islands	
		96	U.S. Outlying Area	
		100-554	Foreign country or at sea	
		555	Abroad, country not known	
	* Note: Nativity	country codes	s are listed in Appendix A.	
PEGR6COR	<u> </u>	·	more graduate or professional school	ATUS-CPS File
Landon	courses?	inpiete six of t	more graduate or professional school	ATUS-CES FIRE
	courses!			

Name	Description				File
	Edited Universe:	PEGRPROF	= 1		
	Valid Entries:	1	Yes		
DECEDENCE	Editod, since some	2	No	have very taken any	ATUS ODS Ella
PEGRPROF	graduate or profes			, have you taken any lit?	ATUS-CPS File
	Edited Universe:	PEEDUCA =	= 43		
	Valid Entries:	1	Yes		
		2	No		
PEHGCOMP	Edited: what was t before receiving yo		ade of regular so	chool you completed	ATUS-CPS File
	Edited Universe:	PEDIPGED	= 2		
	Valid Entries:	1	Less than 1st	arado	
	valid Elitiles.	2	1st, 2nd, 3rd, o		
		3	5th or 6th grad		
		4	7th or 8th grad		
		5	9th grade	i C	
		6	10th grade		
		7	11th grade		
		-		a diploma	
DELIDACT1	Editad, last week	8	12th grade - no		ATUC ODC Eile
PEHRACT1	job?	now many noi	urs did you actua	ally work at your main	ATUS-CPS File
	Edited Universe:	PEMLR = 1			
	Valid Entries:	0		Min Value	
	Valia Entinos.	99		Max Value	
PEHRACT2	Edited: last week, job(s)?		urs did you actua	ally work at your other	ATUS-CPS File
	Edited Universe:	PEMLR = 1	and PEMJOT =	1	
	Valid Entries:	0		Min Value	
		99		Max Value	
PEHRACTT	Edited: total hours PEHRACT2)	actually work	ed last week (su	ım of PEHRACT1 and	ATUS-CPS File
	Edited Universe:	PEMLR = 1			
	Valid Entries:	0		Min Value	
	Vallu Ellules.	198		Max Value	
PEHRAVL	Edited: last week, available?		e worked full tim	ne if the hours had been	ATUS-CPS File
	Edited Universe:	PEHRACTT	= 1 - 34 and PE	EMLR = 1 and PEHRUSLT	< 35 and PEHRRSN1
		= 1 - 3			
	Valid Entries:	1	Yes		
DELIDETOT	Editod: do	2	No	nor wook at your	ATUS ODS Eile
PEHRFTPT	Edited: do you usu job(s)/family busin	ess?			ATUS-CPS File
	Edited Universe:	PEHRUSL1	= -4 or PEHRUS	SL2 = -4	
	Valid Entries:	1	Full time		
		2	Part time		

Name	Description			File
	Edited Universe:	PEHRUSL1	= -4 or PEHRUSL2 = -4	
		•		
PEHRRSN1	Valid Entries:	r main reason	Hours vary for working part time?	ATUS-CPS File
LIMMON				ATOO-OF OT IIC
	Edited Universe:	PEHRWANT	= 1	
	Valid Entries:	1	Slack work/business conditions	
		2	Could only find part time work	
		3	Seasonal work	
		4	Childcare problems	
		5	Other family/personal obligations	
		6	Health/medical limitations	
		7	School/training	
		8	Retired/Social Security limit on earnings	
		9	Full time work week is less than 35 hours	
		10	Other	
PEHRRSN2	Edited: what is the	main reason y	you do not want to work full time?	ATUS-CPS File
	Edited Universe:	PEHRWANT	= 2	
	Valid Entries:	1	Childcare problems	
		2	Other family/personal obligations	
		3	Health/medical limitations	
		4	School/training	
		5	Retired/Social Security limit on earnings	
		6	Full time work week is less than 35 hours	
DELIDEONIO		7	Other	ATUO ODO E''
PEHRRSN3	Edited: what is the	main reason y	you worked less than 35 hours last week?	ATUS-CPS File
	Edited Universe:		= 1 - 34 and PUHRCK7 <> 1 or 2 and PEM	/ILR = 1 and
		(PEHRUSLT	>= 35 or PEHRUSLT = -4)	
	Valid Entries:	1	Slack work/business conditions	
		2	Seasonal work	
		3	Job started or ended during week	
		4	Vacation/personal day	
		5	Own illness/injury/medical appointment	
		6	Holiday (legal or religious)	
		7	Childcare problems	
		8	Other family/personal obligations	
		9	Labor dispute	
		10	Weather affected job	
		11	School/training	
		12	Civic/military duty	
PEHRUSL1	Edited: how many	13 hours per wee	Other reason k do you usually work at your main job?	ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2	
	Valid Entries:	0	Min Value	
		99	Max Value	
	* Note: -4 (Hours	s vary) is also	valid for PEHRUSL1	

Name	Description				File
PEHRUSL2	Edited: how many job(s)?	hours per we	ek do you usuall	y work at your other	ATUS-CPS File
	Edited Universe:	PEMJOT =	1 and PEMLR =	1 or 2	
	Valid Entries:	0 99		Min Value Max Value	
	* Note: -4 (Hour	s vary) is also	valid for PEHR	USL2	
PEHRUSLT	Edited: total hours PEHRUSL2)	usually worke	ed per week (sur	m of PEHRUSL1 and	ATUS-CPS File
	Edited Universe:	PEMLR = 1	or 2		
	Valid Entries:	0 198		Min Value Max Value	
	* Note: -4 (Hour	s vary) is also	valid for PEHR	USLT	
PEHRWANT	Edited: do you war week?	nt to work a fu	ull time work wee	k of 35 hours or more per	ATUS-CPS File
	Edited Universe:	PEMLR = 1	and (PEHRUSL	T = 0 - 34 or PEHRFTPT :	= 2)
	Valid Entries:	1	Yes		
		2	No	f. II sins -	
PEHSPNON	Edited: are you Sp	3	Regular hours	are full time	ATUS-CPS File,
PERISPNON	Euiteu. are you op	анізн, пізраі	ilic, or Laurio?		Activity Summary File
	Edited Universe:	PRPERTYF	P = 1 - 3		
	Valid Entries:	1 2	Hispanic Non-Hispanic		
PEIO1COW	Edited: individual of	class of worke	er (main job)		ATUS-CPS File
	Edited Universe:	(PENLFJH:	= 1 or PEJHWK	= 4 and PELKLWO = 1-2) O = 1)) or (PEMLR = 6 and O = 1 or PENLFJH = 1))	
	Valid Entries:	1	Government, f		
		2	Government, s		
		3 4	Government, I Private, for pro		
		5	Private, nonpr		
		6	Self-employed		
		7		I, unincorporated	
		8	Without pay		
	* Note: A PEIO1	COW code c	an be assigned	even if the individual is not	currently employed
PEIO1ICD	Edited: industry co	de (main job)			ATUS-CPS File
	Edited Universe:	(PENLFJH:	= 1 or PEJHWK	= 4 and PELKLWO = 1-2) O = 1)) or (PEMLR = 6 and O=1 or PENLFJH=1))	
	Valid Entries:	0 9999		Min Value Max Value	

Name Description File

* Note: Beginning in the January 2009 CPS, industry data were classified using the 2007 Census Industry classification system. This system replaced the 2002 Census Industry

classification system. Therefore, where [HRYEAR = 2008], PEIO1ICD will have industry data classified using the 2002 Census Industry classification system. Refer to Appendix A-1 for a list of industry codes using the 2002 Census industry classification system.

Where [HRYEAR 4 = 2009], PEIO1ICD will have industry data classified using the 2007 Census Industry classification system. Refer to Appendix A-2 for a list of industry codes

using the 2007 Census industry classification system.

PEIO1OCD Edited: occupation code (main job) ATUS-CPS File

Edited Universe: (PEMLR = 1-3) or (PEMLR = 4 and PELKLWO = 1-2) or (PEMLR = 5 and

(PENLFJH = 1 or PEJHWKO = 1)) or (PEMLR = 6 and PENLFJH = 1) or

(PEMLR = 7 and (PEJHWKO = 1 or PENLFJH = 1))

Valid Entries: 0 Min Value

9999 Max Value

* Note: Refer to Appendix A for a list of occupation codes

PEIO2COW Edited: individual class of worker (second job) ATUS-CPS File

Edited Universe: PEMJOT = 1

Valid Entries: 1 Government, federal

2 Government, state3 Government, local4 Private, for profit

5 Private, nonprofit6 Self-employed, incorporated

Self-employed, incorporated
Self-employed, unincorporated

8 Without pay

PEIO2ICD Edited: industry code (second job) ATUS-CPS File

Edited Universe: PEMJOT = 1

Valid Entries: 0 Min Value 9999 Max Value

* Note: Beginning in the January 2009 CPS, industry data were classified using the 2007 Census

Industry classification system. This system replaced the 2002 Census Industry classification system. Therefore, where [HRYEAR = 2008], PEIO2ICD will have industry data classified using the 2002 Census Industry classification system. Refer to Appendix A-1 for a list of industry codes using the 2002 Census industry classification system.

Where [HRYEAR 4 = 2009], PEIO2ICD will have industry data classified using the 2007 Census Industry classification system. Refer to Appendix A-2 for a list of industry codes

using the 2007 Census industry classification system.

PEIO2OCD Edited: occupation code (second job) ATUS-CPS File

Edited Universe: PEMJOT = 1

* Note:

Valid Entries: 0 Min Value

9999 Max Value Refer to Appendix A for a list of occupation codes

PEJHRSN Edited: what is the main reason you left your last job? ATUS-CPS File

Name	Description				File
	Edited Universe:	PEJHWKO =	- 1		
	Valid Entries:	1	Personal/family	y (including pregnancy)	
		2	Return to scho	ol	
		3	Health		
		4	Retirement or	old age	
		5		asonal, or intermittent job o	completed
		6		siness conditions	
		7	•	work arrangements (hours	s, pay, etc.)
DE II NAVANIT		8	Other	. 10	ATUO ODO 511
PEJHWANT	Edited: do you inte				ATUS-CPS File
	Edited Universe:	PEJHWKO =	2 or PEJHRSN	N = 1 - 8	
	Valid Entries:	1	Yes, or it depe	nds	
DE 11 11411/0		2	No		4.T.U.O. O.D.O. E.''
PEJHWKO	Edited: have you w months?	orked at a job	or business at	any time in the last 12	ATUS-CPS File
	Edited Universe:	PEMLR = 5 o	or 7		
	Valid Entries:	1	Yes		
		2	No		
PELAYAVL	Edited: could you had been recalled?		to work during th	he last seven days if you	ATUS-CPS File
	Edited Universe:	PEMLR = 3			
	Valid Entries:	1	Yes		
		2	No		
PELAYDUR	Edited: duration of	layoff (numbe	r of weeks)		ATUS-CPS File
	Edited Universe:	PELAYLK =	1 or 2		
	Valid Entries:	1		Min Value	
		260		Max Value	
PELAYFTO	Edited: is the job from more per week?	om which you	are on layoff a	full time job of 35 hours or	ATUS-CPS File
	Edited Universe:	PELAYDUR	= 1 - 120		
	Valid Entries:	1	Yes		
		2	No		
PELAYLK	Edited: even thoug looking for work du	h you are to b		work, have you been	ATUS-CPS File
	Edited Universe:	PELAYAVL :	= 1 or 2		
	Valid Entries:	1 2	Yes No		
PELKAVL	Edited: could you hoffered?		· · · ·	even days if one had been	ATUS-CPS File
	Edited Universe:	PELKM1 = 1	- 13		
	Valid Entries:	1	Yes		
	. 3 =	2	No		
PELKDUR	Edited: duration of		· · · ·	s)	ATUS-CPS File
		3 (•	

Name	Description			File
	Edited Universe:	PELKLWO =	= 1 - 3	
	Valid Entries:	0	Min Volue	
	valid Entries:	0 999	Min Value Max Value	
PELKFTO	Edited: are you see			ATUS-CPS File
	Edited Universe:	PELKDUR =	= 0 - 120	
	Volid Entries		V	
	Valid Entries:	1 2	Yes No	
		3	Doesn't matter	
PELKLL10			g for work, what were you doing: working,	ATUS-CPS File
	going to school, or Edited Universe:	PELKAVL =		
	Edited Offiverse.	FELNAVL -	1 01 2	
	Valid Entries:	1	Working	
		2	School	
		3	Left military service	
PELKLL2O	Edited: did you los	4 e or quit that i	Something else ob, or was it a temporary job that ended?	ATI IS_CDS File
I LLINELZO	Luitea. dia you los	e or quit triat j	ob, or was it a temporary job that ended:	ATOO-OF OT IIE
	Edited Universe:	PELKLL10	= 1 or 3	
	Valid Entries:	1	Lost job	
		2	Quit job	
		3	Temporary job ended	
DELIZIMO	Edited: when did y	Calmana to the call		ATUS-CPS File
PELKLWO	Luitea. When did y	ou last work?		ATOS-CI STILE
PELKLWO	Edited Universe:	PELKLL10	= 1 - 4	ATOS-CI STILE
PELKLWO			= 1 - 4 Within the last 12 months	ATOO-OF STITE
PELKLWO	Edited Universe:	PELKLL10	Within the last 12 months More than 12 months ago	ATOO-CI STILE
	Edited Universe: Valid Entries:	PELKLL10	Within the last 12 months More than 12 months ago Never worked	
PELKM1	Edited Universe: Valid Entries:	PELKLL10 = 1 2 3 I of the things	Within the last 12 months More than 12 months ago	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are al	PELKLL10 = 1 2 3 I of the things	Within the last 12 months More than 12 months ago Never worked	
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 = 1 2 3 I of the things method) PEMLR = 4	Within the last 12 months More than 12 months ago Never worked you have done to find work during the	
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first	PELKLL10 : 1 2 3 I of the things : method)	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview	
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 = 1 2 3 I of the things method) PEMLR = 4 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency	
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 : 1 2 3 I of the things method) PEMLR = 4 1 2	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview	
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10: 1 2 3 I of the things: method) PEMLR = 4 1 2 3	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10: 1 2 3 I of the things: method) PEMLR = 4 1 2 3 4	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10: 1 2 3 I of the things: method) PEMLR = 4 1 2 3 4 5	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 1 2 3 I of the things method) PEMLR = 4 1 2 3 4 5 6 7 8	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 : 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 : 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 : 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are all last 4 weeks? (first Edited Universe:	PELKLL10 : 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing	ATUS-CPS File
	Edited Universe: Valid Entries: Edited: what are allast 4 weeks? (first Edited Universe: Valid Entries:	PELKLL10 : 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing Other passive	ATUS-CPS File center
	Edited Universe: Valid Entries: Edited: what are allast 4 weeks? (first Edited Universe: Valid Entries:	PELKLL10 : 1	Within the last 12 months More than 12 months ago Never worked you have done to find work during the Contacted employer directly/interview Contacted public employment agency Contacted private employment agency Contacted friends or relatives Contacted school/university employment Sent out resumes/filled out applications Checked union/professional registers Placed or answered ads Other active Looked at ads Attended job training programs/courses Nothing	ATUS-CPS File center

Name	Description			File	
	Edited Universe:	PERRP=4			
	Valid Entries:	1	Min Value		
		16	Max Value		
PELNMOM	Edited: PULINENC	of mother		ATUS-CPS File	
	Edited Universe:	PERRP=4			
	Valid Entries:	1 16	Min Value Max Value		
PEMARITL	Edited: are you not married?	w married, wid	dowed, divorced, separated, or never	ATUS-CPS File	
	Edited Universe:	PRTAGE >=	= 15		
	Valid Entries:	1	Married - spouse present		
	Valla Eritrico.	2	Married - spouse absent		
		3	Widowed		
		4	Divorced		
		5	Separated		
		6	Never married		
PEMJNUM	Edited: altogether,	how many jol	bs did you have?	ATUS-CPS File	
	Edited Universe:	PEMJOT =	 1		
			•		
	Valid Entries:	2	Two jobs		
		3	Three jobs		
		4	Four or more jobs		
PEMJOT	Edited: in the last s	seven days, di	id you have more than one job?	ATUS-CPS File	
	Edited Universe:	PEMLR = 1	or 2		
	Valid Entries:	1	Yes		
		2	No		
PEMLR	Edited: monthly lab	oor force reco	de	ATUS-CPS File	
	Edited Universe:	PRPERTYP	? = 2		
	Valid Entries:	1	Employed - at work		
		2	Employed - absent		
		3	Unemployed - on layoff		
		4	Unemployed - looking		
		5	Not in labor force - retired		
		6	Not in labor force - disabled		
PEMNTVTY	Edited: in what cou	7	Not in labor force - other	ATUS-CPS File	
PEIVIINIVII				ATUS-CPS FILE	
	Edited Universe:	Edited Universe: PRPERTYP = 1 - 3			
	Valid Entries:	57	United States		
		66	Guam		
		73	Puerto Rico		
		78	U.S. Virgin Islands		
		96	U.S. Outlying Area		

Name	Description * Note: Nativity of	File			
PEMOMTYP			are listed in Appendix A.	ATUS-CPS File	
PEWOWITP	Edited Universe:	Edited: Is household child a biological, step, or adopted child? Edited Universe: PERRP=4			
	Valid Entries:	1 2	Biological Step		
		3	Adopted		
PEMS123	Edited: was your methree-year program	master's degree program a one-year, two-year, or ATUS-CPS File			
	Edited Universe:	PEEDUCA:	= 44		
	Valid Entries:	1 2	One-year program Two-year program		
		3	Three-year program (or longer)		
PENATVTY	Edited: in what cou	ıntry were you	ı born?	ATUS-CPS File	
	Edited Universe:	PRPERTYP	2 = 1 - 3		
	Valid Entries: * Note: Nativity of	57 66 73 78 96 100-554 555 country codes	United States Guam Puerto Rico U.S. Virgin Islands U.S. Outlying Area Foreign country or at sea Abroad, country not known are listed in Appendix A.		
PENLFACT	Edited: what best of you disabled, ill, in else?		ATUS-CPS File		
	Edited Universe:	PRTAGE =	14 - 49 or PENLFRET = 2		
	Valid Entries:	1 2 3 4 5	Disabled III In school Taking care of house or family In retirement Something else/other		
PENLFJH	Edited: when did y	d you last work at a job or business? ATUS-CPS File			
	Edited Universe: Valid Entries:	PEMLR = 3	- 7 Within the last 12 months		
	valid Entitles.	1 2 3	More than 12 months ago Never worked		
PENLFRET	Edited: are you ret	ired from a jo		ATUS-CPS File	
	Edited Universe:				
	Valid Entries:	1 2	Yes No		
PEPARENT	Edited: PULINENO of parent ATUS-CPS File				
	Edited Universe:	Every perso	n		

Name	Description			File
	Valid Entries:	0	Min Value	
		99	Max Value	
PERET1	Edited: do you curi	rently want a j	ob, either full or part time?	ATUS-CPS File
	Edited Universe:		or 7 and (PURETOT = 1 or (PUWK = 3 an = 3 and PRTAGE >= 50) or (PULAY = 3 a	
	Valid Entries:	1	Yes	
		2	No	
		3	Has a job	
PERRP	Edited: how is this	person relate	d to you?	ATUS-CPS File
	Edited Universe:	PRPERTYP	2 = 1 - 3	
	Valid Entries:	1	Reference person living with relatives	
		2	Reference person living without relatives	3
		3	Spouse	
		4	Own child	
		5	Grandchild	
		6	Parent	
		7	Brother/sister	
		8	Other relative of reference person	
		9	Foster child	
		10	Nonrelative of reference person living wi	
		12	Nonrelative of reference person living wi	thout relatives
		13	Unmarried partner living with relatives	
		14	Unmarried partner living without relatives	
		15	Housemate/roommate living with relative	
		16	Housemate/roommate living without rela	itives
		17 18	Roomer/boarder living with relatives	
PESCHENR	Edited: last week		Roomer/boarder living without relatives olled in a high school, college, or	ATUS-CPS File
LOGILINIT	university?	were you crife	oned in a riight school, coilege, of	ATOO-OF OT IIC
	Edited Universe:	PRPERTYP	= 2 and PRTAGE = 16 - 24	
	Valid Entries:	1	Yes	
		2	No	
PESCHFT	Edited: are you en	rolled in school	ol as a full-time or part-time student?	ATUS-CPS File
	Edited Universe:	PESCHLVL	= 1 or 2	
	Valid Entries:	1	Full time	
DECOLULY!	Editoria de consentat de con-	2	Part time	ATUO ODO E'U
PESCHLVL		ŭ	ol, college, or university?	ATUS-CPS File
	Edited Universe:	PESCHENF	₹ = 1	
	Valid Entries:	1	High school	
DEOEN	- m - 1	2	College or university	4.T.U.O. O.D.O. F.''
PESEX	Edited: sex			ATUS-CPS File
	Edited Universe:	PRPERTYP	? = 1 - 3	
	Valid Entries:	1	Male	
		2	Female	
PESPOUSE	Edited: PULINENC	of spouse		ATUS-CPS File

Name	Description			File
	Edited Universe:	PEMARITL =	= 1	
	Valid Entries:	1	Min Value	
DDADCDEA	Dagger not at work	99	Max Value	ATUS ODS File
PRABSREA	Reason not at work		5	ATUS-CPS File
	Edited Universe:	PEMLR = 2		
	Valid Entries:	1	Full time paid - vacation	
	valid Elitilooi	2	Full time paid - own illness	
		3	Full time paid - childcare problems	
		4	Full time paid - other family/personal ob	ligation
		5	Full time paid - maternity/paternity leave	_
		6	Full time paid - labor dispute	
		7	Full time paid - weather affected job	
		8	Full time paid - school/training	
		9	Full time paid - civic/military duty	
		10	Full time paid - other	
		11	Full time unpaid - vacation	
		12	Full time unpaid - own illness	
		13	Full time unpaid - childcare problems	
		14	Full time unpaid - other family/personal	obligation
		15	Full time unpaid - maternity/paternity lea	ive
		16	Full time unpaid - labor dispute	
		17	Full time unpaid - weather affected job	
		18	Full time unpaid - school/training	
		19	Full time unpaid - civic/military duty	
		20	Full time unpaid - other	
		21	Part time paid - vacation	
		22	Part time paid - own illness	
		23	Part time paid - childcare problems	
		24	Part time paid - other family/personal ob	_
		25	Part time paid - maternity/paternity leave	Э
		26	Part time paid - labor dispute	
		27	Part time paid - weather affected job	
		28	Part time paid - school/training	
		29	Part time paid - civic/military duty	
		30	Part time paid - other	
		31	Part time unpaid - vacation	
		32	Part time unpaid - own illness	
		33	Part time unpaid - childcare problems	
		34	Part time unpaid - other family/personal	•
		35	Part time unpaid labor dispute	ave
		36	Part time unpaid - labor dispute	
		37 38	Part time unpaid school/training	
		38 39	Part time unpaid - school/training Part time unpaid - civic/military duty	
		40	Part time unpaid - civic/military duty Part time unpaid - other	
PRAGNA	Agricultural/non-ag		•	ATUS-CPS File
FRAGNA	Agricultural/11011-ag	ncultural indu	Suy	ATUS-CFS FIRE

Edited Universe: PRIOELG = 1

Valid Entries: 1 Agricultural

Name	Description			File
	Edited Universe:	PRIOELG =	1	
	Valid Entries:	2	Non-agricultural	
PRCITFLG	PRCITSHP: alloca			ATUS-CPS File
	Edited Universe:	PRPERTYP	= 1 - 3	
	Valid Entries:	00	Min Value	
		53	Max Value	
	* Note: See Intro	duction for al	location flag values	
PRCITSHP	Citizenship status			ATUS-CPS File
	Edited Universe:	PRPERTYP	= 1 - 3	
	Valid Entries:	1	Native, born in United States	
		2	Native, born in Puerto Rico or U.S. Outlyi	ing Area
		3	Native, born abroad of American parent of	
		4	Foreign born, U.S. citizen by naturalization	on
		5	Foreign born, not a U.S. citizen	
	* Note: PRCITFL	_G is the alloc	cation flag for PRCITSHP	
PRCIVLF	Civilian labor force			ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 7	
	Valid Entries:	1	In civilian labor force	
		2	Not in civilian labor force	
PRCOW1	Class of worker red	code (main jol	o)	ATUS-CPS File
	Edited Universe:	PRIOELG =	1	
	Valid Entries:	1	Federal government	
		2	State government	
		3	Local government	
		4	Private (including incorporated self-emple	oyed)
		5	Self-employed, unincorporated	
		6	Without pay	
PRCOW2	Class of worker red	,		ATUS-CPS File
	Edited Universe:	PRIOELG =	1 and PEMJOT = 1	
	Valid Entries:	1	Federal government	
		2	State government	
		3	Local government	
		4	Private (including incorporated self-emple	oyed)
		5	Self-employed, unincorporated	
		6	Without pay	.=
PRCOWPG	Class of worker - p	rivate or gove	ernment	ATUS-CPS File
	Edited Universe:	PEIO1COW	= 1 - 5	
	Valid Entries:	1	Private	
		2	Government	
PRDISC	Discouraged worke	er recode		ATUS-CPS File
	Edited Universe:	PRJOBSEA	= 1 - 4	

Name	Description			File
	Valid Entries:	1	Discouraged worker	
	Valla Entinos.	2	Conditionally interested	
		3	Not available	
PRDISFLG	Does this person h		ese disability conditions?	ATUS-CPS File
	Edited Universe:		erse: PEDISEAR or PEDISEYE or PEDISF or PEDISDRS or PEDISOUT=1.	REM=1; or
	Valid Entries:	1	Yes	
PRDTCOW1	Detailed along of w	2	No (main iah)	ATUS-CPS File
PRDICOWI	Detailed class of w		• •	ATUS-CPS FILE
	Edited Universe:	PRIOELG =	1	
	Valid Entries:	1	Agricultural, wage/salary, private	
		2	Agricultural, wage/salary, government	
		3	Agricultural, self-employed	
		4	Agricultural, unpaid	
		5	Non-agricultural, wage/salary, private ho	ouseholds
		6	Non-agricultural, wage/salary, other priva	
		7	Non-agricultural, wage/salary, federal go	
		8	Non-agricultural, wage/salary, rederal governments	
		9	Non-agricultural, wage/salary, local gove	ernment
		10	Non-agricultural, self-employed	
DDDTO OLVIO	5 . "	11	Non-agricultural, unpaid	ATUO ODO 511
PRDTCOW2	Detailed class of w Edited Universe:		(second job) 1 and PEMJOT = 1	ATUS-CPS File
	Edited Offiverse.	PRIOELG -	Tallu PEMBOT – T	
	Valid Entries:	1	Agricultural, wage/salary, private	
		2	Agricultural, wage/salary, government	
		3	Agricultural, self-employed	
		4	Agricultural, unpaid	
		5	Non-agricultural, wage/salary, private ho	ouseholds
		6	Non-agricultural, wage/salary, other priva	
		7	Non-agricultural, wage/salary, federal go	
		8	Non-agricultural, wage/salary, state gove	
		9	Non-agricultural, wage/salary, local gove	
		10	Non-agricultural, self-employed	orimone .
		11	Non-agricultural, unpaid	
PRDTHSP	Detailed Hispanic		Tron agricultaral, anpara	ATUS-CPS File
	Edited Universe:	PEHSPNON	I = 1	
	Valid Entries:	1	Mexican	
		2	Puerto Rican	
		3	Cuban	
		4	Central/South American	
		5	Other Spanish	
PRDTIND1	Detailed industry re			ATUS-CPS File
	•	` .	<u>'</u>	
	Edited Universe:	PRIOELG =	1	
	Valid Entries:	1	Min Value	
		52	Max Value	

Name Description File

* Note: In the January 2009 CPS, industry data were classified using the 2007 Census Industry

Classification system. This system replaced the 2002 Census Industry Classification system. Therefore, cases with [HRYEAR4 = 2009] will have PRDTIND1 generated using the 2002 Census Industry Classification system. Cases with [HRYEAR4 = 2009] will have PRDTIND1 generated using the 2007 Census Industry Classification system. Detailed

industry recode definitions are listed in Appendix A-1 and A-2.

PRDTIND2 Detailed industry recode (second job) ATUS-CPS File

Edited Universe: PRIOELG = 1 and PEMJOT = 1

Valid Entries: 1 Min Value 52 Max Value

* Note: In the January 2009 CPS, industry data were classified using the 2007 Census Industry

Classification system. This system replaced the 2002 Census Industry Classification system. Therefore, cases with [HRYEAR4 = 2008] will have PRDTIND2 generated using the 2002 Census Industry Classification system. Cases with [HRYEAR4 = 2009] will have PRDTIND2 generated using the 2007 Census Industry Classification system. Detailed

industry recode definitions are listed in Appendix A-1 and A-2.

PRDTOCC1 Detailed occupation recode (main job) ATUS-CPS File

Edited Universe: PRIOELG = 1

Valid Entries: 1 Management occupations

2 Business and financial operations occupations

3 Computer and mathematical science occupations

4 Architecture and engineering occupations

5 Life, physical, and social science occupations

6 Community and social service occupations

7 Legal occupations

8 Education, training, and library occupations

9 Arts, design, entertainment, sports, and media occupations

10 Healthcare practitioner and technical occupations

11 Healthcare support occupations

12 Protective service occupations

13 Food preparation and serving related occupations

14 Building and grounds cleaning and maintenance occupations

15 Personal care and service occupations

16 Sales and related occupations

17 Office and administrative support occupations

Farming, fishing, and forestry occupations

19 Construction and extraction occupations

20 Installation, maintenance, and repair occupations

21 Production occupations

22 Transportation and material moving occupations

23 Armed Forces

* Note: Detailed occupation recode definitions are listed in Appendix A

Edited Universe: PRIOELG = 1 and PEMJOT = 1

Detailed occupation recode (second job)

PRDTOCC2

Valid Entries: 1 Management occupations

ATUS-CPS File

Name	Description			File	
	Edited Universe:	PRIOELG =	PRIOELG = 1 and PEMJOT = 1		
	Valid Entries:	2	Business and financial operations occup	pations	
		3	Computer and mathematical science occ		
		4	Architecture and engineering occupation	ns	
		5	Life, physical, and social science occupa	ations	
		6	Community and social service occupation	ons	
		7	Legal occupations		
		8	Education, training, and library occupation	ons	
		9	Arts, design, entertainment, sports, and		
		10	Healthcare practitioner and technical occ	cupations	
		11	Healthcare support occupations		
		12	Protective service occupations		
		13	Food preparation and serving related oc	-	
		14	Building and grounds cleaning and main	tenance occupations	
		15	Personal care and service occupations		
		16	Sales and related occupations		
		17	Office and administrative support occupa		
		18	Farming, fishing, and forestry occupation		
		19	Construction and extraction occupations		
		20 21	Installation, maintenance, and repair occ	cupations	
		22	Production occupations	unations	
		23	Transportation and material moving occur Armed Forces	upations	
	* Note: Detaile		ecode definitions are listed in Appendix A		
PREMP	Employed perso	·	ecode definitions are listed in Appendix A	ATUS-CPS File	
LIVIL			0 105104000 400 407 470 40		
	Edited Universe:	PEMLR = I	or 2 and PEIO1OCD <> 403-407, 473-484	4	
	Valid Entries:	1	Employed persons (excluding agriculture	e and private households)	
PREMPHRS	Reason not at w	ork or hours at	work	ATUS-CPS File	
	Edited Universe:	PEMLR = 1	-7		
	Valid Entries:	0	Unemployed and not in the labor force		
		1	With job, not at work - illness		
		2	With job, not at work - vacation		
		3	With job, not at work - weather affected j	ob	
		4	With job, not at work - labor dispute		
		5	With job, not at work - childcare problem		
		6	With job, not at work - family/personal of	_	
		7	With job, not at work - maternity/paternit	У	
		8	With job, not at work - school/training		
		9	With job, not at work - civic/military duty	auginose.	
		10 11	With job, not at work - does not work in b	วนอแเซออ	
		12	With job, not at work - other At work, 1-4 hours		
		12	At work, 5-14 hours		
		13	At work, 15-14 hours At work, 15-21 hours		
		15	At work, 22-29 hours		
		16	At work, 30-34 hours		
		17	At work, 35-39 hours		
			- , 		

Name	Description					File
	Edited Unive	erse:	PEMLR = 1 -	- 7		
	Valid Entries	s:	18	At work, 40 ho	ours	
			19	At work, 41-4		
			20	At work, 48 ho	ours	
			21	At work, 49-59		
			22	At work, 60 ho		
PREMPNOT	Employed, u	inempl	oyed, or not in	the labor force		ATUS-CPS File
	Edited Unive	erse:	PEMLR = 1 -	- 7		
	Valid Entries	s:	1	Employed		
			2	Unemployed		
			3	Not in labor for	orce - discoura	aged
			4	Not in labor for		-9
PRERELG	Earnings edi	it eligib	ility flag			ATUS-CPS File
	Edited Unive	erse:	PEMLR = 1 -	- 2		
	Valid Entries	ş·	0	Not eligible fo	or edit	
	Valla Elitilot	, .	1	Eligible for ed		
PRERNHLY	Hourly earni	ngs (2	implied decim			ATUS-CPS File
	Edited Unive	erse:	PEERNPER	= 1 or PEERN	RT = 1	
	Valid Entries	s:	0		Min Value	
			9999		Max Value	
	en	itry in F				Subject to topcoding based on the ERNHLY < or = 2884.61. Topcoding is
PRERNWA			implied decir	nals)		ATUS-CPS File
	Edited Unive	erse:	PRERELG =	: 1		
	Valid Entries	S :	0		Min Value	
	+ N		288461		Max Value	0.1.
	va					Subject to topcoding (the maximum s indicated in PTOT, PTWK, and
PREXPLF	Experienced	labor	force employr	nent		ATUS-CPS File
	Edited Unive	erse:	PEMLR = 1 -	- 4 and PELKL	WO <> 3	
	Valid Entries	s:	1 2	Employed Unemployed		
PRFAMNUM	Family numb	ner reco		Offernployed		ATUS-CPS File
,	·					711 30 31 31 110
	Edited Unive	erse:	PRPERTYP	= 1 - 3		
	Valid Entries	s:	0	Not a family n	nember	
			1	Primary family		V
			2	Subfamily no.		,
			3	Subfamily no.		
				Subfamily no.		
			4	•		
			5	Subfamily no.	o member	

Name	Description			Tile.
	Description	c	Culting in a Company	File
	Valid Entries:	6 7	Subfamily no. 6 member Subfamily no. 7 member	
		8	Subfamily no. 8 member	
		9	Subfamily no. 9 member	
		10	Subfamily no. 10 member	
		11	Subfamily no. 11 member	
		12	Subfamily no. 12 member	
		13	Subfamily no. 13 member	
		14	Subfamily no. 14 member	
		15	Subfamily no. 15 member	
		16	Subfamily no. 16 member	
		17	Subfamily no. 17 member	
		18 19	Subfamily no. 18 member	
PRFAMREL	Family relationship		Subfamily no. 19 member	ATUS-CPS File
FINIAWINEL			-1.2	ATOS-CESTILE
	Edited Universe:	PRPERTYP	= 1 - 3	
	Valid Entries:	0	Not a family member	
		1	Reference person	
		2	Spouse	
		3	Child	
		4	Other relative (primary family only)	
PRFAMTYP	Family type recode)		ATUS-CPS File
	Edited Universe:	PRPERTYP	= 1 - 3	
	Valid Entries:	1	Primary family	
		2	Primary individual	
		3	Related subfamily	
		_	Unrelated subfamily	
		4	Officialed Subiaitility	
		5	Secondary individual	
PRFTLF	Full time labor force	5 e	Secondary individual	ATUS-CPS File
PRFTLF	Full time labor force	5	Secondary individual	ATUS-CPS File
PRFTLF	Edited Universe:	5 e PEMLR = 1	Secondary individual - 4	ATUS-CPS File
PRFTLF		5 e PEMLR = 1 1	Secondary individual - 4 Full time labor force	ATUS-CPS File
PRFTLF	Edited Universe:	5 e PEMLR = 1 1 2	Secondary individual - 4	ATUS-CPS File ATUS-CPS File
	Edited Universe: Valid Entries:	5 e PEMLR = 1 1 2	Secondary individual - 4 Full time labor force Part time labor force	
	Edited Universe: Valid Entries: PRERNHLY: allocations	5 e PEMLR = 1 1 2 ation flag	Secondary individual - 4 Full time labor force Part time labor force	
	Edited Universe: Valid Entries: PRERNHLY: allocations	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0	Secondary individual - 4 Full time labor force Part time labor force / = 1 PRERNHLY does not contain allocated	ATUS-CPS File
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1	Secondary individual - 4 Full time labor force Part time labor force	ATUS-CPS File information
	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly	Secondary individual - 4 Full time labor force Part time labor force ' = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat	ATUS-CPS File
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1	Secondary individual - 4 Full time labor force Part time labor force ' = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat	ATUS-CPS File information
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly	Secondary individual - 4 Full time labor force Part time labor force ' = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat	ATUS-CPS File information
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked Edited Universe:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly PEMLR = 1	Secondary individual - 4 Full time labor force Part time labor force ' = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat	ATUS-CPS File information
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked Edited Universe:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly PEMLR = 1 1	Secondary individual - 4 Full time labor force Part time labor force ' = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat - 2 0-20 hours	ATUS-CPS File information
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked Edited Universe:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly PEMLR = 1 1 2	Secondary individual - 4 Full time labor force Part time labor force / = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat - 2 0-20 hours 21-34 hours 35-39 hours 40 hours	ATUS-CPS File information
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked Edited Universe:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly PEMLR = 1 1 2 3 4 5	Secondary individual - 4 Full time labor force Part time labor force ' = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat - 2 0-20 hours 21-34 hours 35-39 hours 40 hours 41-49 hours	ATUS-CPS File information
PRHERNAL	Edited Universe: Valid Entries: PRERNHLY: allocated Universe: Valid Entries: Usual hours worked Edited Universe:	5 e PEMLR = 1 1 2 ation flag PEERNHRY 0 1 d weekly PEMLR = 1 1 2 3 4	Secondary individual - 4 Full time labor force Part time labor force / = 1 PRERNHLY does not contain allocated PRERNHLY contains allocated informat - 2 0-20 hours 21-34 hours 35-39 hours 40 hours	ATUS-CPS File information

Name	Description			File
	Edited Universe:	PEMLR = 1	-2	
	Luitou Omvoido.	i LiviLiv	_	
	Valid Entries:	8	Varies - part time	
PRIMIND1	Intermediate indus	stry recode (m	ain job)	ATUS-CPS File
	Edited Universe:	PRIOELG =	1	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting	
	Valid Entities.	2	Mining	
		3	Construction	
		4	Manufacturing - durable goods	
		5	Manufacturing - non-durable goods	
		6	Wholesale trade	
		7	Retail trade	
		8	Transportation and warehousing	
		9	Utilities	
		10	Information	
		11	Finance and insurance	
		12	Real estate and rental and leasing	
		13	Professional and technical services	
		14	Management, administrative and waste r	nanagement services
		15	Educational services	•
		16	Health care and social services	
		17	Arts, entertainment, and recreation	
		18	Accommodation and food services	
		19	Private households	
		20	Other services, except private household	ls
		21	Public administration	
		22	Armed Forces	
PRIMIND2	Intermediate indus	stry recode (se	econd job)	ATUS-CPS File
	Edited Universe:	PRIOELG =	1 and PEMJOT = 1	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting	
		2	Mining	
		3	Construction	
		4	Manufacturing - durable goods	
		5	Manufacturing - non-durable goods	
		6	Wholesale trade	
		7	Retail trade	
		8	Transportation and warehousing	
		9	Utilities	
		10	Information	
		11	Finance and insurance	
		12	Real estate and rental and leasing	
		13	Professional and technical services	
		14	Management, administrative and waste r	management services
		15	Educational services	
		16	Health care and social services	
		17	Arts, entertainment, and recreation	
		18	Accommodation and food services	
		19	Private households	1-
		20	Other services, except private household	IS

Name	Description			File
	Edited Universe:	PRIOELG =	1 and PEMJOT = 1	
	Valid Entries:	21	Public administration	
PRINUYER	Immigrant's year o	f ontry into the	Armed Forces	ATUS-CPS File
PRINUTER	• ,	•		ATUS-CPS FIRE
	Edited Universe:	PRCITSHP	= 1 - 5	
	Valid Entries:	0	Not foreign born	
	valid Elitiles.	1	Before 1950	
		2	1950-1959	
		3	1960-1964	
		4	1965-1969	
		5	1970-1974	
		6	1975-1979	
		7	1980-1981	
		8	1982-1983	
		9	1984-1985	
		10	1986-1987	
		11	1988-1989	
		12	1990-1991	
		13	1992-1993	
		14	1994-1995	
		15	1996-1997	
		16	1998-1999	
		17	2000-2001	
		18	2002-2003	
		19	2004-2005	
		20	2006-2008 or 2006-2009 (see note)	
	* Note: PXINUS	YR is the allo	cation flag for PRINUYER.	
	A new va	alue for 20 wa	s introduced in the January 2009 CPS. The	nerefore, for cases with
		R4=2008, the 20 is 2006-20	value of 20 is 2006-2008. For cases with 09.	HRYEAR4=2009, the
PRIOELG	Industry and occup	oation edit elig	jibility flag	ATUS-CPS File
	Edited Universe:	(PEJHWKO	3 or (PEMLR = 4 and PELKLWO = 1 or 2) = 1 or PENLFJH=1)) or (PEMLR = 6 and ' and (PEJHWKO = 1 or PENLFJH = 1))	
	Valid Entries:	0 1	Not eligible for edit Eligible for edit	
PRJOBSEA	Job search recode	<u> </u>	Englishe for ear	ATUS-CPS File
	Edited Universe:	PRWNTJOE	3 = 1	
	Valid Entries:	1	Looked last 4 weeks - not worked	
	Valia Entition	2	Looked last 4 weeks - worked	
		3	Looked last 4 weeks - layoff	
		4	Unavailable job seekers	
		5	No recent job search	
PRMARSTA	Marital status base	ed on Armed F	Forces participation	ATUS-CPS File
	Edited Universe:	PRPERTYP	= 2 or 3	
	Valid Entries:	1	Married, civilian spouse present	

Name	Description			File
	Edited Universe:	PRPERTYP	= 2 or 3	
	Valid Entries:	2	Married, Armed Forces spouse present	
		3	Married, spouse absent (except separate	ed)
		4	Widowed	
		5	Divorced	
		6	Separated	
PRMJIND1	Major industry roof	7 odo (main ich)	Never married	ATUS-CPS File
FUMPINDI	Major industry reco			ATUS-CFS FILE
	Edited Universe:	PRDTIND1	= 1 - 52	
	Valid Entries:	1	Agriculture, forestry, fishing, and hunting	
		2	Mining	
		3	Construction	
		4	Manufacturing	
		5	Wholesale and retail trade	
		6	Transportation and utilities	
		7	Information	
		8	Financial activities	
		9 10	Professional and business services	
		10	Educational and health services Leisure and hospitality	
		12	Other services	
		13	Public administration	
		14	Armed Forces	
PRMJIND2	Major industry reco			ATUS-CPS File
PRMJIND2	Major industry reco		ob)	ATUS-CPS File
PRMJIND2		ode (second j	ob) = 1 - 52	
PRMJIND2	Edited Universe:	ode (second jo	ob)	
PRMJIND2	Edited Universe:	ode (second jo PRDTIND2 1	ob) = 1 - 52 Agriculture, forestry, fishing, and hunting	
PRMJIND2	Edited Universe:	ode (second jo PRDTIND2 1 2	ob) = 1 - 52 Agriculture, forestry, fishing, and hunting Mining	
PRMJIND2	Edited Universe:	pode (second jo PRDTIND2 1 2 3	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade	
PRMJIND2	Edited Universe:	PRDTIND2 1 2 3 4 5	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing	
PRMJIND2	Edited Universe:	PRDTIND2 1 2 3 4 5 6 7	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information	
PRMJIND2	Edited Universe:	PRDTIND2 1 2 3 4 5 6 7	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities	
PRMJIND2	Edited Universe:	PRDTIND2 1 2 3 4 5 6 7 8 9	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services	
PRMJIND2	Edited Universe:	PRDTIND2 1 2 3 4 5 6 7 8 9 10	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services	
PRMJIND2	Edited Universe:	pde (second june property prop	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality	
PRMJIND2	Edited Universe:	pde (second justice) PRDTIND2 1 2 3 4 5 6 7 8 9 10 11 12	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services	
PRMJIND2	Edited Universe:	pode (second journal property of the property	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration	
	Edited Universe: Valid Entries:	pode (second journal property of the property	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces	
PRMJIND2 PRMJOCC1	Edited Universe:	pode (second journal property of the property	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces ob)	
	Edited Universe: Valid Entries: Major occupation r Edited Universe:	PRDTIND2 1 2 3 4 5 6 7 8 9 10 11 12 13 14 recode (main j	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces ob) = 1 - 23	ATUS-CPS File
	Edited Universe: Valid Entries: Major occupation r	PRDTIND2 1 2 3 4 5 6 7 8 9 10 11 12 13 14 recode (main j	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces ob) = 1 - 23 Management, business, and financial occ	ATUS-CPS File
	Edited Universe: Valid Entries: Major occupation r Edited Universe:	pde (second journal property of the property o	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces ob) = 1 - 23 Management, business, and financial occuprofessional and related occupations	ATUS-CPS File
	Edited Universe: Valid Entries: Major occupation r Edited Universe:	PRDTIND2 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Pecode (main j	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces ob) = 1 - 23 Management, business, and financial occ Professional and related occupations Service occupations	ATUS-CPS File
	Edited Universe: Valid Entries: Major occupation r Edited Universe:	pde (second journal property of the property o	Agriculture, forestry, fishing, and hunting Mining Construction Manufacturing Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Educational and health services Leisure and hospitality Other services Public administration Armed Forces ob) = 1 - 23 Management, business, and financial occuprofessional and related occupations	ATUS-CPS File

Name	Description				File
	Valid Entries:	6	Farming fishi	ng, and forestry occupat	ions
	Valia Eliaioo.	7	•	and extraction occupation	
		8		naintenance, and repair o	
		9	Production of	•	occupations
		10		n and material moving o	counations
		11	Armed Forces	_	ccupations
PRMJOCC2	Major occupation i			,	ATUS-CPS File
1 1 (WI00 00 0 2					71100 01 01 110
	Edited Universe:	PRDTOCC2	2 = 1 - 23		
	Valid Entries:	1	Management	, business, and financial	occupations
		2	-	and related occupations	·
		3	Service occup	-	
		4	•	ated occupations	
		5		ministrative support occu	upations
		6		ng, and forestry occupat	•
		7	-	and extraction occupatio	
		8		naintenance, and repair o	
		9	Production oc	•	
		10		n and material moving or	ccupations
		11	Armed Forces	•	ocapation o
PRMJOCGR	Major occupation of				ATUS-CPS File
	Edited Universe:	PRMJOCC:	• •		
	Euiteu Offiverse.	FRIVIDOCC	1 - 1 - 11		
	Valid Entries:	1	Management	, professional, and relate	d occupations
		2	Service occup	oations	
		3	Sales and offi	ice occupations	
		4	Farming, fishi	ng, and forestry occupat	ions
		5	Construction	and maintenance occupa	ations
		6	Production, tr	ansportation, and materi	al moving occupations
		7	Armed Forces	S	
PRNAGPWS	Non-agricultural pr	rivate wage ai	nd salary worke	rs recode	ATUS-CPS File
	Edited Universe:	PRCOW1 =	4 and PEIO1IC	CD <> 0170 - 0890	
	Valid Entries:	1		ral private wage and sala	
PRNAGWS	Non-agricultural w	age and salar	y workers reco	de	ATUS-CPS File
	Edited Universe:	PEMLR = 1	- 4 and PRCOV	W1 = 1 - 4 and PEIO1ICE	0 <> 0170 - 0290
	Valid Entries:	1	Non-agricultu	ral wage and salary work	kers
PRNLFSCH	Not in labor force a	activity - in scl	hool or not in so	hool	ATUS-CPS File
	Edited Universe:	(PENLFAC	T = 1 - 6 or PEN	ILFACT = -1) and PRTA	GE = 16 - 24
	Valid Entries:	1	In school		
		2	Not in school		
PRNMCHLD	Number of own ch	ildren < 18 ye	ars of age		ATUS-CPS File
	Edited Universe:	PRFAMREL	_ = 1 or 2		
	Maka E	0		NA's Males	
	Valid Entries:	0		Min Value	
DDDEDT /S	T /	99		Max Value	ATUO 000 5"
PRPERTYP	Type of person red	code			ATUS-CPS File

Name	Description Edited Universe:	All househol	ld members	File
	Valid Entries:	1 2 3	Child household member Adult civilian household member (15+ ye Adult Armed Forces household member	ars old)
PRPTHRS	At work 1-34 hours			ATUS-CPS File
	Edited Universe:	PEMLR = 1	and PEHRACTT = 1 - 34	
	Valid Entries:	0 1 2 3 4 5 6 7 8 9 10 11	Usually full time, part time for non-econor Usually full time, part time for economic results usually full time, part time for economic results usually full time, part time for economic results usually full time, part time for economic reasons, usually part time for non-economic reasons usually part time for non-economic reasons. Usually part time for non-economic reasons usually part time for non-economic reasons.	easons, 1-4 hours easons, 5-14 hours easons, 15-29 hours easons, 30-34 hours 1-4 hours 5-14 hours 15-29 hours 30-34 hours ons, 1-4 hours ons, 5-14 hours
PRPTREA	Detailed reason fo	r part time wo	rk	ATUS-CPS File
	Edited Universe:	PEMLR = 1	and (PEHRUSLT = 0 - 34 or PEHRACTT =	= 1 - 34)
	Valid Entries:	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Usually full time - slack work/business cousually full time - seasonal work Usually full time - job started/ended durin Usually full time - vacation/personal day Usually full time - own illness/injury/media Usually full time - holiday (religious or leg Usually full time - childcare problems Usually full time - other family/personal or Usually full time - labor dispute Usually full time - weather affected job Usually full time - weather affected job Usually full time - civic/military duty Usually full time - other reason Usually part time - slack work/business or Usually part time - seasonal work Usually part time - childcare problems Usually part time - other family/personal or Usually part time - other family/personal or Usually part time - health/medical limitation Usually part time - retired/Social Security Usually part time - work week less than 3 Usually part time - other reason	g week cal appointment (al) bligation onditions ne work obligation ons limit on earnings 5 hours
PRSJMJ	Single/multiple job			ATUS-CPS File
	Edited Universe		~~ ?	

Edited Universe: PEMLR = 1 or 2

Valid Entries: 1 Single jobholder

Name	Description Edited Universe:	PEMLR = 1	or 2	File
DDTACE	Valid Entries:	2	Multiple jobholder	ATUC ODC E:I-
PRTAGE	Age			ATUS-CPS File
	Edited Universe:	Every perso	n	
	Valid Entries:	0	Min Value	
		85	Max Value	
PRTFAGE	Topcode for age (F	PRTAGE)		ATUS-CPS File
	Edited Universe:	Every perso	n	
	Valid Entries:	0 1	Age not topcoded Age topcoded	
PRUNEDUR	Duration of unemp	loyment (num		ATUS-CPS File
	Edited Universe:	PEMLR = 3	or 4	
	Valid Entries:	0	Min Value	
	Valia Entries.	999	Max Value	
PRUNTYPE	Reason for unemp	loyment		ATUS-CPS File
	Edited Universe:	PEMLR = 3	or 4	
	Valid Entries:	1	Job loser/on layoff	
		2	Other job loser	
		3	Temporary job ended	
		4	Job leaver	
		5	Re-entrant	
DDWEDNAL	BBEBLUA/A U	6	New entrant	ATUO ODO 5"
PRWERNAL	PRERNWA: alloca			ATUS-CPS File
	Edited Universe:	PRERELG =	= 1	
	Valid Entries:	0	PRERNWA does not contain allocated in	
PRWKSCH	l abarfaraa bu tima	1	PRERNWA contains allocated information	
PRWNSCH	Labor force by time			ATUS-CPS File
	Edited Universe:	PEMLR = 1	- /	
	Valid Entries:	0	Not in labor force	
		1	At work	
		2	With job, not at work	
		3	Unemployed, seeks full time	
PRWKSTAT	Full time or part tim	4	Unemployed, seeks part time	ATUS-CPS File
FNWNOIAI				ATUS-CESTILE
	Edited Universe:	PEMLR = 1	- /	
	Valid Entries:	1	Not in labor force	
		2	Full time hours (35+), usually full time	
		3	Part time for economic reasons, usually	full time
		4	Part time for non-economic reasons, usu	
		5	Not at work, usually full time	
		6	Part time hours, usually part time for eco	nomic reasons

Name	Description			File
	Edited Universe:	PEMLR = 1	- 7	
	Valid Entries:	7 8 9	Part time hours, usually part time for nor Full time hours, usually part time for eco Full time hours, usually part time for non	nomic reasons
		10 11	Not at work, usually part time Unemployed full time	
		12	Unemployed part time	
PRWNTJOB	Not in labor force	ecode - want	a job or other not in labor force	ATUS-CPS File
	Edited Universe:	PEMLR = 5	- 7	
	Valid Entries:	1 2	Want a job Other not in labor force	
PTDTRACE	Race (topcoded)		Carlot flot in labor force	ATUS-CPS File, Activity Summary File
	* Note: PYDACI	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	White only Black only American Indian, Alaskan Native only Asian only Hawaiian/Pacific Islander only White-Black White-American Indian White-Asian White-Hawaiian Black-American Indian Black-Asian Black-Hawaiian American Indian-Asian Asian-Hawaiian White-Black-American Indian White-Black-Asian White-Black-Asian White-American Indian-Asian White-Black-American Indian-Asian White-Black-American Indian-Asian 2 or 3 races 4 or 5 races	
PTHR	* Note: PXRACI Hourly pay topcod		ation flag for PTDTRACE	ATUS-CPS File
1 11111	Valid Entries:	e nag 0	Not topcoded	ATOO-OF OT IIIE
	valid Entries.	1	Topcoded	
	* Note: Indicate:	s topcoding of	hourly pay in earnings variables	
PTOT	Weekly overtime a	mount topcoo	le flag	ATUS-CPS File
	Valid Entries:	0 1	Not topcoded Topcoded	
	* Note: Indicates	s topcoding of	overtime pay in earnings variables	
PTWK	Weekly earnings to	opcode flag		ATUS-CPS File
	Valid Entries:	0	Not topcoded Topcoded	

Name	Description	File		
PUABSOT			weekly pay in earnings variables ave a job either full or part time?	ATUS-CPS File
	Valid Entries:	1 2 3 4	Yes No Retired Disabled Unable to work	
PUBUS1	Last week, did you	do any unpaid	d work in the family business or farm?	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUBUS2OT	Do you receive any	_	profits from the business?	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUBUSCK1	Business check ite		questions on unpaid work	ATUS-CPS File
	Valid Entries:	1 2	Go to PUBUS1 Go to PURETCK1	
PUBUSCK2	Business check ite last week		ners of family business who did not work	ATUS-CPS File
	Valid Entries:	1 2	Go to PUHRUSL1 Go to PUBUS2	
PUBUSCK3	Business check ite	m 3: filter for o	disabled	ATUS-CPS File
	Valid Entries:	1 2	Go to PUABSRSN Go to PULAY	
PUBUSCK4	Business check ite	m 4: filter for r	etired	ATUS-CPS File
	Valid Entries:	1 2	Go to PUHRUSL1 Go to PUABSPD	
PUCHINHH	Change in househo	old composition	n	ATUS-CPS File
	Valid Entries:	1 2 3 4 5 6 7 9	Person added Person added - usually resides elsewhere Person undeleted Person died Deleted for reason other than death Person joined Armed Forces Person no longer in Armed Forces Change in demographic information	e
PUDIS	have a disability. D	oes your disa	in this household, you were reported to bility continue to prevent you from g the next six months?	ATUS-CPS File
	Valid Entries:	1 2 3	Yes No Did not have disability last month	
PUDIS1	Does your disability the next six months		from accepting any kind of work during	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
PUDIS2	Do you have a disa during the next six		vents you from accepting any kind of work	ATUS-CPS File
	Valid Entries:	1 2	Yes No	

Name	Description			File
PUDWCK1	Discouraged work	er check item	1: filter for discouraged worker	ATUS-CPS File
	Valid Entries:	1 2 3 4	Go to PUSCHCK Go to PUNLFCK1 Go to PUDWCK4 Go to PUDWWANT	
PUDWCK2	Discouraged work	er check item	2: filter for disabled	ATUS-CPS File
	Valid Entries:	1 2 3 4	Go to PUJHCK1 Go to PUDIS1 Go to PUDIS2 Go to PUDWCK4	
PUDWCK3	Discouraged work	er check item	3: filter for retired	ATUS-CPS File
	Valid Entries:	1 2	Go to PUDWCK4 Go to PUNLFCK2	
PUDWCK4	Discouraged work	er check item	4: filter for passive job seekers	ATUS-CPS File
	Valid Entries:	1 2 3 4	Go to PUDWCK5 Go to PUDWCK5 Go to PUDWCK5 Go to PUDWRSN	
PUDWCK5	Discouraged work	er check item	5: filter for passive job seekers	ATUS-CPS File
	Valid Entries:	1 2	Go to PUDWWK Go to PUDWLK	
PUERN2	Weekly overtime e	earnings (2 imp	olied decimals)	ATUS-CPS File
	Valid Entries:	0 288461	Min Value Max Value	
PUERNH1C	commissions? (2 i		•	ATUS-CPS File
	Valid Entries:	0 9999	Min Value Max Value	
PUHRCK1	Hours respondent hours series		labor force - remove groups from actual	ATUS-CPS File
	Valid Entries:	1 2	Go to PUHRUSL2 Go to PUHRUSLT	
PUHRCK12	Hours respondent series	check item 12	the filter for < 15 hours to go to looking	ATUS-CPS File
	Valid Entries:	1 2	Go to PULK Go to PUIOCK1	
PUHRCK2	Hours respondent yes to PUHRFTPT	check item 2:	labor force - skips persons responding	ATUS-CPS File
	Valid Entries:	1 2 3 4 5	Go to PUHRFTPT Go to PUHRCK3	
PUHRCK3	Hours respondent through industry a		labor force - filter for persons going series	ATUS-CPS File
	Valid Entries:	1 2 3 4 5	Go to PUHRCK8 Go to PUHRCK8 Go to PUHRACT1 Go to PUHRCK4 Go to PUHROFF1	

Name	Description			File
	Valid Entries:	6	Go to PUHRCK4	
PUHRCK4	Hours respondent	check item 4:	labor force - skips persons	ATUS-CPS File
	Valid Entries:	1	Go to PUHRACT1	
		2	Go to PUHROFF1	
		3	Go to PUHRWANT	
		4	Go to PUHRWANT	
DI II IDOM		5	Go to PUHRACT1	ATLIC ODO 5'1
PUHRCK5	for second job hou	irs	labor force - filter for multiple jobholders	ATUS-CPS File
	Valid Entries:	1	Go to PUHRACT2	
PUHRCK6	Hours respondent	2 chack itom 6:	Go to PUHRCK6 labor force - filter for actual job hours,	ATUS-CPS File
TOTINONO	jobs 1 and 2			ATOS-CI STILE
	Valid Entries:	1	Go to PULK	
		2	Go to PUABSRSN	
PUHRCK7	llaa raanandant	3	Go to PUHRACTT	ATUC ODC File
PUHRCK/	·	cneck item 7:	labor force - filter for hours worked paths	ATUS-CPS File
	Valid Entries:	1	If PUBUS2=2,D,R and PUHRACT1<15 g	
		2	If PUBUS2=2,D,R and PUHRACT1>=15	O .
		3	If PUHRUSLT>=35 and PUHRACT1 <> D,R go to PUHRRSN3	•
		4	If PUHRWANT=1 and PUHRACTT <35 at to PUHRAVL	and PUHRRSN1=1-3 go
		5	Go to PUHRCK8	
PUHROFF1	Last week, did you such as illness, sla		off any hours from your job for any reason ation, or holiday?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PUHROFF2	How many hours of	lid you take o		ATUS-CPS File
	Valid Entries:	0	Min Value	
DI II IDOTA		99	Max Value	ATUR ODO 5''
PUHROT1	Last week, did you	work any ove	ertime or extra hours? (main job)	ATUS-CPS File
	Valid Entries:	1	Yes	
D D 0 = 0		2	No	17110 070 711
PUHROT2	How many addition	nal hours did	you work?	ATUS-CPS File
	Valid Entries:	0	Min Value	
DUUGAMEG		99	Max Value	ATUR ODO 5''
PUIO1MFG	wholesale trade, o			ATUS-CPS File
	Valid Entries:	1	Manufacturing	
		2	Retail trade	
		3	Wholesale trade	
PUIO2MFG	le this husiness or	4	Something else mainly manufacturing, retail trade,	ATUS-CPS File
1 GIOZIVII G	wholesale trade, o		else? (second job)	A100-01 01 IIC
	Valid Entries:	1	Manufacturing	
		2	Retail trade	
		3	Wholesale trade	
		4	Something else	

Name	Description			File
PUIOCK1	Industry and occup occupation	ation check ite	em 1: filter for dependent industry and	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1INT	
		2	Go to PUIO1INT	
		3	Go to PUIO1INT	
		4	Go to PUIODP1	
		5	Go to PUIO1INT	
PUIOCK2	Industry and occup and occupation cas		em 2: filter for previous month's industry	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1IND	
		2	Go to PUIO1OCC	
		3	Go to PUIODP2	
PUIOCK3	Industry and occup occupation	ation check ite	em 3: filter for previous month's unknown	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1OCC	
		2	Go to PUIO1OCC	
		3	Go to PUIODP3	
PUIODP1	Last month you we work for (employer		work for (employer's name). Do you still	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PUIODP2		vities and dut	es of your job changed since last month?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PUIODP3	(activities). Is this a		occupation) and your usual duties were scription of your current job?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PUJHCK1	Job history check it	em 1: filter for	outgoing rotations	ATUS-CPS File
	Valid Entries:	1	Go to PUNLFCK2	
		2	Go to PUJHCK2	
		3	Go to PUNLFCK1	
PUJHCK2		em 2: filter for	persons going through industry and	ATUS-CPS File
	occupation series	4	O . BUILDON	
	Valid Entries:	1	Go to PUJHRSN	
		2	Go to PUJHWANT	
DI II IOI/O		3	Go to PUJHWK	ATUO ODO 5"
PUJHCK3	Job history check it	em 3: filter for	unemployed job history	ATUS-CPS File
	Valid Entries:	1	Go to PUJHDP1	
		2	Go to PUJHRSN	
PUJHCK4	Job history check it	em 4: filter for	dependent not in the labor force	ATUS-CPS File
	Valid Entries:	1	Go to PUJHCK5	
		2	Go to PUIO1INT	
		3	Go to PUJHCK5	
		4	Go to PUIO1INT	
		5	Go to PUNLFCK1	
PUJHCK5	Job history check it force		rryover for dependent not in the labor	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1INT	
	vana Entros.	2	Go to PUIOCK5	

Name	Description			File
PUJHDP10	Did you do any of the	nis work in the	e last 4 weeks?	ATUS-CPS File
	Valid Entries:	1	Yes	
PULAY	During the last seve	2 en davs. were	No you on layoff from a job?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4	Disabled	
		5	Unable to work	.=
PULAY6M	the next 6 months?	·	ion that you will be recalled to work within	ATUS-CPS File
	Valid Entries:	1	Yes	
DI III ANGANG	14 0 - 11	2	No	ATI 10 ODO 5''
PULAYAVR			a job in the last week?	ATUS-CPS File
	Valid Entries:	1	Own temporary illness	
		2	Going to school	
DUI AVOK1	Lovoff shook itom 1	3	Other	ATUS ODS Eile
PULAYCK1			vious month layoff status	ATUS-CPS File
	Valid Entries:	1	Go to PULAYCK3	
		2	Go to PULAYFT	
PULAYCK2	Layoff check item 2	3	Go to PULAYDR	ATUS-CPS File
PULATURZ	•			ATUS-CFS FILE
	Valid Entries:	1	Go to PULAYDR3 Go to PULAYFT	
PULAYCK3	Layoff check item 3		ndustry and occupation filter/carryover	ATUS-CPS File
	Valid Entries:	1	Go to PUIO1INT	
	vana Entroo.	2	Go to PUIO1INT	
		3	Go to PUSCHCK	
PULAYDT	Has your employer	given you a d	late to return to work? (to layoff job)	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
PULINENO	Person line number	f		ATUS-CPS File
	Valid Entries:	1	Min Value	
		99	Max Value	.=
PULK	•	ng anything to	find work during the last 4 weeks?	ATUS-CPS File
	Valid Entries:	1	Yes	
		2	No	
		3	Retired	
		4 5	Disabled Unable to work	
PULKAVR	Why could you not			ATUS-CPS File
. 52101711				
	Valid Entries:	1 2	Waiting for new job to begin	
		3	Own temporary illness Going to school	
		4	Other	
PULKDK1	You said vou have	•	find work. How did you go about	ATUS-CPS File
	looking? (first meth			
	Valid Entries:	1	Contacted employer directly/interview	

Name	Descript	ion				File
	Valid En		2 3 4 5 6 7 8 9 10 11 12 13	Contacted prive Contacted scheme out resum Checked union Placed or answorth Other active Looked at adsum Attended job to Nothing Other passive	raining programs/courses	center
		- PULKN	16, PULKDK1	- PULKDK6, an	d PULKPS1 - PULKPS6	
PULKDK2	PULKDK	(1 text: (se	cond method)		ATUS-CPS File
	Valid En	In order		Contacted public Contacted privice Contacted fried Contacted school Sent out resum Checked union Placed or answork Other active Looked at adsum Attended job to Other passive be search method	raining programs/courses	center
PULKDK3	PULKDK		ird method)			ATUS-CPS File
	Valid En		1 13 d for values fo	or PUI KDK2	Min Value Max Value	
PULKDK4			urth method)	TO CINDINE		ATUS-CPS File
T OLIKOIKI	Valid En * Note:	tries:	1 13 d for values fo	or PULKDK2	Min Value Max Value	71100 01 01 110
PULKDK5	PULKDK	(1 text: (fif	th method)			ATUS-CPS File
	Valid En		1 13 d for values fo	or PULKDK2	Min Value Max Value	
PULKDK6	PULKDK	(1 text: (six	xth method)			ATUS-CPS File
	Valid En		1 13 d for values fo	or PULKDK2	Min Value Max Value	
PULKM2		e all of the ? (second		ave been doing t	o find work during the last	ATUS-CPS File
	Valid En	tries:	1 2		ployer directly/interview blic employment agency	

Name	Description	on				File
	Valid Ent	ries:	3	Contacted priv	ate employment agency	
			4	Contacted frier	nds or relatives	
			5	Contacted sch	ool/university employment	center
			6	Sent out resun	nes/filled out applications	
			7	Checked union	n/professional registers	
			8	Placed or answ	wered ads	
			9	Other active		
			10	Looked at ads		
			11	-	raining programs/courses	
			13	Other passive		C 11 DELLAMA DI 11 1440
		- PULKM	6, PULKDK1 -		ds, users must combine all d PULKPS1 - PULKPS6	
PULKM3	PULKM2	text: (third	method)			ATUS-CPS File
	Valid Enti	ries:	1		Min Value	
			13		Max Value	
	* Note:	See valid	for values for	PULKM2		
PULKM4	PULKM2	text: (fourt	h method)			ATUS-CPS File
	Valid Enti	ries:	1		Min Value	
			13		Max Value	
	* Note:	See valid	for values for	PULKM2		
PULKM5	PULKM2	text: (fifth	method)			ATUS-CPS File
	Valid Ent	ries:	1		Min Value	
			13	5	Max Value	
	* Note:		for values for	PULKM2		
PULKM6		text: (sixth	method)			ATUS-CPS File
	Valid Enti		4			
	vana Ena	ries:	1		Min Value	
			13	DI II IZMO	Min Value Max Value	
DUI (CDO4	* Note:	See valid	13 for values for		Max Value	ATUO ODO 5''
PULKPS1	* Note: Can you t method)	See valid	13 for values for			ATUS-CPS File
PULKPS1	* Note:	See valid	13 for values for re about what	you did to sear	Max Value rch for work? (first ployer directly/interview	ATUS-CPS File
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2	you did to sear Contacted empleontacted pub	Max Value rch for work? (first ployer directly/interview plic employment agency	ATUS-CPS File
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3	you did to sear Contacted emplements of contacted pub Contacted priv	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency	ATUS-CPS File
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4	you did to sear Contacted emplements of the contacted pub Contacted prive Contacted friends	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives	
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4 5	you did to sear Contacted emplement of the contacted prive Contacted fried Contacted sch	Max Value rch for work? (first ployer directly/interview plic employment agency rate employment agency nds or relatives ool/university employment	
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4 5 6	you did to sear Contacted emplormacted prive Contacted frier Contacted sch Sent out resun	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency ands or relatives bool/university employment nes/filled out applications	
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4 5 6 7	you did to sear Contacted emply Contacted prive Contacted fried Contacted sch Sent out resun Checked union	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives bool/university employment bes/filled out applications ben/professional registers	
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4 5 6 7	Contacted emplements of the contacted public Contacted prive Contacted fried Contacted schedunior Checked union Placed or answers	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives bool/university employment bes/filled out applications ben/professional registers	
PULKPS1	* Note: Can you t method)	See valid	for values for re about what 1 2 3 4 5 6 7 8 9	Contacted emplements of the contacted prival Contacted prival Contacted fried Contacted school Sent out resun Checked union Placed or answorth other active	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives cool/university employment nes/filled out applications n/professional registers wered ads	
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4 5 6 7 8 9 10	Contacted emplormatched prive Contacted prive Contacted fried Contacted scheduling Contacted scheduling Checked union Placed or answorther active Looked at adsignature Contacted at adsignature Contacted Sent out resum Checked union Placed or answorther active Looked at adsignature Contacted Sent Sent Sent Sent Sent Sent Sent Sent	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives cool/university employment nes/filled out applications n/professional registers wered ads	
PULKPS1	* Note: Can you t method)	See valid	for values for re about what 1 2 3 4 5 6 7 8 9	Contacted emplements of the contacted privace of the contacted privace of the contacted schools of the contacted of the conta	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives cool/university employment nes/filled out applications n/professional registers wered ads	
PULKPS1	* Note: Can you t method)	See valid	13 for values for re about what 1 2 3 4 5 6 7 8 9 10 11	Contacted emplormatched prive Contacted prive Contacted fried Contacted scheduling Contacted scheduling Checked union Placed or answorther active Looked at adsignature Contacted at adsignature Contacted Sent out resum Checked union Placed or answorther active Looked at adsignature Contacted Sent Sent Sent Sent Sent Sent Sent Sent	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency nds or relatives cool/university employment nes/filled out applications n/professional registers wered ads	
PULKPS1	* Note: Can you t method)	See valid tell me more ries:	13 for values for re about what 1 2 3 4 5 6 7 8 9 10 11 12 13 o research job	Contacted emplements of the contacted prival Contacted fried Contacted school Sent out resum Checked union Placed or answorther active Looked at ads Attended job to Nothing Other passive search method	Max Value rch for work? (first ployer directly/interview ploic employment agency rate employment agency nds or relatives pool/university employment plessional registers wered ads raining programs/courses ds, users must combine all	center
PULKPS1	* Note: Can you to method) Valid Ent * Note:	See valid rell me more ries: In order to - PULKM6	13 for values for re about what 1 2 3 4 5 6 7 8 9 10 11 12 13 o research job	Contacted emplements of the contacted prival Contacted fried Contacted school Sent out resum Checked union Placed or answorther active Looked at ads Attended job to Nothing Other passive search method	Max Value rch for work? (first ployer directly/interview plic employment agency rate employment agency nds or relatives pool/university employment nes/filled out applications n/professional registers wered ads raining programs/courses	center
	* Note: Can you to method) Valid Ento * Note: PULKPS	See valid rell me more ries: In order to - PULKM61 text: (sec	for values for re about what 1 2 3 4 5 6 7 8 9 10 11 12 13 0 research job 5, PULKDK1 cond method)	Contacted emple Contacted prive Contacted fried Contacted sched sent out resum Checked union Placed or answorther active Looked at ads Attended job to Nothing Other passive search method PULKDK6, an	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency rds or relatives ool/university employment nes/filled out applications n/professional registers wered ads raining programs/courses ds, users must combine all d PULKPS1 - PULKPS6	center fields PELKM1, PULKM2
	* Note: Can you to method) Valid Ent * Note:	See valid rell me more ries: In order to - PULKM61 text: (sec	13 for values for re about what 1 2 3 4 5 6 7 8 9 10 11 12 13 o research job 6, PULKDK1 cond method)	Contacted emplements of the contacted of the contacted fried contacted school contacted school contacted school contacted school contacted or answorth of the contacted or answorth of the contacted of the contacted emplements o	Max Value rch for work? (first ployer directly/interview olic employment agency rate employment agency nds or relatives pool/university employment nes/filled out applications n/professional registers wered ads raining programs/courses ds, users must combine all d PULKPS1 - PULKPS6	center fields PELKM1, PULKM2
	* Note: Can you to method) Valid Ento * Note: PULKPS	See valid rell me more ries: In order to - PULKM61 text: (sec	for values for re about what 1 2 3 4 5 6 7 8 9 10 11 12 13 0 research job 5, PULKDK1 cond method)	Contacted emplements of the contacted public Contacted prive Contacted fried Contacted school Sent out resum Checked union Placed or answorther active Looked at ads Attended job to Nothing Other passive search method PULKDK6, and Contacted emplements of the contacted public Contacted Contact	Max Value rch for work? (first ployer directly/interview blic employment agency rate employment agency rds or relatives ool/university employment nes/filled out applications n/professional registers wered ads raining programs/courses ds, users must combine all d PULKPS1 - PULKPS6	center fields PELKM1, PULKM2

Name	Description			File
	Valid Entries:	4	Contacted friends or relatives	
		5	Contacted school/university employme	ent center
		6	Sent out resumes/filled out applications	
		7	Checked union/professional registers	
		8	Placed or answered ads	
		9	Other active	
		10	Looked at ads	
		11	Attended job training programs/course	S
		13	Other passive	
	* Note: In orde	er to research jo	b search methods, users must combine	all fields PELKM1, PULKM2
	- PULI	KM6, PULKDK1	- PULKDK6, and PULKPS1 - PULKPS6	;
PULKPS3	PULKPS1 text: (third method)		ATUS-CPS File
	Valid Entries:	1	Min Value	
		13	Max Value	
	* Note: See va	alid for values fo	or PULKPS2	
PULKPS4	PULKPS1 text: (fourth method)		ATUS-CPS File
	Valid Entries:	1	Min Value	
		13	Max Value	
	* Note: See va	alid for values fo	or PULKPS2	
PULKPS5	PULKPS1 text: (fifth method)		ATUS-CPS File
	Valid Entries:	1	Min Value	
	***	13	Max Value	
	* Note: See va	alid for values fo	or PULKPS2	
PULKPS6	PULKPS1 text: (sixth method)		ATUS-CPS File
	Valid Entries:	1	Min Value	
	* Note: See va	13 alid for values fo	Max Value	
PUNLFCK1			age filter for retirement question	ATUS-CPS File
FUNLI CKT	Valid Entries:	1	Go to PUNLFACT	ATOS-CFSTIIE
	valiu Eliules.	2	Go to PUNLFRET	
PUNLFCK2	Not in labor force	e check item 2:	outgoing rotation filter	ATUS-CPS File
	Valid Entries:	1	Go to PUNLFJH	
	Valid Elitiles.	2	End questions	
PUPELIG	Interview status		in the household	ATUS-CPS File
	Valid Entries:	1	Eligible for interview	
		2	Labor force fully complete	
		3	Missing labor force data for person	
		4	(Not used)	
		5	Assigned if PUAGERNG = 0	
		6	Armed Forces member	
		7	Under 15 years old	
		8	Not a household member	
		9	Deleted	
		10	Deceased	
		11 12	End of list	
PURETOT	Last month you		After end of list be retired. Are you still retired?	ATUS-CPS File
- SILLIOI	Valid Entries:	1	Yes	,1100 0101110
	vallu Lillics.	ı	100	

Name	Description			File
	Valid Entries:	2	No	
PUSLFPRX	Lahor force inform	3 ation collected	Was not retired last month by self or proxy response	ATUS-CPS File
1 OOLI I TOX	Valid Entries:	1	Self	A100-01 01 lic
	valiu Enules.	2	Proxy	
		3	Both self and proxy	
PUWK		ı do any work f	for either pay or profit?	ATUS-CPS File
	Valid Entries:	1 2	Yes No	
		3	Retired	
		4	Disabled	
DVADCDDO		5	Unable to work	ATUS-CPS File
PXABSPDO	PEABSPDO: alloc		AA' a Malaa	ATUS-CP3 FIIE
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr		location flag values	
PXABSRSN	PEABSRSN: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
			location flag values	.=
PXAFEVER	PEAFEVER: alloc	•		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr		location flag values	
PXAFNOW	PEAFNOW: alloca	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for all	Max Value location flag values	
PXAFWHN1	PEAFWHN1: alloc		Todaton hag values	ATUS-CPS File
. , , , , , , , , , , , , , , , , , , ,	Valid Entries:	0	Min Value	71.00 01 01 110
	vana Emaioo.	53	Max Value	
	* Note: See Intr	oduction for all	location flag values	
PXAGE	PRTAGE: allocation	on flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for all	Max Value location flag values	
РХСОНАВ	PECOHAB: alloca			ATUS-CPS File
	Valid Entries:	01	Min Value	
		53	Max Value	
2000			t of allocation flag values	.=
PXCYC	PECYC: allocation			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr		location flag values	
PXDADTYP	PEDADTYP: alloc	ation flag		ATUS-CPS File

Name	Description			File
	Valid Entries:	01	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXDIPGED	PEDIPGED: alloc		ilues	ATUS-CPS File
1 ADII GED	Valid Entries:	0	Min Value	ATOO-OF OT IIE
	valiu Eliules.	53	Max Value	
	* Note: See Inti	oduction for allocation flag va	alues	
PXDISDRS	PEDISDRS: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Into	53 oduction for allocation flag va	Max Value	
PXDISEAR	PEDISEAR: alloc			ATUS-CPS File
7,01027.11	Valid Entries:	0	Min Value	71100 01 01 110
	valia Entres.	53	Max Value	
	* Note: See Into	oduction for allocation flag va	alues	
PXDISEYE	PEDISEYE: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXDISOUT	PEDISOUT: alloc	<u> </u>	alues	ATUS-CPS File
FADISOUT	Valid Entries:	0	Min Value	ATOS-CFSTIIE
	valiu Eliules.	53	Max Value	
	* Note: See Inti	oduction for allocation flag va	alues	
PXDISPHY	PEDISPHY: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXDISREM	PEDISREM: alloc		alues	ATUS-CPS File
ADIONEW	Valid Entries:	0	Min Value	71100 01 01 110
	valid Elities.	53	Max Value	
	* Note: See Inte	oduction for allocation flag va	alues	
PXDW4WK	PEDW4WK: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXDWAVL	PEDWAVL: alloca		11000	ATUS-CPS File
	Valid Entries:	0	Min Value	7.1.00 0. 010
	Valia Eriaioo.	53	Max Value	
	* Note: See Inti	oduction for allocation flag va	alues	
PXDWAVR	PEDWAVR: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXDWLKO	PEDWLKO: alloc	<u> </u>		ATUS-CPS File
. ADVILIO	. LDVVLICO. alloc	audit liug		AT GO OF G FIRE

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: Coolet	53 roduction for allocation flag v	Max Value	
PXDWLKWK	PEDWLKWK: allo		raiues	ATUS-CPS File
PADWLKWK			Min Value	ATUS-CPS FILE
	Valid Entries:	0 53	Max Value	
	* Note: See Int	roduction for allocation flag v		
PXDWRSN	PEDWRSN: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag v	Max Value	
PXDWWK	PEDWWK: alloca		alaco	ATUS-CPS File
1 ADWIN	Valid Entries:	0	Min Value	71100 01 01 110
	valid Littles.	53	Max Value	
	* Note: See Int	roduction for allocation flag v	ralues	
PXDWWNTO	PEDWWNTO: all	ocation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	*******	53	Max Value	
DVEDLIOA		roduction for allocation flag v	alues	ATUO ODO ETI
PXEDUCA	PEEDUCA: alloca			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Int	roduction for allocation flag v		
PXERN	* Note: See Int PEERN: allocation	roduction for allocation flag v		ATUS-CPS File
PXERN		roduction for allocation flag von flag 0	ralues Min Value	ATUS-CPS File
PXERN	PEERN: allocation Valid Entries:	roduction for allocation flag von flag 0 53	Min Value Max Value	ATUS-CPS File
	PEERN: allocation Valid Entries: * Note: See Int.	roduction for allocation flag von flag 0 53 roduction for allocation flag v	Min Value Max Value	
PXERN	Valid Entries: * Note: See Int PEERNCOV: allo	roduction for allocation flag von flag 0 53 roduction for allocation flag von	Min Value Max Value values	ATUS-CPS File ATUS-CPS File
	PEERN: allocation Valid Entries: * Note: See Int	roduction for allocation flag von flag 0 53 roduction for allocation flag v	Min Value Max Value	
	PEERN: allocation Valid Entries: * Note: See Int PEERNCOV: allo Valid Entries:	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0	Min Value Max Value ralues Min Value Max Value	
	PEERN: allocation Valid Entries: * Note: See Int PEERNCOV: allo Valid Entries:	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0 53 roduction for allocation flag vocation flag	Min Value Max Value ralues Min Value Max Value	
PXERNCOV	Valid Entries: * Note: See Int PEERNCOV: allo Valid Entries: * Note: See Int	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0 53 roduction for allocation flag vocation flag 0 53 roduction for allocation flag vocation flag 0 cation flag 0	Min Value Max Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File
PXERNCOV	PEERN: allocation Valid Entries: * Note: See Int PEERNCOV: allo Valid Entries: * Note: See Int PEERNH10: allo Valid Entries:	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0 53 roduction for allocation flag vocation flag 0 53 roduction for allocation flag vocation flag 0 53	Min Value Max Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File
PXERNCOV PXERNH10	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH1O: allo Valid Entries: * Note: See Int.	roduction for allocation flag von flag 0 53 roduction flag 0 53 roduction for allocation flag von flag	Min Value Max Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File
PXERNCOV	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH10: allo Valid Entries: * Note: See Int. PEERNH2: allocation	roduction for allocation flag von flag 0 53 roduction for allocation flag von flag 0 53 roduction for allocation flag von flag 0 53 roduction flag 0 53 roduction flag 0 53 roduction flag 0 53 roduction for allocation flag von flag von flag	Min Value Max Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File
PXERNCOV PXERNH10	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH1O: allo Valid Entries: * Note: See Int.	roduction for allocation flag von flag 0 53 roduction flag 0 53 roduction for allocation flag von flag	Min Value Max Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File
PXERNCOV PXERNH10	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH1O: allo Valid Entries: * Note: See Int. PEERNH2: alloca Valid Entries:	roduction for allocation flag von flag 0 53 roduction for allocation flag von flag 0 53 roduction for allocation flag von flag 0 53 roduction flag 0 53 roduction for allocation flag von flag 0 53 roduction for allocation flag von flag 4 setion flag 0	Min Value Max Value ralues Min Value Max Value ralues Min Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File
PXERNCOV PXERNH10	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH1O: allo Valid Entries: * Note: See Int. PEERNH2: alloca Valid Entries:	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0 53 roduction flag	Min Value Max Value ralues Min Value Max Value ralues Min Value ralues Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File
PXERNCOV PXERNH10 PXERNH2	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH10: allo Valid Entries: * Note: See Int. PEERNH2: allocation Valid Entries: * Note: See Int. PEERNH2: allocation Valid Entries: * Note: See Int.	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0 53	Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File ATUS-CPS File
PXERNCOV PXERNH10 PXERNH2	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH1O: allo Valid Entries: * Note: See Int. PEERNH2: alloca Valid Entries: * Note: See Int. PEERNH2: alloca Valid Entries: * Note: See Int. PEERNHRO: allo Valid Entries:	roduction for allocation flag von flag 0 53 roduction for allocation flag vocation flag 0 53	Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File ATUS-CPS File
PXERNCOV PXERNH10 PXERNH2	PEERN: allocation Valid Entries: * Note: See Int. PEERNCOV: allo Valid Entries: * Note: See Int. PEERNH1O: allo Valid Entries: * Note: See Int. PEERNH2: alloca Valid Entries: * Note: See Int. PEERNH2: alloca Valid Entries: * Note: See Int. PEERNHRO: allo Valid Entries:	roduction for allocation flag von flag 0 53	Min Value Max Value ralues Min Value Max Value ralues	ATUS-CPS File ATUS-CPS File ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value	
PXERNLAB	PEERNLAB: alloc		ilues	ATUS-CPS File
1 ACIMENO	Valid Entries:	0	Min Value	71100 01 01 110
	Valid Elluics.	53	Max Value	
	* Note: See Inti	oduction for allocation flag va	alues	
PXERNPER	PEERNPER: allo	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value alues	
PXERNRT	PEERNRT: alloca			ATUS-CPS File
	Valid Entries:	0	Min Value	
	V 4.1.4 2.1.1.100.	53	Max Value	
	* Note: See Inti	roduction for allocation flag va	alues	
PXERNUOT	PEERNUOT: allo	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Into	53 roduction for allocation flag va	Max Value	
PXERNWKP	PEERNWKP: allo		11000	ATUS-CPS File
. ,	Valid Entries:	0	Min Value	, , , , , , , , , , , , , , , , , , , ,
	Valia Eriaico.	53	Max Value	
	* Note: See Inti	roduction for allocation flag va	alues	
PXFNTVTY	PEFNTVTY: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value alues	
PXGR6COR	PEGR6COR: allo			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		roduction for allocation flag va	alues	
PXGRPROF	PEGRPROF: allo	, and the second		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Inti	roduction for allocation flag va		
PXHGCOMP	PEHGCOMP: allo			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
DVI ID A OTA		roduction for allocation flag va	alues	ATUO ODO 511
PXHRACT1	PEHRACT1: alloc			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Inti	roduction for allocation flag va		
PXHRACT2	PEHRACT2: alloc	•		ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXHRACTT	PEHRACTT: alloc		ilues	ATUS-CPS File
TAINACTI	Valid Entries:	0	Min Value	A100-01 01 lie
	valid Elitiles.	53	Max Value	
	* Note: See Inti	oduction for allocation flag va	alues	
PXHRAVL	PEHRAVL: alloca	tion flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXHRFTPT	PEHRFTPT: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
	* Note: See Inti	oduction for allocation flag va	lues	
PXHRRSN1	PEHRRSN1: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value	
PXHRRSN2	PEHRRSN2: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	71100 01 01 110
		53	Max Value	
	* Note: See Inti	oduction for allocation flag va	lues	
PXHRRSN3	PEHRRSN3: allo	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 oduction for allocation flag va	Max Value alues	
PXHRUSL1	PEHRUSL1: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		oduction for allocation flag va	alues	
PXHRUSL2	PEHRUSL2: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Inti	oduction for allocation flag va		
PXHRUSLT	PEHRUSLT: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
DVIIDIAIANT		oduction for allocation flag va	alues	ATUO ODO E'U-
PXHRWANT	PEHRWANT: allo		NA: N/ 1	ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Inti	oduction for allocation flag va		
PXHSPNON	PEHSPNON: allo	cation flag		ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Inte	53 roduction for allocation flag va	Max Value	
PXINUSYR	PRINUYER: alloc		ilues	ATUS-CPS File
1 Autoo III	Valid Entries:	0	Min Value	71100 01 01 110
	Valid Elluics.	53	Max Value	
	* Note: See Inti	oduction for allocation flag va	alues	
PXIO1COW	PEIO1COW: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value alues	
PXIO1ICD	PEIO1ICD: alloca			ATUS-CPS File
	Valid Entries:	0	Min Value	
	valla Erialioo.	53	Max Value	
	* Note: See Inti	roduction for allocation flag va	alues	
PXIO10CD	PEIO1OCD: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Into	53 roduction for allocation flag va	Max Value	
PXIO2COW	PEIO2COW: alloc		inucs	ATUS-CPS File
1 7(10200W	Valid Entries:	0	Min Value	71100 01 01 110
	valid Elities.	53	Max Value	
	* Note: See Into	roduction for allocation flag va	alues	
PXIO2ICD	PEIO2ICD: alloca	tion flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value	
PXIO2OCD	PEIO2OCD: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	
	Valla 2.1.1.100.	53	Max Value	
	* Note: See Inti	roduction for allocation flag va	alues	
PXJHRSN	PEJHRSN: alloca	tion flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value alues	
PXJHWANT	PEJHWANT: allo			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		oduction for allocation flag va	alues	
PXJHWKO	PEJHWKO: alloca	•		ATUS-CPS File
	Valid Entries:	0 53	Min Value	
	* Note: See Inti	53 roduction for allocation flag va	Max Value alues	
PXLAYAVL	PELAYAVL: alloc	•		ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXLAYDUR	PELAYDUR: alloc		liues	ATUS-CPS File
TALATOON	Valid Entries:	0	Min Value	A100-01 01 lie
	valiu Entiles.	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	lues	
PXLAYFTO	PELAYFTO: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXLAYLK	PELAYLK: allocat			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
	* Note: See Intr	oduction for allocation flag va	lues	
PXLKAVL	PELKAVL: allocat	ion flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXLKDUR	PELKDUR: alloca	•		ATUS-CPS File
. ,	Valid Entries:	0	Min Value	71100 01 01 110
	V 4.1.4 2.1.4.100.	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	lues	
PXLKFTO	PELKFTO: allocat	tion flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value	
	* Note: See Intr	ວວ oduction for allocation flag va	Max Value lues	
PXLKLL10	PELKLL10: alloca			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		oduction for allocation flag va	llues	
PXLKLL2O	PELKLL2O: alloca	-		ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	oduction for allocation flag va		
PXLKLWO	PELKLWO: alloca	tion flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	***	53	Max Value	
DVI I/M1		oduction for allocation flag va	ilues	ATUC ODC File
PXLKM1	PELKM1: allocation		M' - M-L -	ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	oduction for allocation flag va		
PXLNDAD	PELNDAD: alloca	tion flag		ATUS-CPS File

Name	Description			File
	Valid Entries:	01	Min Value	
	* Notes - Cooled	53	Max Value	
DVINIMON		roduction for list of allocation	n flag values	ATUC ODC EIL
PXLNMOM	PELNMOM: alloc			ATUS-CPS File
	Valid Entries:	01 53	Min Value Max Value	
	* Note: See Int	roduction for list of allocation		
PXMARITL	PEMARITL: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53 roduction for allocation flag	Max Value	
PXMJNUM			values	ATUS-CPS File
PAIVIJINUIVI	PEMJNUM: alloc		NA: NA 1	ATUS-CPS FIIE
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Int	roduction for allocation flag		
PXMJOT	PEMJOT: allocat	ion flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		roduction for allocation flag	values	
PXMLR	PEMLR: allocation	on flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Int	53	Max Value	
		roduction for allocation flad i	values	
PXMNTVTY		roduction for allocation flag	values	ATUS-CPS File
PXMNTVTY	PEMNTVTY: allo	cation flag		ATUS-CPS File
PXMNTVTY			values Min Value Max Value	ATUS-CPS File
PXMNTVTY	PEMNTVTY: allo Valid Entries:	cation flag	Min Value Max Value	ATUS-CPS File
PXMNTVTY	PEMNTVTY: allo Valid Entries:	cation flag 0 53 croduction for allocation flag	Min Value Max Value	ATUS-CPS File ATUS-CPS File
	PEMNTVTY: allo Valid Entries: * Note: See Int	cation flag 0 53 troduction for allocation flag ocation flag 01	Min Value Max Value values Min Value	
	PEMNTVTY: allo Valid Entries: * Note: See Int PEMOMTYP: allo Valid Entries:	ocation flag 0 53 croduction for allocation flag ocation flag 01 53	Min Value Max Value values Min Value Max Value	
PXMOMTYP	PEMNTVTY: allo Valid Entries: * Note: See Int PEMOMTYP: allo Valid Entries: * Note: See Int	cation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation	Min Value Max Value values Min Value Max Value	ATUS-CPS File
	PEMNTVTY: allo Valid Entries: * Note: See Int PEMOMTYP: allo Valid Entries: * Note: See Int PEMS123: alloca	ocation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation	Min Value Max Value values Min Value Max Value n flag values	
PXMOMTYP	PEMNTVTY: allo Valid Entries: * Note: See Int PEMOMTYP: allo Valid Entries: * Note: See Int	ocation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation flag ation flag 0	Min Value Max Value values Min Value Max Value n flag values Min Value	ATUS-CPS File
PXMOMTYP	PEMNTVTY: allow Valid Entries: * Note: See Interpretation PEMOMTYP: allow Valid Entries: * Note: See Interpretation PEMS123: allow Valid Entries:	ocation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value	ATUS-CPS File
PXMOMTYP	PEMNTVTY: allow Valid Entries: * Note: See Interpretation PEMOMTYP: allow Valid Entries: * Note: See Interpretation PEMS123: allow Valid Entries:	cation flag 0 53 croduction for allocation flag cocation flag 01 53 croduction for list of allocation flag otion flag 0 53 croduction for allocation flag	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value	ATUS-CPS File
PXMOMTYP PXMS123	PEMNTVTY: allo Valid Entries: * Note: See Int PEMOMTYP: allo Valid Entries: * Note: See Int PEMS123: alloca Valid Entries: * Note: See Int	cation flag 0 53 croduction for allocation flag coation flag 01 53 croduction for list of allocation flag otion flag 0 53 croduction for allocation flag cation flag cation flag 0	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value	ATUS-CPS File ATUS-CPS File
PXMOMTYP PXMS123	PEMNTVTY: allo Valid Entries: * Note: See Int PEMOMTYP: allo Valid Entries: * Note: See Int PEMS123: alloca Valid Entries: * Note: See Int PENATVTY: allo Valid Entries:	ocation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation flag otion flag 0 53 croduction for allocation flag cation flag o 53 croduction for allocation flag cation flag 0 53	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value values Min Value Max Value	ATUS-CPS File ATUS-CPS File
PXMOMTYP PXMS123 PXNATVTY	PEMNTVTY: allow Valid Entries: * Note: See Interpretation of the Pemontal Entries:	ocation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation ation flag 0 53 croduction for allocation flag cation flag 0 53 croduction flag 0 53 croduction for allocation flag cation flag	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value values Min Value Max Value	ATUS-CPS File ATUS-CPS File ATUS-CPS File
PXMOMTYP PXMS123	PEMNTVTY: allow Valid Entries: * Note: See Interpretation PEMOMTYP: allow Valid Entries: * Note: See Interpretation PEMS123: allow Valid Entries: * Note: See Interpretation PENATVTY: allow Valid Entries: * Note: See Interpretation PENLFACT: allow Valid Entries:	ocation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation ation flag 0 53 croduction for allocation flag cation flag 0 53 croduction for allocation flag cation flag cation flag cation flag cation flag cation flag	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value values Min Value values	ATUS-CPS File ATUS-CPS File
PXMOMTYP PXMS123 PXNATVTY	PEMNTVTY: allow Valid Entries: * Note: See Interpretation of the Pemontal Entries:	ocation flag 0 53 croduction for allocation flag 01 53 croduction for list of allocation ation flag 0 53 croduction for allocation flag cation flag	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value values Min Value values Min Value Max Value values	ATUS-CPS File ATUS-CPS File ATUS-CPS File
PXMOMTYP PXMS123 PXNATVTY	PEMNTVTY: allow Valid Entries: * Note: See Interpretation of the Pemont	ocation flag 0 53 croduction for allocation flag 01 53 croduction for list of allocation ation flag 0 53 croduction for allocation flag cation flag 0 53	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value values Min Value values Min Value Max Value values Min Value Max Value	ATUS-CPS File ATUS-CPS File ATUS-CPS File
PXMOMTYP PXMS123 PXNATVTY	PEMNTVTY: allow Valid Entries: * Note: See Interpretation of the Pemont	cation flag 0 53 croduction for allocation flag ocation flag 01 53 croduction for list of allocation flag 0 53 croduction for allocation flag cation flag 0 53 croduction for allocation flag	Min Value Max Value values Min Value Max Value n flag values Min Value Max Value values Min Value values Min Value Max Value values Min Value Max Value	ATUS-CPS File ATUS-CPS File ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXNLFRET	PENLFRET: alloc		iliues	ATUS-CPS File
1 XIVLI IVL I	Valid Entries:	0	Min Value	A100-01 01 lic
	valiu Eliules.	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	llues	
PXPARENT	PEPARENT: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXRACE1	PTDTRACE: alloc			ATUS-CPS File
	Valid Entries:	0	Min Value	
	vana Emaiooi	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	llues	
PXRET1	PERET1: allocation	on flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXRRP	PERRP: allocation			ATUS-CPS File
7,4,4,4	Valid Entries:	0	Min Value	71100 01 01 110
	Valia Entitos.	53	Max Value	
	* Note: See Intr	oduction for allocation flag va	llues	
PXSCHENR	PESCHENR: alloc	cation flag		ATUS-CPS File
	Valid Entries:	0	Min Value	
	* Note: See Intr	53 oduction for allocation flag va	Max Value	
PXSCHFT	PESCHFT: alloca			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		oduction for allocation flag va	llues	
PXSCHLVL	PESCHLVL: alloc	ation flag		ATUS-CPS File
	Valid Entries:	0 53	Min Value	
	* Note: See Intr	ວວ oduction for allocation flag va	Max Value llues	
PXSEX	PESEX: allocation			ATUS-CPS File
	Valid Entries:	0	Min Value	
		53	Max Value	
		oduction for allocation flag va	llues	
PXSPOUSE	PESPOUSE: alloc			ATUS-CPS File
	Valid Entries:	0 53	Min Value Max Value	
	* Note: See Intr	ાડ oduction for allocation flag va		
QSTNUM	Unique household			ATUS-CPS File

Name	Description			File
	Valid Entries:	0	Min Value	
		99999	Max Value	
	* Note: Valid onl	ly within any specific month		
TRATUSR	ATUS respondent			ATUS-CPS File
	Edited Universe:	PRPERTYP = 1 - 3		
	Valid Entries:	0 Did not resp 1 Responded	ond to ATUS to ATUS	
		of -1 indicate that the individ	ual did not complete an ATU e selected to be interviewed	
TUCASEID	ATUS Case ID (14	l-digit identifier)		All Files
TULINENO	ATUS person line	number		ATUS-CPS File, Respondent File, Roster File, Who File
	Valid Entries:	1	Min Value	
			Max Value	
	ATUS person line i	number 1 30		ATUS-CPS File, Respondent File, Roster File, Who File

^{*} Note: The person selected to be interviewed for ATUS is always TULINENO = 1

APPENDIX A

Census State Codes (GESTCEN)

GESTCEN	State	GESTCEN	State	GESTCEN	State	GESTCEN	State
11	ME	35	WI	56	NC	82	ID
12	NH	41	MN	57	SC	83	WY
13	VT	42	IA	58	GA	84	CO
14	MA	43	MO	59	FL	85	NM
15	RI	44	ND	61	KY	86	AZ
16	CT	45	SD	62	TN	87	UT
21	NY	46	NE	63	AL	88	NV
22	NJ	47	KS	64	MS	91	WA
23	PA	51	DE	71	AR	92	OR
31	OH	52	MD	72	LA	93	CA
32	IN	53	DC	73	OK	94	AK
33	IL	54	VA	74	TX	95	HI
34	MI	55	WV	81	MT		

Federal Processing Information Processing Standards (FIPS) codes (GESTFIPS)

GESTFIPS	State	GESTFIPS	State	GESTFIPS	State	GESTFIPS	State
1	AL	17	IL	30	MT	44	RI
2	AK	18	IN	31	NE	45	SC
4	AZ	19	IA	32	NV	46	SD
5	AR	20	KS	33	NH	47	TN
6	CA	21	KY	34	NJ	48	TX
8	CO	22	LA	35	NM	49	UT
9	CT	23	ME	36	NY	50	VT
10	DE	24	MD	37	NC	51	VA
11	DC	25	MA	38	ND	53	WA
12	FL	26	MI	39	OH	54	WV
13	GA	27	MN	40	OK	55	WI
15	HI	28	MS	41	OR	56	WY
16	ID	29	MO	42	PA		

Census Region Codes (GEREG)

GEREG	States
1 – Northeast	CT, MA, ME, NH, NJ, NY, PA, RI, and VT
2 – Midwest	IA, IL, IN, KS, MI, MN, MO, ND, NE, OH, SD, and WI
3 – South	AL, AR, DC, DE, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, and WV
4 – West	AK, AZ, CA, CO, HL, ID, MT, NM, NV, OR, UT, WA, and WY

Nativity Country Codes (PEFNTVTY, PEMNTVTY, and PENATVTY)

ivativity	Country Codes (PEFNIVIII, PE	MIMIAI	I, allu PENATVII)		
Code	Country	Code	Country	Code	Country
57	United States	158	Armenia	247	Vietnam
66	Guam	159	Azerbaijan	248	Yemen
73	Puerto Rico	160	Belarus	249	Asia, not specified
78	U.S. Virgin Islands	161	Georgia	300	Bermuda
96	U.S. Outlying Area	162	Moldova	301	Canada
100	Albania	163	Russia	303	Mexico
102	Austria	164	Ukraine	305	North America, not specified
103	Belgium	165	USSR	310	Belize
104	Bulgaria	166	Europe, not specified	311	Costa Rica
105	Czechoslovakia	167	Kosovo	312	El Salvador
106	Denmark	200	Afghanistan	313	Guatemala
108	Finland	202	Bangladesh	314	Honduras
109	France	205	Myanmar	315	Nicaragua
110	Germany	206	Cambodia	316	Panama
116	Greece	207	China		
117	Hungary	208	Cyprus	321	Antigua and Barbuda
119	Ireland	209	Hong Kong	323	Bahamas
120	Italy	210	India	324	Barbados
126	Netherlands/Holland	211	Indonesia	327	Cuba
127	Norway	212	Iran	328	Dominica
128	Poland	213	Iraq	329	Dominican Republic
129	Portugal	214	Israel	330	Grenada
130	Azores	215	Japan	332	Haiti
132	Romania	216	Jordan	333	Jamaica
134	Spain	217	Korea	338	St. Kitts-Nevis
136	Sweden	220	South Korea	339	St. Lucia St. Vincent and the
137	Switzerland			340	Grenadines
138	United Kingdom	222	Kuwait	341	Trinidad & Tobago
139	England	223	Laos	343	West Indies, not specified
140	Scotland	224	Lebanon	360	Argentina
141	Wales	226	Malaysia	361	Bolivia
142	Northern Ireland	229	Nepal	362	Brazil
147	Yugoslavia	231	Pakistan	363	Chile
148	Czech Republic	233	Philippines	364	Colombia
149	Slovakia Bosnia &	235	Saudi Arabia	365	Ecuador
150	Herzegovina	236	Singapore	368	Guyana
151	Croatia	238	Sri Lanka	369	Paraguay
152	Macedonia	239	Syria	370	Peru
154	Serbia	240	Taiwan	372	Uruguay
156	Latvia	242	Thailand	373	Venezuela
157	Lithuania	243	Turkey	374	South America, not specified
		246	Uzbekistan	399	Americas, not specified

Nativity Country Codes (PEFNTVTY, PEMNTVTY, and PENATVTY), continued

Code	Country	Code	Country	Code	Country
400	Algeria	436	Morocco	461	Zimbabwe
407	Cameroon	440	Nigeria	462	Africa, not specified
408	Cape Verde	444	Senegal	501	Australia
414	Egypt	447	Sierra Leone	508	Fiji
416	Ethiopia	448	Somalia	515	New Zealand
417	Eritrea	449	South Africa	523	Tonga
421	Ghana	451	Sudan	527	Samoa
427	Kenya	453	Tanzania	528	Oceania, not specified
429	Liberia	457	Uganda	555	Other

APPENDIX A-1

Detailed Industry Codes using 2002 Census Industry Classification system (PRDTIND1 and PRDTIND2)

Detailed Industry Code	Description	Census Industry Code
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
8	Computer and electronic product manufacturing	3360-3390
9	Electrical equipment, appliance manufacturing	3470, 3490
10	Transportation equipment manufacturing	3570-3690
11	Wood product manufacturing	3770-3870
12	Furniture and fixtures manufacturing	3890
13	Miscellaneous and not specified manufacturing	3960-3990
14	Food manufacturing	1070-1290
15	Beverage and tobacco product manufacturing	1370, 1390
16	Textile, apparel, and leather manufacturing	1470-1790
17	Paper manufacturing and printing	1870-1990
18	Petroleum and coal products manufacturing	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products manufacturing	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23	Transportation and warehousing	6070-6390
24	Utilities	0570-0690
25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6675
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6692, 6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
35	Rental and leasing services	7080-7190
36	Professional, scientific, and technical services	7270-7490
37	Management of companies and enterprises	7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
40	Educational services	7860-7890
41	Hospitals	8190

Detailed Industry Code	Description	Census Industry Code
42	Health care services, except hospitals	7970-8180, 8270, 8290
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Traveler accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590
52	Armed Forces	9890

Industry Codes (PEIO1ICD, PEIO2ICD)

2002 Census Industry Classification Codes available at http://www.bls.gov/tus/census02iocodes.pdf

2007 Census Industry Classification Codes available at http://www.bls.gov/tus/census07icode.pdf

Occupation Codes (PEIO1OCD, PEIO2OCD)

Available at http://www.bls.gov/tus/census02iocodes.pdf

APPENDIX A-2

Detailed Industry Codes using the 2007 Census Industry Classification system (PRDTIND1 and PRDTIND2)

Detailed Industry Code	Description	Census Industry Code
1	Agriculture	0170-0180, 0290
2	Forestry, logging, fishing, hunting, and trapping	0190-0280
3	Mining	0370-0490
4	Construction	770
5	Nonmetallic mineral product manufacturing	2470-2590
6	Primary metals and fabricated metal products	2670-2990
7	Machinery manufacturing	3070-3290
0	· •	3360-3390
8	Computer and electronic product manufacturing	
9 10	Electrical equipment, appliance manufacturing	3470, 3490 3570-3690
11	Transportation equipment manufacturing	3770-3870
12	Wood product manufacturing Furniture and fixtures manufacturing	3890
13	G	3960-3990
14	Miscellaneous and not specified manufacturing Food manufacturing	1070-1290
15	5	1370, 1390
16	Beverage and tobacco product manufacturing	1470-1790
17	Textile, apparel, and leather manufacturing Paper manufacturing and printing	1870-1990
18	Petroleum and coal products manufacturing	2070, 2090
19	Chemical manufacturing	2170-2290
20	Plastics and rubber products manufacturing	2370-2390
21	Wholesale trade	4070-4590
22	Retail trade	4670-5790
23		6070-6390
23 24	Transportation and warehousing Utilities	0570-0690
2 4 25	Publishing industries (except internet)	6470-6490
26	Motion picture and sound recording industries	6570, 6590
27	Broadcasting (except internet)	6670
28	Internet publishing and broadcasting	6672
29	Telecommunications	6680, 6690
30	Internet service providers and data processing services	6695
31	Other information services	6770, 6780
32	Finance	6870-6970
33	Insurance	6990
34	Real estate	7070
3 4 35	Rental and leasing services	7080-7190
36	Professional, scientific, and technical services	7270-7490
30 37	Management of companies and enterprises	7570-7490 7570
38	Administrative and support services	7580-7780
39	Waste management and remediation services	7790
39 40	Educational services	7860-7890
40	Luucaliolidi sei vices	1000-1090

Detailed Industry Code	Description	Census Industry Code
41	Hospitals	8190
42	Health care services, except hospitals	7970-8180, 8270, 8290
43	Social assistance	8370-8470
44	Arts, entertainment, and recreation	8560-8590
45	Traveler accommodation	8660, 8670
46	Food services and drinking places	8680, 8690
47	Repair and maintenance	8770-8890
48	Personal and laundry services	8970-9090
49	Membership associations and organizations	9160-9190
50	Private households	9290
51	Public administration	9370-9590
52	Armed Forces	9890

Industry Codes (PEIO1ICD, PEIO2ICD)

2002 Census Industry Classification Codes available at http://www.bls.gov/tus/census02iocodes.pdf

2007 Census Industry Classification Codes available at http://www.bls.gov/tus/census07icode.pdf

Occupation Codes (PEIO1OCD, PEIO2OCD)

Available at http://www.bls.gov/tus/census02iocodes.pdf