**Ball Squeeze:** Hold a small ball (such as a stress or racquet ball) in the palm of your hand and squeeze. Hold 3 seconds and repeat.





Wrist Flexor Stretch: With the left arm extended as shown, gently pull your hand back toward you. You should feel a stretch on the underside of the forearm.









Wrist Circles: Standing or seated, bend elbows to 90°. Making a gentle fist, slowly rotate wrists IO times in a pain free range of motion, then reverse IO times.







## **Exercise Guidelines:**

- I. Perform IO-I5 repetitions of each exercise.
- 2. Use slow and controlled movements.
- 3. Exhale during exertion, inhale during release.
- 4. Maintain good posture and technique.
- 5. Perform exercises in an area with adequate space.
- 6. Discontinue exercise if you experience pain.
- 7. Use a support for balance as needed.

## Stretching Guidelines:

- I. Hold each stretch for 20-30 seconds.
- 2. Hold stretch in a pain free range of motion.
- 3. Do not bounce, use controlled movements.
- 4. Do not hold your breath, breathe slowly.

**PRECAUTIONS:** This information is not intended as a substitute for the advice of a personal healthcare provider. If you have medical conditions requiring attention or which may be aggravated by physical activity, consult your healthcare provider

Industrial Rehabilitation 376-2109 or 376-9040 www.hanford.gov/amh

