

# Illinois

# 1997

Issued December 1999

EC97TCF-IL

## 1997 Economic Census

*Transportation*

1997 Commodity Flow Survey



U.S. Department of Transportation  
BUREAU OF TRANSPORTATION STATISTICS

U.S. Department of Commerce  
Economics and Statistics Administration  
U.S. CENSUS BUREAU



## ACKNOWLEDGMENTS

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky**, Assistant Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were under the supervision of **John L. Fowler**, Chief, Commodity Flow Survey Branch, assisted by **Wanda Dougherty, Debra Corbett, Bruce Dembroski, Shirley Gray, Michael Jones, Stephanie Kelley, Mabel Ocasio, Bonnie Opalko, Joyce Price, Barbara Selinske, Eli Serrano,** and **Michael Sprung**. Sample design and statistical methodology were developed under the general direction of **Howard Hogan** and **Carl A. Konschnik**, former Assistant Chiefs, and **Ruth E. Detlefsen**, current Assistant Chief, Research and Methodology. Sample design and estimation were under the supervision of **Patrick Cantwell**, former Chief, and **Jock Black**, current Chief, Program Research and Development Branch, assisted by **William C. Davie Jr., David L. Kinyon, Jacklyn R. Jonas,** and **M. Cristina Cruz**. Frame construction, sample control, imputation, and quality control procedures were developed under the supervision of **Carol King**, Chief, Statistical Methods Branch, assisted by **James Hunt**.

The processing system and computer programs were developed and implemented by the OAO programming group, led by **Jacques Wilmore** and assisted by **Harold N. Bobbitt** and **Robert J. Jeffrey**. **Steve G. McCraith**, Chief, Quinquennial Surveys Branch, Economic Statistical Methods and Programming Division and **Joseph F. Keehan** provided general support.

Coordination of data collection efforts was under the direction of **Judith N. Petty**, Chief, National Processing Center, assisted by **Matthew Aulbach, Linda Broadus, Grant Goodwin, Carlene Bottorff, Teresa Branstetter,** and **Jack Miller**.

The staff of the Administrative and Customer Services Division, **Walter C. Odom**, Chief, performed planning, design, composition, editorial review, and printing planning and procurement for the publications, Internet products, and report forms. **Margaret A. Smith** provided publication coordination and editing.

We also acknowledge the contributions of the following Department of Transportation (DOT) representatives in the overall planning and design of the survey: **Rolf Schmitt**, Associate Director for Transportation Studies, Bureau of Transportation Statistics, assisted by **Susan Lapham, Russ Capelle, Ronald J. Duych,** and **Felix Ammah-Tagoe**.

The Oak Ridge National Laboratory's Center for Transportation Analysis, under the former and current direction of **Mike Bronzini** and **David Greene**, respectively, provided all mileage data for this report, using its transportation network modeling system, under the supervision of **Frank Southworth** and assisted by **Shih-Miao Chin, Bruce Peterson, Jane Rollow,** and **Angela Gibson**.

Special acknowledgment is also due to the many businesses whose cooperation was essential to the publication of these data.

**1997 Economic Census**  
*Transportation*  
1997 Commodity Flow Survey



**U.S. Department of  
Transportation**  
**Rodney E. Slater,**  
Secretary  
**Mortimer L. Downey,**  
Deputy Secretary

**BUREAU OF TRANSPORTATION  
STATISTICS**  
**Dr. Ashish Sen,**  
Director  
**Rick Kowalewski,**  
Deputy Director  
**Rolf R. Schmitt,**  
Associate Director for  
Transportation Studies



**U.S. Department of Commerce**  
**William M. Daley,**  
Secretary  
**Robert L. Mallett,**  
Deputy Secretary

**Economics  
and Statistics  
Administration**  
**Robert J. Shapiro,**  
Under Secretary for  
Economic Affairs

**U.S. CENSUS BUREAU**  
**Kenneth Prewitt,**  
Director



**Economics  
and Statistics  
Administration**

**Robert J. Shapiro,**  
Under Secretary  
for Economic Affairs



**U.S. CENSUS BUREAU**

**Kenneth Prewitt,**  
Director

**William G. Barron,**  
Deputy Director

**Paula J. Schneider,**  
Principal Associate Director  
for Programs

**Frederick T. Knickerbocker,**  
Associate Director  
for Economic Programs

**Thomas L. Mesenbourg,**  
Assistant Director  
for Economic Programs

**Carole A. Ambler,**  
Chief, Service Sector  
Statistics Division



**BUREAU OF TRANSPORTATION  
STATISTICS**

**Dr. Ashish Sen,**  
Director

**Rick Kowalewski,**  
Deputy Director

**Rolf R. Schmitt,**  
Associate Director for  
Transportation Studies

## CONTENTS

---

Introduction to the Economic Census .....	1
1997 Commodity Flow Survey .....	3

### TABLES

1a. Shipment Characteristics by Mode of Transportation for State of Origin: 1997 .....	9
1b. Shipment Characteristics by Mode of Transportation for State of Origin: 1997 and 1993 .....	9
1c. Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 1997 and 1993 .....	10
2. Shipment Characteristics by Total Modal Activity for State of Origin: 1997 .....	10
3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997 .....	11
4. Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997 .....	14
5. Shipment Characteristics by Two-Digit Commodity for State of Origin: 1997 .....	17
6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997 .....	18
7. Shipment Characteristics by State of Destination for State of Origin: 1997 .....	33
8. Inbound Shipment Characteristics by State of Origin for State of Destination: 1997 .....	34

### APPENDIXES

A. Comparability With the 1993 Commodity Flow Survey .....	A-1
B. Reliability of the Estimates .....	B-1
C. Sample Design, Data Collection, and Estimation .....	C-1
D. Standard Classification of Transported Goods Code Information .....	D-1
E. Sample Report Forms and Instructions .....	E-1



# Introduction to the Economic Census

---

## **PURPOSES AND USES OF THE ECONOMIC CENSUS**

The economic census is the major source of facts about the structure and functioning of the Nation's economy. It provides essential information for government, business, industry, and the general public. Title 13 of the United States Code (Sections 131, 191, and 224) directs the Census Bureau to take the economic census every 5 years, covering years ending in 2 and 7.

The economic census furnishes an important part of the framework for such composite measures as the gross domestic product estimates, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions. Specific uses of economic census data include the following:

- Policymaking agencies of the Federal Government use the data to monitor economic activity and assess the effectiveness of policies.
- State and local governments use the data to assess business activities and tax bases within their jurisdictions and to develop programs to attract business.
- Trade associations study trends in their own and competing industries, which allows them to keep their members informed of market changes.
- Individual businesses use the data to locate potential markets and to analyze their own production and sales performance relative to industry or area averages.

## **BASIS OF REPORTING**

The economic census is conducted on an establishment basis. A company operating at more than one location is required to file a separate report for each store, factory, shop, or other location. Each establishment is assigned a separate industry classification based on its primary activity and not that of its parent company.

## **AVAILABILITY OF ADDITIONAL DATA**

### **Reports in Print and Electronic Media**

All results of the 1997 Economic Census are available on the Census Bureau Internet site ([www.census.gov](http://www.census.gov)) and on compact discs (CD-ROM) for sale by the Census Bureau. Unlike previous censuses, only selected highlights are

published in printed reports. For more information, including a description of electronic and printed reports being issued, see the Internet site, or write to U.S. Census Bureau, Washington, DC 20233-8300, or call Customer Services at 301-457-4100.

## **HISTORICAL INFORMATION**

The economic census has been taken as an integrated program at 5-year intervals since 1967 and before that for 1954, 1958, and 1963. Prior to that time, individual components of the economic census were taken separately at varying intervals.

The economic census traces its beginnings to the 1810 Decennial Census, when questions on manufacturing were included with those for population. Coverage of economic activities was expanded for the 1840 Decennial Census and subsequent censuses to include mining and some commercial activities. The 1905 Manufactures Census was the first time a census was taken apart from the regular decennial population census. Censuses covering retail and wholesale trade and construction industries were added in 1930, as were some covering service trades in 1933. Censuses of construction, manufacturing, and the other business service censuses were suspended during World War II.

The 1954 Economic Census was the first census to be fully integrated: providing comparable census data across economic sectors, using consistent time periods, concepts, definitions, classifications, and reporting units. It was the first census to be taken by mail, using lists of firms provided by the administrative records of other Federal agencies. Since 1963, administrative records also have been used to provide basic statistics for very small firms, reducing or eliminating the need to send them census questionnaires.

The range of industries covered in the economic censuses expanded between 1967 and 1992. The census of construction industries began on a regular basis in 1967, and the scope of service industries, introduced in 1933, was broadened in 1967, 1977, and 1987. While a few transportation industries were covered as early as 1963, it was not until 1992 that the census broadened to include all of transportation, communications, and utilities. Also new for 1992 was coverage of financial, insurance, and real estate industries. With these additions, the economic census and the separate census of governments and census of agriculture collectively covered roughly 98 percent of all economic activity.

---

Printed statistical reports from the 1992 and earlier censuses provide historical figures for the study of long-term time series and are available in some large libraries. All of the census reports printed since 1967 are still available for sale on microfiche from the Census Bureau. CD-ROMs issued from the 1987 and 1992 Economic Censuses contain databases including nearly all data published in print, plus additional statistics, such as ZIP Code statistics, published only on CD-ROM.

#### **SOURCES FOR MORE INFORMATION**

More information about the scope, coverage, classification system, data items, and publications for each of the economic censuses and related surveys is published in the *Guide to the 1997 Economic Census and Related Statistics* at [www.census.gov/econguide](http://www.census.gov/econguide). More information on the methodology, procedures, and history of the censuses will be published in the *History of the 1997 Economic Census* at [www.census.gov/econ/www/history.html](http://www.census.gov/econ/www/history.html).

# 1997 Commodity Flow Survey

## GENERAL

The 1997 Commodity Flow Survey (CFS) is undertaken through a partnership between the Bureau of the Census, U.S. Department of Commerce, and the Bureau of Transportation Statistics, U.S. Department of Transportation. This survey produces data on the movement of goods in the United States. It provides information on commodities shipped, their value, weight, and mode of transportation, as well as the origin and destination of shipments of manufacturing, mining, wholesale, and selected retail establishments. The CFS was last conducted in 1993. See the Comparability With the 1993 Commodity Flow Survey table (Appendix A) for a comparison between the 1997 and 1993 surveys. The data from the CFS are used by public policy analysts and for transportation planning and decision-making to assess the demand for transportation facilities and services, energy use, and safety risk and environmental concerns.

This report presents data at the state level. Additional reports will include data for the United States, census regions, divisions, and selected metropolitan areas, as well as selected data on exports and hazardous material shipments.

## INDUSTRY COVERAGE

The 1997 CFS covers business establishments in mining, manufacturing, wholesale trade, and selected retail industries. The survey also covers selected auxiliary establishments (e.g., warehouses) of in-scope multiunit and retail companies. The survey coverage excludes establishments classified as farms, forestry, fisheries, governments, construction, transportation, foreign establishments, services, and most establishments in retail.

The industries covered, as defined in the 1987 Standard Industrial Classification Manual (SIC), are listed in the following table:

SIC code	Title
10, ex. 108	Metal mining (excluding metal mining services)
12, ex. 124	Coal mining (excluding coal mining services)
13	Oil and gas extraction <sup>1</sup>
14, ex. 148	Mining and quarrying of nonmetallic minerals, except fuels (excluding nonmetallic minerals services)
20	Food and kindred products
21	Tobacco products
22	Textile mill products
23	Apparel and other finished products made from fabrics and similar materials
24	Lumber and wood products, except furniture
25	Furniture and fixtures
26	Paper and allied products
27, ex. 279	Printing, publishing, and allied industries (excluding service industries for the printing trade)
28	Chemicals and allied products
29	Petroleum refining and related industries
30	Rubber and miscellaneous plastics products
31	Leather and leather products
32	Stone, clay, glass, and concrete products
33	Primary metal industries
34	Fabricated metal products, except machinery and transportation equipment
35	Industrial and commercial machinery and computer equipment
36	Electronic and other electrical equipment and components, except computer equipment
37	Transportation equipment
38	Measuring, analyzing, and controlling instruments; photographic, medical and optical goods; watches and clocks
39	Miscellaneous manufacturing industries
50	Wholesale trade—durable goods
51	Wholesale trade—nondurable goods
596	Catalog and mail-order houses

<sup>1</sup>We included establishments classified in SIC 13, Oil and Gas Extraction, in the initial coverage of the 1997 CFS. However, because of unresolved industry-wide reporting issues, we have removed shipments from these establishments from our 1997 CFS tabulations. The data collected from these establishments will be used as input to a special report at a later date.

Similarly, because establishments in SIC 13 are responsible for the overwhelming number of shipments classified in SCTG 16, Crude Petroleum, we have removed all shipments with SCTG 16 from the 1997 CFS publication results.



---

## SHIPMENT COVERAGE

The CFS captures data on shipments originating from selected types of business establishments located in the 50 states and the District of Columbia. The data do not cover shipments originating from business establishments located in Puerto Rico and other U.S. possessions and territories. Shipments traversing the U.S. from a foreign location to another foreign location (e.g., from Canada to Mexico) are not included, nor are shipments from a foreign location to a U.S. location. Imported products are included in the CFS at the point that they left the importer's domestic location for shipment to another location. Shipments that are shipped through a foreign territory with both the origin and destination in the U.S. are included in the CFS data. The mileages calculated for these shipments exclude the international segments (e.g., shipments from New York to Michigan through Canada do not include any mileages for Canada). Export shipments are included, with the domestic destination defined as the port of exit from the U.S.

The "Industry Coverage" section of the text lists the SIC groups covered by the CFS. Other industry areas that are not covered, but may have significant shipping activity, include agriculture, government, and retail (other than warehouses and SIC 5961, Catalog and Mail-Order Houses). For agriculture specifically, this means that the CFS did not cover shipments of agricultural products from the farm site to the processing centers or terminal elevators (most likely short-distance local movements), but does cover the shipments of these products from the initial processing centers or terminal elevators onward.

## MILEAGE CALCULATIONS

To compute shipment mileages for the 1997 CFS, The Center for Transportation Analysis (CTA) at Oak Ridge National Laboratory (ORNL) developed an integrated, intermodal transportation network modeling system. A secure data site was setup at ORNL to process census-supplied files containing data elements for individual CFS shipment records. Each record contained the ZIP Code of shipment origin and destination, and the mode or mode sequence reported. Each record also contained information on the type of commodity moved, its weight, dollar value and whether containerized or a hazardous material. Export shipments were also identified on the records, along with data on U.S. port of exit and foreign destination city and country. Encrypted data files were transmitted and returned from ORNL after processing, with turnaround of most files on a week-by-week basis. In this manner many shipment-specific data problems encountered by ORNL in their routing procedures were reported back to census in a timely fashion, allowing census to call back some shippers and thereby confirm, correct, or recover missing or otherwise unusable data. The ORNL system computed mileages, by mode, for all single modes and for any reported

multimodal sequence. This was done for any origin-destination pair of domestic ZIP Code locations, and for any internal ZIP Code of origin, via U.S. export port, to foreign (export) destination. Mileages between origin-destination ZIP Code centroids were computed by finding the minimum impedance path over mathematical representations of the highway, rail, waterway, air, and pipeline networks and then summing the lengths of individual links on these paths. Impedance is computed as a weighted combination of distance, time, and cost factors.

The ORNL multimodal network database is composed of individual modal-specific networks representing each of the major transportation modes—highway, rail, waterway, air, and pipeline. The links of these specific modal networks are the representation of line-haul transportation facilities. The nodes represent intersections and interchanges, and the access points to the transportation network. To simulate local access, test links are created from each five-digit ZIP Code centroid to nearby nodes on the network. For the truck network, local access is assumed to exist everywhere. For the other modes this is not true. Before any test links are created for these modes, a search procedure is used to determine if and where such networks are most likely to provide access to the ZIP Code. For shipments involving more than one mode, such as truck-rail or rail-water shipments, intermodal transfer links are added to the network database for the purpose of connecting the individual modal networks together for routing purposes. An intermodal terminals database and a number of terminal transfer models were developed at ORNL to identify likely transfer points for different classes of freight. A measure of link impedance was calculated for each access, line-haul, and intermodal transfer link traversed by a shipment. These impedances were mode specific and are based on various link characteristics. For example, the set of link characteristics for the highway network included speed impacting factors, such as the presence of divided or undivided roadway, the degree of access control, rural or urban setting, type of pavement, number of lanes, degree of urban congestion, and length of the link. Link impedance measures are also assigned to the local access links. Intermodal transfer link impedances are estimated in terms of the time it takes to move goods through such a transfer. In the case of rail and air freight, intercarrier transfer penalties are also considered in order to obtain proper route selections. A minimum path algorithm is used to find the minimum impedance path between a shipment's origin ZIP Code centroid and destination ZIP Code centroid. The cumulative length of the local access plus line-haul links on this path provides the estimated shipment distance. When rail was involved these shipment distances may be averaged over more than one path between an origin-destination pair.

### Mileage Data for Pipeline Shipments

In the tables, we do not show ton-miles or average miles per shipment for pipeline shipments. For most of these shipments, the respondents reported the shipment

destination as a pipeline facility on the main pipeline network. Therefore, for the majority of these shipments, the resulting mileage represented only the access distance through feeder pipelines to the main pipeline network, and not the actual distance through the main pipeline network. Pipeline shipments are included in the U.S. totals for ton-miles and average miles per shipment.

## DISCLOSURE RULES

In accordance with Federal law governing Census Bureau reports, no data are published that would disclose the operations of an individual firm or establishment.

## EXPLANATION OF TERMS

**Average miles per shipment.** For the 1993 CFS, we excluded shipments of STCC 27, Printed Matter, from our calculation of average miles per shipment. We made this decision after determining that respondents in the 1993 CFS shipping newspapers, magazines, catalogs, etc., had used widely varying definitions of the term “shipment.”

For the 1997 CFS, we made numerous efforts throughout our data collection and editing to produce consistent results from establishments shipping SCTG 29, Printed Products. As a result, we have included printed products in the average miles per shipment calculations for the 1997 CFS.

**Commodity.** Products that an establishment produces, sells, or distributes. This does not include items that are considered as excess or byproducts of the establishment’s operation. Respondents reported the description and the five-digit SCTG code for the major commodity contained in the shipment, defined as the commodity with the greatest weight in the total shipment.

**Distance shipped.** In some tables, shipment data are presented for various “distance shipped” intervals. Shipments were categorized into these “distance shipped” intervals based on the great circle distance between their origin and destination ZIP Code centroids. All other distance-related data in this and other tables (i.e., ton-miles and average miles per shipment) are based on the mileage calculations produced by Oak Ridge National Laboratories. (See the “Mileage Calculations” section for more details.)

**Great circle distance.** The shortest distance between two points on the earth’s surface.

**Mode of transportation.** The type of transportation used for moving the shipment to its domestic destination. For exports, the domestic destination was the port of exit.

## Mode Definitions

In the instructions to the respondent, we defined the possible modes as follows:

1. **Parcel delivery/courier/U.S. Postal Service.** Delivery services, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.
2. **Private truck.** Trucks operated by a temporary or permanent employee of an establishment or the buyer/receiver of the shipment.
3. **For-hire truck.** Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.
4. **Railroad.** Any common carrier or private railroad.
5. **Shallow draft vessels.** Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intracoastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.
6. **Deep draft vessel.** Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.
7. **Pipeline.** Movements of oil, petroleum, gas, slurry, etc., through pipelines that extend to other establishments or locations beyond the shipper’s establishment. Aqueducts for the movement of water are not included.
8. **Air.** Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.
9. **Other mode.** Any mode not listed above.
10. **Unknown.** The shipment was not carried by a parcel delivery/courier/U.S. Postal Service, and the respondent could not determine what mode of transportation was used.

In the tables, we have used additional terms for mode, which we define as follows:

1. **Air (includes truck and air).** Shipments that used air or a combination of truck and air.
2. **Single modes.** Shipments using only one of the above-listed modes, except parcel or other and unknown.
3. **Multiple modes.** Parcel, U.S. Postal Service or courier shipments or shipments for which two or more of the following modes of transportation were used:
  - Private truck
  - For-hire truck
  - Rail
  - Shallow draft vessel
  - Deep draft vessel
  - Pipeline

We did not allow for multiple modes in combination with “parcel, U.S. Postal Service or courier,” “unknown,” or “other.” By their nature, these shipments may already include various kinds of multiple-mode activity. For example, if the respondent reported a shipment’s mode of transportation as parcel and air, we treated the shipment as parcel only.

4. **Other multiple modes.** Shipments using any other mode combinations not specifically listed in the tables.
5. **Other and unknown modes.** Shipments for which modes were not reported, or were reported by the respondent as “Other” or “Unknown.”
6. **Truck.** Shipments using for-hire truck only, private truck only, or a combination of for-hire truck and private truck.
7. **Water.** Shipments using shallow draft vessel only, deep draft vessel only, or Great Lakes vessel only. Combinations of these modes, such as shallow draft vessel and Great Lakes vessel are included as “Other multiple modes.”
8. **Great Lakes.** In the tables in this publication, “Great Lakes” appears as a single mode. ORNL’s transportation network and mileage calculation system allowed for separate mileage calculations for Great Lakes between the origin and destination ZIP Codes (see the “Mileage Calculations” section for more details).

### Other Definitions and Terms

**Shipment.** A shipment (or delivery) is an individual movement of commodities from an establishment to a customer or to another location of the originating company (including a warehouse, distribution center, retail or wholesale outlet). A shipment uses one or more modes of transportation including parcel delivery, U.S. Postal Service, courier, private truck, for-hire truck, rail, water, pipeline, air, and other modes.

### Standard Classification of Transported Goods

**(SCTG).** The commodities shown in this report are classified using the SCTG coding system. The SCTG coding system was developed jointly by agencies of the United States and Canadian governments based on the Harmonized System to address statistical needs in regard to products transported.

**Ton-miles.** The weight times the mileage for a shipment. The respondents reported shipment weight in pounds, as described below. Mileage was calculated as the distance between the shipment origin and destination ZIP Codes. For shipments by truck, rail, or shallow draft vessels, the mileage excludes international segments. For example, mileages from Alaska to the continental United States

exclude any mileages through Canada (see the “Mileage Calculations” section for more details). Aggregated pound-miles were converted to ton-miles. The ton-miles data are displayed in millions.

**Tons shipped.** The total weight of the entire shipment. Respondents reported the weight in pounds. Aggregated pounds were converted to short-tons (2,000 pounds). The tons data are displayed in thousands.

**Total modal activity.** The overall activity (e.g., ton-miles) of a specific mode of transportation, whether used in a single-mode shipment, or as part of a multiple-mode shipment. For example, the total modal activity for private truck is the total ton-miles carried by private truck in single-mode shipments, combined with the total ton-miles carried by private truck in all multiple-mode shipments that include private truck (private truck and for-hire truck, private truck and rail, private truck and air, etc.)

**Value of shipments.** The dollar value of the entire shipment. This was defined as the net selling value, f.o.b. plant, exclusive of freight charges and excise taxes. The value data are displayed in millions of dollars.

### ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in the tables for this publication:

D	Denotes figures withheld to avoid disclosing data for individual companies.
–	Represents zero or less than 1 unit of measure.
S	Data do not meet publication standards due to high sampling variability or other reasons.
CFS	Commodity Flow Survey.
lb	Pounds.
n.e.c.	Not elsewhere classified.
NA	Not applicable.
n.o.s.	Not otherwise specified.

### OTHER TRANSPORTATION DATA

Users of transportation data may be especially interested in the following reports:

**Economic Census: Transportation Sector** covers establishments that provide passenger and freight transportation to the general public, government, or other businesses.

Published data include kind of business, geographic location, total operating revenue, annual and first quarter payroll, and number of employees for pay period including March 12.

**Vehicle Inventory and Use Survey** covers state and U.S. level statistics on the physical and operational characteristics of the Nation’s truck, van, minivan, and sport utility vehicle population. Some of the types of data collected

---

include number of vehicles, major use, body type, annual miles, model year, vehicle size, fuel type, operator classification, engine size, range of operation, weeks operated, products carried, and hazardous materials carried. This survey shows comparative statistics reflecting percent changes in number of vehicles between 1997 and 1992 for most characteristics.

**Transportation Annual Survey** covers firms with paid employees that provide commercial motor freight transportation and public warehousing services. Data collected include operating revenue and operating revenue by

source, total expenses and expenses percentage of motor carrier freight revenue by commodity type, size of shipments handled, length of haul, and vehicle fleet inventory.

All results of the 1997 Economic Census are available on the Census Bureau Internet site <http://www.census.gov> and on compact discs (CD-ROM).

For more information on any Census Bureau product, including a description of electronic and printed reports being issued, see the web site or call Customer Services at 301-457-4100.

**Table 1a. Shipment Characteristics by Mode of Transportation for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>All modes</b> .....	<b>357 887</b>	<b>100.0</b>	<b>670 949</b>	<b>100.0</b>	<b>145 141</b>	<b>100.0</b>	<b>446</b>
<b>Single modes</b> .....	<b>295 798</b>	<b>82.7</b>	<b>643 654</b>	<b>95.9</b>	<b>131 675</b>	<b>90.7</b>	<b>199</b>
Truck <sup>1</sup> .....	257 762	72.0	473 227	70.5	52 823	36.4	153
For-hire truck .....	175 364	49.0	295 420	44.0	41 625	28.7	335
Private truck .....	80 611	22.5	175 112	26.1	10 812	7.4	44
Rail .....	18 330	5.1	77 510	11.6	33 286	22.9	819
Water .....	5 994	1.7	47 371	7.1	41 558	28.6	S
Shallow draft .....	5 994	1.7	47 371	7.1	41 558	28.6	S
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	4 838	1.4	161	—	193	.1	1 140
Pipeline <sup>2</sup> .....	8 874	2.5	45 385	6.8	S	S	S
<b>Multiple modes</b> .....	<b>51 715</b>	<b>14.5</b>	<b>13 917</b>	<b>2.1</b>	<b>11 108</b>	<b>7.7</b>	<b>677</b>
Parcel, U.S. Postal Service or courier .....	44 423	12.4	1 624	.2	999	.7	677
Truck and rail .....	6 918	1.9	3 048	.5	4 081	2.8	1 323
Truck and water .....	152	—	689	.1	715	.5	3 437
Rail and water .....	219	—	8 543	1.3	5 310	3.7	1 071
Other multiple modes .....	S	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>10 374</b>	<b>2.9</b>	<b>13 378</b>	<b>2.0</b>	<b>2 358</b>	<b>1.6</b>	<b>106</b>

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>2</sup>CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

**Table 1b. Shipment Characteristics by Mode of Transportation for State of Origin: 1997 and 1993**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation	Value			Tons			Ton-miles			Average miles per shipment		
	1997 (million dollars)	1993 (million dollars)	Percent change	1997 (thousands)	1993 (thousands)	Percent change	1997 (millions)	1993 (millions)	Percent change	1997	1993	Percent change
<b>All modes</b> .....	<b>357 887</b>	<b>346 604</b>	<b>3.3</b>	<b>670 949</b>	<b>525 176</b>	<b>27.8</b>	<b>145 141</b>	<b>129 750</b>	<b>11.9</b>	<b>446</b>	<b>437</b>	<b>1.9</b>
<b>Single modes</b> .....	<b>295 798</b>	<b>293 594</b>	<b>.8</b>	<b>643 654</b>	<b>482 523</b>	<b>33.4</b>	<b>131 675</b>	<b>113 075</b>	<b>16.4</b>	<b>199</b>	<b>212</b>	<b>-6.1</b>
Truck <sup>1</sup> .....	257 762	258 692	-.4	473 227	312 113	51.6	52 823	44 251	19.4	153	169	-9.4
For-hire truck .....	175 364	181 436	-3.3	295 420	173 778	70.0	41 625	35 681	16.7	335	386	-13.2
Private truck .....	80 611	76 913	4.8	175 112	137 320	27.5	10 812	8 515	27.0	44	56	-21.6
Rail .....	18 330	17 477	4.9	77 510	97 757	-20.7	33 286	39 790	-16.3	819	739	10.7
Water .....	5 994	3 333	79.8	47 371	33 000	43.5	41 558	25 818	61.0	S	466	S
Shallow draft .....	5 994	3 324	80.3	47 371	32 807	44.4	41 558	25 408	63.6	S	431	S
Great Lakes .....	—	—	—	—	—	—	—	—	—	—	—	—
Deep draft .....	—	S	S	—	S	S	—	S	S	—	4 954	-100.0
Air (includes truck and air) .....	4 838	6 725	-28.1	161	159	.9	193	157	22.8	1 140	1 148	-.7
Pipeline <sup>2</sup> .....	8 874	7 367	20.5	45 385	39 493	14.9	S	S	S	S	S	S
<b>Multiple modes</b> .....	<b>51 715</b>	<b>45 436</b>	<b>13.8</b>	<b>13 917</b>	<b>26 682</b>	<b>-47.8</b>	<b>11 108</b>	<b>15 277</b>	<b>-27.3</b>	<b>677</b>	<b>670</b>	<b>1.1</b>
Parcel, U.S. Postal Service or courier .....	44 423	38 482	15.4	1 624	1 522	6.7	999	929	7.5	677	668	1.2
Truck and rail .....	6 918	5 564	24.3	3 048	1 961	55.4	4 081	1 803	126.3	1 323	1 416	-6.6
Truck and water .....	152	S	S	689	S	S	715	S	S	3 437	2 359	45.7
Rail and water .....	219	198	10.9	8 543	5 913	44.5	5 310	4 351	22.0	1 071	1 324	-19.1
Other multiple modes .....	S	S	S	S	1 817	S	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>10 374</b>	<b>7 573</b>	<b>37.0</b>	<b>13 378</b>	<b>15 971</b>	<b>-16.2</b>	<b>2 358</b>	<b>1 399</b>	<b>68.6</b>	<b>106</b>	<b>275</b>	<b>-61.5</b>

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>2</sup>CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

**Table 1c. Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 1997 and 1993**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation	Value (percent)		Tons (percent)		Ton-miles (percent)	
	1997	1993	1997	1993	1997	1993
<b>All modes</b> .....	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Single modes</b> .....	<b>82.7</b>	<b>84.7</b>	<b>95.9</b>	<b>91.9</b>	<b>90.7</b>	<b>87.1</b>
Truck <sup>1</sup> .....	72.0	74.6	70.5	59.4	36.4	34.1
For-hire truck .....	49.0	52.3	44.0	33.1	28.7	27.5
Private truck .....	22.5	22.2	26.1	26.1	7.4	6.6
Rail .....	5.1	5.0	11.6	18.6	22.9	30.7
Water .....	1.7	1.0	7.1	6.3	28.6	19.9
Shallow draft .....	1.7	1.0	7.1	6.2	28.6	19.6
Great Lakes .....	—	—	—	—	—	—
Deep draft .....	—	S	—	S	—	S
Air (includes truck and air) .....	1.4	1.9	—	—	.1	.1
Pipeline <sup>2</sup> .....	2.5	2.1	6.8	7.5	S	S
<b>Multiple modes</b> .....	<b>14.5</b>	<b>13.1</b>	<b>2.1</b>	<b>5.1</b>	<b>7.7</b>	<b>11.8</b>
Parcel, U.S. Postal Service or courier .....	12.4	11.1	.2	.3	.7	.7
Truck and rail .....	1.9	1.6	.5	.4	2.8	1.4
Truck and water .....	—	S	.1	S	.5	S
Rail and water .....	—	—	1.3	1.1	3.7	3.4
Other multiple modes .....	S	S	S	.3	S	S
<b>Other and unknown modes</b> .....	<b>2.9</b>	<b>2.2</b>	<b>2.0</b>	<b>3.0</b>	<b>1.6</b>	<b>1.1</b>

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>2</sup>CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

**Table 2. Shipment Characteristics by Total Modal Activity for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation <sup>1</sup>	Ton-miles		Average miles per shipment
	Number (millions)	Percent	
<b>Total</b> .....	<b>145 141</b>	<b>100.0</b>	<b>437</b>
Truck .....	53 094	36.6	149
Rail .....	39 026	26.9	962
Shallow draft .....	45 646	31.4	S
Great Lakes .....	S	S	272
Deep draft .....	19	—	3 484
Air .....	183	.1	1 073
Parcel, U.S. Postal Service or courier .....	999	.7	677
Pipeline .....	S	S	S
Other and unknown modes .....	2 360	1.6	106

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>Data represent activity for a given mode across single and multiple mode shipments. For example, "Truck" ton-miles includes total ton-miles for shipments moving by truck only plus ton-miles for truck segments only of multiple mode shipments.



**Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent
<b>All modes</b> .....	<b>357 887</b>	<b>100.0</b>	<b>670 949</b>	<b>100.0</b>	<b>145 141</b>	<b>100.0</b>
Less than 50 miles .....	113 526	31.7	430 805	64.2	9 863	6.8
50 to 99 miles .....	21 123	5.9	38 199	5.7	3 619	2.5
100 to 249 miles .....	48 830	13.6	67 644	10.1	14 189	9.8
250 to 499 miles .....	61 963	17.3	49 547	7.4	23 389	16.1
500 to 749 miles .....	49 822	13.9	48 294	7.2	44 403	30.6
750 to 999 miles .....	28 602	8.0	26 758	4.0	31 400	21.6
1,000 to 1,499 miles .....	12 975	3.6	3 835	.6	5 600	3.9
1,500 to 1,999 miles .....	20 715	5.8	5 844	.9	12 581	8.7
2,000 miles or more .....	330	—	23	—	97	—
<b>Single modes</b> .....	<b>295 798</b>	<b>100.0</b>	<b>643 654</b>	<b>100.0</b>	<b>131 675</b>	<b>100.0</b>
Less than 50 miles .....	100 579	34.0	420 538	65.3	9 731	7.4
50 to 99 miles .....	18 435	6.2	37 694	5.9	3 568	2.7
100 to 249 miles .....	41 746	14.1	62 740	9.7	12 859	9.8
250 to 499 miles .....	52 415	17.7	46 610	7.2	21 869	16.6
500 to 749 miles .....	39 183	13.2	43 321	6.7	40 119	30.5
750 to 999 miles .....	20 703	7.0	24 850	3.9	28 984	22.0
1,000 to 1,499 miles .....	9 212	3.1	3 370	.5	4 904	3.7
1,500 to 1,999 miles .....	13 425	4.5	4 519	.7	9 603	7.3
2,000 miles or more .....	S	S	12	—	S	S
<b>Truck<sup>1</sup></b> .....	<b>257 762</b>	<b>100.0</b>	<b>473 227</b>	<b>100.0</b>	<b>52 823</b>	<b>100.0</b>
Less than 50 miles .....	92 807	36.0	359 851	76.0	8 265	15.6
50 to 99 miles .....	17 865	6.9	32 570	6.9	2 899	5.5
100 to 249 miles .....	36 763	14.3	33 257	7.0	6 844	13.0
250 to 499 miles .....	45 220	17.5	23 492	5.0	9 950	18.8
500 to 749 miles .....	31 460	12.2	13 401	2.8	10 004	18.9
750 to 999 miles .....	16 332	6.3	5 411	1.1	5 340	10.1
1,000 to 1,499 miles .....	7 563	2.9	2 041	.4	2 963	5.6
1,500 to 1,999 miles .....	9 275	3.6	3 201	.7	6 554	12.4
2,000 miles or more .....	—	—	4	—	5	—
<b>For-hire truck</b> .....	<b>175 364</b>	<b>100.0</b>	<b>295 420</b>	<b>100.0</b>	<b>41 625</b>	<b>100.0</b>
Less than 50 miles .....	40 022	22.8	210 691	71.3	5 113	12.3
50 to 99 miles .....	10 252	5.8	19 668	6.7	1 809	4.3
100 to 249 miles .....	28 511	16.3	24 368	8.2	5 066	12.2
250 to 499 miles .....	38 256	21.8	20 022	6.8	8 520	20.5
500 to 749 miles .....	27 574	15.7	11 560	3.9	8 656	20.8
750 to 999 miles .....	14 886	8.5	4 831	1.6	4 753	11.4
1,000 to 1,499 miles .....	6 614	3.8	1 732	.6	2 504	6.0
1,500 to 1,999 miles .....	9 222	5.3	2 545	.9	5 199	12.5
2,000 miles or more .....	27	—	4	—	5	—
<b>Private truck</b> .....	<b>80 611</b>	<b>100.0</b>	<b>175 112</b>	<b>100.0</b>	<b>10 812</b>	<b>100.0</b>
Less than 50 miles .....	51 983	64.5	147 135	84.0	3 097	28.6
50 to 99 miles .....	7 543	9.4	12 771	7.3	1 078	10.0
100 to 249 miles .....	8 004	9.9	8 714	5.0	1 742	16.1
250 to 499 miles .....	6 750	8.4	3 360	1.9	1 385	12.8
500 to 749 miles .....	3 643	4.5	1 671	1.0	1 221	11.3
750 to 999 miles .....	1 332	1.7	537	.3	545	5.0
1,000 to 1,499 miles .....	918	1.1	288	.2	430	4.0
1,500 to 1,999 miles .....	436	.5	S	S	S	S
2,000 miles or more .....	S	S	S	S	S	S
<b>Rail</b> .....	<b>18 330</b>	<b>100.0</b>	<b>77 510</b>	<b>100.0</b>	<b>33 286</b>	<b>100.0</b>
Less than 50 miles .....	1 649	9.0	26 211	33.8	992	3.0
50 to 99 miles .....	403	2.2	5 020	6.5	S	S
100 to 249 miles .....	1 522	8.3	10 074	13.0	2 459	7.4
250 to 499 miles .....	5 487	29.9	16 585	21.4	8 168	24.5
500 to 749 miles .....	3 734	20.4	10 748	13.9	9 188	27.6
750 to 999 miles .....	1 850	10.1	6 266	8.1	6 904	20.7
1,000 to 1,499 miles .....	866	4.7	1 311	1.7	1 912	5.7
1,500 to 1,999 miles .....	2 820	15.4	1 294	1.7	3 003	9.0
2,000 miles or more .....	—	—	—	—	—	—
<b>Water</b> .....	<b>5 994</b>	<b>100.0</b>	<b>47 371</b>	<b>100.0</b>	<b>41 558</b>	<b>100.0</b>
Less than 50 miles .....	601	10.0	5 539	11.7	140	.3
50 to 99 miles .....	S	S	S	S	S	S
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	536	8.9	3 322	7.0	2 626	6.3
500 to 749 miles .....	2 792	46.6	19 138	40.4	20 895	50.3
750 to 999 miles .....	1 704	28.4	13 154	27.8	16 717	40.2
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	—	—	—	—	—	—
<b>Shallow draft</b> .....	<b>5 994</b>	<b>100.0</b>	<b>47 371</b>	<b>100.0</b>	<b>41 558</b>	<b>100.0</b>
Less than 50 miles .....	601	10.0	5 539	11.7	140	.3
50 to 99 miles .....	S	S	S	S	S	S
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	536	8.9	3 322	7.0	2 626	6.3
500 to 749 miles .....	2 792	46.6	19 138	40.4	20 895	50.3
750 to 999 miles .....	1 704	28.4	13 154	27.8	16 717	40.2
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	—	—	—	—	—	—

See footnotes at end of table.

**Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent
<b>Single modes—Con.</b>						
<b>Great Lakes</b> .....	—	—	—	—	—	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	—	—	—	—	—	—
250 to 499 miles .....	—	—	—	—	—	—
500 to 749 miles .....	—	—	—	—	—	—
750 to 999 miles .....	—	—	—	—	—	—
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	—	—	—	—	—	—
<b>Deep draft</b> .....	—	—	—	—	—	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	—	—	—	—	—	—
250 to 499 miles .....	—	—	—	—	—	—
500 to 749 miles .....	—	—	—	—	—	—
750 to 999 miles .....	—	—	—	—	—	—
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	—	—	—	—	—	—
<b>Air (includes truck and air)</b> .....	<b>4 838</b>	<b>100.0</b>	<b>161</b>	<b>100.0</b>	<b>193</b>	<b>100.0</b>
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	129	2.7	S	S	S	S
100 to 249 miles .....	519	10.7	11	7.1	5	2.7
250 to 499 miles .....	440	9.1	35	21.7	22	11.5
500 to 749 miles .....	1 196	24.7	34	20.9	32	16.3
750 to 999 miles .....	816	16.9	19	11.7	24	12.2
1,000 to 1,499 miles .....	784	16.2	19	11.9	29	14.8
1,500 to 1,999 miles .....	881	18.2	24	14.9	46	23.8
2,000 miles or more .....	S	S	S	S	S	S
<b>Pipeline<sup>2</sup></b> .....	<b>8 874</b>	<b>100.0</b>	<b>45 385</b>	<b>100.0</b>	<b>S</b>	<b>S</b>
Less than 50 miles .....	5 523	62.2	28 937	63.8	S	S
50 to 99 miles .....	—	—	—	—	S	S
100 to 249 miles .....	2 619	29.5	13 272	29.2	S	S
250 to 499 miles .....	S	S	S	S	S	S
500 to 749 miles .....	—	—	—	—	S	S
750 to 999 miles .....	—	—	—	—	S	S
1,000 to 1,499 miles .....	—	—	—	—	S	S
1,500 to 1,999 miles .....	—	—	—	—	S	S
2,000 miles or more .....	—	—	—	—	S	S
<b>Multiple modes</b> .....	<b>51 715</b>	<b>100.0</b>	<b>13 917</b>	<b>100.0</b>	<b>11 108</b>	<b>100.0</b>
Less than 50 miles .....	8 607	16.6	296	2.1	8	—
50 to 99 miles .....	1 964	3.8	81	.6	8	—
100 to 249 miles .....	6 139	11.9	4 445	31.9	1 230	11.1
250 to 499 miles .....	8 268	16.0	1 666	12.0	1 022	9.2
500 to 749 miles .....	9 719	18.8	4 615	33.2	4 007	36.1
750 to 999 miles .....	6 884	13.3	1 452	10.4	1 931	17.4
1,000 to 1,499 miles .....	3 519	6.8	353	2.5	545	4.9
1,500 to 1,999 miles .....	6 402	12.4	1 002	7.2	2 319	20.9
2,000 miles or more .....	214	.4	8	—	38	.3
<b>Parcel, U.S. Postal Service or courier</b> .....	<b>44 423</b>	<b>100.0</b>	<b>1 624</b>	<b>100.0</b>	<b>999</b>	<b>100.0</b>
Less than 50 miles .....	8 569	19.3	277	17.1	7	.7
50 to 99 miles .....	1 951	4.4	69	4.2	6	.6
100 to 249 miles .....	5 885	13.2	237	14.6	53	5.3
250 to 499 miles .....	7 566	17.0	327	20.1	139	13.9
500 to 749 miles .....	7 735	17.4	308	18.9	235	23.6
750 to 999 miles .....	5 770	13.0	216	13.3	214	21.5
1,000 to 1,499 miles .....	2 828	6.4	84	5.2	120	12.0
1,500 to 1,999 miles .....	3 940	8.9	103	6.3	213	21.3
2,000 miles or more .....	179	.4	3	.2	11	1.1
<b>Truck and rail</b> .....	<b>6 918</b>	<b>100.0</b>	<b>3 048</b>	<b>100.0</b>	<b>4 081</b>	<b>100.0</b>
Less than 50 miles .....	S	S	19	.6	S	S
50 to 99 miles .....	S	S	11	.4	1	—
100 to 249 miles .....	160	2.3	125	4.1	39	.9
250 to 499 miles .....	678	9.8	541	17.8	287	7.0
500 to 749 miles .....	1 780	25.7	680	22.3	630	15.4
750 to 999 miles .....	1 098	15.9	505	16.6	593	14.5
1,000 to 1,499 miles .....	S	S	S	S	S	S
1,500 to 1,999 miles .....	2 462	35.6	899	29.5	2 106	51.6
2,000 miles or more .....	—	—	—	—	—	—
<b>Truck and water</b> .....	<b>152</b>	<b>100.0</b>	<b>689</b>	<b>100.0</b>	<b>715</b>	<b>100.0</b>
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	S	S	S	S	S	S
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	S	S	S	S	S	S
500 to 749 miles .....	S	S	S	S	S	S
750 to 999 miles .....	S	S	S	S	S	S
1,000 to 1,499 miles .....	S	S	S	S	S	S
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	S	S	S	S	27	3.8

See footnotes at end of table.

**Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent
<b>Multiple modes—Con.</b>						
<b>Rail and water</b> .....	<b>219</b>	<b>100.0</b>	<b>8 543</b>	<b>100.0</b>	<b>5 310</b>	<b>100.0</b>
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	91	41.4	4 070	47.6	1 136	21.4
250 to 499 miles .....	21	9.7	667	7.8	511	9.6
500 to 749 miles .....	90	41.2	3 075	36.0	2 539	47.8
750 to 999 miles .....	S	S	S	S	S	S
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	S	S	S	S	S	S
<b>Other multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	S	S	S	S	S	S
500 to 749 miles .....	—	—	—	—	—	—
750 to 999 miles .....	—	—	—	—	—	—
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>10 374</b>	<b>100.0</b>	<b>13 378</b>	<b>100.0</b>	<b>2 358</b>	<b>100.0</b>
Less than 50 miles .....	4 340	41.8	S	S	124	5.2
50 to 99 miles .....	725	7.0	424	3.2	43	1.8
100 to 249 miles .....	945	9.1	459	3.4	101	4.3
250 to 499 miles .....	1 280	12.3	1 271	9.5	498	21.1
500 to 749 miles .....	921	8.9	358	2.7	277	11.8
750 to 999 miles .....	1 015	9.8	456	3.4	485	20.6
1,000 to 1,499 miles .....	244	2.3	111	.8	152	6.4
1,500 to 1,999 miles .....	888	8.6	S	S	S	S
2,000 miles or more .....	S	S	S	S	S	S

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>2</sup>CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

**Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and shipment size	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>All modes</b>	<b>357 887</b>	<b>100.0</b>	<b>670 949</b>	<b>100.0</b>	<b>145 141</b>	<b>100.0</b>	<b>446</b>
Less than 50 lb	38 917	10.9	1 258	.2	563	.4	525
50 to 99 lb	12 696	3.5	706	.1	257	.2	360
100 to 499 lb	38 239	10.7	4 508	.7	1 210	.8	277
500 to 749 lb	12 489	3.5	2 119	.3	520	.4	244
750 to 999 lb	7 783	2.2	1 546	.2	374	.3	242
1,000 to 9,999 lb	79 745	22.3	37 113	5.5	7 568	5.2	221
10,000 to 49,999 lb	117 925	33.0	239 138	35.6	38 471	26.5	168
50,000 to 99,999 lb	20 301	5.7	106 940	15.9	8 205	5.7	76
100,000 lb or more	29 793	8.3	277 622	41.4	87 974	60.6	S
<b>Single modes</b>	<b>295 798</b>	<b>100.0</b>	<b>643 654</b>	<b>100.0</b>	<b>131 675</b>	<b>100.0</b>	<b>199</b>
Less than 50 lb	10 450	3.5	491	—	81	—	195
50 to 99 lb	5 788	2.0	383	—	73	—	183
100 to 499 lb	27 553	9.3	3 775	.6	888	.7	227
500 to 749 lb	11 254	3.8	1 978	.3	473	.4	238
750 to 999 lb	7 104	2.4	1 448	.2	350	.3	242
1,000 to 9,999 lb	74 612	25.2	35 413	5.5	6 834	5.2	211
10,000 to 49,999 lb	110 453	37.3	233 311	36.2	34 700	26.4	156
50,000 to 99,999 lb	19 882	6.7	105 333	16.4	8 017	6.1	76
100,000 lb or more	28 703	9.7	261 522	40.6	80 261	61.0	S
<b>Truck<sup>1</sup></b>	<b>257 762</b>	<b>100.0</b>	<b>473 227</b>	<b>100.0</b>	<b>52 823</b>	<b>100.0</b>	<b>153</b>
Less than 50 lb	8 262	3.2	469	.1	57	.1	97
50 to 99 lb	5 403	2.1	377	—	65	—	166
100 to 499 lb	26 372	10.2	3 739	.8	853	1.6	219
500 to 749 lb	11 058	4.3	1 970	.4	461	.9	233
750 to 999 lb	6 947	2.7	1 444	.3	345	.7	239
1,000 to 9,999 lb	72 515	28.1	35 079	7.4	6 721	12.7	209
10,000 to 49,999 lb	107 606	41.7	231 571	48.9	33 019	62.5	150
50,000 to 99,999 lb	15 119	5.9	104 010	22.0	7 104	13.4	69
100,000 lb or more	4 481	1.7	S	S	4 197	7.9	S
<b>For-hire truck</b>	<b>175 364</b>	<b>100.0</b>	<b>295 420</b>	<b>100.0</b>	<b>41 625</b>	<b>100.0</b>	<b>335</b>
Less than 50 lb	3 390	1.9	165	—	47	.1	245
50 to 99 lb	3 036	1.7	121	—	54	.1	420
100 to 499 lb	15 800	9.0	1 367	.5	708	1.7	519
500 to 749 lb	7 326	4.2	825	.3	392	.9	476
750 to 999 lb	4 577	2.6	598	.2	289	.7	485
1,000 to 9,999 lb	46 592	26.6	14 836	5.0	5 208	12.5	402
10,000 to 49,999 lb	81 537	46.5	125 072	42.3	26 947	64.7	240
50,000 to 99,999 lb	10 266	5.9	68 580	23.2	5 305	12.7	78
100,000 lb or more	2 840	1.6	S	S	S	S	S
<b>Private truck</b>	<b>80 611</b>	<b>100.0</b>	<b>175 112</b>	<b>100.0</b>	<b>10 812</b>	<b>100.0</b>	<b>44</b>
Less than 50 lb	4 858	6.0	302	.2	8	—	26
50 to 99 lb	2 354	2.9	254	.1	11	.1	41
100 to 499 lb	10 440	13.0	2 356	1.3	142	1.3	58
500 to 749 lb	3 690	4.6	1 135	.6	66	.6	58
750 to 999 lb	2 352	2.9	841	.5	55	.5	65
1,000 to 9,999 lb	25 560	31.7	20 040	11.4	1 437	13.3	72
10,000 to 49,999 lb	25 160	31.2	105 651	60.3	5 829	53.9	56
50,000 to 99,999 lb	4 595	5.7	34 285	19.6	1 760	16.3	52
100,000 lb or more	1 602	2.0	10 248	5.9	S	S	137
<b>Rail</b>	<b>18 330</b>	<b>100.0</b>	<b>77 510</b>	<b>100.0</b>	<b>33 286</b>	<b>100.0</b>	<b>819</b>
Less than 50 lb	S	S	S	S	S	S	920
50 to 99 lb	S	S	S	S	S	S	2 188
100 to 499 lb	S	S	1	—	S	S	1 741
500 to 749 lb	S	S	S	S	S	S	1 672
750 to 999 lb	S	S	S	S	S	S	1 598
1,000 to 9,999 lb	1 386	7.6	52	—	44	.1	855
10,000 to 49,999 lb	2 486	13.6	1 323	1.7	1 637	4.9	1 243
50,000 to 99,999 lb	S	S	1 302	1.7	911	2.7	691
100,000 lb or more	9 545	52.1	74 831	96.5	30 692	92.2	661
<b>Water</b>	<b>5 994</b>	<b>100.0</b>	<b>47 371</b>	<b>100.0</b>	<b>41 558</b>	<b>100.0</b>	<b>S</b>
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	S	S	S	S	S	S	S
500 to 749 lb	S	S	S	S	S	S	1 479
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	S
10,000 to 49,999 lb	S	S	S	S	S	S	7
50,000 to 99,999 lb	S	S	S	S	S	S	4
100,000 lb or more	5 804	96.8	46 754	98.7	41 553	100.0	913
<b>Shallow draft</b>	<b>5 994</b>	<b>100.0</b>	<b>47 371</b>	<b>100.0</b>	<b>41 558</b>	<b>100.0</b>	<b>S</b>
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	S	S	S	S	S	S	S
500 to 749 lb	S	S	S	S	S	S	1 479
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	S
10,000 to 49,999 lb	S	S	S	S	S	S	7
50,000 to 99,999 lb	S	S	S	S	S	S	4
100,000 lb or more	5 804	96.8	46 754	98.7	41 553	100.0	913

See footnotes at end of table.

**Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and shipment size	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>Single modes—Con.</b>							
<b>Great Lakes</b> .....	—	—	—	—	—	—	—
Less than 50 lb .....	—	—	—	—	—	—	—
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	—	—	—	—	—	—	—
500 to 749 lb .....	—	—	—	—	—	—	—
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	—	—	—	—	—	—	—
10,000 to 49,999 lb .....	—	—	—	—	—	—	—
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	—	—	—	—	—	—	—
<b>Deep draft</b> .....	—	—	—	—	—	—	—
Less than 50 lb .....	—	—	—	—	—	—	—
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	—	—	—	—	—	—	—
500 to 749 lb .....	—	—	—	—	—	—	—
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	—	—	—	—	—	—	—
10,000 to 49,999 lb .....	—	—	—	—	—	—	—
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	—	—	—	—	—	—	—
<b>Air (includes truck and air)</b> .....	<b>4 838</b>	<b>100.0</b>	<b>161</b>	<b>100.0</b>	<b>193</b>	<b>100.0</b>	<b>1 140</b>
Less than 50 lb .....	2 140	44.2	21	13.3	24	12.5	1 138
50 to 99 lb .....	375	7.8	6	3.9	8	4.0	1 199
100 to 499 lb .....	1 095	22.6	29	18.2	33	17.0	1 110
500 to 749 lb .....	189	3.9	S	S	S	S	1 375
750 to 999 lb .....	147	3.0	4	2.5	4	2.2	1 090
1,000 to 9,999 lb .....	616	12.7	45	28.0	67	34.8	1 405
10,000 to 49,999 lb .....	S	S	S	S	S	S	1 224
50,000 to 99,999 lb .....	S	S	S	S	S	S	836
100,000 lb or more .....	S	S	S	S	S	S	695
<b>Pipeline<sup>2</sup></b> .....	<b>8 874</b>	<b>100.0</b>	<b>45 385</b>	<b>100.0</b>	<b>S</b>	<b>S</b>	<b>S</b>
Less than 50 lb .....	—	—	—	—	S	S	S
50 to 99 lb .....	S	S	S	S	S	S	S
100 to 499 lb .....	—	—	—	—	S	S	S
500 to 749 lb .....	—	—	—	—	S	S	S
750 to 999 lb .....	—	—	—	—	S	S	S
1,000 to 9,999 lb .....	S	S	S	S	S	S	S
10,000 to 49,999 lb .....	S	S	S	S	S	S	S
50,000 to 99,999 lb .....	S	S	S	S	S	S	S
100,000 lb or more .....	8 870	100.0	45 364	100.0	S	S	S
<b>Multiple modes</b> .....	<b>51 715</b>	<b>100.0</b>	<b>13 917</b>	<b>100.0</b>	<b>11 108</b>	<b>100.0</b>	<b>677</b>
Less than 50 lb .....	27 035	52.3	711	5.1	477	4.3	683
50 to 99 lb .....	6 477	12.5	287	2.1	182	1.6	631
100 to 499 lb .....	9 760	18.9	526	3.8	297	2.7	567
500 to 749 lb .....	718	1.4	72	.5	36	.3	496
750 to 999 lb .....	392	.8	28	.2	13	.1	456
1,000 to 9,999 lb .....	S	S	S	S	S	S	1 152
10,000 to 49,999 lb .....	4 876	9.4	2 032	14.6	2 929	26.4	1 466
50,000 to 99,999 lb .....	S	S	93	.7	S	S	1 042
100,000 lb or more .....	635	1.2	9 951	71.5	6 817	61.4	1 059
<b>Parcel, U.S. Postal Service or courier</b> .....	<b>44 423</b>	<b>100.0</b>	<b>1 624</b>	<b>100.0</b>	<b>999</b>	<b>100.0</b>	<b>677</b>
Less than 50 lb .....	27 032	60.9	711	43.8	477	47.7	683
50 to 99 lb .....	6 476	14.6	287	17.7	182	18.2	631
100 to 499 lb .....	9 743	21.9	525	32.3	295	29.5	564
500 to 749 lb .....	702	1.6	71	4.4	34	3.4	487
750 to 999 lb .....	377	.8	26	1.6	11	1.1	393
1,000 to 9,999 lb .....	S	S	S	S	S	S	S
10,000 to 49,999 lb .....	—	—	—	—	—	—	—
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	—	—	—	—	—	—	—
<b>Truck and rail</b> .....	<b>6 918</b>	<b>100.0</b>	<b>3 048</b>	<b>100.0</b>	<b>4 081</b>	<b>100.0</b>	<b>1 323</b>
Less than 50 lb .....	S	S	S	S	S	S	2 033
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	S	S	S	S	S	S	1 750
500 to 749 lb .....	S	S	S	S	S	S	938
750 to 999 lb .....	15	.2	2	—	2	—	1 331
1,000 to 9,999 lb .....	S	S	S	S	S	S	1 126
10,000 to 49,999 lb .....	4 875	70.5	2 031	66.6	2 927	71.7	1 465
50,000 to 99,999 lb .....	S	S	93	3.1	S	S	1 042
100,000 lb or more .....	298	4.3	713	23.4	818	20.0	1 132
<b>Truck and water</b> .....	<b>152</b>	<b>100.0</b>	<b>689</b>	<b>100.0</b>	<b>715</b>	<b>100.0</b>	<b>3 437</b>
Less than 50 lb .....	S	S	S	S	S	S	413
50 to 99 lb .....	S	S	S	S	S	S	2 880
100 to 499 lb .....	S	S	S	S	S	S	3 748
500 to 749 lb .....	S	S	S	S	S	S	361
750 to 999 lb .....	S	S	S	S	S	S	4 605
1,000 to 9,999 lb .....	S	S	S	S	S	S	4 812
10,000 to 49,999 lb .....	S	S	S	S	S	S	4 731
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	S	S	S	S	S	S	1 048

See footnotes at end of table.

**Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and shipment size	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>Multiple modes—Con.</b>							
<b>Rail and water</b> .....	<b>219</b>	<b>100.0</b>	<b>8 543</b>	<b>100.0</b>	<b>5 310</b>	<b>100.0</b>	<b>1 071</b>
Less than 50 lb .....	—	—	—	—	—	—	—
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	—	—	—	—	—	—	—
500 to 749 lb .....	S	S	S	S	S	S	2 725
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	—	—	—	—	—	—	—
10,000 to 49,999 lb .....	—	—	—	—	—	—	—
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	218	99.5	8 543	100.0	5 310	100.0	833
<b>Other multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
Less than 50 lb .....	S	S	S	S	S	S	336
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	S	S	S	S	S	S	224
500 to 749 lb .....	S	S	S	S	S	S	4 942
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	—	—	—	—	—	—	—
10,000 to 49,999 lb .....	S	S	S	S	S	S	196
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	S	S	S	S	S	S	212
<b>Other and unknown modes</b> .....	<b>10 374</b>	<b>100.0</b>	<b>13 378</b>	<b>100.0</b>	<b>2 358</b>	<b>100.0</b>	<b>106</b>
Less than 50 lb .....	1 432	13.8	56	4	5	2	75
50 to 99 lb .....	432	4.2	35	3	2	—	55
100 to 499 lb .....	926	8.9	207	1.5	25	1.1	S
500 to 749 lb .....	517	5.0	68	.5	11	.5	155
750 to 999 lb .....	287	2.8	70	.5	11	.4	144
1,000 to 9,999 lb .....	3 651	35.2	1 484	11.1	481	20.4	319
10,000 to 49,999 lb .....	2 596	25.0	3 796	28.4	842	35.7	250
50,000 to 99,999 lb .....	78	.8	S	S	S	S	S
100,000 lb or more .....	455	4.4	S	S	896	38.0	902

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>2</sup>CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.



**Table 5. Shipment Characteristics by Two-Digit Commodity for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code	Commodity description	Value		Tons		Ton-miles		Average miles per shipment
		Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
	<b>All commodities</b>	<b>357 887</b>	<b>100.0</b>	<b>670 949</b>	<b>100.0</b>	<b>145 141</b>	<b>100.0</b>	<b>446</b>
01	Live animals and live fish	S	S	S	S	S	S	107
02	Cereal grains	7 014	2.0	67 632	10.1	29 882	20.6	62
03	Other agricultural products	7 804	2.2	24 822	3.7	11 102	7.6	209
04	Animal feed and products of animal origin, n.e.c.	5 471	1.5	13 532	2.0	7 624	5.3	151
05	Meat, fish, seafood, and their preparations	8 043	2.2	3 117	.5	1 436	1.0	S
06	Milled grain products and preparations, and bakery products	7 399	2.1	9 765	1.5	5 879	4.1	88
07	Other prepared foodstuffs and fats and oils	21 351	6.0	27 083	4.0	12 378	8.5	399
08	Alcoholic beverages	3 483	1.0	3 562	.5	S	S	21
09	Tobacco products	2 490	.7	125	—	46	—	251
10	Monumental or building stone	S	S	S	S	S	S	S
11	Natural sands	S	S	S	S	2 133	1.5	S
12	Gravel and crushed stone	419	.1	69 984	10.4	2 225	1.5	29
13	Nonmetallic minerals n.e.c.	219	—	S	S	S	S	137
14	Metallic ores and concentrates	193	—	249	—	91	—	375
15	Coal	1 803	.5	75 322	11.2	19 246	13.3	89
17	Gasoline and aviation turbine fuel	11 040	3.1	49 191	7.3	4 283	3.0	38
18	Fuel oils	4 693	1.3	26 051	3.9	941	.6	30
19	Coal and petroleum products, n.e.c.	3 711	1.0	17 476	2.6	3 253	2.2	S
20	Basic chemicals	4 616	1.3	7 637	1.1	2 920	2.0	S
21	Pharmaceutical products	8 770	2.5	435	—	249	.2	585
22	Fertilizers	1 380	.4	6 729	1.0	453	.3	34
23	Chemical products and preparations, n.e.c.	17 513	4.9	8 467	1.3	3 726	2.6	375
24	Plastics and rubber	22 300	6.2	8 887	1.3	4 612	3.2	665
25	Logs and other wood in the rough	S	S	S	S	S	S	168
26	Wood products	2 390	.7	S	S	509	.4	123
27	Pulp, newsprint, paper, and paperboard	3 694	1.0	3 925	.6	1 193	.8	203
28	Paper or paperboard articles	5 467	1.5	2 998	.4	1 093	.8	614
29	Printed products	12 735	3.6	3 795	.6	1 235	.9	389
30	Textiles, leather, and articles of textiles or leather	3 661	1.0	351	—	150	.1	602
31	Nonmetallic mineral products	4 500	1.3	S	S	4 295	3.0	236
32	Base metal in primary or semifinished forms and in finished basic shapes	22 385	6.3	24 339	3.6	7 292	5.0	257
33	Articles of base metal	16 297	4.6	5 900	.9	2 766	1.9	480
34	Machinery	30 389	8.5	4 300	.6	1 907	1.3	369
35	Electronic and other electrical equipment and components and office equipment	41 365	11.6	2 388	.4	1 421	1.0	511
36	Motorized and other vehicles (including parts)	27 374	7.6	4 761	.7	2 790	1.9	244
37	Transportation equipment, n.e.c.	2 896	.8	631	—	240	.2	603
38	Precision instruments and apparatus	6 282	1.8	81	—	58	—	889
39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs	1 976	.6	449	—	192	.1	590
40	Miscellaneous manufactured products	22 425	6.3	5 616	.8	3 425	2.4	722
41	Waste and scrap	3 285	.9	12 987	1.9	1 721	1.2	111
43	Mixed freight	7 656	2.1	3 411	.5	786	.5	279
--	Commodity unknown	2 659	.7	1 846	.3	261	.2	544

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>ALL COMMODITIES</b>							
<b>Total</b> .....	<b>357 887</b>	<b>100.0</b>	<b>670 949</b>	<b>100.0</b>	<b>145 141</b>	<b>100.0</b>	<b>446</b>
<b>Single modes</b> .....	<b>295 798</b>	<b>82.7</b>	<b>643 654</b>	<b>95.9</b>	<b>131 675</b>	<b>90.7</b>	<b>199</b>
Truck <sup>1</sup> .....	257 762	72.0	473 227	70.5	52 823	36.4	153
For-hire truck .....	175 364	49.0	295 420	44.0	41 625	28.7	335
Private truck .....	80 611	22.5	175 112	26.1	10 812	7.4	44
Rail .....	18 330	5.1	77 510	11.6	33 286	22.9	819
Water .....	5 994	1.7	47 371	7.1	41 558	28.6	S
Shallow draft .....	5 994	1.7	47 371	7.1	41 558	28.6	S
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	4 838	1.4	161	-	193	.1	1 140
Pipeline <sup>2</sup> .....	8 874	2.5	45 385	6.8	S	S	S
<b>Multiple modes</b> .....	<b>51 715</b>	<b>14.5</b>	<b>13 917</b>	<b>2.1</b>	<b>11 108</b>	<b>7.7</b>	<b>677</b>
Parcel, U.S. Postal Service or courier .....	44 423	12.4	1 624	.2	999	.7	677
Truck and rail .....	6 918	1.9	3 048	.5	4 081	2.8	1 323
Truck and water .....	152	-	689	.1	715	.5	3 437
Rail and water .....	219	-	8 543	1.3	5 310	3.7	1 071
Other multiple modes .....	S	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>10 374</b>	<b>2.9</b>	<b>13 378</b>	<b>2.0</b>	<b>2 358</b>	<b>1.6</b>	<b>106</b>
<b>SCTG 01, LIVE ANIMALS AND LIVE FISH</b>							
<b>Total</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>107</b>
<b>Single modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>108</b>
Truck <sup>1</sup> .....	S	S	S	S	S	S	108
For-hire truck .....	S	S	S	S	S	S	107
Private truck .....	S	S	S	S	S	S	160
Rail .....	-	-	-	-	-	-	-
Water .....	-	-	-	-	-	-	-
Shallow draft .....	-	-	-	-	-	-	-
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	-	-	-	-	-	-	-
Pipeline <sup>2</sup> .....	-	-	-	-	S	S	S
<b>Multiple modes</b> .....	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
Parcel, U.S. Postal Service or courier .....	-	-	-	-	-	-	-
Truck and rail .....	-	-	-	-	-	-	-
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>99</b>
<b>SCTG 02, CEREAL GRAINS</b>							
<b>Total</b> .....	<b>7 014</b>	<b>100.0</b>	<b>67 632</b>	<b>100.0</b>	<b>29 882</b>	<b>100.0</b>	<b>62</b>
<b>Single modes</b> .....	<b>6 934</b>	<b>98.9</b>	<b>66 845</b>	<b>98.8</b>	<b>29 463</b>	<b>98.6</b>	<b>62</b>
Truck <sup>1</sup> .....	3 753	53.5	36 414	53.8	1 430	4.8	48
For-hire truck .....	2 688	38.3	26 039	38.5	1 106	3.7	S
Private truck .....	1 016	14.5	9 902	14.6	307	1.0	35
Rail .....	S	S	S	S	2 606	8.7	360
Water .....	2 341	33.4	22 315	33.0	25 427	85.1	1 145
Shallow draft .....	2 341	33.4	22 315	33.0	25 427	85.1	1 145
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	-	-	-	-	-	-	-
Pipeline <sup>2</sup> .....	-	-	-	-	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>498</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	298
Truck and rail .....	S	S	S	S	S	S	2 401
Truck and water .....	S	S	S	S	S	S	1 038
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 03, OTHER AGRICULTURAL PRODUCTS</b>							
<b>Total</b> .....	<b>7 804</b>	<b>100.0</b>	<b>24 822</b>	<b>100.0</b>	<b>11 102</b>	<b>100.0</b>	<b>209</b>
<b>Single modes</b> .....	<b>7 264</b>	<b>93.1</b>	<b>23 966</b>	<b>96.6</b>	<b>10 473</b>	<b>94.3</b>	<b>48</b>
Truck <sup>1</sup> .....	5 019	64.3	14 565	58.7	771	6.9	45
For-hire truck .....	3 435	44.0	10 710	43.1	623	5.6	S
Private truck .....	1 567	20.1	3 779	15.2	145	1.3	44
Rail .....	S	S	S	S	620	5.6	425
Water .....	1 939	24.8	8 190	33.0	9 081	81.8	1 176
Shallow draft .....	1 939	24.8	8 190	33.0	9 081	81.8	1 176
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	2	—	—	—	—	—	947
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>228</b>	<b>2.9</b>	<b>387</b>	<b>1.6</b>	<b>430</b>	<b>3.9</b>	<b>371</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	371
Truck and rail .....	S	S	S	S	S	S	2 390
Truck and water .....	S	S	S	S	395	3.6	1 126
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>313</b>	<b>4.0</b>	<b>469</b>	<b>1.9</b>	<b>199</b>	<b>1.8</b>	<b>S</b>
<b>SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.</b>							
<b>Total</b> .....	<b>5 471</b>	<b>100.0</b>	<b>13 532</b>	<b>100.0</b>	<b>7 624</b>	<b>100.0</b>	<b>151</b>
<b>Single modes</b> .....	<b>5 372</b>	<b>98.2</b>	<b>13 359</b>	<b>98.7</b>	<b>7 514</b>	<b>98.6</b>	<b>170</b>
Truck <sup>1</sup> .....	3 899	71.3	7 427	54.9	2 375	31.2	142
For-hire truck .....	2 844	48.3	4 372	32.3	2 025	26.6	394
Private truck .....	1 255	22.9	3 055	22.6	351	4.6	S
Rail .....	1 042	19.1	3 829	28.3	2 872	37.7	772
Water .....	430	7.9	2 101	15.5	2 265	29.7	1 066
Shallow draft .....	430	7.9	2 101	15.5	2 265	29.7	1 066
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	939
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>31</b>	<b>.6</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>792</b>
Parcel, U.S. Postal Service or courier .....	S	S	—	—	S	S	635
Truck and rail .....	S	S	S	S	S	S	2 143
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	S	S	S	S	S	S	1 223
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>68</b>	<b>1.2</b>	<b>S</b>	<b>S</b>	<b>6</b>	<b>—</b>	<b>S</b>
<b>SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS</b>							
<b>Total</b> .....	<b>8 043</b>	<b>100.0</b>	<b>3 117</b>	<b>100.0</b>	<b>1 436</b>	<b>100.0</b>	<b>S</b>
<b>Single modes</b> .....	<b>7 874</b>	<b>97.9</b>	<b>3 044</b>	<b>97.7</b>	<b>1 403</b>	<b>97.7</b>	<b>S</b>
Truck <sup>1</sup> .....	7 762	96.5	3 016	96.7	1 334	92.9	S
For-hire truck .....	4 452	55.4	1 650	52.9	1 134	79.0	683
Private truck .....	3 169	39.4	1 313	42.1	179	12.4	S
Rail .....	S	S	S	S	S	S	2 431
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	1 390
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>1 209</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	1 072
Truck and rail .....	S	S	S	S	S	S	2 324
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>230</b>

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS</b>							
<b>Total</b> .....	<b>7 399</b>	<b>100.0</b>	<b>9 765</b>	<b>100.0</b>	<b>5 879</b>	<b>100.0</b>	<b>88</b>
<b>Single modes</b> .....	<b>7 076</b>	<b>95.6</b>	<b>9 424</b>	<b>96.5</b>	<b>5 404</b>	<b>91.9</b>	<b>83</b>
Truck <sup>1</sup> .....	5 817	78.6	5 427	55.6	2 247	38.2	71
For-hire truck .....	3 571	48.3	3 892	39.9	1 886	32.1	458
Private truck .....	2 238	30.2	1 531	15.7	358	6.1	36
Rail .....	1 259	17.0	3 997	40.9	3 157	53.7	1 018
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	959
Pipeline <sup>2</sup> .....	—	—	—	—	—	—	S
<b>Multiple modes</b> .....	<b>245</b>	<b>3.3</b>	<b>274</b>	<b>2.8</b>	<b>429</b>	<b>7.3</b>	<b>1 211</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	648
Truck and rail .....	228	3.1	226	2.3	386	6.6	1 620
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	S	S	S	S	S	S	896
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>78</b>	<b>1.1</b>	<b>67</b>	<b>.7</b>	<b>46</b>	<b>.8</b>	<b>318</b>
<b>SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS</b>							
<b>Total</b> .....	<b>21 351</b>	<b>100.0</b>	<b>27 083</b>	<b>100.0</b>	<b>12 378</b>	<b>100.0</b>	<b>399</b>
<b>Single modes</b> .....	<b>20 625</b>	<b>96.6</b>	<b>26 353</b>	<b>97.3</b>	<b>11 547</b>	<b>93.3</b>	<b>142</b>
Truck <sup>1</sup> .....	18 181	85.2	19 513	72.0	5 675	45.8	132
For-hire truck .....	10 529	49.3	11 586	42.8	4 649	37.6	456
Private truck .....	7 298	34.2	7 716	28.5	926	7.5	50
Rail .....	1 862	8.7	5 182	19.1	4 994	40.3	1 067
Water .....	296	1.4	1 068	3.9	868	7.0	815
Shallow draft .....	296	1.4	1 068	3.9	868	7.0	815
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	3	—	S	S	S	S	1 437
Pipeline <sup>2</sup> .....	284	1.3	588	2.2	S	S	S
<b>Multiple modes</b> .....	<b>533</b>	<b>2.5</b>	<b>550</b>	<b>2.0</b>	<b>717</b>	<b>5.8</b>	<b>1 067</b>
Parcel, U.S. Postal Service or courier .....	S	S	12	—	S	S	1 064
Truck and rail .....	372	1.7	538	2.0	707	5.7	1 637
Truck and water .....	S	S	S	S	S	S	4 621
Rail and water .....	S	S	S	S	S	S	2 725
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>193</b>	<b>.9</b>	<b>180</b>	<b>.7</b>	<b>114</b>	<b>.9</b>	<b>S</b>
<b>SCTG 08, ALCOHOLIC BEVERAGES</b>							
<b>Total</b> .....	<b>3 483</b>	<b>100.0</b>	<b>3 562</b>	<b>100.0</b>	<b>S</b>	<b>S</b>	<b>21</b>
<b>Single modes</b> .....	<b>3 352</b>	<b>96.2</b>	<b>3 462</b>	<b>97.2</b>	<b>S</b>	<b>S</b>	<b>21</b>
Truck <sup>1</sup> .....	3 044	87.4	2 827	79.4	203	28.3	20
For-hire truck .....	403	11.6	861	24.2	164	22.9	186
Private truck .....	2 641	75.8	1 966	55.2	S	S	19
Rail .....	S	S	543	15.2	S	S	852
Water .....	S	S	S	S	S	S	61
Shallow draft .....	S	S	S	S	S	S	61
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>402</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	402
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 09, TOBACCO PRODUCTS</b>							
<b>Total</b> .....	<b>2 490</b>	<b>100.0</b>	<b>125</b>	<b>100.0</b>	<b>46</b>	<b>100.0</b>	<b>251</b>
<b>Single modes</b> .....	<b>2 401</b>	<b>96.4</b>	<b>120</b>	<b>96.1</b>	<b>32</b>	<b>68.5</b>	<b>197</b>
Truck <sup>1</sup> .....	2 401	96.4	120	96.1	32	68.5	197
For-hire truck .....	863	34.6	23	18.1	21	46.0	1 055
Private truck .....	1 538	61.8	98	78.0	10	22.5	70
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	—	—	—	—	—	—	—
<b>Multiple modes</b> .....	<b>83</b>	<b>3.3</b>	<b>5</b>	<b>4.0</b>	<b>14</b>	<b>31.5</b>	<b>1 048</b>
Parcel, U.S. Postal Service or courier .....	59	2.4	2	1.4	1	3.1	935
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>5</b>	<b>0.2</b>	<b>5</b>	<b>4.0</b>	<b>14</b>	<b>31.5</b>	<b>13</b>
<b>SCTG 10, MONUMENTAL OR BUILDING STONE</b>							
<b>Total</b> .....	<b>5</b>	<b>0.2</b>	<b>5</b>	<b>4.0</b>	<b>14</b>	<b>31.5</b>	<b>13</b>
<b>Single modes</b> .....	<b>5</b>	<b>0.2</b>	<b>5</b>	<b>4.0</b>	<b>14</b>	<b>31.5</b>	<b>37</b>
Truck <sup>1</sup> .....	5	0.2	5	4.0	14	31.5	37
For-hire truck .....	—	—	—	—	—	—	10
Private truck .....	—	—	—	—	—	—	—
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	—	—	—	—	—	—	—
<b>Multiple modes</b> .....	<b>5</b>	<b>0.2</b>	<b>5</b>	<b>4.0</b>	<b>14</b>	<b>31.5</b>	<b>759</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>5</b>	<b>0.2</b>	<b>5</b>	<b>4.0</b>	<b>14</b>	<b>31.5</b>	<b>337</b>
<b>SCTG 11, NATURAL SANDS</b>							
<b>Total</b> .....	<b>145</b>	<b>100.0</b>	<b>4 069</b>	<b>100.0</b>	<b>2 133</b>	<b>100.0</b>	<b>1 116</b>
<b>Single modes</b> .....	<b>145</b>	<b>100.0</b>	<b>4 069</b>	<b>100.0</b>	<b>2 090</b>	<b>98.0</b>	<b>1 116</b>
Truck <sup>1</sup> .....	145	100.0	4 069	100.0	630	29.5	134
For-hire truck .....	—	—	—	—	—	—	—
Private truck .....	—	—	—	—	—	—	—
Rail .....	31	6.7	789	2.1	—	—	760
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	—	—	—	—	—	—	—
<b>Multiple modes</b> .....	<b>5</b>	<b>3.4</b>	<b>5</b>	<b>0.1</b>	<b>14</b>	<b>6.5</b>	<b>1 116</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>5</b>	<b>3.4</b>	<b>5</b>	<b>0.1</b>	<b>14</b>	<b>6.5</b>	<b>545</b>

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 12, GRAVEL AND CRUSHED STONE</b>							
<b>Total</b> .....	<b>419</b>	<b>100.0</b>	<b>69 984</b>	<b>100.0</b>	<b>2 225</b>	<b>100.0</b>	<b>29</b>
<b>Single modes</b> .....	<b>413</b>	<b>98.7</b>	<b>68 832</b>	<b>98.4</b>	<b>2 207</b>	<b>99.2</b>	<b>29</b>
Truck <sup>1</sup> .....	394	94.1	66 057	94.4	2 030	91.2	29
For-hire truck .....	228	54.5	37 138	53.1	1 289	58.0	34
Private truck .....	166	39.6	28 920	41.3	740	33.3	24
Rail .....	S	S	S	S	S	S	185
Water .....	S	S	S	S	S	S	29
Shallow draft .....	S	S	S	S	S	S	29
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	-	-	-	-	-	-	-
Pipeline <sup>2</sup> .....	-	-	-	-	S	S	S
<b>Multiple modes</b> .....	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier .....	-	-	-	-	-	-	-
Truck and rail .....	-	-	-	-	-	-	-
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>14</b>
<b>SCTG 13, NONMETALLIC MINERALS N.E.C.</b>							
<b>Total</b> .....	<b>219</b>	<b>100.0</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>137</b>
<b>Single modes</b> .....	<b>206</b>	<b>94.3</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
Truck <sup>1</sup> .....	206	94.2	S	S	S	S	S
For-hire truck .....	100	45.8	S	S	S	S	S
Private truck .....	S	S	S	S	S	S	41
Rail .....	S	S	S	S	S	S	241
Water .....	-	-	-	-	-	-	-
Shallow draft .....	-	-	-	-	-	-	-
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	S	S	S	S	S	S	654
Pipeline <sup>2</sup> .....	-	-	-	-	S	S	S
<b>Multiple modes</b> .....	<b>9</b>	<b>4.0</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>1 274</b>
Parcel, U.S. Postal Service or courier .....	9	3.9	S	S	S	S	1 275
Truck and rail .....	-	-	-	-	-	-	-
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	S	S	S	S	S	S	196
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>337</b>
<b>SCTG 14, METALLIC ORES AND CONCENTRATES</b>							
<b>Total</b> .....	<b>193</b>	<b>100.0</b>	<b>249</b>	<b>100.0</b>	<b>91</b>	<b>100.0</b>	<b>375</b>
<b>Single modes</b> .....	<b>192</b>	<b>99.6</b>	<b>249</b>	<b>99.9</b>	<b>91</b>	<b>99.7</b>	<b>347</b>
Truck <sup>1</sup> .....	192	99.5	247	98.9	88	96.6	346
For-hire truck .....	150	77.8	216	86.7	78	84.8	358
Private truck .....	42	21.7	30	12.2	11	11.7	254
Rail .....	S	S	S	S	S	S	1 143
Water .....	-	-	-	-	-	-	-
Shallow draft .....	-	-	-	-	-	-	-
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	-	-	-	-	-	-	-
Pipeline <sup>2</sup> .....	-	-	-	-	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>671</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	629
Truck and rail .....	S	S	S	S	S	S	2 301
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
<b>Other and unknown modes</b> .....	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

See footnotes at end of table.



Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 15, COAL</b>							
<b>Total</b> .....	<b>1 803</b>	<b>100.0</b>	<b>75 322</b>	<b>100.0</b>	<b>19 246</b>	<b>100.0</b>	<b>89</b>
<b>Single modes</b> .....	<b>1 530</b>	<b>84.9</b>	<b>62 227</b>	<b>82.6</b>	<b>13 944</b>	<b>72.5</b>	<b>88</b>
Truck <sup>1</sup> .....	450	24.9	16 172	21.5	1 312	6.8	81
For-hire truck .....	383	21.3	15 465	20.5	1 166	6.1	75
Private truck .....	S	S	S	S	S	S	209
Rail .....	931	51.7	39 821	52.9	10 054	52.2	196
Water .....	S	S	S	S	S	S	431
Shallow draft .....	S	S	S	S	S	S	431
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>191</b>	<b>10.6</b>	<b>8 559</b>	<b>11.4</b>	<b>5 277</b>	<b>27.4</b>	<b>584</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	S	S	S	S	S	S	769
Rail and water .....	188	10.4	8 429	11.2	5 192	27.0	575
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>17</b>
<b>SCTG 17, GASOLINE AND AVIATION TURBINE FUEL</b>							
<b>Total</b> .....	<b>11 040</b>	<b>100.0</b>	<b>49 191</b>	<b>100.0</b>	<b>4 283</b>	<b>100.0</b>	<b>38</b>
<b>Single modes</b> .....	<b>10 998</b>	<b>99.6</b>	<b>49 046</b>	<b>99.7</b>	<b>4 278</b>	<b>99.9</b>	<b>39</b>
Truck <sup>1</sup> .....	5 033	45.6	19 884	40.4	854	19.9	40
For-hire truck .....	2 295	20.8	9 374	19.1	386	9.0	42
Private truck .....	2 538	23.0	9 841	20.0	454	10.6	40
Rail .....	—	—	—	—	—	—	—
Water .....	S	S	S	S	S	S	7
Shallow draft .....	S	S	S	S	S	S	7
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	5 894	53.4	28 922	58.8	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>212</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	212
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>16</b>
<b>SCTG 18, FUEL OILS</b>							
<b>Total</b> .....	<b>4 693</b>	<b>100.0</b>	<b>26 051</b>	<b>100.0</b>	<b>941</b>	<b>100.0</b>	<b>30</b>
<b>Single modes</b> .....	<b>4 440</b>	<b>94.6</b>	<b>25 225</b>	<b>96.8</b>	<b>905</b>	<b>96.2</b>	<b>30</b>
Truck <sup>1</sup> .....	1 701	36.3	8 565	32.9	S	S	31
For-hire truck .....	591	12.6	3 181	12.2	S	S	50
Private truck .....	1 100	23.4	5 349	20.5	251	26.7	28
Rail .....	S	S	S	S	S	S	139
Water .....	S	S	S	S	S	S	7
Shallow draft .....	S	S	S	S	S	S	7
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	2 512	53.5	14 934	57.3	S	S	S
<b>Multiple modes</b> .....	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>30</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.</b>							
<b>Total</b> .....	<b>3 711</b>	<b>100.0</b>	<b>17 476</b>	<b>100.0</b>	<b>3 253</b>	<b>100.0</b>	<b>S</b>
<b>Single modes</b> .....	<b>3 563</b>	<b>96.0</b>	<b>17 099</b>	<b>97.8</b>	<b>3 223</b>	<b>99.1</b>	<b>47</b>
Truck <sup>1</sup> .....	2 330	62.8	10 371	59.3	872	26.8	41
For-hire truck .....	1 158	31.2	S	S	655	20.1	184
Private truck .....	1 172	31.6	5 429	31.1	217	6.7	25
Rail .....	882	23.8	4 268	24.4	2 067	63.6	675
Water .....	S	S	S	S	S	S	S
Shallow draft .....	S	S	S	S	S	S	S
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	1 010
Pipeline <sup>2</sup> .....	183	4.9	935	5.3	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>17</b>	<b>.1</b>	<b>21</b>	<b>.6</b>	<b>S</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	—	—	S
Truck and rail .....	25	.7	11	—	21	.6	1 860
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>69</b>	<b>1.8</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>15</b>
<b>SCTG 20, BASIC CHEMICALS</b>							
<b>Total</b> .....	<b>4 616</b>	<b>100.0</b>	<b>7 637</b>	<b>100.0</b>	<b>2 920</b>	<b>100.0</b>	<b>S</b>
<b>Single modes</b> .....	<b>4 225</b>	<b>91.5</b>	<b>7 459</b>	<b>97.7</b>	<b>2 762</b>	<b>94.6</b>	<b>S</b>
Truck <sup>1</sup> .....	3 250	70.4	4 463	58.4	898	30.7	S
For-hire truck .....	2 478	53.7	3 074	40.2	792	27.1	496
Private truck .....	770	16.7	1 388	18.2	104	3.5	S
Rail .....	636	13.8	1 879	24.6	1 338	45.8	768
Water .....	S	S	S	S	S	S	440
Shallow draft .....	S	S	S	S	S	S	440
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	—	—	1 164
Pipeline <sup>2</sup> .....	S	S	S	S	S	S	S
<b>Multiple modes</b> .....	<b>352</b>	<b>7.6</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>686</b>
Parcel, U.S. Postal Service or courier .....	266	5.8	11	.1	5	.2	674
Truck and rail .....	S	S	S	S	S	S	1 491
Truck and water .....	S	S	S	S	S	S	2 966
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>39</b>	<b>.9</b>	<b>55</b>	<b>.7</b>	<b>23</b>	<b>.8</b>	<b>S</b>
<b>SCTG 21, PHARMACEUTICAL PRODUCTS</b>							
<b>Total</b> .....	<b>8 770</b>	<b>100.0</b>	<b>435</b>	<b>100.0</b>	<b>249</b>	<b>100.0</b>	<b>585</b>
<b>Single modes</b> .....	<b>6 233</b>	<b>71.1</b>	<b>397</b>	<b>91.4</b>	<b>233</b>	<b>93.9</b>	<b>350</b>
Truck <sup>1</sup> .....	4 848	55.3	384	88.4	211	84.7	304
For-hire truck .....	3 549	40.5	252	57.9	157	62.9	461
Private truck .....	1 298	14.8	133	30.5	54	21.7	111
Rail .....	S	S	S	S	S	S	1 726
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	316	3.6	1	.2	1	.4	1 138
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>2 226</b>	<b>25.4</b>	<b>33</b>	<b>7.5</b>	<b>12</b>	<b>4.9</b>	<b>637</b>
Parcel, U.S. Postal Service or courier .....	2 205	25.1	32	7.5	12	4.7	637
Truck and rail .....	S	S	S	S	S	S	2 321
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>384</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 22, FERTILIZERS</b>							
<b>Total</b> .....	<b>1 380</b>	<b>100.0</b>	<b>6 729</b>	<b>100.0</b>	<b>453</b>	<b>100.0</b>	<b>34</b>
<b>Single modes</b> .....	<b>1 378</b>	<b>99.8</b>	<b>6 722</b>	<b>99.9</b>	<b>452</b>	<b>99.9</b>	<b>34</b>
Truck <sup>1</sup> .....	1 269	92.0	6 043	89.8	255	56.3	31
For-hire truck .....	102	7.4	543	8.1	81	17.9	S
Private truck .....	1 167	84.6	5 500	81.7	174	38.4	19
Rail .....	88	6.3	594	8.8	186	41.0	369
Water .....	S	S	S	S	S	S	129
Shallow draft .....	S	S	S	S	S	S	129
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	732
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>477</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	477
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
<b>SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.</b>							
<b>Total</b> .....	<b>17 513</b>	<b>100.0</b>	<b>8 467</b>	<b>100.0</b>	<b>3 726</b>	<b>100.0</b>	<b>375</b>
<b>Single modes</b> .....	<b>15 393</b>	<b>87.9</b>	<b>7 889</b>	<b>93.2</b>	<b>3 129</b>	<b>84.0</b>	<b>292</b>
Truck <sup>1</sup> .....	15 060	86.0	7 618	90.0	2 866	76.9	283
For-hire truck .....	11 561	66.0	5 922	69.9	2 421	65.0	510
Private truck .....	3 477	19.9	1 686	19.9	434	11.7	S
Rail .....	218	1.2	250	3.0	241	6.5	1 201
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	855
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>1 851</b>	<b>10.6</b>	<b>435</b>	<b>5.1</b>	<b>537</b>	<b>14.4</b>	<b>529</b>
Parcel, U.S. Postal Service or courier .....	1 192	6.8	83	1.0	40	1.1	523
Truck and rail .....	657	3.8	352	4.2	494	13.3	1 407
Truck and water .....	S	S	S	S	S	S	3 065
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	336
<b>Other and unknown modes</b> .....	<b>269</b>	<b>1.5</b>	<b>S</b>	<b>S</b>	<b>60</b>	<b>1.6</b>	<b>176</b>
<b>SCTG 24, PLASTICS AND RUBBER</b>							
<b>Total</b> .....	<b>22 300</b>	<b>100.0</b>	<b>8 887</b>	<b>100.0</b>	<b>4 612</b>	<b>100.0</b>	<b>665</b>
<b>Single modes</b> .....	<b>18 603</b>	<b>83.4</b>	<b>8 038</b>	<b>90.5</b>	<b>3 642</b>	<b>79.0</b>	<b>325</b>
Truck <sup>1</sup> .....	17 308	77.6	6 708	75.5	2 743	59.5	310
For-hire truck .....	13 490	60.5	5 412	60.9	2 406	52.2	476
Private truck .....	3 816	17.1	1 294	14.6	337	7.3	129
Rail .....	1 242	5.6	1 326	14.9	892	19.3	837
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	53	.2	S	S	S	S	917
Pipeline <sup>2</sup> .....	S	S	S	S	S	S	S
<b>Multiple modes</b> .....	<b>3 070</b>	<b>13.8</b>	<b>680</b>	<b>7.7</b>	<b>893</b>	<b>19.4</b>	<b>750</b>
Parcel, U.S. Postal Service or courier .....	2 233	10.0	170	1.9	119	2.6	749
Truck and rail .....	837	3.8	510	5.7	773	16.8	1 450
Truck and water .....	S	S	S	S	S	S	3 963
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>628</b>	<b>2.8</b>	<b>168</b>	<b>1.9</b>	<b>S</b>	<b>S</b>	<b>193</b>

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH</b>							
<b>Total</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>168</b>
<b>Single modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>176</b>
Truck <sup>1</sup> .....	S	S	S	S	S	S	116
For-hire truck .....	S	S	S	S	S	S	S
Private truck .....	S	S	S	S	S	S	88
Rail .....	S	S	S	S	S	S	2 263
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>94</b>
<b>SCTG 26, WOOD PRODUCTS</b>							
<b>Total</b> .....	<b>2 390</b>	<b>100.0</b>	<b>S</b>	<b>S</b>	<b>509</b>	<b>100.0</b>	<b>123</b>
<b>Single modes</b> .....	<b>2 344</b>	<b>98.1</b>	<b>S</b>	<b>S</b>	<b>500</b>	<b>98.1</b>	<b>80</b>
Truck <sup>1</sup> .....	2 310	96.6	S	S	469	92.0	77
For-hire truck .....	636	26.6	584	10.3	226	44.3	299
Private truck .....	1 528	63.9	S	S	226	44.5	45
Rail .....	S	S	S	S	S	S	264
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	1 238
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>18</b>	<b>.7</b>	<b>2</b>	<b>—</b>	<b>1</b>	<b>.1</b>	<b>876</b>
Parcel, U.S. Postal Service or courier .....	18	.7	2	—	1	.1	875
Truck and rail .....	S	S	S	S	S	S	1 178
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>28</b>	<b>1.2</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
<b>SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD</b>							
<b>Total</b> .....	<b>3 694</b>	<b>100.0</b>	<b>3 925</b>	<b>100.0</b>	<b>1 193</b>	<b>100.0</b>	<b>203</b>
<b>Single modes</b> .....	<b>3 325</b>	<b>90.0</b>	<b>3 786</b>	<b>96.5</b>	<b>1 130</b>	<b>94.7</b>	<b>203</b>
Truck <sup>1</sup> .....	3 299	89.3	3 721	94.8	1 074	90.0	201
For-hire truck .....	2 620	70.9	3 290	83.8	1 037	86.9	353
Private truck .....	666	18.0	424	10.8	37	3.1	62
Rail .....	S	S	S	S	S	S	1 115
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	400
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>324</b>	<b>8.8</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
Parcel, U.S. Postal Service or courier .....	308	8.3	S	S	S	S	S
Truck and rail .....	S	S	S	S	S	S	562
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>44</b>	<b>1.2</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>134</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 28, PAPER OR PAPERBOARD ARTICLES</b>							
<b>Total</b> .....	<b>5 467</b>	<b>100.0</b>	<b>2 998</b>	<b>100.0</b>	<b>1 093</b>	<b>100.0</b>	<b>614</b>
<b>Single modes</b> .....	<b>4 472</b>	<b>81.8</b>	<b>2 771</b>	<b>92.5</b>	<b>868</b>	<b>79.3</b>	<b>287</b>
Truck <sup>1</sup> .....	4 357	79.7	2 764	92.2	858	78.5	231
For-hire truck .....	3 406	62.3	2 154	71.8	767	70.2	364
Private truck .....	932	17.0	576	19.2	68	6.3	59
Rail .....	S	S	S	S	S	S	1 217
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	1 308
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>772</b>	<b>14.1</b>	<b>141</b>	<b>4.7</b>	<b>S</b>	<b>S</b>	<b>798</b>
Parcel, U.S. Postal Service or courier .....	600	11.0	44	1.5	31	2.8	797
Truck and rail .....	172	3.1	S	S	S	S	1 747
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>224</b>	<b>4.1</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
<b>SCTG 29, PRINTED PRODUCTS</b>							
<b>Total</b> .....	<b>12 735</b>	<b>100.0</b>	<b>3 795</b>	<b>100.0</b>	<b>1 235</b>	<b>100.0</b>	<b>389</b>
<b>Single modes</b> .....	<b>8 518</b>	<b>66.9</b>	<b>3 176</b>	<b>83.7</b>	<b>989</b>	<b>80.1</b>	<b>92</b>
Truck <sup>1</sup> .....	8 416	66.1	3 164	83.4	972	78.7	73
For-hire truck .....	5 771	45.3	2 304	60.7	886	71.7	S
Private truck .....	2 630	20.7	851	22.4	85	6.9	24
Rail .....	S	S	S	S	S	S	1 720
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	86	.7	8	.2	11	.9	1 399
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>3 272</b>	<b>25.7</b>	<b>254</b>	<b>6.7</b>	<b>186</b>	<b>15.1</b>	<b>801</b>
Parcel, U.S. Postal Service or courier .....	3 228	25.3	232	6.1	155	12.6	800
Truck and rail .....	S	S	S	S	S	S	1 454
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>945</b>	<b>7.4</b>	<b>366</b>	<b>9.6</b>	<b>59</b>	<b>4.8</b>	<b>S</b>
<b>SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER</b>							
<b>Total</b> .....	<b>3 661</b>	<b>100.0</b>	<b>351</b>	<b>100.0</b>	<b>150</b>	<b>100.0</b>	<b>602</b>
<b>Single modes</b> .....	<b>1 699</b>	<b>46.4</b>	<b>252</b>	<b>71.7</b>	<b>89</b>	<b>59.3</b>	<b>365</b>
Truck <sup>1</sup> .....	1 667	45.5	248	70.7	85	56.6	346
For-hire truck .....	847	23.1	91	25.8	61	40.3	730
Private truck .....	820	22.4	157	44.8	25	16.4	S
Rail .....	S	S	S	S	S	S	1 029
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	—	.1	1	.4	1 266
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>1 764</b>	<b>48.2</b>	<b>84</b>	<b>24.0</b>	<b>60</b>	<b>39.9</b>	<b>646</b>
Parcel, U.S. Postal Service or courier .....	1 756	48.0	84	24.0	59	39.5	646
Truck and rail .....	S	S	S	S	S	S	2 276
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>198</b>	<b>5.4</b>	<b>15</b>	<b>4.3</b>	<b>1</b>	<b>.9</b>	<b>S</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 31, NONMETALLIC MINERAL PRODUCTS</b>							
<b>Total</b> .....	<b>4 500</b>	<b>100.0</b>	<b>S</b>	<b>S</b>	<b>4 295</b>	<b>100.0</b>	<b>236</b>
<b>Single modes</b> .....	<b>3 770</b>	<b>83.8</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>140</b>
Truck <sup>1</sup> .....	3 706	82.3	S	S	S	S	139
For-hire truck .....	2 242	49.8	S	S	S	S	S
Private truck .....	1 430	31.8	16 989	15.3	338	7.9	S
Rail .....	S	S	S	S	S	S	1 218
Water .....	S	S	S	S	S	S	529
Shallow draft .....	S	S	S	S	S	S	529
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	740
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>572</b>	<b>12.7</b>	<b>30</b>	<b>—</b>	<b>18</b>	<b>.4</b>	<b>342</b>
Parcel, U.S. Postal Service or courier .....	561	12.5	24	—	12	.3	342
Truck and rail .....	S	S	S	S	S	S	1 019
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	224
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
<b>SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES</b>							
<b>Total</b> .....	<b>22 385</b>	<b>100.0</b>	<b>24 339</b>	<b>100.0</b>	<b>7 292</b>	<b>100.0</b>	<b>257</b>
<b>Single modes</b> .....	<b>21 661</b>	<b>96.8</b>	<b>23 320</b>	<b>95.8</b>	<b>6 743</b>	<b>92.5</b>	<b>222</b>
Truck <sup>1</sup> .....	20 977	93.7	21 944	90.2	5 669	77.7	217
For-hire truck .....	16 043	71.7	16 189	66.5	4 823	66.1	368
Private truck .....	4 653	20.8	5 324	21.9	752	10.3	66
Rail .....	666	3.0	1 329	5.5	1 026	14.1	745
Water .....	S	S	S	S	S	S	1 143
Shallow draft .....	S	S	S	S	S	S	1 143
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	13	—	S	S	S	S	1 067
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>539</b>	<b>2.4</b>	<b>321</b>	<b>1.3</b>	<b>215</b>	<b>2.9</b>	<b>527</b>
Parcel, U.S. Postal Service or courier .....	270	1.2	15	—	9	.1	508
Truck and rail .....	265	1.2	292	1.2	195	2.7	1 021
Truck and water .....	S	S	S	S	S	S	303
Rail and water .....	S	S	S	S	S	S	787
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>185</b>	<b>.8</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>198</b>
<b>SCTG 33, ARTICLES OF BASE METAL</b>							
<b>Total</b> .....	<b>16 297</b>	<b>100.0</b>	<b>5 900</b>	<b>100.0</b>	<b>2 766</b>	<b>100.0</b>	<b>480</b>
<b>Single modes</b> .....	<b>12 342</b>	<b>75.7</b>	<b>5 416</b>	<b>91.8</b>	<b>2 459</b>	<b>88.9</b>	<b>308</b>
Truck <sup>1</sup> .....	12 149	74.5	5 355	90.8	2 375	85.8	276
For-hire truck .....	9 066	55.6	4 076	69.1	2 196	79.4	553
Private truck .....	3 058	18.8	1 273	21.6	179	6.5	75
Rail .....	S	S	S	S	S	S	1 510
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	143	.9	S	S	S	S	1 114
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>3 265</b>	<b>20.0</b>	<b>276</b>	<b>4.7</b>	<b>188</b>	<b>6.8</b>	<b>569</b>
Parcel, U.S. Postal Service or courier .....	3 137	19.2	148	2.5	77	2.8	569
Truck and rail .....	129	.8	128	2.2	111	4.0	1 025
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>689</b>	<b>4.2</b>	<b>208</b>	<b>3.5</b>	<b>119</b>	<b>4.3</b>	<b>S</b>

See footnotes at end of table.



**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 34, MACHINERY</b>							
<b>Total</b> .....	<b>30 389</b>	<b>100.0</b>	<b>4 300</b>	<b>100.0</b>	<b>1 907</b>	<b>100.0</b>	<b>369</b>
<b>Single modes</b> .....	<b>24 788</b>	<b>81.6</b>	<b>3 907</b>	<b>90.9</b>	<b>1 576</b>	<b>82.7</b>	<b>212</b>
Truck <sup>1</sup> .....	23 317	76.7	3 798	88.3	1 428	74.9	172
For-hire truck .....	17 824	58.7	2 858	66.5	1 301	68.2	584
Private truck .....	5 302	17.4	888	20.6	98	5.2	36
Rail .....	793	2.6	93	2.2	129	6.8	1 188
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	678	2.2	17	.4	19	1.0	1 045
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>4 841</b>	<b>15.9</b>	<b>286</b>	<b>6.6</b>	<b>304</b>	<b>15.9</b>	<b>570</b>
Parcel, U.S. Postal Service or courier .....	4 431	14.6	125	2.9	63	3.3	569
Truck and rail .....	408	1.3	S	S	S	S	1 334
Truck and water .....	S	S	S	S	S	S	4 475
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>759</b>	<b>2.5</b>	<b>108</b>	<b>2.5</b>	<b>27</b>	<b>1.4</b>	<b>76</b>
<b>SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT</b>							
<b>Total</b> .....	<b>41 365</b>	<b>100.0</b>	<b>2 388</b>	<b>100.0</b>	<b>1 421</b>	<b>100.0</b>	<b>511</b>
<b>Single modes</b> .....	<b>27 743</b>	<b>67.1</b>	<b>2 110</b>	<b>88.4</b>	<b>1 248</b>	<b>87.8</b>	<b>435</b>
Truck <sup>1</sup> .....	25 554	61.8	2 070	86.7	1 190	83.8	300
For-hire truck .....	19 114	46.2	1 431	59.9	1 002	70.5	737
Private truck .....	6 251	15.1	617	25.8	163	11.5	40
Rail .....	S	S	S	S	S	S	1 404
Water .....	S	S	S	S	S	S	1 479
Shallow draft .....	S	S	S	S	S	S	1 479
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	2 157	5.2	29	1.2	40	2.8	1 215
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>12 505</b>	<b>30.2</b>	<b>224</b>	<b>9.4</b>	<b>159</b>	<b>11.2</b>	<b>616</b>
Parcel, U.S. Postal Service or courier .....	12 441	30.1	207	8.7	118	8.3	616
Truck and rail .....	58	.1	16	.7	32	2.3	1 887
Truck and water .....	S	S	S	S	S	S	10 708
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	4 942
<b>Other and unknown modes</b> .....	<b>1 117</b>	<b>2.7</b>	<b>54</b>	<b>2.3</b>	<b>15</b>	<b>1.0</b>	<b>S</b>
<b>SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS)</b>							
<b>Total</b> .....	<b>27 374</b>	<b>100.0</b>	<b>4 761</b>	<b>100.0</b>	<b>2 790</b>	<b>100.0</b>	<b>244</b>
<b>Single modes</b> .....	<b>21 754</b>	<b>79.5</b>	<b>4 154</b>	<b>87.3</b>	<b>2 152</b>	<b>77.1</b>	<b>S</b>
Truck <sup>1</sup> .....	16 767	61.3	2 989	62.8	1 344	48.2	S
For-hire truck .....	12 750	46.6	2 242	47.1	1 126	40.4	260
Private truck .....	3 990	14.6	747	15.7	S	S	S
Rail .....	S	S	1 151	24.2	777	27.9	637
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	285	1.0	14	.3	S	S	916
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>4 463</b>	<b>16.3</b>	<b>428</b>	<b>9.0</b>	<b>560</b>	<b>20.1</b>	<b>708</b>
Parcel, U.S. Postal Service or courier .....	1 285	4.7	79	1.7	50	1.8	701
Truck and rail .....	3 179	11.6	349	7.3	510	18.3	1 258
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>1 156</b>	<b>4.2</b>	<b>179</b>	<b>3.8</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.</b>							
<b>Total</b> .....	<b>2 896</b>	<b>100.0</b>	<b>631</b>	<b>100.0</b>	<b>240</b>	<b>100.0</b>	<b>603</b>
<b>Single modes</b> .....	<b>2 229</b>	<b>77.0</b>	<b>629</b>	<b>99.7</b>	<b>238</b>	<b>99.3</b>	<b>511</b>
Truck <sup>1</sup> .....	1 669	57.6	362	57.4	189	79.0	428
For-hire truck .....	1 068	36.9	259	41.1	149	62.2	608
Private truck .....	601	20.8	S	S	40	16.8	S
Rail .....	442	15.3	266	42.2	S	S	S
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	—	—	—	.2	1 159
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>2</b>	<b>.2</b>	<b>1</b>	<b>.4</b>	<b>729</b>
Parcel, U.S. Postal Service or courier .....	S	S	2	.2	1	.4	729
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>930</b>
<b>SCTG 38, PRECISION INSTRUMENTS AND APPARATUS</b>							
<b>Total</b> .....	<b>6 282</b>	<b>100.0</b>	<b>81</b>	<b>100.0</b>	<b>58</b>	<b>100.0</b>	<b>889</b>
<b>Single modes</b> .....	<b>2 407</b>	<b>38.3</b>	<b>49</b>	<b>60.4</b>	<b>34</b>	<b>59.4</b>	<b>1 061</b>
Truck <sup>1</sup> .....	1 952	31.1	46	56.6	31	52.9	426
For-hire truck .....	1 584	25.2	37	46.2	30	52.2	647
Private truck .....	369	5.9	8	10.4	—	.7	70
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	455	7.2	3	3.8	4	6.4	1 164
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>3 771</b>	<b>60.0</b>	<b>30</b>	<b>37.3</b>	<b>23</b>	<b>39.7</b>	<b>794</b>
Parcel, U.S. Postal Service or courier .....	3 766	59.9	30	37.2	23	39.5	794
Truck and rail .....	S	S	S	S	S	S	1 532
Truck and water .....	S	S	S	S	S	S	1 434
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>104</b>	<b>1.7</b>	<b>2</b>	<b>2.4</b>	<b>1</b>	<b>.9</b>	<b>315</b>
<b>SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS</b>							
<b>Total</b> .....	<b>1 976</b>	<b>100.0</b>	<b>449</b>	<b>100.0</b>	<b>192</b>	<b>100.0</b>	<b>590</b>
<b>Single modes</b> .....	<b>1 694</b>	<b>85.7</b>	<b>413</b>	<b>92.2</b>	<b>161</b>	<b>83.8</b>	<b>345</b>
Truck <sup>1</sup> .....	1 675	84.8	405	90.2	153	79.7	314
For-hire truck .....	1 036	52.4	273	60.9	130	67.6	559
Private truck .....	639	32.3	132	29.3	S	S	119
Rail .....	S	S	S	S	S	S	893
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	998
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>169</b>	<b>8.5</b>	<b>12</b>	<b>2.7</b>	<b>11</b>	<b>5.5</b>	<b>817</b>
Parcel, U.S. Postal Service or courier .....	169	8.5	12	2.7	11	5.5	817
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>1 085</b>

See footnotes at end of table.

**Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS</b>							
<b>Total</b> .....	<b>22 425</b>	<b>100.0</b>	<b>5 616</b>	<b>100.0</b>	<b>3 425</b>	<b>100.0</b>	<b>722</b>
<b>Single modes</b> .....	<b>16 123</b>	<b>71.9</b>	<b>5 073</b>	<b>90.3</b>	<b>3 065</b>	<b>89.5</b>	<b>460</b>
Truck <sup>1</sup> .....	15 672	69.9	4 980	88.7	2 916	85.1	436
For-hire truck .....	11 811	52.7	3 319	59.1	1 667	48.7	706
Private truck .....	3 853	17.2	1 659	29.5	S	S	93
Rail .....	284	1.3	88	1.6	143	4.2	975
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	167	.7	5	—	6	.2	1 045
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>5 121</b>	<b>22.8</b>	<b>256</b>	<b>4.6</b>	<b>223</b>	<b>6.5</b>	<b>799</b>
Parcel, U.S. Postal Service or courier .....	4 836	21.6	197	3.5	151	4.4	799
Truck and rail .....	S	S	S	S	71	2.1	1 543
Truck and water .....	S	S	S	S	S	S	4 574
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>1 182</b>	<b>5.3</b>	<b>S</b>	<b>S</b>	<b>137</b>	<b>4.0</b>	<b>196</b>
<b>SCTG 41, WASTE AND SCRAP</b>							
<b>Total</b> .....	<b>3 285</b>	<b>100.0</b>	<b>12 987</b>	<b>100.0</b>	<b>1 721</b>	<b>100.0</b>	<b>111</b>
<b>Single modes</b> .....	<b>3 264</b>	<b>99.3</b>	<b>12 963</b>	<b>99.8</b>	<b>1 714</b>	<b>99.5</b>	<b>110</b>
Truck <sup>1</sup> .....	3 035	92.4	11 544	88.9	1 214	70.5	102
For-hire truck .....	1 641	50.0	4 451	34.3	872	50.6	194
Private truck .....	1 359	41.4	7 065	54.4	334	19.4	43
Rail .....	227	6.9	1 420	10.9	500	29.0	377
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	956
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>632</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	819
Truck and rail .....	S	S	S	S	S	S	375
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>162</b>
<b>SCTG 43, MIXED FREIGHT</b>							
<b>Total</b> .....	<b>7 656</b>	<b>100.0</b>	<b>3 411</b>	<b>100.0</b>	<b>786</b>	<b>100.0</b>	<b>279</b>
<b>Single modes</b> .....	<b>7 008</b>	<b>91.5</b>	<b>3 234</b>	<b>94.8</b>	<b>623</b>	<b>79.2</b>	<b>128</b>
Truck <sup>1</sup> .....	6 819	89.1	3 203	93.9	605	76.9	S
For-hire truck .....	1 724	22.5	S	S	164	20.9	241
Private truck .....	5 095	66.5	2 385	69.9	440	56.0	S
Rail .....	S	S	S	S	S	S	581
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	947
Pipeline <sup>2</sup> .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>243</b>	<b>3.2</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>560</b>
Parcel, U.S. Postal Service or courier .....	175	2.3	23	.7	7	.9	558
Truck and rail .....	S	S	S	S	S	S	1 203
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
<b>COMMODITY UNKNOWN</b>							
<b>Total</b> .....	<b>2 659</b>	<b>100.0</b>	<b>1 846</b>	<b>100.0</b>	<b>261</b>	<b>100.0</b>	<b>544</b>
<b>Single modes</b> .....	<b>1 871</b>	<b>70.4</b>	<b>1 797</b>	<b>97.3</b>	<b>233</b>	<b>89.2</b>	<b>S</b>
Truck <sup>1</sup> .....	1 832	68.9	S	S	199	76.0	S
For-hire truck .....	1 233	46.4	310	16.8	118	45.0	475
Private truck .....	S	S	S	S	S	S	S
Rail .....	S	S	S	S	S	S	869
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	1 223
Pipeline <sup>2</sup> .....	S	S	S	S	S	S	S
<b>Multiple modes</b> .....	<b>479</b>	<b>18.0</b>	<b>17</b>	<b>.9</b>	<b>14</b>	<b>5.3</b>	<b>860</b>
Parcel, U.S. Postal Service or courier .....	474	17.8	15	.8	12	4.5	860
Truck and rail .....	S	S	S	S	S	S	1 120
Truck and water .....	S	S	S	S	S	S	1 694
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>451</b>

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

<sup>1</sup>"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>2</sup>CFS data for pipeline exclude most shipments of crude oil. See "About the Data" section for details of CFS coverage.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

**Table 7. Shipment Characteristics by State of Destination for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

State of destination	Value		Tons		Ton-miles	
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent
<b>Total</b> .....	<b>357 887</b>	<b>100.0</b>	<b>670 949</b>	<b>100.0</b>	<b>145 141</b>	<b>100.0</b>
<b>NEW ENGLAND STATES</b>						
Connecticut .....	1 835	.5	495	—	498	.3
Maine .....	336	—	208	—	252	.2
Massachusetts .....	3 040	.8	926	.1	1 023	.7
New Hampshire .....	534	.1	218	—	S	S
Rhode Island .....	462	.1	78	—	82	—
Vermont .....	136	—	46	—	43	—
<b>MIDDLE ATLANTIC STATES</b>						
New Jersey .....	5 114	1.4	2 333	.3	2 178	1.5
New York .....	6 788	1.9	2 320	.3	1 791	1.2
Pennsylvania .....	9 169	2.6	4 683	.7	3 293	2.3
<b>EAST NORTH CENTRAL STATES</b>						
Illinois .....	132 985	37.2	459 751	68.5	17 163	11.8
Indiana .....	18 373	5.1	33 932	5.1	4 524	3.1
Michigan .....	17 887	5.0	11 340	1.7	3 117	2.1
Ohio .....	15 030	4.2	11 363	1.7	3 998	2.8
Wisconsin .....	13 374	3.7	10 836	1.6	1 843	1.3
<b>WEST NORTH CENTRAL STATES</b>						
Iowa .....	6 875	1.9	8 778	1.3	1 769	1.2
Kansas .....	2 625	.7	1 319	.2	705	.5
Minnesota .....	7 526	2.1	4 843	.7	2 381	1.6
Missouri .....	11 084	3.1	15 380	2.3	2 722	1.9
Nebraska .....	2 328	.7	1 078	.2	550	.4
North Dakota .....	1 308	.4	457	—	397	.3
South Dakota .....	S	S	256	—	166	.1
<b>SOUTH ATLANTIC STATES</b>						
Delaware .....	538	.2	S	S	S	S
District of Columbia .....	192	—	S	S	S	S
Florida .....	6 538	1.8	9 115	1.4	10 102	7.0
Georgia .....	7 807	2.2	6 390	1.0	4 720	3.3
Maryland .....	3 403	1.0	1 437	.2	1 222	.8
North Carolina .....	5 000	1.4	2 938	.4	2 659	1.8
South Carolina .....	2 360	.7	934	.1	809	.6
Virginia .....	4 123	1.2	1 529	.2	1 302	.9
West Virginia .....	762	.2	289	—	155	.1
<b>EAST SOUTH CENTRAL STATES</b>						
Alabama .....	2 397	.7	4 700	.7	3 390	2.3
Kentucky .....	4 749	1.3	5 864	.9	1 821	1.3
Mississippi .....	1 810	.5	3 474	.5	2 583	1.8
Tennessee .....	5 623	1.6	11 369	1.7	3 982	2.7
<b>WEST SOUTH CENTRAL STATES</b>						
Arkansas .....	1 926	.5	1 970	.3	1 156	.8
Louisiana .....	6 764	1.9	35 184	5.2	39 642	27.3
Oklahoma .....	1 713	.5	927	.1	600	.4
Texas .....	14 750	4.1	5 446	.8	5 803	4.0
<b>MOUNTAIN STATES</b>						
Arizona .....	2 321	.6	630	—	1 117	.8
Colorado .....	2 386	.7	705	.1	715	.5
Idaho .....	381	.1	S	S	S	S
Montana .....	508	.1	130	—	196	.1
Nevada .....	576	.2	145	—	267	.2
New Mexico .....	301	—	122	—	151	.1
Utah .....	1 010	.3	332	—	480	.3
Wyoming .....	230	—	S	S	S	S
<b>PACIFIC STATES</b>						
Alaska .....	109	—	6	—	9	—
California .....	16 110	4.5	4 461	.7	9 664	6.7
Hawaii .....	221	—	18	—	87	—
Oregon .....	2 091	.6	S	S	S	S
Washington .....	2 212	.6	458	—	976	.7

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

**Table 8. Inbound Shipment Characteristics by State of Origin for State of Destination: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

State of origin	Value		Tons		Ton-miles	
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent
<b>Total</b> .....	<b>349 291</b>	<b>100.0</b>	<b>648 294</b>	<b>100.0</b>	<b>137 878</b>	<b>100.0</b>
<b>NEW ENGLAND STATES</b>						
Connecticut .....	2 898	.8	799	.1	742	.5
Maine .....	624	.2	337	—	399	.3
Massachusetts .....	3 552	1.0	416	—	421	.3
New Hampshire .....	618	.2	94	—	94	—
Rhode Island .....	435	.1	52	—	52	—
Vermont .....	296	—	140	—	126	—
<b>MIDDLE ATLANTIC STATES</b>						
New Jersey .....	6 232	1.8	1 687	.3	1 422	1.0
New York .....	8 532	2.4	2 434	.4	1 874	1.4
Pennsylvania .....	7 863	2.3	3 641	.6	2 391	1.7
<b>EAST NORTH CENTRAL STATES</b>						
Illinois .....	132 985	38.1	459 751	70.9	17 163	12.4
Indiana .....	18 525	5.3	29 575	4.6	4 060	2.9
Michigan .....	12 554	3.6	11 005	1.7	3 775	2.7
Ohio .....	17 907	5.1	8 441	1.3	3 128	2.3
Wisconsin .....	18 720	5.4	12 955	2.0	2 399	1.7
<b>WEST NORTH CENTRAL STATES</b>						
Iowa .....	10 402	3.0	15 187	2.3	3 701	2.7
Kansas .....	3 346	1.0	2 337	.4	1 511	1.1
Minnesota .....	8 638	2.5	11 648	1.8	S	S
Missouri .....	13 897	4.0	10 332	1.6	1 924	1.4
Nebraska .....	2 636	.8	1 701	.3	901	.7
North Dakota .....	S	S	S	S	S	S
South Dakota .....	842	.2	409	—	300	.2
<b>SOUTH ATLANTIC STATES</b>						
Delaware .....	303	—	99	—	80	—
District of Columbia .....	S	S	S	S	S	S
Florida .....	2 832	.8	1 311	.2	1 502	1.1
Georgia .....	4 045	1.2	2 007	.3	1 567	1.1
Maryland .....	1 429	.4	502	—	391	.3
North Carolina .....	4 085	1.2	1 523	.2	1 306	.9
South Carolina .....	1 928	.6	752	.1	652	.5
Virginia .....	2 376	.7	1 597	.2	1 198	.9
West Virginia .....	970	.3	1 449	.2	787	.6
<b>EAST SOUTH CENTRAL STATES</b>						
Alabama .....	2 456	.7	1 952	.3	1 427	1.0
Kentucky .....	4 829	1.4	2 743	.4	1 058	.8
Mississippi .....	1 399	.4	1 111	.2	811	.6
Tennessee .....	5 221	1.5	2 504	.4	1 262	.9
<b>WEST SOUTH CENTRAL STATES</b>						
Arkansas .....	2 636	.8	2 501	.4	1 408	1.0
Louisiana .....	2 730	.8	7 321	1.1	8 567	6.2
Oklahoma .....	1 518	.4	693	.1	501	.4
Texas .....	11 301	3.2	8 418	1.3	9 005	6.5
<b>MOUNTAIN STATES</b>						
Arizona .....	S	S	S	S	S	S
Colorado .....	2 408	.7	5 014	.8	6 436	4.7
Idaho .....	568	.2	635	.1	1 091	.8
Montana .....	264	—	2 477	.4	3 185	2.3
Nevada .....	317	—	43	—	81	—
New Mexico .....	309	—	256	—	329	.2
Utah .....	S	S	S	S	S	S
Wyoming .....	321	—	20 307	3.1	25 399	18.4
<b>PACIFIC STATES</b>						
Alaska .....	1	—	—	—	—	—
California .....	13 073	3.7	2 567	.4	5 763	4.2
Hawaii .....	S	S	S	S	S	S
Oregon .....	1 047	.3	736	.1	1 672	1.2
Washington .....	S	S	862	.1	1 894	1.4

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

# Appendix A.

## Comparability With the 1993 Commodity Flow Survey

The Commodity Flow Survey (CFS) restores a data program on commodity flows that the Census Bureau conducted as a part of its 5-year economic census program from 1963 through 1977. The CFS was first conducted in

1993. For the 1997 CFS, the Census Bureau incorporated improvements identified from the evaluation of previous surveys and additional research. The following table shows a comparison of the 1993 and 1997 surveys.

Item	1993	1997
1. Industry coverage	Manufacturers (minor exceptions) Mining (except mining services and oil and gas extraction) All wholesale Video tape distributors Catalog mail-order houses Auxiliaries (e.g., warehouses)	Manufacturers (minor exceptions) Mining (except mining services) All wholesale Catalog mail-order houses Auxiliaries (e.g., warehouses)
2. Commodity classification system	Standard Transportation Commodity Classification (STCC), developed by the American Association of Railroads (AAR).	Standard Classification of Transported Goods (SCTG).
3. Sample size	Approximately 200,000 establishments were selected from a universe of about 800,000 in-scope establishments on the 1992 Standard Statistical Establishment List (SSEL).	Approximately 100,000 establishments were selected from a universe of about 800,000 in-scope establishments on the 1995 Standard Statistical Establishment List (SSEL).
4. Survey methodology	Respondents took a sample of their individual outbound shipments for a 2-week period during each of the four calendar quarters of 1993. Respondents reported key characteristics for each sampled shipment.	Respondents took a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of 1997. Respondents reported key characteristics for each sampled shipment.
5. Reported mode of transportation	Rail For-hire truck Private truck Air Inland water and/or Great Lakes Deep sea water Pipeline Parcel, U.S. Postal Service, or courier Other Unknown	Rail For-hire truck Private truck Air Shallow draft vessel Deep draft vessel Pipeline Parcel, U.S. Postal Service, or courier Other Unknown

Item	1993	1997
6. Data items requested on questionnaire	<p>For <b>each</b> shipment:</p> <p>Total value</p> <p>Total weight</p> <p><b>Major</b> commodity (STCC)</p> <p><b>All</b> modes of transportation</p> <p>Multiple origins (respondents specifically requested to report all shipment origins for the sampled establishment and report the appropriate origin for each shipment; assumed to always be the mailing address if no other origins listed).</p> <p>Destination</p> <p>Containerized (Y/N)</p> <p>Hazardous material (Y/N)</p> <p>Export (Y/N)</p> <p>If export, mode of export, foreign country, and city of destination.</p>	<p>For <b>each</b> shipment:</p> <p>Total value</p> <p>Total weight</p> <p><b>Major</b> commodity (SCTG)</p> <p><b>All</b> modes of transportation</p> <p>Single origin (assumed to be the mailing address unless the respondent provided a different physical location address).</p> <p>Destination</p> <p>Containerized (Y/N)</p> <p>Hazardous material (UN/NA codes)</p> <p>Export (Y/N)</p> <p>If export, mode of export, foreign country, and city of destination.</p>



## Appendix B. Reliability of the Estimates

---

An estimate based on a sample survey potentially contains two types of errors—sampling and nonsampling. Sampling error occurs because characteristics differ among sampling units and because only a subset of the entire population is measured in a sample survey. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate. The accuracy of a survey result may be affected by these two types of errors.

Sampling and nonsampling errors are often measured by the quantities, bias and variance. The bias of an estimator of an unknown population value is the difference, averaged over all possible samples of the same size and design, between the estimator and the unknown population value. Any systematic error, or inaccuracy that affects all samples of a specified design in a similar way, may bias the resulting estimates. Variance is the squared difference, averaged over all possible samples of the same size and design, between an estimator and its average value. Descriptions of sampling and nonsampling errors for the 1997 Commodity Flow Survey (CFS) are provided in the following sections.

### **SAMPLING ERROR**

Because the estimates are based on a sample, exact agreement with the results that would be obtained from a complete enumeration of all the shipments made in 1997 from all establishments included on the CFS sampling frame is not expected. However, because probability sampling was used at each stage of selection, it is possible to estimate the sampling variability of the survey estimates. For CFS estimates, sampling variability arises from each of the three stages of sampling. (See Appendix C for a description of the sample design.)

The particular sample used in this survey is one of a large number of samples of the same size and design that could have been selected. If all possible samples had been surveyed, under the same conditions, an estimate of an unknown population value could have been obtained from each sample. The estimates obtained from these samples give rise to a distribution of estimates for the unknown population value. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The coefficient of variation (or relative standard error) of an estimate is the standard error of the estimate divided by the estimate. Measures of sampling variability, such as the standard error or coefficient of variation, are estimated from the

sample and are also subject to sampling variability. (Technically, we should refer to the estimated standard error or the estimated coefficient of variation of an estimator. However, we have omitted this detail for the sake of brevity.) It is important to note that the standard error and coefficient of variation only measure sampling variability. They do not measure any biases in the estimates. All coefficients of variation are expressed as percents. Standard errors for the corresponding percentage estimates are also provided.

An estimate of an unknown population value and its approximate standard error can be used to construct a confidence interval. A confidence interval is a range about a given estimator that has a specified probability, or confidence, of containing the unknown population value. If, for each possible sample, an estimate of an unknown population value and the estimate's approximate standard error were obtained, then:

1. For approximately 90 percent of the possible samples, the interval from 1.65 standard errors below to 1.65 standard errors above the estimate would include the unknown population value.
2. For approximately 95 percent of the possible samples, the interval from two standard errors below to two standard errors above the estimate would include the unknown population value.

### **NONSAMPLING ERROR**

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes in the survey process. In the CFS, nonsampling error can be attributed to many sources: (1) nonresponse, (2) response errors, (3) differences in the interpretation of the questions, (4) mistakes in coding or keying the data obtained, and (5) other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases because of nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize its influence.

A potentially large source of bias in the estimates is due to nonresponse. Nonresponse is defined as the inability to obtain all the intended measurements or responses from all the selected establishments. Four levels of nonresponse can occur in the CFS: item, shipment, quarter (reporting week), and establishment. Item nonresponse

---

occurs either when a question is unanswered or the response to the question fails computer or analyst edits. Item nonresponse is corrected by imputation. (Imputation is the procedure by which a missing value is replaced by a predicted value obtained from an appropriate model.) Shipment, quarter, and establishment nonresponse are used to describe the inability to obtain sufficient information about a sampled shipment, quarter, or establishment, respectively, that prevents it from contributing to tabulations. Shipment and quarter nonresponse are corrected during the estimation procedure by reweighting. Reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents. The amount of bias introduced by this nonresponse adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents. Establishment nonresponse is corrected during the estimation procedure by the SIC-level adjustment weight. (See Appendix C for a description of the estimation procedure.) In most cases of establishment nonresponse, none of the four questionnaires have been

returned to the Census Bureau, after several attempts to elicit a response. Approximately 67 percent of the sampled establishments provided at least one quarter of data that contributed to tabulations.

Some possible sources of bias that are attributed to respondent-conducted sampling include misunderstanding the definition of a shipment, constructing an incomplete frame of shipments from which to sample, ordering the shipment sampling frame by selected shipment characteristics, and selecting shipment records by a method other than the one specified in the questionnaire's instructions. We often contacted respondents who reported shipments having atypically large value or weight when compared to the rest of their reported shipments. Upon contact, if we are able to collect information on all of a given respondent's large shipments made either for a particular reporting week or for the entire quarter, then we identify these large shipments as certainty shipments. (See Appendix C for a description of how certainty shipments are used in the estimation process.)

**Table B-1a. Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>All modes</b> .....	<b>1.9</b>	—	<b>13.0</b>	—	<b>4.2</b>	—	<b>6.1</b>
<b>Single modes</b> .....	<b>2.2</b>	<b>.8</b>	<b>13.8</b>	<b>.9</b>	<b>4.3</b>	<b>1.0</b>	<b>7.9</b>
Truck .....	2.5	1.7	18.5	3.4	5.7	1.7	7.0
For-hire truck .....	3.9	1.6	29.6	5.0	5.7	1.7	9.3
Private truck .....	2.2	.7	18.1	3.4	11.8	.6	9.3
Rail .....	16.7	.8	10.5	1.6	8.4	1.8	3.7
Water .....	9.7	.2	15.8	1.4	11.9	2.7	S
Shallow draft .....	9.7	.2	15.8	1.4	11.9	2.7	S
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	9.2	.1	14.2	—	14.2	—	2.1
Pipeline .....	29.8	.7	29.4	1.9	S	S	S
<b>Multiple modes</b> .....	<b>4.8</b>	<b>.7</b>	<b>16.2</b>	<b>.4</b>	<b>14.3</b>	<b>.9</b>	<b>3.1</b>
Parcel, U.S. Postal Service or courier .....	7.3	.9	9.9	—	8.7	—	3.2
Truck and rail .....	22.0	.4	15.1	—	12.7	.3	3.9
Truck and water .....	41.9	—	44.9	—	45.2	.2	23.7
Rail and water .....	17.6	—	23.9	.4	25.6	.8	14.9
Other multiple modes .....	S	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>8.6</b>	<b>.2</b>	<b>40.7</b>	<b>.9</b>	<b>17.4</b>	<b>.4</b>	<b>32.8</b>

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-1b. Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 1997 and 1993**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation	Value			Tons			Ton-miles			Average miles per shipment		
	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change	Coefficient of variation		Standard error of percent change
	1997	1993		1997	1993		1997	1993		1997	1993	
<b>All modes</b> .....	<b>1.9</b>	<b>4.2</b>	<b>4.8</b>	<b>13.0</b>	<b>3.5</b>	<b>17.2</b>	<b>4.2</b>	<b>10.2</b>	<b>12.4</b>	<b>6.1</b>	<b>3.3</b>	<b>7.1</b>
<b>Single modes</b> .....	<b>2.2</b>	<b>5.3</b>	<b>5.7</b>	<b>13.8</b>	<b>2.2</b>	<b>18.7</b>	<b>4.3</b>	<b>8.0</b>	<b>10.6</b>	<b>7.9</b>	<b>7.8</b>	<b>10.4</b>
Truck .....	2.5	5.3	5.9	18.5	2.8	28.4	5.7	2.9	7.7	7.0	9.9	11.0
For-hire truck .....	3.9	7.6	8.3	29.6	3.8	50.7	5.7	3.2	7.7	9.3	4.0	8.8
Private truck .....	2.2	5.8	6.5	18.1	6.7	24.6	11.8	7.5	17.7	9.3	6.0	8.7
Rail .....	16.7	9.9	20.4	10.5	9.3	11.2	8.4	7.9	9.6	3.7	6.6	8.4
Water .....	9.7	26.0	49.9	15.8	27.0	44.9	11.9	34.4	58.6	S	36.9	S
Shallow draft .....	9.7	26.1	50.3	15.8	27.1	45.3	11.9	34.6	59.8	S	33.4	S
Great Lakes .....	—	—	—	—	—	—	—	—	—	—	—	—
Deep draft .....	—	S	S	—	S	S	—	S	S	—	28.5	—
Air (includes truck and air) .....	9.2	13.4	11.7	14.2	27.3	31.1	14.2	19.5	29.6	2.1	2.8	3.5
Pipeline .....	29.8	22.7	45.1	29.4	24.2	43.7	S	S	S	S	S	S
<b>Multiple modes</b> .....	<b>4.8</b>	<b>4.7</b>	<b>7.7</b>	<b>16.2</b>	<b>39.5</b>	<b>22.2</b>	<b>14.3</b>	<b>38.1</b>	<b>29.6</b>	<b>3.1</b>	<b>5.2</b>	<b>6.2</b>
Parcel, U.S. Postal Service or courier .....	7.3	5.8	10.8	9.9	3.9	11.4	8.7	8.1	12.7	3.2	5.3	6.2
Truck and rail .....	22.0	29.6	45.9	15.1	33.6	57.3	12.7	24.2	61.9	3.9	6.4	7.1
Truck and water .....	41.9	S	S	44.9	S	S	45.2	S	S	23.7	42.2	70.4
Rail and water .....	17.6	38.4	46.8	23.9	35.8	62.1	25.6	38.4	56.3	14.9	22.6	21.9
Other multiple modes .....	S	S	S	S	39.5	S	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>8.6</b>	<b>17.7</b>	<b>26.9</b>	<b>40.7</b>	<b>36.8</b>	<b>46.0</b>	<b>17.4</b>	<b>22.7</b>	<b>48.2</b>	<b>32.8</b>	<b>14.6</b>	<b>13.8</b>

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-1c. Standard Error of Percentage for Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 1997 and 1993**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation	Value (percent)		Tons (percent)		Ton-miles (percent)	
	1997	1993	1997	1993	1997	1993
<b>All modes</b> .....	—	—	—	—	—	—
<b>Single modes</b> .....	<b>.8</b>	<b>1.1</b>	<b>.9</b>	<b>1.5</b>	<b>1.0</b>	<b>2.4</b>
Truck .....	1.7	1.0	3.4	2.9	1.7	3.8
For-hire truck .....	1.6	2.0	5.0	1.9	1.7	3.0
Private truck .....	.7	1.4	3.4	2.0	.6	1.0
Rail .....	.8	.4	1.6	1.1	1.8	2.4
Water .....	.2	.3	1.4	1.6	2.7	5.4
Shallow draft .....	.2	.3	1.4	1.6	2.7	5.3
Great Lakes .....	—	—	—	—	—	—
Deep draft .....	—	S	—	S	—	S
Air (includes truck and air) .....	.1	.2	—	—	—	—
Pipeline .....	.7	.5	1.9	1.8	S	S
<b>Multiple modes</b> .....	<b>.7</b>	<b>.9</b>	<b>.4</b>	<b>1.6</b>	<b>.9</b>	<b>2.6</b>
Parcel, U.S. Postal Service or courier .....	.9	.9	—	—	—	—
Truck and rail .....	.4	.5	—	.1	.3	.4
Truck and water .....	—	S	—	S	.2	S
Rail and water .....	—	—	.4	.4	.8	1.4
Other multiple modes .....	S	S	S	.1	S	S
<b>Other and unknown modes</b> .....	<b>.2</b>	<b>.4</b>	<b>.9</b>	<b>1.1</b>	<b>.4</b>	<b>.3</b>

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-2. Measures of Reliability for Shipment Characteristics by Total Modal Activity for the State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation	Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	
<b>Total</b> .....	<b>4.2</b>	<b>—</b>	<b>6.2</b>
Truck .....	5.7	1.7	6.6
Rail .....	9.0	2.1	3.1
Shallow draft .....	9.9	2.3	S
Great Lakes .....	S	S	43.6
Deep draft .....	45.2	—	31.8
Air .....	14.6	—	2.2
Parcel, U.S. Postal Service or courier .....	8.7	—	3.2
Pipeline .....	S	S	S
Other and unknown modes .....	17.4	.4	32.8

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
<b>All modes</b> .....	<b>1.9</b>	-	<b>13.0</b>	-	<b>4.2</b>	-
Less than 50 miles .....	2.3	.8	19.7	3.2	19.8	1.4
50 to 99 miles .....	5.3	.3	15.6	.4	18.6	.5
100 to 249 miles .....	5.6	.5	9.4	1.3	9.7	.9
250 to 499 miles .....	5.9	.9	8.1	.9	7.7	1.3
500 to 749 miles .....	3.8	.4	8.6	.9	8.5	1.6
750 to 999 miles .....	3.3	.2	6.8	.5	7.0	1.4
1,000 to 1,499 miles .....	6.6	.3	9.1	-	9.2	.3
1,500 to 1,999 miles .....	3.1	.2	12.9	.2	12.7	1.0
2,000 miles or more .....	27.3	-	21.7	-	22.6	-
<b>Single modes</b> .....	<b>2.2</b>	-	<b>13.8</b>	-	<b>4.3</b>	-
Less than 50 miles .....	3.1	.9	20.4	3.4	20.1	1.4
50 to 99 miles .....	5.0	.3	15.8	.4	18.9	.5
100 to 249 miles .....	5.9	.6	8.9	1.3	8.4	.7
250 to 499 miles .....	6.8	1.1	8.1	.9	7.8	1.4
500 to 749 miles .....	4.5	.4	9.5	.9	9.7	1.9
750 to 999 miles .....	3.7	.2	6.9	.6	7.1	1.7
1,000 to 1,499 miles .....	7.5	.3	9.1	-	9.1	.4
1,500 to 1,999 miles .....	3.2	.2	16.6	.2	16.4	1.1
2,000 miles or more .....	S	S	44.8	-	S	S
<b>Truck</b> .....	<b>2.5</b>	-	<b>18.5</b>	-	<b>5.7</b>	-
Less than 50 miles .....	3.0	.9	23.6	2.9	23.8	2.8
50 to 99 miles .....	4.8	.4	13.0	.7	13.4	.6
100 to 249 miles .....	5.6	.6	4.7	1.0	4.6	.8
250 to 499 miles .....	5.3	.7	6.0	.8	6.0	1.7
500 to 749 miles .....	4.8	.3	8.5	.5	8.3	1.0
750 to 999 miles .....	4.7	.2	7.1	.2	7.0	.6
1,000 to 1,499 miles .....	7.3	.2	8.3	-	9.1	.5
1,500 to 1,999 miles .....	5.7	.2	21.6	.2	21.9	1.8
2,000 miles or more .....	32.8	-	34.7	-	35.3	-
<b>For-hire truck</b> .....	<b>3.9</b>	-	<b>29.6</b>	-	<b>5.7</b>	-
Less than 50 miles .....	7.1	.9	40.0	4.3	38.1	3.3
50 to 99 miles .....	6.7	.5	21.8	.8	21.3	.7
100 to 249 miles .....	6.8	.7	4.7	1.5	4.0	.7
250 to 499 miles .....	5.6	.9	7.0	1.4	6.8	1.9
500 to 749 miles .....	4.6	.4	8.6	.7	8.5	1.2
750 to 999 miles .....	3.9	.4	6.4	.3	6.2	.7
1,000 to 1,499 miles .....	8.0	.3	8.9	.1	9.7	.5
1,500 to 1,999 miles .....	5.8	.3	10.8	.2	10.9	1.2
2,000 miles or more .....	33.9	-	35.5	-	36.2	-
<b>Private truck</b> .....	<b>2.2</b>	-	<b>18.1</b>	-	<b>11.8</b>	-
Less than 50 miles .....	3.6	2.2	20.9	2.1	25.1	3.9
50 to 99 miles .....	5.5	.5	12.9	1.3	12.4	1.5
100 to 249 miles .....	7.0	.7	11.1	.8	12.0	2.6
250 to 499 miles .....	20.2	1.5	14.3	.4	14.1	2.5
500 to 749 miles .....	18.0	.8	16.7	.3	15.7	1.3
750 to 999 miles .....	32.6	.6	22.0	-	22.4	.7
1,000 to 1,499 miles .....	30.9	.4	32.9	-	36.1	1.5
1,500 to 1,999 miles .....	16.2	-	S	S	S	S
2,000 miles or more .....	S	S	S	S	S	S
<b>Rail</b> .....	<b>16.7</b>	-	<b>10.5</b>	-	<b>8.4</b>	-
Less than 50 miles .....	15.3	1.7	31.3	6.6	23.3	.7
50 to 99 miles .....	27.8	.7	49.6	3.2	S	S
100 to 249 miles .....	16.2	1.4	19.7	2.0	18.5	.9
250 to 499 miles .....	44.6	4.7	10.4	2.8	8.3	2.2
500 to 749 miles .....	12.6	2.6	12.0	2.3	12.2	2.5
750 to 999 miles .....	14.9	2.2	21.1	1.4	20.9	3.0
1,000 to 1,499 miles .....	26.8	1.3	18.9	.4	18.8	1.2
1,500 to 1,999 miles .....	20.3	3.4	20.9	.4	20.9	2.0
2,000 miles or more .....	-	-	-	-	-	-
<b>Water</b> .....	<b>9.7</b>	-	<b>15.8</b>	-	<b>11.9</b>	-
Less than 50 miles .....	40.4	3.6	38.3	4.5	48.1	.2
50 to 99 miles .....	S	S	S	S	S	S
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	32.3	3.7	30.4	2.7	31.2	1.9
500 to 749 miles .....	16.7	6.0	17.7	5.3	16.2	4.9
750 to 999 miles .....	12.1	4.2	12.9	3.5	12.6	4.7
1,000 to 1,499 miles .....	-	-	-	-	-	-
1,500 to 1,999 miles .....	-	-	-	-	-	-
2,000 miles or more .....	-	-	-	-	-	-
<b>Shallow draft</b> .....	<b>9.7</b>	-	<b>15.8</b>	-	<b>11.9</b>	-
Less than 50 miles .....	40.4	3.6	38.3	4.5	48.1	.2
50 to 99 miles .....	S	S	S	S	S	S
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	32.3	3.7	30.4	2.7	31.2	1.9
500 to 749 miles .....	16.7	6.0	17.7	5.3	16.2	4.9
750 to 999 miles .....	12.1	4.2	12.9	3.5	12.6	4.7
1,000 to 1,499 miles .....	-	-	-	-	-	-
1,500 to 1,999 miles .....	-	-	-	-	-	-
2,000 miles or more .....	-	-	-	-	-	-

See footnotes at end of table.

**Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
<b>Single modes—Con.</b>						
<b>Great Lakes</b> .....	—	—	—	—	—	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	—	—	—	—	—	—
250 to 499 miles .....	—	—	—	—	—	—
500 to 749 miles .....	—	—	—	—	—	—
750 to 999 miles .....	—	—	—	—	—	—
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	—	—	—	—	—	—
<b>Deep draft</b> .....	—	—	—	—	—	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	—	—	—	—	—	—
250 to 499 miles .....	—	—	—	—	—	—
500 to 749 miles .....	—	—	—	—	—	—
750 to 999 miles .....	—	—	—	—	—	—
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	—	—	—	—	—	—
<b>Air (includes truck and air)</b> .....	<b>9.2</b>	—	<b>14.2</b>	—	<b>14.2</b>	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	32.4	.7	S	S	S	S
100 to 249 miles .....	20.3	2.5	16.6	1.4	15.8	.5
250 to 499 miles .....	6.5	.9	45.1	5.9	45.9	4.9
500 to 749 miles .....	20.2	2.9	39.9	4.8	36.4	3.4
750 to 999 miles .....	14.3	2.0	17.6	2.0	16.1	2.2
1,000 to 1,499 miles .....	16.1	2.4	20.0	3.3	21.0	4.5
1,500 to 1,999 miles .....	26.5	3.8	28.3	2.6	27.7	4.3
2,000 miles or more .....	S	S	S	S	S	S
<b>Pipeline</b> .....	<b>29.8</b>	—	<b>29.4</b>	—	<b>S</b>	<b>S</b>
Less than 50 miles .....	24.9	9.8	26.1	9.5	S	S
50 to 99 miles .....	—	—	—	—	S	S
100 to 249 miles .....	37.9	8.6	36.4	8.5	S	S
250 to 499 miles .....	S	S	S	S	S	S
500 to 749 miles .....	—	—	—	—	S	S
750 to 999 miles .....	—	—	—	—	S	S
1,000 to 1,499 miles .....	—	—	—	—	S	S
1,500 to 1,999 miles .....	—	—	—	—	S	S
2,000 miles or more .....	—	—	—	—	S	S
<b>Multiple modes</b> .....	<b>4.8</b>	—	<b>16.2</b>	—	<b>14.3</b>	—
Less than 50 miles .....	13.6	1.7	16.3	.8	17.2	—
50 to 99 miles .....	14.9	.5	8.8	.2	9.5	—
100 to 249 miles .....	8.4	.6	30.3	6.0	34.4	4.0
250 to 499 miles .....	9.0	.8	15.1	4.0	17.4	3.3
500 to 749 miles .....	7.1	1.1	25.0	4.8	22.8	5.5
750 to 999 miles .....	4.8	.7	38.1	2.6	42.6	4.3
1,000 to 1,499 miles .....	12.6	.8	41.2	.6	42.5	1.0
1,500 to 1,999 miles .....	5.8	1.2	11.8	2.7	11.9	4.3
2,000 miles or more .....	35.3	.1	35.9	—	36.5	.3
<b>Parcel, U.S. Postal Service or courier</b> .....	<b>7.3</b>	—	<b>9.9</b>	—	<b>8.7</b>	—
Less than 50 miles .....	13.8	1.5	17.3	2.1	18.1	.1
50 to 99 miles .....	15.1	.5	7.4	.4	7.3	—
100 to 249 miles .....	8.7	.7	9.3	1.1	10.1	.4
250 to 499 miles .....	9.1	.9	17.5	1.6	17.0	1.3
500 to 749 miles .....	7.1	.9	15.7	1.7	15.6	1.9
750 to 999 miles .....	7.5	.7	16.6	1.1	15.9	1.8
1,000 to 1,499 miles .....	9.9	.5	13.9	.8	13.7	1.4
1,500 to 1,999 miles .....	10.3	.8	6.7	.6	6.8	1.8
2,000 miles or more .....	32.4	.1	24.8	—	27.8	.4
<b>Truck and rail</b> .....	<b>22.0</b>	—	<b>15.1</b>	—	<b>12.7</b>	—
Less than 50 miles .....	S	S	47.4	.2	S	S
50 to 99 miles .....	S	S	47.4	.2	46.9	—
100 to 249 miles .....	35.6	1.1	33.0	1.9	33.0	.5
250 to 499 miles .....	41.1	3.1	29.0	3.0	28.4	1.3
500 to 749 miles .....	31.9	4.2	14.1	3.2	13.7	1.8
750 to 999 miles .....	23.7	3.3	25.5	3.9	24.2	3.5
1,000 to 1,499 miles .....	S	S	S	S	S	S
1,500 to 1,999 miles .....	19.7	4.8	13.5	4.1	13.4	4.7
2,000 miles or more .....	—	—	—	—	—	—
<b>Truck and water</b> .....	<b>41.9</b>	—	<b>44.9</b>	—	<b>45.2</b>	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	S	S	S	S	S	S
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	S	S	S	S	S	S
500 to 749 miles .....	S	S	S	S	S	S
750 to 999 miles .....	S	S	S	S	S	S
1,000 to 1,499 miles .....	S	S	S	S	S	S
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	S	S	S	S	49.1	17.6

See footnotes at end of table.

**Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
<b>Multiple modes—Con.</b>						
<b>Rail and water</b> .....	<b>17.6</b>	—	<b>23.9</b>	—	<b>25.6</b>	—
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	31.4	9.0	32.5	9.2	36.8	8.2
250 to 499 miles .....	31.2	10.4	32.0	11.0	32.4	12.1
500 to 749 miles .....	28.9	8.8	39.3	8.9	37.9	11.6
750 to 999 miles .....	S	S	S	S	S	S
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	S	S	S	S	S	S
<b>Other multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
Less than 50 miles .....	—	—	—	—	—	—
50 to 99 miles .....	—	—	—	—	—	—
100 to 249 miles .....	S	S	S	S	S	S
250 to 499 miles .....	S	S	S	S	S	S
500 to 749 miles .....	—	—	—	—	—	—
750 to 999 miles .....	—	—	—	—	—	—
1,000 to 1,499 miles .....	—	—	—	—	—	—
1,500 to 1,999 miles .....	—	—	—	—	—	—
2,000 miles or more .....	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>8.6</b>	—	<b>40.7</b>	—	<b>17.4</b>	—
Less than 50 miles .....	6.3	3.9	S	S	43.6	3.1
50 to 99 miles .....	20.2	1.3	44.6	2.4	49.7	1.4
100 to 249 miles .....	20.5	1.2	25.2	2.3	23.5	1.1
250 to 499 miles .....	17.9	1.7	40.0	6.9	37.0	7.6
500 to 749 miles .....	25.2	1.5	20.3	3.1	20.1	4.4
750 to 999 miles .....	24.7	1.9	40.7	1.7	44.9	5.5
1,000 to 1,499 miles .....	24.1	.4	41.0	.7	38.9	3.9
1,500 to 1,999 miles .....	29.3	2.3	S	S	S	S
2,000 miles or more .....	S	S	S	S	S	S

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation and shipment size	Value		Tons		Ton-miles		Average miles per shipment— coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>All modes</b> .....	<b>1.9</b>	—	<b>13.0</b>	—	<b>4.2</b>	—	<b>6.1</b>
Less than 50 lb .....	5.8	.6	11.1	—	13.9	—	6.3
50 to 99 lb .....	9.8	.4	8.0	—	9.8	—	2.5
100 to 499 lb .....	4.2	.5	8.8	—	9.7	—	7.4
500 to 749 lb .....	6.9	.2	7.6	—	6.1	—	6.3
750 to 999 lb .....	4.6	.1	5.9	—	6.3	—	4.4
1,000 to 9,999 lb .....	2.8	.7	13.6	1.1	4.1	.3	6.8
10,000 to 49,999 lb .....	4.5	1.2	11.6	3.8	5.7	1.1	10.2
50,000 to 99,999 lb .....	12.7	.7	14.7	1.1	9.5	.5	15.7
100,000 lb or more .....	10.1	.7	26.9	4.4	5.0	1.1	S
<b>Single modes</b> .....	<b>2.2</b>	—	<b>13.8</b>	—	<b>4.3</b>	—	<b>7.9</b>
Less than 50 lb .....	12.4	.5	11.1	—	18.1	—	17.1
50 to 99 lb .....	17.6	.3	8.2	—	20.5	—	10.7
100 to 499 lb .....	5.3	.5	8.7	—	10.7	—	8.6
500 to 749 lb .....	8.4	.3	7.2	—	5.7	—	6.7
750 to 999 lb .....	5.0	.1	6.0	—	7.0	—	4.8
1,000 to 9,999 lb .....	1.7	.7	14.3	1.2	2.9	.3	6.8
10,000 to 49,999 lb .....	4.4	1.3	11.8	3.9	5.5	1.2	9.8
50,000 to 99,999 lb .....	13.2	.8	14.7	1.2	10.0	.6	15.6
100,000 lb or more .....	10.7	.9	29.1	4.5	5.6	1.3	S
<b>Truck</b> .....	<b>2.5</b>	—	<b>18.5</b>	—	<b>5.7</b>	—	<b>7.0</b>
Less than 50 lb .....	16.7	.5	11.3	—	22.7	—	19.4
50 to 99 lb .....	18.6	.4	8.4	—	23.4	—	12.2
100 to 499 lb .....	5.1	.5	8.8	.1	11.1	.2	9.1
500 to 749 lb .....	8.6	.4	7.2	—	5.9	—	6.6
750 to 999 lb .....	5.4	.1	6.1	—	7.3	—	5.0
1,000 to 9,999 lb .....	2.1	.6	14.4	1.7	2.8	.7	6.8
10,000 to 49,999 lb .....	4.4	1.1	11.8	5.4	5.2	2.7	9.8
50,000 to 99,999 lb .....	8.2	.4	14.9	1.6	11.3	1.1	13.1
100,000 lb or more .....	19.0	.3	S	S	43.9	2.7	S
<b>For-hire truck</b> .....	<b>3.9</b>	—	<b>29.6</b>	—	<b>5.7</b>	—	<b>9.3</b>
Less than 50 lb .....	32.7	.6	35.3	—	25.8	—	34.6
50 to 99 lb .....	32.3	.5	32.7	—	28.9	—	7.9
100 to 499 lb .....	8.2	.6	16.7	.1	14.0	.3	5.3
500 to 749 lb .....	13.2	.5	17.5	—	7.1	—	9.2
750 to 999 lb .....	9.0	.2	8.1	—	9.1	—	5.1
1,000 to 9,999 lb .....	2.0	.7	13.8	1.5	2.5	.7	6.2
10,000 to 49,999 lb .....	5.3	1.2	5.3	7.2	5.3	3.0	4.6
50,000 to 99,999 lb .....	8.8	.5	21.1	2.7	15.4	1.4	12.8
100,000 lb or more .....	21.7	.4	S	S	S	S	S
<b>Private truck</b> .....	<b>2.2</b>	—	<b>18.1</b>	—	<b>11.8</b>	—	<b>9.3</b>
Less than 50 lb .....	11.6	.7	12.3	—	9.6	—	15.5
50 to 99 lb .....	12.9	.4	7.9	—	10.1	—	11.4
100 to 499 lb .....	4.8	.8	14.6	.2	14.5	.3	15.2
500 to 749 lb .....	8.5	.4	11.5	.1	7.9	—	14.6
750 to 999 lb .....	7.6	.2	10.7	—	13.1	.1	9.8
1,000 to 9,999 lb .....	4.5	1.3	15.7	2.0	9.7	2.0	11.4
10,000 to 49,999 lb .....	5.1	1.1	22.7	4.3	11.8	4.0	17.7
50,000 to 99,999 lb .....	15.1	.8	29.2	2.6	22.6	3.1	14.9
100,000 lb or more .....	35.7	.7	32.0	2.4	S	S	33.0
<b>Rail</b> .....	<b>16.7</b>	—	<b>10.5</b>	—	<b>8.4</b>	—	<b>3.7</b>
Less than 50 lb .....	S	S	S	S	S	S	28.0
50 to 99 lb .....	S	S	S	S	S	S	30.3
100 to 499 lb .....	S	S	43.6	—	S	S	23.9
500 to 749 lb .....	S	S	S	S	S	S	29.5
750 to 999 lb .....	S	S	S	S	S	S	30.1
1,000 to 9,999 lb .....	46.2	4.1	33.2	—	23.6	—	20.1
10,000 to 49,999 lb .....	12.9	2.5	13.0	.3	15.4	.7	4.0
50,000 to 99,999 lb .....	S	S	22.7	.4	23.8	.7	14.1
100,000 lb or more .....	7.7	5.1	10.8	.6	8.7	.9	5.7
<b>Water</b> .....	<b>9.7</b>	—	<b>15.8</b>	—	<b>11.9</b>	—	<b>S</b>
Less than 50 lb .....	—	—	—	—	—	—	—
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	S	S	S	S	S	S	S
500 to 749 lb .....	S	S	S	S	S	S	31.6
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	S	S	S	S	S	S	S
10,000 to 49,999 lb .....	S	S	S	S	S	S	30.3
50,000 to 99,999 lb .....	S	S	S	S	S	S	31.6
100,000 lb or more .....	9.9	2.6	16.0	1.3	11.9	—	5.7
<b>Shallow draft</b> .....	<b>9.7</b>	—	<b>15.8</b>	—	<b>11.9</b>	—	<b>S</b>
Less than 50 lb .....	—	—	—	—	—	—	—
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	S	S	S	S	S	S	S
500 to 749 lb .....	S	S	S	S	S	S	31.6
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	S	S	S	S	S	S	S
10,000 to 49,999 lb .....	S	S	S	S	S	S	30.3
50,000 to 99,999 lb .....	S	S	S	S	S	S	31.6
100,000 lb or more .....	9.9	2.6	16.0	1.3	11.9	—	5.7

See footnote at end of table.



**Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation and shipment size	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>Single modes—Con.</b>							
<b>Great Lakes</b>	—	—	—	—	—	—	—
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
<b>Deep draft</b>	—	—	—	—	—	—	—
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
<b>Air (includes truck and air)</b>	<b>9.2</b>	—	<b>14.2</b>	—	<b>14.2</b>	—	<b>2.1</b>
Less than 50 lb	7.7	2.9	7.9	2.0	8.9	1.9	2.3
50 to 99 lb	20.0	1.3	22.6	1.2	27.4	1.4	5.0
100 to 499 lb	16.5	3.1	14.6	3.9	12.3	4.5	5.7
500 to 749 lb	40.9	2.0	S	S	S	S	13.4
750 to 999 lb	44.5	1.0	25.5	.9	30.3	.9	14.1
1,000 to 9,999 lb	29.4	2.5	30.6	5.5	32.8	6.6	18.3
10,000 to 49,999 lb	S	S	S	S	S	S	34.0
50,000 to 99,999 lb	S	S	S	S	S	S	31.6
100,000 lb or more	S	S	S	S	S	S	30.0
<b>Pipeline</b>	<b>29.8</b>	—	<b>29.4</b>	—	<b>S</b>	<b>S</b>	<b>S</b>
Less than 50 lb	—	—	—	—	S	S	S
50 to 99 lb	S	S	S	S	S	S	S
100 to 499 lb	—	—	—	—	S	S	S
500 to 749 lb	—	—	—	—	S	S	S
750 to 999 lb	—	—	—	—	S	S	S
1,000 to 9,999 lb	S	S	S	S	S	S	S
10,000 to 49,999 lb	S	S	S	S	S	S	S
50,000 to 99,999 lb	S	S	S	S	S	S	S
100,000 lb or more	29.8	—	29.4	—	S	S	S
<b>Multiple modes</b>	<b>4.8</b>	—	<b>16.2</b>	—	<b>14.3</b>	—	<b>3.1</b>
Less than 50 lb	7.8	2.5	15.7	1.5	15.3	1.1	3.6
50 to 99 lb	11.3	1.0	7.7	.7	6.5	.4	2.9
100 to 499 lb	8.6	1.0	8.6	1.1	9.7	.5	5.2
500 to 749 lb	13.7	.2	20.1	—	21.4	—	10.9
750 to 999 lb	27.4	.2	22.2	—	15.4	—	27.6
1,000 to 9,999 lb	S	S	S	S	S	S	18.7
10,000 to 49,999 lb	17.6	2.2	15.0	3.2	13.2	4.3	3.4
50,000 to 99,999 lb	S	S	46.3	.8	S	S	24.1
100,000 lb or more	18.4	.2	21.0	6.2	19.6	5.5	9.5
<b>Parcel, U.S. Postal Service or courier</b>	<b>7.3</b>	—	<b>9.9</b>	—	<b>8.7</b>	—	<b>3.2</b>
Less than 50 lb	7.8	1.5	15.7	2.5	15.3	3.6	3.6
50 to 99 lb	11.3	1.1	7.7	1.0	6.5	1.3	2.9
100 to 499 lb	8.6	.7	8.6	1.6	9.9	2.2	5.4
500 to 749 lb	13.4	.3	20.0	.9	21.5	.8	11.7
750 to 999 lb	28.8	.3	23.6	.4	16.1	.2	29.4
1,000 to 9,999 lb	S	S	S	S	S	S	S
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
<b>Truck and rail</b>	<b>22.0</b>	—	<b>15.1</b>	—	<b>12.7</b>	—	<b>3.9</b>
Less than 50 lb	S	S	S	S	S	S	28.0
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	S	S	S	S	S	S	24.6
500 to 749 lb	S	S	S	S	S	S	26.0
750 to 999 lb	29.9	.2	33.5	—	36.9	—	22.7
1,000 to 9,999 lb	S	S	S	S	S	S	18.5
10,000 to 49,999 lb	17.6	7.8	15.0	7.4	13.2	7.5	3.4
50,000 to 99,999 lb	S	S	46.3	2.1	S	S	24.1
100,000 lb or more	36.5	2.1	30.9	6.3	34.8	6.7	19.3
<b>Truck and water</b>	<b>41.9</b>	—	<b>44.9</b>	—	<b>45.2</b>	—	<b>23.7</b>
Less than 50 lb	S	S	S	S	S	S	31.6
50 to 99 lb	S	S	S	S	S	S	30.3
100 to 499 lb	S	S	S	S	S	S	28.3
500 to 749 lb	S	S	S	S	S	S	31.6
750 to 999 lb	S	S	S	S	S	S	29.8
1,000 to 9,999 lb	S	S	S	S	S	S	30.7
10,000 to 49,999 lb	S	S	S	S	S	S	31.6
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	S	S	S	S	S	S	22.5

See footnote at end of table.

**Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of transportation and shipment size	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>Multiple modes—Con.</b>							
<b>Rail and water</b> .....	<b>17.6</b>	—	<b>23.9</b>	—	<b>25.6</b>	—	<b>14.9</b>
Less than 50 lb .....	—	—	—	—	—	—	—
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	—	—	—	—	—	—	—
500 to 749 lb .....	S	S	S	S	S	S	31.6
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	—	—	—	—	—	—	—
10,000 to 49,999 lb .....	—	—	—	—	—	—	—
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	17.8	.8	23.9	—	25.6	—	9.4
<b>Other multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
Less than 50 lb .....	S	S	S	S	S	S	31.6
50 to 99 lb .....	—	—	—	—	—	—	—
100 to 499 lb .....	S	S	S	S	S	S	31.6
500 to 749 lb .....	S	S	S	S	S	S	31.6
750 to 999 lb .....	—	—	—	—	—	—	—
1,000 to 9,999 lb .....	—	—	—	—	—	—	—
10,000 to 49,999 lb .....	S	S	S	S	S	S	31.6
50,000 to 99,999 lb .....	—	—	—	—	—	—	—
100,000 lb or more .....	S	S	S	S	S	S	31.6
<b>Other and unknown modes</b> .....	<b>8.6</b>	—	<b>40.7</b>	—	<b>17.4</b>	—	<b>32.8</b>
Less than 50 lb .....	13.9	2.1	19.4	.3	24.9	—	37.8
50 to 99 lb .....	15.2	.6	29.3	.1	31.1	—	48.6
100 to 499 lb .....	14.3	1.1	27.4	1.2	38.3	.3	S
500 to 749 lb .....	44.6	1.8	24.8	.4	32.1	.1	31.7
750 to 999 lb .....	39.0	.9	26.6	.3	49.8	.1	49.4
1,000 to 9,999 lb .....	11.7	2.2	22.2	4.2	17.6	5.4	22.2
10,000 to 49,999 lb .....	15.7	2.6	31.3	7.3	27.3	6.5	35.4
50,000 to 99,999 lb .....	33.9	.2	S	S	S	S	S
100,000 lb or more .....	36.6	2.1	S	S	44.7	10.6	23.6

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-5. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code	Commodity description	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
		Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
	<b>All commodities</b> .....	<b>1.9</b>	—	<b>13.0</b>	—	<b>4.2</b>	—	<b>6.1</b>
01	Live animals and live fish .....	S	S	S	S	S	S	29.0
02	Cereal grains .....	14.3	.3	14.9	2.1	9.4	1.7	19.4
03	Other agricultural products .....	9.1	.2	10.3	.6	11.2	.9	18.9
04	Animal feed and products of animal origin, n.e.c. ....	12.0	.2	11.8	.2	13.2	.6	35.9
05	Meat, fish, seafood, and their preparations .....	20.8	.5	19.0	.1	25.4	.2	S
06	Milled grain products and preparations, and bakery products .....	17.1	.4	16.8	.3	22.7	.7	22.6
07	Other prepared foodstuffs and fats and oils .....	5.5	.3	10.2	.7	11.4	.9	21.5
08	Alcoholic beverages .....	7.0	—	16.1	.1	S	S	12.5
09	Tobacco products .....	16.1	.1	25.3	—	34.0	—	19.1
10	Monumental or building stone .....	S	S	S	S	S	S	S
11	Natural sands .....	S	S	S	S	49.5	.7	S
12	Gravel and crushed stone .....	10.9	—	11.8	1.7	15.2	.2	12.2
13	Nonmetallic minerals n.e.c. ....	44.3	—	S	S	S	S	37.6
14	Metallic ores and concentrates .....	26.2	—	27.7	—	27.0	—	19.7
15	Coal .....	21.8	.1	23.1	2.9	17.6	2.1	32.8
17	Gasoline and aviation turbine fuel .....	20.8	.6	22.5	1.5	49.2	1.5	11.7
18	Fuel oils .....	20.5	.3	20.7	1.0	29.5	.2	13.9
19	Coal and petroleum products, n.e.c. ....	19.8	.2	36.0	1.2	33.3	.7	S
20	Basic chemicals .....	14.3	.2	24.7	.4	22.1	.5	S
21	Pharmaceutical products .....	15.0	.4	21.3	—	17.7	—	11.2
22	Fertilizers .....	33.6	.1	37.5	.4	22.3	—	33.3
23	Chemical products and preparations, n.e.c. ....	9.0	.4	20.2	.3	10.7	.2	10.6
24	Plastics and rubber .....	10.3	.5	12.3	.2	10.5	.3	9.9
25	Logs and other wood in the rough .....	S	S	S	S	S	S	42.3
26	Wood products .....	10.9	—	S	S	23.7	—	25.2
27	Pulp, newsprint, paper, and paperboard .....	32.4	.3	26.8	.2	34.1	.2	17.0
28	Paper or paperboard articles .....	10.9	.2	10.5	—	19.9	.1	12.4
29	Printed products .....	6.6	.2	10.0	—	12.1	.1	18.3
30	Textiles, leather, and articles of textiles or leather .....	6.9	—	9.2	—	11.6	—	9.3
31	Nonmetallic mineral products .....	16.5	.2	S	S	44.8	1.4	29.2
32	Base metal in primary or semifinished forms and in finished basic shapes .....	4.3	.3	8.2	.5	8.9	.6	10.1
33	Articles of base metal .....	6.7	.3	9.3	.1	6.5	.2	7.6
34	Machinery .....	7.5	.7	9.5	—	12.7	.2	14.2
35	Electronic and other electrical equipment and components and office equipment .....	7.8	1.0	9.1	—	11.0	.1	9.6
36	Motorized and other vehicles (including parts) .....	14.2	1.0	17.3	.1	20.6	.4	24.8
37	Transportation equipment, n.e.c. ....	15.5	.1	21.4	—	26.3	—	10.4
38	Precision instruments and apparatus .....	19.9	.3	17.3	—	16.1	—	5.3
39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs .....	12.4	—	14.8	—	19.5	—	17.3
40	Miscellaneous manufactured products .....	8.5	.5	15.0	.2	30.2	.6	7.2
41	Waste and scrap .....	25.4	.2	22.8	.6	18.5	.2	33.1
43	Mixed freight .....	28.8	.6	23.2	.2	30.4	.2	34.9
--	Commodity unknown .....	26.2	.2	48.2	.1	33.8	—	21.1

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

**Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>ALL COMMODITIES</b>							
<b>Total</b> .....	<b>1.9</b>	—	<b>13.0</b>	—	<b>4.2</b>	—	<b>6.1</b>
<b>Single modes</b> .....	<b>2.2</b>	<b>.8</b>	<b>13.8</b>	<b>.9</b>	<b>4.3</b>	<b>1.0</b>	<b>7.9</b>
Truck .....	2.5	1.7	18.5	3.4	5.7	1.7	7.0
For-hire truck .....	3.9	1.6	29.6	5.0	5.7	1.7	9.3
Private truck .....	2.2	.7	18.1	3.4	11.8	.6	9.3
Rail .....	16.7	.8	10.5	1.6	8.4	1.8	3.7
Water .....	9.7	.2	15.8	1.4	11.9	2.7	S
Shallow draft .....	9.7	.2	15.8	1.4	11.9	2.7	S
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	9.2	.1	14.2	—	14.2	—	2.1
Pipeline .....	29.8	.7	29.4	1.9	S	S	S
<b>Multiple modes</b> .....	<b>4.8</b>	<b>.7</b>	<b>16.2</b>	<b>.4</b>	<b>14.3</b>	<b>.9</b>	<b>3.1</b>
Parcel, U.S. Postal Service or courier .....	7.3	.9	9.9	—	8.7	—	3.2
Truck and rail .....	22.0	.4	15.1	—	12.7	.3	3.9
Truck and water .....	41.9	—	44.9	—	45.2	.2	23.7
Rail and water .....	17.6	—	23.9	.4	25.6	.8	14.9
Other multiple modes .....	S	S	S	S	S	S	S
<b>Other and unknown modes</b> .....	<b>8.6</b>	<b>.2</b>	<b>40.7</b>	<b>.9</b>	<b>17.4</b>	<b>.4</b>	<b>32.8</b>
<b>SCTG 01, LIVE ANIMALS AND LIVE FISH</b>							
<b>Total</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>29.0</b>
<b>Single modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>29.1</b>
Truck .....	S	S	S	S	S	S	29.1
For-hire truck .....	S	S	S	S	S	S	31.6
Private truck .....	S	S	S	S	S	S	32.9
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>31.6</b>
<b>SCTG 02, CEREAL GRAINS</b>							
<b>Total</b> .....	<b>14.3</b>	—	<b>14.9</b>	—	<b>9.4</b>	—	<b>19.4</b>
<b>Single modes</b> .....	<b>14.2</b>	<b>.7</b>	<b>14.7</b>	<b>.7</b>	<b>9.8</b>	<b>1.3</b>	<b>19.3</b>
Truck .....	21.0	7.6	22.0	7.9	20.6	1.4	21.1
For-hire truck .....	24.2	7.5	25.4	7.7	24.4	1.4	S
Private truck .....	31.0	2.6	31.8	2.8	25.9	.2	23.9
Rail .....	S	S	S	S	41.8	3.1	20.5
Water .....	12.6	8.6	12.8	8.8	12.0	4.0	1.3
Shallow draft .....	12.6	8.6	12.8	8.8	12.0	4.0	1.3
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>28.7</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	30.1
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnote at end of table.

**Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 03, OTHER AGRICULTURAL PRODUCTS</b>							
<b>Total</b> .....	<b>9.1</b>	<b>—</b>	<b>10.3</b>	<b>—</b>	<b>11.2</b>	<b>—</b>	<b>18.9</b>
<b>Single modes</b> .....	<b>10.4</b>	<b>2.8</b>	<b>10.7</b>	<b>1.1</b>	<b>11.3</b>	<b>1.5</b>	<b>32.6</b>
Truck .....	14.0	5.0	15.7	5.4	23.0	1.4	33.3
For-hire truck .....	17.3	4.4	22.5	5.4	28.7	1.4	S
Private truck .....	20.0	4.5	27.8	5.1	29.7	.6	14.8
Rail .....	S	S	S	S	47.9	3.0	28.3
Water .....	12.9	3.0	12.8	5.0	13.3	2.9	2.0
Shallow draft .....	12.9	3.0	12.8	5.0	13.3	2.9	2.0
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	44.2	—	36.4	—	41.3	—	25.2
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>42.4</b>	<b>2.3</b>	<b>45.1</b>	<b>.6</b>	<b>42.3</b>	<b>1.3</b>	<b>42.3</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	41.9
Truck and rail .....	S	S	S	S	S	S	29.8
Truck and water .....	S	S	S	S	47.7	1.4	26.1
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>36.5</b>	<b>1.5</b>	<b>41.8</b>	<b>1.0</b>	<b>37.7</b>	<b>1.2</b>	<b>S</b>
<b>SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.</b>							
<b>Total</b> .....	<b>12.0</b>	<b>—</b>	<b>11.8</b>	<b>—</b>	<b>13.2</b>	<b>—</b>	<b>35.9</b>
<b>Single modes</b> .....	<b>11.9</b>	<b>.4</b>	<b>12.0</b>	<b>.6</b>	<b>13.5</b>	<b>1.0</b>	<b>29.4</b>
Truck .....	16.6	5.4	18.4	4.4	33.0	5.9	34.5
For-hire truck .....	17.8	5.3	21.3	4.1	33.8	5.1	12.7
Private truck .....	27.4	4.6	26.9	4.3	34.1	1.4	S
Rail .....	16.5	5.0	13.3	5.7	12.3	8.6	15.3
Water .....	40.2	2.8	33.5	5.5	34.9	7.8	19.1
Shallow draft .....	40.2	2.8	33.5	5.5	34.9	7.8	19.1
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	31.6
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>49.0</b>	<b>.3</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>24.1</b>
Parcel, U.S. Postal Service or courier .....	S	S	46.6	—	S	S	20.8
Truck and rail .....	S	S	S	S	S	S	28.3
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	S	S	S	S	S	S	31.6
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>44.0</b>	<b>.5</b>	<b>S</b>	<b>S</b>	<b>49.3</b>	<b>—</b>	<b>S</b>
<b>SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS</b>							
<b>Total</b> .....	<b>20.8</b>	<b>—</b>	<b>19.0</b>	<b>—</b>	<b>25.4</b>	<b>—</b>	<b>S</b>
<b>Single modes</b> .....	<b>21.3</b>	<b>1.1</b>	<b>19.2</b>	<b>1.0</b>	<b>25.5</b>	<b>.9</b>	<b>S</b>
Truck .....	20.3	1.1	18.6	1.0	23.0	2.0	S
For-hire truck .....	24.2	6.0	24.8	6.2	24.9	2.7	3.8
Private truck .....	23.3	6.0	19.4	6.4	21.1	2.6	S
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	30.2
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>28.2</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	27.9
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>42.2</b>

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS</b>							
<b>Total</b> .....	<b>17.1</b>	<b>—</b>	<b>16.8</b>	<b>—</b>	<b>22.7</b>	<b>—</b>	<b>22.6</b>
<b>Single modes</b> .....	<b>17.0</b>	<b>.9</b>	<b>17.2</b>	<b>1.0</b>	<b>24.5</b>	<b>3.1</b>	<b>23.8</b>
Truck .....	17.6	3.2	12.7	6.3	14.2	6.6	23.1
For-hire truck .....	24.0	6.9	17.5	6.9	15.9	6.2	13.4
Private truck .....	22.2	6.4	21.8	4.0	29.1	3.4	34.4
Rail .....	22.3	3.1	34.0	6.8	35.5	7.4	11.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	29.9
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>32.2</b>	<b>.8</b>	<b>23.3</b>	<b>1.0</b>	<b>24.9</b>	<b>3.1</b>	<b>12.3</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	24.6
Truck and rail .....	34.3	.9	25.6	1.0	27.3	3.1	13.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	S	S	S	S	S	S	30.2
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>26.8</b>	<b>.3</b>	<b>28.6</b>	<b>.2</b>	<b>31.0</b>	<b>.3</b>	<b>30.9</b>
<b>SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS</b>							
<b>Total</b> .....	<b>5.5</b>	<b>—</b>	<b>10.2</b>	<b>—</b>	<b>11.4</b>	<b>—</b>	<b>21.5</b>
<b>Single modes</b> .....	<b>5.7</b>	<b>.6</b>	<b>10.8</b>	<b>1.3</b>	<b>12.5</b>	<b>3.0</b>	<b>20.5</b>
Truck .....	6.2	1.6	10.6	2.8	11.1	3.8	21.2
For-hire truck .....	8.3	3.3	14.4	3.7	12.5	3.1	12.4
Private truck .....	12.1	3.1	15.6	3.7	18.8	2.1	45.0
Rail .....	14.4	1.0	18.7	2.3	18.8	4.9	7.0
Water .....	41.0	.5	39.2	1.4	37.8	2.3	21.6
Shallow draft .....	41.0	.5	39.2	1.4	37.8	2.3	21.6
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	43.0	—	S	S	S	S	33.4
Pipeline .....	48.7	.8	48.2	1.4	S	S	S
<b>Multiple modes</b> .....	<b>21.8</b>	<b>.6</b>	<b>43.8</b>	<b>1.2</b>	<b>40.3</b>	<b>2.8</b>	<b>15.3</b>
Parcel, U.S. Postal Service or courier .....	S	S	48.6	—	S	S	36.5
Truck and rail .....	28.0	.5	45.0	1.2	41.0	2.8	13.7
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	S	S	S	S	S	S	31.6
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>27.8</b>	<b>.3</b>	<b>39.3</b>	<b>.3</b>	<b>39.6</b>	<b>.6</b>	<b>S</b>
<b>SCTG 08, ALCOHOLIC BEVERAGES</b>							
<b>Total</b> .....	<b>7.0</b>	<b>—</b>	<b>16.1</b>	<b>—</b>	<b>S</b>	<b>S</b>	<b>12.5</b>
<b>Single modes</b> .....	<b>5.9</b>	<b>2.2</b>	<b>16.8</b>	<b>2.8</b>	<b>S</b>	<b>S</b>	<b>10.3</b>
Truck .....	5.6	4.1	14.9	5.7	30.5	17.2	5.4
For-hire truck .....	35.3	3.7	38.6	6.6	38.9	7.1	23.8
Private truck .....	8.3	6.9	15.0	11.1	S	S	6.4
Rail .....	S	S	49.1	5.3	S	S	26.1
Water .....	S	S	S	S	S	S	31.6
Shallow draft .....	S	S	S	S	S	S	31.6
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>39.6</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	39.6
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnote at end of table.

**Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 09, TOBACCO PRODUCTS</b>							
<b>Total</b> .....	<b>16.1</b>	—	<b>25.3</b>	—	<b>34.0</b>	—	<b>19.1</b>
<b>Single modes</b> .....	<b>16.4</b>	<b>1.1</b>	<b>26.4</b>	<b>2.8</b>	<b>30.1</b>	<b>9.6</b>	<b>24.7</b>
Truck .....	16.4	1.1	26.4	2.8	30.1	9.6	24.7
For-hire truck .....	42.6	11.1	40.0	9.2	40.7	12.9	21.2
Private truck .....	18.4	10.8	32.7	9.7	40.9	15.5	9.3
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>28.9</b>	<b>1.1</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>40.8</b>
Parcel, U.S. Postal Service or courier .....	34.1	1.0	33.6	.5	33.8	5.1	21.6
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	S	S	S	S	S	S	29.8
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>29.9</b>
<b>SCTG 10, MONUMENTAL OR BUILDING STONE</b>							
<b>Total</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
<b>Single modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>36.9</b>
Truck .....	S	S	S	S	S	S	36.9
For-hire truck .....	S	S	S	S	S	S	30.3
Private truck .....	S	S	S	S	S	S	S
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>31.5</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	31.5
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>31.6</b>
<b>SCTG 11, NATURAL SANDS</b>							
<b>Total</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>49.5</b>	—	<b>S</b>
<b>Single modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>49.2</b>	.7	<b>S</b>
Truck .....	S	S	S	S	S	S	S
For-hire truck .....	41.3	11.3	42.7	12.7	48.4	7.6	21.6
Private truck .....	S	S	S	S	S	S	17.3
Rail .....	25.1	5.0	44.7	5.5	S	S	11.4
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>31.6</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	31.6
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 12, GRAVEL AND CRUSHED STONE</b>							
Total .....	10.9	—	11.8	—	15.2	—	12.2
Single modes .....	10.5	.7	11.2	.8	14.7	.3	12.3
Truck .....	11.2	1.8	11.6	1.8	16.5	3.2	12.0
For-hire truck .....	21.9	6.2	22.9	6.5	27.6	6.7	17.9
Private truck .....	16.9	6.5	17.0	7.1	21.3	7.8	11.0
Rail .....	S	S	S	S	S	S	27.9
Water .....	S	S	S	S	S	S	27.9
Shallow draft .....	S	S	S	S	S	S	27.9
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	S	S	S	S	S	S	26.5
<b>SCTG 13, NONMETALLIC MINERALS N.E.C.</b>							
Total .....	44.3	—	S	S	S	S	37.6
Single modes .....	45.8	2.8	S	S	S	S	S
Truck .....	45.9	2.7	S	S	S	S	S
For-hire truck .....	41.8	10.6	S	S	S	S	S
Private truck .....	S	S	S	S	S	S	21.8
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	31.6
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	47.9	2.0	S	S	S	S	23.9
Parcel, U.S. Postal Service or courier .....	49.3	1.9	S	S	S	S	23.8
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	31.6
Other and unknown modes .....	S	S	S	S	S	S	34.1
<b>SCTG 14, METALLIC ORES AND CONCENTRATES</b>							
Total .....	26.2	—	27.7	—	27.0	—	19.7
Single modes .....	26.2	.2	27.7	—	27.0	.1	20.1
Truck .....	26.3	.2	27.5	.5	27.1	1.8	20.1
For-hire truck .....	25.0	4.4	28.1	2.7	25.9	2.9	21.6
Private truck .....	43.4	4.4	40.3	2.7	44.9	2.6	26.7
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	S	S	S	S	S	S	38.2
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	30.2
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	—	—	—	—	—	—	—

See footnote at end of table.



**Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 15, COAL</b>							
<b>Total</b> .....	<b>21.8</b>	—	<b>23.1</b>	—	<b>17.6</b>	—	<b>32.8</b>
<b>Single modes</b> .....	<b>22.8</b>	<b>4.8</b>	<b>22.8</b>	<b>4.8</b>	<b>25.7</b>	<b>7.8</b>	<b>31.5</b>
Truck .....	46.5	6.8	45.7	6.4	47.6	4.3	9.2
For-hire truck .....	45.4	5.8	45.7	6.0	44.1	4.1	9.4
Private truck .....	S	S	S	S	S	S	27.6
Rail .....	16.8	8.0	18.0	7.8	17.6	6.8	27.6
Water .....	S	S	S	S	S	S	28.2
Shallow draft .....	S	S	S	S	S	S	28.2
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>24.1</b>	<b>5.3</b>	<b>24.3</b>	<b>5.3</b>	<b>26.2</b>	<b>7.8</b>	<b>13.6</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	S	S	S	S	S	S	—
Truck and water .....	S	S	S	S	S	S	30.1
Rail and water .....	24.4	5.3	24.7	5.3	26.9	7.8	13.5
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>39.2</b>
<b>SCTG 17, GASOLINE AND AVIATION TURBINE FUEL</b>							
<b>Total</b> .....	<b>20.8</b>	—	<b>22.5</b>	—	<b>49.2</b>	—	<b>11.7</b>
<b>Single modes</b> .....	<b>21.0</b>	<b>.9</b>	<b>22.7</b>	<b>.8</b>	<b>49.2</b>	<b>.3</b>	<b>11.3</b>
Truck .....	14.2	9.4	15.1	9.8	19.6	16.1	10.2
For-hire truck .....	24.1	5.4	21.1	5.8	30.8	10.8	23.1
Private truck .....	19.6	6.7	20.7	6.0	21.7	10.4	16.0
Rail .....	—	—	—	—	—	—	—
Water .....	S	S	S	S	S	S	35.9
Shallow draft .....	S	S	S	S	S	S	35.9
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	34.3	9.7	33.5	10.2	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>31.6</b>
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	31.6
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>26.9</b>
<b>SCTG 18, FUEL OILS</b>							
<b>Total</b> .....	<b>20.5</b>	—	<b>20.7</b>	—	<b>29.5</b>	—	<b>13.9</b>
<b>Single modes</b> .....	<b>21.1</b>	<b>3.3</b>	<b>21.6</b>	<b>2.8</b>	<b>31.2</b>	<b>4.1</b>	<b>14.0</b>
Truck .....	18.2	9.2	17.9	9.7	S	S	13.3
For-hire truck .....	21.8	6.4	21.2	6.5	S	S	26.7
Private truck .....	21.9	5.4	21.2	5.5	44.2	5.6	10.4
Rail .....	S	S	S	S	S	S	45.0
Water .....	S	S	S	S	S	S	45.7
Shallow draft .....	S	S	S	S	S	S	45.7
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	—	—	—	—	—	—	—
Pipeline .....	30.8	9.7	30.6	10.1	S	S	S
<b>Multiple modes</b> .....	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier .....	—	—	—	—	—	—	—
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>30.1</b>

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.</b>							
Total .....	19.8	—	36.0	—	33.3	—	S
Single modes .....	21.0	2.6	37.1	3.7	33.6	.6	43.3
Truck .....	21.7	5.7	35.0	5.9	33.3	9.1	41.6
For-hire truck .....	37.9	5.0	S	S	44.0	4.0	22.8
Private truck .....	30.2	8.0	39.6	8.8	34.0	8.1	13.6
Rail .....	26.0	4.7	42.9	5.3	31.1	9.1	14.2
Water .....	S	S	S	S	S	S	S
Shallow draft .....	S	S	S	S	S	S	S
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	27.9
Pipeline .....	29.4	2.0	27.9	4.4	S	S	S
Multiple modes .....	S	S	38.8	.1	48.1	.3	S
Parcel, U.S. Postal Service or courier .....	S	S	S	S	27.8	—	S
Truck and rail .....	46.5	.4	47.6	—	48.8	.3	26.4
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	44.5	2.1	S	S	S	S	19.9
<b>SCTG 20, BASIC CHEMICALS</b>							
Total .....	14.3	—	24.7	—	22.1	—	S
Single modes .....	15.3	4.6	25.1	1.0	21.6	1.9	S
Truck .....	14.7	6.3	24.3	6.1	20.6	8.5	S
For-hire truck .....	16.4	4.4	32.2	6.9	23.8	8.1	13.4
Private truck .....	24.8	5.8	33.9	7.3	30.0	1.2	S
Rail .....	31.9	3.6	27.4	4.7	24.8	8.5	10.8
Water .....	S	S	S	S	S	S	34.9
Shallow draft .....	S	S	S	S	S	S	34.9
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	34.9	—	21.5
Pipeline .....	S	S	S	S	S	S	S
Multiple modes .....	26.2	4.5	S	S	S	S	12.7
Parcel, U.S. Postal Service or courier .....	30.0	3.9	49.1	—	40.9	.1	12.3
Truck and rail .....	S	S	S	S	S	S	22.8
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	41.9	.4	46.9	.4	41.5	.3	S
<b>SCTG 21, PHARMACEUTICAL PRODUCTS</b>							
Total .....	15.0	—	21.3	—	17.7	—	11.2
Single modes .....	20.1	6.7	22.5	8.7	18.4	8.8	20.9
Truck .....	16.3	7.7	24.0	9.2	22.4	10.8	14.5
For-hire truck .....	17.3	4.9	21.8	5.7	19.7	7.5	15.1
Private truck .....	34.2	4.6	34.9	6.5	36.8	5.6	30.6
Rail .....	S	S	S	S	S	S	27.1
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	32.0	2.7	48.0	.2	44.5	.3	6.8
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	14.3	6.0	28.4	8.7	22.7	8.9	11.3
Parcel, U.S. Postal Service or courier .....	14.8	6.1	28.8	8.7	23.5	9.0	11.3
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	S	S	S	S	S	S	46.4

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 22, FERTILIZERS</b>							
Total .....	33.6	—	37.5	—	22.3	—	33.3
Single modes .....	33.7	.1	37.5	.1	22.3	.2	33.8
Truck .....	36.5	6.4	41.9	8.0	32.3	11.0	37.2
For-hire truck .....	28.8	7.3	40.3	7.2	38.5	9.4	S
Private truck .....	39.9	9.1	46.1	9.3	36.2	7.3	35.7
Rail .....	38.4	3.1	43.8	4.7	43.1	10.2	17.1
Water .....	S	S	S	S	S	S	31.6
Shallow draft .....	S	S	S	S	S	S	31.6
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	31.6
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	S	S	S	S	S	S	29.9
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	29.9
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	S	S	S	S	S	S	S
<b>SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.</b>							
Total .....	9.0	—	20.2	—	10.7	—	10.6
Single modes .....	8.9	2.3	20.4	1.5	8.6	3.0	14.6
Truck .....	8.9	2.5	21.4	1.9	8.7	2.8	15.3
For-hire truck .....	13.4	4.2	29.8	5.6	11.2	3.6	9.7
Private truck .....	17.1	3.4	22.9	5.3	40.3	5.1	S
Rail .....	42.3	.5	38.4	1.3	35.6	2.3	18.8
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	8.7
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	24.0	2.5	30.2	1.3	34.8	3.2	5.4
Parcel, U.S. Postal Service or courier .....	23.2	1.8	33.4	.3	23.8	.3	5.5
Truck and rail .....	30.1	.9	36.4	1.2	37.5	3.3	11.6
Truck and water .....	S	S	S	S	S	S	30.4
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	31.6
Other and unknown modes .....	40.6	.6	S	S	47.2	1.0	30.4
<b>SCTG 24, PLASTICS AND RUBBER</b>							
Total .....	10.3	—	12.3	—	10.5	—	9.9
Single modes .....	14.0	3.3	14.3	2.5	13.9	5.1	11.9
Truck .....	14.0	3.5	13.7	4.2	12.2	5.9	12.7
For-hire truck .....	17.5	4.2	16.6	4.3	14.1	6.3	7.5
Private truck .....	21.1	3.2	18.4	3.2	35.5	2.9	33.0
Rail .....	23.4	1.2	27.6	3.3	26.2	3.8	5.0
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	27.6	—	S	S	S	S	11.6
Pipeline .....	S	S	S	S	S	S	S
Multiple modes .....	15.2	2.8	25.7	2.1	28.0	4.6	5.0
Parcel, U.S. Postal Service or courier .....	17.5	2.7	28.1	.6	36.0	1.2	5.1
Truck and rail .....	40.8	1.5	35.0	2.1	32.8	4.4	9.1
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	33.1	.9	24.6	.5	S	S	23.5

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH</b>							
Total .....	S	S	S	S	S	S	42.3
Single modes .....	S	S	S	S	S	S	47.3
Truck .....	S	S	S	S	S	S	48.4
For-hire truck .....	S	S	S	S	S	S	S
Private truck .....	S	S	S	S	S	S	29.8
Rail .....	S	S	S	S	S	S	31.6
Water .....	-	-	-	-	-	-	-
Shallow draft .....	-	-	-	-	-	-	-
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	-	-	-	-	-	-	-
Pipeline .....	-	-	-	-	S	S	S
Multiple modes .....	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier .....	-	-	-	-	-	-	-
Truck and rail .....	-	-	-	-	-	-	-
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
Other and unknown modes .....	S	S	S	S	S	S	32.5
<b>SCTG 26, WOOD PRODUCTS</b>							
Total .....	10.9	-	S	S	23.7	-	25.2
Single modes .....	11.2	.7	S	S	24.2	1.2	18.6
Truck .....	11.3	1.5	S	S	25.3	4.4	18.4
For-hire truck .....	28.3	5.2	21.5	6.8	29.2	8.6	19.5
Private truck .....	9.5	6.2	S	S	40.8	8.6	11.8
Rail .....	S	S	S	S	S	S	35.7
Water .....	-	-	-	-	-	-	-
Shallow draft .....	-	-	-	-	-	-	-
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	S	S	S	S	S	S	40.9
Pipeline .....	-	-	-	-	S	S	S
Multiple modes .....	39.0	.3	19.4	-	27.3	-	20.1
Parcel, U.S. Postal Service or courier .....	39.1	.3	19.4	-	26.3	-	20.1
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
Other and unknown modes .....	34.1	.4	S	S	S	S	S
<b>SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD</b>							
Total .....	32.4	-	26.8	-	34.1	-	17.0
Single modes .....	32.0	2.8	27.3	3.5	34.8	3.0	19.1
Truck .....	32.0	3.3	26.6	3.5	32.0	3.1	19.4
For-hire truck .....	38.4	5.6	29.5	4.9	33.0	3.1	14.4
Private truck .....	12.3	5.9	13.8	3.8	41.3	1.2	19.1
Rail .....	S	S	S	S	S	S	29.9
Water .....	-	-	-	-	-	-	-
Shallow draft .....	-	-	-	-	-	-	-
Great Lakes .....	-	-	-	-	-	-	-
Deep draft .....	-	-	-	-	-	-	-
Air (includes truck and air) .....	S	S	S	S	S	S	31.6
Pipeline .....	-	-	-	-	S	S	S
Multiple modes .....	45.2	1.7	S	S	S	S	S
Parcel, U.S. Postal Service or courier .....	48.4	1.8	S	S	S	S	S
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	-	-	-	-	-	-	-
Rail and water .....	-	-	-	-	-	-	-
Other multiple modes .....	-	-	-	-	-	-	-
Other and unknown modes .....	45.7	2.3	S	S	S	S	29.6

See footnote at end of table.

**Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 28, PAPER OR PAPERBOARD ARTICLES</b>							
<b>Total</b> .....	<b>10.9</b>	—	<b>10.5</b>	—	<b>19.9</b>	—	<b>12.4</b>
<b>Single modes</b> .....	<b>11.1</b>	<b>2.9</b>	<b>9.6</b>	<b>1.9</b>	<b>12.9</b>	<b>4.1</b>	<b>19.4</b>
Truck .....	10.2	3.0	9.6	1.9	13.0	4.1	16.8
For-hire truck .....	12.2	4.6	12.2	5.4	13.5	3.8	14.1
Private truck .....	24.0	3.2	27.8	5.1	26.9	1.9	35.5
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	31.0
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>20.2</b>	<b>2.7</b>	<b>38.0</b>	<b>1.1</b>	<b>S</b>	<b>S</b>	<b>8.3</b>
Parcel, U.S. Postal Service or courier .....	24.9	2.9	22.7	.5	29.7	1.2	8.3
Truck and rail .....	46.1	.9	S	S	S	S	13.5
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>39.2</b>	<b>1.6</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>
<b>SCTG 29, PRINTED PRODUCTS</b>							
<b>Total</b> .....	<b>6.6</b>	—	<b>10.0</b>	—	<b>12.1</b>	—	<b>18.3</b>
<b>Single modes</b> .....	<b>6.9</b>	<b>4.4</b>	<b>11.3</b>	<b>3.4</b>	<b>13.1</b>	<b>4.2</b>	<b>40.9</b>
Truck .....	6.9	4.2	11.3	3.4	13.0	4.1	45.7
For-hire truck .....	10.1	3.8	13.5	4.1	13.5	4.4	S
Private truck .....	15.0	3.4	20.6	4.0	48.8	2.8	12.4
Rail .....	S	S	S	S	S	S	28.3
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	46.6	.3	31.5	—	33.7	.2	8.8
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>20.7</b>	<b>4.3</b>	<b>32.5</b>	<b>1.8</b>	<b>34.5</b>	<b>3.6</b>	<b>10.3</b>
Parcel, U.S. Postal Service or courier .....	21.1	4.3	35.9	1.8	40.4	3.6	10.3
Truck and rail .....	S	S	S	S	S	S	30.0
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>23.7</b>	<b>1.6</b>	<b>31.4</b>	<b>2.9</b>	<b>42.1</b>	<b>2.4</b>	<b>S</b>
<b>SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER</b>							
<b>Total</b> .....	<b>6.9</b>	—	<b>9.2</b>	—	<b>11.6</b>	—	<b>9.3</b>
<b>Single modes</b> .....	<b>7.7</b>	<b>3.5</b>	<b>10.4</b>	<b>4.2</b>	<b>15.8</b>	<b>5.4</b>	<b>23.0</b>
Truck .....	7.1	3.4	10.4	4.4	15.7	5.7	24.3
For-hire truck .....	15.5	4.8	24.2	6.0	22.9	6.0	6.9
Private truck .....	16.7	3.4	19.2	7.6	18.0	5.5	S
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	36.5	—	43.6	.2	39.2
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>11.0</b>	<b>3.7</b>	<b>16.5</b>	<b>4.1</b>	<b>15.7</b>	<b>5.3</b>	<b>9.1</b>
Parcel, U.S. Postal Service or courier .....	11.1	3.8	16.6	4.1	16.1	5.4	9.1
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>38.7</b>	<b>1.7</b>	<b>49.4</b>	<b>1.8</b>	<b>34.6</b>	<b>.3</b>	<b>S</b>

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 31, NONMETALLIC MINERAL PRODUCTS</b>							
Total .....	16.5	—	S	S	44.8	—	29.2
Single modes .....	16.6	4.9	S	S	S	S	37.7
Truck .....	17.1	5.2	S	S	S	S	37.8
For-hire truck .....	22.1	4.7	S	S	S	S	S
Private truck .....	15.1	3.5	31.8	15.4	21.0	4.0	S
Rail .....	S	S	S	S	S	S	29.7
Water .....	S	S	S	S	S	S	30.7
Shallow draft .....	S	S	S	S	S	S	30.7
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	25.5
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	43.1	4.4	34.7	—	31.2	.7	28.5
Parcel, U.S. Postal Service or courier .....	44.1	4.5	41.0	—	30.9	.2	28.5
Truck and rail .....	S	S	S	S	S	S	28.3
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	31.6
Other and unknown modes .....	S	S	S	S	S	S	S
<b>SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES</b>							
Total .....	4.3	—	8.2	—	8.9	—	10.1
Single modes .....	4.4	.5	8.4	1.6	9.6	2.4	12.9
Truck .....	4.6	.8	8.8	2.0	9.4	2.0	13.2
For-hire truck .....	7.7	3.0	10.6	3.4	9.9	2.2	9.6
Private truck .....	9.6	2.5	18.7	3.8	24.7	2.2	14.9
Rail .....	18.4	.6	20.0	1.2	16.0	1.7	14.6
Water .....	S	S	S	S	S	S	31.6
Shallow draft .....	S	S	S	S	S	S	31.6
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	43.9	—	S	S	S	S	18.0
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	16.2	.4	28.0	.3	21.3	.6	10.7
Parcel, U.S. Postal Service or courier .....	32.6	.4	27.2	—	36.5	—	11.9
Truck and rail .....	19.5	.2	29.2	.3	21.9	.5	13.3
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	S	S	S	S	S	S	31.6
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	29.7	.2	S	S	S	S	45.7
<b>SCTG 33, ARTICLES OF BASE METAL</b>							
Total .....	6.7	—	9.3	—	6.5	—	7.6
Single modes .....	7.9	2.9	10.7	1.5	8.5	2.2	12.2
Truck .....	7.9	3.0	10.4	1.3	7.9	1.8	13.2
For-hire truck .....	8.8	2.7	9.3	1.6	7.3	1.4	6.8
Private truck .....	7.5	1.1	17.1	1.8	28.6	1.5	16.6
Rail .....	S	S	S	S	S	S	22.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	44.3	.3	S	S	S	S	5.5
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	11.0	1.8	14.5	1.0	17.9	1.6	8.2
Parcel, U.S. Postal Service or courier .....	12.1	1.8	12.6	.5	12.0	.4	8.2
Truck and rail .....	39.5	.5	35.8	.9	33.5	1.6	28.0
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	37.7	1.4	18.5	.8	22.2	1.1	S

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 34, MACHINERY</b>							
Total .....	7.5	—	9.5	—	12.7	—	14.2
Single modes .....	8.0	1.6	9.9	1.9	13.5	4.4	30.5
Truck .....	8.5	2.3	10.1	1.8	14.1	5.2	34.7
For-hire truck .....	10.2	3.9	10.1	4.6	15.9	5.4	6.4
Private truck .....	24.9	3.3	26.5	4.3	23.3	1.8	47.2
Rail .....	49.0	1.2	43.2	1.0	43.8	2.8	22.7
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	24.4	.6	25.1	.1	26.6	.3	5.5
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	13.2	1.5	31.1	1.6	39.6	4.4	6.9
Parcel, U.S. Postal Service or courier .....	12.1	1.3	19.5	.6	14.0	1.4	6.9
Truck and rail .....	49.8	.6	S	S	S	S	24.4
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	13.5	.5	29.5	1.1	33.9	.3	26.3
<b>SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT</b>							
Total .....	7.8	—	9.1	—	11.0	—	9.6
Single modes .....	12.3	4.0	9.3	1.3	13.3	2.1	20.1
Truck .....	13.7	4.7	9.6	1.7	14.7	3.5	26.6
For-hire truck .....	17.8	5.9	13.2	4.9	16.9	4.3	8.5
Private truck .....	38.5	4.2	18.5	3.4	15.6	1.7	31.9
Rail .....	S	S	S	S	S	S	27.4
Water .....	S	S	S	S	S	S	31.6
Shallow draft .....	S	S	S	S	S	S	31.6
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	25.9	1.3	24.7	.3	29.8	1.1	5.5
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	11.4	3.9	14.2	1.0	8.3	1.7	7.6
Parcel, U.S. Postal Service or courier .....	11.6	3.9	15.4	1.1	11.6	1.8	7.6
Truck and rail .....	30.5	—	31.2	.2	34.2	.7	17.1
Truck and water .....	S	S	S	S	S	S	29.8
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	S	S	S	S	S	S	31.6
Other and unknown modes .....	29.7	.8	30.5	.5	28.9	.4	S
<b>SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS)</b>							
Total .....	14.2	—	17.3	—	20.6	—	24.8
Single modes .....	16.7	3.3	17.9	2.1	21.3	4.5	S
Truck .....	15.2	5.8	16.0	5.7	22.0	7.2	S
For-hire truck .....	16.9	4.8	17.6	3.7	21.8	5.4	34.8
Private truck .....	19.4	3.4	25.6	3.6	S	S	S
Rail .....	S	S	33.5	6.0	32.8	7.7	20.2
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	26.4	.2	43.7	.1	S	S	5.9
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	24.4	3.8	32.5	2.6	30.2	4.9	3.1
Parcel, U.S. Postal Service or courier .....	31.5	3.5	40.4	2.3	44.4	3.8	4.4
Truck and rail .....	37.2	3.7	40.8	2.3	34.4	5.2	21.1
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	31.9	1.4	36.6	1.3	S	S	S

See footnote at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.</b>							
Total .....	15.5	—	21.4	—	26.3	—	10.4
Single modes .....	13.4	7.9	21.5	.5	26.5	3.6	15.4
Truck .....	20.5	11.3	34.9	13.1	34.0	13.5	14.2
For-hire truck .....	21.2	10.2	33.9	11.0	36.8	10.9	13.7
Private truck .....	37.1	5.6	S	S	43.3	5.1	S
Rail .....	34.7	4.9	34.1	13.6	S	S	S
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	48.2	1.6	47.9	3.3	16.1
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	S	S	35.7	.5	40.5	3.6	21.3
Parcel, U.S. Postal Service or courier .....	S	S	35.7	.5	40.5	3.6	21.3
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	S	S	S	S	S	S	31.9
<b>SCTG 38, PRECISION INSTRUMENTS AND APPARATUS</b>							
Total .....	19.9	—	17.3	—	16.1	—	5.3
Single modes .....	13.2	3.9	18.2	4.1	19.7	5.6	9.1
Truck .....	14.9	3.2	18.8	3.9	20.6	5.0	14.1
For-hire truck .....	14.6	3.2	17.2	3.2	21.0	5.0	11.3
Private truck .....	32.7	1.6	35.8	2.9	44.9	.5	40.7
Rail .....	—	—	—	—	—	—	—
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	28.7	2.6	26.0	1.3	27.0	2.2	3.9
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	26.1	4.1	21.5	3.7	18.0	5.5	9.3
Parcel, U.S. Postal Service or courier .....	26.1	4.1	21.7	3.7	18.3	5.4	9.3
Truck and rail .....	S	S	S	S	S	S	27.9
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	28.1	1.0	28.5	1.7	43.9	.7	33.4
<b>SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS</b>							
Total .....	12.4	—	14.8	—	19.5	—	17.3
Single modes .....	14.6	5.4	16.1	3.4	20.2	6.2	16.3
Truck .....	14.4	5.4	16.4	3.5	22.4	7.6	17.2
For-hire truck .....	21.4	7.8	24.3	7.9	26.0	9.0	12.6
Private truck .....	21.5	7.5	20.3	7.2	S	S	42.8
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	28.5
Pipeline .....	—	—	—	—	S	S	S
Multiple modes .....	34.0	2.4	30.0	.9	29.7	.9	11.3
Parcel, U.S. Postal Service or courier .....	34.0	2.4	30.0	.9	29.7	.9	11.3
Truck and rail .....	—	—	—	—	—	—	—
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
Other and unknown modes .....	S	S	S	S	S	S	43.5

See footnote at end of table.



**Table B-6. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS</b>							
<b>Total</b> .....	<b>8.5</b>	—	<b>15.0</b>	—	<b>30.2</b>	—	<b>7.2</b>
<b>Single modes</b> .....	<b>12.3</b>	<b>3.9</b>	<b>15.3</b>	<b>2.5</b>	<b>32.2</b>	<b>3.2</b>	<b>12.3</b>
Truck .....	12.3	3.8	15.6	2.9	34.2	4.2	13.3
For-hire truck .....	16.4	4.0	18.5	6.7	10.7	9.6	7.6
Private truck .....	12.8	3.2	44.0	6.3	S	S	13.4
Rail .....	43.9	.5	42.6	.8	43.6	2.1	26.9
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	46.5	.3	47.2	—	46.9	.1	23.0
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>12.9</b>	<b>3.4</b>	<b>14.7</b>	<b>1.5</b>	<b>14.8</b>	<b>1.8</b>	<b>3.7</b>
Parcel, U.S. Postal Service or courier .....	13.5	3.2	17.7	1.4	19.4	1.7	3.7
Truck and rail .....	S	S	S	S	47.3	1.0	18.9
Truck and water .....	S	S	S	S	S	S	29.8
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>48.4</b>	<b>1.9</b>	<b>S</b>	<b>S</b>	<b>36.3</b>	<b>1.6</b>	<b>49.9</b>
<b>SCTG 41, WASTE AND SCRAP</b>							
<b>Total</b> .....	<b>25.4</b>	—	<b>22.8</b>	—	<b>18.5</b>	—	<b>33.1</b>
<b>Single modes</b> .....	<b>25.3</b>	<b>.2</b>	<b>22.7</b>	—	<b>18.6</b>	<b>.3</b>	<b>34.0</b>
Truck .....	27.7	4.8	24.8	4.8	25.2	9.3	35.3
For-hire truck .....	39.1	9.3	26.7	8.7	35.4	9.6	19.9
Private truck .....	40.8	9.7	36.9	10.1	38.2	6.6	16.5
Rail .....	28.1	4.9	28.7	4.8	25.4	9.4	42.8
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	30.1
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>27.3</b>
Parcel, U.S. Postal Service or courier .....	S	S	S	S	S	S	31.6
Truck and rail .....	S	S	S	S	S	S	26.0
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>31.6</b>
<b>SCTG 43, MIXED FREIGHT</b>							
<b>Total</b> .....	<b>28.8</b>	—	<b>23.2</b>	—	<b>30.4</b>	—	<b>34.9</b>
<b>Single modes</b> .....	<b>27.4</b>	<b>1.8</b>	<b>22.6</b>	<b>1.9</b>	<b>28.9</b>	<b>7.2</b>	<b>48.7</b>
Truck .....	26.2	3.4	22.4	2.5	27.7	8.8	S
For-hire truck .....	44.5	6.8	S	S	41.1	8.9	26.1
Private truck .....	27.1	6.5	19.0	7.0	33.3	11.4	S
Rail .....	S	S	S	S	S	S	31.6
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	25.8
Pipeline .....	—	—	—	—	S	S	S
<b>Multiple modes</b> .....	<b>38.8</b>	<b>1.7</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>23.5</b>
Parcel, U.S. Postal Service or courier .....	44.2	1.8	49.6	.4	46.8	.9	24.6
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	—	—	—	—	—	—	—
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>

See footnote at end of table.

Table B-6. **Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 1997—Con.**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
<b>COMMODITY UNKNOWN</b>							
<b>Total</b> .....	<b>26.2</b>	—	<b>48.2</b>	—	<b>33.8</b>	—	<b>21.1</b>
<b>Single modes</b> .....	<b>28.9</b>	<b>7.3</b>	<b>49.6</b>	<b>5.3</b>	<b>35.9</b>	<b>5.3</b>	<b>S</b>
Truck .....	28.9	6.7	S	S	35.0	6.3	S
For-hire truck .....	24.7	6.9	25.0	15.9	36.8	9.2	14.7
Private truck .....	S	S	S	S	S	S	S
Rail .....	S	S	S	S	S	S	33.8
Water .....	—	—	—	—	—	—	—
Shallow draft .....	—	—	—	—	—	—	—
Great Lakes .....	—	—	—	—	—	—	—
Deep draft .....	—	—	—	—	—	—	—
Air (includes truck and air) .....	S	S	S	S	S	S	26.8
Pipeline .....	S	S	S	S	S	S	S
<b>Multiple modes</b> .....	<b>30.5</b>	<b>6.0</b>	<b>35.0</b>	<b>.8</b>	<b>41.9</b>	<b>4.0</b>	<b>13.6</b>
Parcel, U.S. Postal Service or courier .....	31.1	6.1	39.8	.6	49.2	1.2	13.6
Truck and rail .....	S	S	S	S	S	S	31.6
Truck and water .....	S	S	S	S	S	S	31.6
Rail and water .....	—	—	—	—	—	—	—
Other multiple modes .....	—	—	—	—	—	—	—
<b>Other and unknown modes</b> .....	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>S</b>	<b>26.1</b>

— Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-7. **Measures of Reliability for Shipment Characteristics by State of Destination for State of Origin: 1997**

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

State of destination	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
<b>Total</b> .....	<b>1.9</b>	—	<b>13.0</b>	—	<b>4.2</b>	—
<b>NEW ENGLAND STATES</b>						
Connecticut .....	10.2	—	14.7	—	16.9	—
Maine .....	7.1	—	45.9	—	44.9	—
Massachusetts .....	6.5	—	24.0	—	26.5	.2
New Hampshire .....	17.7	—	47.9	—	S	S
Rhode Island .....	30.5	—	21.0	—	19.8	—
Vermont .....	20.6	—	21.2	—	22.0	—
<b>MIDDLE ATLANTIC STATES</b>						
New Jersey .....	5.5	—	14.4	—	15.9	.2
New York .....	8.5	.1	24.3	.1	24.8	.3
Pennsylvania .....	4.7	—	10.8	.1	12.0	.2
<b>EAST NORTH CENTRAL STATES</b>						
Illinois .....	2.5	.7	19.6	3.6	16.7	2.1
Indiana .....	7.7	.4	15.8	.9	16.3	.5
Michigan .....	6.9	.3	22.4	.5	17.8	.4
Ohio .....	6.4	.2	26.7	.5	26.2	.8
Wisconsin .....	6.4	.2	9.0	.3	10.8	.1
<b>WEST NORTH CENTRAL STATES</b>						
Iowa .....	6.8	.1	11.9	.2	14.0	.2
Kansas .....	9.6	—	10.3	—	11.4	—
Minnesota .....	7.6	.1	15.6	.1	16.0	.3
Missouri .....	10.9	.3	17.1	.5	12.0	.2
Nebraska .....	22.0	.1	16.6	—	16.4	—
North Dakota .....	27.2	.1	24.2	—	26.3	—
South Dakota .....	S	S	12.3	—	11.7	—
<b>SOUTH ATLANTIC STATES</b>						
Delaware .....	40.4	—	S	S	S	S
District of Columbia .....	37.0	—	S	S	S	S
Florida .....	5.5	.1	22.3	.4	21.3	1.4
Georgia .....	7.9	.2	12.2	.1	10.8	.4
Maryland .....	16.0	.2	22.7	—	25.2	.2
North Carolina .....	10.0	.1	15.8	—	16.8	.3
South Carolina .....	8.1	—	18.6	—	19.4	.1
Virginia .....	22.6	.3	19.5	—	19.1	.1
West Virginia .....	31.7	—	18.4	—	18.1	—
<b>EAST SOUTH CENTRAL STATES</b>						
Alabama .....	11.6	—	23.5	.2	26.4	.6
Kentucky .....	13.0	.2	22.7	.2	20.4	.3
Mississippi .....	11.9	—	33.4	.2	34.7	.6
Tennessee .....	7.3	.1	43.0	.9	27.3	.7
<b>WEST SOUTH CENTRAL STATES</b>						
Arkansas .....	7.0	—	21.7	.1	25.2	.2
Louisiana .....	5.5	—	8.7	.6	7.9	1.8
Oklahoma .....	10.6	—	16.7	—	15.5	—
Texas .....	6.1	.2	13.2	.2	13.8	.4
<b>MOUNTAIN STATES</b>						
Arizona .....	16.6	.1	26.8	—	27.3	.2
Colorado .....	14.0	—	13.3	—	13.7	—
Idaho .....	22.1	—	S	S	S	S
Montana .....	19.6	—	19.1	—	21.4	—
Nevada .....	15.5	—	29.1	—	28.5	—
New Mexico .....	22.6	—	43.3	—	44.0	—
Utah .....	16.4	—	14.8	—	15.1	—
Wyoming .....	16.6	—	S	S	S	S
<b>PACIFIC STATES</b>						
Alaska .....	42.3	—	26.4	—	25.7	—
California .....	3.2	.2	10.3	.1	10.5	.8
Hawaii .....	31.4	—	29.3	—	25.8	—
Oregon .....	10.3	—	S	S	S	S
Washington .....	8.9	—	10.1	—	10.1	—

— Represents data cell equal to zero or less than 1 unit of measure.  
 D Denotes figures withheld to avoid disclosing data for individual companies.  
 S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-8. Measures of Reliability for Inbound Shipment Characteristics by State of Origin for State of Destination: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

State of origin	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
<b>Total</b> .....	<b>1.6</b>	<b>-</b>	<b>13.7</b>	<b>-</b>	<b>5.3</b>	<b>-</b>
<b>NEW ENGLAND STATES</b>						
Connecticut .....	20.3	.2	29.0	-	28.2	.2
Maine .....	31.0	-	17.2	-	17.5	-
Massachusetts .....	12.0	.1	8.4	-	8.5	-
New Hampshire .....	18.0	-	16.3	-	15.7	-
Rhode Island .....	26.2	-	37.6	-	37.5	-
Vermont .....	21.1	-	42.5	-	43.7	-
<b>MIDDLE ATLANTIC STATES</b>						
New Jersey .....	9.9	.2	16.6	-	16.2	.1
New York .....	7.9	.2	19.8	.1	20.5	.4
Pennsylvania .....	8.3	.2	12.0	-	12.6	.2
<b>EAST NORTH CENTRAL STATES</b>						
Illinois .....	2.5	.6	19.6	3.1	16.7	2.0
Indiana .....	6.4	.3	12.6	.7	15.8	.5
Michigan .....	9.7	.3	16.4	.4	17.3	.6
Ohio .....	12.5	.7	7.9	.2	8.3	.2
Wisconsin .....	6.0	.4	8.1	.4	9.0	.2
<b>WEST NORTH CENTRAL STATES</b>						
Iowa .....	7.2	.2	20.8	.6	23.2	.7
Kansas .....	15.9	.2	36.7	.1	42.3	.4
Minnesota .....	12.9	.3	41.4	.8	S	S
Missouri .....	10.9	.4	10.4	.3	8.2	.2
Nebraska .....	13.7	.1	19.7	-	20.2	.1
North Dakota .....	S	S	S	S	S	S
South Dakota .....	37.0	-	26.1	-	29.5	-
<b>SOUTH ATLANTIC STATES</b>						
Delaware .....	26.9	-	28.0	-	28.0	-
District of Columbia .....	S	S	S	S	S	S
Florida .....	12.6	.1	19.1	-	19.5	.2
Georgia .....	7.1	-	19.7	-	18.6	.2
Maryland .....	22.8	-	27.7	-	29.4	.1
North Carolina .....	6.5	-	13.5	-	15.6	.2
South Carolina .....	14.0	-	10.4	-	10.3	-
Virginia .....	6.7	-	29.7	-	24.9	.2
West Virginia .....	13.7	-	26.1	-	26.7	.2
<b>EAST SOUTH CENTRAL STATES</b>						
Alabama .....	12.5	.1	18.1	-	19.8	.2
Kentucky .....	10.7	.1	12.0	-	22.2	.1
Mississippi .....	14.1	-	14.7	-	19.5	.1
Tennessee .....	7.7	.1	17.2	-	14.0	.1
<b>WEST SOUTH CENTRAL STATES</b>						
Arkansas .....	12.7	-	21.5	.1	15.5	.2
Louisiana .....	12.1	.1	14.2	.2	17.1	1.2
Oklahoma .....	13.6	-	20.3	-	22.2	-
Texas .....	7.9	.3	18.6	.3	15.5	1.1
<b>MOUNTAIN STATES</b>						
Arizona .....	S	S	S	S	S	S
Colorado .....	15.3	.1	30.8	.3	31.4	1.6
Idaho .....	8.8	-	13.9	-	14.2	.1
Montana .....	12.7	-	38.3	.2	37.8	.9
Nevada .....	41.3	-	17.0	-	17.1	-
New Mexico .....	36.1	-	45.4	-	45.5	.1
Utah .....	S	S	S	S	S	S
Wyoming .....	20.0	-	24.0	.9	24.0	3.7
<b>PACIFIC STATES</b>						
Alaska .....	46.6	-	46.6	-	45.6	-
California .....	10.2	.4	17.9	-	16.7	.7
Hawaii .....	S	S	S	S	S	S
Oregon .....	11.7	-	10.6	-	10.3	.1
Washington .....	S	S	8.6	-	9.0	.1

- Represents data cell equal to zero or less than 1 unit of measure.  
D Denotes figures withheld to avoid disclosing data for individual companies.  
S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

# Appendix C.

## Sample Design, Data Collection, and Estimation

---

### INTRODUCTION

The primary goal for the 1997 Commodity Flow Survey (CFS) is to estimate shipping volumes (value, tons, and ton-miles) by commodity and mode of transportation at varying levels of geographic detail. A detailed description of the sample design for the 1997 CFS is provided below.

### SAMPLE DESIGN

The sample for the 1997 CFS is selected using a stratified three-stage design in which the first-stage sampling units are establishments, the second-stage sampling units are groups of four 1-week periods (reporting weeks) within the survey year, and the third-stage sampling units are shipments.

#### First Stage

To create the first-stage sampling frame, we extracted a subset of establishment records from the 1995 Standard Statistical Establishment List (SSEL). The SSEL is a database, maintained by the Bureau of the Census, that contains a record for each establishment with employees. (An establishment is a single physical location where business transactions take place.) Establishments having nonzero payroll in 1994 and classified in the mining, manufacturing, wholesale, or selected retail industries, as defined by the 1987 Standard Industrial Classification (SIC) Manual, are included on the sampling frame. Auxiliary establishments (e.g. warehouses and central administrative offices) with shipping activity are also included. Auxiliary establishments are establishments that are primarily involved in rendering support services for other establishments within the same company, instead of for the public, government, or other business firms. All other establishments contained on the sampling frame are referred to as nonauxiliary establishments. For each establishment we extracted sales, payroll, number of employees, name and address information, as well as a primary identifier. We also computed a measure of size for each establishment. The measure of size for a particular establishment is designed to approximate the establishment's total value of shipments for 1994.

To reduce the amount of sampling variability and because estimates are desired for each commodity, we used a stratified design with a certainty component for each three-digit SIC. To accomplish this, each establishment on the sampling frame is classified into a three-digit

SIC grouping. For each group of establishments, a boundary (or cutoff) that divides the certainty establishments from the noncertainty establishments is determined using the Lavallee-Hidiroglou algorithm. If an establishment's measure of size is greater than the cutoff, the establishment is selected "with certainty". Establishments selected "with certainty" were assured of being selected and represented only themselves (i.e., have a selection probability of one and a sampling weight of one). No certainty cutoffs are set for auxiliary establishments because they only make up a small portion of the estimated total value of shipments for all establishments on the sampling frame.

Establishments not selected with certainty make up the noncertainty universe. We stratify the noncertainty universe by SIC recode, National Transportation Analysis Region (NTAR), and a flag used to differentiate auxiliary establishments from nonauxiliary establishments. Each SIC recode is constructed from a group of related three-digit SIC codes. The NTARs, developed by the Department of Transportation as combinations of Bureau of Economic Analysis (BEA) Areas, collectively provide a mutually exclusive and exhaustive coverage of the United States. Finally, the auxiliary stratification came about because establishments with different types of operation may have different shipping practices. We refer to a particular SIC recode-NTAR-auxiliary flag combination as a primary stratum.

We further stratify the noncertainty establishments within each primary stratum using the measure of size previously described. We refer to these measure-of-size strata as substrata of the primary strata. The measure of size stratification increases the efficiency of the sample design. The Dalenius-Hodges cumulative rule is used to set the substratum boundaries. We then use Neyman allocation to determine the sample size required within each substratum to meet a coefficient of variation constraint on the primary stratum total measure of size. Within each substratum, a simple random sample of establishments is selected without replacement.

To arrive at the final sample size, we allocated additional establishments to some of the strata so that the probability of selecting any establishment is no less than 1 in 100. In total, the first-stage sample comprises 102,739 establishments.

#### Second Stage

The frame for the second stage of sampling consists of 52 one-week reporting periods (reporting weeks) during the interval from December 29, 1996, to December 26,

---

1997. Each establishment selected for the 1997 CFS was systematically assigned to report for a group of four reporting weeks throughout the survey year. The four reporting weeks in a given group are separated by 12 weeks. For example, an establishment might be requested to report data for the 5th, 18th, 31st, and 44th weeks of the survey year.

### Third Stage

For each of the four reporting weeks in which an establishment is asked to report, we request the respondent to construct a sampling frame that consists of all shipments made by their establishment in each particular reporting week. For any particular reporting week, if an establishment makes 40 or fewer shipments during that week, we ask the respondent to provide information about all of their establishment's shipments from that week, i.e., no sampling is required. For establishments making more than 40 shipments in a given reporting week, we ask the respondent to select a systematic sample of these shipments and to provide us with information only about the selected shipments. The size of a particular respondent's sample for a given reporting week should be between 20 and 40 shipments, depending on the total number of shipments the establishment made during that reporting week.

### DATA COLLECTION

Each establishment selected into the CFS sample is mailed a questionnaire for each of its four reporting weeks. For a given establishment, we request the respondent to provide the following information about their establishment's shipments: domestic destination or port of exit, commodity, value, weight, mode(s) of transportation, the date on which the shipment was made, and an indication of whether the shipment was an export, hazardous material, or containerized. For shipments that include more than one commodity, respondents are instructed to report the commodity that makes up the greatest percentage of the shipment's weight. For exports, we also ask the respondent to provide the mode of export and the foreign destination city and country.

We used two versions of the questionnaire to collect data from the sampled establishments—the CFS-1000 and the CFS-2000. Each establishment received the CFS-1000 in each of its first three reporting weeks. However, for the fourth reporting week, a subsample of approximately 25,000 establishments received the CFS-2000, while the remaining establishments received the CFS-1000. The CFS-2000 requests the respondent to provide additional information about their establishment's access to on-site and off-site shipping facilities, as well as transportation equipment. See Appendix E for a copy of each questionnaire.

### ESTIMATION

Each shipment has associated with it a single tabulation weight, that is used in computing all estimates to which

the shipment contributes. The tabulation weight is a product of seven different weights. A description of each weight follows.

CFS respondents provide data for a sample of shipments made by their respective establishments in the survey year. For each establishment, we produce an estimate of that establishment's total value of shipments for the entire survey year. To do this, we use four different weights, the shipment weight, the shipment nonresponse weight, the quarter weight, and the quarter nonresponse weight.

Like establishments, we identify shipments as either certainty or noncertainty. (See the Nonsampling Error section in Appendix B for a description of how certainty shipments are identified.) For noncertainty shipments, the shipment weight is defined as the ratio of the total number of noncertainty shipments (as reported by the respondent) made by an establishment in a reporting week to the number of sampled noncertainty shipments for the same week. This weight uses the data from the sampled shipments to represent all the establishment's shipments made in the reporting week. However, some respondents fail to provide sufficient information about a sampled shipment. For example, a respondent may not be able to provide value, weight, or a destination ZIP Code for some of the sampled shipments. If these data items cannot be imputed, then these shipments would not contribute to tabulations and are deemed "unusable." (A usable shipment is one that has valid entries for value, weight, and origin and destination ZIP Codes.) To account for these "unusable" shipments, we apply the shipment nonresponse weight. For noncertainty shipments from a particular establishment's reporting week, this weight is equal to the ratio of the number of sampled shipments for the reporting week to the number of "usable" shipments for the same week. The shipment weight and shipment nonresponse weight for certainty shipments from a particular establishment's reporting week are both equal to one.

The quarter weight inflates an establishment's estimate for a particular reporting week to an estimate for the corresponding quarter. For noncertainty shipments, the quarter weight is equal to 13. The quarter weight for most certainty shipments is also equal to 13. However, if a respondent is able to provide information about all large (or certainty) shipments made in the quarter containing the reporting week, then the quarter weight for each of these shipments would be one. For each establishment, the quarterly estimates are added to produce an estimate of the establishment's value of shipments for the entire survey year. Whenever an establishment does not provide the Census Bureau with a response for each of its four reporting weeks, we compute a quarter nonresponse weight. The quarter nonresponse weight for a particular establishment is defined as the ratio of the number of

---

quarters for which the establishment was in business in the survey year to the total number of quarters (reporting weeks) for which we received usable shipment data from the establishment.

Using these four component weights, we compute an estimate of each establishment's value of shipments for the entire survey year. We then multiply this estimate by a weight that adjusts the estimate using value of shipments and sales data obtained from other Census Bureau surveys and preliminary results of the 1997 Economic Census. This weight, called the establishment-level adjustment weight, attempts to correct for any sampling or nonsampling errors that occur during the sampling of shipments by the respondent.

The adjusted value of shipments estimate for an establishment is then weighted by the establishment weight. This weight is equal to the inverse of the establishment's probability of being selected into the sample.

A final adjustment weight, called the SIC-level adjustment weight, uses preliminary results of the 1997 Economic Census to account for establishments from which we did not receive a response (including establishments from which we did not receive any usable shipment data) and for changes in the population of establishments between the time the first-stage sampling frame was constructed (1995) and the year in which the data were collected (1997). Separate SIC-level adjustment weights are determined for nonauxiliary and auxiliary establishments.

## Appendix D.

# Standard Classification of Transported Goods Code Information

---

The commodities shown in this report are classified using the Standard Classification of Transported Goods (SCTG) coding system. The SCTG coding system was created jointly by agencies of the United States and Canadian governments based on the Harmonized System (HS) of product classification which is used worldwide. The purpose of the SCTG coding system was to specifically address statistical needs in regard to products transported.

In the past, Commodity Flow Survey (CFS) data have been collected and reported using product classifications found in the Standard Transportation Commodity Classification (STCC) system. These classifications were developed in the early 1960s by the American Association of Railroads (AAR) to analyze commodity movements by rail. The original purpose of the STCC was for identification of commodities for purposes of assigning rates for Interstate Commerce Commission (ICC) regulated rail carriers. The STCC continues to be used by the AAR as a tariff mechanism.

At the time that the Commodity Transportation Survey (CTS) (the CTS—the predecessor of the CFS) was first conducted in 1963, STCC codes were still useful for analyzing most important aspects of the U.S. transportation system. Since then, many changes have taken place that have gradually made the STCC code less useful for tracking domestic product movements across all modes (although

it remains perfectly functional for tracking rail-only movements). These include the deregulation of trucking, the enactment of North American Free Trade Agreement (NAFTA), changes in logistics practices, the emergence of plastics and composite materials to replace metals and glass, the obsolescence of many categories of wood products, and the very rapid recent development of high-tech electronic goods. Because the CFS is a shipper survey, the CFS collects information about shipments moving on all modes. As a consequence, STCC classifications frequently provide inadequate detail for identifying products that are significant for modes, such as truck and air. It is for these reasons that the Bureau of Transportation Statistics (BTS) has sponsored the development of a new product code to collect and report CFS data.

In 1997 the CFS provided respondents with a listing of SCTG codes and descriptions at the five-digit level to use in assigning a commodity code for each shipment. For shipments of more than one commodity, we instructed respondents to use the five-digit code for the major commodity, defined as the commodity of greatest total weight in the shipment.

Additional information on the SCTG system can be found on the Internet through the BTS web page at <http://www.bts.gov>. Comments or questions on the SCTG should be directed to [http://cfs@bts.gov](mailto:cfs@bts.gov).



# Appendix E.

## Sample Report Forms and Instructions

---

The sample report forms and instructions are shown on the following pages.

**Note:** The CFS-2000 was sent to a subsample of establishments to obtain additional information about the use of transportation equipment and facilities.

**1997 COMMODITY FLOW SURVEY  
CENSUS OF TRANSPORTATION**

**Reporting period:**

**Please return by:**

**RETURN TO**

**BUREAU OF THE CENSUS  
1201 East 10th Street  
Jeffersonville IN 47132-0001**

*(Please correct any error in name, address, and ZIP Code)*

**BEFORE COMPLETING YOUR REPORT**, please read the accompanying instruction guide. If book figures are not available for requested data, please provide estimates. If you have any questions, please call 1-800-772-7851.

Through this survey, we are requesting data on a representative sample of your outbound shipments, to help us produce key statistics used by transportation planners and managers. We greatly appreciate your assistance in this program.

**Item C** Is this establishment's physical location the same as the address shown in the label? (PO boxes or rural routes are not physical locations.)

- 1  Yes
- 2  No — *Enter physical location below.* ↗

Number and street		
City, town, village, etc.	State	ZIP Code

**NOTE** — The rest of this questionnaire requests information about shipments (or deliveries) from the establishment located at the address in the mailing label.

If you entered a different address in item C — *Please complete the form for shipments originating from the location listed in item C.*

**Item D** Please enter the **total number** of outbound shipments (or deliveries), including customer pick-up, for the one-week reporting period shown above. If book figures are not available, please provide your best estimate.

	This number should reflect all shipments and deliveries leaving this location during the one-week reporting period. <i>Please see Instruction Guide for a definition of "shipment."</i>
--	---

**DO NOT PROCEED UNTIL YOU HAVE COMPLETED ITEM D.**

**Item A** Is the establishment name shown in the mailing address correct?

- 1  Yes
- 2  No — *Enter correct name.* ↗

**Item B** Mark (X) the **ONE** box which best describes this establishment during the one-week period shown above.

- 1  In operation
- 2  Temporarily or seasonally inactive
- 3  Ceased operation — *Give date* →

Month	Day	Year

**YOUR RESPONSE IS REQUIRED BY LAW.** Title 13, United States Code, requires businesses and other organizations that receive this questionnaire to answer the questions and return the report to the Census Bureau. By the same law, **YOUR CENSUS REPORT IS CONFIDENTIAL.** It may be seen only by Census Bureau employees and may be used only for statistical purposes. Further, copies retained in respondents' files are immune from legal process.

**Item E SAMPLING INSTRUCTIONS**

Our goal in this section is to identify a sample of your shipments that you will provide data on. Through the use of a sample, we can avoid asking you for information on all of your shipments, while still obtaining statistically accurate information.

**FINDING YOUR SELECTION RATE**

If you reported 40 or fewer shipments in item D, please enter "1" as your selection rate in the box below, then go directly to item F and enter the information for each of your shipments.

If you reported 41 or more shipments in item D, we will now ask you to select and report on a sample of your shipments. Following the steps below will result in a sample of 20 to 40 shipments to report on in item F.

In the table at right, identify the selection rate that corresponds to the number you entered in item D, and enter it in the box below.

Please enter your selection rate. →

Number of shipments entered in item D	Selection rate
1— 40	1
41— 80	2
81— 100	3
101— 200	5
201— 400	10
401— 800	20
801— 1600	40
1601— 3200	80
3201— 6400	160
6401— 12800	320
More than 12800	Call Census at 1-800-772-7851

**CONTINUE ON NEXT PAGE.** ↗

**Item F SHIPMENT CHARACTERISTICS**

Line No. (a)	Shipment ID Number (b)	Shipment date (c)		Shipment value (excluding shipping costs) in whole dollars (d)	Shipment weight in pounds (e)	Commodity code from SCTG Manual (f)	Commodity description (g)	If a hazardous material, enter the "UN" or "NA" number (h)
		Month	Day					
0	123-5	4	26	4,235	140	3   5   1   2   0	Electrical transformers	
00	402H	4	26	125,300	626,500	1   7   1   0   0	Gasoline	1   2   0   3
1								
2								
3								
4								
5								
6								
7								
8								
9								

Mode of transport codes for columns (k) and (n) ▶

**1** — Parcel delivery, courier, or U.S. Postal Service

**2** — Private truck  
**3** — For-hire truck


**4** — Railroad  
*Continued* →

**SELECTING YOUR SAMPLE OF SHIPMENTS**


1. Use the file or combination of files that best reflects your full range of outbound shipping activities.
2. Begin with the first shipment. Count the shipments until you reach your selection rate. Select this shipment to report on in item F.
3. Continue counting with the next shipment. Count this shipment as 1 and continue until you reach the selection rate again. Select this shipment to report on in item F.
4. Repeat step 3 until you reach the last shipment for the one-week period. If the last shipment is counted as the selection rate, select this shipment to report on in item F. If the last shipment is not counted as the selection rate, do not report this shipment.

**In the following examples, each rectangle represents one shipment.**

If the selection rate is 5, select every fifth shipment.



If the selection rate is 2, select every other shipment.



Once you have selected your sample of shipments, please proceed to item F and enter the requested information for each selected shipment. Examples of completed lines for two shipments are provided on lines "0" and "00" below.

If you have difficulties constructing a file of shipments or have questions about how to select the sample of your shipments, please call our toll-free number for assistance: 1-800-772-7851.

Containerized? (Y/N)	U.S. destination <i>(Complete for all shipments.)</i>			Mode(s) of transport to U.S. destination <i>Enter all that apply in order used. Use codes below.</i>	Export? (Y/N)	Foreign destination <i>(for export shipments only)</i> <b>Note:</b> In column (j) enter the U.S. port, airport, or border crossing of exit.		Export mode	Line No.
	(i)	(j)				(k)	(l)		
	City	State	ZIP Code			City	Country		
N	Los Angeles	C A	9 0 0 4 0	2, 4, 3	N				0
N	New York	N Y	1 0 4 5 4	5	Y	London	England	6	00
									1
									2
									3
									4
									5
									6
									7
									8
									9

5 — Shallow draft vessel      7 — Pipeline      9 — Other mode  
 6 — Deep draft vessel      8 — Air      0 — Unknown

**Item F SHIPMENT CHARACTERISTICS — Continued**

Line No. (a)	Shipment ID Number (b)	Shipment date (c)		Shipment value (excluding shipping costs) in whole dollars (d)	Shipment weight in pounds (e)	Commodity code from SCTG Manual (f)	Commodity description (g)	If a hazardous material, enter the "UN" or "NA" number (h)
		Month	Day					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								

Mode of transport codes for columns (k) and (n) ▶

**1** — Parcel delivery, courier, or U.S. Postal Service

**2** — Private truck  
**3** — For-hire truck

**4** — Railroad  
*Continued* →

Containerized? (Y/N)	U.S. destination <i>(Complete for all shipments.)</i>			Mode(s) of transport to U.S. destination <i>Enter all that apply in order used. Use codes below.</i>	Export? (Y/N)	Foreign destination <i>(for export shipments only)</i>		Export mode	Line No.
	(j)					(m)			
(i)	City	State	ZIP Code	(k)	(l)	City	Country	(n)	(o)
									10
									11
									12
									13
									14
									15
									16
									17
									18
									19
									20
									21
									22
									23
									24
									25
									26
									27
									28
									29
									30
									31
									32
									33
									34



5 — Shallow draft vessel  
6 — Deep draft vessel

7 — Pipeline  
8 — Air

9 — Other mode  
0 — Unknown

**Item F SHIPMENT CHARACTERISTICS — Continued**

Line No. (a)	Shipment ID Number (b)	Shipment date (c)		Shipment value (excluding shipping costs) in whole dollars (d)	Shipment weight in pounds (e)	Commodity code from SCTG Manual (f)	Commodity description (g)	If a hazardous material, enter the "UN" or "NA" number (h)
		Month	Day					
35								
36								
37								
38								
39								
40								

Mode of transport codes for columns (k) and (n)  **1** — Parcel delivery, courier, or U.S. Postal Service      **2** — Private truck      **3** — For-hire truck      **4** — Railroad *Continued* 

**Item G**

**1.** Do this establishment's outbound shipments leave more than one site within this physical location?

Yes

No

---

**2.** Are the records for outbound shipments from this location maintained in a number of separate files (e.g., separate files for each commodity, or for each shipping site) at this location?

Yes

No

---

*If yes to item G1 or item G2:*

**3.** Would it be easier to receive a separate questionnaire for each file or each shipment site?

Yes

No

**Item H** Enter the total value of shipments for the one-week reporting period. This figure should represent all products leaving this establishment for the one-week period. An estimate is acceptable.

Total value in whole dollars

**Item I** In the last three months did this location have any individual shipments with a value over \$2,000,000?

Yes

No

**Item J CERTIFICATION**

Name of person to contact regarding this report — <i>Please print</i>	Telephone number — <i>Include area code</i>	Date
Signature	Title	





**1997 COMMODITY FLOW SURVEY  
CENSUS OF TRANSPORTATION**

**Reporting period:**

**Please return by:**

**RETURN TO**  
▼  
**BUREAU OF THE CENSUS**  
**1201 East 10th Street**  
**Jeffersonville IN 47132-0001**

*(Please correct any error in name, address, and ZIP Code)*

**BEFORE COMPLETING YOUR REPORT**, please read the accompanying instruction guide. If book figures are not available for requested data, please provide estimates. If you have any questions, please call 1-800-772-7851.

Through this survey, we are requesting data on a representative sample of your outbound shipments, to help us produce key statistics used by transportation planners and managers. We greatly appreciate your assistance in this program.

**Item C** Is this establishment's physical location the same as the address shown in the label? (PO boxes or rural routes are not physical locations.)

- 1  Yes
- 2  No — Enter physical location below. ↘

Number and street		
City, town, village, etc.	State	ZIP Code

**NOTE** — The rest of this questionnaire requests information about shipments (or deliveries) from the establishment located at the address in the mailing label.

If you entered a different address in item C — *Please complete the form for shipments originating from the location listed in item C.*

**Item D** Please enter the **total number** of outbound shipments (or deliveries), including customer pick-up, for the one-week reporting period shown above. If book figures are not available, please provide your best estimate.

	This number should reflect all shipments and deliveries leaving this location during the one-week reporting period. <i>Please see Instruction Guide for a definition of "shipment."</i>
--	---

**DO NOT PROCEED UNTIL YOU HAVE COMPLETED ITEM D.**

**Item A** Is the establishment name shown in the mailing address correct?

- 1  Yes
- 2  No — Enter correct name. ↘

**Item B** Mark (X) the **ONE** box which best describes this establishment during the one-week period shown above.

- 1  In operation
- 2  Temporarily or seasonally inactive
- 3  Ceased operation — Give date →

Month	Day	Year

**YOUR RESPONSE IS REQUIRED BY LAW.** Title 13, United States Code, requires businesses and other organizations that receive this questionnaire to answer the questions and return the report to the Census Bureau. By the same law, **YOUR CENSUS REPORT IS CONFIDENTIAL.** It may be seen only by Census Bureau employees and may be used only for statistical purposes. Further, copies retained in respondents' files are immune from legal process.

**Item E SAMPLING INSTRUCTIONS**

Our goal in this section is to identify a sample of your shipments that you will provide data on. Through the use of a sample, we can avoid asking you for information on all of your shipments, while still obtaining statistically accurate information.

**FINDING YOUR SELECTION RATE**

If you reported 40 or fewer shipments in item D, please enter "1" as your selection rate in the box below, then go directly to item F and enter the information for each of your shipments.

If you reported 41 or more shipments in item D, we will now ask you to select and report on a sample of your shipments. Following the steps below will result in a sample of 20 to 40 shipments to report on in item F.

In the table at right, identify the selection rate that corresponds to the number you entered in item D, and enter it in the box below.

Please enter your selection rate. →

Number of shipments entered in item D	Selection rate
1— 40	1
41— 80	2
81— 100	3
101— 200	5
201— 400	10
401— 800	20
801— 1600	40
1601— 3200	80
3201— 6400	160
6401—12800	320
More than 12800	Call Census at 1-800-772-7851

**CONTINUE ON NEXT PAGE.** ↗

**Item F SHIPMENT CHARACTERISTICS**

Line No. (a)	Shipment ID Number (b)	Shipment date (c)		Shipment value (excluding shipping costs) in whole dollars (d)	Shipment weight in pounds (e)	Commodity code from SCTG Manual (f)	Commodity description (g)	If a hazardous material, enter the "UN" or "NA" number (h)
		Month	Day					
0	123-5	4	26	4,235	140	3   5   1   2   0	Electrical transformers	
00	402H	4	26	125,300	626,500	1   7   1   0   0	Gasoline	1   2   0   3
1								
2								
3								
4								
5								
6								
7								
8								
9								

Mode of transport codes for columns (k) and (n) ▶

1 — Parcel delivery, courier, or U.S. Postal Service

2 — Private truck  
3 — For-hire truck


4 — Railroad  
Continued →

### SELECTING YOUR SAMPLE OF SHIPMENTS


1. Use the file or combination of files that best reflects your full range of outbound shipping activities.
2. Begin with the first shipment. Count the shipments until you reach your selection rate. Select this shipment to report on in item F.
3. Continue counting with the next shipment. Count this shipment as 1 and continue until you reach the selection rate again. Select this shipment to report on in item F.
4. Repeat step 3 until you reach the last shipment for the one-week period. If the last shipment is counted as the selection rate, select this shipment to report on in item F. If the last shipment is not counted as the selection rate, do not report this shipment.

**In the following examples, each rectangle represents one shipment.**

If the selection rate is 5, select every fifth shipment.



If the selection rate is 2, select every other shipment.



Once you have selected your sample of shipments, please proceed to item F and enter the requested information for each selected shipment. Examples of completed lines for two shipments are provided on lines "0" and "00" below.

If you have difficulties constructing a file of shipments or have questions about how to select the sample of your shipments, please call our toll-free number for assistance: 1-800-772-7851.

Containerized? (Y/N)	U.S. destination <i>(Complete for all shipments.)</i>			Mode(s) of transport to U.S. destination <i>Enter all that apply in order used. Use codes below.</i>	Export? (Y/N)	Foreign destination <i>(for export shipments only)</i> <b>Note:</b> In column (j) enter the U.S. port, airport, or border crossing of exit.		Export mode	Line No.
	(i)	(j)				(k)	(l)		
	City	State	ZIP Code			City	Country		
N	Los Angeles	C A	9 0 0 4 0	2, 4, 3	N				0
N	New York	N Y	1 0 4 5 4	5	Y	London	England	6	00
									1
									2
									3
									4
									5
									6
									7
									8
									9

5 — Shallow draft vessel      7 — Pipeline      9 — Other mode  
 6 — Deep draft vessel      8 — Air      0 — Unknown

**Item F SHIPMENT CHARACTERISTICS — Continued**

Line No. (a)	Shipment ID Number (b)	Shipment date (c)		Shipment value (excluding shipping costs) in whole dollars (d)	Shipment weight in pounds (e)	Commodity code from SCTG Manual (f)	Commodity description (g)	If a hazardous material, enter the "UN" or "NA" number (h)
		Month	Day					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								

Mode of transport codes for columns (k) and (n) ▶

**1** — Parcel delivery, courier, or U.S. Postal Service

**2** — Private truck  
**3** — For-hire truck

**4** — Railroad  
*Continued* →

Containerized? (Y/N)	U.S. destination <i>(Complete for all shipments.)</i>			Mode(s) of transport to U.S. destination <i>Enter all that apply in order used. Use codes below.</i>	Export? (Y/N)	Foreign destination <i>(for export shipments only)</i> <b>Note:</b> In column (j) enter the U.S. port, airport, or border crossing of exit.		Export mode (n)	Line No. (o)
	(j)					(m)			
(i)	City	State	ZIP Code	(k)	(l)	City	Country	(n)	(o)
									10
									11
									12
									13
									14
									15
									16
									17
									18
									19
									20
									21
									22
									23
									24
									25
									26
									27
									28
									29
									30
									31
									32
									33
									34

5 — Shallow draft vessel  
6 — Deep draft vessel

7 — Pipeline  
8 — Air

9 — Other mode  
0 — Unknown

**Item F SHIPMENT CHARACTERISTICS — Continued**

Line No. (a)	Shipment ID Number (b)	Shipment date (c)		Shipment value (excluding shipping costs) in whole dollars (d)	Shipment weight in pounds (e)	Commodity code from SCTG Manual (f)	Commodity description (g)	If a hazardous material, enter the "UN" or "NA" number (h)
		Month	Day					
35								
36								
37								
38								
39								
40								

Mode of transport codes for columns (k) and (n)

- 1 — Parcel delivery, courier, or U.S. Postal Service     
  2 — Private truck     
  4 — Railroad *Continued* →
- 3 — For-hire truck

**Item G** Enter the total dollar value of **all** shipments for the one-week reporting period. This figure should represent all products leaving this establishment for the one-week period. An estimate is acceptable.

Total value in whole dollars

**Item H** In the last three months did this location have any individual shipments with a value over \$2,000,000?

Yes

No

**Item I AVAILABILITY AND USE OF ON-SITE SHIPPING FACILITIES**

In column (b), check "Yes" or "No" for each type of shipping facility to indicate whether or not this type of facility existed **on-site** during 1997. For each "Yes" in column (b), check "Yes" or "No" in column (c) to indicate whether or not you used the facility on your premises for **outbound shipments** during 1997.

Type of shipping facility (a)	Was a shipping facility of this type on your premises during 1997? (b)	Did you <b>use</b> this facility on your premises for <b>outbound shipments</b> during 1997? (c)
1. Rail siding	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No
2. Dock on the Great Lakes	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No
3. Dock on inland water	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No
4. Dock on deep sea water	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No
5. Airport/landing strip capable of handling your shipments	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No
6. Pipeline terminal	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No	1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No

Containerized? (Y/N)	U.S. destination <b>(Complete for all shipments.)</b>			Mode(s) of transport to U.S. destination <i>Enter all that apply in order used. Use codes below.</i>	Export? (Y/N)	Foreign destination (for export shipments only) <b>Note:</b> In column (j) enter the U.S. port, airport, or border crossing of exit.		Export mode	Line No.
	(j)					(m)			
(i)	City	State	ZIP Code	(k)	(l)	City	Country	(n)	(o)
									<b>35</b>
									<b>36</b>
									<b>37</b>
									<b>38</b>
									<b>39</b>
									<b>40</b>

**5** — Shallow draft vessel  
**6** — Deep draft vessel

**7** — Pipeline  
**8** — Air

**9** — Other mode  
**0** — Unknown

**Item J USE OF OFF-SITE SHIPPING FACILITIES**

In column (b), check "Yes" or "No" for each type of shipping facility to indicate whether or not you used an **off-site** facility of that type for **outbound shipments** during 1997. For each "Yes", enter the miles to that off-site facility in column (c), and the mode of transport used to reach that facility in column (d). The modes are listed below.

Type of shipping facility (a)	Did you <b>use</b> this type of off-site facility for <b>outbound shipments</b> during 1997? (b)	Distance to the off-site facility of this type that you used most in 1997 (Report in miles – estimates are acceptable) (c)	Mode of transport used to reach that facility (Enter a code from the list below) (d)
<b>1.</b> Rail siding	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No		
<b>2.</b> Dock on the Great Lakes	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No		
<b>3.</b> Dock on inland water	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No		
<b>4.</b> Dock on deep sea water	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No		
<b>5.</b> Airport/landing strip capable of handling your shipments	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No		
<b>6.</b> Pipeline terminal	1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No		

**1** – Trailer on Flat Car (TOFC)  
**2** – Private Truck

**3** – For-Hire Truck  
**4** – Rail

**5** – Water  
**6** – Pipeline

**7** – Air  
**8** – Other

**PLEASE CONTINUE ON PAGE 8.**





# Instructions for Completing the Commodity Flow Survey

## TIPS FOR COMPLETING THE CFS QUESTIONNAIRE

Please read all instructions.

You may use estimates if book figures are not readily available.

If you have questions about completing the survey, a Census Bureau representative will be glad to assist you. You can call us at 1-800-772-7851.

*Some instructions are included on the questionnaire itself. However, due to space limitations, most of the instructions and definitions are included in separate reference materials. These include this instruction guide, and a listing of commodity codes to be used for classifying individual shipments in this survey.*

**PART I – GENERAL INFORMATION**  
**Frequently Asked Questions About the**  
**Commodity Flow Survey (CFS)**

**Why are you conducting the CFS?**

The CFS produces valuable measures of the demands on the nation's transportation system.

The results of the CFS are used by transportation policy makers to analyze future transportation needs.

**Who reports in the CFS?**

The CFS covers a sample of establishments in the mining, manufacturing, wholesale, and selected retail industries.

**Why is my participation important?**

Your establishment was selected as part of a sample designed to represent a wide range of industries and geographic regions.

Your report helps ensure quality results.

**Is this survey mandatory?**

Yes. The CFS is mandatory under the authority of Title 13, United States Code (USC).

**Will my data be kept confidential?**

Yes. The same law that requires your participation, Title 13, USC, also guarantees your data will be kept strictly confidential.

The reports you provide the Census Bureau cannot be used for purposes of taxation, regulation, or investigation.

Your report is used only to develop summary data that do not reveal the activities of individual firms or establishments.

**How often must I report?**

You will be sent four questionnaires in all: one during each quarter of 1997.

The CFS will not be conducted again until 2002.

## PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE

### Items A – C

Please enter the information requested on your establishment's name, operational status, and physical location.

### Item D

Enter in the space provided your total number of outbound shipments **for the one week reporting period** on the front of the questionnaire.

Please include in this count any materials picked up by the customer ("customer pick-up").

#### **What we mean by a "shipment":**

For the purposes of this survey, a shipment is a single movement of goods, commodities, products, etc. from your location to a customer or to another location of your company.

"Commodities" refer to items that your location produces, sells, or distributes, *not* to items that are considered by-products of your location's operation.

#### **What we don't mean by a "shipment":**

Do *not* include as shipments items such as inter-office memos, payroll checks, business correspondence, etc.

Do *not* include as shipments items such as refuse, scrap paper, waste, and recyclable materials **unless** your location is in the business of selling or providing these materials to others.

#### **A special note about "shipments":**

A full, or partial, truckload should be counted as a single shipment only if all the commodities on the truck are destined for one location.

If a truck makes multiple deliveries on a route, **please count each stop as one shipment.**

### Item E: Sampling Instructions

If you reported 40 or fewer shipments in Item D, complete Item F (Shipment Characteristics) for all of your shipments covered by the one-week reporting period.

If you reported more than 40 shipments in Item D, follow the instructions in Item E in order to select a sample of shipments on which to report in Item F.

**By asking you to select a sample of your shipments for the one-week reporting period, we avoid asking you for information on all your shipments, while still obtaining statistically accurate information.**

Reminder: The files you are sampling from should reflect the full range of your location's shipping activities in terms of modes of transportation used, commodities shipped, and destinations.

**We're here to answer your questions!** If you have questions about the sampling process (or any part of the questionnaire) please call us at 1-800-772-7851.

## PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

### Item F: Shipment Characteristics

- **Shipment ID Number (column b)** – Enter the invoice number, shipment number, or some other unique identification number that your establishment could use to find this particular shipping document if questions arise regarding your report.
- **Shipment Date (column c)** – Enter the month and day of the shipment. If shipment date is not available, use the invoice/shipping document date. Use numbers only.
- **Shipment Value (column d)** – Enter the dollar value, in whole dollars, of the entire shipment. The value should not include freight charges or excise taxes (i.e., report the net selling value, f.o.b. plant). If the value is not readily available from your records, please estimate.
- **Shipment Weight (column e)** – Enter the weight of the total shipment in whole pounds. If weight is not readily available from your records, please estimate.
- **Commodity Code (column f)** – Please use the list of Standard Classification of Transported Goods (SCTG) Codes in the enclosed SCTG Manual to select the proper code. For shipments with more than one commodity, enter only the code for the commodity with the greatest weight.
- **Commodity Description (column g)** – Enter a brief description of the commodity shipped. For shipments with more than one commodity, describe only the commodity with the greatest weight. Do not use trade names, catalog numbers, or other codes not familiar to persons outside your business.

Item F SHIPMENT CHARACTERISTICS							
Line No.	Shipment ID Number	Shipment date		Shipment value (excluding shipping costs) in whole dollars	Shipment weight in pounds	Commodity code from SCTG Manual	Commodity description
		Month	Day				
(a)	(b)	(c)	(c)	(d)	(e)	(f)	(g)
0	123-5	4	26	4,235	140	3   6   1   2   0	Electrical transformers
00	123-6	4	26	125,300	626,500	1   7   1   0   0	Gasoline
1							
2							
3							
4							

Mode of transport codes for columns (k) and (n) ▶	1 — Parcel delivery, courier, or U.S. Postal Service	2 — Private truck 3 — For-hire truck	4 — Railroad Continued →
---	--	---	-----------------------------

## PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

### Item F: Shipment Characteristics – Continued

- **For Hazardous Materials (column h)** – If shipment is a hazardous material, enter the 4-digit United Nations or North American number.
- **Containerized (column i)** – Indicate whether or not the shipment was containerized by entering "Y" or "N" (yes or no). Containerized means that the shipment **left your establishment** in an intermodal container or stackable tank without permanently attached wheels. These containers typically vary from 20 to 53 feet in length, and are carried on truck chassis, trains, and ships.
- **U.S. Destination: City, State, and ZIP Code (column j)** – For domestic shipments, enter the city, state, and 5-digit ZIP Code of the buyer/receiver as it appears on the shipping document. Use the **"ship to"** address. Use the two letter state abbreviation shown in Part IV.
 

For **export shipments**, report the U.S. **port of exit** as the destination city. The port of exit is the port or airport from which the shipment left the country. In case of land shipments into Mexico or Canada, it is the border crossing.
- **Mode(s) of Transport (column k)** – Enter the code(s) for **all** modes of transport used for the shipment to its U.S. destination (i.e., the destination reported in column j). Codes are located on the bottom of pages 2, 3, 4, and 5 of the questionnaire. Enter in the sequence used, all that apply. See Part III for definitions of each mode.
  - **For Customer Pick-up:** Report the mode(s) of transportation used, if known. Otherwise, report mode as "0" (unknown).
  - **For Export Shipments:** List only the mode(s) of transport used to reach the port, airport, or border crossing of exit.

If a hazardous material, enter the "UN" or "NA" number (h)	Containerized? (Y/N) (i)	U.S. destination (j)			Mode(s) of transport to U.S. destination <i>Enter all that apply using codes shown below.</i> (k)
		City	State	ZIP Code	
	N	Los Angeles	C A	9   0   0   4   0	2, 4, 3
	N	New York	N Y	1   0   4   5   4	5

## PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

### Item F: Shipment Characteristics – Continued

- **Export Shipment (column l)** – Indicate whether or not the shipment is intended for export outside of the United States, by entering a "Y" or "N" (yes or no). For purposes of this survey, shipments to Puerto Rico and U.S. territories and possessions are considered exports.
- **Foreign Destination: City and Country (column m)** – If the shipment is an export, enter the foreign city and country of destination. **For U.S. Destination (column j),** enter the U.S. port, airport, or border crossing of exit. **In column (k),** enter the mode of transport used to the U.S. destination.
- **Export Mode (column n)** – If the shipment is an export, enter the code for the mode of transport by which the shipment left the country. Codes are located at the bottom of pages 2, 3, 4, and 5 of the questionnaire.

Export? (Y/N) (l)	Foreign destination (for export shipments only) <b>Note:</b> In column (j) enter the U.S. port, airport, or border crossing of exit. (m)		Export mode (n)	Line No. (o)
	City	Country		
N				0
Y	London	England	6	00
				1
				2
				3
				4
				5

### Items G – I

Please enter the information requested.

### Item J: Certification

Please enter the name and telephone number of the person to contact in the event that we have a question about your report.

## PART III – MODE DEFINITIONS

**Parcel delivery/Courier/U.S. Postal Service** – Delivery services that carry letters, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.

**Private truck** – Trucks operated by a temporary or permanent employee of this establishment or the buyer/receiver of the shipment.

**For-hire truck** – Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.

**Railroad**– Any common carrier or private railroad.

**Shallow draft vessel** – Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intracoastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.

**Deep draft vessel** – Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.

**Pipeline** – Movements of oil, petroleum, gas, slurry, etc. through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.

**Air** – Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.

**Other mode** – Any mode not listed above.

**Unknown** – The shipment was not carried by a parcel delivery/courier/U.S. Postal service, and you cannot determine what mode of transportation is used.

**Note:** Commodities that are "shipped" under their own power, such as boats, barges, ferries, ships, aircraft, trucks, and trains **should be classified with the appropriate mode above.** Commodities shipped under their own power for which an appropriate mode is not listed (e.g., buses, recreational vehicles) should be listed as **"other" mode.**

## PART IV -- STATE ABBREVIATION LIST

<b>State</b>	<b>Abbrev.</b>	<b>State</b>	<b>Abbrev.</b>
Alabama	AL	Montana	MT
Alaska	AK	Nebraska	NE
Arizona	AZ	Nevada	NV
Arkansas	AR	New Hampshire	NH
California	CA	New Jersey	NJ
Colorado	CO	New Mexico	NM
Connecticut	CT	New York	NY
Delaware	DE	North Carolina	NC
Dist. of Col.	DC	North Dakota	ND
Florida	FL	Ohio	OH
Georgia	GA	Oklahoma	OK
Hawaii	HI	Oregon	OR
Idaho	ID	Pennsylvania	PA
Illinois	IL	Rhode Island	RI
Indiana	IN	South Carolina	SC
Iowa	IA	South Dakota	SD
Kansas	KS	Tennessee	TN
Kentucky	KY	Texas	TX
Louisiana	LA	Utah	UT
Maine	ME	Vermont	VT
Maryland	MD	Virginia	VA
Massachusetts	MA	Washington	WA
Michigan	MI	West Virginia	WV
Minnesota	MN	Wisconsin	WI
Mississippi	MS	Wyoming	WY
Missouri	MO		

NOTICE - We estimate that it will take an average of 2 hours to complete this form. This includes time to read instructions, assemble and review information, and record answers on the form. If you have any comments regarding this estimate or any other aspect of this survey, send them to the Associate Director for Administration, Attn: Paperwork Reduction Project 0607-0189, Room 3104, Federal Building 3, Bureau of the Census, Washington, DC 20233-0001. Respondents are not required to respond to any information collection unless it displays a valid approval number in the top right corner on the front of the questionnaire.



