# How Smokers Can Reduce Their Risk of Fire

Practical Steps Recommended by Fire Safety Experts

#### How Smokers Can Reduce Their Risk of Fire



#### Overview of the project


- USFA determines need for new behavioral strategies to reduce cigarette fire deaths
- USFA contracts with NFPA to conduct research
- Sources of data and research
  - Literature review
  - Analysis of fire experience data (NFIRS, FIDO)
  - Smoker characteristics (Behavioral Risk Factor database from US Centers for Disease Control and Prevention)

#### Overview of the project

- How the recommended behaviors were developed
  - NFPA Educational Messaging Advisory Committee briefed on research results
  - Committee panels developed candidate behaviors and messages
  - Committee as a whole consolidated recommendations
  - USFA and NFPA staff edited recommendations for conciseness and clarity

### Cigarettes are #1 cause of U.S. fatal home fires

#### 900 deaths a year over past decade



## Cigarette fires are MUCH more likely to start VERY close to potential victims

- 3 out of 10 sleeping victims of cigarette fires are right next to the fire when it starts compared to 3 out of 100 sleeping victims of all other types of fires
- Once a fire starts this close to a sleeping person, nothing is quick enough to save you with confidence. There is no substitute for prevention.

## Smokers have other conditions that complicate their prospects if fire occurs

- Nearly half of fatal smoking-fire victims are impaired by alcohol or other drugs
- Smokers are more likely to have health problems, such as:
  - Asthma
  - Arthritis
  - High blood pressure
  - High cholesterol

Smokers have other conditions that complicate their prospects if fire occurs

 Every additional health problem is another obstacle to safe escape from a cigarette fire

### Cigarette fires also kill people who do not smoke

- 1 in 4 fatal victims are not the smokers whose cigarettes started the fire
- These other fatal victims include:
  - Children of smokers
  - Parents of smokers
  - Spouses and partners
  - Neighbors and friends

## Fatal cigarette fires usually begin in soft furnishings



## Fatal cigarette fires usually begin in soft furnishings



There are fewer soft furnishings outdoors and if fire starts on a balcony, patio or deck, walls and doors separate the outdoors from the indoors



There are fewer soft furnishings outdoors and if fire starts on a balcony, patio or deck, walls and doors separate the outdoors from the indoors



For extra safety, dispose of cigarettes in something made for outdoor use




- It's not that big a change
  - 1 in 4 people who smoke every day or some days already have rules at home that forbid indoor smoking
  - 1 in 2 people who have smoked at least 100 cigarettes in their lives already have rules at home that forbid indoor smoking
  - Most smokers report that their workplaces already forbid indoor smoking

Use wide, deep ashtrays with room for ashes



Use wide, deep ashtrays with room for ashes



Use ashtrays that are hard to tip over or knock over





Use ashtrays that are hard to tip over or knock over





Use ashtrays with sides that slope in or are straight up from the base





Use ashtrays with sides that slope in or are straight up from the base





Use wide ashtrays so cigarettes will fall into ashtray, not out of it





# Tips on where to place your ashtray

### Put ashtrays near you but away from things that burn.

## Put ashtrays near you but away from things that burn





## Put ashtrays near you but away from things that burn





# Keep ashtrays on a flat, sturdy base.

## Keep ashtrays on a flat, sturdy base





## Keep ashtrays on a flat, sturdy base





# Make sure cigarettes are OUT!

#### Make sure cigarettes are OUT!

Dowsing with water or sand is the best way to be sure your cigarette is out





#### Make sure cigarettes are OUT!

Smothering butts in a "silent butler" works too, if they are left overnight





## Check for cigarettes that may have fallen out of sight

## Check for cigarettes that may have fallen out of sight





## Check for cigarettes that may have fallen out of sight





## NEVER smoke near oxygen

#### NEVER smoke near oxygen

- Oxygen makes any fire burn hotter and faster
- If medical oxygen is used in a home...
- Never smoke ANYWHERE in that home!!!
- Do not smoke even if oxygen is turned off

## If you smoke, use reduced ignition strength cigarettes

## If you smoke, choose Reduced Ignition Strength Cigarettes

- These are cigarettes that go out when not actively smoked
- Cigarette burning is interrupted using non-toxic methods - for example, bands of paper that act like speed bumps
- Look for special markings on labels

## If you smoke, choose Reduced Ignition Strength Cigarettes

- RISC cigarettes are typically available only where required
- Information is available from past and current legislative initiatives
- Contacts
  - Peter Sparber, Psparber@aol.com
  - John Hall, jhall@nfpa.org

# Stay alert to control your cigarettes

## Stay alert to control your cigarettes

- 3 out of 4 home fires that start because someone fell asleep are cigarette fires
- 3 out of 4 fatal victims of home cigarette fires had some condition of reduced alertness – asleep or impaired by alcohol or other drugs

## Summary of advice

## How smokers can reduce their fire risk - Summary of advice

- 1. If you smoke, smoke outdoors
- 2. Use deep, wide, sturdy ashtrays on a safe, sturdy base
- 3. Make sure cigarettes are OUT
- 4. Check for cigarettes that may have fallen out of sight
- 5. Never smoke in a home where oxygen is used
- 6. If you smoke, choose Reduced Ignition Strength Cigarettes
- 7. Stay alert to control your cigarettes