



Memorandum

SENT VIA ELECTRONIC MAIL

Subject: **INFORMATION:** Interim Guidance
Update on Mobile Source Air Toxic
Analysis in NEPA Documents
/S/Original signed by

Date: September 30, 2009

From: April Marchese
Director, Office of Natural and Human
Environment

In Reply Refer To:
HEPN-10

To: Division Administrators
Federal Lands Highway Division
Engineers

PURPOSE

The purpose of this memorandum is to update the February 2006 interim guidance that advises Federal Highway (FHWA) Division offices on when and how to analyze mobile source air toxics (MSAT) in the National Environmental Policy Act (NEPA) process for highways.

This interim guidance update reflects recent regulatory changes; addresses stakeholder requests to broaden the horizon years of emission trends performed with MOBILE6.2; and updates stakeholders on the status of scientific research on air toxics. Lastly, we improved the organization and updated the headings and references accordingly; and reduced redundancy found in some of the appendices. The interim guidance should continue to be referenced as a whole in NEPA documentation.


BACKGROUND

Controlling air toxic emissions became a national priority with the passage of the Clean Air Act Amendments (CAAA) of 1990, whereby Congress mandated that the U.S. Environmental Protection Agency (EPA) regulate 188 air toxics, also known as hazardous air pollutants. The EPA has assessed this expansive list in their latest rule on the Control of Hazardous Air Pollutants from Mobile Sources (Federal Register, Vol. 72, No. 37, page 8430, February 26, 2007) and identified a group of 93 compounds emitted from mobile sources that are listed in their Integrated Risk Information System (IRIS) (<http://cfcpub.epa.gov/ncea/iris/index.cfm>). In addition, EPA identified seven compounds with significant contributions from mobile sources that are among the national and regional-scale cancer risk drivers from their 1999 National Air Toxics Assessment (NATA) (<http://www.epa.gov/ttn/atw/nata1999/>). These are *acrolein, benzene, 1,3-butadiene, diesel particulate matter plus diesel exhaust organic gases (diesel PM), formaldehyde, naphthalene, and polycyclic organic matter*. While FHWA considers these the priority mobile source air toxics, the list is subject to change and may be adjusted in consideration of future EPA rules.



The 2007 EPA rule mentioned above requires controls that will dramatically decrease MSAT emissions through cleaner fuels and cleaner engines. According to an FHWA analysis using EPA's MOBILE6.2 model, even if vehicle activity (vehicle-miles travelled, VMT) increases by 145 percent as assumed, a combined reduction of 72 percent in the total annual emission rate for the priority MSAT is projected from 1999 to 2050, as shown in Figure 1.

**Figure 1: NATIONAL MSAT EMISSION TRENDS 1999 – 2050
FOR VEHICLES OPERATING ON ROADWAYS
USING EPA'S MOBILE6.2 MODEL**



Note: (1) Annual emissions of polycyclic organic matter are projected to be 561 tons/yr for 1999, decreasing to 373 tons/yr for 2050.
(2) Trends for specific locations may be different, depending on locally derived information representing vehicle-miles travelled, vehicle speeds, vehicle mix, fuels, emission control programs, meteorology, and other factors

Source: U.S. Environmental Protection Agency. MOBILE6.2 Model run 20 August 2009.

Air toxics analysis is a continuing area of research. While much work has been done to assess the overall health risk of air toxics, many questions remain unanswered. In particular, the tools and techniques for assessing project-specific health outcomes as a result of lifetime MSAT exposure remain limited. These limitations impede the ability to evaluate how the potential health risks posed by MSAT exposure should be factored into project-level decision-making within the context of the National Environmental Policy Act (NEPA).

Nonetheless, air toxics concerns continue to be raised on highway projects during the NEPA process. Even as the science emerges, we are duly expected by the public and other agencies to address MSAT impacts in our environmental documents. The FHWA, EPA, the Health Effects Institute, and others have funded and conducted research studies to try to more clearly define potential risks from MSAT emissions associated with highway projects. The FHWA will continue to monitor the developing research in this emerging field.

NEPA CONTEXT

The NEPA requires, to the fullest extent possible, that the policies, regulations, and laws of the Federal Government be interpreted and administered in accordance with its environmental protection goals. The NEPA also requires Federal agencies to use an interdisciplinary approach in planning and decision-making for any action that adversely impacts the environment. The NEPA requires and FHWA is committed to the examination and avoidance of potential impacts to the natural and human environment when considering approval of proposed transportation projects. In addition to evaluating the potential environmental effects, we must also take into account the need for safe and efficient transportation in reaching a decision that is in the best overall public interest. The FHWA policies and procedures for implementing NEPA is prescribed by regulation in 23 CFR § 771.

ANALYSIS OF MSAT IN NEPA DOCUMENTS

The FHWA developed a tiered approach for analyzing MSAT in NEPA documents, depending on specific project circumstances. The FHWA has identified three levels of analysis:

- (1) No analysis for projects with no potential for meaningful MSAT effects;
- (2) Qualitative analysis for projects with low potential MSAT effects; or
- (3) Quantitative analysis to differentiate alternatives for projects with higher potential MSAT effects.

For projects warranting MSAT analysis, the seven priority MSAT should be analyzed.

(1) Projects with No Meaningful Potential MSAT Effects or Exempt Projects.

The types of projects included in this category are:

- Projects qualifying as a categorical exclusion under 23 CFR 771.117(c);
- Projects exempt under the Clean Air Act conformity rule under 40 CFR 93.126; or
- Other projects with no meaningful impacts on traffic volumes or vehicle mix.

For projects that are categorically excluded under 23 CFR 771.117(c), or are exempt from conformity requirements under the Clean Air Act pursuant to 40 CFR 93.126, no analysis or discussion of MSAT is necessary. Documentation sufficient to demonstrate that the project qualifies as a categorical exclusion and/or exempt project will suffice. For other projects with no or negligible traffic impacts, regardless of the class of NEPA environmental document, no MSAT analysis is required.¹ However, the project record should document the basis for the determination of “no meaningful potential impacts” with a brief description of the factors considered. Example language, which must be modified to correspond with local and project-specific circumstances, is provided in Appendix A.

(2) Projects with Low Potential MSAT Effects

The types of projects included in this category are those that serve to improve operations of highway, transit or freight without adding substantial new capacity or without creating a facility that is likely to meaningfully increase MSAT emissions. This category covers a broad range of projects.

We anticipate that most highway projects that need an MSAT assessment will fall into this category. Any projects not meeting the criteria in subsection (1) or subsection (3) as follows should be included in this category. Examples of these types of projects are minor widening projects; new interchanges, such as those that replace a signalized intersection on a surface street; or projects where design year traffic is projected to be less than 140,000 to 150,000 annual average daily traffic (AADT).

For these projects, a qualitative assessment of emissions projections should be conducted. This qualitative assessment would compare, in narrative form, the expected effect of the project on traffic volumes, vehicle mix, or routing of traffic and the associated changes in MSAT for the project alternatives, based on VMT, vehicle mix, and speed. It would also discuss national trend data projecting substantial overall reductions in emissions due to stricter engine and fuel regulations issued by EPA. Because the emission effects of these projects are low, we expect there would be no appreciable difference in overall MSAT emissions among the various alternatives. In addition, quantitative analysis of these types of projects will not yield credible results that are useful to project-level decision-making due to the limited capabilities of the transportation and emissions forecasting tools.

¹ The types of projects categorically excluded under 23 CFR 771.117(d) or exempt from certain conformity requirements under 40 CFR 93.127 does not warrant an automatic exemption from an MSAT analysis, but they usually will have no meaningful impact.

Appendix B includes example language for a qualitative assessment, with specific examples for four types of projects: (1) a minor widening project; (2) a new interchange connecting an existing roadway with a new roadway; (3) a new interchange connecting new roadways; and (4) minor improvements or expansions to intermodal centers or other projects that affect truck traffic. The information provided in Appendix B must be modified to reflect the local and project-specific situation.

In addition to the qualitative assessment, a NEPA document for this category of projects must include a discussion of information that is incomplete or unavailable for a project specific assessment of MSAT impacts, in compliance with the Council on Environmental Quality (CEQ) regulations (40 CFR 1502.22(b)). This discussion should explain how air toxics analysis is an emerging field and current scientific techniques, tools, and data are not sufficient to accurately estimate human health impacts that would result from a transportation project in a way that would be useful to decision-makers. Also in compliance with 40 CFR 150.22(b), it should contain information regarding the health impacts of MSAT. See Appendix C.

(3) Projects with Higher Potential MSAT Effects

This category includes projects that have the potential for meaningful differences in MSAT emissions among project alternatives. We expect a limited number of projects to meet this two-pronged test. To fall into this category, a project must:

- Create or significantly alter a major intermodal freight facility that has the potential to concentrate high levels of diesel particulate matter in a single location; or
- Create new or add significant capacity to urban highways such as interstates, urban arterials, or urban collector-distributor routes with traffic volumes where the AADT is projected to be in the range of 140,000 to 150,000² or greater by the design year;

And also

- Proposed to be located in proximity to populated areas.

Projects falling within this category should be more rigorously assessed for impacts. If a project falls within this category, you should contact the Office of Natural and Human Environment (HEPN) and the Office of Project Development and Environmental Review (HEPE) in FHWA Headquarters for assistance in developing a specific approach for assessing impacts. This approach would include a quantitative analysis to forecast local-specific emission trends of the priority MSAT for each alternative, to use as a basis of comparison. This analysis also may address the potential for cumulative impacts, where appropriate, based on local conditions. How and when cumulative impacts should be considered would be addressed as part of the assistance

² Using EPA's MOBILE6.2 emissions model, FHWA staff determined that this range of AADT would be roughly equivalent to the Clean Air Act definition of a major hazardous air pollutant (HAP) source, i.e., 25 tons/yr for all HAPs or 10 tons/yr for any single HAP. Significant variations in conditions such as congestion or vehicle mix could warrant a different range for AADT; if this range does not seem appropriate for your project please consult with the contacts from HEPN and HEPE identified in this memorandum.

outlined above. The NEPA document for this project should also include relevant language on unavailable information described in Appendix C.

If the analysis for a project in this category indicates meaningful differences in levels of MSAT emissions, mitigation options should be identified and considered. See Appendix E for information on mitigation strategies.

You should also consult with HEPN and HEPE if you have a project that does not fall within any of the types of projects listed above, but you think has the potential to substantially increase future MSAT emissions. Although not required, projects with high potential for litigation on air toxics issues may also benefit from a more rigorous quantitative analysis to enhance their defensibility in court.

CONCLUSION

What we know about mobile source air toxics is still evolving. As the science progresses FHWA will continue to revise and update this guidance. To that end we expect that a number of significant improvements in model forecasting and air pollution analysis guidance are forthcoming in the EPA's release of the final MOVES model and the issuance of the PM 2.5 Hot Spot Modeling Guidance. Additional background information on MSAT related research is provided in Appendix D.

This update to the interim guidance does not change any project analysis thresholds, recommendations, or guidelines. The FHWA Headquarters and Resource Center staff Victoria Martinez (787) 766-5600 X231, Shari Schaftlein (202) 366-5570, and Michael Claggett (505) 820-2047, are available to provide information and technical assistance and support any necessary analysis and limit project delays. While most previous or ongoing analysis done using the previous guidance will be consistent with this update, we recommend that if you are in the process of conducting a quantitative analysis when this update is released that you contact one of the staff listed above for technical assistance.

APPENDICIES

Appendix A – Prototype Language for Exempt Projects

Appendix B – Prototype Language for Qualitative Project Level MSAT Analysis

Appendix C – The Council on Environmental Quality (CEQ) Provisions Covering Incomplete or Unavailable Information (40 CFR 1502.22) including a discussion of unavailable information for project-specific MSAT Health Impacts Analysis

Appendix D – FHWA Sponsored Mobile Source Air Toxics Research Efforts

Appendix E – MSAT Mitigation Strategies

FHWA:HEPN-10:CHO:ldw:X69862:10-1-2009

cc: HEPN – Chron/Reader

C. Ho HEPN-10

V. Martinez HEPN-10

S. Schaftlein HEPE-20

M. Claggett HCR-MW-EP
S:HEPN/Correspondence/HEPN10/MSAT Guidance Memorandum

APPENDIX A – Prototype Language for Exempt Projects

The purpose of this project is to (*insert major deficiency that the project is meant to address*) by constructing (*insert major elements of the project*). This project has been determined to generate minimal air quality impacts for CAAA criteria pollutants and has not been linked with any special MSAT concerns. As such, this project will not result in changes in traffic volumes, vehicle mix, basic project location, or any other factor that would cause an increase in MSAT impacts of the project from that of the no-build alternative.

Moreover, EPA regulations for vehicle engines and fuels will cause overall MSAT emissions to decline significantly over the next several decades. Based on regulations now in effect, an analysis of national trends with EPA's MOBILE6.2 model forecasts a combined reduction of 72 percent in the total annual emission rate for the priority MSAT from 1999 to 2050 while vehicle-miles of travel are projected to increase by 145 percent. This will both reduce the background level of MSAT as well as the possibility of even minor MSAT emissions from this project.

APPENDIX B – Examples of Prototype Language for Qualitative Project-Level MSAT Analysis

The information in this Appendix is for projects with low potential MSAT effects – any non-exempt project that does not meet the threshold criteria for higher potential effects, as described in the interim guidance, qualifies for treatment provided here. The types of projects that fall into this category are those that improve operations of highways, or freight facilities without adding substantial new capacity. Examples include minor widening projects or new interchanges replacing signalized intersection on surface streets.

The following are some examples of qualitative MSAT analyses for different types of projects. Each project is different, and some projects may contain elements covered in more than one of the examples below. Analysts can use the example language as a starting point, but should tailor it to reflect the unique circumstances of the project being considered. The following factors should be considered when crafting a qualitative analysis:

- For projects on an existing alignment, MSAT are expected to decline due to the effect of new EPA engine and fuel standards.
- Projects that result in increased travel speeds will reduce MSAT emissions per VMT basis, although the effect of speed changes on diesel particulate matter is not accounted for in the MOBILE6.2 model. This speed benefit may be offset somewhat by increased VMT if the more efficient facility attracts additional vehicle trips.
- Projects that facilitate new development may generate additional MSAT emissions from new trips, truck deliveries, and parked vehicles (due to evaporative emissions). However, these may also be activities that are attracted from elsewhere in the metro region; thus, on a regional scale there may be no net change in emissions.
- Projects that create new travel lanes, relocate lanes, or relocate economic activity closer to homes, schools, businesses, and other populated areas may increase concentrations of MSAT at those locations relative to No Action.

Other elements related to a qualitative analysis are a discussion of information that is incomplete or unavailable for a project specific assessment of MSAT impacts and a discussion of any MSAT mitigation measures that may be associated with the project.

INTODUCTORY LANGUAGE FOR QUALITATIVE ANALYSIS FOR ALL PROJECTS

A qualitative analysis provides a basis for identifying and comparing the potential differences among MSAT emissions, if any, from the various alternatives. The qualitative assessment presented below is derived in part from a study conducted by the FHWA entitled *A Methodology for Evaluating Mobile Source Air Toxic Emissions Among Transportation Project Alternatives*, found at: www.fhwa.dot.gov/environment/airtoxic/msatcompare/msatemissions.htm

(1) Minor Widening Project

(For purposes of this scenario, minor highway widening projects are those in which the design year traffic is predicted to be less than 140,000 to 150,000 AADT. Widening projects that surpass these criteria are subject to a quantitative analysis.)

For each alternative in this EIS/EA (*specify*), the amount of MSAT emitted would be proportional to the vehicle miles traveled, or VMT, assuming that other variables such as fleet mix are the same for each alternative. The VMT estimated for each of the Build Alternatives is slightly higher than that for the No Build Alternative, because the additional capacity increases the efficiency of the roadway and attracts rerouted trips from elsewhere in the transportation network. Refer to Table ____ (*specify*). This increase in VMT would lead to higher MSAT emissions for the preferred action alternative along the highway corridor, along with a corresponding decrease in MSAT emissions along the parallel routes. The emissions increase is offset somewhat by lower MSAT emission rates due to increased speeds; according to EPA's MOBILE6.2 model, emissions of all of the priority MSAT except for diesel particulate matter decrease as speed increases. The extent to which these speed-related emissions decreases will offset VMT-related emissions increases cannot be reliably projected due to the inherent deficiencies of technical models. Because the estimated VMT under each of the Alternatives are nearly the same, varying by less than ____ (*specify*) percent, it is expected there would be no appreciable difference in overall MSAT emissions among the various alternatives. Also, regardless of the alternative chosen, emissions will likely be lower than present levels in the design year as a result of EPA's national control programs that are projected to reduce annual MSAT emissions by 72 percent between 1999 and 2050. Local conditions may differ from these national projections in terms of fleet mix and turnover, VMT growth rates, and local control measures. However, the magnitude of the EPA-projected reductions is so great (even after accounting for VMT growth) that MSAT emissions in the study area are likely to be lower in the future in nearly all cases.

(The following paragraph may apply if the project includes plans to construct travel lanes closer to populated areas.)

The additional travel lanes contemplated as part of the project alternatives will have the effect of moving some traffic closer to nearby homes, schools, and businesses; therefore, under each alternative there may be localized areas where ambient concentrations of MSAT could be higher under certain Build Alternatives than the No Build Alternative. The localized increases in MSAT concentrations would likely be most pronounced along the expanded roadway sections that would be built at ____ (*specify location*), under Alternatives ____ (*specify*), and along ____ (*specify route*) under Alternatives ____ (*specify*). However, the magnitude and the duration of these potential increases compared to the No-Build alternative cannot be reliably quantified due to incomplete or unavailable information in forecasting project-specific MSAT health impacts. In sum, when a highway is widened, the localized level of MSAT emissions for the Build Alternative could be higher relative to the No Build Alternative, but this could be offset due to increases in speeds and reductions in congestion (which are associated with lower MSAT emissions). Also, MSAT will be lower in other locations when traffic shifts away from them. However, on a regional basis, EPA's vehicle and fuel regulations, coupled with fleet turnover, will over time cause substantial reductions that, in almost all cases, will cause region-wide MSAT levels to be significantly lower than today.

(2) New Interchange Connecting an Existing Roadway with a New Roadway

(This scenario is oriented toward projects where a new roadway segment connects to an existing limited access highway. The purpose of the roadway is primarily to meet regional travel needs, e.g., by providing a more direct route between locations.)

For each alternative in this EIS/EA (*specify*), the amount of MSAT emitted would be proportional to the vehicle miles traveled, or VMT, assuming that other variables such as fleet mix are the same for each alternative. Because the VMT estimated for the No Build Alternative is higher than for any of the Build Alternatives, higher levels of MSAT are not expected from any of the Build Alternatives compared to the No Build. Refer to Table ____ (*specify*). In addition, because the estimated VMT under each of the Build Alternatives are nearly the same, varying by less than ____ (*specify*) percent, it is expected there would be no appreciable difference in overall MSAT emissions among the various alternatives. Also, regardless of the alternative chosen, emissions will likely be lower than present levels in the design year as a result of EPA's national control programs that are projected to reduce annual MSAT emissions by 72 percent from 1999 to 2050. Local conditions may differ from these national projections in terms of fleet mix and turnover, VMT growth rates, and local control measures. However, the magnitude of the EPA-projected reductions is so great (even after accounting for VMT growth) that MSAT emissions in the study area are likely to be lower in the future in virtually all locations.

Under each alternative there may be localized areas where VMT would increase, and other areas where VMT would decrease. Therefore, it is possible that localized increases and decreases in MSAT emissions may occur. The localized increases in MSAT emissions would likely be most pronounced along the new roadway sections that would be built at _____ (*specify location*), under Alternatives _____ (*specify*), and along _____ (*specify route*) under Alternatives _____ (*specify*). However, even if these increases do occur, they too will be substantially reduced in the future due to implementation of EPA's vehicle and fuel regulations.

In sum, under all Build Alternatives in the design year it is expected there would be reduced MSAT emissions in the immediate area of the project, relative to the No Build Alternative, due to the reduced VMT associated with more direct routing, and due to EPA's MSAT reduction programs.

(3) New Interchange Connecting New Roadways

(This scenario is oriented toward interchange projects developed in response to or in anticipation of economic development, e.g., a new interchange to serve a new shopping/residential development. Projects from the previous example may also have economic development associated with them, so some of this language may also apply.)

For each alternative in this EIS/EA (*specify*), the amount of MSAT emitted would be proportional to the vehicle miles traveled, or VMT, assuming that other variables such as fleet mix are the same for each alternative. The VMT estimated for each of the Build Alternatives is slightly higher than that for the No Build Alternative, because the interchange facilitates new development that attracts trips that would not otherwise occur in the area. Refer to Table ____ (*specify*). This increase in VMT means MSAT under the Build Alternatives would probably be higher than the No Build Alternative in the study area. There could also be localized differences in MSAT from indirect effects of the project such as associated access traffic, emissions of evaporative MSAT (e.g., benzene) from parked cars, and emissions of diesel particulate matter from delivery trucks (*modify depending on the type and extent of the associated development*). Travel to other destinations would be reduced with subsequent decreases in emissions at those locations.

Because the estimated VMT under each of the Build Alternatives are nearly the same, varying by less than ____ (*specify*) percent, it is expected there would be no appreciable difference in overall MSAT emissions among the various Build Alternatives. For all Alternatives, emissions are virtually certain to be lower than present levels in the design year as a result of EPA's national control programs that are projected to reduce annual MSAT emissions by 72 percent from 1999 to 2050. Local conditions may differ from these national projections in terms of fleet mix and turnover, VMT growth rates, and local control measures. However, the magnitude of the EPA-projected reductions is so great (even after accounting for VMT growth) that MSAT emissions in the study area are likely to be lower in the future than they are today.

(The following discussion would apply to new interchanges in areas already developed to some degree. For new construction in anticipation of economic development in rural or largely undeveloped areas, this discussion would be applicable only to populated areas, such as residences, schools, and businesses.)

The travel lanes contemplated as part of the project alternatives will have the effect of moving some traffic closer to nearby homes, schools and businesses; therefore, under each alternative there may be localized areas where ambient concentrations of MSAT would be higher under certain Alternatives than others. The localized differences in MSAT concentrations would likely be most pronounced along the new/expanded roadway sections that would be built at ____ (*specify location*), under Alternatives ____ (*specify*), and along ____ (*specify route*) under Alternatives ____ (*specify*). However, the magnitude and the duration of these potential increases cannot be reliably quantified due to incomplete or unavailable information in forecasting project-specific MSAT health impacts. Further, under all Alternatives, overall future MSAT are expected to be substantially lower than today due to implementation of EPA's vehicle and fuel regulations.

In sum, under all Build Alternatives in the design year it is expected there would be slightly higher MSAT emissions in the study area relative to the No Build Alternative due to increased VMT. There also could be increases in MSAT levels in a few localized areas where VMT increases. However, EPA's vehicle and fuel regulations will bring about significantly lower MSAT levels for the area in the future than today.

***(4) Minor Improvements or Expansions to
Intermodal Centers or Other Projects that
Affect Truck Traffic***

(The description for these types of projects depends on the nature of the project. The key factor from an MSAT standpoint is the change in truck and rail activity and the resulting change in MSAT emissions patterns.)

For each alternative in this EIS/EA (*specify*), the amount of MSAT emitted would be proportional to the amount of truck vehicle miles traveled (VMT) and rail activity, assuming that other variables (such as travel not associated with the intermodal center) are the same for each alternative. The truck VMT and rail activity estimated for each of the Build Alternatives are higher than that for the No Build Alternative, because of the additional activity associated with the expanded intermodal center. Refer to Table ___ (*specify*). This increase in truck VMT and rail activity associated with the Build Alternatives would lead to higher MSAT emissions (particularly diesel particulate matter) in the vicinity of the intermodal center. The higher emissions could be offset somewhat by two factors: 1) the decrease in regional truck traffic due to increased use of rail for inbound and outbound freight; and 2) increased speeds on area highways due to the decrease in truck traffic. The extent to which these emissions decreases will offset intermodal center-related emissions increases is not known.

Because the estimated truck VMT and rail activity under each of the Build Alternatives are nearly the same, varying by less than ___ (*specify*) percent, it is expected there would be no appreciable difference in overall MSAT emissions among the various alternatives. Also, regardless of the alternative chosen, emissions will likely be lower than present levels in the design year as a result of EPA's national control programs that are projected to reduce annual MSAT emissions by 72 percent from 1999 to 2050. Local conditions may differ from these national projections in terms of fleet mix and turnover, VMT growth rates, and local control measures. However, the EPA-projected reductions are so significant (even after accounting for VMT growth) that MSAT emissions in the study area are likely to be lower in the future as well.

(The following discussion may apply if the intermodal center is close to other development.)

The additional freight activity contemplated as part of the project alternatives will have the effect of increasing diesel emissions in the vicinity of nearby homes, schools, and businesses; therefore, under each alternative there may be localized areas where ambient concentrations of MSAT would be higher than under the No Build alternative. The localized differences in MSAT concentrations would likely be most pronounced under Alternatives ____ (*specify*). However, as discussed above, the magnitude and the duration of these potential differences cannot be reliably quantified due to incomplete or unavailable information in forecasting project-specific health impacts. Even though there may be differences among the Alternatives, on a region-wide basis, EPA's vehicle and fuel regulations, coupled with fleet turnover, will cause substantial reductions over time that in almost all cases the MSAT levels in the future will be significantly lower than today.

(Insert a description of any emissions-reduction activities that are associated with the project, such as truck and train idling limitations or technologies, such as auxiliary power units; alternative fuels or engine retrofits for container-handling equipment, etc.)

In sum, all Build Alternatives in the design year are expected to be associated with higher levels of MSAT emissions in the study area, relative to the No Build Alternative, along with some benefit from improvements in speeds and reductions in region-wide truck traffic. There also could be slightly higher differences in MSAT levels among Alternatives in a few localized areas where freight activity occurs closer to homes, schools, and businesses. Under all alternatives, MSAT levels are likely to decrease over time due to nationally mandated cleaner vehicles and fuels.

MSAT MITIGATION STRATEGIES

Although there is no obligation to identify and consider MSAT mitigation strategies as part of a qualitative analysis, such strategies may be part of a project's design. Refer to the examples provided in (4) Minor Improvements or Expansions to Intermodal Centers or Other Projects that Affect Truck Traffic, or Appendix E. For these and similar circumstances, MSAT mitigation strategies should be discussed as part of a qualitative analysis.

CEQ PROVISIONS COVERING INCOMPLETE OR UNAVAILABLE INFORMATION (40 CFR 1502.22)

The introductory language for qualitative analysis should be followed by a 40 CFR 1502 assessment of incomplete or unavailable information. Refer to Appendix C for details.

APPENDIX C – CEQ Provisions Covering Incomplete or Unavailable Information (40 CFR 1502.22)

Sec. 1502.22 INCOMPLETE OR UNAVAILABLE INFORMATION

When an agency is evaluating reasonably foreseeable significant adverse effects on the human environment in an environmental impact statement and there is incomplete or unavailable information, the agency shall always make clear that such information is lacking.

- (a) If the incomplete information relevant to reasonably foreseeable significant adverse impacts is essential to a reasoned choice among alternatives and the overall costs of obtaining it are not exorbitant, the agency shall include the information in the environmental impact statement.
- (b) If the information relevant to reasonably foreseeable significant adverse impacts cannot be obtained because the overall costs of obtaining it are exorbitant or the means to obtain it are not known, the agency shall include within the environmental impact statement:
 - 1. a statement that such information is incomplete or unavailable;
 - 2. a statement of the relevance of the incomplete or unavailable information to evaluating reasonably foreseeable significant adverse impacts on the human environment;
 - 3. a summary of existing credible scientific evidence which is relevant to evaluating the reasonably foreseeable significant adverse impacts on the human environment; and
 - 4. the agency's evaluation of such impacts based upon theoretical approaches or research methods generally accepted in the scientific community. For the purposes of this section, "reasonably foreseeable" includes impacts that have catastrophic consequences, even if their probability of occurrence is low, provided that the analysis of the impacts is supported by credible scientific evidence, is not based on pure conjecture, and is within the rule of reason.
- (c) The amended regulation will be applicable to all environmental impact statements for which a Notice to Intent (40 CFR 1508.22) is published in the Federal Register on or after May 27, 1986. For environmental impact statements in progress, agencies may choose to comply with the requirements of either the original or amended regulation.

***INCOMPLETE OR UNAVAILABLE
INFORMATION FOR PROJECT-SPECIFIC
MSAT HEALTH IMPACTS ANALYSIS***

In FHWA's view, information is incomplete or unavailable to credibly predict the project-specific health impacts due to changes in MSAT emissions associated with a proposed set of highway alternatives. The outcome of such an assessment, adverse or not, would be influenced more by the uncertainty introduced into the process through assumption and speculation rather

than any genuine insight into the actual health impacts directly attributable to MSAT exposure associated with a proposed action.

The U.S. Environmental Protection Agency (EPA) is responsible for protecting the public health and welfare from any known or anticipated effect of an air pollutant. They are the lead authority for administering the Clean Air Act and its amendments and have specific statutory obligations with respect to hazardous air pollutants and MSAT. The EPA is in the continual process of assessing human health effects, exposures, and risks posed by air pollutants. They maintain the Integrated Risk Information System (IRIS), which is “a compilation of electronic reports on specific substances found in the environment and their potential to cause human health effects” (EPA, <https://www.epa.gov/iris/>). Each report contains assessments of non-cancerous and cancerous effects for individual compounds and quantitative estimates of risk levels from lifetime oral and inhalation exposures with uncertainty spanning perhaps an order of magnitude.

Other organizations are also active in the research and analyses of the human health effects of MSAT, including the Health Effects Institute (HEI). Two HEI studies are summarized in Appendix D of FHWA’s Interim Guidance Update on Mobile source Air Toxic Analysis in NEPA Documents. Among the adverse health effects linked to MSAT compounds at high exposures are cancer in humans in occupational settings; cancer in animals; and irritation to the respiratory tract, including the exacerbation of asthma. Less obvious is the adverse human health effects of MSAT compounds at current environmental concentrations (HEI, <http://pubs.healtheffects.org/view.php?id=282>) or in the future as vehicle emissions substantially decrease (HEI, <http://pubs.healtheffects.org/view.php?id=306>).

The methodologies for forecasting health impacts include emissions modeling; dispersion modeling; exposure modeling; and then final determination of health impacts – each step in the process building on the model predictions obtained in the previous step. All are encumbered by technical shortcomings or uncertain science that prevents a more complete differentiation of the MSAT health impacts among a set of project alternatives. These difficulties are magnified for lifetime (i.e., 70 year) assessments, particularly because unsupportable assumptions would have to be made regarding changes in travel patterns and vehicle technology (which affects emissions rates) over that time frame, since such information is unavailable. The results produced by the EPA’s MOBILE6.2 model, the California EPA’s Emfac2007 model, and the EPA’s DraftMOVES2009 model in forecasting MSAT emissions are highly inconsistent. Indications from the development of the MOVES model are that MOBILE6.2 significantly underestimates diesel particulate matter (PM) emissions and significantly overestimates benzene emissions.

Regarding air dispersion modeling, an extensive evaluation of EPA’s guideline CAL3QHC model was conducted in an NCHRP study (http://www.epa.gov/scram001/dispersion_alt.htm#hyroad), which documents poor model performance at ten sites across the country – three where intensive monitoring was conducted plus an additional seven with less intensive monitoring. The study indicates a bias of the CAL3QHC model to overestimate concentrations near highly congested intersections and underestimate concentrations near uncongested intersections. The consequence of this is a tendency to overstate the air quality benefits of mitigating congestion at intersections. Such poor model performance is less difficult to manage for demonstrating compliance with National Ambient Air Quality Standards for relatively short time frames than it is for forecasting

individual exposure over an entire lifetime, especially given that some information needed for estimating 70-year lifetime exposure is unavailable. It is particularly difficult to reliably forecast MSAT exposure near roadways, and to determine the portion of time that people are actually exposed at a specific location.

There are considerable uncertainties associated with the existing estimates of toxicity of the various MSAT, because of factors such as low-dose extrapolation and translation of occupational exposure data to the general population, a concern expressed by HEI (<http://pubs.healtheffects.org/view.php?id=282>). As a result, there is no national consensus on air dose-response values assumed to protect the public health and welfare for MSAT compounds, and in particular for diesel PM. The EPA (<http://www.epa.gov/risk/basicinformation.htm#g>) and the HEI (<http://pubs.healtheffects.org/getfile.php?u=395>) have not established a basis for quantitative risk assessment of diesel PM in ambient settings.

There is also the lack of a national consensus on an acceptable level of risk. The current context is the process used by the EPA as provided by the Clean Air Act to determine whether more stringent controls are required in order to provide an ample margin of safety to protect public health or to prevent an adverse environmental effect for industrial sources subject to the maximum achievable control technology standards, such as benzene emissions from refineries. The decision framework is a two-step process. The first step requires EPA to determine a “safe” or “acceptable” level of risk due to emissions from a source, which is generally no greater than approximately 100 in a million. Additional factors are considered in the second step, the goal of which is to maximize the number of people with risks less than 1 in a million due to emissions from a source. The results of this statutory two-step process do not guarantee that cancer risks from exposure to air toxics are less than 1 in a million; in some cases, the residual risk determination could result in maximum individual cancer risks that are as high as approximately 100 in a million. In a June 2008 decision, the U.S. Court of Appeals for the District of Columbia Circuit upheld EPA’s approach to addressing risk in its two step decision framework. Information is incomplete or unavailable to establish that even the largest of highway projects would result in levels of risk greater than safe or acceptable.

Because of the limitations in the methodologies for forecasting health impacts described, any predicted difference in health impacts between alternatives is likely to be much smaller than the uncertainties associated with predicting the impacts. Consequently, the results of such assessments would not be useful to decision makers, who would need to weigh this information against project benefits, such as reducing traffic congestion, accident rates, and fatalities plus improved access for emergency response, that are better suited for quantitative analysis.

Due to the limitations cited, a discussion such as the example provided in this Appendix (reflecting any local and project-specific circumstances), should be included regarding incomplete or unavailable information in accordance with Council on Environmental Quality (CEQ) regulations [40 CFR 1502.22(b)]. The FHWA Headquarters and Resource Center staff Victoria Martinez (787) 766-5600 X231, Shari Schaftlein (202) 366-5570, and Michael Claggett (505) 820-2047, are available to provide guidance and technical assistance and support.

APPENDIX D – FHWA Sponsored Mobile Source Air Toxics Research Efforts

Human epidemiology and animal toxicology experiments indicate that many chemicals or mixtures termed air toxics have the potential to impact human health. As toxicology, epidemiology and air contaminant measurement techniques have improved over the decades, scientists and regulators have increased their focus on the levels of each chemical or material in the air in an effort to link potential exposures with potential health effects. The EPA's list of 21 mobile source toxics represents their prioritization of these chemicals or materials for further study and evaluation. The EPA's strategy for evaluating air toxic compounds effect is focused on both national trends and local impacts. The FHWA has embarked on an air toxics research program with the intent of understanding the mobile source contribution and its impact on local and national air quality. Several of studies either initiated or supported by FHWA are described below³.

Air toxics emissions from mobile source have the potential to impact human health and often represent a regulatory agency concern. The FHWA has responded to this concern by developing an integrated research program to answer the most important transportation community questions related to air toxics, human health, and the NEPA process. To this end, FHWA has performed or is currently managing several research projects. Many of these projects are based on an Air Toxics Research Workplan that provides a roadmap for agency research efforts⁴. These efforts include:

ESTIMATING THE TRANSPORTATION CONTRIBUTION TO PARTICULATE MATTER POLLUTION (AIR TOXICS SUPERSITE STUDY)

The purpose of this study was to improve understanding of the role of highway transportation sources in particulate matter (PM) pollution. In particular, it was important to examine uncertainties, such as the effects of the spatial and temporal distribution of travel patterns, consequences of vehicle fleet mix and fuel type, the contribution of vehicle speed and operating characteristics, and influences of geography and weather. The fundamental methodology of the study was to combine EPA research-grade air quality monitoring data in a representative sample of metropolitan areas with traffic data collected by State departments of transportation (DOTs) and local governments.

Phase I of the study, the planning and data evaluation stage, assessed the characteristics of EPA's ambient PM monitoring initiatives and recruited State DOTs and local government to participate in the research. After evaluating and selecting potential metropolitan areas based on the quality of PM and traffic monitoring data, nine cities were selected to participate in Phase II. The goal of Phase II was to determine whether correlations could be observed between traffic on highway facilities and ambient PM concentrations. The Phase I report was published in September 2002. Phase II included the collection of traffic and air quality data and data analysis. Ultimately, six cities participated: New York City (Queens), Baltimore, Pittsburgh, Atlanta, Detroit and Los Angeles.

³ The information provided here is an update to research work discussed in the 2006 release of this interim guidance. The current title of each research activity is followed by the title used to describe the activity previously.

⁴ Available at <http://www.fhwa.dot.gov/environment/airtoxic/workplan/index.htm>

In Phase II, air quality and traffic data were collected. The air quality data was obtained from EPA AIRS AQS system, Supersite personnel, and NARSTO data archive site. Traffic data included ITS (roadway surveillance), Coverage Counts (routine traffic monitoring) and Supplemental Counts (specifically for research project). Analyses resulted in the conclusion that only a weak correlation existed between PM_{2.5} concentrations and traffic activity for several of the sites. The existence of general trends indicates a relationship, which however is primarily unquantifiable. Limitations of the study include the assumption that traffic sources are close enough to ambient monitors to provide sufficiently strong source strength, that vehicle activity is an appropriate surrogate for mobile emissions, and lack of knowledge of other factors such as non-traffic sources of PM and its precursors. A paper documenting the work of Phase II was presented at the 2004 Emissions Inventory Conference and is available at <http://www.epa.gov/ttn/chief/conference/ei13/mobile/black.pdf>.

INVESTIGATION OF CONSISTENCY BETWEEN AMBIENT MONITORING DATA AND MOBILE6.2 EMISSIONS PREDICTIONS FOR AIR TOXICS (AIR TOXICS MONITORING AND MODELING STUDY)

The purpose of this FHWA-funded study was to investigate the consistency between MSAT concentrations measured in ambient air and emissions predictions from the MOBILE6.2 model. Data from five urban monitoring sites was evaluated for the years 2000-2002: Atlanta, Dallas, Detroit, Michigan, East Providence, and Phoenix. The focus was on locations and time periods when emissions from on-road vehicles were expected to dominate, such as weekday mornings with rush-hour commute and limited photochemical reactions. Four MSAT were analyzed based on data availability: benzene, 1,3-butadiene, formaldehyde, and acetaldehyde. Overall, MOBILE6.2 emissions predictions for benzene were approximately as consistent with ambient data as emissions predictions for criteria pollutants and their precursors. Predictions for 1,3-butadiene were somewhat less in agreement. Results for aldehydes indicate that MOBILE6.2 may under predict emissions. Researchers believe some of the model sensitivities may explain differences between monitoring-based and emissions-based ratios such as use of default verses local data and inputs on benzene content of gasoline. Uncertainties with the results include the inability to completely exclude the influences of other emissions sources, background concentrations, pollutant transport and atmospheric chemistry. An unpublished final report was completed in May 2005.

KANSAS CITY PM CHARACTERIZATION STUDY (KANSAS CITY STUDY)

This study was initiated by EPA to conduct exhaust emissions testing on 480 light-duty, gasoline vehicles in the Kansas City Metropolitan Area (KCMA). Major goals of the study included characterizing PM emissions distributions of a sample of gasoline vehicles in Kansas City; characterize gaseous and PM toxics exhaust emissions; and characterize the fraction of high emitters in the fleet. In the process, sampling methodologies were evaluated. Overall, results from the study were used to populate databases for the MOVES emissions model. The FHWA was one of the research sponsors. This study is available on EPA's website at: <http://www.epa.gov/otaq/emission-factors-research/420r08009.pdf>

HEI SPECIAL REPORT #16

In November 2007, the Health Effects Institute (HEI) published Special Report #16: Mobile-Source Air Toxics: A Critical Review of the Literature on Exposure and Health Effects. This study was the result of a charge to the MSAT review panel to accomplish the following tasks:

- Use information from the peer-reviewed literature to summarize the health effects of exposure to the 21 MSATs defined by the EPA in 2001;
- Critically analyze the literature for a subset of priority MSATs selected by the panel; and
- Identify and summarize key gaps in existing research and unresolved questions about the priority MSAT.

The panel chose to review literature for acetaldehyde, acrolein, benzene, 1,3-butadiene, formaldehyde, naphthalene, and polycyclic organic matter (POM). Diesel exhaust was included but not reviewed in this study since it had been reviewed by HEI and EPA recently. In general, the panel concluded that the cancer health effects due to mobile sources are difficult to discern since the majority of quantitative assessments are derived from occupational cohorts with high concentration exposures and some cancer potency estimates are derived from animal models. The panel suggested that substantial improvements in analytical sensitivity and specificity of biomarkers would provide better linkages between exposure and health effects. Noncancer endpoints were not a central focus of most research and therefore require further investigation. Subpopulation susceptibility also requires additional evaluation. The study is available from HEI's website at <http://www.healtheffects.org/>. The FHWA provided financial support to HEI's research work.

TRAFFIC-RELATED AIR POLLUTION

In May 2009, HEI released a preprint version of Special Report #17 investigating the health effects of traffic related air pollution. The goal of the research was to synthesize available information on the effects of traffic on health. Researchers looked at linkages between: (1) traffic emissions (at the tailpipe) with ambient air pollution in general, (2) concentrations of ambient pollutants with human exposure to pollutants from traffic, (3) exposure to pollutants from traffic with human-health effects and toxicologic data, and (4) toxicologic data with epidemiological associations. Challenges in making exposure assessments, such as quality and quantity of emissions data and models, were investigated as was the appropriateness of the use of the proximity model as an exposure-assessment model. Overall, researchers felt that there was "sufficient" evidence for causality for the exacerbation of asthma. Evidence was "suggestive but not sufficient" for other health outcomes such as cardiovascular mortality and others. Study authors also note that past epidemiologic studies may not provide an appropriate assessment of future health associations as vehicle emissions are decreasing overtime. The report is available from HEI's website at <http://www.healtheffects.org/>. The final version is expected by fall 2009. The FHWA provides financial support to HEI's research work.

THE NATIONAL NEAR ROADWAY MSAT STUDY

The FHWA, in conjunction with the EPA and a consortium of State departments of transportation, is studying the concentration and physical behavior of MSATs and mobile source

PM 2.5 at up to three sites in the United States. To leverage resources for this effort, the Transportation Pooled Fund Program 1124, Mobile Source Air Toxics (MSAT) From Major Highways was created to fund this research. The study criteria dictate that each study site be open to traffic and have 150,000 Annual Average Daily Traffic or more. This study is intended to provide knowledge about the dispersion of MSAT emissions with the ultimate goal of enabling more informed transportation and environmental decisions at the project-level. More information is available at <http://www.fhwa.dot.gov/environment/airtoxicmsat/index.htm>.

APPENDIX E – MSAT Mitigation Strategies

Lessening the effects of mobile source air toxics should be considered for projects with substantial construction-related MSAT emissions that are likely to occur over an extended building period, and for post-construction scenarios where the NEPA analysis indicates potentially meaningful MSAT levels. Such mitigation efforts should be evaluated based on the circumstances associated with individual projects, and they may not be appropriate in all cases. However, there are a number of available mitigation strategies and solutions for countering the effects of MSAT emissions.

Mitigating for Construction MSAT Emissions

Construction activity may generate a temporary increase in MSAT emissions. Project-level assessments that render a decision to pursue construction emission mitigation will benefit from a number of technologies and operational practices that should help lower short-term MSAT. In addition, the SAFETEA-LU has emphasized a host of diesel retrofit technologies in the Congestion Mitigation and Air Quality Improvement (CMAQ) Program provisions – technologies that are designed to lessen a number of MSATs.¹

Construction mitigation includes strategies that reduce engine activity or reduce emissions per unit of operating time, such as reducing the numbers of trips and extended idling. Operational agreements that reduce or redirect work or shift times to avoid community exposures can have positive benefits when sites are near populated areas. For example, agreements that stress work activity outside normal hours of an adjacent school campus would be operations-oriented mitigation. Verified emissions control technology retrofits or fleet modernization of engines for construction equipment could be appropriate mitigation strategies. Technology retrofits could include particulate matter traps, oxidation catalysts, and other devices that provide an after-treatment of exhaust emissions. Implementing maintenance programs per manufacturers' specifications to ensure engines perform at EPA certification levels, as applicable, and to ensure retrofit technologies perform at verified standards, as applicable, could also be deemed appropriate. The use of clean fuels, such as ultra-low sulfur diesel, biodiesel, or natural gas also can be a very cost-beneficial strategy.

The EPA has listed a number of approved diesel retrofit technologies; many of these can be deployed as emissions mitigation measures for equipment used in construction. This listing can be found at: www.epa.gov/otaq/retrofit/index.htm.

Post-Construction Mitigation for Projects with Potentially Significant MSAT Levels

Travel demand management strategies and techniques that reduce overall vehicle-mile of travel; reduce a particular type of travel, such as long-haul freight or commuter travel; or improve the transportation system's efficiency will mitigate MSAT emissions. Examples of such strategies include congestion pricing, commuter incentive programs, and increases in truck weight or length limits. Operational strategies that focus on speed limit enforcement or traffic management policies may help reduce MSAT emissions even beyond the benefits of fleet turnover. Well-

traveled highways with high proportions of heavy-duty diesel truck activity may benefit from active Intelligent Transportation System programs, such as traffic management centers or incident management systems. Similarly, anti-idling strategies, such as truck-stop electrification can complement projects that focus on new or increased freight activity.

Planners also may want to consider the benefits of establishing buffer zones between new or expanded highway alignments and populated areas. Modifications of local zoning or the development of guidelines that are more protective also may be useful in separating emissions and receptors.

The initial decision to pursue MSAT emissions mitigation should be the result of interagency consultation at the earliest juncture. Options available to project sponsors should be identified through careful information gathering and the required level of deliberation to assure an effective course of action. Such options may include local programs, whether voluntary or with incentives, to replace or rebuild older diesel engines with updated emissions controls. Information on EPA diesel collaborative around the country can be found at <http://www.epa.gov/otaq/diesel/whereyoulive.htm> .

¹ SAFETEA-LU, Public Law 109-59, August 10, 2005