
**Commercial
Space
Transportation
Safety Approval**

Safety Approval Number: SA 12-004

**National Aerospace
Training and Research
Center**

is issued a safety approval, subject to the provisions of 51 USC Subtitle V, ch. 509, and the orders, rules, and regulations issued under it.

This Safety Approval is issued to the National Aerospace Training and Research Center for its ability to use the Falcon 12/4 Altitude Chamber to replicate any pressure experienced at altitudes from zero (0) feet up to 100,000 feet. This includes rapid decompression up to equalization altitudes of 30,800 feet.

This safety approval is granted subject to the terms, conditions, and limitations set forth in safety approval order A and any subsequent orders issued by the Associate Administrator for Commercial Space Transportation.

The holder of this safety approval must at all times comply with the regulations prescribed by the Associate Administrator for Commercial Space Transportation relating to this Safety Approval.



US Department
of Transportation
Federal Aviation
Administration

800 Independence Ave., S.W.
Washington, D.C. 20591

Issued On: September 11, 2012

Effective On: September 11, 2012



Manager, Licensing & Evaluation Division

Safety Approval Order No. SA 12-004A

OFFICE OF
COMMERCIAL SPACE TRANSPORTATION
SAFETY APPROVAL ORDER REGARDING

Falcon 12/4 Altitude Chamber

SAFETY APPROVAL NO. SA 12-004
ISSUED TO


NATIONAL AEROSPACE TRAINING AND RESEARCH CENTER

1. Authority: This Order is issued to the National Aerospace Training and Research Center (NASTAR) under 51 U.S.C. Subtitle V, chapter 509.
2. Purpose: This Order modifies Safety Approval No. SA 12-004 issued concurrently by the Federal Aviation Administration's (FAA) Office of Commercial Space Transportation (AST). This Order prescribes as conditions to the Safety Approval certain requirements applicable to the approved safety element.
3. Scope: The FAA verifies that the Falcon 12/4 Altitude Chamber is capable of replicating any pressure experienced at altitudes from zero (0) feet up to 100,000 feet with an initial climb rate of 20,000 feet per minute and with a tolerance of altitude accuracy of +/- 250 feet, as represented in NASTAR's application. The FAA verifies that the Falcon 12/4 Altitude Chamber can conduct rapid decompressions up to equalization altitudes of 30,800 feet with a tolerance of altitude accuracy of +/- 1000 feet.
4. Maintenance: NASTAR must follow the Falcon 12/4 Altitude Chamber maintenance procedures as represented in NASTAR's application.
5. Calibration: NASTAR must follow all calibration procedures as represented in NASTAR's application.
6. Crew Qualification and Training: NASTAR may offer the Falcon 12/4 Altitude Chamber to a prospective launch or reentry operator to meet the applicable components of the crew qualification and training requirements of 14 CFR § 460.5.

Safety Approval Order No. SA 12-004A

7. Safety Approval Term: Safety Approval No. SA 12-004 expires in 5 years from the effective date of the Safety Approval.

OFFICE OF COMMERCIAL SPACE TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

By: 
Kenneth Wong, Manager
Licensing & Evaluation Division

Issued: September 11, 2012

Effective: September 11, 2012