

Naval Medical Center Department of Pediatrics



WELL CHILD VISITS AND IMMUNIZATIONS

- BIRTH: Hepatitis B
- 2-3 DAYS: Weight Check
- 2 WEEKS: Well Child Visit
- 2 MONTHS: Well Child Visit, Pediarix #1, HIB #1, Prevnar #1, RotaTeq #1*
- **4 MONTHS:** Well Child Visit, Pediarix #2 HIB #2, Prevnar#2, RotaTeq #2 (only if dose #1 started by 12 weeks of age)
- 6 MONTHS: Well Child Visit, Pediarix #3, HIB #3, Prevnar #3, RotaTeq #3**
- 9 MONTHS: Well Child Visit, catch up immunizations as needed
- **12 MONTHS:** Well Child Visit, Anemia Check, HIB #4, MMR #1, Varivax #1, Hep A #1, (If mother HBsAg+ then anti-HBs and HBsAg, PPD if indicated)
- 15 MONTHS: Well Child Visit, catch up immunizations as needed
- 18 MONTHS: Well Child Visit, DTaP #4, Prevnar #4, Hep A #2
- 2 YEARS: Well Child Visit
- 3 YEARS: Well Child Visit
- 4 YEARS: Well Child Visit, DTaP #5, MMR #2, IPV #4, Varivax #2, PPD if indicated
- 5 YEARS: Well Child Visit, catch up on immunizations as needed
- 6 YEARS: Well Child Visit, catch up on immunizations as needed
- 11-12 YEARS: Well Child Visit, Tdap, HPV #1, catch up Varicella if only one dose received
- 12-18 YEARS: HPV #2 and #3, catch up Menactra, Tdap if not given at 11-12 years
 - Anemia check can be done at 9 or 12 month visit
- DTaP#4 and Prevnar #4 can be given as early as 12 months if at least 6 months from previous dose)

** 3rd dose of RotaTeq should not be given after 8 months plus 0 days of age

Abbreviations/Key

DTaP = Diphtheria, Tetanus and Pertussis HIB=Hemophilus influenza B HPV=Human papillomavirus IPV=Inactivated Polio MMR= Measles, Mumps and Rubella Pediarix = DTaP, Hep B, IPV PPD=purified protein derivative standard tuberculin skin test Tdap= Tetanus, Diphtheria and Pertussis (adolescent/adult preparation)

^{*} Do not start RotaTeq series after 14 weeks plus 6 day of age.