

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total .....		1,183,500	335,460	164,670	85,710	59,260	74,280	151,750	35,440
<b>Head</b> .....	0	82,420	50,500	25,680	9,590	500	3,560	7,770	30
Head, unspecified .....	00	17,250	9,650	4,970	4,510	100	1,750	3,510	-
Cranial region, including skull .....	01	9,940	5,190	3,200	1,940	30	1,150	1,770	-
Cranial region, unspecified .....	010	170	110	80	30	-	-	40	-
Brain .....	011	6,300	2,740	1,840	890	-	920	1,180	-
Scalp .....	012	2,610	1,910	970	920	-	80	330	-
Skull .....	013	690	340	290	50	-	120	190	-
Multiple cranial region locations .....	018	80	20	-	-	-	-	30	-
Cranial region, n.e.c. ....	019	90	70	20	40	-	-	-	-
Ear(s) .....	02	1,890	630	560	30	-	-	20	-
Face .....	03	52,060	34,260	16,630	2,650	340	620	2,340	20
Face, unspecified .....	030	3,810	1,360	1,130	210	-	90	340	-
Forehead .....	031	2,930	2,070	1,450	570	40	100	410	-
Eye(s) .....	032	35,970	25,310	9,670	1,070	30	40	200	-
Nose, nasal cavity .....	033	2,310	1,530	1,240	280	-	40	250	-
Nose, except internal location of diseases or disorders .....	0330	2,240	1,530	1,230	280	-	40	250	-
Internal nasal location, unspecified .....	0331	40	-	-	-	-	-	-	-
Multiple internal nasal locations .....	0338	20	-	-	-	-	-	-	-
Cheek(s) .....	034	810	450	340	90	30	160	50	-
Jaw/chin .....	035	790	520	470	40	-	20	70	-
Mouth .....	036	2,940	1,890	1,580	270	-	30	580	-
Mouth, unspecified .....	0360	410	320	300	20	-	-	30	-
Lip(s) .....	0361	1,030	550	540	-	-	-	170	-
Tongue .....	0362	20	-	-	-	-	-	-	-
Tooth(teeth) .....	0363	1,210	800	560	210	-	-	360	-
Multiple mouth locations .....	0368	190	150	120	30	-	-	20	-
Mouth, n.e.c. ....	0369	70	50	50	-	-	-	-	-
Multiple face locations .....	038	2,170	1,020	660	110	230	70	410	-
Face, n.e.c. ....	039	330	110	90	20	-	60	30	-
Multiple head locations .....	08	1,120	690	280	400	-	30	70	-
Head, n.e.c. ....	09	170	80	30	50	-	-	50	-
<b>Neck, including throat</b> .....	1	17,840	2,970	1,680	1,060	120	960	980	250
Neck, except internal location of diseases or disorders .....	10	17,660	2,970	1,670	1,060	120	960	980	250
Internal neck location, unspecified .....	11	120	-	-	-	-	-	-	-
Vocal cord(s) .....	12	20	-	-	-	-	-	-	-
<b>Trunk</b> .....	2	401,900	23,130	12,910	6,780	1,810	19,210	39,110	9,410

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events <sup>5</sup>
	Total	In lifting					Total	By person	All other assaults	
<b>Total</b> .....	284,910	150,990	38,310	56,510	56,170	2,270	22,430	15,970	6,460	125,960
<b>Head</b> .....	100	40	20	12,490	2,800	330	3,960	3,250	710	880
Head, unspecified .....	40	20	—	150	1,110	—	730	630	100	280
Cranial region, including skull .....	—	—	—	90	1,060	20	550	480	70	110
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	—	—
Brain .....	—	—	—	—	840	20	490	430	70	100
Scalp .....	—	—	—	80	160	—	40	40	—	—
Skull .....	—	—	—	—	40	—	—	—	—	—
Multiple cranial region locations .....	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	810	20	50	300	60	240	50
Face .....	50	—	—	11,330	560	230	2,220	1,920	300	430
Face, unspecified .....	—	—	—	1,170	150	50	620	500	120	40
Forehead .....	—	—	—	50	160	—	90	60	20	30
Eye(s) .....	30	—	—	9,340	50	130	600	560	30	280
Nose, nasal cavity .....	—	—	—	130	70	—	250	240	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	70	70	—	250	240	—	—
Internal nasal location, unspecified .....	—	—	—	30	—	—	—	—	—	—
Multiple internal nasal locations .....	—	—	—	20	—	—	—	—	—	—
Cheek(s) .....	—	—	—	40	—	—	80	80	—	—
Jaw/chin .....	—	—	—	—	20	—	150	140	—	—
Mouth .....	—	—	—	260	30	—	110	90	20	30
Mouth, unspecified .....	—	—	—	—	—	—	30	30	—	—
Lip(s) .....	—	—	—	250	—	—	40	30	—	—
Tongue .....	—	—	—	—	—	—	—	—	—	—
Tooth(teeth) .....	—	—	—	—	—	—	20	20	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	20	20	—	—
Multiple face locations .....	—	—	—	320	70	30	230	150	70	—
Face, n.e.c. ....	—	—	—	—	—	—	80	80	—	—
Multiple head locations .....	—	—	—	100	40	—	160	160	—	—
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	4,760	2,240	430	540	3,930	—	530	460	70	2,480
Neck, except internal location of diseases or disorders .....	4,760	2,240	430	480	3,930	—	520	460	60	2,370
Internal neck location, unspecified .....	—	—	—	—	—	—	—	—	—	—
Vocal cord(s) .....	—	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	223,750	125,880	8,780	3,510	15,220	220	4,360	3,500	870	55,190

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Trunk, unspecified .....	20	2,260	470	130	290	20	150	470	30
Shoulder, including clavicle, scapula .....	21	75,810	5,750	3,760	1,270	320	4,010	9,970	1,160
Chest, including ribs, internal organs .....	22	18,170	3,730	2,110	1,140	340	1,820	2,960	80
Chest, except internal location of diseases or disorders .....	220	16,260	3,730	2,110	1,140	340	1,820	2,960	80
Internal chest location, unspecified .....	221	190	—	—	—	—	—	—	—
Heart .....	223	430	—	—	—	—	—	—	—
Bronchus .....	224	140	—	—	—	—	—	—	—
Lung(s), pleura .....	225	1,150	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	250,870	8,720	4,390	2,770	640	10,210	19,600	7,010
Back, including spine, spinal cord, unspecified .....	230	105,380	3,770	1,970	1,020	340	4,820	9,200	3,600
Lumbar region .....	231	122,830	3,570	1,850	1,100	220	3,930	7,580	3,100
Thoracic region .....	232	9,940	740	220	450	30	310	660	90
Sacral region .....	233	1,190	40	30	—	—	40	190	50
Coccygeal region .....	234	1,390	110	—	90	—	370	750	—
Multiple back regions .....	238	9,030	420	280	80	40	510	1,140	160
Back, including spine, spinal cord, n.e.c. ....	239	1,110	70	40	20	—	240	80	—
Abdomen .....	24	27,040	1,620	940	500	120	250	450	380
Abdomen, except internal location of diseases or disorders .....	240	7,820	1,410	820	460	110	140	310	40
Internal abdominal location, unspecified .....	241	8,360	110	70	20	—	30	70	60
Stomach organ .....	242	700	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—
Kidney(s) .....	2442	20	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	9,990	80	40	20	—	30	60	290
Intestines, peritoneum, unspecified .....	2450	9,330	70	40	—	—	30	60	280
Peritoneum .....	2451	450	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	2453	160	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	30	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	60	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	80	—	—	—	—	—	—	—
Pelvic region .....	25	20,630	2,140	1,120	710	270	1,710	4,390	610
Pelvic region, unspecified .....	250	220	30	20	—	—	20	40	—
Hip(s) .....	251	7,680	950	360	500	80	1,080	2,780	240
Pelvis .....	252	1,200	320	170	—	150	140	500	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Trunk, unspecified .....	410	210	20	60	220	—	50	50	—	360
Shoulder, including clavicle, scapula .....	40,720	17,960	4,380	150	2,320	—	770	670	100	6,570
Chest, including ribs, internal organs .....	3,170	1,360	150	2,100	1,380	20	980	600	370	1,790
Chest, except internal location of diseases or disorders .....	3,140	1,340	150	730	1,380	—	980	600	370	1,290
Internal chest location, unspecified .....	—	—	—	60	—	—	—	—	—	120
Heart .....	—	—	—	40	—	—	—	—	—	370
Bronchus .....	—	—	—	140	—	—	—	—	—	—
Lung(s), pleura .....	—	—	—	1,120	—	—	—	—	—	—
Back, including spine, spinal cord .....	148,260	86,630	3,580	370	9,910	110	1,710	1,580	120	41,380
Back, including spine, spinal cord, unspecified .....	58,990	34,050	1,520	210	4,950	—	930	840	90	17,390
Lumbar region .....	78,110	46,430	1,800	40	2,980	100	630	600	30	21,000
Thoracic region .....	5,660	2,840	150	120	690	—	70	60	—	1,460
Sacral region .....	680	320	20	—	20	—	—	—	—	140
Coccygeal region .....	70	20	—	—	30	—	—	—	—	50
Multiple back regions .....	4,250	2,610	80	—	1,220	—	60	60	—	1,170
Back, including spine, spinal cord, n.e.c. ....	490	350	—	—	40	—	—	—	—	170
Abdomen .....	20,140	13,380	290	560	220	—	470	360	110	2,640
Abdomen, except internal location of diseases or disorders .....	4,170	2,360	50	180	210	—	460	360	110	830
Internal abdominal location, unspecified .....	6,940	4,740	140	20	—	—	—	—	—	970
Stomach organ .....	420	260	—	170	—	—	—	—	—	40
Urinary organs .....	—	—	—	—	—	—	—	—	—	—
Kidney(s) .....	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	8,530	5,940	90	120	—	—	—	—	—	790
Intestines, peritoneum, unspecified .....	7,960	5,550	90	100	—	—	—	—	—	740
Peritoneum .....	410	300	—	—	—	—	—	—	—	40
Large intestine/colon, rectum .....	130	70	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	20	20	—	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	70	70	—	—	—	—	—	—	—	—
Pelvic region .....	8,620	5,200	290	120	480	—	220	90	130	1,980
Pelvic region, unspecified .....	80	30	—	—	—	—	—	—	—	40
Hip(s) .....	1,230	490	30	20	270	—	70	50	20	1,010
Pelvis .....	100	60	—	—	100	—	—	—	—	40

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Buttock(s) .....	253	1,940	110	30	60	—	260	620	90
Groin .....	254	8,760	580	420	140	—	120	340	250
External reproductive tract structures .....	255	560	140	110	—	—	50	40	—
External reproductive tract structures, unspecified .....	2550	80	—	—	—	—	—	—	—
Scrotum .....	2551	370	120	110	—	—	40	20	—
Penis .....	2552	90	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	150	—	—	—	—	30	50	—
Pelvic region, n.e.c. ....	259	130	—	—	—	—	—	20	—
Multiple trunk locations .....	28	7,010	670	450	90	90	1,050	1,230	140
Trunk, n.e.c. ....	29	110	20	—	—	—	—	40	—
<b>Upper extremities</b> .....	<b>3</b>	<b>274,180</b>	<b>157,310</b>	<b>70,260</b>	<b>35,210</b>	<b>45,410</b>	<b>8,220</b>	<b>23,560</b>	<b>720</b>
Upper extremities, unspecified .....	30	740	50	—	—	—	—	360	—
Arm(s) .....	31	54,860	15,400	7,520	5,320	2,200	3,590	9,590	330
Arm(s), unspecified .....	310	18,510	4,260	2,390	870	870	1,390	3,260	80
Upper arm(s) .....	311	4,310	660	370	130	150	140	560	170
Elbow(s) .....	312	18,020	4,750	1,310	3,120	210	1,480	4,310	60
Forearm(s) .....	313	10,860	5,070	3,080	1,010	880	390	840	—
Multiple arm(s) locations .....	318	2,510	460	250	140	70	160	580	—
Arm(s), n.e.c. ....	319	650	200	110	40	30	30	50	—
Wrist(s) .....	32	48,810	7,330	4,010	2,030	1,030	2,870	7,830	280
Hand(s), except finger(s) .....	33	49,480	33,870	17,800	8,170	6,320	670	2,440	40
Finger(s), fingernail(s) .....	34	106,050	95,380	38,960	18,520	33,910	560	1,880	30
Multiple upper extremities locations ..	38	14,160	5,260	1,960	1,160	1,950	510	1,440	50
Multiple upper extremities locations, unspecified .....	380	240	40	—	—	—	20	20	—
Hand(s) and finger(s) .....	381	4,620	3,030	1,010	610	1,310	30	190	—
Hand(s) and wrist(s) .....	382	3,370	930	330	270	310	170	580	—
Hand(s) and arm(s) .....	383	1,550	440	150	130	120	90	140	—
Multiple upper extremities locations, n.e.c. ....	389	4,370	820	460	140	190	200	510	30
Upper extremities, n.e.c. ....	39	80	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>262,180</b>	<b>87,800</b>	<b>45,250</b>	<b>30,050</b>	<b>10,180</b>	<b>24,860</b>	<b>47,390</b>	<b>22,910</b>
Lower extremities, unspecified .....	40	200	40	20	20	—	20	30	—
Leg(s) .....	41	134,550	33,350	14,950	13,470	3,200	11,440	30,660	10,920
Leg(s), unspecified .....	410	18,270	7,320	4,080	2,150	910	1,980	2,510	500
Thigh(s) .....	411	5,820	2,610	2,000	350	130	400	750	180
Knee(s) .....	412	95,520	18,010	5,680	9,430	1,560	7,470	24,660	9,660
Lower leg(s) .....	413	10,660	4,730	2,780	1,390	500	950	1,440	290
Multiple leg(s) locations .....	418	3,440	450	250	120	60	560	1,170	280
Leg(s), n.e.c. ....	419	850	240	170	40	40	70	130	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Buttock(s) .....	610	540	—	80	—	—	60	—	50	100
Groin .....	6,380	4,020	230	20	30	—	50	30	20	760
External reproductive tract structures .....	160	40	—	—	70	—	30	—	30	—
External reproductive tract structures, unspecified .....	60	—	—	—	—	—	—	—	—	—
Scrotum .....	100	20	—	—	60	—	20	—	20	—
Penis .....	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—	—	20
Pelvic region, n.e.c. ....	50	20	30	—	—	—	—	—	—	—
Multiple trunk locations .....	2,400	1,140	70	140	680	—	150	130	20	470
Trunk, n.e.c. ....	20	—	—	—	—	—	30	—	—	—
<b>Upper extremities</b> .....	<b>27,710</b>	<b>11,600</b>	<b>25,730</b>	<b>13,360</b>	<b>3,560</b>	<b>460</b>	<b>5,970</b>	<b>3,310</b>	<b>2,670</b>	<b>7,580</b>
Upper extremities, unspecified .....	90	60	50	90	30	—	—	—	—	60
Arm(s) .....	12,870	5,390	3,370	4,100	1,340	70	1,570	910	650	2,630
Arm(s), unspecified .....	4,190	1,900	1,080	1,800	650	40	630	370	260	1,150
Upper arm(s) .....	1,760	730	130	340	70	—	200	170	30	280
Elbow(s) .....	4,390	1,530	1,430	180	360	—	200	150	50	850
Forearm(s) .....	1,700	900	370	1,570	160	30	500	190	310	210
Multiple arm(s) locations .....	630	250	310	150	100	—	20	20	—	90
Arm(s), n.e.c. ....	200	80	50	70	—	—	20	20	—	50
Wrist(s) .....	9,180	3,810	16,750	570	970	—	960	810	150	2,060
Hand(s), except finger(s) .....	1,660	500	1,980	5,790	450	130	1,520	550	970	940
Finger(s), fingernail(s) .....	2,060	970	1,580	1,620	270	70	1,490	760	730	1,110
Multiple upper extremities locations .....	1,810	860	2,000	1,180	490	190	430	260	170	780
Multiple upper extremities locations, unspecified .....	30	20	30	—	20	—	—	—	—	—
Hand(s) and finger(s) .....	210	60	250	480	190	20	60	30	30	160
Hand(s) and wrist(s) .....	400	160	780	270	—	—	70	50	20	150
Hand(s) and arm(s) .....	130	30	160	230	50	80	140	40	110	80
Multiple upper extremities locations, n.e.c. ....	1,050	600	780	200	210	40	160	140	20	380
Upper extremities, n.e.c. ....	30	—	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>13,650</b>	<b>4,240</b>	<b>980</b>	<b>5,360</b>	<b>9,250</b>	<b>260</b>	<b>2,760</b>	<b>1,360</b>	<b>1,400</b>	<b>46,960</b>
Lower extremities, unspecified .....	20	20	—	20	20	—	—	—	—	30
Leg(s) .....	11,120	3,680	810	2,250	3,910	240	2,100	1,030	1,070	27,740
Leg(s), unspecified .....	970	370	30	1,350	1,250	200	500	140	360	1,660
Thigh(s) .....	580	250	50	260	270	—	160	20	140	540
Knee(s) .....	8,590	2,730	700	180	1,440	—	1,180	790	390	23,620
Lower leg(s) .....	720	200	20	320	470	30	200	50	150	1,480
Multiple leg(s) locations .....	120	40	—	130	410	—	30	—	20	290
Leg(s), n.e.c. ....	140	100	—	20	60	—	30	—	30	150

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Ankle(s) .....	42	61,770	13,400	3,860	7,750	1,620	8,140	11,750	9,780
Foot(feet), except toe(s) .....	43	43,840	26,530	15,930	6,710	3,580	3,660	2,660	1,530
Foot(feet), except toe(s), unspecified .....	430	39,300	24,220	14,960	5,660	3,350	2,770	2,420	1,460
Instep(s) .....	431	310	220	150	70	—	—	—	—
Sole .....	432	3,110	1,490	420	880	150	700	120	40
Sole(s), unspecified .....	4320	420	370	20	350	—	—	—	—
Ball(s) .....	4321	40	40	—	40	—	—	—	—
Arch(es) .....	4322	100	60	30	30	—	—	—	—
Heel(s) .....	4323	2,510	1,000	360	460	140	700	110	40
Multiple sole(s) locations .....	4328	30	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	4329	20	20	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	380	120	60	—	40	130	40	—
Foot(feet), n.e.c. ....	439	750	480	350	90	30	50	70	20
Toe(s), toenail(s) .....	44	13,610	11,850	8,840	1,700	1,230	160	590	160
Multiple lower extremities locations ....	48	8,120	2,620	1,640	400	560	1,430	1,680	510
Multiple lower extremities locations, unspecified .....	480	180	60	30	—	20	50	30	—
Foot(feet) and leg(s) .....	481	820	280	180	60	40	100	160	20
Foot(feet) and ankle(s) .....	482	2,750	900	500	150	250	580	340	210
Foot(feet) and toe(s) .....	483	930	720	540	30	150	20	—	—
Multiple lower extremities locations, n.e.c. ....	489	3,440	670	400	150	100	680	1,140	260
Lower extremities, n.e.c. ....	49	90	—	—	—	—	—	—	—
<b>Body systems</b> .....	5	18,220	400	50	340	—	30	160	—
<b>Multiple body parts</b> .....	8	115,930	12,520	8,420	2,490	1,180	17,040	31,440	1,890
<b>Other body parts</b> .....	9	60	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	60	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	10,780	830	420	190	50	410	1,350	200

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2006 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Ankle(s) .....	1,620	260	40	400	1,510	—	290	150	140	14,820
Foot(feet), except toe(s) .....	640	180	110	2,190	2,780	—	250	120	130	3,490
Foot(feet), except toe(s), unspecified .....	490	150	90	2,110	2,590	—	230	110	120	2,900
Instep(s) .....	—	—	—	—	20	—	—	—	—	30
Sole .....	120	30	—	20	130	—	20	—	—	460
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—	40
Ball(s) .....	—	—	—	—	—	—	—	—	—	—
Arch(es) .....	—	—	—	—	—	—	—	—	—	20
Heel(s) .....	100	20	—	—	130	—	20	—	—	400
Multiple sole(s) locations .....	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations .....	—	—	—	—	—	—	—	—	—	50
Foot(feet), n.e.c. ....	20	—	—	40	20	—	—	—	—	50
Toe(s), toenail(s) .....	50	30	—	30	480	—	70	40	30	220
Multiple lower extremities locations ....	200	70	—	470	560	—	40	20	20	610
Multiple lower extremities locations, unspecified .....	—	—	—	—	20	—	—	—	—	—
Foot(feet) and leg(s) .....	40	—	—	100	90	—	—	—	—	40
Foot(feet) and ankle(s) .....	70	50	—	210	160	—	—	—	—	270
Foot(feet) and toe(s) .....	—	—	—	80	60	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	70	20	—	80	230	—	30	—	20	280
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—	40
<b>Body systems</b> .....	80	—	60	14,290	100	160	370	350	20	2,570
<b>Multiple body parts</b> .....	14,110	6,520	2,070	5,600	20,680	830	4,070	3,640	440	5,680
<b>Other body parts</b> .....	—	—	—	30	—	—	—	—	—	—
Other body parts, n.e.c. ....	—	—	—	30	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	740	450	230	1,340	640	—	390	100	290	4,620

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62,

and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies