

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		1,183,500	775,900	403,740	3,860	157,740	259,320	394,870	361,250	10,310
Traumatic injuries and disorders	0	1,103,270	727,740	372,070	3,460	149,900	245,120	368,690	330,700	8,860
Traumatic injuries and disorders, unspecified	00	41,660	25,900	15,710	40	5,480	9,570	13,950	12,170	490
Traumatic injuries to bones, nerves, spinal cord	01	104,470	74,120	29,940	410	15,270	18,990	35,580	33,850	770
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	640	550	80	-	30	50	160	390	-
Dislocations	011	8,750	6,240	2,460	50	1,130	1,490	3,170	2,880	70
Fractures	012	94,110	66,550	27,200	360	13,990	17,200	31,880	30,340	690
Traumatic injuries to spinal cord	013	140	130	-	-	-	30	100	-	-
Traumatic injuries to nerves, except the spinal cord	014	250	190	50	-	40	80	100	30	-
Multiple traumatic injuries to bones nerves, spinal cord	018	360	270	90	-	50	50	130	120	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	230	180	50	-	30	90	40	70	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	477,360	301,490	173,860	2,010	53,910	104,420	161,230	153,530	4,270
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	3,840	2,760	1,040	40	300	860	1,280	1,320	80
Sprains, strains, tears	021	472,740	298,220	172,550	1,970	53,570	103,410	159,630	151,930	4,190
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	780	510	270	-	40	150	310	280	-
Open wounds	03	130,800	105,960	24,530	310	24,160	32,100	43,910	29,750	880
Open wounds, unspecified	030	780	710	70	-	170	90	210	310	-
Amputations	031	7,990	6,960	1,000	30	1,290	1,770	2,670	2,190	80
Amputations, fingertip	0311	5,630	4,860	760	20	850	1,200	2,000	1,520	70
Amputations, except fingertip	0319	2,360	2,100	250	-	430	570	670	670	-
Animal or insect bites	032	4,490	1,980	2,510	-	880	960	1,510	1,130	-
Avulsions	033	1,770	1,380	400	-	200	540	540	470	20
Cuts, lacerations	034	99,460	81,040	18,170	250	18,410	24,100	33,700	22,590	650
Gunshot wounds	036	110	90	20	-	-	30	50	30	-
Punctures, except bites	037	15,750	13,380	2,340	30	3,060	4,550	5,170	2,880	100
Multiple open wounds	038	60	50	-	-	-	-	30	20	-
Open wounds, n.e.c.	039	360	350	-	-	140	40	40	130	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Surface wounds and bruises ..	04	125,360	80,050	44,770	540	19,730	30,120	39,640	34,600	1,270
Surface wounds and bruises, unspecified	040	320	190	130	—	30	40	150	110	—
Abrasions, scratches	041	9,240	6,410	2,790	30	1,350	2,350	2,900	2,560	80
Blisters	042	300	120	180	—	40	40	170	50	—
Bruises, contusions	043	101,260	60,740	40,030	490	15,890	23,790	32,350	28,110	1,130
Foreign bodies (superficial splinters, chips)	044	13,620	12,250	1,350	20	2,280	3,760	3,900	3,620	60
Friction burns	045	60	30	30	—	—	30	20	—	—
Multiple surface wounds and bruises	048	390	220	160	—	90	60	110	120	—
Surface wounds and bruises, n.e.c.	049	170	80	80	—	50	50	40	30	—
Burns	05	26,050	17,760	8,240	40	4,540	7,290	7,410	6,670	130
Burns, unspecified	050	30	30	—	—	—	—	—	—	—
Chemical burns	051	7,490	5,990	1,480	—	1,490	2,250	2,050	1,670	30
Electrical burns	052	1,050	1,000	40	—	150	220	240	430	20
Heat burns, scalds	053	17,440	10,700	6,720	20	2,890	4,820	5,090	4,550	90
Multiple burns	058	20	20	—	—	—	—	—	—	—
Intracranial injuries	06	6,060	3,500	2,540	20	1,060	1,480	1,910	1,550	50
Intracranial injuries, unspecified	060	170	110	60	—	30	40	40	60	—
Cerebral hemorrhages	061	40	20	20	—	—	—	20	20	—
Concussions	062	5,830	3,360	2,450	20	1,030	1,430	1,850	1,470	50
Effects of environmental conditions	07	3,540	2,900	630	—	690	840	800	1,190	30
Effects of reduced temperature	071	290	280	—	—	30	240	—	—	—
Frostbite	0711	40	40	—	—	20	—	—	—	—
Hypothermia	0712	230	230	—	—	—	—	—	—	—
Effects of heat and light	072	3,020	2,570	440	—	670	580	750	1,010	20
Effects of heat and light, unspecified	0720	190	150	40	—	40	30	100	20	—
Heat stroke	0721	300	280	20	—	60	70	100	60	—
Heat syncope	0722	110	40	70	—	50	40	—	—	—
Heat fatigue	0723	370	310	60	—	60	70	100	140	—
Multiple effects of heat and light	0728	70	50	—	—	50	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,990	1,740	240	—	400	360	440	780	—
Effects of air pressure	073	230	50	180	—	—	20	30	180	—
Effects of air pressure, unspecified	0730	90	—	90	—	—	—	—	90	—
Aero-otitis media	0731	50	—	40	—	—	—	—	30	—
Caisson disease, bends, divers' palsy	0733	20	20	—	—	—	—	—	—	—
Multiple effects of air pressure	0738	30	—	—	—	—	—	—	30	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Effects of air pressure, n.e.c.	0739	50	—	40	—	—	—	—	30	—
Multiple traumatic injuries and disorders	08	45,890	28,300	17,590	—	6,190	9,970	14,740	14,860	120
Multiple traumatic injuries and disorders, unspecified	080	2,830	1,670	1,150	—	570	730	730	770	20
Cuts, abrasions, bruises	081	7,930	5,440	2,490	—	1,140	1,380	2,660	2,730	30
Sprains and bruises	082	18,020	9,220	8,800	—	2,540	3,960	6,020	5,440	50
Fractures and burns	083	50	30	30	—	—	—	20	—	—
Fractures and other injuries	084	10,550	7,730	2,810	—	1,060	2,570	3,190	3,710	20
Burns and other injuries	085	340	280	60	—	30	30	220	70	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	6,170	3,910	2,250	—	840	1,290	1,900	2,130	—
Other traumatic injuries and disorders	09	142,080	87,770	54,240	70	18,860	30,340	49,520	42,510	850
Other traumatic injuries and disorders, unspecified	090	480	250	230	—	30	70	220	170	—
Asphyxiations/strangulations, suffocations	091	240	130	110	—	30	70	70	70	—
Electrocutions, electric shocks	093	1,600	1,240	350	—	240	350	700	300	—
Internal injuries to organs and blood vessels of the trunk	094	70	60	—	—	20	—	30	—	—
Other poisonings and toxic effects	095	7,070	4,300	2,770	—	1,080	1,570	2,910	1,500	20
Other poisonings and toxic effects, unspecified	0950	560	290	270	—	—	60	330	150	—
Animal or insect bites, venomous	0951	4,420	2,980	1,440	—	740	1,010	1,900	760	20
Other poisonings and toxic effects, n.e.c.	0959	2,100	1,030	1,070	—	330	500	680	580	—
Traumatic complications	096	130	70	60	—	—	30	50	40	—
Traumatic shock	0961	20	—	—	—	—	—	—	—	—
Multiple traumatic complications	0968	30	20	—	—	—	—	—	20	—
Traumatic complications, n.e.c.	0969	70	30	40	—	—	30	30	—	—
Nonspecified injuries and disorders	097	131,180	81,170	49,960	50	17,080	28,010	45,150	40,120	810
Crushing injuries	0971	15,410	13,420	1,950	50	3,040	3,960	4,770	3,520	120
Back pain, hurt back	0972	35,330	21,460	13,870	—	3,610	7,610	12,840	10,800	460
Soreness, pain, hurt, except the back	0973	69,720	40,490	29,230	—	8,950	14,110	23,920	22,550	180

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple nonspecified injuries and disorders ...	0978	4,360	2,450	1,910	—	850	770	1,450	1,260	30
Nonspecified injuries and disorders, n.e.c.	0979	6,350	3,350	3,000	—	620	1,560	2,160	1,990	20
Other traumatic injuries and disorders, n.e.c.	099	1,310	550	760	—	380	230	390	300	—
Systemic diseases and disorders	1	57,560	38,210	19,270	70	5,360	9,490	18,300	24,110	310
Systemic diseases and disorders, unspecified	10	460	220	240	—	50	100	100	210	—
Diseases of the blood and blood forming organs	11	40	20	—	—	—	—	20	—	—
Diseases of the blood and blood forming organs, unspecified	110	20	20	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	18,780	9,100	9,670	—	1,230	2,370	6,010	9,090	70
Inflammatory diseases of the central nervous system	121	70	50	—	—	30	—	—	30	—
Inflammatory diseases of the central nervous system, n.e.c.	1219	50	40	—	—	30	—	—	20	—
Degenerative diseases of the central nervous system	122	50	50	—	—	—	20	—	30	—
Degenerative diseases of the central nervous system, unspecified	1220	20	20	—	—	—	20	—	—	—
Degenerative diseases of the central nervous system, n.e.c.	1229	30	30	—	—	—	—	—	30	—
Other disorders of the central nervous system	123	330	20	310	—	—	—	—	310	—
Migraine	1232	310	—	310	—	—	—	—	300	—
Disorders of the peripheral nervous system	124	13,670	5,400	8,260	—	390	1,430	3,840	7,960	40
Disorders of the peripheral nervous system, unspecified	1240	260	90	170	—	—	30	80	140	—
Carpal tunnel syndrome	1241	13,010	5,100	7,900	—	350	1,370	3,620	7,620	40
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	90	30	60	—	—	—	30	40	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other disorders of the peripheral nervous system, n.e.c.	1249	310	180	140	—	30	30	110	150	—
Disorders of the eye, adnexa, vision	125	4,490	3,450	1,040	—	800	860	2,120	680	30
Disorders of the eye, adnexa, vision, unspecified	1250	190	140	50	—	30	20	60	80	—
Conjunctivitis non-viral	1252	1,540	1,050	490	—	160	220	880	280	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	300	210	90	—	80	60	120	50	—
Blindness, low vision	1255	30	30	—	—	—	—	—	—	—
Welder's flash	1256	1,760	1,710	40	—	500	470	560	200	20
Visual disturbances	1258	110	100	20	—	—	—	70	20	—
Disorders of the eye, adnexa, vision, n.e.c. ..	1259	560	210	350	—	20	60	420	50	—
Disorders of the ear, mastoid process, hearing	126	180	130	50	—	20	40	30	80	—
Deafness, hearing loss or impairment	1261	130	100	30	—	—	40	—	80	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	30	20	—	—	—	—	—	—	—
Circulatory system diseases ..	13	630	360	270	—	40	50	150	390	—
Circulatory system diseases, unspecified	130	20	20	—	—	—	—	20	—	—
Ischemic heart disease, including heart attack	133	380	180	200	—	20	30	60	270	—
Myocardial infarction (heart attack)	1331	200	180	20	—	20	20	60	90	—
Cerebrovascular disease ...	136	80	60	20	—	—	—	30	40	—
Stroke	1361	80	60	20	—	—	—	30	40	—
Diseases of arteries, arterioles, capillaries	137	70	30	30	—	—	—	30	30	—
Aneurysm nontraumatic	1372	40	—	30	—	—	—	—	30	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	20	20	—	—	—	—	20	—	—
Diseases of the veins, lymphatics	138	60	40	—	—	—	—	—	40	—
Hemorrhoids	1382	20	20	—	—	—	—	—	20	—
Respiratory system diseases	14	1,580	680	900	—	210	210	600	560	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Respiratory system diseases, unspecified	140	150	50	110	—	20	30	60	40	—
Acute respiratory infections (including common cold)	141	410	370	50	—	100	30	30	250	—
Other diseases of upper respiratory tract	142	190	30	160	—	20	—	140	20	—
Allergic rhinitis	1421	60	—	50	—	—	—	40	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	1422	20	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	100	—	90	—	—	—	100	—	—
Pneumonia, influenza	143	70	60	—	—	—	—	30	30	—
Pneumonia	1431	30	30	—	—	—	—	—	20	—
Legionnaires' disease	1433	20	20	—	—	—	—	—	—	—
Pneumonia, influenza, n.e.c.	1439	20	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	690	130	560	—	60	130	310	190	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	—	30	—	20	—	—	—	—
Bronchitis	1441	90	40	40	—	30	20	20	20	—
Extrinsic asthma	1443	340	40	290	—	—	50	190	100	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	120	20	100	—	—	50	40	30	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	110	20	90	—	—	—	60	40	—
Other respiratory system diseases	149	40	20	—	—	—	—	20	—	—
Digestive system diseases and disorders	15	18,790	17,860	890	30	1,550	3,330	6,220	7,620	70
Diseases of esophagus, stomach, duodenum	152	40	30	—	—	—	20	—	—	—
Hernia	153	18,720	17,820	870	30	1,540	3,310	6,190	7,610	70
Hernia, unspecified	1530	7,530	7,090	410	30	640	1,490	2,450	2,910	40
Inguinal hernia	1531	7,470	7,300	170	—	460	1,240	2,610	3,140	30
Hiatal hernia	1532	420	400	20	—	30	40	170	180	—
Ventral hernia	1533	1,600	1,480	130	—	180	250	540	630	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Hernia, n.e.c.	1539	1,690	1,550	140	—	230	280	420	750	—
Genitourinary system diseases and disorders	16	20	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	11,460	5,750	5,690	30	830	2,080	3,460	5,000	100
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	160	120	40	—	—	—	40	90	—
Arthropathies and related disorders (arthritis)	171	140	70	70	—	—	20	40	80	—
Dorsopathies	172	1,310	850	460	—	60	380	380	480	—
Dorsopathies, unspecified	1720	30	30	—	—	—	—	—	—	—
Sciatica	1721	410	180	230	—	20	140	140	110	—
Lumbago	1722	20	20	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	130	90	40	—	—	20	40	50	—
Dorsopathies, n.e.c.	1729	720	530	190	—	30	200	180	310	—
Rheumatism, except the back	173	9,800	4,700	5,080	30	750	1,660	2,980	4,320	90
Rheumatism, except the back, unspecified	1730	690	380	310	—	70	120	200	280	20
Bursitis	1731	650	470	180	—	50	100	260	240	—
Synovitis	1732	70	—	40	—	—	—	—	20	—
Tendonitis	1733	4,750	2,290	2,460	—	370	950	1,490	1,920	20
Tenosynovitis	1734	750	310	430	—	80	90	270	280	20
Ganglion/cystic tumor	1735	480	170	310	—	—	60	200	210	—
Rheumatism, except the back, n.e.c.	1739	2,410	1,070	1,340	—	150	320	570	1,350	—
Osteopathies, chondropathies, acquired deformities	174	20	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	40	—	30	—	—	—	—	20	—
Disorders of the skin and subcutaneous tissue	18	5,720	4,180	1,530	—	1,430	1,320	1,720	1,190	60
Disorders of the skin and subcutaneous tissue, unspecified	180	190	90	110	—	30	40	80	50	—
Infections of the skin and subcutaneous tissue	181	1,570	1,290	280	—	190	420	600	370	—
Infections of the skin and subcutaneous tissue, unspecified	1810	630	540	90	—	60	90	390	100	—
Carbuncle and furuncle ..	1811	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Cellulitis and abscess	1812	690	570	110	—	100	270	140	170	—
Pilonidal cyst	1815	40	30	20	—	—	—	—	30	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	180	140	40	—	30	40	50	70	—
Dermatitis	182	3,430	2,350	1,070	—	880	830	930	720	60
Dermatitis, unspecified ...	1820	530	220	310	—	70	80	250	120	—
Contact dermatitis and other eczema	1822	950	720	230	—	320	140	250	230	—
Allergic dermatitis	1823	1,390	1,100	290	—	420	520	200	260	—
Irritant dermatitis	1824	480	270	210	—	50	70	210	100	50
Other contact dermatitis	1825	20	—	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	50	30	—	—	20	—	20	—	—
Other inflammatory conditions of the skin	183	450	400	50	—	320	20	80	40	—
Other inflammatory conditions of the skin, unspecified	1830	90	70	20	—	—	—	70	—	—
Other inflammatory conditions, n.e.c.	1839	350	330	20	—	310	—	—	20	—
Diseases of sebaceous glands	184	20	—	—	—	—	—	—	—	—
Sebaceous cyst	1842	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	60	40	20	—	—	20	20	—	—
Urticaria, hives	1898	30	20	20	—	—	—	—	—	—
Other systemic diseases and disorders	19	90	30	60	—	—	20	20	40	—
Endocrine, nutritional, metabolic, and immunity disorder	191	20	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	70	20	60	—	—	20	20	30	—
Infectious and parasitic diseases	2	2,550	390	2,170	—	340	660	980	570	—
Infectious and parasitic diseases, unspecified	20	130	30	100	—	20	70	20	—	—
Bacterial diseases	21	290	80	220	—	40	40	100	110	—
Bacterial diseases, unspecified	210	20	—	—	—	—	—	—	—	—
Tuberculoses	211	20	—	20	—	—	—	—	—	—
Tuberculoses, unspecified	2110	20	—	20	—	—	—	—	—	—
Other bacterial diseases	219	250	60	190	—	40	20	100	90	—
Diphtheria, whooping cough	2192	70	—	60	—	—	—	20	40	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Septicemia	2197	40	30	—	—	—	—	30	—	—
Other bacterial diseases, n.e.c	2199	130	—	120	—	40	—	50	30	—
Viral diseases	22	590	110	480	—	30	280	200	90	—
Viral diseases accompanied by exanthem (eruptive fever)	223	380	30	350	—	20	200	130	30	—
Chickenpox	2233	280	20	260	—	—	200	60	—	—
Herpes zoster	2234	40	—	40	—	—	—	20	—	—
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	50	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	90	20	70	—	—	—	50	30	—
Viral conjunctivitis (ophthalmia)	2262	90	20	70	—	—	—	50	30	—
Other diseases due to viruses and Chlamydiae ...	229	90	—	40	—	—	60	—	20	—
Mumps	2292	30	—	30	—	—	—	—	20	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	60	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	30	20	—	—	—	—	20	—	—
Lyme disease	237	20	—	—	—	—	—	20	—	—
Mycoses	24	70	40	30	—	—	20	—	40	—
Dermatophytosis (including athlete's foot, tinea)	241	40	20	20	—	—	—	—	30	—
Dermatomycosis	242	20	—	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	80	50	40	—	—	20	20	30	—
Infectious diseases peculiar to the intestines, unspecified	260	20	—	—	—	—	—	—	—	—
Other salmonella infections	263	20	—	—	—	—	—	—	—	—
Shigellosis	264	20	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	1,360	70	1,290	—	230	230	610	290	—
Acariasis (including scabies, chiggers, mites)	294	1,330	70	1,260	—	220	230	600	280	—
Symptoms, signs, and ill-defined conditions	4	11,230	4,880	6,340	—	1,360	2,420	3,830	3,380	250

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms, signs, and ill-defined conditions, unspecified	40	240	80	160	—	—	—	140	90	—
Symptoms	41	10,840	4,730	6,100	—	1,350	2,400	3,610	3,230	250
Symptoms, unspecified	410	390	330	70	—	50	80	170	90	—
General symptoms	411	4,010	1,770	2,250	—	680	880	1,130	1,100	220
General symptoms, unspecified	4110	160	130	30	—	20	—	50	—	—
Loss of consciousness not heat related	4111	1,020	360	660	—	100	380	270	270	—
Convulsions, seizures	4112	190	100	90	—	80	—	80	20	—
Dizziness	4114	730	250	480	—	300	150	170	100	—
Non-specified allergic reaction	4115	500	170	330	—	80	120	140	170	—
Multiple general symptoms	4118	530	350	170	—	40	60	130	140	150
General symptoms, n.e.c.	4119	870	380	490	—	60	140	290	370	—
Symptoms involving nervous and musculoskeletal systems	412	2,070	860	1,210	—	240	230	780	810	20
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	180	90	90	—	20	20	80	50	—
Spasms or tremors, n.e.c.	4121	40	20	20	—	—	—	20	20	—
Earache	4122	100	40	60	—	—	—	30	60	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	80	40	30	—	—	—	30	40	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,670	660	1,000	—	220	190	630	630	—
Symptoms involving skin and other integumentary tissue	413	910	470	440	—	110	130	340	330	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	100	50	50	—	20	20	40	20	—
Edema (including dropsy)	4131	700	390	310	—	60	80	260	290	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	100	30	70	—	30	20	30	—	—
Symptoms involving head and neck	414	640	300	340	—	100	230	180	130	—
Headache, except migraine	4141	500	250	250	—	90	170	150	100	—
Symptoms involving head and neck, n.e.c. ..	4149	110	40	70	—	—	70	20	20	—
Symptoms involving cardiovascular system	415	40	20	30	—	—	—	—	20	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,760	650	1,110	—	90	470	700	500	—
Symptoms involving respiratory system and chest, unspecified	4160	820	260	560	—	40	150	450	180	—
Chest pain	4164	390	130	260	—	20	70	160	150	—
Multiple symptoms involving respiratory system and chest	4168	100	20	80	—	—	40	40	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	440	240	200	—	20	210	60	140	—
Symptoms involving digestive and urinary system	417	280	140	140	—	30	100	110	40	—
Nausea and vomiting	4171	170	100	70	—	—	80	60	30	—
Abdominal pain, unspecified	4175	60	30	40	—	20	—	30	—	—
Multiple symptoms involving digestive or urinary system	4178	20	—	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system, n.e.c.	4179	20	—	20	—	—	20	—	—	—
Multiple symptoms	418	700	190	510	—	50	250	190	210	—
Other symptoms, n.e.c.	419	20	—	—	—	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	80	20	60	—	—	—	60	20	—
Multiple chemical sensitivity	481	50	—	50	—	—	—	50	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2006 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	20	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	40	30	—	—	—	—	20	20	—
Other diseases, conditions, and disorders	5	2,370	1,150	1,210	20	100	240	1,030	950	60
Mental disorders or syndromes	52	2,350	1,130	1,200	20	100	230	1,010	940	60
Mental disorder or syndrome, unspecified	520	80	30	30	—	—	—	40	—	20
Anxiety, stress, neurotic disorders	521	2,220	1,060	1,150	—	90	220	960	910	40
Anxiety, stress, neurotic disorders, unspecified ..	5210	890	430	460	—	70	80	360	340	40
Post-traumatic anxiety acute	5211	370	190	180	—	—	50	260	60	—
Panic disorder	5213	90	70	30	—	—	20	—	60	—
Neurotic reaction to stress	5214	770	320	450	—	20	70	310	370	—
Multiple anxiety, stress, neurotic disorders	5218	80	60	20	—	—	—	20	60	—
Neurotic disorders, n.e.c.	5219	20	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	50	30	—	—	—	—	20	20	—
Other diseases, conditions, and disorders, n.e.c.	59	20	20	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	500	230	270	—	70	80	140	210	—
Nonclassifiable	9999	6,010	3,290	2,410	310	630	1,310	1,910	1,340	820

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies