

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,183,500	25,810	81,190	245,150	76,210	83,320	14,330	149,910	94,890	171,030	239,710	–
Traumatic injuries and disorders ...	0	1,103,270	23,540	75,240	230,800	71,560	74,360	13,390	142,810	89,050	152,860	228,300	–
Traumatic injuries and disorders, unspecified	00	41,660	760	2,890	9,470	3,420	3,270	800	4,950	3,250	3,760	8,950	–
Traumatic injuries to bones, nerves, spinal cord	01	104,470	3,430	6,930	14,010	7,660	7,140	1,430	18,640	8,210	13,930	23,050	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	640	40	–	140	–	–	–	100	180	40	120	–
Dislocations	011	8,750	150	900	1,290	750	640	90	1,320	680	1,000	1,930	–
Fractures	012	94,110	3,210	5,960	12,390	6,870	6,440	1,310	17,100	7,210	12,770	20,800	–
Traumatic injuries to spinal cord	013	140	–	–	100	–	–	–	–	–	20	–	–
Traumatic injuries to nerves, except the spinal cord	014	250	–	–	20	20	–	–	30	80	30	70	–
Multiple traumatic injuries to bones nerves, spinal cord	018	360	–	–	50	–	40	20	50	40	30	90	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	230	30	50	20	–	–	–	20	20	40	30	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	477,360	9,610	38,240	101,240	34,060	34,170	4,460	52,290	39,150	55,850	107,650	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	3,840	90	310	680	200	290	–	400	440	350	1,070	–
Sprains, strains, tears	021	472,740	9,500	37,880	100,400	33,740	33,830	4,410	51,830	38,660	55,430	106,410	–
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c. ...	029	780	20	50	160	120	50	30	60	50	70	170	–
Open wounds	03	130,800	1,690	4,230	29,710	5,040	5,130	1,800	26,190	12,230	27,550	17,100	–
Open wounds, unspecified	030	780	20	–	20	–	40	–	290	190	90	100	–
Amputations	031	7,990	60	90	740	130	170	130	1,410	720	3,330	1,210	–
Amputations, fingertip	0311	5,630	50	70	570	120	110	80	1,150	440	2,320	710	–
Amputations, except fingertip	0319	2,360	–	20	180	–	50	50	260	290	1,000	500	–
Animal or insect bites	032	4,490	210	930	1,690	230	320	80	220	180	220	400	–
Avulsions	033	1,770	–	40	300	30	50	–	190	100	820	220	–
Cuts, lacerations	034	99,460	1,270	2,080	25,220	4,000	4,230	1,320	18,800	9,140	20,070	13,210	–
Gunshot wounds	036	110	–	–	60	–	–	–	–	–	–	–	–
Punctures, except bites	037	15,750	100	1,080	1,620	620	320	250	5,250	1,800	2,910	1,790	–
Multiple open wounds	038	60	–	–	–	–	–	–	–	–	30	20	–
Open wounds, n.e.c.	039	360	–	–	50	–	–	–	20	80	60	130	–
Surface wounds and bruises	04	125,360	2,590	8,090	23,840	7,800	9,380	2,000	14,470	9,380	20,270	27,410	–
Surface wounds and bruises, unspecified	040	320	–	–	100	60	20	–	20	30	40	30	–
Abrasions, scratches	041	9,240	280	470	1,540	380	570	220	1,170	730	2,050	1,810	–
Blisters	042	300	–	–	150	20	–	–	30	–	30	40	–
Bruises, contusions	043	101,260	2,010	7,440	21,200	7,100	8,540	1,510	9,630	6,200	14,020	23,520	–

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Foreign bodies (superficial splinters, chips)	044	13,620	290	110	740	210	200	260	3,540	2,380	3,960	1,920	—
Friction burns	045	60	—	—	20	—	—	—	—	—	30	—	—
Multiple surface wounds and bruises	048	390	—	50	60	20	30	—	40	20	70	70	—
Surface wounds and bruises, n.e.c.	049	170	—	—	20	—	—	—	20	—	70	20	—
Burns	05	26,050	270	500	9,740	1,070	850	170	3,270	2,690	4,980	2,500	—
Burns, unspecified	050	30	—	—	—	—	—	—	—	—	20	—	—
Chemical burns	051	7,490	50	250	1,770	210	360	50	1,200	700	1,360	1,520	—
Electrical burns	052	1,050	—	40	80	—	40	—	370	230	170	120	—
Heat burns, scalds	053	17,440	220	210	7,890	860	450	120	1,680	1,750	3,410	870	—
Multiple burns	058	20	—	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	06	6,060	380	580	970	430	640	340	620	240	660	1,130	—
Intracranial injuries, unspecified	060	170	—	—	30	—	40	—	—	—	20	60	—
Cerebral hemorrhages	061	40	—	—	20	—	—	—	—	—	—	—	—
Concussions	062	5,830	380	560	920	430	600	340	600	230	640	1,050	—
Effects of environmental conditions	07	3,540	—	80	620	50	100	130	800	320	600	810	—
Effects of reduced temperature	071	290	—	—	230	—	—	—	—	—	—	20	—
Frostbite	0711	40	—	—	—	—	—	—	—	—	—	20	—
Hypothermia	0712	230	—	—	230	—	—	—	—	—	—	—	—
Effects of heat and light	072	3,020	—	80	220	50	90	130	800	290	560	780	—
Effects of heat and light, unspecified	0720	190	—	—	—	—	—	30	50	—	20	50	—
Heat stroke	0721	300	—	—	30	—	—	30	80	20	100	40	—
Heat syncope	0722	110	—	—	30	20	—	—	—	—	—	20	—
Heat fatigue	0723	370	—	—	40	—	—	—	80	30	110	100	—
Multiple effects of heat and light	0728	70	—	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,990	—	70	80	—	70	70	540	220	320	570	—
Effects of air pressure	073	230	—	—	170	—	—	—	—	20	30	—	—
Effects of air pressure, unspecified	0730	90	—	—	90	—	—	—	—	—	—	—	—
Aero-otitis media	0731	50	—	—	40	—	—	—	—	—	—	—	—
Caisson disease, bends, divers' palsy	0733	20	—	—	—	—	—	—	—	20	—	—	—
Multiple effects of air pressure	0738	30	—	—	—	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	50	—	—	30	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	45,890	1,280	3,680	8,470	3,140	3,590	720	5,360	3,210	5,600	10,800	—
Multiple traumatic injuries and disorders, unspecified	080	2,830	60	170	690	240	260	—	290	200	240	680	—
Cuts, abrasions, bruises	081	7,930	170	560	1,080	670	500	50	860	560	1,500	1,980	—
Sprains and bruises	082	18,020	480	1,740	4,540	1,120	1,680	240	1,860	1,050	1,540	3,750	—
Fractures and burns	083	50	—	—	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Fractures and other injuries	084	10,550	320	520	1,270	680	650	240	1,590	940	1,470	2,840	—
Burns and other injuries	085	340	—	—	20	—	—	—	40	30	80	140	—
Other combinations of traumatic injuries and disorders, n.e.c. ...	089	6,170	250	680	850	420	500	160	710	430	770	1,390	—
Other traumatic injuries and disorders	09	142,080	3,520	10,020	32,750	8,890	10,090	1,550	16,240	10,380	19,660	28,900	—
Other traumatic injuries and disorders, unspecified	090	480	30	20	60	—	110	—	50	60	50	80	—
Asphyxiations/strangulations, suffocations	091	240	—	30	20	—	30	—	60	—	30	40	—
Electrocutions, electric shocks ...	093	1,600	320	30	190	80	90	—	410	140	280	50	—
Internal injuries to organs and blood vessels of the trunk	094	70	—	—	—	—	—	—	30	—	—	20	—
Other poisonings and toxic effects	095	7,070	540	920	1,870	280	480	190	440	810	660	880	—
Other poisonings and toxic effects, unspecified	0950	560	220	20	—	—	—	—	20	200	30	40	—
Animal or insect bites, venomous	0951	4,420	290	500	1,420	160	340	170	220	420	330	580	—
Other poisonings and toxic effects, n.e.c.	0959	2,100	30	400	440	120	130	20	200	190	300	260	—
Traumatic complications	096	130	—	30	30	—	20	—	—	—	30	—	—
Traumatic shock	0961	20	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic complications	0968	30	—	—	—	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	—	20	20	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	131,180	2,460	8,930	30,130	8,460	9,290	1,300	15,130	9,290	18,500	27,590	—
Crushing injuries	0971	15,410	60	170	1,500	430	620	260	3,230	1,310	4,310	3,510	—
Back pain, hurt back	0972	35,330	730	2,650	9,450	2,310	2,500	230	3,930	2,150	3,640	7,720	—
Soreness, pain, hurt, except the back	0973	69,720	1,420	5,330	16,050	5,120	5,510	710	7,140	5,300	9,170	13,940	—
Multiple nonspecified injuries and disorders	0978	4,360	200	340	1,190	240	330	—	420	140	430	1,050	—
Nonspecified injuries and disorders, n.e.c.	0979	6,350	60	430	1,940	360	320	90	410	390	950	1,350	—
Other traumatic injuries and disorders, n.e.c.	099	1,310	150	60	430	40	70	20	110	70	110	240	—
Systemic diseases and disorders ..	1	57,560	1,540	3,250	8,390	3,100	5,710	670	5,450	4,710	16,030	8,570	—
Systemic diseases and disorders, unspecified	10	460	—	20	30	20	120	—	20	20	160	60	—
Diseases of the blood and blood forming organs	11	40	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Diseases of the blood and blood forming organs, unspecified	110	20	—	—	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	18,780	740	1,140	2,200	940	2,750	100	1,400	1,360	6,520	1,610	—	
Inflammatory diseases of the central nervous system	121	70	—	—	20	—	—	—	—	—	—	20	—	
Inflammatory diseases of the central nervous system, n.e.c.	1219	50	—	—	—	—	—	—	—	—	—	—	—	
Degenerative diseases of the central nervous system	122	50	—	—	—	—	—	—	20	—	20	—	—	
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—	—	20	—	—	—	—	
Degenerative diseases of the central nervous system, n.e.c.	1229	30	—	—	—	—	—	—	—	—	20	—	—	
Other disorders of the central nervous system	123	330	—	—	—	—	310	—	—	—	—	—	—	
Migraine	1232	310	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the peripheral nervous system	124	13,670	680	810	1,280	900	2,370	30	1,080	760	4,610	1,120	—	
Disorders of the peripheral nervous system, unspecified	1240	260	—	—	20	40	50	—	30	—	50	40	—	
Carpal tunnel syndrome	1241	13,010	660	780	1,190	850	2,280	30	1,030	700	4,450	1,020	—	
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	90	—	—	—	—	20	—	—	—	20	—	—	
Other disorders of the peripheral nervous system, n.e.c.	1249	310	—	—	50	20	20	—	20	50	90	60	—	
Disorders of the eye, adnexa, vision	125	4,490	60	300	850	30	70	70	280	560	1,840	440	—	
Disorders of the eye, adnexa, vision, unspecified	1250	190	—	20	40	—	—	—	—	—	40	20	—	
Conjunctivitis non-viral	1252	1,540	—	220	340	—	40	50	60	130	540	140	—	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	300	—	20	110	—	—	—	20	40	50	40	—	
Blindness, low vision	1255	30	—	—	—	—	—	—	—	—	—	—	—	
Welder's flash	1256	1,760	—	—	20	—	—	20	130	300	1,100	180	—	
Visual disturbances	1258	110	—	—	20	—	—	—	—	—	30	50	—	
Disorders of the eye, adnexa, vision, n.e.c.	1259	560	—	30	330	—	—	—	30	90	60	—	—	
Disorders of the ear, mastoid process, hearing	126	180	—	20	40	—	—	—	—	40	40	—	—	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Deafness, hearing loss or impairment	1261	130	—	20	30	—	—	—	—	—	30	20	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	30	—	—	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	13	630	—	40	90	20	200	20	40	20	40	150	—	—
Circulatory system diseases, unspecified	130	20	—	—	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	380	—	40	20	—	180	—	—	—	20	100	—	—
Myocardial infarction (heart attack)	1331	200	—	40	20	—	—	—	—	—	20	100	—	—
Cerebrovascular disease	136	80	—	—	50	—	—	—	—	—	—	20	—	—
Stroke	1361	80	—	—	50	—	—	—	—	—	—	20	—	—
Diseases of arteries, arterioles, capillaries	137	70	—	—	—	—	—	—	20	—	—	—	—	—
Aneurysm nontraumatic	1372	40	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	20	—	—	—	—	—	—	20	—	—	—	—	—
Diseases of the veins, lymphatics	138	60	—	—	—	—	—	—	—	—	—	20	—	—
Hemorrhoids	1382	20	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,580	20	260	340	50	310	—	20	50	410	120	—	—
Respiratory system diseases, unspecified	140	150	—	20	50	—	20	—	—	—	20	20	—	—
Acute respiratory infections (including common cold)	141	410	—	20	30	—	110	—	—	—	240	—	—	—
Other diseases of upper respiratory tract	142	190	—	90	20	—	20	—	—	—	40	—	—	—
Allergic rhinitis	1421	60	—	—	—	—	—	—	—	—	20	—	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	1422	20	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	100	—	80	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	143	70	—	—	20	—	—	—	—	—	—	30	—	—
Pneumonia	1431	30	—	—	—	—	—	—	—	—	—	20	—	—
Legionnaires' disease	1433	20	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza, n.e.c.	1439	20	—	—	—	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ...	144	690	—	110	210	40	160	—	—	—	90	40	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	—	20	—	—	—	—	—	—	—	—	—	—
Bronchitis	1441	90	—	—	—	—	20	—	—	—	20	20	—	—
Extrinsic asthma	1443	340	—	50	150	—	50	—	—	—	60	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) ...	1444	120	—	20	—	20	40	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	110	—	20	40	—	40	—	—	—	—	—	—	—
Other respiratory system diseases	149	40	—	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	18,790	410	280	1,910	1,280	830	230	2,560	2,250	4,140	4,810	—	
Diseases of esophagus, stomach, duodenum	152	40	—	—	—	—	—	—	—	—	—	20	—	
Hernia	153	18,720	410	280	1,890	1,280	830	230	2,560	2,250	4,140	4,780	—	
Hernia, unspecified	1530	7,530	120	110	700	600	350	130	910	840	1,700	2,010	—	
Inguinal hernia	1531	7,470	100	110	810	450	310	40	1,220	910	1,770	1,740	—	
Hiatal hernia	1532	420	—	—	20	20	20	—	90	50	90	120	—	
Ventral hernia	1533	1,600	170	20	120	70	90	20	160	220	250	480	—	
Hernia, n.e.c.	1539	1,690	—	30	230	140	70	40	180	230	320	440	—	
Genitourinary system diseases and disorders	16	20	—	—	—	—	—	—	—	—	—	—	—	
Musculoskeletal system and connective tissue diseases and disorders	17	11,460	320	1,070	1,640	610	1,290	160	790	640	3,610	1,300	—	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	160	—	—	—	—	—	—	50	20	20	50	—	
Arthropathies and related disorders (arthritis)	171	140	—	—	30	—	—	—	—	—	50	20	—	
Dorsopathies	172	1,310	120	230	140	40	210	—	100	110	160	170	—	
Dorsopathies, unspecified	1720	30	—	—	—	—	—	—	—	—	—	—	—	
Sciatica	1721	410	30	140	50	—	—	—	40	30	40	50	—	
Lumbago	1722	20	—	—	—	—	—	—	—	—	—	—	—	
Disc disorders, except dislocation	1723	130	—	—	—	—	—	—	20	20	—	30	—	
Dorsopathies, n.e.c.	1729	720	80	90	60	30	190	—	20	50	100	90	—	
Rheumatism, except the back ...	173	9,800	190	820	1,470	570	1,050	140	630	500	3,360	1,050	—	
Rheumatism, except the back, unspecified	1730	690	50	30	140	50	80	—	40	—	210	80	—	
Bursitis	1731	650	—	—	100	40	20	—	170	80	140	70	—	
Synovitis	1732	70	—	—	30	—	—	—	—	—	—	20	—	
Tendonitis	1733	4,750	60	490	710	330	560	80	210	250	1,580	480	—	
Tenosynovitis	1734	750	—	30	160	30	100	20	60	—	230	90	—	
Ganglion/cystic tumor	1735	480	—	20	50	40	70	—	—	20	220	50	—	
Rheumatism, except the back, n.e.c.	1739	2,410	80	230	280	80	230	30	140	130	960	260	—	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Osteopathies, chondropathies, acquired deformities	174	20	—	—	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	40	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,720	40	420	2,150	170	180	160	600	380	1,110	510	—	—
Disorders of the skin and subcutaneous tissue, unspecified	180	190	—	40	50	—	—	—	—	—	50	40	—	—
Infections of the skin and subcutaneous tissue	181	1,570	—	90	200	30	100	40	420	120	380	170	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	630	—	30	80	—	40	—	310	20	70	60	—	—
Carbuncle and furuncle	1811	20	—	—	—	—	—	—	—	—	—	—	—	—
Cellulitis and abscess	1812	690	—	40	60	20	40	30	90	70	250	80	—	—
Pilonidal cyst	1815	40	—	—	—	—	—	—	—	—	20	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	180	—	—	50	—	—	—	20	30	30	30	—	—
Dermatitis	182	3,430	20	270	1,570	120	80	110	160	250	600	250	—	—
Dermatitis, unspecified	1820	530	—	80	160	—	20	20	20	30	140	50	—	—
Contact dermatitis and other eczema	1822	950	—	60	280	—	30	40	80	180	210	50	—	—
Allergic dermatitis	1823	1,390	—	80	910	90	—	40	40	30	120	50	—	—
Irritant dermatitis	1824	480	—	40	190	—	—	—	—	—	100	100	—	—
Other contact dermatitis	1825	20	—	—	—	—	—	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	50	—	—	—	—	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	450	—	—	320	—	—	—	—	—	60	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	90	—	—	20	—	—	—	—	—	50	—	—	—
Other inflammatory conditions, n.e.c.	1839	350	—	—	300	—	—	—	—	—	—	—	—	—
Diseases of sebaceous glands ..	184	20	—	—	—	—	—	—	—	—	—	—	—	—
Sebaceous cyst	1842	20	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	60	—	—	—	—	—	—	—	—	—	20	—	—
Urticaria, hives	1898	30	—	—	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	90	—	—	—	—	30	—	—	—	20	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	20	—	—	—	—	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	70	—	—	—	—	20	—	—	—	20	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Infectious and parasitic diseases ..	2	2,550	30	880	1,370	20	80	20	60	20	40	40	—
Infectious and parasitic diseases, unspecified	20	130	—	90	20	—	—	—	—	—	—	—	—
Bacterial diseases	21	290	—	100	130	—	20	—	—	—	30	—	—
Bacterial diseases, unspecified	210	20	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis	211	20	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis, unspecified	2110	20	—	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases	219	250	—	80	110	—	—	—	—	—	30	—	—
Diphtheria, whooping cough ..	2192	70	—	50	—	—	—	—	—	—	—	—	—
Septicemia	2197	40	—	—	—	—	—	—	—	—	20	—	—
Other bacterial diseases, n.e.c	2199	130	—	20	90	—	—	—	—	—	—	—	—
Viral diseases	22	590	—	400	90	—	20	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	380	—	300	60	—	—	—	—	—	—	—	—
Chickenpox	2233	280	—	230	30	—	—	—	—	—	—	—	—
Herpes zoster	2234	40	—	—	30	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	50	—	50	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	90	—	60	20	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	90	—	60	20	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	90	—	30	—	—	—	—	—	—	—	—	—
Mumps	2292	30	—	20	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	60	—	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	30	—	—	—	—	—	—	—	—	—	—	—
Lyme disease	237	20	—	—	—	—	—	—	—	—	—	—	—
Mycoses	24	70	—	20	20	—	—	—	—	—	—	—	—
Dermatophytosis (including athlete's foot, tinea)	241	40	—	20	20	—	—	—	—	—	—	—	—
Dermatomycosis	242	20	—	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	80	—	20	30	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	20	—	—	—	—	—	—	—	—	—	—	—
Other salmonella infections	263	20	—	—	—	—	—	—	—	—	—	—	—
Shigellosis	264	20	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	1,360	—	240	1,080	—	20	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	1,330	—	230	1,070	—	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Symptoms, signs, and ill-defined conditions	4	11,230	380	1,090	2,890	950	1,760	90	770	640	1,450	1,180	—
Symptoms, signs, and ill-defined conditions, unspecified	40	240	—	20	40	60	—	—	—	—	70	—	—
Symptoms	41	10,840	370	1,060	2,840	890	1,740	90	750	620	1,300	1,160	—
Symptoms, unspecified	410	390	—	—	30	—	30	—	90	150	40	40	—
General symptoms	411	4,010	130	290	980	480	710	50	240	280	510	340	—
General symptoms, unspecified	4110	160	—	—	—	—	20	—	—	—	90	20	—
Loss of consciousness not heat related	4111	1,020	60	40	370	160	170	—	50	—	80	70	—
Convulsions, seizures	4112	190	—	—	50	40	—	—	—	50	—	—	—
Dizziness	4114	730	—	40	90	70	290	—	80	30	50	80	—
Non-specified allergic reaction	4115	500	30	80	110	50	50	20	20	50	70	30	—
Multiple general symptoms	4118	530	—	30	230	—	60	—	40	60	60	20	—
General symptoms, n.e.c.	4119	870	20	90	130	150	100	—	40	70	160	110	—
Symptoms involving nervous and musculoskeletal systems ..	412	2,070	80	170	340	230	340	—	180	70	280	370	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	180	—	20	20	—	20	—	—	—	50	40	—
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—	—	—	—	30	—	—
Earache	4122	100	—	—	50	—	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	80	—	20	20	—	—	—	—	—	—	20	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,670	70	100	240	200	300	—	180	60	190	290	—
Symptoms involving skin and other integumentary tissue	413	910	—	60	310	40	70	—	100	50	150	110	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	100	—	—	40	—	—	—	—	—	30	—	—
Edema (including dropsy)	4131	700	—	40	230	40	60	—	90	40	90	100	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	100	—	—	30	—	—	—	—	—	30	—	—
Symptoms involving head and neck	414	640	90	90	220	30	40	—	50	20	70	40	—
Headache, except migraine ...	4141	500	80	60	170	30	—	—	40	—	60	40	—
Symptoms involving head and neck, n.e.c.	4149	110	—	20	50	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	40	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups											
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations	
Symptoms involving cardiovascular system, unspecified	4150	20	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	416	1,760	40	290	740	70	220	-	50	50	110	180	-	
Symptoms involving respiratory system and chest, unspecified	4160	820	-	70	420	20	80	-	20	30	60	110	-	
Chest pain	4164	390	30	110	170	-	20	-	-	-	-	20	-	
Multiple symptoms involving respiratory system and chest	4168	100	-	-	20	-	60	-	-	-	-	-	-	
Symptoms involving respiratory system and chest, n.e.c.	4169	440	-	90	130	40	60	-	20	-	50	40	-	
Symptoms involving digestive and urinary system	417	280	-	30	100	-	70	-	-	-	40	20	-	
Nausea and vomiting	4171	170	-	20	70	-	40	-	-	-	20	-	-	
Abdominal pain, unspecified ..	4175	60	-	-	-	-	30	-	-	-	-	-	-	
Multiple symptoms involving digestive or urinary system ..	4178	20	-	-	-	-	-	-	-	-	-	-	-	
Symptoms involving digestive and urinary system, n.e.c.	4179	20	-	-	20	-	-	-	-	-	-	-	-	
Multiple symptoms	418	700	20	120	110	-	250	-	20	-	90	50	-	
Other symptoms, n.e.c.	419	20	-	-	-	-	-	-	-	-	-	-	-	
Abnormal findings	42	20	-	-	-	-	-	-	-	-	-	-	-	
Multiple symptoms, signs, and ill-defined conditions	48	80	-	-	-	-	-	-	-	-	50	-	-	
Multiple chemical sensitivity	481	50	-	-	-	-	-	-	-	-	50	-	-	
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions, n.e.c.	49	40	-	-	-	-	-	-	-	-	-	-	-	
Other diseases, conditions, and disorders	5	2,370	190	260	390	220	580	-	160	160	150	250	-	
Mental disorders or syndromes	52	2,350	180	250	380	220	580	-	160	160	150	250	-	
Mental disorder or syndrome, unspecified	520	80	-	-	-	-	-	-	-	-	-	30	-	
Anxiety, stress, neurotic disorders	521	2,220	180	240	380	210	540	-	160	150	140	210	-	
Anxiety, stress, neurotic disorders, unspecified	5210	890	70	100	250	100	160	-	20	100	30	70	-	
Post-traumatic anxiety acute	5211	370	-	20	40	20	90	-	-	-	60	70	-	
Panic disorder	5213	90	-	-	-	-	20	-	-	-	-	-	-	
Neurotic reaction to stress	5214	770	90	110	80	80	220	-	30	40	50	70	-	

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2006 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Multiple anxiety, stress, neurotic disorders	5218	80	—	—	—	—	50	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	20	—	—	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	50	—	—	—	—	30	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	20	—	—	—	—	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	500	30	50	100	20	70	20	30	50	60	70	—
Nonclassifiable	9999	6,010	100	430	1,210	340	760	150	630	250	440	1,300	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies