

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,183,500	169,410	14.3	137,130	11.6	219,480	18.5
Head	0	82,420	26,500	32.2	16,230	19.7	18,650	22.6
Head, unspecified	00	17,250	5,020	29.1	2,930	17.0	4,250	24.6
Cranial region, including skull	01	9,940	1,920	19.3	1,540	15.5	2,300	23.1
Cranial region, unspecified	010	170	30	17.6	20	11.8	50	29.4
Brain	011	6,300	1,020	16.2	1,050	16.7	1,650	26.2
Scalp	012	2,610	770	29.5	410	15.7	430	16.5
Skull	013	690	60	8.7	30	4.3	150	21.7
Multiple cranial region locations	018	80	-	-	-	-	20	25.0
Cranial region, n.e.c.	019	90	30	33.3	20	22.2	-	-
Ear(s)	02	1,890	200	10.6	470	24.9	150	7.9
Face	03	52,060	19,110	36.7	11,150	21.4	11,390	21.9
Face, unspecified	030	3,810	1,280	33.6	480	12.6	760	19.9
Forehead	031	2,930	990	33.8	380	13.0	780	26.6
Eye(s)	032	35,970	14,340	39.9	8,510	23.7	7,620	21.2
Nose, nasal cavity	033	2,310	480	20.8	530	22.9	460	19.9
Nose, except internal location of diseases or disorders	0330	2,240	470	21.0	520	23.2	430	19.2
Internal nasal location, unspecified	0331	40	-	-	-	-	20	50.0
Multiple internal nasal locations	0338	20	-	-	-	-	-	-
Cheek(s)	034	810	320	39.5	100	12.3	170	21.0
Jaw/chin	035	790	120	15.2	200	25.3	140	17.7
Mouth	036	2,940	1,090	37.1	640	21.8	590	20.1
Mouth, unspecified	0360	410	80	19.5	50	12.2	110	26.8
Lip(s)	0361	1,030	690	67.0	100	9.7	100	9.7
Tongue	0362	20	-	-	20	100.0	-	-
Tooth(teeth)	0363	1,210	280	23.1	340	28.1	330	27.3
Multiple mouth locations	0368	190	30	15.8	120	63.2	-	-
Mouth, n.e.c.	0369	70	20	28.6	-	-	40	57.1
Multiple face locations	038	2,170	410	18.9	280	12.9	830	38.2
Face, n.e.c.	039	330	90	27.3	30	9.1	60	18.2
Multiple head locations	08	1,120	200	17.9	130	11.6	510	45.5
Head, n.e.c.	09	170	40	23.5	20	11.8	50	29.4
Neck, including throat	1	17,840	2,560	14.3	2,160	12.1	3,230	18.1
Neck, except internal location of diseases or disorders	10	17,660	2,520	14.3	2,150	12.2	3,120	17.7
Internal neck location, unspecified	11	120	-	-	-	-	100	83.3
Vocal cord(s)	12	20	-	-	-	-	-	-
Trunk	2	401,900	43,670	10.9	42,110	10.5	77,790	19.4
Trunk, unspecified	20	2,260	180	8.0	310	13.7	420	18.6
Shoulder, including clavicle, scapula	21	75,810	6,470	8.5	5,590	7.4	11,020	14.5
Chest, including ribs, internal organs	22	18,170	2,820	15.5	2,390	13.2	4,050	22.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	152,890	12.9	136,110	11.5	80,700	6.8	287,780	24.3	7
Head	8,220	10.0	4,500	5.5	2,140	2.6	6,190	7.5	2
Head, unspecified	1,870	10.8	840	4.9	480	2.8	1,860	10.8	3
Cranial region, including skull	1,070	10.8	960	9.7	630	6.3	1,520	15.3	4
Cranial region, unspecified	—	—	40	23.5	—	—	—	—	5
Brain	740	11.7	470	7.5	470	7.5	910	14.4	4
Scalp	270	10.3	390	14.9	110	4.2	230	8.8	3
Skull	50	7.2	50	7.2	50	7.2	320	46.4	21
Multiple cranial region locations	—	—	—	—	—	—	30	37.5	14
Cranial region, n.e.c.	—	—	—	—	—	—	30	33.3	2
Ear(s)	460	24.3	180	9.5	70	3.7	360	19.0	8
Face	4,670	9.0	2,480	4.8	920	1.8	2,340	4.5	2
Face, unspecified	530	13.9	250	6.6	190	5.0	310	8.1	3
Forehead	350	11.9	130	4.4	50	1.7	240	8.2	3
Eye(s)	2,590	7.2	1,360	3.8	420	1.2	1,130	3.1	2
Nose, nasal cavity	310	13.4	290	12.6	80	3.5	160	6.9	3
Nose, except internal location of diseases or disorders	310	13.8	280	12.5	80	3.6	160	7.1	3
Internal nasal location, unspecified	—	—	—	—	—	—	—	—	3
Multiple internal nasal locations	—	—	—	—	—	—	—	—	12
Cheek(s)	100	12.3	50	6.2	30	3.7	50	6.2	2
Jaw/chin	140	17.7	70	8.9	30	3.8	90	11.4	5
Mouth	310	10.5	200	6.8	20	.7	100	3.4	2
Mouth, unspecified	70	17.1	30	7.3	—	—	80	19.5	4
Lip(s)	130	12.6	20	1.9	—	—	—	—	1
Tongue	—	—	—	—	—	—	—	—	2
Tooth(teeth)	90	7.4	140	11.6	—	—	—	—	2
Multiple mouth locations	—	—	—	—	—	—	—	—	2
Mouth, n.e.c.	—	—	—	—	—	—	—	—	3
Multiple face locations	230	10.6	90	4.1	90	4.1	240	11.1	3
Face, n.e.c.	100	30.3	20	6.1	—	—	20	6.1	5
Multiple head locations	130	11.6	50	4.5	20	1.8	80	7.1	4
Head, n.e.c.	20	11.8	—	—	—	—	20	11.8	5
Neck, including throat	2,230	12.5	1,860	10.4	990	5.5	4,810	27.0	7
Neck, except internal location of diseases or disorders	2,220	12.6	1,860	10.5	990	5.6	4,810	27.2	7
Internal neck location, unspecified	—	—	—	—	—	—	—	—	5
Vocal cord(s)	—	—	—	—	—	—	—	—	4
Trunk	56,360	14.0	49,050	12.2	28,680	7.1	104,230	25.9	8
Trunk, unspecified	460	20.4	150	6.6	110	4.9	620	27.4	6
Shoulder, including clavicle, scapula	8,230	10.9	9,600	12.7	4,870	6.4	30,020	39.6	16
Chest, including ribs, internal organs	2,210	12.2	2,390	13.2	1,770	9.7	2,540	14.0	5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Chest, except internal location of diseases or disorders	220	16,260	2,510	15.4	2,190	13.5	3,600	22.1
Internal chest location, unspecified	221	190	80	42.1	—	—	40	21.1
Heart	223	430	—	—	—	—	20	4.7
Bronchus	224	140	20	14.3	30	21.4	30	21.4
Lung(s), pleura	225	1,150	200	17.4	160	13.9	350	30.4
Back, including spine, spinal cord	23	250,870	29,800	11.9	29,720	11.8	53,380	21.3
Back, including spine, spinal cord, unspecified	230	105,380	12,070	11.5	12,030	11.4	23,370	22.2
Lumbar region	231	122,830	14,700	12.0	14,640	11.9	25,370	20.7
Thoracic region	232	9,940	1,690	17.0	1,390	14.0	2,310	23.2
Sacral region	233	1,190	220	18.5	140	11.8	240	20.2
Coccygeal region	234	1,390	200	14.4	180	12.9	300	21.6
Multiple back regions	238	9,030	790	8.7	1,250	13.8	1,480	16.4
Back, including spine, spinal cord, n.e.c.	239	1,110	130	11.7	90	8.1	310	27.9
Abdomen	24	27,040	1,530	5.7	1,580	5.8	3,590	13.3
Abdomen, except internal location of diseases or disorders	240	7,820	1,080	13.8	1,250	16.0	2,060	26.3
Internal abdominal location, unspecified	241	8,360	180	2.2	110	1.3	460	5.5
Stomach organ	242	700	60	8.6	90	12.9	30	4.3
Urinary organs	244	20	—	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—
Intestines, peritoneum	245	9,990	220	2.2	110	1.1	970	9.7
Intestines, peritoneum, unspecified	2450	9,330	210	2.3	110	1.2	920	9.9
Peritoneum	2451	450	—	—	—	—	20	4.4
Large intestine/colon, rectum	2453	160	—	—	—	—	20	12.5
Intestines, n.e.c.	2459	30	—	—	—	—	—	—
Multiple internal abdominal locations	248	60	—	—	—	—	60	100.0
Internal abdominal location, n.e.c.	249	80	—	—	—	—	—	—
Pelvic region	25	20,630	2,200	10.7	1,870	9.1	3,810	18.5
Pelvic region, unspecified	250	220	30	13.6	—	—	20	9.1
Hip(s)	251	7,680	910	11.8	710	9.2	1,350	17.6
Pelvis	252	1,200	40	3.3	—	—	90	7.5
Buttock(s)	253	1,940	180	9.3	120	6.2	490	25.3
Groin	254	8,760	970	11.1	940	10.7	1,760	20.1
External reproductive tract structures	255	560	40	7.1	30	5.4	50	8.9
External reproductive tract structures, unspecified	2550	80	—	—	—	—	—	—
Scrotum	2551	370	30	8.1	—	—	30	8.1
Penis	2552	90	—	—	—	—	—	—
Multiple pelvic region locations	258	150	—	—	30	20.0	—	—
Pelvic region, n.e.c.	259	130	—	—	20	15.4	30	23.1
Multiple trunk locations	28	7,010	680	9.7	640	9.1	1,490	21.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Chest, except internal location of diseases or disorders	2,030	12.5	2,110	13.0	1,660	10.2	2,160	13.3	5
Internal chest location, unspecified	20	10.5	—	—	20	10.5	20	10.5	3
Heart	40	9.3	190	44.2	30	7.0	120	27.9	12
Bronchus	20	14.3	20	14.3	—	—	—	—	4
Lung(s), pleura	90	7.8	60	5.2	60	5.2	230	20.0	4
Back, including spine, spinal cord	39,340	15.7	28,540	11.4	15,080	6.0	55,010	21.9	7
Back, including spine, spinal cord, unspecified	16,600	15.8	11,490	10.9	6,740	6.4	23,070	21.9	7
Lumbar region	19,100	15.5	14,740	12.0	7,070	5.8	27,190	22.1	7
Thoracic region	1,380	13.9	1,150	11.6	450	4.5	1,580	15.9	5
Sacral region	200	16.8	90	7.6	60	5.0	250	21.0	6
Coccygeal region	150	10.8	200	14.4	120	8.6	240	17.3	6
Multiple back regions	1,730	19.2	770	8.5	560	6.2	2,440	27.0	9
Back, including spine, spinal cord, n.e.c.	180	16.2	100	9.0	60	5.4	240	21.6	6
Abdomen	2,670	9.9	5,210	19.3	4,810	17.8	7,660	28.3	19
Abdomen, except internal location of diseases or disorders	770	9.8	720	9.2	760	9.7	1,170	15.0	5
Internal abdominal location, unspecified	810	9.7	2,090	25.0	1,700	20.3	3,010	36.0	25
Stomach organ	80	11.4	140	20.0	140	20.0	160	22.9	14
Urinary organs	—	—	—	—	—	—	—	—	5
Kidney(s)	—	—	—	—	—	—	—	—	5
Intestines, peritoneum	1,000	10.0	2,230	22.3	2,190	21.9	3,270	32.7	22
Intestines, peritoneum, unspecified	950	10.2	2,080	22.3	2,010	21.5	3,060	32.8	21
Peritoneum	50	11.1	110	24.4	140	31.1	120	26.7	24
Large intestine/colon, rectum	—	—	30	18.8	30	18.8	70	43.8	28
Intestines, n.e.c.	—	—	—	—	—	—	20	66.7	42
Multiple internal abdominal locations	—	—	—	—	—	—	—	—	4
Internal abdominal location, n.e.c.	—	—	—	—	—	—	40	50.0	34
Pelvic region	2,400	11.6	2,330	11.3	1,630	7.9	6,390	31.0	11
Pelvic region, unspecified	20	9.1	30	13.6	20	9.1	90	40.9	22
Hip(s)	800	10.4	570	7.4	390	5.1	2,940	38.3	12
Pelvis	50	4.2	160	13.3	30	2.5	830	69.2	65
Buttock(s)	100	5.2	170	8.8	120	6.2	750	38.7	14
Groin	1,230	14.0	1,320	15.1	870	9.9	1,650	18.8	8
External reproductive tract structures	170	30.4	40	7.1	170	30.4	40	7.1	10
External reproductive tract structures, unspecified	30	37.5	—	—	—	—	—	—	10
Scrotum	140	37.8	30	8.1	100	27.0	30	8.1	9
Penis	—	—	—	—	—	—	—	—	21
Multiple pelvic region locations	20	13.3	20	13.3	—	—	60	40.0	13
Pelvic region, n.e.c.	—	—	—	—	—	—	30	23.1	7
Multiple trunk locations	1,020	14.6	820	11.7	400	5.7	1,960	28.0	9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Trunk, n.e.c.	29	110	—	—	20	18.2	30	27.3
Upper extremities	3	274,180	44,820	16.3	33,200	12.1	47,170	17.2
Upper extremities, unspecified	30	740	70	9.5	30	4.1	140	18.9
Arm(s)	31	54,860	8,770	16.0	5,600	10.2	8,270	15.1
Arm(s), unspecified	310	18,510	2,780	15.0	2,170	11.7	2,820	15.2
Upper arm(s)	311	4,310	470	10.9	200	4.6	470	10.9
Elbow(s)	312	18,020	2,460	13.7	1,670	9.3	2,700	15.0
Forearm(s)	313	10,860	2,610	24.0	1,240	11.4	1,860	17.1
Multiple arm(s) locations	318	2,510	360	14.3	260	10.4	300	12.0
Arm(s), n.e.c.	319	650	90	13.8	60	9.2	120	18.5
Wrist(s)	32	48,810	4,890	10.0	3,930	8.1	6,920	14.2
Hand(s), except finger(s)	33	49,480	9,850	19.9	7,580	15.3	9,170	18.5
Finger(s), fingernail(s)	34	106,050	19,470	18.4	14,550	13.7	20,680	19.5
Multiple upper extremities locations ...	38	14,160	1,770	12.5	1,500	10.6	1,980	14.0
Multiple upper extremities locations, unspecified	380	240	20	8.3	—	—	40	16.7
Hand(s) and finger(s)	381	4,620	650	14.1	470	10.2	680	14.7
Hand(s) and wrist(s)	382	3,370	430	12.8	360	10.7	330	9.8
Hand(s) and arm(s)	383	1,550	260	16.8	240	15.5	180	11.6
Multiple upper extremities locations, n.e.c.	389	4,370	410	9.4	410	9.4	750	17.2
Upper extremities, n.e.c.	39	80	—	—	—	—	30	37.5
Lower extremities	4	262,180	31,060	11.8	26,590	10.1	45,790	17.5
Lower extremities, unspecified	40	200	—	—	30	15.0	40	20.0
Leg(s)	41	134,550	13,950	10.4	12,200	9.1	20,390	15.2
Leg(s), unspecified	410	18,270	2,980	16.3	1,790	9.8	3,410	18.7
Thigh(s)	411	5,820	1,060	18.2	890	15.3	1,110	19.1
Knee(s)	412	95,520	8,200	8.6	7,860	8.2	13,720	14.4
Lower leg(s)	413	10,660	1,350	12.7	1,270	11.9	1,760	16.5
Multiple leg(s) locations	418	3,440	300	8.7	260	7.6	360	10.5
Leg(s), n.e.c.	419	850	60	7.1	130	15.3	40	4.7
Ankle(s)	42	61,770	8,000	13.0	7,160	11.6	13,270	21.5
Foot(feet), except toe(s)	43	43,840	6,040	13.8	4,280	9.8	8,100	18.5
Foot(feet), except toe(s), unspecified	430	39,300	5,320	13.5	3,950	10.1	7,440	18.9
Instep(s)	431	310	50	16.1	—	—	50	16.1
Sole	432	3,110	470	15.1	260	8.4	450	14.5
Sole(s), unspecified	4320	420	80	19.0	50	11.9	160	38.1
Ball(s)	4321	40	20	50.0	—	—	—	—
Arch(es)	4322	100	—	—	—	—	—	—
Heel(s)	4323	2,510	350	13.9	190	7.6	270	10.8
Multiple sole(s) locations	4328	30	—	—	—	—	—	—
Sole(s), n.e.c.	4329	20	—	—	—	—	—	—
Multiple foot(feet) locations	438	380	50	13.2	—	—	40	10.5
Foot(feet), n.e.c.	439	750	160	21.3	50	6.7	120	16.0
Toe(s), toenail(s)	44	13,610	1,880	13.8	2,230	16.4	2,420	17.8
Multiple lower extremities locations	48	8,120	1,180	14.5	690	8.5	1,560	19.2

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Trunk, n.e.c.	20	18.2	—	—	—	—	20	18.2	7
Upper extremities	35,700	13.0	33,870	12.4	20,830	7.6	58,590	21.4	7
Upper extremities, unspecified	40	5.4	—	—	370	50.0	90	12.2	30
Arm(s)	6,580	12.0	6,870	12.5	4,250	7.7	14,520	26.5	9
Arm(s), unspecified	2,150	11.6	2,360	12.7	1,220	6.6	5,020	27.1	8
Upper arm(s)	430	10.0	770	17.9	490	11.4	1,470	34.1	15
Elbow(s)	2,330	12.9	1,990	11.0	1,720	9.5	5,160	28.6	10
Forearm(s)	1,230	11.3	1,290	11.9	700	6.4	1,940	17.9	5
Multiple arm(s) locations	340	13.5	400	15.9	100	4.0	740	29.5	10
Arm(s), n.e.c.	110	16.9	60	9.2	—	—	190	29.2	8
Wrist(s)	6,110	12.5	6,960	14.3	4,010	8.2	15,980	32.7	14
Hand(s), except finger(s)	6,590	13.3	5,170	10.4	3,020	6.1	8,100	16.4	5
Finger(s), fingernail(s)	14,420	13.6	13,050	12.3	7,810	7.4	16,070	15.2	5
Multiple upper extremities locations	1,960	13.8	1,790	12.6	1,370	9.7	3,800	26.8	10
Multiple upper extremities locations, unspecified	—	—	80	33.3	—	—	60	25.0	15
Hand(s) and finger(s)	520	11.3	520	11.3	750	16.2	1,030	22.3	10
Hand(s) and wrist(s)	540	16.0	550	16.3	180	5.3	980	29.1	11
Hand(s) and arm(s)	170	11.0	170	11.0	120	7.7	400	25.8	8
Multiple upper extremities locations, n.e.c.	710	16.2	470	10.8	300	6.9	1,320	30.2	9
Upper extremities, n.e.c.	—	—	—	—	—	—	20	25.0	10
Lower extremities	33,470	12.8	31,410	12.0	19,490	7.4	74,360	28.4	10
Lower extremities, unspecified	40	20.0	—	—	—	—	50	25.0	7
Leg(s)	17,380	12.9	16,870	12.5	11,220	8.3	42,540	31.6	12
Leg(s), unspecified	1,600	8.8	1,960	10.7	860	4.7	5,670	31.0	9
Thigh(s)	590	10.1	540	9.3	620	10.7	1,020	17.5	5
Knee(s)	12,880	13.5	12,270	12.8	8,620	9.0	31,970	33.5	14
Lower leg(s)	1,510	14.2	1,610	15.1	660	6.2	2,490	23.4	8
Multiple leg(s) locations	600	17.4	440	12.8	420	12.2	1,060	30.8	14
Leg(s), n.e.c.	190	22.4	50	5.9	40	4.7	330	38.8	12
Ankle(s)	8,020	13.0	6,220	10.1	3,900	6.3	15,210	24.6	7
Foot(feet), except toe(s)	5,380	12.3	5,430	12.4	2,970	6.8	11,640	26.6	8
Foot(feet), except toe(s), unspecified	4,910	12.5	4,860	12.4	2,700	6.9	10,110	25.7	8
Instep(s)	20	6.5	30	9.7	—	—	140	45.2	19
Sole	340	10.9	430	13.8	180	5.8	1,000	32.2	12
Sole(s), unspecified	30	7.1	30	7.1	—	—	60	14.3	3
Ball(s)	—	—	—	—	—	—	—	—	3
Arch(es)	—	—	—	—	20	20.0	50	50.0	30
Heel(s)	290	11.6	390	15.5	160	6.4	860	34.3	14
Multiple sole(s) locations	—	—	—	—	—	—	—	—	15
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	28
Multiple foot(feet) locations	30	7.9	—	—	—	—	230	60.5	74
Foot(feet), n.e.c.	80	10.7	110	14.7	70	9.3	160	21.3	8
Toe(s), toenail(s)	1,830	13.4	1,600	11.8	730	5.4	2,940	21.6	6
Multiple lower extremities locations	840	10.3	1,270	15.6	660	8.1	1,930	23.8	10

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple lower extremities locations, unspecified	480	180	30	16.7	20	11.1	20	11.1
Foot(feet) and leg(s)	481	820	60	7.3	80	9.8	240	29.3
Foot(feet) and ankle(s)	482	2,750	330	12.0	210	7.6	460	16.7
Foot(feet) and toe(s)	483	930	250	26.9	160	17.2	140	15.1
Multiple lower extremities locations, n.e.c.	489	3,440	510	14.8	210	6.1	700	20.3
Lower extremities, n.e.c.	49	90	—	—	—	—	20	22.2
Body systems	5	18,220	5,010	27.5	2,950	16.2	3,900	21.4
Multiple body parts	8	115,930	13,710	11.8	12,500	10.8	20,670	17.8
Other body parts	9	60	—	—	30	50.0	—	—
Other body parts, n.e.c.	98	60	—	—	—	—	—	—
Nonclassifiable	9999	10,780	2,090	19.4	1,360	12.6	2,270	21.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2006 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple lower extremities locations, unspecified	30	16.7	20	11.1	—	—	60	33.3	10
Foot(foot) and leg(s)	90	11.0	100	12.2	110	13.4	140	17.1	7
Foot(foot) and ankle(s)	280	10.2	620	22.5	270	9.8	580	21.1	12
Foot(foot) and toe(s)	70	7.5	90	9.7	30	3.2	180	19.4	3
Multiple lower extremities locations, n.e.c.	360	10.5	450	13.1	250	7.3	960	27.9	10
Lower extremities, n.e.c.	—	—	—	—	—	—	50	55.6	38
Body systems	1,830	10.0	1,580	8.7	510	2.8	2,440	13.4	3
Multiple body parts	14,100	12.2	12,950	11.2	7,480	6.5	34,530	29.8	9
Other body parts	—	—	—	—	—	—	20	33.3	5
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	5
Nonclassifiable	980	9.1	900	8.3	570	5.3	2,620	24.3	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies