

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² by part of body affected by the injury or illness and age of worker, 2006

Part of body	Part of body code ³	Private industry ⁴	Age									Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Total		127.8	-	-	134.2	142.9	126.1	131.5	123.6	122.1	106.0	-
Head	0	8.9	-	-	12.8	12.3	10.1	9.2	6.8	6.8	6.8	-
Head, unspecified	00	1.9	-	-	3.5	2.2	1.9	1.8	1.3	1.9	2.6	-
Cranial region, including skull	01	1.1	-	-	1.3	1.4	.8	1.2	1.0	1.0	1.7	-
Cranial region, unspecified	010	(⁵)	-	-	-	-	(⁵)	(⁵)	(⁵)	-	-	-
Brain	011	.7	-	-	1.2	1.1	.5	.7	.5	.6	1.1	-
Scalp	012	.3	-	-	.1	.2	.2	.3	.4	.3	.3	-
Skull	013	.1	-	-	-	.1	.1	.1	.1	.1	.3	-
Multiple cranial region locations	018	(⁵)	-	-	-	-	(⁵)	(⁵)	-	-	-	-
Cranial region, n.e.c.	019	(⁵)	-	-	-	-	-	-	(⁵)	(⁵)	-	-
Ear(s)	02	.2	-	-	.1	.1	.1	.4	.1	.4	-	-
Face	03	5.6	-	-	7.9	8.1	7.1	5.7	4.2	3.4	2.4	-
Face, unspecified	030	.4	-	-	.8	.4	.4	.6	.3	.3	.3	-
Forehead	031	.3	-	-	.6	.4	.3	.3	.3	.3	.5	-
Eye(s)	032	3.9	-	-	4.6	5.7	5.2	4.0	2.9	1.9	.8	-
Nose, nasal cavity	033	.2	-	-	.3	.5	.2	.2	.2	.3	.3	-
Nose, except internal location of diseases or disorders	0330	.2	-	-	.3	.5	.2	.2	.2	.3	.3	-
Internal nasal location, unspecified	0331	(⁵)	-	-	-	-	-	(⁵)	-	-	-	-
Multiple internal nasal locations	0338	(⁵)	-	-	-	-	-	-	-	-	-	-
Cheek(s)	034	.1	-	-	-	.1	.1	.1	.1	.2	-	-
Jaw/chin	035	.1	-	-	.1	.1	.1	.1	.1	.1	-	-
Mouth	036	.3	-	-	.6	.7	.3	.3	.2	.1	.2	-
Mouth, unspecified	0360	(⁵)	-	-	-	(⁵)	.1	(⁵)	(⁵)	(⁵)	-	-
Lip(s)	0361	.1	-	-	.4	.2	.1	.1	(⁵)	(⁵)	.1	-
Tongue	0362	(⁵)	-	-	-	-	-	-	-	-	-	-
Tooth(teeth)	0363	.1	-	-	.2	.5	.1	.1	.1	.1	.1	-
Multiple mouth locations	0368	(⁵)	-	-	-	(⁵)	-	(⁵)	(⁵)	-	-	-
Mouth, n.e.c.	0369	(⁵)	-	-	-	-	-	-	-	-	-	-
Multiple face locations	038	.2	-	-	.6	.2	.4	.2	.1	.2	.3	-
Face, n.e.c.	039	(⁵)	-	-	.2	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	-	-
Multiple head locations	08	.1	-	-	.1	.4	.1	.1	.1	(⁵)	.1	-
Head, n.e.c.	09	(⁵)	-	-	-	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	-	-
Neck, including throat	1	1.9	-	-	.9	1.7	2.1	2.3	1.9	1.8	.8	-
Neck, except internal location of diseases or disorders	10	1.9	-	-	.9	1.7	2.0	2.3	1.9	1.8	.8	-
Internal neck location, unspecified	11	(⁵)	-	-	-	-	(⁵)	-	-	-	-	-
Vocal cord(s)	12	(⁵)	-	-	-	-	-	-	-	-	-	-
Trunk	2	43.4	-	-	34.0	40.3	42.7	47.9	43.6	42.6	31.9	-
Trunk, unspecified	20	.2	-	-	.3	.2	.2	.2	.2	.6	.3	-
Shoulder, including clavicle, scapula	21	8.2	-	-	5.2	6.4	6.5	8.3	9.4	10.9	9.0	-

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² by part of body affected by the injury or illness and age of worker, 2006 — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Chest, including ribs, internal organs	22	2.0	-	-	1.6	1.7	1.4	1.6	2.4	3.1	2.4	-
Chest, except internal location of diseases or disorders	220	1.8	-	-	1.5	1.5	1.3	1.5	2.2	2.6	2.1	-
Internal chest location, unspecified	221	(⁵)	-	-	-	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	-	-
Heart	223	(⁵)	-	-	-	-	(⁵)	(⁵)	(⁵)	(⁵)	.3	.1
Bronchus	224	(⁵)	-	-	-	(⁵)	-	(⁵)	(⁵)	(⁵)	-	-
Lung(s), pleura	225	.1	-	-	.1	.1	.1	.1	.2	.2	.1	-
Back, including spine, spinal cord	23	27.1	-	-	23.0	26.5	29.3	31.7	25.5	20.6	13.9	-
Back, including spine, spinal cord, unspecified	230	11.4	-	-	10.9	11.0	12.4	13.1	10.4	9.1	6.4	-
Lumbar region	231	13.3	-	-	9.8	12.3	14.2	15.9	12.9	9.7	6.4	-
Thoracic region	232	1.1	-	-	1.2	1.8	1.3	1.0	.9	.7	.6	-
Sacral region	233	.1	-	-	.1	.2	.1	.1	.1	.1	.1	-
Coccygeal region	234	.2	-	-	.4	.2	.1	.2	.1	.1	-	-
Multiple back regions	238	1.0	-	-	.5	1.0	1.0	1.2	.9	.8	.5	-
Back, including spine, spinal cord, n.e.c.	239	.1	-	-	.1	.1	.1	.2	.1	.1	-	-
Abdomen	24	2.9	-	-	1.9	3.0	2.7	3.1	3.0	3.3	2.0	-
Abdomen, except internal location of diseases or disorders	240	.8	-	-	.6	1.4	1.0	.8	.6	.7	.1	-
Internal abdominal location, unspecified	241	.9	-	-	.7	.8	.7	1.0	1.1	.9	.8	-
Stomach organ	242	.1	-	-	-	.1	.1	.1	.1	.1	.1	-
Urinary organs	244	(⁵)	-	-	-	-	-	-	-	-	-	-
Kidney(s)	2442	(⁵)	-	-	-	-	-	-	-	-	-	-
Intestines, peritoneum	245	1.1	-	-	.5	.6	.8	1.3	1.1	1.7	.9	-
Intestines, peritoneum, unspecified	2450	1.0	-	-	.5	.6	.7	1.2	1.1	1.6	.9	-
Peritoneum	2451	(⁵)	-	-	-	.1	(⁵)	.1	(⁵)	.1	.1	-
Large intestine/colon, rectum	2453	(⁵)	-	-	-	-	(⁵)	(⁵)	(⁵)	(⁵)	-	-
Intestines, n.e.c.	2459	(⁵)	-	-	-	-	-	-	-	-	-	-
Multiple internal abdominal locations	248	(⁵)	-	-	-	-	-	-	-	-	-	-
Internal abdominal location, n.e.c.	249	(⁵)	-	-	-	-	(⁵)	-	(⁵)	-	-	-
Pelvic region	25	2.2	-	-	1.7	2.0	1.9	2.0	2.3	3.3	3.9	-
Pelvic region, unspecified	250	(⁵)	-	-	-	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	-	-
Hip(s)	251	.8	-	-	.7	.4	.6	.6	1.0	1.6	3.0	-
Pelvis	252	.1	-	-	-	.1	.1	.1	.1	.4	.2	-
Buttock(s)	253	.2	-	-	.1	.1	.3	.2	.2	.2	-	-
Groin	254	.9	-	-	.9	1.2	.8	1.0	.9	1.0	.5	-
External reproductive tract structures	255	.1	-	-	-	.2	(⁵)	.1	(⁵)	(⁵)	-	-
External reproductive tract structures, unspecified	2550	(⁵)	-	-	-	(⁵)	-	(⁵)	-	-	-	-

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² by part of body affected by the injury or illness and age of worker, 2006 — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	
Scrotum	2551	(⁵)	—	—	—	0.1	(⁵)	0.1	(⁵)	—	—	—
Penis	2552	(⁵)	—	—	—	—	—	—	(⁵)	—	—	—
Multiple pelvic region locations	258	(⁵)	—	—	—	—	—	(⁵)	(⁵)	—	—	—
Pelvic region, n.e.c.	259	(⁵)	—	—	—	—	—	(⁵)	(⁵)	(⁵)	—	—
Multiple trunk locations	28	.8	—	—	0.4	.6	.7	.9	.8	.8	0.4	—
Trunk, n.e.c.	29	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	—	—	—
Upper extremities	3	29.6	—	—	45.9	40.4	30.5	28.4	26.8	24.5	21.7	—
Upper extremities, unspecified	30	.1	—	—	—	.1	(⁵)	.1	(⁵)	.3	—	—
Arm(s)	31	5.9	—	—	4.5	6.0	5.3	6.7	6.0	5.7	5.6	—
Arm(s), unspecified	310	2.0	—	—	1.4	2.3	2.0	2.0	1.9	2.1	2.6	—
Upper arm(s)	311	.5	—	—	.2	.4	.3	.6	.5	.6	.6	—
Elbow(s)	312	1.9	—	—	1.6	1.4	1.6	2.2	2.4	1.8	1.5	—
Forearm(s)	313	1.2	—	—	1.0	1.5	1.2	1.5	.8	1.0	.9	—
Multiple arm(s) locations	318	.3	—	—	.2	.3	.2	.3	.3	.3	—	—
Arm(s), n.e.c.	319	.1	—	—	—	.1	.1	.1	.1	.1	—	—
Wrist(s)	32	5.3	—	—	6.2	4.9	4.8	5.2	5.7	5.7	4.5	—
Hand(s), except finger(s)	33	5.3	—	—	10.2	8.4	6.1	4.7	4.3	3.8	2.9	—
Finger(s), fingernail(s)	34	11.5	—	—	21.8	19.0	12.6	10.3	9.2	7.8	7.8	—
Multiple upper extremities locations	38	1.5	—	—	3.2	2.1	1.6	1.4	1.4	1.1	.9	—
Multiple upper extremities locations, unspecified	380	(⁵)	—	—	—	.1	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Hand(s) and finger(s)	381	.5	—	—	.8	.9	.6	.4	.4	.4	.3	—
Hand(s) and wrist(s)	382	.4	—	—	1.2	.3	.4	.4	.4	.3	.3	—
Hand(s) and arm(s)	383	.2	—	—	.1	.3	.2	.2	.1	.1	.1	—
Multiple upper extremities locations, n.e.c.	389	.5	—	—	1.1	.4	.4	.5	.5	.4	.2	—
Upper extremities, n.e.c.	39	(⁵)	—	—	—	(⁵)	—	(⁵)	(⁵)	—	—	—
Lower extremities	4	28.3	—	—	30.4	35.3	26.9	27.7	27.6	28.0	26.3	—
Lower extremities, unspecified	40	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Leg(s)	41	14.5	—	—	11.0	13.0	12.0	15.0	16.6	16.5	15.8	—
Leg(s), unspecified	410	2.0	—	—	1.3	2.8	1.8	2.0	1.9	1.7	2.7	—
Thigh(s)	411	.6	—	—	.3	.9	.5	.7	.6	.5	1.1	—
Knee(s)	412	10.3	—	—	7.4	8.2	8.4	10.5	12.3	12.5	10.4	—
Lower leg(s)	413	1.2	—	—	1.5	.8	1.0	1.3	1.3	1.3	.9	—
Multiple leg(s) locations	418	.4	—	—	.6	.2	.3	.5	.4	.4	.3	—
Leg(s), n.e.c.	419	.1	—	—	—	.1	.1	.1	.2	.1	.4	—
Ankle(s)	42	6.7	—	—	9.3	10.9	7.4	6.6	4.9	5.3	4.4	—
Foot(feet), except toe(s)	43	4.7	—	—	7.4	8.0	4.8	4.1	3.9	4.4	4.3	—
Foot(feet), except toe(s), unspecified	430	4.2	—	—	6.8	7.3	4.4	3.6	3.4	3.9	3.1	—
Instep(s)	431	(⁵)	—	—	.1	(⁵)	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Sole	432	.3	—	—	.4	.6	.2	.3	.3	.3	1.1	—
Sole(s), unspecified	4320	(⁵)	—	—	.1	.1	(⁵)	.1	(⁵)	(⁵)	—	—
Ball(s)	4321	(⁵)	—	—	—	—	—	—	(⁵)	—	—	—
Arch(es)	4322	(⁵)	—	—	—	(⁵)	—	(⁵)	—	—	—	—
Heel(s)	4323	.3	—	—	.2	.4	.2	.2	.3	.3	1.1	—

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² by part of body affected by the injury or illness and age of worker, 2006 — Continued

Part of body	Part of body code ³	Private industry ⁴	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Multiple sole(s) locations	4328	(⁵)	-	-	-	-	-	-	-	-	-	-	-
Sole(s), n.e.c.	4329	(⁵)	-	-	-	-	-	-	-	-	-	-	-
Multiple foot(feet) locations	438	(⁵)	-	-	-	(⁵)	(⁵)	0.1	(⁵)	(⁵)	-	-	-
Foot(feet), n.e.c.	439	.1	-	-	0.2	(⁵)	.1	.1	.1	.1	.1	-	-
Toe(s), toenail(s)	44	1.5	-	-	1.9	2.4	1.7	1.2	1.4	1.0	0.9	-	-
Multiple lower extremities locations	48	.9	-	-	.7	1.0	.9	.9	.8	.8	.8	-	-
Multiple lower extremities locations, unspecified	480	(⁵)	-	-	-	-	(⁵)	(⁵)	(⁵)	-	-	-	-
Foot(feet) and leg(s)	481	.1	-	-	-	(⁵)	.1	.1	.1	.1	.1	-	-
Foot(feet) and ankle(s)	482	.3	-	-	.1	.5	.2	.3	.3	.3	.4	-	-
Foot(feet) and toe(s)	483	.1	-	-	.2	.1	.1	.1	.1	.1	.1	-	-
Multiple lower extremities locations, n.e.c.	489	.4	-	-	.3	.3	.4	.4	.4	.3	.3	-	-
Lower extremities, n.e.c.	49	(⁵)	-	-	-	-	(⁵)	-	(⁵)	(⁵)	-	-	-
Body systems	5	2.0	-	-	1.6	2.5	1.8	2.3	2.0	1.5	.6	-	-
Multiple body parts	8	12.5	-	-	7.5	9.2	10.8	12.8	14.1	15.9	16.0	-	-
Other body parts	9	(⁵)	-	-	-	-	-	-	(⁵)	-	-	-	-
Other body parts, n.e.c.	98	(⁵)	-	-	-	-	-	-	(⁵)	-	-	-	-
Nonclassifiable	9999	1.2	-	-	.9	1.2	1.2	.9	.9	.9	1.9	-	-

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies