

[This table was reissued in March 2009. See note at end of table.]

TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total [1,158,870 cases]		122.2	1.8	14.4	4.9	7.3	12.3
<b>Head</b>	0	8.3	.6	.4	.4	.3	1.0
Head, unspecified	00	1.7	( <sup>8</sup> )	.1	.2	.1	.2
Cranial region, including skull	01	1.1	( <sup>8</sup> )	.1	.1	.1	.2
Cranial region, unspecified	010	( <sup>8</sup> )	—	—	—	—	( <sup>8</sup> )
Brain	011	.7	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Scalp	012	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Skull	013	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Multiple cranial region locations	018	( <sup>8</sup> )	—	—	—	—	—
Cranial region, n.e.c.	019	( <sup>8</sup> )	—	—	—	—	( <sup>8</sup> )
Ear(s)	02	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Face	03	5.3	.6	.2	.1	.1	.6
Face, unspecified	030	.4	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Forehead	031	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Eye(s)	032	3.5	.6	.1	( <sup>8</sup> )	( <sup>8</sup> )	.3
Nose, nasal cavity	033	.3	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Nose, except internal location of diseases or disorders	0330	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Internal nasal location, unspecified	0331	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	—
Nasal passages	0333	( <sup>8</sup> )	—	—	—	—	—
Cheek(s)	034	.1	( <sup>8</sup> )	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )
Jaw/chin	035	.1	—	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )
Mouth	036	.2	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Mouth, unspecified	0360	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Lip(s)	0361	.1	—	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Tooth(teeth)	0363	.1	—	( <sup>8</sup> )	—	( <sup>8</sup> )	.1
Multiple mouth locations	0368	( <sup>8</sup> )	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )
Mouth, n.e.c.	0369	( <sup>8</sup> )	—	—	—	—	—
Multiple face locations	038	.3	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Face, n.e.c.	039	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	( <sup>8</sup> )
Multiple head locations	08	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Head, n.e.c.	09	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	—
<b>Neck, including throat</b>	1	1.8	( <sup>8</sup> )	.2	.1	.1	.1
Neck, except internal location of diseases or disorders	10	1.8	( <sup>8</sup> )	.2	.1	.1	.1
Internal neck location, unspecified	11	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	—
Pharynx	15	( <sup>8</sup> )	—	—	—	—	—
<b>Trunk</b>	2	40.6	.2	8.5	1.9	1.7	4.1
Trunk, unspecified	20	.2	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Shoulder, including clavicle, scapula	21	8.0	( <sup>8</sup> )	1.6	.3	.3	.9
Chest, including ribs, internal organs	22	2.0	.1	.2	.1	.1	.2

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6,7</sup>
	Floors, walkways or ground surfaces	Handtools	Vehicles	Person, injured or ill worker <sup>6</sup>		Person, other than injured or ill worker		
				Total <sup>6</sup>	Worker motion or position <sup>6</sup>	Total	Health care patient	
Total [1,158,870 cases] .....	24.3	5.7	10.3	17.9	17.4	6.8	5.4	16.4
<b>Head</b> .....	1.0	.4	.6	(8)	(8)	.4	.2	3.1
Head, unspecified .....	.5	(8)	.2	(8)	(8)	.1	(8)	.3
Cranial region, including skull .....	.3	(8)	.2	(8)	—	(8)	(8)	.2
Cranial region, unspecified .....	(8)	—	—	—	—	—	—	(8)
Brain .....	.2	(8)	.1	(8)	—	(8)	(8)	.1
Scalp .....	(8)	(8)	(8)	—	—	(8)	(8)	.1
Skull .....	(8)	(8)	(8)	—	—	(8)	—	(8)
Multiple cranial region locations .....	(8)	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—
Ear(s) .....	—	(8)	(8)	—	—	—	—	.1
Face .....	.2	.4	.2	(8)	(8)	.3	.1	2.6
Face, unspecified .....	(8)	(8)	(8)	—	—	.1	(8)	.1
Forehead .....	.1	(8)	(8)	—	—	(8)	(8)	.1
Eye(s) .....	(8)	.2	.1	(8)	(8)	.1	(8)	2.1
Nose, nasal cavity .....	(8)	(8)	(8)	—	—	.1	(8)	.1
Nose, except internal location of diseases or disorders .....	(8)	(8)	(8)	—	—	.1	(8)	.1
Internal nasal location, unspecified .....	—	—	—	—	—	—	—	—
Nasal passages .....	—	—	—	—	—	—	—	(8)
Cheek(s) .....	(8)	(8)	(8)	—	—	(8)	(8)	(8)
Jaw/chin .....	(8)	(8)	(8)	—	—	(8)	(8)	(8)
Mouth .....	(8)	(8)	(8)	—	—	(8)	(8)	(8)
Mouth, unspecified .....	(8)	(8)	—	—	—	—	—	(8)
Lip(s) .....	(8)	(8)	(8)	—	—	(8)	—	(8)
Tooth(teeth) .....	(8)	(8)	(8)	—	—	(8)	—	(8)
Multiple mouth locations .....	(8)	(8)	(8)	—	—	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—
Multiple face locations .....	(8)	(8)	(8)	—	—	(8)	(8)	.1
Face, n.e.c. ....	(8)	(8)	(8)	—	—	(8)	(8)	(8)
Multiple head locations .....	(8)	—	(8)	—	—	(8)	(8)	(8)
Head, n.e.c. ....	(8)	—	(8)	—	—	—	—	(8)
<b>Neck, including throat</b> .....	.1	.1	.5	.2	.2	.2	.2	.2
Neck, except internal location of diseases or disorders .....	.1	.1	.5	.2	.2	.2	.2	.2
Internal neck location, unspecified .....	—	—	—	—	—	—	—	(8)
Pharynx .....	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	6.1	.9	2.8	6.8	6.6	4.0	3.6	3.7
Trunk, unspecified .....	.1	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Shoulder, including clavicle, scapula .....	1.5	.3	.6	1.2	1.2	.7	.6	.7
Chest, including ribs, internal organs .....	.4	.1	.2	.1	.1	.1	.1	.3

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

**TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007** — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Chest, except internal location of diseases or disorders .....	220	1.7	( <sup>8</sup> )	0.2	0.1	0.1	0.2
Internal chest location, unspecified .....	221	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	—
Heart .....	223	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	( <sup>8</sup> )
Bronchus .....	224	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	—
Lung(s), pleura .....	225	.1	.1	—	—	—	( <sup>8</sup> )
Multiple internal chest locations .....	228	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	—
Internal chest location, n.e.c. ....	229	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—	—
Back, including spine, spinal cord .....	23	24.9	( <sup>8</sup> )	5.6	1.2	1.0	2.3
Back, including spine, spinal cord, unspecified .....	230	10.1	( <sup>8</sup> )	2.1	.5	.4	1.0
Lumbar region .....	231	12.6	( <sup>8</sup> )	3.1	.6	.5	1.1
Thoracic region .....	232	1.0	—	.2	( <sup>8</sup> )	( <sup>8</sup> )	.1
Sacral region .....	233	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Coccygeal region .....	234	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Multiple back regions .....	238	.8	—	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Back, including spine, spinal cord, n.e.c. ....	239	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Abdomen .....	24	2.6	( <sup>8</sup> )	.7	.1	.1	.5
Abdomen, except internal location of diseases or disorders .....	240	.7	( <sup>8</sup> )	.1	( <sup>8</sup> )	( <sup>8</sup> )	.1
Internal abdominal location, unspecified .....	241	.9	( <sup>8</sup> )	.3	.1	.1	.2
Stomach organ .....	242	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Spleen .....	243	( <sup>8</sup> )	—	—	—	—	—
Urinary organs .....	244	( <sup>8</sup> )	—	—	—	—	—
Intestines, peritoneum .....	245	.9	—	.3	( <sup>8</sup> )	( <sup>8</sup> )	.2
Intestines, peritoneum, unspecified .....	2450	.8	—	.3	( <sup>8</sup> )	( <sup>8</sup> )	.2
Peritoneum .....	2451	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Large intestine/colon, rectum .....	2453	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	—
Intestines, n.e.c. ....	2459	( <sup>8</sup> )	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	—
Pelvic region .....	25	2.0	( <sup>8</sup> )	.3	.1	.1	.2
Pelvic region, unspecified .....	250	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Hip(s) .....	251	1.0	—	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Pelvis .....	252	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Buttock(s) .....	253	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Groin .....	254	.8	—	.2	( <sup>8</sup> )	( <sup>8</sup> )	.1
External reproductive tract structures .....	255	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	—	( <sup>8</sup> )
External reproductive tract structures, unspecified ..	2550	( <sup>8</sup> )	—	—	—	—	—
Scrotum .....	2551	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Internal reproductive tract structures .....	256	( <sup>8</sup> )	—	—	—	—	—
Testis(testes) .....	2562	( <sup>8</sup> )	—	—	—	—	—
Multiple pelvic region locations .....	258	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	—
Pelvic region, n.e.c. ....	259	( <sup>8</sup> )	—	—	—	—	—
Multiple trunk locations .....	28	.9	( <sup>8</sup> )	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6,7</sup>
	Floors, walkways or ground surfaces	Handtools	Vehicles	Person, injured or ill worker <sup>6</sup>		Person, other than injured or ill worker		
				Total <sup>6</sup>	Worker motion or position <sup>6</sup>	Total	Health care patient	
Chest, except internal location of diseases or disorders .....	0.4	0.1	0.2	0.1	0.1	0.1	0.1	0.3
Internal chest location, unspecified .....	—	—	—	(8)	—	—	—	(8)
Heart .....	—	—	—	(8)	—	—	—	(8)
Bronchus .....	—	—	—	(8)	—	—	—	(8)
Lung(s), pleura .....	—	—	—	(8)	—	—	—	(8)
Multiple internal chest locations .....	—	—	—	—	—	—	—	—
Internal chest location, n.e.c. ....	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	3.0	.4	1.6	4.8	4.7	2.9	2.7	2.0
Back, including spine, spinal cord, unspecified .....	1.3	.2	.7	1.9	1.9	1.1	.9	1.0
Lumbar region .....	1.2	.2	.7	2.6	2.5	1.6	1.4	.9
Thoracic region .....	.1	(8)	.1	.1	.1	.2	.2	.1
Sacral region .....	(8)	—	(8)	(8)	(8)	(8)	(8)	(8)
Coccygeal region .....	.2	—	(8)	(8)	(8)	—	—	(8)
Multiple back regions .....	.1	(8)	.1	.1	.1	.1	.1	(8)
Back, including spine, spinal cord, n.e.c. ....	(8)	—	—	(8)	(8)	(8)	(8)	(8)
Abdomen .....	.1	.1	.1	.3	.2	.1	.1	.4
Abdomen, except internal location of diseases or disorders .....	.1	(8)	.1	.1	.1	.1	.1	.1
Internal abdominal location, unspecified .....	(8)	(8)	(8)	.1	.1	(8)	(8)	.1
Stomach organ .....	—	(8)	—	(8)	(8)	—	—	(8)
Spleen .....	—	—	—	—	—	—	—	—
Urinary organs .....	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	(8)	(8)	(8)	.1	.1	(8)	(8)	.1
Intestines, peritoneum, unspecified .....	(8)	(8)	(8)	.1	.1	(8)	(8)	.1
Peritoneum .....	—	—	(8)	(8)	(8)	(8)	(8)	(8)
Large intestine/colon, rectum .....	—	—	—	(8)	(8)	—	—	—
Intestines, n.e.c. ....	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	—	—	—	—	—	—	—	(8)
Pelvic region .....	.7	.1	.1	.3	.3	.1	.1	.2
Pelvic region, unspecified .....	(8)	—	(8)	—	—	—	—	(8)
Hip(s) .....	.5	(8)	.1	.1	.1	(8)	(8)	.1
Pelvis .....	(8)	—	(8)	(8)	(8)	—	—	(8)
Buttock(s) .....	.1	—	(8)	(8)	(8)	(8)	(8)	(8)
Groin .....	(8)	(8)	(8)	.1	.1	(8)	(8)	.1
External reproductive tract structures .....	—	—	(8)	—	—	—	—	(8)
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—
Scrotum .....	—	—	(8)	—	—	—	—	—
Internal reproductive tract structures .....	—	—	—	—	—	(8)	(8)	—
Testis(testes) .....	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	(8)	—	—	(8)	(8)	—	—	(8)
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—
Multiple trunk locations .....	.3	(8)	.1	.1	.1	.1	.1	.1

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

**TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007 — Continued**

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Trunk, n.e.c. ....	29	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—
<b>Upper extremities</b> .....	3	28.4	.2	2.6	1.1	3.9	4.0
Upper extremities, unspecified .....	30	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	—	( <sup>8</sup> )
Arm(s) .....	31	5.7	.1	.7	.3	.4	.8
Arm(s), unspecified .....	310	1.9	( <sup>8</sup> )	.2	.1	.2	.3
Upper arm(s) .....	311	.4	( <sup>8</sup> )	.1	( <sup>8</sup> )	( <sup>8</sup> )	.1
Elbow(s) .....	312	2.0	—	.2	.1	.1	.2
Forearm(s) .....	313	1.1	( <sup>8</sup> )	.1	( <sup>8</sup> )	.1	.3
Multiple arm(s) locations .....	318	.2	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Arm(s), n.e.c. ....	319	( <sup>8</sup> )	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )
Wrist(s) .....	32	5.4	( <sup>8</sup> )	.5	.2	.2	.3
Hand(s), except finger(s) .....	33	5.1	.1	.5	.2	.7	.9
Finger(s), fingernail(s) .....	34	10.7	( <sup>8</sup> )	.8	.3	2.6	1.9
Multiple upper extremities locations .....	38	1.4	( <sup>8</sup> )	.1	.1	.1	.2
Multiple upper extremities locations, unspecified .....	380	( <sup>8</sup> )	—	—	—	( <sup>8</sup> )	—
Hand(s) and finger(s) .....	381	.4	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1	.1
Hand(s) and wrist(s) .....	382	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Hand(s) and arm(s) .....	383	.2	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Multiple upper extremities locations, n.e.c. ....	389	.4	( <sup>8</sup> )	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Upper extremities, n.e.c. ....	39	( <sup>8</sup> )	—	—	—	—	—
<b>Lower extremities</b> .....	4	27.5	.1	1.9	1.1	.9	2.4
Lower extremities, unspecified .....	40	.1	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Leg(s) .....	41	13.9	.1	.8	.6	.4	.9
Leg(s), unspecified .....	410	1.8	( <sup>8</sup> )	.1	( <sup>8</sup> )	.1	.2
Thigh(s) .....	411	.5	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Knee(s) .....	412	10.0	( <sup>8</sup> )	.5	.4	.2	.4
Lower leg(s) .....	413	1.3	( <sup>8</sup> )	.1	.1	.1	.2
Multiple leg(s) locations .....	418	.4	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Leg(s), n.e.c. ....	419	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Ankle(s) .....	42	6.6	( <sup>8</sup> )	.3	.1	.1	.2
Foot(feet), except toe(s) .....	43	4.6	( <sup>8</sup> )	.5	.2	.3	.9
Foot(feet), except toe(s), unspecified .....	430	4.1	( <sup>8</sup> )	.5	.2	.3	.8
Instep(s) .....	431	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Sole .....	432	.4	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Sole(s), unspecified .....	4320	( <sup>8</sup> )	—	—	—	—	( <sup>8</sup> )
Ball(s) of foot .....	4321	( <sup>8</sup> )	—	—	—	—	—
Arch(es) .....	4322	( <sup>8</sup> )	—	—	—	—	—
Heel(s) .....	4323	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Multiple sole(s) locations .....	4328	( <sup>8</sup> )	—	—	—	—	—
Multiple foot(feet) locations .....	438	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Foot(feet), n.e.c. ....	439	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Toe(s), toenail(s) .....	44	1.2	( <sup>8</sup> )	.2	.1	.1	.3
Multiple lower extremities locations .....	48	1.0	( <sup>8</sup> )	.1	.1	( <sup>8</sup> )	.1

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6,7</sup>
	Floors, walkways or ground surfaces	Handtools	Vehicles	Person, injured or ill worker <sup>6</sup>		Person, other than injured or ill worker		
				Total <sup>6</sup>	Worker motion or position <sup>6</sup>	Total	Health care patient	
Trunk, n.e.c. ....	( <sup>8</sup> )	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
<b>Upper extremities</b> .....	3.2	3.7	1.4	3.2	3.2	0.7	0.6	4.2
Upper extremities, unspecified .....	—	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Arm(s) .....	1.2	.2	.4	.5	.5	.2	.2	1.0
Arm(s), unspecified .....	.3	.1	.1	.1	.1	.1	.1	.4
Upper arm(s) .....	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Elbow(s) .....	.6	.1	.2	.3	.2	( <sup>8</sup> )	( <sup>8</sup> )	.2
Forearm(s) .....	.1	.1	.1	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	.3
Multiple arm(s) locations .....	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Arm(s), n.e.c. ....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Wrist(s) .....	1.3	.2	.2	2.0	2.0	.2	.2	.4
Hand(s), except finger(s) .....	.3	.8	.3	.2	.2	.1	( <sup>8</sup> )	1.1
Finger(s), fingernail(s) .....	.2	2.4	.5	.2	.2	.1	.1	1.6
Multiple upper extremities locations .....	.2	.1	.1	.3	.3	.1	.1	.2
Multiple upper extremities locations, unspecified .....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Hand(s) and finger(s) .....	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.1
Hand(s) and wrist(s) .....	.1	( <sup>8</sup> )	( <sup>8</sup> )	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Hand(s) and arm(s) .....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Multiple upper extremities locations, n.e.c. ....	.1	( <sup>8</sup> )	( <sup>8</sup> )	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Upper extremities, n.e.c. ....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
<b>Lower extremities</b> .....	8.7	.5	2.4	6.4	6.4	.5	.3	2.6
Lower extremities, unspecified .....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Leg(s) .....	4.7	.3	1.1	3.5	3.5	.3	.2	1.3
Leg(s), unspecified .....	.5	.1	.3	.2	.2	( <sup>8</sup> )	( <sup>8</sup> )	.3
Thigh(s) .....	.1	( <sup>8</sup> )	.1	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	.1
Knee(s) .....	3.8	.1	.6	3.0	3.0	.3	.2	.6
Lower leg(s) .....	.2	.1	.2	.2	.2	( <sup>8</sup> )	( <sup>8</sup> )	.2
Multiple leg(s) locations .....	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Leg(s), n.e.c. ....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Ankle(s) .....	2.6	( <sup>8</sup> )	.4	2.2	2.2	.1	( <sup>8</sup> )	.5
Foot(feet), except toe(s) .....	.9	.1	.6	.5	.5	.1	( <sup>8</sup> )	.6
Foot(feet), except toe(s), unspecified .....	.7	.1	.5	.5	.5	.1	( <sup>8</sup> )	.5
Instep(s) .....	( <sup>8</sup> )	—	( <sup>8</sup> )	—	—	—	—	—
Sole .....	.1	( <sup>8</sup> )	.1	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Sole(s), unspecified .....	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Ball(s) of foot .....	—	—	—	—	—	—	—	—
Arch(es) .....	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—
Heel(s) .....	.1	—	.1	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Multiple sole(s) locations .....	—	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—
Multiple foot(feet) locations .....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Foot(feet), n.e.c. ....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Toe(s), toenail(s) .....	.1	( <sup>8</sup> )	.2	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	.2
Multiple lower extremities locations .....	.4	( <sup>8</sup> )	.1	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	.1

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and and selected sources of injury or illness, 2007 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Source of injury or illness <sup>5</sup>				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple lower extremities locations, unspecified .....	480	( <sup>8</sup> )	—	—	—	—	—
Foot(feet) and leg(s) .....	481	.2	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Foot(feet) and ankle(s) .....	482	.3	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Foot(feet) and toe(s) .....	483	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Multiple lower extremities locations, n.e.c. ....	489	.4	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Lower extremities, n.e.c. ....	49	( <sup>8</sup> )	—	—	—	—	—
<b>Body systems</b> .....	<b>5</b>	<b>1.9</b>	<b>.5</b>	<b>(<sup>8</sup>)</b>	<b>(<sup>8</sup>)</b>	<b>(<sup>8</sup>)</b>	<b>.1</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>12.8</b>	<b>.2</b>	<b>.7</b>	<b>.4</b>	<b>.3</b>	<b>.5</b>
<b>Other body parts</b> .....	<b>9</b>	<b>(<sup>8</sup>)</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Prosthetic devices .....	91	( <sup>8</sup> )	—	—	—	—	—
Other body parts, n.e.c. ....	98	( <sup>8</sup> )	—	—	—	—	—
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>1.1</b>	<b>(<sup>8</sup>)</b>	<b>(<sup>8</sup>)</b>	<b>(<sup>8</sup>)</b>	<b>(<sup>8</sup>)</b>	<b>(<sup>8</sup>)</b>

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R23. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected sources of injury or illness, 2007 — Continued

Part of body	Source of injury or illness <sup>5</sup>							All other sources <sup>6,7</sup>
	Floors, walkways or ground surfaces	Handtools	Vehicles	Person, injured or ill worker <sup>6</sup>		Person, other than injured or ill worker		
				Total <sup>6</sup>	Worker motion or position <sup>6</sup>	Total	Health care patient	
Multiple lower extremities locations, unspecified .....	( <sup>8</sup> )	—	—	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Foot(foot) and leg(s) .....	.1	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Foot(foot) and ankle(s) .....	.1	—	( <sup>8</sup> )	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )
Foot(foot) and toe(s) .....	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	( <sup>8</sup> )
Multiple lower extremities locations, n.e.c. ....	.2	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	( <sup>8</sup> )
Lower extremities, n.e.c. ....	( <sup>8</sup> )	—	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	—	—	—
<b>Body systems</b> .....	( <sup>8</sup> )	( <sup>8</sup> )	( <sup>8</sup> )	.3	( <sup>8</sup> )	.1	( <sup>8</sup> )	.8
<b>Multiple body parts</b> .....	5.2	.1	2.5	.9	.8	.8	.5	1.2
<b>Other body parts</b> .....	—	—	—	—	—	—	—	—
Prosthetic devices .....	—	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	.1	( <sup>8</sup> )	.1	.1	.1	( <sup>8</sup> )	( <sup>8</sup> )	.6

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses  
 EH = total hours worked by all employees during the calendar year  
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

<sup>2</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>3</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or

ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>6</sup> Selected estimates for this category were affected by the March 2009 revision, see note below.

<sup>7</sup> Includes nonclassifiable responses.

<sup>8</sup> Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies