

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2007

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total .....		1,158,870	519,330	94,200	157,320	16,220	4,290	6,130	820	870	359,690
<b>Head</b> .....	0	78,370	35,530	6,090	12,580	1,360	240	420	80	70	22,020
Head, unspecified .....	00	16,310	6,670	1,570	2,230	320	30	90	-	-	5,390
Cranial region, including skull .....	01	10,120	4,960	590	1,320	70	30	140	20	-	2,980
Cranial region, unspecified .....	010	180	110	20	20	-	-	-	-	-	40
Brain .....	011	6,420	3,500	390	620	30	-	120	-	-	1,720
Scalp .....	012	2,820	1,090	120	580	40	-	-	-	-	960
Skull .....	013	540	190	50	70	-	-	-	-	-	230
Multiple cranial region locations .....	018	90	60	-	20	-	-	-	-	-	-
Cranial region, n.e.c. ....	019	70	20	-	-	-	-	-	-	-	30
Ear(s) .....	02	910	320	40	120	-	-	-	-	-	410
Face .....	03	50,140	23,290	3,740	8,850	950	100	190	50	50	12,920
Face, unspecified .....	030	3,490	1,540	280	500	120	-	20	-	-	1,020
Forehead .....	031	3,160	1,090	480	490	220	20	30	-	-	830
Eye(s) .....	032	33,010	15,560	2,370	6,500	460	60	100	50	40	7,860
Nose, nasal cavity .....	033	2,790	1,230	110	440	70	-	20	-	-	930
Nose, except internal location of diseases or disorders .....	0330	2,690	1,220	100	440	70	-	20	-	-	840
Internal nasal location, unspecified .....	0331	20	-	-	-	-	-	-	-	-	20
Nasal passages .....	0333	60	-	-	-	-	-	-	-	-	60
Cheek(s) .....	034	830	330	40	160	-	-	-	-	-	290
Jaw/chin .....	035	930	360	130	130	-	-	-	-	-	300
Mouth .....	036	2,350	970	190	310	20	-	-	-	-	850
Mouth, unspecified .....	0360	300	140	-	80	-	-	-	-	-	70
Lip(s) .....	0361	540	250	30	50	-	-	-	-	-	200
Tooth(teeth) .....	0363	1,290	520	110	140	-	-	-	-	-	500
Multiple mouth locations .....	0368	190	50	40	40	-	-	-	-	-	60
Mouth, n.e.c. ....	0369	20	-	-	-	-	-	-	-	-	-
Multiple face locations .....	038	3,240	2,060	140	290	30	-	-	-	-	710
Face, n.e.c. ....	039	350	160	-	30	-	-	-	-	-	130
Multiple head locations .....	08	740	220	100	50	-	70	-	-	-	290
Head, n.e.c. ....	09	150	70	40	-	-	-	-	-	-	30
<b>Neck, including throat</b> .....	1	17,050	7,900	1,240	1,210	220	30	40	20	30	6,370
Neck, except internal location of diseases or disorders ...	10	16,980	7,870	1,220	1,190	220	30	40	20	30	6,350
Internal neck location, unspecified .....	11	40	20	-	-	-	-	-	-	-	-
Pharynx .....	15	20	-	-	-	-	-	-	-	-	-
<b>Trunk</b> .....	2	384,650	175,540	31,210	47,390	4,500	1,370	2,010	150	360	122,130
Trunk, unspecified .....	20	2,000	920	310	230	20	-	20	-	-	510
Shoulder, including clavicle, scapula .....	21	75,580	35,870	5,290	8,180	650	280	430	40	30	24,810
Chest, including ribs, internal organs .....	22	18,580	9,590	1,420	1,910	210	50	100	20	20	5,280

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
Chest, except internal location of diseases or disorders .....	220	16,590	8,630	1,180	1,660	180	40	80	—	20	4,780
Internal chest location, unspecified .....	221	180	50	—	20	—	—	—	—	—	90
Heart .....	223	400	210	100	30	—	—	—	—	—	60
Bronchus .....	224	160	100	—	50	—	—	—	—	—	—
Lung(s), pleura .....	225	1,190	580	120	150	—	—	—	—	—	310
Multiple internal chest locations .....	228	40	20	—	—	—	—	—	—	—	20
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	235,960	103,260	20,770	30,510	3,300	910	1,240	50	210	75,700
Back, including spine, spinal cord, unspecified .....	230	96,130	45,880	8,930	13,130	1,370	220	540	30	150	25,890
Lumbar region .....	231	119,350	49,530	10,070	15,630	1,380	650	640	20	50	41,380
Thoracic region .....	232	9,710	3,770	990	680	150	20	30	—	—	4,060
Sacral region .....	233	590	290	40	30	—	—	—	—	—	230
Coccygeal region .....	234	2,490	1,000	120	250	50	—	—	—	—	1,050
Multiple back regions .....	238	7,190	2,430	610	750	340	20	20	—	—	3,010
Back, including spine, spinal cord, n.e.c. ....	239	500	360	—	40	—	—	—	—	—	80
Abdomen .....	24	24,720	12,810	1,020	3,310	110	70	80	—	70	7,240
Abdomen, except internal location of diseases or disorders .....	240	6,890	2,970	480	970	70	—	—	—	—	2,370
Internal abdominal location, unspecified .....	241	8,570	4,160	290	1,310	20	50	40	—	70	2,630
Stomach organ .....	242	650	340	30	110	—	—	—	—	—	170
Spleen .....	243	70	—	—	—	—	—	—	—	—	—
Urinary organs .....	244	20	20	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	8,420	5,270	220	840	20	—	20	—	—	2,030
Intestines, peritoneum, unspecified .....	2450	7,760	4,890	190	780	20	—	20	—	—	1,850
Peritoneum .....	2451	450	230	—	60	—	—	—	—	—	150
Large intestine/colon, rectum .....	2453	180	130	20	—	—	—	—	—	—	30
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	90	60	—	—	—	—	—	—	—	20
Pelvic region .....	25	19,250	9,320	1,850	1,820	150	30	70	30	30	5,960
Pelvic region, unspecified .....	250	240	70	—	—	—	—	—	—	—	160
Hip(s) .....	251	9,240	4,920	810	930	90	20	20	—	—	2,420
Pelvis .....	252	830	510	110	40	—	—	—	—	—	160
Buttock(s) .....	253	1,090	370	130	40	20	—	—	—	—	510
Groin .....	254	7,310	3,220	770	770	20	—	40	—	—	2,470
External reproductive tract structures .....	255	180	60	—	20	—	—	—	—	—	70
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—	—	—	—	20
Scrotum .....	2551	120	50	—	—	—	—	—	—	—	30
Internal reproductive tract structures .....	256	60	20	—	—	—	—	—	—	—	20
Testis(testes) .....	2562	20	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	280	120	—	—	—	—	—	—	—	140
Pelvic region, n.e.c. ....	259	30	30	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	8,350	3,700	550	1,370	70	30	80	—	—	2,540
Trunk, n.e.c. ....	29	210	60	—	60	—	—	—	—	—	80

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	
<b>Upper extremities</b> .....	3	269,240	120,630	20,370	44,640	3,890	1,060	1,500	170	150	76,830
Upper extremities, unspecified .....	30	520	310	—	50	—	—	—	—	—	140
Arm(s) .....	31	54,260	26,810	3,820	6,030	600	120	300	—	20	16,550
Arm(s), unspecified .....	310	18,170	9,070	1,510	2,470	190	30	110	—	—	4,790
Upper arm(s) .....	311	4,230	2,240	340	310	50	20	20	—	—	1,240
Elbow(s) .....	312	18,830	9,470	1,010	1,750	270	60	120	—	—	6,150
Forearm(s) .....	313	10,540	4,970	750	1,170	60	—	40	—	—	3,530
Multiple arm(s) locations .....	318	2,090	960	140	280	30	—	—	—	—	670
Arm(s), n.e.c. ....	319	410	100	80	50	—	—	—	—	—	170
Wrist(s) .....	32	51,620	24,540	3,350	6,570	630	100	210	30	40	16,160
Hand(s), except finger(s) .....	33	47,920	20,420	4,010	8,360	630	100	400	—	30	13,960
Finger(s), fingernail(s) .....	34	101,650	43,120	7,900	21,540	1,870	720	430	130	50	25,890
Multiple upper extremities locations .....	38	13,060	5,310	1,260	2,080	150	20	170	—	20	4,040
Multiple upper extremities locations, unspecified .....	380	220	80	—	20	—	—	—	—	—	90
Hand(s) and finger(s) .....	381	4,070	2,040	360	630	60	—	20	—	—	960
Hand(s) and wrist(s) .....	382	3,050	1,060	290	580	20	—	20	—	—	1,070
Hand(s) and arm(s) .....	383	1,560	630	150	230	20	—	110	—	—	410
Multiple upper extremities locations, n.e.c. ....	389	4,170	1,490	450	620	50	—	30	—	—	1,510
Upper extremities, n.e.c. ....	39	210	120	—	—	—	—	—	—	—	70
<b>Lower extremities</b> .....	4	260,580	117,880	20,880	31,700	3,370	700	1,370	180	200	84,300
Lower extremities, unspecified .....	40	790	190	20	30	350	—	—	—	—	200
Leg(s) .....	41	132,280	62,190	11,230	14,490	920	330	690	60	50	42,310
Leg(s), unspecified .....	410	17,310	8,140	1,680	2,610	120	30	80	—	—	4,620
Thigh(s) .....	411	4,610	2,060	410	690	60	30	—	—	—	1,360
Knee(s) .....	412	94,500	45,680	7,690	8,850	640	190	540	—	40	30,850
Lower leg(s) .....	413	11,930	4,920	1,160	1,620	70	30	60	50	—	4,020
Multiple leg(s) locations .....	418	3,420	1,160	270	640	30	50	—	—	—	1,270
Leg(s), n.e.c. ....	419	520	220	30	80	—	—	—	—	—	190
Ankle(s) .....	42	62,660	28,250	4,280	8,400	860	160	260	70	50	20,340
Foot(feet), except toe(s) .....	43	43,970	18,280	3,710	5,740	890	110	250	40	80	14,890
Foot(feet), except toe(s), unspecified .....	430	38,870	15,850	3,270	5,230	840	70	230	20	70	13,290
Instep(s) .....	431	180	70	—	30	—	—	—	—	—	60
Sole .....	432	3,680	1,680	380	340	30	30	—	—	—	1,200
Sole(s), unspecified .....	4320	470	220	50	90	—	—	—	—	—	100
Ball(s) of foot .....	4321	30	—	—	—	—	—	—	—	—	—
Arch(es) .....	4322	40	20	—	—	—	—	—	—	—	—
Heel(s) .....	4323	3,090	1,410	320	250	30	20	—	—	—	1,050
Multiple sole(s) locations .....	4328	40	—	—	—	—	—	—	—	—	30
Multiple foot(feet) locations .....	438	210	90	—	20	—	—	—	—	—	70
Foot(feet), n.e.c. ....	439	1,010	590	40	120	—	—	—	—	—	260
Toe(s), toenail(s) .....	44	11,630	4,880	930	1,660	310	30	40	—	—	3,780
Multiple lower extremities locations .....	48	9,020	3,980	690	1,320	50	70	130	—	—	2,770
Multiple lower extremities locations, unspecified .....	480	200	110	—	—	—	—	—	—	—	80
Foot(feet) and leg(s) .....	481	1,670	660	180	370	—	20	—	—	—	440

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Foot(feet) and ankle(s) .....	482	2,410	1,250	180	240	20	—	40	—	—	660
Foot(feet) and toe(s) .....	483	970	270	50	180	—	—	—	—	—	440
Multiple lower extremities locations, n.e.c. ....	489	3,780	1,690	270	530	20	40	80	—	—	1,140
Lower extremities, n.e.c. ....	49	220	120	20	70	—	—	—	—	—	20
<b>Body systems</b> .....	<b>5</b>	<b>17,710</b>	<b>7,410</b>	<b>1,710</b>	<b>2,310</b>	<b>330</b>	<b>100</b>	<b>90</b>	<b>—</b>	<b>—</b>	<b>5,760</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>120,950</b>	<b>52,090</b>	<b>11,490</b>	<b>16,080</b>	<b>2,130</b>	<b>630</b>	<b>680</b>	<b>40</b>	<b>70</b>	<b>37,740</b>
<b>Other body parts</b> .....	<b>9</b>	<b>50</b>	<b>—</b>	<b>30</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Prosthetic devices .....	91	40	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>10,280</b>	<b>2,350</b>	<b>1,170</b>	<b>1,410</b>	<b>420</b>	<b>160</b>	<b>20</b>	<b>190</b>	<b>—</b>	<b>4,560</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies