

Table 3-1.*Percent Distribution of Veterans by Health Status and Age*

	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	686,172	477	8,616	24,323	44,886	168,934	437,878
Responding on Item	24,509,864	2,288,095	3,021,681	5,390,812	4,901,094	5,087,485	3,678,255
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	16.8 (0.3)	29.0 (1.5)	22.8 (1.2)	15.7 (0.7)	18.6 (0.8)	13.1 (0.5)	8.5 (0.6)
Very good	28.8 (0.4)	37.3 (1.1)	35.0 (1.3)	30.4 (0.9)	29.4 (0.9)	25.2 (1.0)	19.9 (0.9)
Good	30.1 (0.4)	23.6 (1.4)	28.6 (1.3)	31.7 (0.8)	27.5 (0.8)	32.4 (1.0)	33.3 (0.8)
Fair	16.3 (0.3)	8.6 (0.9)	10.2 (0.8)	14.2 (0.5)	15.8 (0.6)	19.7 (0.7)	25.4 (1.0)
Poor	7.9 (0.2)	1.5 (0.3)	3.2 (0.4)	7.9 (0.4)	8.6 (0.6)	9.5 (0.6)	12.5 (0.7)
Unknown	0.2 (0.0)	0.0 (N/A)	0.2* (0.1)	0.1* (0.1)	0.1* (0.1)	0.1* (0.1)	0.3* (0.1)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-2.***Percent Distribution of Veterans by Health Status, Age, and Health Care Priority Groups***

	Less Than 35 Years						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Not Applicable	303	0	0	0	174	0	0
Responding on Item	28,549	34,399	129,074	1,681	482,691	279,171	1,329,867
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	0.0* (N/A)	2.6* (1.5)	11.2 (2.3)	NR (NR)	24.9 (2.6)	24.1 (4.3)	34.7 (1.8)
Very good	1.7* (1.3)	14.1 (3.6)	30.8 (4.5)	NR (NR)	32.8 (3.0)	34.9 (4.3)	41.5 (1.5)
Good	20.6* (6.5)	29.9 (8.0)	28.3 (4.6)	NR (NR)	31.8 (3.3)	27.3 (4.0)	19.1 (1.5)
Fair	51.6* (11.3)	43.4 (9.3)	24.6 (5.5)	NR (NR)	9.0 (1.8)	11.9 (2.7)	4.4 (0.9)
Poor	26.0* (12.1)	10.0* (3.4)	4.6* (2.9)	NR (NR)	1.5* (0.7)	1.7* (1.2)	0.4* (0.3)
Unknown	0.0* (N/A)	0.0 (N/A)	0.4* (0.4)	NR (NR)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. "Not Applicable" values refer to proxy respondents who were not asked the health status question. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-2. (continued)***Percent Distribution of Veterans by Health Status, Age, and Health Care Priority Groups***

35-44 Years							
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Not Applicable	3,498	303	554	0	2,749	0	1,512
Responding on Item	76,677	81,200	156,741	0	497,027	390,215	1,796,240
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (NR)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	0.2* (0.2)	6.7* (3.3)	8.2 (2.3)	NR (NR)	12.5 (2.2)	22.4 (3.1)	28.4 (1.7)
Very good	10.4* (3.2)	19.3 (4.1)	27.1 (4.0)	NR (NR)	24.3 (2.7)	29.9 (2.9)	41.8 (1.7)
Good	27.9 (5.3)	39.4 (5.4)	40.6 (4.4)	NR (NR)	39.2 (2.9)	33.1 (3.4)	23.2 (1.6)
Fair	33.0 (5.7)	26.1 (4.6)	17.6 (2.9)	NR (NR)	17.6 (2.6)	11.2 (2.3)	5.5 (0.8)
Poor	28.3 (5.4)	8.1* (3.4)	6.5* (2.2)	NR (NR)	6.3 (1.3)	2.6* (1.0)	1.0* (0.3)
Unknown	0.2* (0.2)	0.4* (0.4)	0.0 (N/A)	NR (NR)	0.0 (N/A)	0.8* (0.8)	0.1* (0.1)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. "Not Applicable" values refer to proxy respondents who were not asked the health status question. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-2. (continued)***Percent Distribution of Veterans by Health Status, Age, and Health Care Priority Groups***

45-54 Years							
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Not Applicable	5,499	4,747	0	0	3,982	5,820	3,997
Responding on Item	248,524	162,254	380,536	7,825	806,238	969,957	2,776,244
Total	100.0 (N/A)						
Excellent	2.2* (1.2)	4.2 (0.9)	8.7 (1.2)	0.0* (N/A)	5.8 (1.1)	17.7 (1.7)	21.0 (1.1)
Very good	9.8 (2.4)	16.7 (2.7)	22.0 (2.0)	9.5* (8.3)	16.0 (1.4)	29.2 (2.3)	39.2 (1.4)
Good	23.5 (2.8)	37.9 (3.3)	37.4 (2.4)	1.0* (1.0)	31.8 (2.1)	34.6 (1.9)	30.1 (1.1)
Fair	28.3 (3.0)	27.6 (3.1)	23.4 (1.8)	13.3* (6.0)	26.1 (1.8)	13.1 (1.4)	7.6 (0.7)
Poor	35.4 (2.9)	12.5 (1.8)	8.5 (1.4)	76.2* (10.5)	20.2 (1.6)	5.4 (1.0)	2.1 (0.4)
Unknown	0.8* (0.8)	1.1* (1.1)	0.1* (0.1)	0.0* (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. "Not Applicable" values refer to proxy respondents who were not asked the health status question. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-2. (continued)***Percent Distribution of Veterans by Health Status, Age, and Health Care Priority Groups***

55-64 Years							
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Not Applicable	3,575	541	1,044	789	19,023	0	19,914
Responding on Item	127,141	95,846	245,981	2,212	690,025	670,890	3,059,260
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	1.8* (0.7)	5.6* (2.2)	10.7 (2.0)	NR (NR)	8.2 (1.7)	17.6 (1.7)	23.0 (1.2)
Very good	8.3 (2.5)	20.9 (3.6)	21.5 (2.7)	NR (NR)	15.4 (1.9)	27.7 (2.5)	34.7 (1.2)
Good	20.6 (3.3)	34.2 (4.5)	38.3 (3.2)	NR (NR)	26.1 (2.2)	29.4 (2.3)	26.6 (1.1)
Fair	28.5 (3.0)	21.5 (2.7)	17.5 (2.1)	NR (NR)	28.6 (2.3)	18.7 (1.8)	11.4 (0.8)
Poor	40.8 (3.6)	17.8 (4.3)	11.8 (1.9)	NR (NR)	21.7 (2.4)	6.1 (1.5)	4.2 (0.6)
Unknown	0.0 (N/A)	0.0 (N/A)	0.2* (0.2)	NR (NR)	0.0 (N/A)	0.6* (0.4)	0.0 (N/A)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. "Not Applicable" values refer to proxy respondents who were not asked the health status question. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-2. (continued)***Percent Distribution of Veterans by Health Status, Age, and Health Care Priority Groups***

	65-74 Years						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Not Applicable	5,885	1,708	3,654	4,690	63,502	6,920	81,604
Responding on Item	89,992	89,728	192,466	4,739	1,476,680	331,048	2,877,563
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	4.8* (2.5)	7.2* (2.4)	8.1 (1.8)	NR (NR)	6.6 (0.9)	10.9 (1.8)	17.5 (1.0)
Very good	3.3 (1.0)	10.4 (2.6)	17.3 (2.2)	NR (NR)	17.0 (1.3)	30.3 (3.7)	30.5 (1.4)
Good	22.1 (2.8)	37.3 (4.4)	37.3 (3.2)	NR (NR)	33.3 (1.7)	30.0 (4.0)	32.0 (1.4)
Fair	37.3 (4.0)	25.5 (4.1)	20.6 (2.2)	NR (NR)	28.1 (1.5)	19.6 (2.5)	14.6 (0.9)
Poor	32.4 (3.2)	19.6 (3.0)	16.4 (2.4)	NR (NR)	14.9 (1.2)	9.2 (2.3)	5.2 (0.6)
Unknown	0.2* (0.2)	0.0 (N/A)	0.3* (0.3)	NR (NR)	0.1* (0.1)	0.0 (N/A)	0.2* (0.1)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. "Not Applicable" values refer to proxy respondents who were not asked the health status question. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-2. (continued)***Percent Distribution of Veterans by Health Status, Age, and Health Care Priority Groups***

	75 Years or Older						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Not Applicable	18,382	12,014	32,333	2,637	173,190	12,773	178,680
Responding on Item	110,280	97,685	298,745	4,451	1,091,747	140,377	1,912,988
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	1.3* (0.6)	2.9* (1.0)	5.3 (1.1)	NR (NR)	4.1 (0.9)	14.6 (4.2)	11.8 (1.1)
Very good	9.7 (2.1)	11.6 (2.1)	18.6 (2.7)	NR (NR)	14.0 (1.4)	18.3 (4.5)	24.9 (1.4)
Good	20.3 (2.4)	32.0 (4.2)	31.3 (3.0)	NR (NR)	32.7 (1.9)	22.4 (4.8)	35.5 (1.1)
Fair	33.6 (3.3)	30.7 (3.4)	28.0 (2.6)	NR (NR)	33.7 (2.0)	27.8 (5.4)	19.2 (1.3)
Poor	35.1 (3.5)	22.6 (2.7)	16.8 (2.0)	NR (NR)	15.3 (1.4)	16.6 (4.3)	8.0 (0.9)
Unknown	0.0 (N/A)	0.2* (0.2)	0.0 (N/A)	NR (NR)	0.1* (0.1)	0.3* (0.3)	0.5* (0.2)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. "Not Applicable" values refer to proxy respondents who were not asked the health status question. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-3.*Percent Distribution of Veterans by Health Status, Gender, and Age*

	Males						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	669,827	477	8,042	21,269	44,886	166,583	427,512
Responding on Item	23,042,606	1,913,648	2,577,296	5,096,676	4,802,658	5,003,796	3,512,562
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	16.5 (0.3)	29.4 (1.7)	22.6 (1.4)	15.5 (0.7)	18.6 (0.8)	13.2 (0.5)	8.6 (0.7)
Very good	28.5 (0.4)	36.9 (1.4)	35.1 (1.4)	30.2 (0.9)	29.3 (0.9)	25.1 (1.0)	20.0 (0.8)
Good	30.2 (0.4)	23.8 (1.5)	28.9 (1.4)	31.9 (0.8)	27.5 (0.9)	32.3 (1.0)	33.0 (0.8)
Fair	16.6 (0.3)	8.6 (0.9)	10.1 (0.9)	14.3 (0.6)	15.8 (0.6)	19.8 (0.7)	25.4 (1.0)
Poor	8.1 (0.2)	1.3 (0.3)	3.1 (0.5)	7.9 (0.4)	8.7 (0.6)	9.6 (0.6)	12.6 (0.7)
Unknown	0.1 (0.0)	0.0 (N/A)	0.1* (0.1)	0.1* (0.1)	0.1* (0.1)	0.1* (0.1)	0.3* (0.1)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-3. (continued)*Percent Distribution of Veterans by Health Status, Gender, and Age*

	Females						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	16,345	0	574	3,054	0	2,351	10,367
Responding on Item	1,467,258	374,447	444,385	294,136	98,436	83,689	165,693
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent	20.8	27.2	23.8	19.7	19.1*	8.8*	7.9*
(1.6)	(3.7)	(2.8)	(3.6)	(6.1)	(3.9)	(3.0)	
Very good	33.1	39.0	34.2	32.9	32.4	31.2	18.6
(1.9)	(3.6)	(3.4)	(4.9)	(7.3)	(8.2)	(4.3)	
Good	28.3	22.2	27.1	28.1	26.6	39.2	39.0
(1.6)	(3.4)	(3.0)	(3.8)	(8.0)	(8.6)	(5.1)	
Fair	12.5	8.7	10.2	11.9	15.0*	15.3*	25.3
(1.1)	(1.8)	(1.9)	(2.4)	(4.8)	(5.6)	(4.3)	
Poor	5.1	2.8*	4.0	7.3*	6.8*	5.5*	9.0*
(0.9)	(1.3)	(1.1)	(2.3)	(3.2)	(1.7)	(3.5)	
Unknown	0.3*	0.1*	0.7*	0.0	0.0	0.0	0.2*
(0.2)	(0.1)	(0.7)	(N/A)	(N/A)	(N/A)	(N/A)	(0.2)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-4.*Percent Distribution of Veterans by Health Status, Ethnicity, and Age*

		Spanish, Hispanic, or Latino						
		Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population								
Not Applicable		33,897	0	910	0	133	3,245	29,608
Responding on Item		1,088,293	202,187	202,418	281,544	181,363	152,165	64,540
Total		100.0	100.0	100.0	100.0	100.0	100.0	100.0
		(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent		17.8	28.9	24.6	10.1	18.7	11.2	9.2*
		(1.8)	(4.7)	(5.5)	(2.8)	(4.1)	(3.1)	(5.9)
Very good		27.9	38.2	33.9	27.6	21.0	18.0	17.3*
		(2.0)	(5.1)	(5.5)	(3.6)	(4.4)	(3.9)	(6.2)
Good		27.1	15.2	26.6	39.5	22.1	28.3	23.7
		(2.0)	(3.5)	(5.1)	(4.4)	(4.8)	(4.8)	(6.9)
Fair		17.0	14.3	11.7	11.7	24.9	25.0	25.3
		(1.8)	(4.0)	(3.1)	(3.0)	(4.7)	(4.5)	(6.5)
Poor		10.2	3.3*	3.2*	11.2	13.3	17.6	24.5
		(1.2)	(1.9)	(1.6)	(2.5)	(3.9)	(4.6)	(6.9)
Unknown		0.0	0.0	0.0	0.0	0.0	0.0	0.0
		(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-4. (continued)*Percent Distribution of Veterans by Health Status, Ethnicity, and Age*

	Not Spanish, Hispanic, or Latino						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	651,112	477	7,706	24,323	44,753	165,176	407,620
Responding on Item	23,339,122	2,082,942	2,814,100	5,093,438	4,697,094	4,920,848	3,599,576
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	16.8 (0.3)	28.9 (1.6)	22.7 (1.2)	16.1 (0.7)	18.6 (0.8)	13.1 (0.6)	8.6 (0.6)
Very good	28.8 (0.4)	37.2 (1.2)	35.1 (1.4)	30.5 (0.9)	29.7 (0.9)	25.4 (1.0)	20.0 (0.9)
Good	30.2 (0.4)	24.4 (1.5)	28.7 (1.4)	31.3 (0.8)	27.6 (0.8)	32.5 (1.1)	33.5 (0.8)
Fair	16.3 (0.3)	8.1 (0.8)	10.0 (0.8)	14.4 (0.6)	15.5 (0.6)	19.5 (0.7)	25.3 (1.1)
Poor	7.8 (0.2)	1.3 (0.3)	3.2 (0.4)	7.6 (0.4)	8.5 (0.6)	9.3 (0.6)	12.2 (0.7)
Unknown	0.2 (0.0)	0.0 (N/A)	0.2* (0.1)	0.1* (0.1)	0.1* (0.1)	0.2* (0.1)	0.3* (0.1)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5.***Percent Distribution of Veterans by Health Status, Race, and Age***

	Total One Race						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	660,485	174	7,403	22,528	44,399	163,821	421,103
Responding on Item	23,196,641	2,062,076	2,800,699	5,033,894	4,657,510	4,913,321	3,599,518
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	16.9 (0.3)	29.2 (1.6)	23.0 (1.2)	16.2 (0.7)	18.8 (0.9)	13.2 (0.5)	8.6 (0.6)
Very good	28.9 (0.4)	37.1 (1.2)	35.4 (1.4)	30.9 (0.9)	29.7 (1.0)	25.3 (1.0)	19.9 (0.9)
Good	30.1 (0.4)	24.1 (1.5)	28.3 (1.4)	30.8 (0.8)	27.6 (0.9)	32.6 (1.1)	33.6 (0.8)
Fair	16.2 (0.2)	8.1 (0.9)	9.8 (0.8)	14.2 (0.6)	15.4 (0.6)	19.4 (0.7)	25.2 (1.0)
Poor	7.8 (0.2)	1.5 (0.3)	3.2 (0.4)	7.8 (0.4)	8.4 (0.6)	9.3 (0.6)	12.4 (0.7)
Unknown	0.2 (0.0)	0.0 (N/A)	0.2* (0.1)	0.1* (0.1)	0.1* (0.1)	0.2* (0.1)	0.3* (0.1)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

	White						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	616,268	174	554	19,661	38,526	153,642	402,654
Responding on Item	20,754,629	1,705,425	2,221,786	4,423,716	4,312,302	4,545,713	3,431,645
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Excellent	17.3 (0.4)	29.3 (1.7)	24.0 (1.5)	17.4 (0.8)	19.6 (0.9)	13.8 (0.6)	8.7 (0.7)
Very good	29.5 (0.5)	38.2 (1.4)	37.4 (1.6)	32.2 (1.1)	30.5 (1.1)	25.9 (1.0)	20.2 (0.9)
Good	30.1 (0.4)	23.1 (1.6)	27.3 (1.5)	30.7 (0.9)	27.6 (0.9)	32.5 (1.2)	34.6 (0.8)
Fair	15.4 (0.3)	7.8 (0.9)	8.3 (0.8)	12.5 (0.6)	14.1 (0.7)	18.9 (0.8)	24.4 (1.0)
Poor	7.5 (0.2)	1.5 (0.4)	2.8 (0.4)	7.1 (0.4)	8.1 (0.6)	8.8 (0.6)	11.8 (0.6)
Unknown	0.2 (0.0)	0.0 (N/A)	0.2* (0.2)	0.1* (0.1)	0.1* (0.1)	0.1* (0.1)	0.3* (0.1)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

Black or African American							
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	39,056	0	6,276	2,866	5,873	9,284	14,757
Responding on Item	2,177,578	318,905	519,702	546,687	296,887	333,551	148,545
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent	12.6	27.2	19.2	8.2	5.7*	4.0*	7.8*
	(1.1)	(4.9)	(3.4)	(2.0)	(2.2)	(1.6)	(3.4)
Very good	22.9	32.3	27.9	20.4	19.3	18.6	11.2*
	(1.2)	(4.0)	(3.4)	(2.8)	(3.2)	(4.2)	(3.5)
Good	30.7	29.4	32.3	32.8	30.0	35.3	10.6
	(1.4)	(4.7)	(3.5)	(2.9)	(2.9)	(3.5)	(3.0)
Fair	23.4	9.8	15.2	26.4	32.3	26.7	45.7
	(1.1)	(2.8)	(2.3)	(2.5)	(2.8)	(3.5)	(6.6)
Poor	10.2	1.2*	5.3	12.2	12.2	15.5	24.8
	(0.8)	(0.6)	(1.4)	(1.6)	(2.1)	(3.4)	(5.5)
Unknown	0.1*	0.1*	0.0	0.0	0.5*	0.0	0.0
	(0.1)	(0.1)	(N/A)	(N/A)	(0.5)	(N/A)	(N/A)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

American Indian or Alaska Native							
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	1,669	0	574	0	0	894	201
Responding on Item	158,182	21,672	43,333	39,035	25,879	15,172	11,853
Total	100.0	NR	100.0	100.0	100.0	NR	NR
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent	18.2	NR	17.8*	6.9*	27.9*	NR	NR
	(3.1)	(NR)	(7.3)	(4.8)	(10.1)	(NR)	(NR)
Very good	22.7	NR	32.2*	22.3*	6.0*	NR	NR
	(3.7)	(NR)	(9.5)	(7.4)	(4.0)	(NR)	(NR)
Good	22.7	NR	28.9*	21.6	21.1*	NR	NR
	(3.2)	(NR)	(8.3)	(6.5)	(10.2)	(NR)	(NR)
Fair	19.3	NR	16.7*	28.3	29.0*	NR	NR
	(3.1)	(NR)	(7.8)	(6.1)	(9.1)	(NR)	(NR)
Poor	16.2	NR	4.3*	21.0	16.0*	NR	NR
	(2.7)	(NR)	(2.7)	(5.1)	(5.9)	(NR)	(NR)
Unknown	0.9*	NR	0.0*	0.0	0.0*	NR	NR
	(0.9)	(NR)	(N/A)	(N/A)	(N/A)	(NR)	(NR)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

		Asian					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	3,491	0	0	0	0	0	3,491
Responding on Item	69,711	14,311	8,781	9,794	17,815	11,566	6,401
Total	100.0	NR (N/A)	NR (N/A)	NR (N/A)	NR (N/A)	NR (N/A)	NR (N/A)
Excellent	24.2 (6.3)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Very good	25.6 (5.5)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Good	28.7 (5.4)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Fair	16.0 (4.1)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Poor	3.9* (2.4)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Unknown	1.5* (1.5)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

		Native Hawaiian or Other Pacific Islander					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	0	0	0	0	0	0	0
Responding on Item	36,541	1,763	7,098	14,661	4,627	7,319	1,074
Total	100.0	NR	NR	NR	NR	NR	NR
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent	15.8*	NR	NR	NR	NR	NR	NR
	(8.6)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Very good	30.1*	NR	NR	NR	NR	NR	NR
	(12.5)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Good	18.9*	NR	NR	NR	NR	NR	NR
	(8.0)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Fair	25.6*	NR	NR	NR	NR	NR	NR
	(10.0)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Poor	9.6*	NR	NR	NR	NR	NR	NR
	(4.8)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Unknown	0.0*	NR	NR	NR	NR	NR	NR
	(N/A)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

Total Two or More Races						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years
Estimated Population						
Not Applicable	5,943	0	0	1,517	353	2,901
Responding on Item	551,598	78,796	89,712	155,746	108,374	81,592
Total	100.0	100.0	100.0	100.0	100.0	100.0
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent	13.3 (1.8)	26.6* (8.2)	17.2* (5.6)	10.4* (3.4)	11.8* (3.8)	6.7* (2.3)
Very good	23.6 (1.9)	38.3 (7.5)	19.5 (5.0)	21.2 (4.7)	23.5 (3.9)	17.5 (4.0)
Good	31.8 (2.2)	20.2* (6.3)	41.2 (7.2)	37.8 (5.3)	28.5 (5.1)	33.6 (5.1)
Fair	19.3 (1.7)	13.5* (4.4)	19.0 (5.4)	18.2 (3.1)	14.8 (3.1)	27.8 (4.1)
Poor	11.8 (1.3)	1.4* (1.0)	3.1* (1.6)	12.5 (2.8)	21.4 (4.2)	14.4 (3.6)
Unknown	0.1* (0.1)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

		American Indian or Alaska Native/White						
		Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population								
Not Applicable	3,230	0	0	115	353	1,709	1,053	
Responding on Item	357,526	35,271	58,036	87,221	85,195	69,697	21,211	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	
Excellent	9.8	11.4*	14.8*	5.8*	12.2*	6.2*	12.2*	
	(1.5)	(6.9)	(5.8)	(2.2)	(4.0)	(2.3)	(8.1)	
Very good	22.3	32.7*	25.7	18.6	23.7	18.5	15.7*	
	(2.1)	(8.6)	(6.8)	(4.0)	(4.5)	(4.4)	(5.9)	
Good	33.1	29.7*	33.7	39.8	30.0	33.7	21.6*	
	(2.5)	(10.0)	(9.3)	(6.2)	(5.2)	(5.6)	(7.6)	
Fair	20.4	23.8*	21.8*	21.1	13.7	26.6	16.0*	
	(1.6)	(7.3)	(7.7)	(3.7)	(3.1)	(4.7)	(6.3)	
Poor	14.2	2.3*	4.1*	14.7	20.5	15.1	31.7*	
	(1.7)	(2.1)	(2.4)	(3.3)	(3.6)	(4.2)	(9.6)	
Unknown	0.2*	0.0*	0.0	0.0	0.0	0.0	2.8*	
	(0.2)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(2.9)	

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. Only one sub-category of "Total Two or More Races" is shown because all other categories were too small to report. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-5. (continued)***Percent Distribution of Veterans by Health Status, Race, and Age***

	Race Unknown						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	19,744	303	1,213	278	133	2,212	15,604
Responding on Item	761,625	147,224	131,269	201,172	135,210	92,571	42,254
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
Excellent	16.8 (2.0)	28.3 (5.8)	21.7 (6.3)	7.3* (2.6)	19.7 (3.7)	15.1 (4.5)	3.2* (2.4)
Very good	29.2 (2.3)	38.6 (6.5)	36.9 (6.7)	25.1 (4.6)	23.1 (4.5)	25.1 (5.9)	20.7* (8.3)
Good	29.5 (2.5)	18.0 (4.0)	25.9 (6.7)	50.4 (4.6)	21.7 (4.2)	19.4* (6.0)	22.6* (6.9)
Fair	18.1 (2.1)	12.7* (3.8)	12.3* (4.6)	11.6 (3.2)	29.4 (4.9)	25.6 (6.1)	39.1* (8.0)
Poor	6.4 (1.1)	2.4* (1.8)	3.1* (2.1)	5.6 (1.4)	6.2* (2.9)	14.8* (5.1)	14.3* (6.2)
Unknown	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0* (N/A)

NOTE: "Not Applicable" values refer to proxy respondents who were not asked the health status question. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-6.*Percent Distribution of Veterans by Functional Limitation and Age*

	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	25,196,036	2,288,572	3,030,297	5,415,134	4,945,979	5,256,419	4,116,133
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	67.2 (0.4)	83.7 (1.1)	76.4 (1.1)	70.7 (0.7)	71.6 (0.9)	63.5 (0.9)	45.8 (1.2)
IADL only	7.1 (0.2)	4.5 (0.7)	4.9 (0.6)	5.2 (0.4)	6.2 (0.5)	8.7 (0.5)	11.8 (0.5)
One to two ADLs	16.3 (0.3)	8.9 (0.8)	11.7 (0.7)	14.1 (0.6)	13.8 (0.7)	19.3 (0.8)	25.8 (1.0)
Three to four ADLs	5.4 (0.2)	1.7 (0.3)	3.9 (0.5)	5.6 (0.4)	5.2 (0.4)	5.3 (0.3)	8.6 (0.6)
Five or more ADLs	3.9 (0.2)	1.1 (0.3)	2.9 (0.3)	4.2 (0.3)	3.0 (0.3)	3.2 (0.3)	7.8 (0.5)
Unknown	0.1 (0.0)	0.1* (0.1)	0.3* (0.1)	0.1* (0.1)	0.1* (0.1)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-7.***Percent Distribution of Veterans by Functional Limitation, Age, and Health Care Priority Groups***

	Less Than 35 Years						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Responding on Item	28,852	34,399	129,074	1,681	482,865	279,171	1,329,867
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	21.8* (6.8)	33.1 (7.5)	57.7 (5.7)	NR (NR)	77.4 (3.1)	85.3 (2.9)	91.0 (1.1)
IADL only	25.5* (11.5)	14.8* (7.4)	9.6 (2.8)	NR (NR)	5.2 (1.5)	6.3* (2.3)	2.6 (0.6)
One to two ADLs	25.0* (10.1)	36.7 (8.5)	25.9 (4.1)	NR (NR)	12.0 (2.0)	8.3 (2.2)	5.1 (0.9)
Three to four ADLs	13.3* (5.1)	12.7* (4.1)	6.0* (2.2)	NR (NR)	3.4* (1.1)	0.1* (0.0)	0.6* (0.3)
Five or more ADLs	14.3* (8.8)	2.6* (1.6)	1.0* (0.7)	NR (NR)	2.1* (1.1)	0.0 (N/A)	0.6* (0.3)
Unknown	0.0* (N/A)	0.0 (N/A)	0.0 (N/A)	NR (NR)	0.0 (N/A)	0.0 (N/A)	0.2* (0.2)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-7. (continued)***Percent Distribution of Veterans by Functional Limitation, Age, and Health Care Priority Groups***

35-44 Years							
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Responding on Item	80,176	81,504	157,295	0	499,776	390,215	1,797,752
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (NR)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	21.9 (6.3)	40.3 (5.7)	52.5 (4.3)	NR (NR)	64.3 (3.1)	69.7 (3.5)	87.5 (1.5)
IADL only	11.0 (3.3)	10.8 (3.0)	5.4 (1.3)	NR (NR)	8.9 (1.5)	5.4 (1.6)	2.9 (0.6)
One to two ADLs	29.1 (5.3)	28.9 (4.3)	32.3 (4.1)	NR (NR)	12.8 (2.0)	17.6 (2.5)	6.8 (0.9)
Three to four ADLs	12.7 (2.8)	12.0* (3.9)	6.1* (2.1)	NR (NR)	9.2 (2.1)	2.4* (1.4)	1.8 (0.4)
Five or more ADLs	24.6 (5.7)	7.9* (3.2)	3.5* (1.2)	NR (NR)	4.9 (1.2)	4.2* (1.3)	0.8* (0.3)
Unknown	0.6* (0.6)	0.0 (N/A)	0.2* (0.2)	NR (NR)	0.0 (N/A)	0.8* (0.8)	0.2* (0.2)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-7. (continued)***Percent Distribution of Veterans by Functional Limitation, Age, and Health Care Priority Groups***

45-54 Years						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6
Estimated Population						
Responding on Item	254,023	167,000	380,536	7,825	810,220	975,776
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	22.0 (2.3)	38.3 (3.7)	53.6 (2.4)	0.0* (N/A)	48.4 (2.2)	74.3 (1.9)
IADL only	12.0 (2.0)	10.3 (2.0)	7.0 (0.9)	9.6* (8.4)	9.9 (1.8)	4.4 (1.0)
One to two ADLs	26.6 (2.3)	29.7 (2.8)	26.1 (1.8)	26.9* (14.0)	21.0 (1.9)	14.4 (1.6)
Three to four ADLs	18.9 (2.1)	13.7 (2.5)	7.8 (1.3)	15.5* (7.9)	11.9 (1.4)	3.9 (1.0)
Five or more ADLs	19.6 (2.4)	6.9 (1.5)	5.4 (1.1)	47.9* (16.2)	8.7 (1.2)	3.1 (0.9)
Unknown	0.8* (0.8)	1.1* (1.1)	0.0 (N/A)	0.0* (N/A)	0.0 (N/A)	0.1* (0.1)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-7. (continued)***Percent Distribution of Veterans by Functional Limitation, Age, and Health Care Priority Groups***

55-64 Years						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6
Estimated Population						
Responding on Item	130,716	96,386	247,025	3,001	709,049	670,890
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)
None	16.1 (2.4)	32.1 (4.1)	59.2 (2.7)	NR (NR)	47.6 (2.5)	73.4 (2.1)
IADL only	6.8* (2.1)	11.9 (3.5)	10.3 (2.0)	NR (NR)	12.6 (1.5)	4.7 (1.1)
One to two ADLs	34.8 (3.6)	30.7 (3.9)	19.1 (2.3)	NR (NR)	18.7 (1.8)	16.8 (1.9)
Three to four ADLs	23.8 (3.5)	16.0 (3.1)	6.0 (1.2)	NR (NR)	13.0 (1.6)	4.0 (0.9)
Five or more ADLs	18.6 (3.2)	9.3* (3.1)	5.4 (1.3)	NR (NR)	8.2 (1.2)	1.1* (0.6)
Unknown	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	NR (NR)	0.0 (N/A)	0.1* (0.1)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-7. (continued)***Percent Distribution of Veterans by Functional Limitation, Age, and Health Care Priority Groups***

65-74 Years						
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6
Estimated Population						
Responding on Item	95,877	91,436	196,119	9,428	1,540,182	337,968
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)
None	21.6 (2.9)	41.9 (5.7)	48.2 (3.4)	NR (NR)	51.7 (1.6)	63.2 (3.8)
IADL only	12.5 (2.3)	14.1 (2.7)	11.0 (2.5)	NR (NR)	10.4 (1.1)	5.3* (1.7)
One to two ADLs	36.8 (2.9)	26.4 (2.9)	26.5 (2.9)	NR (NR)	25.6 (1.4)	21.9 (3.3)
Three to four ADLs	15.9 (2.5)	11.2 (2.6)	7.0 (1.1)	NR (NR)	8.2 (0.8)	7.4* (2.3)
Five or more ADLs	13.2 (2.4)	6.4* (2.1)	7.3 (1.7)	NR (NR)	4.2 (0.7)	2.1* (1.2)
Unknown	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	NR (NR)	0.0 (N/A)	0.1* (0.1)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-7. (continued)***Percent Distribution of Veterans by Functional Limitation, Age, and Health Care Priority Groups***

75 Years or Older							
	Priority 1	Priority 2	Priority 3	Priority 4	Priority 5	Priority 6	Priority 7
Estimated Population							
Responding on Item	128,662	109,699	331,078	7,087	1,264,937	153,150	2,091,668
Total	100.0 (N/A)						
None	11.1 (1.6)	25.6 (3.4)	36.7 (2.8)	8.6* (8.5)	38.7 (2.1)	35.0 (5.2)	56.0 (1.5)
IADL only	11.4 (2.5)	10.8 (1.4)	13.4 (2.1)	1.5* (1.6)	12.0 (1.3)	14.6 (4.2)	11.3 (0.9)
One to two ADLs	37.9 (3.3)	41.0 (3.8)	27.0 (2.7)	6.1* (3.5)	29.4 (2.1)	23.1 (4.4)	22.3 (1.3)
Three to four ADLs	21.9 (3.0)	12.4 (2.0)	12.0 (1.9)	43.7* (21.2)	10.4 (1.1)	14.3 (3.7)	5.5 (0.7)
Five or more ADLs	17.7 (3.0)	10.1 (1.9)	10.9 (1.8)	40.1* (16.8)	9.6 (1.3)	12.9* (3.9)	5.0 (0.7)
Unknown	0.0 (N/A)	0.2* (0.2)	0.0 (N/A)	0.0* (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: Priority groups were determined by classifying the self-reported data of all respondents according to VA health care enrollee criteria and are not limited to actual VA enrollees. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-8.*Percent Distribution of Veterans by Functional Limitation, Gender, and Age*

	Males						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	23,712,433	1,914,125	2,585,338	5,117,945	4,847,543	5,170,379	3,940,074
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	67.0 (0.4)	84.1 (1.1)	76.8 (1.1)	70.7 (0.7)	71.8 (0.9)	63.6 (0.9)	45.6 (1.2)
IADL only	7.1 (0.2)	4.5 (0.7)	4.8 (0.6)	5.2 (0.4)	6.1 (0.5)	8.6 (0.5)	11.6 (0.5)
One to two ADLs	16.4 (0.3)	8.6 (0.8)	11.4 (0.8)	14.1 (0.6)	13.9 (0.7)	19.3 (0.8)	26.0 (1.1)
Three to four ADLs	5.4 (0.2)	1.8 (0.4)	4.1 (0.6)	5.5 (0.4)	5.1 (0.4)	5.3 (0.3)	8.7 (0.6)
Five or more ADLs	4.0 (0.2)	1.0* (0.3)	2.9 (0.4)	4.3 (0.4)	3.0 (0.3)	3.1 (0.3)	8.0 (0.6)
Unknown	0.1 (0.0)	0.1* (0.1)	0.1* (0.1)	0.1* (0.1)	0.1* (0.1)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-8. (continued)*Percent Distribution of Veterans by Functional Limitation, Gender, and Age*

	Females						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	1,483,603	374,447	444,959	297,190	98,436	86,040	176,060
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	70.8 (1.6)	81.6 (2.8)	73.9 (3.4)	71.4 (3.2)	61.6 (7.1)	55.3 (7.1)	51.1 (5.2)
IADL only	7.3 (0.8)	4.5* (1.4)	6.0 (1.5)	4.2* (1.4)	10.6* (4.5)	15.4* (6.0)	16.3 (3.9)
One to two ADLs	13.9 (1.5)	10.8 (2.2)	13.1 (2.7)	14.3 (3.0)	10.3* (4.1)	21.7 (5.8)	20.5 (4.1)
Three to four ADLs	4.5 (0.6)	1.4* (0.8)	2.7* (0.9)	7.0 (1.8)	13.9* (5.3)	3.8* (1.5)	7.0 (2.0)
Five or more ADLs	3.0 (0.6)	1.7* (0.9)	3.0* (1.0)	3.1* (1.0)	3.6* (2.3)	3.8* (3.2)	5.1* (2.2)
Unknown	0.4* (0.3)	0.0 (N/A)	1.3* (0.9)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-9.*Percent Distribution of Veterans by Functional Limitation, Ethnicity, and Age*

Spanish, Hispanic, or Latino						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years
Estimated Population						
Responding on Item	1,122,190	202,187	203,328	281,544	181,496	155,411
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	64.3 (2.3)	73.8 (5.7)	78.5 (5.5)	65.8 (3.3)	64.2 (4.6)	48.3 (5.6)
IADL only	7.1 (1.1)	11.3* (4.0)	0.7* (0.7)	6.4* (1.9)	7.1* (3.0)	6.7* (3.2)
One to two ADLs	16.4 (1.3)	9.3* (3.1)	13.4 (3.2)	14.4 (3.0)	12.5 (3.0)	30.6 (5.2)
Three to four ADLs	7.5 (1.1)	2.6* (1.7)	6.3* (3.2)	7.6 (1.8)	11.8 (3.1)	7.9* (3.1)
Five or more ADLs	4.7 (0.7)	3.0* (1.7)	1.1* (0.5)	5.7 (1.7)	4.5* (1.8)	6.6* (2.9)
Unknown	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-9. (continued)***Percent Distribution of Veterans by Functional Limitation, Ethnicity, and Age***

		Not Spanish, Hispanic, or Latino						
		Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population								
Responding on Item		23,990,234	2,083,419	2,821,806	5,117,761	4,741,847	5,086,024	4,007,196
Total		100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None		67.4 (0.4)	84.6 (1.0)	76.2 (1.2)	71.0 (0.7)	72.0 (0.9)	64.0 (0.9)	46.1 (1.2)
IADL only		7.1 (0.2)	3.8 (0.6)	5.3 (0.6)	5.1 (0.4)	6.2 (0.5)	8.8 (0.5)	11.7 (0.5)
One to two ADLs		16.3 (0.3)	8.9 (0.8)	11.5 (0.8)	14.1 (0.6)	13.8 (0.7)	18.9 (0.8)	25.8 (1.0)
Three to four ADLs		5.3 (0.2)	1.7 (0.3)	3.7 (0.5)	5.5 (0.4)	4.9 (0.4)	5.2 (0.3)	8.6 (0.6)
Five or more ADLs		3.9 (0.2)	0.9* (0.3)	3.0 (0.4)	4.1 (0.3)	3.0 (0.3)	3.1 (0.3)	7.7 (0.5)
Unknown		0.1 (0.0)	0.1* (0.1)	0.3* (0.2)	0.1* (0.1)	0.1* (0.1)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10.*Percent Distribution of Veterans by Functional Limitation, Race, and Age*

	Total One Race						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	23,857,126	2,062,249	2,808,103	5,056,422	4,701,909	5,077,142	4,020,621
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	67.5 (0.4)	84.1 (1.1)	77.1 (1.1)	71.2 (0.7)	72.2 (0.9)	64.0 (0.9)	46.2 (1.1)
IADL only	7.0 (0.2)	3.9 (0.6)	4.8 (0.6)	5.1 (0.4)	6.1 (0.5)	8.6 (0.5)	11.7 (0.6)
One to two ADLs	16.3 (0.3)	9.3 (0.8)	11.2 (0.8)	14.0 (0.6)	13.7 (0.7)	19.1 (0.8)	25.8 (1.0)
Three to four ADLs	5.3 (0.2)	1.6 (0.3)	3.6 (0.5)	5.5 (0.4)	5.0 (0.4)	5.2 (0.3)	8.4 (0.6)
Five or more ADLs	3.8 (0.2)	1.0* (0.3)	3.0 (0.4)	4.1 (0.4)	2.9 (0.3)	3.1 (0.3)	7.8 (0.5)
Unknown	0.1 (0.0)	0.1* (0.1)	0.3* (0.2)	0.1* (0.1)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Race, and Age***

		White						
		Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population								
Responding on Item	21,370,897	1,705,598	2,222,340	4,443,378	4,350,828	4,699,355	3,834,299	
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	
None	68.4 (0.4)	85.2 (1.1)	79.8 (1.3)	73.2 (0.8)	73.4 (1.0)	65.1 (0.9)	47.0 (1.2)	
IADL only	7.1 (0.2)	3.6 (0.7)	4.5 (0.6)	4.8 (0.4)	6.3 (0.5)	8.7 (0.5)	11.8 (0.6)	
One to two ADLs	15.9 (0.3)	9.1 (0.9)	9.7 (0.8)	13.3 (0.6)	13.2 (0.8)	18.4 (0.8)	25.6 (1.0)	
Three to four ADLs	5.1 (0.2)	1.3 (0.3)	3.4 (0.6)	5.1 (0.5)	4.5 (0.4)	5.1 (0.3)	8.3 (0.6)	
Five or more ADLs	3.4 (0.2)	0.7* (0.3)	2.2 (0.4)	3.5 (0.3)	2.5 (0.3)	2.7 (0.3)	7.2 (0.5)	
Unknown	0.1* (0.0)	0.1* (0.1)	0.4* (0.2)	0.1* (0.1)	0.1* (0.1)	0.0 (N/A)	0.0 (N/A)	

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Race, and Age***

		Black or African American					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	2,216,634	318,905	525,978	549,554	302,760	342,836	163,301
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	59.7 (1.4)	78.3 (3.2)	66.2 (3.4)	57.7 (2.3)	55.9 (3.7)	51.2 (4.0)	30.5 (5.9)
IADL only	6.1 (0.7)	4.3* (1.7)	6.5* (2.0)	6.6 (1.4)	4.2 (1.3)	6.7* (2.1)	9.5* (2.9)
One to two ADLs	19.6 (1.3)	11.3 (2.8)	16.9 (2.6)	19.6 (1.9)	20.2 (3.4)	27.6 (3.4)	28.5 (6.4)
Three to four ADLs	7.0 (0.8)	3.3* (1.4)	4.7 (1.4)	8.1 (1.7)	11.3 (2.4)	7.0 (1.6)	10.1* (3.8)
Five or more ADLs	7.6 (0.6)	2.8* (1.5)	5.7 (1.3)	8.0 (1.5)	8.4 (1.8)	7.4 (2.0)	21.3 (4.9)
Unknown	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Race, and Age***

American Indian or Alaska Native						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years
Estimated Population						
Responding on Item	159,851	21,672	43,906	39,035	25,879	16,066
Total	100.0 (N/A)	NR (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	NR (N/A)
None	56.4 (4.3)	NR (NR)	68.3* (9.3)	45.3 (7.7)	57.7* (9.0)	NR (NR)
IADL only	8.6 (2.1)	NR (NR)	1.1* (0.8)	10.1* (5.1)	3.4* (3.2)	NR (NR)
One to two ADLs	20.8 (3.5)	NR (NR)	21.7* (8.7)	19.4* (6.7)	21.5* (8.1)	NR (NR)
Three to four ADLs	7.0 (1.6)	NR (NR)	2.1* (1.5)	14.2* (5.1)	11.5* (6.2)	NR (NR)
Five or more ADLs	7.2 (1.8)	NR (NR)	6.8* (3.8)	11.1* (4.3)	5.9* (2.7)	NR (NR)
Unknown	0.0 (N/A)	NR (NR)	0.0* (N/A)	0.0 (N/A)	0.0* (N/A)	NR (NR)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Race, and Age***

		Asian					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	73,202	14,311	8,781	9,794	17,815	11,566	9,893
Total	100.0 (N/A)	NR (N/A)	NR (N/A)	NR (N/A)	NR (N/A)	NR (N/A)	NR (N/A)
None	68.8 (5.0)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
IADL only	7.4* (2.6)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
One to two ADLs	15.6 (4.4)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Three to four ADLs	3.9* (1.4)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Five or more ADLs	2.0* (1.0)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Unknown	2.3* (1.7)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Ethnicity, and Age***

		Native Hawaiian or Other Pacific Islander					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	36,541	1,763	7,098	14,661	4,627	7,319	1,074
Total	100.0	NR	NR	NR	NR	NR	NR
	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
None	53.9*	NR	NR	NR	NR	NR	NR
	(12.2)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
IADL only	12.3*	NR	NR	NR	NR	NR	NR
	(8.9)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
One to two ADLs	21.5*	NR	NR	NR	NR	NR	NR
	(8.5)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Three to four ADLs	4.7*	NR	NR	NR	NR	NR	NR
	(2.6)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Five or more ADLs	7.6*	NR	NR	NR	NR	NR	NR
	(4.2)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)
Unknown	0.0*	NR	NR	NR	NR	NR	NR
	(N/A)	(NR)	(NR)	(NR)	(NR)	(NR)	(NR)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Ethnicity, and Age***

Total Two or More Races						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years
Estimated Population						
Responding on Item	557,540	78,796	89,712	157,263	108,727	84,493
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	55.2 (2.6)	81.4 (7.0)	59.6 (6.1)	54.5 (5.2)	55.8 (4.7)	38.3 (4.5)
IADL only	9.6 (1.6)	7.1* (6.3)	9.2* (4.9)	7.6* (2.9)	7.0* (2.2)	15.0 (4.0)
One to two ADLs	20.1 (2.0)	6.6* (2.4)	17.6 (5.1)	21.8 (4.1)	20.6 (4.2)	30.3 (4.0)
Three to four ADLs	8.8 (1.1)	3.9* (2.3)	10.1* (3.7)	9.1 (2.1)	7.6* (2.3)	9.2 (2.6)
Five or more ADLs	6.2 (1.0)	1.0* (0.6)	3.5* (1.6)	7.0 (1.9)	9.1 (2.6)	7.1* (2.4)
Unknown	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: Only one sub-category of "Total Two or More Races" is shown because all other categories were too small to report. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Ethnicity, and Age***

		American Indian or Alaska Native/White					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	360,755	35,271	58,036	87,335	85,549	71,406	22,264
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	51.2 (2.6)	72.7* (7.0)	65.4 (7.0)	43.8 (5.3)	56.4 (5.4)	37.5 (5.6)	32.8* (9.4)
IADL only	8.8 (1.6)	6.1* (4.7)	8.1* (6.2)	5.3* (2.2)	8.1* (2.7)	12.9* (4.0)	18.1* (6.8)
One to two ADLs	22.6 (2.2)	13.9* (4.9)	15.7* (5.7)	28.5 (5.6)	16.7 (3.6)	32.1 (4.8)	22.9* (7.9)
Three to four ADLs	10.4 (1.3)	6.0* (4.3)	6.8* (3.3)	14.0 (3.2)	9.7* (2.9)	10.9 (3.0)	13.9* (4.8)
Five or more ADLs	7.0 (1.2)	1.3* (1.1)	3.9* (2.2)	8.5 (2.5)	9.2 (2.6)	6.6* (2.7)	12.4* (4.7)
Unknown	0.0 (N/A)	0.0* (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0* (N/A)

NOTE: Only one sub-category of "Total Two or More Races" is shown because all other categories were too small to report. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 3-10. (continued)***Percent Distribution of Veterans by Functional Limitation, Ethnicity, and Age***

		Race Unknown					
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Responding on Item	781,370	147,527	132,483	201,450	135,343	94,784	57,858
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
None	67.3 (2.4)	79.6 (4.4)	73.0 (6.5)	72.0 (3.5)	63.6 (6.5)	57.5 (6.7)	27.8 (8.2)
IADL only	7.8 (1.4)	10.9* (3.8)	4.2* (2.4)	5.7 (1.7)	8.9* (3.9)	8.1* (3.9)	14.3* (5.2)
One to two ADLs	13.3 (1.4)	4.5* (2.7)	17.7 (5.2)	10.9 (2.8)	10.7* (3.3)	22.0 (5.8)	29.1 (6.7)
Three to four ADLs	7.0 (1.3)	2.3* (1.8)	4.9* (3.6)	5.3* (1.6)	11.2* (3.7)	7.6* (3.2)	19.7* (7.1)
Five or more ADLs	4.0 (0.8)	2.6* (1.8)	0.2* (0.2)	5.8* (1.9)	4.1* (1.9)	4.8* (2.5)	9.1* (4.2)
Unknown	0.6* (0.4)	0.0 (N/A)	0.0 (N/A)	0.3* (0.3)	1.5* (1.5)	0.0 (N/A)	0.0 (N/A)

NOTE: The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%