

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE	PAGE OF PAGES 1 5
2. AMENDMENT/MODIFICATION NO. M056	3. EFFECTIVE DATE See Block 16C	4. REQUISITION/PURCHASE REQ. NO. N/A	5. PROJECT NO. (If applicable)
6. ISSUED BY U.S. Department of Energy Richland Operations Office P. O. Box 550, MSIN A7-80 Richland, WA 99352		7. ADMINISTERED BY (If other than Item 6) Same as item 6.	
8. NAME AND ADDRESS OF CONTRACTOR (No. Street, county, State and ZIP: Code) CH2M Hill Plateau Remediation Company P.O. Box 1600 Richland, WA 99352-1600		(4)	9A. AMENDMENT OF SOLICITATION NO.
			9B. DATED (SEE ITEM 11)
		√	10A. MODIFICATION OF CONTRACT/ORDER NO. DE-AC06-08RL14788
			10B. DATED (SEE ITEM 13) 06/19/2008
CODE	FACILITY CODE		

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning one (1) copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATA SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and data specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

(4)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
<input checked="" type="checkbox"/>	I.102 – FAR 52.243-2, Changes – Cost Reimbursement
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER Specify type of modification and authority)


E. IMPORTANT: Contractor is not, is required to sign this document and return N/A copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

CHANGE ORDER #21: In accordance with FAR 52.243-2, Changes – Cost Reimbursement, Section J, Attachments J.13, HANFORD SITE STRUCTURES LIST, and J.14, HANFORD WASTE SITE ASSIGNMENT LIST, are revised as shown beginning on page 2. The contractor shall execute the administrative ownership changes as soon as practicable following receipt of this change order.

Continued on page 2.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
		Jenise C. Connerly	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY  (Signature of Contracting Officer)	7-21-09

The Contractor may not expend funds to implement this change order prior to the definitization of this change in accordance with the referenced clause. Following receipt of the Contractor's change proposal, due 30 days after receipt of this change order, it is the government's intention to begin negotiation within 60 days, and definitize this change by supplemental agreement within 90 days

The following revisions are included with this modification:

The following entries within the referenced attachment are changed as shown in underline/strikeout:

ATTACHMENT J.13
 HANFORD SITE STRUCTURES LIST

Structure ID	Title	Hanford Geographic Area	Geographical Zone	Pre-Transition Contractor	Post-Transition Contractor
151K	Electrical Substation (230 kV)	100K	100K	FH	MSCPRC
213E	Storage Shed	200E	200-E Admin Zone	FH	PRCMSC
215E	Storage Facility	200E	200-E Admin Zone	FH	PRCMSC
252AB	PUREX Electrical Substation	200E	PUREX Zone	FH	MSGPRC
252AC	PUREX Mini Electrical Substation	200E	PUREX Zone	FH	MSGPRC
252E	Electrical Switching Station 13.8kV	200E	200-E Admin Zone	FH	MSGPRC
252W	Electrical Switching Station -13.8kV	200W	T Plant Zone	FH	MSGPRC
2701ZA	Patrol Central Alarm Monitoring Station /Z-Plant	200W	PBS-11-PFP Zone	FH	MSGPRC
2701ZD	PFP Badge House	200W	PBS-11-PFP Zone	FH	MSGPRC
2724WB	Storage Building	200W	T Plant Zone	FH	PRCMSC
272B	Electrical Maintenance Shop	200E	B Plant Zone	FH	MSGPRC
272BA	Dry Material Storage Building	200E	B Plant Zone	FH	MSGPRC
272BB	Insulation Shop	200E	B Plant Zone	FH	MSGPRC
278WA	Tank Farm-WM/TRU Document Control Center	200W	WM Zone	FH	MSGPRC
282B	Water Pump House South	200E	B Plant Zone	FH	MSGPRC
282BA	Water Pump House North	200E	B Plant Zone	FH	MSGPRC
282WB	Water Plant Seepage & Settling Pond	200W	T Plant Zone	FH	MSGPRC
285W	Backflow Prevention Building	200W	WM Zone	FH	MSGPRC
286W	RMW Backflow Preventer Bldg	200W	WM Zone	FH	MSGPRC
2902HV80	Fire Water Storage Tank	200E	200-E Admin	FH	MSGPRC

Structure ID	Title	Hanford Geographic Area	Geographical Zone	Pre-Transition Contractor	Post-Transition Contractor
			Zone		
2902HV82	Fire Water Pump House	200E	200-E Admin Zone	FH	<u>MSGPRC</u>
2902HV83	RWX/SWX Manifold Shelter	200E	CSB Zone	FH	<u>MSGPRC</u>
4704N	Security Maintenance Shop	400	FFTF Zone	FH	<u>PRCMSC</u>
4732B	Warehouse	400	FFTF Zone	WCH	<u>RCCGPRC</u>
506B	Telephone Storage Building	600	ERDF Zone	FH	<u>MSGPRC</u>
614A1	Water Sampling Station	600	600	FH	<u>MSGPRC</u>
614B1	Water Sampling Station	600	600	FH	<u>MSGPRC</u>
623	Seismic Relay Building	600	600	FH	<u>MSGPRC</u>
668	<u>200 East Deep Lysimeter Instrument Calibration Monitoring Station</u>	600	<u>600NRDWL/BC Control Zone</u>	FH	<u>MSGPRC</u>
<u>HS Units at WRAP Alkali Metal Waste Storage Modules</u>	Alkali Metal Storage Modules at CWC	200W	WM Zone	FH	PRC
MO252	Mobile Office	200E	200-E Admin Zone	FH	<u>PRCMSC</u>
MO253	Mobile Office	200E	200-E Admin Zone	FH	<u>PRCMSC</u>
MO286	Mobile Office	200E	200-E Admin Zone	FH	<u>PRCMSC</u>
MO370	Mobile Office	200E	<u>B Plant Zone 200-E Admin Zone</u>	FH	<u>PRCMSC</u>
MO420	Vehicle Inspection Mobile at PFP	200W	PFP Zone	FH	<u>MSGPRC</u>
MO442	Mobile Office -Training Classrooms	100D	100D	<u>WCHFH</u>	<u>RCCGPRC</u>
MO501	Restroom Trailer	200E	<u>B Plant Zone 200-E Admin Zone</u>	FH	<u>PRCMSC</u>
MO728	Mobile Office - Operations Room	200E	CSB Zone	FH	<u>PRCMSC</u>

ATTACHMENT J.14
 HANFORD WASTE SITE ASSIGNMENT LIST

Site Code	Site Names	Hanford Geographic Area	Geographical Zone	Post-Transition Contractor
2607-E5	<u>2607-E5, 209-E, 276-C, and 2718-E Septic Tank</u>	200E	Semi-Works Zone	<u>MSGPRC</u>
2607-E7A	2607-E7A, 2607-E7	200E	Semi-Works	<u>MSGPRC</u>

			Zone	
2607-E7B	2607-E7B, 2607-E7B Septic System, 2607-E7	200E	Semi-Works Zone	<u>MSGPRC</u>
300 RLWS	300 RLWS, 300 Area RLWS, 300 Area Radioactive Liquid Waste Sewer	300	300	<u>RCCGPRC</u>
300 RRLWS	300 RRLWS, 300 Area Retired RLWS, 300 Area Retired Radioactive Liquid Waste Sewer System, Crib Waste System, Contaminated Sewer, Intermediate Level Radioactive Liquid Waste System	300	300	<u>RCCGPRC</u>
300-15	300-15, 300 Area Process Sewer System	300	300	<u>RCCGPRC</u>
307 RB	307 RB, 307 Retention Basins	300	300	<u>RCCGPRC</u>
340 COMPLEX	340 COMPLEX, 340 Radioactive Liquid Waste Handling Facility	300	300	<u>RCCGPRC</u>
600-117	600-117, 300 Area Treated Effluent Disposal Facility (TEDF), 310 Building (See Subsites)	300	300	<u>RCCGPRC</u>
UPR-300-1	UPR-300-1, 316-1A, 307-340 Waste Line Leak, UN-300-1	300	300	<u>RCCGPRC</u>
UPR-300-11	UPR-300-11, Underground Radioactive Liquid Line Leak, UN-300-11	300	300	<u>RCCGPRC</u>
UPR-300-2	UPR-300-2, Releases at the 340 Facility, UN-300-2, UN-316-2	300	300	<u>RCCGPRC</u>

The following entries are added to the referenced attachment:

ATTACHMENT J.13
 HANFORD SITE STRUCTURES LIST

Structure ID	Title	Hanford Geographic Area	Geographical Zone	Pre-Transition Contractor	Post-Transition Contractor
1606KA	KR4 Expansion Transfer Bldg #2	600	600	FH	PRC
1607KA	KR4 Expansion Transfer Bldg #1	600	600	FH	PRC
1608K	KR4 Pump and Treat Expansion	600	600	FH	PRC
2108	CWC Drum Vent System (DV52)	200W	WM Zone	FH	PRC
216E43	Control Structure & Valve Vault at 200 Area TEDF	600	200-E Ponds Zone	FH	PRC
217F	Portable Building at 218-E-12B Burial Ground	200E	WM Zone	FH	PRC
217G	Portable Change Building	200W	WM Zone	FH	PRC
217H	Portable Building at Burial Ground	200W	WM Zone	FH	PRC
217I	Portable Building at Burial Ground	200W	WM Zone	FH	PRC
243T	Waste Storage Structure	200W	T Plant Zone	FH	PRC
268Z	Mobile Box Assay Unit	200W	PFP Zone	FH	PRC
2701ZC	Vehicle Search Portal	200W	PFP-Zone	FH	PRC

Structure ID	Title	Hanford Geographic Area	Geographical Zone	Pre-Transition Contractor	Post-Transition Contractor
	Outside PFP				
2701ZE	Vehicle Inspection Shelter at PFP	200W	PFP Zone	FH	PRC
2778Z	Guard Shack at PFP	200W	PFP Zone	FH	PRC
6652S	Sentry Shed	600	600	FH	PRC
HO644259	Mobile Office (AKA MO509)	600	ERDF Zone	FH	PRC
MO576	Control Trailer for Drum Venting	200E	Solid Waste Zone	FH	PRC
MO610	Mobile Office NW of 2404WC	200W	WM Zone	FH	PRC
MO621	CWC Remote Control Trailer for DVS2 System	200W	WM Zone	FH	PRC
TC1301NA	Compressor Building	100N	100N	FH	PRC
TC1301NB	Instrument Building	100N	100N	FH	PRC