

Table 39.
Percentage distribution, by sex and age, selected years 1960–2005

| Year | Number | Percentage distribution | | | | | | | | | | Average age |
|---|---------|-------------------------|----------|-------|--------------------|-------|-------|-------|-------|-------|-------------|-------------|
| | | Total, all ages | Under 30 | 30–34 | 35–39 ^a | 40–44 | 45–49 | 50–54 | 55–59 | 60–61 | 62 or older | |
| <i>All disabled workers^b</i> | | | | | | | | | | | | |
| 2000 | 610,700 | 100.0 | 6.4 | 4.9 | 8.4 | 11.5 | 13.1 | 18.1 | 21.3 | 8.7 | 7.8 | 48.9 |
| 2001 | 661,900 | 100.0 | 7.8 | 5.3 | 8.0 | 10.8 | 12.9 | 18.0 | 21.6 | 8.5 | 7.1 | 48.6 |
| 2002 | 730,383 | 100.0 | 7.6 | 5.0 | 7.5 | 10.8 | 13.3 | 18.0 | 22.1 | 8.6 | 7.1 | 48.7 |
| 2003 | 755,706 | 100.0 | 6.9 | 5.0 | 7.2 | 10.6 | 13.4 | 18.1 | 22.5 | 9.0 | 7.3 | 49.0 |
| 2004 | 775,244 | 100.0 | 6.7 | 4.9 | 6.9 | 10.4 | 13.4 | 18.1 | 22.7 | 8.9 | 8.1 | 49.3 |
| 2005 | 821,207 | 100.0 | 6.4 | 4.6 | 6.6 | 10.2 | 13.4 | 18.4 | 23.1 | 8.4 | 8.9 | 49.5 |
| <i>Men</i> | | | | | | | | | | | | |
| 1960 | 168,466 | 100.0 | 0.8 | a | 7.0 | 6.5 | 10.5 | 16.7 | 20.0 | 11.8 | 26.7 | 54.5 |
| 1965 | 186,808 | 100.0 | 1.8 | a | 8.2 | 7.9 | 11.1 | 17.1 | 25.7 | 14.0 | 14.0 | 53.0 |
| 1970 | 258,072 | 100.0 | 6.7 | a | 7.6 | 6.5 | 10.1 | 14.7 | 23.5 | 12.3 | 18.7 | 52.1 |
| 1975 | 408,531 | 100.0 | 7.7 | a | 8.6 | 6.2 | 9.5 | 15.7 | 23.1 | 12.1 | 17.1 | 51.5 |
| 1980 | 275,185 | 100.0 | 8.3 | a | 9.7 | 6.0 | 8.4 | 14.7 | 24.6 | 12.3 | 16.0 | 51.2 |
| 1981 | 244,984 | 100.0 | 8.6 | a | 10.2 | 6.2 | 8.4 | 14.5 | 24.3 | 13.0 | 14.8 | 50.8 |
| 1982 | 207,453 | 100.0 | 8.4 | a | 10.4 | 6.3 | 8.4 | 14.1 | 24.6 | 12.9 | 14.8 | 50.9 |
| 1983 | 217,422 | 100.0 | 9.5 | a | 11.7 | 6.6 | 8.4 | 13.6 | 23.4 | 12.2 | 14.6 | 50.2 |
| 1984 | 247,833 | 100.0 | 9.2 | a | 12.8 | 7.1 | 8.7 | 13.4 | 22.6 | 12.2 | 14.0 | 50.0 |
| 1985 | 274,400 | 100.0 | 8.7 | a | 13.3 | 7.0 | 9.9 | 14.6 | 23.1 | 12.4 | 10.9 | 50.1 |
| 1986 | 273,700 | 100.0 | 10.7 | a | 15.3 | 8.1 | 9.4 | 14.3 | 21.3 | 11.1 | 9.8 | 48.7 |
| 1987 | 265,900 | 100.0 | 9.4 | a | 16.0 | 8.6 | 9.3 | 13.9 | 20.8 | 10.9 | 11.2 | 49.0 |
| 1988 | 265,700 | 100.0 | 8.4 | a | 16.0 | 9.7 | 9.0 | 14.6 | 21.3 | 10.5 | 10.4 | 49.2 |
| 1989 | 268,600 | 100.0 | 8.7 | a | 16.0 | 9.5 | 10.2 | 14.2 | 20.6 | 9.7 | 11.1 | 49.0 |
| 1990 | 293,300 | 100.0 | 10.9 | a | 16.9 | 9.4 | 9.5 | 13.5 | 20.5 | 10.3 | 8.9 | 48.1 |
| 1991 | 322,700 | 100.0 | 9.5 | a | 17.7 | 10.6 | 11.0 | 14.1 | 18.4 | 9.4 | 9.3 | 47.9 |
| 1992 | 395,600 | 100.0 | 9.5 | a | 18.5 | 10.8 | 11.0 | 13.0 | 18.6 | 9.8 | 8.9 | 47.8 |
| 1993 | 391,800 | 100.0 | 9.2 | a | 18.9 | 10.1 | 11.7 | 14.7 | 18.8 | 8.6 | 8.0 | 47.7 |
| 1994 | 379,300 | 100.0 | 6.8 | a | 18.4 | 10.8 | 12.7 | 15.4 | 19.3 | 9.0 | 7.7 | 48.4 |
| 1995 | 368,400 | 100.0 | 7.2 | a | 16.3 | 10.7 | 11.5 | 15.7 | 20.4 | 8.9 | 9.3 | 48.9 |
| 1996 | 347,100 | 100.0 | 6.9 | 7.2 | 9.0 | 10.8 | 13.2 | 16.2 | 19.9 | 9.3 | 7.6 | 48.3 |
| 1997 | 311,100 | 100.0 | 6.3 | 5.6 | 8.9 | 10.8 | 13.5 | 16.1 | 21.6 | 8.8 | 8.3 | 48.8 |
| 1998 | 331,400 | 100.0 | 6.3 | 6.2 | 8.1 | 11.1 | 12.4 | 18.3 | 21.6 | 8.1 | 8.0 | 48.8 |
| 1999 | 338,900 | 100.0 | 6.2 | 5.2 | 7.6 | 11.4 | 12.4 | 18.2 | 21.7 | 8.8 | 8.3 | 49.1 |
| 2000 | 328,700 | 100.0 | 6.8 | 4.6 | 8.3 | 10.7 | 12.7 | 17.6 | 21.1 | 9.1 | 9.1 | 49.1 |
| 2001 | 360,000 | 100.0 | 7.5 | 4.8 | 7.9 | 10.0 | 12.2 | 17.5 | 22.7 | 9.2 | 8.1 | 49.1 |
| 2002 | 394,741 | 100.0 | 7.9 | 4.7 | 7.1 | 10.2 | 12.6 | 17.6 | 22.9 | 9.3 | 7.8 | 49.0 |
| 2003 | 408,516 | 100.0 | 7.0 | 4.7 | 6.8 | 10.0 | 12.7 | 17.8 | 23.2 | 9.7 | 8.0 | 49.4 |
| 2004 | 416,560 | 100.0 | 6.8 | 4.6 | 6.5 | 9.8 | 12.8 | 17.7 | 23.4 | 9.6 | 8.9 | 49.6 |
| 2005 | 440,008 | 100.0 | 6.6 | 4.3 | 6.3 | 9.7 | 12.9 | 17.9 | 23.7 | 8.9 | 9.6 | 49.8 |

(Continued)

Awards to Disabled Workers

Table 39.
Percentage distribution, by sex and age, selected years 1960–2005—Continued

| Year | Number | Percentage distribution | | | | | | | | | | Average age |
|--------------|---------|-------------------------|----------|-------|--------------------|-------|-------|-------|-------|-------|-------------|-------------|
| | | Total, all ages | Under 30 | 30–34 | 35–39 ^a | 40–44 | 45–49 | 50–54 | 55–59 | 60–61 | 62 or older | |
| Women | | | | | | | | | | | | |
| 1960 | 39,339 | 100.0 | 0.7 | a | 8.1 | 8.0 | 13.3 | 21.9 | 24.6 | 12.4 | 10.9 | 52.5 |
| 1965 | 66,691 | 100.0 | 1.1 | a | 6.5 | 7.4 | 11.7 | 19.3 | 28.3 | 14.1 | 11.5 | 53.2 |
| 1970 | 92,312 | 100.0 | 4.2 | a | 6.3 | 6.1 | 11.0 | 17.5 | 27.2 | 13.0 | 14.6 | 52.8 |
| 1975 | 183,518 | 100.0 | 6.1 | a | 7.3 | 6.1 | 10.1 | 17.7 | 25.5 | 12.2 | 15.0 | 52.1 |
| 1980 | 121,374 | 100.0 | 7.4 | a | 9.7 | 6.4 | 9.3 | 16.3 | 25.5 | 11.7 | 13.7 | 51.1 |
| 1981 | 106,863 | 100.0 | 7.8 | a | 10.2 | 6.5 | 9.5 | 16.4 | 25.1 | 12.0 | 12.5 | 50.8 |
| 1982 | 89,678 | 100.0 | 8.0 | a | 10.9 | 6.8 | 9.5 | 15.6 | 24.9 | 11.7 | 12.5 | 50.5 |
| 1983 | 94,127 | 100.0 | 9.0 | a | 12.2 | 7.4 | 9.5 | 14.8 | 23.5 | 10.9 | 12.7 | 49.8 |
| 1984 | 114,165 | 100.0 | 8.3 | a | 13.2 | 7.9 | 9.7 | 14.9 | 22.8 | 10.9 | 12.9 | 49.7 |
| 1985 | 134,500 | 100.0 | 8.6 | a | 12.9 | 8.0 | 10.6 | 15.8 | 23.3 | 10.1 | 10.6 | 49.7 |
| 1986 | 135,700 | 100.0 | 9.0 | a | 15.5 | 10.4 | 10.5 | 14.8 | 21.3 | 9.6 | 8.8 | 48.8 |
| 1987 | 143,700 | 100.0 | 7.5 | a | 15.2 | 8.1 | 11.2 | 15.8 | 23.4 | 9.6 | 9.1 | 49.5 |
| 1988 | 147,000 | 100.0 | 8.5 | a | 14.0 | 8.8 | 10.9 | 16.1 | 23.5 | 10.5 | 7.7 | 49.3 |
| 1989 | 146,900 | 100.0 | 7.8 | a | 14.8 | 10.4 | 11.9 | 13.8 | 21.2 | 10.8 | 9.2 | 49.1 |
| 1990 | 168,500 | 100.0 | 8.5 | a | 16.3 | 9.8 | 13.1 | 14.2 | 22.3 | 8.9 | 6.9 | 48.4 |
| 1991 | 190,400 | 100.0 | 8.5 | a | 16.8 | 10.1 | 12.2 | 16.2 | 19.5 | 8.9 | 7.8 | 48.4 |
| 1992 | 241,300 | 100.0 | 8.6 | a | 17.7 | 12.0 | 12.4 | 15.6 | 17.6 | 8.4 | 7.7 | 47.7 |
| 1993 | 237,900 | 100.0 | 7.5 | a | 17.5 | 11.2 | 13.1 | 16.5 | 19.7 | 6.8 | 7.6 | 48.1 |
| 1994 | 234,000 | 100.0 | 7.4 | a | 16.9 | 11.1 | 12.9 | 17.0 | 20.8 | 7.3 | 6.6 | 48.2 |
| 1995 | 263,200 | 100.0 | 6.4 | a | 16.7 | 11.4 | 13.8 | 17.2 | 20.5 | 7.6 | 6.4 | 48.5 |
| 1996 | 256,900 | 100.0 | 5.3 | 6.2 | 8.9 | 11.3 | 14.0 | 19.0 | 21.2 | 8.3 | 5.9 | 48.7 |
| 1997 | 250,200 | 100.0 | 6.2 | 6.0 | 10.3 | 12.2 | 14.1 | 19.0 | 19.0 | 6.8 | 6.4 | 47.9 |
| 1998 | 271,900 | 100.0 | 5.4 | 5.9 | 9.0 | 12.2 | 14.5 | 19.1 | 20.4 | 7.6 | 5.9 | 48.5 |
| 1999 | 266,900 | 100.0 | 5.7 | 5.9 | 8.7 | 12.5 | 15.4 | 18.1 | 20.6 | 6.6 | 6.5 | 48.7 |
| 2000 | 282,000 | 100.0 | 5.8 | 5.2 | 8.6 | 12.3 | 13.5 | 18.7 | 21.6 | 8.1 | 6.3 | 48.7 |
| 2001 | 301,900 | 100.0 | 8.0 | 5.9 | 8.2 | 11.8 | 13.8 | 18.5 | 20.2 | 7.7 | 6.0 | 48.0 |
| 2002 | 335,642 | 100.0 | 7.3 | 5.3 | 8.0 | 11.4 | 14.2 | 18.5 | 21.2 | 7.7 | 6.3 | 48.3 |
| 2003 | 347,190 | 100.0 | 6.8 | 5.4 | 7.7 | 11.3 | 14.2 | 18.5 | 21.7 | 8.1 | 6.5 | 48.6 |
| 2004 | 358,684 | 100.0 | 6.6 | 5.3 | 7.3 | 11.0 | 14.0 | 18.6 | 21.9 | 8.2 | 7.2 | 48.9 |
| 2005 | 381,199 | 100.0 | 6.2 | 5.0 | 7.0 | 10.7 | 14.0 | 19.0 | 22.3 | 7.7 | 8.0 | 49.2 |

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; from 2000 to 2001, Annual Award and Termination Transaction file, 1 percent sample; data after 2001 are 100 percent data.

NOTES: Age in year of award from 1960 to 1984; age in month of award after 1984.

Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases since 2002.

a. Ages 30–34 were grouped with ages 35–39 before 1996.

b. Combined data for men and women are not available before 2000.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.

Table 40.
Distribution, by diagnostic group, selected years 1960–2005

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|---------------|---------|----------------------|--|--|----------|-------------------------------|-------------|---------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Number</i> | | | | | | | | | |
| 1960 | 207,805 | 865 | 5,406 | 10,903 | -- | 17,287 | -- | -- | 17,739 |
| 1961 | 279,758 | 1,637 | 7,070 | 15,153 | -- | 26,864 | -- | -- | 23,103 |
| 1962 | 286,434 | 2,026 | 9,383 | 15,271 | -- | 37,315 | -- | -- | 27,632 |
| 1963 | 224,229 | 1,646 | 7,563 | 10,859 | 6,496 | 24,526 | -- | -- | 25,042 |
| 1967 | 310,947 | -- | 10,743 | 10,945 | 19,815 | 35,344 | -- | -- | 33,358 |
| 1968 | 330,783 | 2,670 | 11,359 | 10,360 | 25,319 | 41,894 | -- | -- | 36,560 |
| 1969 | 344,741 | 3,004 | 12,169 | 9,828 | 28,473 | 43,225 | -- | -- | 35,740 |
| 1970 | 350,384 | 3,597 | 13,141 | 8,760 | 28,231 | 38,406 | -- | -- | 36,095 |
| 1971 | 415,897 | 4,365 | 15,823 | 8,524 | 31,810 | 42,687 | -- | -- | 39,629 |
| 1972 | 455,438 | 4,033 | 17,352 | 8,627 | 31,728 | 45,253 | -- | -- | 43,667 |
| 1973 | 491,776 | 5,276 | 18,131 | 7,957 | 30,418 | 47,014 | -- | -- | 50,644 |
| 1975 | 592,049 | 6,576 | 23,176 | 7,579 | 32,341 | 67,213 | -- | -- | 59,852 |
| 1976 | 551,460 | 5,817 | 20,966 | 6,049 | 29,848 | 63,667 | -- | -- | 57,656 |
| 1977 | 568,874 | 6,681 | 21,725 | 5,807 | 31,942 | 70,825 | -- | -- | 59,833 |
| 1978 | 464,415 | 5,850 | 16,855 | 4,512 | 27,490 | 54,329 | -- | -- | 54,878 |
| 1981 | 351,847 | 3,118 | 14,768 | 2,596 | 20,868 | 36,318 | -- | -- | 56,410 |
| 1982 | 298,531 | 2,432 | 13,187 | 2,312 | 16,617 | 31,531 | -- | -- | 50,999 |
| 1983 | 311,490 | 2,827 | 14,904 | 6,730 | 15,646 | 50,633 | -- | -- | 52,379 |
| 1984 | 357,140 | 2,439 | 14,418 | 3,185 | 16,189 | 64,078 | -- | -- | 59,104 |
| 1985 | 377,371 | 2,480 | 16,976 | 2,985 | 16,558 | 68,610 | -- | -- | 55,120 |
| 1986 | 416,865 | 1,953 | 21,260 | 2,736 | 3,629 | 123,983 | -- | -- | 53,176 |
| 1987 | 415,848 | 787 | 21,114 | 4,676 | 20,889 | 81,241 | -- | -- | 55,339 |
| 1988 | 409,490 | 550 | 14,513 | 2,802 | 21,022 | 85,756 | -- | -- | 53,944 |
| 1989 | 425,582 | 534 | 14,279 | 3,773 | 21,531 | 88,500 | -- | -- | 60,352 |
| 1990 | 467,977 | 511 | 16,255 | 22,023 | 22,315 | 105,173 | -- | -- | 65,939 |
| 1991 | 536,434 | 575 | 19,931 | 28,245 | 24,129 | 126,184 | -- | -- | 69,244 |
| 1992 | 636,637 | 619 | 29,904 | 39,253 | 25,042 | 164,093 | -- | -- | 77,175 |
| 1993 | 635,238 | 543 | 30,862 | 37,450 | 23,206 | 166,045 | -- | -- | 80,266 |
| 1994 | 631,870 | 602 | 31,532 | 36,087 | 22,560 | 156,703 | -- | -- | 89,231 |
| 1995 | 645,645 | 722 | 33,370 | 27,993 | 27,566 | 147,900 | 16,681 | 131,219 | 64,401 |
| 1996 | 624,254 | 777 | 33,832 | 23,324 | 27,616 | 132,022 | 14,062 | 117,960 | 63,321 |
| 1997 | 587,700 | 654 | 33,807 | 15,327 | 25,930 | 122,901 | 12,888 | 110,013 | 62,279 |
| 1998 | 608,382 | 676 | 36,373 | 12,680 | 25,926 | 131,502 | 14,506 | 116,996 | 63,973 |
| 1999 | 620,559 | 645 | 36,975 | 11,743 | 25,925 | 138,980 | 16,608 | 122,372 | 65,681 |
| 2000 | 610,700 | 700 | 17,100 | 10,700 | 28,700 | 143,200 | 17,600 | 125,600 | 63,600 |
| 2001 | 661,900 | d | 19,500 | 11,200 | 25,400 | 168,600 | 22,500 | 146,100 | 62,000 |
| 2002 | 730,383 | 1,113 | 21,830 | 10,966 | 28,169 | 185,313 | 22,352 | 162,961 | 70,369 |
| 2003 | 755,706 | 1,152 | 23,407 | 10,879 | 28,612 | 191,679 | 19,338 | 172,341 | 70,942 |
| 2004 | 775,244 | 1,166 | 24,341 | 10,510 | 29,580 | 192,832 | 20,479 | 172,353 | 73,637 |
| 2005 | 821,207 | 1,214 | 26,969 | 10,534 | 31,019 | 198,549 | 21,165 | 177,384 | 83,303 |

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|---------------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|--------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| <i>Number</i> | | | | | | | | | | |
| 1960 | 442 | 55,855 | 3,575 | 1,077 | 17,124 | 32,105 | 16,489 | 463 | 89 | 28,386 |
| 1961 | 566 | 71,860 | 4,300 | 1,608 | 23,241 | 44,709 | 20,030 | 794 | 125 | 38,698 |
| 1962 | 739 | 82,015 | 5,922 | 2,040 | 33,751 | 45,261 | 23,408 | 1,177 | 494 | -- |
| 1963 | 597 | 66,468 | 4,437 | 1,725 | 21,744 | 32,712 | 19,107 | 719 | 588 | -- |
| 1967 | -- | 81,507 | 7,627 | -- | 41,090 | 38,278 | 24,646 | -- | 7,594 | -- |
| 1968 | -- | 80,906 | 7,806 | 2,926 | 43,677 | 41,758 | 22,635 | -- | 2,913 | -- |
| 1969 | -- | 105,760 | 8,719 | 2,717 | 47,357 | 21,967 | 23,265 | -- | 2,517 | -- |
| 1970 | -- | 108,906 | 9,051 | 2,912 | 52,086 | 22,575 | 24,254 | -- | 2,370 | -- |
| 1971 | 1,043 | 131,854 | 11,629 | 3,501 | 66,558 | 26,442 | 30,103 | 1,667 | 262 | -- |
| 1972 | 1,155 | 146,684 | 13,369 | 4,304 | 75,923 | 28,216 | 33,038 | 1,756 | 293 | 40 |
| 1973 | 1,347 | 158,202 | 14,614 | 4,810 | 85,431 | 31,139 | 34,656 | 1,854 | 283 | -- |
| 1975 | 1,491 | 177,311 | 17,474 | 5,719 | 110,637 | 39,960 | 39,485 | 2,306 | 929 | -- |
| 1976 | 2,039 | 165,182 | 15,194 | 4,907 | 105,907 | 36,156 | 35,210 | 2,532 | 330 | -- |
| 1977 | 1,516 | 167,801 | 15,342 | 5,271 | 107,840 | 36,751 | 35,002 | 1,766 | 772 | -- |
| 1978 | 1,236 | 134,634 | 12,407 | 4,719 | 86,921 | 29,314 | 28,005 | 2,017 | 1,248 | -- |
| 1981 | 942 | 85,994 | 7,363 | 6,230 | 58,639 | 28,516 | 21,520 | 1,345 | 616 | 6,604 |
| 1982 | 808 | 74,242 | 6,067 | 3,165 | 48,985 | 26,886 | 19,766 | 998 | 536 | -- |
| 1983 | 958 | 68,352 | 5,272 | 6,489 | 41,782 | 26,203 | 17,978 | 848 | d | d |
| 1984 | 904 | 70,891 | 5,895 | 3,441 | 45,826 | 28,201 | 18,891 | 983 | 776 | 21,919 |
| 1985 | 890 | 72,764 | 5,626 | 3,348 | 49,214 | 28,733 | 20,213 | 1,110 | 992 | 31,752 |
| 1986 | 1,186 | 73,226 | 6,262 | 3,099 | 54,560 | 30,328 | 23,449 | 1,075 | -- | 16,943 |
| 1987 | 1,205 | 76,758 | 6,122 | 5,801 | 63,807 | 35,206 | 22,978 | 1,173 | -- | 18,752 |
| 1988 | 1,419 | 72,224 | 6,388 | 7,131 | 68,623 | 34,443 | 23,073 | 785 | 16,817 | -- |
| 1989 | 1,524 | 70,235 | 6,803 | 9,010 | 71,419 | 34,756 | 21,400 | 828 | 20,638 | -- |
| 1990 | 1,734 | 73,585 | 7,431 | 10,294 | 74,501 | 37,737 | 22,158 | 866 | 7,455 | -- |
| 1991 | 1,904 | 78,339 | 8,648 | 10,874 | 92,469 | 41,551 | 23,798 | 1,021 | 9,522 | -- |
| 1992 | 2,277 | 89,818 | 9,872 | 12,763 | 96,895 | 46,952 | 27,264 | 1,070 | 13,640 | -- |
| 1993 | 2,075 | 88,623 | 10,026 | 13,390 | 94,255 | 45,742 | 27,494 | 1,118 | 14,143 | -- |
| 1994 | 2,066 | 86,645 | 10,520 | 15,531 | 84,705 | 47,820 | 30,958 | 1,116 | 15,794 | -- |
| 1995 | 2,006 | 83,065 | 11,167 | 11,956 | 141,306 | 46,477 | 28,831 | 1,643 | 14,746 | 2,496 |
| 1996 | 1,836 | 81,209 | 11,530 | 12,206 | 142,776 | 45,960 | 27,983 | 1,588 | 18,274 | 2,590 |
| 1997 | 1,815 | 76,531 | 11,310 | 12,151 | 135,430 | 45,496 | 26,483 | 1,473 | 14,436 | 1,677 |
| 1998 | 1,801 | 76,698 | 12,413 | 13,118 | 141,847 | 47,517 | 27,148 | 1,466 | 13,744 | 1,500 |
| 1999 | 1,911 | 74,755 | 13,389 | 13,842 | 146,754 | 49,869 | 26,981 | 1,416 | 10,252 | 1,441 |
| 2000 | 1,500 | 75,400 | 12,700 | 14,900 | 153,600 | 50,100 | 26,200 | 1,700 | 9,300 | 1,300 |
| 2001 | 2,200 | 82,500 | 15,600 | 16,300 | 162,100 | 54,600 | 28,300 | d | 10,000 | 1,800 |
| 2002 | 2,491 | 85,252 | 15,976 | 16,412 | 186,923 | 62,519 | 30,591 | 1,609 | 1,866 | 8,984 |
| 2003 | 2,408 | 85,896 | 17,084 | 16,968 | 199,014 | 64,369 | 32,007 | 1,622 | 1,871 | 7,796 |
| 2004 | 2,479 | 85,449 | 18,045 | 16,869 | 210,315 | 64,566 | 32,562 | 1,709 | 1,909 | 9,275 |
| 2005 | 2,501 | 89,247 | 19,094 | 18,317 | 226,914 | 66,712 | 33,998 | 1,783 | 1,989 | 9,064 |

(Continued)

Table 40.
Distribution, by diagnostic group, selected years 1960–2005—Continued

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|----------------|-------|----------------------|--|--|----------|-------------------------------|-------------|-------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Percent</i> | | | | | | | | | |
| 1960 | 100.0 | 0.4 | 2.6 | 5.2 | -- | 8.3 | -- | -- | 8.5 |
| 1961 | 100.0 | 0.6 | 2.5 | 5.4 | -- | 9.6 | -- | -- | 8.3 |
| 1962 | 100.0 | 0.7 | 3.3 | 5.3 | -- | 13.0 | -- | -- | 9.6 |
| 1963 | 100.0 | 0.7 | 3.4 | 4.8 | 2.9 | 10.9 | -- | -- | 11.2 |
| 1967 | 100.0 | -- | 3.5 | 3.5 | 6.4 | 11.4 | -- | -- | 10.7 |
| 1968 | 100.0 | 0.8 | 3.4 | 3.1 | 7.7 | 12.7 | -- | -- | 11.1 |
| 1969 | 100.0 | 0.9 | 3.5 | 2.9 | 8.3 | 12.5 | -- | -- | 10.4 |
| 1970 | 100.0 | 1.0 | 3.8 | 2.5 | 8.1 | 11.0 | -- | -- | 10.3 |
| 1971 | 100.0 | 1.0 | 3.8 | 2.0 | 7.6 | 10.3 | -- | -- | 9.5 |
| 1972 | 100.0 | 0.9 | 3.8 | 1.9 | 7.0 | 9.9 | -- | -- | 9.6 |
| 1973 | 100.0 | 1.1 | 3.7 | 1.6 | 6.2 | 9.6 | -- | -- | 10.3 |
| 1975 | 100.0 | 1.1 | 3.9 | 1.3 | 5.5 | 11.4 | -- | -- | 10.1 |
| 1976 | 100.0 | 1.1 | 3.8 | 1.1 | 5.4 | 11.5 | -- | -- | 10.5 |
| 1977 | 100.0 | 1.2 | 3.8 | 1.0 | 5.6 | 12.5 | -- | -- | 10.5 |
| 1978 | 100.0 | 1.3 | 3.6 | 1.0 | 5.9 | 11.7 | -- | -- | 11.8 |
| 1981 | 100.0 | 0.9 | 4.2 | 0.7 | 5.9 | 10.3 | -- | -- | 16.0 |
| 1982 | 100.0 | 0.8 | 4.4 | 0.8 | 5.6 | 10.6 | -- | -- | 17.1 |
| 1983 | 100.0 | 0.9 | 4.8 | 2.2 | 5.0 | 16.3 | -- | -- | 16.8 |
| 1984 | 100.0 | 0.7 | 4.0 | 0.9 | 4.5 | 17.9 | -- | -- | 16.5 |
| 1985 | 100.0 | 0.7 | 4.5 | 0.8 | 4.4 | 18.2 | -- | -- | 14.6 |
| 1986 | 100.0 | 0.5 | 5.1 | 0.7 | 0.9 | 29.7 | -- | -- | 12.8 |
| 1987 | 100.0 | 0.2 | 5.1 | 1.1 | 5.0 | 19.5 | -- | -- | 13.3 |
| 1988 | 100.0 | 0.1 | 3.5 | 0.7 | 5.1 | 20.9 | -- | -- | 13.2 |
| 1989 | 100.0 | 0.1 | 3.4 | 0.9 | 5.1 | 20.8 | -- | -- | 14.2 |
| 1990 | 100.0 | 0.1 | 3.5 | 4.7 | 4.8 | 22.5 | -- | -- | 14.1 |
| 1991 | 100.0 | 0.1 | 3.7 | 5.3 | 4.5 | 23.5 | -- | -- | 12.9 |
| 1992 | 100.0 | 0.1 | 4.7 | 6.2 | 3.9 | 25.8 | -- | -- | 12.1 |
| 1993 | 100.0 | 0.1 | 4.9 | 5.9 | 3.7 | 26.1 | -- | -- | 12.6 |
| 1994 | 100.0 | 0.1 | 5.0 | 5.7 | 3.6 | 24.8 | -- | -- | 14.1 |

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|-------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| | <i>Percent</i> | | | | | | | | | |
| 1960 | 0.2 | 26.9 | 1.7 | 0.5 | 8.2 | 15.4 | 7.9 | 0.2 | e | 13.7 |
| 1961 | 0.2 | 25.7 | 1.5 | 0.6 | 8.3 | 16.0 | 7.2 | 0.3 | e | 13.8 |
| 1962 | 0.3 | 28.6 | 2.1 | 0.7 | 11.8 | 15.8 | 8.2 | 0.4 | 0.2 | -- |
| 1963 | 0.3 | 29.6 | 2.0 | 0.8 | 9.7 | 14.6 | 8.5 | 0.3 | 0.3 | -- |
| 1967 | -- | 26.2 | 2.5 | -- | 13.2 | 12.3 | 7.9 | -- | 2.4 | -- |
| 1968 | -- | 24.5 | 2.4 | 0.9 | 13.2 | 12.6 | 6.8 | -- | 0.9 | -- |
| 1969 | -- | 30.7 | 2.5 | 0.8 | 13.7 | 6.4 | 6.7 | -- | 0.7 | -- |
| 1970 | -- | 31.1 | 2.6 | 0.8 | 14.9 | 6.4 | 6.9 | -- | 0.7 | -- |
| 1971 | 0.3 | 31.7 | 2.8 | 0.8 | 16.0 | 6.4 | 7.2 | 0.4 | 0.1 | -- |
| 1972 | 0.3 | 32.2 | 2.9 | 0.9 | 16.7 | 6.2 | 7.3 | 0.4 | 0.1 | e |
| 1973 | 0.3 | 32.2 | 3.0 | 1.0 | 17.4 | 6.3 | 7.0 | 0.4 | 0.1 | -- |
| 1975 | 0.3 | 29.9 | 3.0 | 1.0 | 18.7 | 6.7 | 6.7 | 0.4 | 0.2 | -- |
| 1976 | 0.4 | 30.0 | 2.8 | 0.9 | 19.2 | 6.6 | 6.4 | 0.5 | 0.1 | -- |
| 1977 | 0.3 | 29.5 | 2.7 | 0.9 | 19.0 | 6.5 | 6.2 | 0.3 | 0.1 | -- |
| 1978 | 0.3 | 29.0 | 2.7 | 1.0 | 18.7 | 6.3 | 6.0 | 0.4 | 0.3 | -- |
| 1981 | 0.3 | 24.4 | 2.1 | 1.8 | 16.7 | 8.1 | 6.1 | 0.4 | 0.2 | 1.9 |
| 1982 | 0.3 | 24.9 | 2.0 | 1.1 | 16.4 | 9.0 | 6.6 | 0.3 | 0.2 | -- |
| 1983 | 0.3 | 21.9 | 1.7 | 2.1 | 13.4 | 8.4 | 5.8 | 0.3 | d | d |
| 1984 | 0.3 | 19.8 | 1.7 | 1.0 | 12.8 | 7.9 | 5.3 | 0.3 | 0.2 | 6.1 |
| 1985 | 0.2 | 19.3 | 1.5 | 0.9 | 13.0 | 7.6 | 5.4 | 0.3 | 0.3 | 8.4 |
| 1986 | 0.3 | 17.6 | 1.5 | 0.7 | 13.1 | 7.3 | 5.6 | 0.3 | -- | 4.1 |
| 1987 | 0.3 | 18.5 | 1.5 | 1.4 | 15.3 | 8.5 | 5.5 | 0.3 | -- | 4.5 |
| 1988 | 0.3 | 17.6 | 1.6 | 1.7 | 16.8 | 8.4 | 5.6 | 0.2 | 4.1 | -- |
| 1989 | 0.4 | 16.5 | 1.6 | 2.1 | 16.8 | 8.2 | 5.0 | 0.2 | 4.8 | -- |
| 1990 | 0.4 | 15.7 | 1.6 | 2.2 | 15.9 | 8.1 | 4.7 | 0.2 | 1.6 | -- |
| 1991 | 0.4 | 14.6 | 1.6 | 2.0 | 17.2 | 7.7 | 4.4 | 0.2 | 1.8 | -- |
| 1992 | 0.4 | 14.1 | 1.6 | 2.0 | 15.2 | 7.4 | 4.3 | 0.2 | 2.1 | -- |
| 1993 | 0.3 | 14.0 | 1.6 | 2.1 | 14.8 | 7.2 | 4.3 | 0.2 | 2.2 | -- |
| 1994 | 0.3 | 13.7 | 1.7 | 2.5 | 13.4 | 7.6 | 4.9 | 0.2 | 2.5 | -- |

(Continued)

Table 40.
Distribution, by diagnostic group, selected years 1960–2005—Continued

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|------------------------|-------|----------------------|--|--|----------|-------------------------------|-------------|-------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Percent (cont.)</i> | | | | | | | | | |
| 1995 | 100.0 | 0.1 | 5.2 | 4.3 | 4.3 | 22.9 | 2.6 | 20.3 | 10.0 |
| 1996 | 100.0 | 0.1 | 5.4 | 3.7 | 4.4 | 21.1 | 2.3 | 18.9 | 10.1 |
| 1997 | 100.0 | 0.1 | 5.8 | 2.6 | 4.4 | 20.9 | 2.2 | 18.7 | 10.6 |
| 1998 | 100.0 | 0.1 | 6.0 | 2.1 | 4.3 | 21.6 | 2.4 | 19.2 | 10.5 |
| 1999 | 100.0 | 0.1 | 6.0 | 1.9 | 4.2 | 22.4 | 2.7 | 19.7 | 10.6 |
| 2000 | 100.0 | 0.1 | 2.8 | 1.8 | 4.7 | 23.4 | 2.9 | 20.6 | 10.4 |
| 2001 | 100.0 | d | 2.9 | 1.7 | 3.8 | 25.5 | 3.4 | 22.1 | 9.4 |
| 2002 | 100.0 | 0.2 | 3.0 | 1.5 | 3.9 | 25.4 | 3.1 | 22.3 | 9.6 |
| 2003 | 100.0 | 0.2 | 3.1 | 1.4 | 3.8 | 25.4 | 2.6 | 22.8 | 9.4 |
| 2004 | 100.0 | 0.2 | 3.1 | 1.4 | 3.8 | 24.8 | 2.6 | 22.2 | 9.5 |
| 2005 | 100.0 | 0.1 | 3.3 | 1.3 | 3.8 | 24.2 | 2.6 | 21.6 | 10.1 |

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|------------------------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|-------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| <i>Percent (cont.)</i> | | | | | | | | | | |
| 1995 | 0.3 | 12.9 | 1.7 | 1.9 | 21.9 | 7.2 | 4.5 | 0.3 | 2.3 | 0.4 |
| 1996 | 0.3 | 13.0 | 1.8 | 2.0 | 22.9 | 7.4 | 4.5 | 0.3 | 2.9 | 0.4 |
| 1997 | 0.3 | 13.0 | 1.9 | 2.1 | 23.0 | 7.7 | 4.5 | 0.3 | 2.5 | 0.3 |
| 1998 | 0.3 | 12.6 | 2.0 | 2.2 | 23.3 | 7.8 | 4.5 | 0.2 | 2.3 | 0.2 |
| 1999 | 0.3 | 12.0 | 2.2 | 2.2 | 23.6 | 8.0 | 4.3 | 0.2 | 1.7 | 0.2 |
| 2000 | 0.2 | 12.3 | 2.1 | 2.4 | 25.2 | 8.2 | 4.3 | 0.3 | 1.5 | 0.2 |
| 2001 | 0.3 | 12.5 | 2.4 | 2.5 | 24.5 | 8.2 | 4.3 | d | 1.5 | 0.3 |
| 2002 | 0.3 | 11.7 | 2.2 | 2.2 | 25.6 | 8.6 | 4.2 | 0.2 | 0.3 | 1.2 |
| 2003 | 0.3 | 11.4 | 2.3 | 2.2 | 26.3 | 8.5 | 4.2 | 0.2 | 0.2 | 1.0 |
| 2004 | 0.3 | 11.0 | 2.3 | 2.2 | 27.1 | 8.3 | 4.2 | 0.2 | 0.2 | 1.2 |
| 2005 | 0.3 | 10.9 | 2.3 | 2.2 | 27.6 | 8.1 | 4.1 | 0.2 | 0.2 | 1.1 |

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; from 2000 to 2001, Annual Award and Termination Transaction file, 1 percent sample; data after 2001 are 100 percent data.

NOTES: Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases since 2002.

Data from 1964 to 1966 are not available. Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under the age of 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."
- d. Data not shown to avoid disclosure of information for particular individuals.
- e. Less than 0.05 percent.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.

Table 41.
Distribution of workers under age 50, by diagnostic group, selected years 1975–2005

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|---------------|---------|----------------------|--|--|----------|-------------------------------|-------------|---------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Number</i> | | | | | | | | | |
| 1975 | 183,493 | 3,712 | 6,511 | 3,357 | 17,945 | 42,119 | -- | -- | 15,588 |
| 1981 | 123,090 | 1,945 | 5,188 | 1,209 | 13,327 | 24,633 | -- | -- | 15,017 |
| 1982 | 109,279 | 1,579 | 4,739 | 1,096 | 11,088 | 21,654 | -- | -- | 14,581 |
| 1983 | 120,606 | 1,429 | 5,630 | 3,759 | 10,036 | 35,331 | -- | -- | 14,827 |
| 1984 | 140,792 | 1,375 | 5,750 | 1,528 | 9,535 | 43,680 | -- | -- | 16,173 |
| 1985 | 158,152 | 1,438 | 7,534 | 1,510 | 10,357 | 49,313 | -- | -- | 16,857 |
| 1986 | 188,355 | 1,202 | 10,816 | 1,534 | 1,882 | 89,821 | -- | -- | 16,318 |
| 1987 | 184,481 | 498 | 12,405 | 3,262 | 13,064 | 58,970 | -- | -- | 17,595 |
| 1988 | 183,017 | 326 | 5,848 | 1,383 | 12,590 | 63,282 | -- | -- | 16,859 |
| 1989 | 189,708 | 311 | 6,088 | 2,497 | 12,761 | 64,093 | -- | -- | 19,298 |
| 1990 | 215,381 | 317 | 7,190 | 19,290 | 12,929 | 77,901 | -- | -- | 21,597 |
| 1991 | 255,448 | 384 | 8,949 | 24,838 | 13,892 | 94,345 | -- | -- | 23,162 |
| 1992 | 313,175 | 404 | 15,349 | 34,766 | 13,691 | 125,609 | -- | -- | 26,485 |
| 1993 | 312,619 | 350 | 15,550 | 33,072 | 12,690 | 126,586 | -- | -- | 27,841 |
| 1994 | 292,987 | 384 | 15,107 | 31,210 | 11,563 | 116,812 | -- | -- | 30,791 |
| 1995 | 308,624 | 472 | 14,963 | 23,736 | 15,325 | 108,516 | 13,731 | 94,785 | 22,367 |
| 1996 | 294,077 | 513 | 15,013 | 19,633 | 15,674 | 95,089 | 11,661 | 83,428 | 21,940 |
| 1997 | 265,019 | 435 | 14,667 | 12,361 | 14,401 | 85,486 | 10,679 | 74,807 | 21,245 |
| 1998 | 273,282 | 462 | 15,768 | 9,817 | 14,321 | 90,072 | 11,880 | 78,192 | 22,093 |
| 1999 | 259,680 | 370 | 15,426 | 8,667 | 13,399 | 86,642 | 9,341 | 77,301 | 21,960 |
| 2000 | 269,800 | d | 6,000 | 6,900 | 16,200 | 98,300 | 14,400 | 83,900 | 21,100 |
| 2001 | 296,800 | d | 7,300 | 8,900 | 12,900 | 118,700 | 20,200 | 98,500 | 20,600 |
| 2002 | 322,539 | 796 | 7,875 | 7,677 | 13,952 | 128,791 | 19,544 | 109,247 | 23,725 |
| 2003 | 325,723 | 857 | 7,944 | 7,559 | 13,716 | 130,964 | 16,605 | 114,359 | 23,381 |
| 2004 | 326,862 | 851 | 8,288 | 6,991 | 14,146 | 129,592 | 17,699 | 111,893 | 23,577 |
| 2005 | 338,815 | 877 | 8,909 | 6,892 | 14,806 | 132,116 | 18,193 | 113,923 | 26,130 |

(Continued)

Awards to Disabled Workers

Table 41.
Distribution of workers under age 50, by diagnostic group, selected years 1975–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|--------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| | <i>Number</i> | | | | | | | | | |
| 1975 | 748 | 30,293 | 5,856 | 2,534 | 30,635 | 17,326 | 5,459 | 954 | 456 | -- |
| 1981 | 516 | 15,278 | 3,000 | 3,314 | 21,076 | 14,478 | 3,189 | 687 | d | d |
| 1982 | 416 | 14,309 | 2,761 | 1,740 | 17,889 | 13,882 | 2,757 | 538 | 250 | -- |
| 1983 | 457 | 13,589 | 2,292 | 2,540 | 14,158 | 13,456 | 2,434 | 486 | d | d |
| 1984 | 537 | 13,508 | 2,304 | 1,711 | 14,295 | 14,041 | 2,463 | 475 | 270 | 13,147 |
| 1985 | 472 | 13,650 | 2,756 | 1,791 | 15,060 | 14,724 | 2,771 | 485 | -- | 19,434 |
| 1986 | 688 | 13,946 | 3,020 | 1,684 | 17,148 | 16,295 | 3,043 | 537 | -- | 10,421 |
| 1987 | 739 | 16,518 | 2,764 | 3,005 | 20,519 | 19,057 | 3,535 | 659 | -- | 11,891 |
| 1988 | 867 | 15,535 | 3,158 | 4,257 | 23,285 | 18,364 | 3,771 | 457 | 13,035 | -- |
| 1989 | 946 | 14,224 | 3,311 | 5,364 | 22,628 | 18,896 | 3,464 | 404 | 15,424 | -- |
| 1990 | 1,094 | 15,157 | 3,693 | 6,171 | 22,068 | 20,627 | 3,538 | 428 | 3,381 | -- |
| 1991 | 1,218 | 16,559 | 4,403 | 6,437 | 29,444 | 22,795 | 4,073 | 524 | 4,425 | -- |
| 1992 | 1,478 | 18,775 | 5,182 | 7,595 | 26,347 | 26,120 | 4,599 | 573 | 6,202 | -- |
| 1993 | 1,342 | 19,040 | 5,328 | 7,812 | 26,920 | 24,901 | 4,664 | 593 | 5,930 | -- |
| 1994 | 1,278 | 16,949 | 5,537 | 8,840 | 17,918 | 25,350 | 4,929 | 572 | 5,747 | -- |
| 1995 | 1,250 | 17,490 | 6,036 | 6,705 | 51,664 | 24,814 | 5,705 | 899 | 6,859 | 1,823 |
| 1996 | 1,118 | 17,608 | 6,308 | 6,872 | 54,008 | 24,412 | 5,747 | 945 | 9,197 | -- |
| 1997 | 1,053 | 16,333 | 6,029 | 6,724 | 48,741 | 23,479 | 5,286 | 826 | 6,565 | 1,388 |
| 1998 | 1,072 | 16,607 | 6,683 | 7,066 | 50,426 | 24,297 | 5,517 | 851 | 7,000 | 1,230 |
| 1999 | 1,031 | 15,065 | 7,022 | 7,172 | 49,302 | 23,386 | 4,783 | 783 | 4,383 | 289 |
| 2000 | d | 15,900 | 6,900 | 8,500 | 51,900 | 25,000 | 5,400 | d | 4,700 | -- |
| 2001 | d | 16,900 | 7,600 | 9,900 | 50,400 | 29,900 | 5,200 | d | 4,600 | 1,000 |
| 2002 | 1,481 | 18,348 | 7,999 | 8,649 | 58,796 | 31,571 | 6,221 | 877 | 945 | 4,836 |
| 2003 | 1,405 | 18,479 | 8,178 | 8,738 | 60,594 | 31,514 | 6,663 | 848 | 920 | 3,963 |
| 2004 | 1,429 | 17,862 | 8,375 | 8,441 | 63,432 | 31,142 | 6,537 | 937 | 925 | 4,337 |
| 2005 | 1,418 | 18,951 | 8,280 | 8,966 | 67,128 | 31,498 | 6,659 | 955 | 936 | 4,294 |

(Continued)

Table 41.
Distribution of workers under age 50, by diagnostic group, selected years 1975–2005—Continued

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|----------------|-------|----------------------|--|--|----------|-------------------------------|-------------|-------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Percent</i> | | | | | | | | | |
| 1975 | 100.0 | 2.0 | 3.5 | 1.8 | 9.8 | 23.0 | -- | -- | 8.5 |
| 1981 | 100.0 | 1.6 | 4.2 | 1.0 | 10.8 | 20.0 | -- | -- | 12.2 |
| 1982 | 100.0 | 1.4 | 4.3 | 1.0 | 10.1 | 19.8 | -- | -- | 13.3 |
| 1983 | 100.0 | 1.2 | 4.7 | 3.1 | 8.3 | 29.3 | -- | -- | 12.3 |
| 1984 | 100.0 | 1.0 | 4.1 | 1.1 | 6.8 | 31.0 | -- | -- | 11.5 |
| 1985 | 100.0 | 0.9 | 4.8 | 1.0 | 6.5 | 31.2 | -- | -- | 10.7 |
| 1986 | 100.0 | 0.6 | 5.7 | 0.8 | 1.0 | 47.7 | -- | -- | 8.7 |
| 1987 | 100.0 | 0.3 | 6.7 | 1.8 | 7.1 | 32.0 | -- | -- | 9.5 |
| 1988 | 100.0 | 0.2 | 3.2 | 0.8 | 6.9 | 34.6 | -- | -- | 9.2 |
| 1989 | 100.0 | 0.2 | 3.2 | 1.3 | 6.7 | 33.8 | -- | -- | 10.2 |
| 1990 | 100.0 | 0.1 | 3.3 | 9.0 | 6.0 | 36.2 | -- | -- | 10.0 |
| 1991 | 100.0 | 0.2 | 3.5 | 9.7 | 5.4 | 36.9 | -- | -- | 9.1 |
| 1992 | 100.0 | 0.1 | 4.9 | 11.1 | 4.4 | 40.1 | -- | -- | 8.5 |
| 1993 | 100.0 | 0.1 | 5.0 | 10.6 | 4.1 | 40.5 | -- | -- | 8.9 |
| 1994 | 100.0 | 0.1 | 5.2 | 10.7 | 3.9 | 39.9 | -- | -- | 10.5 |
| 1995 | 100.0 | 0.2 | 4.8 | 7.7 | 5.0 | 35.2 | 4.4 | 30.7 | 7.2 |
| 1996 | 100.0 | 0.2 | 5.1 | 6.7 | 5.3 | 32.3 | 4.0 | 28.4 | 7.5 |
| 1997 | 100.0 | 0.2 | 5.5 | 4.7 | 5.4 | 32.3 | 4.0 | 28.2 | 8.0 |
| 1998 | 100.0 | 0.2 | 5.8 | 3.6 | 5.2 | 33.0 | 4.3 | 28.6 | 8.1 |
| 1999 | 100.0 | 0.1 | 5.9 | 3.3 | 5.2 | 33.4 | 3.6 | 29.8 | 8.5 |
| 2000 | 100.0 | d | 2.2 | 2.6 | 6.0 | 36.5 | 5.4 | 31.2 | 7.8 |
| 2001 | 100.0 | d | 2.5 | 3.0 | 4.3 | 40.0 | 6.8 | 33.2 | 6.9 |
| 2002 | 100.0 | 0.2 | 2.4 | 2.4 | 4.3 | 39.9 | 6.1 | 33.9 | 7.4 |
| 2003 | 100.0 | 0.3 | 2.4 | 2.3 | 4.2 | 40.2 | 5.1 | 35.1 | 7.2 |
| 2004 | 100.0 | 0.3 | 2.5 | 2.1 | 4.3 | 39.6 | 5.4 | 34.2 | 7.2 |
| 2005 | 100.0 | 0.3 | 2.6 | 2.0 | 4.4 | 39.0 | 5.4 | 33.6 | 7.7 |

(Continued)

Awards to Disabled Workers

Table 41.
Distribution of workers under age 50, by diagnostic group, selected years 1975–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|----------------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|-------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| <i>Percent</i> | | | | | | | | | | |
| 1975 | 0.4 | 16.5 | 3.2 | 1.4 | 16.7 | 9.4 | 3.0 | 0.5 | 0.2 | -- |
| 1981 | 0.4 | 12.4 | 2.4 | 2.7 | 17.1 | 11.8 | 2.6 | 0.6 | d | d |
| 1982 | 0.4 | 13.1 | 2.5 | 1.6 | 16.4 | 12.7 | 2.5 | 0.5 | 0.2 | -- |
| 1983 | 0.4 | 11.3 | 1.9 | 2.1 | 11.7 | 11.2 | 2.0 | 0.4 | d | d |
| 1984 | 0.4 | 9.6 | 1.6 | 1.2 | 10.2 | 10.0 | 1.7 | 0.3 | 0.2 | 9.3 |
| 1985 | 0.3 | 8.6 | 1.7 | 1.1 | 9.5 | 9.3 | 1.8 | 0.3 | -- | 12.3 |
| 1986 | 0.4 | 7.4 | 1.6 | 0.9 | 9.1 | 8.7 | 1.6 | 0.3 | -- | 5.5 |
| 1987 | 0.4 | 9.0 | 1.5 | 1.6 | 11.1 | 10.3 | 1.9 | 0.4 | -- | 6.4 |
| 1988 | 0.5 | 8.5 | 1.7 | 2.3 | 12.7 | 10.0 | 2.1 | 0.2 | 7.1 | -- |
| 1989 | 0.5 | 7.5 | 1.7 | 2.8 | 11.9 | 10.0 | 1.8 | 0.2 | 8.1 | -- |
| 1990 | 0.5 | 7.0 | 1.7 | 2.9 | 10.2 | 9.6 | 1.6 | 0.2 | 1.6 | -- |
| 1991 | 0.5 | 6.5 | 1.7 | 2.5 | 11.5 | 8.9 | 1.6 | 0.2 | 1.7 | -- |
| 1992 | 0.5 | 6.0 | 1.7 | 2.4 | 8.4 | 8.3 | 1.5 | 0.2 | 2.0 | -- |
| 1993 | 0.4 | 6.1 | 1.7 | 2.5 | 8.6 | 8.0 | 1.5 | 0.2 | 1.9 | -- |
| 1994 | 0.4 | 5.8 | 1.9 | 3.0 | 6.1 | 8.7 | 1.7 | 0.2 | 2.0 | -- |
| 1995 | 0.4 | 5.7 | 2.0 | 2.2 | 16.7 | 8.0 | 1.8 | 0.3 | 2.2 | 0.6 |
| 1996 | 0.4 | 6.0 | 2.1 | 2.3 | 18.4 | 8.3 | 2.0 | 0.3 | 3.1 | -- |
| 1997 | 0.4 | 6.2 | 2.3 | 2.5 | 18.4 | 8.9 | 2.0 | 0.3 | 2.5 | 0.5 |
| 1998 | 0.4 | 6.1 | 2.4 | 2.6 | 18.5 | 8.9 | 2.0 | 0.3 | 2.6 | 0.5 |
| 1999 | 0.4 | 5.8 | 2.7 | 2.8 | 19.0 | 9.0 | 1.8 | 0.3 | 1.7 | 0.1 |
| 2000 | d | 5.9 | 2.6 | 3.2 | 19.3 | 9.3 | 2.0 | d | 1.7 | -- |
| 2001 | d | 5.7 | 2.6 | 3.3 | 17.0 | 10.1 | 1.8 | d | 1.6 | 0.3 |
| 2002 | 0.5 | 5.7 | 2.5 | 2.7 | 18.2 | 9.8 | 1.9 | 0.3 | 0.3 | 1.5 |
| 2003 | 0.4 | 5.7 | 2.5 | 2.7 | 18.6 | 9.7 | 2.0 | 0.3 | 0.3 | 1.2 |
| 2004 | 0.4 | 5.5 | 2.6 | 2.6 | 19.4 | 9.5 | 2.0 | 0.3 | 0.3 | 1.3 |
| 2005 | 0.4 | 5.6 | 2.4 | 2.6 | 19.8 | 9.3 | 2.0 | 0.3 | 0.3 | 1.3 |

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; from 2000 to 2001, Annual Award and Termination Transaction file, 1 percent sample; data after 2001 are 100 percent data.

NOTES: Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases since 2002.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under the age of 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."
- d. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.

Table 42.
Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2005

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|---------------|---------|----------------------|--|--|----------|-------------------------------|-------------|--------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Number</i> | | | | | | | | | |
| 1975 | 408,556 | 2,864 | 16,665 | 4,222 | 14,396 | 25,094 | -- | -- | 44,264 |
| 1981 | 222,162 | 1,173 | 9,580 | 1,387 | 7,541 | 11,685 | -- | -- | 41,393 |
| 1982 | 189,252 | 853 | 8,448 | 1,216 | 5,529 | 9,877 | -- | -- | 36,418 |
| 1983 | 190,884 | 1,398 | 9,274 | 2,971 | 5,610 | 15,302 | -- | -- | 37,552 |
| 1984 | 216,348 | 1,064 | 8,668 | 1,657 | 6,654 | 20,398 | -- | -- | 42,931 |
| 1985 | 219,219 | 1,042 | 9,442 | 1,475 | 6,201 | 19,297 | -- | -- | 38,263 |
| 1986 | 228,510 | 751 | 10,444 | 1,202 | 1,747 | 34,162 | -- | -- | 36,858 |
| 1987 | 231,367 | 289 | 8,709 | 1,414 | 7,825 | 22,271 | -- | -- | 37,744 |
| 1988 | 226,473 | 224 | 8,665 | 1,419 | 8,432 | 22,474 | -- | -- | 37,085 |
| 1989 | 235,874 | 223 | 8,191 | 1,276 | 8,770 | 24,407 | -- | -- | 41,054 |
| 1990 | 252,596 | 194 | 9,065 | 2,733 | 9,386 | 27,272 | -- | -- | 44,342 |
| 1991 | 280,986 | 191 | 10,982 | 3,407 | 10,237 | 31,839 | -- | -- | 46,082 |
| 1992 | 323,462 | 215 | 14,555 | 4,487 | 11,351 | 38,484 | -- | -- | 50,690 |
| 1993 | 322,619 | 193 | 15,312 | 4,378 | 10,516 | 39,459 | -- | -- | 52,425 |
| 1994 | 338,833 | 218 | 16,425 | 4,877 | 10,997 | 39,891 | -- | -- | 58,440 |
| 1995 | 337,021 | 250 | 18,407 | 4,257 | 12,241 | 39,384 | 2,950 | 36,434 | 42,034 |
| 1996 | 330,177 | 264 | 18,819 | 3,691 | 11,942 | 36,933 | 2,401 | 34,532 | 41,381 |
| 1997 | 322,681 | 219 | 19,140 | 2,966 | 11,529 | 37,415 | 2,209 | 35,206 | 41,034 |
| 1998 | 335,100 | 214 | 20,605 | 2,863 | 11,605 | 41,430 | 2,626 | 38,804 | 41,880 |
| 1999 | 360,879 | 275 | 21,549 | 3,076 | 12,526 | 52,338 | 7,267 | 45,071 | 43,721 |
| 2000 | 340,900 | d | 11,100 | 3,800 | 12,500 | 44,900 | 3,200 | 41,700 | 42,500 |
| 2001 | 365,100 | d | 12,200 | 2,300 | 12,500 | 49,900 | 2,300 | 47,600 | 41,400 |
| 2002 | 407,844 | 317 | 13,955 | 3,289 | 14,217 | 56,522 | 2,808 | 53,714 | 46,644 |
| 2003 | 429,983 | 295 | 15,463 | 3,320 | 14,896 | 60,715 | 2,733 | 57,982 | 47,561 |
| 2004 | 448,382 | 315 | 16,053 | 3,519 | 15,434 | 63,240 | 2,780 | 60,460 | 50,060 |
| 2005 | 482,392 | 337 | 18,060 | 3,642 | 16,213 | 66,433 | 2,972 | 63,461 | 57,173 |

(Continued)

Awards to Disabled Workers

Table 42.
Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|--------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| | <i>Number</i> | | | | | | | | | |
| 1975 | 743 | 147,018 | 11,618 | 3,185 | 80,002 | 22,634 | 34,026 | 1,352 | 473 | -- |
| 1981 | 426 | 70,716 | 4,363 | 2,916 | 37,563 | 14,038 | 18,331 | 658 | d | d |
| 1982 | 392 | 59,933 | 3,306 | 1,425 | 31,096 | 13,004 | 17,009 | 460 | 287 | -- |
| 1983 | 501 | 54,763 | 2,980 | 3,949 | 27,624 | 12,747 | 15,544 | 362 | d | d |
| 1984 | 367 | 57,383 | 3,591 | 1,730 | 31,531 | 14,160 | 16,428 | 508 | 506 | 8,772 |
| 1985 | 418 | 59,114 | 2,870 | 1,557 | 34,154 | 14,009 | 17,442 | 625 | -- | 13,310 |
| 1986 | 498 | 59,280 | 3,242 | 1,415 | 37,412 | 14,033 | 20,406 | 538 | -- | 6,522 |
| 1987 | 466 | 60,240 | 3,358 | 2,796 | 43,288 | 16,149 | 19,443 | 514 | -- | 6,861 |
| 1988 | 552 | 56,689 | 3,230 | 2,874 | 45,338 | 16,079 | 19,302 | 328 | 3,782 | -- |
| 1989 | 578 | 56,011 | 3,492 | 3,646 | 48,791 | 15,860 | 17,936 | 424 | 5,216 | -- |
| 1990 | 640 | 58,428 | 3,738 | 4,123 | 52,433 | 17,110 | 18,620 | 438 | 4,074 | -- |
| 1991 | 686 | 61,780 | 4,245 | 4,437 | 63,025 | 18,756 | 19,725 | 497 | 5,097 | -- |
| 1992 | 799 | 71,043 | 4,690 | 5,168 | 70,548 | 20,832 | 22,665 | 497 | 7,438 | -- |
| 1993 | 733 | 69,583 | 4,698 | 5,578 | 67,335 | 20,841 | 22,830 | 525 | 8,213 | -- |
| 1994 | 788 | 69,696 | 4,983 | 6,691 | 66,787 | 22,470 | 26,029 | 544 | 10,047 | -- |
| 1995 | 756 | 65,575 | 5,131 | 5,251 | 89,642 | 21,663 | 23,126 | 744 | 8,560 | -- |
| 1996 | 718 | 63,601 | 5,222 | 5,334 | 88,768 | 21,548 | 22,236 | 643 | 9,077 | -- |
| 1997 | 762 | 60,198 | 5,281 | 5,427 | 86,689 | 22,017 | 21,197 | 647 | 7,871 | 289 |
| 1998 | 729 | 60,091 | 5,730 | 6,052 | 91,421 | 23,200 | 21,631 | 615 | 6,744 | 290 |
| 1999 | 880 | 59,690 | 6,367 | 6,670 | 97,452 | 26,483 | 22,198 | 633 | 5,869 | 1,152 |
| 2000 | d | 59,500 | 5,800 | 6,400 | 101,700 | 25,100 | 20,800 | d | 4,600 | 600 |
| 2001 | d | 65,600 | 8,000 | 6,400 | 111,700 | 24,700 | 23,100 | d | 5,400 | 800 |
| 2002 | 1,010 | 66,904 | 7,977 | 7,763 | 128,127 | 30,948 | 24,370 | 732 | 921 | 4,148 |
| 2003 | 1,003 | 67,417 | 8,906 | 8,230 | 138,420 | 32,855 | 25,344 | 774 | 951 | 3,833 |
| 2004 | 1,050 | 67,587 | 9,670 | 8,428 | 146,883 | 33,424 | 26,025 | 772 | 984 | 4,938 |
| 2005 | 1,083 | 70,296 | 10,814 | 9,351 | 159,786 | 35,214 | 27,339 | 828 | 1,053 | 4,770 |

(Continued)

Table 42.
Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2005—Continued

| Year | Total | Congenital anomalies | Endocrine, nutritional, and metabolic diseases | Infectious and parasitic diseases ^a | Injuries | Mental disorders ^b | | | Neoplasms |
|----------------|-------|----------------------|--|--|----------|-------------------------------|-------------|-------|-----------|
| | | | | | | Total | Retardation | Other | |
| <i>Percent</i> | | | | | | | | | |
| 1975 | 100.0 | 0.7 | 4.1 | 1.0 | 3.5 | 6.1 | -- | -- | 10.8 |
| 1981 | 100.0 | 0.5 | 4.3 | 0.6 | 3.4 | 5.3 | -- | -- | 18.6 |
| 1982 | 100.0 | 0.5 | 4.5 | 0.6 | 2.9 | 5.2 | -- | -- | 19.2 |
| 1983 | 100.0 | 0.7 | 4.9 | 1.6 | 2.9 | 8.0 | -- | -- | 19.7 |
| 1984 | 100.0 | 0.5 | 4.0 | 0.8 | 3.1 | 9.4 | -- | -- | 19.8 |
| 1985 | 100.0 | 0.5 | 4.3 | 0.7 | 2.8 | 8.8 | -- | -- | 17.5 |
| 1986 | 100.0 | 0.3 | 4.6 | 0.5 | 0.8 | 14.9 | -- | -- | 16.1 |
| 1987 | 100.0 | 0.1 | 3.8 | 0.6 | 3.4 | 9.6 | -- | -- | 16.3 |
| 1988 | 100.0 | 0.1 | 3.8 | 0.6 | 3.7 | 9.9 | -- | -- | 16.4 |
| 1989 | 100.0 | 0.1 | 3.5 | 0.5 | 3.7 | 10.3 | -- | -- | 17.4 |
| 1990 | 100.0 | 0.1 | 3.6 | 1.1 | 3.7 | 10.8 | -- | -- | 17.6 |
| 1991 | 100.0 | 0.1 | 3.9 | 1.2 | 3.6 | 11.3 | -- | -- | 16.4 |
| 1992 | 100.0 | 0.1 | 4.5 | 1.4 | 3.5 | 11.9 | -- | -- | 15.7 |
| 1993 | 100.0 | 0.1 | 4.7 | 1.4 | 3.3 | 12.2 | -- | -- | 16.2 |
| 1994 | 100.0 | 0.1 | 4.8 | 1.4 | 3.2 | 11.8 | -- | -- | 17.2 |
| 1995 | 100.0 | 0.1 | 5.5 | 1.3 | 3.6 | 11.7 | 0.9 | 10.8 | 12.5 |
| 1996 | 100.0 | 0.1 | 5.7 | 1.1 | 3.6 | 11.2 | 0.7 | 10.5 | 12.5 |
| 1997 | 100.0 | 0.1 | 5.9 | 0.9 | 3.6 | 11.6 | 0.7 | 10.9 | 12.7 |
| 1998 | 100.0 | 0.1 | 6.1 | 0.9 | 3.5 | 12.4 | 0.8 | 11.6 | 12.5 |
| 1999 | 100.0 | 0.1 | 6.0 | 0.9 | 3.5 | 14.5 | 2.0 | 12.5 | 12.1 |
| 2000 | 100.0 | d | 3.3 | 1.1 | 3.7 | 13.2 | 0.9 | 12.2 | 12.5 |
| 2001 | 100.0 | d | 3.3 | 0.6 | 3.4 | 13.7 | 0.6 | 13.0 | 11.3 |
| 2002 | 100.0 | 0.1 | 3.4 | 0.8 | 3.5 | 13.9 | 0.7 | 13.2 | 11.4 |
| 2003 | 100.0 | 0.1 | 3.6 | 0.8 | 3.5 | 14.1 | 0.6 | 13.5 | 11.1 |
| 2004 | 100.0 | 0.1 | 3.6 | 0.8 | 3.4 | 14.1 | 0.6 | 13.5 | 11.2 |
| 2005 | 100.0 | 0.1 | 3.7 | 0.8 | 3.4 | 13.8 | 0.6 | 13.2 | 11.9 |

(Continued)

Awards to Disabled Workers

Table 42.
Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2005—Continued

| Year | Diseases of the— | | | | | | | | Other | Unknown ^c |
|----------------|--------------------------------|--------------------|------------------|----------------------|--|---------------------------------|--------------------|------------------------------|-------|----------------------|
| | Blood and blood-forming organs | Circulatory system | Digestive system | Genitourinary system | Musculoskeletal system and connective tissue | Nervous system and sense organs | Respiratory system | Skin and subcutaneous tissue | | |
| <i>Percent</i> | | | | | | | | | | |
| 1975 | 0.2 | 36.0 | 2.8 | 0.8 | 19.6 | 5.5 | 8.3 | 0.3 | 0.1 | -- |
| 1981 | 0.2 | 31.8 | 2.0 | 1.3 | 16.9 | 6.3 | 8.3 | 0.3 | d | d |
| 1982 | 0.2 | 31.7 | 1.7 | 0.8 | 16.4 | 6.9 | 9.0 | 0.2 | 0.2 | -- |
| 1983 | 0.3 | 28.7 | 1.6 | 2.1 | 14.5 | 6.7 | 8.1 | 0.2 | d | d |
| 1984 | 0.2 | 26.5 | 1.7 | 0.8 | 14.6 | 6.5 | 7.6 | 0.2 | 0.2 | 4.1 |
| 1985 | 0.2 | 27.0 | 1.3 | 0.7 | 15.6 | 6.4 | 8.0 | 0.3 | -- | 6.1 |
| 1986 | 0.2 | 25.9 | 1.4 | 0.6 | 16.4 | 6.1 | 8.9 | 0.2 | -- | 2.9 |
| 1987 | 0.2 | 26.0 | 1.5 | 1.2 | 18.7 | 7.0 | 8.4 | 0.2 | -- | 3.0 |
| 1988 | 0.2 | 25.0 | 1.4 | 1.3 | 20.0 | 7.1 | 8.5 | 0.1 | 1.7 | -- |
| 1989 | 0.2 | 23.7 | 1.5 | 1.5 | 20.7 | 6.7 | 7.6 | 0.2 | 2.2 | -- |
| 1990 | 0.3 | 23.1 | 1.5 | 1.6 | 20.8 | 6.8 | 7.4 | 0.2 | 1.6 | -- |
| 1991 | 0.2 | 22.0 | 1.5 | 1.6 | 22.4 | 6.7 | 7.0 | 0.2 | 1.8 | -- |
| 1992 | 0.2 | 22.0 | 1.4 | 1.6 | 21.8 | 6.4 | 7.0 | 0.2 | 2.3 | -- |
| 1993 | 0.2 | 21.6 | 1.5 | 1.7 | 20.9 | 6.5 | 7.1 | 0.2 | 2.5 | -- |
| 1994 | 0.2 | 20.6 | 1.5 | 2.0 | 19.7 | 6.6 | 7.7 | 0.2 | 3.0 | -- |
| 1995 | 0.2 | 19.5 | 1.5 | 1.6 | 26.6 | 6.4 | 6.9 | 0.2 | 2.5 | -- |
| 1996 | 0.2 | 19.3 | 1.6 | 1.6 | 26.9 | 6.5 | 6.7 | 0.2 | 2.7 | -- |
| 1997 | 0.2 | 18.7 | 1.6 | 1.7 | 26.9 | 6.8 | 6.6 | 0.2 | 2.4 | 0.1 |
| 1998 | 0.2 | 17.9 | 1.7 | 1.8 | 27.3 | 6.9 | 6.5 | 0.2 | 2.0 | 0.1 |
| 1999 | 0.2 | 16.5 | 1.8 | 1.8 | 27.0 | 7.3 | 6.2 | 0.2 | 1.6 | 0.3 |
| 2000 | d | 17.5 | 1.7 | 1.9 | 29.8 | 7.4 | 6.1 | d | 1.3 | 0.2 |
| 2001 | d | 18.0 | 2.2 | 1.8 | 30.6 | 6.8 | 6.3 | d | 1.5 | 0.2 |
| 2002 | 0.2 | 16.4 | 2.0 | 1.9 | 31.4 | 7.6 | 6.0 | 0.2 | 0.2 | 1.0 |
| 2003 | 0.2 | 15.7 | 2.1 | 1.9 | 32.2 | 7.6 | 5.9 | 0.2 | 0.2 | 0.9 |
| 2004 | 0.2 | 15.1 | 2.2 | 1.9 | 32.8 | 7.5 | 5.8 | 0.2 | 0.2 | 1.1 |
| 2005 | 0.2 | 14.6 | 2.2 | 1.9 | 33.1 | 7.3 | 5.7 | 0.2 | 0.2 | 1.0 |

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; from 2000 to 2001, Annual Award and Termination Transaction file, 1 percent sample; data after 2001 are 100 percent data.

NOTES: Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases since 2002.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under the age of 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."
- d. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.

Table 43.
Average primary insurance amount and average monthly benefit, by sex, selected years
1960–2005 (in dollars)

| Year | Average primary insurance amount | | | Average monthly benefit | | |
|-------------------|----------------------------------|----------|--------|-------------------------|----------|--------|
| | All disabled workers | Men | Women | All disabled workers | Men | Women |
| 1960 | -- | -- | -- | 91.20 | 94.00 | 78.90 |
| 1965 (Jan.–Aug.) | -- | -- | -- | 93.30 | 97.90 | 80.30 |
| 1965 (Sept.–Dec.) | -- | -- | -- | 101.30 | 106.50 | 86.80 |
| 1970 | -- | -- | -- | 139.80 | 148.40 | 115.70 |
| 1975 | -- | -- | -- | 241.20 | 263.80 | 190.90 |
| 1980 | -- | -- | -- | 406.30 | 449.40 | 308.50 |
| 1985 | -- | -- | -- | 475.60 | 530.40 | 363.70 |
| 1986 | -- | -- | -- | 473.80 | 531.50 | 357.40 |
| 1987 | -- | -- | -- | 506.00 | 573.20 | 381.60 |
| 1988 | -- | -- | -- | 297.40 | 321.20 | 263.50 |
| 1989 | -- | -- | -- | 562.10 | 634.40 | 429.90 |
| 1990 | -- | -- | -- | 594.20 | 667.90 | 465.80 |
| 1991 | -- | -- | -- | 605.50 | 685.20 | 470.60 |
| 1992 | -- | -- | -- | 621.90 | 699.80 | 494.20 |
| 1993 | -- | -- | -- | 639.80 | 720.10 | 507.70 |
| 1994 | -- | -- | -- | 672.80 | 757.70 | 535.00 |
| 1995 | -- | -- | -- | 687.70 | 786.90 | 549.00 |
| 1996 | 734.00 | 836.40 | 595.70 | 709.10 | 807.90 | 575.60 |
| 1997 | 752.00 | 855.40 | 623.50 | 728.10 | 824.00 | 608.80 |
| 1998 | 771.30 | 879.50 | 639.50 | 746.30 | 846.80 | 623.80 |
| 1999 | 813.20 | 922.30 | 674.70 | 787.80 | 890.70 | 657.10 |
| 2000 | 856.80 | 975.30 | 718.70 | 833.70 | 947.70 | 700.90 |
| 2001 | 891.60 | 1,019.60 | 739.00 | 867.70 | 989.30 | 722.60 |
| 2002 | 923.90 | 1,053.00 | 772.10 | 898.60 | 1,021.70 | 753.90 |
| 2003 | 963.10 | 1,096.70 | 805.90 | 937.50 | 1,064.90 | 787.60 |
| 2004 | 994.00 | 1,130.30 | 835.70 | 968.50 | 1,098.60 | 817.40 |
| 2005 | 1,026.40 | 1,164.30 | 867.20 | 1,001.50 | 1,133.30 | 849.30 |

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; from 2000 to 2001, Annual Award and Termination Transaction file, 1 percent sample; data after 2001 are 100 percent data.

NOTES: Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases since 2002.

Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

-- = not available.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.

Awards to Disabled Workers

Table 44.
Distribution, by diagnostic group, sex, and age, 2005

| Diagnostic group | Total | | | | Men | | | | Women | | | |
|--|---------------|----------|---------|-------------|----------|----------|---------|-------------|----------|----------|---------|-------------|
| | All ages | Under 35 | 35-49 | 50 or older | All ages | Under 35 | 35-49 | 50 or older | All ages | Under 35 | 35-49 | 50 or older |
| | Number | | | | | | | | | | | |
| Total | 821,207 | 90,727 | 248,088 | 482,392 | 440,008 | 48,027 | 126,888 | 265,093 | 381,199 | 42,700 | 121,200 | 217,299 |
| Congenital anomalies | 1,214 | 503 | 374 | 337 | 631 | 271 | 193 | 167 | 583 | 232 | 181 | 170 |
| Endocrine, nutritional, and metabolic diseases | 26,969 | 1,769 | 7,140 | 18,060 | 14,343 | 777 | 3,667 | 9,899 | 12,626 | 992 | 3,473 | 8,161 |
| Infectious and parasitic diseases | 10,534 | 1,480 | 5,412 | 3,642 | 7,456 | 1,004 | 4,097 | 2,355 | 3,078 | 476 | 1,315 | 1,287 |
| Injuries | 31,019 | 4,735 | 10,071 | 16,213 | 20,459 | 3,368 | 6,871 | 10,220 | 10,560 | 1,367 | 3,200 | 5,993 |
| Mental disorders | | | | | | | | | | | | |
| Retardation | 21,165 | 10,593 | 7,600 | 2,972 | 12,895 | 6,265 | 4,755 | 1,875 | 8,270 | 4,328 | 2,845 | 1,097 |
| Other | 177,384 | 40,649 | 73,274 | 63,461 | 84,678 | 21,152 | 32,884 | 30,642 | 92,706 | 19,497 | 40,390 | 32,819 |
| Neoplasms | 83,303 | 4,343 | 21,787 | 57,173 | 43,614 | 2,253 | 10,127 | 31,234 | 39,689 | 2,090 | 11,660 | 25,939 |
| Diseases of the— | | | | | | | | | | | | |
| Blood and blood-forming organs | 2,501 | 657 | 761 | 1,083 | 1,147 | 287 | 329 | 531 | 1,354 | 370 | 432 | 552 |
| Circulatory system | 89,247 | 2,328 | 16,623 | 70,296 | 61,087 | 1,284 | 10,672 | 49,131 | 28,160 | 1,044 | 5,951 | 21,165 |
| Digestive system | 19,094 | 1,205 | 7,075 | 10,814 | 11,798 | 575 | 4,284 | 6,939 | 7,296 | 630 | 2,791 | 3,875 |
| Genitourinary system | 18,317 | 2,467 | 6,499 | 9,351 | 11,081 | 1,341 | 3,851 | 5,889 | 7,236 | 1,126 | 2,648 | 3,462 |
| Musculoskeletal system and connective tissue | 226,914 | 8,174 | 58,954 | 159,786 | 113,391 | 3,770 | 29,846 | 79,775 | 113,523 | 4,404 | 29,108 | 80,011 |
| Nervous system and sense organs | 66,712 | 9,487 | 22,011 | 35,214 | 33,746 | 4,682 | 10,555 | 18,509 | 32,966 | 4,805 | 11,456 | 16,705 |
| Respiratory system | 33,998 | 831 | 5,828 | 27,339 | 17,538 | 306 | 2,599 | 14,633 | 16,460 | 525 | 3,229 | 12,706 |
| Skin and subcutaneous tissue | 1,783 | 246 | 709 | 828 | 843 | 89 | 349 | 405 | 940 | 157 | 360 | 423 |
| Other | 1,989 | 235 | 701 | 1,053 | 885 | 117 | 311 | 457 | 1,104 | 118 | 390 | 596 |
| Unknown | 9,064 | 1,025 | 3,269 | 4,770 | 4,416 | 486 | 1,498 | 2,432 | 4,648 | 539 | 1,771 | 2,338 |

(Continued)

Table 44.
Distribution, by diagnostic group, sex, and age, 2005—Continued

| Diagnostic group | Total | | | | Men | | | | Women | | | |
|--|----------------|----------|-------|-------------|----------|----------|-------|-------------|----------|----------|-------|-------------|
| | All ages | Under 35 | 35–49 | 50 or older | All ages | Under 35 | 35–49 | 50 or older | All ages | Under 35 | 35–49 | 50 or older |
| | <i>Percent</i> | | | | | | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Congenital anomalies | 0.1 | 0.6 | 0.2 | 0.1 | 0.1 | 0.6 | 0.2 | 0.1 | 0.2 | 0.5 | 0.1 | 0.1 |
| Endocrine, nutritional, and metabolic diseases | 3.3 | 1.9 | 2.9 | 3.7 | 3.3 | 1.6 | 2.9 | 3.7 | 3.3 | 2.3 | 2.9 | 3.8 |
| Infectious and parasitic diseases | 1.3 | 1.6 | 2.2 | 0.8 | 1.7 | 2.1 | 3.2 | 0.9 | 0.8 | 1.1 | 1.1 | 0.6 |
| Injuries | 3.8 | 5.2 | 4.1 | 3.4 | 4.6 | 7.0 | 5.4 | 3.9 | 2.8 | 3.2 | 2.6 | 2.8 |
| Mental disorders | | | | | | | | | | | | |
| Retardation | 2.6 | 11.7 | 3.1 | 0.6 | 2.9 | 13.0 | 3.7 | 0.7 | 2.2 | 10.1 | 2.3 | 0.5 |
| Other | 21.6 | 44.8 | 29.5 | 13.2 | 19.2 | 44.0 | 25.9 | 11.6 | 24.3 | 45.7 | 33.3 | 15.1 |
| Neoplasms | 10.1 | 4.8 | 8.8 | 11.9 | 9.9 | 4.7 | 8.0 | 11.8 | 10.4 | 4.9 | 9.6 | 11.9 |
| Diseases of the— | | | | | | | | | | | | |
| Blood and blood-forming organs | 0.3 | 0.7 | 0.3 | 0.2 | 0.3 | 0.6 | 0.3 | 0.2 | 0.4 | 0.9 | 0.4 | 0.3 |
| Circulatory system | 10.9 | 2.6 | 6.7 | 14.6 | 13.9 | 2.7 | 8.4 | 18.5 | 7.4 | 2.4 | 4.9 | 9.7 |
| Digestive system | 2.3 | 1.3 | 2.9 | 2.2 | 2.7 | 1.2 | 3.4 | 2.6 | 1.9 | 1.5 | 2.3 | 1.8 |
| Genitourinary system | 2.2 | 2.7 | 2.6 | 1.9 | 2.5 | 2.8 | 3.0 | 2.2 | 1.9 | 2.6 | 2.2 | 1.6 |
| Musculoskeletal system and connective tissue | 27.6 | 9.0 | 23.8 | 33.1 | 25.8 | 7.8 | 23.5 | 30.1 | 29.8 | 10.3 | 24.0 | 36.8 |
| Nervous system and sense organs | 8.1 | 10.5 | 8.9 | 7.3 | 7.7 | 9.7 | 8.3 | 7.0 | 8.6 | 11.3 | 9.5 | 7.7 |
| Respiratory system | 4.1 | 0.9 | 2.3 | 5.7 | 4.0 | 0.6 | 2.0 | 5.5 | 4.3 | 1.2 | 2.7 | 5.8 |
| Skin and subcutaneous tissue | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.4 | 0.3 | 0.2 |
| Other | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 |
| Unknown | 1.1 | 1.1 | 1.3 | 1.0 | 1.0 | 1.0 | 1.2 | 0.9 | 1.2 | 1.3 | 1.5 | 1.1 |

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: Data exclude expedited reinstatement cases.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under the age of 35 who were diagnosed with a mental disorder.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.

Awards to Disabled Workers

Table 45.
Distribution, by monthly benefit and sex, 2005

| Monthly benefit (dollars) | All disabled workers | | Men | | Women | |
|---------------------------|----------------------|---------|----------|---------|---------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| Total | 821,207 | 100.0 | 440,008 | 100.0 | 381,199 | 100.0 |
| Less than 100.00 | 4,972 | 0.6 | 2,669 | 0.6 | 2,303 | 0.6 |
| 100.00–199.90 | 8,376 | 1.0 | 3,039 | 0.7 | 5,337 | 1.4 |
| 200.00–299.90 | 23,211 | 2.8 | 8,597 | 2.0 | 14,614 | 3.8 |
| 300.00–399.90 | 29,760 | 3.6 | 10,725 | 2.4 | 19,035 | 5.0 |
| 400.00–499.90 | 32,972 | 4.0 | 11,870 | 2.7 | 21,102 | 5.5 |
| 500.00–599.90 | 43,107 | 5.2 | 15,844 | 3.6 | 27,263 | 7.2 |
| 600.00–699.90 | 86,417 | 10.5 | 31,517 | 7.2 | 54,900 | 14.4 |
| 700.00–799.90 | 82,387 | 10.0 | 33,471 | 7.6 | 48,916 | 12.8 |
| 800.00–899.90 | 75,240 | 9.2 | 33,850 | 7.7 | 41,390 | 10.9 |
| 900.00–999.90 | 67,953 | 8.3 | 33,812 | 7.7 | 34,141 | 9.0 |
| 1,000.00–1,099.90 | 59,986 | 7.3 | 32,869 | 7.5 | 27,117 | 7.1 |
| 1,100.00–1,199.90 | 51,857 | 6.3 | 30,960 | 7.0 | 20,897 | 5.5 |
| 1,200.00–1,299.90 | 44,622 | 5.4 | 29,042 | 6.6 | 15,580 | 4.1 |
| 1,300.00–1,399.90 | 38,370 | 4.7 | 26,214 | 6.0 | 12,156 | 3.2 |
| 1,400.00–1,499.90 | 32,455 | 4.0 | 23,234 | 5.3 | 9,221 | 2.4 |
| 1,500.00–1,599.90 | 27,477 | 3.3 | 20,521 | 4.7 | 6,956 | 1.8 |
| 1,600.00–1,699.90 | 35,763 | 4.4 | 27,574 | 6.3 | 8,189 | 2.1 |
| 1,700.00–1,799.90 | 32,200 | 3.9 | 26,038 | 5.9 | 6,162 | 1.6 |
| 1,800.00–1,899.90 | 21,699 | 2.6 | 18,390 | 4.2 | 3,309 | 0.9 |
| 1,900.00–1,999.90 | 14,681 | 1.8 | 12,916 | 2.9 | 1,765 | 0.5 |
| 2,000.00 or more | 7,702 | 0.9 | 6,856 | 1.6 | 846 | 0.2 |
| Average benefit (dollars) | 1,001.50 | | 1,133.30 | | 849.30 | |

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

Data exclude expedited reinstatement cases.

CONTACT: Glenda Carter (410) 965-7794 or di.asr@ssa.gov.