

# CVM ADE Comprehensive Clinical Detail Report Listing:



Cumulative Date Range: 01/01/1987 -thru- 08/31/2012

Drug Listing: D;E;F;G;H;I

## DRUG: DACARBAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
ANOREXIA	1
DEPRESSION/LETHARGY	1
DYSPNEA	1

## DRUG: DANAZOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	1
ASCITES	1
LIVER ENZYMES HI, BLD	1
PLATELETS LO, BLD	1
ULCER(S), SKIN	1
WEIGHT LOSS	1

## DRUG: DANOFLOXACIN MESYLATE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

## DRUG: DANOFLOXACIN MESYLATE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: HUMAN

Route of Administration: ORAL

**DRUG: DANOFLOXACIN MESYLATE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	18
ANAPHYLAXIS/TOID	16
INEFFECT, ANTIBIOTIC	13
COLLAPSE	12
RECUMBENCY	10
HYPERSALIVATION	8
ATAXIA	7
DYSYPNEA	5
FROTH, MOUTH/LIP(S)	5
STAGGERING	4
DEATH(TX FAILURE)	3
LAMENESS	3
PR-LUNG(S), LESION(S)	3
BLD, LUNG(S)/TRACHEA	2
CONVULSION(S)	2
CYANOSIS, MUCOUS MEMBR	2
EDEMA, LUNG(S)/TRACHEA	2
EPIPHORA	2
HYPERPNEA	2
JOINT DISORDER	2
PAIN, ABDOMEN	2
PR-HEART, LESION(S)	2
PR-LUNG(S), EDEMA	2
WEAKNESS	2
BLD	1
BLD, EYE(S)	1
BLD, VAGINA	1
CIRCLING	1
CNS DISORDER	1
CULTURE/TITER DATA ABN	1
DEATH(NEWBORN)	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HEAD TILT	1
HYPERACTIVITY	1
INJ SITE EDEMA	1
LOSS OF CONDITION	1
NEUROLOGICAL DISORDER	1
PARESIS, HIND LIMB(S)	1
POLYPNEA	1
PR-INTEST, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROPRIOCEPTIVE DISORDE	1
PR-STOMACH, LESION(S)	1
RESIDUE, MILK	1
RESPIRATORY DISORDER	1
SWELLING, EAR(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANTIBIOTIC	1
RESIDUE, MEAT	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	4
INJ SITE PAIN	3
BLD(ECCHYMOSES)	1
CONGESTION, SKIN	1
INJ SITE INFLAM	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PARAESTHESIA	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	1
APPLICATION SITE PRURITIS	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISCOMFORT	1
FEVER, BODY	1
PAIN	1
URTICARIA	1
WEAKNESS	1

**DRUG: DANOFLOXACIN MESYLATE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1
DEATH(TX FAILURE)	1
INEFFECT, ANTIBIOTIC	1

**DRUG: DECOQUINATE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAMINATION	1

**DRUG: DECOQUINATE**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
HEMATOCHEZIA	1

**DRUG: DECOQUINATE**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	3

**DRUG: DECOQUINATE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, COCCIDIA	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-LABEL(S), ABN	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	3
DIARRHEA, MILD	2
GINGIVITIS	2
ALOPECIA	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BUN HI, BLD	1
CREATININE HI, BLD	1
DISCOMFORT	1
DYSPHAGIA	1
HYPERSALIVATION	1
PRURITIS	1
SKIN, SCAB(S)	1
SPEC GRAVITY LO, URINE	1
TEETH, ABN	1
WEIGHT LOSS	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	9
DIARRHEA	3
APPREHENSION	2
CONVULSION(S)	2
POLYPNEA	2
POLYURIA	2
AGGRESSION	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE PRURITIS	1
ATAXIA	1
BLD, URINE	1
CONGESTION, SKIN	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIC	1
DIFFICULTY RISING	1
DIGESTION DISORDER	1
HYPERACTIVITY	1
HYPERSALIVATION	1
INCONTINENCE, URINARY	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LESION(S), MOUTH/LIP(S)	1
LIVER ENZYMES HI, BLD	1
PAIN, ABDOMEN	1
PAWING	1
POLYDIPSIA	1
PROTEIN, URINE	1
PRURITIS	1
SHAKING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
TACHYCARDIA	1
TEETH, ABN	1
ULCER(S), TONGUE	1
VOCALIZATION	1
VOMITING, SEVERE	1
WBC, URINE	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TONGUE, ABN	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	7
ANOREXIA	5
GINGIVITIS	5
CONGESTION, SKIN	3
LESION(S), SKIN	3
PRURITIS	3

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STOMATITIS	3
DEATH	2
DIARRHEA	2
GINGIVA, ABN	2
INFLAM, SKIN	2
LESION(S), MOUTH/LIP(S)	2
RASH	2
SKIN ABNORMAL	2
ULCER(S), MOUTH/LIP(S)	2
APNEA	1
BEHAVIOR DISORDER	1
BLD	1
BUN HI, BLD	1
COLLAPSE	1
CREATININE HI, BLD	1
DERMATITIS, MOIST	1
ERUPTION(S)	1
HIDING	1
HYPERSALIVATION	1
INEFFECT	1
IRRITATION, MOUTH/LIP(	1
LICKING	1
PAIN, MOUTH/LIP(S)	1
PROTEIN(TOT) HI, BLD	1
SPEC GRAVITY LO, URINE	1
TEETH, ABN	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	31
GINGIVA, ABN	17
DIARRHEA	16
GINGIVITIS	13
ANAPHYLAXIS/TOID	11



**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	11
DEPRESSION/LETHARGY	10
SWELLING, MOUTH/LIP(S)	8
INEFFECT	7
TEETH, ABN	5
ULCER(S), MOUTH/LIP(S)	5
PRURITIS	4
SWELLING, HEAD/FACE	4
CONVULSION(S)	3
PAIN	3
ALK PHOS HI, BLD	2
COUGHING	2
DIARRHEA, MILD	2
DYSPNEA	2
ENLARGEMENT, LYMPH NOD	2
GINGIVAL HYPERPLASIA	2
INCONTINENCE, URINARY	2
INFECTION	2
IRRITATION, MOUTH/LIP(	2
IRRITATION, MOUTH/LIP(S)	2
ODOR, MOUTH	2
PR-MOUTH/LIP(S), LESIO	2
SGPT/ALT HI, BLD	2
SNEEZING	2
STOMATITIS	2
SWELLING, NECK	2
SWELLING, TONGUE	2
ULCER(S)	2
VOMITING, UNPRODUCTIVE	2
WEIGHT LOSS	2
ADIPSIA	1
ALOPECIA	1
AMYLASE HI, BLD	1
ATAXIA	1
BEHAVIOR DISORDER	1
BITING/CHEWING	1
BLD, MOUTH/LIP(S)	1
BORBORYGMI	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, EYE(S)/LID	1
DIARRHEA, BLOODY	1
DIARRHEA, PROJECTILE	1
DYSPHAGIA	1
EDEMA, EYE(S)/LID(S)	1
ENLARGEMENT, SALIVARY GLAND	1
EPIPHORA	1
ERUPTION(S)	1
FROTH, MOUTH/LIP(S)	1
GLOBULIN HI, BLD	1
GLOSSITIS	1
GLUCOSE HI, BLD	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INCONTINENCE	1
LESION(S), MOUTH/LIP(S)	1
LESION(S), SKIN	1
LICKING	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
MONOS HI, BLD	1
NECROSIS	1
NERVOUSNESS	1
NOSE ABN	1
PAIN, ABDOMEN	1
PAIN, MOUTH/LIP(S)	1
POLYPNEA	1
PROTEIN(TOT) HI, BLD	1
PRURITIS, FEET/DIGIT(S)	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SHAKING	1
STOOL, MUCOID	1
SWELLING	1
SWELLING, PHARYNX/THRO	1
TENESMUS, RECTAL	1
TONGUE, ABN	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TRIGLYCERIDES HI, BLD	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
URTICARIA	1
VOMITING, SEVERE	1
WBC HI, BLD	1
WEAKNESS	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HEADACHE	1
NAUSEA	1
SHAKING	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: VARIOUS

**DRUG: DENTAL AND ORAL CARE PRODUCTS**

Species: DOG

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	1

**DRUG: DERACOXIB**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-TABLET(S), ABN	245
PD-SEAL, ABN	29
PD-COLOR, ABN	18
PD-CONTAINER(S), DAMAG	12
PD-CAP(S), ABN	10
PD-UNDERFILL, PACKAGE	10
PD-CONTAINER(S), ABN	2
PD-CONTAMINATION	2
PD-LABEL(S), ABN	2
PD-UNDERFILL, VIAL(S)	2
PD-DEFECT UNKNOWN	1
PD-DISPENSER, ABN	1
PD-ODOR, ABN	1
PD-PRODUCT DEFECT	1
PD-TUBE(S), ABN	1
PD-VIAL(S), ABN	1
PD-VIAL(S), DAMAGED	1
UNPALATABLE, WON'T EAT	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
INTERACTION, DRUG(S)	2
AZOTEMIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
DIARRHEA, BLOODY	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISCHARGE, INCISION SITE	1
INCISION SITE ABN	1
KIDNEY FAILURE	1
P LO, BLD	1
PR-KIDNEY(S), LESION(S	1
SPEC GRAVITY LO, URINE	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
URINATION ABN	1
VOMITING	1
WBC HI, BLD	1

**DRUG: DERACOXIB**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	22
BUN HI, BLD	11
DEPRESSION/LETHARGY	9
CREATININE HI, BLD	8
FEVER, BODY	5
SGPT/ALT HI, BLD	4
ANOREXIA	3
BLEPHAROSPASM	2
DEATH(EUTHANIZED)	2
DIARRHEA	2
DIARRHEA, MILD	2
HEAD BOBBING	2
MELENA	2
POLYDIPSIA	2
VOMITING, BLOODY	2
WBC HI, BLD	2
A/G RATIO LO, BLD	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANEMIA	1

**DRUG: DERACOXIB**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANURIA	1
BASOS HI, BLD	1
BILIRUBIN, URINE	1
BLD, URINE	1
CA HI, BLD	1
CA LO, BLD	1
CARDIOMEGALY	1
COLLAPSE	1
CONJUNCTIVITIS	1
CONVULSION(S)	1
DEATH	1
DEHYDRATION	1
DISTENTION, BLADDER	1
EDEMA, EYE(S)/LID(S)	1
EOSINOS HI, BLD	1
HEMATOCHEZIA	1
HIDING	1
HYPERSALIVATION	1
ICTERUS, BODY	1
K HI, BLD	1
K LO, BLD	1
MURMUR, HEART	1
MYDRIASIS	1
NA LO, BLD	1
NAUSEA	1
NERVOUSNESS	1
OLIGURIA	1
P HI, BLD	1
PLATELETS LO, BLD	1
P LO, BLD	1
POLYURIA	1
PR-ADRENAL(S), LESION(S)	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1

**DRUG: DERACOXIB**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-PANCREAS, LESION(S)	1
PR-PERITONEUM, LESION(	1
PR-STOMACH, LESION(S)	1
RADIOGRAPH(S) ABN	1
RETICULOCYTES HI, BLD	1
SEGS HI, BLD	1
SGOT/AST HI, BLD	1
SPEC GRAVITY LO, URINE	1
STOOL, MUCOID	1
TACHYCARDIA	1
TREMBLING, FACE	1
VOCALIZATION	1
WBC LO, BLD	1
WEAKNESS	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	2,139
ANOREXIA	1,544
DEPRESSION/LETHARGY	1,331
ALK PHOS HI, BLD	1,066
BUN HI, BLD	1,041
CREATININE HI, BLD	878
DIARRHEA	823
SGPT/ALT HI, BLD	809
DEATH	584
DEATH(EUTHANIZED)	566
ANEMIA	540
WBC HI, BLD	489
INTERACTION, DRUG(S)	479
ALBUMIN LO, BLD	436
POLYDIPSIA	377
P HI, BLD	364
MELENA	357

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	357
PERITONITIS	348
DIARRHEA, BLOODY	330
PERFORATION, GI	302
WEIGHT LOSS	264
RADIOGRAPH(S) ABN	262
POLYURIA	261
PLATELETS LO, BLD	257
VOMITING, BLOODY	255
BILIRUBIN(TOT) HI, BLD	254
ATAXIA	252
BLD, URINE	244
CONVULSION(S)	244
SPEC GRAVITY LO, URINE	237
DEHYDRATION	235
AMYLASE HI, BLD	230
US ABN	212
PROTEIN(TOT) LO, BLD	200
FEVER, BODY	193
PERFORATION, STOMACH	191
SGOT/AST HI, BLD	177
WEAKNESS	177
POLYPNEA	171
ULCER(S), GI	171
RECUMBENCY	166
TACHYCARDIA	154
HEMATOCHEZIA	145
DYSYPNEA	144
PROTEIN, URINE	134
LIPASE HI, BLD	125
TREMBLING	119
NERVOUSNESS	117
EFFUSION, PERITONEAL	110
PALLOR, MUCOUS MEMBRAN	110
POLYCYTHEMIA	110
INCONTINENCE, URINARY	108
PR-STOMACH, LESION(S)	104
COLLAPSE	102



**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WBC LO, BLD	102
PRURITIS	100
SEGS HI, BLD	100
CHOLESTEROL HI, BLD	98
ULCER(S), STOMACH	94
US-LIVER ABN	94
K HI, BLD	93
LIVER ENZYMES HI, BLD	92
PR-LIVER, LESION(S)	90
DIARRHEA, MILD	87
GLUCOSE HI, BLD	86
HYPERSALIVATION	86
KIDNEY FAILURE	86
DISTENTION, ABDOMEN	81
GGT HI, BLD	81
HYPERPNEA	81
VOCALIZATION	79
INFLAM, SKIN	78
WBC, URINE	76
EPISTAXIS	75
PR-SM INTEST, LESION(S)	75
HYPERACTIVITY	73
CA HI, BLD	71
AGGRESSION	70
CONFUSION	69
PROTEIN(TOT) HI, BLD	68
ASCITES	67
GLOBULIN LO, BLD	67
AZOTEMIA	66
EDEMA, LIMB(S)	64
ICTERUS, BODY	64
GLOBULIN HI, BLD	60
CPK HI, BLD	58
LYMPHS LO, BLD	56
MICROORANISMS, URINE	56
ARREST, HEART	55
BLD(PETECHIAE)	55
K LO, BLD	55

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NA LO, BLD	55
PANCREATITIS	53
ADIPSIA	52
GLUCOSE LO, BLD	50
PARESIS, HIND LIMB(S)	50
APPREHENSION	49
BLD(ECCHYMOSES)	49
PAIN	49
ULCER(S), PYLORUS	49
INFECTION, URINARY TRA	48
PROPRIOCEPTIVE DISORDE	48
DIFFICULTY RISING	47
NYSTAGMUS	47
PR-KIDNEY(S), LESION(S)	47
BILIRUBIN, URINE	46
COUGHING	46
CHEMISTRY ABN	44
PALLOR	44
THYROID HORMONE(S) LO	43
POLYCYTHEMIA(RELATIVE)	41
CHLORIDE LO, BLD	40
ICTERUS	40
SHOCK	39
STUPOR	39
URTICARIA	39
LESION(S), SKIN	37
HEAD TILT	36
CONGESTION, SKIN	35
NAUSEA	35
DERMATITIS, MOIST	34
INFECTION, SKIN	34
SWELLING, HEAD/FACE	34
PRESSURE LO, BLD	33
PR-SPLEEN, LESION(S)	33
COAGULATION DISORDER	32
PTT PROLONGED, BLD	32
BANDS HI, BLD	31
CRYSTALS, URINE	31

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MONOS HI, BLD	31
VESTIBULAR DISORDER	31
ALOPECIA	30
CIRCLING	30
NA HI, BLD	30
PACING	30
PT PROLONGED, BLD	30
RETICULOCYTES HI, BLD	30
BLINDNESS	29
CASTS, URINE	28
MYDRIASIS	28
URINE ABN	28
ANEMIA, AUTOIMMUNE HEM	27
PR-PERITONEUM, LESION(	27
ANURIA	26
ENLARGEMENT, LYMPH NOD	26
PR-SM INTEST, LESION(S)	26
SEGS LO, BLD	26
ABN COLOR, URINE	25
APNEA	25
BEHAVIOR DISORDER	25
BLD, ABDOMEN	25
BLD, MOUTH/LIP(S)	25
DIARRHEA, MUCOID	25
EDEMA, HEAD/FACE	25
KIDNEY DISORDER	25
PR-PERITONEAL EFFUSION	25
RBC, NUCLEATED	25
SHAKING	25
BILE ACIDS HI, BLD	24
BUN LO, BLD	24
MURMUR, HEART	24
CA LO, BLD	23
FLATULENCE	23
HEPATOMEGALY	23
PLATELETS HI, BLD	23
PR-PANCREAS, LESION(S)	23
VOMITING, UNPRODUCTIVE	23

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CHLORIDE HI, BLD	22
KIDNEY VALUES HI, BLD	22
LIVER DISORDER	22
ALBUMIN HI, BLD	21
ANEMIA, REGEN	21
CONSTIPATION	21
EDEMA, LUNG(S)/TRACHEA	21
KERATOCONJUNCTIVITIS S	21
LAMENESS	21
SPLENOMEGALY	21
ULCER(S), MOUTH/LIP(S)	21
ULCER(S), SKIN	21
BLD	20
GI, ABNORMAL	20
HYPOTHERMIA, BODY	20
INCONTINENCE, FECAL	20
MASS, ABDOMEN	20
PR-SKIN, LESION(S)	20
STOOL ABN	20
TRIGLYCERIDES HI, BLD	20
ARRHYTHMIA	19
DIC	19
GASTROENTERITIS	19
INEFFECT, ANTIINFLAM	19
PARESIS	19
TENESMUS, RECTAL	19
HYPOTHERMIA	18
INCISION SITE ABN	18
PRESSURE HI, BLD	18
PR-GI, LESION(S)	18
URINATION ABN	18
ANAPHYLAXIS/TOID	17
BLD, INCISION SITE	17
CONJUNCTIVITIS	17
DISCOMFORT	17
EDEMA	17
GASTRITIS	17
INCISION SITE DISCHARGE	17

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
OTITIS	17
POSTURE ABN	17
STOOL, MUCOID	17
BRADYCARDIA	16
DEAFNESS	16
EOSINOS HI, BLD	16
INEFFECT, ANALGESIA	16
OLIGURIA	16
PERFORATION	16
SEPSIS	16
STRANGURIA	16
TWITCH	16
BORBORYGMI	15
CULTURE/TITER DATA ABN	15
DIARRHEA, WATERY	15
MASS	15
REGURGITATION	15
ULCER(S), TONGUE	15
ALKALINE URINE	14
BLD, RECTUM	14
DISCHARGE, INCISION SITE	14
GAGGING	14
MONOS LO, BLD	14
PICA	14
PULSE THREADY	14
STUMBLING	14
ULCER(S), CORNEA(S)	14
CAPILLARY REFILL PROLO	13
LOCOMOTION DISORDER	13
ODOR, MOUTH	13
RELUCTANT TO MOVE	13
SKIN, CRUST(S)	13
STAGGERING	13
SWELLING, LIMB(S)	13
URINATION	13
NEOPLASM	12
NEOPLASM, LIVER	12
NYSTAGMUS, HORIZONTAL	12

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SNEEZING	12
UNCONSCIOUS	12
BLD, SKIN	11
BLOAT	11
CONGESTION, LUNG(S)	11
CONGESTION, MUCOUS MEM	11
CYANOSIS	11
DIABETES MELLITUS	11
EDEMA, VENTRAL	11
EOSINOS LO, BLD	11
PAPULE(S)	11
PR-LUNG(S), LESION(S)	11
PUPIL(S), AREFLEXIA	11
PUSTULE(S)	11
RBC ABN	11
SEPTICEMIA	11
SHOCK, ENDOTOXEMIA	11
BLD, GI	10
CARDIOMEGALY	10
DEFECATION ABN	10
DISTRESS	10
DISTRESS, RESP	10
DYSPHAGIA	10
EFFUSION, PLEURAL	10
HEART FAILURE	10
LICKING, FEET/DIGIT(S)	10
MICROORGANISMS, URINE	10
MUCOUS MEMBR, RED	10
NEUROLOGICAL DISORDER	10
P LO, BLD	10
PR-HEART, LESION(S)	10
PR-LUNG(S), EDEMA	10
SKIN, NECROSIS	10
STIFFNESS	10
SWELLING	10
WEIGHT INCREASE	10
ACCIDENTAL EXPOSURE	9
ACIDOSIS	9

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATROPHY, MUSCLE(S)	9
BLD(HEMATOMA)	9
CYSTITIS	9
DIARRHEA, SEVERE	9
DISCHARGE, EYE(S)/LID(S)	9
ERUCTATION	9
HYPERADRENOCORTICISM	9
LIVER FAILURE	9
LYMPHS HI, BLD	9
NA:K LO, BLD	9
PAIN, BACK	9
PARALYSIS, FACIAL NERV	9
PARALYSIS, HIND LIMB(S)	9
PR-INTEST, LESION(S)	9
REFLEX(ES) ABN	9
STOMATITIS	9
BLD, LUNG(S)/TRACHEA	8
CELLULITIS	8
DEHISCENCE	8
DILITATION, STOMACH	8
DISCHARGE, NOSE	8
ECG ABN	8
GALL BLADDER, ABN	8
GINGIVITIS	8
GLUCOSE, URINE	8
HAIR, SHEDDING	8
HIDING	8
INEFFECT, LOSS OF EFFE	8
INFECTION	8
LOSS OF CONDITION	8
NECROSIS	8
POLLAKIURIA	8
POLYPHAGIA	8
RASH	8
SKIN, SCAB(S)	8
SLOUGH, SKIN	8
STARING	8
SWELLING, EYE(S)/LID(S)	8

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, FEET/DIGIT(S)	8
SWELLING, JOINT(S)	8
WBC ABN	8
ABSCESS, SKIN	7
ACID URINE	7
BITING/CHEWING	7
BONE, ABN	7
CONGESTION, EYE(S)/LID	7
COOMBS TEST POS	7
ECCHYMOSIS, INCISION SITE	7
ERUPTION(S)	7
EYE DISORDER	7
HYPOMOTILITY	7
MG HI, BLD	7
NEOPLASM, SPLEEN	7
NEPHRITIS	7
PANCREAS ENZYMES HI, B	7
PNEUMONIA, ASPIRATION	7
PR-BLADDER, LESION(S)	7
PR-BONE MARROW, LESION	7
PR-MULT SITES, CONGEST	7
SOUND ABN, RESPIRATORY	7
SYNCOPE	7
TACHYCARDIA, VENTRICUL	7
UVEITIS	7
VOLVULUS, STOMACH	7
VOMITING, SEVERE	7
WHEEZING	7
ALBUMIN HI, URINE	6
BLD, EYE(S)	6
BLINDNESS, PARTIAL	6
CHOLESTEROL LO, BLD	6
CLOUDY URINE	6
CONGESTION	6
DYSURIA	6
ECG, ABN	6
EDEMA, EYE(S)/LID(S)	6
EDEMA, FEET/DIGIT(S)	6



**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EFFUSION	6
ELIMINATION ABN	6
ENTERITIS	6
FIBROSIS	6
GINGIVA, ABN	6
GLAUCOMA	6
HEPATITIS	6
ICTERUS, SERUM	6
ILL	6
INCISION SITE INFECTION	6
INFLAM	6
LICKING	6
MG LO, BLD	6
MORIBUND	6
MUCOUS MEMBR, MUDDY	6
PAIN, LIMB(S)	6
PAIN, NECK	6
PNEUMONIA	6
PR-ADRENAL(S), LESION(S)	6
PR-LYMPH NODE(S), LESI	6
RBC, ANISO	6
RETICULOCYTES LO, BLD	6
SCALE(S), SKIN	6
SEDIMENT, URINE	6
SWELLING, NECK	6
TECH ERROR ADMINISTRAT	6
TENESMUS	6
ANA POS	5
ANEMIA, HEMOLYTIC	5
ANEMIA, SPHERO	5
BILIRUBIN(DIR) HI, BLD	5
BLD, VAGINA	5
BLINDNESS, TEMP	5
CONGESTION, EAR(S)	5
EFFUSION, JOINT(S)	5
FLY BITING	5
FROTH, MOUTH/LIP(S)	5
HYPADRENOCORTICISM	5

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IMMUNE DISORDER	5
MRI SCAN ABN	5
PARESIS, FORELIMB(S)	5
PROLAPSE, THIRD EYELID	5
PRURITIS, EAR(S)	5
PRURITIS, EYE(S)	5
SOMNOLENCE	5
TONGUE, ABN	5
ULCER(S), MUCOCUTANEOU	5
VESICLE(S)/BULLAE, SKI	5
A/G RATIO LO, BLD	4
ANISOCORIA	4
BLD, THORAX	4
CALCULI, BLADDER	4
COLITIS	4
CYANOSIS, MUCOUS MEMBR	4
DISTENTION, BLADDER	4
EAR DISORDER	4
EFFUSION, PERICARDIAL	4
EXERCISE INTOLERANCE	4
HAIR, ABN	4
HEAD BOBBING	4
HEART DISORDER	4
HORNER'S SYNDROME	4
HYPERMOTILITY	4
HYPHEMA	4
HYPOPNEA	4
INSOMNIA	4
IRRITATION, EYE(S)/LID	4
JOINT DISORDER	4
LDH HI, BLD	4
LESION(S), MOUTH/LIP(S)	4
MASS, SKIN	4
MIOSIS	4
NAIL DISORDER	4
NYSTAGMUS, ROTARY	4
PR-COLON, LESION(S)	4
PRURITIS, FEET/DIGIT(S)	4

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
REGURGITATION, FOOD	4
RETINA ABN	4
SEDATION	4
SKIN ABNORMAL	4
SPEC GRAVITY HI, URINE	4
SWELLING, EAR(S)	4
TEETH, ABN	4
TOX	4
VISION DISORDER	4
ARRHYTHMIA, BLOCK	3
ATONY, BLADDER	3
BASOS HI, BLD	3
BLADDER, PARALYSIS	3
BLD, ABN	3
BLD, ANUS	3
BLD, PENIS	3
BLD, SCLERA	3
BREATHING, DIFFICULT	3
CALCULI, URINE	3
CAT SCAN ABN	3
CHOLECYSTITIS	3
CORT/CREAT HI, URINE	3
CSF ABN	3
DEFECATION	3
DESTRUCTIVENESS	3
DIARRHEA, PROJECTILE	3
DISCHARGE, VULVA	3
EDEMA, BRISKET/CHEST	3
ELECTROLYTE DISORDER	3
ENLARGEMENT(S), SKIN	3
GINGIVAL HYPERPLASIA	3
HEAD PRESSING	3
HEMOGLOBIN, URINE	3
HYPERESTHESIA	3
HYPERPIGMENTATION, SKI	3
HYPERSENSITIVE, SOUND	3
INCONTINENCE	3
INFECTION, INCISION SITE	3

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, MOUTH/LIP(	3
KETONES, URINE	3
MUCOUS MEMBR, ABN COLO	3
NEOPLASM, LYMPH NODE(S	3
NYSTAGMUS, VERTICAL	3
ODOR	3
PAIN, FEET/DIGIT(S)	3
PAIN, JOINT(S)	3
PANCREAS DISORDER	3
PARALYSIS, ALL LIMBS	3
PLATELETS ABN	3
PR-BLD VESSEL(S), LESI	3
PR-ESOPHAGUS, LESION(S	3
PR-GALL BLADDER, LESION(S)	3
PR-GI, EDEMA	3
PR-HEARTWORM DISEASE	3
PR-MOUTH/LIP(S), LESIO	3
PR-MULT SITES, BLD	3
PR-NOSE, LESION(S)	3
PR-PLEURAL EFFUSION	3
RBC, POLYCHROM	3
RELUCTANT TO CLIMB	3
SEBORRHEA	3
SLEEP ABN	3
SORE(S)	3
SPASM	3
STIFFNESS, FRONT LIMB(	3
STIFFNESS, HIND LIMB(S	3
STRABISMUS	3
SWELLING, MOUTH/LIP(S)	3
THRASHING/PADDLING	3
TRANSUDATE	3
TREMBLING, FACE	3
UNPALATABLE, WON'T EAT	3
ACTH STIM ABN	2
ANESTH RECOV PROLONGED	2
ANION GAP HI, BLD	2
APLASIA, BONE MARROW	2

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ARTHRITIS	2
ARTHRITIS, SEPTIC	2
BILIRUBIN(IND) HI, BLD	2
BLD, FEET/DIGIT(S)	2
BLEPHAROSPASM	2
BRAIN, NEOPLASM	2
BREATHING ABN	2
CACHEXIA	2
CIRCULATORY DISORDER	2
CNS INFARCT	2
CONGESTION, TONGUE	2
DEAFNESS, PARTIAL	2
DEAFNESS, TEMP	2
DEATH(NEWBORN)	2
DEMENTIA	2
DISSOCIATION	2
DIZZINESS	2
DYSMETRIA	2
EDEMA, LARYNX	2
EDEMA, MULTIPLE SITES	2
EDEMA, NECK	2
EMBOLUS	2
EMPHYSEMA	2
ENCEPHALOPATHY	2
ERYTHEMA MULTIFORME	2
EXFOLIATION, SKIN	2
HCO3 LO, BLD	2
HEALING IMPAIRED	2
INFECTION, EYE(S)	2
INFECTION, FEET/DIGIT(	2
IRRITATION, ESOPHAGUS	2
LESION(S)	2
LEUKODERMA	2
NECK, VENTROFLEXION	2
NOCTURIA	2
NOSE ABN	2
OPACITY, CORNEA(S)	2
PAIN, HIND LIMB(S)	2

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARALYSIS	2
PARALYSIS, LARYNX	2
PR-ASCITES	2
PR-BRAIN, LESION(S)	2
PROSTATOMEGALY	2
PROSTRATION	2
PROTRUSION, EYE(S)	2
PR-SPINAL CORD, LESION	2
REACTION, UNSPECIFIED	2
ROLLING	2
SALIVA, ABN	2
SLOUGH, TONGUE	2
STIFFNESS, LIMB(S)	2
STIFFNESS, NECK	2
STRICTURE, ESOPHAGUS	2
SWELLING, BRISKET/CHES	2
SWELLING, TONGUE	2
TAIL DISORDER	2
TEARS, ABN	2
TORTICOLLIS	2
ULCER(S), EAR(S)	2
ULCER(S), FEET/DIGIT(S)	2
UREMIA	2
UROBILINOGEN HI, URINE	2
VASCULITIS	2
VOMITING, PROJECTILE	2
ABN ODOR, URINE	1
ABRASION, CORNEA(S)	1
ABSCESS, TUMOR	1
ADIPOSE, INFLAM	1
ANEMIA, BLD LOSS	1
ANEMIA, HEINZ BODY	1
BLINDNESS, NIGHT	1
CALCULI, KIDNEY	1
CATARACT(S)	1
CERVICAL SPINE ABN	1
CHOKING	1
CNS DISORDER	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CO2 HI, BLD	1
CO2 LO, BLD	1
COLITIS, ULCERATIVE	1
COLON, ABN	1
CONGESTION, SINUS	1
CREATININE LO, BLD	1
DELIRIUM	1
DIABETES	1
DIABETES INSIPIDUS	1
DIABETES M, POOR REGUL	1
DIGESTION DISORDER	1
DISCHARGE, EAR(S)	1
DRY MOUTH SYNDROME	1
DRY, SKIN	1
EDEMA, CORNEA(S)	1
EDEMA, MAMMARY	1
EDEMA, TONGUE	1
EMPHYSEMA, SQ	1
EPIPHORA	1
ERYTHEMA, SCROTUM	1
FEVER, JOINT(S)	1
HAIR, ABN COLOR	1
HALLUCINATION	1
HCO3 HI, BLD	1
HYPERKERATOSIS	1
INCISION SITE, BLD	1
INCISION SITE, ECCHYMOSIS	1
INEFFECT	1
INJ SITE BLD	1
INTUSSUSCEPTION	1
IRRITATION, EAR(S)	1
IRRITATION, PERINEUM	1
IRRITATION, SKIN	1
KETOSIS	1
LIPIDS HI, BLD	1
LIVER DISORDER, OBSTRU	1
MYOGLOBIN, URINE	1
NEOPLASM, HEART	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEOPLASM, LUNG(S)	1
NEOPLASM, MULT SITES	1
NEURITIS	1
NEUROPATHY	1
NYSTAGMUS, POSITIONAL	1
OBSTRUCTION, INTESTINE	1
ODOR, URINE	1
PARESIS, FORE LIMB(S)	1
PAWING	1
PD-ODOR, ABN	1
PD-TABLET(S), ABN	1
PERIODONTAL, ABSCESS	1
PHALLITIS	1
P HI, URINE	1
PHOTOPHOBIA	1
PHOTOSENSITIZATION	1
PR-GI, PARASITISM	1
PR-JOINT(S), LESION(S)	1
PR-JOINT(S), SEPSIS	1
PR-MESENTERY, LESION(S)	1
PR-MULT SITES, EDEMA	1
PR-MULT SITES, ICTERUS	1
PR-MUSCLE(S), LESION(S)	1
PROLAPSE, TONGUE	1
PR-PARATHYROID, LESION	1
PR-PERICARDIAL EFFUSIO	1
PR-PLEURA, LESION(S)	1
PR-UTERUS, LESION(S)	1
REPETITIVE MOVEMENTS	1
RESPIRATORY DISORDER	1
RHINITIS	1
RUPTURE, TUMOR	1
SELF-MUTILATION	1
SHAKING, HEAD/FACE	1
S-IRRITATION, EYE(S)/LID	1
SKIN DISORDER	1
SKIN, DRY	1
STEATITIS	1



**DRUG: DERACOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STOOL, PALE/GRAY	1
SWELLING, PHARYNX/THRO	1
SWELLING, SCROTUM	1
SWELLING, TENDON(S)	1
SWELLING, VENTRUM	1
SYNOVITIS	1
TECH ERROR	1
TENESMUS, URINARY	1
THYROID HORMONE(S) HI	1
TRACHEITIS	1
ULCER(S)	1
ULCER(S), PHARYNX/THRO	1
VESICLE(S)/BULLAE, MOU	1
VOICE DISORDER	1
VOLVULUS	1

**DRUG: DERACOXIB**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	3
NAUSEA	2
VOMITING	2
DIZZINESS	1
HUMAN EXPOSURE, INGEST	1
IRRITATION, PHARYNX/TH	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANTIINFLAM	2
ANOREXIA	1

**DRUG: DERACOXIB**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
APNEA	1
ATAXIA	1
BUN HI, BLD	1
CONFUSION	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH	1
DISTRESS, RESP	1
HEAD BOBBING	1
NYSTAGMUS	1
WEAKNESS	1

**DRUG: DERMATOLOGICS NEC**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MUCOUS MEMBR, ABN COLO	1
TONGUE, ABN	1

**DRUG: DERMATOLOGICS NEC**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, SKIN	2
INFLAM, SKIN	2
ADIPSIA	1
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE PAIN	1
COLLAPSE	1
CONGESTION, EAR(S)	1
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
INFECTION, SKIN	1

**DRUG: DERMATOLOGICS NEC**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
OPACITY, CORNEA(S)	1
PUSTULE(S)	1
SWELLING, EYE(S)/LID(S)	1
ULCER(S), EAR(S)	1
ULCER(S), SKIN	1

**DRUG: DERMATOLOGICS NEC**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

**DRUG: DERMATOLOGICS NEC**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ABSCCESS, SKIN	1
ARRHYTHMIA	1
INEFFECT, ANTIBIOTIC	1
SLOUGH, SKIN	1

**DRUG: DESLORELIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-APPLICATOR, ABN	24
PD-IMPLANT, ABN	19
PD-SYRINGE, ABN	19
PD-UNDERFILL, PACKAGE	5
PD-DISPENSER, ABN	4
PD-CONTAINER(S), ABN	2
PD-CONTAINER(S), DAMAG	1
PD-DEFECT UNKNOWN	1

**DRUG: DESLORELIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1
PD-SUSPENSION, ABN	1

**DRUG: DESLORELIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIESTRUS, PROLONGED	36
INEFFECT, OVULATION	19
ESTRUS CYCLE ABNORMAL	8
ANESTRUS	4
FERTILITY, REDUCED	2
ABORTION	1
BIRTH, MULTIPLE	1
INEFFECT, PREGNANCY	1
INJ SITE INFLAM	1
MUCOUS MEMBR, RED	1
OVARIES, CYSTIC	1
PD-IMPLANT, ABN	1
PD-SYRINGE, ABN	1
POLYPNEA	1
SWEATING	1
URTICARIA	1
US ABN	1

**DRUG: DESLORELIN**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ESTRUS CYCLE ABNORMAL	1
REPRODUCTION DISORDER	1

**DRUG: DESMOPRESSIN ACETATE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ILL	1
INEFFECT, LOSS OF EFFE	1
SLEEP ABN	1

**DRUG: DESOXYCORTICOSTERONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	68
PD-SUSPENSION, ABN	16
PD-VIAL(S), DAMAGED	10
PD-MISSING, CAP	7
PD-CONTAINER(S), ABN	5
PD-SEAL, ABN	5
PD-DEFECT UNKNOWN	4
PD-LABEL(S), ABN	4
PD-VIAL(S), LEAKING	3
PD-UNDERFILL, PACKAGE	2
PD-VIAL(S), ABN	2
PD-CAP(S), ABN	1
PD-COLOR, ABN	1
PD-CONTAMINATION	1
PD-MISSING, LABEL(S)	1
PD-SOLUTION, ABN	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
POLYDIPSIA	5
WBC HI, BLD	5
POLYURIA	4
TREMBLING	4
ANEMIA	3
DEPRESSION/LETHARGY	3

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYPNEA	3
ALBUMIN LO, BLD	2
ALK PHOS HI, BLD	2
ANOREXIA	2
BUN HI, BLD	2
DIARRHEA	2
FEVER, BODY	2
K LO, BLD	2
PARESIS, HIND LIMB(S)	2
PRESSURE HI, BLD	2
VOMITING	2
APNEA	1
ATAXIA	1
BLINDNESS	1
CHLORIDE HI, BLD	1
CHOLESTEROL HI, BLD	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH	1
DEHYDRATION	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
HAIR, ABN COLOR	1
INCONTINENCE, URINARY	1
INFECTION	1
INFECTION, URINARY TRA	1
KIDNEY FAILURE	1
NA LO, BLD	1
P HI, BLD	1
PROTEIN, URINE	1
PRURITIS	1
REGURGITATION	1
SGPT/ALT HI, BLD	1
SPEC GRAVITY LO, URINE	1
URIC ACID LO, BLD	1
URTICARIA	1
WEAKNESS	1
WEIGHT INCREASE	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
WEIGHT LOSS	1

**DRUG: DESOXYCORTICOSTERONE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ALOPECIA	1
CONVULSION(S)	1
HAIR, ABN COLOR	1
INFECTION, SKIN	1
NA HI, BLD	1
POLYDIPSIA	1
POLYURIA	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1

**DRUG: DESOXYCORTICOSTERONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
NA HI, BLD	2
ANOREXIA	1
BUN HI, BLD	1
CA HI, BLD	1
CHOLESTEROL LO, BLD	1

**DRUG: DESOXYCORTICOSTERONE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CREATININE HI, BLD	1
INJ SITE MASS	1
K LO, BLD	1
MONOS HI, BLD	1
NEOPLASM	1
P HI, BLD	1
PRESSURE HI, BLD	1
PR-INJ SITE, LESION(S)	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
WEIGHT LOSS	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	162
VOMITING	132
POLYDIPSIA	120
POLYURIA	117
ANOREXIA	106
K LO, BLD	81
DIARRHEA	65
ANAPHYLAXIS/TOID	44
WEAKNESS	44
ALOPECIA	41
ANEMIA	36
COLLAPSE	33
ALBUMIN LO, BLD	31
ALK PHOS HI, BLD	31
PRURITIS	31
WEIGHT LOSS	30
CREATININE HI, BLD	28
INCONTINENCE, URINARY	27
NA HI, BLD	27
TREMBLING	27



**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SGPT/ALT HI, BLD	25
DEATH(EUTHANIZED)	24
EDEMA, HEAD/FACE	22
FEVER, BODY	22
K HI, BLD	22
NA LO, BLD	22
BUN HI, BLD	21
URTICARIA	21
WBC HI, BLD	21
WEIGHT INCREASE	21
DEATH	20
CONGESTION, SKIN	19
DIARRHEA, BLOODY	18
PLATELETS LO, BLD	18
SPEC GRAVITY LO, URINE	18
INJ SITE PAIN	17
INEFFECT	14
INFECTION, URINARY TRA	14
CONVULSION(S)	13
HAIR, SHEDDING	13
POLYPNEA	12
DYSPNEA	11
HAIR, ABN	11
INJ SITE SWELLING	11
PROTEIN(TOT) LO, BLD	11
RECUMBENCY	11
SUMMARY REVIEW	11
VOMITING, BLOODY	11
AMYLASE HI, BLD	10
COUGHING	10
GLUCOSE LO, BLD	10
INJ SITE ABSCESS	10
NERVOUSNESS	10
DEHYDRATION	9
HAIR, ABN COLOR	9
TACHYCARDIA	9
ATAXIA	8
BRADYCARDIA	8

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE INFLAM	8
LIPASE HI, BLD	8
P HI, BLD	8
SWELLING, HEAD/FACE	8
AGGRESSION	7
BILIRUBIN(TOT) HI, BLD	7
INJ SITE MASS	7
INTERACTION, DRUG(S)	7
LAMENESS	7
PARESIS, HIND LIMB(S)	7
SGOT/AST HI, BLD	7
SHAKING	7
ASCITES	6
BEHAVIOR DISORDER	6
CHLORIDE HI, BLD	6
HYPERACTIVITY	6
HYPERPNEA	6
INJ SITE ABN	6
MELENA	6
PALLOR	6
PRESSURE HI, BLD	6
VOCALIZATION	6
APPREHENSION	5
BLD, URINE	5
CHLORIDE LO, BLD	5
CONFUSION	5
GGT HI, BLD	5
HEMATOCHEZIA	5
INEFFECT, LOSS OF EFFE	5
INFECTION, SKIN	5
MURMUR, HEART	5
RADIOGRAPH(S) ABN	5
URINATION	5
URINATION ABN	5
ANEMIA, AUTOIMMUNE HEM	4
ANEMIA, REGEN	4
ARREST, HEART	4
ARRHYTHMIA	4

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATROPHY, MUSCLE(S)	4
BLD(ECCHYMOSES)	4
BLD(PETECHIAE)	4
CARDIOMEGALY	4
DERMATITIS, MOIST	4
ENLARGEMENT, LYMPH NOD	4
GLOBULIN HI, BLD	4
GLUCOSE HI, BLD	4
ILL	4
INFLAM, SKIN	4
PAIN, ABDOMEN	4
PALLOR, MUCOUS MEMBRAN	4
POLYPHAGIA	4
PRESSURE LO, BLD	4
PROTEIN, URINE	4
THYROID HORMONE(S) LO	4
WBC LO, BLD	4
ADIPSIA	3
CA HI, BLD	3
EDEMA, LIMB(S)	3
EDEMA, LUNG(S)/TRACHEA	3
EPISTAXIS	3
FIBRILLATION, ATRIAL	3
GLOBULIN LO, BLD	3
HIDING	3
HYPERPIGMENTATION, SKI	3
INJ SITE STERILE ABSCE	3
PAIN	3
POLYCYTHEMIA	3
PR-SKIN, LESION(S)	3
RASH	3
SEGS HI, BLD	3
SHOCK	3
STAGGERING	3
UNCONSCIOUS	3
APNEA	2
BANDS HI, BLD	2
BREATHING, DIFFICULT	2

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CHOLESTEROL HI, BLD	2
CPK HI, BLD	2
CRYSTALS, URINE	2
CYANOSIS	2
DIARRHEA, MILD	2
DISTRESS, RESP	2
EDEMA	2
EDEMA, CORNEA(S)	2
EDEMA, EYE(S)/LID(S)	2
EFFUSION, PLEURAL	2
EOSINOS HI, BLD	2
GI, ABNORMAL	2
HEART DISORDER	2
HEART FAILURE	2
HYPERSALIVATION	2
ICTERUS, BODY	2
INCONTINENCE	2
INJ SITE ALOPECIA	2
INJ SITE HAIR, ABN	2
INJ SITE PRURITIS	2
LESION(S), SKIN	2
LIVER ENZYMES HI, BLD	2
MASS, SKIN	2
MIOSIS	2
MONOS HI, BLD	2
MYDRIASIS	2
NECK, VENTROFLEXION	2
PANCREATITIS	2
PLATELETS HI, BLD	2
PUSTULE(S)	2
RETICULOCYTES HI, BLD	2
STIFFNESS	2
TECH ERROR ADMINISTRAT	2
TRIGLYCERIDES HI, BLD	2
TWITCH	2
VESICLE(S)/BULLAE, SKI	2
WBC, URINE	2
ABN COLOR, URINE	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ADIPOSE, INFLAM	1
ALBUMIN HI, BLD	1
ALBUMIN HI, URINE	1
ARRHYTHMIA, BLOCK	1
AZOTEMIA	1
BILE ACIDS ABN, BLD	1
BILIRUBIN, URINE	1
BLD	1
BLD, ABDOMEN	1
BLD(HEMATOMA)	1
BLD, RECTUM	1
BLD, SCLERA	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CASTS, URINE	1
CELLULITIS	1
COAGULATION DISORDER	1
CONGESTION, EAR(S)	1
CONJUNCTIVITIS	1
CULTURE/TITER DATA ABN	1
DEFECATION	1
DIABETES MELLITUS	1
DIABETES M, POOR REGUL	1
DIARRHEA, MUCOID	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DYSMETRIA	1
ECG, ABN	1
EDEMA, VENTRAL	1
EFFUSION, JOINT(S)	1
ELECTROLYTE DISORDER	1
ELIMINATION ABN	1
ERUPTION(S)	1
FLATULENCE	1
FROTH, MOUTH/LIP(S)	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GAGGING	1
GASTROENTERITIS	1
HEAD PRESSING	1
HYPERESTHESIA	1
HYPOTHERMIA	1
INCONTINENCE, FECAL	1
INEFFECT, OTHER DRUG(S)	1
INFECTION	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE EFFUSION	1
INJ SITE NECROSIS	1
INJ SITE SLOUGH	1
INJ SITE ULCER(S)	1
KETONES, URINE	1
KIDNEY FAILURE	1
LEUKODERMA	1
LICKING	1
LIVER DISORDER	1
LOSS OF CONDITION	1
MICROORANISMS, URINE	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
NA:K LO, BLD	1
NEOPLASM, LUNG(S)	1
NEOPLASM, LYMPH NODE(S)	1
NEUROPATHY	1
OTITIS	1
PAIN, NECK	1
PAIN, SPINAL	1
PANCREAS ENZYMES HI, B	1
PANCYTOPENIA	1
PAPULE(S)	1
PARESIS	1
PD-SUSPENSION, ABN	1
P LO, BLD	1
POLYCYTHEMIA(RELATIVE)	1
PRIAPISM	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-SPLEEN, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
REPETITIVE MOVEMENTS	1
RETINA ABN	1
SEBORRHEA	1
SHAKING, HEAD/FACE	1
SKIN, CRUST(S)	1
SKIN DISORDER	1
SKIN, DRY	1
SPASM	1
SPLENOMEGALY	1
STOOL, MUCOID	1
STRANGURIA	1
SWELLING, LIMB(S)	1
SWELLING, PHARYNX/THRO	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
THYROID HORMONE(S) HI	1
TRANSUDATE	1
ULCER(S), MUCOCUTANEOU	1
URINE ABN	1
US ABN	1
UVEITIS	1
VISION DISORDER	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	16
POLYDIPSIA	16
POLYURIA	16
ANOREXIA	10
K LO, BLD	7
ALOPECIA	6

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	5
NA HI, BLD	5
SGPT/ALT HI, BLD	5
TREMBLING	5
WEIGHT INCREASE	5
HEART FAILURE	4
INCONTINENCE, URINARY	4
SPEC GRAVITY LO, URINE	4
ANEMIA	3
CARDIOMEGALY	3
CREATININE HI, BLD	3
VOMITING	3
WEAKNESS	3
ALK PHOS HI, BLD	2
ASCITES	2
BUN HI, BLD	2
COLLAPSE	2
DEATH	2
DEHYDRATION	2
EDEMA, LUNG(S)/TRACHEA	2
INFECTION, URINARY TRA	2
POLYPHAGIA	2
PRURITIS	2
RADIOGRAPH(S) ABN	2
SHAKING	2
AGGRESSION	1
ALBUMIN LO, BLD	1
ALKALINE URINE	1
ANAPHYLAXIS/TOID	1
ANEMIA, AUTOIMMUNE HEM	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BLD, URINE	1
CHOLESTEROL LO, BLD	1
CONGESTION, SKIN	1
CONVULSION(S)	1
COUGHING	1
DEATH(EUTHANIZED)	1



**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, BLOODY	1
DYSPNEA	1
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
EXERCISE INTOLERANCE	1
FEVER, BODY	1
HAIR, ABN	1
HAIR, SHEDDING	1
HYPERESTHESIA	1
HYPERPNEA	1
INCONTINENCE	1
INEFFECT	1
INJ SITE ABN	1
IRRITATION, SKIN	1
KIDNEY FAILURE	1
LESION(S), SKIN	1
LEUKODERMA	1
LOSS OF CONDITION	1
MICROORGANISMS, URINE	1
MURMUR, HEART	1
NA:K LO, BLD	1
NYSTAGMUS	1
PAIN, ABDOMEN	1
PANCREATITIS	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
P LO, BLD	1
POLYPNEA	1
PRESSURE HI, BLD	1
PR-LIVER, LESION(S)	1
PROTEIN, URINE	1
PR-SKIN, LESION(S)	1
RECUMBENCY	1
SEGS LO, BLD	1
SGOT/AST HI, BLD	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1
STIFFNESS	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, HEAD/FACE	1
SYNCOPE	1
TACHYCARDIA	1
UNCONSCIOUS	1
VESTIBULAR DISORDER	1
WBC LO, BLD	1
WEIGHT LOSS	1

**DRUG: DESOXYCORTICOSTERONE**

Species: DOG

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	2
DEPRESSION/LETHARGY	2
DIARRHEA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: DETOMIDINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, VIAL(S)	6
PD-VIAL(S), DAMAGED	6
PD-VIAL(S), LEAKING	5
PD-SEAL, ABN	3
PD-SOLUTION, ABN	3
PD-UNDERFILL, PACKAGE	1

**DRUG: DETOMIDINE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
FEVER, BODY	1

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
HYPERPNEA	1

**DRUG: DETOMIDINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: DETOMIDINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BRADYCARDIA	2
SEDATION	2
ATAXIA	1
UNCONSCIOUS	1

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
SWEATING	1
URTICARIA	1

**DRUG: DETOMIDINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
HUMAN EXPOSURE, INJ	2
TACHYCARDIA	1

**DRUG: DETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
SEDATION	1
SEDATION PROLONGED	1

**DRUG: DETOMIDINE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RECUMBENCY	1
SEDATION TOO DEEP	1

**DRUG: DETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	2
DEPRESSION/LETHARGY	2
DYSYPNEA	2
SEDATION PROLONGED	2
BLD, LUNG(S)/TRACHEA	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
COUGHING	1

**DRUG: DETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CYANOSIS, MUCOUS MEMBR	1
DEATH	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
FEVER, BODY	1
HYPERPNEA	1
INEFFECT, ANESTHESIA	1
INTERACTION, DRUG(S)	1
RADIOGRAPH(S) ABN	1
SEDATION	1
SEDATION TOO DEEP	1
VOMITING	1
WEAKNESS	1

**DRUG: DETOMIDINE**

Species: DONKEY

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROLOGICAL DISORDER	1
SNEEZING	1

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, SEDATION	42
HYPERPNEA	26
URTICARIA	24
ATAXIA	20
ANAPHYLAXIS/TOID	19
SWEATING	19
DEATH	17
RECUMBENCY	17

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	15
DYSYPNEA	11
TACHYCARDIA	10
SEDATION PROLONGED	9
FEVER, BODY	7
HYPERACTIVITY	7
SEDATION TOO DEEP	7
INEFFECT, ANALGESIA	6
TREMBLING	6
PAIN, ABDOMEN	5
POLYPNEA	5
SWELLING, HEAD/FACE	5
ANOREXIA	4
DEPRESSION/LETHARGY	4
INJ SITE SWELLING	4
PALLOR, MUCOUS MEMBRAN	4
AGGRESSION	3
ANESTH RECOV PROLONGED	3
APNEA	3
BRADYCARDIA	3
CIRCLING	3
CONVULSION(S)	3
DEHYDRATION	3
STAGGERING	3
TWITCH	3
ALOPECIA	2
BEHAVIOR DISORDER	2
CPK HI, BLD	2
EDEMA, HEAD/FACE	2
INEFFECT, ANESTHESIA	2
INJ SITE ABSCESS	2
INJ SITE EDEMA	2
K HI, BLD	2
LIVER ENZYMES HI, BLD	2
NEUROLOGICAL DISORDER	2
PD-POTENCY, LO	2
PRESSURE LO, BLD	2
SEDATION	2

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SHAKING	2
VOCALIZATION	2
WEAKNESS	2
ABORTION	1
ABSCESS, SKIN	1
ALBUMIN LO, BLD	1
ANESTH RECOV TURBULENT	1
ARREST, HEART	1
ARRHYTHMIA	1
BALANCE DISORDER	1
BITING/CHEWING	1
BLOAT	1
BREATHING, PERIODIC	1
COLITIS	1
CONFUSION	1
CREATININE HI, BLD	1
CULTURE/TITER DATA ABN	1
DEATH(EUTHANIZED)	1
DEATH(STILLBORN)	1
DIARRHEA	1
DIGESTION DISORDER	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
EDEMA, NECK	1
EOSINOS HI, BLD	1
GLOBULIN LO, BLD	1
HYPERESTHESIA	1
HYPOMOTILITY	1
HYPOPNEA	1
INEFFECT, DELAYED EFFE	1
INFLAM, SKIN	1
INJ SITE MASS	1
INJ SITE PAIN	1
INJ SITE PHLEBITIS	1
INJ SITE SLOUGH	1
INTERACTION, DRUG(S)	1

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LDH HI, BLD	1
LIVER DISORDER	1
MUCOUS MEMBR, RED	1
MYDRIASIS	1
MYOSITIS	1
NA LO, BLD	1
NERVOUSNESS	1
NYSTAGMUS	1
OBSTRUCTION, ESOPHAGUS	1
PAIN, MUSCLE(S)	1
PARAESTHESIA, NOSE	1
PARESIS, HIND LIMB(S)	1
PARESTHESIA, MOUTH/LIP	1
PAWING	1
POLYURIA	1
POSTURE ABN	1
PR-GI, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROTEIN(TOT) HI, BLD	1
PR-TRACHEA, LESION(S)	1
PUSTULE(S)	1
REARING	1
REPRODUCTION DISORDER	1
ROLLING	1
SGOT/AST HI, BLD	1
SHOCK	1
SOMNOLENCE	1
SPASM	1
SPLENOMEGALY	1
STRABISMUS	1
STRICUTRE, ESOPHAGUS	1
STUMBLING	1
SWEATING, DECREASED	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, NECK	1
SWELLING, TONGUE	1
ULCER(S), GI	1



**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
US ABN	1
WEIGHT LOSS	1

**DRUG: DETOMIDINE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	2
DEPRESSION/LETHARGY	2
SOMNOLENCE	2
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE, INJ	1
INJ SITE PAIN	1
IRRITATION, SKIN	1
SHOCK	1

**DRUG: DETOMIDINE**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DYSPNEA	1
RECUMBENCY	1

**DRUG: DETOMIDINE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DYSPNEA	1
PAIN, BRISKET/CHEST	1

**DRUG: DETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	2
HYPERPNEA	2
CAPILLARY REFILL PROLO	1
EDEMA, LUNG(S)/TRACHEA	1
RECUMBENCY	1
TACHYCARDIA	1
UNCONSCIOUS	1

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, SEDATION	13
PD-POTENCY, LO	5
HYPERPNEA	3
INEFFECT, ANALGESIA	3
URTICARIA	2
APNEA	1
BRADYCARDIA	1
COLLAPSE	1
FEVER, BODY	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPOPNEA	1
LYMPHS HI, BLD	1
PAIN, ABDOMEN	1
POLYPNEA	1
SEDATION PROLONGED	1
SHAKING	1
SWEATING	1
TREMBLING	1

**DRUG: DETOMIDINE**

Species: HUMAN

Route of Administration: UNKNOWN

**DRUG: DETOMIDINE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
BRADYCARDIA	1
BREATHING ABN	1
CONFUSION	1
ECG, ABN	1
HALLUCINATION	1
HYDROCEPHALUS	1
PRESSURE LO, BLD	1
SWELLING, BRISKET/CHES	1
UNCONSCIOUS	1

**DRUG: DETOMIDINE**

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

**DRUG: DETOMIDINE**

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	4
HYPERACTIVITY	2
COLLAPSE	1
DEATH	1
DISTRESS, RESP	1
DYSPNEA	1
MYDRIASIS	1
PD-POTENCY, LO	1
SWELLING	1
URINATION	1
URTICARIA	1

**DRUG: DEVICE: ADHESIVE, TISSUE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NECROSIS	2
SWELLING, FEET/DIGIT(S)	2
APPLICATION SITE LESION(S)	1

**DRUG: DEVICE: ANESTHESIA MACHINES/ANESTHESIA M**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2
DEATH	1

**DRUG: DEVICE: ANIMAL CARE (BOWLS, CAGES, EXAM T**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: ANIMAL CARE (BOWLS, CAGES, EXAM T**

Species: CAT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
CONGESTION, SINUS	1
DYSPNEA	1
SNEEZING	1
WHEEZING	1

**DRUG: DEVICE: ANIMAL CARE (BOWLS, CAGES, EXAM T**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEHYDRATION	1
DEPRESSION/LETHARGY	1

**DRUG: DEVICE: ANIMAL CARE (BOWLS, CAGES, EXAM TABLES)**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: DEVICE: ANIMAL CARE (BOWLS, CAGES, EXAM TABLES)**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
ASPHYXIA	1
DEATH	1

**DRUG: DEVICE: ANIMAL CARE (BOWLS, CAGES, EXAM TABLES)**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
GASTROENTERITIS	1
OBSTRUCTION, INTESTINE	1
RADIOGRAPH(S) ABN	1

**DRUG: DEVICE: BRACE, NECK**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: CATHETER**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2

**DRUG: DEVICE: CATHETER, GASTROSTOMY**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: CATHETER**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	4
INJ SITE SLOUGH	4
PD-PRODUCT DEFECT	4
APPLICATION SITE ERYTHEMA	3
FEVER, BODY	3
SKIN, SCAB(S)	3
EMBOLUS	2
APPLICATION SITE LESION(S)	1
BLD	1
INJ SITE SWELLING	1
NAIL DISORDER	1

**DRUG: DEVICE: CATHETER**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: CATHETER**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	2
PERFORATION	2
PR-HEART, LESION(S)	2

**DRUG: DEVICE: COLLECTION, BLOOD**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2

**DRUG: DEVICE: DIAGNOSTIC (HW AG TEST KIT, ETC.)**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: DIAGNOSTIC (HW AG TEST KIT, ETC.)**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: DEVICE: ENDOSCOPY DEVICES AND INSTRUMENTS**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: ENDOTRACHEAL TUBE**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	2
PD-PRODUCT DEFECT	2
ANESTH INDUC TURBULENT	1
BRADYCARDIA	1
CYANOSIS	1

**DRUG: DEVICE: FLOUROSCOPY RADIOGRAPH MACHINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	5

**DRUG: DEVICE: GLOVES**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: HEATING (PADS, WARMERS, ETC.)**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	8

**DRUG: DEVICE:INCUBATOR**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DEVICE: INFUSION PUMP**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	4

**DRUG: DEVICE: LIGATING CLIPS FOR SURGERY**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: DEVICE: LIGATING CLIPS FOR SURGERY**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	3

**DRUG: DEVICE: LUBRICANT, OPHTHALMIC**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	2
CONGESTION, EYE(S)/LID	1
INEFFECT	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: DEVICE: LUBRICANT, OPHTHALMIC**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DYSPNEA	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
VOMITING	1

**DRUG: DEVICE: LUBRICANT, OPHTHALMIC**

Species: GUINEA PIG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: DEVICE: LUBRICANT, OPHTHALMIC**

Species: RABBIT

Route of Administration: OPHTHALMIC

**DRUG: DEVICE: LUBRICANT, OPHTHALMIC**

Species: RABBIT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: DEVICE: LUBRICANT**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: DEVICE: MEDICAL IMAGING DELIVERY SYSTEMS (**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: OXYGEN ADMINISTRATION (STANDARD C**

Species: HORSE

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DEVICE: OXYGEN ADMINISTRATION (STANDARD C**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	1
INJURY	1

**DRUG: DEVICE: PACEMAKERS AND DEFIBRILLATORS**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: DEVICE: PACEMAKERS AND DEFIBRILLATORS**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2

**DRUG: DEVICE: PACEMAKERS AND DEFIBRILLATORS**

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	1
PD-PRODUCT DEFECT	1

**DRUG: DEVICES, ELECTRO-MAGNETIC (ELECTRIC, MAGN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2

**DRUG: DEVICES, ELECTRO-MAGNETIC (ELECTRIC, MAGN**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DEVICE: SENSOR, GLUCOSE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2

**DRUG: DEVICE: SKIN STAPLER/STAPLES**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: DEVICE: SKIN STAPLER/STAPLES**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	4

**DRUG: DEVICE: SKIN STAPLER/STAPLES**

Species: MISSING INFORMATION

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
HEALING IMPAIRED	2
INCISION SITE INFECTION	1
RASH	1

**DRUG: DEVICES, MICROCHIP FOR IDENTIFICATION AND T**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE MASS	3
INJ SITE NEOPLASM	2
ALOPECIA	1
INFLAM, SKIN	1
NEOPLASM	1
PR-INJ SITE, LESION(S)	1
PRURITIS	1

**DRUG: DEVICES, MICROCHIP FOR IDENTIFICATION AND T**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NEOPLASM	1

**DRUG: DEVICE: STIMULATOR, MAGNETIC**

Species: HORSE

Route of Administration: TOPICAL

**DRUG: DEVICE: STIMULATOR, MAGNETIC**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1
SWELLING	1
SWELLING, LIMB(S)	1

**DRUG: DEVICE: SURGICAL INSTRUMENTS**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: SURGICAL INSTRUMENTS**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
BONE, ABN	1
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: SUTURE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: SUTURE**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INFLAM, SKIN	2
ABSCCESS, SKIN	1
SWELLING, ADM SITE	1

**DRUG: DEVICE: SUTURE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEHISCENCE	2
DEATH	1
INCISION SITE INFECTION	1
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: SYRINGE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	15
PD-APPLICATOR, ABN	1

**DRUG: DEVICE: SYRINGE**

Species: BIRD

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	1

**DRUG: DEVICE: SYRINGE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BONE, ABN	4
PD-SYRINGE, ABN	4
INJ SITE BLD	3
INJ SITE PAIN	3
RADIOGRAPH(S) ABN	3
DEPRESSION/LETHARGY	2
INJ SITE ABN	2
LAMENESS	2
VOCALIZATION	2
DYSPNEA	1
EDEMA	1

**DRUG: DEVICE: SYRINGE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FEVER, BODY	1
INJ SITE NECROSIS	1
INJ SITE SLOUGH	1
RELUCTANT TO MOVE	1

**DRUG: DEVICE: SYRINGE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABN	1
INJ SITE PAIN	1
PD-PRODUCT DEFECT	1
PD-SYRINGE, ABN	1

**DRUG: DEVICE: WHEELCHAIRS/MOBILITY ASSISTANCE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: WHEELCHAIRS/MOBILITY ASSISTANCE**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1
PD-PRODUCT DEFECT	1

**DRUG: DEVICE: WHEELCHAIRS/MOBILITY ASSISTANCE**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: DEVICE: WHEELCHAIRS/MOBILITY ASSISTANCE**

Species: HUMAN

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
HUMAN EXPOSURE, INHALA	1
ILL	1
PD-PRODUCT DEFECT	1

**DRUG: DEXAMETHASONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-CONTAMINATION	1
PD-MISSING, LABEL(S)	1
PD-SEAL, ABN	1
PD-SOLUTION, ABN	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-DISPENSER, ABN	83
PD-CONTAINER(S), ABN	33
PD-VIAL(S), LEAKING	31
PD-CAP(S), ABN	24
PD-MISSING, CAP	21
PD-UNDERFILL, PACKAGE	14
PD-UNDERFILL, VIAL(S)	12
PD-APPLICATOR, ABN	10
PD-CONTAINER(S), DAMAG	5
PD-LABEL(S), ABN	5
PD-MISSING, LABEL(S)	5
PD-PRODUCT DEFECT	4
PD-COLOR, ABN	2
PD-SEAL, ABN	2
PD-VIAL(S), ABN	2
PD-DEFECT UNKNOWN	1



**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PD-TUBE(S), LEAKING	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
DISCHARGE, EYE(S)/LID(S)	4
IRRITATION, EYE(S)/LID	4
CONGESTION, EYE(S)/LID	2
CONJUNCTIVITIS	2
EPIPHORA	1
HYPERACTIVITY	1
PROLAPSE, THIRD EYELID	1
SWELLING, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1
VOCALIZATION	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	7
CONGESTION, EYE(S)/LID	4
CONJUNCTIVITIS	2
PRURITIS, EYE(S)	2
SWELLING, EYE(S)/LID(S)	2
ULCER(S), CORNEA(S)	2
BLD, SCLERA	1
SQUINTING	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: HUMAN

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, EYE(S)/LID	83
PAIN, EYE(S)/LID(S)	53
CONGESTION, EYE(S)/LID	16
VISION DISORDER	8
SWELLING, EYE(S)/LID(S)	5
DISCHARGE, EYE(S)/LID(S)	4
HUMAN EXPOSURE, EYE(S)	3
ACCIDENTAL EXPOSURE	2
HEADACHE	2
PRURITIS, EYE(S)	2
ABRASION, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
KERATOCONJUNCTIVITIS S	1
ULCER(S), CORNEA(S)	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
SLEEP ABN	1
TWITCH	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	2
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
POLYURIA	1
URINATION ABN	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: BIRD

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1
VOMITING	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	29
ATAXIA	24
DEPRESSION/LETHARGY	20
VOMITING	16
ANISOCORIA	10
HEAD TILT	9
DEAFNESS	7
POLYDIPSIA	6
SGPT/ALT HI, BLD	6
CONGESTION, EAR(S)	5
FEVER, BODY	5
VESTIBULAR DISORDER	5
ALK PHOS HI, BLD	4
DISCHARGE, EAR(S)	4
HORNER'S SYNDROME	4
NYSTAGMUS	4
SNEEZING	4
BALANCE DISORDER	3
BILIRUBIN(TOT) HI, BLD	3
CONVULSION(S)	3
EAR DISORDER	3
MIOSIS	3

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MYDRIASIS	3
NYSTAGMUS, HORIZONTAL	3
POLYURIA	3
STAGGERING	3
WEIGHT LOSS	3
AGGRESSION	2
APPLICATION SITE ALOPECIA	2
BEHAVIOR DISORDER	2
CONFUSION	2
DEATH	2
DEFECATION	2
DIARRHEA, MILD	2
DISTRESS	2
EXFOLIATION, SKIN	2
HYPERACTIVITY	2
INFLAM, SKIN	2
IRRITATION, EAR(S)	2
LIVER DISORDER	2
POLYPHAGIA	2
POLYPNEA	2
PRURITIS, EAR(S)	2
SEDATION	2
SGOT/AST HI, BLD	2
SHAKING, HEAD/FACE	2
SKIN, SCAB(S)	2
TWITCH	2
VOCALIZATION	2
ADIPSIA	1
ALBUMIN HI, BLD	1
ALBUMIN HI, URINE	1
ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE LESION(S)	1
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
ASCITES	1
BILIRUBIN, URINE	1
BLD, EYE(S)	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
BLD, URINE	1
BLINDNESS	1
BUN HI, BLD	1
CIRCLING	1
CONGESTION, SKIN	1
DEAFNESS, PARTIAL	1
DEATH(EUTHANIZED)	1
DEFECATION ABN	1
DEHYDRATION	1
DIABETES MELLITUS	1
DIARRHEA	1
DISCHARGE, MOUTH/LIP(S)	1
DISCOMFORT, MOUTH/LIP(S)	1
DYSMETRIA	1
DYSPHAGIA	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S), SKIN	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
HAIR, ABN	1
HEPATITIS	1
HYPERSALIVATION	1
HYPOESTHESIA	1
HYPOTHERMIA	1
ICTERUS	1
INEFFECT, ANTIBIOTIC	1
INEFFECT, OTHER DRUG(S)	1
INFECTION	1
KIDNEY DISORDER	1
LIVER ENZYMES HI, BLD	1
NEOPLASM, MULT SITES	1
NERVOUSNESS	1
PALLOR, MUCOUS MEMBRAN	1
PRESSURE HI, BLD	1
PROLAPSE, THIRD EYELID	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
RECUMBENCY	1
REFLEX(ES) ABN	1
REPETITIVE MOVEMENTS	1
RESPIRATORY DISORDER	1
SCALE(S), SKIN	1
SEGS LO, BLD	1
SWELLING, EAR(S)	1
TENESMUS, URINARY	1
THYROID HORMONE(S) HI	1
TORTICOLLIS	1
TREMBLING	1
TYMPANIC MEM, RUPTURED	1
UNCONSCIOUS	1
URINATION ABN	1
URINE ABN	1
WBC LO, BLD	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEAFNESS	52
CONGESTION, EAR(S)	43
IRRITATION, EAR(S)	25
VOMITING	15
DEPRESSION/LETHARGY	13
PUSTULE(S)	12
CONGESTION, SKIN	10
OTITIS	9
VESICLE(S)/BULLAE, SKI	9
APPLICATION SITE LESION(S)	8
CONVULSION(S)	8
EAR DISORDER	8
SWELLING, EAR(S)	8

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	7
APPLICATION SITE ERYTHEMA	7
INEFFECT, ANTIINFLAM	6
POLYPNEA	6
POLYURIA	6
SGPT/ALT HI, BLD	6
SHAKING, HEAD/FACE	6
ATAXIA	5
DEAFNESS, TEMP	5
DIARRHEA	5
POLYDIPSIA	5
URTICARIA	5
ALK PHOS HI, BLD	4
APPLICATION SITE PAIN	4
DEAFNESS, PARTIAL	4
DEATH	4
INEFFECT, ANTIBIOTIC	4
INFLAM	4
PRURITIS, EAR(S)	4
RASH	4
ULCER(S), EAR(S)	4
APPLICATION SITE INFLAM	3
DISCHARGE, EAR(S)	3
SWELLING, HEAD/FACE	3
ANAPHYLAXIS/TOID	2
APPLICATION SITE ALOPECIA	2
BEHAVIOR DISORDER	2
BILIRUBIN(TOT) HI, BLD	2
COLLAPSE	2
DEATH(EUTHANIZED)	2
ENLARGEMENT, LYMPH NOD	2
FEVER, BODY	2
HEAD TILT	2
HYPERPIGMENTATION, SKI	2
HYPERPNEA	2
HYPERSALIVATION	2
ICTERUS, BODY	2
INFLAM, SKIN	2

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN	2
POLYPHAGIA	2
PR-LYMPH NODE(S), LESI	2
SHAKING	2
TREMBLING	2
ALBUMIN LO, BLD	1
ALOPECIA	1
AMYLASE HI, BLD	1
ANEMIA	1
APPLICATION SITE HAIR, ABN COLOR	1
APPLICATION SITE MASS	1
APPLICATION SITE PRURITIS	1
APPLICATION SITE SWELLING	1
ARREST, HEART	1
BALANCE DISORDER	1
BLD	1
BLD(HEMATOMA)	1
BLD(PETECHIAE)	1
BLD, URINE	1
BLINDNESS	1
CATARACT(S)	1
CIRCLING	1
COAGULATION DISORDER	1
CONFUSION	1
CONGESTION, EYE(S)/LID	1
COUGHING	1
DEHYDRATION	1
DIC	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
DISTRESS, RESP	1
DYSPNEA	1
ECG ABN	1
EDEMA	1
ELECTROLYTE DISORDER	1
ERUPTION(S)	1
EYE DISORDER	1
HAIR, ABN COLOR	1



**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEAD PRESSING	1
HIDING	1
HYPERACTIVITY	1
HYPOADRENOCORTICISM	1
ICTERUS	1
INEFFECT	1
INTERACTION, DRUG(S)	1
LESION(S)	1
LEUKODERMA	1
LIPASE HI, BLD	1
LIVER DISORDER	1
LIVER FAILURE	1
MIOSIS	1
MYDRIASIS	1
NECROSIS	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
ODOR	1
PACING	1
PAIN, ABDOMEN	1
PAPULE(S)	1
PARALYSIS, FACIAL NERV	1
POLYCYTHEMIA(RELATIVE)	1
POSTURE ABN	1
PR-BLADDER, LESION(S)	1
PR-GI, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PROPRIOCEPTIVE DISORDE	1
PR-THYMUS, LESION(S)	1
PRURITIS	1
REFLEX(ES) ABN	1
SCALE(S), SKIN	1
SGOT/AST HI, BLD	1
SKIN, CRUST(S)	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN, DRY	1
SLOUGH, SKIN	1
SOMNOLENCE	1
STUPOR	1
SWELLING	1
TACHYCARDIA	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), CORNEA(S)	1
VISION DISORDER	1
VOCALIZATION	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WBC LO, BLD	1
WEAKNESS	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: FERRET

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANEMIA	1
BEHAVIOR DISORDER	1
BLD, ABN	1
DEPRESSION/LETHARGY	1
IMMUNE DISORDER	1
PALLOR, MUCOUS MEMBRAN	1
WEIGHT LOSS	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
CONGESTION, SKIN	1
PARESTHESIA	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRURITIS, EAR(S)	1
SWELLING, TONGUE	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: PIG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HEAD TILT	1
HYPERSALIVATION	1
LOCOMOTION DISORDER	1
RECUMBENCY	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HEAD TILT	1
NYSTAGMUS	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RASH	1

**DRUG: DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: DEXAMETHASONE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
INFECTION, EYE(S)	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
PHOTOSENSITIZATION	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: DEXAMETHASONE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMINITIS	2
DEATH(EUTHANIZED)	1
PRURITIS	1
URTICARIA	1

**DRUG: DEXAMETHASONE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1

**DRUG: DEXAMETHASONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	2
ANOREXIA	1
DIARRHEA	1
FEVER, BODY	1
GAGGING	1
HYPERACTIVITY	1
HYPERSALIVATION	1

**DRUG: DEXAMETHASONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TREMBLING	1

**DRUG: DEXAMETHASONE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

**DRUG: DEXAMETHASONE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
ANAPHYLAXIS/TOID	5
COLLAPSE	3
INJ SITE SWELLING	3
VOMITING	3
ARREST, HEART	2
BRADYCARDIA	2
URTICARIA	2
AGGRESSION	1
ANOREXIA	1
APNEA	1
CONGESTION, SKIN	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSYPNEA	1
HYPOPNEA	1
INEFFECT, ANTIINFLAM	1
INJ SITE ABSCESS	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INJ SITE SEROMA	1

**DRUG: DEXAMETHASONE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MELENA	1
MUCOUS MEMBR, ABN COLO	1
PAIN	1
PRESSURE LO, BLD	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
SHOCK	1
SWELLING, HEAD/FACE	1
VOCALIZATION	1

**DRUG: DEXAMETHASONE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DEATH	1
LAMINITIS	1
URTICARIA	1

**DRUG: DEXAMETHASONE**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DEXAMETHASONE, TRICHLORMETHIAZIDE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	1

**DRUG: DEXAMETHASONE, TRICHLORMETHIAZIDE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DYSPNEA	1
SWELLING, HEAD/FACE	1

**DRUG: DEXAMETHASONE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INJ SITE SWELLING	1

**DRUG: DEXAMETHASONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
BLINDNESS	1
CATARACT(S)	1
COLLAPSE	1
DEATH	1
DEATH(EUTHANIZED)	1
DIABETES MELLITUS	1
DYSPNEA	1
GLUCOSE HI, BLD	1
KERATOCONJUNCTIVITIS S	1
POLLAKIURIA	1
POLYDIPSIA	1
WEIGHT LOSS	1

**DRUG: DEXAMETHASONE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: DEXAMETHASONE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
DIARRHEA	1
VOMITING	1

**DRUG: DEXMEDETOMIDINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	14
PD-COLOR, ABN	6
PD-VIAL(S), ABN	5
PD-SEAL, ABN	4
PD-VIAL(S), LEAKING	3
PD-CAP(S), ABN	2
PD-CONTAMINATION	2
PD-MISSING, LABEL(S)	2
PD-UNDERFILL, VIAL(S)	2
PD-VIAL(S), DAMAGED	2
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	4
BRADYCARDIA	3
ARREST, HEART	2
INEFFECT, SEDATION	2
MYDRIASIS	2
VOCALIZATION	2
ANISOCORIA	1



**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
APNEA	1
ARRHYTHMIA	1
ATAXIA	1
CONVULSION(S)	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION	1
FROTH, MOUTH/LIP(S)	1
HYPERESTHESIA	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPERSENSITIVE, SOUND	1
HYPOTHERMIA, BODY	1
PR-LUNG(S), LESION(S)	1
SEDATION PROLONGED	1
SEDATION TOO BRIEF	1
TREMBLING	1
URINATION	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, SEDATION	4
APNEA	3
BRADYCARDIA	3
CONVULSION(S)	3
DEPRESSION/LETHARGY	2
MURMUR, HEART	2
VOMITING	2
ANEMIA	1
ANESTH RECOV PROLONGED	1
ANOREXIA	1
ARREST, HEART	1
ARRHYTHMIA	1
COLLAPSE	1
DEATH	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DILITATION, STOMACH	1
HYPOPNEA	1
PRESSURE HI, BLD	1
RADIOGRAPH(S) ABN	1
SEDATION PROLONGED	1
SEDATION TOO BRIEF	1
TACHYCARDIA	1
WBC HI, BLD	1

**DRUG: DEXMEDETOMIDINE**

Species: TURTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
APNEA	1
ARREST, HEART	1
BRADYCARDIA	1
HYPOPNEA	1

**DRUG: DEXMEDETOMIDINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
HEADACHE	2
EPIPHORA	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CYANOSIS	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
PR-MULT SITES, BLD	1
PR-PERITONEAL EFFUSION	1
PR-PLEURAL EFFUSION	1
SEDATION PROLONGED	1
UNCONSCIOUS	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	2
DEATH	2
AMYLASE HI, BLD	1
ANEMIA, HEMOLYTIC	1
ANOREXIA	1
BRADYCARDIA	1
DYSPNEA	1
LIPASE HI, BLD	1
MURMUR, HEART	1
PALLOR, MUCOUS MEMBRAN	1
PLATELETS LO, BLD	1
STIFFNESS	1
VOMITING	1
WEAKNESS	1

**DRUG: DEXMEDETOMIDINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	1
GINGIVA, ABN	1
HYPOESTHESIA	1
SWELLING, TONGUE	1

**DRUG: DEXMEDETOMIDINE**

Species: HUMAN

Route of Administration: ORAL

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	58
INEFFECT, SEDATION	44
ARREST, HEART	34
HYPERSALIVATION	31
APNEA	30
DEPRESSION/LETHARGY	22
SEDATION PROLONGED	22
VOMITING	22
HYPOTHERMIA, BODY	20
BRADYCARDIA	18
ANOREXIA	17
DYSPNEA	14
CYANOSIS, MUCOUS MEMBR	13
ANESTH RECOV PROLONGED	12
DEATH(EUTHANIZED)	12
ATAXIA	11
EDEMA, LUNG(S)/TRACHEA	11
FEVER, BODY	11
INTERACTION, DRUG(S)	11
MYDRIASIS	10
BUN HI, BLD	9
CONVULSION(S)	9
TACHYCARDIA	9
RADIOGRAPH(S) ABN	8
RECUMBENCY	8
RESPIRATORY DISORDER	8
ANESTH RECOV TURBULENT	7
BLD, LUNG(S)/TRACHEA	7
CREATININE HI, BLD	7
HYPERACTIVITY	7
SGPT/ALT HI, BLD	7
VOCALIZATION	7
HYPERPNEA	6
POLYPNEA	6

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), EDEMA	6
SOUND ABN, RESPIRATORY	6
ANISOCORIA	5
DIARRHEA	5
KIDNEY FAILURE	5
WEIGHT LOSS	5
ADIPSIA	4
GLUCOSE HI, BLD	4
INEFFECT, ANESTHESIA	4
P HI, BLD	4
TREMBLING	4
ALK PHOS HI, BLD	3
ANEMIA	3
ARRHYTHMIA	3
BEHAVIOR DISORDER	3
BREATHING, PERIODIC	3
COLLAPSE	3
DEFECATION	3
DEHYDRATION	3
DIARRHEA, BLOODY	3
DISTRESS, RESP	3
HEAD TILT	3
K HI, BLD	3
MURMUR, HEART	3
NEUROLOGICAL DISORDER	3
NYSTAGMUS, HORIZONTAL	3
PALLOR, MUCOUS MEMBRAN	3
PLATELETS LO, BLD	3
PR-LUNG(S), LESION(S)	3
PROLAPSE, THIRD EYELID	3
SPEC GRAVITY LO, URINE	3
TWITCH	3
URINATION	3
VESTIBULAR DISORDER	3
ANURIA	2
BILIRUBIN(TOT) HI, BLD	2
BITING/CHEWING	2
BLD(HEMATOMA)	2

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, URINE	2
BLINDNESS, TEMP	2
CONGESTION, SKIN	2
COUGHING	2
DISTRESS	2
HIDING	2
HYPERTONIA	2
HYPOPNEA	2
ICTERUS, BODY	2
K LO, BLD	2
LAMENESS	2
LICKING	2
NA HI, BLD	2
NYSTAGMUS	2
PARESIS, HIND LIMB(S)	2
PRESSURE LO, BLD	2
PROTEIN(TOT) HI, BLD	2
PR-PLEURAL EFFUSION	2
PULSE THREADY	2
PUPIL(S), AREFLEXIA	2
REFLEX(ES) ABN	2
SEDATION RELAPSE	2
SOMNOLENCE	2
SPLENOMEGALY	2
STUPOR	2
THROMBUS	2
UNCONSCIOUS	2
VISION DISORDER	2
ACIDOSIS	1
AGGRESSION	1
AMYLASE HI, BLD	1
ANEMIA, BLD LOSS	1
ANUS, PARALYSIS	1
APPREHENSION	1
BLD, ABN	1
BLD(ECCHYMOSES)	1
BLD, EYE(S)	1
BLD, INCISION SITE	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLD, SCROTUM	1
BLD, VAGINA	1
BLINDNESS	1
BREATHING ABN	1
CA HI, BLD	1
CA LO, BLD	1
CELLULITIS	1
CIRCLING	1
CNS DISORDER	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONGESTION, TONGUE	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
CYANOSIS	1
DEAFNESS	1
DIARRHEA, MILD	1
DIARRHEA, MUCOID	1
DIC	1
DISCHARGE, MOUTH/LIP(S)	1
DISCOMFORT	1
DYSPHAGIA	1
ECG ABN	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EFFUSION, PLEURAL	1
EPIPHORA	1
EPISTAXIS	1
EYE DISORDER	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
HEAD BOBBING	1
HEART DISORDER	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEART FAILURE	1
HYPOTHERMIA	1
INCISION SITE, BLD	1
INCISION SITE INFECTION	1
INCONTINENCE, FECAL	1
INFLAM, SKIN	1
INJ SITE ABN	1
INJ SITE FIBROSIS	1
INJ SITE NECROSIS	1
INJ SITE NEOPLASM	1
INJ SITE SWELLING	1
KIDNEY DISORDER	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
NAUSEA	1
NERVOUSNESS	1
NEUROPATHY	1
PAIN, ABDOMEN	1
PARALYSIS, HIND LIMB(S)	1
POLYCYTHEMIA(RELATIVE)	1
POLYDIPSIA	1
POLYURIA	1
PR-BLD VESSEL(S), LESI	1
PRESSURE HI, BLD	1
PR-INJ SITE, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, EDEMA	1
PROSTRATION	1
PROTEIN, URINE	1
PR-TRACHEA, LESION(S)	1
RASH	1
RELUCTANT TO CLIMB	1
RELUCTANT TO MOVE	1
RETINA ABN	1
SEDATION	1
SEDATION DELAYED	1
SEDATION TOO BRIEF	1



**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SGOT/AST HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN, NECROSIS	1
SNEEZING	1
SWELLING, MAMMARY	1
SWELLING, TONGUE	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), TONGUE	1
VASCULITIS	1
WEAKNESS	1

**DRUG: DEXMEDETOMIDINE**

Species: CHIMPANZEE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1
TREMBLING	1

**DRUG: DEXMEDETOMIDINE**

Species: COUGAR

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	193
BRADYCARDIA	96
DEATH	86
ARREST, HEART	70
APNEA	54

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONVULSION(S)	50
VOMITING	46
SEDATION PROLONGED	31
DEPRESSION/LETHARGY	29
TACHYCARDIA	27
FEVER, BODY	26
SEDATION DELAYED	22
VOCALIZATION	20
ARRHYTHMIA	19
PALLOR, MUCOUS MEMBRAN	19
ANOREXIA	18
RADIOGRAPH(S) ABN	18
DYSPNEA	17
ATAXIA	16
CYANOSIS, MUCOUS MEMBR	16
INTERACTION, DRUG(S)	15
TREMBLING	15
HYPERPNEA	14
POLYPNEA	14
RESPIRATORY DISORDER	14
TWITCH	14
DIARRHEA	13
HYPOPNEA	13
HYPOTHERMIA, BODY	13
ANAPHYLAXIS/TOID	12
BLD, LUNG(S)/TRACHEA	12
ANESTH RECOV PROLONGED	10
HYPERACTIVITY	10
SEDATION TOO BRIEF	10
ANESTH RECOV TURBULENT	9
ARRHYTHMIA, BLOCK	9
BUN HI, BLD	9
EDEMA, LUNG(S)/TRACHEA	9
HYPERSALIVATION	9
INEFFECT, ANESTHESIA	9
PRESSURE LO, BLD	9
SEDATION RELAPSE	9
AGGRESSION	8

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	8
DEATH(EUTHANIZED)	8
INCONTINENCE, URINARY	8
MURMUR, HEART	8
PR-LUNG(S), LESION(S)	8
RECUMBENCY	8
SGPT/ALT HI, BLD	8
URTICARIA	8
COLLAPSE	7
CREATININE HI, BLD	7
BLD(HEMATOMA)	6
P HI, BLD	6
PR-HEART, LESION(S)	6
PR-LIVER, LESION(S)	6
SEDATION TOO DEEP	6
CONFUSION	5
CYANOSIS	5
DEHYDRATION	5
DIARRHEA, BLOODY	5
INJ SITE PAIN	5
INJ SITE SWELLING	5
PR-BLD VESSEL(S), LESI	5
PRESSURE HI, BLD	5
SWELLING, HEAD/FACE	5
THRASHING/PADDLING	5
VOMITING, BLOODY	5
APPREHENSION	4
BLD, URINE	4
COUGHING	4
KIDNEY FAILURE	4
LESION(S), SKIN	4
NERVOUSNESS	4
NYSTAGMUS	4
PR-KIDNEY(S), LESION(S)	4
STIFFNESS	4
SWELLING, EYE(S)/LID(S)	4
THYROID HORMONE(S) LO	4
BILIRUBIN(TOT) HI, BLD	3

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, INCISION SITE	3
BLINDNESS, TEMP	3
BLOAT	3
DIFFICULTY RISING	3
DISTENTION, ABDOMEN	3
GGT HI, BLD	3
GLUCOSE LO, BLD	3
MYDRIASIS	3
NEUROLOGICAL DISORDER	3
OPISTHOTONOS	3
PAIN	3
PARESIS, HIND LIMB(S)	3
PLATELETS LO, BLD	3
POLYCYTHEMIA	3
PR-ADRENAL(S), LESION(S)	3
PR-LUNG(S), EDEMA	3
PROPRIOCEPTIVE DISORDE	3
PROTEIN(TOT) LO, BLD	3
PR-SPLEEN, LESION(S)	3
REFLEX(ES) ABN	3
SOUND ABN, RESPIRATORY	3
SPLENOMEGALY	3
STUPOR	3
SWELLING, LIMB(S)	3
TACHYCARDIA, VENTRICUL	3
UNCONSCIOUS	3
VASCULITIS	3
ANEMIA	2
ANEMIA, REGEN	2
ANESTH DURATION BRIEF	2
ANESTH TOO DEEP	2
BEHAVIOR DISORDER	2
BLD, MOUTH/LIP(S)	2
BLINDNESS	2
BREATHING ABN	2
CAPILLARY REFILL PROLO	2
CELLULITIS	2
CONGESTION, EYE(S)/LID	2

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, MUCOUS MEM	2
DEFECATION	2
ECG ABN	2
EPISTAXIS	2
FIBRINOGEN HI, BLD	2
FROTH, MOUTH/LIP(S)	2
GLUCOSE HI, BLD	2
HEAD BOBBING	2
HEART DISORDER	2
HEMATOCHEZIA	2
INJ SITE BLD	2
K HI, BLD	2
K LO, BLD	2
LAMENESS	2
MELENA	2
MIOSIS	2
PAIN, ABDOMEN	2
PAIN, BACK	2
PAIN, LIMB(S)	2
PARESIS	2
PNEUMONIA, ASPIRATION	2
POLYDIPSIA	2
POSTURE ABN	2
PROTEIN, URINE	2
PR-PERITONEAL EFFUSION	2
PR-PLEURAL EFFUSION	2
PR-THYMUS, LESION(S)	2
SEDATION	2
SHOCK	2
SKIN, CRUST(S)	2
SKIN, NECROSIS	2
SKIN, SCAB(S)	2
STIFFNESS, FRONT LIMB(	2
TETANY	2
URINATION ABN	2
US ABN	2
VISION DISORDER	2
WBC HI, BLD	2

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WEAKNESS	2
WEIGHT LOSS	2
ABSCCESS, SKIN	1
ACTH STIM ABN	1
ADIPSIA	1
ALBUMIN LO, BLD	1
ALOPECIA	1
ANESTH INDUCTION RAPID	1
ANESTH INDUC TURBULENT	1
ANISOCORIA	1
AZOTEMIA	1
BILIRUBIN, URINE	1
BITING/CHEWING	1
BLD	1
BLD(PETECHIAE)	1
BLD, RETINA	1
BLD, THORAX	1
BLINDNESS, PARTIAL	1
CARDIOMEGALY	1
CASTS, URINE	1
CHOLESTEROL HI, BLD	1
CIRCULATORY DISORDER	1
CNS DISORDER	1
CONGESTION, EAR(S)	1
CONGESTION, SKIN	1
CPK HI, BLD	1
CRYSTALS, URINE	1
CSF ABN	1
DEAFNESS	1
DEATH(STILLBORN)	1
DEFECATION ABN	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DILITATION, STOMACH	1
DISTRESS	1
DISTRESS, RESP	1
DYSMETRIA	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ECCHYMOSIS, INCISION SITE	1
ECG, ABN	1
EDEMA, LIMB(S)	1
EDEMA, VENTRAL	1
ENLARGEMENT(S), SKIN	1
ERUPTION(S)	1
FIBRILLATION	1
FIBRILLATION, VENTRICU	1
GAGGING	1
GINGIVA, ABN	1
GLAUCOMA	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
HEPATITIS	1
HYPHEMA	1
HYPOADRENOCORTICISM	1
HYPOMOTILITY	1
ICTERUS, BODY	1
INCISION SITE, BLD	1
INCISION SITE DISCHARGE	1
INCONTINENCE, FECAL	1
INEFFECT, DELAYED EFFE	1
INFECTION, URINARY TRA	1
INFLAM, SKIN	1
INJ SITE ABN	1
INJ SITE EDEMA	1
INJ SITE EFFUSION	1
INJ SITE INDURATION	1
INTUSSUSCEPTION	1
IRIS(BLD)	1
KERATOCONJUNCTIVITIS S	1
LARYNGITIS	1
LICKING	1
LIPASE HI, BLD	1
LIVER DISORDER	1
LOCOMOTION DISORDER	1
LYMPHS LO, BLD	1
MUCOUS MEMBR, ABN COLO	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NA LO, BLD	1
NAUSEA	1
OLIGURIA	1
PACING	1
PAIN, HIND LIMB(S)	1
PAIN, MUSCLE(S)	1
PLATELETS ABN	1
PLATELETS HI, BLD	1
PR-BRAIN, LESION(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, EDEMA	1
PR-INTEST, LESION(S)	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, EDEMA	1
PR-MULT SITES, ICTERUS	1
PROLAPSE, TONGUE	1
PR-PANCREAS, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PRURITIS	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
SEGS HI, BLD	1
SHAKING	1
SNEEZING	1
SOMNOLENCE	1
SPASM	1
SPEC GRAVITY LO, URINE	1
STIFFNESS, LIMB(S)	1
STOOL, MUCOID	1
SWELLING	1
SWELLING, JOINT(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PREPUCE	1
SWELLING, TONGUE	1
TENESMUS, RECTAL	1



**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TONGUE, ABN	1
TORTICOLLIS	1
TREMBLING, FACE	1
ULCER(S), CORNEA(S)	1
URINE ABN	1
US-LIVER ABN	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: DEXMEDETOMIDINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RECUMBENCY	1

**DRUG: DEXMEDETOMIDINE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIZZINESS	6
HYPOESTHESIA	3
HYPERESTHESIA	2
CNS DISORDER	1
DEPRESSION/LETHARGY	1
EAR DISORDER	1
HEADACHE	1
INJ SITE ABN	1
INJ SITE EDEMA	1
MIOSIS	1
NAUSEA	1
PALLOR	1
PRESSURE HI, BLD	1
SWEATING	1
TASTE ABNORMALITY	1

**DRUG: DEXMEDETOMIDINE**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
ARREST, HEART	1
ARRHYTHMIA	1

**DRUG: DEXMEDETOMIDINE**

Species: TURTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
DEATH	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	11
DEATH	8
HYPERSALIVATION	7
INEFFECT, SEDATION	7
FEVER, BODY	6
SEDATION TOO BRIEF	5
APNEA	3
ARREST, HEART	3
DEPRESSION/LETHARGY	3
SEDATION PROLONGED	3
ANOREXIA	2

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	2
BRADYCARDIA	2
CYANOSIS, MUCOUS MEMBR	2
DEATH(EUTHANIZED)	2
DEHYDRATION	2
DYSYPNEA	2
HYPOTHERMIA, BODY	2
POLYPNEA	2
PRESSURE LO, BLD	2
VOCALIZATION	2
ALBUMIN HI, BLD	1
AMYLASE HI, BLD	1
ANEMIA	1
ANESTH DURATION BRIEF	1
ANISOCORIA	1
BASOS HI, BLD	1
CPK HI, BLD	1
DEFECATION	1
DISTRESS, RESP	1
EOSINOS HI, BLD	1
FIBRILLATION	1
FIBRILLATION, ATRIAL	1
GLOBULIN HI, BLD	1
HYPERACTIVITY	1
INFECTION	1
KIDNEY FAILURE	1
LYMPHS LO, BLD	1
MONOS HI, BLD	1
PLATELETS LO, BLD	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PR-PERICARDIAL EFFUSIO	1
RADIOGRAPH(S) ABN	1
RESPIRATORY DISORDER	1
SEDATION DELAYED	1
SEGS HI, BLD	1

**DRUG: DEXMEDETOMIDINE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
SOUND ABN, RESPIRATORY	1
SPASM	1
TACHYCARDIA	1
TREMBLING	1
UNCONSCIOUS	1
URINATION	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, SEDATION	49
APNEA	15
BRADYCARDIA	15
DEATH	15
ARREST, HEART	11
VOMITING	11
CONVULSION(S)	8
DEPRESSION/LETHARGY	8
SEDATION PROLONGED	8
ARRHYTHMIA	6
ANOREXIA	5
DIARRHEA	5
INTERACTION, DRUG(S)	5
SEDATION DELAYED	5
ANESTH RECOV TURBULENT	4
ARRHYTHMIA, BLOCK	4
CYANOSIS, MUCOUS MEMBR	4
FEVER, BODY	4
GLUCOSE HI, BLD	4
SEDATION TOO BRIEF	4
TACHYCARDIA	4
TREMBLING	4
VOCALIZATION	4
ANAPHYLAXIS/TOID	3
BLD, LUNG(S)/TRACHEA	3

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
BUN HI, BLD	3
PR-LUNG(S), LESION(S)	3
AGGRESSION	2
ALK PHOS HI, BLD	2
BILIRUBIN(TOT) HI, BLD	2
CREATININE HI, BLD	2
DEATH(EUTHANIZED)	2
DEFECATION	2
DYSPNEA	2
EDEMA, LUNG(S)/TRACHEA	2
HYPERSALIVATION	2
HYPOPNEA	2
INCONTINENCE, URINARY	2
POLYPNEA	2
RADIOGRAPH(S) ABN	2
SWELLING, HEAD/FACE	2
TWITCH	2
WBC HI, BLD	2
ANESTH INDUC TURBULENT	1
ANESTH RECOV PROLONGED	1
APPREHENSION	1
ASCITES	1
BEHAVIOR DISORDER	1
BILIRUBIN, URINE	1
BITING/CHEWING	1
BLD, INCISION SITE	1
BLD(PURPURA)	1
BREATHING ABN	1
CHOLESTEROL HI, BLD	1
CO2 HI, BLD	1
CONFUSION	1
CONGESTION, LUNG(S)	1
DEHISCENCE	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DISTENTION, ABDOMEN	1
ECG ABN	1
ELECTROLYTE DISORDER	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
EPISTAXIS	1
ERUPTION(S)	1
FIBRILLATION, ATRIAL	1
FIBRILLATION, VENTRICU	1
HEAD PRESSING	1
HYPERPNEA	1
HYPOTHERMIA	1
INEFFECT, ANALGESIA	1
INJ SITE PAIN	1
K HI, BLD	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
NA LO, BLD	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PAPULE(S)	1
PERFORATION, STOMACH	1
PERITONITIS	1
P HI, BLD	1
PLATELETS LO, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA	1
POSTURE ABN	1
PR-ADRENAL(S), LESION(S)	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PR-SKIN, LESION(S)	1
PRURITIS	1
PTT PROLONGED, BLD	1
REACTION, UNSPECIFIED	1
SEDATION RELAPSE	1
SELF-MUTILATION	1
SGPT/ALT HI, BLD	1
SHOCK	1
SOUND ABN, RESPIRATORY	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
STARING	1
STUPOR	1
THROMBUS	1
URTICARIA	1
US ABN	1
VOMITING, BLOODY	1

**DRUG: DEXMEDETOMIDINE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPOESTHESIA	1
INTERACTION, DRUG(S)	1
PRESSURE HI, BLD	1
SEDATION	1
SWELLING, FEET/DIGIT(S)	1
TACHYCARDIA	1

**DRUG: DEXMEDETOMIDINE**

Species: LION

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SEDATION TOO BRIEF	1

**DRUG: DEXMEDETOMIDINE**

Species: MOUSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DEXMEDETOMIDINE**

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APNEA	1
DEATH	1

**DRUG: DEXMEDETOMIDINE**

Species: RAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
INEFFECT, SEDATION	1
NEUROLOGICAL DISORDER	1
SEDATION DELAYED	1
SEDATION TOO BRIEF	1

**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	8
ANOREXIA	2
DEATH	2
DEPRESSION/LETHARGY	2
VOMITING	2
APNEA	1
ARREST, HEART	1
ARRHYTHMIA	1
AZOTEMIA	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
MYDRIASIS	1
SEDATION PROLONGED	1
SEDATION RELAPSE	1
STUPOR	1



**DRUG: DEXMEDETOMIDINE**

Species: DOG

Route of Administration: VARIOUS

**DRUG: DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	6
PD-GRANULES/POWDER, ABN	6
PD-UNDERFILL, PACKAGE	6
PD-COLOR, ABN	1
PD-DEFECT UNKNOWN	1
PD-ODOR, ABN	1
PD-SEAL, ABN	1

**DRUG: DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ATAXIA	1
CONVULSION(S)	1

**DRUG: DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	4
COLLAPSE	1
COUGHING	1
CULTURE/TITER DATA ABN	1
DIARRHEA	1
DISTENTION, ABDOMEN	1
INEFFECT	1
INFECTION	1
NECROSIS	1
PR-MULT SITES, BLD	1
PR-STOMACH, LESION(S)	1

**DRUG: DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ULCER(S), STOMACH	1
WHEEZING	1

**DRUG: DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PRURITIS	1
RASH	1

**DRUG: DEXTROSE, LACTATED RINGER'S SOLUTION**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
DEATH	1
EMPHYSEMA, SQ	1
FEVER, BODY	1
HYPERESTHESIA	1
HYPOTHERMIA, BODY	1
INJ SITE SLOUGH	1
LESION(S), SKIN	1
PAIN, ABDOMEN	1
SLOUGH, SKIN	1

**DRUG: DEXTROSE, LACTATED RINGER'S SOLUTION**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1
FEVER, BODY	1

**DRUG: DEXTROSE, LACTATED RINGER'S SOLUTION**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMENESS	1
PAIN, JOINT(S)	1
SWELLING, JOINT(S)	1

**DRUG: DEXTROSE, LACTATED RINGER'S SOLUTION**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1

**DRUG: DEXTROSE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DIATOMACEOUS EARTH**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DYSPNEA	1
FEVER, BODY	1
PNEUMONIA	1

**DRUG: DIATOMACEOUS EARTH**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SNEEZING	1

**DRUG: DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DYSYPNEA	1
EDEMA, LUNG(S)/TRACHEA	1

**DRUG: DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1

**DRUG: DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
CYANOSIS	1
DYSYPNEA	1
MYDRIASIS	1
VOMITING, BLOODY	1

**DRUG: DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
CAPILLARY REFILL PROLO	1

**DRUG: DIATRIZOATE MEGLUMINE, DIATRIZOATE SODIUM**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
FEVER, BODY	1
INEFFECT	1
INJ SITE SWELLING	1
IRRITATION, SKIN	1
MYDRIASIS	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
VOMITING	1

**DRUG: DIAZEPAM**

Species: BUFFALO

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INTERACTION, DRUG(S)	1
SEDATION PROLONGED	1
SEDATION TOO DEEP	1

**DRUG: DIAZEPAM**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	5
DEATH	3
ANOREXIA	2
DEATH(EUTHANIZED)	2
ICTERUS, BODY	2
LIVER DISORDER	2
SGPT/ALT HI, BLD	2
ALK PHOS HI, BLD	1
ATAXIA	1
BLD(PETECHIAE)	1

**DRUG: DIAZEPAM**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
COAGULATION DISORDER	1
GGT HI, BLD	1
HEPATITIS	1
ICTERUS	1
INTERACTION, DRUG(S)	1
LIVER FAILURE	1
PR-LIVER, LESION(S)	1
SGOT/AST HI, BLD	1
STUPOR	1
VOMITING	1

**DRUG: DIAZEPAM**

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
LIVER ENZYMES HI, BLD	1
PR-LIVER, LESION(S)	1

**DRUG: DIAZEPAM**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARREST, HEART	2
INCONTINENCE, URINARY	2
ANOREXIA	1
APNEA	1
CONVULSION(S)	1
DEATH	1
DIARRHEA, BLOODY	1
INCONTINENCE, FECAL	1
PALLOR, MUCOUS MEMBRAN	1
RECUMBENCY	1

**DRUG: DIAZEPAM**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
MURMUR, HEART	1
TACHYCARDIA	1

**DRUG: DIAZEPAM**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLEPHAROSPASM	1
CONGESTION, EYE(S)/LID	1
HORNER'S SYNDROME	1
NYSTAGMUS	1

**DRUG: DICHLOROPHENE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BUN HI, BLD	1
CONVULSION(S)	1
DIARRHEA, SEVERE	1
PAIN	1
PARESIS, HIND LIMB(S)	1
TETANY	1
TREMBLING	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: DICHLOROPHENE, TOLUENE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	93

**DRUG: DICHLOROPHENE, TOLUENE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	66
DEPRESSION/LETHARGY	35
HYPERSALIVATION	35
DEATH	18
ANOREXIA	13
MYDRIASIS	9
CONFUSION	8
DIARRHEA	8
CONVULSION(S)	7
DEHYDRATION	6
STAGGERING	5
TREMBLING	5
VOMITING, BLOODY	5
DYSPNEA	4
ILL	4
ADIPSIA	3
APPREHENSION	3
COLLAPSE	3
DEATH(EUTHANIZED)	3
HYPERACTIVITY	3
PAIN, HEAD/FACE	3
PARESIS, HIND LIMB(S)	3
PAWING	3
RECUMBENCY	3
WEAKNESS	3
ANEMIA	2
BEHAVIOR DISORDER	2
BLD, URINE	2
FEVER, BODY	2
FROTH, MOUTH/LIP(S)	2
IRRITATION, ESOPHAGUS	2
IRRITATION, PHARYNX/TH	2
ODOR	2
PARALYSIS, HIND LIMB(S)	2
SHAKING	2
TWITCH	2
ACIDOSIS	1
AGGRESSION	1



**DRUG: DICHLOROPHENE, TOLUENE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANISOCORIA	1
ARREST, HEART	1
BILIRUBIN, URINE	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEFECATION	1
DISCOMFORT	1
DIZZINESS	1
HALLUCINATION	1
HEAD BOBBING	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
NERVOUSNESS	1
NYSTAGMUS	1
PAIN, ABDOMEN	1
PARALYSIS	1
POLYPNEA	1
PR-LUNG(S), LESION(S)	1
REACTION, UNSPECIFIED	1
SGPT/ALT HI, BLD	1
SHAKING, HEAD/FACE	1
TACHYCARDIA	1
ULCER(S), MOUTH/LIP(S)	1
UNCONSCIOUS	1
VOCALIZATION	1

**DRUG: DICHLOROPHENE, TOLUENE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	26
ATAXIA	25
DEATH	16
DEPRESSION/LETHARGY	16
HYPERSALIVATION	15
TREMBLING	15

**DRUG: DICHLOROPHENE, TOLUENE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	11
ANOREXIA	9
CONVULSION(S)	9
WEAKNESS	6
HYPERACTIVITY	5
CONFUSION	4
ILL	4
MYDRIASIS	4
SHAKING	4
CIRCLING	3
DEATH(EUTHANIZED)	3
DIARRHEA, BLOODY	3
FROTH, MOUTH/LIP(S)	3
NERVOUSNESS	3
PAIN, ABDOMEN	3
BEHAVIOR DISORDER	2
BLINDNESS	2
DYSPNEA	2
HEMATOCHEZIA	2
ODOR	2
PALLOR, MUCOUS MEMBRAN	2
REACTION, UNSPECIFIED	2
TACHYCARDIA	2
ADIPSIA	1
APPREHENSION	1
BALANCE DISORDER	1
BIRTH, PREMATURE	1
BRADYCARDIA	1
CYANOSIS	1
DEATH(NEWBORN)	1
DEMENTIA	1
DIARRHEA, MILD	1
EYE DISORDER	1
FEVER, BODY	1
HALLUCINATION	1
HYPERESTHESIA	1
HYPERPNEA	1
INCONTINENCE, URINARY	1

**DRUG: DICHLOROPHENE, TOLUENE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, MOUTH/LIP(	1
ODOR, MOUTH	1
PR-INTEST, LESION(S)	1
PROSTRATION	1
RESPIRATORY DISORDER	1
SHAKING, HEAD/FACE	1
STOOL ABN	1
STUMBLING	1
STUPOR	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
TWITCH	1
URINATION	1
URTICARIA	1
VOCALIZATION	1
WEAKNESS, NEWBORN	1

**DRUG: DICHLOROPHENE, TOLUENE**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
VOMITING	1

**DRUG: DICHLOROPHENE, TOLUENE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	2
ANOREXIA	1
ATAXIA	1
CONFUSION	1
FROTH, MOUTH/LIP(S)	1
PARALYSIS, HIND LIMB(S)	1

**DRUG: DICHLOROPHENE, TOLUENE**

Species: CAT

Route of Administration: UNKNOWN

**DRUG: DICHLORVOS**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	8
PD-CONTAINER(S), ABN	3
PD-GRANULES/POWDER, ABN	3
PD-COLOR, ABN	1
PD-ODOR, ABN	1

**DRUG: DICHLORVOS**

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
ATAXIA	1
INEFFECT, WHIPS	1

**DRUG: DICHLORVOS**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
HYPERSALIVATION	1
URINATION	1
VOMITING	1

**DRUG: DICHLORVOS**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: DICHLORVOS**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
INEFFECT, ASCARIDS	2
INEFFECT, HOOKS	2
DEHYDRATION	1
DIARRHEA, SEVERE	1
HYPOTHERMIA	1
INEFFECT, WHIPS	1
NEUROLOGICAL DISORDER	1
WEAKNESS	1

**DRUG: DICHLORVOS**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
UNPALATABLE, WON'T EAT	1

**DRUG: DICHLORVOS**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	8
DIARRHEA	3
RECUMBENCY	3
ATAXIA	2
CYANOSIS	2
INEFFECT, WORMS	2
VOMITING	2
ANOREXIA	1
CONGESTION, SKIN	1
DEPRESSION/LETHARGY	1

**DRUG: DICHLORVOS**

Species: PIG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
EPIPHORA	1
HYPERSALIVATION	1
ILL	1
IRRITATION, SKIN	1
NERVOUSNESS	1
PAIN, ABDOMEN	1
PR-INTEST, LESION(S)	1
STAGGERING	1

**DRUG: DICLAZURIL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	2
PD-GRANULES/POWDER, ABN	1

**DRUG: DICLAZURIL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
AGGRESSION	1
PAIN, ABDOMEN	1
PD-UNDERFILL, PACKAGE	1

**DRUG: DICLOFENAC**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-TUBE(S), DAMAGED	1
PD-UNDERFILL, TUBE(S)	1

**DRUG: DICLOFENAC**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: DICLOFENAC**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
DEATH	1
DIARRHEA	1
VOMITING	1

**DRUG: DICLOFENAC**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONSTIPATION	1
DISTRESS	1
PAIN, ABDOMEN	1

**DRUG: DICLOFENAC**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1
LAMENESS	1

**DRUG: DICLOFENAC**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
MELENA	1
VOMITING	1

**DRUG: DICLOFENAC**

Species: DOG

Route of Administration: TOPICAL

**DRUG: DICLOFENAC**

Species: HORSE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE INFLAM	9
APPLICATION SITE SWELLING	9
APPLICATION SITE ALOPECIA	7
APPLICATION SITE LESION(S)	4
APPLICATION SITE PAIN	3
DEATH	3
FEVER, BODY	3
INFLAM, SKIN	3
ANOREXIA	2
APPLICATION SITE ERYTHEMA	2
DEPRESSION/LETHARGY	2
IRRITATION, SKIN	2
PAIN, ABDOMEN	2
RECUMBENCY	2
SLOUGH, SKIN	2
VESICLE(S)/BULLAE, SKI	2
ABRASION, CORNEA(S)	1
ALOPECIA	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE EDEMA	1
APPLICATION SITE SKIN, DRY	1
BLD, SKIN	1
CAPILLARY REFILL PROLO	1
COLON, ABN	1
CONGESTION, SKIN	1
CONVULSION(S)	1
DIARRHEA	1
DISCHARGE, NOSE	1
EXERCISE INTOLERANCE	1
FERTILITY, REDUCED	1
HYPERPIGMENTATION, SKI	1
HYPERPNEA	1
INFECTION, SKIN	1
INTERACTION, DRUG(S)	1



**DRUG: DICLOFENAC**

Species: HORSE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LAMENESS	1
LAMINITIS	1
LIVER ENZYMES HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
MYOSITIS	1
PAIN, HIND LIMB(S)	1
PR-ADRENAL(S), LESION(S)	1
PR-COLON, LESION(S)	1
PR-HEART, LESION(S)	1
PR-JOINT(S), LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-TONGUE, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS	1
ROLLING	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1
SPERM ABN	1
SWELLING, LIMB(S)	1
TACHYCARDIA	1
TREMBLING	1
ULCER(S), CORNEA(S)	1
WEAKNESS	1

**DRUG: DICLOFENAC**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, EYE(S)/LID	2

**DRUG: DICLOFENAC**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEADACHE	2
IRRITATION, EYE(S)/LID	2
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIZZINESS	1
ESTRUS CYCLE ABNORMAL	1
GI, ABNORMAL	1
HEMATOCHEZIA	1
IRRITATION, PHARYNX/TH	1
PAIN, EYE(S)/LID(S)	1
PR-BONE MARROW, LESION	1
PRURITIS	1
RASH	1
SEGS LO, BLD	1
SWELLING, PHARYNX/THRO	1

**DRUG: DIETHYLCARBAMAZINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-PRODUCT DEFECT	13
PD-SEAL, ABN	12
UNPALATABLE	12
PD-TABLET(S), ABN	9
PD-UNDERFILL, PACKAGE	5
PD-CONTAM, INSECTS	3
PD-ODOR, ABN	3
PD-CAP(S), ABN	2
PD-COLOR, ABN	2
PD-CONTAINER(S), DAMAG	2
PD-MISSING, LABEL(S)	2
PD-UNKNOWN	2
PD-CONTAINER(S), ABN	1
UNPALATABLE, WON'T EAT	1

**DRUG: DIETHYLCARBAMAZINE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	1

**DRUG: DIETHYLCARBAMAZINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	62
DEPRESSION/LETHARGY	28
INEFFECT, HW LARVAE	26
DIARRHEA	21
INEFFECT, HW ADULTS	15
ANOREXIA	14
CONVULSION(S)	8
COLLAPSE	7
ALK PHOS HI, BLD	6
DEATH	5
SGPT/ALT HI, BLD	5
UNPALATABLE, WON'T EAT	5
NERVOUSNESS	4
PRURITIS	4
INEFFECT, HW ANTIGEN	3
SHOCK	3
ATAXIA	2
BLD, URINE	2
DEHYDRATION	2
HYPERACTIVITY	2
HYPERPNEA	2
PLATELETS LO, BLD	2
POLYDIPSIA	2
POLYPNEA	2
RECUMBENCY	2
SEDATION	2
UNCONSCIOUS	2
URTICARIA	2
VOCALIZATION	2
AGGRESSION	1
ANEMIA	1

**DRUG: DIETHYLCARBAMAZINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPREHENSION	1
ARRHYTHMIA	1
ASCITES	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD(ECCHYMOSES)	1
BRADYCARDIA	1
BUN HI, BLD	1
CHOLESTEROL HI, BLD	1
COLITIS	1
CONFUSION	1
CONSTIPATION	1
CREATININE HI, BLD	1
CYANOSIS	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DISTRESS	1
EDEMA, LUNG(S)/TRACHEA	1
EPISTAXIS	1
GINGIVITIS	1
HEMATOCHEZIA	1
HEPATOMEGALY	1
HYPERSALIVATION	1
HYPOSMIA	1
HYPOTHERMIA	1
ICTERUS, BODY	1
IMMUNE DISORDER	1
INEFFECT, ASCARIDS PRE	1
INFLAM, SKIN	1
LIVER ENZYMES HI, BLD	1
NEOPLASM	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
POLYCYTHEMIA	1
POLYURIA	1
PRURITIS, FEET/DIGIT(S)	1

**DRUG: DIETHYLCARBAMAZINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SKIN, CRUST(S)	1
SNEEZING	1
SOMNOLENCE	1
SPEC GRAVITY LO, URINE	1
TACHYCARDIA	1
TREMBLING	1
WEAKNESS	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	63
PD-TABLET(S), ABN	22
PD-CONTAM, INSECTS	14
PD-UNKNOWN	11
PD-SEAL, ABN	9
PD-LABEL(S), ABN	4
UNPALATABLE	4
UNPALATABLE, WON'T SWA	4
PD-UNDERFILL, PACKAGE	3
PD-COLOR, ABN	2
PD-CONTAINER(S), ABN	2
PD-MISSING, LABEL(S)	2
PD-PRODUCT DEFECT	2
PD-ODOR, ABN	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: UNKNOWN

Route of Administration: MISSING

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	2
VOMITING	2
ANOREXIA	1
DIARRHEA	1
KIDNEY DISORDER	1
LAMENESS	1
MYDRIASIS	1
TREMBLING	1
WEAKNESS	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SGPT/ALT HI, BLD	305
VOMITING	301
ALK PHOS HI, BLD	267
ANOREXIA	210
DEPRESSION/LETHARGY	196
INEFFECT, HW LARVAE	130
SGOT/AST HI, BLD	123
PR-LIVER, LESION(S)	116
BILIRUBIN(TOT) HI, BLD	112
DIARRHEA	106
DEATH	91
WEIGHT LOSS	80
ICTERUS, BODY	74
LIVER ENZYMES HI, BLD	63
INEFFECT, HOOKS PREVEN	58
ALBUMIN LO, BLD	55
POLYDIPSIA	52
WBC HI, BLD	46
ASCITES	42
CONVULSION(S)	42
ANEMIA	40
POLYURIA	39
UNPALATABLE, WON'T EAT	39

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	36
BUN HI, BLD	34
FEVER, BODY	33
LDH HI, BLD	28
PROTEIN(TOT) LO, BLD	26
CHOLESTEROL HI, BLD	25
ATAXIA	24
LIVER DISORDER	24
BILE ACIDS HI, BLD	22
BILIRUBIN, URINE	22
INEFFECT, ASCARIDS	22
BILIRUBIN(DIR) HI, BLD	21
CREATININE HI, BLD	20
ICTERUS	18
P HI, BLD	18
INTERACTION, DRUG(S)	17
PAIN, ABDOMEN	17
PLATELETS LO, BLD	17
SEGS HI, BLD	17
WEAKNESS	17
BUN LO, BLD	16
DIARRHEA, BLOODY	16
INEFFECT, HW MICROFILA	15
POLYCYTHEMIA	15
PROTEIN(TOT) HI, BLD	15
GGT HI, BLD	14
GLUCOSE HI, BLD	14
ICTERUS, SERUM	14
PR-SPLEEN, LESION(S)	14
AMYLASE HI, BLD	13
BLD, URINE	13
CPK HI, BLD	13
INEFFECT, HW ADULTS	13
INEFFECT, WHIPS PREVEN	13
BILIRUBIN(IND) HI, BLD	12
COLLAPSE	12
GLUCOSE LO, BLD	12
MELENA	12

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROTEIN, URINE	12
DEHYDRATION	11
HEMATOCHEZIA	11
ABN COLOR, URINE	10
BSP RETENTION HI, BLD	10
COAGULATION DISORDER	10
HEPATITIS	10
HEPATOMEGALY	10
INEFFECT, HOOKS	10
AMMONIA HI, BLD	9
CA LO, BLD	9
CHOLESTEROL LO, BLD	9
INCONTINENCE, URINARY	9
MONOS LO, BLD	9
PR-KIDNEY(S), LESION(S)	9
BANDS HI, BLD	8
HYPERSALIVATION	8
K HI, BLD	8
GLOBULIN HI, BLD	7
GLOBULIN LO, BLD	7
INEFFECT, WHIPS	7
K LO, BLD	7
SHOCK	7
TACHYCARDIA	7
ALBUMIN HI, BLD	6
BEHAVIOR DISORDER	6
CHLORIDE LO, BLD	6
DIARRHEA, MILD	6
DISTENTION, ABDOMEN	6
DYSPNEA	6
EOSINOS HI, BLD	6
HYPERACTIVITY	6
INEFFECT, ASCARIDS PRE	6
LIPASE HI, BLD	6
LYMPHS HI, BLD	6
LYMPHS LO, BLD	6
SPEC GRAVITY LO, URINE	6
THYROID HORMONE(S) LO	6



**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WBC LO, BLD	6
ALKALINE URINE	5
CONFUSION	5
COOMBS TEST POS	5
GLUCOSE, URINE	5
HEAD PRESSING	5
INEFFECT, HW ANTIGEN	5
NA LO, BLD	5
NERVOUSNESS	5
POLYPHAGIA	5
PR-LUNG(S), LESION(S)	5
SKIN DISORDER	5
TREMBLING	5
UNCONSCIOUS	5
UROBILINOGEN HI, URINE	5
VOMITING, BLOODY	5
ANEMIA, AUTOIMMUNE HEM	4
CACHEXIA	4
CA HI, BLD	4
FROTH, MOUTH/LIP(S)	4
GASTROENTERITIS	4
HYPERPNEA	4
LIPIDS HI, BLD	4
PALLOR	4
PANCREATITIS	4
ANAPHYLAXIS/TOID	3
ANEMIA, HEMOLYTIC	3
BLD(ECCHYMOSES)	3
BLD(PETECHIAE)	3
BLINDNESS	3
CARDIOMEGALY	3
CIRCLING	3
CYANOSIS	3
DEAFNESS	3
HEART FAILURE	3
ILL	3
KIDNEY FAILURE	3
LIVER FAILURE	3

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MONOS HI, BLD	3
PD-COLOR, ABN	3
PD-TABLET(S), ABN	3
PR-HEART, LESION(S)	3
PR-PANCREAS, LESION(S)	3
PTT PROLONGED, BLD	3
URIC ACID HI, BLD	3
URTICARIA	3
US-LIVER ABN	3
WBC, URINE	3
AGGRESSION	2
A/G RATIO HI, BLD	2
A/G RATIO LO, BLD	2
ALBUMIN HI, URINE	2
ALOPECIA	2
ARREST, HEART	2
BALANCE DISORDER	2
BLOAT	2
CHLORIDE HI, BLD	2
CNS DISORDER	2
CO2 LO, BLD	2
COUGHING	2
CRYSTALS, URINE	2
DEMENTIA	2
DIC	2
DYSPHAGIA	2
EDEMA	2
EDEMA, HEAD/FACE	2
EPISTAXIS	2
GASTRITIS	2
HYPOTHERMIA	2
HYPOTHERMIA, BODY	2
LAMENESS	2
MICROORGANISMS, URINE	2
MURMUR, HEART	2
NA HI, BLD	2
NYSTAGMUS	2
PARESIS, HIND LIMB(S)	2

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYPNEA	2
PR-BRAIN, LESION(S)	2
PR-HEARTWORM DISEASE	2
PR-INTEST, LESION(S)	2
PROSTRATION	2
PR-SM INTEST, LESION(S)	2
PRURITIS	2
RADIOGRAPH(S) ABN	2
SEGS LO, BLD	2
SHAKING	2
SPLENOMEGALY	2
STOOL ABN	2
STOOL, PALE/GRAY	2
STUPOR	2
URINE ABN	2
UVEITIS	2
ABN ODOR, URINE	1
ADIPSIA	1
ANESTRUS	1
ANISOCORIA	1
AZOTEMIA	1
BIRTH DEFECT(S), HEAD/	1
BIRTH DEFECT(S), TORSO	1
BLD, ABDOMEN	1
BLD, PASSING	1
BRADYCARDIA	1
CA/P RATIO LO, BLD	1
CHE HI, SERUM	1
CO2 HI, BLD	1
CONGESTION	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CONSTIPATION	1
CREATININE LO, BLD	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(STILLBORN)	1
DEFECATION	1
DIABETES MELLITUS	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DISTRESS	1
DYSMETRIA	1
EDEMA, LIMB(S)	1
ENLARGEMENT(S), HEAD/F	1
ERUPTION(S)	1
FE HI, BLD	1
FIBRINOGEN LO, BLD	1
FLATULENCE	1
HAIR, ABN	1
HEAD BOBBING	1
HYPERESTHESIA	1
HYPERPIGMENTATION, SKI	1
HYPOPNEA	1
INEFFECT, STOMACH WORM	1
INEFFECT, WORMS	1
INFECTION, SKIN	1
INFECTION, URINARY TRA	1
KETONES, URINE	1
KIDNEY DISORDER	1
LEUKODERMA, MOUTH/LIP(	1
LIVER PROFILE HI	1
MIOSIS	1
MYOSITIS	1
NAUSEA	1
NOCTURIA	1
PACING	1
PANCREAS DISORDER	1
PARESIS	1
PD-CONTAM, INSECTS	1
PD-ODOR, ABN	1
PD-PRODUCT DEFECT	1
PLATELETS HI, BLD	1
P LO, BLD	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYCYTHEMIA(RELATIVE)	1
PR-BONE MARROW, LESION	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MENINGES, LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, ICTERUS	1
PR-STOMACH, LESION(S)	1
PR-WHOLE BODY, LESION(	1
PULSE THREADY	1
PUSTULE(S)	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
SEDATION	1
SPASM	1
SPEC GRAVITY HI, URINE	1
STAGGERING	1
STIFFNESS	1
SWELLING	1
SWELLING, EYE(S)/LID(S)	1
SYNCOPE	1
TENESMUS, RECTAL	1
THYROID HORMONE(S) HI	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), SKIN	1
UNPALATABLE, WON'T SWA	1
URINATION	1
VOMITING, SEVERE	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HUMAN EXPOSURE, INGEST	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NO SIGNS	1

**DRUG: DIETHYLCARBAMAZINE, OXIBENDAZOLE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD, URINE	1
CYSTITIS	1
DYSPNEA	1
FEVER, BODY	1
HYPERPNEA	1
INEFFECT, HOOKS	1
INEFFECT, HW LARVAE	1
RECUMBENCY	1
VOMITING	1
WEAKNESS	1

**DRUG: DIETHYLCARBAMAZINE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	1

**DRUG: DIETHYLCARBAMAZINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, HW LARVAE	1

**DRUG: DIETHYLSTILBESTEROL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
ILL	1
WEAKNESS	1

**DRUG: DIFLOXACIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	5
PD-MISSING, LABEL(S)	3
PD-SEAL, ABN	3
PD-CONTAINER(S), ABN	2
PD-COLOR, ABN	1
PD-LABEL(S), ABN	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: DIFLOXACIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLD, URINE	1
NEUROLOGICAL DISORDER	1

**DRUG: DIFLOXACIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	2
HYPERSALIVATION	2
ANOREXIA	1
DEPRESSION/LETHARGY	1
NEUROLOGICAL DISORDER	1

**DRUG: DIFLOXACIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1
WEIGHT LOSS	1

**DRUG: DIFLOXACIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	10
DEPRESSION/LETHARGY	7
INEFFECT, ANTIBIOTIC	7
VOMITING	7
CONVULSION(S)	6
BLINDNESS	3
CRYSTALS, URINE	3
DEATH	3
DIARRHEA	3
FEVER, BODY	3
ACID URINE	2
ALBUMIN LO, BLD	2
ALK PHOS HI, BLD	2
ANEMIA	2
BLD, URINE	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
EPISTAXIS	2
KERATOCONJUNCTIVITIS S	2
LAMENESS	2
MONOS HI, BLD	2
POLYDIPSIA	2
POLYURIA	2
PUSTULE(S)	2
SGPT/ALT HI, BLD	2
URTICARIA	2
ALKALINE URINE	1
ANEMIA, BLD LOSS	1
APPREHENSION	1



**DRUG: DIFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ARTHRITIS	1
ATAXIA	1
BANDS HI, BLD	1
BEHAVIOR DISORDER	1
CALCULI, BLADDER	1
CATARACT(S)	1
CHOLESTEROL HI, BLD	1
CONFUSION	1
CONJUNCTIVITIS	1
CPK HI, BLD	1
DIARRHEA, MILD	1
ERUPTION(S)	1
EYE DISORDER	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
HYPERPNEA	1
INCONTINENCE, URINARY	1
INFECTION, URINARY TRA	1
JOINT DISORDER	1
K HI, BLD	1
LOCOMOTION DISORDER	1
MICROORANISMS, URINE	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
ODOR, MOUTH	1
PAIN, JOINT(S)	1
PARALYSIS, HIND LIMB(S)	1
PLATELETS HI, BLD	1
POLYPNEA	1
PRESSURE HI, BLD	1
PR-LIVER, LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN, URINE	1
PR-SKIN, LESION(S)	1
PRURITIS	1
PT PROLONGED, BLD	1
REFLEX(ES) ABN	1
RETINA ABN	1

**DRUG: DIFLOXACIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SHAKING	1
SPERM ABN	1
STRANGURIA	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
THYROID HORMONE(S) HI	1
TRIGLYCERIDES HI, BLD	1
VISION DISORDER	1
WBC HI, BLD	1
WEAKNESS	1

**DRUG: DIFLOXACIN**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	1
PAIN, ABDOMEN	1
VOMITING	1

**DRUG: DIGOXIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	1
BLD	1
BLD(ECCHYMOSES)	1
BLD(HEMATOMA)	1
DEATH	1

**DRUG: DIGOXIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: DIGOXIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	8
ANOREXIA	5
VOMITING	4
DEATH(EUTHANIZED)	3
CONVULSION(S)	2
DIFFICULTY RISING	2
DIZZINESS	2
MASS, ABDOMEN	2
PRESSURE LO, BLD	2
WEAKNESS	2
ADIPSIA	1
ASPHYXIA	1
BLD, ABN	1
BRADYCARDIA	1
BREATHING ABN	1
COLLAPSE	1
DEPRESSION/LETHARGY	1
ECG, ABN	1
FIBRILLATION, ATRIAL	1
HEART FAILURE	1
HYPERPNEA	1
HYPOPNEA	1
INEFFECT	1
KIDNEY FAILURE	1
MELENA	1
NAUSEA	1
PROSTRATION	1
RECUMBENCY	1
TACHYCARDIA	1
WEIGHT LOSS	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-TUBE(S), LEAKING	6

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	6
PD-APPLICATOR, ABN	3
PD-SYRINGE, ABN	3
PD-TUBE(S), DAMAGED	3
PD-CAP(S), ABN	2
PD-MISSING, CAP	2
PD-CONTAINER(S), DAMAG	1
PD-UNDERFILL, TUBE(S)	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: INTRAMAMMARY

<b>Sign:</b>	<b>Number of Times Reported:</b>
RESIDUE, MILK	20
UDDER, SWELLING	12
ANAPHYLAXIS/TOID	4
RESIDUE, MEAT	4
ABORTION	3
UDDER, MASTITIS	3
DEATH	2
DYSPNEA	2
INEFFECT, ANTIBIOTIC	2
UDDER, FEVER	2
UDDER, HARD	2
UDDER, MILK ABN	2
URTICARIA	2
ACCIDENTAL EXPOSURE	1
BLD(PETECHIAE)	1
DEATH(SLAUGHTERED)	1
DISCHARGE, NOSE	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LUNG(S)/TRACHEA	1
HYPERPNEA	1
INEFFECT	1
NERVOUSNESS	1
SWELLING, HEAD/FACE	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, MILK WATERY	1
UDDER, PAIN	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
ANAPHYLAXIS/TOID	4
RESIDUE, MILK	2
ATAXIA	1
CONJUNCTIVITIS	1
DIARRHEA	1
HYPERPNEA	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
RESIDUE, MEAT	1
SWELLING, EYE(S)/LID(S)	1
TACHYCARDIA	1
THRASHING/PADDLING	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
VOMITING	4
ABORTION	3
ATAXIA	2
DEPRESSION/LETHARGY	2
CONVULSION(S)	1
DIARRHEA	1
DIARRHEA, SEVERE	1
INEFFECT	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
RECUMBENCY	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
UDDER, TEAT(S) DISORDE	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: UNKNOWN

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
ANAPHYLAXIS/TOID	2
DYSPNEA	2
COLLAPSE	1
RECUMBENCY	1

**DRUG: DIHYDROSTREPTOMYCIN, PENICILLIN G PROCAIN**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

**DRUG: DILTIAZEM**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: DIMETHYL SULFOXIDE (DMSO)**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	4
PD-VIAL(S), LEAKING	3
PD-ODOR, ABN	2
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-VIAL(S), LEAKING	119
PD-CAP(S), ABN	18
PD-SEAL, ABN	14
PD-UNDERFILL, VIAL(S)	14
PD-CONTAINER(S), DAMAG	10
PD-VIAL(S), DAMAGED	10
PD-UNDERFILL, PACKAGE	3
PD-DISPENSER, ABN	2
PD-MISSING, CAP	2
PD-MISSING, LABEL(S)	2
PD-UNDERFILL, TUBE(S)	2
PD-COLOR, ABN	1
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-TUBE(S), LEAKING	1
PD-VIAL(S), ABN	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: CAT

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
CONGESTION, EYE(S)/LID	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: DOG

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, EYE(S)/LID	1
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, CORNEA(S)	1
PAIN, EYE(S)/LID(S)	1
PRURITIS, EYE(S)	1



**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	5
PAIN, EYE(S)/LID(S)	5
CONJUNCTIVITIS	1
HEADACHE	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: BIRD

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DEPRESSION/LETHARGY	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
APPLICATION SITE PAIN	1
DEAFNESS	1
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
LOCOMOTION DISORDER	1
MURMUR, HEART	1
NYSTAGMUS, HORIZONTAL	1
PRURITIS, EAR(S)	1
SNEEZING	1
VOCALIZATION	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEAFNESS, TEMP	3
INEFFECT, ANTIINFLAM	3
POLYDIPSIA	3
VOMITING	3
ATAXIA	2
POLYURIA	2
SGOT/AST HI, BLD	2
SGPT/ALT HI, BLD	2
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLINDNESS	1
BUN HI, BLD	1
CIRCLING	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DYSPHAGIA	1
ENLARGEMENT, LYMPH NOD	1
HEAD TILT	1
HYPERPIGMENTATION, SKI	1
HYPERSALIVATION	1
INEFFECT	1
INEFFECT, LOSS OF EFFE	1
INFECTION, SKIN	1
ODOR	1
PAPULE(S)	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
SHAKING, HEAD/FACE	1
STAGGERING	1
SWELLING, EAR(S)	1
SWELLING, HEAD/FACE	1
URTICARIA	1

**DRUG: DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
EXFOLIATION, SKIN	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
RASH	1

**DRUG: DIMETHYL SULFOXIDE (DMSO)**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1
HYPERPNEA	1

**DRUG: DIMETHYL SULFOXIDE (DMSO)**

Species: HORSE

Route of Administration: PARENTERAL

**DRUG: DIMETHYL SULFOXIDE (DMSO)**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIINFLAM	1
PD-POTENCY, LO	1

**DRUG: DINOPROST TROMETHAMINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	8
PD-VIAL(S), DAMAGED	7
PD-SEAL, ABN	5
PD-VIAL(S), LEAKING	5
PD-VIAL(S), ABN	4
PD-SOLUTION, ABN	3
PD-COLOR, ABN	2
PD-LABEL(S), ABN	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ILL	1
PAIN	1
PAIN, BRISKET/CHEST	1

**DRUG: DINOPROST TROMETHAMINE**

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: DINOPROST TROMETHAMINE**

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
FEVER, BODY	1
INJ SITE EDEMA	1
INJ SITE SWELLING	1
PR-MUSCLE(S), LESION(S)	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
CHOKING	1
CNS DISORDER	1
COUGHING	1
DYSPHAGIA	1
POSTURAL RXN(S) ABN	1
POSTURE ABN	1

**DRUG: DINOPROST TROMETHAMINE**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
OFF FEED	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: NOT APPLICABLE

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA (NOT NURSING)	1
BIRTH DEFECT(S)	1
CONGESTION, SKIN	1
DYSPHAGIA	1
NAUSEA	1
NEUROLOGICAL DISORDER	1
PAIN, ABDOMEN	1
RECUMBENCY	1

**DRUG: DINOPROST TROMETHAMINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
REACTION, UNSPECIFIED	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, PHARYNX/TH	2
NAUSEA	2
ABORTION	1
ANOREXIA	1
ATROPHY, MUSCLE(S)	1
CONGESTION, LUNG(S)	1
COUGHING	1
DEHYDRATION	1
DIARRHEA	1
DYSPNEA	1
PAIN, ABDOMEN	1
PROTEIN, URINE	1
RADIOGRAPH(S) ABN	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
TASTE ABNORMALITY	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	1

**DRUG: DINOPROST TROMETHAMINE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ESTRUS SYNCH	95
DEATH	56
INJ SITE SWELLING	49
INJ SITE INFECT	21
RECUMBENCY	20
INEFFECT, ABORTION	15
INJ SITE EMPHYSEMA	14
SWELLING, LIMB(S)	13
LAMENESS	7
INEFFECT	6
INJ SITE ABSCESS	6
INJ SITE NECROSIS	6
MYOSITIS	6
UDDER, HYPOGALACTIA	6
ANOREXIA	5
DEATH(EUTHANIZED)	5
EMPHYSEMA, SQ	5
INJ SITE EDEMA	5
PR-MUSCLE(S), LESION(S)	5
DEPRESSION/LETHARGY	4
FERTILITY, REDUCED	4
INJ SITE ABN	4
INJ SITE PAIN	4
CELLULITIS	3
DIFFICULTY RISING	3
INJ SITE INFLAM	3
PD-POTENCY, LO	3
ANAPHYLAXIS/TOID	2
DISCHARGE, VULVA	2
FEVER, BODY	2

**DRUG: DINOPROST TROMETHAMINE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ILL	2
PD-COLOR, ABN	2
PD-CONTAMINATION	2
PD-SOLUTION, ABN	2
SWELLING, MULT SITES	2
UDDER, SWELLING	2
ANESTRUS	1
BLOAT	1
COLLAPSE	1
DEMENTIA	1
DYSPNEA	1
DYSTOCIA	1
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
ESTRUS CYCLE ABNORMAL	1
HYPOTHERMIA, BODY	1
INEFFECT, ESTRUS SUPPR	1
INJ SITE INDURATION	1
INJ SITE SEPSIS	1
INJ SITE SEROMA	1
INJ SITE SLOUGH	1
NERVOUSNESS	1
ODOR	1
PARALYSIS, HIND LIMB(S)	1
PARESIS	1
PARESIS, FORE LIMB(S)	1
PD-VIAL(S), DAMAGED	1
PR-MUSCLE(S), LESION(S)	1
PR-SKIN, LESION(S)	1
PRURITIS	1
RELUCTANT TO MOVE	1
RESIDUE, MILK	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, VAGINA/VULVA	1
UDDER, MASTITIS	1



**DRUG: DINOPROST TROMETHAMINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	6
TACHYCARDIA	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
POLYPNEA	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
SHOCK	1

**DRUG: DINOPROST TROMETHAMINE**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWEATING	8
PAIN, ABDOMEN	5
DEATH	4
INEFFECT, ESTRUS SYNCH	4
COLLAPSE	3
INJ SITE SWELLING	3
ANAPHYLAXIS/TOID	2
ANOREXIA	2
ATAXIA	2
BILIRUBIN(TOT) HI, BLD	2

**DRUG: DINOPROST TROMETHAMINE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	2
DYSPNEA	2
OFF FEED	2
ADIPSIA	1
ALBUMIN HI, BLD	1
BUN HI, BLD	1
CIRCLING	1
CONFUSION	1
COUGHING	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA	1
DISCHARGE, NOSE	1
DISCOMFORT	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, PREPUCE	1
EDEMA, SCROTUM	1
ERECTION, ABN	1
FEVER, BODY	1
GLUCOSE HI, BLD	1
HEAD PRESSING	1
HEAD TILT	1
INJ SITE EDEMA	1
INJ SITE SEPSIS	1
POLYCYTHEMIA(RELATIVE)	1
PROTEIN(TOT) HI, BLD	1
RECUMBENCY	1
SGOT/AST HI, BLD	1
SPASM	1
TACHYCARDIA	1
TREMBLING	1
WBC LO, BLD	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	4
INJ SITE SWELLING	2
MENSES, ABNORMAL	2
DEPRESSION/LETHARGY	1
DIARRHEA	1
HEADACHE	1
INCISION SITE, ECCHYMOSIS	1
INJ SITE EDEMA	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
IRRITATION, SKIN	1
UTERUS, CONTRACTIONS	1

**DRUG: DINOPROST TROMETHAMINE**

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DISCHARGE, NOSE	1
DYSYPNEA	1

**DRUG: DINOPROST TROMETHAMINE**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, OTHER DRUG(S)	2
INJ SITE INFLAM	1
INJ SITE PAIN	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: TOPICAL

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	7
BLD, VAGINA	2
MENSES, ABNORMAL	2
NAUSEA	2
PD-VIAL(S), LEAKING	2
PRURITIS	2
SWELLING, VAGINA/VULVA	2
BREATHING ABN	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
HEADACHE	1
IRRITATION, SKIN	1
MACULE(S)	1
PAIN, TESTICLE	1
PD-VIAL(S), DAMAGED	1
PRESSURE LO, BLD	1
REPRODUCTION DISORDER	1
SWEATING	1
VAGINITIS	1
VOMITING	1

**DRUG: DINOPROST TROMETHAMINE**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	3
MYOSITIS	3
INEFFECT, ESTRUS SYNCH	2
INJ SITE SWELLING	2
ANOREXIA	1
BEHAVIOR DISORDER	1
DEPRESSION/LETHARGY	1
INEFFECT	1
VOCALIZATION	1

**DRUG: DINOPROST TROMETHAMINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
PAIN, ABDOMEN	1
VOMITING	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
PAIN, ABDOMEN	1
PR-CECUM, LESION(S)	1
PR-SM INTEST, LESION(S)	1

**DRUG: DINOPROST TROMETHAMINE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FROTH, MOUTH/LIP(S)	2
INJ SITE PAIN	2
LABOR, PREMATURE	2
TACHYCARDIA	2
INJ SITE BLD	1
INJ SITE INFLAM	1
INJ SITE PRURITIS	1
LIVER DISORDER	1
PAIN, ABDOMEN	1
PAIN, JOINT(S)	1
THYROID HORMONE(S) LO	1
WEIGHT INCREASE	1

**DRUG: DIPHENHYDRAMINE**

Species: CAT

Route of Administration: PARENTERAL

**DRUG: DIPHENHYDRAMINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	2
VOMITING	2
BLD, MOUTH/LIP(S)	1
CYANOSIS	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISTRESS, RESP	1
FROTH, MOUTH/LIP(S)	1
JERKING	1
MYDRIASIS	1
TWITCH	1
VOCALIZATION	1

**DRUG: DIPHENHYDRAMINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH INDUC TURBULENT	1
ANESTH RECOV TURBULENT	1
CONVULSION(S)	1

**DRUG: DIPHENHYDRAMINE**

Species: FERRET

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
VOMITING	1

**DRUG: DIRLOTAPIDE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	78

**DRUG: DIRLOTAPIDE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-CAP(S), ABN	37
PD-SEAL, ABN	20
PD-CONTAINER(S), ABN	18
PD-SYRINGE, ABN	12
PD-UNDERFILL, VIAL(S)	12
PD-CONTAINER(S), DAMAG	8
PD-VIAL(S), ABN	8
PD-UNDERFILL, PACKAGE	6
PD-VIAL(S), DAMAGED	4
PD-DISPENSER, ABN	3
PD-SOLUTION, ABN	3
PD-CONTAMINATION	2
PD-CONTAM, MOLD	2
PD-PRODUCT DEFECT	2
PD-TUBE(S), LEAKING	2
SYRINGE, LOCKING RING	2
PD-COLOR, ABN	1
PD-MISSING, LABEL(S)	1
UNPALATABLE, WON'T EAT	1

**DRUG: DIRLOTAPIDE**

Species: HUMAN

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONJUNCTIVITIS	1
IRRITATION, EYE(S)/LID	1

**DRUG: DIRLOTAPIDE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
DEATH	1
DEPRESSION/LETHARGY	1

**DRUG: DIRLOTAPIDE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ICTERUS, BODY	1
SGPT/ALT HI, BLD	1
THYROID HORMONE(S) LO	1

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	881
ANOREXIA	501
DEPRESSION/LETHARGY	438
DIARRHEA	340
INEFFECT, APPETITE SUPPRESSION	334
INEFFECT, WEIGHT LOSS	223
SGPT/ALT HI, BLD	168
POLYPHAGIA	164
WEIGHT INCREASE	163
ALK PHOS HI, BLD	135
CONVULSION(S)	88
POLYDIPSIA	77
AGGRESSION	56
TECH ERROR ADMINISTRAT	56
DEATH	55
POLYURIA	51
POLYPNEA	47
DIARRHEA, MILD	45
WBC HI, BLD	43
ALBUMIN LO, BLD	35
ALOPECIA	35
BEHAVIOR DISORDER	35
DEATH(EUTHANIZED)	35
GLUCOSE HI, BLD	31
BUN HI, BLD	30
PICA	29
BILIRUBIN(TOT) HI, BLD	27
INCONTINENCE, URINARY	25



**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LIPASE HI, BLD	25
BLD, URINE	24
FEVER, BODY	24
PRURITIS	24
SGOT/AST HI, BLD	24
DEHYDRATION	23
DIABETES MELLITUS	23
RADIOGRAPH(S) ABN	23
DIARRHEA, BLOODY	22
ATAXIA	21
NERVOUSNESS	21
GGT HI, BLD	20
HYPERACTIVITY	20
SEGS HI, BLD	20
SPEC GRAVITY LO, URINE	20
VOCALIZATION	20
INFECTION, URINARY TRA	19
PR-LIVER, LESION(S)	19
BLINDNESS	18
DYSPNEA	18
LIVER ENZYMES HI, BLD	18
AMYLASE HI, BLD	17
CONSTIPATION	17
HYPERSALIVATION	17
PAIN, ABDOMEN	17
DISTENTION, ABDOMEN	16
GLUCOSE, URINE	16
P HI, BLD	16
RECUMBENCY	16
THYROID HORMONE(S) LO	16
ANEMIA	15
COUGHING	15
LAMENESS	15
PANCREATITIS	15
US ABN	15
ADIPSIA	14
APPREHENSION	14
CHOLESTEROL LO, BLD	14

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CREATININE HI, BLD	14
HEPATOMEGALY	14
INFLAM, SKIN	14
PLATELETS LO, BLD	14
PROTEIN(TOT) LO, BLD	14
PROTEIN, URINE	14
TREMBLING	14
BUN LO, BLD	13
MONOS HI, BLD	13
NAUSEA	13
OTITIS	13
TRIGLYCERIDES HI, BLD	13
CHOLESTEROL HI, BLD	12
FLATULENCE	12
INFECTION, SKIN	12
LIVER DISORDER	12
STOOL ABN	12
ODOR, MOUTH	11
US-LIVER ABN	11
VOMITING, SEVERE	11
HIDING	10
INTERACTION, DRUG(S)	10
RETINA ABN	10
SHAKING	10
URTICARIA	10
CALCULI, BLADDER	9
CONFUSION	9
CONJUNCTIVITIS	9
DIARRHEA, SEVERE	9
MURMUR, HEART	9
PALLOR, MUCOUS MEMBRAN	9
PARESIS, HIND LIMB(S)	9
THYROID HORMONE(S) HI	9
WEAKNESS	9
BILIRUBIN, URINE	8
DIARRHEA, WATERY	8
GLOBULIN HI, BLD	8
HAIR, SHEDDING	8

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERADRENOCORTICISM	8
KETONES, URINE	8
PROTEIN(TOT) HI, BLD	8
TENESMUS, RECTAL	8
ANEMIA, AUTOIMMUNE HEM	7
CA LO, BLD	7
COLLAPSE	7
CONGESTION, SKIN	7
DISCOMFORT	7
ICTERUS, BODY	7
PR-KIDNEY(S), LESION(S)	7
SOMNOLENCE	7
STEATORRHEA	7
TACHYCARDIA	7
VOMITING, BLOODY	7
WBC, URINE	7
APNEA	6
BORBORYGMI	6
CHLORIDE LO, BLD	6
DERMATITIS, MOIST	6
GAGGING	6
INSOMNIA	6
LICKING	6
MYDRIASIS	6
NEOPLASM	6
PARESIS	6
UNPALATABLE, WON'T EAT	6
VOMITING, UNPRODUCTIVE	6
WEIGHT LOSS	6
ALBUMIN HI, BLD	5
ANAPHYLAXIS/TOID	5
BILE ACIDS HI, BLD	5
BITING/CHEWING	5
CARDIOMEGALY	5
CATARACT(S)	5
CONGESTION, LUNG(S)	5
CRYSTALS, URINE	5
DISCHARGE, EYE(S)/LID(S)	5

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EFFUSION, PERITONEAL	5
EPISTAXIS	5
GLUCOSE LO, BLD	5
HAIR, ABN	5
HEMATOCHEZIA	5
HYPERPNEA	5
INFECTION, FEET/DIGIT(	5
LESION(S), SKIN	5
LYMPHS HI, BLD	5
NA LO, BLD	5
NEOPLASM, SKIN	5
ODOR	5
PACING	5
POLYCYTHEMIA	5
POLYCYTHEMIA(RELATIVE)	5
PR-SKIN, LESION(S)	5
PUPIL(S), AREFLEXIA	5
SCALE(S), SKIN	5
SWELLING, FEET/DIGIT(S	5
URINATION ABN	5
BLD(ECCHYMOSES)	4
CACHEXIA	4
CHLORIDE HI, BLD	4
CPK HI, BLD	4
ERG ABN	4
ERUCTATION	4
HAIR, ABN COLOR	4
INCONTINENCE, FECAL	4
INEFFECT	4
IRRITATION, PERINEUM	4
KIDNEY FAILURE	4
MASS, ABDOMEN	4
MASS, SKIN	4
NA HI, BLD	4
NEOPLASM, LYMPH NODE(S	4
PRESSURE HI, BLD	4
PROLAPSE, THIRD EYELID	4
PR-SM INTEST, LESION(S	4

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-SPLEEN, LESION(S)	4
SKIN, DRY	4
STARING	4
STRANGURIA	4
UVEITIS	4
VESTIBULAR DISORDER	4
ABSCESS, SKIN	3
BLD, MOUTH/LIP(S)	3
BLD(PETECHIAE)	3
CIRCLING	3
COPROPHAGIA	3
CORT/CREAT HI, URINE	3
CYANOSIS	3
CYSTITIS	3
DIARRHEA, PROJECTILE	3
DIFFICULTY RISING	3
EDEMA, CORNEA(S)	3
EDEMA, LIMB(S)	3
EFFUSION, PLEURAL	3
ENLARGEMENT, LYMPH NOD	3
EYE DISORDER	3
GLOBULIN LO, BLD	3
HYPERPIGMENTATION, SKI	3
ICTERUS, SERUM	3
K HI, BLD	3
K LO, BLD	3
LOCOMOTION DISORDER	3
LYMPHS LO, BLD	3
MICROORANISMS, URINE	3
NEOPLASM, LIVER	3
NEOPLASM, SPLEEN	3
P LO, BLD	3
PR-HEART, LESION(S)	3
PR-LUNG(S), LESION(S)	3
PR-LYMPH NODE(S), LESI	3
PRURITIS, FEET/DIGIT(S)	3
RELUCTANT TO MOVE	3
RETICULOCYTES HI, BLD	3

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SEDATION	3
SEGS LO, BLD	3
SHAKING, HEAD/FACE	3
SKIN ABNORMAL	3
SOUND ABN, RESPIRATORY	3
SPLENOMEGALY	3
SWELLING, EYE(S)/LID(S)	3
SWELLING, HEAD/FACE	3
TEETH, ABN	3
TONGUE, ABN	3
VISION DISORDER	3
WBC LO, BLD	3
WHEEZING	3
ACID URINE	2
ARTHRITIS	2
ASCITES	2
ATROPHY, MUSCLE(S)	2
BANDS HI, BLD	2
BLD, ABDOMEN	2
BLEPHAROSPASM	2
BLOAT	2
BRADYCARDIA	2
COAGULATION DISORDER	2
CONGESTION	2
CYANOSIS, MUCOUS MEMBR	2
DIARRHEA, MUCOID	2
DISCOMFORT, MOUTH/LIP(S)	2
DISSOCIATION	2
EFFUSION, JOINT(S)	2
EOSINOS HI, BLD	2
EPIPHORA	2
EXERCISE INTOLERANCE	2
FROTH, MOUTH/LIP(S)	2
GALL BLADDER, ABN	2
GASTRITIS	2
GI, ABNORMAL	2
GLAUCOMA	2
HEAD TILT	2

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEART FAILURE	2
HORNER'S SYNDROME	2
HYPOADRENOCORTICISM	2
HYPOTHERMIA, BODY	2
KERATOCONJUNCTIVITIS S	2
LIVER FAILURE	2
MICROORGANISMS, URINE	2
MIOSIS	2
NAIL DISORDER	2
NECROSIS	2
NEOPLASM, BONE	2
NEOPLASM, LUNG(S)	2
PAIN, HIND LIMB(S)	2
PAIN, NECK	2
PALLOR	2
PAPULE(S)	2
PARESIS, FORELIMB(S)	2
PD-CAP(S), ABN	2
PLATELETS HI, BLD	2
PR-ADRENAL(S), LESION(S)	2
PR-GALL BLADDER, LESION(S)	2
PR-MULT SITES, CONGEST	2
PR-PERITONEUM, LESION(	2
PR-STOMACH, LESION(S)	2
RASH	2
RBC, NUCLEATED	2
REFLEX(ES) ABN	2
RELUCTANT TO CLIMB	2
RHINITIS	2
SHOCK	2
SKIN, CRUST(S)	2
STOOL, MUCOID	2
STUPOR	2
SWELLING, PREPUCE	2
TOX	2
TREMBLING, FACE	2
ULCER(S), CORNEA(S)	2
VAGINITIS	2

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ABN COLOR, URINE	1
ABN ODOR, URINE	1
ALBUMIN HI, URINE	1
ALKALINE URINE	1
AMMONIA HI, BLD	1
ANEMIA, APLASTIC	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
APLASIA, BONE MARROW	1
ARREST, HEART	1
AZOTEMIA	1
BASOS HI, BLD	1
BILE ACIDS ABN, BLD	1
BLD	1
BLD, EAR(S)	1
BLD, FEET/DIGIT(S)	1
BLD, PENIS	1
BLD, RECTUM	1
BLD, RETINA	1
BLINDNESS, PARTIAL	1
BONE, ABN	1
BREATHING, DIFFICULT	1
CA HI, BLD	1
CHEMISTRY ABN	1
CHOLECYSTITIS	1
CNS DISORDER	1
CONGESTION, EAR(S)	1
CONGESTION, TONGUE	1
COOMBS TEST POS	1
CREATININE LO, BLD	1
DEFECATION ABN	1
DIABETES	1
DIABETES M, POOR REGUL	1
DILITATION, STOMACH	1
DISCHARGE, EAR(S)	1
DISCHARGE, MAMMARY	1
DISCHARGE, NOSE	1
DISCHARGE, VULVA	1



**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISTRESS	1
DISTRESS, RESP	1
DIZZINESS	1
DRY MOUTH SYNDROME	1
DYSPHAGIA	1
DYSURIA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
EDEMA, NECK	1
ELIMINATION ABN	1
EMBOLUS	1
ENLARGEMENT, JOINT(S)	1
ENTERITIS	1
ERUPTION(S)	1
FLY BITING	1
GASTROENTERITIS	1
GINGIVITIS	1
GRINDING TEETH	1
HCO3 LO, BLD	1
HEPATITIS	1
HYPHEMA	1
HYPOSMIA	1
HYPOTHERMIA	1
ICTERUS	1
IMMUNE DISORDER	1
INEFFECT, WEIGHT INC	1
INFARCT	1
INFECTION	1
KIDNEY DISORDER	1
LARYNGITIS	1
LESION(S), RINGWORM	1
LEUKODERMA	1
LICKING, FEET/DIGIT(S)	1
LIPIDS HI, BLD	1
LIVER PROFILE HI	1

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LOSS OF CONDITION	1
MASS	1
MELENA	1
MG LO, BLD	1
MONOS LO, BLD	1
NEOPLASM, HEART	1
NEOPLASM, MULT SITES	1
NEUROLOGICAL DISORDER	1
NOSE ABN	1
NYSTAGMUS	1
PAIN	1
PAIN, BACK	1
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PAIN, LIMB(S)	1
PAIN, MUSCLE(S)	1
PARALYSIS, LARYNX	1
PARESTHESIA, MOUTH/LIP	1
PD-COLOR, ABN	1
PD-SOLUTION, ABN	1
PD-SYRINGE, ABN	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), LEAKING	1
PERFORATION, GI	1
PERITONITIS	1
PHOTOPHOBIA	1
PNEUMONIA	1
POLLAKIURIA	1
POSTURE ABN	1
PRESSURE LO, BLD	1
PR-GI, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LARYNX, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MESENTERY, LESION(S)	1
PR-MOUTH/LIP(S), LESIO	1
PR-MULT SITES, BLD	1
PR-MULT SITES, LESION(S)	1

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROLAPSE, RECTUM	1
PROPRIOCEPTIVE DISORDE	1
PR-PANCREAS, LESION(S)	1
PR-PARATHYROID, LESION	1
PR-PERITONEAL EFFUSION	1
PR-PROSTATE, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
PUSTULE(S)	1
RBC ABN	1
RBC, ANISO	1
RBC, POLYCHROM	1
REACTION, UNSPECIFIED	1
RESPIRATORY DISORDER	1
SEBORRHEA	1
SEDIMENT, URINE	1
SEPSIS	1
SEPTICEMIA	1
SKIN, SCAB(S)	1
SKIN SCRAPING ABNORMAL	1
SLOUGH	1
SNEEZING	1
SORE(S)	1
SPASM	1
STIFFNESS, LIMB(S)	1
STOOL, PALE/GRAY	1
SWELLING, ANUS	1
SWELLING, LIMB(S)	1
SWELLING, MAMMARY	1
SWELLING, NECK	1
SYNCOPE	1
TECH ERROR	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), STOMACH	1
ULCER(S), TONGUE	1

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VESICLE(S)/BULLAE, SKI	1
VOMITING, PROJECTILE	1
WBC ABN	1

**DRUG: DIRLOTAPIDE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
NAUSEA	1
STOOL ABN	1
VOMITING	1

**DRUG: DIRLOTAPIDE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIARRHEA, BLOODY	1
DIARRHEA, MUCOID	1

**DRUG: DIRLOTAPIDE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	5
PD-SEAL, ABN	4
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1

**DRUG: DIRLOTAPIDE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
DIARRHEA	1
INEFFECT, APPETITE SUPPRESSION	1
POLYPHAGIA	1
VOMITING	1

**DRUG: DIRLOTAPIDE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERACTIVITY	1

**DRUG: DISOPHENOL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
DEPRESSION/LETHARGY	1
DYSYPNEA	1
FEVER, BODY	1
PR-GI, LESION(S)	1
UNCONSCIOUS	1

**DRUG: DORAMECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	99
PD-SOLUTION, ABN	52
PD-SEAL, ABN	38
PD-CAP(S), ABN	36
PD-CONTAINER(S), ABN	32
PD-VIAL(S), ABN	17

**DRUG: DORAMECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-VIAL(S), DAMAGED	13
PD-DISPENSER, ABN	8
PD-APPLICATOR, ABN	6
PD-CONTAINER(S), DAMAG	6
PD-UNDERFILL, VIAL(S)	6
PD-MISSING, CAP	5
PD-COLOR, ABN	4
PD-PRODUCT DEFECT	4
PD-CONTAMINATION	3
PD-SUSPENSION, ABN	3
PD-TUBE(S), LEAKING	3
PD-SYRINGE, ABN	2
PD-UNKNOWN	2
PD-LABEL(S), ABN	1
PD-LOCK, ABN	1
PD-UNDERFILL, PACKAGE	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEADACHE	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
PAIN, MUSCLE(S)	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SOLUTION, ABN	2
INEFFECT, ECTOPARASITE	1
INEFFECT, LICE	1
INEFFECT, PARASITE(S)	1
INEFFECT, WORMS	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE ABN	1
PD-VIAL(S), LEAKING	1
PRURITIS	1

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ALOPECIA	1
PUSTULE(S)	1

**DRUG: DORAMECTIN**

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
LESION(S), MOUTH/LIP(S)	1
VESICLE(S)/BULLAE, MOU	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
HYPOESTHESIA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PAIN, LIMB(S)	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INEFFECT, TICKS	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INJ SITE PAIN	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
BLINDNESS, PARTIAL	1
CONGESTION, EYE(S)/LID	1
HUMAN EXPOSURE	1
IRRITATION, EYE(S)/LID	1
NO SIGNS	1
PAIN, EYE(S)/LID(S)	1

**DRUG: DORAMECTIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
NEUROLOGICAL DISORDER	3
ATAXIA	2
CONVULSION(S)	2
DEPRESSION/LETHARGY	2
MYDRIASIS	2
UNCONSCIOUS	2
HYPERACTIVITY	1
ILL	1



**DRUG: DORAMECTIN**

Species: CAT

Route of Administration: ORAL

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	2
DEATH	2
DYSPNEA	2
ATAXIA	1
BLINDNESS	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
INEFFECT, LICE	1
INFECTION, SKIN	1
INFLAM, SKIN	1
PARESIS	1
PARESIS, FORE LIMB(S)	1
RECUMBENCY	1
SKIN, SCAB(S)	1
STAGGERING	1
SWELLING, HEAD/FACE	1

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	12
TREMBLING	8
CONVULSION(S)	6
BLINDNESS	5
MYDRIASIS	4
VOMITING	4
DEPRESSION/LETHARGY	3
HYPERSALIVATION	3
ANOREXIA	2
BLINDNESS, TEMP	2

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONFUSION	2
DEATH	2
ILL	2
STUPOR	2
UNCONSCIOUS	2
WEAKNESS	2
ACCIDENTAL EXPOSURE	1
BLINDNESS, PARTIAL	1
DEAFNESS	1
DEMENTIA	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
DYSPNEA	1
GAGGING	1
HEAD PRESSING	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
NEUROLOGICAL DISORDER	1
PARALYSIS, ALL LIMBS	1
PROPRIOCEPTIVE DISORDE	1
RECUMBENCY	1
STAGGERING	1
STIFFNESS	1
VISION DISORDER	1
VOCALIZATION	1

**DRUG: DORAMECTIN**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	2
ATAXIA	1
BLINDNESS	1
ILL	1

**DRUG: DORAMECTIN**

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, WORMS	1
RESIDUE, MEAT	1
RESIDUE, MILK	1

**DRUG: DORAMECTIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
PAIN, ABDOMEN	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	3
PAIN, ABDOMEN	3
VOMITING	2
ANOREXIA	1
DIARRHEA	1
DIZZINESS	1
PAIN, MUSCLE(S)	1
PRESSURE HI, BLD	1
WEAKNESS	1

**DRUG: DORAMECTIN**

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, PARASITE(S)	1
INEFFECT, STOMACH WORM	1

**DRUG: DORAMECTIN**

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

**DRUG: DORAMECTIN**

Species: CAMEL

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE BLD	1

**DRUG: DORAMECTIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	2
INTERACTION, DRUG(S)	2
RECUMBENCY	1
UNCONSCIOUS	1
WEAKNESS	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	49
INEFFECT, WORMS	29
INEFFECT, LICE	27
ANAPHYLAXIS/TOID	23
PRURITIS	22
INEFFECT, PARASITE(S)	19
DYSPNEA	16
ALOPECIA	14
RECUMBENCY	13
HYPERSALIVATION	8
LOSS OF CONDITION	8

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	7
HAIR, ABN	7
DEPRESSION/LETHARGY	6
INEFFECT, STRONGYLES	6
COLLAPSE	5
COUGHING	5
INEFFECT, LICE BITING	5
INJ SITE ABSCESS	5
INEFFECT	4
INEFFECT, ECTOPARASITE	4
ANOREXIA	3
DIARRHEA, BLOODY	3
DISCHARGE, NOSE	3
INEFFECT, LICE SUCKING	3
PARALYSIS	3
SWELLING, HEAD/FACE	3
WEAKNESS	3
BLINDNESS	2
CONJUNCTIVITIS	2
DEATH(EUTHANIZED)	2
DIARRHEA	2
DIARRHEA, MILD	2
EDEMA, HEAD/FACE	2
FEVER, BODY	2
INJ SITE ABN	2
INJ SITE SWELLING	2
LAMENESS	2
PD-SOLUTION, ABN	2
POOR PERFORMANCE	2
PR-HEART, LESION(S)	2
PR-INJ SITE, LESION(S)	2
PR-LUNG(S), LESION(S)	2
PR-TRACHEA, LESION(S)	2
RESIDUE, MEAT	2
STAGGERING	2
SWELLING, EYE(S)/LID(S)	2
THRASHING/PADDLING	2
WEIGHT LOSS	2

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ABORTION	1
ACCIDENTAL EXPOSURE	1
BEHAVIOR DISORDER	1
BIRTH, PREMATURE	1
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
BLD(PETECHIAE)	1
BLD, SKIN	1
CACHEXIA	1
CONSTIPATION	1
CONVULSION(S)	1
CULTURE/TITER DATA ABN	1
CYSTITIS	1
DEATH(NEWBORN)	1
DEFECATION	1
DEHYDRATION	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
EPIPHORA	1
EPISTAXIS	1
EYE DISORDER	1
FROTH, MOUTH/LIP(S)	1
GASTROENTERITIS	1
HAIR, ABN COLOR	1
HAIR, SHEDDING	1
ILL	1
INEFFECT, COCCIDIA	1
INEFFECT, LUNGWORMS	1
INEFFECT, NEMATODES	1
INEFFECT, WHIPS	1
INFECTION	1
INJ SITE ALOPECIA	1
INJ SITE INFLAM	1
INJ SITE STERILE ABSCE	1
IRRITATION, EYE(S)/LID	1
KICKING	1
LABOR, PREMATURE	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LESION(S), SKIN	1
LICKING	1
PAIN, ABDOMEN	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1
PD-SEAL, ABN	1
P HI, BLD	1
PR-ESOPHAGUS, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE, TONGUE	1
RELUCTANT TO MOVE	1
RESIDUE, MILK	1
RHINITIS	1
SHAKING	1
SHAKING, HEAD/FACE	1
STARING	1
SWELLING, BRISKET/CHES	1
SWELLING, JOINT(S)	1
SWELLING, TONGUE	1
TENESMUS, RECTAL	1
URINATION	1

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	3
DEPRESSION/LETHARGY	3
VOMITING	2
ANOREXIA	1
BLINDNESS, TEMP	1
CHOKING	1
CONVULSION(S)	1
DEATH	1
DIARRHEA	1
DYSPHAGIA	1

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ENLARGEMENT, LYMPH NOD	1
GAGGING	1
PARESIS	1
PR-BRAIN, LESION(S)	1
TACHYCARDIA	1
TEETH, ABN	1
TREMBLING	1
WEAKNESS	1

**DRUG: DORAMECTIN**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	1
ANOREXIA	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
INEFFECT, PARASITE(S)	1
INEFFECT, WORMS	1
RESIDUE, MEAT	1
RESIDUE, MILK	1

**DRUG: DORAMECTIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CACHEXIA	1
DEPRESSION/LETHARGY	1
INEFFECT	1
LAMINITIS	1
LIVER ENZYMES HI, BLD	1
PAIN, ABDOMEN	1
PD-SOLUTION, ABN	1



**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE SWELLING	14
INJ SITE PAIN	10
INJ SITE INFLAM	7
BLD(ECCHYMOSES)	3
DEPRESSION/LETHARGY	3
DIZZINESS	3
HEADACHE	3
BLD(HEMATOMA)	2
INJ SITE BLD	2
PAIN, ABDOMEN	2
PARAESTHESIA	2
SWELLING	2
BLD, URINE	1
CONVULSION(S)	1
DIARRHEA	1
DYSPNEA	1
DYSURIA	1
FEVER, BODY	1
HYPOESTHESIA	1
INJ SITE ABN	1
INJ SITE EDEMA	1
IRRITATION, SKIN	1
LAMENESS	1
NAUSEA	1
PAIN	1
PAIN, BACK	1
PAIN, LIMB(S)	1
RASH	1
STIFFNESS	1
STIFFNESS, HAND(S)	1
STRANGURIA	1
VISION DISORDER	1
VOMITING	1

**DRUG: DORAMECTIN**

Species: LLAMA

Route of Administration: PARENTERAL

**DRUG: DORAMECTIN**

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
GRANULOMA	1
INEFFECT, WORMS	1
INJ SITE INFLAM	1
INJ SITE SWELLING	1
NEUROLOGICAL DISORDER	1

**DRUG: DORAMECTIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, MITES	54
PRURITIS	19
DEATH	7
LESION(S), SKIN	5
ATAXIA	3
CONGESTION, SKIN	3
INEFFECT, LICE	3
RECUMBENCY	3
SKIN, SCAB(S)	3
ABORTION	2
CONVULSION(S)	2
HAIR, ABN	2
THRASHING/PADDLING	2
ANOREXIA	1
DEPRESSION/LETHARGY	1
DIFFICULTY RISING	1
FROTH, MOUTH/LIP(S)	1
HYPERPIGMENTATION, SKI	1
INEFFECT	1
INEFFECT, ASCARIDS	1
INEFFECT, ECTOPARASITE	1
INEFFECT, PARASITE(S)	1
INEFFECT, SARCOPTES MITES	1
INFECTION, SKIN	1
INFLAM, SKIN	1
INJ SITE ABN	1

**DRUG: DORAMECTIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1
INJ SITE EDEMA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
IRRITATION, SKIN	1
LAMENESS	1
MYOSITIS	1
PARESIS, HIND LIMB(S)	1
SCALE(S), SKIN	1
SKIN, CRUST(S)	1

**DRUG: DORAMECTIN**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INEFFECT, WORMS	2
BLD, ABN	1
DEPRESSION/LETHARGY	1
INEFFECT, ASCARIDS	1
PD-SOLUTION, ABN	1
PR-GI, PARASITISM	1
PR-PLEURAL EFFUSION	1
RESIDUE, MEAT	1
SHAKING, HEAD/FACE	1
TREMBLING	1

**DRUG: DORAMECTIN**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
G-HAIR, ABN COLOR	1

**DRUG: DORAMECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALOPECIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
MYDRIASIS	1
PRURITIS	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, LICE	344
PRURITIS	247
ALOPECIA	207
INEFFECT, LICE BITING	88
INEFFECT, PARASITE(S)	58
INEFFECT, LICE SUCKING	46
DEATH	39
INEFFECT, STRONGYLES	20
LOSS OF CONDITION	15
INEFFECT, WORMS	14
RECUMBENCY	14
HAIR, ABN	11
DIARRHEA	8
PARESIS, HIND LIMB(S)	8
WEIGHT LOSS	8
LESION(S), SKIN	7
ANAPHYLAXIS/TOID	6
INEFFECT, ASCARIDS	6
INEFFECT, NEMATODES	5
LICKING	5
APPLICATION SITE ALOPECIA	4
BLOAT	4
COLLAPSE	4
DIARRHEA, BLOODY	4
EDEMA, HEAD/FACE	4
INEFFECT, GRUBS	4
INEFFECT, STOMACH WORM	4

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SKIN, CRUST(S)	4
APPLICATION SITE PRURITIS	3
DIARRHEA, MILD	3
DYSPNEA	3
INEFFECT, ECTOPARASITE	3
INEFFECT, MITES	3
PR-LUNG(S), LESION(S)	3
RESIDUE, MEAT	3
SKIN DISORDER	3
STAGGERING	3
ABORTION	2
ANOREXIA	2
ATAXIA	2
BLINDNESS	2
DISTRESS, RESP	2
EPISTAXIS	2
FEVER, BODY	2
HYPERSALIVATION	2
ILL	2
INEFFECT, LUNGWORMS	2
INEFFECT, STRONGYLOIDS	2
INEFFECT, WHIPS	2
IRRITATION, SKIN	2
NEUROLOGICAL DISORDER	2
PD-SOLUTION, ABN	2
PNEUMONIA	2
PR-LUNG(S), EDEMA	2
PR-SKIN, LESION(S)	2
RESIDUE, MILK	2
RESPIRATORY DISORDER	2
SLOUGH, SKIN	2
STOOL ABN	2
WEAKNESS	2
ANEMIA	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE HAIR, ABN	1
APPLICATION SITE LESION(S)	1
APPLICATION SITE PAIN	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE SKIN, DRY	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLD, SKIN	1
BREATHING ABN	1
CACHEXIA	1
CHEMISTRY ABN	1
DEATH(EUTHANIZED)	1
DEATH(NEWBORN)	1
DEHYDRATION	1
DEMENTIA	1
DIARRHEA, MUCOID	1
DIARRHEA, PROJECTILE	1
DIFFICULTY RISING	1
DISCHARGE, EAR(S)	1
EDEMA	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S)	1
FLY BITING	1
FROTH	1
FROTH, MOUTH/LIP(S)	1
FROTH, NOSE	1
GRINDING TEETH	1
HYPERKERATOSIS	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1
INEFFECT, EAR MITES	1
INEFFECT, PARASITE	1
INEFFECT, TICKS	1
INEFFECT, WEIGHT INC	1
INFECTION, SKIN	1
INFLAM, SKIN	1
INJ SITE ALOPECIA	1
INJ SITE SWELLING	1
LAMENESS	1
LESION(S), RINGWORM	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LOCOMOTION DISORDER	1
OPISTHOTONOS	1
PARALYSIS	1
PARALYSIS, ALL LIMBS	1
PARALYSIS, HIND LIMB(S)	1
PD-COLOR, ABN	1
POOR PERFORMANCE	1
POSTURAL RXN(S) ABN	1
PR-GI, PARASITISM	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MENINGES, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PROTRUSION, TONGUE	1
PR-PLEURAL EFFUSION	1
PR-SPINAL CORD, LESION	1
PR-STOMACH, LESION(S)	1
RASH	1
SCALE(S), SKIN	1
SHOCK	1
SKIN, DRY	1
SLOUGH, FEET/DIGIT(S)	1
STIFFNESS, HIND LIMB(S)	1
SWEATING	1
SWELLING, EAR(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, HEAD/FACE	1
TOX	1
WEAKNESS, NEWBORN	1

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	2
DEHYDRATION	2

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEMATOCHEZIA	2
VOMITING	2
ANOREXIA	1
BLINDNESS	1
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
JERKING	1
MELENA	1
MYDRIASIS	1
PAIN	1
PD-VIAL(S), ABN	1
URINATION ABN	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NAUSEA	7
DIARRHEA	5
DIZZINESS	5
PAIN, ABDOMEN	4
PRURITIS	4
CONGESTION, SKIN	3
HEADACHE	3
IRRITATION, EYE(S)/LID	3
IRRITATION, SKIN	3
RASH	3
VOMITING	3
DEPRESSION/LETHARGY	2
DYSPNEA	2
HYPOESTHESIA	2
ILL	2
PD-CONTAINER(S), DAMAG	2
PD-VIAL(S), LEAKING	2
SHAKING	2
SWELLING, FEET/DIGIT(S)	2



**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, HEAD/FACE	2
URTICARIA	2
APPLICATION SITE LESION(S)	1
ATAXIA	1
COUGHING	1
CREATININE HI, BLD	1
DISCHARGE, NOSE	1
ENLARGEMENT(S)	1
GI, ABNORMAL	1
HYPERESTHESIA	1
INFLAM, SKIN	1
INSOMNIA	1
IRRITATION, PHARYNX/TH	1
MYOSITIS	1
NEUROLOGICAL DISORDER	1
PAIN, HEAD/FACE	1
PAIN, MUSCLE(S)	1
PARESTHESIA	1
PD-APPLICATOR, ABN	1
PD-CONTAINER(S), ABN	1
PD-SEAL, ABN	1
PD-SOLUTION, ABN	1
PR-LYMPH NODE(S), LESI	1
PRURITIS, EYE(S)	1
REACTION, UNSPECIFIED	1
SPEC GRAVITY LO, URINE	1
STIFFNESS	1
SWELLING	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
TREMBLING	1
VESICLE(S)/BULLAE, SKI	1
VOLVULUS	1
VOMITING, SEVERE	1
WEAKNESS	1

**DRUG: DORAMECTIN**

Species: SHEEP

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HAIR, ABN COLOR	1
HAIR, ABNORMAL	1
RESIDUE, MEAT	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, LICE	24
PRURITIS	19
ALOPECIA	14
INEFFECT, WORMS	7
DEATH	6
ANAPHYLAXIS/TOID	5
ANOREXIA	2
COLLAPSE	2
INEFFECT, LICE SUCKING	2
INJ SITE ABSCESS	2
INJ SITE SWELLING	2
LOSS OF CONDITION	2
RESIDUE, MEAT	2
WEAKNESS	2
ACCIDENTAL EXPOSURE	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
BLD, PASSING	1
BLD, URINE	1
CREATININE HI, BLD	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DEPRESSION/LETHARGY	1
EDEMA, HEAD/FACE	1
EYE DISORDER	1
FROTH, MOUTH/LIP(S)	1
FROTH, NOSE	1
HYPERSALIVATION	1
ILL	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT	1
INEFFECT, MITES	1
INEFFECT, PARASITE(S)	1
INEFFECT, SMALL STRONG	1
INEFFECT, STRONGYLOIDS	1
INJ SITE SEROMA	1
LICKING	1
PARTURITION, ABNORMAL	1
PR-LUNG(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PTT PROLONGED, BLD	1
RECUMBENCY	1
SWELLING	1
SWELLING, HEAD/FACE	1

**DRUG: DORAMECTIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERSALIVATION	2
ATAXIA	1
BLINDNESS	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
HEAD BOBBING	1
MYDRIASIS	1
TREMBLING	1
UNCONSCIOUS	1
WEAKNESS	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE INFLAM	4

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE PAIN	4
INJ SITE BLD	2
INJ SITE SWELLING	2
APPLICATION SITE ERYTHEMA	1
BLD(ECCHYMOSES)	1
BLINDNESS, TEMP	1
CONGESTION, SKIN	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
HUMAN EXPOSURE, HEAD/F	1
HUMAN EXPOSURE, INJ	1
HYPOESTHESIA	1
INJ SITE MASS	1
NAUSEA	1
PAIN	1
PAIN, BRISKET/CHEST	1
PAIN, MUSCLE(S)	1
PRURITIS	1
SWELLING, LIMB(S)	1
VESICLE(S)/BULLAE, MOU	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: DORAMECTIN**

Species: LLAMA

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ABORTION	1
DEATH	1

**DRUG: DORAMECTIN**

Species: PIG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, MITES	4
DEATH	2

**DRUG: DORAMECTIN**

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PROSTRATION	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
INFLAM, SKIN	1
LESION(S), SKIN	1
PRURITIS	1
STAGGERING	1
ULCER(S), SKIN	1
URTICARIA	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: DORAMECTIN**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
EDEMA, HEAD/FACE	1

**DRUG: DORAMECTIN**

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
HYPOTHERMIA	1
SHAKING	1

**DRUG: DORAMECTIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: DORZOLAMIDE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

**DRUG: DOXAPRAM**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	3
PD-VIAL(S), LEAKING	2
PD-SEAL, ABN	1
PD-VIAL(S), DAMAGED	1

**DRUG: DOXAPRAM**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
APNEA	1
ARREST, HEART	1
CONGESTION	1
CONGESTION, LUNG(S)	1
DEATH	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-PANCREAS, LESION(S)	1

**DRUG: DOXAPRAM**

Species: DOG

Route of Administration: INHALATION

**DRUG: DOXAPRAM**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH(EUTHANIZED)	1
NEUROLOGICAL DISORDER	1

**DRUG: DOXAPRAM**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARREST, HEART	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1
CONVULSION(S)	1
DEATH	1
DEPRESSION/LETHARGY	1
EDEMA, VENTRAL	1
TACHYCARDIA	1

**DRUG: DOXEPIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
POLYDIPSIA	1

**DRUG: DOXYCYCLINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	36

**DRUG: DOXYCYCLINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-TUBE(S), LEAKING	26
PD-GEL/PASTE, ABN	23
PD-UNDERFILL, PACKAGE	9
PD-UNDERFILL, TUBE(S)	9
PD-TUBE(S), DAMAGED	6
SYRINGE, LOCKING RING	6
PD-CONTAINER(S), DAMAG	5
PD-APPLICATOR, ABN	4
PD-DISPENSER, ABN	3
PD-PRODUCT DEFECT	3
PD-COLOR, ABN	2
PD-LOCK, ABN	2
PD-MISSING, CAP	2
PD-SEAL, ABN	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-IMPLANT, ABN	1
PD-TUBE(S), ABN	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: DOXYCYCLINE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSPHAGIA	1
IRRITATION, ESOPHAGUS	1
STRICTURE, ESOPHAGUS	1
STRICUTRE, ESOPHAGUS	1

**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	2
FEVER, BODY	2



**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GGT HI, BLD	2
SGOT/AST HI, BLD	2
SGPT/ALT HI, BLD	2
ANEMIA, HEMOLYTIC	1
ANOREXIA	1
BILIRUBIN(DIR) HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
CONVULSION(S)	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
ENLARGEMENT, LYMPH NOD	1
GINGIVITIS	1
INJ SITE INFECT	1
KIDNEY FAILURE	1
LEUKODERMA	1
PD-UNDERFILL, PACKAGE	1
VOMITING	1

**DRUG: DOXYCYCLINE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GINGIVITIS	3
ANOREXIA	2
APPLICATION SITE INFLAM	2
DYSPNEA	2
GINGIVA, ABN	2
RADIOGRAPH(S) ABN	2
SWELLING, HEAD/FACE	2
SWELLING, MOUTH/LIP(S)	2
ANEMIA	1
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
BUN HI, BLD	1
CONGESTION, MUCOUS MEM	1

**DRUG: DOXYCYCLINE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CREATININE HI, BLD	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DISCOMFORT	1
EDEMA, HEAD/FACE	1
PD-GEL/PASTE, ABN	1
SPEC GRAVITY LO, URINE	1
SWELLING, ADM SITE	1
ULCER(S), MOUTH/LIP(S)	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, HEAD/FACE	13
APPLICATION SITE SWELLING	6
SWELLING, MOUTH/LIP(S)	6
ANAPHYLAXIS/TOID	5
GINGIVA, ABN	5
SWELLING, EYE(S)/LID(S)	5
ANOREXIA	4
EDEMA, HEAD/FACE	4
DISCHARGE, MOUTH/LIP(S)	3
FEVER, BODY	3
PAIN, MOUTH/LIP(S)	3
BLD, URINE	2
COUGHING	2
IRRITATION, MOUTH/LIP(	2
PERIODONTAL, ABSCESS	2
STOMATITIS	2
SWELLING, ADM SITE	2
AMYLASE HI, BLD	1
ANEMIA	1
APPLICATION SITE INFLAM	1

**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BEHAVIOR DISORDER	1
BLD(ECCHYMOSES)	1
BUN HI, BLD	1
CELLULITIS	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT, MOUTH/LIP(S)	1
DYSPNEA	1
EDEMA, BRISKET/CHEST	1
EDEMA, LARYNX	1
EPISTAXIS	1
GINGIVITIS	1
GLOBULIN HI, BLD	1
INFECTION, URINARY TRA	1
LICKING	1
MASS, SKIN	1
MURMUR, HEART	1
PAIN	1
PAIN, NECK	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
PAWING	1
POLYPNEA	1
PROLAPSE	1
PROLAPSE, THIRD EYELID	1
PROTRUSION, EYE(S)	1
RADIOGRAPH(S) ABN	1
SHAKING, HEAD/FACE	1
SNEEZING	1
SOMNOLENCE	1
TACHYCARDIA	1
TEETH, ABN	1
URTICARIA	1
VOCALIZATION	1

**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOMITING	1
WEAKNESS	1

**DRUG: DOXYCYCLINE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1
PD-SYRINGE, ABN	1
PD-TUBE(S), LEAKING	1

**DRUG: DOXYCYCLINE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
SWELLING, HEAD/FACE	2
ADIPSIA	1
ANOREXIA	1
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
BEHAVIOR DISORDER	1
HYPERSALIVATION	1
PAIN, MOUTH/LIP(S)	1
ULCER(S), MOUTH/LIP(S)	1
URINATION	1

**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ENLARGEMENT(S), SKIN	1
GINGIVA, ABN	1

**DRUG: DOXYCYCLINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
IRRITATION, MOUTH/LIP(S)	1
SWELLING, BRISKET/CHES	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
URTICARIA	1

**DRUG: DROPERIDOL, FENTANYL**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH(SUICIDE)	1

**DRUG: DROPERIDOL, FENTANYL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
AGGRESSION	7
HEAD BOBBING	6
DEATH	5
DEPRESSION/LETHARGY	4
NERVOUSNESS	4
CONVULSION(S)	3
POLYPNEA	3
VOCALIZATION	3
ANESTH RECOV PROLONGED	2
APNEA	2
ATAXIA	2
ANOREXIA	1
ARREST, HEART	1
CIRCLING	1
CONFUSION	1
DIARRHEA	1
DYSYPNEA	1
FEVER, BODY	1
HEAD PRESSING	1

**DRUG: DROPERIDOL, FENTANYL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOPNEA	1
INEFFECT, ANALGESIA	1
INEFFECT, SEDATION	1
INJ SITE PAIN	1
LAMENESS	1
PACING	1
PARALYSIS	1
RECUMBENCY	1
THRASHING/PADDLING	1
TREMBLING	1

**DRUG: DROPERIDOL, FENTANYL**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA	1

**DRUG: DROPERIDOL, FENTANYL**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
INJ SITE NECROSIS	1
SLOUGH, SKIN	1

**DRUG: DROPERIDOL, FENTANYL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HEAD BOBBING	3
AGGRESSION	2
CONVULSION(S)	2
DEATH	2

**DRUG: DROPERIDOL, FENTANYL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
ANOREXIA	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
HYPERACTIVITY	1
INEFFECT, ANESTHESIA	1
NERVOUSNESS	1
POLYPNEA	1
TREMBLING	1
TWITCH	1

**DRUG: DROPERIDOL, FENTANYL**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONVULSION(S)	1

**DRUG: EAR CLEANSERS/ASTRINGENTS**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	7
DEAFNESS	7
ANOREXIA	5
HEAD TILT	3
NYSTAGMUS	2
TYMPANIC MEM, RUPTURED	2
VESTIBULAR DISORDER	2
ADIPSIA	1
ANISOCORIA	1
BILIRUBIN(TOT) HI, BLD	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DISCHARGE, EAR(S)	1

**DRUG: EAR CLEANSERS/ASTRINGENTS**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSMETRIA	1
EAR DISORDER	1
HEAD BOBBING	1
HIDING	1
HORNER'S SYNDROME	1
IRRITATION, EAR(S)	1
NYSTAGMUS, HORIZONTAL	1
PARESIS	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
ROLLING	1
VOCALIZATION	1
WEIGHT LOSS	1

**DRUG: EAR CLEANSERS/ASTRINGENTS**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEAFNESS, TEMP	2
APPLICATION SITE INFLAM	1
CONGESTION, EAR(S)	1
DISCHARGE, EAR(S)	1
IRRITATION, EAR(S)	1
ULCER(S), EAR(S)	1

**DRUG: EAR DESSICANT, ISOPROPANOL, BENZOIC ACID**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ADIPSIA	1
ANISOCORIA	1
ANOREXIA	1
ATAXIA	1
DEAFNESS	1
DEPRESSION/LETHARGY	1



**DRUG: EAR DESSICANT, ISOPROPANOL, BENZOIC ACID**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DISCHARGE, EAR(S)	1
TYMPANIC MEM, RUPTURED	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
AMBLYOPIA	1
CONJUNCTIVITIS	1
DIZZINESS	1
HYPOESTHESIA, EYE(S)/L	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
PARAESTHESIA, EYE(S)/L	1
PARESTHESIA, EYE(S)/L	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
NEUROLOGICAL DISORDER	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1
UNCONSCIOUS	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
INEFFECT	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	3
INEFFECT, DELAYED EFFE	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	4
HYPERACTIVITY	3
CONVULSION(S)	1
INEFFECT, DELAYED EFFE	1
REACTION, UNSPECIFIED	1
THRASHING/PADDLING	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA, LIMB(S)	2
INJ SITE PAIN	1
INJ SITE SWELLING	1
PAIN, FEET/DIGIT(S)	1
SEDATION	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DYSPNEA	1
PAIN, BRISKET/CHEST	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APNEA	1
DEATH	1
TWITCH	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: EMBUTRAMIDE, MEBEZONIUM, TETRACAINE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPOESTHESIA	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	1
PD-SOLUTION, ABN	1
PD-TUBE(S), ABN	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	33
VOMITING	15
DEPRESSION/LETHARGY	8
FROTH, MOUTH/LIP(S)	8
TECH ERROR ADMINISTRAT	8
ATAXIA	5
ANOREXIA	3
TREMBLING	2
AMYLASE HI, BLD	1
APPLICATION SITE ALOPECIA	1
BEHAVIOR DISORDER	1
CONVULSION(S)	1
DEHYDRATION	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
ERUCTATION	1
HIDING	1
HYPERACTIVITY	1
INFECTION, URINARY TRA	1
IRRITATION, EYE(S)/LID	1
LYMPHS HI, BLD	1
MYDRIASIS	1
NERVOUSNESS	1
PLATELETS LO, BLD	1
SHAKING	1
TACHYCARDIA	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	240
HYPERSALIVATION	191
DEPRESSION/LETHARGY	122
ANOREXIA	95
VOMITING	92
ATAXIA	91
APPLICATION SITE INFLAM	70
APPLICATION SITE PRURITIS	58
TREMBLING	56
APPLICATION SITE ERYTHEMA	49
APPLICATION SITE LESION(S)	34
NERVOUSNESS	32

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	30
FEVER, BODY	30
HYPERACTIVITY	27
MYDRIASIS	26
DEATH	24
TWITCH	22
ADIPSIA	18
PRURITIS	18
CONVULSION(S)	14
HIDING	14
PARESIS, HIND LIMB(S)	14
POLYPNEA	14
VOCALIZATION	14
DEHYDRATION	13
FROTH, MOUTH/LIP(S)	13
ALOPECIA	12
TACHYCARDIA	11
DYSPNEA	10
WEIGHT LOSS	10
APPLICATION SITE ABNORMAL	9
CONFUSION	9
APPLICATION SITE HAIR, ABN COLOR	8
LICKING	8
COUGHING	7
DEATH(EUTHANIZED)	7
DISCOMFORT	7
HYPERESTHESIA	6
HYPOTHERMIA, BODY	6
RECUMBENCY	6
STAGGERING	6
URINATION ABN	6
DEFECATION ABN	5
DERMATITIS, MOIST	5
GLUCOSE HI, BLD	5
RESIDUE, APPLICATION SITE	5
SGPT/ALT HI, BLD	5
SHAKING	5
SKIN, CRUST(S)	5

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	4
BEHAVIOR DISORDER	4
BILIRUBIN(TOT) HI, BLD	4
CONGESTION, SKIN	4
GAGGING	4
IRRITATION, EYE(S)/LID	4
PROLAPSE, THIRD EYELID	4
RADIOGRAPH(S) ABN	4
SHAKING, HEAD/FACE	4
SKIN, SCAB(S)	4
SNEEZING	4
APPLICATION SITE PAIN	3
APPREHENSION	3
BLEPHAROSPASM	3
BUN HI, BLD	3
CREATININE HI, BLD	3
DIARRHEA, BLOODY	3
DISTRESS	3
HEAD TILT	3
HYPERPNEA	3
INEFFECT, ASCARIDS	3
INFLAM, SKIN	3
LAMENESS	3
NYSTAGMUS	3
PR-HEART, LESION(S)	3
PR-LUNG(S), EDEMA	3
SGOT/AST HI, BLD	3
SPASM	3
STIFFNESS	3
ULCER(S), SKIN	3
VOMITING, BLOODY	3
VOMITING, SEVERE	3
VOMITING, UNPRODUCTIVE	3
WEAKNESS	3
ANAPHYLAXIS/TOID	2
ARTHRITIS	2
BITING/CHEWING	2
BLD	2

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, MOUTH/LIP(S)	2
CIRCLING	2
COLLAPSE	2
CONJUNCTIVITIS	2
CYANOSIS, MUCOUS MEMBR	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, NOSE	2
EPIPHORA	2
EPISTAXIS	2
GINGIVITIS	2
HAIR, ABN	2
HALLUCINATION	2
HEAD BOBBING	2
HYPOPNEA	2
ICTERUS, BODY	2
INCONTINENCE, FECAL	2
INCONTINENCE, URINARY	2
IRRITATION, SKIN	2
LIVER ENZYMES HI, BLD	2
LOCOMOTION DISORDER	2
MURMUR, HEART	2
NEUROLOGICAL DISORDER	2
NYSTAGMUS, HORIZONTAL	2
PLATELETS HI, BLD	2
P LO, BLD	2
PR-LIVER, LESION(S)	2
PR-SKIN, LESION(S)	2
PUPIL(S), AREFLEXIA	2
RELUCTANT TO MOVE	2
STUPOR	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, HEAD/FACE	2
ULCER(S), CORNEA(S)	2
UNCONSCIOUS	2
VESICLE(S)/BULLAE, SKI	2
VOMITING ROUNDWORMS	2
AGGRESSION	1



**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
ANISOCORIA	1
ANURIA	1
APNEA	1
APPLICATION SITE EDEMA	1
APPLICATION SITE SKIN, DRY	1
ARREST, HEART	1
ARRHYTHMIA	1
BILIRUBIN(DIR) HI, BLD	1
BILIRUBIN(IND) HI, BLD	1
BLD, LUNG(S)/TRACHEA	1
BLD, PASSING	1
BLD, URINE	1
BLINDNESS	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
BRONCHITIS	1
CNS STIMULATION	1
CONGESTION, LUNG(S)	1
CONSTIPATION	1
CPK HI, BLD	1
CYANOSIS	1
DEFECATION	1
DIARRHEA, MUCOID	1
DIARRHEA, WATERY	1
DISCOMFORT, MOUTH/LIP(S)	1
DISSOCIATION	1
DISTRESS, RESP	1
DRY, SKIN	1
DYSMETRIA	1
DYSURIA	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1
GLOSSITIS	1
HEMATOCHEZIA	1
HEPATITIS	1
HEPATOMEGALY	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSENSITIVE, SOUND	1
ICTERUS	1
ICTERUS, SERUM	1
ILL	1
IMMUNE DISORDER	1
INFECTION, SKIN	1
INJ SITE ALOPECIA	1
IRRITATION, PHARYNX/TH	1
LESION(S), SKIN	1
MASS, ABDOMEN	1
MELENA	1
ODOR	1
PAIN	1
PAIN, ABDOMEN	1
PAIN, HIND LIMB(S)	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS	1
P HI, BLD	1
POLLAKIURIA	1
POLYCYTHEMIA	1
POLYURIA	1
PR-APPLICATION SITE, LESION(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) HI, BLD	1
PROTRUSION, EYE(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, EAR(S)	1
RASH	1
REFLEX(ES) ABN	1
REGURGITATION	1
SCALE(S), SKIN	1
SELF-MUTILATION	1
SHOCK	1
SLOUGH, SKIN	1
SOMNOLENCE	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STARING	1
STOOL ABN	1
TONGUE, ABN	1
TREMBLING, FACE	1
ULCER(S)	1
ULCER(S), STOMACH	1
URTICARIA	1
VISION DISORDER	1
WBC HI, BLD	1
WBC LO, BLD	1
WHEEZING	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RASH	2
ANAPHYLAXIS/TOID	1
CONGESTION	1
CONGESTION, SKIN	1
DIARRHEA	1
DISCOMFORT	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
HYPOESTHESIA	1
ILL	1
NAUSEA	1
PAIN, ABDOMEN	1
PAIN, BRISKET/CHEST	1
PRURITIS	1
SWELLING, HEAD/FACE	1
SWELLING, PHARYNX/THRO	1
URTICARIA	1
VOMITING	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	4
DEPRESSION/LETHARGY	2
HYPERSALIVATION	2
VOMITING	2
DYSPNEA	1
VOCALIZATION	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIZZINESS	2
IRRITATION, EYE(S)/LID	2
NAUSEA	2
SOMNOLENCE	2
ANAPHYLAXIS/TOID	1
CONGESTION, EYE(S)/LID	1
DEPRESSION/LETHARGY	1
DISCOMFORT	1
DRY, SKIN	1
HYPERESTHESIA	1
NAIL DISORDER	1
PAIN, EYE(S)/LID(S)	1
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PRURITIS, EYE(S)	1
RASH	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, TONGUE	1
VOMITING	1
WEAKNESS	1

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: VARIOUS

**DRUG: EMODEPSIDE, PRAZIQUANTEL**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
HYPERSALIVATION	2
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
VOMITING	1

**DRUG: ENALAPRIL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	9
PD-UNDERFILL, PACKAGE	5
PD-UNDERFILL, VIAL(S)	3
PD-CAP(S), ABN	2
PD-CONTAINER(S), ABN	2
PD-CONTAINER(S), DAMAG	2
PD-PRODUCT DEFECT	2
PD-SEAL, ABN	2
PD-VIAL(S), DAMAGED	2
PD-COLOR, ABN	1
PD-TABLET(S), ABN	1

**DRUG: ENALAPRIL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALOPECIA	1
ANOREXIA	1
BUN HI, BLD	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
GLUCOSE HI, BLD	1
KIDNEY FAILURE	1
PRESSURE LO, BLD	1

**DRUG: ENALAPRIL**

Species: CAT

Route of Administration: ORAL

**DRUG: ENALAPRIL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	9
BUN HI, BLD	7
CREATININE HI, BLD	7
DEATH	7
VOMITING	6
ANOREXIA	5
BRADYCARDIA	4
CONVULSION(S)	4
DEHYDRATION	3
DIARRHEA	3
KIDNEY FAILURE	3
COLLAPSE	2
CONGESTION, SKIN	2
COUGHING	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
EDEMA, LUNG(S)/TRACHEA	2
LESION(S), SKIN	2
NERVOUSNESS	2
PARESIS, HIND LIMB(S)	2
PR-SKIN, LESION(S)	2
PRURITIS	2
PULSE THREADY	2
RECUMBENCY	2
SYNCOPE	2
THRASHING/PADDLING	2
TREMBLING	2
VOCALIZATION	2
ALK PHOS HI, BLD	1
APNEA	1
ARREST, HEART	1
AZOTEMIA	1
BLD, EYE(S)	1
BLD, MOUTH/LIP(S)	1

**DRUG: ENALAPRIL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, SKIN	1
CIRCLING	1
COLITIS	1
CONFUSION	1
CONGESTION, LUNG(S)	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIARRHEA, WATERY	1
EDEMA, HEAD/FACE	1
EDEMA, NECK	1
ENLARGEMENT(S), SKIN	1
EOSINOS HI, BLD	1
ERUPTION(S)	1
EXERCISE INTOLERANCE	1
FEVER, BODY	1
GGT HI, BLD	1
GLOSSITIS	1
GLUCOSE HI, BLD	1
HYPERSALIVATION	1
ICTERUS, BODY	1
INCONTINENCE	1
INFLAM, SKIN	1
JERKING	1
LICKING	1
LIVER DISORDER	1
MELENA	1
MYDRIASIS	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
P HI, BLD	1
POLYDIPSIA	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
RELUCTANT TO MOVE	1
SHAKING	1
SKIN DISORDER	1
SKIN, NECROSIS	1
SOUND ABN, RESPIRATORY	1

**DRUG: ENALAPRIL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
STIFFNESS	1
TACHYCARDIA	1
TACHYCARDIA, VENTRICUL	1
UNCONSCIOUS	1
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1

**DRUG: ENROFLOXACIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	308
PD-TABLET(S), ABN	26
PD-SEAL, ABN	24
PD-LABEL(S), ABN	16
PD-CAP(S), ABN	15
PD-VIAL(S), ABN	15
PD-COLOR, ABN	13
PD-MISSING, LABEL(S)	11
PD-VIAL(S), LEAKING	11
PD-UNDERFILL, VIAL(S)	9
PD-VIAL(S), DAMAGED	8
PD-CONTAMINATION	5
PD-MISSING, CAP	4
PD-UNDERFILL, PACKAGE	4
PD-POTENCY, LO	2
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-DEFECT UNKNOWN	1
PD-ODOR, ABN	1
PD-UNKNOWN	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: INHALATION



**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
NAUSEA	1
PD-ODOR, ABN	1
PD-VIAL(S), DAMAGED	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
REFLEX(ES) ABN	1
RETINA ABN	1

**DRUG: ENROFLOXACIN**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANTIBIOTIC	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
FEVER, BODY	1
HEAD BOBBING	1
HYPERESTHESIA	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
TREMBLING	1
VOCALIZATION	1

**DRUG: ENROFLOXACIN**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ENLARGEMENT(S)	1
ENLARGEMENT(S), SKIN	1

**DRUG: ENROFLOXACIN**

Species: MISSING INFORMATION

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLINDNESS	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
PAIN, EYE(S)/LID(S)	3
CONGESTION, EYE(S)/LID	1
CONJUNCTIVITIS	1
MYDRIASIS	1
PD-SEAL, ABN	1
PRURITIS, EYE(S)	1
SWELLING, EYE(S)/LID(S)	1
VISION DISORDER	1

**DRUG: ENROFLOXACIN**

Species: BIRD

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	2
CONVULSION(S)	1
DEPRESSION/LETHARGY	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MYDRIASIS	203
BLINDNESS	155
RETINA ABN	120
PUPIL(S), AREFLEXIA	53
REFLEX(ES) ABN	52
BLINDNESS, PARTIAL	50
ANOREXIA	29
VISION DISORDER	28
CONVULSION(S)	26
BLINDNESS, TEMP	25
VOMITING	25
ATAXIA	24
DEPRESSION/LETHARGY	24
CONFUSION	16
BEHAVIOR DISORDER	15
DEATH(EUTHANIZED)	15
NERVOUSNESS	13
VOCALIZATION	13
DEATH	11
ERG ABN	10
AGGRESSION	9
HIDING	9
APPREHENSION	8
HALLUCINATION	8
HYPERACTIVITY	8
SGPT/ALT HI, BLD	7
CREATININE HI, BLD	6
FEVER, BODY	6
HEAD BOBBING	6

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	6
TWITCH	6
ANISOCORIA	5
BUN HI, BLD	5
CONGESTION, SKIN	5
LYMPHS LO, BLD	5
NEUROLOGICAL DISORDER	5
STUMBLING	5
ANAPHYLAXIS/TOID	4
ANEMIA	4
CHOLESTEROL HI, BLD	4
CIRCLING	4
CPK HI, BLD	4
EYE DISORDER	4
ILL	4
RELUCTANT TO MOVE	4
SGOT/AST HI, BLD	4
WEAKNESS	4
ADIPSIA	3
ALK PHOS HI, BLD	3
BLD, URINE	3
DIARRHEA	3
GLUCOSE HI, BLD	3
HYPOESTHESIA, EYE(S)/L	3
LICKING	3
NA HI, BLD	3
PRESSURE HI, BLD	3
PR-LIVER, LESION(S)	3
PR- RETINA(S), LESION(S)	3
PRURITIS	3
TREMBLING	3
ULCER(S), SKIN	3
WBC HI, BLD	3
WBC LO, BLD	3
WEIGHT LOSS	3
ALBUMIN HI, BLD	2
ALOPECIA	2
AMYLASE HI, BLD	2

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILIRUBIN(TOT) HI, BLD	2
BLD(ECCHYMOSES)	2
BLD, EYE(S)	2
BLD, RETINA	2
CA HI, BLD	2
CRYSTALS, URINE	2
DEHYDRATION	2
EDEMA, HEAD/FACE	2
EOSINOS HI, BLD	2
EPISTAXIS	2
HEAD TILT	2
HEART FAILURE	2
HYPERESTHESIA	2
HYPERSENSITIVE, SOUND	2
KIDNEY DISORDER	2
K LO, BLD	2
LESION(S), SKIN	2
LIVER DISORDER	2
LIVER ENZYMES HI, BLD	2
MONOS HI, BLD	2
PARESIS	2
PHOTOPHOBIA	2
PLATELETS LO, BLD	2
POLYPNEA	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) HI, BLD	2
PROTEIN, URINE	2
RADIOGRAPH(S) ABN	2
SEGS HI, BLD	2
SEGS LO, BLD	2
SKIN, NECROSIS	2
SNEEZING	2
SPEC GRAVITY LO, URINE	2
STAGGERING	2
STARING	2
SWELLING, HEAD/FACE	2
VESTIBULAR DISORDER	2
ABSCCESS, SKIN	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ACCIDENTAL EXPOSURE	1
ACID URINE	1
ADVERSE DRUG REACTION	1
APPLICATION SITE ALOPECIA	1
BALANCE DISORDER	1
BITING/CHEWING	1
BLD, ANUS	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BUN LO, BLD	1
CA LO, BLD	1
CHEMISTRY ABN	1
CHLORIDE LO, BLD	1
CHOLESTEROL LO, BLD	1
CNS STIMULATION	1
CO2 LO, BLD	1
COAGULATION DISORDER	1
COLLAPSE	1
CONSTIPATION	1
COUGHING	1
CULTURE/TITER DATA ABN	1
CYSTITIS	1
DEAFNESS	1
DIARRHEA, MUCOID	1
DISSOCIATION	1
DISTRESS	1
DISTRESS, RESP	1
DIZZINESS	1
DYSPNEA	1
DYSURIA	1
EDEMA, CORNEA(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EPIPHORA	1
ERUPTION(S)	1
FROTH, MOUTH/LIP(S)	1
GGT HI, BLD	1
GLOBULIN HI, BLD	1
GLUCOSE, URINE	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GRINDING TEETH	1
HAIR, ABN	1
HEART DISORDER	1
HEMATOCHEZIA	1
HEPATITIS	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS	1
ICTERUS, BODY	1
ICTERUS, SERUM	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INEFFECT, ANTIBIOTIC	1
INJ SITE NECROSIS	1
INSOMNIA	1
IRRITATION, SKIN	1
KIDNEY VALUES HI, BLD	1
LAMENESS	1
LIPASE HI, BLD	1
LIVER PROFILE HI	1
LOCOMOTION DISORDER	1
MG HI, BLD	1
MIOSIS	1
MORIBUND	1
NAUSEA	1
NECK, VENTROFLEXION	1
NEUROPATHY	1
NYSTAGMUS, ROTARY	1
PACING	1
PAIN, FEET/DIGIT(S)	1
PALLOR, MUCOUS MEMBRAN	1
PD-PRODUCT DEFECT	1
PHOTOSENSITIZATION	1
POLYCYTHEMIA(RELATIVE)	1
POLYDIPSIA	1
POLYPHAGIA	1
PR-BRAIN, LESION(S)	1
PR-HEART, LESION(S)	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), LESION(S)	1
PROTRUSION, EYE(S)	1
PRURITIS, FEET/DIGIT(S)	1
RECUMBENCY	1
SEBORRHEA	1
SEDATION	1
SEDIMENT, URINE	1
SHAKING	1
SLOUGH, SKIN	1
SQUINTING	1
STIMULATION, CNS	1
STRABISMUS	1
STUPOR	1
TENESMUS, RECTAL	1
TORTICOLLIS	1
TOX	1
TREMBLING, FACE	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), MOUTH/LIP(S)	1
UNCONSCIOUS	1
US ABN	1
US-LIVER ABN	1
VOMITING, BLOODY	1

**DRUG: ENROFLOXACIN**

Species: CHICKEN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANTIBIOTIC	5
DEATH	2

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------



**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	98
DEPRESSION/LETHARGY	60
CONVULSION(S)	54
ANOREXIA	45
ATAXIA	35
DEATH	22
BLINDNESS	21
MYDRIASIS	14
FEVER, BODY	13
URTICARIA	13
WEAKNESS	13
DEATH(EUTHANIZED)	12
DIARRHEA	11
ANAPHYLAXIS/TOID	10
CONGESTION, SKIN	10
LIVER ENZYMES HI, BLD	10
TREMBLING	10
WBC HI, BLD	10
NERVOUSNESS	9
RECUMBENCY	9
ALK PHOS HI, BLD	8
BILIRUBIN(TOT) HI, BLD	8
CONFUSION	8
DYSPNEA	8
HYPERSALIVATION	8
PRURITIS	8
SWELLING, HEAD/FACE	8
BUN HI, BLD	7
LAMENESS	7
POLYDIPSIA	7
APPREHENSION	6
BEHAVIOR DISORDER	6
CREATININE HI, BLD	6
DEHYDRATION	6
EDEMA, HEAD/FACE	6
ICTERUS, BODY	6
ILL	6
POLYPNEA	6

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RETINA ABN	6
SGPT/ALT HI, BLD	6
STAGGERING	6
STUPOR	6
VISION DISORDER	6
VOCALIZATION	6
CIRCLING	5
HYPERACTIVITY	5
INFLAM, SKIN	5
PANCREATITIS	5
PARESIS, HIND LIMB(S)	5
PLATELETS LO, BLD	5
PR-LIVER, LESION(S)	5
PUPIL(S), AREFLEXIA	5
SWELLING, JOINT(S)	5
ANEMIA	4
ANEMIA, AUTOIMMUNE HEM	4
COLLAPSE	4
DEAFNESS	4
EDEMA, LIMB(S)	4
INCONTINENCE, URINARY	4
POLYURIA	4
SHAKING	4
TACHYCARDIA	4
AGGRESSION	3
AMYLASE HI, BLD	3
BILIRUBIN, URINE	3
BLD, URINE	3
BLINDNESS, PARTIAL	3
DEAFNESS, TEMP	3
DIARRHEA, BLOODY	3
DIARRHEA, MILD	3
HEAD BOBBING	3
HEAD TILT	3
HEPATITIS	3
KIDNEY FAILURE	3
LESION(S), SKIN	3
NAUSEA	3

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PACING	3
PAIN	3
PAIN, ABDOMEN	3
PAIN, JOINT(S)	3
PALLOR, MUCOUS MEMBRAN	3
PROTEIN, URINE	3
PUSTULE(S)	3
REFLEX(ES) ABN	3
SWELLING, EYE(S)/LID(S)	3
SWELLING, LIMB(S)	3
ULCER(S), SKIN	3
VESTIBULAR DISORDER	3
WEIGHT LOSS	3
ABN COLOR, URINE	2
ACCIDENTAL EXPOSURE	2
ANISOCORIA	2
BLEPHAROSPASM	2
CATARACT(S)	2
CNS STIMULATION	2
CONGESTION, EAR(S)	2
CRYSTALS, URINE	2
DEATH(NEWBORN)	2
DEMENTIA	2
DERMATITIS, MOIST	2
DISCHARGE, NOSE	2
DISTENTION, ABDOMEN	2
DYSURIA	2
GLUCOSE LO, BLD	2
HALLUCINATION	2
HYPERESTHESIA	2
HYPERPNEA	2
INEFFECT, ANTIBIOTIC	2
INTERACTION, DRUG(S)	2
LIPASE HI, BLD	2
LIVER FAILURE	2
LOCOMOTION DISORDER	2
NEUROLOGICAL DISORDER	2
OPACITY, CORNEA(S)	2

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, HIND LIMB(S)	2
PAIN, LIMB(S)	2
PD-ODOR, ABN	2
P HI, BLD	2
PHOTOSENSITIZATION	2
PNEUMONIA	2
POLLAKIURIA	2
PR-KIDNEY(S), LESION(S)	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) HI, BLD	2
PR-SKIN, LESION(S)	2
RASH	2
SKIN, SCAB(S)	2
STIFFNESS, LIMB(S)	2
TWITCH	2
URINATION	2
WBC LO, BLD	2
WBC, URINE	2
ABSCCESS, SKIN	1
ACIDOSIS	1
ACID URINE	1
ADIPSIA	1
ANEMIA, SPHERO	1
APPLICATION SITE PRURITIS	1
ARREST, HEART	1
AZOTEMIA	1
BALANCE DISORDER	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), TORSO	1
BITING/CHEWING	1
BLD, EYE(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLD, SKIN	1
BLINDNESS, TEMP	1
CA HI, BLD	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CALCULI, BLADDER	1
CELLULITIS	1
CHOLESTEROL HI, BLD	1
COAGULATION DISORDER	1
CONGESTION, EYE(S)/LID	1
CONSTIPATION	1
COOMBS TEST POS	1
CPK HI, BLD	1
DEAFNESS, PARTIAL	1
DEATH(STILLBORN)	1
DEFECATION	1
DESTRUCTIVENESS	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DIZZINESS	1
EDEMA, MULTIPLE SITES	1
EFFUSION, JOINT(S)	1
ENLARGEMENT, JOINT(S)	1
ENLARGEMENT(S), SKIN	1
EPIPHORA	1
EPISTAXIS	1
ERG ABN	1
ERUPTION(S)	1
EYE DISORDER	1
GASTRITIS	1
GASTROENTERITIS	1
GI, ABNORMAL	1
GINGIVA, ABN	1
GLUCOSE, URINE	1
HIDING	1
HYPERPIGMENTATION, SKI	1
HYPOTHERMIA	1
ICTERUS	1
INFECTION, SKIN	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
JOINT DISORDER	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KETONES, URINE	1
KIDNEY DISORDER	1
LESION(S)	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
MASS, ABDOMEN	1
MELENA	1
MORIBUND	1
MRI SCAN ABN	1
NECROSIS	1
NEOPLASM, PANCREAS	1
NEURITIS, OPTIC	1
NO SIGNS	1
NYSTAGMUS	1
OFF FEED	1
PAPULE(S)	1
PARESIS	1
PARESIS, FORE LIMB(S)	1
PARESIS, FORELIMB(S)	1
PERFORATION, GI	1
PHOTOPHOBIA	1
PLATELETS HI, BLD	1
PR-BLADDER, LESION(S)	1
PR-BLD VESSEL(S), LESI	1
PR-BONE MARROW, LESION	1
PRESSURE HI, BLD	1
PR-MULT SITES, BLD	1
PROLAPSE, THIRD EYELID	1
PROSTATOMEGALY	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, EAR(S)	1
PTT PROLONGED, BLD	1
RADIOGRAPH(S) ABN	1
RBC, ANISO	1
RBC, NUCLEATED	1
RELUCTANT TO MOVE	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SEGS LO, BLD	1
SKIN DISORDER	1
SLOUGH, SKIN	1
SLOUGH, TONGUE	1
SOMNOLENCE	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
SPEC GRAVITY LO, URINE	1
SQUINTING	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(	1
STRANGURIA	1
STUMBLING	1
SWELLING, TONGUE	1
TENESMUS, RECTAL	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
TONGUE, ABN	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
UNPALATABLE, WON'T EAT	1
UREMIA	1
URINATION ABN	1
US ABN	1
UVEITIS	1

**DRUG: ENROFLOXACIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, MOUTH/LIP(S)	2
ARTHRITIS	1
ATAXIA	1
BLD(PETECHIAE)	1

**DRUG: ENROFLOXACIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1
IRRITATION, MOUTH/LIP(	1
LAMENESS	1
RECUMBENCY	1
SWELLING	1
SWELLING, JOINT(S)	1
TASTE ABNORMALITY	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INSOMNIA	3
DIZZINESS	2
HEADACHE	2
NAUSEA	2
RASH	2
ACCIDENTAL EXPOSURE	1
DIARRHEA	1
FEVER, BODY	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
IRRITATION, PHARYNX/TH	1
PAIN, BRISKET/CHEST	1
TASTE ABNORMALITY	1
VOMITING	1

**DRUG: ENROFLOXACIN**

Species: PARROT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1



**DRUG: ENROFLOXACIN**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALOPECIA	1
CONVULSION(S)	1
DEATH	1

**DRUG: ENROFLOXACIN**

Species: RAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1

**DRUG: ENROFLOXACIN**

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	2
DEATH	1
INEFFECT	1

**DRUG: ENROFLOXACIN**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	3

**DRUG: ENROFLOXACIN**

Species: BIRD

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NECROSIS	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MYDRIASIS	93
BLINDNESS	75
RETINA ABN	49
CONVULSION(S)	28
REFLEX(ES) ABN	28
PUPIL(S), AREFLEXIA	26
BLINDNESS, PARTIAL	22
LAMENESS	16
VISION DISORDER	16
INJ SITE INFLAM	14
ATAXIA	12
ANOREXIA	9
BLINDNESS, TEMP	9
DEATH	9
DEPRESSION/LETHARGY	9
ERG ABN	9
INJ SITE ALOPECIA	9
INJ SITE NECROSIS	9
CONFUSION	8
HYPERSALIVATION	8
INJ SITE SWELLING	8
INJ SITE ULCER(S)	8
INJ SITE PAIN	7
PARESIS, HIND LIMB(S)	7
VOMITING	7
DEATH(EUTHANIZED)	6
HYPERACTIVITY	6
TWITCH	6
INJ SITE ABN	5
LESION(S), SKIN	5
NEUROLOGICAL DISORDER	5
SKIN, SCAB(S)	5
ANEMIA	4
ANISOCORIA	4
INJ SITE MASS	4
TREMBLING	4
AGGRESSION	3
BEHAVIOR DISORDER	3

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BUN HI, BLD	3
CNS DISORDER	3
COLLAPSE	3
CREATININE HI, BLD	3
POLYPNEA	3
PRESSURE HI, BLD	3
PROPRIOCEPTIVE DISORDE	3
RECUMBENCY	3
STIFFNESS	3
WEAKNESS	3
ADIPSIA	2
ARREST, HEART	2
CIRCLING	2
CONGESTION, SKIN	2
DISCOMFORT	2
DYSPNEA	2
EYE DISORDER	2
FEVER, BODY	2
HALLUCINATION	2
HYPOTHERMIA, BODY	2
INFLAM, SKIN	2
INJ SITE EDEMA	2
INJ SITE HAIR, ABN	2
INJ SITE SLOUGH	2
LESION(S)	2
LOCOMOTION DISORDER	2
MIOSIS	2
NA HI, BLD	2
NERVOUSNESS	2
PARALYSIS, HIND LIMB(S)	2
PLATELETS LO, BLD	2
SHAKING	2
SKIN, NECROSIS	2
SLOUGH, SKIN	2
STUPOR	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, LIMB(S)	2
TACHYCARDIA	2

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOCALIZATION	2
ALOPECIA	1
AMBLYOPIA	1
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
APPREHENSION	1
AZOTEMIA	1
BLD(ECCHYMOSES)	1
BLD, EYE(S)	1
BLD, MOUTH/LIP(S)	1
BLEPHAROSPASM	1
BRADYCARDIA	1
CA HI, BLD	1
CASTS, URINE	1
CHLORIDE HI, BLD	1
CONGESTION, LUNG(S)	1
CYANOSIS	1
DEHYDRATION	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT, MOUTH/LIP(S)	1
DISTRESS, RESP	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LIMB(S)	1
ENLARGEMENT(S), SKIN	1
EPISTAXIS	1
ERUPTION(S)	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
GLUCOSE, URINE	1
HEAD BOBBING	1
HEALING IMPAIRED	1
HIDING	1
HYPERPNEA	1
HYPERSENSITIVE, SOUND	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPOESTHESIA, EYE(S)/L	1
ICTERUS	1
ILL	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INJ SITE EFFUSION	1
INJ SITE FIBROSIS	1
INJ SITE NEOPLASM	1
INJ SITE PRURITIS	1
INJ SITE STERILE ABSCE	1
INTERACTION, DRUG(S)	1
IRRITATION, SKIN	1
JOINT DISORDER	1
KIDNEY FAILURE	1
LEG DISORDER	1
LEUKODERMA	1
LICKING	1
LIPASE HI, BLD	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
MONOS HI, BLD	1
NECK, VENTROFLEXION	1
NEUROPATHY	1
PAIN, HIND LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, ALL LIMBS	1
PHOTOPHOBIA	1
PR-EYE(S)/LID(S), LESI	1
PROLAPSE, THIRD EYELID	1
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PRURITIS	1
PULSE THREADY	1
RADIOGRAPH(S) ABN	1
RELUCTANT TO CLIMB	1
RELUCTANT TO MOVE	1
SEGS HI, BLD	1
SEGS LO, BLD	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SLOUGH, EAR(S)	1
STUMBLING	1
TISSUE, GRANULATION	1
TORTICOLLIS	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), SKIN	1
VESTIBULAR DISORDER	1
WBC HI, BLD	1

**DRUG: ENROFLOXACIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	11
INEFFECT, ANTIBIOTIC	9
INJ SITE SWELLING	6
PD-SOLUTION, ABN	6
ANAPHYLAXIS/TOID	3
ABORTION	2
DEATH(TX FAILURE)	2
DYSPNEA	2
INJ SITE ABSCESS	2
BLOAT	1
DEPRESSION/LETHARGY	1
EDEMA, NECK	1
EPISTAXIS	1
HEAD BOBBING	1
INJ SITE ALOPECIA	1
INJ SITE STERILE ABSCE	1
LAMENESS	1
LESION(S), SKIN	1
PR-HEART, LESION(S)	1
REFLEX(ES) ABN	1

**DRUG: ENROFLOXACIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SPASM	1
STAGGERING	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	26
INJ SITE SWELLING	19
VOMITING	18
DEATH	15
LAMENESS	13
ANAPHYLAXIS/TOID	12
DEPRESSION/LETHARGY	12
INJ SITE INFLAM	12
ATAXIA	10
COLLAPSE	10
INJ SITE NECROSIS	9
PARESIS, HIND LIMB(S)	8
PROPRIOCEPTIVE DISORDE	8
DIARRHEA	7
INJ SITE PAIN	7
MYDRIASIS	7
RECUMBENCY	7
FEVER, BODY	6
ANOREXIA	5
BLINDNESS	5
BRADYCARDIA	5
DEATH(EUTHANIZED)	5
PUPIL(S), AREFLEXIA	5
DYSPNEA	4
INJ SITE ABSCESS	4
INJ SITE EDEMA	4
INJ SITE SLOUGH	4
INJ SITE STERILE ABSCE	4
INJ SITE ULCER(S)	4

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARALYSIS, HIND LIMB(S)	4
PRURITIS	4
RETINA ABN	4
TECH ERROR ADMINISTRAT	4
TREMBLING	4
VOCALIZATION	4
APNEA	3
GLUCOSE LO, BLD	3
GRANULOMA	3
HEAD TILT	3
INJ SITE ABN	3
INJ SITE MASS	3
INJ SITE SEROMA	3
LIPASE HI, BLD	3
NERVOUSNESS	3
SWELLING, LIMB(S)	3
TACHYCARDIA	3
TWITCH	3
URTICARIA	3
WBC HI, BLD	3
ACCIDENTAL EXPOSURE	2
AMYLASE HI, BLD	2
ARREST, HEART	2
BUN HI, BLD	2
CAPILLARY REFILL PROLO	2
CIRCLING	2
CONFUSION	2
CREATININE HI, BLD	2
CULTURE/TITER DATA ABN	2
DEFECATION	2
EDEMA	2
HYPERACTIVITY	2
HYPERSALIVATION	2
INFECTION, FEET/DIGIT(	2
INJ SITE ALOPECIA	2
LESION(S), SKIN	2
NEUROLOGICAL DISORDER	2
PAIN, HIND LIMB(S)	2



**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, JOINT(S)	2
PROTEIN, URINE	2
REFLEX(ES) ABN	2
SKIN, NECROSIS	2
SKIN, SCAB(S)	2
STAGGERING	2
STUPOR	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, HEAD/FACE	2
SWELLING, JOINT(S)	2
THRASHING/PADDLING	2
WEAKNESS	2
ADIPSIA	1
ALBUMIN HI, URINE	1
ALK PHOS HI, BLD	1
ANEMIA	1
ANISOCORIA	1
ARRHYTHMIA, BLOCK	1
ARTHRITIS	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLD(ECCHYMOSES)	1
BLD, GI	1
BLD(HEMATOMA)	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLD, SCLERA	1
BLD, URINE	1
BLINDNESS, PARTIAL	1
BREATHING, PERIODIC	1
CELLULITIS	1
CNS DISORDER	1
CNS STIMULATION	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CPK HI, BLD	1
CRYSTALS, URINE	1
DEHYDRATION	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, BLOODY	1
DIARRHEA, WATERY	1
DIFFICULTY RISING	1
DISCHARGE, EAR(S)	1
DISCHARGE, NOSE	1
DIZZINESS	1
DYSMETRIA	1
DYSRHYTHMIA, RESP	1
EAR DISORDER	1
ECG ABN	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, JOINT(S)	1
ENLARGEMENT(S), SKIN	1
GLOBULIN HI, BLD	1
HEAD BOBBING	1
HEPATITIS	1
HIDING	1
HYPERESTHESIA	1
HYPERPNEA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOPNEA	1
HYPOTHERMIA	1
INEFFECT, ANTIBIOTIC	1
INFECTION, SKIN	1
INFLAM, SKIN	1
INJ SITE EFFUSION	1
INJ SITE FIBROSIS	1
INJ SITE INFECT	1
JOINT DISORDER	1
KIDNEY DISORDER	1
KIDNEY FAILURE	1
LEG DISORDER	1
LIVER ENZYMES HI, BLD	1
LOSS OF CONDITION	1
MASS	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MASS, ABDOMEN	1
MASS, SKIN	1
MONOS HI, BLD	1
MUCOUS MEMBR, MUDDY	1
NEOPLASM, PANCREAS	1
NEUROPATHY	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
NYSTAGMUS, ROTARY	1
OTITIS	1
PAIN, NECK	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PAPULE(S)	1
PARALYSIS	1
PARESTHESIA	1
PD-CONTAMINATION	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
POLYPNEA	1
PR-INJ SITE, LESION(S)	1
PROSTATOMEGALY	1
PROTEIN(TOT) HI, BLD	1
RASH	1
RELUCTANT TO MOVE	1
SHOCK	1
SKIN, CRUST(S)	1
SLOUGH, SKIN	1
SPEC GRAVITY LO, URINE	1
STOOL ABN	1
SWELLING, MOUTH/LIP(S)	1
THYROID HORMONE(S) LO	1
TISSUE, GRANULATION	1
ULCER(S), MUCOCUTANEOU	1
UNCONSCIOUS	1
URINATION	1
VASCULITIS	1
VOMITING, BLOODY	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING, SEVERE	1
WEIGHT LOSS	1
WHEEZING	1

**DRUG: ENROFLOXACIN**

Species: GUINEA PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: ENROFLOXACIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	8
CONVULSION(S)	3
ANAPHYLAXIS/TOID	2
ATAXIA	2
COLITIS	2
COLLAPSE	2
URTICARIA	2
ANEMIA	1
ANEMIA, HEMOLYTIC	1
DIARRHEA, SEVERE	1
DYSYPNEA	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
NERVOUSNESS	1
PACING	1
PAIN	1
PAIN, ABDOMEN	1
SHAKING	1
SHAKING, HEAD/FACE	1

**DRUG: ENROFLOXACIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STIFFNESS, HIND LIMB(S)	1
SWEATING	1
THRASHING/PADDLING	1
TREMBLING	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	29
INJ SITE SWELLING	21
INJ SITE INFLAM	17
INJ SITE BLD	15
CONGESTION, SKIN	4
HYPOESTHESIA	3
PAIN	3
INJ SITE EDEMA	2
ACCIDENTAL EXPOSURE	1
CELLULITIS	1
CONVULSION(S)	1
DIZZINESS	1
ECCHYMOSIS, INCISION SITE	1
HUMAN EXPOSURE, INJ	1
HYPERESTHESIA	1
INCISION SITE, ECCHYMOSIS	1
INFLAM, SKIN	1
INJ SITE PRURITIS	1
INJ SITE STIFFNESS	1
IRRITATION, SKIN	1
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PALLOR	1
PARESTHESIA	1
RASH	1
SHAKING	1
SWEATING	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, FEET/DIGIT(S)	1
TASTE ABNORMALITY	1
VISION DISORDER	1
VOMITING	1
WEAKNESS	1

**DRUG: ENROFLOXACIN**

Species: MOUSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABN	1

**DRUG: ENROFLOXACIN**

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
COLLAPSE	1
INJ SITE SWELLING	1
SHOCK	1

**DRUG: ENROFLOXACIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	3
INEFFECT, ANTIBIOTIC	3
LAMENESS	3
ARTHRITIS, SEPTIC	2
PNEUMONIA	2
CULTURE/TITER DATA ABN	1
INJ SITE NECROSIS	1
PAIN	1

**DRUG: ENROFLOXACIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-JOINT(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-PLEURA, LESION(S)	1
SWELLING, JOINT(S)	1
VOCALIZATION	1

**DRUG: ENROFLOXACIN**

Species: PRIMATE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
GRANULOMA	1
INJ SITE ABN	1
INJ SITE NECROSIS	1
INJ SITE ULCER(S)	1
LESION(S)	1

**DRUG: ENROFLOXACIN**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NECROSIS	2
INJ SITE PAIN	2
DISCOMFORT	1
INJ SITE ABN	1
IRRITATION	1
LESION(S)	1
LICKING	1

**DRUG: ENROFLOXACIN**

Species: RAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE NECROSIS	1

**DRUG: ENROFLOXACIN**

Species: RAT

Route of Administration: PARENTERAL

**DRUG: ENROFLOXACIN**

Species: SNAKE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONFUSION	1
HYPERACTIVITY	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-APPLICATOR, ABN	8
PD-VIAL(S), LEAKING	7
PD-CAP(S), ABN	3
PD-DISPENSER, ABN	3
PD-LABEL(S), ABN	3
PD-DEFECT UNKNOWN	2
PD-PRODUCT DEFECT	2
PD-SEAL, ABN	2
PD-SOLUTION, ABN	2
PD-SUSPENSION, ABN	2
PD-UNDERFILL, VIAL(S)	2
PD-VIAL(S), ABN	2
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-UNDERFILL, TUBE(S)	1
PD-VIAL(S), DAMAGED	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1



**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: DOG

Route of Administration: OPHTHALMIC

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
PRURITIS, EYE(S)	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
VOMITING	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	3
SHAKING, HEAD/FACE	3
APPLICATION SITE ERYTHEMA	2
ATAXIA	2
CONGESTION, EAR(S)	2
INFLAM, SKIN	2
IRRITATION, EAR(S)	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE PAIN	1
DEAFNESS	1
DEPRESSION/LETHARGY	1
DYSYPNEA	1
EDEMA, HEAD/FACE	1
MYDRIASIS	1
PAIN	1
PRURITIS	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TACHYCARDIA	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, EAR(S)	34
IRRITATION, EAR(S)	26
APPLICATION SITE ERYTHEMA	22
CONGESTION, SKIN	13
APPLICATION SITE PAIN	11
DEAFNESS	11
APPLICATION SITE INFLAM	9
PRURITIS, EAR(S)	8
SWELLING, EAR(S)	8
DEAFNESS, PARTIAL	7
ULCER(S), EAR(S)	7
INFLAM, SKIN	6
INFLAM	5
INEFFECT, ANTIBIOTIC	4
PAIN	4
VESICLE(S)/BULLAE, SKI	4
DISCHARGE, EAR(S)	3
INEFFECT	3
VOMITING	3
APPLICATION SITE PRURITIS	2
BLD, EAR(S)	2
CONVULSION(S)	2
DEAFNESS, TEMP	2
DISCOMFORT	2
EDEMA, HEAD/FACE	2
PRURITIS	2
SHAKING, HEAD/FACE	2
SORE(S)	2
TWITCH	2
URTICARIA	2

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA, AUTOIMMUNE HEM	1
ANOREXIA	1
APPLICATION SITE SWELLING	1
ATAXIA	1
ATROPHY, MUSCLE(S)	1
BLINDNESS, PARTIAL	1
BUN HI, BLD	1
CONGESTION	1
CREATININE HI, BLD	1
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
DYSPNEA	1
EAR DISORDER	1
EDEMA	1
ELIMINATION ABN	1
FEVER, BODY	1
HYPERPIGMENTATION, SKI	1
IRRITATION, SKIN	1
LESION(S), SKIN	1
MYOSITIS	1
NYSTAGMUS	1
OPACITY, CORNEA(S)	1
OTITIS	1
PAIN, HEAD/FACE	1
PAPULE(S)	1
PARALYSIS, HIND LIMB(S)	1
P HI, BLD	1
POLYCYTHEMIA	1
PUSTULE(S)	1
SCALE(S), SKIN	1
SGPT/ALT HI, BLD	1
SKIN, NECROSIS	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TREMBLING	1
TYMPANIC MEM, RUPTURED	1
URINATION	1
VESTIBULAR DISORDER	1
VOCALIZATION	1

**DRUG: ENROFLOXACIN, SILVER SULFADIAZINE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
APPLICATION SITE ERYTHEMA	1
EIPPHORA	1
HUMAN EXPOSURE, EYE(S)	1
HUMAN EXPOSURE, JUVENILE	1
HUMAN EXPOSURE, TOPICA	1
IRRITATION	1
IRRITATION, PHARYNX/TH	1
IRRITATION, SKIN	1
PRURITIS, EYE(S)	1
RASH	1

**DRUG: ENROFLOXACIN**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INJ SITE ALOPECIA	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BLINDNESS, PARTIAL	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS, PARTIAL	1
DIARRHEA	1
RETINA ABN	1
VOMITING	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
HYPERESTHESIA	2
RASH	2
SWELLING, HEAD/FACE	2
SWELLING, TONGUE	2
APPLICATION SITE ERYTHEMA	1
FEVER, BODY	1
HEADACHE	1
HYPOESTHESIA	1
INJ SITE PAIN	1
PAIN	1
PAIN, BACK	1
PARESTHESIA, MOUTH/LIP	1
SLOUGH, SKIN	1
URTICARIA	1
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
MYDRIASIS	17
BLINDNESS	15
RETINA ABN	9
ATAXIA	5

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	5
CONVULSION(S)	4
DEATH	4
VOMITING	4
ANOREXIA	3
BLINDNESS, TEMP	3
PUPIL(S), AREFLEXIA	3
ANEMIA	2
BEHAVIOR DISORDER	2
DYSPNEA	2
FEVER, BODY	2
HEAD TILT	2
INJ SITE ABN	2
NERVOUSNESS	2
REFLEX(ES) ABN	2
TREMBLING	2
TWITCH	2
WBC LO, BLD	2
AGGRESSION	1
ALOPECIA	1
BLD, RETINA	1
BLINDNESS, PARTIAL	1
CIRCLING	1
COLLAPSE	1
CONFUSION	1
CONGESTION, SKIN	1
CPK HI, BLD	1
DEMENTIA	1
ERG ABN	1
FROTH, MOUTH/LIP(S)	1
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPERESTHESIA	1
INCONTINENCE, FECAL	1
INJ SITE NECROSIS	1
LESION(S), SKIN	1
LICKING	1
LYMPHS LO, BLD	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
OBSTRUCTION, INTESTINE	1
PARESIS, HIND LIMB(S)	1
PRESSURE HI, BLD	1
RELUCTANT TO MOVE	1
SELF-MUTILATION	1
SKIN, SCAB(S)	1
STRABISMUS	1
STUMBLING	1
ULCER(S), SKIN	1
VISION DISORDER	1
VOCALIZATION	1
WBC HI, BLD	1
WEAKNESS	1

**DRUG: ENROFLOXACIN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANTIBIOTIC	6
DEATH	5
DEATH(TX FAILURE)	2
HYPERACTIVITY	2
INJ SITE PAIN	2
AGGRESSION	1
ANOREXIA	1
CIRCLING	1
COLLAPSE	1
CONVULSION(S)	1
DISTENTION, ABDOMEN	1
FROTH, MOUTH/LIP(S)	1
HEAD PRESSING	1
INJ SITE SWELLING	1
LAMENESS	1
NERVOUSNESS	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, EDEMA	1

**DRUG: ENROFLOXACIN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-MUSCLE(S), LESION(S)	1
STIFFNESS, LIMB(S)	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	5
ATAXIA	3
DEPRESSION/LETHARGY	3
VOMITING	3
ANOREXIA	2
HYPERSALIVATION	2
INJ SITE NECROSIS	2
VOMITING, BLOODY	2
ANEMIA	1
BEHAVIOR DISORDER	1
BLINDNESS	1
BLINDNESS, TEMP	1
CIRCLING	1
DIARRHEA	1
DISSOCIATION	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
INJ SITE EDEMA	1
INJ SITE MASS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
LEG DISORDER	1
LESION(S)	1
LOCOMOTION DISORDER	1
MELENA	1
MRI SCAN ABN	1
MYDRIASIS	1



**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
PLATELETS LO, BLD	1
POLYPNEA	1
PRURITIS	1
SGPT/ALT HI, BLD	1
STUPOR	1
SWELLING, HEAD/FACE	1
URTICARIA	1
VOMITING, SEVERE	1

**DRUG: ENROFLOXACIN**

Species: FERRET

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLINDNESS	1

**DRUG: ENROFLOXACIN**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ATAXIA	1
CONGESTION	1
DEATH	1
EDEMA, HEAD/FACE	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	5
INJ SITE BLD	3

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HEADACHE	1
INJ SITE ABN	1
NAUSEA	1

**DRUG: ENROFLOXACIN**

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE SLOUGH	1

**DRUG: ENROFLOXACIN**

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
LAMENESS	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
MYDRIASIS	6
BLINDNESS	5
BLINDNESS, PARTIAL	3
PUPIL(S), AREFLEXIA	3
RETINA ABN	3
AGGRESSION	1
BEHAVIOR DISORDER	1
BLINDNESS, TEMP	1
CATARACT(S)	1
DEFECATION	1
ERG ABN	1
HYPERACTIVITY	1
NEUROLOGICAL DISORDER	1

**DRUG: ENROFLOXACIN**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
PR- RETINA(S), LESION(S)	1
REFLEX(ES) ABN	1
URINATION	1
VISION DISORDER	1
VOCALIZATION	1

**DRUG: ENROFLOXACIN**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
HYPERSALIVATION	2
VOMITING	2
ALK PHOS HI, BLD	1
ALOPECIA	1
BLD(ECCHYMOSES)	1
BLINDNESS	1
BUN HI, BLD	1
CONGESTION, SKIN	1
CREATININE HI, BLD	1
DEATH	1
DIARRHEA, BLOODY	1
EDEMA	1
FEVER, BODY	1
ICTERUS, BODY	1
INJ SITE MASS	1
LESION(S), SKIN	1
SGPT/ALT HI, BLD	1
SKIN, CRUST(S)	1
ULCER(S), SKIN	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
PARESTHESIA, MOUTH/LIP	1

**DRUG: ENROFLOXACIN**

Species: HUMAN

Route of Administration: VARIOUS

**DRUG: EPRINOMECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-VIAL(S), LEAKING	15
PD-CAP(S), ABN	10
PD-CONTAINER(S), ABN	8
PD-LABEL(S), ABN	8
PD-VIAL(S), ABN	6
PD-CONTAINER(S), DAMAG	5
PD-DISPENSER, ABN	4
PD-MISSING, CAP	4
PD-TUBE(S), LEAKING	3
PD-PRODUCT DEFECT	2
PD-SEAL, ABN	2
PD-SOLUTION, ABN	2
PD-UNDERFILL, PACKAGE	2
PD-VIAL(S), DAMAGED	2
PD-APPLICATOR, ABN	1
PD-CONTAMINATION	1
PD-MISSING, LABEL(S)	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: EPRINOMECTIN**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
CIRCLING	1
DEATH	1
DEPRESSION/LETHARGY	1
HEAD PRESSING	1
UNCONSCIOUS	1

**DRUG: EPRINOMECTIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1
MYDRIASIS	1

**DRUG: EPRINOMECTIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2

**DRUG: EPRINOMECTIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MYDRIASIS	6
BLINDNESS	5
ACCIDENTAL EXPOSURE	4
VOMITING	4
DEATH	3
DEPRESSION/LETHARGY	3
HYPERSALIVATION	3
ATAXIA	2
CONFUSION	2
DIARRHEA	2
RECUMBENCY	2
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
HEAD BOBBING	1
HYPERACTIVITY	1
INCONTINENCE, URINARY	1
PUPIL(S), AREFLEXIA	1
SHAKING	1
SOMNOLENCE	1
STUPOR	1

**DRUG: EPRINOMECTIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TREMBLING	1
UNCONSCIOUS	1
VISION DISORDER	1

**DRUG: EPRINOMECTIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1

**DRUG: EPRINOMECTIN**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
CONGESTION, SKIN	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
HUMAN EXPOSURE, INGEST	1
HUMAN EXPOSURE, JUVENILE	1
NAUSEA	1
VOMITING	1

**DRUG: EPRINOMECTIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE BLD	1
INJ SITE EDEMA	1

**DRUG: EPRINOMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PRURITIS	25
INEFFECT, LICE	21
ALOPECIA	20
DEATH	10
INEFFECT, PARASITE(S)	10
HAIR, ABN	6
ANOREXIA	4
INEFFECT, ECTOPARASITE	4
RECUMBENCY	4
UDDER, HYPOGALACTIA	4
COLLAPSE	3
DYSPNEA	3
LOSS OF CONDITION	3
ANAPHYLAXIS/TOID	2
ATAXIA	2
BLINDNESS	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
HAIR, ABN COLOR	2
HYPERSALIVATION	2
INEFFECT, MITES	2
INEFFECT, PESTS	2
INEFFECT, WEIGHT INC	2
INEFFECT, WORMS	2
INFLAM, SKIN	2
LESION(S), RINGWORM	2
SCALE(S), SKIN	2
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PRURITIS	1
CONFUSION	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DISCHARGE, NOSE	1
DISSOCIATION	1
EFFUSION, PLEURAL	1

**DRUG: EPRINOMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ENLARGEMENT(S)	1
ENTERITIS	1
ERUPTION(S)	1
HEMATOCHEZIA	1
HYPERPIGMENTATION, SKI	1
ILL	1
INEFFECT	1
INEFFECT, ASCARIDS	1
INEFFECT, LICE SUCKING	1
INEFFECT, STRONGYLES	1
INJ SITE, ALOPECIA	1
IRRITATION, SKIN	1
LESION(S), SKIN	1
LICKING	1
OFF FEED	1
PARESIS, HIND LIMB(S)	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SKIN, SCAB(S)	1
SLOUGH, SKIN	1
STOOL, MUCOID	1
SWELLING, NECK	1
UDDER, AGALACTIA	1
ULCER(S), SKIN	1
WEAKNESS	1
WEAKNESS, NEWBORN	1

**DRUG: EPRINOMECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLINDNESS	2
ATAXIA	1
CONVULSION(S)	1
DEATH	1



**DRUG: EPRINOMECTIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIFFICULTY RISING	1
HYPOTHERMIA	1
MYDRIASIS	1
RECUMBENCY	1

**DRUG: EPRINOMECTIN**

Species: GOAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HAIR, ABN	1
ILL	1
UDDER, HYPOGALACTIA	1

**DRUG: EPRINOMECTIN**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	1
APPLICATION SITE, ALOPECIA	1
APPLICATION SITE PAIN	1
ATAXIA	1

**DRUG: EPRINOMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIARRHEA	4
HEADACHE	3
PAIN, ABDOMEN	3
ACCIDENTAL EXPOSURE	2
CONGESTION, SKIN	2
HUMAN EXPOSURE, TOPICA	2

**DRUG: EPRINOMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPOESTHESIA	2
NAUSEA	2
RASH	2
CONVULSION(S)	1
DIARRHEA, MILD	1
DISTENTION, ABDOMEN	1
DIZZINESS	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
EDEMA, NECK	1
FEVER, BODY	1
FLATULENCE	1
HUMAN EXPOSURE, HAND(S)	1
IRRITATION, SKIN	1
LESION(S), MOUTH/LIP(S)	1
MENSES, ABNORMAL	1
OBSTRUCTION, LARYNX	1
PAIN, BACK	1
PAIN, JOINT(S)	1
PAIN, MUSCLE(S)	1
PRURITIS	1
SORE(S)	1
SYNCOPE	1
TREMBLING	1
UNCONSCIOUS	1
URTICARIA	1
VOMITING	1

**DRUG: EPRINOMECTIN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALOPECIA	1
PRURITIS	1

**DRUG: EPRINOMECTIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	2
BLINDNESS	1
BLINDNESS, TEMP	1
HYPERSALIVATION	1
MYDRIASIS	1
STAGGERING	1

**DRUG: EPRINOMECTIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
EIPHORA	1

**DRUG: EPSIPRANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	1
PD-UNDERFILL, VIAL(S)	1
TABLET(S), UNDIGEST	1

**DRUG: EPSIPRANTEL**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA	1
DIARRHEA, MUCOID	1
VOMITING	1

**DRUG: EPSIPRANTEL**

Species: CAT

Route of Administration: ORAL

**DRUG: EPSIPRANTEL**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, TAPES	34
DEPRESSION/LETHARGY	11
VOMITING	9
ATAXIA	7
ANOREXIA	6
DEATH	5
CONVULSION(S)	3
HYPERSALIVATION	3
ANEMIA	2
DYSPNEA	2
EDEMA, LUNG(S)/TRACHEA	2
FEVER, BODY	2
HEMATOCHEZIA	2
RECUMBENCY	2
TREMBLING	2
TWITCH	2
WBC LO, BLD	2
ADIPSIA	1
APPREHENSION	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BLD(PETECHIAE)	1
CONSTIPATION	1
DEATH(EUTHANIZED)	1
DEFECATION	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DISTRESS, RESP	1
GAGGING	1
HEAD TILT	1
HEMOGLOBIN, URINE	1
HIDING	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPOTHERMIA	1
ICTERUS, SERUM	1
ILL	1
LYMPHS HI, BLD	1

**DRUG: EPSIPRANTEL**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MYDRIASIS	1
NAUSEA	1
OPISTHOTONOS	1
POLYPNEA	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, BLD	1
RELUCTANT TO MOVE	1
STOOL, MUCOID	1
WEAKNESS	1

**DRUG: EPSIPRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, TAPES	105
VOMITING	27
DEPRESSION/LETHARGY	15
ANOREXIA	11
DIARRHEA	11
CONVULSION(S)	7
DEATH	7
DIARRHEA, BLOODY	5
FEVER, BODY	4
ATAXIA	3
BUN HI, BLD	3
WEAKNESS	3
ADIPSIA	2
COLLAPSE	2
DEHYDRATION	2
DIARRHEA, SEVERE	2
EDEMA, HEAD/FACE	2
HYPERSALIVATION	2
RECUMBENCY	2
URTICARIA	2
VOCALIZATION	2
ALBUMIN LO, BLD	1

**DRUG: EPSIPRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	1
ANEMIA	1
ANEMIA, AUTOIMMUNE HEM	1
APNEA	1
BILIRUBIN(TOT) HI, BLD	1
BLOAT	1
BRADYCARDIA	1
CONJUNCTIVITIS	1
CREATININE HI, BLD	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
ENLARGEMENT, LYMPH NOD	1
GLOBULIN LO, BLD	1
HALLUCINATION	1
HEMATOCHEZIA	1
HYPERPNEA	1
HYPOTHERMIA	1
ICTERUS	1
KIDNEY VALUES HI, BLD	1
LIVER ENZYMES HI, BLD	1
MELENA	1
MYDRIASIS	1
NA LO, BLD	1
PACING	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PAPULE(S)	1
PERFORATION, GI	1
PLATELETS LO, BLD	1
POLYPNEA	1
PR-LUNG(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
STIFFNESS, NECK	1
STOOL, MUCOID	1
SWELLING, HEAD/FACE	1

**DRUG: EPSIPRANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	1

**DRUG: EPSIPRANTEL**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEADACHE	1
HUMAN EXPOSURE	1
PAIN, ABDOMEN	1

**DRUG: EPSIPRANTEL**

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, TAPES	1

**DRUG: EPSIPRANTEL**

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, TAPES	1

**DRUG: ERYTHROMYCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	6
PD-TUBE(S), LEAKING	6
PD-PRODUCT DEFECT	5
PD-SEAL, ABN	3
PD-CAP(S), ABN	1

**DRUG: ERYTHROMYCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-MISSING, LABEL(S)	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: ERYTHROMYCIN**

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, PAIN	3
CONGESTION	2
DEATH(EUTHANIZED)	1
FIBROSIS	1
INFLAMMATION, MAMMARY	1
RESIDUE, MILK	1
UDDER, HARD	1
UDDER, HYPOGALACTIA	1
UDDER, MASTITIS	1

**DRUG: ERYTHROMYCIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
CONVULSION(S)	1
DISTRESS, RESP	1

**DRUG: ERYTHROMYCIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INJ SITE PAIN	1



**DRUG: ERYTHROMYCIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1
FEVER, BODY	1
INJ SITE SWELLING	1

**DRUG: ESTRADIOL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	1
PD-SUSPENSION, ABN	1

**DRUG: ESTRADIOL, NORGESTOMET**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ESTRUS TOO SOON	3
INEFFECT	2
REPRODUCTION DISORDER	2
ABORTION	1
ESTRUS BEHAVIOR	1
ESTRUS CYCLE ABNORMAL	1

**DRUG: ESTRADIOL, NORGESTOMET**

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT	23
ESTRUS TOO SOON	15
ESTRUS BEHAVIOR	10
INEFFECT, ESTRUS SUPPR	4

**DRUG: ESTRADIOL**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DEATH(SLAUGHTERED)	1
PROLAPSE	1

**DRUG: ESTRADIOL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LIVER FAILURE	1
SWELLING, VAGINA/VULVA	1

**DRUG: ESTRADIOL**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ESTRUS BEHAVIOR	18
DEATH	12
HYPERACTIVITY	6
INJURY	4
PROLAPSE, UTERUS	2
PROLAPSE, VAGINA	2
ANAPHYLAXIS/TOID	1
COLLAPSE	1
HYPERPNEA	1
HYPERSALIVATION	1
NERVOUSNESS	1
PROLAPSE, RECTUM	1
TECH ERROR, IMPLANT	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: ESTRADIOL, PROGESTERONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	22
PD-IMPLANT, ABN	20
PD-DISPENSER, ABN	5
PD-PRODUCT DEFECT	3
PD-CONTAINER(S), DAMAG	2
PD-APPLICATOR, ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAMINATION	1
PD-CONTAM, MOLD	1
PD-GRANULES/POWDER, ABN	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, TUBE(S)	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	24
DYSPNEA	14
ANAPHYLAXIS/TOID	11
HYPERSALIVATION	9
RECUMBENCY	8
ESTRUS BEHAVIOR	7
PR-LUNG(S), LESION(S)	6
COLLAPSE	4
UDDER, SWELLING	4
ATAXIA	3
COUGHING	3
DISCHARGE, NOSE	3
DISTRESS, RESP	3
EDEMA, EYE(S)/LID(S)	3
EDEMA, HEAD/FACE	3
EDEMA, LUNG(S)/TRACHEA	3
PAIN, ABDOMEN	3
PD-IMPLANT, ABN	3
PNEUMONIA	3

**DRUG: ESTRADIOL, PROGESTERONE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), EDEMA	3
SHAKING, HEAD/FACE	3
BLD(PETECHIAE)	2
DEPRESSION/LETHARGY	2
ESTRUS	2
ESTRUS CYCLE ABNORMAL	2
HYPERPNEA	2
INJ SITE EDEMA	2
KICKING	2
NERVOUSNESS	2
POLYPNEA	2
PROLAPSE, PREPUCE	2
REPRODUCTION DISORDER	2
SWELLING, EYE(S)/LID(S)	2
AGGRESSION	1
BEHAVIOR DISORDER	1
BLD	1
BLD, LUNG(S)/TRACHEA	1
BLD, VAGINA	1
BREATHING ABN	1
CONGESTION, EYE(S)/LID	1
CULTURE/TITER DATA ABN	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, LARYNX	1
EDEMA, NECK	1
EDEMA, PREPUCE	1
EDEMA, VULVA	1
EFFUSION, PLEURAL	1
ENLARGEMENT(S)	1
EPIPHORA	1
FERTILITY, LACK OF	1
FERTILITY, REDUCED	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
INJ SITE SWELLING	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJURY	1
LABOR, PREMATURE	1
OPACITY, CORNEA(S)	1
PR-EYE(S)/LID(S), LESI	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LARYNX, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE	1
PROLAPSE, VAGINA	1
PR-TRACHEA, LESION(S)	1
STAGGERING	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PREPUCE	1
SWELLING, VAGINA/VULVA	1
UDDER, AGALACTIA	1
UDDER, MASTITIS	1
ULCER(S), CORNEA(S)	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, VAGINA	1
DEATH	1
DYSPNEA	1
HYPERPNEA	1
INJ SITE BLD	1
RECUMBENCY	1
SWEATING	1
URTICARIA	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1
INJ SITE SWELLING	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

**DRUG: ESTRADIOL, PROGESTERONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ALOPECIA	1
BLD, ABN	1
DEATH	1
ENDOCRINE DISORDER	1
NEOPLASM	1
PROSTATOMEGALY	1
SWELLING, VAGINA/VULVA	1

**DRUG: ESTRADIOL, TESTOSTERONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	9
PD-IMPLANT, ABN	7
PD-DISPENSER, ABN	2
PD-GRANULES/POWDER, ABN	2
PD-PRODUCT DEFECT	2
PD-APPLICATOR, ABN	1
PD-CONTAINER(S), ABN	1

**DRUG: ESTRADIOL, TESTOSTERONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: ESTRADIOL, TESTOSTERONE**

Species: CATTLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
EAR DISORDER	1
SLOUGH, EAR(S)	1

**DRUG: ESTRADIOL, TESTOSTERONE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	10
PROLAPSE, VAGINA	10
PROLAPSE, RECTUM	6
HYPERSALIVATION	4
ESTRUS BEHAVIOR	3
UDDER, SWELLING	3
DEATH(EUTHANIZED)	2
DYSPNEA	2
FERTILITY, REDUCED	2
SWELLING, HEAD/FACE	2
SWELLING, VAGINA/VULVA	2
AGGRESSION	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE SWELLING	1
ATAXIA	1
BREATHING ABN	1
DEATH(SLAUGHTERED)	1
DEPRESSION/LETHARGY	1
DISCHARGE, VULVA	1
FEVER, BODY	1
HYPERPNEA	1
INJURY	1
PD-IMPLANT, ABN	1
RECUMBENCY	1
STAGGERING	1

**DRUG: ESTRADIOL, TESTOSTERONE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, EAR(S)	1
UDDER, ABN	1

**DRUG: ESTRADIOL**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ESTRUS BEHAVIOR	6
SWELLING, MAMMARY	6
SWELLING, VAGINA/VULVA	5
ALOPECIA	1
BLD, ABN	1
BLD(HEMATOMA)	1
BLD(PETECHIAE)	1
COAGULATION DISORDER	1
DIABETES MELLITUS	1
DISCHARGE, VULVA	1
GINGIVA, ABN	1
PLATELETS LO, BLD	1

**DRUG: ESTRADIOL**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	1
SWELLING, MAMMARY	1

**DRUG: ESTRADIOL, TRENBOLONE, TYLOSIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	13
PD-COLOR, ABN	12



**DRUG: ESTRADIOL, TRENBOLONE, TYLOSIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-IMPLANT, ABN	6
PD-CONTAINER(S), ABN	4
PD-DISPENSER, ABN	4
PD-CONTAINER(S), DAMAG	3
PD-SEAL, ABN	3
PD-PRODUCT DEFECT	2
PD-MISSING, LABEL(S)	1

**DRUG: ESTRADIOL, TRENBOLONE, TYLOSIN**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DYSPNEA	1
EDEMA, HEAD/FACE	1
HYPERSALIVATION	1

**DRUG: ESTRADIOL, TRENBOLONE, TYLOSIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ESTRUS BEHAVIOR	12
PD-IMPLANT, ABN	7
ANAPHYLAXIS/TOID	6
DYSPNEA	4
INJ SITE ABSCESS	4
DEATH	2
PD-COLOR, ABN	2
RECUMBENCY	2
AGGRESSION	1
COLLAPSE	1
DEATH(EUTHANIZED)	1
DIFFICULTY RISING	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EPIPHORA	1

**DRUG: ESTRADIOL, TRENBOLONE, TYLOSIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
INJ SITE ABN	1
INJ SITE SWELLING	1
PAIN, ABDOMEN	1
PD-CONTAINER(S), ABN	1
PD-DISPENSER, ABN	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, VAGINA/VULVA	1

**DRUG: ESTRADIOL, TRENBOLONE, TYLOSIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
LAMENESS	1
POLYPNEA	1
RESPIRATORY DISORDER	1

**DRUG: ESTRADIOL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD, ABN	1
PROLAPSE, VAGINA	1
SWELLING, VAGINA/VULVA	1
US ABN	1

**DRUG: ETODOLAC**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SEAL, ABN	20
PD-TABLET(S), ABN	13
PD-COLOR, ABN	10
PD-MISSING, LABEL(S)	10
PD-UNDERFILL, PACKAGE	6
PD-LABEL(S), ABN	5
PD-VIAL(S), DAMAGED	5
PD-CONTAINER(S), ABN	4
PD-UNDERFILL, VIAL(S)	3
PD-CAP(S), ABN	2
PD-CONTAINER(S), DAMAG	2
PD-ODOR, ABN	2
PD-PRODUCT DEFECT	2
PD-CONTAMINATION	1
PD-POTENCY, LO	1
PD-VIAL(S), LEAKING	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
KERATOCONJUNCTIVITIS S	4
VOMITING	2
ALK PHOS HI, BLD	1
ANEMIA	1
BILIRUBIN(TOT) HI, BLD	1
CONFUSION	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DYSURIA	1
ENLARGEMENT, LYMPH NOD	1
ENTERITIS	1
ICTERUS	1
INFLAM, SKIN	1
LIVER DISORDER	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
LIVER ENZYMES HI, BLD	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
STRANGURIA	1

**DRUG: ETODOLAC**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
GI, ABNORMAL	1
TWITCH	1
VOMITING	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	329
ANOREXIA	289
KERATOCONJUNCTIVITIS S	247
DIARRHEA, BLOODY	239
DIARRHEA	230
DEPRESSION/LETHARGY	193
ALK PHOS HI, BLD	174
SGPT/ALT HI, BLD	171
LIVER ENZYMES HI, BLD	109
ANEMIA	101
MELENA	93
BILIRUBIN(TOT) HI, BLD	88
DEATH	81
DEATH(EUTHANIZED)	74
POLYDIPSIA	74
WBC HI, BLD	65
POLYURIA	63

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PLATELETS LO, BLD	60
PROTEIN(TOT) LO, BLD	60
HEMATOCHEZIA	57
ALBUMIN LO, BLD	52
ICTERUS, BODY	48
VOMITING, BLOODY	48
WEIGHT LOSS	48
BUN HI, BLD	45
CONVULSION(S)	43
INTERACTION, DRUG(S)	43
PR-LIVER, LESION(S)	40
CREATININE HI, BLD	38
SGOT/AST HI, BLD	35
WEAKNESS	31
ATAXIA	30
FEVER, BODY	29
BLD, URINE	26
ICTERUS	24
DIARRHEA, MILD	23
AMYLASE HI, BLD	22
INEFFECT, ANALGESIA	22
PALLOR, MUCOUS MEMBRAN	22
DISCHARGE, EYE(S)/LID(S)	21
GGT HI, BLD	21
US-LIVER ABN	21
POLYPNEA	20
LIPASE HI, BLD	18
CONJUNCTIVITIS	17
DYSPNEA	17
ULCER(S), CORNEA(S)	17
DEHYDRATION	16
EPISTAXIS	16
FLATULENCE	15
INCONTINENCE, URINARY	15
LIVER DISORDER	15
PAIN, ABDOMEN	15
SPEC GRAVITY LO, URINE	15
ALOPECIA	14

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KIDNEY FAILURE	14
ANEMIA, AUTOIMMUNE HEM	13
BLD(PETECHIAE)	13
DIARRHEA, SEVERE	13
CONFUSION	12
DIARRHEA, WATERY	12
HEPATITIS	12
PROTEIN, URINE	12
AGGRESSION	11
BILE ACIDS HI, BLD	11
COAGULATION DISORDER	11
DIARRHEA, MUCOID	11
EDEMA, LIMB(S)	11
GASTROENTERITIS	11
PRURITIS	11
RECUMBENCY	11
SEGS HI, BLD	11
ULCER(S), GI	11
BEHAVIOR DISORDER	10
COLLAPSE	10
HEPATOMEGALY	10
INFLAM, SKIN	10
PR-KIDNEY(S), LESION(S)	10
BILIRUBIN, URINE	9
HEAD TILT	9
HYPERACTIVITY	9
LIVER FAILURE	9
P HI, BLD	9
RADIOGRAPH(S) ABN	9
ULCER(S), STOMACH	9
URTICARIA	9
ASCITES	8
BLD, GI	8
GLOBULIN LO, BLD	8
GLUCOSE, URINE	8
KIDNEY VALUES HI, BLD	8
PR-STOMACH, LESION(S)	8
ANEMIA, REGEN	7

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD(ECCHYMOSES)	7
NAUSEA	7
NERVOUSNESS	7
PAIN, EYE(S)/LID(S)	7
RELUCTANT TO MOVE	7
THYROID HORMONE(S) LO	7
URINATION ABN	7
WBC LO, BLD	7
DISTENTION, ABDOMEN	6
EDEMA, VENTRAL	6
GI, ABNORMAL	6
PALLOR	6
PROPRIOCEPTIVE DISORDE	6
SEDATION	6
STAGGERING	6
STOOL ABN	6
TACHYCARDIA	6
TREMBLING	6
ADIPSIA	5
APPREHENSION	5
BLEPHAROSPASM	5
CA HI, BLD	5
DERMATITIS, MOIST	5
INFECTION, URINARY TRA	5
KIDNEY DISORDER	5
POLYCYTHEMIA	5
PR-GI, LESION(S)	5
SPLENOMEGALY	5
STOOL, MUCOID	5
URINATION	5
US ABN	5
BANDS HI, BLD	4
BLD	4
CHEMISTRY ABN	4
CHOLESTEROL HI, BLD	4
CONSTIPATION	4
CPK HI, BLD	4
DEAFNESS	4

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, LUNG(S)/TRACHEA	4
ENTERITIS	4
GASTRITIS	4
GLUCOSE LO, BLD	4
HYPERSALIVATION	4
HYPHEMA	4
HYPOTHERMIA, BODY	4
ICTERUS, SERUM	4
INFECTION, SKIN	4
LICKING	4
LYMPHS LO, BLD	4
NYSTAGMUS	4
PANCREATITIS	4
PARESIS, HIND LIMB(S)	4
PR-PANCREAS, LESION(S)	4
PR-SM INTEST, LESION(S)	4
RBC, NUCLEATED	4
VESTIBULAR DISORDER	4
ANAPHYLAXIS/TOID	3
BLD, ABDOMEN	3
BLD(HEMATOMA)	3
BLD, SKIN	3
BLINDNESS	3
BORBORYGMI	3
BUN LO, BLD	3
CASTS, URINE	3
COLITIS	3
CONGESTION, EYE(S)/LID	3
CONGESTION, SKIN	3
COUGHING	3
DIC	3
DIFFICULTY RISING	3
DISSOCIATION	3
EDEMA	3
EDEMA, HEAD/FACE	3
HIDING	3
ILL	3
IRRITATION, EYE(S)/LID	3



**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
K HI, BLD	3
MASS, ABDOMEN	3
MONOS HI, BLD	3
NOCTURIA	3
PAIN	3
PANCREAS ENZYMES HI, B	3
PARALYSIS, FACIAL NERV	3
PHOTOPHOBIA	3
PR-HEART, LESION(S)	3
PR-LUNG(S), LESION(S)	3
PROTEIN(TOT) HI, BLD	3
PR-SKIN, LESION(S)	3
SHAKING	3
SHOCK	3
STUPOR	3
ULCER(S), SKIN	3
ULCER(S), TONGUE	3
VOCALIZATION	3
WBC, URINE	3
ANEMIA, HEMOLYTIC	2
APNEA	2
ARRHYTHMIA	2
AZOTEMIA	2
BILE ACIDS ABN, BLD	2
BILIRUBIN(DIR) HI, BLD	2
BLD, RECTUM	2
CARDIOMEGALY	2
CHLORIDE LO, BLD	2
CHOLESTEROL LO, BLD	2
CIRCLING	2
COOMBS TEST POS	2
CYANOSIS	2
DEHISCENCE	2
DIARRHEA, PROJECTILE	2
EAR DISORDER	2
EFFUSION, PLEURAL	2
ELECTROLYTE DISORDER	2
ENLARGEMENT, LYMPH NOD	2

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EOSINOS HI, BLD	2
FLY BITING	2
GLOBULIN HI, BLD	2
HAIR, SHEDDING	2
HORNER'S SYNDROME	2
HYPERSENSITIVE, SOUND	2
IMMUNE DISORDER	2
INEFFECT, ANTIINFLAM	2
LIVER PROFILE HI	2
NA LO, BLD	2
ODOR, MOUTH	2
OTITIS	2
PACING	2
PAIN, BACK	2
PANCYTOPENIA	2
PERITONITIS	2
PICA	2
P LO, BLD	2
PR-COLON, LESION(S)	2
PROLAPSE, THIRD EYELID	2
PR-SPLEEN, LESION(S)	2
PRURITIS, EYE(S)	2
RETICULOCYTES HI, BLD	2
SEGS LO, BLD	2
SKIN, CRUST(S)	2
SKIN DISORDER	2
SOMNOLENCE	2
SOUND ABN, VOICE	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, HEAD/FACE	2
SWELLING, LIMB(S)	2
TOX	2
TRIGLYCERIDES HI, BLD	2
ABN COLOR, URINE	1
ALBUMIN HI, BLD	1
ALBUMIN HI, URINE	1
ANEMIA, BLD LOSS	1
ANEMIA, SPHERO	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APLASIA, BONE MARROW	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
BASOS HI, BLD	1
BITING/CHEWING	1
BLD, ABN	1
BLD, ANUS	1
BLD, EYE(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BLD(PURPURA)	1
BLD, VAGINA	1
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
CALCULI, BLADDER	1
CA LO, BLD	1
CNS INFARCT	1
COLITIS, ULCERATIVE	1
COLON, ABN	1
CONGESTION, EAR(S)	1
CONGESTION, PHARYNX	1
CONGESTION, SINUS	1
COPROPHAGIA	1
CULTURE/TITER DATA ABN	1
CYSTITIS	1
DEAFNESS, PARTIAL	1
DEFECATION	1
DEMENTIA	1
DIABETES INSIPIDUS	1
DIABETES MELLITUS	1
DISCHARGE, EYE(S)/LID(	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DYSPHAGIA	1
ECG ABN	1
EDEMA, BRISKET/CHEST	1
EDEMA, LARYNX	1
EDEMA, NECK	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EFFUSION, PERITONEAL	1
ELIMINATION ABN	1
ERUPTION(S)	1
EYE DISORDER	1
FIBRINOGEN LO, BLD	1
FROTH, MOUTH/LIP(S)	1
GINGIVA, ABN	1
GLUCOSE HI, BLD	1
HEAD BOBBING	1
HEAD PRESSING	1
HEALING IMPAIRED	1
HYPERADRENOCORTICISM	1
HYPERESTHESIA	1
HYPOMOTILITY	1
HYPOTHERMIA	1
INCONTINENCE, FECAL	1
INEFFECT	1
INEFFECT, LOSS OF EFFE	1
INFECTION, EYE(S)	1
INFECTION, FEET/DIGIT(	1
INSOMNIA	1
IRRITATION, ESOPHAGUS	1
IRRITATION, PHARYNX/TH	1
K LO, BLD	1
LAMENESS	1
LARYNGITIS	1
LESION(S), SKIN	1
LOCOMOTION DISORDER	1
LOSS OF CONDITION	1
LYMPHS HI, BLD	1
MG HI, BLD	1
MICROORANISMS, URINE	1
MICROORGANISMS, URINE	1
MUCOUS MEMBR, MUDDY	1
MURMUR, HEART	1
MYDRIASIS	1
NECROSIS	1
NEOPLASM, MULT SITES	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROLOGICAL DISORDER	1
NOSE ABN	1
NYSTAGMUS, HORIZONTAL	1
OBSTRUCTION, LARYNX	1
ODOR, URINE	1
PAIN, MOUTH/LIP(S)	1
PAIN, MUSCLE(S)	1
PAPULE(S)	1
PARALYSIS, HIND LIMB(S)	1
PARESIS	1
PERFORATION, GI	1
PERFORATION, STOMACH	1
PHARYNGITIS	1
PHLEBITIS	1
PHOTOSENSITIZATION	1
POLYCYTHEMIA(RELATIVE)	1
PR-ADRENAL(S), LESION(S)	1
PR-BONE MARROW, LESION	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MOUTH/LIP(S), LESIO	1
PR-MULT SITES, BLD	1
PR-MULT SITES, LESION(S)	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEUM, LESION(	1
PR-SM INTEST, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
PUPIL(S), AREFLEXIA	1
RASH	1
REACTION, UNSPECIFIED	1
REFLEX(ES) ABN	1
REGURGITATION, FOOD	1
RELUCTANT TO CLIMB	1
RETICULOCYTES LO, BLD	1
SALIVA, ABN	1
SKIN, SCAB(S)	1
SNEEZING	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SORE(S)	1
SPASM	1
SQUINTING	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
STRANGURIA	1
SWELLING, BRISKET/CHES	1
SWELLING, EAR(S)	1
SWELLING, JOINT(S)	1
SWELLING, MULT SITES	1
SYNCOPE	1
TEARS, ABN	1
TECH ERROR ADMINISTRAT	1
TENESMUS, RECTAL	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), PYLORUS	1
UREMIA	1
UVEITIS	1
VISION DISORDER	1
VOICE DISORDER	1
VOMITING, SEVERE	1

**DRUG: ETODOLAC**

Species: PIG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
AGGRESSION	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING, BLOODY	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: TOPICAL

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	7
DEPRESSION/LETHARGY	7
LIVER ENZYMES HI, BLD	6
VOMITING	6
DIARRHEA	5
DIARRHEA, BLOODY	5
KERATOCONJUNCTIVITIS S	5
SGPT/ALT HI, BLD	5
ALK PHOS HI, BLD	3
BILIRUBIN(TOT) HI, BLD	3
ICTERUS	3
ULCER(S), CORNEA(S)	3
BUN HI, BLD	2
CREATININE HI, BLD	2
FEVER, BODY	2
PR-LIVER, LESION(S)	2
CONFUSION	1
CONGESTION, EYE(S)/LID	1
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DISCHARGE, EYE(S)/LID(S)	1
ENTERITIS	1
GLUCOSE LO, BLD	1
INTERACTION, DRUG(S)	1
LIVER DISORDER	1
LIVER FAILURE	1
MASS, SKIN	1
P HI, BLD	1
POLYDIPSIA	1
POLYURIA	1
RADIOGRAPH(S) ABN	1
RUPTURE	1

**DRUG: ETODOLAC**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SGOT/AST HI, BLD	1
US-LIVER ABN	1
WEIGHT LOSS	1

**DRUG: FAMOTIDINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLINDNESS, TEMP	1
CONVULSION(S)	1
UNCONSCIOUS	1

**DRUG: FAMPHUR**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	4
PD-CAP(S), ABN	2
PD-APPLICATOR, ABN	1
PD-CONTAINER(S), ABN	1
PD-ODOR, ABN	1
PD-VIAL(S), LEAKING	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
COUGHING	1
DYSPNEA	1
HEADACHE	1
HUMAN EXPOSURE, HEAD/F	1
INFLAM	1
IRRITATION	1



**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PAIN, ABDOMEN	1
PNEUMONIA, ASPIRATION	1
RADIOGRAPH(S) ABN	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, PHARYNX/THRO	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
ABORTION	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	5
PAIN, EYE(S)/LID(S)	3
CONJUNCTIVITIS	1
EPIPHORA	1
HUMAN EXPOSURE, EYE(S)	1
IRRITATION, PHARYNX/TH	1
PARESTHESIA, EYE(S)/L	1
PHOTOPHOBIA	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, PHARYNX/THRO	1

**DRUG: FAMPHUR**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: FAMPHUR**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2

**DRUG: FAMPHUR**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYPNEA	1
TACHYCARDIA	1

**DRUG: FAMPHUR**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
CIRCLING	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
HEAD TILT	1
HYPERSALIVATION	1
MYDRIASIS	1
TREMBLING	1

**DRUG: FAMPHUR**

Species: RAPTOR

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FAMPHUR**

Species: VARIOUS

Route of Administration: ORAL

**DRUG: FAMPHUR**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIARRHEA	1
DIZZINESS	1
HUMAN EXPOSURE, HAND(S)	1
PAIN, ABDOMEN	1
SWEATING	1
VOMITING	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
EPIPHORA	1

**DRUG: FAMPHUR**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	47
HYPERSALIVATION	17
RECUMBENCY	14
DIARRHEA	10
INEFFECT, LICE	9
FROTH, MOUTH/LIP(S)	8
DEPRESSION/LETHARGY	7
INEFFECT, GRUBS	7
ATAXIA	6
COLLAPSE	6

**DRUG: FAMPHUR**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSPNEA	6
ABORTION	5
ANOREXIA	5
BLOAT	5
TREMBLING	5
STAGGERING	4
STIFFNESS	4
CONVULSION(S)	2
DEHYDRATION	2
ILL	2
PRURITIS	2
SHAKING, HEAD/FACE	2
WEIGHT LOSS	2
ALOPECIA	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE ALOPECIA	1
BEHAVIOR DISORDER	1
BLD, PASSING	1
CHE LO, BRAIN	1
CHE LO, RBC	1
CHE LO, SERUM	1
CONGESTION, LUNG(S)	1
COUGHING	1
DEFECATION	1
DISTRESS, RESP	1
EDEMA	1
EFFUSION, PLEURAL	1
EYE DISORDER	1
INEFFECT	1
IRRITATION, SKIN	1
LAMENESS	1
LOSS OF CONDITION	1
MELENA	1
PARALYSIS	1
PARESIS, HIND LIMB(S)	1
PD-SUSPENSION, ABN	1
POLYURIA	1
PR-LIVER, LESION(S)	1

**DRUG: FAMPHUR**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PR-LUNG(S), LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PROLAPSE, RECTUM	1
PROLAPSE, TONGUE	1
SHAKING	1
STIFFNESS, NECK	1
STRAINING	1
STUPOR	1
SWELLING, NECK	1
TOX, OP	1
TWITCH	1
URINATION	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: FAMPHUR**

Species: EAGLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	13
NAUSEA	8
VOMITING	6
FEVER, BODY	4
HEADACHE	4
RASH	4
CONGESTION, SKIN	3
INFLAM, SKIN	3
SWEATING	3
HUMAN EXPOSURE, HEAD/F	2

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SKIN DISORDER	2
ABRASION, CORNEA(S)	1
ACCIDENTAL EXPOSURE	1
CONFUSION	1
CONGESTION, EYE(S)/LID	1
CONJUNCTIVITIS	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIZZINESS	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
HUMAN EXPOSURE, EYE(S)	1
HYPOESTHESIA	1
INSOMNIA	1
IRRITATION, SKIN	1
NEUROLOGICAL DISORDER	1
PAIN	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PAIN, MUSCLE(S)	1
PRESSURE HI, BLD	1
SWELLING, EYE(S)/LID(S)	1
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1

**DRUG: FAMPHUR**

Species: OTHER

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1

**DRUG: FAMPHUR**

Species: VARIOUS

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FAMPHUR**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, GRUBS	2

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COUGHING	1
SWELLING, HEAD/FACE	1
VOMITING	1

**DRUG: FAMPHUR**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	2
CONGESTION, EYE(S)/LID	1
HUMAN EXPOSURE, HEAD/F	1
IRRITATION, EYE(S)/LID	1

**DRUG: FAT-DERIVED STEM CELL PRODUCT**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EDEMA, LIMB(S)	1
INEFFECT	1
INJ SITE INFLAM	1

**DRUG: FAT-DERIVED STEM CELL PRODUCT**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
LAMENESS	1
SWELLING, TENDON(S)	1

**DRUG: FEBANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

**DRUG: FEBANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	2
DEATH	2
DEPRESSION/LETHARGY	2
ANOREXIA	1
DIARRHEA	1
ENTERITIS	1
FEVER, BODY	1
VOMITING	1

**DRUG: FEBANTEL**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
SCALE(S), SKIN	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, TONGUE	1



**DRUG: FEBANTEL**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ULCER(S), MOUTH/LIP(S)	1

**DRUG: FEBANTEL, PRAZIQUANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	1
PD-VIAL(S), LEAKING	1

**DRUG: FEBANTEL, PRAZIQUANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
HYPERSALIVATION	1
INEFFECT, ASCARIDS	1
VOMITING	1

**DRUG: FEBANTEL, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	6
DEPRESSION/LETHARGY	3
VOMITING	3
ANOREXIA	1
EDEMA, LUNG(S)/TRACHEA	1
HYPERACTIVITY	1
HYPERSALIVATION	1
ILL	1
LIVER ENZYMES HI, BLD	1
PR-LIVER, LESION(S)	1
PR-TRACHEA, LESION(S)	1

**DRUG: FEBANTEL, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	1
VOCALIZATION	1
VOLVULUS, STOMACH	1

**DRUG: FEBANTEL, PRAZIQUANTEL**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	1
PD-MISSING, LABEL(S)	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	6

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	4
ATAXIA	4
DEPRESSION/LETHARGY	4
HYPERSALIVATION	2
ANEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD, URINE	1
COUGHING	1
DEATH	1
DEHYDRATION	1
DIARRHEA	1
DIARRHEA, MILD	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPERPNEA	1
ICTERUS, BODY	1
LIVER ENZYMES HI, BLD	1
PAWING	1
TREMBLING	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
UNCONSCIOUS	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	209
DIARRHEA	47
DEPRESSION/LETHARGY	44
HYPERACTIVITY	37
ANOREXIA	28
DEATH	17
VOCALIZATION	14

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	13
NERVOUSNESS	12
PACING	12
CONVULSION(S)	11
ANEMIA	9
HYPERSALIVATION	9
PRURITIS	9
DIARRHEA, BLOODY	8
POLYPNEA	7
TREMBLING	7
APPREHENSION	5
BEHAVIOR DISORDER	5
CONFUSION	5
DEATH(EUTHANIZED)	5
DYSYPNEA	5
FEVER, BODY	5
RECUMBENCY	5
TACHYCARDIA	5
ANAPHYLAXIS/TOID	4
BUN HI, BLD	4
CONGESTION, SKIN	4
INEFFECT, ASCARIDS	4
INEFFECT, TAPES	4
INEFFECT, WHIPS	4
PAIN	4
SHAKING	4
WEAKNESS	4
ALK PHOS HI, BLD	3
COUGHING	3
DIARRHEA, MILD	3
FLATULENCE	3
FLY BITING	3
HYPERPNEA	3
INCONTINENCE, URINARY	3
INEFFECT, HOOKS	3
LIVER ENZYMES HI, BLD	3
PALLOR, MUCOUS MEMBRAN	3
POLYDIPSIA	3

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RELUCTANT TO MOVE	3
SGPT/ALT HI, BLD	3
SWELLING, HEAD/FACE	3
VOMITING, BLOODY	3
WEIGHT LOSS	3
ADIPSIA	2
BLD, URINE	2
CREATININE HI, BLD	2
DEATH(STILLBORN)	2
DEHYDRATION	2
DIARRHEA, WATERY	2
DISCOMFORT	2
DIZZINESS	2
EDEMA, HEAD/FACE	2
GGT HI, BLD	2
GLUCOSE HI, BLD	2
GLUCOSE LO, BLD	2
INEFFECT, WORMS	2
LICKING, FEET/DIGIT(S)	2
MELENA	2
NAUSEA	2
NYSTAGMUS	2
PAIN, ABDOMEN	2
PLATELETS LO, BLD	2
PNEUMONIA	2
PRESSURE LO, BLD	2
RADIOGRAPH(S) ABN	2
SEGS LO, BLD	2
SOUND ABN, RESPIRATORY	2
STAGGERING	2
STUMBLING	2
UNPALATABLE, WON'T EAT	2
URTICARIA	2
VOMITING, PROJECTILE	2
VOMITING, SEVERE	2
AGGRESSION	1
ALBUMIN LO, BLD	1
ANEMIA, AUTOIMMUNE HEM	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANURIA	1
BILE ACIDS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLD, PASSING	1
BLD, SCLERA	1
BORBORYGMI	1
BRADYCARDIA	1
BREATHING, DIFFICULT	1
CELLULITIS	1
CHOLESTEROL HI, BLD	1
CNS STIMULATION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, PHARYNX	1
CONJUNCTIVITIS	1
COPROPHAGIA	1
CPK HI, BLD	1
DEFECATION	1
DEFECATION ABN	1
DIARRHEA, MUCOID	1
DIFFICULTY RISING	1
DISTRESS	1
DISTRESS, RESP	1
EAR DISORDER	1
EDEMA, LARYNX	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
GAGGING	1
HALLUCINATION	1
HEAD BOBBING	1
HIDING	1
HYPERTONIA	1
ICTERUS, BODY	1
ICTERUS, SERUM	1
ILL	1
INEFFECT	1
INFLAM, SKIN	1
IRRITATION, PERINEUM	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, SKIN	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
K LO, BLD	1
LABOR, PREMATURE	1
LAMENESS	1
LESION(S), SKIN	1
LICKING	1
MASS	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
NOSE ABN	1
ODOR	1
ODOR, URINE	1
OTITIS	1
PALLOR	1
PANCREAS DISORDER	1
PANCREAS ENZYMES HI, B	1
PARESIS, HIND LIMB(S)	1
PNEUMONIA, ASPIRATION	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PROLAPSE, RECTUM	1
PRURITIS, FEET/DIGIT(S)	1
RELUCTANT TO CLIMB	1
SGOT/AST HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN, SCAB(S)	1
SLOUGH, SKIN	1
SNEEZING	1
STARING	1
STRABISMUS	1
STRAINING	1
STUPOR	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, VAGINA/VULVA	1
TENESMUS, RECTAL	1
TWITCH	1
UNCONSCIOUS	1
URINATION ABN	1
US ABN	1
VOMITING ROUNDWORMS	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOMITING	2
CONFUSION	1
DEPRESSION/LETHARGY	1
PALLOR, MUCOUS MEMBRAN	1

**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWELLING, HEAD/FACE	1
URTICARIA	1



**DRUG: FEBANTEL, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: FEBANTEL, TRICHLORFON**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
HYPERSALIVATION	1
MIOSIS	1
VOMITING	1

**DRUG: FEBANTEL, TRICHLORFON**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	11
DEATH	8
DIARRHEA	8
ANOREXIA	5
SWELLING, MOUTH/LIP(S)	4
ATAXIA	3
DIARRHEA, SEVERE	3
HYPERSALIVATION	3
IRRITATION, MOUTH/LIP(	3
SWEATING	3
SWELLING, TONGUE	3
PAIN, MOUTH/LIP(S)	2
SHOCK	2
ULCER(S), GI	2
ULCER(S), MOUTH/LIP(S)	2
BLD, GI	1
BLOAT	1
COLITIS, ULCERATIVE	1
COLLAPSE	1
DEATH(EUTHANIZED)	1

**DRUG: FEBANTEL, TRICHLORFON**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEFECATION	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DISCOMFORT	1
DISTRESS	1
DISTRESS, RESP	1
DYSPNEA	1
FROTH, MOUTH/LIP(S)	1
GINGIVITIS	1
HYPERPNEA	1
LIVER ENZYMES HI, BLD	1
POLYPHAGIA	1
RECUMBENCY	1
SWELLING, EYE(S)/LID(S)	1
TACHYCARDIA	1
VESICLE(S)/BULLAE, MOU	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: FENBENDAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	31
PD-VIAL(S), LEAKING	15
PD-COLOR, ABN	14
PD-GRANULES/POWDER, ABN	11
PD-SUSPENSION, ABN	11
PD-SEAL, ABN	8
PD-CONTAINER(S), DAMAG	7
PD-UNDERFILL, TUBE(S)	5
UNPALATABLE, WON'T EAT	5
PD-LABEL(S), ABN	4
PD-PRODUCT DEFECT	4
PD-UNDERFILL, VIAL(S)	3
PD-APPLICATOR, ABN	2
PD-CONTAINER(S), ABN	2

**DRUG: FENBENDAZOLE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-CONTAM, MOLD	2
NO SIGNS	1
PD-CAP(S), ABN	1
PD-CONTAMINATION	1
PD-CONTAM, INSECTS	1
PD-GEL/PASTE, ABN	1
PD-MISSING, LABEL(S)	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PD-SYRINGE, ABN	1
PD-TUBE(S), LEAKING	1
PD-VIAL(S), DAMAGED	1
UNPALATABLE	1

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, PHARYNX/TH	2
COUGHING	1
NOSE, INFLAMMATION	1
SNEEZING	1
TASTE ABNORMALITY	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: INTRAUTERINE

<b>Sign:</b>	<b>Number of Times Reported:</b>
BIRTH DEFECT(S), HEAD/	1
DEATH	1

**DRUG: FENBENDAZOLE**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
ANOREXIA	1
DISCHARGE, NOSE	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA, MILD	1
HEMATOCHEZIA	1

**DRUG: FENBENDAZOLE**

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
DEATH(NEWBORN)	1
PR-STILLBORN, LESION(S)	1

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
HYPERACTIVITY	1
IRRITATION, EYE(S)/LID	1
SKIN ABNORMAL	1

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: NOT APPLICABLE

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
NAUSEA	1

**DRUG: FENBENDAZOLE**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	5
ANOREXIA	3
DEPRESSION/LETHARGY	3
LIVER DISORDER	2
WEIGHT LOSS	2
ANEMIA, REGEN	1
CACHEXIA	1
DEHYDRATION	1
STOOL ABN	1

**DRUG: FENBENDAZOLE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	8
DEATH	5
DEPRESSION/LETHARGY	5
ANOREXIA	4
GLUCOSE LO, BLD	4
WEAKNESS	4
ATAXIA	3
COLLAPSE	2
DEATH(EUTHANIZED)	2
HYPERACTIVITY	2

**DRUG: FENBENDAZOLE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	2
HYPOTHERMIA	2
AGGRESSION	1
ANEMIA	1
BEHAVIOR DISORDER	1
CO2 HI, BLD	1
CONSTIPATION	1
CREATININE LO, BLD	1
CULTURE/TITER DATA ABN	1
DIARRHEA	1
DYSPHAGIA	1
INCONTINENCE, URINARY	1
INEFFECT, TAPES	1
INJURY	1
K HI, BLD	1
K LO, BLD	1
LICKING	1
LOCOMOTION DISORDER	1
LOSS OF CONDITION	1
MASS, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, HIND LIMB(S)	1
POLYPNEA	1
PROLAPSE, THIRD EYELID	1
SEDATION	1
STARING	1
STUPOR	1
SWELLING, HEAD/FACE	1
TOX	1
TREMBLING	1
VOCALIZATION	1
WEIGHT LOSS	1

**DRUG: FENBENDAZOLE**

Species: CATTLE

Route of Administration: ORAL

**DRUG: FENBENDAZOLE**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	20
ANOREXIA	8
DIARRHEA	6
RECUMBENCY	5
UDDER, HYPOGALACTIA	4
INEFFECT	3
BREATHING ABN	2
COLLAPSE	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
DISCHARGE, NOSE	2
FEVER, BODY	2
INEFFECT, LUNGWORMS	2
INEFFECT, PARASITE(S)	2
INEFFECT, WORMS	2
ABORTION	1
ANAPHYLAXIS/TOID	1
ATAXIA	1
BIRTH, PREMATURE	1
BLINDNESS	1
BLOAT	1
CONVULSION(S)	1
COUGHING	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DYSPNEA	1
HEAD TILT	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INEFFECT, TAPES	1
KICKING	1
MIOSIS	1
MYDRIASIS	1
PARALYSIS	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MUSCLE(S), LESION(S)	1

**DRUG: FENBENDAZOLE**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
STOOL ABN	1
STOOL, MUCCOID	1
STUMBLING	1
TREMBLING	1
TWITCH	1

**DRUG: FENBENDAZOLE**

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FENBENDAZOLE**

Species: COUGAR

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	544
DEPRESSION/LETHARGY	299
ANOREXIA	273
DIARRHEA	229
DEATH	86
ADIPSIA	43
VOCALIZATION	42
DIARRHEA, BLOODY	35
WEAKNESS	35
HYPERACTIVITY	33
ATAXIA	32



**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	30
NERVOUSNESS	29
DIARRHEA, MILD	27
TREMBLING	27
HEMATOCHEZIA	25
VOMITING, UNPRODUCTIVE	23
FEVER, BODY	21
CONVULSION(S)	19
COUGHING	19
HYPERSALIVATION	18
POLYPNEA	18
URTICARIA	17
POLYDIPSIA	16
DEHYDRATION	15
POLYURIA	15
RECUMBENCY	15
SHAKING	15
CONSTIPATION	14
SWELLING, HEAD/FACE	14
INEFFECT, TAPES	13
WEIGHT LOSS	13
DYSPNEA	11
EDEMA, HEAD/FACE	10
PAIN, ABDOMEN	10
DIARRHEA, SEVERE	9
DISTENTION, ABDOMEN	9
INEFFECT, HOOKS	9
INEFFECT, WORMS	9
PRURITIS	9
WBC LO, BLD	9
PAIN	8
STOOL, MUCOID	8
APPREHENSION	7
BLD, URINE	7
GAGGING	7
RADIOGRAPH(S) ABN	7
STOOL ABN	7
ALK PHOS HI, BLD	6

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	6
ANEMIA	6
BILIRUBIN(TOT) HI, BLD	6
CONFUSION	6
CULTURE/TITER DATA ABN	6
DIARRHEA, WATERY	6
ICTERUS	6
PR-LIVER, LESION(S)	6
SGPT/ALT HI, BLD	6
TACHYCARDIA	6
TENESMUS, RECTAL	6
BEHAVIOR DISORDER	5
DIFFICULTY RISING	5
FLATULENCE	5
INCONTINENCE, URINARY	5
INEFFECT, ASCARIDS	5
INEFFECT, WHIPS	5
LICKING	5
MELENA	5
ODOR, MOUTH	5
PALLOR, MUCOUS MEMBRAN	5
PANCYTOPENIA	5
PLATELETS LO, BLD	5
SNEEZING	5
SOMNOLENCE	5
SPASM	5
UNPALATABLE, WON'T EAT	5
VOMITING, BLOODY	5
ABN COLOR, URINE	4
CONGESTION, SKIN	4
DIARRHEA, MUCOID	4
ICTERUS, BODY	4
IRRITATION, PERINEUM	4
KIDNEY FAILURE	4
LAMENESS	4
LIVER DISORDER	4
MYDRIASIS	4
PACING	4

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARESIS, HIND LIMB(S)	4
PR-BONE MARROW, LESION	4
REACTION, UNSPECIFIED	4
SHAKING, HEAD/FACE	4
STAGGERING	4
WBC HI, BLD	4
AZOTEMIA	3
BLD, ABDOMEN	3
BLINDNESS	3
BUN HI, BLD	3
COLLAPSE	3
CONGESTION, EYE(S)/LID	3
DEATH(STILLBORN)	3
DEFECATION ABN	3
DIC	3
DISCHARGE, EYE(S)/LID(S)	3
EPISTAXIS	3
HAIR, ABN	3
HAIR, SHEDDING	3
HYPERPNEA	3
ILL	3
IRRITATION, EYE(S)/LID	3
LIVER ENZYMES HI, BLD	3
LOCOMOTION DISORDER	3
P HI, BLD	3
POSTURE ABN	3
PROLAPSE, THIRD EYELID	3
STIFFNESS, HIND LIMB(S)	3
STIFFNESS, LIMB(S)	3
STUPOR	3
TWITCH	3
VOMITING ROUNDWORMS	3
VOMITING, SEVERE	3
ABORTION	2
ABSCCESS, SKIN	2
ACCIDENTAL EXPOSURE	2
AGGRESSION	2
ALOPECIA	2

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APLASIA, BONE MARROW	2
BLD, MOUTH/LIP(S)	2
BORBORYGMI	2
CACHEXIA	2
CONJUNCTIVITIS	2
CPK HI, BLD	2
CREATININE HI, BLD	2
CRYSTALS, URINE	2
DISCOMFORT	2
DISTRESS	2
EFFUSION, PERICARDIAL	2
ELIMINATION ABN	2
ENLARGEMENT, LYMPH NOD	2
ERUPTION(S)	2
FROTH, MOUTH/LIP(S)	2
GASTRITIS	2
GI, ABNORMAL	2
GLUCOSE LO, BLD	2
HYPERMOTILITY	2
HYPOTHERMIA, BODY	2
INEFFECT, PARASITE(S)	2
INEFFECT, WHIPS PREVEN	2
INTUSSUSCEPTION	2
LICKING, FEET/DIGIT(S)	2
LIVER FAILURE	2
NAUSEA	2
NEUROLOGICAL DISORDER	2
PAIN, JOINT(S)	2
PALLOR	2
PR-KIDNEY(S), LESION(S)	2
PR-LUNG(S), LESION(S)	2
RASH	2
REGURGITATION	2
SKIN ABNORMAL	2
SPLENOMEGALY	2
STIFFNESS	2
SWELLING, NECK	2
TREMBLING, FACE	2

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
URINATION ABN	2
ABN ODOR, URINE	1
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
ANEMIA, APLASTIC	1
ANURIA	1
ASCITES	1
ATROPHY, MUSCLE(S)	1
BILE ACIDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BILIRUBIN(IND) HI, BLD	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BITING/CHEWING	1
BLD	1
BLD, ANUS	1
BLD, EYE(S)	1
BLD, LUNG(S)/TRACHEA	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLEPHAROSPASM	1
BLINDNESS, TEMP	1
BLOAT	1
BRADYCARDIA	1
BREATHING, DIFFICULT	1
CA HI, BLD	1
CAPILLARY REFILL PROLO	1
CHLORIDE HI, BLD	1
CHLORIDE LO, BLD	1
CHOKING	1
CHOLESTEROL HI, BLD	1
CIRCLING	1
COAGULATION DISORDER	1
COLITIS	1
CONGESTION, LUNG(S)	1
CYANOSIS	1
DEAFNESS	1
DEFECATION	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DESTRUCTIVENESS	1
DIABETES MELLITUS	1
DILITATION, STOMACH	1
DISCHARGE, NOSE	1
DISCOMFORT, MOUTH/LIP(S)	1
DIZZINESS	1
DYSURIA	1
EDEMA, LIMB(S)	1
EFFUSION, PLEURAL	1
ENLARGEMENT, SALIVARY GLAND	1
ENTERITIS	1
EPIPHORA	1
ERUCTATION	1
EXERCISE INTOLERANCE	1
EYE DISORDER	1
FIBRINOGEN LO, BLD	1
FILM TEST(TRYPS), NEG	1
GASTROENTERITIS	1
GLUCOSE HI, BLD	1
HALLUCINATION	1
HEAD BOBBING	1
HEAD PRESSING	1
HEART FAILURE	1
HIDING	1
HORNER'S SYNDROME	1
HYPERTONIA	1
HYPOMOTILITY	1
HYPOTHERMIA	1
INCONTINENCE, FECAL	1
INFECTION, URINARY TRA	1
INFLAM	1
INFLAM, SKIN	1
INSOMNIA	1
KERATOCONJUNCTIVITIS S	1
K LO, BLD	1
LABOR, PREMATURE	1
LDH HI, BLD	1
LIPASE HI, BLD	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LOSS OF CONDITION	1
MASS, ABDOMEN	1
MONOS HI, BLD	1
MORIBUND	1
MUCOUS MEMBR, MUDDY	1
MURMUR, HEART	1
NA HI, BLD	1
NA LO, BLD	1
NEOPLASM, KIDNEY(S)	1
NEOPLASM, LIVER	1
NEOPLASM, MULT SITES	1
NEOPLASM, SPLEEN	1
NOSE ABN	1
OPACITY, CORNEA(S)	1
PAIN, BACK	1
PAIN, NECK	1
PANCREAS DISORDER	1
PARALYSIS	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, FORE LIMB(S)	1
PICA	1
PR-HEART, LESION(S)	1
PR-MULT SITES, CONGEST	1
PROLAPSE, TONGUE	1
PROSTATOMEGALY	1
PR-SM INTEST, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PRURITIS, FEET/DIGIT(S)	1
PRURITIS, TAIL	1
PT PROLONGED, BLD	1
PUSTULE(S)	1
RBC ABN	1
REGURGITATION, FOOD	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
SEGS LO, BLD	1
SHOCK	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SKIN, CRUST(S)	1
SKIN DISORDER	1
SOUND ABN, VOICE	1
STARING	1
STIFFNESS, FRONT LIMB(	1
STOOL, PALE/GRAY	1
STRABISMUS	1
STRANGURIA	1
STUMBLING	1
SWELLING	1
SWELLING, ANUS	1
SWELLING, BRISKET/CHES	1
SWELLING, EYE(S)/LID(S	1
TAIL CHASING	1
TENESMUS, URINARY	1
TETANY	1
THRASHING/PADDLING	1
ULCER(S), SKIN	1
URINATION	1
US-LIVER ABN	1
VISION DISORDER	1
VOLVULUS, STOMACH	1
WHEEZING	1

**DRUG: FENBENDAZOLE**

Species: FERRET

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	1
DIARRHEA	1

**DRUG: FENBENDAZOLE**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------



**DRUG: FENBENDAZOLE**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	9
DIARRHEA	4
DEPRESSION/LETHARGY	3
INEFFECT	3
ABORTION	1
ANOREXIA	1
ATAXIA	1
BEHAVIOR DISORDER	1
DEATH(TX FAILURE)	1
DISCHARGE, NOSE	1
EDEMA	1
EDEMA, HEAD/FACE	1
EDEMA, NECK	1
HEAD BOBBING	1
ILL	1
INEFFECT, PARASITE(S)	1
INEFFECT, WORMS	1
NYSTAGMUS	1
PR-GI, LESION(S)	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
SHAKING	1
TWITCH	1

**DRUG: FENBENDAZOLE**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	13
DIARRHEA	9
ANOREXIA	4
DEATH	4
DEPRESSION/LETHARGY	4
SWEATING	4
URTICARIA	4
FEVER, BODY	3

**DRUG: FENBENDAZOLE**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	2
CONGESTION, SKIN	2
DEATH(EUTHANIZED)	2
DEHYDRATION	2
DIARRHEA, MILD	2
HYPERPNEA	2
INFLAM, SKIN	2
OFF FEED	2
PRURITIS	2
RECUMBENCY	2
ALOPECIA	1
ANEMIA	1
APNEA	1
ARTHRITIS	1
ATAXIA	1
BEHAVIOR DISORDER	1
CHEMISTRY ABN	1
DEATH(NEWBORN)	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
GASTRITIS	1
GASTROENTERITIS	1
GGT HI, BLD	1
GINGIVA, ABN	1
HEAD PRESSING	1
HYPERESTHESIA	1
HYPERSALIVATION	1
INEFFECT, ASCARIDS	1
INEFFECT, PARASITE(S)	1
INEFFECT, PINWORMS	1
INEFFECT, STRONGYLES	1
INEFFECT, WORMS	1
IRRITATION, MOUTH/LIP(S)	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1

**DRUG: FENBENDAZOLE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
NERVOUSNESS	1
PAIN	1
PARALYSIS	1
PAWING	1
PLATELETS LO, BLD	1
POLYPNEA	1
PR-ADRENAL(S), LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-SPLEEN, LESION(S)	1
STIFFNESS	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TEETH, ABN	1
UNCONSCIOUS	1
VESICLE(S)/BULLAE, MOU	1

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	6
NAUSEA	3
PAIN, ABDOMEN	3
VOMITING	3
RESPIRATORY DISORDER	1

**DRUG: FENBENDAZOLE**

Species: LION

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1

**DRUG: FENBENDAZOLE**

Species: LION

Route of Administration: ORAL

Sign:	Number of Times Reported:
NERVOUSNESS	1

**DRUG: FENBENDAZOLE**

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
VOMITING	2
ANOREXIA	1
DIARRHEA	1
FERTILITY, REDUCED	1
SEGS LO, BLD	1

**DRUG: FENBENDAZOLE**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	10
INEFFECT, WHIPS	3
DYSPNEA	2
INEFFECT, ASCARIDS	2
PR-GI, LESION(S)	2
ANOREXIA	1
ATAXIA	1
BREATHING ABN	1
COUGHING	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
DISTRESS, RESP	1
FERTILITY, LACK OF	1
FERTILITY, REDUCED	1
INEFFECT, WORMS	1
SPERM ABN	1

**DRUG: FENBENDAZOLE**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TREMBLING	1
WEAKNESS	1
WHEEZING	1

**DRUG: FENBENDAZOLE**

Species: PIGEON

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DIARRHEA	1
ILL	1
REGURGITATION	1
ULCER(S), MOUTH/LIP(S)	1

**DRUG: FENBENDAZOLE**

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
DEPRESSION/LETHARGY	1
PARESIS, HIND LIMB(S)	1
PNEUMONIA	1
POLYDIPSIA	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-TRACHEA, LESION(S)	1
SHAKING	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: PARENTERAL

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	3
FEVER, BODY	3
INJ SITE INFLAM	3
INJ SITE SWELLING	3
ANOREXIA	2
CELLULITIS	2
INFLAM, SKIN	2
CONGESTION	1
INJ SITE ABN	1
INJ SITE PAIN	1
LAMENESS	1
SPASM	1
TREMBLING	1
VOMITING	1
WEAKNESS	1

**DRUG: FENBENDAZOLE**

Species: GOAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	1
DEATH	1
EDEMA, LUNG(S)/TRACHEA	1

**DRUG: FENBENDAZOLE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
PAIN	1
PAIN, NECK	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
STIFFNESS, NECK	1

**DRUG: FENBENDAZOLE**

Species: HORSE

Route of Administration: PARENTERAL

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	2
SKIN DISORDER	2
GASTRITIS	1
HYPOESTHESIA	1
LESION(S), SKIN	1
PARESTHESIA, MOUTH/LIP	1
RASH	1
SKIN ABNORMAL	1
SWELLING	1
TWITCH	1
ULCER(S), SKIN	1
URTICARIA	1
VOMITING	1
WEAKNESS	1

**DRUG: FENBENDAZOLE**

Species: ALPACA

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
REACTION, UNSPECIFIED	1

**DRUG: FENBENDAZOLE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
INFECTION, EYE(S)	1
RESPIRATORY DISORDER	1
SWELLING, HEAD/FACE	1
WEAKNESS	1

**DRUG: FENBENDAZOLE**

Species: CATTLE

Route of Administration: UNKNOWN

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	8
ANOREXIA	4
DIARRHEA	4
DEATH	2
REACTION, UNSPECIFIED	2
AGGRESSION	1
ALBUMIN LO, BLD	1
ANEMIA	1
BUN HI, BLD	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIABETES MELLITUS	1
DIARRHEA, BLOODY	1
DIARRHEA, WATERY	1
INEFFECT, ASCARIDS	1
INEFFECT, PARASITE(S)	1
INEFFECT, TAPES	1
INEFFECT, WHIPS	1
INJURY	1
IRRITATION, PERINEUM	1
MELENA	1
POLYDIPSIA	1
POLYPHAGIA	1
POLYURIA	1
PR-BLD VESSEL(S), LESI	1
PR-INTEST, LESION(S)	1
PROLAPSE, DISC	1
STOOL ABN	1
VOMITING, BLOODY	1



**DRUG: FENBENDAZOLE**

Species: FISH

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FENBENDAZOLE**

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, PARASITE(S)	2
ALOPECIA	1
DEATH(STILLBORN)	1
DEATH(TX FAILURE)	1
ILL	1

**DRUG: FENBENDAZOLE**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DIARRHEA	1
RECUMBENCY	1
UNPALATABLE, WON'T EAT	1
URTICARIA	1
WEIGHT LOSS	1

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
NAUSEA	2
DIARRHEA	1
DIZZINESS	1
FEVER, BODY	1

**DRUG: FENBENDAZOLE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1
VOMITING	1

**DRUG: FENBENDAZOLE**

Species: SNAKE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
TWITCH	1

**DRUG: FENBENDAZOLE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANEMIA	1
ANURIA	1
BILIRUBIN(TOT) HI, BLD	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
ICTERUS	1
INTUSSUSCEPTION	1
KIDNEY FAILURE	1
SGPT/ALT HI, BLD	1
WBC LO, BLD	1

**DRUG: FENPROSTALENE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: FENPROSTALENE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	26
INJ SITE SWELLING	23
INJ SITE INFECT	6
INJ SITE ABSCESS	3
INJ SITE EMPHYSEMA	3
ANAPHYLAXIS/TOID	2
INJ SITE EDEMA	2
INJ SITE NECROSIS	2
LAMENESS	2
CELLULITIS	1
DEATH(SLAUGHTERED)	1
INEFFECT	1
INJ SITE ABN	1
INJ SITE SLOUGH	1
SLOUGH, SKIN	1
STIFFNESS	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1

**DRUG: FENTANYL**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANESTH RECOV PROLONGED	1

**DRUG: FENTANYL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	1
SOMNOLENCE	1

**DRUG: FENTANYL**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANISOCORIA	1
FEVER, BODY	1
HYPERACTIVITY	1
NERVOUSNESS	1

**DRUG: FENTANYL**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
DISTRESS, RESP	2
APNEA	1
FEVER, BODY	1
INFLAM, SKIN	1
SKIN, NECROSIS	1

**DRUG: FENTHION**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	8
PD-VIAL(S), LEAKING	8
PD-DISPENSER, ABN	2

**DRUG: FENTHION**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DIZZINESS	1
GASTROENTERITIS	1

**DRUG: FENTHION**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FENTHION**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, LICE	1

**DRUG: FENTHION**

Species: EAGLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
DEATH	1

**DRUG: FENTHION**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	4
DEATH	3
HYPERSALIVATION	3
TREMBLING	3
ATAXIA	2
DIARRHEA	2
UNCONSCIOUS	2
VOMITING	2
AGGRESSION	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
GASTROENTERITIS	1
GLUCOSE HI, BLD	1
HYPOTHERMIA, BODY	1

**DRUG: FENTHION**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
MYDRIASIS	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1

**DRUG: FENTHION**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	14
HYPERSALIVATION	11
INEFFECT, GRUBS	11
INEFFECT, LICE	8
RECUMBENCY	5
ANOREXIA	4
DIARRHEA	4
ATAXIA	3
COLLAPSE	3
PARALYSIS, HIND LIMB(S)	3
ABORTION	2
ALOPECIA	2
BLOAT	2
DEPRESSION/LETHARGY	2
BIRTH, PREMATURE	1
BREATHING ABN	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
EPIPHORA	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
HYPERPNEA	1
IMMUNOSUPPRESSION	1
PARESIS, HIND LIMB(S)	1
PR-LUNG(S), LESION(S)	1
STAGGERING	1
STIFFNESS	1

**DRUG: FENTHION**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
STIFFNESS, HIND LIMB(S)	1
WEAKNESS	1
WEAKNESS, NEWBORN	1

**DRUG: FENTHION**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOMITING	18
DEPRESSION/LETHARGY	15
SKIN DISORDER	15
TREMBLING	14
DEATH	10
ALOPECIA	8
DIARRHEA	7
ANOREXIA	6
ATAXIA	6
HYPERSALIVATION	6
DIARRHEA, BLOODY	5
WEAKNESS	5
CONVULSION(S)	3
FEVER, BODY	3
HYPERACTIVITY	3
LIVER ENZYMES HI, BLD	3
PRURITIS	3
RECUMBENCY	3
BRADYCARDIA	2
DYSPNEA	2
ICTERUS, BODY	2
ILL	2
ULCER(S), SKIN	2
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANURIA	1
ASCITES	1

**DRUG: FENTHION**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BEHAVIOR DISORDER	1
CHE LO, SERUM	1
COLLAPSE	1
CONGESTION, SKIN	1
COUGHING	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DISCHARGE, EYE(S)/LID(	1
GAGGING	1
INEFFECT, FLEAS	1
IRRITATION, SKIN	1
KIDNEY FAILURE	1
LIVER DISORDER	1
MIOSIS	1
NERVOUSNESS	1
PAIN, BACK	1
PAIN, HEAD/FACE	1
PAPULE(S)	1
POLYPNEA	1
POLYURIA	1
PR-SKIN, LESION(S)	1
RASH	1
RESPIRATORY DISORDER	1
SGPT/ALT HI, BLD	1
SPASM	1
SWELLING, EYE(S)/LID(S	1
TOX, OP	1
TWITCH	1
URTICARIA	1
WEIGHT LOSS	1

**DRUG: FENTHION**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------



**DRUG: FENTHION**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIZZINESS	1
HUMAN EXPOSURE	1
HYPOESTHESIA	1
RASH	1

**DRUG: FENTHION**

Species: VARIOUS

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
BRADYCARDIA	1
DEATH	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
VOMITING	1
WEAKNESS	1

**DRUG: FENTHION**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPOESTHESIA, FEET/DIG	1

**DRUG: FIROCOXIB**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	36
PD-UNDERFILL, PACKAGE	36
PD-CONTAINER(S), DAMAG	29
PD-LABEL(S), ABN	15
PD-SEAL, ABN	12
PD-CONTAINER(S), ABN	8

**DRUG: FIROCOXIB**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	6
PD-PRODUCT DEFECT	4
PD-MISSING, LABEL(S)	3
PD-UNDERFILL, TUBE(S)	3
SYRINGE, LOCKING RING	3
PD-UNDERFILL, VIAL(S)	2
PD-CONTAMINATION	1
PD-ODOR, ABN	1
PD-SYRINGE, ABN	1
PD-VIAL(S), DAMAGED	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1
DEFECATION	1
HYPERSALIVATION	1
POLYPNEA	1
TREMBLING	1
WBC LO, BLD	1

**DRUG: FIROCOXIB**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SGPT/ALT HI, BLD	4
VOMITING	3
ALBUMIN LO, BLD	2
ANEMIA	2
ANOREXIA	2
BUN HI, BLD	2
CREATININE HI, BLD	2
FEVER, BODY	2

**DRUG: FIROCOXIB**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PLATELETS LO, BLD	2
ACCIDENTAL EXPOSURE	1
ALBUMIN HI, BLD	1
ALK PHOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BUN LO, BLD	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
EFFUSION, PLEURAL	1
HYPERESTHESIA	1
LIPASE HI, BLD	1
MYDRIASIS	1
NA HI, BLD	1
NYSTAGMUS	1
P HI, BLD	1
POLYCYTHEMIA	1
POLYPHAGIA	1
PROTEIN(TOT) LO, BLD	1
SGOT/AST HI, BLD	1
THYROID HORMONE(S) HI	1
TWITCH	1
VOMITING, BLOODY	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	931
ANOREXIA	687
BUN HI, BLD	477
DEPRESSION/LETHARGY	449
ALK PHOS HI, BLD	404
SGPT/ALT HI, BLD	348
CREATININE HI, BLD	335
DIARRHEA	297

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	231
ANEMIA	190
INTERACTION, DRUG(S)	181
DEATH(EUTHANIZED)	177
ATAXIA	160
INEFFECT, ANALGESIA	151
INEFFECT, ANTIINFLAM	147
CONVULSION(S)	146
POLYDIPSIA	146
BILIRUBIN(TOT) HI, BLD	142
MELENA	134
PERFORATION, GI	128
WBC HI, BLD	128
DIARRHEA, BLOODY	110
WEIGHT LOSS	107
P HI, BLD	106
VOMITING, BLOODY	98
ULCER(S), GI	94
PLATELETS LO, BLD	93
SGOT/AST HI, BLD	93
ALBUMIN LO, BLD	92
PERITONITIS	91
POLYPNEA	82
RADIOGRAPH(S) ABN	78
RECUMBENCY	69
AMYLASE HI, BLD	67
ICTERUS, BODY	64
PAIN, ABDOMEN	64
PROTEIN(TOT) LO, BLD	63
DYSPNEA	61
POLYURIA	61
SPEC GRAVITY LO, URINE	61
WEAKNESS	58
PRURITIS	56
ADIPSIA	55
BLD, URINE	55
CONFUSION	55
US ABN	53

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NERVOUSNESS	52
SEGS HI, BLD	51
LIVER ENZYMES HI, BLD	48
EPISTAXIS	47
GGT HI, BLD	47
K HI, BLD	45
HYPERACTIVITY	44
PR-LIVER, LESION(S)	44
HEMATOCHEZIA	40
TREMBLING	40
CONGESTION, SKIN	39
DIARRHEA, MILD	39
PARESIS, HIND LIMB(S)	39
COLLAPSE	38
DEHYDRATION	37
PALLOR, MUCOUS MEMBRAN	37
INCONTINENCE, URINARY	36
LIPASE HI, BLD	36
DISTENTION, ABDOMEN	33
GLUCOSE HI, BLD	33
PROTEIN, URINE	33
EFFUSION, PERITONEAL	32
KIDNEY FAILURE	32
PR-SM INTEST, LESION(S)	32
US-LIVER ABN	32
WBC LO, BLD	32
ABN COLOR, URINE	30
CHOLESTEROL HI, BLD	30
HYPERSALIVATION	28
TACHYCARDIA	27
HEAD TILT	26
INFLAM, SKIN	26
VOCALIZATION	26
AGGRESSION	25
DIFFICULTY RISING	25
DISCOMFORT	25
POLYCYTHEMIA	25
ULCER(S), STOMACH	25

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GLOBULIN HI, BLD	24
PACING	24
PROTEIN(TOT) HI, BLD	22
PR-STOMACH, LESION(S)	22
RELUCTANT TO MOVE	22
SHAKING	22
STUPOR	22
KIDNEY VALUES HI, BLD	21
STAGGERING	21
AZOTEMIA	20
EDEMA, LIMB(S)	20
MONOS HI, BLD	20
NA LO, BLD	20
NYSTAGMUS	20
BLD(ECCHYMOSES)	19
PROPRIOCEPTIVE DISORDE	19
THYROID HORMONE(S) LO	19
CONSTIPATION	18
DERMATITIS, MOIST	18
PARESIS	18
PERFORATION, STOMACH	18
POLYCYTHEMIA(RELATIVE)	18
PR-KIDNEY(S), LESION(S)	18
SKIN, SCAB(S)	18
ALOPECIA	17
CA HI, BLD	17
COUGHING	17
CPK HI, BLD	17
FEVER, BODY	17
HEPATOMEGALY	17
PLATELETS HI, BLD	17
SHOCK	17
BLD, ABDOMEN	16
MICROORANISMS, URINE	16
PAIN	16
PANCREATITIS	16
APPREHENSION	15
BEHAVIOR DISORDER	15

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD	15
LYMPHS LO, BLD	15
MURMUR, HEART	15
PR-GI, LESION(S)	15
VESTIBULAR DISORDER	15
ALBUMIN HI, BLD	14
ASCITES	14
BANDS HI, BLD	14
PR-SPLEEN, LESION(S)	14
STUMBLING	14
URTICARIA	14
WBC, URINE	14
ANEMIA, AUTOIMMUNE HEM	13
BILIRUBIN, URINE	13
CA LO, BLD	13
CHEMISTRY ABN	13
CIRCLING	13
COAGULATION DISORDER	13
INFECTION, SKIN	13
LIVER DISORDER	13
MYDRIASIS	13
SKIN, CRUST(S)	13
SWELLING, HEAD/FACE	13
ARREST, HEART	12
BLD, MOUTH/LIP(S)	12
BLD(PETECHIAE)	12
GLOBULIN LO, BLD	12
ICTERUS	12
RASH	12
ANEMIA, REGEN	11
BILE ACIDS HI, BLD	11
BLD, RECTUM	11
BLINDNESS	11
DIARRHEA, SEVERE	11
K LO, BLD	11
NAUSEA	11
SPASM	11
ANAPHYLAXIS/TOID	10

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANURIA	10
DEFECATION ABN	10
ENLARGEMENT, LYMPH NOD	10
HAIR, SHEDDING	10
LIVER FAILURE	10
NA HI, BLD	10
OTITIS	10
SWELLING, LIMB(S)	10
ULCER(S), SKIN	10
BILIRUBIN(DIR) HI, BLD	9
CHLORIDE LO, BLD	9
EFFUSION, PLEURAL	9
INFECTION, URINARY TRA	9
LESION(S), SKIN	9
LICKING	9
LICKING, FEET/DIGIT(S)	9
NEUROLOGICAL DISORDER	9
PR-PERITONEUM, LESION(	9
STOOL ABN	9
ULCER(S), MOUTH/LIP(S)	9
URINATION ABN	9
VOMITING, UNPRODUCTIVE	9
BLD, ANUS	8
GALL BLADDER, ABN	8
GLUCOSE LO, BLD	8
HYPERPNEA	8
INCONTINENCE, FECAL	8
LAMENESS	8
SWELLING, EAR(S)	8
ULCER(S), PYLORUS	8
VOMITING, SEVERE	8
CASTS, URINE	7
DEAFNESS	7
DIARRHEA, WATERY	7
ERUPTION(S)	7
GASTROENTERITIS	7
GI, ABNORMAL	7
HYPOTHERMIA, BODY	7



**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KIDNEY DISORDER	7
LOCOMOTION DISORDER	7
ODOR, URINE	7
PR-LYMPH NODE(S), LESI	7
PTT PROLONGED, BLD	7
RETICULOCYTES HI, BLD	7
SEGS LO, BLD	7
SPLENOMEGALY	7
ULCER(S), TONGUE	7
ANEMIA, SPHERO	6
APNEA	6
FLATULENCE	6
HCO3 LO, BLD	6
HIDING	6
KERATOCONJUNCTIVITIS S	6
MG HI, BLD	6
NEOPLASM	6
NEOPLASM, LYMPH NODE(S)	6
NEOPLASM, SPLEEN	6
PALLOR	6
PARESIS, FORELIMB(S)	6
POLYPHAGIA	6
PRESSURE HI, BLD	6
PR-HEART, LESION(S)	6
PR-SKIN, LESION(S)	6
PT PROLONGED, BLD	6
RBC, POLYCHROM	6
TWITCH	6
UNCONSCIOUS	6
BLINDNESS, PARTIAL	5
CONGESTION, LUNG(S)	5
CYSTITIS	5
DIARRHEA, MUCOID	5
DISCHARGE, NOSE	5
EOSINOS HI, BLD	5
GAGGING	5
GINGIVITIS	5
INEFFECT, LOSS OF EFFE	5

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFECTION, FEET/DIGIT(	5
LYMPHS HI, BLD	5
ODOR	5
PANCREAS ENZYMES HI, B	5
PR-BONE MARROW, LESION	5
PR-PANCREAS, LESION(S)	5
PR-PERITONEAL EFFUSION	5
RBC ABN	5
RBC, NUCLEATED	5
SCALE(S), SKIN	5
SOMNOLENCE	5
SORE(S)	5
STARING	5
STOOL, MUCOID	5
UNPALATABLE	5
WEIGHT INCREASE	5
ALKALINE URINE	4
ARRHYTHMIA	4
ATROPHY, MUSCLE(S)	4
BLD(HEMATOMA)	4
BLD, LUNG(S)/TRACHEA	4
BORBORYGMI	4
BUN LO, BLD	4
CONGESTION, EAR(S)	4
CONJUNCTIVITIS	4
CRYSTALS, URINE	4
DIC	4
EDEMA, MULTIPLE SITES	4
EDEMA, VENTRAL	4
ERUCTATION	4
EXERCISE INTOLERANCE	4
HAIR, ABN	4
HEAD PRESSING	4
HEPATITIS	4
HYPADRENOCORTICISM	4
IMMUNE DISORDER	4
INCONTINENCE	4
LESION(S), MOUTH/LIP(S)	4

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MASS	4
MASS, ABDOMEN	4
NEOPLASM, LUNG(S)	4
ODOR, MOUTH	4
PAIN, NECK	4
PUPIL(S), AREFLEXIA	4
PUSTULE(S)	4
RBC, ANISO	4
SEPSIS	4
SHAKING, HEAD/FACE	4
SKIN, NECROSIS	4
SWELLING, EYE(S)/LID(S)	4
SWELLING, MOUTH/LIP(S)	4
TENESMUS, RECTAL	4
TREMBLING, FACE	4
TRIGLYCERIDES HI, BLD	4
ABSCCESS, SKIN	3
ACCIDENTAL EXPOSURE	3
ACIDOSIS	3
BILIRUBIN(IND) HI, BLD	3
BLD, INCISION SITE	3
BLD, MULT SITES	3
BLD, PENIS	3
BLOAT	3
CARDIOMEGALY	3
CHLORIDE HI, BLD	3
CULTURE/TITER DATA ABN	3
CYANOSIS, MUCOUS MEMBR	3
DEHISCENCE	3
DIABETES MELLITUS	3
DIABETES M, POOR REGUL	3
DILITATION, STOMACH	3
DISTRESS	3
DIZZINESS	3
EDEMA, HEAD/FACE	3
ELIMINATION ABN	3
ENTERITIS	3
EOSINOS LO, BLD	3

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EYE DISORDER	3
FIBRINOGEN HI, BLD	3
GASTRITIS	3
GINGIVA, ABN	3
GLUCOSE, URINE	3
HALLUCINATION	3
HORNER'S SYNDROME	3
HYPERESTHESIA	3
HYPOTHERMIA	3
INSOMNIA	3
IRRITATION, EAR(S)	3
IRRITATION, SKIN	3
MG LO, BLD	3
OLIGURIA	3
OPISTHOTONOS	3
PAIN, HIND LIMB(S)	3
PAIN, JOINT(S)	3
PAPULE(S)	3
PARALYSIS, HIND LIMB(S)	3
P LO, BLD	3
PNEUMONIA	3
PR-LUNG(S), LESION(S)	3
PROLAPSE, THIRD EYELID	3
PROLAPSE, TONGUE	3
PROSTATOMEGALY	3
PR-SM INTEST, LESION(S)	3
PRURITIS, EAR(S)	3
RELUCTANT TO CLIMB	3
STIFFNESS, HIND LIMB(S)	3
STIFFNESS, LIMB(S)	3
SWELLING, FEET/DIGIT(S)	3
SWELLING, NECK	3
SWELLING, TONGUE	3
SYNCOPE	3
THROMBUS	3
THYROID HORMONE(S) HI	3
ULCER(S), CORNEA(S)	3
UVEITIS	3

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VISION DISORDER	3
ALBUMIN HI, URINE	2
ANEMIA, APLASTIC	2
ANION GAP HI, BLD	2
BITING/CHEWING	2
BLD, EYE(S)	2
BLD, SCLERA	2
BLINDNESS, TEMP	2
BRADYCARDIA	2
BREATHING ABN	2
BREATHING, DIFFICULT	2
CALCULI, BLADDER	2
CHOLECYSTITIS	2
CIRCULATORY DISORDER	2
CNS DISORDER	2
CNS INFARCT	2
CONGESTION, MUCOUS MEM	2
CREATININE LO, BLD	2
DEFECATION	2
DIGESTION DISORDER	2
DISSOCIATION	2
DYSPHAGIA	2
EAR DISORDER	2
EDEMA, BRISKET/CHEST	2
EDEMA, LUNG(S)/TRACHEA	2
EDEMA, NECK	2
EFFUSION	2
EFFUSION, PERICARDIAL	2
FROTH, MOUTH/LIP(S)	2
HEAD BOBBING	2
HEART FAILURE	2
ICTERUS, SERUM	2
INCISION SITE ABN	2
INCISION SITE INFECTION	2
INFECTION	2
KETONES, URINE	2
LEUKODERMA	2
LIPIDS HI, BLD	2

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LIVER PROFILE HI	2
MICROORGANISMS, URINE	2
MRI SCAN ABN	2
NAIL DISORDER	2
NECROSIS	2
NEOPLASM, LIVER	2
NEOPLASM, PANCREAS	2
NYSTAGMUS, ROTARY	2
PANCYTOPENIA	2
PARALYSIS	2
PARALYSIS, ALL LIMBS	2
PAWING	2
PICA	2
PNEUMONIA, ASPIRATION	2
POLLAKIURIA	2
PR-ADRENAL(S), LESION(S)	2
PR-INTEST, LESION(S)	2
PR-LUNG(S), EDEMA	2
PRURITIS, EYE(S)	2
PULSE THREADY	2
REFLEX(ES) ABN	2
SEDATION	2
SEPTICEMIA	2
SKIN ABNORMAL	2
SKIN, DRY	2
SOUND ABN, RESPIRATORY	2
STIFFNESS	2
STOMATITIS	2
STRANGURIA	2
SWELLING, ANUS	2
SWELLING, PHARYNX/THRO	2
SWELLING, VENTRUM	2
TEETH, ABN	2
THRASHING/PADDLING	2
TONGUE, ABN	2
TORTICOLLIS	2
UNPALATABLE, WON'T EAT	2
VESICLE(S)/BULLAE, SKI	2

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING, PROJECTILE	2
WHEEZING	2
ABN ODOR, URINE	1
ACID URINE	1
ANA POS	1
ANEMIA, HEMOLYTIC	1
ANESTH RECOV PROLONGED	1
ANISOCORIA	1
APLASIA, BONE MARROW	1
ARTHRITIS	1
BALANCE DISORDER	1
BASOS HI, BLD	1
BILE ACIDS ABN, BLD	1
BLD, ABN	1
BLD, GI	1
BLD, RETINA	1
BLD, SCROTUM	1
BLD, SKIN	1
BLD, THORAX	1
BLD, VAGINA	1
CAPILLARY REFILL PROLO	1
CLOUDY URINE	1
CO2 HI, BLD	1
COLITIS, ULCERATIVE	1
COLON, ABN	1
CONGESTION, EYE(S)/LID	1
CONGESTION, SINUS	1
CONGESTION, TONGUE	1
COOMBS TEST POS	1
DEAFNESS, TEMP	1
DIARRHEA, PROJECTILE	1
DISCHARGE, EAR(S)	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, MOUTH/LIP(S)	1
DRY MOUTH SYNDROME	1
ECCHYMOSIS, INCISION SITE	1
EDEMA, EYE(S)/LID(S)	1
EMBOLUS	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ENLARGEMENT(S)	1
EXFOLIATION, SKIN	1
FIBRINOGEN LO, BLD	1
GLAUCOMA	1
GLOSSITIS	1
HAIR, ABN COLOR	1
HCO3 HI, BLD	1
HEALING IMPAIRED	1
HEART DISORDER	1
HOT FLASH/FLUSH	1
HYPERTONIA	1
HYPHEMA	1
HYPOMOTILITY	1
HYPOPNEA	1
ILL	1
INCISION SITE, ECCHYMOSIS	1
INFARCT	1
INFECTION, UTERUS	1
INJURY	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, PERINEUM	1
JERKING	1
KETOSIS	1
KICKING	1
LDH HI, BLD	1
MONOS LO, BLD	1
MUCOUS MEMBR, MUDDY	1
NA:K LO, BLD	1
NEOPLASM, BONE	1
NEOPLASM, MAMMARY	1
NEOPLASM, MULT SITES	1
NEPHRITIS	1
NEURITIS, OPTIC	1
NOCTURIA	1
NOSE ABN	1
NYSTAGMUS, HORIZONTAL	1
OBSTRUCTION, INTESTINE	1
OPACITY, CORNEA(S)	1



**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, BACK	1
PAIN, LIMB(S)	1
PANCREAS DISORDER	1
PARALYSIS, FACIAL NERV	1
PARALYSIS, LARYNX	1
PARESIS, FORE LIMB(S)	1
PD-TABLET(S), ABN	1
PERFORATION	1
POSTURE ABN	1
PR-BRAIN, LESION(S)	1
PR-CECUM, LESION(S)	1
PR-COLON, LESION(S)	1
PR-EAR(S), LESION(S)	1
PRESSURE LO, BLD	1
PR-GALL BLADDER, LESION(S)	1
PR-MOUTH/LIP(S), LESIO	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, EDEMA	1
PR-MULT SITES, ICTERUS	1
PROSTRATION	1
PR-PERICARDIAL EFFUSIO	1
PRURITIS, FEET/DIGIT(S)	1
PRURITIS, TAIL	1
PR-UTERUS, LESION(S)	1
REACTION, UNSPECIFIED	1
REGURGITATION	1
RESIDUE, URINE	1
RETINA ABN	1
ROLLING	1
RUPTURE, STOMACH	1
SEBORRHEA	1
SEDIMENT, URINE	1
SHOCK, ENDOTOXEMIA	1
SKIN SCRAPING ABNORMAL	1
SLEEP ABN	1
SLOUGH, FEET/DIGIT(S)	1
SLOUGH, SKIN	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SLOUGH, TONGUE	1
SPEC GRAVITY HI, URINE	1
STEATITIS	1
STIFFNESS, FRONT LIMB(	1
STIFFNESS, NECK	1
STRABISMUS	1
SWELLING	1
SWELLING, JOINT(S)	1
SWELLING, MULT SITES	1
SWELLING, SCROTUM	1
SWELLING, TESTICLE	1
TECH ERROR	1
TECH ERROR ADMINISTRAT	1
TENESMUS, URINARY	1
TOX	1
ULCER(S), EAR(S)	1
ULCER(S), FEET/DIGIT(S	1
ULCER(S), MUCOCUTANEOU	1
URINATION	1
URINE ABN	1
VESICLE(S)/BULLAE, MOU	1
VOLVULUS, STOMACH	1
WBC ABN	1

**DRUG: FIROCOXIB**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	6
ANAPHYLAXIS/TOID	5
PRURITIS	5
SWEATING	5
ULCER(S), MOUTH/LIP(S)	4
URTICARIA	4
ALOPECIA	3
DEPRESSION/LETHARGY	3

**DRUG: FIROCOXIB**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RECUMBENCY	3
ATAXIA	2
INEFFECT, ANALGESIA	2
NERVOUSNESS	2
PAIN, MOUTH/LIP(S)	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, HEAD/FACE	2
SWELLING, MOUTH/LIP(S)	2
ULCER(S), GI	2
ABN COLOR, URINE	1
ABORTION	1
ANEMIA, REGEN	1
ANOREXIA	1
BLD, URINE	1
BREATHING, DIFFICULT	1
CA LO, BLD	1
COLLAPSE	1
CONSTIPATION	1
COUGHING	1
CRYSTALS, URINE	1
DEATH	1
DEATH(NEWBORN)	1
DEFECATION	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DYSPHAGIA	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, VENTRAL	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
GGT HI, BLD	1
GLUCOSE HI, BLD	1
HYPERSALIVATION	1
INEFFECT, ANTIINFLAM	1
INTERACTION, DRUG(S)	1
K LO, BLD	1
LESION(S), SKIN	1

**DRUG: FIROCOXIB**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NAUSEA	1
PACING	1
PAIN, NECK	1
PLATELETS LO, BLD	1
PRURITIS, EYE(S)	1
PRURITIS, TAIL	1
ROLLING	1
SHAKING	1
SKIN, SCAB(S)	1
SOUND ABN, RESPIRATORY	1
STUMBLING	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
SWELLING, PREPUCE	1
TACHYCARDIA	1
TECH ERROR ADMINISTRAT	1
TONGUE, ABN	1
TREMBLING	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), TONGUE	1
UNPALATABLE, WON'T SWA	1
URINATION	1
URINE ABN	1
US ABN	1
UVEITIS	1

**DRUG: FIROCOXIB**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIZZINESS	4
NAUSEA	3
PAIN, ABDOMEN	3
DEPRESSION/LETHARGY	2
GI, ABNORMAL	2
BLD	1

**DRUG: FIROCOXIB**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONFUSION	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
DYSURIA	1
FEVER, BODY	1
GAGGING	1
GASTRITIS	1
HEMATOCHEZIA	1
IRRITATION, ESOPHAGUS	1
MELENA	1
PAIN, JOINT(S)	1
PRESSURE LO, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SOMNOLENCE	1
ULCER(S), STOMACH	1
VASCULITIS	1
VOMITING	1
VOMITING, SEVERE	1
WEAKNESS	1

**DRUG: FIROCOXIB**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANALGESIA	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
DEPRESSION/LETHARGY	1
DIFFICULTY RISING	1
FEVER, BODY	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
POLYDIPSIA	1
SWELLING, HEAD/FACE	1

**DRUG: FIROCOXIB**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	2
ANOREXIA	1
DIARRHEA	1
DIARRHEA, BLOODY	1

**DRUG: FIROCOXIB**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PRURITIS	1
URTICARIA	1

**DRUG: FLORFENICOL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	6
PD-SOLUTION, ABN	6
PD-VIAL(S), ABN	5
PD-VIAL(S), DAMAGED	5
PD-COLOR, ABN	4
PD-VIAL(S), LEAKING	4
PD-LABEL(S), ABN	3
PD-CAP(S), ABN	2
PD-PRODUCT DEFECT	2
PD-UNDERFILL, VIAL(S)	2

**DRUG: FLORFENICOL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	1
PD-CONTAMINATION	1
PD-DISPENSER, ABN	1
PD-UNDERFILL, PACKAGE	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	2
PD-VIAL(S), DAMAGED	2
PD-VIAL(S), ABN	1
PD-VIAL(S), LEAKING	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	10
DEATH(TX FAILURE)	6
INEFFECT, ANTIBIOTIC	6
ANAPHYLAXIS/TOID	4
DYSYPNEA	3
RECUMBENCY	3
COLLAPSE	2
PR-LUNG(S), EDEMA	2
ADIPSIA	1
ATAXIA	1
BLOAT	1
CHOKING	1
CONGESTION, LUNG(S)	1
DIFFICULTY RISING	1
DISTRESS, RESP	1
EPISTAXIS	1
FROTH, MOUTH/LIP(S)	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FROTH, NOSE	1
PNEUMONIA	1
PR-LUNG(S), LESION(S)	1
PR-PHARYNX, LESION(S)	1
PR-TRACHEA, LESION(S)	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	1
FEVER, BODY	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
NERVOUSNESS	1
VOCALIZATION	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD(HEMATOMA)	1
INJ SITE BLD	1
INJ SITE INFLAM	1
INJ SITE PAIN	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ABNORMAL	1
APPLICATION SITE SWELLING	1
IRRITATION, SKIN	1



**DRUG: FLORFENICOL, FLUNIXIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NAUSEA	1
PARESTHESIA	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	4
DEATH	2
DEATH(TX FAILURE)	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
BLINDNESS	1
DIARRHEA	1
FEVER, BODY	1
HYPERSALIVATION	1
ILL	1
PNEUMONIA	1
PR-LUNG(S), LESION(S)	1
RECUMBENCY	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERACTIVITY	1
VOCALIZATION	1

**DRUG: FLORFENICOL, FLUNIXIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2

**DRUG: FLORFENICOL, FLUNIXIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INJ SITE INFLAM	1
INJ SITE SWELLING	1
PAIN, LIMB(S)	1

**DRUG: FLORFENICOL**

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA, MILD	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INJ SITE PAIN	2
ARTHRITIS	1
CELLULITIS	1
HYPOESTHESIA	1
INJ SITE SWELLING	1
PAIN	1
PRURITIS, EYE(S)	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: OPHTHALMIC

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
VISION DISORDER	1

**DRUG: FLORFENICOL**

Species: CATFISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	5
UNPALATABLE, WON'T EAT	1

**DRUG: FLORFENICOL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
POLYPNEA	1

**DRUG: FLORFENICOL**

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	6
ANOREXIA	2
DEATH	2
DEPRESSION/LETHARGY	1
INEFFECT, LOSS OF EFFE	1
LESION(S), SKIN	1
OFF FEED	1
PHOTOSENSITIZATION	1
SKIN ABNORMAL	1

**DRUG: FLORFENICOL**

Species: FISH, FOOD

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
HOT FLUSH	1
PAIN, JOINT(S)	1

**DRUG: FLORFENICOL**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	9
INEFFECT, ANTIBIOTIC	4
DEATH	2
DISTENTION, ABDOMEN	1
INFLAM, SKIN	1
PNEUMONIA	1
PR-GI, EDEMA	1
WEIGHT LOSS	1

**DRUG: FLORFENICOL**

Species: TROUT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
INEFFECT, ANTIBIOTIC	3
PHOTOSENSITIZATION	3
LESION(S), SKIN	2
SKIN ABNORMAL	2
INFECTION	1
PALLOR, MUCOUS MEMBRAN	1

**DRUG: FLORFENICOL**

Species: TROUT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-SKIN, LESION(S)	1
RESPIRATORY DISORDER	1
SLOUGH, SKIN	1

**DRUG: FLORFENICOL**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1

**DRUG: FLORFENICOL**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	29
ANAPHYLAXIS/TOID	11
RECUMBENCY	11
ANOREXIA	8
DIARRHEA	8
COLLAPSE	7
INEFFECT, ANTIBIOTIC	7
INJ SITE SWELLING	5
DEATH(EUTHANIZED)	4
DEATH(TX FAILURE)	4
ABORTION	3
DEATH(STILLBORN)	3
HYPERPNEA	3
HYPERSALIVATION	3
ATAXIA	2
INJ SITE PAIN	2
LAMENESS	2
PR-HEART, LESION(S)	2
STAGGERING	2
THRASHING/PADDLING	2

**DRUG: FLORFENICOL**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD	1
CARDIOMEGALY	1
CIRCLING	1
CONVULSION(S)	1
DEATH(NEWBORN)	1
DEPRESSION/LETHARGY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
DISTRESS	1
DYSPNEA	1
EDEMA, CORNEA(S)	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
INFLAM, SKIN	1
INJ SITE SLOUGH	1
NERVOUSNESS	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PR-JOINT(S), SEPSIS	1
RELUCTANT TO MOVE	1
SHAKING	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(	1
SWEATING	1
SYNOVITIS	1
TACHYCARDIA	1
UNCONSCIOUS	1

**DRUG: FLORFENICOL**

Species: DEER

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	1
DEATH	1

**DRUG: FLORFENICOL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INEFFECT, ANTIBIOTIC	2
BLD, THORAX	1
EPISTAXIS	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
PR-KIDNEY(S), LESION(S)	1

**DRUG: FLORFENICOL**

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1

**DRUG: FLORFENICOL**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIARRHEA	3
ANOREXIA	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
FEVER, BODY	2
TOX	2
COLITIS	1
DEATH	1
INJ SITE SWELLING	1
PAIN, ABDOMEN	1
PLATELETS LO, BLD	1
PR-COLON, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE PAIN	14
INJ SITE SWELLING	7
INJ SITE INFLAM	5
INJ SITE EDEMA	4
INJURY	4
INJ SITE BLD	3
BLD	2
HYPOESTHESIA	2
INJ SITE STIFFNESS	2
SWELLING	2
CONGESTION, SKIN	1
DIARRHEA	1
INJ SITE INDURATION	1
INJ SITE MASS	1
PAIN, ABDOMEN	1
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PAIN, LIMB(S)	1
PAIN, MUSCLE(S)	1
PARESTHESIA	1
STIFFNESS, HAND(S)	1
SWELLING, JOINT(S)	1

**DRUG: FLORFENICOL**

Species: PIG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	1
PARESIS, HIND LIMB(S)	1

**DRUG: FLORFENICOL**

Species: VARIOUS

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	1



**DRUG: FLORFENICOL**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIZZINESS	2
EDEMA, HEAD/FACE	1
INJ SITE PAIN	1
RASH	1
TASTE ABNORMALITY	1

**DRUG: FLORFENICOL**

Species: CATFISH

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

**DRUG: FLORFENICOL**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	8
ANAPHYLAXIS/TOID	2
INEFFECT, ANTIBIOTIC	2
COLLAPSE	1
CULTURE/TITER DATA ABN	1
DIARRHEA	1
DIARRHEA, MILD	1
DYSYPNEA	1
KICKING	1

**DRUG: FLORFENICOL**

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
INJ SITE PAIN	1
KIDNEY FAILURE	1
NERVOUSNESS	1
PARESIS	1
VOCALIZATION	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE SWELLING	3
INJ SITE PAIN	2
BLD(ECCHYMOSES)	1
INJ SITE BLD	1
LIVER ENZYMES HI, BLD	1
TASTE ABNORMALITY	1

**DRUG: FLORFENICOL**

Species: TROUT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
LESION(S), SKIN	3
SKIN ABNORMAL	2
DEATH	1
PHOTOSENSITIZATION	1

**DRUG: FLORFENICOL**

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: FLORFENICOL**

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1

**DRUG: FLORFENICOL**

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1

**DRUG: FLORFENICOL**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PAIN	1
CONGESTION, SKIN	1

**DRUG: FLORFENICOL**

Species: OTHER

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FLUCONAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALOPECIA	1

**DRUG: FLUCONAZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
CONGESTION, SKIN	1
DERMATITIS, MOIST	1
PRURITIS	1
SKIN, CRUST(S)	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: FLUDROCORTISONE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BLD	1
INEFFECT	1
NEOPLASM, SPLEEN	1
VOMITING	1
WEAKNESS	1

**DRUG: FLUID THERAPY**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
APNEA	1
DEATH	1
INJ SITE PAIN	1

**DRUG: FLUID THERAPY**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1

**DRUG: FLUID THERAPY**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
CONVULSION(S)	1
CREATININE HI, BLD	1
CULTURE/TITER DATA ABN	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
GLUCOSE HI, BLD	1
INJ SITE ABSCESS	1
INJ SITE SLOUGH	1
NA HI, BLD	1
PROTEIN(TOT) HI, BLD	1
RECUMBENCY	1
THRASHING/PADDLING	1
TREMBLING	1
VOMITING	1
WBC HI, BLD	1

**DRUG: FLUID THERAPY**

Species: VARIOUS

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
PAREISIS	1
PD-PRODUCT DEFECT	1
SWELLING, LIMB(S)	1

**DRUG: FLUMAZENIL**

Species: PARROT

Route of Administration: INTRANASAL

**DRUG: FLUMAZENIL**

Species: PARROT

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
BITING/CHEWING	1
HYPERACTIVITY	1
POSTURE ABN	1
SELF-MUTILATION	1

**DRUG: FLUMAZENIL**

Species: PARROT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
AGGRESSION	1
BITING/CHEWING	1
HYPERACTIVITY	1
POSTURE ABN	1
VOCALIZATION	1

**DRUG: FLUMETHASONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1

**DRUG: FLUMETHASONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ADIPOSE, INFLAM	1
GRANULOMA	1
INJ SITE NECROSIS	1
INJ SITE SWELLING	1
PR-INJ SITE, LESION(S)	1

**DRUG: FLUMETHASONE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-SKIN, LESION(S)	1
SKIN, NECROSIS	1

**DRUG: FLUMETHASONE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
COLLAPSE	1
CYANOSIS, MUCOUS MEMBR	1
DISTRESS, RESP	1
FEVER, BODY	1
INEFFECT, ANTIINFLAM	1
PALLOR, MUCOUS MEMBRAN	1
POLYPNEA	1
RADIOGRAPH(S) ABN	1
SWELLING, HEAD/FACE	1
URINATION	1
URTICARIA	1

**DRUG: FLUMETHASONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
BREATHING ABN	1
DEPRESSION/LETHARGY	1
DISCHARGE, NOSE	1
DYSYPNEA	1
NA HI, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
TREMBLING	1

**DRUG: FLUMETHASONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOCALIZATION	1
VOMITING	1
WHEEZING	1

**DRUG: FLUNIXIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	30
PD-SOLUTION, ABN	20
PD-VIAL(S), DAMAGED	14
PD-UNDERFILL, TUBE(S)	12
PD-CONTAINER(S), DAMAG	7
PD-SEAL, ABN	7
PD-TUBE(S), ABN	7
PD-VIAL(S), LEAKING	6
PD-SYRINGE, ABN	5
PD-CONTAMINATION	4
PD-GEL/PASTE, ABN	4
PD-DISPENSER, ABN	3
PD-LABEL(S), ABN	3
PD-SUSPENSION, ABN	3
PD-VIAL(S), ABN	3
PD-CAP(S), ABN	2
PD-CONTAINER(S), ABN	2
PD-TUBE(S), LEAKING	2
PD-UNDERFILL, VIAL(S)	2
PD-APPLICATOR, ABN	1
PD-MISSING, LABEL(S)	1
PD-PRODUCT DEFECT	1
PD-UNDERFILL, PACKAGE	1

**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: MISSING



**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
APNEA	1
DEATH	1

**DRUG: FLUNIXIN**

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
DISTRESS, RESP	1
DYSYPNEA	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
SWELLING, HEAD/FACE	1
SWELLING, NECK	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
DISCHARGE, EYE(S)/LID(S)	1

**DRUG: FLUNIXIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	4
IRRITATION, EYE(S)/LID	3

**DRUG: FLUNIXIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
VISION DISORDER	2
CONGESTION, EYE(S)/LID	1
HEADACHE	1
IRRITATION, SKIN	1
NAUSEA	1

**DRUG: FLUNIXIN**

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
CULTURE/TITER DATA ABN	1
INEFFECT, ANTIINFLAM	1
PR-LUNG(S), LESION(S)	1

**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	4
VOMITING	4
DEPRESSION/LETHARGY	3
AMYLASE HI, BLD	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH	1
DIARRHEA	1
DYSPNEA	1
FEVER, BODY	1
GGT HI, BLD	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPERTONIA	1
KIDNEY FAILURE	1
MELENA	1
PACING	1

**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1
SHAKING	1
SPASM	1
TREMBLING	1
VOMITING, BLOODY	1
WBC HI, BLD	1

**DRUG: FLUNIXIN**

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
AZOTEMIA	1
BLD, URINE	1
URINE ABN	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
DEPRESSION/LETHARGY	2
SWEATING	2
URTICARIA	2
ADIPSIA	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
APPREHENSION	1
CA LO, BLD	1
DEHYDRATION	1
DIARRHEA	1
DIARRHEA, PROJECTILE	1
DISTRESS	1
EDEMA, LUNG(S)/TRACHEA	1
HYPERSALIVATION	1
HYPOMOTILITY	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
LESION(S), MOUTH/LIP(S)	1
RASH	1
SGOT/AST HI, BLD	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
TACHYCARDIA	1
TASTE ABNORMALITY	1
ULCER(S), TONGUE	1
UNPALATABLE	1

**DRUG: FLUNIXIN**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1
VOMITING, BLOODY	1

**DRUG: FLUNIXIN**

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
CONVULSION(S)	1
DEATH	1
OFF FEED	1

**DRUG: FLUNIXIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	2
DIARRHEA	2
ANEMIA	1

**DRUG: FLUNIXIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANESTH RECOV PROLONGED	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
EFFUSION	1
HIDING	1
HYPERACTIVITY	1
INJ SITE BLD	1
INJ SITE PAIN	1
NERVOUSNESS	1
P HI, BLD	1

**DRUG: FLUNIXIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	12
DYSPNEA	4
ANAPHYLAXIS/TOID	3
CONVULSION(S)	3
ATAXIA	2
COLLAPSE	2
HYPERPNEA	2
RECUMBENCY	2
RESIDUE, MEAT	2
DEATH(EUTHANIZED)	1
DEATH(STILLBORN)	1
DYSTOCIA	1
HYPERESTHESIA	1
HYPERSALIVATION	1
HYPERSENSITIVE, SOUND	1
INJ SITE ABN	1
INJ SITE EMPHYSEMA	1
INJ SITE INFECT	1
INJ SITE NECROSIS	1
PNEUMONIA	1

**DRUG: FLUNIXIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
POLYPNEA	1
PR-INJ SITE, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
STAGGERING	1
THRASHING/PADDLING	1
URTICARIA	1
VOCALIZATION	1

**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	6
DEPRESSION/LETHARGY	4
HEMATOCHEZIA	3
VOMITING	3
ANOREXIA	2
BUN HI, BLD	2
COLLAPSE	2
CREATININE HI, BLD	2
DEATH(EUTHANIZED)	2
P HI, BLD	2
PR-GI, LESION(S)	2
VOMITING, BLOODY	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
ANEMIA	1
ANEMIA, AUTOIMMUNE HEM	1
ANURIA	1
ATAXIA	1
BLD, URINE	1
BRADYCARDIA	1
DEHYDRATION	1
DIARRHEA	1
DIC	1

**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSPNEA	1
HYPOPNEA	1
INTERACTION, DRUG(S)	1
K HI, BLD	1
LIPASE HI, BLD	1
MELENA	1
MYDRIASIS	1
PAIN, ABDOMEN	1
PAIN, HIND LIMB(S)	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
PERFORATION, GI	1
PLATELETS LO, BLD	1
SGOT/AST HI, BLD	1
STUPOR	1
THRASHING/PADDLING	1
ULCER(S), GI	1
VOCALIZATION	1

**DRUG: FLUNIXIN**

Species: DONKEY

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RECUMBENCY	2
ANOREXIA	1
CONVULSION(S)	1
DEATH	1
DISTRESS	1
EAR DISORDER	1
FEVER, BODY	1
SHAKING, HEAD/FACE	1

**DRUG: FLUNIXIN**

Species: GOAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	1
DEATH	1
DISTRESS, RESP	1
DYSPNEA	1
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
RECUMBENCY	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE SWELLING	53
COLLAPSE	30
DEATH	29
CONVULSION(S)	24
FEVER, BODY	24
INJ SITE ABSCESS	21
ANAPHYLAXIS/TOID	19
URTICARIA	15
ATAXIA	14
INJ SITE PAIN	13
DEPRESSION/LETHARGY	12
SWELLING, NECK	12
SWEATING	9
INJ SITE EDEMA	8
INJ SITE INFECT	8
PAIN, ABDOMEN	8
RECUMBENCY	8
TREMBLING	8
ANOREXIA	7
INJ SITE SLOUGH	7
THRASHING/PADDLING	7
DEATH(EUTHANIZED)	6
EDEMA, NECK	6
HYPERPNEA	6
STIFFNESS, NECK	6



**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONFUSION	5
INJ SITE EMPHYSEMA	5
SHAKING	5
CYANOSIS	4
HYPERACTIVITY	4
MYOSITIS	4
APNEA	3
DYSYPNEA	3
EDEMA, LIMB(S)	3
INJ SITE INFLAM	3
INJ SITE NECROSIS	3
LAMENESS	3
PAIN	3
PAIN, NECK	3
PR-MUSCLE(S), LESION(S)	3
SHAKING, HEAD/FACE	3
STAGGERING	3
SWELLING, BRISKET/CHES	3
ARREST, HEART	2
DISCOMFORT	2
EDEMA	2
INEFFECT, ANALGESIA	2
INJ SITE ABN	2
INJ SITE EFFUSION	2
INJ SITE SEROMA	2
INJ SITE STIFFNESS	2
KICKING	2
NYSTAGMUS	2
PALLOR	2
PR-LUNG(S), LESION(S)	2
PRURITIS	2
SHOCK	2
SPASM	2
STIFFNESS	2
SWELLING, HEAD/FACE	2
SWELLING, LIMB(S)	2
SWELLING, MOUTH/LIP(S)	2
TACHYCARDIA	2

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ADIPSIA	1
BEHAVIOR DISORDER	1
BLD(HEMATOMA)	1
BLINDNESS	1
CELLULITIS	1
COLON, ABN	1
CYANOSIS, MUCOUS MEMBR	1
DEHYDRATION	1
DISTRESS, RESP	1
EDEMA, BRISKET/CHEST	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EMPHYSEMA, SQ	1
ENLARGEMENT(S), NECK	1
EPISTAXIS	1
HEAD BOBBING	1
HEAD PRESSING	1
HYPERTONIA	1
ILL	1
INEFFECT	1
INFARCT	1
INFECTION	1
INJ SITE ALOPECIA	1
INJ SITE FIBROSIS	1
INJ SITE MASS	1
INJ SITE SEPSIS	1
INJ SITE STERILE ABSCE	1
IRRITATION	1
JERKING	1
KIDNEY DISORDER	1
NEUROLOGICAL DISORDER	1
PAIN, LIMB(S)	1
PARESIS, FORELIMB(S)	1
PAWING	1
POLYPNEA	1
PR-BLADDER, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-INTEST, LESION(S)	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LARYNX, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MUSCLE(S), LESION(S)	1
PR-PLEURAL EFFUSION	1
PR-SKIN, LESION(S)	1
REACTION, UNSPECIFIED	1
REARING	1
RELUCTANT TO MOVE	1
ROLLING	1
SEDATION	1
SLOUGH, SKIN	1
STIFFNESS, HIND LIMB(S)	1
STUPOR	1
SWELLING, JOINT(S)	1
SWELLING, PREPUCE	1
UNCONSCIOUS	1
US ABN	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: FLUNIXIN**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE SWELLING	3
CONGESTION, SKIN	1
DIZZINESS	1
INJ SITE PAIN	1
SWEATING	1
SWELLING, FEET/DIGIT(S)	1
WEAKNESS	1

**DRUG: FLUNIXIN**

Species: MULE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FLUNIXIN**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FLUNIXIN**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
CONGESTION, SKIN	1
FROTH, MOUTH/LIP(S)	1
POLYPNEA	1
URTICARIA	1

**DRUG: FLUNIXIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
HYPERESTHESIA	1
IRRITATION, SKIN	1
RASH	1

**DRUG: FLUNIXIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1

**DRUG: FLUNIXIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
HYPOTHERMIA	1

**DRUG: FLUNIXIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
INFECTION, EYE(S)	1

**DRUG: FLUNIXIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
OPISTHOTONOS	1
VOCALIZATION	1
VOMITING	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
PAIN, ABDOMEN	2
ARREST, HEART	1
ATAXIA	1
BITING/CHEWING	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
CAPILLARY REFILL PROLO	1
COLLAPSE	1
CONVULSION(S)	1
CREATININE HI, BLD	1
CULTURE/TITER DATA ABN	1
DEHYDRATION	1
DYSPNEA	1
FEVER, BODY	1
HYPOTHERMIA	1
INEFFECT, ANALGESIA	1
INFECTION	1
INJ SITE SWELLING	1
LAMENESS	1
MYOSITIS	1
NYSTAGMUS, HORIZONTAL	1
PAIN, BRISKET/CHEST	1
PAIN, HIND LIMB(S)	1
PAWING	1
PR-ADRENAL(S), LESION(S)	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
RECUMBENCY	1
SWEATING	1
SWELLING, BRISKET/CHES	1
TACHYCARDIA	1
TWITCH	1
US ABN	1
WBC HI, BLD	1

**DRUG: FLUNIXIN**

Species: HUMAN

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONFUSION	2
LIVER ENZYMES HI, BLD	2
BLD, GI	1
CHEMISTRY ABN	1
DEPRESSION/LETHARGY	1
ENCEPHALOPATHY	1
INJ SITE PAIN	1

**DRUG: FLUNIXIN**

Species: HORSE

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	2
DEATH(EUTHANIZED)	2
DEFECATION	2
DISCOMFORT	2
DISTRESS, RESP	2
PACING	2
PAIN, ABDOMEN	2
SHAKING	2
SHAKING, HEAD/FACE	2
SWEATING	2
ANAPHYLAXIS/TOID	1
DEPRESSION/LETHARGY	1
EDEMA	1
FEVER, BODY	1
INJ SITE ABSCESS	1
INJ SITE INFECT	1
INJ SITE SWELLING	1
PD-CONTAMINATION	1
RELUCTANT TO MOVE	1
SOMNOLENCE	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MOUTH/LIP(S)	1
URTICARIA	1

**DRUG: FLUOROMETHOLONE**

Species: UNKNOWN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
ENCEPHALOPATHY	1
GGT HI, BLD	1
PAIN	1
RELUCTANT TO MOVE	1
SGPT/ALT HI, BLD	1

**DRUG: FLUOROURACIL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
VOMITING	1

**DRUG: FLUOXETINE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	18
UNPALATABLE, WON'T EAT	7
UNPALATABLE, WON'T SWA	3
PD-LABEL(S), ABN	1
PD-SEAL, ABN	1

**DRUG: FLUOXETINE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	6



**DRUG: FLUOXETINE**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	6
CONSTIPATION	3
AGGRESSION	2
ATAXIA	2
GLUCOSE HI, BLD	2
SGPT/ALT HI, BLD	2
STUPOR	2
VOCALIZATION	2
ALK PHOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
CALCULI, URINE	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
GLUCOSE, URINE	1
HIDING	1
ICTERUS, BODY	1
ILL	1
POLYDIPSIA	1
POLYPHAGIA	1
POLYURIA	1
TREMBLING	1
UNCONSCIOUS	1
URINATION ABN	1
VOMITING	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: FLUOXETINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------

**DRUG: FLUOXETINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	225
DEPRESSION/LETHARGY	197
VOMITING	72
APPREHENSION	71
TREMBLING	60
CONVULSION(S)	57
INEFFECT	55
AGGRESSION	44
DIARRHEA	39
WEIGHT LOSS	35
NERVOUSNESS	34
INEFFECT, LOSS OF EFFE	32
POLYPNEA	30
VOCALIZATION	29
HYPERACTIVITY	27
MYDRIASIS	26
HYPERSALIVATION	20
SHAKING	20
SGPT/ALT HI, BLD	16
ATAXIA	13
CONFUSION	12
PRURITIS	12
PACING	11
ALK PHOS HI, BLD	10
DEATH	9
TACHYCARDIA	9
POLYDIPSIA	8
SGOT/AST HI, BLD	8
DIARRHEA, MILD	7
INTERACTION, DRUG(S)	7
URTICARIA	7
CONSTIPATION	6
POLYURIA	6
TREMBLING, FACE	6
DESTRUCTIVENESS	5
URINATION ABN	5
ADIPSIA	4
HALLUCINATION	4

**DRUG: FLUOXETINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HIDING	4
TWITCH	4
BRADYCARDIA	3
CONGESTION, SKIN	3
DEATH(EUTHANIZED)	3
DYSPNEA	3
NAUSEA	3
PAIN, ABDOMEN	3
PR-LIVER, LESION(S)	3
SWELLING, HEAD/FACE	3
ALOPECIA	2
ANAPHYLAXIS/TOID	2
ARRHYTHMIA	2
BUN HI, BLD	2
CREATININE HI, BLD	2
DEHYDRATION	2
FEVER, BODY	2
HEAD BOBBING	2
HYPERPNEA	2
INEFFECT, OTHER DRUG(S)	2
INFECTION, SKIN	2
MURMUR, HEART	2
PRESSURE HI, BLD	2
RECUMBENCY	2
SEDATION	2
STAGGERING	2
URINATION	2
WEAKNESS	2
ACCIDENTAL EXPOSURE	1
ALBUMIN LO, BLD	1
ANEMIA	1
ANESTRUS	1
ANISOCORIA	1
APNEA	1
ARREST, HEART	1
BILIRUBIN(TOT) HI, BLD	1
BLD(PETECHIAE)	1
BLD, URINE	1

**DRUG: FLUOXETINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BUN LO, BLD	1
CATARACT(S)	1
CHASING TAIL	1
CIRCLING	1
COLLAPSE	1
COPROPHAGIA	1
COUGHING	1
DEAFNESS	1
DEFECATION	1
DERMATITIS, MOIST	1
DIARRHEA, BLOODY	1
DYSPHAGIA	1
DYSURIA	1
EDEMA, VENTRAL	1
ENLARGEMENT, LYMPH NOD	1
FIBRINOGEN HI, BLD	1
GAGGING	1
GGT HI, BLD	1
GINGIVA, ABN	1
GLUCOSE HI, BLD	1
GRINDING TEETH	1
HAIR, ABN	1
HEPATITIS	1
HYPERSENSITIVE, SOUND	1
IMMUNE DISORDER	1
INCONTINENCE, FECAL	1
INEFFECT, WEIGHT LOSS	1
INFLAM, SKIN	1
INSOMNIA	1
KERATOCONJUNCTIVITIS S	1
LAMENESS	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
LIVER ENZYMES HI, BLD	1
MELENA	1
MUCOUS MEMBR, ABN COLO	1
NEOPLASM, SKIN	1
NEUROLOGICAL DISORDER	1

**DRUG: FLUOXETINE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NO SIGNS	1
ODOR	1
PAIN, NECK	1
PALLOR, MUCOUS MEMBRAN	1
PAPULE(S)	1
PD-POTENCY, LO	1
P HI, BLD	1
PHOTOPHOBIA	1
PLATELETS LO, BLD	1
POSTURE ABN	1
PROTEIN(TOT) HI, BLD	1
PRURITIS, EAR(S)	1
PRURITIS, TAIL	1
PT PROLONGED, BLD	1
PUPIL(S), AREFLEXIA	1
RADIOGRAPH(S) ABN	1
RASH	1
SELF-MUTILATION	1
SHAKING, HEAD/FACE	1
SLEEP ABN	1
STARING	1
STIFFNESS, NECK	1
STOOL ABN	1
STOOL, PALE/GRAY	1
STUMBLING	1
STUPOR	1
SYNCOPE	1
THROMBUS	1
THYROID HORMONE(S) HI	1
US-LIVER ABN	1
VESTIBULAR DISORDER	1
WEIGHT INCREASE	1
WHEEZING	1

**DRUG: FLUOXETINE**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEADACHE	1

**DRUG: FLUOXETINE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	1

**DRUG: FLUPROSTENOL**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	1

**DRUG: FOLLICLE STIMULATING HORMONE (FSH)**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SUPEROVULATE	40
ANAPHYLAXIS/TOID	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
URTICARIA	1

**DRUG: FOLLICLE STIMULATING HORMONE (FSH)**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SUPEROVULATE	1

**DRUG: FOLLICLE STIMULATING HORMONE (FSH)**

Species: SHEEP

Route of Administration: PARENTERAL

**DRUG: FOMEPIZOLE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
WEAKNESS	1

**DRUG: FOMEPIZOLE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
ODOR, MOUTH	1

**DRUG: FOMEPIZOLE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
DYSPNEA	2
EDEMA, LUNG(S)/TRACHEA	2
HYPOPNEA	2
K LO, BLD	2
OLIGURIA	2
RECUMBENCY	2
VOCALIZATION	2
ATAXIA	1
HYPOTHERMIA	1
STUPOR	1

**DRUG: FOMEPIZOLE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
APNEA	1
ARREST, HEART	1
ATAXIA	1
DEATH	1
VOCALIZATION	1

**DRUG: FOMEPIZOLE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	5
ATAXIA	4
DEPRESSION/LETHARGY	3
HYPERPNEA	3
TREMBLING	3
ABN COLOR, URINE	2
ANAPHYLAXIS/TOID	2
EDEMA, LIMB(S)	2
INJ SITE NECROSIS	2
LAMENESS	2
VOMITING	2
ALOPECIA	1
ANOREXIA	1
ARREST, HEART	1
AZOTEMIA	1
BLD, EYE(S)	1
BLD, URINE	1
CONVULSION(S)	1
COUGHING	1
CPK HI, BLD	1
DEATH	1
DYSPHAGIA	1
DYSPNEA	1
GAGGING	1
HCO3 LO, BLD	1
HYPOTHERMIA	1



**DRUG: FOMEPIZOLE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE EDEMA	1
K HI, BLD	1
LESION(S), SKIN	1
ODOR, MOUTH	1
PALLOR, MUCOUS MEMBRAN	1
PD-LABEL(S), ABN	1
P HI, BLD	1
PRESSURE LO, BLD	1
PROLAPSE, THIRD EYELID	1
PRURITIS	1
SKIN, NECROSIS	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, NECK	1
SWELLING, PHARYNX/THRO	1
TACHYCARDIA	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: FOMEPIZOLE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
ATAXIA	1
CNS DISORDER	1
DEPRESSION/LETHARGY	1

**DRUG: FOMEPIZOLE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALK PHOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
DEPRESSION/LETHARGY	1

**DRUG: FOMEPIZOLE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FEVER, BODY	1
LAMENESS	1
PANCREATITIS	1
SGPT/ALT HI, BLD	1
STIFFNESS, LIMB(S)	1
STIFFNESS, NECK	1

**DRUG: FORMALDEHYDE**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH(SLAUGHTERED)	1
UDDER, MASTITIS	1
UDDER, TEAT(S) DISORDE	1

**DRUG: FURAZOLIDONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	11
PD-DISPENSER, ABN	4
PD-CONTAINER(S), ABN	3
PD-CONTAINER(S), DAMAG	1
PD-PRODUCT DEFECT	1
PD-SEAL, ABN	1
PD-UNDERFILL, PACKAGE	1

**DRUG: FURAZOLIDONE**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1

**DRUG: FURAZOLIDONE**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONSTIPATION	1
PR-LUNG(S), LESION(S)	1
TREMBLING	1

**DRUG: FURAZOLIDONE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HUMAN EXPOSURE	1
INFLAM	1

**DRUG: FUROSEMIDE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	116
PD-COLOR, ABN	114
PD-TABLET(S), ABN	47
PD-CONTAMINATION	6
PD-MISSING, LABEL(S)	2
PD-VIAL(S), DAMAGED	2
PD-CONTAINER(S), ABN	1
PD-PRODUCT DEFECT	1
PD-SEAL, ABN	1
PD-SUSPENSION, ABN	1
PD-UNDERFILL, PACKAGE	1

**DRUG: FUROSEMIDE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
PR-KIDNEY(S), LESION(S)	1

**DRUG: FUROSEMIDE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
TREMBLING	1

**DRUG: FUROSEMIDE**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ENLARGEMENT(S)	1
INJ SITE PAIN	1
KICKING	1
SWEATING	1
URTICARIA	1

**DRUG: FUROSEMIDE**

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
REGURGITATION	1
REGURGITATION, FOOD	1
WEAKNESS	1

**DRUG: FUROSEMIDE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARREST, HEART	1
ARRHYTHMIA	1
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
GAGGING	1
MYDRIASIS	1
ODOR, MOUTH	1
POLYDIPSIA	1

**DRUG: FUROSEMIDE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYURIA	1
PRESSURE LO, BLD	1
TACHYCARDIA	1
WHEEZING	1

**DRUG: FUROSEMIDE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYURIA	12
DEPRESSION/LETHARGY	10
VOMITING	6
TACHYCARDIA	5
DEATH(EUTHANIZED)	3
DIARRHEA	3
POLYDIPSIA	3
ALK PHOS HI, BLD	2
ANOREXIA	2
ATAXIA	2
BUN HI, BLD	2
CREATININE HI, BLD	2
INEFFECT	2
P HI, BLD	2
POLYPNEA	2
PRESSURE HI, BLD	2
ALOPECIA	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
AZOTEMIA	1
BLD, URINE	1
CARDIOMEGALY	1
CHLORIDE LO, BLD	1
COUGHING	1
DEATH	1
DEATH(TX FAILURE)	1
DYSYPNEA	1

**DRUG: FUROSEMIDE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GAGGING	1
HEAD TILT	1
HYPERACTIVITY	1
ILL	1
INCONTINENCE	1
INFECTION, URINARY TRA	1
KIDNEY FAILURE	1
K LO, BLD	1
NA LO, BLD	1
NERVOUSNESS	1
NYSTAGMUS	1
PALLOR, MUCOUS MEMBRAN	1
PD-POTENCY, LO	1
PD-TABLET(S), ABN	1
PRESSURE LO, BLD	1
PRURITIS	1
PRURITIS, EYE(S)	1
RADIOGRAPH(S) ABN	1
SGPT/ALT HI, BLD	1
SHAKING, HEAD/FACE	1
SPEC GRAVITY LO, URINE	1
ULCER(S), CORNEA(S)	1
UNCONSCIOUS	1
URTICARIA	1
VESTIBULAR DISORDER	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: FUROSEMIDE**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIZZINESS	1

**DRUG: FUROSEMIDE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
FIBRILLATION, VENTRICU	1
K LO, BLD	1
UNCONSCIOUS	1

**DRUG: FUROSEMIDE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: FUROSEMIDE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
GLUCOSE LO, BLD	1
K LO, BLD	1
NA LO, BLD	1

**DRUG: FUROSEMIDE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	2
DEATH	2
THRASHING/PADDLING	2

**DRUG: FUROSEMIDE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ATAXIA	1
FIBRILLATION	1
PAIN, ABDOMEN	1
REARING	1
RECUMBENCY	1
SWEATING	1

**DRUG: FUROSEMIDE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-POTENCY, LO	1
PD-SOLUTION, ABN	1
REACTION, UNSPECIFIED	1

**DRUG: FUROSEMIDE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
HYPERSALIVATION	1
INEFFECT	1
INJ SITE INFLAM	1

**DRUG: FUROSEMIDE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1



**DRUG: GABAPENTIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	2

**DRUG: GADOTERIDOL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
BRADYCARDIA	1
CAPILLARY REFILL PROLO	1
DIARRHEA	1
DIARRHEA, BLOODY	1
MUCOUS MEMBR, ABN COLO	1
VOMITING	1

**DRUG: GENTAMICIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	9
PD-COLOR, ABN	2
PD-PRODUCT DEFECT	2
PD-GEL/PASTE, ABN	1
PD-SUSPENSION, ABN	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), ABN	1
PD-VIAL(S), LEAKING	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ARREST, HEART	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1

**DRUG: GENTAMICIN**

Species: PARROT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
TECH ERROR, MIXING	1

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
LEUKODERMA	3
DISCHARGE, VULVA	2
IRRITATION, PERINEUM	2
SWELLING, VAGINA/VULVA	2
VAGINITIS	2
FERTILITY, REDUCED	1
ULCER(S), MUCOCUTANEOU	1

**DRUG: GENTAMICIN**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
CREATININE HI, BLD	1
DIARRHEA, BLOODY	1
POLYURIA	1
URINATION	1

**DRUG: GENTAMICIN**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
DISCOMFORT	1
EYE DISORDER	1
SWELLING, EYE(S)/LID(S)	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	2
HEALING IMPAIRED	2
ULCER(S), CORNEA(S)	2
CONJUNCTIVITIS	1
DISCHARGE, EYE(S)/LID(S)	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
INFECTION, EYE(S)	1
PAIN, EYE(S)/LID(S)	1
VOCALIZATION	1

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
EDEMA, CORNEA(S)	2
BLINDNESS, TEMP	1
IRRITATION, EYE(S)/LID	1
OPACITY, CORNEA(S)	1
PAIN, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
PAIN, ABDOMEN	1
PALLOR	1

**DRUG: GENTAMICIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ATAXIA	2
VESTIBULAR DISORDER	2
BLD	1
HEAD TILT	1
UNCONSCIOUS	1

**DRUG: GENTAMICIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	3
DEATH	3
ANAPHYLAXIS/TOID	1

**DRUG: GENTAMICIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISCHARGE, NOSE	1
DYSPNEA	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
UNCONSCIOUS	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BUN HI, BLD	5
CREATININE HI, BLD	5
ANOREXIA	3
DEAFNESS	3
DEATH	3
DEATH(EUTHANIZED)	3
KIDNEY FAILURE	3
DEPRESSION/LETHARGY	2
VOMITING	2
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANISOCORIA	1
ATAXIA	1
AZOTEMIA	1
BLD, URINE	1
HEAD TILT	1
K LO, BLD	1
NYSTAGMUS	1
PR-LUNG(S), LESION(S)	1
SPEC GRAVITY LO, URINE	1
WEIGHT LOSS	1

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: PARENTERAL

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	14
TACHYCARDIA	6
SWEATING	5
ANAPHYLAXIS/TOID	4
TREMBLING	4
HYPERPNEA	3
NERVOUSNESS	3
POLYPNEA	3
SHAKING	3
URTICARIA	3
ATAXIA	2
DEATH	2
DISTRESS	2
FEVER, BODY	2
KICKING	2
KIDNEY FAILURE	2
PAWING	2
RECUMBENCY	2
APPREHENSION	1
BORBORYGMI	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DISCOMFORT	1
DISTRESS, RESP	1
DYSPNEA	1
EFFUSION, PLEURAL	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
MUCOUS MEMBR, MUDDY	1
PD-SOLUTION, ABN	1
PD-SUSPENSION, ABN	1
PRESSURE HI, BLD	1
SHAKING, HEAD/FACE	1
SOUND ABN, RESPIRATORY	1
STIFFNESS	1
SWELLING, JOINT(S)	1

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TWITCH	1
VOCALIZATION	1
WEAKNESS	1

**DRUG: GENTAMICIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
TREMBLING	1
WEAKNESS	1

**DRUG: GENTAMICIN**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

**DRUG: GENTAMICIN**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, EAR(S)	2
PAIN, EYE(S)/LID(S)	1

**DRUG: GENTAMICIN**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWEATING	1

**DRUG: GENTAMICIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
HEAD TILT	1
VESTIBULAR DISORDER	1

**DRUG: GI, PROTECTANTS/ABSORBENTS/ASTRINGENTS**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATROPHY, MUSCLE(S)	1
DEPRESSION/LETHARGY	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: GLEPTOFERRON**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	5
DEPRESSION/LETHARGY	2
WEAKNESS	2
CONVULSION(S)	1
DIARRHEA	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1



**DRUG: GLEPTOFERRON**

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

**DRUG: GLUCOSAMINE AND CHONDROITIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CRYSTALS, URINE	1
DEATH	1
KIDNEY FAILURE	1
STRANGURIA	1

**DRUG: GLUCOSAMINE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
CONSTIPATION	1
DEPRESSION/LETHARGY	1
EDEMA, LIMB(S)	1
HYPERACTIVITY	1
NERVOUSNESS	1
RECUMBENCY	1

**DRUG: GLYBURIDE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
GLUCOSE LO, BLD	1

**DRUG: GLYCOPYRROLATE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: GLYCOPYRROLATE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	3
PD-LABEL(S), ABN	2
PD-VIAL(S), LEAKING	1

**DRUG: GLYCOPYRROLATE**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

**DRUG: GLYCOPYRROLATE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
DIARRHEA	1

**DRUG: GLYCOPYRROLATE**

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
FEVER, BODY	1

**DRUG: GLYCOPYRROLATE**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
FEVER, BODY	3
APNEA	2

**DRUG: GLYCOPYRROLATE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ARREST, HEART	2
MYDRIASIS	2
AGGRESSION	1
ANESTH RECOV TURBULENT	1
ATAXIA	1
BITING/CHEWING	1
HYPERACTIVITY	1
HYPERESTHESIA	1
INTERACTION, DRUG(S)	1
NEUROLOGICAL DISORDER	1
PARESIS, FORE LIMB(S)	1
PHOTOSENSITIZATION	1
SGPT/ALT HI, BLD	1
TAIL CHASING	1
ULCER(S), TONGUE	1

**DRUG: GLYCOPYRROLATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	7
VOMITING	7
TACHYCARDIA	3
ARREST, HEART	2
BLD, INCISION SITE	2
CONVULSION(S)	2
DEATH	2
ANAPHYLAXIS/TOID	1
ANEMIA	1
APNEA	1
BUN HI, BLD	1
COLLAPSE	1
CONGESTION	1
CREATININE HI, BLD	1
DEHISCENCE	1
DEHYDRATION	1

**DRUG: GLYCOPYRROLATE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INCISION SITE, ECCHYMOSIS	1
POLYDIPSIA	1
POLYURIA	1
PRURITIS	1
SPEC GRAVITY LO, URINE	1
SWELLING, SCROTUM	1
TEETH, ABN	1
TREMBLING	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: GLYCOPYRROLATE**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1

**DRUG: GLYCOPYRROLATE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
MYDRIASIS	1

**DRUG: GLYCOPYRROLATE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
GLUCOSE HI, BLD	1
HYPOTHERMIA	1
PAIN, HIND LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
PULSE THREADY	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SWELLING, LIMB(S)	1
VOMITING	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	6
DIARRHEA	5
ANOREXIA	3
DEPRESSION/LETHARGY	3
ANEMIA	2
BUN HI, BLD	2
DEATH(EUTHANIZED)	2
ALOPECIA	1
ANAPHYLAXIS/TOID	1
ANEMIA, HEMOLYTIC	1
BEHAVIOR DISORDER	1
BLD, ABDOMEN	1
COLLAPSE	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEAFNESS	1
DEATH	1
DIFFICULTY RISING	1
FEVER, BODY	1
GLUCOSE HI, BLD	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INCONTINENCE, URINARY	1
LAMENESS	1
LYMPHS LO, BLD	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS	1
P HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
RELUCTANT TO MOVE	1
STARING	1
TREMBLING	1
WBC HI, BLD	1
WEIGHT LOSS	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
DEPRESSION/LETHARGY	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFLAM, SKIN	2
PRURITIS	2
VOMITING	2
ABSCESS, SKIN	1
ANEMIA	1
BLD(ECCHYMOSES)	1
ENLARGEMENT(S)	1
FEVER, BODY	1
HYPOPNEA	1
ICTERUS, BODY	1
INCONTINENCE, URINARY	1
INFECTION, SKIN	1
IRRITATION, SKIN	1
LIVER ENZYMES HI, BLD	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
POLYURIA	1
PROTEIN(TOT) LO, BLD	1
RASH	1
SKIN, NECROSIS	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
CONVULSION(S)	1
LAMENESS	1
PAIN, ABDOMEN	1
RECUMBENCY	1
WEAKNESS	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: PARENTERAL

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	18
VOMITING	14
ANOREXIA	12
ANEMIA	6
DEATH(EUTHANIZED)	5
DEATH	4
BLD, URINE	3
INJ SITE BLD	3
INJ SITE MASS	3
INJ SITE PAIN	3
PALLOR	3
RECUMBENCY	3
WEIGHT LOSS	3
BEHAVIOR DISORDER	2
BLD(HEMATOMA)	2
BUN HI, BLD	2
COAGULATION DISORDER	2
CREATININE HI, BLD	2
DIARRHEA	2
DYSPNEA	2
HEART FAILURE	2
MYDRIASIS	2
POLYDIPSIA	2
PR-HEART, LESION(S)	2
PROPRIOCEPTIVE DISORDE	2
RELUCTANT TO MOVE	2
VOCALIZATION	2
AGGRESSION	1
ALOPECIA	1
AMYLASE HI, BLD	1
ANEMIA, BLD LOSS	1
ATAXIA	1
BALANCE DISORDER	1
BLD(ECCHYMOSES)	1
BLD, MOUTH/LIP(S)	1
BLINDNESS, TEMP	1
COLLAPSE	1
CULTURE/TITER DATA ABN	1



**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, MILD	1
DIARRHEA, WATERY	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
HEART DISORDER	1
HIDING	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE NEOPLASM	1
INJ SITE PRURITIS	1
INJ SITE SWELLING	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LAMENESS	1
LICKING	1
LYMPHS LO, BLD	1
MURMUR, HEART	1
NEUROLOGICAL DISORDER	1
PAIN	1
PAIN, HIND LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
P HI, BLD	1
POLYURIA	1
PR-BLADDER, LESION(S)	1
PRESSURE LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PROTEIN(TOT) HI, BLD	1
PR-PANCREAS, LESION(S)	1
PTT PROLONGED, BLD	1
PULSE THREADY	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RADIOGRAPH(S) ABN	1
SHOCK	1
SKIN DISORDER	1
STAGGERING	1
STIFFNESS, HIND LIMB(S)	1
STUPOR	1
SWELLING, FEET/DIGIT(S)	1
TACHYCARDIA	1
TENESMUS, URINARY	1
UNCONSCIOUS	1
URINATION ABN	1
VOMITING, BLOODY	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	279
ANOREXIA	204
DEPRESSION/LETHARGY	193
DIARRHEA	156
ALK PHOS HI, BLD	54
INJ SITE PAIN	48
SGPT/ALT HI, BLD	46
DEATH(EUTHANIZED)	45
DIARRHEA, BLOODY	44
DEATH	41
ANEMIA	40
FEVER, BODY	39
POLYDIPSIA	37
LAMENESS	36
BUN HI, BLD	35
CONVULSION(S)	32
PAIN	32
PLATELETS LO, BLD	32
WEAKNESS	31

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
WEIGHT LOSS	31
CREATININE HI, BLD	30
WBC HI, BLD	27
ATAXIA	26
RECUMBENCY	26
COLLAPSE	25
US ABN	24
POLYURIA	22
DIFFICULTY RISING	20
PARESIS, HIND LIMB(S)	20
POLYPNEA	20
ANAPHYLAXIS/TOID	19
HYPERSALIVATION	19
BLD, URINE	18
CONFUSION	18
EPISTAXIS	18
INCONTINENCE, URINARY	17
INJ SITE SWELLING	17
RADIOGRAPH(S) ABN	17
SEGS HI, BLD	17
BILIRUBIN(TOT) HI, BLD	16
DEHYDRATION	16
RELUCTANT TO MOVE	16
DIARRHEA, MILD	15
NERVOUSNESS	15
PAIN, ABDOMEN	15
P HI, BLD	15
HYPERPNEA	14
MELENA	14
PALLOR, MUCOUS MEMBRAN	14
TREMBLING	14
INJ SITE MASS	12
PRURITIS	12
VOMITING, BLOODY	12
LOCOMOTION DISORDER	11
PR-LIVER, LESION(S)	11
SGOT/AST HI, BLD	11
US-LIVER ABN	11

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOCALIZATION	11
CONGESTION, SKIN	10
GGT HI, BLD	10
GLUCOSE HI, BLD	10
INCONTINENCE, FECAL	10
INEFFECT, ANTIINFLAM	10
KIDNEY FAILURE	10
NEOPLASM	10
SPEC GRAVITY LO, URINE	10
STIFFNESS	10
SWELLING, LIMB(S)	10
URTICARIA	10
APPREHENSION	9
CHOLESTEROL HI, BLD	9
COAGULATION DISORDER	9
CPK HI, BLD	9
DYSPNEA	9
ENLARGEMENT, LYMPH NOD	9
HEMATOCHEZIA	9
INEFFECT	9
LYMPHS LO, BLD	9
NAUSEA	9
PALLOR	9
SWELLING, HEAD/FACE	9
ALOPECIA	8
AMYLASE HI, BLD	8
COUGHING	8
HEPATOMEGALY	8
HYPERACTIVITY	8
LIPASE HI, BLD	8
MASS	8
PROPRIOCEPTIVE DISORDE	8
SHAKING	8
TACHYCARDIA	8
URINATION ABN	8
URINE ABN	8
ALBUMIN LO, BLD	7
BEHAVIOR DISORDER	7

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD(ECCHYMOSES)	7
DIARRHEA, WATERY	7
HAIR, SHEDDING	7
ILL	7
INJ SITE INFLAM	7
PAIN, LIMB(S)	7
PROTEIN(TOT) LO, BLD	7
ADIPSIA	6
BLD, MOUTH/LIP(S)	6
EDEMA, LIMB(S)	6
LIVER ENZYMES HI, BLD	6
POLYCYTHEMIA	6
SWELLING, MOUTH/LIP(S)	6
THYROID HORMONE(S) LO	6
WBC, URINE	6
AGGRESSION	5
ANEMIA, AUTOIMMUNE HEM	5
ANEMIA, REGEN	5
BLINDNESS	5
CIRCLING	5
DIC	5
FLATULENCE	5
HYPOPNEA	5
INFECTION, SKIN	5
INFLAM, SKIN	5
INJ SITE ABSCESS	5
MYDRIASIS	5
PACING	5
SNEEZING	5
SPLENOMEGALY	5
STIFFNESS, HIND LIMB(S)	5
STUPOR	5
WBC LO, BLD	5
BLD(HEMATOMA)	4
BORBORYGMI	4
CA HI, BLD	4
CYANOSIS	4
DEFECATION	4

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, MUCOID	4
ERUPTION(S)	4
GLOBULIN HI, BLD	4
GLOBULIN LO, BLD	4
HEAD TILT	4
HEART DISORDER	4
INEFFECT, ANALGESIA	4
LICKING	4
NYSTAGMUS	4
PERITONITIS	4
PICA	4
PROTEIN(TOT) HI, BLD	4
PR-SPLEEN, LESION(S)	4
PR-STOMACH, LESION(S)	4
RASH	4
REFLEX(ES) ABN	4
SOMNOLENCE	4
STOOL ABN	4
STUMBLING	4
SWELLING, EYE(S)/LID(S)	4
SWELLING, JOINT(S)	4
TWITCH	4
AZOTEMIA	3
BANDS HI, BLD	3
BLD, ABN	3
BLD(PETECHIAE)	3
BLD, RECTUM	3
BRADYCARDIA	3
BREATHING ABN	3
CHLORIDE LO, BLD	3
DERMATITIS, MOIST	3
DIABETES MELLITUS	3
DIARRHEA, SEVERE	3
DISCHARGE, NOSE	3
DISTENTION, ABDOMEN	3
DISTRESS	3
ENLARGEMENT(S)	3
EOSINOS LO, BLD	3

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EXERCISE INTOLERANCE	3
GLUCOSE, URINE	3
HYPOTHERMIA	3
ICTERUS	3
ICTERUS, BODY	3
IMMUNE DISORDER	3
INFECTION, URINARY TRA	3
K LO, BLD	3
LESION(S), MOUTH/LIP(S)	3
LESION(S), SKIN	3
LICKING, FEET/DIGIT(S)	3
MICROORANISMS, URINE	3
MONOS HI, BLD	3
MURMUR, HEART	3
NA LO, BLD	3
NEOPLASM, LIVER	3
NEOPLASM, SPLEEN	3
PERFORATION, STOMACH	3
PLATELETS ABN	3
PRESSURE HI, BLD	3
PR-HEART, LESION(S)	3
PR-LUNG(S), LESION(S)	3
PROTEIN, URINE	3
PT PROLONGED, BLD	3
SKIN, CRUST(S)	3
STAGGERING	3
STARING	3
STIFFNESS, LIMB(S)	3
TENESMUS, RECTAL	3
UNCONSCIOUS	3
URINATION	3
VESTIBULAR DISORDER	3
VOMITING, SEVERE	3
VOMITING, UNPRODUCTIVE	3
ABN COLOR, URINE	2
ALBUMIN HI, BLD	2
ALKALINE URINE	2
ASCITES	2

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILIRUBIN, URINE	2
BLD, ANUS	2
BLD, LUNG(S)/TRACHEA	2
BONE, ABN	2
CA LO, BLD	2
CARDIOMEGALY	2
CELLULITIS	2
CORT/CREAT HI, URINE	2
DEFECATION ABN	2
DEMENTIA	2
ECG ABN	2
EDEMA, EYE(S)/LID(S)	2
EFFUSION, PERICARDIAL	2
ELIMINATION ABN	2
FROTH, MOUTH/LIP(S)	2
GALL BLADDER, ABN	2
GINGIVA, ABN	2
GRANULOMA	2
HCO3 LO, BLD	2
HEPATITIS	2
HIDING	2
HYPERADRENOCORTICISM	2
HYPHEMA	2
INJ SITE ABN	2
INJ SITE BLD	2
INJ SITE STIFFNESS	2
IRRITATION, EYE(S)/LID	2
JOINT DISORDER	2
KIDNEY DISORDER	2
LYMPHS HI, BLD	2
MORIBUND	2
NEOPLASM, HEART	2
NEUROLOGICAL DISORDER	2
NOSE ABN	2
NYSTAGMUS, HORIZONTAL	2
PAIN, FEET/DIGIT(S)	2
PAIN, HIND LIMB(S)	2
PAIN, JOINT(S)	2



**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PANCREAS ENZYMES HI, B	2
PANCREATITIS	2
PARALYSIS, HIND LIMB(S)	2
PARESIS	2
PNEUMONIA	2
PNEUMONIA, ASPIRATION	2
POLYPHAGIA	2
PR-BLD VESSEL(S), LESI	2
PR-INJ SITE, LESION(S)	2
PR-KIDNEY(S), LESION(S)	2
PR-MUSCLE(S), LESION(S)	2
PROSTRATION	2
PR-PANCREAS, LESION(S)	2
PR-PERITONEAL EFFUSION	2
PR-PERITONEUM, LESION(	2
PR-SKIN, LESION(S)	2
PRURITIS, FEET/DIGIT(S)	2
PTT PROLONGED, BLD	2
RBC ABN	2
RETICULOCYTES HI, BLD	2
SEGS LO, BLD	2
SHOCK	2
SKIN DISORDER	2
SPASM	2
SPEC GRAVITY HI, URINE	2
STOOL, MUCOID	2
SWELLING	2
THRASHING/PADDLING	2
TRIGLYCERIDES HI, BLD	2
UVEITIS	2
VOMITING, PROJECTILE	2
WBC ABN	2
WHEEZING	2
ABN ODOR, URINE	1
ACIDOSIS	1
A/G RATIO LO, BLD	1
ANA POS	1
ANEMIA, HEMOLYTIC	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANURIA	1
APLASIA, BONE MARROW	1
APNEA	1
ARREST, HEART	1
ARRHYTHMIA	1
ARTHRITIS	1
ATROPHY, MUSCLE(S)	1
BILE ACIDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BITING/CHEWING	1
BLD	1
BLD, ABDOMEN	1
BLD, MULT SITES	1
BLD, PASSING	1
BLD, PENIS	1
BLD, SCLERA	1
BLD, SKIN	1
BLINDNESS, PARTIAL	1
BLINDNESS, TEMP	1
BRAIN, NEOPLASM	1
BUN LO, BLD	1
CAPILLARY REFILL PROLO	1
CAT SCAN ABN	1
CHLORIDE HI, BLD	1
CIRCULATORY DISORDER	1
CO2 LO, BLD	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
CONSTIPATION	1
CRYSTALS, URINE	1
CSF ABN	1
CULTURE/TITER DATA ABN	1
CYANOSIS, MUCOUS MEMBR	1
CYSTITIS	1
DEAFNESS	1
DEAFNESS, PARTIAL	1
DEAFNESS, TEMP	1
DIARRHEA, PROJECTILE	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIGESTION DISORDER	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
DISTRESS, RESP	1
DYSMETRIA	1
DYSPHAGIA	1
EAR DISORDER	1
EDEMA	1
EDEMA, CORNEA(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, JOINT(S)	1
ENLARGEMENT, JOINT(S)	1
ENLARGEMENT(S), SKIN	1
ENTERITIS	1
ERUCTATION	1
EYE DISORDER	1
FIBRILLATION, ATRIAL	1
FIBRINOGEN HI, BLD	1
FIBRINOGEN LO, BLD	1
GAGGING	1
GASTRITIS	1
GI, ABNORMAL	1
GINGIVITIS	1
GLUCOSE LO, BLD	1
HAIR, ABN	1
HAIR, ABN COLOR	1
HEAD BOBBING	1
HEMOGLOBIN, URINE	1
HORNER'S SYNDROME	1
HYPERPIGMENTATION, SKI	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOTHERMIA, BODY	1
INFARCT	1
INFECTION	1
INFECTION, EYE(S)	1
INJ SITE ALOPECIA	1
INJ SITE EDEMA	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE HAIR, ABN	1
INJ SITE HAIR, ABN COLOR	1
INJ SITE INFECT	1
INJ SITE NECROSIS	1
INJ SITE NEOPLASM	1
INJ SITE SEPSIS	1
INJ SITE SLOUGH	1
INJ SITE STERILE ABSCE	1
KETONES, URINE	1
K HI, BLD	1
LEG DISORDER	1
LESION(S)	1
LEUKODERMA	1
LIVER DISORDER	1
LIVER FAILURE	1
MICROORGANISMS, URINE	1
MONOS LO, BLD	1
MRI SCAN ABN	1
MUCOUS MEMBR, MUDDY	1
NECROSIS	1
NECROSIS, TUMOR	1
NEOPLASM, LUNG(S)	1
NEPHRITIS	1
NOSE, INFLAMMATION	1
OFF FEED	1
PAIN, NECK	1
PANCREAS DISORDER	1
PANCYTOPENIA	1
PARALYSIS, FACIAL NERV	1
PERFORATION, GI	1
PHARYNGITIS	1
PLATELETS HI, BLD	1
P LO, BLD	1
POLLAKIURIA	1
POLYCYTHEMIA(RELATIVE)	1
POSTURE ABN	1
PR-CECUM, LESION(S)	1
PR-CEREBRUM, LESION(S)	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PRESSURE LO, BLD	1
PR-EYE(S)/LID(S), LESI	1
PR-INTEST, LESION(S)	1
PR-JOINT(S), SEPSIS	1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PR-MULT SITES, LESION(S)	1
PR-NERVE(S), LESION(S)	1
PR-NOSE, LESION(S)	1
PROLAPSE, THIRD EYELID	1
PR-PERICARDIAL EFFUSIO	1
PR-PLEURAL EFFUSION	1
PR-SM INTEST, LESION(S)	1
PRURITIS, EAR(S)	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RBC, ANISO	1
RBC, NUCLEATED	1
RBC, POLYCHROM	1
REACTION, UNSPECIFIED	1
REGURGITATION	1
RELUCTANT TO CLIMB	1
SALIVA, ABN	1
SCALE(S), SKIN	1
SEBORRHEA	1
SEDIMENT, URINE	1
SELF-MUTILATION	1
SEPSIS	1
SHAKING, HEAD/FACE	1
SKIN, SCAB(S)	1
SLEEP ABN	1
SLOUGH, SKIN	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
STIFFNESS, FRONT LIMB(	1
STOMATITIS	1
STRABISMUS	1
STRANGURIA	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, VAGINA/VULVA	1
SYNCOPE	1
TEETH, ABN	1
TENESMUS	1
THROMBUS	1
THYROID HORMONE(S) HI	1
TISSUE, GRANULATION	1
TONGUE, ABN	1
TREMBLING, FACE	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), PYLORUS	1
ULCER(S), SKIN	1
ULCER(S), STOMACH	1
VESICLE(S)/BULLAE, SKI	1
VOLVULUS, STOMACH	1
WEIGHT INCREASE	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE SWELLING	21
LAMENESS	18
URTICARIA	17
FEVER, BODY	15
SWELLING, JOINT(S)	13
PRURITIS	11
DEPRESSION/LETHARGY	10
EFFUSION, JOINT(S)	9
INJ SITE PAIN	9
ANAPHYLAXIS/TOID	8
INJ SITE INFLAM	8
ARTHRITIS	5
ARTHRITIS, SEPTIC	5
COLLAPSE	5
FEVER, JOINT(S)	5

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE ABSCESS	5
PAIN, ABDOMEN	5
PAIN, JOINT(S)	5
TACHYCARDIA	5
DEATH(EUTHANIZED)	4
HYPERACTIVITY	4
ROLLING	4
STIFFNESS	4
ANOREXIA	3
ATAXIA	3
DEATH	3
LAMINITIS	3
PAIN	3
SWEATING	3
SYNOVITIS	3
ANEMIA, HEMOLYTIC	2
BLD, JOINT(S)	2
CELLULITIS	2
CONFUSION	2
DISCHARGE, NOSE	2
EDEMA, LIMB(S)	2
HYPERPNEA	2
INJ SITE EDEMA	2
INJ SITE INFECT	2
NERVOUSNESS	2
PR-JOINT(S), LESION(S)	2
RECUMBENCY	2
RELUCTANT TO MOVE	2
STIFFNESS, NECK	2
SWELLING	2
SWELLING, NECK	2
ADIPSIA	1
ALOPECIA	1
BREATHING ABN	1
COLON, ABN	1
CONVULSION(S)	1
DEFECATION ABN	1
EDEMA	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA, BRISKET/CHEST	1
EMPHYSEMA, SQ	1
ENLARGEMENT(S), SKIN	1
GGT HI, BLD	1
GRANULOMA	1
HEART DISORDER	1
ICTERUS, BODY	1
INEFFECT	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE MASS	1
LYMPHS LO, BLD	1
PALLOR	1
PAWING	1
REACTION, UNSPECIFIED	1
SHAKING, HEAD/FACE	1
SOMNOLENCE	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SYNOVIAL FLUID ABN	1
US ABN	1
WBC HI, BLD	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE BLD	2
INJ SITE INFLAM	2
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE, HAND(S)	1
HUMAN EXPOSURE, INJ	1
INJ SITE PAIN	1



**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	3
CREATININE HI, BLD	2
DEATH	2
DEPRESSION/LETHARGY	2
ANEMIA	1
BLD, URINE	1
BUN HI, BLD	1
CALCULI, BLADDER	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
FEVER, BODY	1
HEART FAILURE	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
K LO, BLD	1
MASS	1
PALLOR	1
PROTEIN(TOT) HI, BLD	1
STIFFNESS	1
US ABN	1
VOMITING	1
WBC LO, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	13
ANOREXIA	11
DEPRESSION/LETHARGY	11
DIARRHEA	11
BLD, URINE	6
DEATH(EUTHANIZED)	6
ANEMIA	5

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA, AUTOIMMUNE HEM	3
CONVULSION(S)	3
FEVER, BODY	3
RADIOGRAPH(S) ABN	3
ALK PHOS HI, BLD	2
BLD(HEMATOMA)	2
BRADYCARDIA	2
BUN HI, BLD	2
CREATININE HI, BLD	2
DEATH	2
DIARRHEA, BLOODY	2
DISCHARGE, VULVA	2
DYSPNEA	2
HYPOPNEA	2
NERVOUSNESS	2
POLYPNEA	2
RELUCTANT TO MOVE	2
VOCALIZATION	2
WBC HI, BLD	2
WBC LO, BLD	2
AGGRESSION	1
ALBUMIN HI, URINE	1
ALKALINE URINE	1
APPREHENSION	1
BANDS HI, BLD	1
BEHAVIOR DISORDER	1
BLD, ANUS	1
BORBORYGMI	1
BREATHING ABN	1
CARDIOMEGALY	1
CONFUSION	1
CONGESTION, SKIN	1
DEFECATION ABN	1
DIARRHEA, MILD	1
DISCHARGE, NOSE	1
DISSOCIATION	1
DISTRESS, RESP	1
ENLARGEMENT(S)	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
FLATULENCE	1
GLOBULIN LO, BLD	1
GLUCOSE HI, BLD	1
HAIR, SHEDDING	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPERSALIVATION	1
INJ SITE BLD	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
KETONES, URINE	1
KIDNEY FAILURE	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
MASS, ABDOMEN	1
MELENA	1
NEOPLASM	1
PACING	1
PAIN, ABDOMEN	1
PAIN, HIND LIMB(S)	1
P HI, BLD	1
PLATELETS LO, BLD	1
POLYCYTHEMIA(RELATIVE)	1
POSTURE ABN	1
PRESSURE LO, BLD	1
PROTEIN, URINE	1
RESPIRATORY DISORDER	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SOMNOLENCE	1
STARING	1
STIFFNESS, LIMB(S)	1
SWELLING, HEAD/FACE	1
SWELLING, VAGINA/VULVA	1
TACHYCARDIA	1
ULCER(S), TONGUE	1
URTICARIA	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
WBC, URINE	1
WEAKNESS	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, JOINT(S)	2
SWELLING, JOINT(S)	2
ANAPHYLAXIS/TOID	1
CHEMISTRY ABN	1
DEATH	1
LIVER FAILURE	1
PLATELETS LO, BLD	1
URTICARIA	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COAGULATION DISORDER	1
INJ SITE INFLAM	1
INJ SITE SWELLING	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
VOMITING	1

**DRUG: GLYCOSAMINOGLYCAN POLYSULFATE**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
GLUCOSE HI, BLD	1
GLUCOSE, URINE	1
INCONTINENCE, URINARY	1
INEFFECT, ANTIINFLAM	1
LAMENESS	1
PAIN	1
STIFFNESS	1
TREMBLING	1
VOCALIZATION	1
VOMITING	1

**DRUG: GONADORELIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	11
PD-UNDERFILL, PACKAGE	7
PD-SEAL, ABN	6
PD-MISSING, CAP	4
PD-UNDERFILL, VIAL(S)	4
PD-VIAL(S), DAMAGED	4
PD-CAP(S), ABN	2
PD-LABEL(S), ABN	2
PD-MISSING, LABEL(S)	2
PD-VIAL(S), ABN	2

**DRUG: GONADORELIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1
PD-UNDERFILL, TUBE(S)	1

**DRUG: GONADORELIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2

**DRUG: GONADORELIN**

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
APNEA	1
ARREST, HEART	1
DEATH	1

**DRUG: GONADORELIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
ANAPHYLAXIS/TOID	2
COLLAPSE	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
INEFFECT	1
INEFFECT, ESTRUS SYNCH	1
KICKING	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PROLAPSE, UTERUS	1

**DRUG: GONADORELIN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STAGGERING	1
WEAKNESS	1

**DRUG: GONADORELIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	2
ILL	1
INJ SITE SWELLING	1
PAIN, JOINT(S)	1
WEAKNESS	1

**DRUG: GONADORELIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
IRRITATION, EYE(S)/LID	1
MENSES, ABNORMAL	1
NAUSEA	1
PAIN, ABDOMEN	1
PAIN, BRISKET/CHEST	1
PRURITIS	1
RASH	1
URTICARIA	1

**DRUG: GONADORELIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: GONADORELIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: GONADORELIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE BLD	1

**DRUG: GRISEOFULVIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	36
WBC LO, BLD	31
ANOREXIA	29
DEATH	24
FEVER, BODY	23
DIARRHEA	20
ANEMIA	18
VOMITING	17
DEATH(EUTHANIZED)	11
BILIRUBIN(TOT) HI, BLD	6
ICTERUS, BODY	6
PR-BONE MARROW, LESION	5
PLATELETS LO, BLD	4
ATAXIA	3
BUN HI, BLD	3
MURMUR, HEART	3
BLINDNESS	2
BUN LO, BLD	2
DYSPNEA	2
GLUCOSE HI, BLD	2
HEART FAILURE	2
HYPERSALIVATION	2
PR-LIVER, LESION(S)	2



**DRUG: GRISEOFULVIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SEGS LO, BLD	2
TACHYCARDIA	2
WEAKNESS	2
WEIGHT LOSS	2
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABN	1
BLD, THORAX	1
BLINDNESS, TEMP	1
CATARACT(S)	1
COLLAPSE	1
CREATININE HI, BLD	1
DEHYDRATION	1
DISCHARGE, NOSE	1
EAR DISORDER	1
EDEMA, LUNG(S)/TRACHEA	1
FE LO, BLD	1
FROTH, MOUTH/LIP(S)	1
HEPATITIS	1
HYPOTHERMIA, BODY	1
K LO, BLD	1
LAMENESS	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
MONOS HI, BLD	1
NA HI, BLD	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
ODOR, MOUTH	1
PARALYSIS, HIND LIMB(S)	1
P LO, BLD	1
PNEUMONIA	1
PR-HEART, LESION(S)	1
PR-LUNG(S), LESION(S)	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
SEDATION	1

**DRUG: GRISEOFULVIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SNEEZING	1
SWELLING, FEET/DIGIT(S)	1
THROMBUS	1
TOX	1

**DRUG: GRISEOFULVIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	3
FEVER, BODY	2
ICTERUS, BODY	2
ANEMIA	1
ANOREXIA	1
BIRTH DEFECT(S)	1
BREATHING ABN	1
COUGHING	1
DEATH	1
DEATH(STILLBORN)	1
EOSINOS HI, BLD	1
FERTILITY, REDUCED	1
INEFFECT	1
PARALYSIS	1
PLATELETS ABN	1
RBC, ANISO	1
RBC, POLYCHROM	1
SKIN DISORDER	1
SPERM ABN	1
SWELLING, JOINT(S)	1
TREMBLING	1
VOMITING	1
WBC LO, BLD	1
WEAKNESS	1

**DRUG: GUAIFENESIN AND DEXTROMETHORPHAN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: GUAIFENSIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	5
PD-VIAL(S), LEAKING	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-GRANULES/POWDER, ABN	1
PD-POTENCY, HI	1
PD-SEAL, ABN	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), ABN	1
PD-VIAL(S), DAMAGED	1

**DRUG: GUAIFENSIN**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH DURATION BRIEF	1
ARREST, HEART	1
DEATH	1
HYPERPNEA	1
INEFFECT	1
INEFFECT, ANESTHESIA	1
URTICARIA	1
VOCALIZATION	1

**DRUG: HALOTHANE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

**DRUG: HALOTHANE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	1
PD-VIAL(S), DAMAGED	1

**DRUG: HALOTHANE**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	2
APNEA	1
ARREST, HEART	1
CONVULSION(S)	1
DEATH(STILLBORN)	1
DYSPNEA	1
ENLARGEMENT, LYMPH NOD	1
INEFFECT, ANESTHESIA	1
SHOCK	1

**DRUG: HALOTHANE**

Species: UNKNOWN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

**DRUG: HEMOGLOBIN GLUTAMER**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BUN HI, BLD	1
CREATININE HI, BLD	1

**DRUG: HEMOGLOBIN GLUTAMER**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	9
EDEMA, LIMB(S)	4
ANAPHYLAXIS/TOID	3
APNEA	3
ARREST, HEART	3
DEATH(EUTHANIZED)	3
EDEMA, HEAD/FACE	3
FEVER, BODY	3
NYSTAGMUS, HORIZONTAL	2
PRURITIS	2
ABN COLOR, URINE	1
ASCITES	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD(ECCHYMOSES)	1
BLD, EYE(S)	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BREATHING ABN	1
BREATHING, PERIODIC	1
COAGULATION DISORDER	1
CONGESTION	1
CONGESTION, SKIN	1
DEATH(TX FAILURE)	1
DIARRHEA, MUCOID	1
DYSPNEA	1
FIBRINOGEN HI, BLD	1
HYPOTHERMIA, BODY	1
INEFFECT	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE PRURITIS	1
LAMENESS	1
MACULE(S)	1
MUCOUS MEMBR, ABN COLO	1
MYDRIASIS	1
NYSTAGMUS	1
PARALYSIS, HIND LIMB(S)	1

**DRUG: HEMOGLOBIN GLUTAMER**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARESIS, HIND LIMB(S)	1
POLYPNEA	1
PRESSURE LO, BLD	1
PR-INJ SITE, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SLOUGH	1
SLOUGH, FEET/DIGIT(S)	1
SWELLING, ADM SITE	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
URTICARIA	1
VOMITING	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1

**DRUG: HEPARIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-PRODUCT DEFECT	1

**DRUG: HEPARIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ARREST, HEART	2
COLLAPSE	2
ANAPHYLAXIS/TOID	1

**DRUG: HEPARIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CYANOSIS	1
DYSPNEA	1
HYPERPNEA	1

**DRUG: HETACILLIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	2
PD-MISSING, CAP	1
PD-SYRINGE, ABN	1
PD-TUBE(S), LEAKING	1

**DRUG: HETACILLIN**

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	10
INEFFECT, ANTIBIOTIC	2
BLINDNESS	1
DEATH	1
DEATH(SLAUGHTERED)	1
UDDER, SWELLING	1

**DRUG: HOMEOPATHIC PREPARATIONS**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
ICTERUS	1
LIVER ENZYMES HI, BLD	1

**DRUG: HOMEOPATHIC PREPARATIONS**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARESIS, HIND LIMB(S)	1
PROPRIOCEPTIVE DISORDE	1
VOMITING	1
WEAKNESS	1
WEIGHT LOSS	1

**DRUG: HOMEOPATHIC PREPARATIONS**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERACTIVITY	1
NERVOUSNESS	1

**DRUG: HOMEOPATHIC PREPARATIONS**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE ALOPECIA	6
PRURITIS	5
VOMITING	5
SCALE(S), SKIN	4
ALOPECIA	3
DYSYPNEA	3
LICKING	2
SKIN, SCAB(S)	2
ADIPSIA	1
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
BUN HI, BLD	1
CONGESTION, SKIN	1
COUGHING	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
EDEMA	1
EYE DISORDER	1



**DRUG: HOMEOPATHIC PREPARATIONS**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
HAIR, ABN	1
HIDING	1
HYPERPNEA	1
INCONTINENCE, URINARY	1
INFLAM, SKIN	1
IRRITATION, SKIN	1
K HI, BLD	1
KIDNEY FAILURE	1
MURMUR, HEART	1
MYDRIASIS	1
P HI, BLD	1
PROTEIN(TOT) HI, BLD	1
RASH	1
SEBORRHEA	1
SEGS HI, BLD	1
TWITCH	1
US ABN	1

**DRUG: HYALURONATE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SYRINGE, ABN	54
PD-SOLUTION, ABN	14
PD-UNDERFILL, VIAL(S)	11
PD-VIAL(S), LEAKING	10
PD-VIAL(S), DAMAGED	9
PD-CONTAMINATION	8
PD-VIAL(S), ABN	7
PD-SEAL, ABN	5
PD-CAP(S), ABN	4
PD-CONTAINER(S), ABN	3
PD-UNDERFILL, PACKAGE	3
PD-MISSING, CAP	2

**DRUG: HYALURONATE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-APPLICATOR, ABN	1
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-GEL/PASTE, ABN	1
PD-PRODUCT DEFECT	1
PD-TUBE(S), LEAKING	1

**DRUG: HYALURONATE**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
SWELLING, JOINT(S)	1

**DRUG: HYALURONATE**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
EYE DISORDER	8
UVEITIS	8
GLAUCOMA	3
EDEMA, CORNEA(S)	2
PD-CONTAMINATION	1

**DRUG: HYALURONATE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMENESS	2
ANOREXIA	1
FEVER, BODY	1
INJ SITE PAIN	1
JOINT DISORDER	1
PAIN, LIMB(S)	1

**DRUG: HYALURONATE**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, JOINT(S)	1

**DRUG: HYALURONATE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, JOINT(S)	76
LAMENESS	62
EFFUSION, JOINT(S)	38
PAIN, JOINT(S)	34
FEVER, BODY	14
FEVER, JOINT(S)	12
INJ SITE SWELLING	12
WBC HI, SYNOVIAL FLUID	12
SYNOVITIS	11
ARTHRITIS	10
ARTHRITIS, SEPTIC	9
INJ SITE INFLAM	8
CELLULITIS	7
SYNOVIAL FLUID ABN	7
DEATH(EUTHANIZED)	6
SWELLING, LIMB(S)	6
EDEMA, LIMB(S)	5
INJ SITE PAIN	5
DEPRESSION/LETHARGY	4
PD-SYRINGE, ABN	4
RECUMBENCY	4
PAIN, ABDOMEN	3
PAIN, HIND LIMB(S)	3
BLD, JOINT(S)	2
COLLAPSE	2
CONVULSION(S)	2
CULTURE/TITER DATA ABN	2
ENLARGEMENT, JOINT(S)	2
INEFFECT	2
INFECTION, JOINT(S)	2

**DRUG: HYALURONATE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFLAM	2
LAMINITIS	2
PAWING	2
RELUCTANT TO MOVE	2
SEDATION	2
TACHYCARDIA	2
TREMBLING	2
URTICARIA	2
WBC HI, BLD	2
WBC LO, BLD	2
ALOPECIA	1
ANOREXIA	1
ARRHYTHMIA, BLOCK	1
ATAXIA	1
BIRTH DEFECT(S)	1
BLD, SKIN	1
BLD, URINE	1
BONE, ABN	1
CRYSTALS, URINE	1
DEATH	1
DIARRHEA	1
EDEMA, VENTRAL	1
FLATULENCE	1
HYPERADRENOCORTICISM	1
HYPERESTHESIA	1
HYPERSALIVATION	1
HYPERTONIA	1
ILL	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE EDEMA	1
INJ SITE INFECT	1
INJ SITE STIFFNESS	1
INJ SITE ULCER(S)	1
INTERACTION, DRUG(S)	1
JOINT DISORDER	1
MICROORGANISMS, URINE	1
NERVOUSNESS	1

**DRUG: HYALURONATE**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, LIMB(S)	1
PD-CONTAINER(S), ABN	1
PD-CONTAMINATION	1
PD-DISPENSER, ABN	1
PD-VIAL(S), LEAKING	1
PR-JOINT(S), LESION(S)	1
PRURITIS	1
RESPIRATORY DISORDER	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S)	1
SWEATING	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, MULT SITES	1
SWELLING, PREPUCE	1
THRASHING/PADDLING	1
ULCER(S), SKIN	1
WBC, URINE	1

**DRUG: HYALURONATE**

Species: VARIOUS

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EFFUSION, JOINT(S)	1
LAMENESS	1

**DRUG: HYALURONATE**

Species: HORSE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
COLLAPSE	1
DEATH(EUTHANIZED)	1
INJ SITE INFLAM	1
INJ SITE SWELLING	1
LAMENESS	1
PAIN, BACK	1

**DRUG: HYALURONATE**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-JOINT(S), LESION(S)	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SWELLING, JOINT(S)	1
SYNOVIAL FLUID ABN	1
SYNOVITIS	1
URTICARIA	1

**DRUG: HYDROCORTISONE AND LIDOCAINE**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: HYDROCORTISONE, NEOMYCIN, PENICILLIN G PR**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1
VOCALIZATION	1
VOMITING	1

**DRUG: HYDROCORTISONE, NEOMYCIN, PENICILLIN G PR**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	1
DEAFNESS, TEMP	1

**DRUG: HYDROMORPHONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ARRHYTHMIA	2
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
DEATH	1
PRESSURE LO, BLD	1

**DRUG: HYDROXYZINE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYDIPSIA	1
POLYPHAGIA	1
POLYPNEA	1

**DRUG: HYGROMYCIN B**

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: HYGROMYCIN B**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, WHIPS PREVEN	1

**DRUG: HYPOSENSITIZATION INJECTIONS**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ATAXIA	1
DIARRHEA	1

**DRUG: HYPOSENSITIZATION INJECTIONS**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
NEURITIS	1
PARESIS, HIND LIMB(S)	1
RASH	1
VOMITING	1
WEAKNESS	1

**DRUG: HYPOSENSITIZATION INJECTIONS**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ARRHYTHMIA	1
DISTRESS, RESP	1
ECG, ABN	1
HEART DISORDER	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, TUBE(S)	41
PD-TUBE(S), ABN	6
PD-LABEL(S), ABN	4
PD-TUBE(S), LEAKING	3
PD-CAP(S), ABN	2
PD-DEFECT UNKNOWN	2
PD-SOLUTION, ABN	2
PD-UNDERFILL, PACKAGE	2
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-SEAL, ABN	1
PD-TUBE(S), DAMAGED	1



**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
NAUSEA	3
WHEEZING	3
DYSPNEA	2
VOMITING	2
HEADACHE	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
BIRTH DEFECT(S)	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT	1
VOMITING	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
NAUSEA	2
PD-ODOR, ABN	2

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: MISSING

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: UNKNOWN

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
HYPHEMA	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
SQUINTING	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
CONJUNCTIVITIS	3
CONGESTION, EYE(S)/LID	1
EDEMA, EYE(S)/LID(S)	1
EIPHORA	1
PRURITIS, EYE(S)	1
SQUINTING	1
SWELLING, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, EYE(S)/LID	19
CONJUNCTIVITIS	3
PAIN, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1
CONGESTION, EYE(S)/LID	1
EPIPHORA	1
EYE DISORDER	1
PRURITIS, EYE(S)	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	13
HYPERSALIVATION	12
DEPRESSION/LETHARGY	10
ANOREXIA	4
ATAXIA	3
FEVER, BODY	3
GAGGING	2
VOMITING, UNPRODUCTIVE	2
APPREHENSION	1
AZOTEMIA	1
BEHAVIOR DISORDER	1
BLINDNESS	1
CONFUSION	1
CONGESTION, LUNG(S)	1
COUGHING	1
DISCOMFORT, MOUTH/LIP(S)	1
DYSPHAGIA	1
EDEMA, PHARYNX	1
FROTH, MOUTH/LIP(S)	1
HIDING	1
HYPERACTIVITY	1
MYDRIASIS	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NAUSEA	1
NERVOUSNESS	1
PAIN, MOUTH/LIP(S)	1
PROLAPSE, THIRD EYELID	1
RADIOGRAPH(S) ABN	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
STOMATITIS	1
TREMBLING	1
VOCALIZATION	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	62
VOMITING	45
TREMBLING	44
HYPERSALIVATION	22
DEPRESSION/LETHARGY	21
CONFUSION	12
ANOREXIA	11
MYDRIASIS	10
CONVULSION(S)	7
DIARRHEA	7
FEVER, BODY	7
POLYPNEA	7
HYPERACTIVITY	6
TWITCH	3
WEAKNESS	3
ANISOCORIA	2
BEHAVIOR DISORDER	2
BLINDNESS, PARTIAL	2
HYPERPNEA	2
NEUROLOGICAL DISORDER	2
PARESIS, HIND LIMB(S)	2

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RELUCTANT TO MOVE	2
VISION DISORDER	2
ABORTION	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE HAIR, ABN	1
APPLICATION SITE PRURITIS	1
APPREHENSION	1
BITING/CHEWING	1
BLINDNESS	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
CONGESTION, LUNG(S)	1
COUGHING	1
DEATH	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DYSPNEA	1
FLY BITING	1
FROTH, MOUTH/LIP(S)	1
GINGIVA, ABN	1
HALLUCINATION	1
HYPERESTHESIA	1
LAMENESS	1
PD-SOLUTION, ABN	1
PUPIL(S), AREFLEXIA	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
SOMNOLENCE	1
SPLENOMEGALY	1
STAGGERING	1
STOMATITIS	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
TACHYCARDIA	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VESICLE(S)/BULLAE, SKI	1
VOCALIZATION	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	2
HYPOESTHESIA, MOUTH/LIP(S)	2
NAUSEA	2
PARESTHESIA, MOUTH/LIP	2
TONGUE, ABN	2
BORBORYGMI	1
CONGESTION, SKIN	1
HYPERESTHESIA	1
IRRITATION, MOUTH/LIP(	1
VOMITING	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	280
HYPERSALIVATION	266
APPLICATION SITE ALOPECIA	241
APPLICATION SITE ABNORMAL	153
ANOREXIA	141
VOMITING	140
HYPERACTIVITY	112
ATAXIA	109
BEHAVIOR DISORDER	94
TREMBLING	82
APPLICATION SITE LESION(S)	70
APPLICATION SITE PRURITIS	69
APPLICATION SITE ERYTHEMA	66

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, SKIN	57
HIDING	45
FEVER, BODY	44
DEATH	39
PRURITIS	39
NERVOUSNESS	35
MYDRIASIS	34
ALOPECIA	33
APPLICATION SITE INFLAM	31
TWITCH	31
VOCALIZATION	31
DIARRHEA	29
ADIPSIA	25
SKIN, SCAB(S)	24
CONVULSION(S)	23
DYSPNEA	19
LICKING	18
POLYPNEA	17
CONFUSION	14
WEIGHT LOSS	14
DEHYDRATION	13
SHAKING, HEAD/FACE	12
FROTH, MOUTH/LIP(S)	11
GAGGING	11
COUGHING	10
SNEEZING	10
WEAKNESS	10
AGGRESSION	9
HYPOTHERMIA, BODY	9
TACHYCARDIA	9
INFLAM, SKIN	8
RECUMBENCY	8
SOMNOLENCE	8
NEUROLOGICAL DISORDER	7
NYSTAGMUS	7
SGPT/ALT HI, BLD	7
SORE(S)	7
APPLICATION SITE PAIN	6

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPREHENSION	6
CIRCLING	6
LIVER DISORDER	6
PAIN	6
SQUINTING	6
TREMBLING, FACE	6
ULCER(S), SKIN	6
ANAPHYLAXIS/TOID	5
ANEMIA	5
APPLICATION SITE HAIR, ABN COLOR	5
GLUCOSE HI, BLD	5
HYPERPNEA	5
LIVER ENZYMES HI, BLD	5
APPLICATION SITE HAIR, ABN	4
BLINDNESS	4
CONGESTION, SKIN	4
HAIR, ABN	4
HYPERESTHESIA	4
INEFFECT, FLEAS	4
PACING	4
PROLAPSE, THIRD EYELID	4
RASH	4
RELUCTANT TO MOVE	4
SKIN ABNORMAL	4
VOMITING, UNPRODUCTIVE	4
AMYLASE HI, BLD	3
APPLICATION SITE EDEMA	3
BLEPHAROSPASM	3
COLLAPSE	3
CONJUNCTIVITIS	3
DEFECATION	3
DERMATITIS, MOIST	3
DYSMETRIA	3
EYE DISORDER	3
INEFFECT, ASCARIDS	3
INEFFECT, ASCARIDS PRE	3
INEFFECT, HW LARVAE	3
INFECTION, SKIN	3



**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KIDNEY FAILURE	3
LAMENESS	3
NAUSEA	3
PARESIS, HIND LIMB(S)	3
POLYDIPSIA	3
POSTURE ABN	3
REFLEX(ES) ABN	3
ROLLING	3
SCALE(S), SKIN	3
SKIN, CRUST(S)	3
UNCONSCIOUS	3
VESICLE(S)/BULLAE, SKI	3
VOMITING, BLOODY	3
WBC LO, BLD	3
WHEEZING	3
ANISOCORIA	2
APPLICATION SITE SWELLING	2
BITING/CHEWING	2
BUN HI, BLD	2
CONGESTION, EYE(S)/LID	2
CONSTIPATION	2
DIARRHEA, MILD	2
DIARRHEA, MUCOID	2
DIARRHEA, WATERY	2
DISCHARGE, EAR(S)	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, NOSE	2
DISCOMFORT	2
EAR DISORDER	2
EDEMA, HEAD/FACE	2
EPISTAXIS	2
GLUCOSE, URINE	2
HYPOPNEA	2
HYPOTHERMIA	2
ILL	2
INEFFECT, EAR MITES	2
JERKING	2
KIDNEY DISORDER	2

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LYMPHS LO, BLD	2
PANCREATITIS	2
PD-ODOR, ABN	2
PLATELETS LO, BLD	2
PNEUMONIA, ASPIRATION	2
PROLAPSE, TONGUE	2
PROTEIN(TOT) HI, BLD	2
PULSE THREADY	2
SEGS HI, BLD	2
SHOCK	2
SKIN, NECROSIS	2
SOUND ABN, RESPIRATORY	2
URINATION	2
VESICLE(S)/BULLAE, MOU	2
VISION DISORDER	2
WBC ABN	2
WBC HI, BLD	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANURIA	1
APPLICATION SITE MASS	1
APPLICATION SITE SKIN, DRY	1
BASOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLD	1
BLD, SKIN	1
BLD, URINE	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
BREATHING ABN	1
BUN LO, BLD	1
CAPILLARY REFILL PROLO	1
CHOLESTEROL HI, BLD	1
CONGESTION, LUNG(S)	1
CONGESTION, TONGUE	1
CREATININE HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
CYSTITIS	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	1
DEFECATION ABN	1
DIABETES	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DISTRESS, RESP	1
DYSPHAGIA	1
EDEMA, LUNG(S)/TRACHEA	1
EOSINOS LO, BLD	1
EPIPHORA	1
EXFOLIATION, SKIN	1
GGT HI, BLD	1
GLOBULIN HI, BLD	1
HEAD BOBBING	1
HEAD PRESSING	1
HEAD TILT	1
HEART DISORDER	1
HEART FAILURE	1
HEMATOCHEZIA	1
HORNER'S SYNDROME	1
ICTERUS, BODY	1
ICTERUS, SERUM	1
INCONTINENCE, URINARY	1
INEFFECT	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1
KIDNEY VALUES HI, BLD	1
K LO, BLD	1
LESION(S)	1
LESION(S), MOUTH/LIP(S)	1
LESION(S), RINGWORM	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
MASS, SKIN	1
MELENA	1
MUCOUS MEMBR, ABN COLO	1
MURMUR, HEART	1
NA HI, BLD	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEOPLASM	1
NYSTAGMUS, HORIZONTAL	1
ODOR	1
ODOR, URINE	1
PAIN, HIND LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
PARAESTHESIA	1
PARESIS	1
PD-CONTAINER(S), ABN	1
P HI, BLD	1
PICA	1
P LO, BLD	1
PNEUMONIA	1
POLYCYTHEMIA(ABSOLUTE)	1
POLYPHAGIA	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, BLD	1
PR-SKIN, LESION(S)	1
PRURITIS, EAR(S)	1
PUPIL(S), AREFLEXIA	1
RELUCTANT TO CLIMB	1
RESIDUE, APPLICATION SITE	1
RETINA ABN	1
SEGS LO, BLD	1
SHAKING	1
SLOUGH, SKIN	1
SOUND ABN, VOICE	1
SPASM	1
SPEC GRAVITY LO, URINE	1
STAGGERING	1
STARING	1
STIFFNESS	1
STOMATITIS	1
STOOL ABN	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, JOINT(S)	1
TAIL CHASING	1
TENESMUS, RECTAL	1
TENESMUS, URINARY	1
TISSUE, GRANULATION	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), MOUTH/LIP(S)	1
URINATION ABN	1
URTICARIA	1
UVEITIS	1
VOMITING ROUNDWORMS	1
WBC, URINE	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	366
VOMITING	313
ANOREXIA	155
PRURITIS	153
HYPERACTIVITY	144
DIARRHEA	126
INEFFECT, HW LARVAE	112
BEHAVIOR DISORDER	107
TREMBLING	106
APPLICATION SITE ABNORMAL	102
ATAXIA	93
ANAPHYLAXIS/TOID	80
HYPERSALIVATION	74
URTICARIA	68
CONVULSION(S)	63
POLYPNEA	58
ODOR	48

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE PRURITIS	47
ODOR, MOUTH	46
VOCALIZATION	43
APPLICATION SITE LESION(S)	40
ROLLING	38
APPLICATION SITE ERYTHEMA	37
APPLICATION SITE ALOPECIA	33
NERVOUSNESS	33
CONGESTION, SKIN	30
DIARRHEA, BLOODY	30
DISCOMFORT	30
FEVER, BODY	27
HIDING	27
RASH	26
MYDRIASIS	25
ALOPECIA	23
APPLICATION SITE INFLAM	23
DEATH	23
INEFFECT, WHIPS	23
INFLAM, SKIN	23
INEFFECT, WHIPS PREVEN	22
IRRITATION, SKIN	21
CONFUSION	20
SWELLING, HEAD/FACE	20
ADIPSIA	18
DERMATITIS, MOIST	17
APPLICATION SITE HAIR, ABN COLOR	16
APPLICATION SITE PAIN	16
DYSPNEA	16
COUGHING	15
SGPT/ALT HI, BLD	15
INEFFECT, HOOKS	14
PAIN	14
INEFFECT, ASCARIDS	13
LIVER ENZYMES HI, BLD	13
POLYDIPSIA	13
WEAKNESS	13
DIARRHEA, MILD	12

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFECTION, SKIN	11
ODOR, URINE	11
TWITCH	11
LAMENESS	10
APPREHENSION	9
CIRCLING	9
INEFFECT, FLEAS	9
INEFFECT, HOOKS PREVEN	9
ALK PHOS HI, BLD	8
ANEMIA	8
APPLICATION SITE HAIR, ABN	8
BUN HI, BLD	8
DEATH(EUTHANIZED)	8
GAGGING	8
HAIR, ABN	8
NEUROLOGICAL DISORDER	8
PACING	8
COLLAPSE	7
EDEMA, HEAD/FACE	7
PLATELETS LO, BLD	7
PUSTULE(S)	7
SKIN ABNORMAL	7
SORE(S)	7
URINATION ABN	7
CONJUNCTIVITIS	6
DEHYDRATION	6
DISCHARGE, EYE(S)/LID(S)	6
HAIR, SHEDDING	6
HEMATOCHEZIA	6
HYPERPNEA	6
ILL	6
INEFFECT, ASCARIDS PRE	6
PAPULE(S)	6
PARESIS, HIND LIMB(S)	6
RELUCTANT TO MOVE	6
TACHYCARDIA	6
WBC HI, BLD	6
ABN ODOR, URINE	5

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE SWELLING	5
CREATININE HI, BLD	5
INFECTION, URINARY TRA	5
MELENA	5
PRURITIS, FEET/DIGIT(S	5
SHAKING	5
SHAKING, HEAD/FACE	5
SKIN, DRY	5
STOOL ABN	5
URINATION	5
VESICLE(S)/BULLAE, SKI	5
VOMITING, BLOODY	5
VOMITING, UNPRODUCTIVE	5
ANEMIA, AUTOIMMUNE HEM	4
BLD, URINE	4
DEFECATION	4
DEFECATION ABN	4
HAIR, ABN COLOR	4
LESION(S), SKIN	4
LICKING	4
LIVER DISORDER	4
RESIDUE, APPLICATION SITE	4
SEGS HI, BLD	4
SGOT/AST HI, BLD	4
SKIN, NECROSIS	4
SKIN, SCAB(S)	4
SPASM	4
STARING	4
STUPOR	4
WEIGHT LOSS	4
AGGRESSION	3
BITING/CHEWING	3
DIFFICULTY RISING	3
DISCHARGE, NOSE	3
DISTENTION, ABDOMEN	3
DISTRESS	3
EDEMA, LUNG(S)/TRACHEA	3
EYE DISORDER	3



**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
GLUCOSE LO, BLD	3
HEAD TILT	3
INCONTINENCE, URINARY	3
IRRITATION, EYE(S)/LID	3
IRRITATION, PERINEUM	3
KIDNEY FAILURE	3
LOCOMOTION DISORDER	3
NA HI, BLD	3
NYSTAGMUS	3
PAIN, ABDOMEN	3
PAIN, NECK	3
PD-ODOR, ABN	3
P HI, BLD	3
POLYCYTHEMIA	3
POLYURIA	3
PRURITIS, EAR(S)	3
RADIOGRAPH(S) ABN	3
RECUMBENCY	3
SCALE(S), SKIN	3
SPEC GRAVITY LO, URINE	3
URINE ABN	3
WHEEZING	3
ABN COLOR, URINE	2
APPLICATION SITE EDEMA	2
APPLICATION SITE MASS	2
AZOTEMIA	2
BILE ACIDS HI, BLD	2
BLD, SKIN	2
BLINDNESS, TEMP	2
BREATHING ABN	2
CA HI, BLD	2
CA LO, BLD	2
CHOKING	2
DIARRHEA, MUCOID	2
DIARRHEA, WATERY	2
DYSPHAGIA	2
EDEMA, LIMB(S)	2
EDEMA, MULTIPLE SITES	2

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
FLATULENCE	2
FROTH, MOUTH/LIP(S)	2
HALLUCINATION	2
HEART FAILURE	2
HYPERESTHESIA	2
ICTERUS, BODY	2
IRRITATION	2
K LO, BLD	2
MONOS HI, BLD	2
NAUSEA	2
PAIN, LIMB(S)	2
PALLOR, MUCOUS MEMBRAN	2
PARESIS, FORE LIMB(S)	2
PICA	2
POLLAKIURIA	2
PR-SKIN, LESION(S)	2
RELUCTANT TO CLIMB	2
SHOCK	2
SNEEZING	2
STOOL, MUCOID	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, MOUTH/LIP(S)	2
ULCER(S), SKIN	2
UNCONSCIOUS	2
VESTIBULAR DISORDER	2
VISION DISORDER	2
VOMITING ROUNDWORMS	2
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
APPLICATION SITE SKIN, DRY	1
ASCITES	1
BALANCE DISORDER	1
BANDS HI, BLD	1
BLD	1
BLD, ABN	1
BLD(ECCHYMOSES)	1
BLD, MOUTH/LIP(S)	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD(PETECHIAE)	1
BLEPHAROSPASM	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
BLOAT	1
BORBORYGMI	1
BRADYCARDIA	1
CHEMISTRY ABN	1
CHLORIDE LO, BLD	1
CONGESTION, EAR(S)	1
CRYSTALS, URINE	1
CYANOSIS	1
DEAFNESS	1
DIABETES MELLITUS	1
DIARRHEA, PROJECTILE	1
DISCHARGE, VULVA	1
DIZZINESS	1
DRY, SKIN	1
EDEMA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, VULVA	1
ELECTROLYTE DISORDER	1
ENLARGEMENT(S)	1
EOSINOS HI, BLD	1
EPIPHORA	1
EPISTAXIS	1
ERECTION, ABN	1
ERUCTATION	1
ERUPTION(S)	1
EXFOLIATION, SKIN	1
FERTILITY, REDUCED	1
FLY BITING	1
GASTRITIS	1
GASTROENTERITIS	1
GGT HI, BLD	1
GI, ABNORMAL	1
GLUCOSE HI, BLD	1
HEAD PRESSING	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HEART DISORDER	1
HYPERPIGMENTATION, SKI	1
HYPOADRENOCORTICISM	1
HYPOESTHESIA	1
HYPOPNEA	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
IMMUNE DISORDER	1
INSOMNIA	1
IRRITATION, MOUTH/LIP(	1
JERKING	1
KERATOCONJUNCTIVITIS S	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
LESION(S)	1
LICKING, FEET/DIGIT(S)	1
LIPASE HI, BLD	1
LIVER FAILURE	1
LYMPHS LO, BLD	1
MASS, SKIN	1
MIOSIS	1
MRI SCAN ABN	1
MURMUR, HEART	1
NEUROPATHY	1
NOSE ABN	1
PAIN, EYE(S)/LID(S)	1
PAIN, HIND LIMB(S)	1
PARALYSIS	1
PARALYSIS, HIND LIMB(S	1
PARESIS	1
PD-PRODUCT DEFECT	1
PD-SOLUTION, ABN	1
PD-TUBE(S), ABN	1
PHOTOSENSITIZATION	1
POLYPHAGIA	1
POSTURAL RXN(S) ABN	1
POSTURE ABN	1
PRESSURE HI, BLD	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, CONGEST	1
PROLAPSE, THIRD EYELID	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS, EYE(S)	1
PUPIL(S), AREFLEXIA	1
RBC, ANISO	1
RBC, POLYCHROM	1
REFLEX(ES) ABN	1
REPETITIVE MOVEMENTS	1
RESPIRATORY DISORDER	1
SALIVA, ABN	1
SKIN, CRUST(S)	1
SKIN DISORDER	1
SLEEP ABN	1
SOMNOLENCE	1
SOUND ABN, VOICE	1
SQUINTING	1
STAGGERING	1
STIFFNESS	1
STRANGURIA	1
STUMBLING	1
SWELLING, MULT SITES	1
TENESMUS, RECTAL	1
TETANY	1
TONGUE, ABN	1
TREMBLING, FACE	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), CORNEA(S)	1
UREMIA	1
UVEITIS	1
VAGINITIS	1
WBC LO, BLD	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: TOPICAL

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: GUINEA PIG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
WEIGHT LOSS	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NAUSEA	12
RASH	10
URTICARIA	9
ANAPHYLAXIS/TOID	8
HEADACHE	7
PRURITIS	7
IRRITATION, SKIN	6
DEPRESSION/LETHARGY	5
DIZZINESS	5
HYPOESTHESIA	5
TASTE ABNORMALITY	5
VOMITING	5
CONGESTION, SKIN	4
IRRITATION, EYE(S)/LID	4
PARESTHESIA, MOUTH/LIP	4
APPLICATION SITE ERYTHEMA	3
IRRITATION, PHARYNX/TH	3
TONGUE, ABN	3
DIARRHEA	2
HYPERESTHESIA	2
HYPOESTHESIA, MOUTH/LIP(S)	2
ILL	2

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION	2
PAIN	2
PARESTHESIA	2
SWELLING, EYE(S)/LID(S)	2
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
APPREHENSION	1
BREATHING ABN	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
DEHYDRATION	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISCOMFORT, MOUTH/LIP(S)	1
DYSPNEA	1
EAR DISORDER	1
EDEMA, LIMB(S)	1
EPISTAXIS	1
HYPERSALIVATION	1
IRRITATION, MOUTH/LIP(	1
NAIL DISORDER	1
NOSE ABN	1
ODOR	1
PAIN, ABDOMEN	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PARAESTHESIA	1
PD-ODOR, ABN	1
PD-TUBE(S), ABN	1
PD-TUBE(S), LEAKING	1
PHARYNGITIS	1
PRURITIS, EYE(S)	1
PRURITIS, FEET/DIGIT(S)	1
SKIN ABNORMAL	1
SPASM	1
SWELLING	1
SWELLING, EAR(S)	1
SWELLING, MOUTH/LIP(S)	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWELLING, PHARYNX/THRO	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: OTHER

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
GLAUCOMA	1
NYSTAGMUS	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	4
DEPRESSION/LETHARGY	3
BEHAVIOR DISORDER	2
HYPERSALIVATION	2
TREMBLING	2
TWITCH	2
AGGRESSION	1
ALOPECIA	1
ANISOCORIA	1
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
DEATH	1
DEATH(NEWBORN)	1



**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERACTIVITY	1
IRRITATION, SKIN	1
NEUROLOGICAL DISORDER	1
RECUMBENCY	1
STIFFNESS	1
VISION DISORDER	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	2
ANAPHYLAXIS/TOID	1
BIRTH DEFFECT(S), FEET	1
BIRTH WEIGHT LO	1
BLINDNESS	1
BUN HI, BLD	1
CONGESTION, EYE(S)/LID	1
CREATININE HI, BLD	1
DEATH	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
IRRITATION, EYE(S)/LID	1
NEUROLOGICAL DISORDER	1
PAIN, EYE(S)/LID(S)	1
PRURITIS	1
SGPT/ALT HI, BLD	1
SWELLING, HEAD/FACE	1
TREMBLING	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONGESTION, SKIN	8

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
PRURITIS	7
URTICARIA	5
IRRITATION, SKIN	4
DIZZINESS	3
NAUSEA	3
RASH	3
ANAPHYLAXIS/TOID	2
CONGESTION	2
DISCHARGE, NOSE	2
PARESTHESIA, MOUTH/LIP	2
APPLICATION SITE ABNORMAL	1
APPLICATION SITE HAIR, ABN	1
COUGHING	1
DIARRHEA	1
HYPOESTHESIA, MOUTH/LIP(S)	1
INFLAM, SKIN	1
IRRITATION, PHARYNX/TH	1
LESION(S), MOUTH/LIP(S)	1
NAIL DISORDER	1
NERVOUSNESS	1
ODOR	1
PAIN	1
PAIN, MOUTH/LIP(S)	1
PARESTHESIA	1
SWELLING, MOUTH/LIP(S)	1
TONGUE, ABN	1
TWITCH	1
VISION DISORDER	1
XEROSTOMIA	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	179
DEPRESSION/LETHARGY	33

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	28
ANOREXIA	23
HYPERACTIVITY	22
ATAXIA	14
TREMBLING	13
FROTH, MOUTH/LIP(S)	10
MYDRIASIS	10
BEHAVIOR DISORDER	9
APPLICATION SITE PRURITIS	8
HIDING	5
TWITCH	5
GAGGING	4
COUGHING	3
FEVER, BODY	3
ADIPSIA	2
APPLICATION SITE ABNORMAL	2
APPREHENSION	2
CONVULSION(S)	2
DIARRHEA, MILD	2
DYSPNEA	2
EPIPHORA	2
HEMATOCHEZIA	2
LICKING	2
LICKING, FEET/DIGIT(S)	2
LIVER DISORDER	2
LIVER ENZYMES HI, BLD	2
VOICE DISORDER	2
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
APNEA	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE HAIR, ABN	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
BLD, URINE	1
BLEPHAROSPASM	1
DEATH	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: CAT

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	1
DISCOMFORT, MOUTH/LIP(S)	1
HYPERESTHESIA	1
HYPERPNEA	1
HYPOMOTILITY	1
INEFFECT, ASCARIDS	1
INEFFECT, ASCARIDS PRE	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1
LAMENESS	1
LOCOMOTION DISORDER	1
MIOSIS	1
NAUSEA	1
NERVOUSNESS	1
PARESIS, HIND LIMB(S)	1
PD-SOLUTION, ABN	1
PICA	1
POLYDIPSIA	1
POLYPNEA	1
POLYURIA	1
PRURITIS	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
ROLLING	1
SHAKING, HEAD/FACE	1
STIFFNESS, HIND LIMB(S)	1
TACHYCARDIA	1
ULCER(S), MOUTH/LIP(S)	1
UNPALATABLE	1
VOMITING, UNPRODUCTIVE	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
--------------	----------------------------------

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: DOG

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERSALIVATION	8
ATAXIA	6
POLYPNEA	6
HYPERACTIVITY	5
CONFUSION	4
DEPRESSION/LETHARGY	4
BEHAVIOR DISORDER	3
VOMITING	3
APPLICATION SITE PRURITIS	2
IRRITATION, EYE(S)/LID	2
MYDRIASIS	2
TREMBLING	2
ANOREXIA	1
BLINDNESS, TEMP	1
CIRCLING	1
CONVULSION(S)	1
DIARRHEA	1
DIARRHEA, BLOODY	1
FLATULENCE	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, SKIN	1
LICKING	1
NERVOUSNESS	1
PRURITIS, EYE(S)	1
STAGGERING	1
VOMITING, UNPRODUCTIVE	1

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	2
HYPOESTHESIA	2
HYPOESTHESIA, MOUTH/LIP(S)	2
PARESTHESIA, MOUTH/LIP	2
TASTE ABNORMALITY	2

**DRUG: IMIDACLOPRID, MOXIDECTIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TONGUE, ABN	2
CONGESTION, EYE(S)/LID	1
CONGESTION, SINUS	1
CONJUNCTIVITIS	1
EAR DISORDER	1
ENLARGEMENT, LYMPH NOD	1
HYPERESTHESIA	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1
NAUSEA	1
PAIN	1
PAIN, EYE(S)/LID(S)	1
PARAESTHESIA	1
PARESTHESIA	1
STOMATITIS	1
STOOL ABN	1
SWEATING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1

**DRUG: IMIDOCARB**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
HYPERSALIVATION	2
VOMITING	2
ANEMIA	1
ANEMIA, HEMOLYTIC	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
DIARRHEA	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
INJ SITE SWELLING	1
INJ SITE ULCER(S)	1
TREMBLING	1
WEAKNESS	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
SUMMARY REVIEW	1

**DRUG: IMIDOCARB**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
DEATH	1
FEVER, BODY	1

**DRUG: IMIDOCARB**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROLOGICAL DISORDER	2
ANEMIA	1
ATROPHY, MUSCLE(S)	1
BRADYCARDIA	1
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
LAMENESS	1
PLATELETS LO, BLD	1
PROLAPSE, THIRD EYELID	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE SWELLING	16
DEATH	12
VOMITING	12
DEPRESSION/LETHARGY	10
DIARRHEA	10
HYPERSALIVATION	10
FEVER, BODY	6
POLYPNEA	5
INJ SITE ULCER(S)	4
COLLAPSE	3
SGPT/ALT HI, BLD	3
TREMBLING	3
ANOREXIA	2
APPREHENSION	2
ATAXIA	2
CNS DISORDER	2
ICTERUS, BODY	2
INJ SITE MASS	2
INJ SITE PAIN	2
INJ SITE SEROMA	2
INJ SITE SLOUGH	2
MIOSIS	2
PR-LIVER, LESION(S)	2



**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SGOT/AST HI, BLD	2
WEAKNESS	2
ABSCCESS, SKIN	1
AGGRESSION	1
BLD, ABDOMEN	1
BLD, MOUTH/LIP(S)	1
CASTS, URINE	1
CONGESTION, EYE(S)/LID	1
COUGHING	1
CULTURE/TITER DATA ABN	1
CYANOSIS	1
DIARRHEA, BLOODY	1
DIARRHEA, PROJECTILE	1
DIARRHEA, SEVERE	1
DISCHARGE, NOSE	1
EDEMA, LUNG(S)/TRACHEA	1
EPIPHORA	1
GRANULOMA	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS	1
INJ SITE ABSCCESS	1
INJ SITE ALOPECIA	1
INJ SITE FIBROSIS	1
INJ SITE INFECT	1
KIDNEY VALUES HI, BLD	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
NERVOUSNESS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
PANCREATITIS	1
PLATELETS LO, BLD	1
PRESSURE LO, BLD	1
PR-INTEST, LESION(S)	1
PROLAPSE, THIRD EYELID	1
PROSTRATION	1
PR-PANCREAS, LESION(S)	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-PERITONEAL EFFUSION	1
PR-SKIN, LESION(S)	1
RADIOGRAPH(S) ABN	1
SALIVA, ABN	1
SEPSIS	1
SHOCK	1
TACHYCARDIA	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
VOCALIZATION	1
VOMITING, BLOODY	1
VOMITING, PROJECTILE	1
VOMITING, SEVERE	1
WEIGHT LOSS	1

**DRUG: IMIDOCARB**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
HYPERSALIVATION	1
INJ SITE PAIN	1
NAUSEA	1
PAIN, JOINT(S)	1
PAIN, MUSCLE(S)	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
FEVER, BODY	1

**DRUG: IMIDOCARB**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERSALIVATION	1
LIVER ENZYMES HI, BLD	1
TWITCH	1
VOMITING	1

**DRUG: IMMUNE GLOBULIN**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TACHYCARDIA	1
TREMBLING	1

**DRUG: INSULIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	230
PD-VIAL(S), DAMAGED	65
PD-SOLUTION, ABN	54
PD-VIAL(S), ABN	17
PD-VIAL(S), LEAKING	12
PD-DISPENSER, ABN	10
PD-UNDERFILL, VIAL(S)	9
PD-CAP(S), ABN	7
PD-POTENCY, HI	7
PD-POTENCY, LO	6
PD-CONTAMINATION	5
PD-SEAL, ABN	5
PD-COLOR, ABN	4
PD-LABEL(S), ABN	2
PD-UNDERFILL, PACKAGE	2
INEFFECT, GLYCEMIC CONTROL	1
PD-CONTAINER(S), ABN	1
PD-MISSING, CAP	1
PD-MISSING, LABEL(S)	1

**DRUG: INSULIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-ODOR, ABN	1
PD-PRODUCT DEFECT	1

**DRUG: INSULIN**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEHYDRATION	2
STUPOR	2
ATAXIA	1
BRADYCARDIA	1
DEATH	1
DEPRESSION/LETHARGY	1
GLUCOSE HI, BLD	1
GLUCOSE LO, BLD	1
HYPOTHERMIA, BODY	1
INEFFECT, GLYCEMIC CONTROL	1
MYDRIASIS	1
PALLOR, MUCOUS MEMBRAN	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
SHAKING	1
TREMBLING	1

**DRUG: INSULIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, GLYCEMIC CONTROL	2
ANAPHYLAXIS/TOID	1
BLD, URINE	1
DEATH	1
GLUCOSE HI, BLD	1
INEFFECT, LOSS OF EFFE	1

**DRUG: INSULIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
NEOPLASM, LIVER	1
POLYDIPSIA	1
POLYURIA	1
URTICARIA	1
VOMITING	1

**DRUG: INSULIN**

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
GLUCOSE HI, BLD	1

**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, GLYCEMIC CONTROL	329
GLUCOSE LO, BLD	199
GLUCOSE HI, BLD	158
INEFFECT, LOSS OF EFPE	109
DEPRESSION/LETHARGY	104
POLYDIPSIA	95
ANOREXIA	85
POLYURIA	84
VOMITING	71
DEATH(EUTHANIZED)	69
CONVULSION(S)	59
WEIGHT LOSS	45
ATAXIA	42
DIARRHEA	36
STUPOR	32
CONFUSION	31
DEATH	30
WEAKNESS	27
RECUMBENCY	24

**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOCALIZATION	21
COLLAPSE	17
POLYPHAGIA	16
UNCONSCIOUS	16
ALOPECIA	14
BUN HI, BLD	14
PANCREATITIS	14
DEHYDRATION	13
NEUROPATHY	13
TWITCH	13
URINATION ABN	12
GLUCOSE, URINE	11
DYSPNEA	10
KIDNEY FAILURE	10
SGPT/ALT HI, BLD	10
ANEMIA	9
CREATININE HI, BLD	9
KETONES, URINE	9
KETOSIS	9
PRURITIS	9
TECH ERROR ADMINISTRAT	9
HYPOTHERMIA, BODY	8
PARESIS, HIND LIMB(S)	8
HYPERSALIVATION	7
POLYPNEA	7
HIDING	6
TREMBLING	6
AZOTEMIA	5
BLD, URINE	5
DEFECATION ABN	5
DIFFICULTY RISING	5
LESION(S), SKIN	5
MYDRIASIS	5
PD-SUSPENSION, ABN	5
PR-LIVER, LESION(S)	5
STAGGERING	5
URINATION	5
WBC HI, BLD	5

**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILIRUBIN(TOT) HI, BLD	4
DIABETES M, POOR REGUL	4
INFECTION, URINARY TRA	4
K LO, BLD	4
LIVER ENZYMES HI, BLD	4
NEOPLASM	4
NERVOUSNESS	4
PD-POTENCY, LO	4
POSTURE ABN	4
SHAKING	4
SHAKING, HEAD/FACE	4
US ABN	4
US-LIVER ABN	4
WEIGHT INCREASE	4
ADIPSIA	3
ANURIA	3
BLINDNESS, TEMP	3
CYSTITIS	3
HYPERACTIVITY	3
HYPERPNEA	3
INCONTINENCE, URINARY	3
INFLAM, SKIN	3
LOCOMOTION DISORDER	3
MONOS HI, BLD	3
PD-POTENCY, HI	3
P HI, BLD	3
PR-PANCREAS, LESION(S)	3
RADIOGRAPH(S) ABN	3
SCALE(S), SKIN	3
TACHYCARDIA	3
TECH ERROR	3
ALK PHOS HI, BLD	2
AMYLASE HI, BLD	2
ANEMIA, HEINZ BODY	2
BLINDNESS	2
CARDIOMEGALY	2
CHOLESTEROL HI, BLD	2
CIRCLING	2

**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONGESTION, EAR(S)	2
CONGESTION, SKIN	2
CONSTIPATION	2
CYANOSIS, MUCOUS MEMBR	2
DEFECATION	2
DIARRHEA, MILD	2
DISTENTION, ABDOMEN	2
EFFUSION, PERITONEAL	2
EOSINOS HI, BLD	2
ERUPTION(S)	2
FEVER, BODY	2
FROTH, MOUTH/LIP(S)	2
GLOBULIN HI, BLD	2
HAIR, ABN	2
HEAD BOBBING	2
HEPATITIS	2
HYPOTHERMIA	2
INCONTINENCE, FECAL	2
INEFFECT	2
INJ SITE ALOPECIA	2
INJ SITE PAIN	2
LICKING	2
LIVER DISORDER	2
LYMPHS LO, BLD	2
MELENA	2
MURMUR, HEART	2
NA LO, BLD	2
NEOPLASM, LIVER	2
NEUROLOGICAL DISORDER	2
PACING	2
PAIN	2
PAPULE(S)	2
PD-SOLUTION, ABN	2
PR-ADRENAL(S), LESION(S)	2
PRESSURE HI, BLD	2
PR-KIDNEY(S), LESION(S)	2
PR-LUNG(S), LESION(S)	2
PROTEIN(TOT) HI, BLD	2



**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PROTEIN, URINE	2
PR-SKIN, LESION(S)	2
PUPIL(S), AREFLEXIA	2
SEBORRHEA	2
SEGS HI, BLD	2
SLOUGH, SKIN	2
SPEC GRAVITY LO, URINE	2
STIFFNESS, HIND LIMB(S)	2
THYROID HORMONE(S) LO	2
AGGRESSION	1
ALBUMIN HI, BLD	1
ANAPHYLAXIS/TOID	1
BEHAVIOR DISORDER	1
BLINDNESS, PARTIAL	1
BRADYCARDIA	1
BREATHING, DIFFICULT	1
CA LO, BLD	1
CHEMISTRY ABN	1
CHLORIDE LO, BLD	1
CNS INFARCT	1
COUGHING	1
CULTURE/TITER DATA ABN	1
DERMATITIS, MOIST	1
DIARRHEA, BLOODY	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISTRESS, RESP	1
DYSPHAGIA	1
DYSURIA	1
EAR DISORDER	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
HAIR, SHEDDING	1
HEART FAILURE	1
HEPATOMEGALY	1

**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPERPIGMENTATION, SKI	1
HYPOPNEA	1
ICTERUS	1
ICTERUS, BODY	1
ILL	1
INEFFECT, WEIGHT LOSS	1
INFECTION, SKIN	1
INJ SITE EDEMA	1
INJ SITE INFLAM	1
INJ SITE MASS	1
INJ SITE PRURITIS	1
INJ SITE SWELLING	1
INSOMNIA	1
INTERACTION, DRUG(S)	1
K HI, BLD	1
LEG DISORDER	1
LIPASE HI, BLD	1
LIVER FAILURE	1
MASS, SKIN	1
MICROORANISMS, URINE	1
MIOSIS	1
MORIBUND	1
MUCOUS MEMBR, RED	1
NA HI, BLD	1
NECK, VENTROFLEXION	1
NEOPLASM, BONE	1
NEOPLASM, LYMPH NODE(S)	1
NOSE ABN	1
NYSTAGMUS	1
PAIN, ABDOMEN	1
PANCREAS DISORDER	1
PARALYSIS, ALL LIMBS	1
PD-COLOR, ABN	1
PD-ODOR, ABN	1
PERITONITIS	1
PR-CECUM, LESION(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-SM INTEST, LESION(S)	1

**DRUG: INSULIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-STOMACH, LESION(S)	1
PRURITIS, FEET/DIGIT(S)	1
RASH	1
REFLEX(ES) ABN	1
REGURGITATION, FOOD	1
SELF-MUTILATION	1
SHOCK	1
SKIN ABNORMAL	1
SKIN, CRUST(S)	1
SKIN, SCAB(S)	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
SOUND ABN, VOICE	1
SPASM	1
STRANGURIA	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1
TECH ERROR, MIXING	1
TENESMUS, RECTAL	1
THYROID HORMONE(S) HI	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), GI	1
ULCER(S), MOUTH/LIP(S)	1
VOMITING, UNPRODUCTIVE	1
WBC LO, BLD	1

**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, GLYCEMIC CONTROL	380
INEFFECT, LOSS OF EFFE	298
POLYDIPSIA	273
POLYURIA	249
GLUCOSE HI, BLD	227
GLUCOSE LO, BLD	221

**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	167
CONVULSION(S)	105
ANOREXIA	95
VOMITING	75
ATAXIA	60
CONFUSION	47
DEATH(EUTHANIZED)	46
WEAKNESS	38
WEIGHT LOSS	36
DEATH	34
DIARRHEA	32
PD-POTENCY, LO	28
TREMBLING	24
CATARACT(S)	23
GLUCOSE, URINE	23
BLINDNESS	19
COLLAPSE	18
PD-SOLUTION, ABN	16
ALOPECIA	15
INJ SITE PAIN	15
POLYPNEA	15
PRURITIS	15
POLYPHAGIA	14
KETOSIS	13
URTICARIA	13
KETONES, URINE	12
PANCREATITIS	11
SHAKING	11
ALK PHOS HI, BLD	10
PD-POTENCY, HI	10
RECUMBENCY	10
TWITCH	10
PD-SUSPENSION, ABN	9
SGPT/ALT HI, BLD	9
STUPOR	9
BLINDNESS, PARTIAL	8
DIABETES M, POOR REGUL	8
FEVER, BODY	8

**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOCALIZATION	8
DEHYDRATION	7
DIFFICULTY RISING	7
INFECTION, URINARY TRA	7
STAGGERING	7
STUMBLING	7
CIRCLING	6
CONGESTION, SKIN	6
DIARRHEA, BLOODY	6
INCONTINENCE, URINARY	6
URINATION ABN	6
WBC HI, BLD	6
ANAPHYLAXIS/TOID	5
ANEMIA	5
BUN HI, BLD	5
DYSPNEA	5
SWELLING, HEAD/FACE	5
TECH ERROR ADMINISTRAT	5
UNCONSCIOUS	5
BLD, URINE	4
COUGHING	4
HYPERSALIVATION	4
INEFFECT	4
INJ SITE SWELLING	4
KIDNEY FAILURE	4
LESION(S), SKIN	4
NERVOUSNESS	4
SOMNOLENCE	4
AGGRESSION	3
AZOTEMIA	3
BEHAVIOR DISORDER	3
BLINDNESS, TEMP	3
CHOLESTEROL HI, BLD	3
CONGESTION, EYE(S)/LID	3
DISCOMFORT	3
ERUPTION(S)	3
HYPERACTIVITY	3
INFECTION, SKIN	3

**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INFLAM, SKIN	3
PLATELETS LO, BLD	3
SWELLING, EYE(S)/LID(S)	3
ULCER(S), CORNEA(S)	3
ADIPSIA	2
AMYLASE HI, BLD	2
APPREHENSION	2
BILIRUBIN(TOT) HI, BLD	2
CHEMISTRY ABN	2
CONGESTION	2
CONJUNCTIVITIS	2
CREATININE HI, BLD	2
CYSTITIS	2
DEAFNESS	2
DISCHARGE, EYE(S)/LID(S)	2
DIZZINESS	2
ENLARGEMENT(S), SKIN	2
GLAUCOMA	2
HYPERPIGMENTATION, SKI	2
HYPERPNEA	2
HYPERTONIA	2
INJ SITE ABN	2
INJ SITE FIBROSIS	2
INJ SITE INFLAM	2
INJ SITE PRURITIS	2
K LO, BLD	2
LICKING, FEET/DIGIT(S)	2
LIPASE HI, BLD	2
LIVER ENZYMES HI, BLD	2
LOCOMOTION DISORDER	2
MIOSIS	2
NEOPLASM	2
NYSTAGMUS	2
PANCREAS DISORDER	2
PAPULE(S)	2
PARESIS, HIND LIMB(S)	2
POLLAKIURIA	2
PROTEIN, URINE	2

**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RASH	2
RELUCTANT TO MOVE	2
SKIN, SCAB(S)	2
SPASM	2
STIFFNESS	2
TECH ERROR	2
URINATION	2
US ABN	2
VOMITING, UNPRODUCTIVE	2
ALKALINE URINE	1
ANEMIA, AUTOIMMUNE HEM	1
ANISOCORIA	1
ARRHYTHMIA	1
ARTHRITIS	1
ASCITES	1
ATROPHY, MUSCLE(S)	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1
BLOAT	1
BORBORYGMI	1
BRAIN, NEOPLASM	1
CA HI, BLD	1
CHOLECYSTITIS	1
CONGESTION, EAR(S)	1
CONSTIPATION	1
DEATH(TX FAILURE)	1
DEFECATION	1
DEFECATION ABN	1
DERMATITIS, MOIST	1
DIARRHEA, MILD	1
DIARRHEA, PROJECTILE	1
DIARRHEA, SEVERE	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1

**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ENLARGEMENT, LYMPH NOD	1
EPISTAXIS	1
EYE DISORDER	1
GALL BLADDER, ABN	1
GINGIVITIS	1
HAIR, ABN	1
HEAD BOBBING	1
HEAD PRESSING	1
HEAD TILT	1
HEPATITIS	1
HIDING	1
HORNER'S SYNDROME	1
INCONTINENCE, FECAL	1
INFECTION	1
INFECTION, EYE(S)	1
INFECTION, UTERUS	1
INJ SITE BLD	1
INJ SITE MASS	1
KERATOCONJUNCTIVITIS S	1
LAMENESS	1
LEG DISORDER	1
LICKING	1
LIVER FAILURE	1
MASS	1
MELENA	1
MYDRIASIS	1
NA HI, BLD	1
NAUSEA	1
NEUROLOGICAL DISORDER	1
NEUROPATHY	1
ODOR, MOUTH	1
ODOR, URINE	1
PAIN, JOINT(S)	1
PAIN, NECK	1
PALLOR, MUCOUS MEMBRAN	1
PALPITATIONS	1
PARALYSIS, FACIAL NERV	1
PARESIS	1



**DRUG: INSULIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-ODOR, ABN	1
PD-UNDERFILL, VIAL(S)	1
P HI, BLD	1
POLYCYTHEMIA	1
PR-BLADDER, LESION(S)	1
PR-LIVER, LESION(S)	1
PRURITIS, FEET/DIGIT(S)	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
SEPSIS	1
SGOT/AST HI, BLD	1
SKIN ABNORMAL	1
SKIN, NECROSIS	1
SLEEP ABN	1
SNEEZING	1
SORE(S)	1
SPEC GRAVITY LO, URINE	1
STARING	1
STOMATITIS	1
SWELLING, NECK	1
SYNCOPE	1
TACHYCARDIA	1
TEETH, ABN	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), SKIN	1
US-LIVER ABN	1
UVEITIS	1
WBC LO, BLD	1
WHEEZING	1

**DRUG: INSULIN**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE PAIN	5
CONGESTION, SKIN	2

**DRUG: INSULIN**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABN	2
DEPRESSION/LETHARGY	1
HYPOESTHESIA	1
INCISION SITE, ECCHYMOSIS	1
INJ SITE BLD	1
INJ SITE PRURITIS	1
INJ SITE SWELLING	1
PAIN, FEET/DIGIT(S)	1

**DRUG: INSULIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
GLUCOSE LO, BLD	1
INEFFECT, GLYCEMIC CONTROL	1

**DRUG: INSULIN**

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, LOSS OF EFPE	1
POLYDIPSIA	1
POLYURIA	1

**DRUG: INSULIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, GLYCEMIC CONTROL	7
INEFFECT, LOSS OF EFPE	3
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
ANOREXIA	1

**DRUG: INSULIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
GLUCOSE HI, BLD	1
GLUCOSE LO, BLD	1
INFLAM, SKIN	1
PERIODONTAL, ABSCESS	1
PRURITIS	1
PRURITIS, EAR(S)	1
TECH ERROR	1

**DRUG: INSULIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, GLYCEMIC CONTROL	15
GLUCOSE HI, BLD	3
INEFFECT, LOSS OF EFFE	3
BLD	1
DEATH	1
DIABETES M, POOR REGUL	1
GLUCOSE LO, BLD	1
HYPERSALIVATION	1
HYPOPNEA	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INEFFECT	1
PD-POTENCY, LO	1
POLYDIPSIA	1
POLYURIA	1
RECUMBENCY	1
STIFFNESS, LIMB(S)	1
WEAKNESS	1

**DRUG: INSULIN**

Species: HUMAN

Route of Administration: VARIOUS

**DRUG: INSULIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
RASH	1

**DRUG: IODOCHLORHYDROXYQUINOLONE**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
FEVER, BODY	1
SHOCK, ENDOTOXEMIA	1

**DRUG: IRON DEXTRAN**

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT	1

**DRUG: IRON DEXTRAN**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
COLLAPSE	2
INJ SITE ABSCESS	2
ANAPHYLAXIS/TOID	1
FEVER, BODY	1
HYPERACTIVITY	1
INJ SITE EMPHYSEMA	1
INJ SITE SWELLING	1
MORIBUND	1

**DRUG: IRON DEXTRAN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
PAIN	1
STAGGERING	1
VOCALIZATION	1

**DRUG: IRON DEXTRAN**

Species: PIG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	43
CONVULSION(S)	14
DYSPNEA	13
RECUMBENCY	9
TREMBLING	8
ATAXIA	7
COLLAPSE	7
THRASHING/PADDLING	7
VOMITING	6
HYPERSALIVATION	5
KICKING	4
STAGGERING	4
ANAPHYLAXIS/TOID	3
HYPERPNEA	3
DEPRESSION/LETHARGY	2
DISTRESS, RESP	2
INJ SITE SWELLING	2
SHAKING	2
SHOCK	2
UNCONSCIOUS	2
VOCALIZATION	2
ANOREXIA(NOT NURSING)	1
APNEA	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
GAGGING	1

**DRUG: IRON DEXTRAN**

Species: PIG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ILL	1
INEFFECT	1
INJ SITE BLD	1
INJ SITE INFLAM	1
LAMENESS	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1
POLYPNEA	1
PROSTRATION	1
STIFFNESS	1
SWELLING, LIMB(S)	1
WEAKNESS	1

**DRUG: IRON DEXTRAN**

Species: CATTLE

Route of Administration: SUPPOSITORY

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
INJ SITE ABSCESS	1
INJ SITE EMPHYSEMA	1
INJ SITE SWELLING	1
WEAKNESS	1

**DRUG: IRON DEXTRAN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	1
APNEA	1
DEATH	1
FROTH, MOUTH/LIP(S)	1
RECUMBENCY	1

**DRUG: IRON DEXTRAN**

Species: PIG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	8
ANAPHYLAXIS/TOID	5
SHAKING	3
RECUMBENCY	2
BEHAVIOR DISORDER	1
COLLAPSE	1
CONVULSION(S)	1
CYANOSIS	1
HYPERSALIVATION	1
ILL	1
INJ SITE SWELLING	1
PARALYSIS	1
PR-MUSCLE(S), LESION(S)	1
PROSTRATION	1
REACTION, UNSPECIFIED	1
SHAKING, HEAD/FACE	1
THRASHING/PADDLING	1
WEAKNESS	1

**DRUG: IRON DEXTRAN**

Species: CATTLE

Route of Administration: VARIOUS

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1

**DRUG: ISOFLUPREDONE**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SEAL, ABN	3
PD-VIAL(S), LEAKING	2
PD-SUSPENSION, ABN	1

**DRUG: ISOFLUPREDONE**

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
CA LO, BLD	1
DEATH	1
K LO, BLD	1
MG LO, BLD	1
PR-LIVER, LESION(S)	1
RECUMBENCY	1

**DRUG: ISOFLUPREDONE, NEOMYCIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), ABN	1
PD-TUBE(S), LEAKING	1

**DRUG: ISOFLUPREDONE, NEOMYCIN**

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	1
EIPHORA	1
ULCER(S), CORNEA(S)	1

**DRUG: ISOFLUPREDONE, NEOMYCIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	1
VISION DISORDER	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: NOT APPLICABLE

Route of Administration: DEFECT



**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	9
PD-CONTAINER(S), ABN	6
PD-APPLICATOR, ABN	4
PD-TUBE(S), DAMAGED	4
PD-TUBE(S), LEAKING	3
PD-CONTAINER(S), DAMAG	2
PD-TUBE(S), ABN	2
PD-UNDERFILL, TUBE(S)	2
PD-CAP(S), ABN	1
PD-COLOR, ABN	1
PD-SEAL, ABN	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: DOG

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
DISCHARGE, EYE(S)/LID(S)	1
NO SIGNS	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	2
ALK PHOS HI, BLD	1
DIARRHEA	1
INCONTINENCE, URINARY	1
NAUSEA	1
SGPT/ALT HI, BLD	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	2
ALOPECIA	1
ATAXIA	1
COLLAPSE	1
CONFUSION	1
DEATH	1
DEPRESSION/LETHARGY	1
HEAD TILT	1
HIDING	1
MYDRIASIS	1
NYSTAGMUS	1
PRURITIS	1
TREMBLING	1
ULCER(S), TONGUE	1
VOCALIZATION	1
VOMITING	1
WEIGHT LOSS	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
POLYDIPSIA	8
POLYURIA	7
DEPRESSION/LETHARGY	5
ALK PHOS HI, BLD	3
ANOREXIA	3
DIARRHEA	3
DIARRHEA, MILD	3
VOMITING	3
DEAFNESS	2
DEATH	2
ENLARGEMENT(S)	2
HEAD TILT	2
INFECTION, SKIN	2
NEOPLASM	2
OTITIS	2

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: DOG

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PALLOR, MUCOUS MEMBRAN	2
PRURITIS	2
SGPT/ALT HI, BLD	2
SPEC GRAVITY LO, URINE	2
ANEMIA	1
ATAXIA	1
BLD, EYE(S)	1
CASTS, URINE	1
CONVULSION(S)	1
CULTURE/TITER DATA ABN	1
DEAFNESS, PARTIAL	1
EPISTAXIS	1
ERUPTION(S)	1
FEVER, BODY	1
INFECTION	1
INFECTION, FEET/DIGIT(	1
INFLAM, SKIN	1
LAMENESS	1
LESION(S), SKIN	1
MURMUR, HEART	1
PAIN	1
PLATELETS LO, BLD	1
POLYPNEA	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROPRIOCEPTIVE DISORDE	1
PUSTULE(S)	1
RADIOGRAPH(S) ABN	1
RASH	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
ULCER(S), TONGUE	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WBC, URINE	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	1
CONGESTION, SKIN	1
DEPRESSION/LETHARGY	1
HEADACHE	1
HUMAN EXPOSURE	1
INFLAM, SKIN	1
RESIDUE, URINE	1
SWELLING, HEAD/FACE	1
TOX	1

**DRUG: ISOFLUPREDONE, NEOMYCIN, TETRACAINE, MYR**

Species: RABBIT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ABN ODOR, URINE	1
POLYDIPSIA	1

**DRUG: ISOFLUPREDONE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	34
K LO, BLD	19
RECUMBENCY	16
ANAPHYLAXIS/TOID	14
COLLAPSE	10
P LO, BLD	7
DYSYPNEA	6
ATAXIA	4
HYPERSALIVATION	4
WEAKNESS	4
ANOREXIA	3
DEPRESSION/LETHARGY	3
INEFFECT	3
PR-LIVER, LESION(S)	3

**DRUG: ISOFLUPREDONE**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PRURITIS	3
SWELLING, VAGINA/VULVA	3
UDDER, ABN	3
URTICARIA	3
DEATH(EUTHANIZED)	2
EDEMA, MAMMARY	2
FROTH, MOUTH/LIP(S)	2
HAIR, ABN	2
KETOSIS	2
PAIN	2
SWELLING, EYE(S)/LID(S)	2
ALBUMIN LO, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BITING/CHEWING	1
BLD	1
BLD(PETECHIAE)	1
BUN HI, BLD	1
CONGESTION, EYE(S)/LID	1
CPK HI, BLD	1
CREATININE HI, BLD	1
DEHYDRATION	1
DIARRHEA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LARYNX	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
EDEMA, NECK	1
EDEMA, VULVA	1
EMPHYSEMA	1
FEVER, BODY	1
GGT HI, BLD	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
INJ SITE PAIN	1
MG LO, BLD	1
PAIN, ABDOMEN	1

**DRUG: ISOFLUPREDONE**

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-SUSPENSION, ABN	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, EDEMA	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
REGURGITATION	1
RESIDUE, MILK	1
STAGGERING	1
SWELLING, HEAD/FACE	1
TORTICOLLIS	1
VOCALIZATION	1
WBC HI, BLD	1

**DRUG: ISOFLUPREDONE**

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	1

**DRUG: ISOFLUPREDONE**

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABN	1
INJ SITE PAIN	1

**DRUG: ISOFLUPREDONE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

**DRUG: ISOFLUPREDONE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PARESTHESIA	1

**DRUG: ISOFLUPREDONE**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	5
ANAPHYLAXIS/TOID	4
HYPERPNEA	2
HYPERSALIVATION	2
SKIN ABNORMAL	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, VAGINA/VULVA	2
COLLAPSE	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
DYSYPNEA	1
EMPHYSEMA, SQ	1
PALLOR, MUCOUS MEMBRAN	1

**DRUG: ISOFLUPREDONE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
POLYURIA	1

**DRUG: ISOFLURANE**

Species: BIRD

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ARREST, HEART	1

**DRUG: ISOFLURANE**

Species: BIRD

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1

**DRUG: ISOFLURANE**

Species: CAT

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	36
ARREST, HEART	27
APNEA	23
INEFFECT, ANESTHESIA	11
BRADYCARDIA	6
DYSPNEA	6
BLINDNESS	5
CYANOSIS	5
ANOREXIA	4
BLD, LUNG(S)/TRACHEA	4
ANESTH RECOV PROLONGED	3
ATAXIA	3
DEPRESSION/LETHARGY	3
HYPOPNEA	3
NEUROLOGICAL DISORDER	3
PD-ODOR, ABN	3
PROLAPSE, THIRD EYELID	3
ANESTH RECOV TURBULENT	2
DEAFNESS	2
DEATH(EUTHANIZED)	2
EDEMA, LUNG(S)/TRACHEA	2
FEVER, BODY	2
INTERACTION, DRUG(S)	2
MURMUR, HEART	2
VOMITING	2
ANESTH DURATION BRIEF	1
ANESTH INDUCTION PROLONGED	1
ANESTH INDUCTION RAPID	1
ANESTH INDUC TURBULENT	1
APPREHENSION	1



**DRUG: ISOFLURANE**

Species: CAT

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
AZOTEMIA	1
BLINDNESS, TEMP	1
BREATHING, PERIODIC	1
BUN HI, BLD	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
DEHISCENCE	1
DIARRHEA, BLOODY	1
DIARRHEA, SEVERE	1
ECG ABN	1
EFFUSION, PLEURAL	1
EPISTAXIS	1
FIBRILLATION, VENTRICU	1
GLUCOSE HI, BLD	1
HEAD TILT	1
HORNER'S SYNDROME	1
HYPOTHERMIA, BODY	1
KIDNEY FAILURE	1
LIVER DISORDER	1
MYDRIASIS	1
OPISTHOTONOS	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PRESSURE LO, BLD	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PRURITIS	1
REFLEX(ES) ABN	1
STUMBLING	1
SWELLING	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TACHYCARDIA, VENTRICUL	1
TWITCH	1
WEIGHT LOSS	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ANESTHESIA	64
DEATH	45
ARREST, HEART	40
APNEA	37
BRADYCARDIA	28
PD-ODOR, ABN	15
ANESTH RECOV PROLONGED	10
DYSPNEA	8
TACHYCARDIA	7
ANESTH TOO DEEP	6
HYPOPNEA	6
SWELLING, HEAD/FACE	6
ARRHYTHMIA	5
SHOCK	5
DEAFNESS	4
HYPERPNEA	4
VOMITING	4
ANAPHYLAXIS/TOID	3
CYANOSIS	3
DEATH(EUTHANIZED)	3
DISTRESS, RESP	3
TREMBLING	3
VOCALIZATION	3
BLINDNESS	2
BREATHING, PERIODIC	2
CONVULSION(S)	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
EDEMA, HEAD/FACE	2
FEVER, BODY	2
INTERACTION, DRUG(S)	2
KIDNEY FAILURE	2
POLYDIPSIA	2
POLYURIA	2
PRESSURE LO, BLD	2
ALK PHOS HI, BLD	1
ANESTH RECOV TURBULENT	1
ANOREXIA	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: INHALATION

<b>Sign:</b>	<b>Number of Times Reported:</b>
ARRHYTHMIA, BLOCK	1
ATAXIA	1
AZOTEMIA	1
BEHAVIOR DISORDER	1
BILIRUBIN, URINE	1
BLD(PETECHIAE)	1
BREATHING ABN	1
BUN HI, BLD	1
CHEMISTRY ABN	1
CIRCULATORY DISORDER	1
CNS DISORDER	1
COLLAPSE	1
CONGESTION	1
CONGESTION, EAR(S)	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SKIN	1
CREATININE HI, BLD	1
DEAFNESS, PARTIAL	1
DELIRIUM	1
DIC	1
ECG ABN	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
FIBRILLATION	1
HEART DISORDER	1
HYPOSMIA	1
ILL	1
LESION(S), SKIN	1
OPISTHOTONOS	1
PAIN	1
PD-PRODUCT DEFECT	1
PD-SOLUTION, ABN	1
POLYPNEA	1
PR-LIVER, LESION(S)	1
PR-SPLEEN, LESION(S)	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
REFLEX(ES) ABN	1
REPETITIVE MOVEMENTS	1
SHAKING, HEAD/FACE	1
SPEC GRAVITY LO, URINE	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PHARYNX/THRO	1
TREMBLING, FACE	1
URINE ABN	1
US ABN	1

**DRUG: ISOFLURANE**

Species: GUINEA PIG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1

**DRUG: ISOFLURANE**

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
HEADACHE	4
DEATH	1
DIZZINESS	1
EAR DISORDER	1
VISION DISORDER	1

**DRUG: ISOFLURANE**

Species: MOUSE

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	2
BREATHING ABN	1

**DRUG: ISOFLURANE**

Species: MOUSE

Route of Administration: INHALATION

**DRUG: ISOFLURANE**

Species: RABBIT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	2
ARREST, HEART	1
CYANOSIS	1

**DRUG: ISOFLURANE**

Species: RAT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	5
APNEA	3
INEFFECT, ANESTHESIA	1

**DRUG: ISOFLURANE**

Species: RATITE

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANESTHESIA	1

**DRUG: ISOFLURANE**

Species: UNKNOWN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	6
ARREST, HEART	5
DEATH	5
DYSPNEA	5
PD-ODOR, ABN	1

**DRUG: ISOFLURANE**

Species: UNKNOWN

Route of Administration: INHALATION

**DRUG: ISOFLURANE**

Species: VARIOUS

Route of Administration: INHALATION

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	15
DEATH	4
ARREST, HEART	2
VOMITING	2
ANESTH DURATION BRIEF	1
ANESTH INDUCTION RAPID	1
ANESTH RECOV PROLONGED	1
APNEA	1
BRADYCARDIA	1
DYSYPNEA	1
PRESSURE LO, BLD	1

**DRUG: ISOFLURANE**

Species: CAT

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
DEATH	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: MISSING

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
HYPOPNEA	1
PRESSURE LO, BLD	1
UNCONSCIOUS	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
NERVOUSNESS	1
POLYPNEA	1
SWELLING, HEAD/FACE	1

**DRUG: ISOFLURANE**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, SKIN	1
SKIN DISORDER	1

**DRUG: ISOFLURANE**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
ARREST, HEART	1
DYSYPNEA	1
INEFFECT, ANESTHESIA	1

**DRUG: ISOFLURANE**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

**DRUG: ISOFLURANE**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
DEATH(SUICIDE)	1

**DRUG: ISOPROPAMIDE, NEOMYCIN, PROCHLORPERAZIN**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEAD TILT	1
NYSTAGMUS	1
TORTICOLLIS	1
TREMBLING	1

**DRUG: ISOPROPAMIDE, PROCHLORPERAZINE**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
CYANOSIS	2
ATAXIA	1
DRY MOUTH SYNDROME	1
HYPERPNEA	1
SEDATION	1
SHOCK	1
TREMBLING	1



**DRUG: ISOPROPAMIDE, PROCHLORPERAZINE**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1
DEPRESSION/LETHARGY	1
DRY MOUTH SYNDROME	1
DYSPNEA	1
MYDRIASIS	1
POLYPNEA	1
SWELLING, TONGUE	1
TACHYCARDIA	1

**DRUG: ITRACONAZOLE**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ILL	1
INEFFECT	1

**DRUG: IVERMECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-UNDERFILL, PACKAGE	147
PD-SOLUTION, ABN	130
PD-TABLET(S), ABN	75
PD-VIAL(S), LEAKING	48
PD-UNDERFILL, TUBE(S)	38
PD-CONTAINER(S), DAMAG	34
PD-SEAL, ABN	33
PD-CAP(S), ABN	30
PD-TUBE(S), LEAKING	30
PD-LABEL(S), ABN	29
PD-PRODUCT DEFECT	28
PD-CONTAINER(S), ABN	27
PD-VIAL(S), ABN	26
PD-TUBE(S), ABN	16
PD-UNDERFILL, VIAL(S)	16

**DRUG: IVERMECTIN**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-SUSPENSION, ABN	15
PD-COLOR, ABN	10
PD-LOCK, ABN	9
PD-DISPENSER, ABN	8
SYRINGE, LOCKING RING	8
PD-SYRINGE, ABN	6
PD-TUBE(S), DAMAGED	6
PD-VIAL(S), DAMAGED	4
PD-APPLICATOR, ABN	3
PD-CONTAMINATION	3
PD-GEL/PASTE, ABN	3
PD-MISSING, LABEL(S)	3
PD-MISSING, CAP	2
PD-ODOR, ABN	2
PD-POTENCY, LO	2
INEFFECT, PARASITE(S)	1
NO SIGNS	1
PD-DEFECT UNKNOWN	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: INTRANASAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
BLINDNESS	1
DEATH(EUTHANIZED)	1
HEAD PRESSING	1
MYDRIASIS	1
PROPRIOCEPTIVE DISORDE	1

**DRUG: IVERMECTIN**

Species: BIRD

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1

**DRUG: IVERMECTIN**

Species: BIRD

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HYPERPNEA	1
TREMBLING	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
ATAXIA	1
BLINDNESS	1
FEVER, BODY	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
HAIR, ABN	2
INEFFECT, ECTOPARASITE	2
INEFFECT, LICE	2
LOSS OF CONDITION	2
ANAPHYLAXIS/TOID	1
APPLICATION SITE ALOPECIA	1
COLLAPSE	1
DEATH	1
DEATH(TX FAILURE)	1
DIARRHEA, MILD	1
DYSPNEA	1
HYPERACTIVITY	1
PALLOR, MUCOUS MEMBRAN	1
RECUMBENCY	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: MISSING

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
CONVULSION(S)	2
UNCONSCIOUS	2
DEPRESSION/LETHARGY	1
DIARRHEA	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
MASS	1
TACHYCARDIA	1
TREMBLING	1
VOMITING	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
PAIN, ABDOMEN	3
DEPRESSION/LETHARGY	2
RECUMBENCY	2
SYRINGE, LOCKING RING	2
ANOREXIA	1
DIARRHEA, WATERY	1
DYSRHYTHMIA, RESP	1
HEART DISORDER	1
INEFFECT, ASCARIDS	1
MYDRIASIS	1
PALLOR	1
PR-GI, PARASITISM	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PRURITIS	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
DIZZINESS	2
SYNCOPE	2
HEADACHE	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	19
PAIN, EYE(S)/LID(S)	9
CONGESTION, EYE(S)/LID	4
ACCIDENTAL EXPOSURE	2
PRURITIS, EYE(S)	2
SWELLING, EYE(S)/LID(S)	2
DISCHARGE, EYE(S)/LID(S)	1
EPIPHORA	1
HUMAN EXPOSURE, EYE(S)	1
HUMAN EXPOSURE, TOPICA	1
NO SIGNS	1
VISION DISORDER	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	71
ATAXIA	47

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEPRESSION/LETHARGY	35
INEFFECT, HW LARVAE	26
MYDRIASIS	26
ANOREXIA	22
DEATH	18
RECUMBENCY	14
BLINDNESS	12
DIARRHEA	12
CONFUSION	10
TREMBLING	9
UNCONSCIOUS	8
FEVER, BODY	7
STAGGERING	7
WEAKNESS	7
DEATH(EUTHANIZED)	6
HYPERACTIVITY	6
HYPERSALIVATION	6
CONVULSION(S)	5
HYPOTHERMIA, BODY	5
TWITCH	5
WEIGHT LOSS	5
COLLAPSE	4
DYSPNEA	4
HYPERESTHESIA	4
BEHAVIOR DISORDER	3
DEHYDRATION	3
DIARRHEA, MILD	3
HYPOTHERMIA	3
NEUROLOGICAL DISORDER	3
SGPT/ALT HI, BLD	3
STUPOR	3
TREMBLING, FACE	3
VOCALIZATION	3
ADIPSIA	2
AGGRESSION	2
ANEMIA	2
BILIRUBIN(TOT) HI, BLD	2
BRADYCARDIA	2

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CIRCLING	2
COUGHING	2
CREATININE HI, BLD	2
DIARRHEA, BLOODY	2
HALLUCINATION	2
HEAD BOBBING	2
HEMATOCHEZIA	2
HIDING	2
ILL	2
LIVER ENZYMES HI, BLD	2
LOCOMOTION DISORDER	2
MIOSIS	2
NERVOUSNESS	2
OPISTHOTONOS	2
PAIN, ABDOMEN	2
PARESIS, HIND LIMB(S)	2
POLYPHAGIA	2
RADIOGRAPH(S) ABN	2
REFLEX(ES) ABN	2
SOMNOLENCE	2
STIFFNESS	2
TABLET(S), UNDIGEST	2
VOMITING, PROJECTILE	2
WBC LO, BLD	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ALOPECIA	1
ANAPHYLAXIS/TOID	1
APPREHENSION	1
ARREST, HEART	1
ASCITES	1
BALANCE DISORDER	1
BITING/CHEWING	1
BUN HI, BLD	1
BUN LO, BLD	1
CONSTIPATION	1
CPK HI, BLD	1
DEFECATION ABN	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA, MUCOID	1
DIFFICULTY RISING	1
DISCOMFORT	1
EDEMA, LUNG(S)/TRACHEA	1
FROTH, MOUTH/LIP(S)	1
GI, ABNORMAL	1
GINGIVA, ABN	1
GLUCOSE HI, BLD	1
GLUCOSE LO, BLD	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
IRRITATION, SKIN	1
KIDNEY DISORDER	1
KIDNEY FAILURE	1
K LO, BLD	1
LIVER DISORDER	1
PAIN	1
PANCREATITIS	1
PARESIS, FORELIMB(S)	1
PD-TABLET(S), ABN	1
PHOTOPHOBIA	1
P LO, BLD	1
POLYDIPSIA	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-SPLEEN, LESION(S)	1
REACTION, UNSPECIFIED	1
SHAKING	1
SNEEZING	1
SPASM	1
TOX	1
US ABN	1
UVEITIS	1
VISION DISORDER	1



**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOICE DISORDER	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	6
CHOKING	3
PR-TRACHEA, LESION(S)	3
ANOREXIA	2
BLD, MOUTH/LIP(S)	2
DEPRESSION/LETHARGY	2
ABORTION	1
COLLAPSE	1
DISTRESS, RESP	1
DYSPNEA	1
FROTH, MOUTH/LIP(S)	1
ILL	1
INEFFECT, LICE BITING	1
LOSS OF CONDITION	1
OBSTRUCTION, TRACHEA	1
RUPTURE, ESOPHAGUS	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	372
DEPRESSION/LETHARGY	293
VOMITING	280
MYDRIASIS	249
INEFFECT, HW LARVAE	209
TREMBLING	179
BLINDNESS	127
CONVULSION(S)	127

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	115
ANOREXIA	113
DEATH	113
HYPERSALIVATION	89
UNCONSCIOUS	68
RECUMBENCY	66
FEVER, BODY	51
CONFUSION	46
WEAKNESS	42
BLINDNESS, TEMP	38
STAGGERING	36
TACHYCARDIA	32
HYPERACTIVITY	31
SGPT/ALT HI, BLD	27
STUPOR	27
VOCALIZATION	27
DYSPNEA	26
POLYPNEA	22
DEATH(EUTHANIZED)	21
NERVOUSNESS	21
TWITCH	21
COLLAPSE	19
DEHYDRATION	19
DIARRHEA, BLOODY	19
PUPIL(S), AREFLEXIA	18
URTICARIA	18
AGGRESSION	17
PRURITIS	16
HYPERPNEA	15
WBC HI, BLD	15
ALK PHOS HI, BLD	14
APPREHENSION	14
NEUROLOGICAL DISORDER	13
REFLEX(ES) ABN	13
BUN HI, BLD	12
HYPERESTHESIA	12
HYPOTHERMIA, BODY	12
PAIN, ABDOMEN	12

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BEHAVIOR DISORDER	10
BRADYCARDIA	10
LDH HI, BLD	10
LIVER ENZYMES HI, BLD	10
PARESIS, HIND LIMB(S)	10
BLD, URINE	9
BLINDNESS, PARTIAL	9
DIARRHEA, MILD	9
DIARRHEA, SEVERE	9
HEAD TILT	9
INEFFECT, HOOKS	9
SHAKING	9
BILIRUBIN(TOT) HI, BLD	8
CONGESTION, SKIN	8
FROTH, MOUTH/LIP(S)	8
PARESIS	8
POLYCYTHEMIA	8
POLYDIPSIA	8
PR-LIVER, LESION(S)	8
SGOT/AST HI, BLD	8
SPASM	8
ACCIDENTAL EXPOSURE	7
CIRCLING	7
CREATININE HI, BLD	7
GLUCOSE HI, BLD	7
HEAD PRESSING	7
ILL	7
INEFFECT, ASCARIDS	7
NYSTAGMUS	7
PARALYSIS	7
SHOCK	7
STIFFNESS	7
ANAPHYLAXIS/TOID	6
ANEMIA	6
COUGHING	6
HYPOPNEA	6
INEFFECT, HOOKS PREVEN	6
MELENA	6

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-LUNG(S), LESION(S)	6
PROPRIOCEPTIVE DISORDE	6
RASH	6
ADIPSIA	5
ALOPECIA	5
CNS DISORDER	5
CYANOSIS	5
EDEMA, LUNG(S)/TRACHEA	5
HEAD BOBBING	5
MIOSIS	5
PALLOR	5
PALLOR, MUCOUS MEMBRAN	5
POLYURIA	5
SEDATION	5
SWELLING, HEAD/FACE	5
VOMITING, BLOODY	5
DEATH(STILLBORN)	4
DISTENTION, ABDOMEN	4
EYE DISORDER	4
GLUCOSE LO, BLD	4
HYPOTHERMIA	4
INEFFECT, ASCARIDS PRE	4
INFLAM, SKIN	4
LOCOMOTION DISORDER	4
LYMPHS LO, BLD	4
P HI, BLD	4
PROLAPSE, THIRD EYELID	4
SOMNOLENCE	4
SWELLING, EYE(S)/LID(S)	4
VISION DISORDER	4
ABORTION	3
ALBUMIN LO, BLD	3
AMBLYOPIA	3
ANEMIA, AUTOIMMUNE HEM	3
APNEA	3
ARRHYTHMIA	3
BILIRUBIN, URINE	3
CONGESTION, LUNG(S)	3

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
CONSTIPATION	3
CPK HI, BLD	3
DEATH(NEWBORN)	3
DISCOMFORT	3
DISTRESS	3
DYSMETRIA	3
EPISTAXIS	3
HALLUCINATION	3
HEPATOMEGALY	3
HIDING	3
ICTERUS	3
ICTERUS, BODY	3
INCONTINENCE, FECAL	3
INCONTINENCE, URINARY	3
INEFFECT, HW ANTIGEN	3
INTERACTION, DRUG(S)	3
LAMENESS	3
MURMUR, HEART	3
NAUSEA	3
OBSTRUCTION, INTESTINE	3
PACING	3
PAIN	3
PHOTOPHOBIA	3
PLATELETS LO, BLD	3
P LO, BLD	3
PROTEIN, URINE	3
RADIOGRAPH(S) ABN	3
REACTION, UNSPECIFIED	3
RESPIRATORY DISORDER	3
RETINA ABN	3
SEGS HI, BLD	3
SKIN DISORDER	3
TABLET(S), UNDIGEST	3
WEIGHT LOSS	3
ALBUMIN HI, BLD	2
AMYLASE HI, BLD	2
ANISOCORIA	2
BALANCE DISORDER	2

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BILE ACIDS HI, BLD	2
BORBORYGMI	2
BREATHING ABN	2
BUN LO, BLD	2
CA HI, BLD	2
CA LO, BLD	2
CAPILLARY REFILL PROLO	2
CHOLESTEROL HI, BLD	2
CONGESTION, EYE(S)/LID	2
CONGESTION, MUCOUS MEM	2
CONJUNCTIVITIS	2
CYANOSIS, MUCOUS MEMBR	2
DERMATITIS, MOIST	2
DIARRHEA, WATERY	2
DIFFICULTY RISING	2
DYSPHAGIA	2
EDEMA, HEAD/FACE	2
ENLARGEMENT(S), SKIN	2
ENTERITIS	2
FLY BITING	2
GAGGING	2
GASTROENTERITIS	2
GGT HI, BLD	2
GI, ABNORMAL	2
HEART DISORDER	2
HEMATOCHEZIA	2
HYPOESTHESIA, EYE(S)/L	2
INCONTINENCE	2
INFECTION, SKIN	2
KIDNEY DISORDER	2
LESION(S), SKIN	2
MUCOUS MEMBR, RED	2
NA HI, BLD	2
NO SIGNS	2
PAPULE(S)	2
PARALYSIS, HIND LIMB(S)	2
PD-PRODUCT DEFECT	2
PR-GI, LESION(S)	2

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-KIDNEY(S), LESION(S)	2
PROLAPSE, TONGUE	2
RELUCTANT TO MOVE	2
SEGS LO, BLD	2
SOUND ABN, RESPIRATORY	2
SPLENOMEGALY	2
STARING	2
STOOL ABN	2
STUMBLING	2
TOX	2
URINATION	2
US-LIVER ABN	2
VOMITING, SEVERE	2
WBC LO, BLD	2
ADIPOSE, INFLAM	1
A/G RATIO HI, BLD	1
APPLICATION SITE, ALOPECIA	1
ARREST, HEART	1
ASCITES	1
BANDS HI, BLD	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BIRTH DEFECT(S), LIMB(	1
BIRTH, PREMATURE	1
BLD(ECCHYMOSES)	1
BLD, LUNG(S)/TRACHEA	1
BLD(PETECHIAE)	1
BLD(PURPURA)	1
BLD, RETINA	1
BLEPHAROSPASM	1
BLOAT	1
BREATHING, PERIODIC	1
CHEMISTRY ABN	1
CHLORIDE LO, BLD	1
CHOKING	1
CONGESTION	1
CONGESTION, EAR(S)	1
DEAFNESS	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(SLAUGHTERED)	1
DEFECATION	1
DELIRIUM	1
DEMENTIA	1
DIARRHEA, MUCOID	1
DIC	1
DISCHARGE, EAR(S)	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT, MOUTH/LIP(S)	1
DIZZINESS	1
DYSTOCIA	1
EOSINOS HI, BLD	1
ESTRUS CYCLE ABNORMAL	1
EXERCISE INTOLERANCE	1
FERTILITY, LACK OF	1
FIBRINOGEN LO, BLD	1
FLATULENCE	1
GLOBULIN HI, BLD	1
HEART FAILURE	1
HYPERSENSITIVE, SOUND	1
ICTERUS, SERUM	1
INEFFECT, DEMODEX MITES	1
INEFFECT, HW MICROFILA	1
INFECTION, EYE(S)	1
INFECTION, FEET/DIGIT(	1
INSOMNIA	1
IRRITATION	1
IRRITATION, EYE(S)/LID	1
IRRITATION, PERINEUM	1
IRRITATION, SKIN	1
JERKING	1
JOINT DISORDER	1
K HI, BLD	1
K LO, BLD	1
LABOR, PREMATURE	1
LIPASE HI, BLD	1
LIVER DISORDER	1
LOCKJAW	1



**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LYMPHS HI, BLD	1
MONOS HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
NA LO, BLD	1
NEOPLASM, HEART	1
NEURITIS, OPTIC	1
NYSTAGMUS, ROTARY	1
OTITIS	1
PAIN, MOUTH/LIP(S)	1
PAIN, NECK	1
PARALYSIS, ALL LIMBS	1
PARESIS, FORELIMB(S)	1
PAWING	1
PD-TABLET(S), ABN	1
PLACENTA, ABNORMAL	1
POLYCYTHEMIA(RELATIVE)	1
PR-BONE MARROW, LESION	1
PR-BRAIN, LESION(S)	1
PRESSURE LO, BLD	1
PR-FETUS, LESION(S)	1
PR-HEART, LESION(S)	1
PR-HEARTWORM DISEASE	1
PR-LUNG(S), EDEMA	1
PROTEIN(TOT) HI, BLD	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PULSE THREADY	1
PUSTULE(S)	1
RBC ABN	1
RBC, NUCLEATED	1
REPRODUCTION DISORDER	1
ROLLING	1
SCALE(S), SKIN	1
SKIN, SCAB(S)	1
SLOUGH, FEET/DIGIT(S)	1
SLOUGH, SKIN	1
SPEC GRAVITY LO, URINE	1
SPERM ABN	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STIFFNESS, FRONT LIMB(	1
STIFFNESS, HIND LIMB(S	1
STIFFNESS, LIMB(S)	1
STOMATITIS	1
SWELLING, FEET/DIGIT(S	1
SWELLING, JOINT(S)	1
SYNCOPE	1
TENESMUS	1
TRIGLYCERIDES HI, BLD	1
UDDER, DYSGALACTIA	1
ULCER(S), CORNEA(S)	1
ULCER(S), MOUTH/LIP(S)	1
US ABN	1
UVEITIS	1
VOMITING, UNPRODUCTIVE	1
WHEEZING	1

**DRUG: IVERMECTIN**

Species: DONKEY

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	5
BLINDNESS	4
COLITIS	1
CONVULSION(S)	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA, WATERY	1
DIZZINESS	1
DYSPNEA	1
GLUCOSE HI, BLD	1
PARESIS, HIND LIMB(S)	1
PD-LOCK, ABN	1
PR-COLON, LESION(S)	1
STUPOR	1

**DRUG: IVERMECTIN**

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
DEATH	2
ATAXIA	1
DEPRESSION/LETHARGY	1
PARESIS	1
PD-LOCK, ABN	1
RECUMBENCY	1
SYRINGE, LOCKING RING	1
TREMBLING	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: GUINEA PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	1
DEATH(NEWBORN)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	79
DEATH	60
DEPRESSION/LETHARGY	57
ATAXIA	51
RECUMBENCY	47
ANOREXIA	33
DIARRHEA	24
DEATH(EUTHANIZED)	17
FEVER, BODY	15
INEFFECT, WORMS	11

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWEATING	11
URTICARIA	11
BLINDNESS	10
STOOL ABN	10
SYRINGE, LOCKING RING	10
WEAKNESS	9
ABN COLOR, URINE	8
ALOPECIA	8
COLLAPSE	8
INEFFECT, ASCARIDS	8
ABORTION	7
HYPERPNEA	7
INEFFECT, STRONGYLES	7
SWELLING, LIMB(S)	7
ADIPSIA	6
ANAPHYLAXIS/TOID	6
MYDRIASIS	6
NERVOUSNESS	6
PRURITIS	6
TREMBLING	6
UNCONSCIOUS	6
CONVULSION(S)	5
HYPERSALIVATION	5
INEFFECT, PINWORMS	5
PD-LOCK, ABN	5
PRURITIS, TAIL	5
WBC LO, BLD	5
DIARRHEA, SEVERE	4
NEUROLOGICAL DISORDER	4
PACING	4
PR-COLON, LESION(S)	4
PR-INTEST, LESION(S)	4
PR-SM INTEST, LESION(S)	4
SWELLING, ANUS	4
TWITCH	4
WEIGHT LOSS	4
DYSPNEA	3
EDEMA, HEAD/FACE	3

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
FLATULENCE	3
HEAD PRESSING	3
INEFFECT, PARASITE(S)	3
MURMUR, HEART	3
PD-SOLUTION, ABN	3
PR-LUNG(S), LESION(S)	3
PR-SKIN, LESION(S)	3
ROLLING	3
STAGGERING	3
SWELLING, MOUTH/LIP(S)	3
TACHYCARDIA	3
VOCALIZATION	3
WBC HI, BLD	3
ALBUMIN LO, BLD	2
ALK PHOS HI, BLD	2
APNEA	2
APPREHENSION	2
BEHAVIOR DISORDER	2
BITING/CHEWING	2
BLD, ANUS	2
BLINDNESS, TEMP	2
BRADYCARDIA	2
CIRCLING	2
CONSTIPATION	2
DEHYDRATION	2
DERMATITIS, MOIST	2
DIARRHEA, WATERY	2
DISCOMFORT	2
DYSURIA	2
EDEMA	2
EDEMA, LIMB(S)	2
GAGGING	2
GI, ABNORMAL	2
GLOBULIN HI, BLD	2
GLUCOSE HI, BLD	2
HAIR, ABN	2
HYPERACTIVITY	2
HYPOTHERMIA	2

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, BOTS	2
INEFFECT, SMALL STRONG	2
INEFFECT, STOMACH WORM	2
INFLAM, SKIN	2
LAMINITIS	2
LESION(S), SKIN	2
LIVER ENZYMES HI, BLD	2
LOCOMOTION DISORDER	2
NYSTAGMUS	2
PAIN	2
PALLOR, MUCOUS MEMBRAN	2
PARESIS	2
POSTURE ABN	2
PR-BLD VESSEL(S), LESI	2
PR-GI, PARASITISM	2
PUPIL(S), AREFLEXIA	2
TOX	2
ULCER(S), MOUTH/LIP(S)	2
UVEITIS	2
ACIDOSIS	1
ANEMIA	1
ANOREXIA(NOT NURSING)	1
APPLICATION SITE SWELLING	1
ATROPHY, MUSCLE(S)	1
BILIRUBIN(TOT) HI, BLD	1
BLD	1
BLINDNESS, PARTIAL	1
BUN HI, BLD	1
CA LO, BLD	1
CHOLESTEROL HI, BLD	1
CNS INFARCT	1
COLON, ABN	1
CONFUSION	1
CONGESTION	1
COUGHING	1
CPK HI, BLD	1
CREATININE HI, BLD	1
CULTURE/TITER DATA ABN	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(NEWBORN)	1
DEFECATION ABN	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
DISTENTION, ABDOMEN	1
DISTRESS	1
EDEMA, BRISKET/CHEST	1
EDEMA, CORNEA(S)	1
EDEMA, NECK	1
EDEMA, TONGUE	1
EFFUSION, PERITONEAL	1
ENLARGEMENT(S)	1
EOSINOS HI, BODY	1
EYE DISORDER	1
GINGIVITIS	1
GRANULOMA	1
HEAD BOBBING	1
HYPERESTHESIA	1
HYPERMOTILITY	1
HYPERSENSITIVE, SOUND	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOMOTILITY	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
ILL	1
INCONTINENCE, URINARY	1
INEFFECT, LARGE STRONG	1
INJURY	1
IRRITATION, SKIN	1
KICKING	1
KIDNEY VALUES HI, BLD	1
LAMENESS	1
LDH HI, BLD	1
LIVER PROFILE HI	1
LOSS OF CONDITION	1
MELENA	1
NECK, VENTROFLEXION	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NOSE ABN	1
OBSTRUCTION, INTESTINE	1
OPISTHOTONOS	1
PAIN, FEET/DIGIT(S)	1
PALLOR	1
PARALYSIS	1
PARESIS, HIND LIMB(S)	1
PARESTHESIA, MOUTH/LIP	1
PAWING	1
PD-APPLICATOR, ABN	1
PD-DISPENSER, ABN	1
PD-MISSING, LABEL(S)	1
PD-POTENCY, LO	1
PD-PRODUCT DEFECT	1
PD-SUSPENSION, ABN	1
PD-SYRINGE, ABN	1
P HI, BLD	1
PNEUMONIA	1
POLYCYTHEMIA	1
POLYDIPSIA	1
POLYURIA	1
PR-BRAIN, LESION(S)	1
PR-ESOPHAGUS, LESION(S)	1
PR-EYE(S)/LID(S), LESI	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-WHOLE BODY, LESION(S)	1
REACTION, UNSPECIFIED	1
RELUCTANT TO MOVE	1
RETINA ABN	1
SGPT/ALT HI, BLD	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SOMNOLENCE	1



**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SOUND ABN, RESPIRATORY	1
STIFFNESS, FRONT LIMB(	1
STIFFNESS, LIMB(S)	1
STUMBLING	1
STUPOR	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, NECK	1
SWELLING, PREPUCE	1
SWELLING, VENTRUM	1
SYNCOPE	1
TASTE ABNORMALITY	1
TENESMUS, RECTAL	1
THRASHING/PADDLING	1
TONGUE, ABN	1
URINE ABN	1
VISION DISORDER	1
WHEEZING	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NAUSEA	4
VOMITING	4
DIZZINESS	3
DEPRESSION/LETHARGY	2
PAIN, ABDOMEN	2
XEROSTOMIA	2
ARRHYTHMIA	1
ATAXIA	1
BRADYCARDIA	1
DIABETES M, POOR REGUL	1
DIARRHEA	1
DIARRHEA, MILD	1
DIPLOPIA	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DYSPNEA	1
ENLARGEMENT, LYMPH NOD	1
GLOSSITIS	1
GLUCOSE HI, BLD	1
HYPOPNEA	1
ILL	1
IRRITATION, MOUTH/LIP(	1
KIDNEY FAILURE	1
LIVER FAILURE	1
PAIN, BRISKET/CHEST	1
PNEUMONIA	1
PRESSURE LO, BLD	1
SEDATION	1
SOMNOLENCE	1
STOOL ABN	1
STUPOR	1
UNPALATABLE, WON'T EAT	1
URTICARIA	1
VISION DISORDER	1
VOMITING, SEVERE	1
WBC HI, BLD	1

**DRUG: IVERMECTIN**

Species: OTHER

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
CONVULSION(S)	1
DEATH	1
MYDRIASIS	1
PR-LARYNX, LESION(S)	1

**DRUG: IVERMECTIN**

Species: PIG

Route of Administration: ORAL

**DRUG: IVERMECTIN**

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, PARASITE(S)	2
ABORTION	1
ATAXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
INEFFECT, MITES	1
RECUMBENCY	1
SWELLING, JOINT(S)	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
ATAXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
STUPOR	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	6
INEFFECT, PARASITE(S)	3
ATAXIA	2
ENLARGEMENT(S)	2
ILL	2
ANEMIA	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DEATH(TX FAILURE)	1
DEPRESSION/LETHARGY	1

**DRUG: IVERMECTIN**

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	1
INEFFECT, STRONGYLES	1
NEUROLOGICAL DISORDER	1
PALLOR, MUCOUS MEMBRAN	1
RECUMBENCY	1
STAGGERING	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
INJ SITE ABSCESS	1
INJ SITE INFECT	1

**DRUG: IVERMECTIN**

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

**DRUG: IVERMECTIN**

Species: BIRD

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
NEUROLOGICAL DISORDER	1

**DRUG: IVERMECTIN**

Species: BUFFALO

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
DIARRHEA	1
DIARRHEA, WATERY	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	27
DEPRESSION/LETHARGY	17
DEATH	15
UNCONSCIOUS	12
MYDRIASIS	8
TREMBLING	8
STUPOR	7
FEVER, BODY	6
VOMITING	6
BLINDNESS	5
DEATH(EUTHANIZED)	5
HYPERESTHESIA	5
TWITCH	5
WEAKNESS	5
CIRCLING	4
CONVULSION(S)	4
ANOREXIA	3
HYPOTHERMIA	3
RECUMBENCY	3
STAGGERING	3
ANAPHYLAXIS/TOID	2
BRADYCARDIA	2
BUN HI, BLD	2
CONFUSION	2
DIARRHEA	2
HYPERSALIVATION	2
HYPERTONIA	2
HYPOTHERMIA, BODY	2
MIOSIS	2

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROLOGICAL DISORDER	2
PALLOR	2
SPASM	2
ANISOCORIA	1
AZOTEMIA	1
BEHAVIOR DISORDER	1
COUGHING	1
CREATININE HI, BLD	1
DISTRESS, RESP	1
DYSMETRIA	1
DYSPHAGIA	1
EPIPHORA	1
HEAD TILT	1
HEMATOCHEZIA	1
HYPERPNEA	1
INJ SITE MASS	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
NECK, VENTROFLEXION	1
NERVOUSNESS	1
PAIN	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS	1
P HI, BLD	1
PR-INJ SITE, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PRURITIS	1
REFLEX(ES) ABN	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
TACHYCARDIA	1
VOCALIZATION	1
VOMITING, SEVERE	1
WBC HI, BLD	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	37
RECUMBENCY	17
ATAXIA	15
DYSPNEA	10
ANOREXIA	7
COLLAPSE	6
INEFFECT, LICE	5
ANAPHYLAXIS/TOID	4
DEPRESSION/LETHARGY	4
FROTH, MOUTH/LIP(S)	4
INJ SITE SWELLING	4
PR-LUNG(S), LESION(S)	4
BLOAT	3
DEATH(EUTHANIZED)	3
INEFFECT, PARASITE(S)	3
PARALYSIS, HIND LIMB(S)	3
PR-HEART, LESION(S)	3
TREMBLING	3
WEAKNESS	3
ABORTION	2
ALOPECIA	2
ATONY, RUMEN	2
DEATH(STILLBORN)	2
DIARRHEA	2
HYPERSALIVATION	2
INEFFECT, LICE BITING	2
INJ SITE INFLAM	2
LAMENESS	2
LOSS OF CONDITION	2
PR-ESOPHAGUS, LESION(S)	2
PR-MUSCLE(S), LESION(S)	2
STAGGERING	2
SWELLING, HEAD/FACE	2
SWELLING, NECK	2
APNEA	1
BEHAVIOR DISORDER	1
BLD	1
BLD, VAGINA	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLINDNESS	1
CSF ABN	1
DEATH(NEWBORN)	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
EDEMA	1
EPIPHORA	1
FEVER, BODY	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPERPNEA	1
INEFFECT, ECTOPARASITE	1
INEFFECT, MITES	1
INEFFECT, STRONGYLES	1
INEFFECT, WORMS	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE EMPHYSEMA	1
INJ SITE PAIN	1
LESION(S), SKIN	1
OFF FEED	1
PARALYSIS	1
PARESIS	1
PD-POTENCY, LO	1
PD-SOLUTION, ABN	1
PR-BONE(S), LESION(S)	1
PR-INTEST, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-NOSE, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS	1
PRURITIS, TAIL	1
STIFFNESS	1
SWELLING, VAGINA/VULVA	1
TACHYCARDIA	1
TENESMUS	1
TWITCH	1



**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: PARENTERAL

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	46
DEATH	19
DEPRESSION/LETHARGY	19
TREMBLING	19
HYPERSALIVATION	18
MYDRIASIS	14
RECUMBENCY	10
UNCONSCIOUS	9
STAGGERING	8
BLINDNESS	7
CONVULSION(S)	7
HYPERACTIVITY	7
FEVER, BODY	6
WEAKNESS	6
MIOSIS	4
STUPOR	4
VOMITING	4
ANOREXIA	3
BLINDNESS, TEMP	3
CONFUSION	3
HEAD TILT	3
INJ SITE PAIN	3
NERVOUSNESS	3
NYSTAGMUS	3
PARESIS, HIND LIMB(S)	3
TWITCH	3
ANAPHYLAXIS/TOID	2
CNS DISORDER	2
CONGESTION, EYE(S)/LID	2
DEATH(EUTHANIZED)	2
DIFFICULTY RISING	2
DYSPNEA	2
EDEMA, CORNEA(S)	2
POLYPNEA	2

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
REFLEX(ES) ABN	2
SEDATION	2
URTICARIA	2
BEHAVIOR DISORDER	1
BRADYCARDIA	1
CIRCLING	1
CONGESTION	1
CONGESTION, SKIN	1
DEHYDRATION	1
DEMENTIA	1
DIARRHEA	1
EDEMA, HEAD/FACE	1
EPISTAXIS	1
EYE DISORDER	1
HEAD BOBBING	1
HEAD PRESSING	1
HYPERESTHESIA	1
HYPERPNEA	1
HYPOPNEA	1
INEFFECT, HOOKS	1
INEFFECT, HW MICROFILA	1
INJ SITE MASS	1
INJ SITE PRURITIS	1
INJ SITE SWELLING	1
KIDNEY DISORDER	1
K LO, BLD	1
LOCOMOTION DISORDER	1
PAIN	1
PARALYSIS, HIND LIMB(S)	1
PARESIS	1
PD-POTENCY, LO	1
PROLAPSE, THIRD EYELID	1
PROTEIN, URINE	1
PULSE THREADY	1
REGURGITATION	1
REGURGITATION, FOOD	1
SHAKING	1
SHAKING, HEAD/FACE	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SPASM	1
SPEC GRAVITY LO, URINE	1
SWEATING	1
TACHYCARDIA	1
THRASHING/PADDLING	1
TREMBLING, FACE	1
UVEITIS	1
VISION DISORDER	1
VOCALIZATION	1

**DRUG: IVERMECTIN**

Species: GOAT

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
AGGRESSION	1
APPREHENSION	1
ATAXIA	1
DEPRESSION/LETHARGY	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
KICKING	1
MYDRIASIS	1
PRURITIS	1
REARING	1
RECUMBENCY	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: GUINEA PIG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE SWELLING	5
PAIN	5
FEVER, BODY	4
DEATH	3
SWELLING, NECK	3
ANOREXIA	2
DEPRESSION/LETHARGY	2
EDEMA, LIMB(S)	2
SLOUGH, SKIN	2
STIFFNESS	2
STIFFNESS, NECK	2
SWELLING	2
SWELLING, LIMB(S)	2
ANAPHYLAXIS/TOID	1
CELLULITIS	1
COUGHING	1
DEATH(EUTHANIZED)	1
EDEMA	1
EDEMA, VENTRAL	1
INFECTION, SKIN	1
INJ SITE PAIN	1
LAMENESS	1
LOCOMOTION DISORDER	1
PAIN, ABDOMEN	1
PARALYSIS	1
PNEUMONIA	1
PR-GI, LESION(S)	1
PR-LUNG(S), LESION(S)	1
RESPIRATORY DISORDER	1
ROLLING	1
SWELLING, BRISKET/CHES	1
SWELLING, HEAD/FACE	1
URTICARIA	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: PARENTERAL

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INJ SITE PAIN	6
INJ SITE BLD	5
INJ SITE INFLAM	4
INJ SITE SWELLING	3
HYPOESTHESIA	2
BLD(ECCHYMOSES)	1
BLD, SKIN	1
CAT SCAN ABN	1
CONGESTION, SKIN	1
CULTURE/TITER DATA ABN	1
DEATH	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
EFFUSION	1
HYPOMOTILITY	1
INJ SITE ABN	1
INJ SITE INFECT	1
INJ SITE STIFFNESS	1
NAUSEA	1
PERFORATION, GI	1
RASH	1
REACTION, UNSPECIFIED	1
SEPSIS	1
SHOCK	1
STUPOR	1
SUICIDE ATTEMPT	1
SWELLING, JOINT(S)	1

**DRUG: IVERMECTIN**

Species: LLAMA

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIFFICULTY RISING	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
STIFFNESS, NECK	1

**DRUG: IVERMECTIN**

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: MOUSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
HYPOTHERMIA	1
RECUMBENCY	1

**DRUG: IVERMECTIN**

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
APNEA	1
ATAXIA	1
COLLAPSE	1
MYDRIASIS	1
STUPOR	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	21
DEPRESSION/LETHARGY	9
ATAXIA	7
ANOREXIA	5
RECUMBENCY	5
ABORTION	4

**DRUG: IVERMECTIN**

Species: PIG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STAGGERING	4
CNS DISORDER	3
COLLAPSE	3
INJ SITE SWELLING	3
TREMBLING	3
DYSPNEA	2
SHAKING	2
THRASHING/PADDLING	2
UNCONSCIOUS	2
VOMITING	2
ANEMIA	1
ANOREXIA(NOT NURSING)	1
APNEA	1
CHOKING	1
CONVULSION(S)	1
DEATH(STILLBORN)	1
DERMATITIS, MOIST	1
FERTILITY, LACK OF	1
HAIR, ABN	1
INEFFECT, MITES	1
INEFFECT, PARASITE(S)	1
INFLAM, SKIN	1
INJ SITE ABSCESS	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
LOSS OF CONDITION	1
NEUROLOGICAL DISORDER	1
OFF FEED	1
PARESIS, HIND LIMB(S)	1
PR-INTEST, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
SKIN ABNORMAL	1
STOOL ABN	1
STUPOR	1
TECH ERROR ADMINISTRAT	1
WEIGHT INCREASE	1
WEIGHT LOSS	1

**DRUG: IVERMECTIN**

Species: PIG

Route of Administration: PARENTERAL

**DRUG: IVERMECTIN**

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ATAXIA	1
DEPRESSION/LETHARGY	1
UNCONSCIOUS	1

**DRUG: IVERMECTIN**

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1
BLINDNESS, TEMP	1
COLLAPSE	1
CONFUSION	1
DEATH	1
DIFFICULTY RISING	1
INEFFECT, WORMS	1
PARALYSIS, HIND LIMB(S)	1
PR-HEART, LESION(S)	1
RECUMBENCY	1
REFLEX(ES) ABN	1
THRASHING/PADDLING	1

**DRUG: IVERMECTIN**

Species: TURTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PARALYSIS	1



**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-TUBE(S), LEAKING	117
PD-UNDERFILL, TUBE(S)	40
PD-SYRINGE, ABN	37
PD-TUBE(S), ABN	15
SYRINGE, LOCKING RING	13
PD-CONTAINER(S), DAMAG	12
PD-UNDERFILL, PACKAGE	12
PD-CAP(S), ABN	11
PD-MISSING, CAP	10
PD-CONTAINER(S), ABN	9
PD-GEL/PASTE, ABN	9
PD-LOCK, ABN	5
PD-LABEL(S), ABN	3
PD-TUBE(S), DAMAGED	3
PD-PRODUCT DEFECT	2
PD-POTENCY, LO	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: OPHTHALMIC

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	3
CONVULSION(S)	2
MYDRIASIS	2
RECUMBENCY	2
TREMBLING	2
VOMITING	2
DEATH	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DYSMETRIA	1
HYPOPNEA	1
PALLOR	1
STUPOR	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ILL	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	55
MYDRIASIS	36
BLINDNESS	34
TREMBLING	31
DEPRESSION/LETHARGY	25
VOMITING	22
CONVULSION(S)	15
DEATH	10
HYPERSALIVATION	10
BLINDNESS, TEMP	7
CONFUSION	7
ACCIDENTAL EXPOSURE	6
NEUROLOGICAL DISORDER	6
ANOREXIA	5
RECUMBENCY	5
STAGGERING	5
STUPOR	5
TACHYCARDIA	5

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
TWITCH	5
UNCONSCIOUS	5
WEAKNESS	5
PROPRIOCEPTIVE DISORDE	4
DEATH(EUTHANIZED)	3
FEVER, BODY	3
HYPERACTIVITY	3
NERVOUSNESS	3
PUPIL(S), AREFLEXIA	3
VOCALIZATION	3
BLINDNESS, PARTIAL	2
CNS DISORDER	2
DIARRHEA	2
DYSMETRIA	2
DYSPNEA	2
EYE DISORDER	2
HYPERESTHESIA	2
POLYPNEA	2
REFLEX(ES) ABN	2
VOMITING, BLOODY	2
ADIPSIA	1
AGGRESSION	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1
BLEPHAROSPASM	1
CIRCLING	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
DEMENTIA	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DIZZINESS	1
GGT HI, BLD	1
HALLUCINATION	1
HEAD BOBBING	1
HEAD PRESSING	1
HYPOPNEA	1
ILL	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LAMENESS	1
NA HI, BLD	1
NAUSEA	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
PARESIS, HIND LIMB(S)	1
POSTURE ABN	1
RETINA ABN	1
SEDATION	1
SGPT/ALT HI, BLD	1
SHAKING	1
SHAKING, HEAD/FACE	1
SHOCK	1
STIFFNESS	1
STUMBLING	1
THRASHING/PADDLING	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: DONKEY

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, TONGUE	4
SWELLING, MOUTH/LIP(S)	3
DEPRESSION/LETHARGY	2
SWELLING, ADM SITE	2
TONGUE, ABN	2
ALOPECIA	1
ATAXIA	1
BLD(ECCHYMOSES)	1
BLINDNESS, TEMP	1
CONGESTION, SKIN	1
COUGHING	1
DIARRHEA	1
DYSPHAGIA	1
HYPERSALIVATION	1
INEFFECT, STRONGYLES	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: DONKEY

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, MOUTH/LIP(S)	1
MYDRIASIS	1
PARALYSIS, FACIAL NERV	1
PD-LOCK, ABN	1
PNEUMONIA, ASPIRATION	1
PROTRUSION, TONGUE	1
PRURITIS	1
STRABISMUS	1
SWELLING, HEAD/FACE	1
SYRINGE, LOCKING RING	1
TOX	1
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: GOAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ATAXIA	1
BLINDNESS	1
CONVULSION(S)	1
DEATH	1
HYPERSALIVATION	1
NEUROLOGICAL DISORDER	1
STUPOR	1
UNCONSCIOUS	1
VISION DISORDER	1
VOCALIZATION	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, MOUTH/LIP(S)	510
APPLICATION SITE SWELLING	259

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PAIN, ABDOMEN	146
SWELLING, TONGUE	134
HYPERSALIVATION	130
SWELLING, ADM SITE	117
ANOREXIA	106
DEPRESSION/LETHARGY	90
SWELLING, HEAD/FACE	58
IRRITATION, MOUTH/LIP(	54
DIARRHEA	53
APPLICATION SITE LESION(S)	51
APPLICATION SITE ERYTHEMA	50
ULCER(S), MOUTH/LIP(S)	47
RECUMBENCY	45
DIARRHEA, MILD	37
STOMATITIS	36
LESION(S), MOUTH/LIP(S)	34
VESICLE(S)/BULLAE, MOU	31
FEVER, BODY	26
URTICARIA	25
DIARRHEA, WATERY	21
APPLICATION SITE INFLAM	20
DEATH(EUTHANIZED)	20
DYSPHAGIA	20
INEFFECT, ASCARIDS	20
INEFFECT, PARASITE(S)	20
DEATH	19
APPLICATION SITE EDEMA	18
INEFFECT, STRONGYLES	18
INEFFECT, TAPES	18
ROLLING	18
ANAPHYLAXIS/TOID	17
PAIN, MOUTH/LIP(S)	17
TACHYCARDIA	17
GINGIVITIS	15
VESICLE(S)/BULLAE, SKI	15
ABORTION	14
PAWING	14
PRURITIS	14

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SLOUGH, SKIN	14
ATAXIA	13
DYSPNEA	13
HYPERPNEA	13
SWEATING	13
INEFFECT, PINWORMS	12
ADIPSIA	11
CONGESTION, SKIN	11
DISCOMFORT, MOUTH/LIP(S)	11
EDEMA, LIMB(S)	11
SWELLING, NECK	11
DEHYDRATION	9
FROTH, MOUTH/LIP(S)	9
LAMINITIS	9
NERVOUSNESS	9
WEIGHT LOSS	9
COUGHING	8
EDEMA, HEAD/FACE	8
GINGIVA, ABN	8
PROLAPSE, TONGUE	8
PRURITIS, TAIL	8
ALOPECIA	7
APPLICATION SITE PAIN	7
FLATULENCE	7
HAIR, ABN	7
HYPERACTIVITY	7
OFF FEED	7
SHAKING, HEAD/FACE	7
SLOUGH	7
ULCER(S), TONGUE	7
CA LO, BLD	6
EDEMA, TONGUE	6
GLOSSITIS	6
IRRITATION, MOUTH/LIP(S)	6
KICKING	6
MUCOUS MEMBR, ABN COLO	6
PROTEIN(TOT) LO, BLD	6
PROTRUSION, TONGUE	6

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SLOUGH, GINGIVA	6
SLOUGH, TONGUE	6
SWELLING, PHARYNX/THRO	6
SYRINGE, LOCKING RING	6
THRASHING/PADDLING	6
TONGUE, ABN	6
ALBUMIN LO, BLD	5
CONGESTION	5
CONGESTION, TONGUE	5
DIARRHEA, PROJECTILE	5
DIARRHEA, SEVERE	5
DISTENTION, ABDOMEN	5
ENLARGEMENT, LYMPH NOD	5
GI, ABNORMAL	5
INFLAM, SKIN	5
PAIN	5
RESPIRATORY DISORDER	5
STAGGERING	5
TREMBLING	5
APPREHENSION	4
BEHAVIOR DISORDER	4
BITING/CHEWING	4
BUN HI, BLD	4
COLLAPSE	4
CONFUSION	4
EDEMA, PREPUCE	4
GRINDING TEETH	4
HYPOMOTILITY	4
INEFFECT, SMALL STRONG	4
INEFFECT, WORMS	4
PD-LOCK, ABN	4
PD-UNDERFILL, TUBE(S)	4
POLYPNEA	4
PR-GI, PARASITISM	4
REFLUX, STOMACH	4
SEGS HI, BLD	4
SGOT/AST HI, BLD	4
STOOL ABN	4



**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, LIMB(S)	4
ULCER(S), GI	4
WBC HI, BLD	4
WBC LO, BLD	4
WEAKNESS	4
ALK PHOS HI, BLD	3
ANEMIA	3
APPLICATION SITE ABNORMAL	3
COLITIS	3
COLON, ABN	3
CONVULSION(S)	3
CPK HI, BLD	3
CYANOSIS, MUCOUS MEMBR	3
DEATH(STILLBORN)	3
DIFFICULTY RISING	3
DISTRESS	3
EDEMA, VENTRAL	3
ENTERITIS	3
EYE DISORDER	3
GGT HI, BLD	3
GLUCOSE HI, BLD	3
HYPOESTHESIA, MOUTH/LIP(S)	3
HYPOTHERMIA, BODY	3
INEFFECT, LARGE STRONG	3
INFECTION, SKIN	3
LAMENESS	3
LIVER ENZYMES HI, BLD	3
LOSS OF CONDITION	3
MUCOUS MEMBR, RED	3
OBSTRUCTION, INTESTINE	3
PD-GEL/PASTE, ABN	3
POLYCYTHEMIA	3
PR-COLON, LESION(S)	3
PUPIL(S), AREFLEXIA	3
SHOCK	3
SWELLING	3
ANION GAP HI, BLD	2
ANURIA	2

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
APPLICATION SITE ALOPECIA	2
APPLICATION SITE PRURITIS	2
BILIRUBIN(TOT) HI, BLD	2
BLD(ECCHYMOSES)	2
BLINDNESS, TEMP	2
BUN LO, BLD	2
CAPILLARY REFILL PROLO	2
CONGESTION, MUCOUS MEM	2
CONSTIPATION	2
CREATININE HI, BLD	2
CREATININE LO, BLD	2
DEFECATION ABN	2
DIARRHEA, BLOODY	2
DISCOMFORT	2
EAR DISORDER	2
ENLARGEMENT(S)	2
GAGGING	2
GLUCOSE LO, BLD	2
HYPOTHERMIA	2
ICTERUS	2
INEFFECT, BOTS	2
INFLAMMATION, NOSE	2
IRRITATION, PHARYNX/TH	2
LESION(S)	2
LESION(S), SKIN	2
LYMPHS LO, BLD	2
MYDRIASIS	2
PACING	2
POLYDIPSIA	2
POLYURIA	2
POSTURE ABN	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) HI, BLD	2
PR-SM INTEST, LESION(S)	2
REACTION, UNSPECIFIED	2
REPETITIVE MOVEMENTS	2
SCALE(S), SKIN	2
SGPT/ALT HI, BLD	2

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SKIN ABNORMAL	2
SKIN, CRUST(S)	2
SORE(S)	2
SOUND ABN, RESPIRATORY	2
STUMBLING	2
SWELLING, JOINT(S)	2
SWELLING, PREPUCE	2
UDDER, MASTITIS	2
ULCER(S), STOMACH	2
VOCALIZATION	2
ABN COLOR, URINE	1
ABSCESS, SKIN	1
ALBUMIN HI, BLD	1
ANEMIA, HEMOLYTIC	1
BALANCE DISORDER	1
BILE ACIDS HI, BLD	1
BILIRUBIN(DIR) HI, BLD	1
BLD	1
BLD(HEMATOMA)	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLD, SKIN	1
BLINDNESS	1
BRADYCARDIA	1
CA HI, BLD	1
CHEMISTRY ABN	1
CHLORIDE LO, BLD	1
CHOKING	1
CHOLESTEROL HI, BLD	1
CHOLESTEROL LO, BLD	1
CIRCLING	1
CO2 LO, BLD	1
DEATH(TX FAILURE)	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, MOUTH/LIP(S)	1
DISCHARGE, NOSE	1
DRY, SKIN	1
DYSTOCIA	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EDEMA	1
EDEMA, NECK	1
ELECTROLYTE DISORDER	1
ENLARGEMENT(S), HEAD/F	1
ENLARGEMENT(S), NECK	1
ENLARGEMENT(S), SKIN	1
EOSINOS HI, BLD	1
EPISTAXIS	1
ERUCTATION	1
ERUPTION(S)	1
FE LO, BLD	1
FIBRINOGEN LO, BLD	1
FROTH, NOSE	1
GASTRITIS	1
GASTROENTERITIS	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
HAIR, SHEDDING	1
HEAD BOBBING	1
HIDING	1
HOOF DISORDER	1
HYPERMOTILITY	1
HYPOESTHESIA	1
HYPOPNEA	1
ICTERUS, BODY	1
INCISION SITE INFECTION	1
INEFFECT, ASCARIDS PRE	1
INFECTION	1
INFECTION, UTERUS	1
INFLAM	1
INJ SITE SLOUGH	1
IRRITATION	1
IRRITATION, EAR(S)	1
IRRITATION, SKIN	1
K HI, BLD	1
K LO, BLD	1
LDH HI, BLD	1
LICKING	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
MELENA	1
METRITIS	1
MYOSITIS	1
NA LO, BLD	1
NAUSEA	1
NECROSIS	1
NEUROLOGICAL DISORDER	1
NEUROPATHY	1
NOSE, INFLAMMATION	1
NO SIGNS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PANCREAS ENZYMES HI, B	1
PARALYSIS	1
PARALYSIS, FACIAL NERV	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PARESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
PD-APPLICATOR, ABN	1
PD-DEFECT UNKNOWN	1
PD-TUBE(S), ABN	1
PERFORATION	1
PERIODONTAL, ABSCESS	1
P HI, BLD	1
PHOTOSENSITIZATION	1
PICA	1
PLACENTA, ABNORMAL	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
PNEUMONIA	1
POLYCYTHEMIA(RELATIVE)	1
PR-CECUM, LESION(S)	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PR-FETUS, LESION(S)	1
PR-GI, EDEMA	1
PR-HEART, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, BLD	1
PR-MULT SITES, LESION(S)	1
PR-PERITONEAL EFFUSION	1
PR-TONGUE, LESION(S)	1
PUSTULE(S)	1
RASH	1
RBC ABN	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
SEDATION	1
SEGS LO, BLD	1
SOMNOLENCE	1
SPASM	1
SPERM ABN	1
SQUINTING	1
STIFFNESS	1
STIFFNESS, NECK	1
STOOL, MUCOID	1
STUPOR	1
SWEATING, DECREASED	1
SWELLING, BRISKET/CHES	1
TASTE ABNORMALITY	1
TENESMUS, RECTAL	1
TRIGLYCERIDES HI, BLD	1
TWITCH	1
ULCER(S)	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
UNPALATABLE, WON'T EAT	1
UNPALATABLE, WON'T SWA	1
VOICE DISORDER	1
VOLVULUS	1
VOLVULUS, INTESTINE	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: ORAL

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	4
NAUSEA	3
TONGUE, ABN	3
DIARRHEA	2
HYPOESTHESIA	2
PAIN, ABDOMEN	2
BREATHING ABN	1
CONFUSION	1
GAGGING	1
HALLUCINATION	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOPNEA	1
PARESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
VISION DISORDER	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: MULE

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALOPECIA	1
INFLAM, SKIN	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: DOG

Route of Administration: PARENTERAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LAMENESS	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	37
PD-TABLET(S), ABN	2
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-ODOR, ABN	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
BIRTH DEFECT(S), HEAD/	3
DEATH(NEWBORN)	3

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	2
ANOREXIA	1
ATAXIA	1
CHEMISTRY ABN	1
CONFUSION	1
DEATH	1
DEPRESSION/LETHARGY	1
HEPATOMEGALY	1
INTERACTION, DRUG(S)	1
STUMBLING	1
VOMITING, BLOODY	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
VOMITING	542
INEFFECT, HW LARVAE	356
INEFFECT, HOOKS	195
DEPRESSION/LETHARGY	188
DIARRHEA	146
INEFFECT, TAPES	132
INEFFECT, ASCARIDS	81
ANOREXIA	68
INEFFECT, STRONGYLES	67
TREMBLING	38
CONVULSION(S)	37
ATAXIA	33
POLYPNEA	30
HYPERSALIVATION	29
DEATH	24
DYSYPNEA	20
COLLAPSE	19
DEFECATION	19
PALLOR, MUCOUS MEMBRAN	19
SGPT/ALT HI, BLD	18
SHAKING	15
WEAKNESS	13
LIVER ENZYMES HI, BLD	12
LICKING	11
NERVOUSNESS	11
CONFUSION	10
HYPERACTIVITY	10
ADIPSIA	9
CHEMISTRY ABN	9
DEATH(EUTHANIZED)	9
FEVER, BODY	9
HIDING	9
NAUSEA	9
URTICARIA	9
ALK PHOS HI, BLD	8
PRURITIS	8
SWELLING, HEAD/FACE	8
VOCALIZATION	8

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANAPHYLAXIS/TOID	7
DIARRHEA, BLOODY	7
DIFFICULTY RISING	7
TACHYCARDIA	7
ALOPECIA	6
COUGHING	6
DEHYDRATION	6
RECUMBENCY	6
SHOCK	6
STUPOR	6
BRADYCARDIA	5
DISTENTION, ABDOMEN	5
MYDRIASIS	5
POLYDIPSIA	5
VOMITING, UNPRODUCTIVE	5
ANEMIA	4
DEFECATION ABN	4
DIARRHEA, MILD	4
HYPOTHERMIA, BODY	4
INTERACTION, DRUG(S)	4
PLATELETS LO, BLD	4
SNEEZING	4
UNCONSCIOUS	4
URINATION ABN	4
ABN COLOR, URINE	3
AGGRESSION	3
APPREHENSION	3
BILIRUBIN(TOT) HI, BLD	3
BLD, URINE	3
BUN HI, BLD	3
CREATININE HI, BLD	3
DIARRHEA, WATERY	3
EDEMA, EYE(S)/LID(S)	3
EYE DISORDER	3
HEMATOCHEZIA	3
HYPERPNEA	3
HYPOPNEA	3
INEFFECT, WHIPS	3

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
LAMENESS	3
PAIN, ABDOMEN	3
PARALYSIS, HIND LIMB(S)	3
POLLAKIURIA	3
RELUCTANT TO MOVE	3
SKIN, SCAB(S)	3
TAIL DISORDER	3
URINATION	3
AMYLASE HI, BLD	2
ASCITES	2
BEHAVIOR DISORDER	2
BITING/CHEWING	2
BLD, LUNG(S)/TRACHEA	2
BREATHING ABN	2
CHLORIDE HI, BLD	2
CHOKING	2
CONGESTION, LUNG(S)	2
CONGESTION, SKIN	2
CYANOSIS, MUCOUS MEMBR	2
DERMATITIS, MOIST	2
DISTRESS, RESP	2
EFFUSION, PLEURAL	2
FLATULENCE	2
FROTH, MOUTH/LIP(S)	2
HEAD BOBBING	2
HEAD TILT	2
HEPATITIS	2
ICTERUS, BODY	2
KIDNEY FAILURE	2
LOCOMOTION DISORDER	2
PANCREATITIS	2
P HI, BLD	2
POLYCYTHEMIA	2
POLYCYTHEMIA(RELATIVE)	2
POLYURIA	2
PRURITIS, TAIL	2
PULSE THREADY	2
RADIOGRAPH(S) ABN	2

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
RASH	2
SGOT/AST HI, BLD	2
SOMNOLENCE	2
SPASM	2
STAGGERING	2
STIFFNESS	2
STOOL ABN	2
STOOL, MUCOID	2
STUMBLING	2
TREMBLING, FACE	2
UNPALATABLE, WON'T EAT	2
VOMITING, BLOODY	2
VOMITING, SEVERE	2
ABRASION, CORNEA(S)	1
ANEMIA, AUTOIMMUNE HEM	1
APNEA	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), LIMB(	1
BLD	1
BLD, ABDOMEN	1
BLD(ECCHYMOSES)	1
BLD, SCLERA	1
BLINDNESS	1
BLINDNESS, TEMP	1
BORBORYGMI	1
CA HI, BLD	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CHOLESTEROL HI, BLD	1
CIRCLING	1
CONGESTION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, MUCOUS MEM	1
CRYSTALS, URINE	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIABETES MELLITUS	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DISCHARGE, NOSE	1
EDEMA, HEAD/FACE	1
ERECTION, ABN	1
ERUCTATION	1
GAGGING	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
HALLUCINATION	1
HEART DISORDER	1
HYPERESTHESIA	1
HYPERTONIA	1
ICTERUS	1
ILL	1
IMMUNOSUPPRESSION	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INEFFECT, HW ADULTS	1
INEFFECT, HW ANTIGEN	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(	1
IRRITATION, SKIN	1
KETOSIS	1
KIDNEY VALUES HI, BLD	1
LICKING, FEET/DIGIT(S)	1
LIVER FAILURE	1
MASS, ABDOMEN	1
MELENA	1
MUCOUS MEMBR, ABN COLO	1
NA HI, BLD	1
NEUROLOGICAL DISORDER	1
NOSE ABN	1
ODOR	1
PACING	1
PAIN, BACK	1
PAIN, MUSCLE(S)	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARALYSIS	1
PARALYSIS, ALL LIMBS	1
PARESIS, HIND LIMB(S)	1
P LO, BLD	1
PNEUMONIA	1
POSTURE ABN	1
PRESSURE LO, BLD	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
PR-MUSCLE(S), LESION(S)	1
PR-NERVE(S), LESION(S)	1
PROLAPSE, TONGUE	1
PROPRIOCEPTIVE DISORDE	1
PROSTRATION	1
PROTEIN(TOT) HI, BLD	1
PR-TRACHEA, LESION(S)	1
PRURITIS, EYE(S)	1
REACTION, UNSPECIFIED	1
RUPTURE	1
SPLENOMEGALY	1
SQUINTING	1
STIFFNESS, FRONT LIMB(	1
STIFFNESS, HIND LIMB(S)	1
SWELLING	1
SWELLING, EAR(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
SWELLING, PHARYNX/THRO	1
TENESMUS	1
TWITCH	1
VOMITING ROUNDWORMS	1
WBC HI, BLD	1
WEIGHT LOSS	1
WHEEZING	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	2
NAUSEA	2
ABN ODOR, URINE	1
VOMITING	1

**DRUG: IVERMECTIN, PRAZIQUANTEL, PYRANTEL**

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HEADACHE	2
BLD, EYE(S)	1
CONGESTION, SKIN	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIZZINESS	1
EPIPHORA	1
GI, ABNORMAL	1
HYPERESTHESIA	1
HYPOESTHESIA	1
IRRITATION, SKIN	1
NAUSEA	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PAPULE(S)	1
PARAESTHESIA	1
SYRINGE, LOCKING RING	1
TACHYCARDIA	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	1
VISION DISORDER	1
VOMITING	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
MYDRIASIS	1
VESTIBULAR DISORDER	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
PAIN, ABDOMEN	1

**DRUG: IVERMECTIN, PRAZIQUANTEL**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
NO SIGNS	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------



**DRUG: IVERMECTIN, PYRANTEL**

Species: NOT APPLICABLE

Route of Administration: DEFECT

<b>Sign:</b>	<b>Number of Times Reported:</b>
PD-TABLET(S), ABN	1,320
PD-UNDERFILL, PACKAGE	583
PD-CONTAINER(S), DAMAG	337
PD-CONTAINER(S), ABN	166
PD-SEAL, ABN	108
PD-COLOR, ABN	94
PD-LABEL(S), ABN	59
PD-PRODUCT DEFECT	14
PD-CONTAM, MOLD	12
PD-MISSING, LABEL(S)	12
PD-CONTAMINATION	11
PD-DEFECT UNKNOWN	7
PD-ODOR, ABN	7
PD-CONTAM, INSECTS	5
PD-TUBE(S), ABN	4
SUMMARY REVIEW	2
VOMITING	2
PD-CAP(S), ABN	1
PD-POTENCY, LO	1
UNPALATABLE, WON'T EAT	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: MISSING

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANOREXIA	1
DEPRESSION/LETHARGY	1
PAIN, BACK	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: NOT APPLICABLE

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, HW LARVAE	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: NOT APPLICABLE

**DRUG: IVERMECTIN, PYRANTEL**

Species: NOT APPLICABLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
SUMMARY REVIEW	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	16
DEPRESSION/LETHARGY	8
ATAXIA	6
ANOREXIA	3
DIARRHEA	3
HIDING	2
HYPERSALIVATION	2
ADIPSIA	1
BLINDNESS, PARTIAL	1
CONFUSION	1
CONVULSION(S)	1
DEATH	1
DEHYDRATION	1
DYSPNEA	1
FEVER, BODY	1
HYPERESTHESIA	1
HYPERPNEA	1
K HI, BLD	1
NOSE ABN	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: CAT

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ODOR	1
PAIN, ABDOMEN	1
POLYPNEA	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
STUPOR	1
TREMBLING	1
VOCALIZATION	1
VOMITING, BLOODY	1
VOMITING, UNPRODUCTIVE	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, HW LARVAE	14,623
INEFFECT, HOOKS	6,266
INEFFECT, ASCARIDS	3,988
VOMITING	2,258
INEFFECT, HOOKS PREVEN	1,633
DIARRHEA	1,282
DEPRESSION/LETHARGY	1,193
INEFFECT, ASCARIDS PRE	1,031
ANOREXIA	641
CONVULSION(S)	552
ATAXIA	290
DEATH	238
TREMBLING	221
INEFFECT, HW ANTIGEN	203
DIARRHEA, BLOODY	184
HYPERSALIVATION	184
PRURITIS	183
DIARRHEA, MILD	163
FEVER, BODY	121
UNPALATABLE, WON'T EAT	113
POLYPNEA	105

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
COUGHING	102
HYPERACTIVITY	91
URTICARIA	90
SHAKING	86
DEATH(EUTHANIZED)	84
INEFFECT, WHIPS	83
DYSPNEA	81
CONFUSION	80
MYDRIASIS	80
STAGGERING	75
NERVOUSNESS	72
SGPT/ALT HI, BLD	71
VOCALIZATION	70
WEIGHT LOSS	69
POLYDIPSIA	66
COLLAPSE	64
BEHAVIOR DISORDER	63
HEMATOCHEZIA	58
ADIPSIA	57
ANAPHYLAXIS/TOID	55
STOOL ABN	53
PARESIS, HIND LIMB(S)	52
ANEMIA	51
WEAKNESS	51
PAIN, ABDOMEN	49
CONGESTION, SKIN	47
LIVER ENZYMES HI, BLD	47
ALK PHOS HI, BLD	45
RECUMBENCY	43
DEHYDRATION	41
TACHYCARDIA	40
ALOPECIA	39
APPREHENSION	39
PALLOR, MUCOUS MEMBRAN	39
RASH	38
SWELLING, HEAD/FACE	38
PACING	36
PAIN	36

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
STUPOR	36
TWITCH	34
LAMENESS	33
RADIOGRAPH(S) ABN	33
LOCOMOTION DISORDER	32
NEUROLOGICAL DISORDER	32
RELUCTANT TO MOVE	32
VOMITING, BLOODY	32
MELENA	31
WBC HI, BLD	31
HIDING	30
INFLAM, SKIN	30
VOMITING ROUNDWORMS	30
AGGRESSION	29
INCONTINENCE, URINARY	29
HYPERPNEA	27
INEFFECT, STRONGYLES	27
ANEMIA, AUTOIMMUNE HEM	26
LICKING	26
PLATELETS LO, BLD	26
POLYURIA	26
VOMITING, UNPRODUCTIVE	26
CIRCLING	25
ILL	24
STOOL, MUCOID	24
BLD, URINE	23
BUN HI, BLD	23
DIFFICULTY RISING	23
INEFFECT, HW MICROFILA	23
STIFFNESS	23
DIARRHEA, WATERY	20
FROTH, MOUTH/LIP(S)	20
LICKING, FEET/DIGIT(S)	20
BITING/CHEWING	19
DEFECATION	19
DISCOMFORT	19
STUMBLING	19
BLINDNESS	18

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DERMATITIS, MOIST	18
IRRITATION, PERINEUM	18
PD-TABLET(S), ABN	18
PICA	18
TABLET(S), UNDIGEST	18
ABN COLOR, URINE	17
ACCIDENTAL EXPOSURE	17
FLATULENCE	17
NAUSEA	17
SOMNOLENCE	17
VOMITING, SEVERE	17
BRADYCARDIA	16
CONSTIPATION	16
CREATININE HI, BLD	16
DISTENTION, ABDOMEN	16
EDEMA, HEAD/FACE	16
INCONTINENCE, FECAL	16
INEFFECT, HW ADULTS	16
LESION(S), SKIN	16
SPASM	16
STARING	16
DIARRHEA, MUCOID	15
DIARRHEA, SEVERE	15
GI, ABNORMAL	15
PROPRIOCEPTIVE DISORDE	15
BILIRUBIN(TOT) HI, BLD	14
BLD, LUNG(S)/TRACHEA	14
GAGGING	14
MURMUR, HEART	14
OBSTRUCTION, INTESTINE	14
SGOT/AST HI, BLD	14
SWELLING, EYE(S)/LID(S)	14
BREATHING ABN	13
GASTROENTERITIS	13
HEAD TILT	13
INEFFECT, WHIPS PREVEN	13
PARESIS	13
PRURITIS, FEET/DIGIT(S)	13

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ROLLING	13
SHAKING, HEAD/FACE	13
SHOCK	13
US ABN	13
DISTRESS, RESP	12
EYE DISORDER	12
ICTERUS, BODY	12
IRRITATION, SKIN	12
POSTURE ABN	12
PROTEIN(TOT) LO, BLD	12
URINATION	12
BORBORYGMI	11
HEAD BOBBING	11
HEART FAILURE	11
HYPERESTHESIA	11
LIVER DISORDER	11
TREMBLING, FACE	11
BLINDNESS, TEMP	10
CHEMISTRY ABN	10
GLUCOSE LO, BLD	10
ICTERUS	10
INEFFECT, PARASITE(S)	10
INEFFECT, WORMS	10
NEOPLASM	10
NYSTAGMUS	10
SKIN ABNORMAL	10
UNCONSCIOUS	10
WHEEZING	10
AMYLASE HI, BLD	9
CARDIOMEGALY	9
CONGESTION, LUNG(S)	9
EDEMA, LUNG(S)/TRACHEA	9
EPISTAXIS	9
HAIR, ABN	9
OTITIS	9
PALLOR	9
PR-HEARTWORM DISEASE	9
URINATION ABN	9

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ALBUMIN LO, BLD	8
BLD, MOUTH/LIP(S)	8
DEAFNESS	8
DEFECATION ABN	8
ERUPTION(S)	8
EXERCISE INTOLERANCE	8
HYPOTHERMIA, BODY	8
KIDNEY FAILURE	8
LIPASE HI, BLD	8
PANCREATITIS	8
P HI, BLD	8
SKIN, SCAB(S)	8
SOUND ABN, RESPIRATORY	8
WBC LO, BLD	8
BILIRUBIN, URINE	7
COAGULATION DISORDER	7
GLOBULIN HI, BLD	7
GLUCOSE HI, BLD	7
POLLAKIURIA	7
PR-LUNG(S), LESION(S)	7
PRURITIS, EAR(S)	7
REACTION, UNSPECIFIED	7
SEGS HI, BLD	7
SORE(S)	7
SPLENOMEGALY	7
URINE ABN	7
APPLICATION SITE HAIR, ABN COLOR	6
CHOLESTEROL HI, BLD	6
CONGESTION, EYE(S)/LID	6
DISCHARGE, EYE(S)/LID(S)	6
DIZZINESS	6
ENLARGEMENT(S)	6
EOSINOS HI, BLD	6
FLY BITING	6
HYPOPNEA	6
HYPOTHERMIA	6
INEFFECT, COCCIDIA	6
INFECTION, SKIN	6



**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
IRRITATION, EYE(S)/LID	6
LIVER FAILURE	6
NO SIGNS	6
PAIN, HIND LIMB(S)	6
POLYCYTHEMIA	6
POLYPHAGIA	6
PR-LIVER, LESION(S)	6
PROLAPSE, TONGUE	6
PR-SKIN, LESION(S)	6
PUSTULE(S)	6
RELUCTANT TO CLIMB	6
SNEEZING	6
APPLICATION SITE PAIN	5
ARREST, HEART	5
ASCITES	5
BANDS HI, BLD	5
BLD	5
BLD(ECCHYMOSES)	5
BLD(PETECHIAE)	5
CNS INFARCT	5
COLITIS	5
CULTURE/TITER DATA ABN	5
DEATH(NEWBORN)	5
DISCHARGE, NOSE	5
DISTRESS	5
ENLARGEMENT, LYMPH NOD	5
HAIR, ABN COLOR	5
HEAD PRESSING	5
HYPERTONIA	5
INTERACTION, DRUG(S)	5
KIDNEY DISORDER	5
MONOS HI, BLD	5
MUCOUS MEMBR, RED	5
NA LO, BLD	5
ODOR	5
PAIN, JOINT(S)	5
PAIN, NECK	5
PAPULE(S)	5

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
PARALYSIS, FACIAL NERV	5
PNEUMONIA	5
PR-HEART, LESION(S)	5
PROLAPSE, THIRD EYELID	5
PROTEIN(TOT) HI, BLD	5
PROTEIN, URINE	5
PRURITIS, TAIL	5
RESPIRATORY DISORDER	5
STIFFNESS, FRONT LIMB(	5
STIFFNESS, HIND LIMB(S	5
SUMMARY REVIEW	5
SWELLING, NECK	5
TENESMUS, RECTAL	5
US-LIVER ABN	5
APPLICATION SITE PRURITIS	4
ARRHYTHMIA	4
ARTHRITIS	4
BILE ACIDS HI, BLD	4
BLD, ANUS	4
BLD, GI	4
BLD, RECTUM	4
BLINDNESS, PARTIAL	4
BLOAT	4
CA LO, BLD	4
CHOKING	4
CONGESTION	4
CONGESTION, EAR(S)	4
CONJUNCTIVITIS	4
CYANOSIS	4
DYSURIA	4
EDEMA, EYE(S)/LID(S)	4
GASTRITIS	4
GGT HI, BLD	4
HAIR, SHEDDING	4
HEPATOMEGALY	4
INFECTION	4
INJ SITE SWELLING	4
INSOMNIA	4

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
KIDNEY VALUES HI, BLD	4
K LO, BLD	4
LOSS OF CONDITION	4
MIOSIS	4
NA HI, BLD	4
PAIN, BACK	4
PARESIS, FORELIMB(S)	4
PHOTOPHOBIA	4
PR-MULT SITES, BLD	4
REFLEX(ES) ABN	4
REPETITIVE MOVEMENTS	4
SEDATION	4
SKIN, CRUST(S)	4
SWELLING, EAR(S)	4
SYNCOPE	4
THRASHING/PADDLING	4
VESICLE(S)/BULLAE, SKI	4
VESTIBULAR DISORDER	4
VISION DISORDER	4
ANEMIA, HEMOLYTIC	3
ANISOCORIA	3
APNEA	3
APPLICATION SITE ALOPECIA	3
APPLICATION SITE LESION(S)	3
AZOTEMIA	3
BALANCE DISORDER	3
BLD, ABDOMEN	3
BLEPHAROSPASM	3
CA HI, BLD	3
COOMBS TEST POS	3
CRYSTALS, URINE	3
DISSOCIATION	3
DYSMETRIA	3
ELIMINATION ABN	3
ENTERITIS	3
GLOBULIN LO, BLD	3
HYPERPIGMENTATION, SKI	3
HYPERSENSITIVE, SOUND	3

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INCONTINENCE	3
INEFFECT	3
INEFFECT, NEMATODES	3
INFECTION, URINARY TRA	3
IRRITATION	3
JERKING	3
K HI, BLD	3
LYMPHS LO, BLD	3
NOSE ABN	3
ODOR, MOUTH	3
PAIN, HEAD/FACE	3
PARALYSIS, HIND LIMB(S)	3
PAWING	3
PD-COLOR, ABN	3
PLATELETS HI, BLD	3
P LO, BLD	3
PRESSURE HI, BLD	3
PRESSURE LO, BLD	3
PROSTATOMEGALY	3
PRURITIS, EYE(S)	3
SEGS LO, BLD	3
SKIN, DRY	3
STIFFNESS, LIMB(S)	3
SWELLING	3
SWELLING, FEET/DIGIT(S)	3
SWELLING, JOINT(S)	3
SWELLING, MOUTH/LIP(S)	3
ULCER(S), SKIN	3
UNPALATABLE	3
UVEITIS	3
ABSCCESS, SKIN	2
ALBUMIN HI, BLD	2
ANEMIA, REGEN	2
ANURIA	2
APPLICATION SITE ABNORMAL	2
APPLICATION SITE ERYTHEMA	2
APPLICATION SITE INFLAM	2
BLD, SKIN	2

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
BLD, THORAX	2
BREATHING, DIFFICULT	2
BRONCHITIS	2
BUN LO, BLD	2
CACHEXIA	2
CALCULI, BLADDER	2
CHLORIDE LO, BLD	2
CONGESTION, MUCOUS MEM	2
CPK HI, BLD	2
DEATH(TX FAILURE)	2
DIARRHEA, PROJECTILE	2
DIC	2
DISCHARGE, MOUTH/LIP(S	2
DISCHARGE, VULVA	2
EAR DISORDER	2
EDEMA, CORNEA(S)	2
ELECTROLYTE DISORDER	2
EMBOLUS	2
ENLARGEMENT(S), SKIN	2
GALL BLADDER, ABN	2
GINGIVA, ABN	2
GLUCOSE, URINE	2
HALLUCINATION	2
HEMOGLOBIN, URINE	2
HORNER'S SYNDROME	2
IMMUNE DISORDER	2
INEFFECT, SEIZURES	2
INEFFECT, TAPES	2
INFECTION, FEET/DIGIT(	2
IRRITATION, EAR(S)	2
IRRITATION, MOUTH/LIP(	2
KETONES, URINE	2
KICKING	2
MASS, ABDOMEN	2
MASS, SKIN	2
MUCOUS MEMBR, MUDDY	2
NEOPLASM, LIVER	2
NEOPLASM, LYMPH NODE(S	2

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
OBSTRUCTION, ESOPHAGUS	2
OLIGURIA	2
PAIN, MUSCLE(S)	2
PARALYSIS	2
PD-ODOR, ABN	2
PD-PRODUCT DEFECT	2
POLYCYTHEMIA(RELATIVE)	2
PR-GI, PARASITISM	2
PR-LUNG(S), EDEMA	2
PR-LYMPH NODE(S), LESI	2
PROSTRATION	2
PULSE THREADY	2
PUPIL(S), AREFLEXIA	2
RBC ABN	2
REGURGITATION	2
RETINA ABN	2
RUPTURE, TUMOR	2
SCALE(S), SKIN	2
SKIN DISORDER	2
SPEC GRAVITY LO, URINE	2
SQUINTING	2
STRANGURIA	2
SWELLING, LIMB(S)	2
SWELLING, PHARYNX/THRO	2
TAIL DISORDER	2
TENESMUS, URINARY	2
TESTICLE, ABN	2
THROMBUS	2
THYROID HORMONE(S) LO	2
TORTICOLLIS	2
ULCER(S), MOUTH/LIP(S)	2
VOICE DISORDER	2
VOLVULUS, STOMACH	2
ABN ODOR, URINE	1
ABORTION	1
ABRASION, CORNEA(S)	1
ACIDOSIS	1
ALKALINE URINE	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
ANEMIA, SPHERO	1
APLASIA, BONE MARROW	1
ASPHYXIA	1
ATROPHY, MUSCLE(S)	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BIRTH, PREMATURE	1
BLD, ABN	1
BLD(HEMATOMA)	1
BLD, MULT SITES	1
BLD, PENIS	1
CALCULI, KIDNEY	1
CAPILLARY REFILL PROLO	1
CASTS, URINE	1
CATARACT(S)	1
CHASING TAIL	1
CHLORIDE HI, BLD	1
CHOLESTEROL LO, BLD	1
CONGESTION, PHARYNX	1
COPROPHAGIA	1
CYANOSIS, MUCOUS MEMBR	1
DEAFNESS, PARTIAL	1
DEATH(STILLBORN)	1
DEHISCENCE	1
DELIRIUM	1
DEMENTIA	1
DIABETES	1
DIABETES MELLITUS	1
DIGESTION DISORDER	1
DILITATION, ESOPHAGUS	1
DRY, SKIN	1
DYSPHAGIA	1
EDEMA	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, MULTIPLE SITES	1
EDEMA, NECK	1
EFFUSION, PERICARDIAL	1
EFFUSION, PLEURAL	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
EMPHYSEMA	1
ENCEPHALOPATHY	1
EIPHORA	1
ERECTION, ABN	1
ERYTHEMA MULTIFORME	1
FERTILITY, LACK OF	1
FERTILITY, REDUCED	1
FIBRINOGEN LO, BLD	1
FROTH, NOSE	1
GINGIVITIS	1
GLAUCOMA	1
GRINDING TEETH	1
HCO3 HI, BLD	1
HCO3 LO, BLD	1
HEART DISORDER	1
HEPATITIS	1
HYPERMOTILITY	1
HYPOMOTILITY	1
HYPOSMIA	1
INEFFECT, PROTOZOA	1
INEFFECT, STRONGYLE LA	1
INEFFECT, STRONGYLOIDS	1
INFECTION, EYE(S)	1
INFLAM	1
INJ SITE PAIN	1
IRRITATION, ESOPHAGUS	1
LDH HI, BLD	1
LEG DISORDER	1
LESION(S), MOUTH/LIP(S)	1
LOCKJAW	1
MICROORANISMS, URINE	1
MRI SCAN ABN	1
MYOSITIS	1
NAIL DISORDER	1
NEOPLASM, HEART	1
NEOPLASM, LUNG(S)	1
NEOPLASM, MAMMARY	1
NEURITIS, OPTIC	1



**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NEUROPATHY	1
OPISTHOTONOS	1
PAIN, FEET/DIGIT(S)	1
PAIN, LIMB(S)	1
PAIN, SPINAL	1
PALPITATIONS	1
PANCYTOPENIA	1
PARAESTHESIA, EYE(S)/L	1
PARESIS, FORE LIMB(S)	1
PERFORATION, GI	1
PNEUMONIA, ASPIRATION	1
PR-BLD VESSEL(S), LESI	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-MENINGES, LESION(S)	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEAL EFFUSION	1
PR-PROSTATE, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PT PROLONGED, BLD	1
PTT PROLONGED, BLD	1
RBC, ANISO	1
RBC, MICRO	1
RBC, POLYCHROM	1
RESIDUE, APPLICATION SITE	1
SEBORRHEA	1
SEPSIS	1
SLEEP ABN	1
SOUND ABN, VOICE	1
SPERM ABN	1
STIFFNESS, NECK	1
STOMATITIS	1
STOOL, PALE/GRAY	1
SWEATING	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SWELLING, TONGUE	1
SWELLING, VAGINA/VULVA	1
SWELLING, VENTRUM	1
TAIL CHASING	1
TECH ERROR	1
TENESMUS	1
TONGUE, ABN	1
TOX, OP	1
TRACHEITIS	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), CORNEA(S)	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
UROBILINOGEN HI, URINE	1
VENA CAVAL SYNDROME	1
VESICLE(S)/BULLAE, MOU	1
WBC ABN	1
WEIGHT INCREASE	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: HUMAN

Route of Administration: ORAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
NAUSEA	6
DIZZINESS	4
DIARRHEA	3
PAIN, ABDOMEN	3
ILL	2
APPREHENSION	1
CIRCULATORY DISORDER	1
COUGHING	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
HEADACHE	1
IRRITATION, PHARYNX/TH	1
NERVOUSNESS	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PRESSURE HI, BLD	1
STIFFNESS	1
STOOL ABN	1
TECH ERROR ADMINISTRAT	1
VOMITING	1
VOMITING, BLOODY	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, HOOKS	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	8

**DRUG: IVERMECTIN, PYRANTEL**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NO SIGNS	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	3
VOMITING	3

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DIARRHEA	1
HEAD PRESSING	1
INEFFECT, ASCARIDS	1
INEFFECT, HOOKS	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
PRURITIS	1
SWELLING, HEAD/FACE	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	6
VOMITING	5
DEPRESSION/LETHARGY	3
DIARRHEA	2
INEFFECT, ASCARIDS	2
ANEMIA	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE SWELLING	1
COLLAPSE	1
GAGGING	1
HYPERSALIVATION	1
INEFFECT, HOOKS	1
NO SIGNS	1
OTITIS	1
PALLOR, MUCOUS MEMBRAN	1
RASH	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
WBC HI, BLD	1
WEAKNESS	1

**DRUG: IVERMECTIN, PYRANTEL**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
PAIN, ABDOMEN	1
VOMITING	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	21
DEPRESSION/LETHARGY	12
INEFFECT, EAR MITES	12
ANOREXIA	10
VOMITING	9
MYDRIASIS	8
CONVULSION(S)	5
NYSTAGMUS	5
TREMBLING	5
CIRCLING	4
DEATH	4
DIARRHEA	4
HEAD TILT	4
MIOSIS	4
VOCALIZATION	4
APPLICATION SITE ERYTHEMA	3
APPREHENSION	3
CONFUSION	3
CONGESTION, SKIN	3
HYPERSALIVATION	3

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
OTITIS	3
PRURITIS, EAR(S)	3
RECUMBENCY	3
SHAKING, HEAD/FACE	3
STUPOR	3
TWITCH	3
ANISOCORIA	2
BRADYCARDIA	2
COLLAPSE	2
CONGESTION, EAR(S)	2
DEAFNESS	2
DISCHARGE, EAR(S)	2
EAR DISORDER	2
FEVER, BODY	2
HEAD BOBBING	2
HORNER'S SYNDROME	2
HYPOTHERMIA	2
INFLAM	2
INFLAM, SKIN	2
PROLAPSE, THIRD EYELID	2
PROPRIOCEPTIVE DISORDE	2
SKIN, CRUST(S)	2
TACHYCARDIA	2
UNCONSCIOUS	2
WEAKNESS	2
ACCIDENTAL EXPOSURE	1
ANEMIA	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
BILE ACIDS HI, BLD	1
BLD, URINE	1
BLINDNESS	1
BLINDNESS, TEMP	1
BUN LO, BLD	1
CREATININE LO, BLD	1
CYSTITIS	1
DEAFNESS, PARTIAL	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH(EUTHANIZED)	1
DISCHARGE, NOSE	1
DIZZINESS	1
DYSPHAGIA	1
EYE DISORDER	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
ICTERUS, SERUM	1
IRRITATION, EAR(S)	1
JERKING	1
LESION(S), SKIN	1
LICKING	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
NO SIGNS	1
OPISTHOTONOS	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS	1
PNEUMONIA	1
POLYPNEA	1
POSTURE ABN	1
PR-EAR(S), LESION(S)	1
PR-SKIN, LESION(S)	1
PRURITIS	1
PUPIL(S), AREFLEXIA	1
RASH	1
REFLEX(ES) ABN	1
SGPT/ALT HI, BLD	1
SNEEZING	1
SOMNOLENCE	1
SORE(S)	1
SWELLING, EAR(S)	1
ULCER(S), EAR(S)	1
ULCER(S), MOUTH/LIP(S)	1
VESTIBULAR DISORDER	1
VISION DISORDER	1
WEIGHT LOSS	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: TOPICAL

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, LICE	136
PRURITIS	99
ALOPECIA	92
DEATH	51
INEFFECT, LICE BITING	33
DISCOMFORT	19
INEFFECT, PARASITE(S)	19
INEFFECT, ECTOPARASITE	14
RECUMBENCY	14
LICKING	12
DIARRHEA	10
DEPRESSION/LETHARGY	9
ANAPHYLAXIS/TOID	7
ANOREXIA	7
INEFFECT, WORMS	7
LOSS OF CONDITION	7
WEIGHT LOSS	7
ATAXIA	6
EDEMA, HEAD/FACE	6
ABORTION	5
HYPERSALIVATION	5
INEFFECT	5
BLOAT	4
COLLAPSE	4
DYSPNEA	4
INEFFECT, ASCARIDS	4
INEFFECT, STRONGYLOIDS	4
ATONY, RUMEN	3
EDEMA, BRISKET/CHEST	3
INEFFECT, LICE SUCKING	3
INEFFECT, STOMACH WORM	3
OFF FEED	3
PR-LUNG(S), EDEMA	3
PROLAPSE, RECTUM	3



**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
SKIN DISORDER	3
UNKNOWN	3
DEATH(STILLBORN)	2
DIGESTION DISORDER	2
FROTH, MOUTH/LIP(S)	2
LESION(S), SKIN	2
PLACENTA, RETAINED	2
POOR PERFORMANCE	2
PR-LUNG(S), LESION(S)	2
REACTION, UNSPECIFIED	2
RESPIRATORY DISORDER	2
SCALE(S), SKIN	2
STAGGERING	2
TREMBLING	2
VESICLE(S)/BULLAE, SKI	2
WEAKNESS	2
ANEMIA	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
APPLICATION SITE PAIN	1
ARRHYTHMIA	1
BLD, URINE	1
BONE, ABN	1
BRADYCARDIA	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
CONVULSION(S)	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(SLAUGHTERED)	1
DIARRHEA, SEVERE	1
DISTRESS, RESP	1
DYSTOCIA	1
EDEMA, EYE(S)/LID(S)	1
EXFOLIATION, SKIN	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
FERTILITY, LACK OF	1
FROTH, NOSE	1
GRINDING TEETH	1
HAIR, ABN	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPOPNEA	1
HYPOTHERMIA	1
ILL	1
INEFFECT, GRUBS	1
INEFFECT, MITES	1
INEFFECT, STRONGYLES	1
INEFFECT, WEIGHT INC	1
INEFFECT, WHIPS	1
IRRITATION	1
MYDRIASIS	1
NEUROLOGICAL DISORDER	1
PAIN	1
PARESIS	1
PARESIS, HIND LIMB(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-MULT SITES, BLD	1
PR-MUSCLE(S), LESION(S)	1
PROTEIN, URINE	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEAL EFFUSION	1
PR-TRACHEA, LESION(S)	1
REGURGITATION, FOOD	1
SHAKING	1
SHOCK	1
SKIN ABNORMAL	1
SLOUGH, SKIN	1
SOUND ABN, RESPIRATORY	1
STOOL ABN	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TWITCH	1
URTICARIA	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONVULSION(S)	5
ATAXIA	4
MYDRIASIS	3
BLINDNESS	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2
HYPERSALIVATION	2
NEUROLOGICAL DISORDER	2
STUPOR	2
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PRURITIS	1
BEHAVIOR DISORDER	1
CIRCLING	1
CONGESTION, SKIN	1
DEATH	1
DIFFICULTY RISING	1
HEART FAILURE	1
HYPERPNEA	1
INFLAM, SKIN	1
LAMENESS	1
LICKING, FEET/DIGIT(S)	1
NYSTAGMUS	1
PRURITIS	1
PRURITIS, FEET/DIGIT(S)	1
RECUMBENCY	1
SWELLING, TONGUE	1
TWITCH	1
URTICARIA	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: TOPICAL

**DRUG: IVERMECTIN**

Species: GOAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
BLINDNESS	1
VOCALIZATION	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	1
ATAXIA	1
STAGGERING	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NAUSEA	12
HEADACHE	7
DEPRESSION/LETHARGY	5
DIARRHEA	4
PAIN, ABDOMEN	4
PD-CAP(S), ABN	4
TASTE ABNORMALITY	4
VOMITING	4
ANOREXIA	3
DIZZINESS	3
EYE DISORDER	3
HUMAN EXPOSURE, EYE(S)	3
PAIN, EYE(S)/LID(S)	3
RASH	3
CONGESTION, SKIN	2

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

<b>Sign:</b>	<b>Number of Times Reported:</b>
HYPOESTHESIA	2
IRRITATION, EYE(S)/LID	2
PD-VIAL(S), LEAKING	2
SHAKING	2
SOMNOLENCE	2
STUPOR	2
SWEATING	2
VISION DISORDER	2
ABRASION, CORNEA(S)	1
ATAXIA	1
BREATHING ABN	1
CONFUSION	1
CONGESTION, SINUS	1
CONJUNCTIVITIS	1
COUGHING	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIPLOPIA	1
DISCOMFORT	1
DISTRESS, RESP	1
DRY, SKIN	1
DYSPHAGIA	1
DYSPNEA	1
ENLARGEMENT, LYMPH NOD	1
ERUPTION(S)	1
FEVER, BODY	1
HUMAN EXPOSURE, TOPICA	1
HYPERESTHESIA	1
HYPOESTHESIA, MOUTH/LIP(S)	1
ILL	1
INFLAM, SKIN	1
IRRITATION, PHARYNX/TH	1
KIDNEY FAILURE	1
MYDRIASIS	1
NO SIGNS	1
OLIGURIA	1
PAIN, BRISKET/CHEST	1
PAIN, TESTICLE	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-APPLICATOR, ABN	1
SLOUGH, SKIN	1
STIFFNESS, HAND(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PHARYNX/THRO	1
TREMBLING	1
VESICLE(S)/BULLAE, SKI	1

**DRUG: IVERMECTIN**

Species: MISSING INFORMATION

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	1
INEFFECT, ECTOPARASITE	1

**DRUG: IVERMECTIN**

Species: OTHER

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
NEUROLOGICAL DISORDER	1

**DRUG: IVERMECTIN**

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	1

**DRUG: IVERMECTIN**

Species: BIRD

Route of Administration: UNKNOWN

**DRUG: IVERMECTIN**

Species: BIRD

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RECUMBENCY	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	2
BLINDNESS, TEMP	1
CPK HI, BLD	1
INEFFECT, EAR MITES	1
MURMUR, HEART	1
MYDRIASIS	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	9
INEFFECT, LICE	7
RECUMBENCY	3
ANAPHYLAXIS/TOID	2
APPLICATION SITE ALOPECIA	2
BLOAT	2
DIARRHEA	2
DYSPNEA	2
ALOPECIA	1
ANEMIA	1
ANOREXIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
EPIPHORA	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
ILL	1

**DRUG: IVERMECTIN**

Species: CATTLE

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
INEFFECT, ASCARIDS	1
INEFFECT, ASCARIDS PRE	1
INEFFECT, LICE BITING	1
INEFFECT, LICE SUCKING	1
INEFFECT, PARASITE(S)	1
INEFFECT, STRONGYLES	1
INEFFECT, WORMS	1
KIDNEY VALUES HI, BLD	1
LIVER ENZYMES HI, BLD	1
OFF FEED	1
PARALYSIS, HIND LIMB(S)	1
PR-GI, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, CONGEST	1
PRURITIS	1
SWELLING, MULT SITES	1
SWELLING, NECK	1
WEAKNESS	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DEATH	11
TREMBLING	7
MYDRIASIS	6
UNCONSCIOUS	6
ATAXIA	5
BLINDNESS, TEMP	3
HYPERSALIVATION	3
RECUMBENCY	3
STUPOR	3
CONVULSION(S)	2
DEATH(EUTHANIZED)	2
DEPRESSION/LETHARGY	2



**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: UNKNOWN

<b>Sign:</b>	<b>Number of Times Reported:</b>
DIARRHEA	2
DISTRESS, RESP	2
PARALYSIS, HIND LIMB(S)	2
PR-LUNG(S), LESION(S)	2
SHOCK	2
VOMITING	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANISOCORIA	1
BLD, PASSING	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
BRADYCARDIA	1
CNS DISORDER	1
CONGESTION, LUNG(S)	1
COUGHING	1
DEAFNESS, TEMP	1
DIARRHEA, WATERY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DYSMETRIA	1
DYSPNEA	1
FROTH, MOUTH/LIP(S)	1
GLOBULIN HI, BLD	1
HEAD BOBBING	1
HYPERACTIVITY	1
HYPERPNEA	1
ILL	1
INEFFECT, DEMODEX MITES	1
INEFFECT, HW LARVAE	1
KIDNEY FAILURE	1
LIVER ENZYMES HI, BLD	1
MIOSIS	1
MURMUR, HEART	1
NEUROLOGICAL DISORDER	1
OPISTHOTONOS	1
PALLOR	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PARALYSIS	1
PARESIS, HIND LIMB(S)	1
POLYCYTHEMIA(RELATIVE)	1
PR-GI, LESION(S)	1
PR-HEARTWORM DISEASE	1
PR-KIDNEY(S), LESION(S)	1
PR-PLEURAL EFFUSION	1
REACTION, UNSPECIFIED	1
RESPIRATORY DISORDER	1
RETINA ABN	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
SPASM	1
STAGGERING	1
STIFFNESS	1
TOX	1

**DRUG: IVERMECTIN**

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INFECTION, EYE(S)	2
ANOREXIA	1
CONFUSION	1
CONGESTION, EYE(S)/LID	1
DEFECATION ABN	1
DIARRHEA	1
DIZZINESS	1
DYSURIA	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
EIPHORA	1
HEMATOCHEZIA	1
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PAIN	1
PAIN, ABDOMEN	1
PAIN, EYE(S)/LID(S)	1
PAIN, JOINT(S)	1
PROSTRATION	1
PRURITIS, EYE(S)	1
URINATION ABN	1
VOMITING	1

**DRUG: IVERMECTIN**

Species: MULE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
KICKING	1
PAIN, ABDOMEN	1

**DRUG: IVERMECTIN**

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
DIARRHEA	1
INEFFECT, ASCARIDS	1
INEFFECT, MITES	1

**DRUG: IVERMECTIN**

Species: RABBIT

Route of Administration: UNKNOWN

**DRUG: IVERMECTIN**

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
ATAXIA	1
DEATH	1
TREMBLING	1

**DRUG: IVERMECTIN**

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
STAGGERING	2
ATAXIA	1
DEATH	1

**DRUG: IVERMECTIN**

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ALOPECIA	1
DEATH	1
ILL	1
INEFFECT, ECTOPARASITE	1
INEFFECT, PARASITE(S)	1
PRURITIS	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ATAXIA	1
DEATH(EUTHANIZED)	1
HAIR, ABN	1
KIDNEY VALUES HI, BLD	1
MYDRIASIS	1

**DRUG: IVERMECTIN**

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
RECUMBENCY	1
TREMBLING	1
TWITCH	1

**DRUG: IVERMECTIN**

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
HYPERACTIVITY	1
VOCALIZATION	1

**DRUG: IVERMECTIN**

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
HYPOESTHESIA	1
IRRITATION, EYE(S)/LID	1
PD-SYRINGE, ABN	1

**DRUG: IVERMECTIN**

Species: SHEEP

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
RECUMBENCY	1
ROLLING	1