

CVM ADE Comprehensive Clinical Detail Report Listing:



Cumulative Date Range: 01/01/1987 -thru- 08/31/2012

Drug Listing: N;O;P;Q;R;S

DRUG: NALOXONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT	1

DRUG: NAPROXEN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
VOMITING	1

DRUG: NARASIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	7
PD-CONTAMINATION	1
PD-LABEL(S), ABN	1
PD-POTENCY, LO	1

DRUG: NARASIN, NICARBAZIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	6
PD-PRODUCT DEFECT	3
PD-POTENCY, HI	1

DRUG: NARASIN, NICARBAZIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: NARASIN, NICARBAZIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLOAT	1
DEATH(EUTHANIZED)	1
RECUMBENCY	1

DRUG: NARASIN, NICARBAZIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	19
EGG ABN	13
EGG PRODUCTION DOWN	11
INEFFECT, COCCIDIA	10
TECH ERROR, MIXING	4
DEPRESSION/LETHARGY	3
ENTERITIS	3
RECUMBENCY	3
ANOREXIA	2
DEATH(EUTHANIZED)	2
GI, ABNORMAL	2
INFLAM, SKIN	2
LOCOMOTION DISORDER	2
OFF FEED	2
ADIPSIA	1
ANEMIA	1
DEATH(SLAUGHTERED)	1
DEATH(TX FAILURE)	1
DIARRHEA, BLOODY	1
DISCHARGE, EYE(S)/LID(S)	1
FERTILITY, REDUCED	1
GLUCOSE LO, BLD	1
HATCHING ABN	1
HEAD TILT	1

DRUG: NARASIN, NICARBAZIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
KIDNEY DISORDER	1
NEUROLOGICAL DISORDER	1
PARALYSIS	1
PARESIS	1
POLYDIPSIA	1
PR-CROP, LESION(S)	1
PR-INTEST, LESION(S)	1
SEPTICEMIA	1
SKIN, NECROSIS	1
SORE(S)	1
THRASHING/PADDLING	1
TOX	1

DRUG: NARASIN, NICARBAZIN

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
DEATH	1

DRUG: NARASIN, NICARBAZIN

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
ACCIDENTAL EXPOSURE	1
FEVER, BODY	1
RECUMBENCY	1
TECH ERROR ADMINISTRAT	1
TECH ERROR, MIXING	1

DRUG: NARASIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	7
INEFFECT, COCCIDIA	7
DEATH(TX FAILURE)	2
INEFFECT, WEIGHT INC	2
ANOREXIA	1
DIARRHEA, BLOODY	1
DIARRHEA, WATERY	1
EGG PRODUCTION DOWN	1
ELIMINATION ABN	1
INFLAM, SKIN	1
PARESIS	1
PR-GI, LESION(S)	1
PR-INTEST, LESION(S)	1
SEPTICEMIA	1

DRUG: NARASIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ATAXIA	1
DISTENTION, ABDOMEN	1
PAIN, ABDOMEN	1
PR-LIVER, LESION(S)	1
PR-PERICARDIAL EFFUSIO	1

DRUG: NARASIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMENESS	2
DEATH	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DYSYPNEA	1

DRUG: NARASIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PNEUMONIA	1
SEPTICEMIA	1

DRUG: NARASIN

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
FEVER, BODY	1
ILL	1

DRUG: NARASIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
IRRITATION, PHARYNX/TH	1
RHINITIS	1

DRUG: N-BUTYL CHLORIDE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PAIN	1

DRUG: N-BUTYL CHLORIDE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	10
FROTH, MOUTH/LIP(S)	3

DRUG: N-BUTYL CHLORIDE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	3
ANOREXIA	2
CONVULSION(S)	2
HYPERACTIVITY	2
VOMITING, BLOODY	2
ADIPSIA	1
BLD, LUNG(S)/TRACHEA	1
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA	1
DYSPNEA	1
GAGGING	1
REGURGITATION	1
VOCALIZATION	1
WEAKNESS	1

DRUG: N-BUTYL CHLORIDE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	7
ANOREXIA	4
DEATH	4
DEPRESSION/LETHARGY	3
DEHYDRATION	2
DIARRHEA, BLOODY	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
BLOAT	1
FEVER, BODY	1
HYPERSALIVATION	1
ILL	1
STAGGERING	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: N-BUTYL CHLORIDE

Species: DOG

Route of Administration: ORAL

DRUG: N-BUTYL CHLORIDE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
UNKNOWN	1

DRUG: N-BUTYLSCOPOLAMMONIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	2
PD-CONTAMINATION	1
PD-MISSING, CAP	1
PD-VIAL(S), ABN	1

DRUG: N-BUTYLSCOPOLAMMONIUM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONSTIPATION	1
POSTURE ABN	1
RELUCTANT TO MOVE	1

DRUG: N-BUTYLSCOPOLAMMONIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	2
DEPRESSION/LETHARGY	2
UNCONSCIOUS	1

DRUG: N-BUTYLSCOPOLAMMONIUM

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	4
COLLAPSE	3
DEATH	2
DEATH(EUTHANIZED)	2
TACHYCARDIA	2
ADIPSIA	1
ANOREXIA	1
BLD, MOUTH/LIP(S)	1
CELLULITIS	1
COUGHING	1
DISTENTION, ABDOMEN	1
EPISTAXIS	1
FEVER, BODY	1
GASTROENTERITIS	1
HEAD BOBBING	1
HYPOMOTILITY	1
INJ SITE SLOUGH	1
KICKING	1
PAIN, ABDOMEN	1
POLYPNEA	1
RECUMBENCY	1
REFLUX, STOMACH	1
SHAKING	1
SPLENOMEGALY	1
STIFFNESS, NECK	1
SWEATING	1
TECH ERROR ADMINISTRAT	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
TREMBLING	1
TWITCH	1

DRUG: NEOMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	2

DRUG: NEOMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1
PD-GRANULES/POWDER, ABN	1
PD-POTENCY, LO	1
PD-PRODUCT DEFECT	1
PD-SEAL, ABN	1
TECH ERROR, MIXING	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	10
PD-UNDERFILL, PACKAGE	7
PD-UNDERFILL, TUBE(S)	7
PD-TUBE(S), DAMAGED	3
PD-APPLICATOR, ABN	2
PD-CONTAINER(S), DAMAG	2
PD-CAP(S), ABN	1
PD-MISSING, CAP	1
PD-SEAL, ABN	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEAFNESS, PARTIAL	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SQUINTING	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
POLYDIPSIA	1
POLYURIA	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: BIRD

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
DIARRHEA	1
LOCOMOTION DISORDER	1
VOMITING	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	3
ALOPECIA	2
ANOREXIA	2
CONVULSION(S)	2
DEAFNESS	2
DEATH	2
DEPRESSION/LETHARGY	2
MIOSIS	2
POLYDIPSIA	2
POLYURIA	2
PROLAPSE, THIRD EYELID	2
STUMBLING	2
ADIPSIA	1
ALKALINE URINE	1
DEAFNESS, TEMP	1
FEVER, BODY	1
HEAD TILT	1
INEFFECT, ANTIBIOTIC	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NO SIGNS	1
NYSTAGMUS	1
PAIN, ABDOMEN	1
PROTEIN, URINE	1
SHAKING, HEAD/FACE	1
STRANGURIA	1
TENESMUS, URINARY	1
URINATION ABN	1
WBC HI, BLD	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	78
DEAFNESS, TEMP	20
DEAFNESS, PARTIAL	8
SWELLING, HEAD/FACE	3
APPLICATION SITE ERYTHEMA	2
DEATH	2
DEPRESSION/LETHARGY	2
LESION(S), SKIN	2
PR-SKIN, LESION(S)	2
ABORTION	1
ALBUMIN LO, BLD	1
ANEMIA	1
ANEMIA, AUTOIMMUNE HEM	1
ANOREXIA	1
APPLICATION SITE EDEMA	1
APPLICATION SITE PRURITIS	1
ATAXIA	1
BEHAVIOR DISORDER	1
BIRTH DEFECT(S), LIMB(1
BIRTH, PREMATURE	1
BLD, ABN	1
BLD(ECCHYMOSES)	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BLD(PETECHIAE)	1
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
DISCHARGE, EAR(S)	1
DYSTOCIA	1
FEVER, BODY	1
HYPERPIGMENTATION, SKI	1
IMMUNE DISORDER	1
INEFFECT	1
INJ SITE EDEMA	1
INJ SITE SWELLING	1
IRRITATION, EAR(S)	1
IRRITATION, SKIN	1
NERVOUSNESS	1
PACING	1
PALLOR, MUCOUS MEMBRAN	1
PLATELETS LO, BLD	1
POLYDIPSIA	1
POLYURIA	1
PR-HEARTWORM DISEASE	1
PRURITIS	1
SKIN DISORDER	1
SWELLING	1
SWELLING, EAR(S)	1
TYMPANIC MEM, RUPTURED	1
URINATION	1
URTICARIA	1
VOCALIZATION	1
VOMITING	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEAFNESS	3
DEAFNESS, PARTIAL	1
IRRITATION, EYE(S)/LID	1

DRUG: NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCII

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
INEFFECT, ANTIINFLAM	1

DRUG: NEOMYCIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	4
DEATH(SLAUGHTERED)	1
EDEMA	1

DRUG: NEOMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, PROTOZOA	2
DEAFNESS	1

DRUG: NEOMYCIN

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

DRUG: NEOMYCIN

Species: GOAT

Route of Administration: ORAL

DRUG: NEOMYCIN, POLYMYXIN B & DEXAMETHASONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: NEOMYCIN, POLYMYXIN B & DEXAMETHASONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
LESION(S), SKIN	1

DRUG: NEOMYCIN, TYLOSIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN DISORDER	1

DRUG: NICARBAZIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	5
EGG PRODUCTION DOWN	2
EGG ABN	1
HATCHING ABN	1
TECH ERROR, MIXING	1

DRUG: NICARBAZIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1

DRUG: NITAZOXANIDE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GEL/PASTE, ABN	1
PD-UNDERFILL, PACKAGE	1

DRUG: NITAZOXANIDE

Species: ALPACA

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
CONFUSION	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	28
FEVER, BODY	26
RECUMBENCY	23
LAMINITIS	18
ANOREXIA	17
LAMENESS	15
DEPRESSION/LETHARGY	14
TACHYCARDIA	13
DIFFICULTY RISING	12
DIARRHEA, MILD	11
DIARRHEA	10

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PROTEIN(TOT) LO, BLD	9
ATAXIA	8
WBC LO, BLD	8
EDEMA, LIMB(S)	7
PARESIS, HIND LIMB(S)	7
WBC HI, BLD	7
NEUROLOGICAL DISORDER	6
RELUCTANT TO MOVE	6
DEATH	5
DEHYDRATION	5
FIBRINOGEN HI, BLD	5
PAIN	5
PAIN, ABDOMEN	5
PR-COLON, LESION(S)	5
BUN HI, BLD	4
COLITIS	4
DIARRHEA, PROJECTILE	4
EDEMA, VENTRAL	4
INEFFECT, PROTOZOA	4
RADIOGRAPH(S) ABN	4
ALBUMIN LO, BLD	3
ANEMIA	3
CREATININE HI, BLD	3
DIARRHEA, SEVERE	3
HYPERPNEA	3
HYPOMOTILITY	3
MUCOUS MEMBR, ABN COLO	3
PAIN, FEET/DIGIT(S)	3
POLYCYTHEMIA	3
PR-CECUM, LESION(S)	3
PR-SM INTEST, LESION(S)	3
SEGS HI, BLD	3
SEGS LO, BLD	3
STOOL ABN	3
WEIGHT LOSS	3
BLD, URINE	2
CAPILLARY REFILL PROLO	2
CYANOSIS, MUCOUS MEMBR	2

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, WATERY	2
DIC	2
DYSPHAGIA	2
EDEMA, HEAD/FACE	2
EPISTAXIS	2
GLOBULIN LO, BLD	2
HYPERMOTILITY	2
HYPOTHERMIA	2
K HI, BLD	2
NA LO, BLD	2
PR-LIVER, LESION(S)	2
URTICARIA	2
WEAKNESS	2
ABN COLOR, URINE	1
ADIPSIA	1
ALOPECIA	1
ANEMIA, HEMOLYTIC	1
APNEA	1
ARREST, HEART	1
BILIRUBIN(DIR) HI, BLD	1
BLD, LUNG(S)/TRACHEA	1
BLD(PETECHIAE)	1
BREATHING, DIFFICULT	1
BUN LO, BLD	1
CA HI, BLD	1
CA LO, BLD	1
CHLORIDE LO, BLD	1
CHOLESTEROL LO, BLD	1
COLLAPSE	1
CONGESTION, MUCOUS MEM	1
CONVULSION(S)	1
CREATININE LO, BLD	1
CULTURE/TITER DATA ABN	1
DEATH(TX FAILURE)	1
DEFECATION ABN	1
DISCHARGE, NOSE	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISTENTION, CECUM	1
DISTRESS, RESP	1
DYSPNEA	1
DYSRHYTHMIA, RESP	1
EDEMA, PHARYNX	1
ENTERITIS	1
FEVER, JOINT(S)	1
GI, ABNORMAL	1
GINGIVITIS	1
GLUCOSE HI, BLD	1
ICTERUS, BODY	1
INFLAM, SKIN	1
K LO, BLD	1
LESION(S), SKIN	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
LOSS OF CONDITION	1
LYMPHS LO, BLD	1
MELENA	1
MUCOUS MEMBR, RED	1
MURMUR, HEART	1
NA:K LO, BLD	1
NOSE ABN	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PHARYNGITIS	1
PNEUMONIA	1
POLYCYTHEMIA(RELATIVE)	1
PR-BONE MARROW, LESION	1
PR-BRAIN, LESION(S)	1
PR-CEREBELLUM, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-SPINAL CORD, LESION	1
PR-STOMACH, LESION(S)	1
SGOT/AST HI, BLD	1
SHOCK, ENDOTOXEMIA	1

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
SOUND ABN, RESPIRATORY	1
STAGGERING	1
STIFFNESS	1
STRANGURIA	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
US ABN	1

DRUG: NITAZOXANIDE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: NITAZOXANIDE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN ABNORMAL	3
DEPRESSION/LETHARGY	2
NAIL DISORDER	2
ANOREXIA	1
APPLICATION SITE ABNORMAL	1
DIZZINESS	1
HYPERPIGMENTATION, SKI	1
SKIN DISORDER	1
SOMNOLENCE	1

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: NITAZOXANIDE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
INFECTION	1

DRUG: NITENPYRAM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	104
PD-CONTAINER(S), ABN	8
PD-TABLET(S), ABN	7
PD-MISSING, LABEL(S)	5
PD-DEFECT UNKNOWN	3
PD-LABEL(S), ABN	3
PD-PRODUCT DEFECT	2
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1

DRUG: NITENPYRAM

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH(STILLBORN)	2
DEATH	1
DEATH(NEWBORN)	1
PR-BRAIN, LESION(S)	1
PR-EYE(S)/LID(S), LESI	1

DRUG: NITENPYRAM

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
SUMMARY REVIEW	9

DRUG: NITENPYRAM

Species: CAT

Route of Administration: NOT APPLICABLE

DRUG: NITENPYRAM

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
SUMMARY REVIEW	2

DRUG: NITENPYRAM

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
EYE DISORDER	1
IRRITATION, EYE(S)/LID	1
PRURITIS, EYE(S)	1

DRUG: NITENPYRAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERACTIVITY	501
POLYPNEA	326
PRURITIS	219
DEPRESSION/LETHARGY	182
VOCALIZATION	160
HYPERPNEA	86
VOMITING	85
FEVER, BODY	84
ANOREXIA	82
NERVOUSNESS	71
DEATH	61
BEHAVIOR DISORDER	60
DYSYPNEA	56
DIARRHEA	53
LICKING	53
HYPERSALIVATION	52
ATAXIA	42

DRUG: NITENPYRAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, FLEAS	40
MYDRIASIS	37
CONVULSION(S)	36
TACHYCARDIA	34
BITING/CHEWING	31
TREMBLING	27
HIDING	26
APPREHENSION	21
TWITCH	18
ANEMIA	12
AGGRESSION	11
COLLAPSE	10
PALLOR, MUCOUS MEMBRAN	10
ANAPHYLAXIS/TOID	9
HYPOTHERMIA, BODY	9
RECUMBENCY	9
CONFUSION	7
DEATH(EUTHANIZED)	7
DEHYDRATION	7
DIARRHEA, BLOODY	7
INCONTINENCE, URINARY	7
SOMNOLENCE	7
WEIGHT LOSS	7
ADIPSIA	6
GLUCOSE LO, BLD	6
SHAKING	6
WEAKNESS	6
APNEA	5
BUN HI, BLD	5
CYANOSIS	5
DISTRESS	5
NYSTAGMUS	5
POLYDIPSIA	5
SNEEZING	5
WBC HI, BLD	5
DEFECATION	4
PACING	4
PAIN	4

DRUG: NITENPYRAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LUNG(S), LESION(S)	4
PROLAPSE, TONGUE	4
STUPOR	4
BREATHING ABN	3
CONGESTION, SKIN	3
CONSTIPATION	3
CYANOSIS, MUCOUS MEMBR	3
EYE DISORDER	3
HEAD TILT	3
HYPERESTHESIA	3
LICKING, FEET/DIGIT(S)	3
P HI, BLD	3
PR-HEART, LESION(S)	3
PR-LIVER, LESION(S)	3
PROLAPSE, THIRD EYELID	3
PUPIL(S), AREFLEXIA	3
UNCONSCIOUS	3
URINATION	3
BLD, URINE	2
CARDIOMEGALY	2
CONGESTION, MUCOUS MEM	2
CREATININE HI, BLD	2
DIARRHEA, MUCOID	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, NOSE	2
DYSURIA	2
EDEMA, HEAD/FACE	2
EFFUSION, PLEURAL	2
EOSINOS HI, BLD	2
FROTH, MOUTH/LIP(S)	2
GAGGING	2
GLUCOSE HI, BLD	2
HAIR, ABN	2
HEART FAILURE	2
HEMATOCHEZIA	2
ILL	2
INFECTION, URINARY TRA	2
INFLAM, SKIN	2

DRUG: NITENPYRAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION	2
NEUROLOGICAL DISORDER	2
NOSE ABN	2
PARESIS, HIND LIMB(S)	2
POSTURE ABN	2
PR-COLON, LESION(S)	2
PR-KIDNEY(S), LESION(S)	2
PRURITIS, FEET/DIGIT(S)	2
RADIOGRAPH(S) ABN	2
RESPIRATORY DISORDER	2
SEGS HI, BLD	2
SKIN ABNORMAL	2
SKIN, SCAB(S)	2
STAGGERING	2
STARING	2
STUMBLING	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, HEAD/FACE	2
TONGUE, ABN	2
VISION DISORDER	2
VOMITING, BLOODY	2
WBC LO, BLD	2
ABN COLOR, URINE	1
ABORTION	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ALOPECIA	1
ANEMIA, REGEN	1
AZOTEMIA	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), TORSO	1
BLD, MOUTH/LIP(S)	1
BLD, RECTUM	1
BLINDNESS	1
BLINDNESS, TEMP	1
BRADYCARDIA	1
CA HI, BLD	1
CATARACT(S)	1

DRUG: NITENPYRAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHOKING	1
CIRCLING	1
CONGESTION, TONGUE	1
COUGHING	1
DEAFNESS	1
DESTRUCTIVENESS	1
DIARRHEA, PROJECTILE	1
DIARRHEA, SEVERE	1
DISCOMFORT	1
DISTRESS, RESP	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PERITONEAL	1
EPIPHORA	1
GLOBULIN HI, BLD	1
HYPOPNEA	1
HYPOTHERMIA	1
INCONTINENCE, FECAL	1
INFECTION	1
K HI, BLD	1
KIDNEY FAILURE	1
LAMENESS	1
LARYNGITIS	1
LESION(S), MOUTH/LIP(S)	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
LIVER ENZYMES HI, BLD	1
LYMPHS HI, BLD	1
LYMPHS LO, BLD	1
MELENA	1
MURMUR, HEART	1
NA HI, BLD	1
NYSTAGMUS, POSITIONAL	1
PAIN, ABDOMEN	1
PAIN, HIND LIMB(S)	1
PICA	1
PLATELETS HI, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1

DRUG: NITENPYRAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYURIA	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
PROTRUSION, EYE(S)	1
PROTRUSION, TONGUE	1
PR-PANCREAS, LESION(S)	1
REFLEX(ES) ABN	1
RELUCTANT TO CLIMB	1
RETICULOCYTES HI, BLD	1
SEGS LO, BLD	1
SGPT/ALT HI, BLD	1
SHOCK	1
SKIN, NECROSIS	1
SQUINTING	1
STIFFNESS, HIND LIMB(S)	1
STIFFNESS, LIMB(S)	1
STOMATITIS	1
STOOL ABN	1
STRANGURIA	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PHARYNX/THRO	1
TAIL DISORDER	1
TECH ERROR ADMINISTRAT	1
THROMBUS	1
TREMBLING, FACE	1
ULCER(S), MOUTH/LIP(S)	1
UNPALATABLE, WON'T SWA	1
URTICARIA	1
VESTIBULAR DISORDER	1
VOMITING, SEVERE	1
VOMITING, UNPRODUCTIVE	1
WHEEZING	1

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	276
VOMITING	223
PRURITIS	156
INEFFECT, FLEAS	136
ANOREXIA	132
DIARRHEA	115
HYPERACTIVITY	96
TREMBLING	55
ATAXIA	54
CONVULSION(S)	52
POLYPNEA	49
DIARRHEA, MILD	47
VOCALIZATION	42
DEATH	36
HYPERSALIVATION	36
CONGESTION, SKIN	33
ANAPHYLAXIS/TOID	31
URTICARIA	26
NERVOUSNESS	23
FEVER, BODY	21
HYPERPNEA	18
BEHAVIOR DISORDER	17
DIARRHEA, BLOODY	16
DYSYPNEA	16
INFLAM, SKIN	16
TACHYCARDIA	16
COLLAPSE	14
EPIPHORA	14
RECUMBENCY	14
VOMITING, UNPRODUCTIVE	14
CONFUSION	13
TWITCH	12
WEAKNESS	12
DEATH(EUTHANIZED)	11
ALK PHOS HI, BLD	10
ANEMIA	10
COUGHING	10
SGPT/ALT HI, BLD	10

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SHAKING	10
WBC HI, BLD	10
ALOPECIA	9
GLUCOSE LO, BLD	9
POLYDIPSIA	9
RASH	9
SWELLING, HEAD/FACE	9
APPREHENSION	8
BITING/CHEWING	8
DEATH(NEWBORN)	8
DEHYDRATION	8
ADIPSIA	7
CIRCLING	7
PALLOR, MUCOUS MEMBRAN	7
VOMITING, BLOODY	7
BUN HI, BLD	6
GAGGING	6
HEMATOCHEZIA	6
HIDING	6
HYPOTHERMIA, BODY	6
PLATELETS LO, BLD	6
SOMNOLENCE	6
BLD, URINE	5
EDEMA, HEAD/FACE	5
EDEMA, LIMB(S)	5
GLOBULIN LO, BLD	5
NOSE ABN	5
P HI, BLD	5
POLYURIA	5
PROTEIN(TOT) LO, BLD	5
SEGS HI, BLD	5
WEIGHT LOSS	5
AGGRESSION	4
ALBUMIN LO, BLD	4
APNEA	4
CREATININE HI, BLD	4
DEATH(STILLBORN)	4
EPISTAXIS	4

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
GLUCOSE HI, BLD	4
HALLUCINATION	4
INCONTINENCE, URINARY	4
MYDRIASIS	4
PAIN	4
PARESIS	4
PARESIS, HIND LIMB(S)	4
PICA	4
STUPOR	4
BILIRUBIN(TOT) HI, BLD	3
BLD, MOUTH/LIP(S)	3
BLD(PETECHIAE)	3
DIARRHEA, WATERY	3
EYE DISORDER	3
FROTH, MOUTH/LIP(S)	3
HEPATOMEGALY	3
HYPERESTHESIA	3
INFECTION, SKIN	3
LAMENESS	3
LESION(S), SKIN	3
LIVER ENZYMES HI, BLD	3
MELENA	3
NA LO, BLD	3
NAUSEA	3
NEUROLOGICAL DISORDER	3
ROLLING	3
SHAKING, HEAD/FACE	3
SHOCK	3
SPEC GRAVITY LO, URINE	3
STAGGERING	3
STOOL, MUCOID	3
SWELLING, EYE(S)/LID(S)	3
UNCONSCIOUS	3
URINATION	3
ALBUMIN HI, BLD	2
ANEMIA, AUTOIMMUNE HEM	2
ARREST, HEART	2
BLD, LUNG(S)/TRACHEA	2

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, SCLERA	2
BLINDNESS	2
CHLORIDE LO, BLD	2
CONJUNCTIVITIS	2
CONSTIPATION	2
CPK HI, BLD	2
CREATININE LO, BLD	2
CYANOSIS, MUCOUS MEMBR	2
DEFECATION	2
DERMATITIS, MOIST	2
DISCHARGE, EYE(S)/LID(S)	2
DISCHARGE, NOSE	2
DISCOMFORT	2
DISTENTION, ABDOMEN	2
DYSMETRIA	2
EDEMA, EYE(S)/LID(S)	2
ENLARGEMENT, LYMPH NOD	2
FLATULENCE	2
HEAD BOBBING	2
HEAD TILT	2
HYPERPIGMENTATION, SKI	2
HYPOTHERMIA	2
ICTERUS, BODY	2
ILL	2
INFECTION, FEET/DIGIT(2
INFECTION, URINARY TRA	2
IRRITATION, PERINEUM	2
LOCOMOTION DISORDER	2
LOSS OF CONDITION	2
MIOSIS	2
ODOR	2
ODOR, MOUTH	2
PACING	2
PAIN, ABDOMEN	2
POLYCYTHEMIA	2
PROTEIN, URINE	2
PR-SKIN, LESION(S)	2
PUPIL(S), AREFLEXIA	2

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
RADIOGRAPH(S) ABN	2
RELUCTANT TO CLIMB	2
SCALE(S), SKIN	2
SGOT/AST HI, BLD	2
SOUND ABN, RESPIRATORY	2
SPASM	2
STARING	2
SWELLING, MOUTH/LIP(S)	2
ULCER(S), CORNEA(S)	2
VISION DISORDER	2
VOMITING, SEVERE	2
WBC LO, BLD	2
ABN COLOR, URINE	1
ALKALINE URINE	1
AMYLASE HI, BLD	1
ARRHYTHMIA	1
BANDS HI, BLD	1
BILIRUBIN, URINE	1
BIRTH DEFECT(S)	1
BLD(ECCHYMOSES)	1
BLD, RECTUM	1
BLEPHAROSPASM	1
BORBORYGMI	1
BREATHING ABN	1
BRONCHITIS	1
CA HI, BLD	1
CARDIOMEGALY	1
CHOKING	1
CHOLESTEROL HI, BLD	1
COLITIS	1
CONGESTION	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
COPROPHAGIA	1
CYANOSIS	1
DEFECATION ABN	1
DEMENTIA	1
DIARRHEA, MUCOID	1

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, PROJECTILE	1
DISTRESS	1
DIZZINESS	1
EAR DISORDER	1
ECG ABN	1
EDEMA	1
EDEMA, MULTIPLE SITES	1
EFFUSION, PERICARDIAL	1
EFFUSION, PERITONEAL	1
ERUPTION(S)	1
GI, ABNORMAL	1
GLUCOSE, URINE	1
HAIR, SHEDDING	1
HYPOADRENOCORTICISM	1
HYPOESTHESIA, FEET/DIG	1
HYPOPNEA	1
IMMUNE DISORDER	1
INFECTION, UTERUS	1
INFLAM	1
INTERACTION, DRUG(S)	1
IRRITATION, EYE(S)/LID	1
KERATOCONJUNCTIVITIS S	1
K HI, BLD	1
LABOR, PREMATURE	1
LICKING	1
LIPASE HI, BLD	1
MG LO, BLD	1
MONOS HI, BLD	1
MONOS LO, BLD	1
MORIBUND	1
MURMUR, HEART	1
NA HI, BLD	1
NEOPLASM	1
NEOPLASM, LIVER	1
NYSTAGMUS	1
NYSTAGMUS, POSITIONAL	1
NYSTAGMUS, ROTARY	1
ODOR, URINE	1

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, BACK	1
PAIN, LIMB(S)	1
PAIN, NECK	1
PAIN, SPINAL	1
PALLOR	1
PANCREATITIS	1
PARALYSIS, ALL LIMBS	1
PLATELETS HI, BLD	1
POLAKIURIA	1
POLYCYTHEMIA(RELATIVE)	1
POSTURE ABN	1
PR-BRAIN, LESION(S)	1
PRESSURE LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, CONGEST	1
PR-SPLEEN, LESION(S)	1
PRURITIS, EAR(S)	1
PULSE THREADY	1
PUSTULE(S)	1
REACTION, UNSPECIFIED	1
REFLEX(ES) ABN	1
REGURGITATION	1
RELUCTANT TO MOVE	1
SEBORRHEA	1
SKIN ABNORMAL	1
SKIN, CRUST(S)	1
SLOUGH, FEET/DIGIT(S)	1
SORE(S)	1
STIFFNESS, HIND LIMB(S)	1
STOOL ABN	1
SWELLING	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, JOINT(S)	1
SWELLING, MAMMARY	1
TENESMUS, RECTAL	1
THRASHING/PADDLING	1
TREMBLING, FACE	1

DRUG: NITENPYRAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UDDER, HYPOGALACTIA	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), SKIN	1
US-LIVER ABN	1
VESTIBULAR DISORDER	1
VOLVULUS, STOMACH	1
WEIGHT INCREASE	1

DRUG: NITENPYRAM

Species: FERRET

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
COLLAPSE	1
DIARRHEA	1
DYSPNEA	1
HYPERACTIVITY	1
HYPERSALIVATION	1
NERVOUSNESS	1
PALLOR, MUCOUS MEMBRAN	1
SPLENOMEGALY	1

DRUG: NITENPYRAM

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	8
DIARRHEA	5
HEADACHE	5
VOMITING	4
APPREHENSION	3
DEPRESSION/LETHARGY	3
HOT FLUSH	3
PAIN, ABDOMEN	2
PRURITIS	2

DRUG: NITENPYRAM

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
SOMNOLENCE	2
TASTE ABNORMALITY	2
ANAPHYLAXIS/TOID	1
CONGESTION, SKIN	1
DEHYDRATION	1
DIZZINESS	1
GLOSSITIS	1
HUMAN EXPOSURE, INGEST	1
ILL	1
RASH	1
STOOL ABN	1
SWELLING, EYE(S)/LID(S)	1
XEROSTOMIA	1

DRUG: NITENPYRAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1

DRUG: NITENPYRAM

Species: CAT

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
LESION(S), SKIN	1
VOCALIZATION	1

DRUG: NITENPYRAM

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: NITENPYRAM

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1
LICKING	1

DRUG: NITENPYRAM

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	4
NAUSEA	2
ANAPHYLAXIS/TOID	1
CONGESTION, SKIN	1
DERMATITIS, MOIST	1
DIZZINESS	1
HYPOESTHESIA	1
IRRITATION, PHARYNX/TH	1
PRURITIS	1
SWELLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
TASTE ABNORMALITY	1
URTICARIA	1
VESICLE(S)/BULLAE, SKI	1
VOMITING	1

DRUG: NITENPYRAM

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
PRURITIS	1

DRUG: NITRASONE

Species: BIRD

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
ILL	1

DRUG: NITRASONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALBUMIN HI, BLD	1
ALK PHOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLD, URINE	1
BUN HI, BLD	1
CA HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
DIARRHEA, BLOODY	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
K HI, BLD	1
P HI, BLD	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, BLD	1
SEGS HI, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
VOMITING, BLOODY	1
WBC HI, BLD	1

DRUG: NITROFURAZONE

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
INFECTION, EYE(S)	1
ULCER(S), CORNEA(S)	1

DRUG: NITROFURAZONE

Species: CAT

Route of Administration: OPHTHALMIC

DRUG: NITROFURAZONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLADDER, PARALYSIS	1
NEUROLOGICAL DISORDER	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1

DRUG: NITROFURAZONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NEOPLASM, SKIN	1

DRUG: NITROFURAZONE

Species: UNKNOWN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
GRANULOMA	1

DRUG: NOVOBIOCIN

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, MASTITIS	1
UDDER, PAIN	1
UDDER, SWELLING	1

DRUG: NOVOBIOCIN, PENICILLIN G PROCAINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	3
PD-CAP(S), ABN	2
PD-DISPENSER, ABN	2
PD-TUBE(S), LEAKING	2
PD-UNDERFILL, TUBE(S)	2
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-MISSING, CAP	1
PD-MISSING, LABEL(S)	1
PD-SUSPENSION, ABN	1
PD-SYRINGE, ABN	1
PD-TUBE(S), DAMAGED	1

DRUG: NOVOBIOCIN, PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
RESIDUE, MILK	4
ABORTION	2
DEATH	2
DEPRESSION/LETHARGY	2
INEFFECT	2
UDDER, MASTITIS	2
ANOREXIA	1
DEATH(NEWBORN)	1
DIARRHEA, SEVERE	1
INJ SITE ABSCESS	1
KETOSIS	1
LABOR, PREMATURE	1
PD-SEAL, ABN	1
UDDER, ABN	1
UDDER, HARD	1
UDDER, MILK ABN	1
UDDER, MILK WATERY	1
UDDER, SWELLING	1
UDDER, TEAT(S) DISORDE	1

DRUG: NOVOBIOCIN, PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

DRUG: NOVOBIOCIN, PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1

DRUG: NOVOBIOCIN, PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: NOVOBIOCIN, PREDNISOLONE, TETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	1
PD-TABLET(S), ABN	1

DRUG: NOVOBIOCIN, PREDNISOLONE, TETRACYCLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPREHENSION	1
CONFUSION	1
DEATH	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
HYPERSALIVATION	1

DRUG: NOVOBIOCIN, PREDNISOLONE, TETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DIARRHEA, BLOODY	2
ALK PHOS HI, BLD	1
ANOREXIA	1
BLD, URINE	1
BRADYCARDIA	1
BUN HI, BLD	1
CYSTITIS	1
DEPRESSION/LETHARGY	1
DIABETES MELLITUS	1
DYSYPNEA	1
HYPERPNEA	1
ILL	1
INEFFECT, ANTIINFLAM	1
INFLAM, SKIN	1
KERATOCONJUNCTIVITIS S	1
LEUKODERMA	1
LIPASE HI, BLD	1
NEOPLASM	1
PANCREATITIS	1
PARESIS	1
PHOTOSENSITIZATION	1
POLYDIPSIA	1
POLYPHAGIA	1
PR-PANCREAS, LESION(S)	1
RADIOGRAPH(S) ABN	1
SKIN DISORDER	1
VOMITING	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: NOVOBIOCIN, TETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIABETES MELLITUS	1

DRUG: NOVIOBIOCIN, TETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1
NEOPLASM	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-POTENCY, LO	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
IMMUNOSUPPRESSION	1
PLATELETS LO, BLD	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	2
ANOREXIA	1
DIARRHEA	1
HIDING	1
INEFFECT	1
NAUSEA	1
PD-ODOR, ABN	1
UNPALATABLE, WON'T EAT	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
DEATH	3
DEPRESSION/LETHARGY	2
ARREST, HEART	1
DEAFNESS	1
DEHYDRATION	1
DIARRHEA	1
DYSPNEA	1
ENLARGEMENT(S), SKIN	1
FEVER, BODY	1
GASTRITIS	1
GI, ABNORMAL	1
HEPATOMEGALY	1
INFECTION	1
IRRITATION, EAR(S)	1
LIVER DISORDER	1
MASS	1
NEOPLASM, LIVER	1
PANCREATITIS	1
PROSTRATION	1
PRURITIS	1
RADIOGRAPH(S) ABN	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), FEET/DIGIT(S)	1
WEIGHT INCREASE	1
WEIGHT LOSS	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	6
DIARRHEA	3
HYPERACTIVITY	2
PD-ODOR, ABN	2
SWELLING, LIMB(S)	2
ANOREXIA	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
COUGHING	1
DEPRESSION/LETHARGY	1
DERMATITIS, MOIST	1
DIARRHEA, MILD	1
DYSPNEA	1
INFLAM, SKIN	1
NERVOUSNESS	1
SORE(S)	1
SPASM	1
SWELLING, BRISKET/CHES	1
UNPALATABLE, WON'T EAT	1

DRUG: NUTRITIONAL PRODUCTS WITH THERAPEUTIC CL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ENLARGEMENT(S), SKIN	1
LESION(S), SKIN	1
MACULE(S)	1

DRUG: OMEPRAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	57
PD-TUBE(S), LEAKING	42
SYRINGE, LOCKING RING	28
PD-CAP(S), ABN	20
PD-SYRINGE, ABN	19
PD-MISSING, CAP	12
PD-TUBE(S), DAMAGED	6
PD-LABEL(S), ABN	5
PD-MISSING, LABEL(S)	5
PD-TUBE(S), ABN	5

DRUG: OMEPRAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, TUBE(S)	5
PD-CONTAINER(S), ABN	4
PD-LOCK, ABN	4
PD-COLOR, ABN	2
PD-DISPENSER, ABN	2
PD-GEL/PASTE, ABN	2
PD-CONTAINER(S), DAMAG	1
PD-DEFECT UNKNOWN	1
PD-PRODUCT DEFECT	1

DRUG: OMEPRAZOLE

Species: ALPACA

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEPRESSION/LETHARGY	1
HYPOMOTILITY	1

DRUG: OMEPRAZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
TREMBLING	1
VOMITING	1

DRUG: OMEPRAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, GASTRIC ULCER(S)	43
PAIN, ABDOMEN	6
FEVER, BODY	5

DRUG: OMEPRAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
GGT HI, BLD	5
ANOREXIA	4
DEPRESSION/LETHARGY	4
INEFFECT	4
DIARRHEA	3
GI, ABNORMAL	3
SWELLING, HEAD/FACE	3
ALK PHOS HI, BLD	2
DEATH	2
FLATULENCE	2
HYPERSALIVATION	2
INEFFECT, LOSS OF EFFE	2
LESION(S)	2
OFF FEED	2
PD-LOCK, ABN	2
PERFORATION, GI	2
SEPSIS	2
SWEATING	2
SYRINGE, LOCKING RING	2
URTICARIA	2
ADIPSIA	1
ALOPECIA	1
APPLICATION SITE SWELLING	1
BEHAVIOR DISORDER	1
BILE ACIDS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLOAT	1
BORBORYGMI	1
DEFECATION ABN	1
DIARRHEA, MILD	1
ERUCTATION	1
GLUCOSE HI, BLD	1
HAIR, ABN	1
HEALING IMPAIRED	1
HOOF DISORDER	1
HYPERACTIVITY	1
HYPERKERATOSIS	1
HYPERSENSITIVE, SOUND	1

DRUG: OMEPRAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ICTERUS	1
INTERACTION, DRUG(S)	1
LIPASE HI, BLD	1
POLYDIPSIA	1
RELUCTANT TO MOVE	1
REPETITIVE MOVEMENTS	1
SELF-MUTILATION	1
SGOT/AST HI, BLD	1
STARING	1
STOOL ABN	1
SWELLING, MOUTH/LIP(S)	1
TREMBLING	1
TRIGLYCERIDES HI, BLD	1
US ABN	1
WEIGHT LOSS	1

DRUG: OMEPRAZOLE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: OMEPRAZOLE

Species: LLAMA

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

DRUG: OMEPRAZOLE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, GASTRIC ULCER(S)	4

DRUG: OMEPRAZOLE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA, MILD	1

DRUG: ONDANSETRON

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
ATONY, BLADDER	1
BLD, SCLERA	1
CHOKING	1
CONGESTION, SKIN	1
COUGHING	1
DEATH(EUTHANIZED)	1
DEHISCENCE	1
DYSPHAGIA	1
FEVER, BODY	1
INCONTINENCE, FECAL	1
KERATOCONJUNCTIVITIS S	1
STARING	1
WEAKNESS	1

DRUG: ORBIFLOXACIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), DAMAGED	12
PD-TABLET(S), ABN	7
PD-VIAL(S), LEAKING	6
PD-UNDERFILL, VIAL(S)	5
PD-VIAL(S), ABN	5
PD-SYRINGE, ABN	4
PD-SEAL, ABN	3
PD-SUSPENSION, ABN	3
PD-CAP(S), ABN	2

DRUG: ORBIFLOXACIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-ODOR, ABN	2
INEFFECT, ANTIBIOTIC	1
PD-CONTAINER(S), ABN	1
PD-UNDERFILL, PACKAGE	1

DRUG: ORBIFLOXACIN, MOMETASONE, POSACONAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-APPLICATOR, ABN	2
PD-MISSING, CAP	2
PD-UNDERFILL, TUBE(S)	2
PD-CONTAINER(S), ABN	1

DRUG: ORBIFLOXACIN, MOMETASONE, POSACONAZOLE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
POLYDIPSIA	1
POLYURIA	1
PRURITIS	1

DRUG: ORBIFLOXACIN, MOMETASONE, POSACONAZOLE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEAFNESS	25
INEFFECT, ANTIBIOTIC	6
APPLICATION SITE ERYTHEMA	4
DEAFNESS, TEMP	4
VOMITING	3
APPLICATION SITE INFLAM	2

DRUG: ORBIFLOXACIN, MOMETASONE, POSACONAZOLE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT	2
AGGRESSION	1
ALOPECIA	1
ANOREXIA	1
APPLICATION SITE EDEMA	1
BITING/CHEWING	1
CONGESTION, EAR(S)	1
CONGESTION, SKIN	1
DEAFNESS, PARTIAL	1
DEPRESSION/LETHARGY	1
DIABETES MELLITUS	1
DIARRHEA, PROJECTILE	1
EAR DISORDER	1
ERYTHEMA MULTIFORME	1
FEVER, BODY	1
FLATULENCE	1
GLUCOSE HI, BLD	1
GLUCOSE, URINE	1
IRRITATION, EAR(S)	1
NOSE ABN	1
PARALYSIS, FACIAL NERV	1
PLATELETS LO, BLD	1
PRURITIS	1
RASH	1
SCALE(S), SKIN	1
SKIN, CRUST(S)	1
SWELLING, EAR(S)	1
SWELLING, HEAD/FACE	1
TREMBLING	1
TREMBLING, FACE	1
TWITCH	1

DRUG: ORBIFLOXACIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: ORBIFLOXACIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLINDNESS	27
VOMITING	24
MYDRIASIS	23
ANOREXIA	21
ATAXIA	20
DEPRESSION/LETHARGY	20
DEATH	14
CONVULSION(S)	13
BLINDNESS, TEMP	11
DEATH(EUTHANIZED)	11
HYPERSALIVATION	11
RETINA ABN	11
DYSPNEA	7
TREMBLING	7
CREATININE HI, BLD	6
DIARRHEA	6
INEFFECT, ANTIBIOTIC	6
PRESSURE HI, BLD	6
WEAKNESS	6
CONFUSION	5
ANEMIA	4
DEHYDRATION	4
GLUCOSE HI, BLD	4
HIDING	4
TWITCH	4
ANAPHYLAXIS/TOID	3
BLD, URINE	3
HYPERESTHESIA	3
NEUROLOGICAL DISORDER	3
NYSTAGMUS	3
PARALYSIS	3
PARESIS, HIND LIMB(S)	3
PUPIL(S), AREFLEXIA	3
RADIOGRAPH(S) ABN	3
RECUMBENCY	3
REFLEX(ES) ABN	3
STIFFNESS	3
STUPOR	3

DRUG: ORBIFLOXACIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	3
VOCALIZATION	3
WEIGHT LOSS	3
ALK PHOS HI, BLD	2
ANISOCORIA	2
APPREHENSION	2
BLD, RETINA	2
BUN HI, BLD	2
COLLAPSE	2
EDEMA, CORNEA(S)	2
EDEMA, LUNG(S)/TRACHEA	2
HEAD TILT	2
HYPOTHERMIA	2
ICTERUS, BODY	2
INTERACTION, DRUG(S)	2
KIDNEY FAILURE	2
LAMENESS	2
NERVOUSNESS	2
PAIN, ABDOMEN	2
P HI, BLD	2
RELUCTANT TO CLIMB	2
SPASM	2
TREMBLING, FACE	2
VESTIBULAR DISORDER	2
WBC HI, BLD	2
WBC LO, BLD	2
ACCIDENTAL EXPOSURE	1
ACIDOSIS	1
AGGRESSION	1
AMYLASE HI, BLD	1
ANURIA	1
ARREST, HEART	1
BEHAVIOR DISORDER	1
BILIRUBIN(TOT) HI, BLD	1
BLINDNESS, NIGHT	1
BLINDNESS, PARTIAL	1
BRADYCARDIA	1
BUN LO, BLD	1

DRUG: ORBIFLOXACIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CA HI, BLD	1
CALCULI, BLADDER	1
CATARACT(S)	1
CIRCLING	1
CONGESTION, SKIN	1
CYANOSIS	1
DEFECATION	1
DIABETES MELLITUS	1
DIABETES M, POOR REGUL	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DISCHARGE, EAR(S)	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
EDEMA	1
EDEMA, LIMB(S)	1
EMBOLUS	1
ERG ABN	1
EYE DISORDER	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
GINGIVITIS	1
GLOBULIN HI, BLD	1
HAIR, ABN COLOR	1
HCO3 LO, BLD	1
HEAD BOBBING	1
HEPATOMEGALY	1
HORNER'S SYNDROME	1
HYPERPIGMENTATION, SKI	1
HYPOTHERMIA, BODY	1
ICTERUS	1
ILL	1
INCONTINENCE, FECAL	1
INCONTINENCE, URINARY	1
INFLAM, SKIN	1
K HI, BLD	1
K LO, BLD	1
LESION(S), SKIN	1

DRUG: ORBIFLOXACIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
MELENA	1
MIOSIS	1
MONOS LO, BLD	1
NECROSIS	1
NYSTAGMUS, ROTARY	1
NYSTAGMUS, VERTICAL	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PANCREAS ENZYMES HI, B	1
PARESIS, FORELIMB(S)	1
PLATELETS LO, BLD	1
POLYPHAGIA	1
POLYPNEA	1
PR-CEREBELLUM, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROLAPSE, THIRD EYELID	1
PROPRIOCEPTIVE DISORDE	1
PR-PANCREAS, LESION(S)	1
PR-SKIN, LESION(S)	1
RELUCTANT TO MOVE	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SHAKING, HEAD/FACE	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SKIN, NECROSIS	1
SLOUGH, SKIN	1
SPEC GRAVITY LO, URINE	1
STARING	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1

DRUG: ORBIFLOXACIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
THROMBUS	1
TONGUE, ABN	1
URINATION	1

DRUG: ORBIFLOXACIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	22
CONVULSION(S)	20
DEPRESSION/LETHARGY	15
DEATH	13
ANOREXIA	11
ATAXIA	9
INEFFECT, ANTIBIOTIC	6
SWELLING, HEAD/FACE	6
BLINDNESS	5
DIARRHEA	5
PRURITIS	5
URTICARIA	5
DEATH(EUTHANIZED)	4
FEVER, BODY	4
ICTERUS, BODY	4
PLATELETS LO, BLD	4
SGPT/ALT HI, BLD	4
ALOPECIA	3
CONGESTION, SKIN	3
DYSPNEA	3
LAMENESS	3
POLYDIPSIA	3
WBC HI, BLD	3
ANEMIA	2

DRUG: ORBIFLOXACIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA, HEMOLYTIC	2
BILIRUBIN(TOT) HI, BLD	2
BLD	2
BLD, ANUS	2
BUN HI, BLD	2
CONFUSION	2
CREATININE HI, BLD	2
DEAFNESS	2
HAIR, ABN COLOR	2
HAIR, SHEDDING	2
HEAD TILT	2
HYPERSALIVATION	2
LESION(S), SKIN	2
LIVER FAILURE	2
MYDRIASIS	2
NYSTAGMUS, HORIZONTAL	2
PAIN, JOINT(S)	2
PARALYSIS, FACIAL NERV	2
PARESIS, HIND LIMB(S)	2
P HI, BLD	2
POLYPNEA	2
POLYURIA	2
RADIOGRAPH(S) ABN	2
SGOT/AST HI, BLD	2
SKIN DISORDER	2
SWELLING, JOINT(S)	2
TREMBLING	2
TWITCH	2
WEAKNESS	2
ABN COLOR, URINE	1
ALBUMIN HI, BLD	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA, AUTOIMMUNE HEM	1
BASOS HI, BLD	1
BILIRUBIN, URINE	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1

DRUG: ORBIFLOXACIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, RECTUM	1
BLD, URINE	1
BLINDNESS, TEMP	1
BONE, ABN	1
CA HI, BLD	1
CIRCLING	1
COAGULATION DISORDER	1
COLLAPSE	1
CONGESTION, EAR(S)	1
COOMBS TEST POS	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIZZINESS	1
DRY MOUTH SYNDROME	1
DYSPHAGIA	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, HEAD/FACE	1
GAGGING	1
GLUCOSE HI, BLD	1
GLUCOSE, URINE	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
HYPOTHERMIA, BODY	1
INFLAM, SKIN	1
INTERACTION, DRUG(S)	1
IRRITATION, MOUTH/LIP(1
JOINT DISORDER	1
KERATOCONJUNCTIVITIS S	1
KIDNEY FAILURE	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
NYSTAGMUS	1
PAIN	1
PAIN, MUSCLE(S)	1
PAPULE(S)	1
PARALYSIS	1
PRESSURE HI, BLD	1
PR-HEART, LESION(S)	1

DRUG: ORBIFLOXACIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LIVER, LESION(S)	1
PROLAPSE, THIRD EYELID	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PR-TRACHEA, LESION(S)	1
PUSTULE(S)	1
RASH	1
RETICULOCYTES LO, BLD	1
SCALE(S), SKIN	1
SHAKING	1
SHAKING, HEAD/FACE	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1
SLOUGH	1
SOMNOLENCE	1
SORE(S)	1
STUPOR	1
SWELLING	1
SWELLING, EAR(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
TACHYCARDIA	1
TEETH, ABN	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), TONGUE	1
US ABN	1
VESTIBULAR DISORDER	1
VOMITING, BLOODY	1
WBC LO, BLD	1

DRUG: ORBIFLOXACIN

Species: GUINEA PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
ADIPSIA	1
DEATH	1
DEPRESSION/LETHARGY	1
PALLOR, MUCOUS MEMBRAN	1
PROLAPSE, PENIS	1
WEAKNESS	1

DRUG: ORBIFLOXACIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	1
NAUSEA	1

DRUG: ORBIFLOXACIN

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1

DRUG: ORBIFLOXACIN

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	3
INTERACTION, DRUG(S)	1

DRUG: ORGOTEIN

Species: DOG

Route of Administration: PARENTERAL

DRUG: ORGOTEIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	2
PALLOR	2
ANAPHYLAXIS/TOID	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
RECUMBENCY	1
SWELLING, JOINT(S)	1
VOMITING	1

DRUG: ORGOTEIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	1
SWEATING	1
URTICARIA	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	10
PD-TABLET(S), ABN	4
PD-UNKNOWN	4
PD-CAP(S), ABN	3
PD-CONTAINER(S), ABN	2
PD-VIAL(S), ABN	2
PD-LABEL(S), ABN	1
PD-MISSING, LABEL(S)	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: MISSING

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
PLATELETS LO, BLD	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	4
DEATH(EUTHANIZED)	4
HYPERSALIVATION	4
ANEMIA	3
PLATELETS LO, BLD	3
VOMITING	3
CONVULSION(S)	2
FROTH, MOUTH/LIP(S)	2
HYPERACTIVITY	2
ADIPSIA	1
AGGRESSION	1
ALBUMIN LO, BLD	1
ALKALINE URINE	1
ANEMIA, HEMOLYTIC	1
APPREHENSION	1
ATAXIA	1
COAGULATION DISORDER	1
COLLAPSE	1
CONFUSION	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
EDEMA, PHARYNX	1
ELECTROLYTE DISORDER	1
EPISTAXIS	1
ERUPTION(S)	1
FEVER, BODY	1
GLUCOSE HI, BLD	1
HYPERESTHESIA	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	1
LOCOMOTION DISORDER	1
MYDRIASIS	1
NYSTAGMUS	1
PALLOR, MUCOUS MEMBRAN	1
PANCYTOPENIA	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
RETICULOCYTES LO, BLD	1
SKIN, NECROSIS	1
SLOUGH, EAR(S)	1
SNEEZING	1
SWELLING, HEAD/FACE	1
TREMBLING	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	116
ANOREXIA	84
FEVER, BODY	81
VOMITING	72
ATAXIA	70
CONVULSION(S)	70
PLATELETS LO, BLD	68
SGPT/ALT HI, BLD	50
ALK PHOS HI, BLD	47
TREMBLING	46
KERATOCONJUNCTIVITIS S	35
AGGRESSION	33
DEATH	33
NERVOUSNESS	33
ANEMIA	31

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPREHENSION	31
BILIRUBIN(TOT) HI, BLD	31
BEHAVIOR DISORDER	30
HYPERACTIVITY	26
WEAKNESS	26
CONFUSION	24
POLYPNEA	22
DEATH(EUTHANIZED)	21
LAMENESS	20
SWELLING, JOINT(S)	18
WBC HI, BLD	17
ARTHRITIS	16
BUN HI, BLD	16
DIARRHEA	16
PAIN, JOINT(S)	16
POLYDIPSIA	16
WEIGHT LOSS	16
BLD(PETECHIAE)	15
INEFFECT, ANTIBIOTIC	15
LIVER ENZYMES HI, BLD	15
SGOT/AST HI, BLD	15
VOCALIZATION	15
HYPERSALIVATION	14
ICTERUS, BODY	14
BLD, URINE	13
CREATININE HI, BLD	12
POLYURIA	12
PRURITIS	12
WBC LO, BLD	12
ANEMIA, AUTOIMMUNE HEM	11
DEHYDRATION	11
BLD(ECCHYMOSES)	10
COLLAPSE	10
ICTERUS	10
PARESIS, HIND LIMB(S)	10
RECUMBENCY	10
URTICARIA	10
DYSPNEA	9

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
EPISTAXIS	9
PR-LIVER, LESION(S)	9
BILIRUBIN, URINE	8
ENLARGEMENT, LYMPH NOD	8
HYPERPNEA	8
PAIN	8
PALLOR, MUCOUS MEMBRAN	8
VOMITING, BLOODY	8
ALBUMIN LO, BLD	7
COAGULATION DISORDER	7
CONJUNCTIVITIS	7
EDEMA, HEAD/FACE	7
NEUROLOGICAL DISORDER	7
RELUCTANT TO MOVE	7
STIFFNESS	7
SWELLING, HEAD/FACE	7
ULCER(S), CORNEA(S)	7
CONGESTION, SKIN	6
KIDNEY FAILURE	6
LOCOMOTION DISORDER	6
PANCYTOPENIA	6
THYROID HORMONE(S) LO	6
ADIPSIA	5
AMYLASE HI, BLD	5
ANAPHYLAXIS/TOID	5
ANEMIA, HEMOLYTIC	5
BLINDNESS	5
CHOLESTEROL HI, BLD	5
HYPERESTHESIA	5
INCONTINENCE, URINARY	5
PROPRIOCEPTIVE DISORDE	5
PROTEIN(TOT) HI, BLD	5
PROTEIN, URINE	5
STAGGERING	5
TACHYCARDIA	5
ULCER(S), SKIN	5
US ABN	5
BLD	4

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, MOUTH/LIP(S)	4
BUN LO, BLD	4
CASTS, URINE	4
GLOBULIN HI, BLD	4
HALLUCINATION	4
INEFFECT, COCCIDIA	4
JOINT DISORDER	4
MYDRIASIS	4
RADIOGRAPH(S) ABN	4
SEGS HI, BLD	4
SKIN DISORDER	4
ULCER(S), MOUTH/LIP(S)	4
US-LIVER ABN	4
UVEITIS	4
ALOPECIA	3
ANURIA	3
ASCITES	3
AZOTEMIA	3
BILE ACIDS HI, BLD	3
BLD, SCLERA	3
BLINDNESS, TEMP	3
CA HI, BLD	3
CNS DISORDER	3
COOMBS TEST POS	3
CPK HI, BLD	3
DEMENTIA	3
EDEMA, CORNEA(S)	3
EFFUSION, JOINT(S)	3
ERUPTION(S)	3
FLY BITING	3
HEMOGLOBIN, URINE	3
HEPATOMEGALY	3
INTERACTION, DRUG(S)	3
LIVER DISORDER	3
NYSTAGMUS	3
PAIN, ABDOMEN	3
PAIN, LIMB(S)	3
PAIN, NECK	3

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PHOTOPHOBIA	3
POLLAKIURIA	3
POLYCYTHEMIA	3
PR-KIDNEY(S), LESION(S)	3
PR-SPLEEN, LESION(S)	3
RASH	3
SHAKING	3
SPASM	3
STIFFNESS, LIMB(S)	3
SWELLING, LIMB(S)	3
TRIGLYCERIDES HI, BLD	3
ALKALINE URINE	2
APNEA	2
BANDS HI, BLD	2
BITING/CHEWING	2
BLD, ABDOMEN	2
BLD, EYE(S)	2
CHLORIDE LO, BLD	2
CHOLESTEROL LO, BLD	2
CIRCLING	2
COLITIS	2
CONGESTION, EYE(S)/LID	2
COUGHING	2
CYANOSIS	2
DIFFICULTY RISING	2
DISCHARGE, EYE(S)/LID(2
DISCHARGE, EYE(S)/LID(S)	2
DISTENTION, ABDOMEN	2
EDEMA, LIMB(S)	2
EYE DISORDER	2
FIBRINOGEN HI, BLD	2
GGT HI, BLD	2
GLOBULIN LO, BLD	2
GLUCOSE HI, BLD	2
HEMATOCHEZIA	2
HIDING	2
INFECTION, SKIN	2
INFECTION, URINARY TRA	2

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INFLAM, SKIN	2
K LO, BLD	2
LDH HI, BLD	2
LYMPHS LO, BLD	2
MELENA	2
NA LO, BLD	2
PANCREATITIS	2
PARESIS	2
P HI, BLD	2
P LO, BLD	2
POLYCYTHEMIA(RELATIVE)	2
PR-LUNG(S), LESION(S)	2
PROTEIN(TOT) LO, BLD	2
PR-SKIN, LESION(S)	2
REFLEX(ES) ABN	2
SCALE(S), SKIN	2
SEGS LO, BLD	2
SHAKING, HEAD/FACE	2
SKIN, CRUST(S)	2
SKIN, SCAB(S)	2
SLOUGH, FEET/DIGIT(S)	2
SOMNOLENCE	2
SPEC GRAVITY LO, URINE	2
SPLENOMEGALY	2
STIFFNESS, HIND LIMB(S)	2
STRANGURIA	2
STUPOR	2
TEARS, ABN	2
ABN COLOR, URINE	1
ACCIDENTAL EXPOSURE	1
ALBUMIN HI, BLD	1
APLASIA, BONE MARROW	1
ARREST, HEART	1
BLD, SQ	1
BREATHING ABN	1
BREATHING, PERIODIC	1
CALCULI, URINE	1
CA LO, BLD	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHEMISTRY ABN	1
CONGESTION, LUNG(S)	1
CREATININE LO, BLD	1
CRYSTALS, URINE	1
CSF ABN	1
DEAFNESS	1
DEAFNESS, PARTIAL	1
DELIRIUM	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIARRHEA, SEVERE	1
DIC	1
DILITATION, ESOPHAGUS	1
DISCHARGE, EYE(S)/LID	1
DISCHARGE, MOUTH/LIP(S)	1
DISCHARGE, NOSE	1
DYSPHAGIA	1
DYSURIA	1
ECG ABN	1
EDEMA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LARYNX	1
EDEMA, LUNG(S)/TRACHEA	1
ELIMINATION ABN	1
ENCEPHALOPATHY	1
ENDOCRINE DISORDER	1
ENLARGEMENT, JOINT(S)	1
ENLARGEMENT(S)	1
ENTERITIS	1
GAGGING	1
GASTROENTERITIS	1
GLAUCOMA	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
HEAD BOBBING	1
HEART DISORDER	1
HEPATITIS	1
HYPERKERATOSIS	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERTONIA	1
HYPHEMA	1
HYPOTHERMIA	1
ILL	1
IMMUNE DISORDER	1
INCONTINENCE, FECAL	1
INFECTION, EYE(S)	1
INJ SITE BLD	1
IRRITATION, EAR(S)	1
IRRITATION, EYE(S)/LID	1
K HI, BLD	1
KIDNEY DISORDER	1
LESION(S), SKIN	1
LICKING	1
LIVER FAILURE	1
LIVER PROFILE HI	1
LOCKJAW	1
MASS, SKIN	1
MICROORGANISMS, URINE	1
MIOSIS	1
MUCOUS MEMBR, RED	1
MURMUR, HEART	1
MYOSITIS	1
NA:K LO, BLD	1
NAUSEA	1
NEPHRITIS	1
NYSTAGMUS, VERTICAL	1
OPISTHOTONOS	1
PAIN, MOUTH/LIP(S)	1
PALLOR	1
PANCREAS ENZYMES HI, B	1
PARALYSIS, ALL LIMBS	1
PARALYSIS, FACIAL NERV	1
PICA	1
PLATELETS ABN	1
PNEUMONIA, ASPIRATION	1
PR-BONE MARROW, LESION	1
PR-LUNG(S), EDEMA	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LYMPH NODE(S), LESI	1
PROLAPSE, THIRD EYELID	1
PR-PANCREAS, LESION(S)	1
PT PROLONGED, BLD	1
REGURGITATION	1
REGURGITATION, FOOD	1
RETINA ABN	1
SEBORRHEA	1
SHOCK	1
SKIN ABNORMAL	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
SPEC GRAVITY HI, URINE	1
STARING	1
STOMATITIS	1
STOOL ABN	1
SWELLING, EYE(S)/LID(S)	1
SYNCOPE	1
TEETH, ABN	1
TENESMUS, RECTAL	1
TORTICOLLIS	1
TWITCH	1
ULCER(S)	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
URINATION ABN	1
URINE ABN	1
VASCULITIS	1
VESICLE(S)/BULLAE, SKI	1
VESTIBULAR DISORDER	1
VISION DISORDER	1
VOLVULUS, STOMACH	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
NAUSEA	1
STRANGURIA	1
VOMITING	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
SGPT/ALT HI, BLD	1

DRUG: ORMETOPRIM, SULFADIMETHOXINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
PLATELETS LO, BLD	1

DRUG: OXFENDAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	6
PD-SEAL, ABN	5
PD-CAP(S), ABN	4

DRUG: OXFENDAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	3
PD-CONTAINER(S), ABN	1
PD-LABEL(S), ABN	1
PD-MISSING, CAP	1
PD-VIAL(S), DAMAGED	1

DRUG: OXFENDAZOLE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	8
INEFFECT, STRONGYLES	4
PR-PERITONEUM, LESION(3
INEFFECT, WORMS	2
PERITONITIS	2
ANOREXIA	1
COLLAPSE	1
DEATH(EUTHANIZED)	1
ILL	1
INEFFECT, STOMACH WORM	1
INJ SITE SWELLING	1
LOSS OF CONDITION	1
POOR PERFORMANCE	1
PR-UTERUS, LESION(S)	1

DRUG: OXFENDAZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN HI, BLD	2
DEPRESSION/LETHARGY	2
ANOREXIA	1
DEATH	1
DIARRHEA, BLOODY	1
KIDNEY DISORDER	1

DRUG: OXFENDAZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: OXFENDAZOLE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	1
INEFFECT, WORMS	1

DRUG: OXFENDAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEMATOCHEZIA	1
PAIN, ABDOMEN	1

DRUG: OXFENDAZOLE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRURITIS	1
RASH	1
VESICLE(S)/BULLAE, SKI	1

DRUG: OXFENDAZOLE, TRICHLORFON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	7
PAIN, ABDOMEN	6
DISCOMFORT, MOUTH/LIP(5

DRUG: OXFENDAZOLE, TRICHLORFON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, MOUTH/LIP(5
SWELLING, MOUTH/LIP(S)	3
TOX, OP	3
DEATH(EUTHANIZED)	2
DIARRHEA	2
NERVOUSNESS	2
SWELLING, TONGUE	2
URTICARIA	2
ANOREXIA	1
ATAXIA	1
DEATH	1
DIARRHEA, MILD	1
DYSPHAGIA	1
FROTH, MOUTH/LIP(S)	1
HEMATOCHEZIA	1
HYPERACTIVITY	1
PR-PHARYNX, LESION(S)	1
REGURGITATION	1
SWEATING	1
SWELLING, PHARYNX/THRO	1
ULCER(S), MOUTH/LIP(S)	1

DRUG: OXIBENDAZOLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, TUBE(S)	4
PD-VIAL(S), LEAKING	2
PD-GEL/PASTE, ABN	1
PD-MISSING, CAP	1
PD-TUBE(S), DAMAGED	1
PD-UNDERFILL, PACKAGE	1

DRUG: OXIBENDAZOLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	5
VOMITING	4
DEATH	3
DEPRESSION/LETHARGY	3
ATAXIA	2
PAIN, ABDOMEN	2
ANEMIA	1
BUN HI, BLD	1
COLLAPSE	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DISCHARGE, NOSE	1
DYSPNEA	1
HEPATOMEGALY	1
SGOT/AST HI, BLD	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: OXIBENDAZOLE

Species: DONKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, MOUTH/LIP(S)	1

DRUG: OXIBENDAZOLE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

DRUG: OXIBENDAZOLE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: OXIBENDAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	77
DIARRHEA	61
ANOREXIA	24
DEPRESSION/LETHARGY	20
DIARRHEA, MILD	17
DEATH	11
DIARRHEA, SEVERE	11
DEATH(EUTHANIZED)	8
FEVER, BODY	7
URTICARIA	7
LAMINITIS	6
DIARRHEA, WATERY	4
INEFFECT, STRONGYLES	4
INEFFECT, WORMS	4
RECUMBENCY	4
ATAXIA	3
SWELLING, HEAD/FACE	3
VOLVULUS	3
ABORTION	2
CREATININE HI, BLD	2
EDEMA, LIMB(S)	2
HYPERSALIVATION	2
LAMENESS	2
NEUROLOGICAL DISORDER	2
OFF FEED	2
PR-COLON, LESION(S)	2
PR-INTEST, LESION(S)	2
ROLLING	2
STAGGERING	2
STIFFNESS	2

DRUG: OXIBENDAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWEATING	2
WEIGHT LOSS	2
ALOPECIA	1
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
BEHAVIOR DISORDER	1
BIRTH DEFECT(S), HEAD/	1
BITING/CHEWING	1
CAPILLARY REFILL PROLO	1
CONSTIPATION	1
DEHYDRATION	1
DIARRHEA, PROJECTILE	1
DISCOMFORT, MOUTH/LIP(S)	1
DYSPHAGIA	1
HEAD PRESSING	1
HEAD TILT	1
HYPERPNEA	1
INEFFECT, PARASITE(S)	1
IRRITATION, MOUTH/LIP(1
KIDNEY FAILURE	1
MUCOUS MEMBR, MUDDY	1
NERVOUSNESS	1
PAIN, FEET/DIGIT(S)	1
PAWING	1
PD-DISPENSER, ABN	1
PD-GEL/PASTE, ABN	1
POLYDIPSIA	1
POLYURIA	1
PR-BLD VESSEL(S), LESI	1
SPEC GRAVITY LO, URINE	1
STOOL ABN	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), SKIN	1
US ABN	1
WBC HI, BLD	1

DRUG: OXIBENDAZOLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
WEAKNESS	1

DRUG: OXIBENDAZOLE

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	1

DRUG: OXIBENDAZOLE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
EDEMA	1
LAMINITIS	1

DRUG: OXYMORPHONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
DEATH	2
EDEMA, EYE(S)/LID(S)	2
EDEMA, LIMB(S)	2
ANAPHYLAXIS/TOID	1
CYANOSIS	1
HYPOPNEA	1
INEFFECT, ANALGESIA	1

DRUG: OXYMORPHONE

Species: DOG

Route of Administration: UNKNOWN

DRUG: OXYMORPHONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	1
CYANOSIS	1

DRUG: OXYTETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	178
PD-COLOR, ABN	123
PD-SEAL, ABN	36
PD-VIAL(S), LEAKING	29
PD-GRANULES/POWDER, ABN	26
PD-VIAL(S), DAMAGED	22
PD-ODOR, ABN	19
PD-CONTAINER(S), DAMAG	16
PD-VIAL(S), ABN	10
PD-PRODUCT DEFECT	7
PD-SUSPENSION, ABN	7
PD-UNDERFILL, PACKAGE	6
PD-CAP(S), ABN	5
PD-CONTAINER(S), ABN	5
PD-CONTAMINATION	4
NO SIGNS	2
PD-UNDERFILL, VIAL(S)	2
PD-CONTAM, INSECTS	1
PD-CONTAM, MOLD	1
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-MISSING, LABEL(S)	1
PD-TUBE(S), LEAKING	1
PD-UNKNOWN	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: INTRAUTERINE

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-GRANULES/POWDER, ABN	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
DEATH(TX FAILURE)	3
INEFFECT, ANTIBIOTIC	3
INJ SITE SWELLING	3
BREATHING ABN	2
DYSPNEA	2
ATAXIA	1
BLOAT	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
DISTRESS, RESP	1
EAR DISORDER	1
EFFUSION, PLEURAL	1
HYPERSALIVATION	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
PNEUMONIA	1
PR-LUNG(S), LESION(S)	1
PR-PLEURA, LESION(S)	1
RELUCTANT TO MOVE	1
TREMBLING	1

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ABSCESS, SKIN	1
ANAPHYLAXIS/TOID	1

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
GRANULOMA	1

DRUG: OXYTETRACYCLINE

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE BLD	1

DRUG: OXYTETRACYCLINE, NEOMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES, ABN	2

DRUG: OXYTETRACYCLINE, NEOMYCIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
PD-COLOR, ABN	1

DRUG: OXYTETRACYCLINE, NEOMYCIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	1

DRUG: OXYTETRACYCLINE

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: OXYTETRACYCLINE

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
EGG ABN	4
DEATH	3
INEFFECT, ANTIBIOTIC	2
PD-COLOR, ABN	2
CULTURE/TITER DATA ABN	1
DEATH(TX FAILURE)	1
ILL	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
RESIDUE, MEAT	1

DRUG: OXYTETRACYCLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-ODOR, ABN	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	5
ANOREXIA	2
INEFFECT	2
BLOAT	1
DEPRESSION/LETHARGY	1
INJ SITE ABSCESS	1
RESIDUE, MILK	1
STIFFNESS	1

DRUG: OXYTETRACYCLINE

Species: CHICKEN

Route of Administration: ORAL

DRUG: OXYTETRACYCLINE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
EGG ABN	28
INEFFECT, ANTIBIOTIC	11
DEATH	10
RESIDUE, MEAT	9
ACCIDENTAL EXPOSURE	5
NO SIGNS	4
PD-COLOR, ABN	4
DEATH(TX FAILURE)	2
DIARRHEA	2
PD-GRANULES/POWDER, ABN	2
ATAXIA	1
BALANCE DISORDER	1
CONGESTION, EYE(S)/LID	1
DIARRHEA, MILD	1
PALLOR	1
PD-ODOR, ABN	1
SNEEZING	1
SWELLING, PHARYNX/THRO	1
TECH ERROR, MIXING	1

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	2
ANOREXIA	1
DEATH	1
DIARRHEA	1
INEFFECT, ANTIBIOTIC	1
PD-GRANULES/POWDER, ABN	1

DRUG: OXYTETRACYCLINE

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: OXYTETRACYCLINE

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, OTHER DRUG(S)	1
PR-SKIN, LESION(S)	1
WEAKNESS	1

DRUG: OXYTETRACYCLINE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
OPISTHOTONOS	1
RECUMBENCY	1

DRUG: OXYTETRACYCLINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ABN COLOR, URINE	1
CONGESTION, SKIN	1
GASTRITIS	1
HEADACHE	1
HEPATITIS	1
PAIN, BRISKET/CHEST	1
PRESSURE HI, BLD	1

DRUG: OXYTETRACYCLINE

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
PD-COLOR, ABN	1
PD-ODOR, ABN	1

DRUG: OXYTETRACYCLINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: OXYTETRACYCLINE

Species: QUAIL

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
PD-GRANULES/POWDER, ABN	1
PD-SOLUTION, ABN	1

DRUG: OXYTETRACYCLINE

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	1
RESIDUE, MEAT	1

DRUG: OXYTETRACYCLINE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLINDNESS	1
CNS DISORDER	1
DIARRHEA	1
FROTH, MOUTH/LIP(S)	1
HEAD TILT	1

DRUG: OXYTETRACYCLINE

Species: CAMEL

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1

DRUG: OXYTETRACYCLINE

Species: CAMEL

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
THRASHING/PADDLING	1

DRUG: OXYTETRACYCLINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
CRYSTALS, URINE	1
DEATH	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
INJ SITE STERILE ABSCE	1
INJ SITE SWELLING	1
MORIBUND	1
SPEC GRAVITY LO, URINE	1
WBC HI, BLD	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	171
ANAPHYLAXIS/TOID	91
INJ SITE SWELLING	66
COLLAPSE	55
INEFFECT, ANTIBIOTIC	30
DYSPNEA	25
RECUMBENCY	24

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FROTH, MOUTH/LIP(S)	19
RESIDUE, MILK	14
INJ SITE PAIN	12
INJ SITE ABSCESS	11
HYPERSALIVATION	9
ANOREXIA	8
ATAXIA	8
DEATH(EUTHANIZED)	8
STIFFNESS	8
DEATH(TX FAILURE)	7
STAGGERING	7
LAMENESS	6
DEPRESSION/LETHARGY	5
DISTRESS, RESP	5
SHAKING	5
SWELLING, EYE(S)/LID(S)	5
TREMBLING	5
FEVER, BODY	4
INEFFECT	4
INJ SITE MASS	4
PR-LUNG(S), LESION(S)	4
ABORTION	3
CYANOSIS	3
DISCOMFORT	3
FROTH, NOSE	3
HYPERACTIVITY	3
INJ SITE ABN	3
PAIN	3
PD-COLOR, ABN	3
SWELLING, HEAD/FACE	3
TWITCH	3
APNEA	2
BEHAVIOR DISORDER	2
BLOAT	2
BREATHING ABN	2
CIRCLING	2
DIARRHEA	2
DISCHARGE, NOSE	2

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISTRESS	2
EDEMA, EYE(S)/LID(S)	2
EPISTAXIS	2
INJ SITE INFLAM	2
INJ SITE SEROMA	2
PAIN, NECK	2
PD-SOLUTION, ABN	2
REACTION, UNSPECIFIED	2
STIFFNESS, FRONT LIMB(2
STIFFNESS, LIMB(S)	2
STUPOR	2
SWELLING, LIMB(S)	2
BLD, LUNG(S)/TRACHEA	1
CA LO, BLD	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
COUGHING	1
CULTURE/TITER DATA ABN	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EMPHYSEMA, SQ	1
EYE DISORDER	1
ILL	1
INJ SITE BLD	1
INJ SITE SLOUGH	1
INJ SITE STIFFNESS	1
KICKING	1
KIDNEY DISORDER	1
LESION(S), SKIN	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
PAWING	1
P LO, BLD	1
POLYPNEA	1
PR-FETUS, LESION(S)	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-TRACHEA, LESION(S)	1
PRURITIS	1
RELUCTANT TO MOVE	1
RESIDUE, MEAT	1
RESPIRATORY DISORDER	1
ROLLING	1
SHAKING, HEAD/FACE	1
SHOCK	1
SOMNOLENCE	1
SQUINTING	1
STIFFNESS, NECK	1
STUMBLING	1
SWEATING	1
SWELLING	1
SWELLING, BRISKET/CHES	1
SWELLING, NECK	1
SWELLING, VAGINA/VULVA	1
TENESMUS, RECTAL	1
THRASHING/PADDLING	1
TORTICOLLIS	1
UDDER, HYPOGALACTIA	1
URTICARIA	1
VOCALIZATION	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	6
INJ SITE PAIN	5
DEPRESSION/LETHARGY	4
FEVER, BODY	3

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFLAM	3
LAMENESS	2
WEAKNESS	2
ANAPHYLAXIS/TOID	1
ANEMIA, AUTOIMMUNE HEM	1
ANOREXIA	1
BILIRUBIN(TOT) HI, BLD	1
BUN HI, BLD	1
COUGHING	1
CREATININE HI, BLD	1
DEATH	1
DEATH(EUTHANIZED)	1
DISCHARGE, NOSE	1
DYSPNEA	1
HYPERPNEA	1
INFECTION	1
INJ SITE ABN	1
INJ SITE ABSCESS	1
INJ SITE EDEMA	1
INJ SITE INDURATION	1
PAIN, ABDOMEN	1
P HI, BLD	1
PLATELETS LO, BLD	1
SHOCK	1
SWELLING, VENTRUM	1
TREMBLING	1

DRUG: OXYTETRACYCLINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	1
ATAXIA	1
BLD, VAGINA	1
INJ SITE ABN	1
INJ SITE PAIN	1

DRUG: OXYTETRACYCLINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
LAMENESS	1
RESIDUE, MEAT	1
VOCALIZATION	1

DRUG: OXYTETRACYCLINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	12
DEATH	11
COLLAPSE	7
DYSPNEA	4
URTICARIA	4
ATAXIA	3
PAIN, ABDOMEN	3
RECUMBENCY	3
APPREHENSION	2
ARREST, HEART	2
BREATHING ABN	2
HYPERPNEA	2
THRASHING/PADDLING	2
TREMBLING	2
WEAKNESS	2
BRADYCARDIA	1
COLITIS	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(TX FAILURE)	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
EDEMA	1
HYPERSALIVATION	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
KIDNEY FAILURE	1
LAMENESS	1

DRUG: OXYTETRACYCLINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MYDRIASIS	1
NERVOUSNESS	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PRURITIS	1
SHAKING	1
STAGGERING	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, NECK	1
SWEATING	1
VOLVULUS	1

DRUG: OXYTETRACYCLINE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	6
INJ SITE BLD	4
INJ SITE INFLAM	3
ACCIDENTAL EXPOSURE	2
FEVER, BODY	2
HUMAN EXPOSURE, INJ	2
INJ SITE MASS	2
DIZZINESS	1
INJ SITE ABN	1
INJ SITE PAIN	1
INJ SITE PRURITIS	1
SEPTICEMIA	1

DRUG: OXYTETRACYCLINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
ANAPHYLAXIS/TOID	1

DRUG: OXYTETRACYCLINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
INEFFECT, ANTIBIOTIC	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
VOMITING	1

DRUG: OXYTETRACYCLINE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INJ SITE PAIN	3
ANAPHYLAXIS/TOID	1
BLINDNESS	1
DISCHARGE, EYE(S)/LID(S)	1
INEFFECT, ANTIBIOTIC	1
INJ SITE INFECT	1
INJ SITE SWELLING	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	7
PD-TUBE(S), ABN	7
PD-UNDERFILL, PACKAGE	7
PD-UNDERFILL, TUBE(S)	6
PD-TUBE(S), LEAKING	5
PD-GEL/PASTE, ABN	4
PD-CONTAINER(S), ABN	2
PD-DEFECT UNKNOWN	2
PD-PRODUCT DEFECT	2

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	2
PD-SOLUTION, ABN	2
PD-TUBE(S), DAMAGED	2
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-DISPENSER, ABN	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ULCER(S), CORNEA(S)	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	19
VOMITING	12
ANAPHYLAXIS/TOID	10
CONJUNCTIVITIS	7
IRRITATION, EYE(S)/LID	7
DEPRESSION/LETHARGY	5
DIARRHEA	5
PAIN, EYE(S)/LID(S)	4
PRURITIS, EYE(S)	4
CONGESTION, EYE(S)/LID	3
DEATH	3
INEFFECT, ANTIBIOTIC	3
ANEMIA	2
BLEPHAROSPASM	2
CONGESTION, SKIN	2
CONVULSION(S)	2
CULTURE/TITER DATA ABN	2
DYSPNEA	2

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
EDEMA, HEAD/FACE	2
EPIPHORA	2
HYPERPNEA	2
HYPERSALIVATION	2
KIDNEY DISORDER	2
NERVOUSNESS	2
ALK PHOS HI, BLD	1
ALOPECIA	1
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
ATAXIA	1
BLD(HEMATOMA)	1
BLINDNESS	1
CONGESTION	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DISCHARGE, EYE(S)/LID(S)	1
EAR DISORDER	1
EDEMA, EYE(S)/LID(S)	1
HIDING	1
HYPERACTIVITY	1
HYPERPIGMENTATION, SKI	1
ICTERUS, BODY	1
INFLAM	1
INFLAM, SKIN	1
LESION(S), SKIN	1
LIVER DISORDER	1
LOSS OF CONDITION	1
MYDRIASIS	1
PD-CONTAMINATION	1
POLYPNEA	1
PRURITIS	1
PTT PROLONGED, BLD	1
PUPIL(S), AREFLEXIA	1
SOMNOLENCE	1
SWELLING, HEAD/FACE	1
TREMBLING	1
URINATION	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
VOCALIZATION	1
WBC HI, BLD	1
WBC LO, BLD	1
WEIGHT LOSS	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONJUNCTIVITIS	2
ULCER(S), CORNEA(S)	2
ANAPHYLAXIS/TOID	1
BLEPHAROSPASM	1
CONFUSION	1
DISCHARGE, EYE(S)/LID(S)	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
PAIN, EYE(S)/LID(S)	1
PALLOR, MUCOUS MEMBRAN	1
PR-EYE(S)/LID(S), LESI	1
TEETH, ABN	1
URINATION	1
UVEITIS	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
EDEMA, CORNEA(S)	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: HUMAN

Route of Administration: OPHTHALMIC

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	2
DIARRHEA	1
EDEMA, HEAD/FACE	1
VOMITING	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: OTHER

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PRURITIS	1
DISCHARGE, EYE(S)/LID(S)	1
INEFFECT, ANTIBIOTIC	1
IRRITATION, EYE(S)/LID	1
SWELLING, EYE(S)/LID(S)	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: RABBIT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ANOREXIA	1
HYPOMOTILITY	1
PAIN, ABDOMEN	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONJUNCTIVITIS	3
DIARRHEA	3
IRRITATION, EYE(S)/LID	2
SWELLING, EYE(S)/LID(S)	2
VOMITING	2
ANAPHYLAXIS/TOID	1
BLEPHAROSPASM	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DISCHARGE, EYE(S)/LID(1
EPIPHORA	1
HYPERSALIVATION	1
INFECTION, EYE(S)	1
PAWING	1
PHOTOPHOBIA	1
SHAKING, HEAD/FACE	1
SQUINTING	1
ULCER(S), CORNEA(S)	1
VOMITING, BLOODY	1
WEAKNESS	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	1
NERVOUSNESS	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-CAP(S), ABN	1
PD-TUBE(S), ABN	1

DRUG: OXYTETRACYCLINE, POLYMYXIN B

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	1
DIARRHEA	1
PAIN	1

DRUG: OXYTETRACYCLINE

Species: FISH

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, OTHER DRUG(S	1

DRUG: OXYTETRACYCLINE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
CONGESTION, SKIN	1
HEADACHE	1
HUMAN EXPOSURE, TOPICA	1
IRRITATION, SKIN	1
NO SIGNS	1
PARESTHESIA	1
PD-COLOR, ABN	1
PD-GRANULES/POWDER, ABN	1
PRESSURE HI, BLD	1

DRUG: OXYTETRACYCLINE

Species: OTHER

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
DEATH(EUTHANIZED)	1
INEFFECT, ANTIBIOTIC	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	19
ANAPHYLAXIS/TOID	13
COLLAPSE	7
INEFFECT, ANTIBIOTIC	6
DYSPNEA	4
INJ SITE SWELLING	4
LAMENESS	3
ABORTION	2
DEATH(TX FAILURE)	2
DISTRESS, RESP	2
HYPERSALIVATION	2
INJ SITE ABN	2
RESIDUE, MILK	2
CONVULSION(S)	1
CYANOSIS	1
EDEMA, VULVA	1
HYPERPNEA	1
INEFFECT	1
INJ SITE MASS	1
PD-GRANULES/POWDER, ABN	1
PROTRUSION, EYE(S)	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
RESIDUE, MEAT	1
STAGGERING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
TRANSUDATE	1
TREMBLING	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: UNKNOWN

DRUG: OXYTETRACYCLINE

Species: CHICKEN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
EGG ABN	1

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BUN HI, BLD	1
CREATININE HI, BLD	1
INJ SITE PAIN	1
PD-COLOR, ABN	1

DRUG: OXYTETRACYCLINE

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RESIDUE, MEAT	2
RESIDUE, MILK	2
DEATH(TX FAILURE)	1
RECUMBENCY	1

DRUG: OXYTETRACYCLINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD, ABN	1
EYE DISORDER	1
INJ SITE PAIN	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1

DRUG: OXYTETRACYCLINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, HIND LIMB(S)	1
PARAESTHESIA	1

DRUG: OXYTETRACYCLINE

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
PD-COLOR, ABN	1

DRUG: OXYTETRACYCLINE

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
SWELLING	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	9
ANAPHYLAXIS/TOID	5
INJ SITE EDEMA	2
INJ SITE INFECT	2
INJ SITE NECROSIS	2
PR-INJ SITE, LESION(S)	2
PR-LUNG(S), LESION(S)	2
REACTION, UNSPECIFIED	2
TREMBLING	2
ATAXIA	1
BLD	1
CELLULITIS	1

DRUG: OXYTETRACYCLINE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CHEMISTRY ABN	1
COLLAPSE	1
DEHYDRATION	1
DISTRESS, RESP	1
INJ SITE BLD	1
INJ SITE FIBROSIS	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
MYOSITIS	1
PR-HEART, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-TONGUE, LESION(S)	1
RECUMBENCY	1
RELUCTANT TO MOVE	1

DRUG: OXYTETRACYCLINE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

DRUG: OXYTOCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-POTENCY, LO	5
PD-DEFECT UNKNOWN	1
PD-VIAL(S), ABN	1

DRUG: OXYTOCIN

Species: BIRD

Route of Administration: PARENTERAL

DRUG: OXYTOCIN

Species: BIRD

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: OXYTOCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, MILK LETDOWN	5
INEFFECT	3
COUGHING	1
DEATH(TX FAILURE)	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT, DELAYED EFFE	1
INEFFECT, EXPUL PLACEN	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
KICKING	1
PR-LUNG(S), EDEMA	1

DRUG: OXYTOCIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ILL	2
INEFFECT	1
INEFFECT, EXPUL PLACEN	1

DRUG: OXYTOCIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
DEATH	1
HYPERPNEA	1

DRUG: OXYTOCIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	1
LOSS OF CONDITION	1
WEAKNESS	1

DRUG: OXYTOCIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, MILK LETDOWN	2
INEFFECT	1

DRUG: OXYTOCIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
UDDER, AGALACTIA	1

DRUG: PANCREATIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1
PD-ODOR, ABN	1

DRUG: PAROMOMYCIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
KIDNEY FAILURE	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	12
PD-VIAL(S), DAMAGED	9
PD-SOLUTION, ABN	4
PD-PRODUCT DEFECT	3
PD-UNDERFILL, PACKAGE	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	5
ANAPHYLAXIS/TOID	3
CONVULSION(S)	3
DEATH	3
CYANOSIS	2
INJ SITE PAIN	2
MYDRIASIS	2
POLYPNEA	2
ALOPECIA	1
ANOREXIA	1
APNEA	1
ARREST, HEART	1
ATAXIA	1
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERPNEA	1
INJ SITE INFLAM	1
LAMENESS	1
NYSTAGMUS	1
PR-HEART, LESION(S)	1
PRURITIS	1
SHOCK	1
SWELLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
URINATION	1
VOMITING	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	19
ANAPHYLAXIS/TOID	9
INEFFECT, ANTIBIOTIC	4
COLLAPSE	3
ATAXIA	2
CONVULSION(S)	2
HYPERSALIVATION	2
PR-LUNG(S), LESION(S)	2
SHAKING	2
BLD(PETECHIAE)	1
BREATHING ABN	1
DISTRESS, RESP	1
DYSYPNEA	1
EDEMA, EYE(S)/LID(S)	1
FEVER, BODY	1
ILL	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
LOCOMOTION DISORDER	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
NERVOUSNESS	1
PR-HEART, LESION(S)	1
PR-MULT SITES, BLD	1
PR-SKIN, LESION(S)	1
RESIDUE, MILK	1
SWELLING	1
SWELLING, HEAD/FACE	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	14
INJ SITE ABSCESS	10
INJ SITE NECROSIS	10
CONVULSION(S)	7
INJ SITE PAIN	5
INJ SITE INFLAM	4
INJ SITE MASS	4
INJ SITE STERILE ABSCE	4
ATAXIA	3
DEATH	3
INJ SITE INDURATION	3
INJ SITE SLOUGH	3
VOMITING	3
DIARRHEA, BLOODY	2
HEMATOCHEZIA	2
INJ SITE ABN	2
NYSTAGMUS	2

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING	2
SWELLING, HEAD/FACE	2
SWELLING, NECK	2
TWITCH	2
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1
APNEA	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, SEVERE	1
ECG ABN	1
EDEMA	1
ENLARGEMENT, LYMPH NOD	1
INJ SITE INFECT	1
INJ SITE PRURITIS	1
INJ SITE SEPSIS	1
LAMENESS	1
SHOCK	1
STAGGERING	1
TREMBLING	1
VOCALIZATION	1
VOMITING, SEVERE	1
WEAKNESS	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
CONVULSION(S)	2
DEATH	2

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	36
ANAPHYLAXIS/TOID	29
COLLAPSE	12
INJ SITE SWELLING	10
CONVULSION(S)	5
ATAXIA	4
DYSYPNEA	4
RECUMBENCY	4
NERVOUSNESS	3
THRASHING/PADDLING	3
CIRCLING	2
DEATH(EUTHANIZED)	2
DISTRESS, RESP	2
INJ SITE ABSCESS	2
LAMENESS	2
PAIN, ABDOMEN	2
PR-LIVER, LESION(S)	2
PR-SPLEEN, LESION(S)	2
STUMBLING	2
SWELLING, NECK	2
ALOPECIA	1
APNEA	1
ARREST, HEART	1
CYANOSIS, MUCOUS MEMBR	1
HYPERACTIVITY	1
INJ SITE INFLAM	1
INJ SITE MASS	1
INJ SITE PAIN	1
INJ SITE SEPSIS	1
INJ SITE STERILE ABSCE	1
INJ SITE STIFFNESS	1
MUCOUS MEMBR, ABN COLO	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PR-GI, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
REARING	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STIFFNESS	1
STUPOR	1
SWELLING, ADM SITE	1
TREMBLING	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFECT	1
INJ SITE PAIN	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	10
VOMITING	9
DEPRESSION/LETHARGY	5
ANAPHYLAXIS/TOID	2
DIARRHEA	2
TREMBLING	2
COLLAPSE	1
CONGESTION, SKIN	1
CONVULSION(S)	1
DIARRHEA, MILD	1
DISTRESS, RESP	1
EYE DISORDER	1
ILL	1
INJ SITE BLD	1
INJ SITE SWELLING	1
RECUMBENCY	1
SKIN ABNORMAL	1
UNCONSCIOUS	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ALOPECIA	1
INJ SITE HAIR, ABN	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
INJ SITE ABSCESS	2
ANAPHYLAXIS/TOID	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN DISORDER	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE, ALOPECIA	1
IRRITATION, SKIN	1
SKIN ABNORMAL	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	6
ANAPHYLAXIS/TOID	2

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DYSPNEA	2
DISTRESS, RESP	1
FROTH, NOSE	1
RECUMBENCY	1
SHAKING	1
SWELLING, EYE(S)/LID(S)	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE ABSCESS	6
DIARRHEA, BLOODY	2
INJ SITE SWELLING	2
ANOREXIA	1
BLD, ANUS	1
DEATH	1
FEVER, BODY	1
PR-INJ SITE, LESION(S)	1
REACTION, UNSPECIFIED	1
VOMITING	1
VOMITING, SEVERE	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	3
ATAXIA	3
DEATH	3
SHAKING	3
TREMBLING	3
TACHYCARDIA	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
ABORTION	1
ANAPHYLAXIS/TOID	1
RESPIRATORY DISORDER	1
VOMITING, SEVERE	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ATAXIA	1
DISTRESS, RESP	1
FEVER, BODY	1
HYPERPNEA	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1
RECUMBENCY	1

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INJ SITE SWELLING	2

DRUG: PENICILLIN G BENZATHINE, PENICILLIN G PROCA

Species: SHEEP

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DYSPNEA	1
FEVER, BODY	1
HYPERPNEA	1

DRUG: PENICILLIN G POTASSIUM

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
ILL	1
INEFFECT, ANTIBIOTIC	1

DRUG: PENICILLIN G POTASSIUM

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
PD-SOLUTION, ABN	1

DRUG: PENICILLIN G POTASSIUM

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: PENICILLIN G POTASSIUM

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ATAXIA	1
COLLAPSE	1
HYPERPNEA	1
PAWING	1
SWEATING	1
TACHYCARDIA	1

DRUG: PENICILLIN G PROCAINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	62
PD-CONTAINER(S), DAMAG	8
PD-COLOR, ABN	6
PD-SOLUTION, ABN	6
PD-PRODUCT DEFECT	5
PD-VIAL(S), DAMAGED	5
PD-ODOR, ABN	4
PD-MISSING, LABEL(S)	2
PD-SEAL, ABN	2
PD-UNDERFILL, PACKAGE	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAM, INSECTS	1
PD-GRANULES/POWDER, ABN	1
PD-UNKNOWN	1

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
DEATH	6
PD-LABEL(S), ABN	2
UDDER, SWELLING	2

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
COLLAPSE	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
ILL	1
PD-POTENCY, LO	1
RECUMBENCY	1
RESIDUE, MILK	1
SHAKING	1
SPASM	1
UDDER, ABN	1
UDDER, MASTITIS	1

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
RESIDUE, MILK	2
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DEATH	1
HYPERSALIVATION	1
INJ SITE SWELLING	1
KICKING	1
RECUMBENCY	1
SWEATING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, VAGINA/VULVA	1

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE SWELLING	3
INJ SITE INFLAM	2
INJ SITE PAIN	2

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DYSPNEA	1
HYPERACTIVITY	1
INJ SITE STIFFNESS	1
PAWING	1
STIFFNESS, NECK	1

DRUG: PENICILLIN G PROCAINE

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DISTRESS, RESP	1
PARESIS, HIND LIMB(S)	1
VOCALIZATION	1

DRUG: PENICILLIN G PROCAINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
INJ SITE EDEMA	1
VOMITING	1

DRUG: PENICILLIN G PROCAINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ANOREXIA	1
DEATH	1
DISTRESS, RESP	1
REGURGITATION	1

DRUG: PENICILLIN G PROCAINE

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

DRUG: PENICILLIN G PROCAINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	4
DEATH	4
ARREST, HEART	2
DISTRESS, RESP	2
VOCALIZATION	2
ANOREXIA	1
COLLAPSE	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
HYPERSALIVATION	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE PAIN	1
INJ SITE SEROMA	1
INJ SITE STERILE ABSCE	1
PROLAPSE, TONGUE	1

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	33
ANAPHYLAXIS/TOID	20
RESIDUE, MILK	14
COLLAPSE	6
DYSPNEA	5
HYPERSALIVATION	5
SHAKING	5

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	3
NERVOUSNESS	3
RECUMBENCY	3
APPREHENSION	2
COUGHING	2
HYPERACTIVITY	2
TREMBLING	2
URTICARIA	2
ANOREXIA	1
CONVULSION(S)	1
DEATH(SLAUGHTERED)	1
DIARRHEA	1
EDEMA, HEAD/FACE	1
EYE DISORDER	1
HEAD TILT	1
HYPERPNEA	1
KICKING	1
PAIN, ABDOMEN	1
PARESIS, HIND LIMB(S)	1
PD-LABEL(S), ABN	1
PD-POTENCY, LO	1
PD-SUSPENSION, ABN	1
PR-TRACHEA, LESION(S)	1
RESIDUE, MEAT	1
SHAKING, HEAD/FACE	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, VAGINA/VULVA	1
TACHYCARDIA	1
UDDER, ABN	1
UDDER, PAIN	1

DRUG: PENICILLIN G PROCAINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	6

DRUG: PENICILLIN G PROCAINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	5
ANAPHYLAXIS/TOID	3
RELUCTANT TO MOVE	3
ARREST, HEART	2
DEATH	2
INJ SITE PAIN	2
INJ SITE SEROMA	2
SHAKING	2
STIFFNESS	2
URTICARIA	2
VOMITING	2
COLLAPSE	1
CONFUSION	1
CONVULSION(S)	1
ENLARGEMENT(S)	1
EYE DISORDER	1
FEVER, BODY	1
INJ SITE INFLAM	1
INJ SITE STERILE ABSCE	1
MIOSIS	1
POLYCYTHEMIA	1
PRURITIS	1
STUPOR	1

DRUG: PENICILLIN G PROCAINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
COLLAPSE	2
DEATH	1

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: PARENTERAL

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	25
COLLAPSE	21
HYPERACTIVITY	18
ANAPHYLAXIS/TOID	17
ATAXIA	9
INJ SITE SWELLING	7
TREMBLING	7
NERVOUSNESS	6
CONFUSION	5
SHAKING	5
STUMBLING	5
SWEATING	5
CONVULSION(S)	4
INJ SITE PAIN	4
ANOREXIA	3
DISTRESS, RESP	3
DYSPNEA	3
FEVER, BODY	3
HYPERESTHESIA	3
HYPERPNEA	3
STAGGERING	3
SWELLING	3
URTICARIA	3
WEAKNESS	3
BLINDNESS, TEMP	2
HYPERSENSITIVE, SOUND	2
NEUROLOGICAL DISORDER	2
REARING	2
THRASHING/PADDLING	2
TWITCH	2
VOCALIZATION	2
APPREHENSION	1
ARRHYTHMIA	1
BLINDNESS	1
CIRCLING	1
CNS DISORDER	1
CYANOSIS	1
DEFECATION	1

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISCOMFORT	1
DISTRESS	1
EDEMA	1
EDEMA, LIMB(S)	1
HEAD BOBBING	1
HYPOPNEA	1
INJ SITE BLD	1
INJ SITE MASS	1
INJ SITE STIFFNESS	1
JERKING	1
KICKING	1
LAMENESS	1
NYSTAGMUS	1
PAIN	1
PAIN, ABDOMEN	1
PAWING	1
PD-SUSPENSION, ABN	1
PHOTOPHOBIA	1
PRURITIS	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
SPASM	1
SWELLING, LIMB(S)	1
SWELLING, SCROTUM	1
TACHYCARDIA	1

DRUG: PENICILLIN G PROCAINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1

DRUG: PENICILLIN G PROCAINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	14
VOMITING	13
ANAPHYLAXIS/TOID	7
DIARRHEA	4
DISTRESS, RESP	4
DYSYPNEA	3
CONVULSION(S)	2
DEPRESSION/LETHARGY	2
FEVER, BODY	2
SHAKING	2
ABORTION	1
ATAXIA	1
BLINDNESS	1
CNS DISORDER	1
FROTH, MOUTH/LIP(S)	1
HYPERPNEA	1
POLYPNEA	1
RECUMBENCY	1
REGURGITATION	1
THRASHING/PADDLING	1
UNCONSCIOUS	1

DRUG: PENICILLIN G PROCAINE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
SHOCK	1

DRUG: PENICILLIN G PROCAINE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: PENICILLIN G PROCAINE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DERMATITIS, MOIST	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PRURITIS	1

DRUG: PENICILLIN G PROCAINE

Species: DOG

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
SWELLING, HEAD/FACE	1
URTICARIA	1

DRUG: PENICILLIN G PROCAINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE INFLAM	1

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	7
ANAPHYLAXIS/TOID	6
ATAXIA	2
DISTRESS, RESP	2
RESIDUE, MILK	2
BLD, LUNG(S)/TRACHEA	1
COLLAPSE	1
INEFFECT	1
INJ SITE SWELLING	1

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PARALYSIS	1
PD-CONTAMINATION	1
PD-VIAL(S), ABN	1
SWELLING, EYE(S)/LID(S)	1

DRUG: PENICILLIN G PROCAINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
COLLAPSE	2
CYANOSIS	2
INJ SITE ABSCESS	2
FEVER, BODY	1
INJ SITE SWELLING	1
SWELLING, HEAD/FACE	1
URTICARIA	1
VOMITING	1

DRUG: PENICILLIN G PROCAINE

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
INJ SITE PAIN	1

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
COLLAPSE	1

DRUG: PENICILLIN G PROCAINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	1
HYPERACTIVITY	1
REACTION, UNSPECIFIED	1
SWEATING	1
SWELLING, TONGUE	1
WEAKNESS	1

DRUG: PENICILLIN G PROCAINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FEVER, BODY	1
NEUROLOGICAL DISORDER	1
RASH	1

DRUG: PENICILLIN G PROCAINE

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	5
VOMITING	3
DISTRESS, RESP	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
OFF FEED	1
PARESIS, HIND LIMB(S)	1
POLYPNEA	1
POSTURE ABN	1
RECUMBENCY	1
REGURGITATION	1
VOCALIZATION	1

DRUG: PENICILLIN G PROCAINE

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: PENICILLIN G PROCAINE

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	1
PD-SUSPENSION, ABN	1

DRUG: PENICILLIN G PROCAINE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: PENICILLIN G PROCAINE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
SWELLING, HEAD/FACE	2
ANAPHYLAXIS/TOID	1
INJ SITE INFLAM	1
INJ SITE STERILE ABSCE	1
SWELLING, EYE(S)/LID(S)	1
URTICARIA	1

DRUG: PENICILLIN V POTASSIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1
PD-CONTAM, MOLD	1

DRUG: PENICILLIN V POTASSIUM

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: PENTOBARBITAL

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

DRUG: PENTOBARBITAL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NEUROLOGICAL DISORDER	1

DRUG: PENTOBARBITAL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	4

DRUG: PENTOBARBITAL

Species: DONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1
PD-POTENCY, LO	1

DRUG: PENTOBARBITAL

Species: DONKEY

Route of Administration: PARENTERAL

DRUG: PENTOBARBITAL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	6
PD-SOLUTION, ABN	1

DRUG: PENTOBARBITAL

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	12
PD-VIAL(S), LEAKING	5
PD-SOLUTION, ABN	4
PD-UNDERFILL, VIAL(S)	4
PD-CONTAINER(S), ABN	3
PD-CAP(S), ABN	2
PD-PRODUCT DEFECT	2
INEFFECT, EUTHANASIA	1
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-VIAL(S), DAMAGED	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: INTRANASAL

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
DIZZINESS	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	4
PD-POTENCY, LO	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	3
PD-POTENCY, LO	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	26
PAIN, EYE(S)/LID(S)	7
CONGESTION, EYE(S)/LID	4
DIZZINESS	3
S-IRRITATION, EYE(S)/LID	3
VISION DISORDER	3
CONJUNCTIVITIS	2
EDEMA, CORNEA(S)	2
EYE DISORDER	2
ULCER(S), CORNEA(S)	2
ABRASION, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
HUMAN EXPOSURE, EYE(S)	1
HYPERPNEA	1
HYPOESTHESIA	1
NAUSEA	1
PRURITIS, EYE(S)	1
TACHYCARDIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1
RECUMBENCY	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	4
RECUMBENCY	3
DEPRESSION/LETHARGY	2
HYPOTHERMIA, BODY	2
STUPOR	2

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNCONSCIOUS	2
APNEA	1
HYPOPNEA	1
HYPOTHERMIA	1
INEFFECT, EUTHANASIA	1
INJ SITE PAIN	1
MIOSIS	1
NYSTAGMUS	1
PRESSURE HI, BLD	1
PR-INTEST, LESION(S)	1
SEDATION	1
TACHYCARDIA	1
THRASHING/PADDLING	1
VOCALIZATION	1
VOMITING, BLOODY	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1
TOX	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
BRADYCARDIA	1
CONFUSION	1
HEADACHE	1
IRRITATION, EYE(S)/LID	1
TASTE ABNORMALITY	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: LION

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	22
PD-POTENCY, LO	6
VOCALIZATION	4
DEATH(EUTHANIZED)	3
INJ SITE PAIN	3
INEFFECT	2
APNEA	1
BREATHING ABN	1
COUGHING	1
DEATH	1
DEPRESSION/LETHARGY	1
DISTRESS	1
HYPOTHERMIA, BODY	1
INEFFECT, DELAYED EFFE	1
PAIN	1
PD-SOLUTION, ABN	1
REARING	1
STUPOR	1
TACHYCARDIA	1
THRASHING/PADDLING	1
TREMBLING	1
UNCONSCIOUS	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: CAT

Route of Administration: PARENTERAL

DRUG: PENTOBARBITAL, PHENYTOIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, DELAYED EFFE	1
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	201
INEFFECT	32
VOCALIZATION	25
INJ SITE PAIN	16
PD-POTENCY, LO	16
HYPERACTIVITY	13
PD-SOLUTION, ABN	12
INEFFECT, DELAYED EFFE	9
DEATH(EUTHANIZED)	7
BITING/CHEWING	4
BREATHING ABN	4
CONVULSION(S)	4
TWITCH	4
AGGRESSION	3
BREATHING, PERIODIC	3
SPASM	3
THRASHING/PADDLING	3
BEHAVIOR DISORDER	2
OPISTHOTONOS	2
SEDATION	2
APPREHENSION	1
ATAXIA	1
DEATH	1
DEFECATION	1
DISCOMFORT	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISSOCIATION	1
DYSPNEA	1
HYPOPNEA	1
INEFFECT, ANESTHESIA	1
JERKING	1
LOCOMOTION DISORDER	1
POSTURE ABN	1
STIFFNESS	1
UNCONSCIOUS	1
UNKNOWN	1
URINATION	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	36
CONVULSION(S)	6
HYPERACTIVITY	5
PD-POTENCY, LO	3
BREATHING ABN	1
COLLAPSE	1
DEATH	1
DEATH(EUTHANIZED)	1
INEFFECT	1
INEFFECT, DELAYED EFFE	1
INJ SITE PHLEBITIS	1
THRASHING/PADDLING	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	7
HYPOESTHESIA	5

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	3
INJ SITE ABN	2
INJ SITE BLD	2
INJ SITE INFLAM	2
VESICLE(S)/BULLAE, SKI	2
DEATH(SUICIDE)	1
LESION(S), SKIN	1
SUICIDE ATTEMPT	1
UNCONSCIOUS	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: SHEEP

Route of Administration: PARENTERAL

DRUG: PENTOBARBITAL, PHENYTOIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	3

DRUG: PENTOBARBITAL, PHENYTOIN

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	12
INEFFECT, EUTHANASIA	3

DRUG: PENTOBARBITAL, PHENYTOIN

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	37
PD-SOLUTION, ABN	3
DEATH(EUTHANIZED)	2
BREATHING ABN	1
DISTRESS, RESP	1
DYSPNEA	1
FIBRILLATION	1
HYPERACTIVITY	1
INEFFECT	1
PD-POTENCY, LO	1
SPASM	1
STIFFNESS, LIMB(S)	1
TORTICOLLIS	1
TWITCH	1
VOCALIZATION	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-VIAL(S), DAMAGED	2
TASTE ABNORMALITY	2
BLINDNESS, TEMP	1
CONJUNCTIVITIS	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
EYE DISORDER	1
HEADACHE	1
HUMAN EXPOSURE, HAND(S)	1
HYPOESTHESIA	1
HYPOESTHESIA, FEET/DIG	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
PAIN, FEET/DIGIT(S)	1
PHOTOPHOBIA	1
PRURITIS	1
RASH	1
REACTION, UNSPECIFIED	1
SWELLING, FEET/DIGIT(S)	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	7
INEFFECT	3
VOCALIZATION	3
DEPRESSION/LETHARGY	1
HYPERACTIVITY	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-POTENCY, LO	1
PD-SOLUTION, ABN	1
THRASHING/PADDLING	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT	3

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
HEADACHE	1
HUMAN EXPOSURE, INJ	1
HYPERACTIVITY	1
ILL	1
INJ SITE PAIN	1
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PNEUMONIA, ASPIRATION	1
RASH	1
SUICIDE ATTEMPT	1
UNCONSCIOUS	1
URTICARIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT	30

DRUG: PENTOBARBITAL, PHENYTOIN

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOCALIZATION	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DYSPNEA	1
INEFFECT, EUTHANASIA	1
TWITCH	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
PD-POTENCY, LO	4
INEFFECT, EUTHANASIA	2
PAIN	1
PD-SOLUTION, ABN	1
VOCALIZATION	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	3
HYPERACTIVITY	1
PD-POTENCY, LO	1
SEDATION	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HORSE

Route of Administration: VARIOUS

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	3
HEADACHE	1
SWELLING, EYE(S)/LID(S)	1

DRUG: PENTOBARBITAL, PHENYTOIN

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	2

DRUG: PENTOBARBITAL

Species: CAT

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	2

DRUG: PENTOBARBITAL

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOBARBITAL

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
BREATHING, DIFFICULT	1
COUGHING	1
INEFFECT, DELAYED EFFE	1

DRUG: PENTOBARBITAL

Species: UNKNOWN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, EUTHANASIA	1

DRUG: PENTOXIFYLLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
POLYPNEA	1
TACHYCARDIA	1
VOMITING	1

DRUG: PERGOLIDE MESYLATE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	16
DEPRESSION/LETHARGY	6

DRUG: PERGOLIDE MESYLATE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMINITIS	3
ADIPSIA	2
DEATH	2
DEATH(EUTHANIZED)	2
INEFFECT, CUSHINGS	2
STUMBLING	2
WEAKNESS	2
WEIGHT LOSS	2
AGGRESSION	1
ANEMIA	1
ATROPHY, MUSCLE(S)	1
BEHAVIOR DISORDER	1
BLD, ABN	1
CHEMISTRY ABN	1
CONFUSION	1
CONVULSION(S)	1
CPK HI, BLD	1
CULTURE/TITER DATA ABN	1
DEFECATION ABN	1
DIARRHEA, MILD	1
EFFUSION, PLEURAL	1
EYE DISORDER	1
FEVER, BODY	1
LDH HI, BLD	1
PAIN, ABDOMEN	1
PLATELETS LO, BLD	1
PNEUMONIA	1
POLYDIPSIA	1
POLYPHAGIA	1
POLYURIA	1
SHAKING	1
SKIN, CRUST(S)	1
STIFFNESS, LIMB(S)	1
SWELLING, HEAD/FACE	1
SWELLING, TONGUE	1
TREMBLING	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), PYLORUS	1

DRUG: PERGOLIDE MESYLATE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
US ABN	1

DRUG: PERGOLIDE MESYLATE

Species: MULE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
PAIN, NECK	1
RELUCTANT TO MOVE	1

DRUG: PERGOLIDE MESYLATE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
LEUKODERMA	1

DRUG: PHENOBARBITAL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ARREST, HEART	1
DEATH	1

DRUG: PHENOBARBITAL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEIZURES	1

DRUG: PHENOBARBITAL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEIZURES	6
DEPRESSION/LETHARGY	4
PLATELETS LO, BLD	3
VOMITING	3
DEATH(EUTHANIZED)	2
FEVER, BODY	2
SEGS LO, BLD	2
ANOREXIA	1
APPREHENSION	1
ARRHYTHMIA	1
ATAXIA	1
BALANCE DISORDER	1
BLD(ECCHYMOSES)	1
BLD(PETECHIAE)	1
CNS DISORDER	1
CONGESTION, EYE(S)/LID	1
CONVULSION(S)	1
CULTURE/TITER DATA ABN	1
DEATH	1
DYSPNEA	1
ERUPTION(S)	1
HEART DISORDER	1
HIDING	1
HYPERACTIVITY	1
INCONTINENCE	1
INCONTINENCE, FECAL	1
INFECTION, SKIN	1
LYMPHS LO, BLD	1
NAUSEA	1
OTITIS	1
PARESIS, FORE LIMB(S)	1
PARESIS, HIND LIMB(S)	1
POLYDIPSIA	1
SHAKING	1
STAGGERING	1
STUPOR	1
TOX	1
TREMBLING	1

DRUG: PHENOBARBITAL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC LO, BLD	1

DRUG: PHENOXYBENZAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PRESSURE LO, BLD	1

DRUG: PHENYL BUTAZONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	7
PD-TUBE(S), ABN	5
PD-DISPENSER, ABN	3
PD-SYRINGE, ABN	3
PD-COLOR, ABN	1
PD-CONTAMINATION	1
PD-GEL/PASTE, ABN	1
PD-TUBE(S), DAMAGED	1
PD-UNDERFILL, TUBE(S)	1

DRUG: PHENYL BUTAZONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: PHENYL BUTAZONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: PHENYLBUTAZONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	4
DEPRESSION/LETHARGY	4
ANEMIA	3
COAGULATION DISORDER	3
DIARRHEA	3
PLATELETS LO, BLD	3
VOMITING	3
DEATH	2
KIDNEY DISORDER	2
ALK PHOS HI, BLD	1
ANEMIA, APLASTIC	1
ATAXIA	1
BLD	1
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
EDEMA	1
FEVER, BODY	1
HEMATOCHEZIA	1
LYMPHS HI, BLD	1
PAIN, ABDOMEN	1
PALLOR, MUCOUS MEMBRAN	1
PROTEIN, URINE	1
RECUMBENCY	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
TREMBLING	1
WEAKNESS	1

DRUG: PHENYLBUTAZONE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	10
PAIN, ABDOMEN	7
ANOREXIA	6
COLITIS	4

DRUG: PHENYL BUTAZONE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	4
DIARRHEA	3
COLLAPSE	2
DEATH(EUTHANIZED)	2
DIARRHEA, SEVERE	2
PR-STOMACH, LESION(S)	2
ULCER(S), GI	2
ACCIDENTAL EXPOSURE	1
CHOKING	1
CONVULSION(S)	1
DIARRHEA, WATERY	1
EDEMA	1
FEVER, BODY	1
GI, ABNORMAL	1
HYPERSALIVATION	1
INEFFECT, ANALGESIA	1
KIDNEY FAILURE	1
PD-SYRINGE, ABN	1
PD-TUBE(S), ABN	1
RELUCTANT TO MOVE	1
SYRINGE, LOCKING RING	1
TECH ERROR ADMINISTRAT	1
THRASHING/PADDLING	1
ULCER(S), MOUTH/LIP(S)	1
URTICARIA	1

DRUG: PHENYL BUTAZONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	4
DEATH	4
PAIN, ABDOMEN	4
CONVULSION(S)	3
DEATH(EUTHANIZED)	3
SWEATING	3

DRUG: PHENYL BUTAZONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
APNEA	2
DIARRHEA	2
TACHYCARDIA	2
ATAXIA	1
DYSYPNEA	1
HYPERPNEA	1
PR-INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
SHOCK, ENDOTOXEMIA	1
STAGGERING	1
TOX	1
TWITCH	1
ULCER(S), STOMACH	1
UNCONSCIOUS	1

DRUG: PHENYLPROPANOLAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
ATAXIA	3
CONVULSION(S)	3
DEATH	3
DEPRESSION/LETHARGY	3
POLYPNEA	3
TACHYCARDIA	3
VOCALIZATION	3
ANISOCORIA	2
ANOREXIA	2
CONGESTION, SKIN	2
CREATININE HI, BLD	2
HYPERACTIVITY	2
HYPERPNEA	2
NERVOUSNESS	2
PRESSURE HI, BLD	2

DRUG: PHENYLPROPANOLAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
STAGGERING	2
TOX	2
WEAKNESS	2
ACCIDENTAL EXPOSURE	1
AMYLASE HI, BLD	1
ANEMIA, HEMOLYTIC	1
ARREST, HEART	1
BLD	1
BLOAT	1
BUN HI, BLD	1
CONFUSION	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA	1
DILITATION, STOMACH	1
DIZZINESS	1
DYSPNEA	1
FIBRILLATION, ATRIAL	1
INFECTION, SKIN	1
INTERACTION, DRUG(S)	1
LIPASE HI, BLD	1
PAIN, ABDOMEN	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
POLYDIPSIA	1
PR-MENINGES, LESION(S)	1
RELUCTANT TO MOVE	1
SGPT/ALT HI, BLD	1
URTICARIA	1
WEIGHT LOSS	1

DRUG: PHEROMONES

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

DRUG: PHEROMONES

Species: CAT

Route of Administration: TOPICAL

DRUG: PHOSMET

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
BLOAT	1
CONVULSION(S)	1
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
TOX, OP	1
TREMBLING	1

DRUG: PHYTOSPHINGOSINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ERYTHEMA	1
PRURITIS, EAR(S)	1

DRUG: PILOCARPINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
HYPERSALIVATION	1

DRUG: PIMOBENDAN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	59
PD-COLOR, ABN	22
PD-CAP(S), ABN	17

DRUG: PIMOBENDAN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	9
PD-PRODUCT DEFECT	5
UNPALATABLE, WON'T EAT	4
PD-ODOR, ABN	3
PD-VIAL(S), ABN	3
PD-CONTAINER(S), ABN	2
PD-MISSING, LABEL(S)	2
PD-SEAL, ABN	2
PD-UNDERFILL, PACKAGE	2
INEFFECT	1
PD-CONTAMINATION	1
PD-POTENCY, LO	1
UNPALATABLE	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DYSPNEA	1
NERVOUSNESS	1

DRUG: PIMOBENDAN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
TACHYCARDIA	4
ANOREXIA	3
DEPRESSION/LETHARGY	2
DIARRHEA	2
DYSPNEA	2
BUN HI, BLD	1
CREATININE HI, BLD	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, PLEURAL	1

DRUG: PIMOBENDAN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
FEVER, BODY	1
K LO, BLD	1
MURMUR, HEART	1
POLYDIPSIA	1
RADIOGRAPH(S) ABN	1
TACHYCARDIA, VENTRICUL	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	120
ANOREXIA	110
VOMITING	94
DEPRESSION/LETHARGY	90
TACHYCARDIA	76
COUGHING	46
BUN HI, BLD	44
DEATH	43
CONVULSION(S)	36
CREATININE HI, BLD	32
POLYPNEA	28
SGPT/ALT HI, BLD	27
SYNCOPE	27
ARRHYTHMIA	26
DEATH(EUTHANIZED)	26
TREMBLING	26
ATAXIA	23
NERVOUSNESS	23
ALK PHOS HI, BLD	22
COLLAPSE	22
POLYDIPSIA	22
PRESSURE LO, BLD	21
DYSPNEA	20
PRURITIS	20
PRESSURE HI, BLD	17

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYURIA	16
HYPERACTIVITY	15
WEIGHT LOSS	14
APPREHENSION	13
EDEMA, LUNG(S)/TRACHEA	13
INEFFECT	13
SHAKING	13
WEAKNESS	12
CONFUSION	11
DIARRHEA, MILD	10
P HI, BLD	10
K HI, BLD	9
SPEC GRAVITY LO, URINE	9
GGT HI, BLD	8
HYPERPNEA	8
RADIOGRAPH(S) ABN	8
VOCALIZATION	8
CYANOSIS, MUCOUS MEMBR	7
DIARRHEA, BLOODY	7
DIARRHEA, WATERY	7
MURMUR, HEART	7
PALLOR, MUCOUS MEMBRAN	7
ANEMIA	6
HEMATOCHEZIA	6
RECUMBENCY	6
ASCITES	5
AZOTEMIA	5
BRADYCARDIA	5
CA HI, BLD	5
CONSTIPATION	5
FEVER, BODY	5
HYPERSALIVATION	5
INEFFECT, LOSS OF EFFE	5
KIDNEY FAILURE	5
PANCREATITIS	5
SGOT/AST HI, BLD	5
SWELLING, HEAD/FACE	5
WBC HI, BLD	5

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARRHYTHMIA, BLOCK	4
BLD, URINE	4
CARDIOMEGALY	4
ECG ABN	4
GAGGING	4
GLUCOSE HI, BLD	4
INCONTINENCE, URINARY	4
INFLAM, SKIN	4
LESION(S), SKIN	4
LIVER ENZYMES HI, BLD	4
PLATELETS LO, BLD	4
SEGS HI, BLD	4
SOMNOLENCE	4
STUPOR	4
ADIPSIA	3
AGGRESSION	3
ALOPECIA	3
BILIRUBIN(TOT) HI, BLD	3
COAGULATION DISORDER	3
CONGESTION, SKIN	3
DERMATITIS, MOIST	3
DIFFICULTY RISING	3
DISTRESS, RESP	3
EPISTAXIS	3
FLATULENCE	3
ICTERUS, BODY	3
INTERACTION, DRUG(S)	3
LOCOMOTION DISORDER	3
MELENA	3
MONOS HI, BLD	3
MYDRIASIS	3
NAUSEA	3
PARESIS, HIND LIMB(S)	3
STAGGERING	3
STIFFNESS	3
TWITCH	3
URINATION ABN	3
US ABN	3

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
US-LIVER ABN	3
ALBUMIN LO, BLD	2
AMYLASE HI, BLD	2
ANAPHYLAXIS/TOID	2
APNEA	2
BEHAVIOR DISORDER	2
BILIRUBIN, URINE	2
BLD(ECCHYMOSES)	2
BLD, MOUTH/LIP(S)	2
BLD(PETECHIAE)	2
CHEMISTRY ABN	2
CHOLESTEROL HI, BLD	2
CIRCLING	2
COLITIS	2
CONGESTION, EYE(S)/LID	2
CONGESTION, LUNG(S)	2
CONGESTION, MUCOUS MEM	2
CYANOSIS	2
DEHYDRATION	2
DIARRHEA, MUCOID	2
DIARRHEA, SEVERE	2
DISSOCIATION	2
DISTENTION, ABDOMEN	2
DIZZINESS	2
ERECTION, ABN	2
EXERCISE INTOLERANCE	2
FIBRILLATION, ATRIAL	2
HEART DISORDER	2
HEPATOMEGALY	2
HYPOTHERMIA, BODY	2
INFECTION, URINARY TRA	2
INSOMNIA	2
IRRITATION, EYE(S)/LID	2
LIPASE HI, BLD	2
MUCOUS MEMBR, MUDDY	2
NA HI, BLD	2
NEUROLOGICAL DISORDER	2
PICA	2

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) LO, BLD	2
PRURITIS, EAR(S)	2
PRURITIS, FEET/DIGIT(S)	2
RESPIRATORY DISORDER	2
SPASM	2
STIFFNESS, HIND LIMB(S)	2
STOOL ABN	2
SWELLING, EAR(S)	2
SWELLING, EYE(S)/LID(S)	2
TACHYCARDIA, VENTRICUL	2
TECH ERROR	2
THYROID HORMONE(S) LO	2
ULCER(S), TONGUE	2
UNPALATABLE, WON'T EAT	2
URINATION	2
URTICARIA	2
XEROSTOMIA	2
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, SPHERO	1
ARREST, HEART	1
BANDS HI, BLD	1
BLD(HEMATOMA)	1
BLD, LUNG(S)/TRACHEA	1
BLINDNESS	1
BLOAT	1
BREATHING ABN	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CHLORIDE HI, BLD	1
CNS DISORDER	1
CONGESTION, EAR(S)	1
CONJUNCTIVITIS	1
CULTURE/TITER DATA ABN	1
DEFECATION ABN	1
DEMENTIA	1
DIABETES	1
DISCHARGE, EYE(S)/LID(S)	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISCHARGE, NOSE	1
DISTRESS	1
DYSMETRIA	1
DYSPHAGIA	1
EDEMA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, NECK	1
EFFUSION, PERICARDIAL	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
EPIPHORA	1
ERUPTION(S)	1
ESTRUS	1
GALL BLADDER, ABN	1
GLOBULIN HI, BLD	1
GLUCOSE, URINE	1
HAIR, SHEDDING	1
HALLUCINATION	1
HEAD BOBBING	1
HEAD TILT	1
HEART FAILURE	1
HYPERESTHESIA	1
HYPERPIGMENTATION, SKI	1
HYPERTONIA	1
ICTERUS, SERUM	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, SKIN	1
IRRITATION, MOUTH/LIP(1
KICKING	1
KIDNEY VALUES HI, BLD	1
K LO, BLD	1
LESION(S), MOUTH/LIP(S)	1
LEUKODERMA	1
LICKING, FEET/DIGIT(S)	1
LIVER DISORDER	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LIVER FAILURE	1
LOSS OF CONDITION	1
LYMPHS HI, BLD	1
LYMPHS LO, BLD	1
MG LO, BLD	1
MUCOUS MEMBR, RED	1
NEOPLASM, LYMPH NODE(S)	1
NYSTAGMUS	1
NYSTAGMUS, ROTARY	1
PACING	1
PAIN	1
PAIN, ABDOMEN	1
PARESIS	1
PARESIS, FORE LIMB(S)	1
PD-TABLET(S), ABN	1
PLATELETS HI, BLD	1
POLAKIURIA	1
POLYCYTHEMIA	1
POLYPHAGIA	1
PR-HEART, LESION(S)	1
PRIAPISM	1
PROLAPSE, PENIS	1
PROTEIN, URINE	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
PUSTULE(S)	1
RASH	1
RBC, POLYCHROM	1
REACTION, UNSPECIFIED	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
REPETITIVE MOVEMENTS	1
ROLLING	1
RUPTURE	1
SCALE(S), SKIN	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, DRY	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SLEEP ABN	1
SNEEZING	1
SORE(S)	1
SOUND ABN, RESPIRATORY	1
STARING	1
STRANGURIA	1
STUMBLING	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, NECK	1
SWELLING, VAGINA/VULVA	1
TECH ERROR ADMINISTRAT	1
TEETH, ABN	1
TENESMUS, RECTAL	1
TONGUE, ABN	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), CORNEA(S)	1
VOMITING, BLOODY	1
VOMITING, PROJECTILE	1
WBC, URINE	1
WHEEZING	1

DRUG: PIMOBENDAN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	1
NAUSEA	1
PRESSURE LO, BLD	1
XEROSTOMIA	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERACTIVITY	1

DRUG: PIMOBENDAN

Species: DOG

Route of Administration: UNKNOWN

DRUG: PIPERAZINE, ARECOLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLOAT	2
DEATH	2
DEPRESSION/LETHARGY	2
DYSPNEA	2
ATAXIA	1
CONGESTION, TONGUE	1
DEHYDRATION	1
DIARRHEA, BLOODY	1
PARESIS	1
POLYPNEA	1
RECUMBENCY	1
SOUND ABN, RESPIRATORY	1
STOOL, PALE/GRAY	1
VOMITING	1
VOMITING, UNPRODUCTIVE	1

DRUG: PIPERAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	1
PD-UNDERFILL, VIAL(S)	1

DRUG: PIPERAZINE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
CONFUSION	1
CONVULSION(S)	1
DEATH	1

DRUG: PIPERAZINE

Species: CAT

Route of Administration: MISSING

DRUG: PIPERAZINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
DEATH	1
DIARRHEA, BLOODY	1
POLYDIPSIA	1
VOMITING	1

DRUG: PIPERAZINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	8
ATAXIA	5
TWITCH	4
CONVULSION(S)	3
HYPERSALIVATION	3
ANOREXIA	2
DEATH	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
HYPERESTHESIA	2
STUPOR	2
TREMBLING	2
WEAKNESS	2
ADIPSIA	1
CONFUSION	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DYSPHAGIA	1
HYPERPNEA	1
HYPOMOTILITY	1
INEFFECT, ASCARIDS	1

DRUG: PIPERAZINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
MYDRIASIS	1
NERVOUSNESS	1
ODOR	1
RESPIRATORY DISORDER	1
TORTICOLLIS	1
WEIGHT LOSS	1

DRUG: PIPERAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	7
DEPRESSION/LETHARGY	4
DEATH	3
RECUMBENCY	3
SHAKING	3
TREMBLING	3
ANOREXIA	2
ATAXIA	2
CONVULSION(S)	2
NEUROLOGICAL DISORDER	2
COLLAPSE	1
CONJUNCTIVITIS	1
CYANOSIS	1
DIARRHEA	1
DYSPNEA	1
FROTH, MOUTH/LIP(S)	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ILL	1
MURMUR, HEART	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, HIND LIMB(S)	1
PD-SEAL, ABN	1
POLLAKIURIA	1
PULSE THREADY	1

DRUG: PIPERAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
REFLEX(ES) ABN	1
STAGGERING	1
STUPOR	1
TWITCH	1
VOMITING, SEVERE	1
WEAKNESS	1

DRUG: PIPERAZINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
BEHAVIOR DISORDER	1
BITING/CHEWING	1
KICKING	1

DRUG: PIPERAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
FEVER, BODY	1

DRUG: PIPERAZINE, PHENOTHIAZINE, TRICHLORFON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	7
DIARRHEA	6
DEATH	4
DEPRESSION/LETHARGY	3
ANOREXIA	2
ABN COLOR, URINE	1

DRUG: PIPERAZINE, PHENOTHIAZINE, TRICHLORFON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ABORTION	1
ALOPECIA	1
ANEMIA	1
BRADYCARDIA	1
CONGESTION, MUCOUS MEM	1
DISTRESS	1
DIZZINESS	1
ENTERITIS	1
EPISTAXIS	1
FEVER, BODY	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA	1
PALLOR	1
RECUMBENCY	1
SWEATING	1
TACHYCARDIA	1
TOX, OP	1
TWITCH	1
URTICARIA	1

DRUG: PIPERAZINE, THENIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
CONVULSION(S)	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
VOMITING	1

DRUG: PIPERAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
NEUROLOGICAL DISORDER	1

DRUG: PIPERONYL BUTOXIDE, PYRETHRINS, SQUALANE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
CONGESTION, EAR(S)	1
DEPRESSION/LETHARGY	1
EAR DISORDER	1
ENLARGEMENT(S), SKIN	1
EXFOLIATION, SKIN	1
FEVER, BODY	1
INEFFECT	1
IRRITATION, EAR(S)	1
SCALE(S), SKIN	1
SWELLING, HEAD/FACE	1

DRUG: PIRLIMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	4
PD-TUBE(S), ABN	3
PD-SUSPENSION, ABN	2
PD-TUBE(S), DAMAGED	2
PD-UNDERFILL, TUBE(S)	2
PD-DISPENSER, ABN	1
PD-SYRINGE, ABN	1
PD-UNDERFILL, PACKAGE	1

DRUG: PIRLIMYCIN

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	11
RESIDUE, MILK	10
UDDER, MASTITIS	10
DEATH	7
FEVER, BODY	3
DEPRESSION/LETHARGY	2
ABORTION	1
CULTURE/TITER DATA ABN	1
PD-CONTAMINATION	1
SEPTICEMIA	1
URTICARIA	1
WBC HI, MILK	1
WEAKNESS	1

DRUG: PIRLIMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	2

DRUG: PIROXICAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DERMATITIS, MOIST	2
LICKING	1
PRURITIS	1

DRUG: PIROXICAM

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
KIDNEY FAILURE	1

DRUG: PIROXICAM

Species: DOG

Route of Administration: UNKNOWN

DRUG: POLOXALENE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	2
PD-SEAL, ABN	1
PD-VIAL(S), LEAKING	1

DRUG: POLOXALENE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	2
DEATH	1

DRUG: POLOXALENE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLOAT	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
HYPOTHERMIA	1
KIDNEY FAILURE	1
PARESIS	1

DRUG: POLOXALENE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
ERUCTATION	1
IRRITATION, SKIN	1

DRUG: POLOXALENE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	1
PAIN, LIMB(S)	1
SPASM	1
VOMITING	1

DRUG: PONAZURIL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	6
PD-UNDERFILL, TUBE(S)	4
PD-SYRINGE, ABN	3
PD-UNDERFILL, PACKAGE	2
PD-GEL/PASTE, ABN	1
PD-LABEL(S), ABN	1
PD-TUBE(S), ABN	1

DRUG: PONAZURIL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	3
DEATH	3
DEPRESSION/LETHARGY	3
DEHYDRATION	2
DIARRHEA	1
ICTERUS, BODY	1
LIVER DISORDER	1
REACTION, UNSPECIFIED	1
SQUINTING	1
VOMITING	1

DRUG: PONAURIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	3
DEATH	3
DEPRESSION/LETHARGY	2
DIARRHEA	2
LOSS OF CONDITION	2
WEAKNESS	2
ALBUMIN LO, BLD	1
ASCITES	1
BUN LO, BLD	1
CARDIOMEGALY	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
ENTERITIS	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
HEAD PRESSING	1
HEPATOMEGALY	1
KERATOCONJUNCTIVITIS S	1
PAIN, ABDOMEN	1
PERFORATION	1
PNEUMONIA	1
POLYURIA	1
PROTEIN(TOT) LO, BLD	1
STUPOR	1
ULCER(S), CORNEA(S)	1

DRUG: PONAURIL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, PROTOZOA	17
FEVER, BODY	5
PAIN, ABDOMEN	5
ANOREXIA	4
ATAXIA	4
ALOPECIA	3
DIARRHEA, MILD	3

DRUG: PONAURIL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
EDEMA, LIMB(S)	3
SWEATING	3
SWELLING, LIMB(S)	3
URTICARIA	3
ANEMIA	2
DEATH	2
DIARRHEA	2
DIFFICULTY RISING	2
DYSURIA	2
LAMENESS	2
RECUMBENCY	2
TREMBLING	2
VESICLE(S)/BULLAE, SKI	2
ABORTION	1
ANAPHYLAXIS/TOID	1
ANURIA	1
BLD(HEMATOMA)	1
BUN HI, BLD	1
CHOKING	1
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEATH(STILLBORN)	1
DEPRESSION/LETHARGY	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DISTRESS	1
EDEMA, VENTRAL	1
EOSINOS HI, BLD	1
HOOF DISORDER	1
HYPERSALIVATION	1
JERKING	1
KIDNEY DISORDER	1
OBSTRUCTION, ESOPHAGUS	1
OLIGURIA	1
PAIN, LIMB(S)	1
PARESIS, HIND LIMB(S)	1
PICA	1

DRUG: PONAURIL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYDIPSIA	1
RASH	1
ROLLING	1
SHAKING	1
STOOL ABN	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, PREPUCE	1
ULCER(S), GI	1
ULCER(S), MOUTH/LIP(S)	1
WEIGHT LOSS	1

DRUG: PONAURIL

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1

DRUG: PONAURIL

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIZZINESS	1
RASH	1

DRUG: POTASSIUM BROMIDE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEIZURES	2
ANOREXIA	1

DRUG: POTASSIUM GLUCONATE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARREST, HEART	1
DEATH	1

DRUG: POVIDONE-IODINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-POTENCY, LO	1

DRUG: PRAZIQUANTEL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	18
PD-UNDERFILL, PACKAGE	11
PD-COLOR, ABN	8
PD-TABLET(S), ABN	8
PD-VIAL(S), LEAKING	5
PD-LABEL(S), ABN	4
PD-SEAL, ABN	4
PD-MISSING, LABEL(S)	3
PD-UNDERFILL, VIAL(S)	3
PD-CONTAINER(S), ABN	2
INEFFECT	1
PD-CONTAMINATION	1
PD-MISSING, CAP	1
PD-SUSPENSION, ABN	1

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA	1

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE INFLAM	1
INJ SITE PRURITIS	1
PRURITIS	1
TWITCH	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
DIARRHEA	3
ANOREXIA	2
DEATH	2
DYSPNEA	2
VOMITING	2
BLD, RECTUM	1
DEHYDRATION	1
DERMATITIS, MOIST	1
DISTRESS, RESP	1
GLUCOSE LO, BLD	1
INEFFECT, TAPES	1
MUCOUS MEMBR, MUDDY	1
POLYCYTHEMIA	1
PR-HEART, LESION(S)	1
PULSE THREADY	1
SALIVA, ABN	1
VOCALIZATION	1

DRUG: PRAZIQUANTEL

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
CONGESTION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

DRUG: PRAZIQUANTEL

Species: HUMAN

Route of Administration: OPHTHALMIC

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	7
ANOREXIA	5
VOMITING	5
ATAXIA	3
CONVULSION(S)	3
HYPERSALIVATION	3
INEFFECT, TAPES	3
DEATH	2
DEATH(EUTHANIZED)	2
FEVER, BODY	2
NERVOUSNESS	2
TACHYCARDIA	2
ALOPECIA	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
CHE LO, SERUM	1
CIRCLING	1
CONGESTION, SKIN	1
CPK HI, BLD	1
DIARRHEA	1
DIARRHEA, SEVERE	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
GAGGING	1
JERKING	1
LAMENESS	1
MYDRIASIS	1
NYSTAGMUS, VERTICAL	1
PAIN, ABDOMEN	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1
ROLLING	1
SGPT/ALT HI, BLD	1
SHAKING	1

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
TWITCH	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	37
DEPRESSION/LETHARGY	24
DIARRHEA	23
ANOREXIA	22
INEFFECT, TAPES	17
DEATH	13
ATAXIA	8
DIARRHEA, BLOODY	6
CONVULSION(S)	4
HEMATOCHEZIA	4
HYPERSALIVATION	3
NERVOUSNESS	3
PAIN, ABDOMEN	3
VOCALIZATION	3
WEAKNESS	3
COLLAPSE	2
DEATH(EUTHANIZED)	2
FEVER, BODY	2
PARESIS	2
PARESIS, HIND LIMB(S)	2
POLYPNEA	2
RECUMBENCY	2
STOOL, MUCOID	2
SWELLING, EYE(S)/LID(S)	2
TREMBLING	2
URTICARIA	2
ABORTION	1
ADIPSIA	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	1
ANEMIA, AUTOIMMUNE HEM	1
BLD, URINE	1
CONFUSION	1
DEATH(NEWBORN)	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1
FROTH, MOUTH/LIP(S)	1
GAGGING	1
GLUCOSE LO, BLD	1
HYPERACTIVITY	1
HYPERPNEA	1
ICTERUS	1
ILL	1
INJ SITE SWELLING	1
JERKING	1
KIDNEY FAILURE	1
LICKING, FEET/DIGIT(S)	1
LIVER ENZYMES HI, BLD	1
MIOSIS	1
NAUSEA	1
NEUROLOGICAL DISORDER	1
PALLOR	1
PARALYSIS	1
PICA	1
POLYDIPSIA	1
PROLAPSE, THIRD EYELID	1
PRURITIS	1
SGPT/ALT HI, BLD	1
SHAKING	1
SPLENOMEGALY	1
STRABISMUS	1
STUPOR	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING, BLOODY	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1

DRUG: PRAZIQUANTEL

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INSOMNIA	1
PAIN, ABDOMEN	1
VOMITING	1

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ALOPECIA	22
DEATH	21
INJ SITE INFLAM	18
DEPRESSION/LETHARGY	12
VOMITING	12
INJ SITE ABN	10
INJ SITE NECROSIS	8
INJ SITE SWELLING	8
DIARRHEA	7
ANAPHYLAXIS/TOID	6
ANOREXIA	6
INJ SITE SLOUGH	6
INJ SITE ULCER(S)	6
ATAXIA	5
INJ SITE ABSCESS	5
INJ SITE PRURITIS	5
LAMENESS	5
PR-INJ SITE, LESION(S)	5
ALOPECIA	4

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	4
INJ SITE PAIN	4
LOCOMOTION DISORDER	4
PARALYSIS, HIND LIMB(S)	4
VOCALIZATION	4
COLLAPSE	3
HYPERSALIVATION	3
INFLAM, SKIN	3
INJ SITE INFECT	3
INJ SITE MASS	3
PARESIS, HIND LIMB(S)	3
PRURITIS	3
SKIN, SCAB(S)	3
BRADYCARDIA	2
CONGESTION, SKIN	2
CONVULSION(S)	2
FEVER, BODY	2
IRRITATION, SKIN	2
NERVOUSNESS	2
NEURITIS	2
PARALYSIS	2
WEAKNESS	2
ADIPSIA	1
ARREST, HEART	1
ATROPHY	1
AZOTEMIA	1
BEHAVIOR DISORDER	1
BLD, SKIN	1
BUN HI, BLD	1
CONFUSION	1
CONSTIPATION	1
COUGHING	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION	1
DEHYDRATION	1
DERMATITIS, MOIST	1
DISTRESS, RESP	1
EDEMA, LUNG(S)/TRACHEA	1

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S), SKIN	1
HYPOPNEA	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE EFFUSION	1
INJ SITE FIBROSIS	1
INJ SITE SEROMA	1
INTERACTION, DRUG(S)	1
JOINT DISORDER	1
LEG DISORDER	1
LESION(S), SKIN	1
LICKING	1
NEUROLOGICAL DISORDER	1
PAIN	1
PARESIS	1
POLYDIPSIA	1
PR-HEART, LESION(S)	1
PR-PHARYNX, LESION(S)	1
PR-SKIN, LESION(S)	1
RADIOGRAPH(S) ABN	1
SGPT/ALT HI, BLD	1
SHAKING	1
SKIN, CRUST(S)	1
STAGGERING	1
STIFFNESS	1
STUPOR	1
SWELLING, PHARYNX/THRO	1
TACHYCARDIA	1
TREMBLING	1
UNCONSCIOUS	1
URINATION ABN	1
WEIGHT LOSS	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	23
INJ SITE PAIN	19
INJ SITE MASS	10
INJ SITE ABSCESS	9
INEFFECT, TAPES	8
INJ SITE INFLAM	8
ATAXIA	7
INJ SITE EDEMA	7
DEPRESSION/LETHARGY	6
ANOREXIA	5
LAMENESS	5
VOMITING	5
FEVER, BODY	4
INJ SITE FIBROSIS	4
VOCALIZATION	4
COLLAPSE	3
CONVULSION(S)	3
DEATH	3
INJ SITE ABN	3
INJ SITE SLOUGH	3
PARALYSIS, HIND LIMB(S)	3
PR-INJ SITE, LESION(S)	3
TREMBLING	3
CELLULITIS	2
DIARRHEA	2
DISCOMFORT	2
HEAD TILT	2
INJ SITE NECROSIS	2
INJ SITE SEROMA	2
LOCOMOTION DISORDER	2
RECUMBENCY	2
TACHYCARDIA	2
ABORTION	1
ACCIDENTAL EXPOSURE	1
ANAPHYLAXIS/TOID	1
APNEA	1
ARREST, HEART	1
BITING/CHEWING	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD	1
BLD(ECCHYMOSES)	1
CIRCLING	1
CONGESTION, SKIN	1
CYANOSIS	1
DEATH(EUTHANIZED)	1
DEFECATION	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
ENLARGEMENT(S), SKIN	1
HUMAN EXPOSURE	1
HUMAN EXPOSURE, HEAD/F	1
HUMAN EXPOSURE, INJ	1
HYPERACTIVITY	1
ICTERUS, BODY	1
INEFFECT	1
INJ SITE ALOPECIA	1
INJ SITE INDURATION	1
INJ SITE INFECT	1
INJ SITE PRURITIS	1
INJ SITE STERILE ABSCE	1
INJ SITE STIFFNESS	1
INJ SITE ULCER(S)	1
LIVER ENZYMES HI, BLD	1
MURMUR, HEART	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS, HORIZONTAL	1
PAIN	1
PAIN, ABDOMEN	1
PALLOR	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PULSE THREADY	1
RELUCTANT TO MOVE	1
SHAKING	1
SKIN, SCAB(S)	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SPASM	1
STUPOR	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SWELLING, TONGUE	1
TWITCH	1
UNCONSCIOUS	1
WEAKNESS	1

DRUG: PRAZIQUANTEL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA	1
INJ SITE SWELLING	1
IRRITATION, EYE(S)/LID	1

DRUG: PRAZIQUANTEL

Species: SNAKE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
PARALYSIS	1

DRUG: PRAZIQUANTEL

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	2
FEVER, BODY	1
INJ SITE ABSCESS	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	161
DEPRESSION/LETHARGY	59
VOMITING	48
ANOREXIA	23
HYPERSALIVATION	23
DEATH	16
DEHYDRATION	12
TREMBLING	12
STAGGERING	11
MYDRIASIS	10
FEVER, BODY	9
PROLAPSE, THIRD EYELID	9
WEAKNESS	9
PARESIS, HIND LIMB(S)	8
INEFFECT, ASCARIDS	7
DIARRHEA	6
LOCOMOTION DISORDER	6
CONFUSION	5
DIARRHEA, MILD	5
TACHYCARDIA	5
TWITCH	5
VOCALIZATION	5
ADIPSIA	4
BILIRUBIN(TOT) HI, BLD	4
BUN HI, BLD	4
DEATH(EUTHANIZED)	4
DYSPNEA	4
SGPT/ALT HI, BLD	4
WEIGHT LOSS	4
BEHAVIOR DISORDER	3
COLLAPSE	3

DRUG: PRAZIQUANTEL, PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	3
CREATININE HI, BLD	3
CYANOSIS	3
HEAD BOBBING	3
HIDING	3
PAIN, ABDOMEN	3
POLYPNEA	3
VOMITING, SEVERE	3
AGGRESSION	2
ALK PHOS HI, BLD	2
ANISOCORIA	2
ARREST, HEART	2
BRADYCARDIA	2
GLUCOSE LO, BLD	2
HYPERACTIVITY	2
HYPERPNEA	2
INEFFECT, TAPES	2
INEFFECT, WORMS	2
LIVER FAILURE	2
NERVOUSNESS	2
NEUROLOGICAL DISORDER	2
NYSTAGMUS	2
POLYDIPSIA	2
POSTURE ABN	2
RECUMBENCY	2
RELUCTANT TO MOVE	2
SEDATION	2
SOUND ABN, RESPIRATORY	2
STUMBLING	2
UNCONSCIOUS	2
UNPALATABLE, WON'T SWA	2
VOMITING, BLOODY	2
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANURIA	1
APNEA	1
AZOTEMIA	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BALANCE DISORDER	1
BLINDNESS, TEMP	1
CONGESTION	1
COUGHING	1
CREATININE LO, BLD	1
CSF ABN	1
DEFECATION	1
DIARRHEA, BLOODY	1
DIARRHEA, MUCOID	1
DIARRHEA, WATERY	1
DILITATION, STOMACH	1
DISCOMFORT	1
DISTRESS, RESP	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, LARYNX	1
EYE DISORDER	1
GI, ABNORMAL	1
GLUCOSE HI, BLD	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOMOTILITY	1
ICTERUS	1
ICTERUS, BODY	1
ILL	1
INEFFECT, STRONGYLES	1
JERKING	1
KIDNEY DISORDER	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LICKING	1
LOSS OF CONDITION	1
MIOSIS	1
MRI SCAN ABN	1
MURMUR, HEART	1
NAUSEA	1
NECK, VENTROFLEXION	1
PALLOR, MUCOUS MEMBRAN	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
PANCREATITIS	1
P LO, BLD	1
PNEUMONIA	1
POLYCYTHEMIA(RELATIVE)	1
POLYURIA	1
PROPRIOCEPTIVE DISORDE	1
PRURITIS	1
RADIOGRAPH(S) ABN	1
RESPIRATORY DISORDER	1
SHAKING	1
SHOCK	1
SOMNOLENCE	1
SPASM	1
STRANGURIA	1
STUPOR	1
SWELLING, HEAD/FACE	1
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
TREMBLING, FACE	1
ULCER(S), TONGUE	1
UNPALATABLE	1
URTICARIA	1
VESTIBULAR DISORDER	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	187
DEPRESSION/LETHARGY	105
ANOREXIA	58
DIARRHEA	48
DIARRHEA, BLOODY	23
DEATH	19
DIARRHEA, MILD	16
HEMATOCHEZIA	14

DRUG: PRAZIQUANTEL, PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYPNEA	13
ATAXIA	12
TREMBLING	11
DISTENTION, ABDOMEN	9
HYPERSALIVATION	9
WEAKNESS	8
DYSPNEA	7
RECUMBENCY	7
VOCALIZATION	7
ADIPSIA	6
CONSTIPATION	6
DEATH(EUTHANIZED)	6
DEFECATION ABN	6
NERVOUSNESS	6
STOOL ABN	6
URTICARIA	6
COUGHING	5
DISCOMFORT	5
VOMITING, BLOODY	5
BLOAT	4
INEFFECT, HOOKS	4
PALLOR, MUCOUS MEMBRAN	4
STUPOR	4
SWELLING, HEAD/FACE	4
BEHAVIOR DISORDER	3
BLD, URINE	3
CONFUSION	3
CONGESTION, SKIN	3
DIFFICULTY RISING	3
FEVER, BODY	3
PAIN, ABDOMEN	3
POLYDIPSIA	3
PRURITIS	3
SHAKING	3
SWELLING, EYE(S)/LID(S)	3
TWITCH	3
VOMITING ROUNDWORMS	3
WEIGHT LOSS	3

DRUG: PRAZIQUANTEL, PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	2
BLD, ANUS	2
BUN HI, BLD	2
CHEMISTRY ABN	2
COLLAPSE	2
CONGESTION, EYE(S)/LID	2
CONVULSION(S)	2
DIARRHEA, MUCOID	2
DIZZINESS	2
HYPERACTIVITY	2
INCONTINENCE, FECAL	2
INEFFECT, PARASITE(S)	2
PACING	2
PAIN	2
PROLAPSE, RECTUM	2
PULSE TREADY	2
RASH	2
SHOCK	2
SWELLING, ANUS	2
VOMITING, UNPRODUCTIVE	2
ABN COLOR, URINE	1
AGGRESSION	1
APPREHENSION	1
BLD, RECTUM	1
BORBORYGMI	1
BREATHING ABN	1
CAPILLARY REFILL PROLO	1
CNS DISORDER	1
CONGESTION, EAR(S)	1
CSF ABN	1
DEFECATION	1
DEHYDRATION	1
DIARRHEA, WATERY	1
DISTRESS, RESP	1
DYSPHAGIA	1
EDEMA, HEAD/FACE	1
GLUCOSE LO, BLD	1
HYPERPNEA	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ILL	1
INEFFECT, ASCARIDS	1
IRRITATION, SKIN	1
JERKING	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
K LO, BLD	1
LAMENESS	1
LESION(S), SKIN	1
LIVER ENZYMES HI, BLD	1
LOCOMOTION DISORDER	1
MELENA	1
MYDRIASIS	1
NAUSEA	1
NECK, VENTROFLEXION	1
NEUROLOGICAL DISORDER	1
NOSE ABN	1
ODOR, MOUTH	1
PARALYSIS	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1
POLYURIA	1
PR-INTEST, LESION(S)	1
PRURITIS, TAIL	1
RELUCTANT TO CLIMB	1
RELUCTANT TO MOVE	1
SCALE(S), SKIN	1
SEBORRHEA	1
SHAKING, HEAD/FACE	1
SNEEZING	1
STARING	1
STOOL, MUCOID	1
SWELLING, EAR(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, MULT SITES	1
TACHYCARDIA	1
TECH ERROR ADMINISTRAT	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
TENESMUS, RECTAL	1
UNCONSCIOUS	1
URINATION ABN	1
VESICLE(S)/BULLAE, SKI	1
VOMITING, SEVERE	1
WBC HI, BLD	1
WBC LO, BLD	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
ATAXIA	1
AZOTEMIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
INCONTINENCE, URINARY	1
TREMBLING	1
WEAKNESS	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SGPT/ALT HI, BLD	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
NAUSEA	1

DRUG: PRAZIQUANTEL, PYRANTEL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, ABDOMEN	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
INEFFECT, TAPES	1
INJ SITE PAIN	1

DRUG: PRAZIQUANTEL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-INJ SITE, LESION(S)	2
ATAXIA	1
BRADYCARDIA	1
CAPILLARY REFILL PROLO	1
CYANOSIS	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPHAGIA	1
DYSPNEA	1
INJ SITE NECROSIS	1
INJ SITE ULCER(S)	1
MYDRIASIS	1
PR-MULT SITES, BLD	1
SHOCK	1
VOMITING	1

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: UNKNOWN

DRUG: PRAZIQUANTEL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	4
VOMITING	3
DEATH	2
DEPRESSION/LETHARGY	2
INEFFECT, TAPES	2
INJ SITE ABSCESS	1
INJ SITE INFECT	1
INJ SITE INFLAM	1
INJ SITE NECROSIS	1
INJ SITE SWELLING	1

DRUG: PRAZIQUANTEL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, EYE(S)/LID(S)	1

DRUG: PREDNISOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), ABN	148
PD-VIAL(S), DAMAGED	40
PD-CAP(S), ABN	18
PD-GRANULES/POWDER, ABN	16
PD-SOLUTION, ABN	13
PD-SUSPENSION, ABN	12
PD-COLOR, ABN	7
PD-SEAL, ABN	7
PD-VIAL(S), LEAKING	5
PD-CONTAINER(S), ABN	4
PD-DISPENSER, ABN	3
PD-UNDERFILL, VIAL(S)	2
PD-CONTAINER(S), DAMAG	1
PD-DEFECT UNKNOWN	1

DRUG: PREDNISOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-IMPLANT, ABN	1
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: PREDNISOLONE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1
SHOCK	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
BLEPHAROSPASM	1
CATARACT(S)	1
CONGESTION, EYE(S)/LID	1
EYE DISORDER	1
IRRITATION, EYE(S)/LID	1
PD-SOLUTION, ABN	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: ORAL

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
URTICARIA	2
BLD(ECCHYMOSES)	1
INEFFECT	1
NO SIGNS	1
PLATELETS LO, BLD	1
SWELLING, HEAD/FACE	1
ULCER(S), SKIN	1
WBC HI, BLD	1

DRUG: PREDNISOLONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	5
ARREST, HEART	1
BILIRUBIN(TOT) HI, BLD	1
BUN HI, BLD	1
CHLORIDE LO, BLD	1
COLLAPSE	1
DYSPNEA	1
GLOBULIN HI, BLD	1
INEFFECT, ANTIINFLAM	1
LDH HI, BLD	1
NA LO, BLD	1
PROTEIN(TOT) HI, BLD	1
SGOT/AST HI, BLD	1
TACHYCARDIA	1
VOMITING	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	10
COLLAPSE	10

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
VOMITING	9
SHOCK	7
CYANOSIS	3
DEPRESSION/LETHARGY	3
DIARRHEA	3
HYPOPNEA	3
URTICARIA	3
APNEA	2
DEATH(EUTHANIZED)	2
HYPERPNEA	2
INEFFECT	2
MUCOUS MEMBR, MUDDY	2
PALLOR, MUCOUS MEMBRAN	2
SGOT/AST HI, BLD	2
SGPT/ALT HI, BLD	2
TACHYCARDIA	2
VOMITING, BLOODY	2
WBC HI, BLD	2
ANEMIA	1
ANOREXIA	1
ARREST, HEART	1
BLD, RECTUM	1
BLD, URINE	1
BRADYCARDIA	1
DIARRHEA, BLOODY	1
DISTRESS, RESP	1
HEART FAILURE	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INEFFECT, OTHER DRUG(S)	1
INTERACTION, DRUG(S)	1
K HI, BLD	1
LDH HI, BLD	1
MELENA	1
NA LO, BLD	1
NERVOUSNESS	1
PALLOR	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PERITONITIS	1
POLYDIPSIA	1
POLYURIA	1
PRESSURE LO, BLD	1
PRURITIS	1
PULSE THREADY	1
SEDATION	1
SEGS HI, BLD	1
SHAKING	1
SWELLING, EAR(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
ULCER(S), GI	1
UNCONSCIOUS	1
WEAKNESS	1

DRUG: PREDNISOLONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARREST, HEART	1
COLLAPSE	1
DEATH	1
PARESIS, HIND LIMB(S)	1
PR-PHARYNX, LESION(S)	1
PR-SPLEEN, LESION(S)	1
STAGGERING	1

DRUG: PREDNISOLONE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIZZINESS	1

DRUG: PREDNISOLONE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-VIAL(S), ABN	1
PD-VIAL(S), LEAKING	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	12
PD-PRODUCT DEFECT	5
PD-UNDERFILL, PACKAGE	5
PD-CAP(S), ABN	4
PD-CONTAINER(S), DAMAG	3
PD-TABLET(S), ABN	3
PD-UNDERFILL, VIAL(S)	3
PD-VIAL(S), DAMAGED	2
PD-CONTAINER(S), ABN	1
PD-LABEL(S), ABN	1
PD-VIAL(S), ABN	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANEMIA, AUTOIMMUNE HEM	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
ATAXIA	2
AGGRESSION	1
ANOREXIA	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONSTIPATION	1
CONVULSION(S)	1
CRYSTALS, URINE	1
DEATH	1
DYSPNEA	1
ELIMINATION ABN	1
LESION(S)	1
PARALYSIS	1
SKIN, NECROSIS	1
SLOUGH, EAR(S)	1
SOMNOLENCE	1
VOCALIZATION	1
WEAKNESS	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	54
ALK PHOS HI, BLD	39
VOMITING	39
ANOREXIA	35
SGPT/ALT HI, BLD	30
POLYDIPSIA	26
POLYURIA	24
CONVULSION(S)	20
DIARRHEA	20
ANEMIA	19
ATAXIA	17
DEATH	15
FEVER, BODY	15
POLYPNEA	15
RADIOGRAPH(S) ABN	15
BUN HI, BLD	13
DIARRHEA, BLOODY	13
BILIRUBIN(TOT) HI, BLD	12

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERACTIVITY	12
DEATH(EUTHANIZED)	11
INEFFECT	11
DYSPNEA	10
INCONTINENCE, URINARY	10
POLYPHAGIA	10
TREMBLING	10
CREATININE HI, BLD	9
INEFFECT, ANTIINFLAM	9
INTERACTION, DRUG(S)	9
BEHAVIOR DISORDER	8
VOCALIZATION	8
WEIGHT LOSS	8
AGGRESSION	7
PLATELETS LO, BLD	7
PRURITIS	7
URTICARIA	7
CONFUSION	6
CULTURE/TITER DATA ABN	6
DISTENTION, ABDOMEN	6
SEDATION	6
WBC HI, BLD	6
WEAKNESS	6
ANAPHYLAXIS/TOID	5
BLD(ECCHYMOSES)	5
LESION(S), SKIN	5
PALLOR, MUCOUS MEMBRAN	5
P HI, BLD	5
PROTEIN, URINE	5
RECUMBENCY	5
SPEC GRAVITY LO, URINE	5
ALBUMIN LO, BLD	4
ALOPECIA	4
BLD(PETECHIAE)	4
BLD, URINE	4
CONGESTION, SKIN	4
COUGHING	4
DEAFNESS	4

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIABETES MELLITUS	4
INFLAM, SKIN	4
LIVER ENZYMES HI, BLD	4
MURMUR, HEART	4
TACHYCARDIA	4
URINATION ABN	4
AMYLASE HI, BLD	3
ANEMIA, AUTOIMMUNE HEM	3
ANEMIA, HEMOLYTIC	3
BILE ACIDS HI, BLD	3
CARDIOMEGALY	3
CHEMISTRY ABN	3
COLLAPSE	3
DEHYDRATION	3
DIARRHEA, MILD	3
EPISTAXIS	3
GLUCOSE HI, BLD	3
HEPATOMEGALY	3
HYPERPNEA	3
ICTERUS, BODY	3
LIPASE HI, BLD	3
MYDRIASIS	3
NERVOUSNESS	3
NEUROLOGICAL DISORDER	3
PAIN	3
PAIN, ABDOMEN	3
PANCREATITIS	3
PARESIS, HIND LIMB(S)	3
PR-LUNG(S), LESION(S)	3
PR-SKIN, LESION(S)	3
PR-SPLEEN, LESION(S)	3
PUSTULE(S)	3
RELUCTANT TO MOVE	3
SEGS HI, BLD	3
SGOT/AST HI, BLD	3
SHAKING	3
SNEEZING	3
SOUND ABN, RESPIRATORY	3

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SPLENOMEGALY	3
STIFFNESS	3
STUPOR	3
US ABN	3
WEIGHT INCREASE	3
ANEMIA, REGEN	2
ANEMIA, SPHERO	2
APPREHENSION	2
ASCITES	2
AZOTEMIA	2
BITING/CHEWING	2
CALCULI, BLADDER	2
CIRCLING	2
DERMATITIS, MOIST	2
EFFUSION, PERICARDIAL	2
ENLARGEMENT(S)	2
ENLARGEMENT(S), SKIN	2
FROTH, MOUTH/LIP(S)	2
GASTROENTERITIS	2
GGT HI, BLD	2
GLUCOSE LO, BLD	2
GLUCOSE, URINE	2
HYPERSALIVATION	2
HYPOTHERMIA, BODY	2
ICTERUS	2
INFECTION, SKIN	2
INFECTION, URINARY TRA	2
KERATOCONJUNCTIVITIS S	2
KIDNEY DISORDER	2
KIDNEY FAILURE	2
K LO, BLD	2
LIVER DISORDER	2
LYMPHS LO, BLD	2
NECK, VENTROFLEXION	2
NYSTAGMUS	2
PNEUMONIA	2
POLLAKIURIA	2
PUPIL(S), AREFLEXIA	2

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
RASH	2
REFLEX(ES) ABN	2
RETICULOCYTES HI, BLD	2
SEBORRHEA	2
SKIN ABNORMAL	2
SORE(S)	2
SPASM	2
SWELLING, HEAD/FACE	2
TWITCH	2
ULCER(S), GI	2
ULCER(S), SKIN	2
UNCONSCIOUS	2
URINATION	2
WBC LO, BLD	2
WHEEZING	2
ADIPSIA	1
ALBUMIN HI, BLD	1
APNEA	1
ARREST, HEART	1
ARRHYTHMIA	1
BALANCE DISORDER	1
BLD	1
BLD, ABDOMEN	1
BLD, ANUS	1
BLD, GI	1
BLD, LUNG(S)/TRACHEA	1
BLD, MOUTH/LIP(S)	1
BONE, ABN	1
BORBORYGMI	1
BRADYCARDIA	1
BREATHING ABN	1
BREATHING, DIFFICULT	1
CA HI, BLD	1
CALCULI, URINE	1
CASTS, URINE	1
CHLORIDE HI, BLD	1
COAGULATION DISORDER	1
COLITIS	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLON, ABN	1
CONGESTION, LUNG(S)	1
CONGESTION, SINUS	1
CONSTIPATION	1
CRYSTALS, URINE	1
CYANOSIS, MUCOUS MEMBR	1
DEFECATION	1
DEFECATION ABN	1
DIABETES M, POOR REGUL	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
DISCHARGE, MAMMARY	1
DISCHARGE, NOSE	1
DISCOMFORT, MOUTH/LIP(S)	1
DISSOCIATION	1
DISTRESS, RESP	1
DYSURIA	1
EDEMA, LIMB(S)	1
EDEMA, VENTRAL	1
EFFUSION, PLEURAL	1
EMBOLUS	1
ENLARGEMENT, LYMPH NOD	1
ENTERITIS	1
EOSINOS HI, BLD	1
ERECTION, ABN	1
ERUPTION(S)	1
EXERCISE INTOLERANCE	1
EYE DISORDER	1
FLATULENCE	1
GALL BLADDER, ABN	1
GASTRITIS	1
GLOBULIN HI, BLD	1
HAIR, SHEDDING	1
HEAD TILT	1
HEART DISORDER	1
HEART FAILURE	1
HEMATOCHEZIA	1
HEMOGLOBIN, URINE	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERADRENOCORTICISM	1
HYPERESTHESIA	1
HYPERPIGMENTATION, SKI	1
HYPERSENSITIVE, SOUND	1
HYPOADRENOCORTICISM	1
HYPOESTHESIA	1
IMMUNE DISORDER	1
IMPROVEMENT, UNEXPECT	1
INEFFECT, ANTIBIOTIC	1
INEFFECT, ATOPY CONTROL	1
INEFFECT, LOSS OF EFFE	1
INFECTION	1
INJ SITE ABSCESS	1
INJ SITE EDEMA	1
INJ SITE PAIN	1
IRRITATION, SKIN	1
JOINT DISORDER	1
KETOSIS	1
KIDNEY VALUES HI, BLD	1
LICKING	1
LICKING, FEET/DIGIT(S)	1
MASS, ABDOMEN	1
MICROORANISMS, URINE	1
MICROORGANISMS, URINE	1
MIOSIS	1
NA HI, BLD	1
NAUSEA	1
NOSE ABN	1
ODOR, MOUTH	1
OPISTHOTONOS	1
PAIN, NECK	1
PALLOR	1
PANCREAS ENZYMES HI, B	1
PERFORATION, GI	1
PERFORATION, STOMACH	1
PERITONITIS	1
PHLEBITIS	1
PHOTOPHOBIA	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PLATELETS HI, BLD	1
P LO, BLD	1
PNEUMONIA, ASPIRATION	1
PR-BRAIN, LESION(S)	1
PR-ESOPHAGUS, LESION(S)	1
PRESSURE HI, BLD	1
PRIAPISM	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) HI, BLD	1
PR-PERITONEAL EFFUSION	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PRURITIS, EAR(S)	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
RBC ABN	1
RBC, ANISO	1
RBC, POLYCHROM	1
REGURGITATION	1
RELUCTANT TO CLIMB	1
RESPIRATORY DISORDER	1
RETINA ABN	1
RUPTURE, TUMOR	1
SCALE(S), SKIN	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SKIN, NECROSIS	1
SOMNOLENCE	1
STARING	1
STIFFNESS, HIND LIMB(S)	1
STOOL ABN	1
STRANGURIA	1
SWELLING	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, JOINT(S)	1
SWELLING, VENTRUM	1
TEETH, ABN	1
TENESMUS	1
TENESMUS, URINARY	1
THRASHING/PADDLING	1
THYROID HORMONE(S) HI	1
THYROID HORMONE(S) LO	1
TONGUE, ABN	1
TREMBLING, FACE	1
ULCER(S), PYLORUS	1
ULCER(S), STOMACH	1
US-LIVER ABN	1
VOMITING, BLOODY	1

DRUG: PREDNISOLONE, TRIMEPRAZINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
SOMNOLENCE	2
GI, ABNORMAL	1
XEROSTOMIA	1

DRUG: PREDNISOLONE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: PREDNISOLONE

Species: CATTLE

Route of Administration: UNKNOWN

DRUG: PREDNISOLONE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	4
DEPRESSION/LETHARGY	3
DEATH	2
ADIPSIA	1
AGGRESSION	1
ALBUMIN HI, BLD	1
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ANOREXIA	1
APNEA	1
ARTHRITIS	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
CAT SCAN ABN	1
CYANOSIS	1
DIARRHEA	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
FEVER, BODY	1
JOINT DISORDER	1
LAMENESS	1
LOCOMOTION DISORDER	1
MONOS HI, BLD	1
NAUSEA	1
NECK, VENTROFLEXION	1
NEUROLOGICAL DISORDER	1
PAIN	1

DRUG: PREDNISOLONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, HIND LIMB(S)	1
PAIN, NECK	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, HIND LIMB(S)	1
PROTEIN(TOT) HI, BLD	1
REFLEX(ES) ABN	1
SEGS HI, BLD	1
SHOCK	1
STAGGERING	1
WBC HI, BLD	1

DRUG: PREDNISOLONE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD	1

DRUG: PREDNISONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIINFLAM	1
PRURITIS	1

DRUG: PREDNISONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
ANOREXIA	1
ATROPHY, MUSCLE(S)	1

DRUG: PREDNISONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BILIRUBIN(TOT) HI, BLD	1
DEATH	1
HYPERACTIVITY	1
LIPASE HI, BLD	1
PANCREATITIS	1
POLYDIPSIA	1
POLYPHAGIA	1
POLYPNEA	1
SGPT/ALT HI, BLD	1
VOMITING	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: PREDNISONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APPREHENSION	1
CONGESTION, SKIN	1
DYSPNEA	1
PRURITIS	1
URTICARIA	1

DRUG: PRIMIDONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	2
PD-LABEL(S), ABN	1

DRUG: PRIMIDONE

Species: CAT

Route of Administration: ORAL

DRUG: PRIMIDONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
DIZZINESS	1
MYDRIASIS	1

DRUG: PRIMIDONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYDIPSIA	29
ATAXIA	22
ALK PHOS HI, BLD	21
DEPRESSION/LETHARGY	21
APPREHENSION	16
SGPT/ALT HI, BLD	16
HYPERACTIVITY	14
BILE ACIDS HI, BLD	13
CONFUSION	13
ANOREXIA	12
NERVOUSNESS	12
PACING	12
POLYPHAGIA	12
VOMITING	12
POLYURIA	10
POLYPNEA	9
DEATH	8
PARESIS, HIND LIMB(S)	8
LIVER ENZYMES HI, BLD	7
PRURITIS	7
VOCALIZATION	7
DIARRHEA, MILD	6
HYPERSALIVATION	6
INFECTION, SKIN	6
URINATION ABN	6
AGGRESSION	5
ALOPECIA	5
BEHAVIOR DISORDER	5

DRUG: PRIMIDONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEIZURES	5
LAMENESS	5
MASS, SKIN	5
SGOT/AST HI, BLD	5
SOMNOLENCE	5
STAGGERING	5
ALBUMIN LO, BLD	4
BILIRUBIN(TOT) HI, BLD	4
CONVULSION(S)	4
DEATH(EUTHANIZED)	4
GGT HI, BLD	4
INEFFECT	4
RELUCTANT TO CLIMB	4
SEDATION	4
WBC LO, BLD	4
CONGESTION, EAR(S)	3
CONGESTION, SKIN	3
DIARRHEA	3
DISCHARGE, EYE(S)/LID(S)	3
DISTENTION, ABDOMEN	3
LESION(S), SKIN	3
MYDRIASIS	3
PAIN, ABDOMEN	3
SEGS HI, BLD	3
SEGS LO, BLD	3
AMYLASE HI, BLD	2
ASCITES	2
BLINDNESS	2
COLLAPSE	2
CONGESTION, MUCOUS MEM	2
DERMATITIS, MOIST	2
DIARRHEA, BLOODY	2
DISCHARGE, EAR(S)	2
ELIMINATION ABN	2
FEVER, BODY	2
HEMATOCHEZIA	2
HYPERPNEA	2
INCONTINENCE, URINARY	2

DRUG: PRIMIDONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INFECTION, URINARY TRA	2
K HI, BLD	2
LIPASE HI, BLD	2
LIVER DISORDER	2
LYMPHS HI, BLD	2
MASS	2
OTITIS	2
POLYCYTHEMIA(RELATIVE)	2
PROPRIOCEPTIVE DISORDE	2
PROTEIN(TOT) LO, BLD	2
RECUMBENCY	2
RELUCTANT TO MOVE	2
SCALE(S), SKIN	2
SHAKING	2
SKIN, SCAB(S)	2
UNCONSCIOUS	2
US-LIVER ABN	2
WBC, URINE	2
WEAKNESS	2
WEIGHT INCREASE	2
ABN COLOR, URINE	1
ADIPSIA	1
ANEMIA	1
ANISOCORIA	1
APLASIA, BONE MARROW	1
BITING/CHEWING	1
BORBORYGMI	1
BREATHING, PERIODIC	1
BUN HI, BLD	1
CIRCLING	1
CONJUNCTIVITIS	1
COPROPHAGIA	1
COUGHING	1
CPK HI, BLD	1
CREATININE HI, BLD	1
DEFECATION ABN	1
DEHYDRATION	1
DIFFICULTY RISING	1

DRUG: PRIMIDONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPNEA	1
EAR DISORDER	1
EDEMA	1
FLY BITING	1
GI, ABNORMAL	1
GLUCOSE LO, BLD	1
HAIR, ABN COLOR	1
HALLUCINATION	1
HEAD TILT	1
HEPATITIS	1
HIDING	1
HYPERPIGMENTATION, SKI	1
HYPERSENSITIVE, SOUND	1
HYPOPNEA	1
ICTERUS	1
ICTERUS, BODY	1
INFECTION, UTERUS	1
IRRITATION, EAR(S)	1
KIDNEY DISORDER	1
LICKING, FEET/DIGIT(S)	1
LIPIDS HI, BLD	1
LYMPHS LO, BLD	1
MICROORANISMS, URINE	1
MIOSIS	1
MONOS HI, BLD	1
MURMUR, HEART	1
NA:K LO, BLD	1
NAUSEA	1
NEOPLASM, SKIN	1
PAIN	1
PAIN, BACK	1
PAIN, JOINT(S)	1
PAIN, MUSCLE(S)	1
PAPULE(S)	1
P HI, BLD	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
POSTURE ABN	1

DRUG: PRIMIDONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-MULT SITES, CONGEST	1
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PR-SKIN, LESION(S)	1
PRURITIS, EAR(S)	1
RASH	1
REFLEX(ES) ABN	1
REFLUX, STOMACH	1
SALIVA, ABN	1
SEBORRHEA	1
SEDATION TOO DEEP	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SPEC GRAVITY LO, URINE	1
SQUINTING	1
STARING	1
STIFFNESS, HIND LIMB(S)	1
STUMBLING	1
TACHYCARDIA	1
TREMBLING	1
TREMBLING, FACE	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: PRIMIDONE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INTERACTION, DRUG(S)	1
SOMNOLENCE	1

DRUG: PROGESTERONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	21
PD-IMPLANT, ABN	17
PD-APPLICATOR, ABN	13
PD-UNDERFILL, PACKAGE	10
PD-CONTAINER(S), DAMAG	9
PD-TUBE(S), DAMAGED	2
PD-COLOR, ABN	1
PD-CONTAMINATION	1
PD-DEFECT UNKNOWN	1

DRUG: PROGESTERONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
ATAXIA	2
ADIPSIA	1
ANEMIA	1
BLD, VAGINA	1
BLINDNESS	1
BUN HI, BLD	1
CONFUSION	1
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, MUCOID	1
GI, ABNORMAL	1
HYPERSALIVATION	1
OBSTRUCTION, INTESTINE	1
PALLOR, MUCOUS MEMBRAN	1
RADIOGRAPH(S) ABN	1
TENESMUS	1
VOMITING	1

DRUG: PROGESTERONE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: PROGESTERONE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	1

DRUG: PROGESTERONE

Species: CATTLE

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	103
PD-PRODUCT DEFECT	14
VAGINITIS	14
DISCHARGE, VULVA	12
PD-IMPLANT, ABN	11
DEATH	8
SWELLING, VAGINA/VULVA	7
INEFFECT, ESTRUS SUPPR	5
FERTILITY, REDUCED	4
ANOREXIA	3
ATAXIA	3
DEPRESSION/LETHARGY	3
HYPERSALIVATION	3
NO SIGNS	3
PROLAPSE, RECTUM	3
TENESMUS	3
ABORTION	2
COLLAPSE	2
CONVULSION(S)	2
EDEMA, VULVA	2
FERTILITY, LACK OF	2
MYOSITIS	2
TENESMUS, RECTAL	2

DRUG: PROGESTERONE

Species: CATTLE

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
AGGRESSION	1
ANAPHYLAXIS/TOID	1
ANESTRUS	1
APPLICATION SITE INFLAM	1
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
CONFUSION	1
DEATH(SLAUGHTERED)	1
DISCOMFORT	1
DISTRESS, RESP	1
FEVER, BODY	1
ILL	1
ODOR	1
PD-APPLICATOR, ABN	1
PD-COLOR, ABN	1
PD-POTENCY, LO	1
POLLAKIURIA	1
PUSTULE(S)	1
REPRODUCTION DISORDER	1
STRAINING	1
SWELLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, UTERUS	1
TECH ERROR ADMINISTRAT	1
UDDER, HYPOGALACTIA	1
UDDER, MASTITIS	1
WEAKNESS	1

DRUG: PROGESTERONE

Species: DEER

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
DEATH	1

DRUG: PROGESTERONE

Species: HORSE

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
VAGINITIS	1

DRUG: PROGESTERONE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
MENSES, ABNORMAL	3
FEVER, BODY	1
INSOMNIA	1
MAMMARY, HYPERPLASIA	1

DRUG: PROGESTERONE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ESTRUS SYNCH	2
ANAPHYLAXIS/TOID	1
DEATH	1

DRUG: PROGESTERONE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CNS DISORDER	1
DEPRESSION/LETHARGY	1
VESICLE(S)/BULLAE, SKI	1

DRUG: PROGESTERONE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1

DRUG: PROGESTERONE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
COLLAPSE	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
FROTH, MOUTH/LIP(S)	1
INJ SITE NECROSIS	1
NECROSIS	1
RECUMBENCY	1
SHOCK	1
UDDER, MASTITIS	1
UDDER, MILK ABN	1
UDDER, SWELLING	1

DRUG: PROMAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES, ABN	1
PD-MISSING, LABEL(S)	1
PD-TABLET(S), ABN	1

DRUG: PROMAZINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
HYPERPNEA	1
NERVOUSNESS	1

DRUG: PROMAZINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	7

DRUG: PROMAZINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, TRANQUILIZAT	3
HYPERACTIVITY	2
CONVULSION(S)	1
INEFFECT	1
RECUMBENCY	1
SEDATION TOO DEEP	1
THRASHING/PADDLING	1

DRUG: PROMAZINE

Species: MULE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: PROPARACAINE

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
VOMITING	3
DEATH	2
DEFECATION	2
HYPERSALIVATION	2
SHOCK	2
ANAPHYLAXIS/TOID	1
COLLAPSE	1
CONVULSION(S)	1
DISTRESS, RESP	1
DYSPNEA	1
PLATELETS LO, BLD	1
URINATION	1
WEAKNESS	1

DRUG: PROPARACAINE

Species: HORSE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: PROPOFOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	10
PD-VIAL(S), DAMAGED	4
PD-SUSPENSION, ABN	2
PD-VIAL(S), LEAKING	2
INEFFECT, ANESTHESIA	1
PD-CONTAINER(S), ABN	1
PD-POTENCY, LO	1
PD-SEAL, ABN	1
PD-SOLUTION, ABN	1

DRUG: PROPOFOL

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANESTH INDUC TURBULENT	1
ANISOCORIA	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
APNEA	1
BRADYCARDIA	1
CONVULSION(S)	1
HYPERPNEA	1
MUCOUS MEMBR, ABN COLO	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
SHOCK	1
TACHYCARDIA	1
THRASHING/PADDLING	1
VOLVULUS, STOMACH	1

DRUG: PROPOFOL

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
PR-HEART, LESION(S)	1

DRUG: PROPOFOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	25
ARREST, HEART	22
DEATH	22
BRADYCARDIA	11
INEFFECT, ANESTHESIA	7
BLINDNESS, TEMP	6
CONVULSION(S)	6
CYANOSIS, MUCOUS MEMBR	6
DEATH(EUTHANIZED)	6
EDEMA, LUNG(S)/TRACHEA	6
PRESSURE LO, BLD	6
ANESTH RECOV PROLONGED	5
ATAXIA	5
BLINDNESS	5
CYANOSIS	5
HYPERPNEA	4
RADIOGRAPH(S) ABN	4
ANESTH INDUCTION PROLONGED	3
ANESTH INDUC TURBULENT	3

DRUG: PROPOFOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARRHYTHMIA	3
DYSPNEA	3
FEVER, BODY	3
HYPERACTIVITY	3
PR-LUNG(S), LESION(S)	3
TACHYCARDIA	3
AGGRESSION	2
ANAPHYLAXIS/TOID	2
ANEMIA	2
ANEMIA, HEINZ BODY	2
ANESTH RECOV TURBULENT	2
CONFUSION	2
DEPRESSION/LETHARGY	2
DISTRESS, RESP	2
GAGGING	2
HYPOPNEA	2
HYPOTHERMIA	2
MURMUR, HEART	2
PALLOR, MUCOUS MEMBRAN	2
SPASM	2
UNCONSCIOUS	2
ADVERSE DRUG REACTION	1
ANOREXIA	1
BLD, RECTUM	1
BLD, URINE	1
BREATHING ABN	1
BREATHING, PERIODIC	1
CIRCLING	1
CNS DISORDER	1
EDEMA, HEAD/FACE	1
EDEMA, NECK	1
EDEMA, PHARYNX	1
EDEMA, TONGUE	1
EMPHYSEMA, SQ	1
ILL	1
INCONTINENCE, URINARY	1
INFLAM, SKIN	1
INJ SITE SLOUGH	1

DRUG: PROPOFOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LARYNGOSPASM	1
LICKING	1
MYDRIASIS	1
PALLOR	1
RESPIRATORY DISORDER	1
SHAKING	1
SHAKING, HEAD/FACE	1
SKIN, NECROSIS	1
SOUND ABN, RESPIRATORY	1
TREMBLING	1
TWITCH	1
VOCALIZATION	1
VOMITING	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	90
APNEA	78
ARREST, HEART	66
CONVULSION(S)	62
INEFFECT, ANESTHESIA	61
BRADYCARDIA	49
OPISTHOTONOS	22
ANESTH RECOV PROLONGED	20
HYPERPNEA	20
VOCALIZATION	18
TWITCH	17
TACHYCARDIA	15
FEVER, BODY	14
TREMBLING	14
VOMITING	12
ANESTH RECOV TURBULENT	11

DRUG: PROPOFOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH TOO DEEP	11
CYANOSIS	11
HYPERSALIVATION	11
SPASM	11
THRASHING/PADDLING	11
DEPRESSION/LETHARGY	10
ANESTH INDUC TURBULENT	9
CYANOSIS, MUCOUS MEMBR	9
NYSTAGMUS	9
PRESSURE LO, BLD	9
ANESTH INDUCTION PROLONGED	8
ARRHYTHMIA	7
DIARRHEA	7
HYPERACTIVITY	7
INJ SITE PAIN	7
URTICARIA	7
ANAPHYLAXIS/TOID	6
ANOREXIA	6
DEATH(EUTHANIZED)	6
EDEMA, LUNG(S)/TRACHEA	6
INJ SITE SWELLING	6
CONFUSION	5
PALLOR, MUCOUS MEMBRAN	5
POLYPNEA	5
SWELLING, HEAD/FACE	5
ATAXIA	4
CONGESTION	4
SKIN, NECROSIS	4
EDEMA, HEAD/FACE	3
HYPOPNEA	3
INJ SITE INFLAM	3
JERKING	3
PRESSURE HI, BLD	3
PR-SKIN, LESION(S)	3
PRURITIS	3
SLOUGH, SKIN	3
STIFFNESS, LIMB(S)	3
TACHYCARDIA, VENTRICUL	3

DRUG: PROPOFOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD, LUNG(S)/TRACHEA	2
BLINDNESS	2
BREATHING, PERIODIC	2
COLLAPSE	2
CONGESTION, SKIN	2
COUGHING	2
DYSPNEA	2
EDEMA, LIMB(S)	2
HEMATOCHEZIA	2
INEFFECT, SEDATION	2
INTERACTION, DRUG(S)	2
KIDNEY FAILURE	2
MUCOUS MEMBR, ABN COLO	2
MYDRIASIS	2
PALLOR	2
PR-HEART, LESION(S)	2
PR-LIVER, LESION(S)	2
RADIOGRAPH(S) ABN	2
SEPSIS	2
SHAKING, HEAD/FACE	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, LIMB(S)	2
SWELLING, MULT SITES	2
TECH ERROR ADMINISTRAT	2
ANEMIA, AUTOIMMUNE HEM	1
ANESTH DURATION BRIEF	1
ANESTH INDUCTION RAPID	1
ARRHYTHMIA, BLOCK	1
ATROPHY, MUSCLE(S)	1
BEHAVIOR DISORDER	1
BLD, MOUTH/LIP(S)	1
BLD, PENIS	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLINDNESS, TEMP	1
BUN HI, BLD	1
CAPILLARY REFILL PROLO	1
COAGULATION DISORDER	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, EAR(S)	1
CONGESTION, LUNG(S)	1
CPK HI, BLD	1
CREATININE HI, BLD	1
CULTURE/TITER DATA ABN	1
DEAFNESS	1
DEAFNESS, TEMP	1
DEFECATION	1
DELIRIUM	1
DIARRHEA, BLOODY	1
DILITATION, STOMACH	1
DISCOMFORT	1
DISTRESS, RESP	1
ECG ABN	1
ECG, ABN	1
EDEMA, LARYNX	1
EDEMA, TONGUE	1
ENLARGEMENT, LYMPH NOD	1
FIBRINOGEN LO, BLD	1
GAGGING	1
GRINDING TEETH	1
HYPERTONIA	1
ICTERUS, BODY	1
INEFFECT	1
INJ SITE ABSCESS	1
INJ SITE PRURITIS	1
IRRITATION, EAR(S)	1
LAMENESS	1
LARYNGOSPASM	1
LESION(S), SKIN	1
LICKING	1
LIVER DISORDER	1
LIVER FAILURE	1
LOCOMOTION DISORDER	1
MIOSIS	1
MUCOUS MEMBR, MUDDY	1
MUCOUS MEMBR, RED	1
NEOPLASM	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
NERVOUSNESS	1
NYSTAGMUS, HORIZONTAL	1
PARALYSIS, LARYNX	1
POLYCYTHEMIA	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, BLD	1
PR-NOSE, LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PR-PERITONEAL EFFUSION	1
PR-SPLEEN, LESION(S)	1
PULSE THREADY	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SHAKING	1
SKIN ABNORMAL	1
SOMNOLENCE	1
SPLENOMEGALY	1
SQUINTING	1
STIFFNESS	1
STRABISMUS	1
STUMBLING	1
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
TONGUE, ABN	1
TREMBLING, FACE	1
UNCONSCIOUS	1
URINATION	1
US ABN	1
VOLVULUS, STOMACH	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: PROPOFOL

Species: HORSE

Route of Administration: PARENTERAL

DRUG: PROPOFOL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TWITCH	1

DRUG: PROPOFOL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE BLD	1
INJ SITE SWELLING	1

DRUG: PROPOFOL

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
CIRCLING	1
DEATH	1
LOCOMOTION DISORDER	1
PNEUMONIA, ASPIRATION	1
PR-LUNG(S), LESION(S)	1

DRUG: PROPOFOL

Species: TURTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
BRADYCARDIA	2
CSF ABN	2
DEATH	2
ARREST, HEART	1
DEATH(EUTHANIZED)	1
PARALYSIS	1
PR-ADRENAL(S), LESION(S)	1

DRUG: PROPOFOL

Species: TURTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-BRAIN, LESION(S)	1
REACTION, UNSPECIFIED	1
REFLEX(ES) ABN	1

DRUG: PROPOFOL

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FEVER, BODY	1
INJ SITE PAIN	1
PAIN, MUSCLE(S)	1
WEAKNESS	1

DRUG: PROPOFOL

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
LACERATION(S), HAND(S)	3
HUMAN EXPOSURE, HAND(S)	1
PD-VIAL(S), ABN	1
PD-VIAL(S), DAMAGED	1

DRUG: PROPOFOL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: UNKNOWN

DRUG: PROPOFOL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPOPNEA	2
THRASHING/PADDLING	2
VOMITING	2
ANEMIA, AUTOIMMUNE HEM	1
ANESTH RECOV PROLONGED	1
ANESTH TOO DEEP	1
APNEA	1
ARREST, HEART	1
BRADYCARDIA	1
CONGESTION	1
CONVULSION(S)	1
COOMBS TEST POS	1
CYANOSIS	1
DEATH	1
FEVER, BODY	1
ICTERUS	1
INEFFECT, ANESTHESIA	1
REFLEX(ES) ABN	1

DRUG: PROPOFOL

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
EDEMA, LIMB(S)	1
FEVER, JOINT(S)	1
INFLAM	1
LAMENESS	1
SWELLING, LIMB(S)	1
SWELLING, NECK	1
TECH ERROR ADMINISTRAT	1

DRUG: PROPOFOL

Species: HUMAN

Route of Administration: VARIOUS

DRUG: PROPOFOL

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
HYPOESTHESIA	1

DRUG: PROTOPAM CHLORIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

DRUG: PSEUDOEPHEDRINE AND PYRILAMINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERPNEA	1
SWEATING, DECREASED	1

DRUG: PSYLLIUM

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
OBSTRUCTION, INTESTINE	1
PAIN, ABDOMEN	1

DRUG: PYRANTEL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	102
PD-CONTAINER(S), ABN	100
PD-SUSPENSION, ABN	49

DRUG: PYRANTEL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	34
PD-CONTAM, MOLD	30
PD-CONTAINER(S), DAMAG	18
PD-PRODUCT DEFECT	16
PD-COLOR, ABN	13
PD-ODOR, ABN	13
UNPALATABLE, WON'T EAT	9
PD-CAP(S), ABN	7
PD-UNDERFILL, PACKAGE	7
PD-CONTAM, INSECTS	6
PD-LABEL(S), ABN	5
PD-TUBE(S), ABN	5
PD-MISSING, LABEL(S)	4
PD-SOLUTION, ABN	4
PD-SYRINGE, ABN	4
PD-TABLET(S), ABN	4
PD-UNDERFILL, TUBE(S)	4
PD-VIAL(S), DAMAGED	4
PD-GRANULES/POWDER, ABN	3
PD-TUBE(S), LEAKING	3
PD-UNDERFILL, VIAL(S)	3
PD-DISPENSER, ABN	2
PD-MISSING, CAP	2
TASTE ABNORMALITY	2
HYPERSALIVATION	1
NO SIGNS	1
PD-CONTAMINATION	1
PD-DEFECT UNKNOWN	1
PD-GEL/PASTE, ABN	1
PD-UNKNOWN	1
PD-VIAL(S), ABN	1
UNPALATABLE	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: MISSING

DRUG: PYRANTEL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
VOMITING	19
DEPRESSION/LETHARGY	14
DIARRHEA	13
ANOREXIA	9
INEFFECT, WORMS	9
DEATH	7
GAGGING	4
SHAKING	4
CONVULSION(S)	3
COUGHING	3
VOMITING, UNPRODUCTIVE	3
ADIPSIA	2
BEHAVIOR DISORDER	2
HEMATOCHEZIA	2
INEFFECT, HOOKS	2
BLINDNESS	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONSTIPATION	1
DEHYDRATION	1
DELIRIUM	1
DIARRHEA, BLOODY	1
DISTRESS, RESP	1
DIZZINESS	1
FEVER, BODY	1
HYPERACTIVITY	1
HYPERSALIVATION	1
ILL	1
INEFFECT, ASCARIDS	1
INEFFECT, PARASITE(S)	1
LICKING	1
LOSS OF CONDITION	1
NAUSEA	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
POLYDIPSIA	1
SEDATION	1
SNEEZING	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
STAGGERING	1
TREMBLING	1
TREMBLING, FACE	1
UNPALATABLE, WON'T EAT	1
VOMITING, BLOODY	1
VOMITING ROUNDWORMS	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: PYRANTEL

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
NAUSEA	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	27
ANOREXIA	24
DIARRHEA	22
VOMITING	22
DEATH	16
ATAXIA	12
FEVER, BODY	5
ANEMIA	4

DRUG: PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	4
DEHYDRATION	4
HYPOTHERMIA	4
HYPOTHERMIA, BODY	4
RECUMBENCY	4
VOCALIZATION	4
DEATH(EUTHANIZED)	3
DYSPNEA	3
INEFFECT, ASCARIDS	3
PALLOR, MUCOUS MEMBRAN	3
TREMBLING	3
WEAKNESS	3
WEIGHT LOSS	3
ARREST, HEART	2
COLLAPSE	2
CONFUSION	2
HYPERSALIVATION	2
ICTERUS, SERUM	2
ADIPSIA	1
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA, REGEN	1
BITING/CHEWING	1
BLD(ECCHYMOSES)	1
BLINDNESS	1
BUN HI, BLD	1
CHEMISTRY ABN	1
CPK HI, BLD	1
CREATININE HI, BLD	1
DIARRHEA, MILD	1
DISCOMFORT	1
EAR DISORDER	1
ENLARGEMENT, LYMPH NOD	1
ERUPTION(S)	1
GLUCOSE LO, BLD	1
HYPOMOTILITY	1
ICTERUS	1

DRUG: PYRANTEL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ICTERUS, BODY	1
INEFFECT, HOOKS	1
INEFFECT, WORMS	1
INTERACTION, DRUG(S)	1
KIDNEY FAILURE	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
MYDRIASIS	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
PAIN	1
PALLOR	1
P HI, BLD	1
PLATELETS LO, BLD	1
POLYCYTHEMIA	1
POLYDIPSIA	1
POLYURIA	1
PR-LUNG(S), LESION(S)	1
PRURITIS, TAIL	1
RADIOGRAPH(S) ABN	1
SELF-MUTILATION	1
SGPT/ALT HI, BLD	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
STAGGERING	1
STOOL, MUCOID	1
SWELLING, FEET/DIGIT(S)	1
TAIL DISORDER	1
ULCER(S), MUCOCUTANEOU	1
ULCER(S), SKIN	1
ULCER(S), TONGUE	1
UNCONSCIOUS	1
WBC HI, BLD	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	274
DEPRESSION/LETHARGY	234
DEATH	198
ANOREXIA	155
DIARRHEA	154
INEFFECT, HOOKS	70
CONVULSION(S)	55
INEFFECT, ASCARIDS	54
ATAXIA	37
DIARRHEA, BLOODY	35
WEAKNESS	32
HEMATOCHEZIA	25
ADIPSIA	22
ANAPHYLAXIS/TOID	22
ILL	22
COUGHING	21
DIARRHEA, MILD	21
DEATH(EUTHANIZED)	20
FEVER, BODY	20
HYPERSALIVATION	20
INEFFECT, WORMS	20
DYSPNEA	19
TREMBLING	19
PALLOR, MUCOUS MEMBRAN	18
VOCALIZATION	17
STOOL ABN	16
DISTENTION, ABDOMEN	15
DEHYDRATION	14
VOMITING, BLOODY	14
FROTH, MOUTH/LIP(S)	13
RECUMBENCY	13
SWELLING, HEAD/FACE	13
URTICARIA	13
ANEMIA	12
POLYDIPSIA	12
PRURITIS	12
WEIGHT LOSS	12
PAIN	11

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING ROUNDWORMS	11
SHAKING	10
VOMITING, UNPRODUCTIVE	10
COLLAPSE	9
CONSTIPATION	9
BLINDNESS	8
DEATH(TX FAILURE)	8
GAGGING	8
DIARRHEA, WATERY	7
MELENA	7
POLYPNEA	7
BLD, RECTUM	6
GLUCOSE LO, BLD	6
INEFFECT, PARASITE(S)	6
LAMENESS	6
LOCOMOTION DISORDER	6
PAIN, ABDOMEN	6
BEHAVIOR DISORDER	5
NERVOUSNESS	5
RADIOGRAPH(S) ABN	5
STAGGERING	5
STUPOR	5
BREATHING ABN	4
CONFUSION	4
DIARRHEA, MUCOID	4
DIFFICULTY RISING	4
EDEMA, HEAD/FACE	4
HYPERACTIVITY	4
HYPOTHERMIA, BODY	4
LIVER ENZYMES HI, BLD	4
PAIN, JOINT(S)	4
PD-SUSPENSION, ABN	4
PICA	4
RELUCTANT TO MOVE	4
SGPT/ALT HI, BLD	4
SPASM	4
TACHYCARDIA	4
TWITCH	4

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING, SEVERE	4
WHEEZING	4
BLOAT	3
CIRCLING	3
CONGESTION, SKIN	3
CULTURE/TITER DATA ABN	3
DIARRHEA, SEVERE	3
DISCHARGE, NOSE	3
DISCOMFORT	3
EPISTAXIS	3
HEAD TILT	3
HEPATOMEGALY	3
HYPERPNEA	3
HYPOTHERMIA	3
INEFFECT	3
INEFFECT, LARGE STRONG	3
INFLAM, SKIN	3
MYDRIASIS	3
ODOR	3
PALLOR	3
PARESIS, HIND LIMB(S)	3
PLATELETS LO, BLD	3
POLYURIA	3
REACTION, UNSPECIFIED	3
SWELLING, EYE(S)/LID(S)	3
WBC HI, BLD	3
ABORTION	2
ALBUMIN LO, BLD	2
ANURIA	2
APNEA	2
BILE ACIDS HI, BLD	2
BLD, MOUTH/LIP(S)	2
BLD, URINE	2
BUN HI, BLD	2
CACHEXIA	2
CONGESTION, LUNG(S)	2
DEAFNESS	2
DEATH(NEWBORN)	2

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEFECATION	2
DISCHARGE, VULVA	2
DIZZINESS	2
DYSURIA	2
ELIMINATION ABN	2
ENLARGEMENT, LYMPH NOD	2
FLATULENCE	2
GI, ABNORMAL	2
HEMOGLOBIN, URINE	2
HIDING	2
HYPOPNEA	2
INCONTINENCE, FECAL	2
INCONTINENCE, URINARY	2
INEFFECT, WHIPS	2
IRRITATION	2
IRRITATION, EYE(S)/LID	2
LOSS OF CONDITION	2
MUCOUS MEMBR, ABN COLO	2
NEUROLOGICAL DISORDER	2
OTITIS	2
PANCREATITIS	2
PD-COLOR, ABN	2
PR-GI, PARASITISM	2
PROLAPSE, RECTUM	2
PROSTRATION	2
PR-SM INTEST, LESION(S)	2
RASH	2
SHAKING, HEAD/FACE	2
SNEEZING	2
SOMNOLENCE	2
SWELLING, MOUTH/LIP(S)	2
TENESMUS, RECTAL	2
UNPALATABLE	2
URINATION	2
ABN COLOR, URINE	1
ACCIDENTAL EXPOSURE	1
AGGRESSION	1
ALBUMIN HI, BLD	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ALOPECIA	1
ANEMIA, AUTOIMMUNE HEM	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BITING/CHEWING	1
BLD, ABN	1
BLD, ANUS	1
BLD, LUNG(S)/TRACHEA	1
BLD, SCLERA	1
BORBORYGMI	1
BRADYCARDIA	1
BUN LO, BLD	1
CAPILLARY REFILL PROLO	1
CARDIOMEGALY	1
CHOKING	1
CPK HI, BLD	1
CREATININE HI, BLD	1
CSF ABN	1
DEATH(STILLBORN)	1
DIABETES	1
DIARRHEA, PROJECTILE	1
DISTRESS	1
DISTRESS, RESP	1
EAR DISORDER	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, LIMB(S)	1
EFFUSION, JOINT(S)	1
ENDOCRINE DISORDER	1
ENLARGEMENT(S)	1
ERUCTATION	1
FROTH, NOSE	1
GASTROENTERITIS	1
GLAUCOMA	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
GLUCOSE HI, BLD	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEADACHE	1
HEAD PRESSING	1
HYPERMOTILITY	1
INEFFECT, STRONGYLES	1
INFECTION	1
INFECTION, SKIN	1
INFECTION, URINARY TRA	1
IRRITATION, PERINEUM	1
JERKING	1
JOINT DISORDER	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LABOR, PREMATURE	1
LEG DISORDER	1
LICKING	1
LOCKJAW	1
NA LO, BLD	1
NAUSEA	1
NEUROPATHY	1
NO SIGNS	1
OBSTRUCTION, INTESTINE	1
ODOR, MOUTH	1
PACING	1
PAIN, EYE(S)/LID(S)	1
PAIN, LIMB(S)	1
PAIN, MUSCLE(S)	1
PARALYSIS	1
PARALYSIS, ALL LIMBS	1
PARESIS	1
PD-CONTAM, INSECTS	1
PD-SEAL, ABN	1
PNEUMONIA, ASPIRATION	1
POSTURE ABN	1
PR-BONE MARROW, LESION	1
PR-COLON, LESION(S)	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-LIVER, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PROTRUSION, EYE(S)	1
PR-SKIN, LESION(S)	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
PUSTULE(S)	1
REFLEX(ES) ABN	1
REPETITIVE MOVEMENTS	1
RESPIRATORY DISORDER	1
SEDATION	1
SEGS HI, BLD	1
SEPSIS	1
SLOUGH	1
SOUND ABN, RESPIRATORY	1
SPERM ABN	1
STIFFNESS	1
STIFFNESS, LIMB(S)	1
STUMBLING	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
SWELLING, VENTRUM	1
TAIL DISORDER	1
TEETH, ABN	1
THRASHING/PADDLING	1
TREMBLING, FACE	1
UNCONSCIOUS	1
UNPALATABLE, WON'T EAT	1
URINATION ABN	1
UVEITIS	1
VAGINITIS	1
WBC LO, BLD	1

DRUG: PYRANTEL

Species: DONKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
RECUMBENCY	1
TREMBLING	1

DRUG: PYRANTEL

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, URINE	1
CONVULSION(S)	1
LIVER ENZYMES HI, BLD	1
TWITCH	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	93
INEFFECT, STRONGYLES	87
DIARRHEA	37
INEFFECT, PARASITE(S)	34
DEPRESSION/LETHARGY	32
ANOREXIA	22
DEATH	19
INEFFECT, WORMS	18
URTICARIA	15
WEIGHT LOSS	14
INEFFECT, STRONGYLE LA	13
HAIR, ABN	12
RECUMBENCY	11
DEATH(EUTHANIZED)	10
INEFFECT, ASCARIDS	10
ATAXIA	9
FEVER, BODY	9
INEFFECT, SMALL STRONG	9
LOSS OF CONDITION	9

DRUG: PYRANTEL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, MILD	8
DISTENTION, ABDOMEN	8
INEFFECT, PINWORMS	8
PAWING	7
UNPALATABLE, WON'T EAT	7
ANEMIA	6
COLON, ABN	6
INEFFECT	6
NERVOUSNESS	6
PRURITIS, TAIL	6
SGOT/AST HI, BLD	6
CONVULSION(S)	5
FLATULENCE	5
STOOL ABN	5
SWEATING	5
SWELLING, LIMB(S)	5
WBC HI, BLD	5
BEHAVIOR DISORDER	4
LAMINITIS	4
SGPT/ALT HI, BLD	4
TREMBLING	4
ADIPSIA	3
APPREHENSION	3
BILIRUBIN(TOT) HI, BLD	3
BLOAT	3
COLLAPSE	3
COUGHING	3
DIARRHEA, SEVERE	3
DIARRHEA, WATERY	3
DISCHARGE, NOSE	3
EDEMA, LIMB(S)	3
GGT HI, BLD	3
HYPERACTIVITY	3
HYPERSALIVATION	3
INEFFECT, STRONGYLOIDS	3
LAMENESS	3
PRURITIS	3
ROLLING	3

DRUG: PYRANTEL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
TACHYCARDIA	3
ABORTION	2
AGGRESSION	2
ALBUMIN LO, BLD	2
ALOPECIA	2
BORBORYGMI	2
BREATHING ABN	2
CACHEXIA	2
CHOKING	2
COLITIS	2
DISCOMFORT	2
DYSPNEA	2
EDEMA, HEAD/FACE	2
ENTERITIS	2
EOSINOS HI, BLD	2
GI, ABNORMAL	2
INFLAM, SKIN	2
KICKING	2
LESION(S), SKIN	2
MYOSITIS	2
NEUROLOGICAL DISORDER	2
OFF FEED	2
PACING	2
PAIN	2
POLYDIPSIA	2
POSTURE ABN	2
PR-INTEST, LESION(S)	2
RESPIRATORY DISORDER	2
STIFFNESS	2
SWELLING, MOUTH/LIP(S)	2
ULCER(S), GI	2
ULCER(S), MOUTH/LIP(S)	2
WBC LO, BLD	2
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA, REGEN	1
APPLICATION SITE SWELLING	1
BITING/CHEWING	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD(ECCHYMOSES)	1
BLD, MOUTH/LIP(S)	1
BONE, ABN	1
BUN HI, BLD	1
CA LO, BLD	1
CHEMISTRY ABN	1
CIRCLING	1
CONFUSION	1
CYANOSIS	1
DEFECATION ABN	1
DERMATITIS, MOIST	1
DISCHARGE, EYE(S)/LID(S)	1
EDEMA, PREPUCE	1
EDEMA, VENTRAL	1
ERUPTION(S)	1
ESTRUS BEHAVIOR	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE LO, BLD	1
GRINDING TEETH	1
HAIR, SHEDDING	1
HOOF DISORDER	1
HYPERESTHESIA	1
HYPERMOTILITY	1
HYPERPNEA	1
HYPOTHERMIA	1
ICTERUS	1
ILL	1
INEFFECT, ASCARIDS PRE	1
INEFFECT, LARGE STRONG	1
INFECTION, EYE(S)	1
IRRITATION, MOUTH/LIP(1
IRRITATION, PERINEUM	1
K HI, BLD	1
KIDNEY FAILURE	1
LDH HI, BLD	1
LIVER FAILURE	1
LYMPHS LO, BLD	1
NEUROPATHY	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
OBSTRUCTION, INTESTINE	1
PAIN, FEET/DIGIT(S)	1
PAIN, LIMB(S)	1
PAIN, NECK	1
PD-SYRINGE, ABN	1
PD-TUBE(S), ABN	1
PERITONITIS	1
PLATELETS HI, BLD	1
PLATELETS LO, BLD	1
P LO, BLD	1
POLLAKIURIA	1
POLYCYTHEMIA	1
POLYPNEA	1
POLYURIA	1
POOR PERFORMANCE	1
PRESSURE HI, BLD	1
PR-GI, PARASITISM	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PROLAPSE, RECTUM	1
PROTEIN(TOT) HI, BLD	1
PR-STOMACH, LESION(S)	1
PUSTULE(S)	1
RBC, ANISO	1
RBC, POLYCHROM	1
REFLUX, STOMACH	1
REPETITIVE MOVEMENTS	1
RUPTURE, STOMACH	1
SEDATION	1
SEGS HI, BLD	1
SELF-MUTILATION	1
SHAKING	1
SHAKING, HEAD/FACE	1
SHOCK	1
SKIN, SCAB(S)	1
SNEEZING	1
SOMNOLENCE	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
SPLENOMEGALY	1
STIFFNESS, NECK	1
SWELLING, MULT SITES	1
SWELLING, TONGUE	1
TASTE ABNORMALITY	1
THRASHING/PADDLING	1
UDDER, ABN	1
ULCER(S), STOMACH	1
UNPALATABLE, WON'T SWA	1
VOLVULUS, INTESTINE	1
WEAKNESS	1
WEIGHT INCREASE	1

DRUG: PYRANTEL

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
DIARRHEA	2
ARRHYTHMIA	1
HYPERSALIVATION	1
NAUSEA	1
PAIN, ABDOMEN	1
VOCALIZATION	1

DRUG: PYRANTEL

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
DIARRHEA	1
INEFFECT	1
INEFFECT, ASCARIDS	1
INEFFECT, STRONGYLES	1
INEFFECT, WORMS	1

DRUG: PYRANTEL

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LOSS OF CONDITION	1

DRUG: PYRANTEL

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1
WEIGHT LOSS	1

DRUG: PYRANTEL

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ASCARIDS	2
DIARRHEA	1
INEFFECT, HOOKS	1
INFLAM, SKIN	1
PAIN, ABDOMEN	1
PRURITIS	1
SNEEZING	1
URTICARIA	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	5
INJ SITE ABSCESS	4
DEPRESSION/LETHARGY	2
ABSCESS, SKIN	1
BITING/CHEWING	1
CONVULSION(S)	1
DIARRHEA	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FROTH, MOUTH/LIP(S)	1
HYPERSALIVATION	1
INJ SITE EDEMA	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
PAIN	1
TECH ERROR ADMINISTRAT	1
VOMITING	1
WEAKNESS	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1

DRUG: PYRANTEL

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CREATININE HI, BLD	1
DEPRESSION/LETHARGY	1
INEFFECT, ASCARIDS	1
K LO, BLD	1
WEIGHT LOSS	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	1

DRUG: PYRANTEL

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	2
CONGESTION, SKIN	1
DYSYPNEA	1
INFLAM, SKIN	1
IRRITATION, SKIN	1
LESION(S), SKIN	1

DRUG: PYRANTEL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DIARRHEA, BLOODY	1
HYPOTHERMIA	1
MYDRIASIS	1
VOMITING	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	17
VOMITING	16
DEATH	12
DIARRHEA	11
INEFFECT, WORMS	10
ANOREXIA	8
ADIPSIA	4
WEIGHT LOSS	4
GAGGING	3
INEFFECT, ASCARIDS	3
ANEMIA	2
ATAXIA	2

DRUG: PYRANTEL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
CONVULSION(S)	2
DEFECATION	2
DISTENTION, ABDOMEN	2
HEMATOCHEZIA	2
HYPERSALIVATION	2
INEFFECT	2
INFECTION	2
PALLOR, MUCOUS MEMBRAN	2
REACTION, UNSPECIFIED	2
SHAKING	2
VOCALIZATION	2
AGGRESSION	1
ALOPECIA	1
BEHAVIOR DISORDER	1
BLD, ANUS	1
BLD, URINE	1
COLLAPSE	1
DEATH(STILLBORN)	1
DEHYDRATION	1
DIARRHEA, MILD	1
DYSPNEA	1
ENLARGEMENT, LYMPH NOD	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
GRANULOMA	1
HYPERPNEA	1
ILL	1
INEFFECT, HOOKS	1
INEFFECT, PARASITE(S)	1
INEFFECT, TAPES	1
INJ SITE INFLAM	1
INSOMNIA	1
LICKING, FEET/DIGIT(S)	1
NO SIGNS	1
PAIN	1
RASH	1
RECUMBENCY	1
SKIN ABNORMAL	1

DRUG: PYRANTEL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SKIN DISORDER	1
STOOL ABN	1
SWELLING, HEAD/FACE	1
TEETH, ABN	1
TREMBLING	1
URINATION ABN	1
VOMITING, UNPRODUCTIVE	1

DRUG: PYRANTEL

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA, MILD	2
INEFFECT	2
DEATH	1
INEFFECT, PARASITE(S)	1
INEFFECT, PINWORMS	1
INEFFECT, WORMS	1
PAIN, ABDOMEN	1
PD-SUSPENSION, ABN	1
URTICARIA	1

DRUG: PYRANTEL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE, INGEST	1
HUMAN EXPOSURE, JUVENILE	1
RASH	1
VOMITING	1

DRUG: PYRANTEL

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, WORMS	1

DRUG: PYRILAMINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
ENLARGEMENT, LYMPH NOD	1
FEVER, BODY	1

DRUG: RACTOPAMINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	5
PD-POTENCY, LO	4
PD-DEFECT UNKNOWN	2
PD-SEAL, ABN	2
PD-CONTAM, MOLD	1
PD-POTENCY, HI	1
PD-PRODUCT DEFECT	1
RESIDUE, MEAT	1

DRUG: RACTOPAMINE

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ANOREXIA	1
POLYPNEA	1
TACHYCARDIA	1

DRUG: RACTOPAMINE

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
EPISTAXIS	2
NAUSEA	2
ARRHYTHMIA	1
DISCHARGE, NOSE	1
FEVER, BODY	1
HEADACHE	1
HYPOESTHESIA	1
PRURITIS, EYE(S)	1
SINUSITIS	1
SNEEZING	1
TACHYCARDIA	1
WEAKNESS	1

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
FERTILITY, REDUCED	1

DRUG: RACTOPAMINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	35
BLOAT	26
ANOREXIA	10
RESPIRATORY DISORDER	8
INEFFECT, WEIGHT INC	5
MEAT ABN	4
PNEUMONIA	4
RECUMBENCY	4
DEATH(EUTHANIZED)	3
GI, ABNORMAL	3
LAMENESS	3
POLYPHAGIA	3

DRUG: RACTOPAMINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BEHAVIOR DISORDER	2
DIARRHEA	2
ESTRUS BEHAVIOR	2
FEVER, BODY	2
FROTH, MOUTH/LIP(S)	2
HYPERACTIVITY	2
INEFFECT, LEAN CARCASS	2
LEG DISORDER	2
MEAT, ABN COLOR	2
OFF FEED	2
POLYPNEA	2
PR-GI, LESION(S)	2
STIFFNESS	2
ACIDOSIS	1
ACIDOSIS, RUMEN	1
AGGRESSION	1
BLD(HEMATOMA)	1
BONE, ABN	1
CONGESTION, LUNG(S)	1
DEATH(SLAUGHTERED)	1
DIFFICULTY RISING	1
DIGESTION DISORDER	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
EDEMA, BRISKET/CHEST	1
ENTERITIS	1
EYE DISORDER	1
FERTILITY, REDUCED	1
GASTROENTERITIS	1
HOOF DISORDER	1
HYPERSALIVATION	1
INEFFECT, PRODUCTION (MEAT)	1
LAMINITIS	1
LOCOMOTION DISORDER	1
PR-INTEST, LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-PERITONEUM, LESION(1
PR-STOMACH, LESION(S)	1

DRUG: RACTOPAMINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
STIFFNESS, HIND LIMB(S)	1
STIFFNESS, LIMB(S)	1
SWEATING	1
SWELLING, JOINT(S)	1
SWELLING, SCROTUM	1
TAIL DISORDER	1
TOX	1
UDDER, MASTITIS	1
UNPALATABLE	1
UNPALATABLE, WON'T EAT	1

DRUG: RACTOPAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	7
TACHYCARDIA	5
ANOREXIA	2
DEATH	2
APPREHENSION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, MUCOUS MEM	1
CONVULSION(S)	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(EUTHANIZED)	1
DIARRHEA, SEVERE	1
DISTENTION, ABDOMEN	1
FEVER, BODY	1
K LO, BLD	1
MUCOUS MEMBR, ABN COLO	1
NERVOUSNESS	1
OBSTRUCTION, INTESTINE	1
POLYPNEA	1
PR-KIDNEY(S), LESION(S)	1
STIFFNESS	1
TREMBLING	1

DRUG: RACTOPAMINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: RACTOPAMINE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
URINE ABN	1

DRUG: RACTOPAMINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
HYPERACTIVITY	1
LAMINITIS	1
NERVOUSNESS	1
REACTION, UNSPECIFIED	1
TACHYCARDIA	1

DRUG: RACTOPAMINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARRHYTHMIA	1
MYOSITIS	1
PAIN, MUSCLE(S)	1
UNCONSCIOUS	1

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: ORAL

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	155
RECUMBENCY	99
HYPERACTIVITY	46
LAMENESS	34
RELUCTANT TO MOVE	19
STIFFNESS	19
NERVOUSNESS	17
TREMBLING	15
BEHAVIOR DISORDER	13
DEPRESSION/LETHARGY	13
DYSPNEA	13
HOOF DISORDER	13
COLLAPSE	12
INEFFECT, LEAN CARCASS	11
INEFFECT, WEIGHT INC	11
DEATH(EUTHANIZED)	9
DISTRESS	9
STIFFNESS, LIMB(S)	9
WEAKNESS	9
ANOREXIA	8
DEATH(SLAUGHTERED)	8
FERTILITY, REDUCED	8
MEAT ABN	8
AGGRESSION	7
CONGESTION, SKIN	7
DIARRHEA	7
DIFFICULTY RISING	7
FERTILITY, LACK OF	7
SHAKING	7
JOINT DISORDER	6
VOMITING	6
APPREHENSION	5
BITING/CHEWING	5
BONE, ABN	5
FEVER, BODY	5
LOCOMOTION DISORDER	5
REPRODUCTION DISORDER	5
VOCALIZATION	5

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	4
DEATH(NEWBORN)	4
DEATH(STILLBORN)	4
GI, ABNORMAL	4
MEAT, ABN COLOR	4
PALLOR	4
SPASM	4
DIARRHEA, BLOODY	3
HYPERTONIA	3
LEG DISORDER	3
PARESIS, HIND LIMB(S)	3
POLYPNEA	3
RUPTURE	3
STIFFNESS, HIND LIMB(S)	3
SWELLING, JOINT(S)	3
TAIL DISORDER	3
TWITCH	3
BLD	2
BLD, FEET/DIGIT(S)	2
BLD, GI	2
BLOAT	2
DIARRHEA, MILD	2
ESTRUS CYCLE ABNORMAL	2
ILL	2
INEFFECT	2
INJURY	2
INTERACTION, DRUG(S)	2
LESION(S), SKIN	2
MYOSITIS	2
OFF FEED	2
PAIN, FEET/DIGIT(S)	2
POLYDIPSIA	2
POSTURE ABN	2
PR-LIVER, LESION(S)	2
PR-MUSCLE(S), LESION(S)	2
RESPIRATORY DISORDER	2
SKIN ABNORMAL	2
ABORTION	1

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACIDOSIS	1
ADIPSIA	1
ADVERSE DRUG REACTION	1
ANESTRUS	1
ARREST, HEART	1
BIRTH, PREMATURE	1
BIRTH WEIGHT LO	1
BLD(PETECHIAE)	1
BLD, URINE	1
CACHEXIA	1
COLON, ABN	1
CONFUSION	1
CONVULSION(S)	1
CYANOSIS	1
DEFECATION ABN	1
DEMENTIA	1
DIARRHEA, WATERY	1
DISCHARGE, VULVA	1
DYSTOCIA	1
EDEMA	1
EDEMA, LUNG(S)/TRACHEA	1
ELIMINATION ABN	1
ENLARGEMENT(S), SKIN	1
HEART DISORDER	1
HYPERPNEA	1
HYPERSALIVATION	1
INEFFECT, PRODUCTION (MEAT)	1
LAMINITIS	1
NAIL DISORDER	1
NEUROLOGICAL DISORDER	1
PAIN	1
PAIN, JOINT(S)	1
PARALYSIS, HIND LIMB(S)	1
PARESIS	1
PARESIS, FORELIMB(S)	1
POOR PERFORMANCE	1
PR-BLADDER, LESION(S)	1
PR-BONE(S), LESION(S)	1

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PROLAPSE	1
PR-PERICARDIAL EFFUSIO	1
PR-URETHRA, LESION(S)	1
RELUCTANT TO CLIMB	1
SOUND ABN, RESPIRATORY	1
STAGGERING	1
STOOL ABN	1
SWELLING, LIMB(S)	1
TACHYCARDIA	1
TECH ERROR, MIXING	1
ULCER(S)	1
ULCER(S), GI	1
URINATION ABN	1
URTICARIA	1
WEIGHT LOSS	1

DRUG: RACTOPAMINE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DISTENTION, ABDOMEN	1

DRUG: RACTOPAMINE

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	16
HYPERACTIVITY	4
BEHAVIOR DISORDER	2
DEATH(SLAUGHTERED)	2
MEAT ABN	2

DRUG: RACTOPAMINE

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
REPRODUCTION DISORDER	2
STOOL ABN	2
SYNOVITIS	2
AGGRESSION	1
ARREST, HEART	1
ATAXIA	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
DIARRHEA, WATERY	1
DIGESTION DISORDER	1
DYSPNEA	1
GI, ABNORMAL	1
HEPATOMEGALY	1
INEFFECT	1
INJURY	1
LAMENESS	1
POLYDIPSIA	1

DRUG: RACTOPAMINE

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, LEAN CARCASS	1
PD-POTENCY, LO	1

DRUG: RACTOPAMINE

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1
RESIDUE, URINE	1

DRUG: RACTOPAMINE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
CIRCULATORY DISORDER	1
DIZZINESS	1
ERUPTION(S)	1
PAIN, LIMB(S)	1

DRUG: RACTOPAMINE, TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLOAT	1
DEPRESSION/LETHARGY	1
DISTENTION, ABDOMEN	1

DRUG: RACTOPAMINE, TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMENESS	2
VOCALIZATION	2
BITING/CHEWING	1
DEATH	1
DEATH(TX FAILURE)	1
HOOF DISORDER	1
INEFFECT	1
LOCOMOTION DISORDER	1
PAIN	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SHAKING	1
STIFFNESS	1
TAIL DISORDER	1

DRUG: RACTOPAMINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAIN, BRISKET/CHEST	2
ANAPHYLAXIS/TOID	1
ANEMIA	1
HEART DISORDER	1
PAIN	1
PAIN, LIMB(S)	1
PLATELETS ABN	1
RESPIRATORY DISORDER	1
TACHYCARDIA	1

DRUG: RACTOPAMINE

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
LAMENESS	1
REACTION, UNSPECIFIED	1

DRUG: RACTOPAMINE

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TACHYCARDIA	3
ARRHYTHMIA	1
COUGHING	1
DISCHARGE, MOUTH/LIP(S)	1
DIZZINESS	1
ECG ABN	1
RESPIRATORY DISORDER	1
SPASM	1

DRUG: ROMIFIDINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: ROMIFIDINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-POTENCY, LO	1
PD-SOLUTION, ABN	1
PD-VIAL(S), DAMAGED	1

DRUG: ROMIFIDINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	6
RECUMBENCY	4
INEFFECT, SEDATION	3
KICKING	3
SWEATING	3
ANAPHYLAXIS/TOID	2
ANOREXIA	2
ATAXIA	2
SYNCOPE	2
URTICARIA	2
APNEA	1
BRADYCARDIA	1
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
DEATH(STILLBORN)	1
DEFECATION ABN	1
HYPERACTIVITY	1
HYPERPNEA	1
NEUROLOGICAL DISORDER	1
SEDATION PROLONGED	1
SEDATION TOO BRIEF	1
SEDATION TOO DEEP	1
SWELLING, HEAD/FACE	1
TWITCH	1
URINATION ABN	1
WHEEZING	1

DRUG: ROMIFIDINE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BRADYCARDIA	1
SOMNOLENCE	1

DRUG: ROMIFIDINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
PAIN, ABDOMEN	1
PD-POTENCY, LO	1
SEDATION TOO BRIEF	1
SPASM	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1

DRUG: ROXARSONE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
PARALYSIS	1
WEAKNESS	1

DRUG: ROXARSONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	3
DEPRESSION/LETHARGY	2
BLD, URINE	1
WEIGHT LOSS	1

DRUG: ROXARSONE, SALINOMYCIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN HI, BLD	1
CA HI, BLD	1

DRUG: ROXARSONE

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
HUMAN EXPOSURE, INGEST	1
HUMAN EXPOSURE, INHALA	1
IMMUNE DISORDER	1
NEOPLASM	1

DRUG: SALINE, HYPERTONIC

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: SALINOMYCIN

Species: CHICKEN

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
PARALYSIS	1

DRUG: SALINOMYCIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
RECUMBENCY	1

DRUG: SALINOMYCIN

Species: CATTLE

Route of Administration: ORAL

DRUG: SALINOMYCIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
ADIPSIA	1
ANOREXIA	1
DEHYDRATION	1
PARALYSIS	1
TECH ERROR, MIXING	1

DRUG: SALINOMYCIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
WEIGHT LOSS	1

DRUG: SELAMECTIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, TUBE(S)	2,273
PD-TUBE(S), LEAKING	1,145
PD-TUBE(S), ABN	652
PD-UNDERFILL, PACKAGE	545
PD-CAP(S), ABN	320
PD-TUBE(S), DAMAGED	151
PD-SEAL, ABN	130
PD-ODOR, ABN	122
PD-SOLUTION, ABN	104
PD-CONTAINER(S), ABN	78
PD-PRODUCT DEFECT	55
PD-LABEL(S), ABN	42
PD-COLOR, ABN	37
PD-DEFECT UNKNOWN	33

DRUG: SELAMECTIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, VIAL(S)	32
PD-CONTAINER(S), DAMAG	30
PD-APPLICATOR, ABN	29
PD-VIAL(S), ABN	22
PD-VIAL(S), LEAKING	16
PD-DISPENSER, ABN	15
INEFFECT, FLEAS	13
PD-MISSING, CAP	13
PD-UNKNOWN	12
NO SIGNS	7
INEFFECT	6
PD-MISSING, LABEL(S)	6
HUMAN EXPOSURE, HAND(S	5
ACCIDENTAL EXPOSURE	4
PD-SUSPENSION, ABN	4
HUMAN EXPOSURE, TOPICA	3
PD-VIAL(S), DAMAGED	3
INEFFECT, TICKS	2
PD-TABLET(S), ABN	2
APPLICATION SITE HAIR, ABN	1
ODOR	1
PD-CONTAMINATION	1
PD-CONTAM, MOLD	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
AGGRESSION	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
HEADACHE	5

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
NAUSEA	5
IRRITATION, PHARYNX/TH	4
TASTE ABNORMALITY	4
DIZZINESS	3
PD-TUBE(S), LEAKING	3
ANAPHYLAXIS/TOID	2
COUGHING	2
DEPRESSION/LETHARGY	2
DISCHARGE, EYE(S)/LID(S)	2
DISTRESS, RESP	2
DYSPNEA	2
HYPOESTHESIA	2
IRRITATION, EYE(S)/LID	2
RESPIRATORY DISORDER	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, PHARYNX/THRO	2
WHEEZING	2
CONFUSION	1
CONGESTION, NOSE	1
CONGESTION, SINUS	1
DISCHARGE, NOSE	1
EPIPHORA	1
GAGGING	1
HYPOESTHESIA, FEET/DIG	1
HYPOESTHESIA, LIMB(S)	1
IRRITATION	1
NOSE ABN	1
ODOR	1
PAIN	1
PAIN, EYE(S)/LID(S)	1
PAIN, HEAD/FACE	1
PAIN, JOINT(S)	1
PALPITATIONS	1
PARAESTHESIA	1
POLYPNEA	1
PRURITIS, EYE(S)	1
RHINITIS	1
SINUSITIS	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
SWELLING, JOINT(S)	1
SWELLING, MOUTH/LIP(S)	1
TREMBLING	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
ENLARGEMENT, LYMPH NOD	1
PAIN, NECK	1
RESPIRATORY DISORDER	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, EAR MITES	2
TREMBLING	2
ANOREXIA	1
ATAXIA	1
COUGHING	1
DEATH	1
DIARRHEA	1
DYSPNEA	1
ILL	1
INEFFECT, FLEAS	1
SHAKING	1
SNEEZING	1
STAGGERING	1
VOMITING	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
DIARRHEA	2
VOMITING	2
ANOREXIA	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE HAIR, ABN COLOR	1
HAIR, ABN COLOR	1
INEFFECT	1
RECUMBENCY	1
TREMBLING	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
RASH	2
URTICARIA	2
ACCIDENTAL EXPOSURE	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE PAIN	1
HEADACHE	1
INFLAM, SKIN	1
PAIN, BACK	1
SWELLING	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
ANOREXIA	1
APPLICATION SITE ALOPECIA	1
DEPRESSION/LETHARGY	1
INEFFECT, ASCARIDS	1
INEFFECT, EAR MITES	1
INEFFECT, FLEAS	1
INEFFECT, HOOKS	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	1
PD-UNDERFILL, TUBE(S)	1
VOMITING	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INEFFECT, FLEAS	2
DEATH(NEWBORN)	1
INEFFECT, EAR MITES	1
INEFFECT, SARCOPTES MITES	1
INEFFECT, TICKS	1
PD-SOLUTION, ABN	1
PD-UNDERFILL, TUBE(S)	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
RASH	3
IRRITATION, SKIN	2
PRURITIS	2
BLD, SKIN	1
CONGESTION, SKIN	1
HEADACHE	1
LESION(S), SKIN	1
PAIN, MOUTH/LIP(S)	1
PARESTHESIA, MOUTH/LIP	1
PD-TUBE(S), LEAKING	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
URTICARIA	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	3
BLEPHAROSPASM	1
CONJUNCTIVITIS	1
PRURITIS, EYE(S)	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
EDEMA, EYE(S)/LID(S)	1
ULCER(S), CORNEA(S)	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	20
PAIN, EYE(S)/LID(S)	10
CONGESTION, EYE(S)/LID	6
SWELLING, EYE(S)/LID(S)	4
CONJUNCTIVITIS	3
EYE DISORDER	3
DISCHARGE, EYE(S)/LID(S)	2
VISION DISORDER	2
ABRASION, CORNEA(S)	1
ANOREXIA	1
APPLICATION SITE PAIN	1
BLINDNESS, TEMP	1
CONFUSION	1
CONGESTION, SKIN	1
FEVER, BODY	1
HUMAN EXPOSURE, EYE(S)	1
IRRITATION, PHARYNX/TH	1
PAIN, JOINT(S)	1
PAIN, MOUTH/LIP(S)	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
PRURITIS	1
PRURITIS, EYE(S)	1
S-IRRITATION, EYE(S)/LID	1
SLEEP ABN	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
SYNCOPE	1
TWITCH	1
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	48
HYPERSALIVATION	33
DEPRESSION/LETHARGY	26
ANOREXIA	17
FEVER, BODY	8
HYPERACTIVITY	8
DEATH	6
DIARRHEA	6
APPLICATION SITE ALOPECIA	5
NERVOUSNESS	5
ATAXIA	4
TREMBLING	4
BEHAVIOR DISORDER	3
CONFUSION	3
HIDING	3
ANEMIA	2
APPLICATION SITE INFLAM	2
APPLICATION SITE LESION(S)	2
DEHYDRATION	2
DIARRHEA, MILD	2
EOSINOS HI, BLD	2

DRUG: SELAMECTIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
FROTH, MOUTH/LIP(S)	2
HYPOTHERMIA	2
INEFFECT, FLEAS	2
INEFFECT, HW LARVAE	2
RECUMBENCY	2
TACHYCARDIA	2
TWITCH	2
ACCIDENTAL EXPOSURE	1
ADIPSIA	1
ALOPECIA	1
ANISOCORIA	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE ERYTHEMA	1
AZOTEMIA	1
BILIRUBIN(TOT) HI, BLD	1
BLD, SKIN	1
CHLORIDE LO, BLD	1
CO2 LO, BLD	1
CONVULSION(S)	1
COUGHING	1
CPK HI, BLD	1
CYANOSIS, MUCOUS MEMBR	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
DYSPHAGIA	1
DYSPNEA	1
ELECTROLYTE DISORDER	1
EPIPHORA	1
EXERCISE INTOLERANCE	1
GLOBULIN HI, BLD	1
GLUCOSE HI, BLD	1
HYPERESTHESIA	1
HYPERPNEA	1
HYPOPNEA	1
INEFFECT, ASCARIDS	1
IRRITATION, MOUTH/LIP(1
IRRITATION, PHARYNX/TH	1
LOSS OF CONDITION	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
LYMPHS LO, BLD	1
PACING	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
POLYCYTHEMIA(RELATIVE)	1
POLYURIA	1
PROTEIN(TOT) HI, BLD	1
PRURITIS	1
SEGS HI, BLD	1
SGPT/ALT HI, BLD	1
SKIN, SCAB(S)	1
SOUND ABN, VOICE	1
SQUINTING	1
STIFFNESS, LIMB(S)	1
SUMMARY REVIEW	1
TASTE ABNORMALITY	1
TECH ERROR ADMINISTRAT	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), TONGUE	1
URIC ACID LO, BLD	1
VESICLE(S)/BULLAE, SKI	1
VOCALIZATION	1
VOMITING, BLOODY	1
VOMITING ROUNDWORMS	1
VOMITING, SEVERE	1
WBC HI, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: SELAMECTIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	34
INEFFECT, HW LARVAE	21
DEPRESSION/LETHARGY	20
DIARRHEA	13
ANOREXIA	12
HYPERSALIVATION	10
TREMBLING	7
CONVULSION(S)	5
DIARRHEA, MILD	4
PRURITIS	4
ATAXIA	3
COUGHING	3
DEATH	3
FEVER, BODY	3
HYPERACTIVITY	3
PAIN, ABDOMEN	3
POLYDIPSIA	3
WEAKNESS	3
ACCIDENTAL EXPOSURE	2
APPLICATION SITE ALOPECIA	2
APPLICATION SITE ERYTHEMA	2
BEHAVIOR DISORDER	2
DIARRHEA, BLOODY	2
DYSPNEA	2
HEMATOCHEZIA	2
HYPERPNEA	2
INEFFECT, TICKS	2
PALLOR	2
PLATELETS LO, BLD	2
RADIOGRAPH(S) ABN	2
WEIGHT LOSS	2
ALK PHOS HI, BLD	1
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
APPLICATION SITE HAIR, ABN COLOR	1
APPREHENSION	1
BILE ACIDS ABN, BLD	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN HI, BLD	1
CARDIOMEGALY	1
CNS INFARCT	1
COLLAPSE	1
CREATININE HI, BLD	1
DEHYDRATION	1
DISCHARGE, NOSE	1
DIZZINESS	1
EDEMA	1
EDEMA, HEAD/FACE	1
ENLARGEMENT, LYMPH NOD	1
GAGGING	1
GGT HI, BLD	1
HYPERTONIA	1
INCONTINENCE, URINARY	1
INEFFECT, FLEAS	1
INTERACTION, DRUG(S)	1
LIPIDS HI, BLD	1
LIVER ENZYMES HI, BLD	1
MELENA	1
NERVOUSNESS	1
PALLOR, MUCOUS MEMBRAN	1
POLYPNEA	1
POLYURIA	1
PR-SM INTEST, LESION(S	1
SHAKING	1
SNEEZING	1
STIFFNESS	1
STIFFNESS, HIND LIMB(S	1
SUMMARY REVIEW	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
URINATION	1
URTICARIA	1
US ABN	1
VOCALIZATION	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: ORAL

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	7
TASTE ABNORMALITY	7
DIARRHEA	4
TONGUE, ABN	3
ACCIDENTAL EXPOSURE	2
DIZZINESS	2
HUMAN EXPOSURE, HAND(S)	2
IRRITATION, MOUTH/LIP(2
PD-TUBE(S), LEAKING	2
URTICARIA	2
VOMITING	2
BREATHING ABN	1
COUGHING	1
DISCOMFORT, MOUTH/LIP(S)	1
FEVER, BODY	1
GLOSSITIS	1
HUMAN EXPOSURE, INGEST	1
HYPERESTHESIA	1
HYPOESTHESIA	1
HYPOPNEA	1
IRRITATION, MOUTH/LIP(S)	1
IRRITATION, PHARYNX/TH	1
ODOR	1
PAIN, MOUTH/LIP(S)	1
PAIN, MUSCLE(S)	1
PARAESTHESIA	1
PARESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
PRURITIS	1
RASH	1
SHAKING	1
SOMNOLENCE	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ULCER(S), MOUTH/LIP(S)	1
VESICLE(S)/BULLAE, SKI	1
WHEEZING	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	5
APPLICATION SITE LESION(S)	3
ALOPECIA	2
APPLICATION SITE PRURITIS	2
WEIGHT LOSS	2
ANOREXIA	1
APPLICATION SITE ERYTHEMA	1
CONGESTION, EAR(S)	1
CONGESTION, SKIN	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
HYPERSALIVATION	1
INEFFECT, FLEAS	1
INFLAM, SKIN	1
INJ SITE ABSCESS	1
IRRITATION, EAR(S)	1
VOMITING	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	3
APPLICATION SITE ALOPECIA	1
APPLICATION SITE LESION(S)	1
INJ SITE ABN	1
INJ SITE ABSCESS	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE INFECT	1
RASH	1

DRUG: SELAMECTIN

Species: GUINEA PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA, FEET/DIG	1
INJ SITE NECROSIS	1
LAMENESS	1
LICKING, FEET/DIGIT(S)	1
SLOUGH, FEET/DIGIT(S)	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
ECCHYMOSIS, INCISION SITE	1
HEADACHE	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
PAIN, ABDOMEN	1
URTICARIA	1

DRUG: SELAMECTIN

Species: ALPACA

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PARAESTHESIA	1

DRUG: SELAMECTIN

Species: BOBCAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
REFLEX(ES) ABN	1
WEAKNESS	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	2,518
DEPRESSION/LETHARGY	1,282
ANOREXIA	926
VOMITING	815
APPLICATION SITE LESION(S)	601
APPLICATION SITE ERYTHEMA	533
APPLICATION SITE PRURITIS	431
APPLICATION SITE INFLAM	427
DIARRHEA	400
INEFFECT, FLEAS	400
INEFFECT, EAR MITES	379
ATAXIA	350
FEVER, BODY	330
PRURITIS	321
ALOPECIA	300
DEATH	299
HYPERSALIVATION	253
TREMBLING	250
INEFFECT, ASCARIDS	228
SKIN, SCAB(S)	210
CONVULSION(S)	191
WEIGHT LOSS	131
HIDING	130
HYPERACTIVITY	130
DYSPNEA	129
BEHAVIOR DISORDER	122

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOCALIZATION	119
DEATH(EUTHANIZED)	117
DEHYDRATION	110
INEFFECT, HW LARVAE	106
ANEMIA	91
INFLAM, SKIN	90
HYPERPNEA	86
APPLICATION SITE PAIN	76
SGPT/ALT HI, BLD	73
TWITCH	73
APPLICATION SITE ABNORMAL	69
CONGESTION, SKIN	69
RECUMBENCY	64
MYDRIASIS	62
INEFFECT, HOOKS	61
WEAKNESS	60
DIARRHEA, BLOODY	58
NERVOUSNESS	58
SUMMARY REVIEW	57
WBC HI, BLD	56
SNEEZING	53
BUN HI, BLD	52
IRRITATION, SKIN	52
HYPOTHERMIA, BODY	51
TACHYCARDIA	50
ULCER(S), SKIN	50
BILIRUBIN(TOT) HI, BLD	49
RADIOGRAPH(S) ABN	48
SKIN, CRUST(S)	44
POLYPNEA	43
GLUCOSE HI, BLD	42
COUGHING	41
DERMATITIS, MOIST	41
LESION(S), SKIN	41
URTICARIA	40
DIARRHEA, MILD	37
POLYDIPSIA	36
LICKING	35

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ADIPSIA	34
INEFFECT, ASCARIDS PRE	34
AGGRESSION	33
CREATININE HI, BLD	33
PALLOR, MUCOUS MEMBRAN	33
PLATELETS LO, BLD	33
SORE(S)	33
COLLAPSE	32
LAMENESS	32
NYSTAGMUS	32
PAIN	32
PARESIS, HIND LIMB(S)	32
HYPOTHERMIA	31
WBC LO, BLD	30
APPLICATION SITE HAIR, ABN	29
APPLICATION SITE HAIR, ABN COLOR	29
NEUROLOGICAL DISORDER	29
CONFUSION	28
PRURITIS, EAR(S)	28
ANAPHYLAXIS/TOID	27
BLD, URINE	26
DISCHARGE, EYE(S)/LID(S)	26
PD-UNDERFILL, TUBE(S)	26
SGOT/AST HI, BLD	26
STUPOR	26
APPLICATION SITE SWELLING	25
HEAD TILT	25
ICTERUS, BODY	25
LIVER ENZYMES HI, BLD	25
SPASM	24
EDEMA, LUNG(S)/TRACHEA	23
P HI, BLD	22
ALK PHOS HI, BLD	21
ANISOCORIA	21
BLINDNESS	21
CONJUNCTIVITIS	21
DISCHARGE, NOSE	21
HYPERESTHESIA	21

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
KIDNEY FAILURE	21
PD-ODOR, ABN	21
PROLAPSE, THIRD EYELID	21
APPREHENSION	20
HAIR, ABN	20
RASH	19
SHAKING	19
VOMITING ROUNDWORMS	19
CIRCLING	18
CONSTIPATION	18
GLOBULIN HI, BLD	18
ILL	18
POLYURIA	18
SCALE(S), SKIN	18
SEGS HI, BLD	18
STAGGERING	18
URINATION ABN	18
VESICLE(S)/BULLAE, SKI	18
HAIR, SHEDDING	17
HEMATOCHEZIA	17
PR-LIVER, LESION(S)	17
PROTEIN(TOT) HI, BLD	17
SELF-MUTILATION	17
ALBUMIN LO, BLD	16
GLUCOSE LO, BLD	16
PAIN, ABDOMEN	16
PR-SKIN, LESION(S)	16
VOMITING, BLOODY	16
AMYLASE HI, BLD	15
BITING/CHEWING	15
DISCOMFORT	15
DISTRESS, RESP	15
UNCONSCIOUS	15
APPLICATION SITE SKIN, DRY	14
BLD, SKIN	14
BLEPHAROSPASM	14
CONGESTION, LUNG(S)	14
DISCHARGE, EAR(S)	14

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ENLARGEMENT, LYMPH NOD	14
EOSINOS HI, BLD	14
ICTERUS	14
K LO, BLD	14
LOCOMOTION DISORDER	14
MELENA	14
PD-TUBE(S), ABN	14
REFLEX(ES) ABN	14
CPK HI, BLD	13
HAIR, ABN COLOR	13
INTERACTION, DRUG(S)	13
LIVER DISORDER	13
SHAKING, HEAD/FACE	13
SOMNOLENCE	13
EDEMA, HEAD/FACE	12
FROTH, MOUTH/LIP(S)	12
GAGGING	12
K HI, BLD	12
KIDNEY DISORDER	12
PARESIS	12
RELUCTANT TO MOVE	12
RESPIRATORY DISORDER	12
SWELLING, HEAD/FACE	12
URINATION	12
VOMITING, UNPRODUCTIVE	12
ARREST, HEART	11
BRADYCARDIA	11
BREATHING ABN	11
DEAFNESS	11
DYSPHAGIA	11
EPIPHORA	11
INFECTION, SKIN	11
MIOSIS	11
OTITIS	11
PROTEIN, URINE	11
ULCER(S), MOUTH/LIP(S)	11
APNEA	10
APPLICATION SITE, ALOPECIA	10

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, EAR(S)	10
CYANOSIS	10
EFFUSION, PLEURAL	10
INCONTINENCE, URINARY	10
PR-LUNG(S), LESION(S)	10
PROPRIOCEPTIVE DISORDE	10
PUSTULE(S)	10
SWELLING, EYE(S)/LID(S)	10
WHEEZING	10
DEFECATION ABN	9
DIARRHEA, WATERY	9
INEFFECT, STRONGYLES	9
INFECTION, URINARY TRA	9
LYMPHS LO, BLD	9
PALLOR	9
PR-HEART, LESION(S)	9
SEGS LO, BLD	9
ARRHYTHMIA	8
BUN LO, BLD	8
CARDIOMEGALY	8
CYSTITIS	8
EYE DISORDER	8
HEART DISORDER	8
IRRITATION, EYE(S)/LID	8
LESION(S), MOUTH/LIP(S)	8
MURMUR, HEART	8
NYSTAGMUS, HORIZONTAL	8
PD-CAP(S), ABN	8
PROTEIN(TOT) LO, BLD	8
PUPIL(S), AREFLEXIA	8
SPEC GRAVITY LO, URINE	8
TREMBLING, FACE	8
ULCER(S), TONGUE	8
APPLICATION SITE EDEMA	7
CA LO, BLD	7
COAGULATION DISORDER	7
DEATH(NEWBORN)	7
DIABETES MELLITUS	7

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DIARRHEA, SEVERE	7
DISTRESS	7
ERUPTION(S)	7
GLUCOSE, URINE	7
HEAD BOBBING	7
MORIBUND	7
NA HI, BLD	7
NA LO, BLD	7
PD-TUBE(S), LEAKING	7
PNEUMONIA	7
SKIN ABNORMAL	7
SKIN, NECROSIS	7
SOUND ABN, RESPIRATORY	7
SQUINTING	7
STARING	7
US ABN	7
ANEMIA, AUTOIMMUNE HEM	6
ANURIA	6
BLD, MOUTH/LIP(S)	6
CHEMISTRY ABN	6
CHLORIDE LO, BLD	6
CHOLESTEROL HI, BLD	6
CNS DISORDER	6
DISTENTION, ABDOMEN	6
EAR DISORDER	6
HEPATOMEGALY	6
INEFFECT, HOOKS PREVEN	6
LOSS OF CONDITION	6
PACING	6
PAIN, JOINT(S)	6
PARALYSIS	6
PD-SOLUTION, ABN	6
PR-APP SITE, LESION(S)	6
PR-KIDNEY(S), LESION(S)	6
RESIDUE, APPLICATION SITE	6
STIFFNESS	6
TENESMUS, URINARY	6
VESTIBULAR DISORDER	6

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE MASS	5
BILIRUBIN, URINE	5
CA HI, BLD	5
CONGESTION, EYE(S)/LID	5
DIARRHEA, MUCOID	5
EFFUSION, PERITONEAL	5
GI, ABNORMAL	5
HEAD PRESSING	5
INEFFECT, TICKS	5
LICKING, FEET/DIGIT(S)	5
NEOPLASM	5
ODOR	5
PAPULE(S)	5
PARALYSIS, HIND LIMB(S)	5
POLYCYTHEMIA	5
PRESSURE LO, BLD	5
PROLAPSE, TONGUE	5
PRURITIS, FEET/DIGIT(S)	5
PRURITIS, TAIL	5
SHOCK	5
SLOUGH, SKIN	5
US-LIVER ABN	5
AZOTEMIA	4
BALANCE DISORDER	4
BLD(ECCHYMOSES)	4
BLD(HEMATOMA)	4
BLD(PETECHIAE)	4
CHLORIDE HI, BLD	4
CREATININE LO, BLD	4
CRYSTALS, URINE	4
CYANOSIS, MUCOUS MEMBR	4
DISSOCIATION	4
DRY, SKIN	4
DYSMETRIA	4
DYSURIA	4
ECG ABN	4
EDEMA	4
GASTROENTERITIS	4

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HALLUCINATION	4
INEFFECT, WORMS	4
IRRITATION, EAR(S)	4
KIDNEY VALUES HI, BLD	4
LIPASE HI, BLD	4
LIVER FAILURE	4
LYMPHS HI, BLD	4
MICROORGANISMS, URINE	4
NAUSEA	4
NEPHRITIS	4
ODOR, MOUTH	4
PAIN, BACK	4
POLYPHAGIA	4
POSTURE ABN	4
PR-BONE MARROW, LESION	4
PRESSURE HI, BLD	4
RETINA ABN	4
SEBORRHEA	4
SKIN DISORDER	4
SKIN, DRY	4
STIFFNESS, HIND LIMB(S)	4
STUMBLING	4
SWELLING, MOUTH/LIP(S)	4
SWELLING, PHARYNX/THRO	4
TENESMUS, RECTAL	4
THRASHING/PADDLING	4
THYROID HORMONE(S) HI	4
BANDS HI, BLD	3
BLD	3
BLD, EAR(S)	3
BLINDNESS, PARTIAL	3
CONGESTION	3
DEAFNESS, TEMP	3
DEATH(STILLBORN)	3
DEFECATION	3
EDEMA, EYE(S)/LID(S)	3
ELIMINATION ABN	3
ENLARGEMENT(S)	3

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ENLARGEMENT(S), SKIN	3
GGT HI, BLD	3
GLOBULIN LO, BLD	3
HEART FAILURE	3
HEPATITIS	3
HYPERPIGMENTATION, SKI	3
HYPERSENSITIVE, SOUND	3
HYPERTONIA	3
HYPOPNEA	3
INCONTINENCE, FECAL	3
INEFFECT	3
INFECTION, EYE(S)	3
INFLAM	3
IRRITATION	3
IRRITATION, PHARYNX/TH	3
JERKING	3
MASS, SKIN	3
NECK, VENTROFLEXION	3
NECROSIS	3
OLIGURIA	3
PANCREATITIS	3
PARALYSIS, FACIAL NERV	3
PARESIS, FORELIMB(S)	3
PARESTHESIA, MOUTH/LIP	3
PD-SEAL, ABN	3
PLATELETS HI, BLD	3
P LO, BLD	3
POLYCYTHEMIA(RELATIVE)	3
PR-BLADDER, LESION(S)	3
PR-COLON, LESION(S)	3
PR-LUNG(S), EDEMA	3
PR-SM INTEST, LESION(S)	3
RELUCTANT TO CLIMB	3
RETICULOCYTES LO, BLD	3
ROLLING	3
SINUSITIS	3
SPLENOMEGALY	3
STOMATITIS	3

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
STOOL ABN	3
STOOL, MUCOID	3
SWELLING, FEET/DIGIT(S)	3
TEETH, ABN	3
THYROID HORMONE(S) LO	3
TOX	3
ULCER(S), MUCOCUTANEOU	3
VISION DISORDER	3
VOMITING, SEVERE	3
WBC, URINE	3
WEIGHT INCREASE	3
ABSCCESS, SKIN	2
ADVERSE DRUG REACTION	2
ALBUMIN HI, BLD	2
ANEMIA, HEINZ BODY	2
ANEMIA, HEMOLYTIC	2
ANION GAP HI, BLD	2
ARTHRITIS	2
ASCITES	2
BASOS HI, BLD	2
BILE ACIDS HI, BLD	2
BILIRUBIN(DIR) HI, BLD	2
BILIRUBIN(IND) HI, BLD	2
BLD, ABN	2
BLD, ANUS	2
BLOAT	2
CACHEXIA	2
CASTS, URINE	2
CO2 LO, BLD	2
CONGESTION, NOSE	2
CONGESTION, SINUS	2
CULTURE/TITER DATA ABN	2
DEMENTIA	2
DISCHARGE, MOUTH/LIP(S)	2
DISTENTION, BLADDER	2
DIZZINESS	2
ECG, ABN	2
EMBOLUS	2

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
EOSINOS LO, BLD	2
FLATULENCE	2
FLY BITING	2
HORNER'S SYNDROME	2
HYPOMOTILITY	2
INEFFECT, MITES	2
INEFFECT, NEMATODES	2
INEFFECT, PARASITE(S)	2
INEFFECT, SARCOPTES MITES	2
INFECTION	2
INJ SITE ALOPECIA	2
INSOMNIA	2
KETONES, URINE	2
LESION(S), RINGWORM	2
MASS	2
MUCOUS MEMBR, ABN COLO	2
NAIL DISORDER	2
NEOPLASM, LYMPH NODE(S)	2
NO SIGNS	2
OPACITY, CORNEA(S)	2
PHARYNGITIS	2
PHOTOPHOBIA	2
POLLAKIURIA	2
PR-BRAIN, LESION(S)	2
PR-HEARTWORM DISEASE	2
PR-INTEST, LESION(S)	2
PROTRUSION, EYE(S)	2
PR-PANCREAS, LESION(S)	2
PR-SPLEEN, LESION(S)	2
PRURITIS, EYE(S)	2
PT PROLONGED, BLD	2
RBC ABN	2
REACTION, UNSPECIFIED	2
REGURGITATION, FOOD	2
RETICULOCYTES HI, BLD	2
SEDATION	2
SPEC GRAVITY HI, URINE	2
STIFFNESS, FRONT LIMB(2

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
STRABISMUS	2
TAIL DISORDER	2
TECH ERROR ADMINISTRAT	2
TRIGLYCERIDES HI, BLD	2
URINE ABN	2
ABN COLOR, URINE	1
ABORTION	1
ACCIDENTAL EXPOSURE	1
ACID URINE	1
ADIPOSE, INFLAM	1
A/G RATIO LO, BLD	1
ALKALINE URINE	1
ANEMIA, APLASTIC	1
ANEMIA, REGEN	1
ANESTH RECOV PROLONGED	1
ANOREXIA(NOT NURSING)	1
ATROPHY, MUSCLE(S)	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), HEAD/	1
BIRTH DEFECT(S), LIMB(1
BIRTH DEFECT(S), TORSO	1
BIRTH DEFFECT(S), FEET	1
BIRTH, MULTIPLE	1
BLADDER, PARALYSIS	1
BLD, ABDOMEN	1
BLD, LUNG(S)/TRACHEA	1
BLD, RECTUM	1
BLD, THORAX	1
BORBORYGMI	1
BRAIN, NEOPLASM	1
BREATHING, PERIODIC	1
CALCULI, BLADDER	1
CATARACT(S)	1
CHASING TAIL	1
CHOKING	1
CNS INFARCT	1
COLITIS	1
CONGESTION, PHARYNX	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CSF ABN	1
DIARRHEA, PROJECTILE	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID	1
EDEMA, CORNEA(S)	1
EDEMA, LARYNX	1
EDEMA, VENTRAL	1
EFFUSION	1
EFFUSION, PERICARDIAL	1
ELECTROLYTE DISORDER	1
EMPHYSEMA, SQ	1
ENCEPHALOPATHY	1
ENLARGEMENT(S), NECK	1
EPISTAXIS	1
ESTRUS BEHAVIOR	1
EXFOLIATION, SKIN	1
FERTILITY, LACK OF	1
FERTILITY, REDUCED	1
FIBROSIS	1
FROTH	1
GINGIVA, ABN	1
GINGIVITIS	1
GRANULOMA	1
HCO3 LO, BLD	1
HEALING IMPAIRED	1
HYPERMOTILITY	1
HYPHEMA	1
HYPOSMIA	1
HYPOTHERMIA, EAR(S)	1
ICTERUS, SERUM	1
IMMUNE DISORDER	1
INCONTINENCE	1
INEFFECT, LICE	1
INEFFECT, MILK PROD	1
INEFFECT, TAPES	1
INEFFECT, WEIGHT LOSS	1
INFECTION, FEET/DIGIT(1
INJ SITE, ALOPECIA	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INJ SITE PRURITIS	1
IRIS, INFLAM	1
IRRITATION, MOUTH/LIP(1
KERATOCONJUNCTIVITIS S	1
LARYNGITIS	1
LEG DISORDER	1
MICROORANISMS, URINE	1
MONOS HI, BLD	1
MONOS LO, BLD	1
MRI SCAN ABN	1
MYOSITIS	1
NA:K LO, BLD	1
NEOPLASM, KIDNEY(S)	1
NEOPLASM, LIVER	1
NEOPLASM, LUNG(S)	1
NEOPLASM, SPLEEN	1
NEUROPATHY	1
NOSE ABN	1
NYSTAGMUS, POSITIONAL	1
NYSTAGMUS, VERTICAL	1
OBSTRUCTION, LARYNX	1
OPISTHOTONOS	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PAIN, LIMB(S)	1
PAIN, MOUTH/LIP(S)	1
PAIN, MUSCLE(S)	1
PAIN, NECK	1
PAIN, SPINAL	1
PANCREAS ENZYMES HI, B	1
PANCYTOPENIA	1
PARAESTHESIA, EYE(S)/L	1
PARESIS, FORE LIMB(S)	1
PAWING	1
PD-COLOR, ABN	1
PD-CONTAINER(S), DAMAG	1
PD-CONTAMINATION	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-DISPENSER, ABN	1
PD-MISSING, CAP	1
PD-PRODUCT DEFECT	1
PD-TUBE(S), DAMAGED	1
PERITONITIS	1
PHALLITIS	1
PHLEBITIS	1
PHOTOSENSITIZATION	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA(ABSOLUTE)	1
PR-BLD VESSEL(S), LESI	1
PR-GI, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PR-MUSCLE(S), LESION(S)	1
PR-NERVE(S), LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-STILLBORN, LESION(S)	1
PR-STOMACH, LESION(S)	1
PR-THYMUS, LESION(S)	1
PR-TONGUE, LESION(S)	1
PR-URETHRA, LESION(S)	1
PTT PROLONGED, BLD	1
PULSE THREADY	1
RBC, ANISO	1
RBC, POLYCHROM	1
REGURGITATION	1
REPETITIVE MOVEMENTS	1
RUPTURE	1
SALIVA, ABN	1
SEDIMENT, URINE	1
SLEEP ABN	1
STIFFNESS, LIMB(S)	1
STRANGURIA	1
SWELLING	1
SWELLING, ADM SITE	1
SWELLING, EAR(S)	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWELLING, JOINT(S)	1
SWELLING, NECK	1
SYNCOPE	1
TEARS, ABN	1
TECH ERROR	1
TETANY	1
TORTICOLLIS	1
TYMPANIC MEM, RUPTURED	1
ULCER(S), CORNEA(S)	1
ULCER(S), EAR(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), PHARYNX/THRO	1
UNKNOWN	1
UREMIA	1
VOICE DISORDER	1
VOMITING, PROJECTILE	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	5,137
VOMITING	1,616
DEPRESSION/LETHARGY	1,579
INEFFECT, FLEAS	1,525
DIARRHEA	953
PRURITIS	930
ANOREXIA	921
CONVULSION(S)	565
TREMBLING	397
APPLICATION SITE ALOPECIA	359
INEFFECT, TICKS	325
ATAXIA	320
INEFFECT, EAR MITES	273
ALOPECIA	264
HYPERSALIVATION	247

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	217
URTICARIA	211
APPLICATION SITE LESION(S)	208
DIARRHEA, BLOODY	199
HYPERACTIVITY	197
CONGESTION, SKIN	173
FEVER, BODY	159
APPLICATION SITE PRURITIS	158
INFLAM, SKIN	156
POLYPNEA	147
APPLICATION SITE ERYTHEMA	140
APPLICATION SITE INFLAM	139
INEFFECT, SARCOPTES MITES	128
NERVOUSNESS	120
SGPT/ALT HI, BLD	120
BEHAVIOR DISORDER	108
ALK PHOS HI, BLD	104
ANEMIA	91
WEAKNESS	89
DYSPNEA	87
RASH	87
VOCALIZATION	87
COUGHING	85
WEIGHT LOSS	85
DIARRHEA, MILD	83
HYPERPNEA	83
WBC HI, BLD	82
DEATH(EUTHANIZED)	79
APPREHENSION	78
ANAPHYLAXIS/TOID	77
DERMATITIS, MOIST	77
PLATELETS LO, BLD	76
SKIN, SCAB(S)	76
APPLICATION SITE PAIN	75
LESION(S), SKIN	74
POLYDIPSIA	73
CONFUSION	72
INEFFECT, MITES	65

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INFECTION, SKIN	63
SHAKING	62
BUN HI, BLD	60
INEFFECT, HOOKS	60
APPLICATION SITE HAIR, ABN COLOR	59
SUMMARY REVIEW	59
PACING	57
EDEMA, HEAD/FACE	55
HIDING	53
COLLAPSE	50
APPLICATION SITE HAIR, ABN	49
PAIN	45
SCALE(S), SKIN	45
DEHYDRATION	43
BILIRUBIN(TOT) HI, BLD	42
POLYURIA	42
RADIOGRAPH(S) ABN	42
SKIN, CRUST(S)	42
APPLICATION SITE ABNORMAL	40
INCONTINENCE, URINARY	40
TACHYCARDIA	40
MELENA	39
SWELLING, HEAD/FACE	39
PD-UNDERFILL, TUBE(S)	38
AGGRESSION	37
RECUMBENCY	37
ALBUMIN LO, BLD	36
PARESIS, HIND LIMB(S)	36
VOMITING, BLOODY	36
BLD, URINE	35
CREATININE HI, BLD	35
GLUCOSE LO, BLD	35
HAIR, ABN	35
HEMATOCHEZIA	35
PALLOR, MUCOUS MEMBRAN	35
TWITCH	35
HAIR, SHEDDING	33
LAMENESS	33

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRURITIS, EAR(S)	33
CIRCLING	31
MYDRIASIS	31
HYPERPIGMENTATION, SKI	30
LIVER ENZYMES HI, BLD	30
IRRITATION, SKIN	28
HAIR, ABN COLOR	27
INTERACTION, DRUG(S)	27
ANEMIA, AUTOIMMUNE HEM	26
APPLICATION SITE SWELLING	26
PROTEIN(TOT) LO, BLD	26
SEBORRHEA	26
SEGS HI, BLD	26
DISCOMFORT	25
OTITIS	25
RESIDUE, APPLICATION SITE	25
PAIN, ABDOMEN	24
SKIN, DRY	24
STUPOR	24
APPLICATION SITE MASS	23
PAPULE(S)	22
GAGGING	21
LICKING	21
LICKING, FEET/DIGIT(S)	21
PD-ODOR, ABN	21
P HI, BLD	21
PRURITIS, FEET/DIGIT(S)	21
PUSTULE(S)	21
VOMITING, UNPRODUCTIVE	21
WBC LO, BLD	21
ADIPSIA	20
ODOR	20
SNEEZING	20
SPEC GRAVITY LO, URINE	20
DIFFICULTY RISING	19
ENLARGEMENT, LYMPH NOD	19
INEFFECT, HW ANTIGEN	19
PR-LIVER, LESION(S)	19

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RELUCTANT TO MOVE	19
ROLLING	19
SWELLING, EYE(S)/LID(S)	19
AMYLASE HI, BLD	18
HYPOTHERMIA, BODY	18
INEFFECT, WHIPS	18
NYSTAGMUS	18
SGOT/AST HI, BLD	18
SORE(S)	18
BITING/CHEWING	17
BLD(PETECHIAE)	17
CONJUNCTIVITIS	17
EPISTAXIS	17
FLATULENCE	17
HEAD TILT	17
NAUSEA	17
PD-TUBE(S), ABN	17
PR-SKIN, LESION(S)	17
SHAKING, HEAD/FACE	17
URINATION ABN	17
DIARRHEA, WATERY	16
DISCHARGE, NOSE	16
EOSINOS HI, BLD	16
INEFFECT, ASCARIDS	16
SPASM	16
VESICLE(S)/BULLAE, SKI	16
DISCHARGE, EYE(S)/LID(S)	15
FROTH, MOUTH/LIP(S)	15
GGT HI, BLD	15
ILL	15
KIDNEY FAILURE	15
LIPASE HI, BLD	15
MURMUR, HEART	15
NEUROLOGICAL DISORDER	15
PARESIS	15
PD-TUBE(S), LEAKING	15
STAGGERING	15
STIFFNESS	15

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CARDIOMEGALY	14
CONGESTION, LUNG(S)	14
DEAFNESS	14
GLUCOSE HI, BLD	14
SOMNOLENCE	14
CHOLESTEROL HI, BLD	13
CONSTIPATION	13
DIARRHEA, MUCOID	13
HYPOTHERMIA	13
ICTERUS, BODY	13
MONOS HI, BLD	13
PANCREATITIS	13
PR-HEARTWORM DISEASE	13
PROPRIOCEPTIVE DISORDE	13
BLINDNESS	12
CA LO, BLD	12
INEFFECT, HOOKS PREVEN	12
ULCER(S), SKIN	12
BLD(ECCHYMOSES)	11
BRADYCARDIA	11
BREATHING ABN	11
DISTENTION, ABDOMEN	11
GLOBULIN HI, BLD	11
LOCOMOTION DISORDER	11
PROTEIN, URINE	11
STOOL ABN	11
SWELLING, EAR(S)	11
APPLICATION SITE SKIN, DRY	10
DEATH(STILLBORN)	10
EDEMA, LUNG(S)/TRACHEA	10
K LO, BLD	10
LYMPHS LO, BLD	10
PALLOR	10
REFLEX(ES) ABN	10
WHEEZING	10
BILE ACIDS HI, BLD	9
BLD, MOUTH/LIP(S)	9
BORBORYGMI	9

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	9
DIARRHEA, SEVERE	9
ERUPTION(S)	9
HEPATOMEGALY	9
NA LO, BLD	9
NEOPLASM	9
PAIN, NECK	9
PICA	9
PR-LUNG(S), EDEMA	9
PR-LUNG(S), LESION(S)	9
PRURITIS, TAIL	9
SKIN DISORDER	9
SPLENOMEGALY	9
TREMBLING, FACE	9
UNCONSCIOUS	9
WEIGHT INCREASE	9
ARRHYTHMIA	8
CA HI, BLD	8
COLITIS	8
DRY, SKIN	8
ENLARGEMENT(S), SKIN	8
EXERCISE INTOLERANCE	8
ICTERUS	8
INEFFECT, ECTOPARASITE	8
MASS, SKIN	8
ODOR, MOUTH	8
PAIN, HIND LIMB(S)	8
POLYCYTHEMIA	8
THYROID HORMONE(S) LO	8
VESTIBULAR DISORDER	8
ABORTION	7
APPLICATION SITE EDEMA	7
BILIRUBIN, URINE	7
CPK HI, BLD	7
DEFECATION	7
HYPERESTHESIA	7
LIVER DISORDER	7
LYMPHS HI, BLD	7

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PAIN, JOINT(S)	7
PD-SOLUTION, ABN	7
PROLAPSE, THIRD EYELID	7
PROTEIN(TOT) HI, BLD	7
SHOCK	7
SKIN, NECROSIS	7
SOUND ABN, RESPIRATORY	7
STARING	7
STOOL, MUCOID	7
SYNCOPE	7
URINATION	7
US ABN	7
WBC, URINE	7
ASCITES	6
COAGULATION DISORDER	6
CYANOSIS	6
DEFECATION ABN	6
DYSMETRIA	6
EDEMA, EYE(S)/LID(S)	6
EPIPHORA	6
GI, ABNORMAL	6
HYPERKERATOSIS	6
INEFFECT, HW ADULTS	6
IRRITATION, PERINEUM	6
PARALYSIS, HIND LIMB(S)	6
POSTURE ABN	6
PR-APP SITE, LESION(S)	6
PR-KIDNEY(S), LESION(S)	6
PRURITIS, EYE(S)	6
SWELLING, FEET/DIGIT(S)	6
VISION DISORDER	6
BLD	5
BLD, RECTUM	5
BLD, SKIN	5
CHLORIDE LO, BLD	5
CNS DISORDER	5
CONGESTION, EAR(S)	5
COOMBS TEST POS	5

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CRYSTALS, URINE	5
DISTRESS, RESP	5
EAR DISORDER	5
GLOBULIN LO, BLD	5
HALLUCINATION	5
HYPERTONIA	5
INFECTION, URINARY TRA	5
IRRITATION	5
IRRITATION, EYE(S)/LID	5
K HI, BLD	5
LIVER FAILURE	5
MIOSIS	5
MYOSITIS	5
NA HI, BLD	5
NYSTAGMUS, HORIZONTAL	5
PAIN, BACK	5
PAIN, MUSCLE(S)	5
PARALYSIS	5
PLATELETS HI, BLD	5
PNEUMONIA	5
PR-SM INTEST, LESION(S)	5
PR-SPLEEN, LESION(S)	5
RBC, NUCLEATED	5
STUMBLING	5
THRASHING/PADDLING	5
TRIGLYCERIDES HI, BLD	5
ABN COLOR, URINE	4
ANEMIA, REGEN	4
ANEMIA, SPHERO	4
APNEA	4
ATROPHY, MUSCLE(S)	4
AZOTEMIA	4
BLD, EYE(S)	4
BLD, LUNG(S)/TRACHEA	4
BLINDNESS, PARTIAL	4
BLOAT	4
BUN LO, BLD	4
CALCULI, BLADDER	4

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DISSOCIATION	4
DISTRESS	4
EDEMA, NECK	4
ENLARGEMENT(S)	4
HEAD BOBBING	4
HEART DISORDER	4
INEFFECT	4
INEFFECT, ASCARIDS PRE	4
INEFFECT, LOSS OF EFFE	4
INEFFECT, WHIPS PREVEN	4
INFLAM	4
IRRITATION, EAR(S)	4
JOINT DISORDER	4
LEUKODERMA	4
MASS	4
NOSE ABN	4
PARALYSIS, ALL LIMBS	4
PARESIS, FORE LIMB(S)	4
PD-UNDERFILL, VIAL(S)	4
P LO, BLD	4
PR-INTEST, LESION(S)	4
PR-LYMPH NODE(S), LESI	4
PROTRUSION, EYE(S)	4
PUPIL(S), AREFLEXIA	4
SEGS LO, BLD	4
SKIN ABNORMAL	4
SLOUGH, SKIN	4
STIFFNESS, HIND LIMB(S)	4
STIFFNESS, NECK	4
SWELLING, NECK	4
URINE ABN	4
ABSCCESS, SKIN	3
ALBUMIN HI, BLD	3
ARTHRITIS	3
BANDS HI, BLD	3
BLD, ABDOMEN	3
BLD, ANUS	3
BLD, EAR(S)	3

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BLEPHAROSPASM	3
BLINDNESS, TEMP	3
BRONCHITIS	3
CHEMISTRY ABN	3
CO2 HI, BLD	3
CONGESTION	3
CSF ABN	3
DEATH(NEWBORN)	3
DESTRUCTIVENESS	3
EDEMA	3
EFFUSION, PLEURAL	3
ELIMINATION ABN	3
EYE DISORDER	3
FLY BITING	3
GASTROENTERITIS	3
HEAD PRESSING	3
HYPHEMA	3
HYPOPNEA	3
INCONTINENCE, FECAL	3
INEFFECT, HW MICROFILA	3
INEFFECT, PARASITE(S)	3
INFECTION	3
KIDNEY VALUES HI, BLD	3
MASS, ABDOMEN	3
MICROORANISMS, URINE	3
NO SIGNS	3
PAIN, MOUTH/LIP(S)	3
PAIN, SPINAL	3
PARALYSIS, FACIAL NERV	3
PD-COLOR, ABN	3
POLLAKIURIA	3
POLYCYTHEMIA(RELATIVE)	3
POLYPHAGIA	3
PR-TRACHEA, LESION(S)	3
RBC ABN	3
REGURGITATION	3
RESPIRATORY DISORDER	3
SEDATION	3

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SELF-MUTILATION	3
TASTE ABNORMALITY	3
TEETH, ABN	3
TENESMUS, RECTAL	3
THROMBUS	3
ULCER(S), EAR(S)	3
VOMITING, SEVERE	3
ABRASION, CORNEA(S)	2
ALKALINE URINE	2
ANEMIA, HEMOLYTIC	2
ARREST, HEART	2
BILE ACIDS ABN, BLD	2
BLD(HEMATOMA)	2
BLD, SCLERA	2
CACHEXIA	2
CELLULITIS	2
CNS INFARCT	2
CONGESTION, NOSE	2
CONGESTION, SINUS	2
CREATININE LO, BLD	2
DEAFNESS, TEMP	2
DIC	2
DILITATION, ESOPHAGUS	2
DISCHARGE, EAR(S)	2
DIZZINESS	2
DYSPHAGIA	2
DYSURIA	2
EMBOLUS	2
ENTERITIS	2
ESTRUS CYCLE ABNORMAL	2
FERTILITY, LACK OF	2
G-HAIR, ABN COLOR	2
GLUCOSE, URINE	2
GRINDING TEETH	2
HEART FAILURE	2
HEPATITIS	2
ICTERUS, SERUM	2
IMMUNE DISORDER	2

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INCONTINENCE	2
INEFFECT, PARASITE	2
INEFFECT, TAPES	2
INFECTION, FEET/DIGIT(2
INSOMNIA	2
JERKING	2
LOSS OF CONDITION	2
MONOS LO, BLD	2
MORIBUND	2
MRI SCAN ABN	2
MUCOUS MEMBR, ABN COLO	2
NAIL DISORDER	2
NECROSIS	2
NEOPLASM, LYMPH NODE(S	2
NEOPLASM, SKIN	2
NEPHRITIS	2
OPACITY, CORNEA(S)	2
PAIN, HEAD/FACE	2
PAWING	2
PD-CAP(S), ABN	2
PR-BONE MARROW, LESION	2
PRESSURE HI, BLD	2
PRESSURE LO, BLD	2
PR-GI, LESION(S)	2
PR-HEART, LESION(S)	2
PR-MENINGES, LESION(S)	2
PR-PANCREAS, LESION(S)	2
PR-PERITONEAL EFFUSION	2
PR-STOMACH, LESION(S)	2
RELUCTANT TO CLIMB	2
RETICULOCYTES LO, BLD	2
SLEEP ABN	2
SLOUGH, EAR(S)	2
SPERM ABN	2
STIFFNESS, LIMB(S)	2
STRABISMUS	2
SWELLING, ADM SITE	2
SWELLING, JOINT(S)	2

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWELLING, MOUTH/LIP(S)	2
SWELLING, MULT SITES	2
SWELLING, TONGUE	2
TONGUE, ABN	2
TORTICOLLIS	2
ULCER(S), MOUTH/LIP(S)	2
UVEITIS	2
VASCULITIS	2
VOMITING ROUNDWORMS	2
WBC ABN	2
ABN ODOR, URINE	1
ACCIDENTAL EXPOSURE	1
AMMONIA HI, BLD	1
ANEMIA, HEINZ BODY	1
ANESTRUS	1
ANOREXIA (NOT NURSING)	1
ANURIA	1
APLASIA, BONE MARROW	1
APPLICATION SITE, ALOPECIA	1
BALANCE DISORDER	1
BASOS HI, BLD	1
BIRTH DEFECT(S)	1
BIRTH DEFECT(S), LIMB(1
BIRTH DEFECT(S), TORSO	1
BIRTH DEFFECT(S), FEET	1
BLD, FEET/DIGIT(S)	1
BONE, ABN	1
BREATHING, DIFFICULT	1
CALCULI, KIDNEY	1
CALCULI, URINE	1
CAPILLARY REFILL PROLO	1
CATARACT(S)	1
CERVICAL SPINE ABN	1
CHASING TAIL	1
CHLORIDE HI, BLD	1
CHOKING	1
CIRCULATORY DISORDER	1
CONGESTION, MUCOUS MEM	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, TONGUE	1
CULTURE/TITER DATA ABN	1
CYANOSIS, MUCOUS MEMBR	1
CYSTITIS	1
DEAFNESS, PARTIAL	1
DEATH(TX FAILURE)	1
DELIRIUM	1
DIABETES M, POOR REGUL	1
DIARRHEA, PROJECTILE	1
DIGESTION DISORDER	1
DISCHARGE, EYE(S)/LID	1
DISCHARGE, VULVA	1
DISCOMFORT, MOUTH/LIP(S)	1
ECG ABN	1
EDEMA, CORNEA(S)	1
EDEMA, LIMB(S)	1
EDEMA, MULTIPLE SITES	1
EDEMA, PREPUCE	1
EFFUSION	1
EFFUSION, PERICARDIAL	1
EFFUSION, PERITONEAL	1
ELECTROLYTE DISORDER	1
ENCEPHALOPATHY	1
ERYTHEMA MULTIFORME	1
ESTRUS BEHAVIOR	1
FE LO, BLD	1
FERTILITY, REDUCED	1
FEVER, JOINT(S)	1
FIBRINOGEN LO, BLD	1
FIBROSIS	1
GALL BLADDER, ABN	1
GASTRITIS	1
GINGIVA, ABN	1
GINGIVITIS	1
GRANULOMA, LICK	1
HCO3 HI, BLD	1
HEMOGLOBIN, URINE	1
HYPERADRENOCORTICISM	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HYPERSENSITIVE, SOUND	1
HYPADRENOCORTICISM	1
HYPOSALIVATION	1
IMMUNOSUPPRESSION	1
INEFFECT, DEMODEX MITES	1
INEFFECT, STRONGYLE LA	1
INEFFECT, STRONGYLES	1
INFARCT	1
INFLAMMATION, NOSE	1
INJ SITE MASS	1
INJ SITE SEROMA	1
INTUSSUSCEPTION	1
IRRITATION, ESOPHAGUS	1
IRRITATION, MOUTH/LIP(1
IRRITATION, PHARYNX/TH	1
KIDNEY DISORDER	1
LABOR, PREMATURE	1
MACULE(S)	1
MG LO, BLD	1
MICROORGANISMS, URINE	1
MUCOUS MEMBR, RED	1
NEOPLASM, LIVER	1
NEOPLASM, LUNG(S)	1
NEOPLASM, MULT SITES	1
NEOPLASM, SPLEEN	1
NEURITIS	1
NEURITIS, OPTIC	1
NEUROPATHY	1
OPISTHOTONOS	1
PAIN, LIMB(S)	1
PANCREAS ENZYMES HI, B	1
PARESIS, FORELIMB(S)	1
PD-CONTAINER(S), ABN	1
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-POTENCY, HI	1
PD-POTENCY, LO	1
PD-PRODUCT DEFECT	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	1
PD-UNKNOWN	1
PERITONITIS	1
PHALLITIS	1
PLATELETS ABN	1
PNEUMONIA, ASPIRATION	1
POLYCYTHEMIA(ABSOLUTE)	1
PR-ADRENAL(S), LESION(S)	1
PR-BLADDER, LESION(S)	1
PR-BLD VESSEL(S), LESI	1
PR-BONE(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PR-FETUS, LESION(S)	1
PR-GI, PARASITISM	1
PR-MULT SITES, BLD	1
PR-MULT SITES, CONGEST	1
PR-MULT SITES, LESION(S)	1
PROLAPSE, DISC	1
PR-TESTES, LESION(S)	1
PR-THYMUS, LESION(S)	1
PTT PROLONGED, BLD	1
RBC, POLYCHROM	1
REACTION, UNSPECIFIED	1
RESIDUE, URINE	1
RETICULOCYTES HI, BLD	1
SLOUGH	1
SLOUGH, FEET/DIGIT(S)	1
SQUINTING	1
STRAINING	1
STRANGURIA	1
SWEATING	1
SWELLING, LIMB(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, PREPUCE	1
TAIL DISORDER	1
TECH ERROR	1
TECH ERROR ADMINISTRAT	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TENESMUS	1
TOX	1
UDDER, AGALACTIA	1
ULCER(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), STOMACH	1
UNPALATABLE, WON'T EAT	1
UREMIA	1
US-LIVER ABN	1
VAGINITIS	1
VENA CAVAL SYNDROME	1
VOICE DISORDER	1
VOLVULUS, INTESTINE	1
VOLVULUS, STOMACH	1
VOMITING, PROJECTILE	1
XEROSTOMIA	1

DRUG: SELAMECTIN

Species: FERRET

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	9
DEPRESSION/LETHARGY	6
DIARRHEA	4
WEIGHT LOSS	4
ADIPSIA	2
ANEMIA	2
ATAXIA	2
DEATH	2
PALLOR, MUCOUS MEMBRAN	2
VOMITING	2
WEAKNESS	2
ANAPHYLAXIS/TOID	1
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
CACHEXIA	1

DRUG: SELAMECTIN

Species: FERRET

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONSTIPATION	1
CONVULSION(S)	1
DYSPNEA	1
EDEMA, CORNEA(S)	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
HEPATOMEGALY	1
HYPERACTIVITY	1
HYPOTHERMIA	1
HYPOTHERMIA, BODY	1
LIVER ENZYMES HI, BLD	1
NYSTAGMUS	1
PALLOR	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PD-UNDERFILL, TUBE(S)	1
PRURITIS	1
SOMNOLENCE	1
SPLENOMEGALY	1
STUPOR	1
TREMBLING	1
WEIGHT INCREASE	1

DRUG: SELAMECTIN

Species: GUINEA PIG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	4
DEATH	4
DEPRESSION/LETHARGY	2
PRURITIS	2
ADIPSIA	1
AGGRESSION	1
ALOPECIA	1
ANURIA	1
CONSTIPATION	1

DRUG: SELAMECTIN

Species: GUINEA PIG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DISTRESS	1
DYSPNEA	1
ENCEPHALOPATHY	1
HEAD BOBBING	1
HEAD PRESSING	1
HEAD TILT	1
HYPOTHERMIA, BODY	1
NECROSIS	1
NEUROLOGICAL DISORDER	1
PNEUMONIA	1
PR-BRAIN, LESION(S)	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
RELUCTANT TO MOVE	1
VOCALIZATION	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-TUBE(S), LEAKING	194
RASH	148
PRURITIS	119
URTICARIA	108
IRRITATION, SKIN	52
PD-TUBE(S), ABN	47
CONGESTION, SKIN	45
SUMMARY REVIEW	44
HEADACHE	28
TASTE ABNORMALITY	27
HYPOESTHESIA	26
NAUSEA	26
DIZZINESS	25

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HYPERESTHESIA	24
DIARRHEA	23
INFLAM, SKIN	23
ANAPHYLAXIS/TOID	22
VOMITING	22
IRRITATION, EYE(S)/LID	20
SWELLING, EYE(S)/LID(S)	18
SWELLING, MOUTH/LIP(S)	18
PAIN	15
PARESTHESIA	14
PD-SEAL, ABN	14
APPLICATION SITE PAIN	13
DYSPNEA	13
VESICLE(S)/BULLAE, SKI	13
PD-UNDERFILL, TUBE(S)	12
SKIN ABNORMAL	12
IRRITATION, PHARYNX/TH	11
PARAESTHESIA	11
PD-CAP(S), ABN	11
APPLICATION SITE ERYTHEMA	10
HUMAN EXPOSURE, TOPICA	10
SWELLING	10
ACCIDENTAL EXPOSURE	9
LESION(S), SKIN	9
PD-CONTAINER(S), ABN	9
PRURITIS, EYE(S)	9
APPLICATION SITE INFLAM	8
APPLICATION SITE PRURITIS	8
PAIN, ABDOMEN	8
SWELLING, HEAD/FACE	8
CONGESTION, EYE(S)/LID	7
DEPRESSION/LETHARGY	7
PD-TUBE(S), DAMAGED	7
APPREHENSION	6
COUGHING	6
DISCOMFORT, MOUTH/LIP(S)	6
EPIPHORA	6
HUMAN EXPOSURE	6

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN, DRY	6
SWELLING, PHARYNX/THRO	6
VISION DISORDER	6
WEAKNESS	6
APPLICATION SITE SWELLING	5
FEVER, BODY	5
HUMAN EXPOSURE, HAND(S	5
IRRITATION, MOUTH/LIP(5
PAIN, EYE(S)/LID(S)	5
SKIN DISORDER	5
SWELLING, FEET/DIGIT(S	5
SWELLING, TONGUE	5
TACHYCARDIA	5
TONGUE, ABN	5
ALOPECIA	4
DISCHARGE, NOSE	4
LEUKODERMA	4
PAIN, FEET/DIGIT(S)	4
PAIN, JOINT(S)	4
PAIN, LIMB(S)	4
PD-CONTAINER(S), DAMAG	4
PD-ODOR, ABN	4
PD-VIAL(S), LEAKING	4
RESIDUE, APPLICATION SITE	4
SWEATING	4
APPLICATION SITE ABNORMAL	3
DIPLOPIA	3
DRY, SKIN	3
LESION(S), MOUTH/LIP(S	3
NAIL DISORDER	3
NEUROLOGICAL DISORDER	3
NOSE ABN	3
PAIN, MOUTH/LIP(S)	3
PARESTHESIA, MOUTH/LIP	3
PD-APPLICATOR, ABN	3
PD-DISPENSER, ABN	3
RESPIRATORY DISORDER	3
SCALE(S), SKIN	3

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SOMNOLENCE	3
TREMBLING	3
APPLICATION SITE LESION(S)	2
APPLICATION SITE SKIN, DRY	2
BLINDNESS, TEMP	2
CONGESTION	2
CONJUNCTIVITIS	2
DISCOMFORT	2
EAR DISORDER	2
EDEMA	2
EDEMA, HEAD/FACE	2
GAGGING	2
GLOSSITIS	2
HUMAN EXPOSURE, INHALA	2
HUMAN EXPOSURE, MOUTH/	2
ILL	2
INFLAM	2
INTERACTION, DRUG(S)	2
NERVOUSNESS	2
NO SIGNS	2
ODOR	2
PAIN, BRISKET/CHEST	2
PAIN, MUSCLE(S)	2
PALPITATIONS	2
PD-UNDERFILL, PACKAGE	2
PD-VIAL(S), ABN	2
SKIN, CRUST(S)	2
SWELLING, EAR(S)	2
SWELLING, NECK	2
ULCER(S), SKIN	2
XEROSTOMIA	2
ABSCCESS, SKIN	1
ARRHYTHMIA	1
ATAXIA	1
BEHAVIOR DISORDER	1
BLD(PETECHIAE)	1
BLD, VAGINA	1
CHOKING	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, NOSE	1
CONGESTION, PHARYNX	1
CONGESTION, SINUS	1
CONSTIPATION	1
CONVULSION(S)	1
DIARRHEA, SEVERE	1
DISCHARGE, EYE(S)/LID(S)	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
DRY MOUTH SYNDROME	1
DYSPHAGIA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, TONGUE	1
ENLARGEMENT, LYMPH NOD	1
EPISTAXIS	1
ERUPTION(S)	1
ERYTHEMA MULTIFORME	1
EXFOLIATION, SKIN	1
EYE DISORDER	1
FLATULENCE	1
GASTRITIS	1
GI, ABNORMAL	1
HALLUCINATION	1
HEART DISORDER	1
HOT FLASH/FLUSH	1
HOT FLUSH	1
HYPERKERATOSIS	1
HYPERPIGMENTATION, SKI	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOESTHESIA, FEET/DIG	1
HYPOSALIVATION	1
INFECTION	1
INFECTION, EYE(S)	1
INJ SITE ABN	1
IRIS, INFLAM	1
LARYNGITIS	1
NEUROPATHY	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NYSTAGMUS, HORIZONTAL	1
PAIN, HEAD/FACE	1
PARESIS	1
PD-PRODUCT DEFECT	1
PD-SOLUTION, ABN	1
PD-UNDERFILL, VIAL(S)	1
PRESSURE HI, BLD	1
PRURITIS, FEET/DIGIT(S)	1
REACTION, UNSPECIFIED	1
SEGS LO, BLD	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SINUSITIS	1
SNEEZING	1
SORE(S)	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
SYNCOPE	1
TECH ERROR ADMINISTRAT	1
TREMBLING, FACE	1
UDDER, MASTITIS	1
ULCER(S), MOUTH/LIP(S)	1
URINE ABN	1
UTERUS, CONTRACTIONS	1
VESICLE(S)/BULLAE, MOU	1
WBC LO, BLD	1

DRUG: SELAMECTIN

Species: MISSING INFORMATION

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, FLEAS	1
PD-UNDERFILL, TUBE(S)	1

DRUG: SELAMECTIN

Species: OTHER

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANOREXIA	2
APPREHENSION	1
ATAXIA	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
INEFFECT, FLEAS	1
PACING	1
POLYPNEA	1
TREMBLING	1

DRUG: SELAMECTIN

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	9
ANOREXIA	5
DEPRESSION/LETHARGY	5
APPLICATION SITE ALOPECIA	3
APPLICATION SITE INFLAM	3
CONVULSION(S)	3
PRURITIS	3
ALOPECIA	2
ANEMIA	2
FEVER, BODY	2
HEAD TILT	2
HYPERACTIVITY	2
APPLICATION SITE ABNORMAL	1
APPLICATION SITE, ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE LESION(S)	1
BEHAVIOR DISORDER	1
BIRTH DEFECT(S)	1
BLD, URINE	1
BRADYCARDIA	1
CARDIOMEGALY	1
CATARACT(S)	1

DRUG: SELAMECTIN

Species: RABBIT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
CONGESTION, SKIN	1
COUGHING	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DIARRHEA, MILD	1
DYSPNEA	1
EDEMA, HEAD/FACE	1
EOSINOS HI, BLD	1
HYPERPIGMENTATION, SKI	1
HYPERPNEA	1
IRRITATION, EYE(S)/LID	1
LOSS OF CONDITION	1
OTITIS	1
PARALYSIS	1
PD-TUBE(S), ABN	1
PD-UNDERFILL, TUBE(S)	1
RADIOGRAPH(S) ABN	1
RECUMBENCY	1
WEAKNESS	1

DRUG: SELAMECTIN

Species: RAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ATAXIA	1
DEPRESSION/LETHARGY	1
DYSPHAGIA	1
HYPERACTIVITY	1
INEFFECT, ECTOPARASITE	1
PRURITIS	1
SHAKING, HEAD/FACE	1
TREMBLING	1
VOMITING	1

DRUG: SELAMECTIN

Species: UNKNOWN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, FLEAS	11
APPLICATION SITE ALOPECIA	2
INEFFECT	1

DRUG: SELAMECTIN

Species: VARIOUS

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
INEFFECT, FLEAS	42
APPLICATION SITE ALOPECIA	10
INEFFECT, EAR MITES	8
INEFFECT, TICKS	6
PRURITIS	6
APPLICATION SITE LESION(S)	3
VOMITING	3
ANOREXIA	2
APPLICATION SITE ERYTHEMA	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
ALOPECIA	1
APPLICATION SITE HAIR, ABN	1
OTITIS	1
SHAKING, HEAD/FACE	1
SKIN, SCAB(S)	1
ULCER(S), SKIN	1
URTICARIA	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APPLICATION SITE ALOPECIA	3
BEHAVIOR DISORDER	3
DEPRESSION/LETHARGY	3
PRURITIS	3

DRUG: SELAMECTIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ALOPECIA	2
ANOREXIA	2
HYPERACTIVITY	2
HYPERSALIVATION	2
INEFFECT, EAR MITES	2
VOMITING	2
CONVULSION(S)	1
CREATININE HI, BLD	1
DEATH	1
DISCOMFORT	1
EOSINOS HI, BLD	1
HIDING	1
HYPERPNEA	1
INEFFECT, FLEAS	1
INEFFECT, HW LARVAE	1
INFLAM, SKIN	1
NEUROLOGICAL DISORDER	1
OTITIS	1
POLYPNEA	1
PROTEIN(TOT) HI, BLD	1
SWELLING, HEAD/FACE	1
TREMBLING	1
TWITCH	1
UNKNOWN	1
WEIGHT LOSS	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, FLEAS	6
VOMITING	6
ANOREXIA	4
ATAXIA	4
DIARRHEA	3
INEFFECT, EAR MITES	3

DRUG: SELAMECTIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, HW LARVAE	3
CONVULSION(S)	2
DEATH	2
DEATH(EUTHANIZED)	2
HEMATOCHEZIA	2
REFLEX(ES) ABN	2
SKIN DISORDER	2
ANURIA	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PAIN	1
BEHAVIOR DISORDER	1
BLINDNESS	1
CNS DISORDER	1
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
CONSTIPATION	1
DEPRESSION/LETHARGY	1
DIARRHEA, WATERY	1
DYSPNEA	1
EPIPHORA	1
GASTRITIS	1
ILL	1
INEFFECT, DEMODEX MITES	1
INEFFECT, ECTOPARASITE	1
INEFFECT, SARCOPTES MITES	1
INFLAM, SKIN	1
LESION(S), SKIN	1
LIVER DISORDER	1
PARESIS, FORE LIMB(S)	1
PARESIS, HIND LIMB(S)	1
P LO, BLD	1
PRURITIS	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
STOOL, MUCOID	1
SWELLING, HEAD/FACE	1
TREMBLING	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VESICLE(S)/BULLAE, SKI	1
WEAKNESS	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RASH	48
URTICARIA	46
PRURITIS	43
CONGESTION, SKIN	15
IRRITATION, EYE(S)/LID	13
SWELLING, EYE(S)/LID(S)	13
PD-TUBE(S), LEAKING	10
DYSPNEA	9
IRRITATION, SKIN	9
VOMITING	8
INFLAM, SKIN	7
NAUSEA	7
DIARRHEA	6
HEADACHE	6
IRRITATION, PHARYNX/TH	6
PAIN	6
PRURITIS, EYE(S)	6
HUMAN EXPOSURE, TOPICA	5
SNEEZING	5
TASTE ABNORMALITY	5
ACCIDENTAL EXPOSURE	4
ANAPHYLAXIS/TOID	4
CONFUSION	4
COUGHING	4
DIZZINESS	4
HUMAN EXPOSURE	4
HYPOESTHESIA	4
PAIN, EYE(S)/LID(S)	4
VESICLE(S)/BULLAE, SKI	4

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VISION DISORDER	4
ALOPECIA	3
CONGESTION, EYE(S)/LID	3
DEPRESSION/LETHARGY	3
DISCHARGE, NOSE	3
PAIN, ABDOMEN	3
SKIN, DRY	3
ATAXIA	2
ENLARGEMENT, LYMPH NOD	2
FEVER, BODY	2
HYPERSALIVATION	2
IRRITATION, MOUTH/LIP(2
JOINT DISORDER	2
LESION(S), SKIN	2
PAIN, HEAD/FACE	2
PAIN, LIMB(S)	2
PAIN, MOUTH/LIP(S)	2
PARAESTHESIA	2
PD-TUBE(S), ABN	2
PD-TUBE(S), DAMAGED	2
SINUSITIS	2
SOUND ABN, VOICE	2
SWELLING, HEAD/FACE	2
TONGUE, ABN	2
VOICE DISORDER	2
ANEMIA, APLASTIC	1
APPLICATION SITE PAIN	1
APPLICATION SITE SWELLING	1
APPREHENSION	1
BLD, EYE(S)	1
BLD, VAGINA	1
BLINDNESS, TEMP	1
CNS DISORDER	1
CONGESTION	1
CONGESTION, LUNG(S)	1
CONJUNCTIVITIS	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DISCOMFORT, MOUTH/LIP(S)	1
DYSPHAGIA	1
EDEMA, HEAD/FACE	1
EPIPHORA	1
EXFOLIATION, SKIN	1
GI, ABNORMAL	1
GLUCOSE HI, BLD	1
HAIR, ABN	1
HUMAN EXPOSURE, HAND(S)	1
HUMAN EXPOSURE, INHALA	1
HUMAN EXPOSURE, JUVENILE	1
HYPERESTHESIA	1
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOMOTILITY	1
HYPOTHERMIA	1
INFECTION, SKIN	1
LESION(S), MOUTH/LIP(S)	1
NERVOUSNESS	1
NO SIGNS	1
PAIN, BRISKET/CHEST	1
PAIN, JOINT(S)	1
PARESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
PRESSURE HI, BLD	1
PRESSURE LO, BLD	1
SCALE(S), SKIN	1
SHAKING	1
SKIN DISORDER	1
SLOUGH, SKIN	1
SORE(S)	1
SPASM	1
STIFFNESS	1
STOMATITIS	1
STUPOR	1
SWELLING	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
SWELLING, PHARYNX/THRO	1
SWELLING, TONGUE	1
TACHYCARDIA	1
WHEEZING	1
XEROSTOMIA	1

DRUG: SELAMECTIN

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, FLEAS	4
PD-TUBE(S), ABN	2
APPLICATION SITE SWELLING	1
DEPRESSION/LETHARGY	1
PD-DEFECT UNKNOWN	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
VOMITING	11
HYPERSALIVATION	7
DEPRESSION/LETHARGY	6
ANOREXIA	3
FEVER, BODY	3
TREMBLING	3
CONVULSION(S)	2
HYPERPNEA	2
SHAKING, HEAD/FACE	2
TWITCH	2
APPLICATION SITE PAIN	1
APPLICATION SITE PRURITIS	1
ATAXIA	1
BEHAVIOR DISORDER	1
CULTURE/TITER DATA ABN	1

DRUG: SELAMECTIN

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DIARRHEA	1
DYSPNEA	1
ENLARGEMENT(S), SKIN	1
ERUPTION(S)	1
FROTH, MOUTH/LIP(S)	1
HAIR, ABN	1
HEAD TILT	1
HIDING	1
HYPERACTIVITY	1
INEFFECT, FLEAS	1
INFECTION, URINARY TRA	1
IRRITATION, EYE(S)/LID	1
LICKING	1
LIPIDS HI, BLD	1
MYDRIASIS	1
NO SIGNS	1
NYSTAGMUS	1
PHOTOPHOBIA	1
POLYDIPSIA	1
PROLAPSE, THIRD EYELID	1
SGOT/AST HI, BLD	1
SGPT/ALT HI, BLD	1
SPASM	1
SPEC GRAVITY LO, URINE	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
VOMITING	4
DEPRESSION/LETHARGY	3
ANOREXIA	2
ALOPECIA	1

DRUG: SELAMECTIN

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
DEHYDRATION	1
DIARRHEA	1
GLUCOSE HI, BLD	1
HYPERACTIVITY	1
HYPERSALIVATION	1
INEFFECT, FLEAS	1
MIOSIS	1
PARESIS	1
PRURITIS	1
SGPT/ALT HI, BLD	1
STUPOR	1
TREMBLING	1
UNCONSCIOUS	1

DRUG: SELAMECTIN

Species: FERRET

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DIARRHEA	1

DRUG: SELAMECTIN

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
FEVER, BODY	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
INJ SITE SWELLING	1

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: VARIOUS

DRUG: SELAMECTIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TASTE ABNORMALITY	3
ACCIDENTAL EXPOSURE	2
HEADACHE	2
CONGESTION, TONGUE	1
EXFOLIATION, SKIN	1
GAGGING	1
HYPERESTHESIA	1
IRRITATION, EYE(S)/LID	1
IRRITATION, MOUTH/LIP(1
PAIN, ABDOMEN	1
PAIN, EYE(S)/LID(S)	1
PARESTHESIA, MOUTH/LIP	1
PRURITIS	1
REFLEX(ES) ABN	1
VISION DISORDER	1
VOMITING	1

DRUG: SELAMECTIN

Species: RABBIT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH(EUTHANIZED)	1
HYPERSALIVATION	1
NEOPLASM	1
PR-TONGUE, LESION(S)	1
SWELLING, TONGUE	1

DRUG: SELEGILINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TABLET(S), ABN	145
PD-UNDERFILL, PACKAGE	46
PD-PRODUCT DEFECT	15

DRUG: SELEGILINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNKNOWN	9
PD-CONTAINER(S), DAMAG	8
PD-UNDERFILL, VIAL(S)	4
PD-CONTAINER(S), ABN	1
PD-DEFECT UNKNOWN	1
PD-LABEL(S), ABN	1
PD-SEAL, ABN	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, CDS	1
SEDATION PROLONGED	1
VOMITING	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
FLY BITING	1
HYPERTONIA	1
VOCALIZATION	1

DRUG: SELEGILINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	5
DEPRESSION/LETHARGY	4
ANOREXIA	3
BEHAVIOR DISORDER	2
AGGRESSION	1

DRUG: SELEGILINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALBUMIN LO, BLD	1
ATAXIA	1
BLD, URINE	1
CONVULSION(S)	1
DEFECATION ABN	1
DIARRHEA	1
ELIMINATION ABN	1
GLOBULIN LO, BLD	1
HYPERACTIVITY	1
LICKING	1
MYDRIASIS	1
NERVOUSNESS	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
SEGS HI, BLD	1
SOMNOLENCE	1
TECH ERROR	1
URINATION ABN	1
VOCALIZATION	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WEIGHT LOSS	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	332
INEFFECT, CDS	268
INEFFECT, LOSS OF EFFE	259
DEPRESSION/LETHARGY	244
DIARRHEA	244
ANOREXIA	229
NERVOUSNESS	209
CONVULSION(S)	177
POLYPNEA	167

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERACTIVITY	143
CONFUSION	140
POLYDIPSIA	129
ATAXIA	124
INEFFECT	117
INEFFECT, CUSHINGS	114
POLYURIA	103
ALK PHOS HI, BLD	102
DEATH(EUTHANIZED)	100
WEAKNESS	99
WEIGHT LOSS	93
PACING	82
SGPT/ALT HI, BLD	73
TREMBLING	73
BUN HI, BLD	64
VOCALIZATION	63
APPREHENSION	62
AGGRESSION	60
DEATH	55
CREATININE HI, BLD	49
INTERACTION, DRUG(S)	48
PRURITIS	45
ANEMIA	43
CIRCLING	42
HEAD TILT	36
HYPERSALIVATION	34
COLLAPSE	32
PARESIS, HIND LIMB(S)	32
ALOPECIA	31
DEAFNESS	30
DYSPNEA	30
WBC HI, BLD	30
BEHAVIOR DISORDER	29
DIARRHEA, BLOODY	27
BLD, URINE	26
BLINDNESS	24
INCONTINENCE, URINARY	24
STUPOR	24

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PROPRIOCEPTIVE DISORDE	23
VESTIBULAR DISORDER	23
FEVER, BODY	21
POLYPHAGIA	21
RECUMBENCY	21
DIARRHEA, MILD	20
K HI, BLD	20
INFECTION, URINARY TRA	19
TACHYCARDIA	19
URINATION	18
DEAFNESS, PARTIAL	17
INFECTION, SKIN	17
LIVER ENZYMES HI, BLD	17
PLATELETS LO, BLD	17
AMYLASE HI, BLD	16
KIDNEY FAILURE	16
BILIRUBIN(TOT) HI, BLD	15
DISTENTION, ABDOMEN	15
EPISTAXIS	15
PAIN, ABDOMEN	15
SPEC GRAVITY LO, URINE	15
URINATION ABN	15
BITING/CHEWING	14
CHOLESTEROL HI, BLD	14
DIABETES MELLITUS	13
DISSOCIATION	13
GGT HI, BLD	13
LICKING	13
PANCREATITIS	13
SHAKING	13
STAGGERING	13
TWITCH	13
GLUCOSE HI, BLD	12
MURMUR, HEART	12
NYSTAGMUS	12
PRESSURE HI, BLD	12
CONGESTION, SKIN	11
HYPERPNEA	11

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INFLAM, SKIN	11
LIPASE HI, BLD	11
MELENA	11
P HI, BLD	11
DEFECATION	10
DEHYDRATION	10
INCONTINENCE, FECAL	10
INSOMNIA	10
PARESIS	10
SGOT/AST HI, BLD	10
SLEEP ABN	10
SOMNOLENCE	10
PALLOR, MUCOUS MEMBRAN	9
SPASM	9
STARING	9
SYNCOPE	9
THYROID HORMONE(S) LO	9
ALBUMIN LO, BLD	8
ANEMIA, AUTOIMMUNE HEM	8
ANEMIA, REGEN	8
ARRHYTHMIA	8
PROTEIN, URINE	8
RELUCTANT TO MOVE	8
SHAKING, HEAD/FACE	8
WEIGHT INCREASE	8
CA HI, BLD	7
COUGHING	7
GLUCOSE LO, BLD	7
HEMATOCHEZIA	7
HIDING	7
LESION(S), SKIN	7
NA LO, BLD	7
SEDATION	7
SEGS HI, BLD	7
SNEEZING	7
STUMBLING	7
CHLORIDE LO, BLD	6
CONSTIPATION	6

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIFFICULTY RISING	6
GLUCOSE, URINE	6
ICTERUS, BODY	6
LOCOMOTION DISORDER	6
PALLOR	6
REPETITIVE MOVEMENTS	6
ABN COLOR, URINE	5
AZOTEMIA	5
BLD(PETECHIAE)	5
BLINDNESS, PARTIAL	5
BLOAT	5
BRADYCARDIA	5
COAGULATION DISORDER	5
CONGESTION, EYE(S)/LID	5
CYSTITIS	5
DEAFNESS, TEMP	5
DESTRUCTIVENESS	5
DIARRHEA, MUCOID	5
DYSPHAGIA	5
ELIMINATION ABN	5
GAGGING	5
GLOBULIN HI, BLD	5
HAIR, ABN	5
HEPATOMEGALY	5
KERATOCONJUNCTIVITIS S	5
LICKING, FEET/DIGIT(S)	5
NA:K LO, BLD	5
PARALYSIS, FACIAL NERV	5
RADIOGRAPH(S) ABN	5
RASH	5
SEBORRHEA	5
SKIN, CRUST(S)	5
SOUND ABN, RESPIRATORY	5
SWELLING, HEAD/FACE	5
TREMBLING, FACE	5
TRIGLYCERIDES HI, BLD	5
VOMITING, BLOODY	5
ATROPHY, MUSCLE(S)	4

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BORBORYGMI	4
COLITIS	4
CRYSTALS, URINE	4
DIARRHEA, SEVERE	4
DYSMETRIA	4
EDEMA, LUNG(S)/TRACHEA	4
GLAUCOMA	4
HEART DISORDER	4
HYPERESTHESIA	4
NAUSEA	4
NEUROLOGICAL DISORDER	4
NYSTAGMUS, HORIZONTAL	4
POSTURE ABN	4
PUPIL(S), AREFLEXIA	4
REFLEX(ES) ABN	4
SKIN DISORDER	4
SPLENOMEGALY	4
STIFFNESS	4
STOOL ABN	4
UNCONSCIOUS	4
UNPALATABLE	4
URTICARIA	4
US ABN	4
VOMITING, UNPRODUCTIVE	4
ADIPSIA	3
ANURIA	3
BALANCE DISORDER	3
BILIRUBIN, URINE	3
BLD(ECCHYMOSES)	3
BLD, MOUTH/LIP(S)	3
CA LO, BLD	3
DEMENTIA	3
DIABETES M, POOR REGUL	3
DIARRHEA, WATERY	3
DISTRESS, RESP	3
ENLARGEMENT, LYMPH NOD	3
EXFOLIATION, SKIN	3
EYE DISORDER	3

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
FLATULENCE	3
FROTH, MOUTH/LIP(S)	3
HAIR, SHEDDING	3
HEAD BOBBING	3
HEART FAILURE	3
HEPATITIS	3
HYPERKERATOSIS	3
HYPERPIGMENTATION, SKI	3
INCONTINENCE	3
JERKING	3
K LO, BLD	3
MYDRIASIS	3
NOCTURIA	3
PAIN	3
PANCREAS ENZYMES HI, B	3
PARALYSIS, HIND LIMB(S)	3
PLATELETS HI, BLD	3
PR-PANCREAS, LESION(S)	3
PR-SKIN, LESION(S)	3
SHOCK	3
SORE(S)	3
SWELLING, PHARYNX/THRO	3
TENESMUS, RECTAL	3
ULCER(S), CORNEA(S)	3
VISION DISORDER	3
ANEMIA, HEMOLYTIC	2
ANEMIA, SPHERO	2
ANESTH RECOV PROLONGED	2
APNEA	2
ARREST, HEART	2
BANDS HI, BLD	2
BILE ACIDS HI, BLD	2
BLD, EYE(S)	2
BLD(HEMATOMA)	2
BLEPHAROSPASM	2
BLINDNESS, TEMP	2
BREATHING, DIFFICULT	2
BUN LO, BLD	2

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CACHEXIA	2
CAPILLARY REFILL PROLO	2
CONGESTION, LUNG(S)	2
CONGESTION, MUCOUS MEM	2
CONGESTION, TONGUE	2
CPK HI, BLD	2
CULTURE/TITER DATA ABN	2
CYANOSIS	2
DEFECATION ABN	2
DERMATITIS, MOIST	2
DIABETES	2
DIARRHEA, PROJECTILE	2
DIGESTION DISORDER	2
DILITATION, ESOPHAGUS	2
DISCHARGE, NOSE	2
DISCOMFORT	2
DISTRESS	2
ECG, ABN	2
EDEMA, HEAD/FACE	2
EFFUSION, PLEURAL	2
ELECTROLYTE DISORDER	2
EOSINOS HI, BLD	2
ERUPTION(S)	2
ESTRUS BEHAVIOR	2
EXERCISE INTOLERANCE	2
GALL BLADDER, ABN	2
GASTROENTERITIS	2
GI, ABNORMAL	2
GLOBULIN LO, BLD	2
GRINDING TEETH	2
HEAD PRESSING	2
HYPERADRENOCORTICISM	2
HYPOADRENOCORTICISM	2
HYPOTHERMIA, BODY	2
IRRITATION, EYE(S)/LID	2
KETONES, URINE	2
KIDNEY DISORDER	2
KIDNEY VALUES HI, BLD	2

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LAMENESS	2
LIVER DISORDER	2
MASS, SKIN	2
MICROORGANISMS, URINE	2
MYOSITIS	2
NEOPLASM	2
NEOPLASM, LIVER	2
ODOR	2
PAIN, MOUTH/LIP(S)	2
PHOTOPHOBIA	2
POLLAKIURIA	2
PR-ADRENAL(S), LESION(S)	2
PR-LIVER, LESION(S)	2
PRURITIS, FEET/DIGIT(S)	2
RETINA ABN	2
SCALE(S), SKIN	2
SEDATION PROLONGED	2
SEPTICEMIA	2
SPEC GRAVITY HI, URINE	2
STOOL, MUCOID	2
STRANGURIA	2
SWELLING, MOUTH/LIP(S)	2
TORTICOLLIS	2
ULCER(S), TONGUE	2
US-LIVER ABN	2
UVEITIS	2
VOLVULUS, STOMACH	2
WBC LO, BLD	2
ABN ODOR, URINE	1
ABSCCESS, SKIN	1
ALKALINE URINE	1
BASOS HI, BLD	1
BILIRUBIN(IND) HI, BLD	1
BLD	1
BLD, INCISION SITE	1
BLD, MULT SITES	1
BLD, PENIS	1
BLD, RECTUM	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, RETINA	1
BLD, SCLERA	1
BLD, SKIN	1
BLD, VAGINA	1
BLINDNESS, NIGHT	1
BONE, ABN	1
CALCULI, BLADDER	1
CARDIOMEGALY	1
CASTS, URINE	1
CATARACT(S)	1
CHEMISTRY ABN	1
CHLORIDE HI, BLD	1
CLOUDY URINE	1
CNS INFARCT	1
CONJUNCTIVITIS	1
COOMBS TEST POS	1
COPROPHAGIA	1
DIC	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, VULVA	1
DRY, SKIN	1
DYSURIA	1
ECG ABN	1
EDEMA, LIMB(S)	1
EFFUSION, PERICARDIAL	1
ENLARGEMENT(S)	1
ENLARGEMENT(S), SKIN	1
ENTERITIS	1
ERECTION, ABN	1
ERUCTATION	1
FIBRILLATION, ATRIAL	1
GINGIVA, ABN	1
GINGIVITIS	1
GRANULOMA, LICK	1
HAIR, ABN COLOR	1
HEMOGLOBIN, URINE	1
HYPERMOTILITY	1
HYPOTHERMIA	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ICTERUS	1
ILL	1
IMMUNOSUPPRESSION	1
IMPROVEMENT, UNEXPECT	1
INEFFECT, WEIGHT LOSS	1
INFECTION	1
INFECTION, FEET/DIGIT(1
IRRITATION, SKIN	1
JOINT DISORDER	1
KICKING	1
LARYNGOSPASM	1
LESION(S), MOUTH/LIP(S)	1
LEUKODERMA	1
LIPIDS HI, BLD	1
LIVER FAILURE	1
LOSS OF CONDITION	1
LYMPHS HI, BLD	1
LYMPHS LO, BLD	1
MASS	1
MASS, ABDOMEN	1
MONOS HI, BLD	1
MORIBUND	1
NA HI, BLD	1
NECROSIS	1
NEOPLASM, LUNG(S)	1
NEOPLASM, SKIN	1
NEPHRITIS	1
NOSE ABN	1
NYSTAGMUS, ROTARY	1
NYSTAGMUS, VERTICAL	1
OBSTRUCTION, TRACHEA	1
ODOR, MOUTH	1
OPACITY, CORNEA(S)	1
OPISTHOTONOS	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PAIN, LIMB(S)	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, NECK	1
PANCREAS DISORDER	1
PAPULE(S)	1
PARAESTHESIA, EYE(S)/L	1
PARESIS, FORE LIMB(S)	1
PARESIS, FORELIMB(S)	1
PARESTHESIA, MOUTH/LIP	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, VIAL(S)	1
PICA	1
PNEUMONIA, ASPIRATION	1
PR-BRAIN, LESION(S)	1
PR-HEART, LESION(S)	1
PRIAPISM	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LUNG(S), LESION(S)	1
PR-NOSE, LESION(S)	1
PROLAPSE, PENIS	1
PROLAPSE, THIRD EYELID	1
PROLAPSE, TONGUE	1
PROTEIN(TOT) HI, BLD	1
PROTEIN(TOT) LO, BLD	1
PROTRUSION, EYE(S)	1
PR-SM INTEST, LESION(S)	1
PRURITIS, EYE(S)	1
PRURITIS, TAIL	1
RESPIRATORY DISORDER	1
ROLLING	1
SEDATION TOO DEEP	1
SEDIMENT, URINE	1
SKIN, DRY	1
SLOUGH	1
SLOUGH, FEET/DIGIT(S)	1
SOUND ABN, VOICE	1
STIFFNESS, FRONT LIMB(1
STOMATITIS	1
SWELLING	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
TACHYCARDIA, VENTRICUL	1
TAIL DISORDER	1
TECH ERROR ADMINISTRAT	1
TEETH, ABN	1
TETANY	1
THRASHING/PADDLING	1
ULCER(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), SKIN	1
UNPALATABLE, WON'T EAT	1
URINE ABN	1
VAGINITIS	1
VOICE DISORDER	1
WHEEZING	1
XEROSTOMIA	1

DRUG: SELEGILINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	2
PRESSURE HI, BLD	2
APPREHENSION	1
DIARRHEA	1
DIZZINESS	1
EYE DISORDER	1
HEADACHE	1
HYPOESTHESIA	1
NERVOUSNESS	1
PAIN, ABDOMEN	1
TACHYCARDIA	1
TASTE ABNORMALITY	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, CDS	1

DRUG: SELEGILINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DISCHARGE, MAMMARY	1
INTERACTION, DRUG(S)	1
LIVER ENZYMES HI, BLD	1
MYDRIASIS	1
NEOPLASM, MAMMARY	1
PARALYSIS, FACIAL NERV	1

DRUG: SELEGILINE

Species: NOT REVIEWED

Route of Administration: ZZ

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

DRUG: SELENIUM, VITAMIN E

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	3
PD-LABEL(S), ABN	2
NO SIGNS	1
PD-COLOR, ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-MISSING, CAP	1
PD-SEAL, ABN	1
PD-SOLUTION, ABN	1
PD-VIAL(S), DAMAGED	1

DRUG: SELENIUM, VITAMIN E

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
INJ SITE SWELLING	2
ANAPHYLAXIS/TOID	1
INJ SITE ABSCESS	1
INJ SITE EFFUSION	1
PR-INJ SITE, LESION(S)	1
PR-MUSCLE(S), LESION(S)	1
SWELLING	1

DRUG: SELENIUM, VITAMIN E

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: SELENIUM, VITAMIN E

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
IRRITATION, EYE(S)/LID	1

DRUG: SELENIUM, VITAMIN E

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
DISTRESS, RESP	1
FEVER, BODY	1

DRUG: SELENIUM, VITAMIN E

Species: ALPACA

Route of Administration: PARENTERAL

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	58
ANAPHYLAXIS/TOID	48
DYSPNEA	34
RECUMBENCY	22
COLLAPSE	19
HYPERSALIVATION	17
ATAXIA	16
DEPRESSION/LETHARGY	16
ABORTION	14
BLOAT	11
BIRTH, PREMATURE	10
TREMBLING	10
INJ SITE SWELLING	9
ANOREXIA	8
INJ SITE ABSCESS	7
DEATH(NEWBORN)	5
PLACENTA, RETAINED	5
STAGGERING	5
DIARRHEA	4
LABOR, PREMATURE	4
DEATH(STILLBORN)	3
DISTRESS, RESP	3
EPISTAXIS	3
FEVER, BODY	3
FROTH, MOUTH/LIP(S)	3
HYPERACTIVITY	3
HYPERPNEA	3
SWEATING	3
SWELLING, EYE(S)/LID(S)	3
INEFFECT	2
INJ SITE INFLAM	2
POLYPNEA	2
WEAKNESS	2
ANEMIA	1

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BILIRUBIN, URINE	1
BLD, MOUTH/LIP(S)	1
CA LO, BLD	1
CNS DISORDER	1
CONGESTION, SKIN	1
COUGHING	1
CYANOSIS	1
DISCHARGE, NOSE	1
DISTRESS	1
DYSTOCIA	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MAMMARY	1
EDEMA, VULVA	1
EMPHYSEMA, SQ	1
ESTRUS CYCLE ABNORMAL	1
FROTH, NOSE	1
GLUCOSE HI, BLD	1
HEAD BOBBING	1
HYPERTONIA	1
HYPOTHERMIA	1
ICTERUS, BODY	1
ILL	1
INEFFECT, OTHER DRUG(S)	1
INJ SITE SLOUGH	1
IRRITATION	1
OFF FEED	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, ALL LIMBS	1
PARESIS	1
PARTURITION, ABNORMAL	1
P LO, BLD	1
PNEUMONIA	1
PR-LUNG(S), LESION(S)	1
PROSTRATION	1
PR-WHOLE BODY, LESION(1
REACTION, UNSPECIFIED	1
SHOCK	1

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STIFFNESS	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
THRASHING/PADDLING	1
UDDER, HYPOGALACTIA	1
UDDER, SWELLING	1
URTICARIA	1
VOCALIZATION	1
WBC LO, BLD	1

DRUG: SELENIUM, VITAMIN E

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
CONGESTION, SKIN	1
EDEMA, HEAD/FACE	1
POLYPNEA	1
TREMBLING	1
URTICARIA	1

DRUG: SELENIUM, VITAMIN E

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ANAPHYLAXIS/TOID	2
COLLAPSE	2
FROTH, MOUTH/LIP(S)	2
VOCALIZATION	2
ARREST, HEART	1
ATAXIA	1
BALANCE DISORDER	1
BLEPHAROSPASM	1
CONVULSION(S)	1

DRUG: SELENIUM, VITAMIN E

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
FEVER, BODY	1
HYPERSALIVATION	1
INJ SITE INFLAM	1
INJ SITE SWELLING	1
JERKING	1
PAIN, ABDOMEN	1
POLYPNEA	1
PR-HEART, LESION(S)	1
PRURITIS	1
RECUMBENCY	1
STAGGERING	1
THRASHING/PADDLING	1

DRUG: SELENIUM, VITAMIN E

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	59
ANAPHYLAXIS/TOID	47
COLLAPSE	30
PAIN, ABDOMEN	21
ATAXIA	14
SWEATING	12
DYSYPNEA	8
INJ SITE SWELLING	8
RECUMBENCY	7
TREMBLING	7
DEPRESSION/LETHARGY	6
INJ SITE PAIN	6
PALLOR, MUCOUS MEMBRAN	6
HYPERPNEA	5
DISTRESS, RESP	4
SHAKING	4
SHOCK	4

DRUG: SELENIUM, VITAMIN E

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TACHYCARDIA	4
WEAKNESS	4
DISCOMFORT	3
INJ SITE ABN	3
INJ SITE ABSCESS	3
STAGGERING	3
VOCALIZATION	3
BRADYCARDIA	2
CONVULSION(S)	2
HYPERACTIVITY	2
LABOR, PREMATURE	2
NERVOUSNESS	2
PALLOR	2
PAWING	2
SWELLING, NECK	2
TWITCH	2
ABORTION	1
AGGRESSION	1
ALOPECIA	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(EUTHANIZED)	1
DEFECATION	1
DIARRHEA	1
FEVER, BODY	1
HEAD PRESSING	1
HEMATOCHEZIA	1
HYPOMOTILITY	1
HYPOPNEA	1
INJ SITE BLD	1
INJ SITE INFLAM	1
INJ SITE PHLEBITIS	1
INJ SITE STERILE ABSCE	1
INTERACTION, DRUG(S)	1
PAIN	1

DRUG: SELENIUM, VITAMIN E

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PARESIS	1
POLYDIPSIA	1
POLYPNEA	1
PR-LIVER, LESION(S)	1
PROSTRATION	1
PR-PERICARDIAL EFFUSIO	1
PR-PERITONEUM, LESION(1
RESPIRATORY DISORDER	1
SPASM	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(1
STIFFNESS, NECK	1
STUMBLING	1
THRASHING/PADDLING	1
URINATION	1
URTICARIA	1

DRUG: SELENIUM, VITAMIN E

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
PAIN, FEET/DIGIT(S)	1

DRUG: SELENIUM, VITAMIN E

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT	1

DRUG: SELENIUM, VITAMIN E

Species: PIG

Route of Administration: PARENTERAL

DRUG: SELENIUM, VITAMIN E

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	3
DEATH	2
PR-INJ SITE, LESION(S)	2
ANAPHYLAXIS/TOID	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT	1
INJ SITE INFLAM	1

DRUG: SELENIUM, VITAMIN E

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	19
ABORTION	7
DEPRESSION/LETHARGY	7
DYSPNEA	6
ANOREXIA	3
BLOAT	3
FROTH, MOUTH/LIP(S)	3
RECUMBENCY	3
ATAXIA	2
DEATH(EUTHANIZED)	2
DEATH(NEWBORN)	2
LAMENESS	2
NERVOUSNESS	2
PAIN, ABDOMEN	2
ACCIDENTAL EXPOSURE	1
ANAPHYLAXIS/TOID	1
BLD, MULT SITES	1
CONGESTION, LUNG(S)	1
DEATH(STILLBORN)	1
DIARRHEA	1
DISCOMFORT	1
DISTRESS, RESP	1
HYPERPNEA	1
HYPERSALIVATION	1

DRUG: SELENIUM, VITAMIN E

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJECT SITE SEPSIS	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PROSTRATION	1
PR-PLEURAL EFFUSION	1
STAGGERING	1
STIFFNESS	1
TREMBLING	1

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	7
ANOREXIA	5
ANAPHYLAXIS/TOID	4
RECUMBENCY	4
HYPERSALIVATION	3
COLLAPSE	2
DEATH(NEWBORN)	2
DEPRESSION/LETHARGY	2
DYSPNEA	2
INJ SITE SWELLING	2
ABORTION	1
ATAXIA	1
BIRTH, PREMATURE	1
EDEMA, LIMB(S)	1
FROTH, MOUTH/LIP(S)	1
HYPERACTIVITY	1
INJ SITE PAIN	1
NERVOUSNESS	1
STIFFNESS	1
STIFFNESS, LIMB(S)	1
UDDER, HYPOGALACTIA	1

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: UNKNOWN

DRUG: SELENIUM, VITAMIN E

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEATH(EUTHANIZED)	1
RECUMBENCY	1
UNCONSCIOUS	1
WEAKNESS	1

DRUG: SELENIUM, VITAMIN E

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	1
DEATH(EUTHANIZED)	1
DYSPNEA	1
NEUROLOGICAL DISORDER	1
PAIN, ABDOMEN	1
POLYPNEA	1
RECUMBENCY	1
SHAKING, HEAD/FACE	1
SWEATING	1
TACHYCARDIA	1
URTICARIA	1

DRUG: SELENIUM, VITAMIN E

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: SELENIUM, VITAMIN E

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
ABORTION	1
ANOREXIA	1
DYSPNEA	1
STIFFNESS	1

DRUG: SELENIUM, VITAMIN E

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ATAXIA	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
STAGGERING	1

DRUG: SELENIUM, VITAMIN E

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ATAXIA	1
DEATH	1
DYSPNEA	1

DRUG: SEMIDURAMICIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PRURITIS	1
RASH	1
VESICLE(S)/BULLAE, SKI	1

DRUG: SEVOFLURANE

Species: BIRD

Route of Administration: INHALATION

Sign:	Number of Times Reported:
APNEA	2
ARREST, HEART	2
DEATH	2
ARRHYTHMIA	1
BRADYCARDIA	1
ECG, ABN	1
PD-PRODUCT DEFECT	1
TACHYCARDIA	1

DRUG: SEVOFLURANE

Species: CAT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	22
ARREST, HEART	17
APNEA	15
ANOREXIA	4
DEPRESSION/LETHARGY	4
BLINDNESS	3
INEFFECT, ANESTHESIA	3
PR-LUNG(S), LESION(S)	3
ANESTH RECOV TURBULENT	2
ATAXIA	2
BLINDNESS, TEMP	2
BRADYCARDIA	2
CONVULSION(S)	2
DYSPNEA	2
EDEMA, LUNG(S)/TRACHEA	2
ICTERUS, BODY	2
OPISTHOTONOS	2
PRESSURE LO, BLD	2
SPASM	2
ANESTH DURATION BRIEF	1
ANESTH INDUCTION PROLONGED	1
ANESTH RECOV PROLONGED	1
ANESTH TOO DEEP	1
ARRHYTHMIA	1

DRUG: SEVOFLURANE

Species: CAT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
BILIRUBIN(TOT) HI, BLD	1
BLD, LUNG(S)/TRACHEA	1
BLINDNESS, PARTIAL	1
BREATHING ABN	1
BREATHING, PERIODIC	1
CIRCLING	1
COAGULATION DISORDER	1
CONFUSION	1
CPK HI, BLD	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DISTRESS, RESP	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
HIDING	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOPNEA	1
MYDRIASIS	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
PR-HEARTWORM DISEASE	1
PR-LUNG(S), EDEMA	1
PR-PLEURAL EFFUSION	1
RADIOGRAPH(S) ABN	1
REFLEX(ES) ABN	1
SGOT/AST HI, BLD	1
SOUND ABN, RESPIRATORY	1
STUPOR	1
THRASHING/PADDLING	1
UNCONSCIOUS	1
VOMITING	1
WEAKNESS	1

DRUG: SEVOFLURANE

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	81
ARREST, HEART	66
APNEA	58
BRADYCARDIA	22
ANESTH RECOV PROLONGED	13
INEFFECT, ANESTHESIA	8
CYANOSIS	7
CYANOSIS, MUCOUS MEMBR	7
FEVER, BODY	7
HYPERPNEA	6
HYPOPNEA	6
MYDRIASIS	6
PRESSURE LO, BLD	6
RESPIRATORY DISORDER	6
ANESTH RECOV TURBULENT	5
PALLOR, MUCOUS MEMBRAN	5
POLYPNEA	5
TACHYCARDIA	5
BLD, LUNG(S)/TRACHEA	4
DYSPNEA	4
HYPERSALIVATION	4
PR-LUNG(S), LESION(S)	4
DISTRESS, RESP	3
PR-HEART, LESION(S)	3
RADIOGRAPH(S) ABN	3
RECUMBENCY	3
SHAKING	3
TACHYCARDIA, VENTRICUL	3
VOCALIZATION	3
ANESTH TOO DEEP	2
ARRHYTHMIA	2
BLINDNESS	2
CAPILLARY REFILL PROLO	2
CONFUSION	2
CONVULSION(S)	2
DEAFNESS	2
DEATH(NEWBORN)	2
DEPRESSION/LETHARGY	2

DRUG: SEVOFLURANE

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ECG ABN	2
EDEMA, LUNG(S)/TRACHEA	2
ENLARGEMENT, LYMPH NOD	2
HYPERACTIVITY	2
HYPOTHERMIA	2
HYPOTHERMIA, BODY	2
INTERACTION, DRUG(S)	2
POLYCYTHEMIA	2
PULSE THREADY	2
PUPIL(S), AREFLEXIA	2
REFLEX(ES) ABN	2
THRASHING/PADDLING	2
TREMBLING	2
ANEMIA	1
ANESTH INDUC TURBULENT	1
ANOREXIA	1
BLD(PETECHIAE)	1
BREATHING, PERIODIC	1
BUN HI, BLD	1
CO2 HI, BLD	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEATH(STILLBORN)	1
DILITATION, STOMACH	1
FIBRILLATION, VENTRICU	1
FROTH, MOUTH/LIP(S)	1
GLUCOSE HI, BLD	1
HEMATOCHEZIA	1
JERKING	1
K LO, BLD	1
LARYNGITIS	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
NERVOUSNESS	1
NYSTAGMUS	1
PAIN, BACK	1
PALLOR	1
PARALYSIS, HIND LIMB(S)	1

DRUG: SEVOFLURANE

Species: DOG

Route of Administration: INHALATION

Sign:	Number of Times Reported:
P HI, BLD	1
P LO, BLD	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MULT SITES, CONGEST	1
PR-NOSE, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
SHOCK	1
SPEC GRAVITY LO, URINE	1
STIFFNESS, LIMB(S)	1
STOOL ABN	1
SWELLING, HEAD/FACE	1
URTICARIA	1
US ABN	1
VISION DISORDER	1
VOLVULUS, STOMACH	1
VOMITING	1
WEAKNESS, NEWBORN	1

DRUG: SEVOFLURANE

Species: GOAT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ARRHYTHMIA	1
BLD, ABN	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT, ANESTHESIA	1
PRESSURE LO, BLD	1
RADIOGRAPH(S) ABN	1
SOUND ABN, RESPIRATORY	1

DRUG: SEVOFLURANE

Species: HORSE

Route of Administration: INHALATION

Sign:	Number of Times Reported:
PRESSURE LO, BLD	2
ANESTH DURATION BRIEF	1
APNEA	1
CONGESTION, MUCOUS MEM	1
MUCOUS MEMBR, RED	1

DRUG: SEVOFLURANE

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DIZZINESS	3
NAUSEA	2
ACCIDENTAL EXPOSURE	1
CONGESTION, SKIN	1
HAIR, ABN	1
HEADACHE	1
HUMAN EXPOSURE	1
HUMAN EXPOSURE, INHALA	1
LESION(S), SKIN	1
PD-PRODUCT DEFECT	1
SLOUGH, SKIN	1

DRUG: SEVOFLURANE

Species: PARROT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DEATH	1
DISTRESS, RESP	1

DRUG: SEVOFLURANE

Species: RABBIT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: SEVOFLURANE

Species: RABBIT

Route of Administration: INHALATION

Sign:	Number of Times Reported:
ARREST, HEART	1
BRADYCARDIA	1
CYANOSIS, MUCOUS MEMBR	1
DEATH	1
DISTRESS	1
FEVER, BODY	1
HYPERPNEA	1

DRUG: SEVOFLURANE

Species: VARIOUS

Route of Administration: INHALATION

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
BRADYCARDIA	1
DEATH	1
INEFFECT, ANESTHESIA	1

DRUG: SEVOFLURANE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: SEVOFLURANE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APNEA	2
ANESTH DURATION BRIEF	1
ARREST, HEART	1
COUGHING	1
DEATH	1

DRUG: SEVOFLURANE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
HYPERPNEA	1
HYPERSALIVATION	1
INEFFECT, ANESTHESIA	1
TACHYCARDIA	1

DRUG: SEVOFLURANE

Species: RAPTOR

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: SHAMPOOS/SOAPS

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
DEATH	2
CONFUSION	1
DIZZINESS	1
DYSYPNEA	1
FEVER, BODY	1
HYPERSALIVATION	1
PARALYSIS	1
SLOUGH, SKIN	1
VOMITING	1

DRUG: SHAMPOOS/SOAPS

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
CONGESTION, SKIN	2
URTICARIA	2

DRUG: SHAMPOOS/SOAPS

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
BLD(ECCHYMOSES)	1
BLD(PURPURA)	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
HYPERESTHESIA	1
INFECTION, SKIN	1
INFLAM, SKIN	1
MACULE(S)	1
MYDRIASIS	1
PD-COLOR, ABN	1
PRURITIS	1
PUSTULE(S)	1
RASH	1
TACHYCARDIA	1
ULCER(S), SKIN	1

DRUG: SHAMPOOS/SOAPS

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DISTRESS, RESP	4
URTICARIA	2
ANAPHYLAXIS/TOID	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE PRURITIS	1
CHOKING	1
CONGESTION, SKIN	1
COUGHING	1
DEATH	1
INFLAM, SKIN	1
VOMITING	1

DRUG: SILVER SULFADIAZINE

Species: DOG

Route of Administration: TOPICAL

DRUG: SILVER SULFADIAZINE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
APPLICATION SITE ABNORMAL	1
DEATH	1
EMBOLUS	1

DRUG: SODIUM CHLORIDE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	2
BITING/CHEWING	1
COLLAPSE	1
CONVULSION(S)	1
CYANOSIS	1
DYSYPNEA	1

DRUG: SOMETRIBOVE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SYRINGE, ABN	113
PD-SUSPENSION, ABN	40
PD-DISPENSER, ABN	14
PD-UNDERFILL, TUBE(S)	10
PD-CAP(S), ABN	4
PD-UNDERFILL, PACKAGE	2
PD-DEFECT UNKNOWN	1
PD-TUBE(S), ABN	1
PD-TUBE(S), LEAKING	1
PD-UNDERFILL, VIAL(S)	1
PD-VIAL(S), ABN	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
HOOF DISORDER	3
INEFFECT, MILK PROD	3
UDDER, HYPOGALACTIA	3
FERTILITY, REDUCED	2
INEFFECT, PRODUCTION (MILK)	2
INJ SITE SWELLING	2
ANOREXIA	1
BIRTH, MULTIPLE	1
DEATH	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
INFECTION, FEET/DIGIT(1
NO SIGNS	1
PD-DISPENSER, ABN	1
REPRODUCTION DISORDER	1
UDDER, MASTITIS	1
UDDER, MILK ABN	1
WEIGHT LOSS	1

DRUG: SOMETRIBOVE

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INJ SITE PAIN	9
INJ SITE SWELLING	8
HUMAN EXPOSURE, INJ	7
HUMAN EXPOSURE, HAND(S	1
INJ SITE ABN	1
INJ SITE BLD	1
INJ SITE INFLAM	1
PAIN	1
RASH	1
STIFFNESS, HAND(S)	1

DRUG: SOMETRIBOVE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
ARTHRITIS	1
CHEMISTRY ABN	1
CPK HI, BLD	1
ERUPTION(S)	1
FLATULENCE	1
HUMAN EXPOSURE, INGEST	1
JOINT DISORDER	1
ODOR, MOUTH	1
PAIN, ABDOMEN	1
PAIN, MUSCLE(S)	1
PRURITIS	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
UDDER, MASTITIS	391
WBC HI, MILK	326
INJ SITE SWELLING	240
FERTILITY, REDUCED	198
UDDER, SWELLING	158
WEIGHT LOSS	139
ABORTION	116
BIRTH, MULTIPLE	95
INJ SITE ABSCESS	90
INEFFECT, MILK PROD	76
LAMENESS	72
HOOF DISORDER	71
UDDER, HYPOGALACTIA	68
SWELLING, JOINT(S)	64
DEATH	57
ANOREXIA	40
INEFFECT	38
UDDER, MILK ABN	36
UDDER, ABN	34
LAMINITIS	31
DEATH(SLAUGHTERED)	26

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABN	25
SWELLING, LIMB(S)	22
DISPLACED ABOMASUM	19
UDDER, HARD	18
UDDER, LACT SLOW ONSET	18
REPRODUCTION DISORDER	16
LOSS OF CONDITION	15
ACIDOSIS, RUMEN	14
DIARRHEA	14
INJ SITE FIBROSIS	14
PLACENTA, RETAINED	14
STIFFNESS	14
ILL	13
ANAPHYLAXIS/TOID	11
BIRTH, PREMATURE	11
BLOAT	11
FEVER, BODY	10
RECUMBENCY	10
DEATH(STILLBORN)	9
INEFFECT, PRODUCTION (MILK)	9
PAIN, FEET/DIGIT(S)	9
BIRTH WEIGHT LO	7
OVARIES, CYSTIC	7
UDDER, TEAT(S) DISORDE	7
COLLAPSE	6
LEG DISORDER	6
URTICARIA	6
ACIDOSIS	5
CA LO, BLD	5
INJ SITE INFLAM	5
KETOSIS	5
PD-POTENCY, LO	5
BIRTH DEFECT(S)	4
DYSTOCIA	4
ESTRUS CYCLE ABNORMAL	4
FERTILITY, LACK OF	4
INJ SITE INFECT	4
INJ SITE PAIN	4

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE STERILE ABSCE	4
PD-SYRINGE, ABN	4
PR-BLD VESSEL(S), LESI	4
SWELLING	4
WEAKNESS	4
BLD	3
DEPRESSION/LETHARGY	3
DYSYPNEA	3
LESION(S), SKIN	3
LOCOMOTION DISORDER	3
NERVOUSNESS	3
SKIN DISORDER	3
UDDER, DYSGALACTIA	3
WBC HI, BLD	3
ABSCCESS, SKIN	2
ANESTRUS	2
DEATH(EUTHANIZED)	2
DEHYDRATION	2
DIARRHEA, MILD	2
EDEMA, LIMB(S)	2
HEMATOCHEZIA	2
INEFFECT, MILK LETDOWN	2
INFECTION, FEET/DIGIT(2
INJ SITE EDEMA	2
INJ SITE MASS	2
KETONES, URINE	2
LIVER DISORDER	2
METRITIS	2
OVERIES, CYSTIC	2
REACTION, UNSPECIFIED	2
RELUCTANT TO MOVE	2
SHAKING	2
SORE(S)	2
UDDER, AGALACTIA	2
UDDER, MILK CURVE ABN	2
ULCER(S), FEET/DIGIT(S	2
WEAKNESS, NEWBORN	2
APPREHENSION	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ARTHRITIS	1
ARTHRITIS, SEPTIC	1
BIRTH WEIGHT HI	1
BLD, LUNG(S)/TRACHEA	1
BLD, PASSING	1
BLD, URINE	1
CACHEXIA	1
CIRCULATORY DISORDER	1
CONSTIPATION	1
CONVULSION(S)	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
DIARRHEA, WATERY	1
DIESTRUS, PROLONGED	1
DIFFICULTY RISING	1
DIGESTION DISORDER	1
DISTRESS	1
DISTRESS, RESP	1
EDEMA, FEET/DIGIT(S)	1
ENLARGEMENT(S)	1
EPIPHORA	1
GI, ABNORMAL	1
HEART DISORDER	1
INFECTION	1
INFECTION, UTERUS	1
INJ SITE EFFUSION	1
INJ SITE INDURATION	1
INJ SITE NECROSIS	1
JOINT DISORDER	1
K LO, BLD	1
LABOR, PREMATURE	1
LIVER ENZYMES HI, BLD	1
MELENA	1
NEOPLASM, LYMPH NODE(S)	1
OFF FEED	1
PAIN, JOINT(S)	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PD-COLOR, ABN	1
PD-SUSPENSION, ABN	1
P HI, BLD	1
PICA	1
POLYPHAGIA	1
POLYPNEA	1
POOR PERFORMANCE	1
PR-GI, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-UDDER, LESION(S)	1
PULSE THREADY	1
PUSTULE(S)	1
RESPIRATORY DISORDER	1
RUPTURE	1
SWELLING, BRISKET/CHES	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, MAMMARY	1
TREMBLING	1
UDDER, CYANOSIS	1
UDDER, FEVER	1
UDDER, PAIN	1
ULCER(S), SKIN	1
ULCER(S), STOMACH	1
VESICLE(S)/BULLAE, SKI	1
WEIGHT INCREASE	1

DRUG: SOMETRIBOVE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	29
INJ SITE SWELLING	25
INJ SITE INFLAM	11
INJ SITE BLD	4
ANAPHYLAXIS/TOID	3
INJ SITE EDEMA	3

DRUG: SOMETRIBOVE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD(PURPURA)	2
CONGESTION, SKIN	2
HUMAN EXPOSURE, INJ	2
HYPOESTHESIA	2
INJ SITE INFECT	2
NAUSEA	2
PAIN, ABDOMEN	2
RASH	2
URTICARIA	2
ACCIDENTAL EXPOSURE	1
CONGESTION, EYE(S)/LID	1
DYSPHAGIA	1
DYSPNEA	1
HUMAN EXPOSURE, HAND(S)	1
INJECT SITE SEPSIS	1
INJ SITE ABSCESS	1
INJ SITE NECROSIS	1
INJ SITE SLOUGH	1
INJ SITE STIFFNESS	1
IRRITATION	1
PAIN	1
PARESTHESIA	1
PRURITIS	1
SWELLING	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SWELLING, PHARYNX/THRO	1
TACHYCARDIA	1
UDDER, SWELLING	1

DRUG: SOMETRIBOVE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, MILK PROD	16
INJ SITE SWELLING	11
UDDER, MASTITIS	11
WBC HI, MILK	9
REPRODUCTION DISORDER	7
DEATH	5
INEFFECT, PRODUCTION (MILK)	5
ABORTION	4
HOOF DISORDER	4
RECUMBENCY	3
UDDER, HYPOGALACTIA	3
UDDER, MILK ABN	3
WEIGHT LOSS	3
ANOREXIA	2
BIRTH, MULTIPLE	2
BONE, ABN	2
DEATH(EUTHANIZED)	2
ESTRUS CYCLE ABNORMAL	2
INEFFECT, ANTIBIOTIC	2
LAMENESS	2
LEG DISORDER	2
UDDER, SWELLING	2
UDDER, TEAT(S) DISORDE	2
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DIARRHEA	1
DIARRHEA, MILD	1
DISPLACED ABOMASUM	1
EFFUSION, JOINT(S)	1
INEFFECT	1
INFECTION	1
INJ SITE ABSCESS	1
INJ SITE MASS	1
LESION(S), SKIN	1
OVARIES, CYSTIC	1
PARALYSIS, HIND LIMB(S)	1
PD-SYRINGE, ABN	1
PLACENTA, ABNORMAL	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-LIVER, LESION(S)	1
REACTION, UNSPECIFIED	1
RELUCTANT TO MOVE	1
SHOCK	1
SKIN, CRUST(S)	1
STIFFNESS	1
SWELLING, HEAD/FACE	1
SWELLING, LIMB(S)	1
SWELLING, PHARYNX/THRO	1
TECH ERROR	1
URTICARIA	1
VESICLE(S)/BULLAE, SKI	1
VOLVULUS	1

DRUG: SOMETRIBOVE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	5
INJ SITE SWELLING	3
HUMAN EXPOSURE, HAND(S)	2
HUMAN EXPOSURE, INJ	2
INJ SITE INFLAM	2
INJ SITE PAIN	1
SWELLING	1

DRUG: SOMETRIBOVE

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INJ SITE SWELLING	2
HOOF DISORDER	1
WEIGHT LOSS	1

DRUG: SPECTINOMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-POTENCY, LO	2
PD-COLOR, ABN	1
PD-SEAL, ABN	1

DRUG: SPECTINOMYCIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1
EPISTAXIS	1
PR-LUNG(S), LESION(S)	1

DRUG: SPECTINOMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
INEFFECT, ANTIBIOTIC	4
PR-LUNG(S), LESION(S)	4
DEATH(TX FAILURE)	3
RESIDUE, MILK	3
DYSPNEA	2
EDEMA, LUNG(S)/TRACHEA	2
FROTH, MOUTH/LIP(S)	2
SHOCK	2
BREATHING ABN	1
EPISTAXIS	1
INEFFECT	1
OBSTRUCTION, INTESTINE	1
PROSTRATION	1
RESIDUE, MEAT	1

DRUG: SPECTINOMYCIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
NO SIGNS	1

DRUG: SPINOSAD

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	385
UNPALATABLE	152
UNPALATABLE, WON'T SWA	126
PD-TABLET(S), ABN	112
PD-ODOR, ABN	86
PD-PRODUCT DEFECT	37
PD-UNDERFILL, PACKAGE	16
PD-CONTAINER(S), DAMAG	6
PD-DEFECT UNKNOWN	5
NO SIGNS	3
PD-CONTAINER(S), ABN	3
PD-LABEL(S), ABN	3
ACCIDENTAL EXPOSURE	2
PD-CONTAM, MOLD	2
PD-MISSING, LABEL(S)	2
AGGRESSION	1
ODOR	1
PD-CONTAMINATION	1
UNKNOWN	1
VOMITING	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
HEADACHE	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
PAIN, BRISKET/CHEST	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: INHALATION

DRUG: SPINOSAD

Species: DOG

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
VOMITING	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
BIRTH DEFECT(S), HEAD/	1
BIRTH, PREMATURE	1
BONE, ABN	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
EAR DISORDER	1
HAIR, ABN COLOR	1
LEUKODERMA	1
SKIN ABNORMAL	1

DRUG: SPINOSAD, MILBEMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	108
UNPALATABLE	14
PD-ODOR, ABN	4
PD-TABLET(S), ABN	4
UNPALATABLE, WON'T SWA	2
ACCIDENTAL EXPOSURE	1
NO SIGNS	1
PD-CONTAINER(S), DAMAG	1
PD-CONTAM, MOLD	1

DRUG: SPINOSAD, MILBEMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
VOMITING	1

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
CONGESTION, EAR(S)	1
CONGESTION, SKIN	1
PRURITIS	1
TREMBLING	1
URTICARIA	1

DRUG: SPINOSAD, MILBEMYCIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	1
HYPERSALIVATION	1
PALLOR	1
TREMBLING	1
VOMITING	1

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	2,241
DEPRESSION/LETHARGY	607

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	221
DIARRHEA	188
PRURITIS	163
TREMBLING	111
ATAXIA	102
CONVULSION(S)	82
HYPERSALIVATION	64
CONGESTION, SKIN	48
ANAPHYLAXIS/TOID	41
URTICARIA	37
POLYPNEA	36
VOCALIZATION	34
SHAKING	33
DEATH	27
DYSYPNEA	27
UNPALATABLE, WON'T EAT	27
DIARRHEA, BLOODY	25
FEVER, BODY	25
CONFUSION	23
INFLAM, SKIN	23
ALOPECIA	22
DEHYDRATION	20
HYPERACTIVITY	19
SGPT/ALT HI, BLD	19
INEFFECT, FLEAS	18
ADIPSIA	16
EDEMA, HEAD/FACE	16
TWITCH	16
ALK PHOS HI, BLD	14
PAIN, ABDOMEN	14
COUGHING	13
NERVOUSNESS	13
STARING	13
WEIGHT LOSS	13
INTERACTION, DRUG(S)	12
TACHYCARDIA	12
CONGESTION, EAR(S)	11
POLYDIPSIA	10

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN HI, BLD	9
COLLAPSE	9
LIPASE HI, BLD	9
MYDRIASIS	9
WBC HI, BLD	9
DIARRHEA, MILD	8
HIDING	8
INEFFECT, ASCARIDS	8
LICKING	8
PLATELETS LO, BLD	8
UNPALATABLE	8
APPREHENSION	7
EDEMA, EYE(S)/LID(S)	7
INEFFECT, HOOKS	7
MELENA	7
POLYURIA	7
RASH	7
STUPOR	7
SWELLING, EYE(S)/LID(S)	7
DEATH(EUTHANIZED)	6
VOMITING, UNPRODUCTIVE	6
ANEMIA	5
BRADYCARDIA	5
GLOBULIN HI, BLD	5
HAIR, SHEDDING	5
INEFFECT, WHIPS	5
NYSTAGMUS	5
PACING	5
PROTEIN(TOT) HI, BLD	5
SQUINTING	5
STIFFNESS	5
BEHAVIOR DISORDER	4
BILIRUBIN(TOT) HI, BLD	4
DEFECATION	4
HEAD TILT	4
HEMATOCHEZIA	4
HYPERPNEA	4
ICTERUS, BODY	4

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	4
SWELLING, EAR(S)	4
SWELLING, HEAD/FACE	4
TECH ERROR ADMINISTRAT	4
URINATION ABN	4
WEAKNESS	4
AGGRESSION	3
ALBUMIN LO, BLD	3
CONGESTION, EYE(S)/LID	3
CREATININE HI, BLD	3
DERMATITIS, MOIST	3
DISCHARGE, EYE(S)/LID(S)	3
DISCOMFORT	3
GI, ABNORMAL	3
LICKING, FEET/DIGIT(S)	3
NEUROLOGICAL DISORDER	3
PAIN	3
PALLOR, MUCOUS MEMBRAN	3
PARESIS, HIND LIMB(S)	3
PRURITIS, EAR(S)	3
RECUMBENCY	3
SGOT/AST HI, BLD	3
SKIN, SCAB(S)	3
STAGGERING	3
URINATION	3
WBC LO, BLD	3
WHEEZING	3
AMYLASE HI, BLD	2
BILE ACIDS HI, BLD	2
BLD, URINE	2
BREATHING ABN	2
CIRCLING	2
CONJUNCTIVITIS	2
CYANOSIS, MUCOUS MEMBR	2
CYSTITIS	2
DEAFNESS	2
DIARRHEA, MUCOID	2
DIFFICULTY RISING	2

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
EDEMA, LIMB(S)	2
ENLARGEMENT, LYMPH NOD	2
ERUPTION(S)	2
GAGGING	2
GGT HI, BLD	2
GLUCOSE LO, BLD	2
HEAD BOBBING	2
KIDNEY FAILURE	2
LIVER DISORDER	2
LIVER ENZYMES HI, BLD	2
MIOSIS	2
NA LO, BLD	2
OPISTHOTONOS	2
PANCREATITIS	2
P HI, BLD	2
PICA	2
PROLAPSE, THIRD EYELID	2
RADIOGRAPH(S) ABN	2
SHAKING, HEAD/FACE	2
SKIN, CRUST(S)	2
SOUND ABN, RESPIRATORY	2
SPEC GRAVITY LO, URINE	2
ULCER(S), CORNEA(S)	2
VESICLE(S)/BULLAE, SKI	2
VOMITING, BLOODY	2
ALBUMIN HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
BLD, EYE(S)	1
BLD, MOUTH/LIP(S)	1
BLD(PETECHIAE)	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
BORBORYGMI	1
BREATHING, PERIODIC	1
CA HI, BLD	1
CONGESTION	1
CONGESTION, LUNG(S)	1
CONSTIPATION	1

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CULTURE/TITER DATA ABN	1
DEFECATION ABN	1
DIABETES MELLITUS	1
DIARRHEA, PROJECTILE	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DRY, SKIN	1
DYSPHAGIA	1
EDEMA	1
EYE DISORDER	1
FERTILITY, REDUCED	1
FLY BITING	1
GLUCOSE HI, BLD	1
HORNER'S SYNDROME	1
HYPERESTHESIA	1
HYPOMOTILITY	1
HYPOPNEA	1
ILL	1
INCONTINENCE	1
INCONTINENCE, URINARY	1
INEFFECT, ASCARIDS PRE	1
INEFFECT, HW LARVAE	1
INEFFECT, WHIPS PREVEN	1
K HI, BLD	1
LAMENESS	1
LESION(S), MOUTH/LIP(S)	1
LESION(S), SKIN	1
LIVER FAILURE	1
MG LO, BLD	1
MUCOUS MEMBR, MUDDY	1
MURMUR, HEART	1
NA HI, BLD	1
ODOR	1
PAIN, NECK	1
PANCREAS ENZYMES HI, B	1
PARALYSIS	1
PARESIS, FORE LIMB(S)	1
PAWING	1

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-ODOR, ABN	1
PD-TABLET(S), ABN	1
PHOTOPHOBIA	1
P LO, BLD	1
POSTURE ABN	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PROPRIOCEPTIVE DISORDE	1
PR-SKIN, LESION(S)	1
REFLEX(ES) ABN	1
REGURGITATION	1
SEDATION	1
SEGS HI, BLD	1
SEGS LO, BLD	1
SKIN ABNORMAL	1
SKIN, DRY	1
SLOUGH, SKIN	1
SNEEZING	1
SOMNOLENCE	1
SPASM	1
SPERM ABN	1
STIFFNESS, NECK	1
STOOL, MUCOID	1
STRANGURIA	1
STUMBLING	1
SWELLING, JOINT(S)	1
TECH ERROR	1
TREMBLING, FACE	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
US-LIVER ABN	1
VESTIBULAR DISORDER	1
VOMITING, SEVERE	1
WEIGHT INCREASE	1

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: ORAL

DRUG: SPINOSAD, MILBEMYCIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
APPREHENSION	1
DIARRHEA	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
SOUND ABN, VOICE	1
VISION DISORDER	1
VOMITING	1

DRUG: SPINOSAD, MILBEMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HYPERESTHESIA	2
CONGESTION, SKIN	1
IRRITATION, MOUTH/LIP(1
RASH	1
TASTE ABNORMALITY	1
URTICARIA	1

DRUG: SPINOSAD, MILBEMYCIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1

DRUG: SPINOSAD, MILBEMYCIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: SPINOSAD, MILBEMYCIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RASH	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	2
VOMITING	2
BLINDNESS	1
PANCREATITIS	1
POLYDIPSIA	1
PRURITIS	1
VOMITING, BLOODY	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
NAUSEA	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	3
UNPALATABLE, WON'T SWA	2
VOMITING	2
PD-TABLET(S), ABN	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: NOT APPLICABLE

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1

DRUG: SPINOSAD

Species: UNKNOWN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1
UNPALATABLE, WON'T SWA	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1
SWELLING, EYE(S)/LID(S)	1

DRUG: SPINOSAD

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	142
DEPRESSION/LETHARGY	56
ANOREXIA	20
HYPERACTIVITY	12
DIARRHEA	9
PRURITIS	9
ATAXIA	8
VOCALIZATION	8
ACCIDENTAL EXPOSURE	7
POLYPNEA	6
DEATH(EUTHANIZED)	5

DRUG: SPINOSAD

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
WEIGHT LOSS	5
APPREHENSION	4
CONVULSION(S)	4
COUGHING	4
DEATH	4
FEVER, BODY	4
HIDING	4
HYPERSALIVATION	4
NERVOUSNESS	4
POLYDIPSIA	4
ANEMIA	3
BEHAVIOR DISORDER	3
DEHYDRATION	3
INEFFECT, FLEAS	3
ADIPSIA	2
AGGRESSION	2
DYSPNEA	2
GAGGING	2
HEMATOCHEZIA	2
INTERACTION, DRUG(S)	2
LICKING	2
MYDRIASIS	2
PROLAPSE, THIRD EYELID	2
SHAKING	2
SNEEZING	2
STUPOR	2
TWITCH	2
UNPALATABLE, WON'T EAT	2
VOMITING, UNPRODUCTIVE	2
WEAKNESS	2
ALK PHOS HI, BLD	1
ALOPECIA	1
AMYLASE HI, BLD	1
ANAPHYLAXIS/TOID	1
ANISOCORIA	1
BITING/CHEWING	1
BLD, URINE	1
BUN HI, BLD	1

DRUG: SPINOSAD

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
BUN LO, BLD	1
CO2 LO, BLD	1
COLITIS	1
CONFUSION	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SKIN	1
CONSTIPATION	1
CREATININE HI, BLD	1
DEFECATION ABN	1
DISTRESS, RESP	1
DYSURIA	1
ELIMINATION ABN	1
EOSINOS HI, BLD	1
EOSINOS LO, BLD	1
EPISTAXIS	1
GLUCOSE HI, BLD	1
HEAD BOBBING	1
HYPERESTHESIA	1
HYPOTHERMIA	1
ICTERUS	1
ICTERUS, BODY	1
INFLAM, SKIN	1
KIDNEY DISORDER	1
LESION(S), SKIN	1
LIVER DISORDER	1
LYMPHS LO, BLD	1
NAUSEA	1
NO SIGNS	1
OTITIS	1
PACING	1
PAIN, ABDOMEN	1
PARESIS	1
PARESIS, HIND LIMB(S)	1
PLATELETS LO, BLD	1
P LO, BLD	1
POLYURIA	1
PROTEIN, URINE	1
REACTION, UNSPECIFIED	1

DRUG: SPINOSAD

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
RECUMBENCY	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
SEDIMENT, URINE	1
SGPT/ALT HI, BLD	1
SHOCK	1
SOMNOLENCE	1
SPASM	1
SPEC GRAVITY HI, URINE	1
STAGGERING	1
STRANGURIA	1
TACHYCARDIA	1
TENESMUS, URINARY	1
UNPALATABLE	1
UNPALATABLE, WON'T SWA	1
URINATION	1
VOMITING, BLOODY	1
WBC HI, BLD	1
WBC LO, BLD	1
WBC, URINE	1
WEIGHT INCREASE	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	9,017
DEPRESSION/LETHARGY	2,968
INEFFECT, FLEAS	1,332
ANOREXIA	1,152
PRURITIS	946
DIARRHEA	815
CONVULSION(S)	801
TREMBLING	695
ATAXIA	672
UNPALATABLE, WON'T EAT	395

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	391
INTERACTION, DRUG(S)	317
SUMMARY REVIEW, VOMITING	240
SHAKING	235
CONGESTION, SKIN	226
SGPT/ALT HI, BLD	224
DEATH	221
POLYPNEA	189
VOCALIZATION	189
POLYDIPSIA	187
FEVER, BODY	184
URTICARIA	182
ALOPECIA	178
CONFUSION	175
ALK PHOS HI, BLD	173
HYPERACTIVITY	169
NERVOUSNESS	157
TWITCH	144
MYDRIASIS	137
DIARRHEA, BLOODY	124
DEATH(EUTHANIZED)	117
INFLAM, SKIN	114
WEIGHT LOSS	100
BUN HI, BLD	94
PAIN, ABDOMEN	94
BEHAVIOR DISORDER	91
COUGHING	91
DYSPNEA	91
STUPOR	86
ANAPHYLAXIS/TOID	85
DEHYDRATION	85
RASH	81
RECUMBENCY	80
APPREHENSION	79
WBC HI, BLD	78
ADIPSIA	76
POLYURIA	75
COLLAPSE	70

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANEMIA	68
DIARRHEA, MILD	68
WEAKNESS	65
AGGRESSION	63
STAGGERING	61
INFECTION, SKIN	60
ACCIDENTAL EXPOSURE	59
CREATININE HI, BLD	59
PLATELETS LO, BLD	59
TACHYCARDIA	59
NAUSEA	58
PD-ODOR, ABN	57
RADIOGRAPH(S) ABN	57
SWELLING, HEAD/FACE	56
LESION(S), SKIN	50
UNPALATABLE	50
BLINDNESS	49
BLINDNESS, TEMP	48
PAIN	48
PD-TABLET(S), ABN	48
BILIRUBIN(TOT) HI, BLD	47
RELUCTANT TO MOVE	47
GLUCOSE HI, BLD	46
NEUROLOGICAL DISORDER	46
DERMATITIS, MOIST	44
VOMITING, BLOODY	44
HEAD TILT	43
HIDING	43
INCONTINENCE, URINARY	43
LIVER ENZYMES HI, BLD	42
SGOT/AST HI, BLD	41
STARING	41
PACING	40
PALLOR, MUCOUS MEMBRAN	40
VOMITING, UNPRODUCTIVE	40
DIFFICULTY RISING	38
ANEMIA, AUTOIMMUNE HEM	37
PARESIS, HIND LIMB(S)	37

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYPHAGIA	37
P HI, BLD	35
SPASM	34
ALBUMIN LO, BLD	33
SPEC GRAVITY LO, URINE	33
STUMBLING	33
AMYLASE HI, BLD	32
LIPASE HI, BLD	32
UNPALATABLE, WON'T SWA	32
BLD, URINE	31
HYPERESTHESIA	31
OTITIS	31
SOMNOLENCE	31
BRADYCARDIA	30
ODOR	30
SEGS HI, BLD	30
LICKING	29
SWELLING, EYE(S)/LID(S)	29
CHEMISTRY ABN	28
HYPERPNEA	28
PANCREATITIS	28
STIFFNESS	28
CIRCLING	27
EYE DISORDER	27
GGT HI, BLD	27
WBC LO, BLD	27
HEMATOCHEZIA	26
BITING/CHEWING	25
GAGGING	25
PROLAPSE, THIRD EYELID	25
GLOBULIN HI, BLD	24
GLUCOSE LO, BLD	24
LICKING, FEET/DIGIT(S)	24
PROTEIN, URINE	24
REFLEX(ES) ABN	24
UNCONSCIOUS	24
EDEMA, HEAD/FACE	23
HAIR, SHEDDING	23

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERPIGMENTATION, SKI	23
PAPULE(S)	23
POLYCYTHEMIA(RELATIVE)	23
SKIN, DRY	23
KIDNEY FAILURE	22
MONOS HI, BLD	22
SHAKING, HEAD/FACE	22
URINATION ABN	22
DISCOMFORT	21
POSTURE ABN	21
THYROID HORMONE(S) LO	21
BILE ACIDS HI, BLD	20
LAMENESS	20
POLYCYTHEMIA	20
PROPRIOCEPTIVE DISORDE	20
PUSTULE(S)	20
SQUINTING	20
VOMITING, SEVERE	20
LOCOMOTION DISORDER	19
MURMUR, HEART	19
PROTEIN(TOT) LO, BLD	19
WEIGHT INCREASE	19
CA HI, BLD	18
FROTH, MOUTH/LIP(S)	18
HAIR, ABN	18
K LO, BLD	18
SCALE(S), SKIN	18
SKIN, CRUST(S)	18
TREMBLING, FACE	18
URINATION	18
CHOLESTEROL HI, BLD	17
DISTENTION, ABDOMEN	17
FLATULENCE	17
NEOPLASM	17
NYSTAGMUS	17
PLATELETS HI, BLD	17
PR-LIVER, LESION(S)	17
SEBORRHEA	17

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HALLUCINATION	16
HEAD BOBBING	16
ILL	16
INEFFECT	16
OPISTHOTONOS	16
SKIN, SCAB(S)	16
BLINDNESS, PARTIAL	15
PROTEIN(TOT) HI, BLD	15
US-LIVER ABN	15
ALBUMIN HI, BLD	14
CONGESTION, EYE(S)/LID	14
CONJUNCTIVITIS	14
CONSTIPATION	14
HEPATOMEGALY	14
INEFFECT, LOSS OF EFFE	14
SKIN ABNORMAL	14
CA LO, BLD	13
DEFECATION	13
ERUPTION(S)	13
ICTERUS, BODY	13
LIVER DISORDER	13
MELENA	13
PAIN, BACK	13
PRURITIS, FEET/DIGIT(S)	13
PUPIL(S), AREFLEXIA	13
BLD(ECCHYMOSES)	12
BREATHING ABN	12
DIABETES MELLITUS	12
DISCHARGE, EYE(S)/LID(S)	12
EOSINOS LO, BLD	12
HYPOTHERMIA, BODY	12
K HI, BLD	12
NA LO, BLD	12
US ABN	12
DEATH(NEWBORN)	11
DIARRHEA, WATERY	11
DISCHARGE, NOSE	11
GLOBULIN LO, BLD	11

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPOTHERMIA	11
INCONTINENCE, FECAL	11
ODOR, MOUTH	11
PAIN, NECK	11
SEDATION	11
SNEEZING	11
STIFFNESS, NECK	11
TECH ERROR ADMINISTRAT	11
VESTIBULAR DISORDER	11
APNEA	10
ASCITES	10
CATARACT(S)	10
CONGESTION, EAR(S)	10
ENLARGEMENT, LYMPH NOD	10
FLY BITING	10
ICTERUS	10
LYMPHS HI, BLD	10
PARESIS	10
P LO, BLD	10
VISION DISORDER	10
BLD(PETECHIAE)	9
CONGESTION, MUCOUS MEM	9
CPK HI, BLD	9
DEATH(STILLBORN)	9
DEFECATION ABN	9
GASTROENTERITIS	9
HEART FAILURE	9
HYPOPNEA	9
INFECTION, URINARY TRA	9
IRRITATION, SKIN	9
LYMPHS LO, BLD	9
MIOSIS	9
PHOTOPHOBIA	9
PRURITIS, EAR(S)	9
RELUCTANT TO CLIMB	9
SORE(S)	9
TRIGLYCERIDES HI, BLD	9
ALKALINE URINE	8

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHLORIDE HI, BLD	8
CYSTITIS	8
GI, ABNORMAL	8
HAIR, ABN COLOR	8
HYPERADRENOCORTICISM	8
PR-KIDNEY(S), LESION(S)	8
PR-SKIN, LESION(S)	8
SWELLING, EAR(S)	8
URINE ABN	8
VESICLE(S)/BULLAE, SKI	8
ARREST, HEART	7
AZOTEMIA	7
BLD, SKIN	7
CARDIOMEGALY	7
DEAFNESS	7
DISTRESS	7
DIZZINESS	7
EDEMA, EYE(S)/LID(S)	7
HEAD PRESSING	7
KERATOCONJUNCTIVITIS S	7
LIVER FAILURE	7
MUCOUS MEMBR, RED	7
PALLOR	7
PICA	7
REACTION, UNSPECIFIED	7
RETINA ABN	7
SEGS LO, BLD	7
SELF-MUTILATION	7
SWELLING, MOUTH/LIP(S)	7
ULCER(S), CORNEA(S)	7
ULCER(S), SKIN	7
UVEITIS	7
WBC, URINE	7
BILIRUBIN, URINE	6
BLEPHAROSPASM	6
BORBORYGMI	6
CAPILLARY REFILL PROLO	6
DIARRHEA, MUCOID	6

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, SEVERE	6
DYSPHAGIA	6
ELIMINATION ABN	6
EOSINOS HI, BLD	6
HYPERSENSITIVE, SOUND	6
MASS	6
MONOS LO, BLD	6
NA HI, BLD	6
NOSE ABN	6
PARALYSIS, ALL LIMBS	6
PARALYSIS, HIND LIMB(S)	6
PRESSURE LO, BLD	6
PR-HEART, LESION(S)	6
PR-LUNG(S), LESION(S)	6
SHOCK	6
TENESMUS, RECTAL	6
THRASHING/PADDLING	6
XEROSTOMIA	6
ABN COLOR, URINE	5
ANEMIA, SPHERO	5
ATROPHY, MUSCLE(S)	5
BALANCE DISORDER	5
BIRTH DEFECT(S), HEAD/	5
BLD, ABN	5
BLD, LUNG(S)/TRACHEA	5
CACHEXIA	5
COAGULATION DISORDER	5
CREATININE LO, BLD	5
CULTURE/TITER DATA ABN	5
CYANOSIS	5
CYANOSIS, MUCOUS MEMBR	5
DYSMETRIA	5
EDEMA, LUNG(S)/TRACHEA	5
EPISTAXIS	5
GALL BLADDER, ABN	5
GINGIVA, ABN	5
GLUCOSE, URINE	5
IRRITATION, EYE(S)/LID	5

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PARALYSIS, FACIAL NERV	5
PARESIS, FORELIMB(S)	5
POLLAKIURIA	5
PR-LUNG(S), EDEMA	5
PRURITIS, EYE(S)	5
RBC, ANISO	5
RBC, POLYCHROM	5
RETICULOCYTES HI, BLD	5
ROLLING	5
SKIN DISORDER	5
SLEEP ABN	5
SOUND ABN, RESPIRATORY	5
STIFFNESS, LIMB(S)	5
SUMMARY REVIEW	5
SWELLING, JOINT(S)	5
SYNCOPE	5
TAIL DISORDER	5
WHEEZING	5
ARRHYTHMIA	4
BANDS HI, BLD	4
BLD	4
BLD, EYE(S)	4
BLD, MOUTH/LIP(S)	4
BUN LO, BLD	4
CHLORIDE LO, BLD	4
CNS DISORDER	4
COLITIS	4
CONGESTION	4
CONGESTION, LUNG(S)	4
DRY, SKIN	4
EDEMA	4
ELECTROLYTE DISORDER	4
EPIPHORA	4
ESTRUS CYCLE ABNORMAL	4
EXERCISE INTOLERANCE	4
FERTILITY, REDUCED	4
HEART DISORDER	4
HORNER'S SYNDROME	4

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERTONIA	4
IMMUNE DISORDER	4
INFECTION	4
KIDNEY DISORDER	4
LESION(S), MOUTH/LIP(S)	4
MASS, ABDOMEN	4
MUCOUS MEMBR, MUDDY	4
NA:K LO, BLD	4
NEOPLASM, LIVER	4
NEOPLASM, LYMPH NODE(S)	4
NYSTAGMUS, HORIZONTAL	4
OBSTRUCTION, INTESTINE	4
PAIN, HIND LIMB(S)	4
PAIN, MUSCLE(S)	4
PARALYSIS	4
PD-CONTAINER(S), ABN	4
PNEUMONIA	4
PR-MULT SITES, CONGEST	4
PR-SM INTEST, LESION(S)	4
PTT PROLONGED, BLD	4
PULSE THREADY	4
RBC, NUCLEATED	4
REGURGITATION	4
RESPIRATORY DISORDER	4
SPLENOMEGALY	4
STIFFNESS, HIND LIMB(S)	4
STRABISMUS	4
SWELLING, TONGUE	4
TECH ERROR	4
TORTICOLLIS	4
ULCER(S), MOUTH/LIP(S)	4
VOLVULUS, STOMACH	4
WBC ABN	4
ABORTION	3
ACTH STIM ABN	3
ANEMIA, REGEN	3
ANISOCORIA	3
BLD, RECTUM	3

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLOAT	3
CALCULI, BLADDER	3
DEAFNESS, PARTIAL	3
DEMENTIA	3
DISCHARGE, MOUTH/LIP(S)	3
EFFUSION, PERICARDIAL	3
EFFUSION, PERITONEAL	3
ERUCTATION	3
GASTRITIS	3
GINGIVITIS	3
GLAUCOMA	3
HCO3 LO, BLD	3
HEPATITIS	3
JERKING	3
LOSS OF CONDITION	3
MASS, SKIN	3
MG HI, BLD	3
NEOPLASM, MAMMARY	3
NEOPLASM, MULT SITES	3
NEOPLASM, SPLEEN	3
NEPHRITIS	3
NO SIGNS	3
PAIN, JOINT(S)	3
PAIN, MOUTH/LIP(S)	3
PD-PRODUCT DEFECT	3
PR-BRAIN, LESION(S)	3
PR-GI, LESION(S)	3
PR-LYMPH NODE(S), LESI	3
PR-SPLEEN, LESION(S)	3
PR-STOMACH, LESION(S)	3
PT PROLONGED, BLD	3
RBC ABN	3
STOOL ABN	3
SWEATING	3
TEETH, ABN	3
TONGUE, ABN	3
VASCULITIS	3
ACIDOSIS	2

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
A/G RATIO LO, BLD	2
ALBUMIN HI, URINE	2
ANESTRUS	2
ANION GAP HI, BLD	2
ARTHRITIS	2
BILE ACIDS ABN, BLD	2
BIRTH DEFECT(S)	2
BIRTH WEIGHT LO	2
BLD, GI	2
BLD, SCLERA	2
BRAIN, NEOPLASM	2
BREATHING, DIFFICULT	2
CALCULI, KIDNEY	2
CASTS, URINE	2
CHOKING	2
CRYSTALS, URINE	2
CSF ABN	2
DESTRUCTIVENESS	2
DILITATION, STOMACH	2
DISCHARGE, EAR(S)	2
DISSOCIATION	2
DISTRESS, RESP	2
DYSRHYTHMIA, RESP	2
DYSTOCIA	2
EDEMA, CORNEA(S)	2
EDEMA, VENTRAL	2
EFFUSION, PLEURAL	2
ENCEPHALOPATHY	2
ENLARGEMENT(S)	2
ENTERITIS	2
ERG ABN	2
FERTILITY, LACK OF	2
HCO3 HI, BLD	2
HYPERKERATOSIS	2
HYPERMOTILITY	2
HYPOADRENOCORTICISM	2
INCONTINENCE	2
INFECTION, UTERUS	2

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION	2
IRRITATION, MOUTH/LIP(2
JOINT DISORDER	2
MG LO, BLD	2
MICROORANISMS, URINE	2
MRI SCAN ABN	2
NECK, VENTROFLEXION	2
NECROSIS	2
NEOPLASM, LUNG(S)	2
OPACITY, CORNEA(S)	2
PAIN, LIMB(S)	2
PAIN, SPINAL	2
PARESTHESIA, MOUTH/LIP	2
PD-DEFECT UNKNOWN	2
PERITONITIS	2
PHOTOSENSITIZATION	2
PLATELETS ABN	2
PNEUMONIA, ASPIRATION	2
PR-BONE MARROW, LESION	2
PRESSURE HI, BLD	2
PR-EYE(S)/LID(S), LESI	2
PROTRUSION, EYE(S)	2
PR-PANCREAS, LESION(S)	2
PR-PERITONEAL EFFUSION	2
PRURITIS, TAIL	2
SKIN, NECROSIS	2
SLOUGH, SKIN	2
STOOL, MUCOID	2
STRANGURIA	2
SWELLING	2
SWELLING, FEET/DIGIT(S	2
SWELLING, NECK	2
SWELLING, VAGINA/VULVA	2
TABLET(S), UNDIGEST	2
THYROID HORMONE(S) HI	2
ULCER(S), STOMACH	2
ULCER(S), TONGUE	2
ABSCCESS, SKIN	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
ANURIA	1
ARRHYTHMIA, BLOCK	1
BASOS HI, BLD	1
BIRTH DEFECT(S), TORSO	1
BIRTH DEFFECT(S), FEET	1
BIRTH, PREMATURE	1
BLD, ANUS	1
BLD, EAR(S)	1
BLD, PASSING	1
BLD, PENIS	1
BLD, VAGINA	1
BREATHING, PERIODIC	1
BRONCHITIS	1
CAT SCAN ABN	1
CHOLECYSTITIS	1
CIRCULATORY DISORDER	1
CNS INFARCT	1
CO2 HI, BLD	1
CO2 LO, BLD	1
COLON, ABN	1
CONGESTION, SINUS	1
CONGESTION, TONGUE	1
DEAFNESS, TEMP	1
DIABETES	1
DIGESTION DISORDER	1
DILITATION, ESOPHAGUS	1
DISCHARGE, VULVA	1
DISTENTION, BLADDER	1
DRY MOUTH SYNDROME	1
DYSURIA	1
EAR DISORDER	1
ECG ABN	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LARYNX	1
EDEMA, LIMB(S)	1
EDEMA, NECK	1
EDEMA, PHARYNX	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
EDEMA, SCLERA	1
EFFUSION, JOINT(S)	1
EMBOLUS	1
ERECTION, ABN	1
ERYTHEMA MULTIFORME	1
ERYTHEMA, SCROTUM	1
ESTRUS BEHAVIOR	1
ESTRUS TOO SOON	1
FIBRINOGEN LO, BLD	1
FIBROSIS	1
GRANULOMA, LICK	1
GRINDING TEETH	1
HEMOGLOBIN, URINE	1
HYPUESTHESIA, MOUTH/LIP(S)	1
HYPOMOTILITY	1
HYPOSMIA	1
ICTERUS, SERUM	1
INEFFECT, DEMODEX MITES	1
INEFFECT, SEIZURES	1
INFECTION, EYE(S)	1
INFLAM	1
INJURY	1
INSOMNIA	1
IRRITATION, EAR(S)	1
IRRITATION, ESOPHAGUS	1
IRRITATION, PERINEUM	1
IRRITATION, PHARYNX/TH	1
KETONES, URINE	1
KETOSIS	1
KIDNEY VALUES HI, BLD	1
LABOR, PREMATURE	1
LDH HI, BLD	1
LEG DISORDER	1
LEUKODERMA	1
LIPIDS HI, BLD	1
MACULE(S)	1
MAMMARY, DISCHARGE	1
MICROORGANISMS, URINE	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MORIBUND	1
NEUROPATHY	1
NYSTAGMUS, VERTICAL	1
OFF FEED	1
PAIN, EYE(S)/LID(S)	1
PAIN, HEAD/FACE	1
PANCREAS DISORDER	1
PANCREAS ENZYMES HI, B	1
PANCYTOPENIA	1
PARESIS, FORE LIMB(S)	1
PARESTHESIA, EYE(S)/L	1
PARTURITION, ABNORMAL	1
PAWING	1
PD-COLOR, ABN	1
PD-CONTAMINATION	1
PLACENTA, ABNORMAL	1
POLYCYTHEMIA(ABSOLUTE)	1
PR-BRONCHI, LESION(S)	1
PR-CARTILAGE, LESION(S)	1
PR-CEREBRUM, LESION(S)	1
PR-COLON, LESION(S)	1
PR-MEDULLA, LESION(S)	1
PR-MESENTERY, LESION(S)	1
PR-MULT SITES, EDEMA	1
PR-MULT SITES, ICTERUS	1
PROLAPSE, DISC	1
PROSTRATION	1
PR-PARATHYROID, LESION	1
PR-PLEURAL EFFUSION	1
PR-PROSTATE, LESION(S)	1
PR-SPINAL CORD, LESION	1
REFLUX, STOMACH	1
RETICULOCYTES LO, BLD	1
SALIVA, ABN	1
SEDIMENT, URINE	1
SINUSITIS	1
SLOUGH	1
SLOUGH, FEET/DIGIT(S)	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SPEC GRAVITY HI, URINE	1
SPINAL CORD, NEOPLASM	1
STIFFNESS, FRONT LIMB(1
STOMATITIS	1
STRICUTRE, ESOPHAGUS	1
SWELLING, LIMB(S)	1
SWELLING, TESTICLE	1
TESTICLE, ABN	1
TRACHEITIS	1
TRACHITIS	1
ULCER(S), EAR(S)	1
ULCER(S), GI	1
ULCER(S), PHARYNX/THRO	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
NAUSEA	3
PAIN, ABDOMEN	3
VOMITING	3
DIARRHEA	2
IRRITATION, PHARYNX/TH	2
SWELLING, MOUTH/LIP(S)	2
TASTE ABNORMALITY	2
DIZZINESS	1
HEADACHE	1
HUMAN EXPOSURE	1
HYPERESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
REFLUX, STOMACH	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
TONGUE, ABN	1
UNPALATABLE	1
URTICARIA	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: ORAL

DRUG: SPINOSAD

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DIARRHEA	1
VOCALIZATION	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	7
CONGESTION, SKIN	4
URTICARIA	4
HYPOESTHESIA	3
INFLAM, SKIN	3
PRURITIS	3
PAIN, EYE(S)/LID(S)	2
CONJUNCTIVITIS	1
EDEMA	1
EDEMA, HEAD/FACE	1
HYPERESTHESIA	1
NAUSEA	1
NEUROLOGICAL DISORDER	1
PAIN, BRISKET/CHEST	1
PAIN, MOUTH/LIP(S)	1
PARESTHESIA	1
SWELLING	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SWELLING, EAR(S)	1
TONGUE, ABN	1

DRUG: SPINOSAD

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
VOMITING	18
CONVULSION(S)	3
DEATH	2
DEPRESSION/LETHARGY	2
BLINDNESS	1
DEATH(NEWBORN)	1
INEFFECT, FLEAS	1
IRRITATION, SKIN	1
KERATOCONJUNCTIVITIS S	1
REACTION, UNSPECIFIED	1
STUPOR	1
TREMBLING	1
UNPALATABLE, WON'T EAT	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
RASH	2
CONGESTION, NOSE	1
COUGHING	1
DYSPNEA	1
IRRITATION, PHARYNX/TH	1
PAIN, EYE(S)/LID(S)	1
PRURITIS	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, MOUTH/LIP(S)	1

DRUG: SPINOSAD

Species: HUMAN

Route of Administration: UNKNOWN

DRUG: STANOSAZOLOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
ALK PHOS HI, BLD	1
BILIRUBIN, URINE	1
BLD, URINE	1
DEATH	1
DIARRHEA	1
GLUCOSE, URINE	1
ICTERUS, BODY	1
SGPT/ALT HI, BLD	1
VOMITING	1
WEIGHT LOSS	1

DRUG: STANOSAZOLOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANOREXIA	1
ATAXIA	1
BILIRUBIN(TOT) HI, BLD	1
CONFUSION	1
COUGHING	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
HEMATOCHEZIA	1
INTERACTION, DRUG(S)	1
LIVER ENZYMES HI, BLD	1
NERVOUSNESS	1
NOCTURIA	1

DRUG: STANOZOLOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PARALYSIS, ALL LIMBS	1
PRIAPISM	1
SGPT/ALT HI, BLD	1

DRUG: STANOZOLOL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
DIARRHEA	1
GLUCOSE HI, BLD	1
LIVER ENZYMES HI, BLD	1
SGPT/ALT HI, BLD	1
VOMITING	1

DRUG: STANOZOLOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	3
DISTRESS, RESP	2
POLYPNEA	2
TREMBLING	2
ANAPHYLAXIS/TOID	1
ANEMIA	1
CONVULSION(S)	1
COUGHING	1
DEATH	1
DYSPNEA	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
ICTERUS	1
INJ SITE PAIN	1

DRUG: STANOZOLOL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
PARESIS, HIND LIMB(S)	1
RESPIRATORY DISORDER	1
SHOCK	1
TACHYCARDIA	1
UNCONSCIOUS	1
VOMITING	1
WEAKNESS	1

DRUG: STANOZOLOL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	4
ANAPHYLAXIS/TOID	3
COLLAPSE	3
INJ SITE ABSCESS	3
RECUMBENCY	3
NYSTAGMUS	2
ATAXIA	1
CELLULITIS	1
CONVULSION(S)	1
DEATH	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
HEART FAILURE	1
HYPOPNEA	1
INJ SITE ABN	1
INJ SITE ALOPECIA	1
INJ SITE PAIN	1
INJ SITE SEROMA	1
KIDNEY FAILURE	1
LAMENESS	1
PARALYSIS	1
PROLAPSE, THIRD EYELID	1
STAGGERING	1

DRUG: STANOZOLOL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWEATING	1
TACHYCARDIA	1
VOCALIZATION	1
WEAKNESS	1

DRUG: STANOZOLOL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD, ABN	1
CARDIOMEGALY	1
KIDNEY FAILURE	1
LIVER FAILURE	1

DRUG: STANOZOLOL

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
BUN HI, BLD	1
CREATININE HI, BLD	1
ESTRUS BEHAVIOR	1
VOCALIZATION	1

DRUG: STANOZOLOL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: SULFACHLORPYRIDAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	1
PD-CONTAINER(S), ABN	1
PD-CONTAINER(S), DAMAG	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1

DRUG: SULFACHLORPYRIDAZINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DYSYPNEA	1

DRUG: SULFACHLORPYRIDAZINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	8
PD-COLOR, ABN	6
PD-SEAL, ABN	6
PD-CONTAINER(S), DAMAG	5
PD-TUBE(S), LEAKING	5
PD-SOLUTION, ABN	4
PD-PRODUCT DEFECT	3
PD-CAP(S), ABN	2
PD-MISSING, LABEL(S)	2

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-TUBE(S), ABN	2
PD-DISPENSER, ABN	1
PD-TABLET(S), ABN	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), LEAKING	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DEATH	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	2
VOMITING	2
ANEMIA	1
ANOREXIA	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
GAGGING	1
MYDRIASIS	1
PERITONITIS	1
POLYPNEA	1
PRURITIS	1
VOMITING, UNPRODUCTIVE	1
WBC HI, BLD	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
INEFFECT, ANTIBIOTIC	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
EGG ABN	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	20
ANOREXIA	16
FEVER, BODY	10
ANEMIA	8
DEATH	8
SGPT/ALT HI, BLD	8
VOMITING	8
PLATELETS LO, BLD	7
BLD(PETECHIAE)	4
CHOLESTEROL HI, BLD	4
CONVULSION(S)	4
KERATOCONJUNCTIVITIS S	4
SWELLING, JOINT(S)	4
ALK PHOS HI, BLD	3
BILIRUBIN(TOT) HI, BLD	3
CO2 LO, BLD	3
CPK HI, BLD	3
DIARRHEA	3
EPISTAXIS	3
LAMENESS	3
PAIN	3

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
WBC HI, BLD	3
WEAKNESS	3
ANEMIA, AUTOIMMUNE HEM	2
ARTHRITIS	2
ATAXIA	2
BLD, URINE	2
BLEPHAROSPASM	2
BLINDNESS	2
COLLAPSE	2
CRYSTALS, URINE	2
DYSPNEA	2
GLUCOSE LO, BLD	2
HYPERPNEA	2
IRRITATION, EYE(S)/LID	2
LYMPHS LO, BLD	2
SGOT/AST HI, BLD	2
STIFFNESS, HIND LIMB(S)	2
TREMBLING	2
UVEITIS	2
WBC LO, BLD	2
ABN COLOR, URINE	1
ADIPSIA	1
AGGRESSION	1
ALBUMIN HI, BLD	1
ALOPECIA	1
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
APPREHENSION	1
BEHAVIOR DISORDER	1
BILIRUBIN, URINE	1
BLD	1
BLD(ECCHYMOSES)	1
BLD, GI	1
BLD(HEMATOMA)	1
BLD, JOINT(S)	1
BLD, LUNG(S)/TRACHEA	1
BUN HI, BLD	1
CHLORIDE HI, BLD	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHLORIDE LO, BLD	1
COAGULATION DISORDER	1
CONFUSION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, MUCOUS MEM	1
CONGESTION, SKIN	1
CONJUNCTIVITIS	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DISCHARGE, EYE(S)/LID(1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EOSINOS LO, BLD	1
FIBRINOGEN HI, BLD	1
GGT HI, BLD	1
HEPATITIS	1
HYPERACTIVITY	1
ICTERUS	1
ICTERUS, BODY	1
ILL	1
INCONTINENCE, URINARY	1
KIDNEY FAILURE	1
LIVER ENZYMES HI, BLD	1
MELENA	1
MONOS LO, BLD	1
MURMUR, HEART	1
NA LO, BLD	1
NERVOUSNESS	1
PAIN, LIMB(S)	1
PALLOR	1
POLYCYTHEMIA	1
POLYDIPSIA	1
POLYURIA	1
PR-BONE MARROW, LESION	1
PROLAPSE, THIRD EYELID	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PRURITIS	1
RADIOGRAPH(S) ABN	1
RASH	1
RBC ABN	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SEGS HI, BLD	1
SEGS LO, BLD	1
SKIN DISORDER	1
SNEEZING	1
STIFFNESS	1
STOOL ABN	1
THYROID HORMONE(S) LO	1
WEIGHT LOSS	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
EPISTAXIS	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	11
DEATH	7
DIARRHEA, SEVERE	6
PAIN, ABDOMEN	5
COLITIS	4
DEATH(EUTHANIZED)	4
ANOREXIA	3
INEFFECT, ANTIBIOTIC	3
LAMINITIS	3

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
FEVER, BODY	2
PRURITIS	2
URTICARIA	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIC	1
DISCHARGE, NOSE	1
DYSPHAGIA	1
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
EDEMA, VENTRAL	1
EPISTAXIS	1
ERUPTION(S)	1
GI, ABNORMAL	1
HEPATOMEGALY	1
HYPERPNEA	1
HYPOTHERMIA	1
ILL	1
LAMENESS	1
LESION(S), SKIN	1
MUCOUS MEMBR, ABN COLO	1
PLATELETS LO, BLD	1
POLYPNEA	1
PR-COLON, LESION(S)	1
PR-LIVER, LESION(S)	1
PRURITIS, TAIL	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
SEGS LO, BLD	1
SHOCK	1
SWEATING, DECREASED	1
US-LIVER ABN	1
WBC LO, BLD	1
WEAKNESS	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: ORAL

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
DISCOMFORT	2
IRRITATION, PHARYNX/TH	2
EXFOLIATION, SKIN	1
NOSE ABN	1
PARESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
RASH	1
UNCONSCIOUS	1
VOMITING	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
CONVULSION(S)	1
DEATH	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
INJ SITE PAIN	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: PARENTERAL

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	20
COLLAPSE	19
CONVULSION(S)	7
ANAPHYLAXIS/TOID	6
SWEATING	5
TACHYCARDIA	5
UNCONSCIOUS	5
PALLOR	4
HYPERPNEA	3
SYNCOPE	3
TREMBLING	3
ARRHYTHMIA	2
DYSPNEA	2
NERVOUSNESS	2
PR-SPLEEN, LESION(S)	2
SHOCK	2
STAGGERING	2
THRASHING/PADDLING	2
TWITCH	2
APNEA	1
ATAXIA	1
BLD, EYE(S)	1
BREATHING, PERIODIC	1
CYANOSIS	1
DEATH(EUTHANIZED)	1
DEFECATION	1
DESTRUCTIVENESS	1
DIARRHEA, WATERY	1
EDEMA	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
HYPERACTIVITY	1
MYDRIASIS	1
PAIN, ABDOMEN	1
PAWING	1
PHOTOPHOBIA	1
PR-BRAIN, LESION(S)	1
PR-LIVER, LESION(S)	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-LUNG(S), LESION(S)	1
PRURITIS	1
REACTION, UNSPECIFIED	1
REARING	1
SHAKING	1
SHOCK, ENDOTOXEMIA	1
STIFFNESS, LIMB(S)	1
SWELLING, NECK	1
SWELLING, PHARYNX/THRO	1
TREMBLING, FACE	1
VOCALIZATION	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
COLLAPSE	1
CONVULSION(S)	1
DEATH	1
DYSYPNEA	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
WEAKNESS	1

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: SULFADIAZINE, TRIMETHOPRIM

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
UNCONSCIOUS	1

DRUG: SULFADIMETHOXINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-BOLUS, ABN	54
PD-VIAL(S), LEAKING	41
PD-CONTAINER(S), DAMAG	29
PD-VIAL(S), DAMAGED	28
PD-SEAL, ABN	22
PD-TABLET(S), ABN	18
PD-CAP(S), ABN	14
PD-LABEL(S), ABN	6
PD-MISSING, LABEL(S)	6
PD-UNDERFILL, VIAL(S)	6
PD-CONTAINER(S), ABN	5
PD-SOLUTION, ABN	5
PD-COLOR, ABN	4
PD-MISSING, CAP	4
PD-SUSPENSION, ABN	3
PD-CONTAMINATION	2
PD-CONTAM, MOLD	2
PD-TUBE(S), LEAKING	2
PD-UNDERFILL, PACKAGE	2
PD-UNKNOWN	2
DEATH	1
ESTRUS BEHAVIOR	1
PD-PRODUCT DEFECT	1
PD-VIAL(S), ABN	1
UDDER, SWELLING	1

DRUG: SULFADIMETHOXINE

Species: CATTLE

Route of Administration: INTRANASAL

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANEMIA	1
TREMBLING	1

DRUG: SULFADIMETHOXINE

Species: NOT APPLICABLE

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	1

DRUG: SULFADIMETHOXINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	49
DEATH	13
DEPRESSION/LETHARGY	12
ATAXIA	8
DIARRHEA	7
VOMITING	7
ANOREXIA	5
CONVULSION(S)	5
FEVER, BODY	5
ANEMIA	3
INEFFECT, ANTIBIOTIC	3
MYDRIASIS	3
UNCONSCIOUS	3
VOCALIZATION	3

DRUG: SULFADIMETHOXINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPOTHERMIA	2
INEFFECT	2
NEUROLOGICAL DISORDER	2
ACCIDENTAL EXPOSURE	1
AGGRESSION	1
ALOPECIA	1
BEHAVIOR DISORDER	1
BLINDNESS	1
CATARACT(S)	1
CHLORIDE LO, BLD	1
CIRCLING	1
CRYSTALS, URINE	1
DEHYDRATION	1
DIARRHEA, MILD	1
DYSPNEA	1
GLUCOSE LO, BLD	1
HEMATOCHEZIA	1
HYPOTHERMIA, BODY	1
KERATOCONJUNCTIVITIS S	1
K HI, BLD	1
KIDNEY DISORDER	1
LAMENESS	1
LOCOMOTION DISORDER	1
LOSS OF CONDITION	1
LYMPHS LO, BLD	1
MIOSIS	1
NA LO, BLD	1
NO SIGNS	1
NYSTAGMUS	1
PAIN	1
PAIN, JOINT(S)	1
PARESIS	1
PD-POTENCY, LO	1
PLATELETS LO, BLD	1
POLYPHAGIA	1
POLYURIA	1
PR-LUNG(S), EDEMA	1
PR-MENINGES, LESION(S)	1

DRUG: SULFADIMETHOXINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
REPRODUCTION DISORDER	1
SGPT/ALT HI, BLD	1
SOUND ABN, RESPIRATORY	1
STUPOR	1
ULCER(S), MOUTH/LIP(S)	1
WBC HI, BLD	1
WBC LO, BLD	1
WEAKNESS	1
WEIGHT LOSS	1

DRUG: SULFADIMETHOXINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	6
DEATH	3
PD-BOLUS, ABN	3
INEFFECT, ANTIBIOTIC	2
INEFFECT, COCCIDIA	2
RESIDUE, MILK	2
ATAXIA	1
DEATH(SLAUGHTERED)	1
DEATH(TX FAILURE)	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
LAMENESS	1
MELENA	1
NO SIGNS	1
PD-CONTAM, MOLD	1
PD-TABLET(S), ABN	1
PR-LUNG(S), LESION(S)	1
RECUMBENCY	1
STIFFNESS	1
VOCALIZATION	1

DRUG: SULFADIMETHOXINE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
DEATH	1
DIARRHEA	1
FEATHERS, ABNORMAL	1
HEMATOCHEZIA	1
INEFFECT, COCCIDIA	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	63
VOMITING	50
DEPRESSION/LETHARGY	34
DIARRHEA	26
DEATH	21
SWELLING, HEAD/FACE	18
ANOREXIA	17
FEVER, BODY	16
ANAPHYLAXIS/TOID	13
ANEMIA	13
CONVULSION(S)	11
ATAXIA	10
PRURITIS	10
URTICARIA	10
WBC HI, BLD	9
WEAKNESS	8
PLATELETS LO, BLD	7
ALBUMIN LO, BLD	6
ALK PHOS HI, BLD	6
DIARRHEA, BLOODY	6
EDEMA, HEAD/FACE	6
ALOPECIA	5
CONGESTION, SKIN	5
DEATH(EUTHANIZED)	5
DEHYDRATION	5
KERATOCONJUNCTIVITIS S	5

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PALLOR	5
BILIRUBIN(TOT) HI, BLD	4
COUGHING	4
GLUCOSE LO, BLD	4
PALLOR, MUCOUS MEMBRAN	4
PROTEIN(TOT) LO, BLD	4
RASH	4
SEGS HI, BLD	4
SGPT/ALT HI, BLD	4
TREMBLING	4
WBC LO, BLD	4
DIARRHEA, MILD	3
HYPERSALIVATION	3
MELENA	3
P HI, BLD	3
PNEUMONIA	3
AMYLASE HI, BLD	2
ANEMIA, AUTOIMMUNE HEM	2
BLD, SCLERA	2
COLLAPSE	2
CONFUSION	2
CONGESTION, EAR(S)	2
CULTURE/TITER DATA ABN	2
DISTENTION, ABDOMEN	2
DYSPNEA	2
GLOBULIN LO, BLD	2
HAIR, ABN	2
HEAD TILT	2
HYPERACTIVITY	2
INFLAM, SKIN	2
IRRITATION, EYE(S)/LID	2
K LO, BLD	2
LESION(S), SKIN	2
LIPASE HI, BLD	2
MURMUR, HEART	2
NA LO, BLD	2
PAIN, ABDOMEN	2
PAIN, JOINT(S)	2

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYDIPSIA	2
POLYPNEA	2
PRESSURE LO, BLD	2
RADIOGRAPH(S) ABN	2
RETICULOCYTES HI, BLD	2
SNEEZING	2
STAGGERING	2
SWELLING, EYE(S)/LID(S)	2
SWELLING, NECK	2
UVEITIS	2
VESICLE(S)/BULLAE, SKI	2
VOCALIZATION	2
ABN COLOR, URINE	1
ANUS, PARALYSIS	1
APNEA	1
ASCITES	1
BASOS HI, BLD	1
BEHAVIOR DISORDER	1
BITING/CHEWING	1
BLD, MOUTH/LIP(S)	1
BLD, RECTUM	1
BLD, URINE	1
BLEPHAROSPASM	1
BUN HI, BLD	1
BUN LO, BLD	1
CACHEXIA	1
CA LO, BLD	1
CHOLESTEROL LO, BLD	1
CIRCLING	1
CONGESTION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, LUNG(S)	1
CONGESTION, MUCOUS MEM	1
COPROPHAGIA	1
CPK HI, BLD	1
CYSTITIS	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
EDEMA, CORNEA(S)	1
EDEMA, EYE(S)/LID(S)	1
EFFUSION, PERICARDIAL	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS LO, BLD	1
ERUPTION(S)	1
EXFOLIATION, SKIN	1
EYE DISORDER	1
FLY BITING	1
FROTH, MOUTH/LIP(S)	1
GASTROENTERITIS	1
GI, ABNORMAL	1
GLUCOSE HI, BLD	1
HEMATOCHEZIA	1
HEMOGLOBIN, URINE	1
HIDING	1
HYPHEMA	1
HYPOTHERMIA	1
ICTERUS, BODY	1
ILL	1
INCONTINENCE, URINARY	1
INEFFECT, ANTIBIOTIC	1
INFECTION	1
INFECTION, UTERUS	1
INJ SITE SWELLING	1
IRRITATION, SKIN	1
K HI, BLD	1
KIDNEY FAILURE	1
KIDNEY VALUES HI, BLD	1
LAMENESS	1
LESION(S), MOUTH/LIP(S)	1
LIVER DISORDER	1
LIVER ENZYMES HI, BLD	1
LOCOMOTION DISORDER	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
LOSS OF CONDITION	1
LYMPHS LO, BLD	1
MG LO, BLD	1
MONOS HI, BLD	1
MONOS LO, BLD	1
MYDRIASIS	1
NEUROLOGICAL DISORDER	1
OBSTRUCTION, INTESTINE	1
OPACITY, CORNEA(S)	1
PAIN	1
PAIN, BACK	1
PANCREAS DISORDER	1
PANCREATITIS	1
PARESIS	1
PD-CONTAM, MOLD	1
PD-ODOR, ABN	1
PD-TABLET(S), ABN	1
POLLAKIURIA	1
POLYCYTHEMIA(RELATIVE)	1
POLYPHAGIA	1
POLYURIA	1
PR-GI, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PROLAPSE, THIRD EYELID	1
PR-PERITONEUM, LESION(1
PR-SM INTEST, LESION(S)	1
PRURITIS, EYE(S)	1
PULSE THREADY	1
REACTION, UNSPECIFIED	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
SEGS LO, BLD	1
SGOT/AST HI, BLD	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1
SKIN, SCAB(S)	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SOUND ABN, RESPIRATORY	1
STUPOR	1
SWELLING, JOINT(S)	1
TEARS, ABN	1
TEETH, ABN	1
ULCER(S), CORNEA(S)	1
ULCER(S), MOUTH/LIP(S)	1
UNCONSCIOUS	1
US ABN	1
VAGINITIS	1
WBC ABN	1
WEIGHT LOSS	1

DRUG: SULFADIMETHOXINE

Species: FERRET

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
IRRITATION, PERINEUM	1
PARALYSIS	1
PRURITIS	1
WEAKNESS	1

DRUG: SULFADIMETHOXINE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ABORTION	1
DEATH	1
NEUROLOGICAL DISORDER	1

DRUG: SULFADIMETHOXINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
FLATULENCE	1
LEG DISORDER	1
PAIN, ABDOMEN	1
SHAKING	1

DRUG: SULFADIMETHOXINE

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPNEA	1
GAGGING	1

DRUG: SULFADIMETHOXINE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	2

DRUG: SULFADIMETHOXINE

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	3

DRUG: SULFADIMETHOXINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
HEAD BOBBING	1
PROLAPSE, THIRD EYELID	1
SEDATION	1

DRUG: SULFADIMETHOXINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
WEAKNESS	1

DRUG: SULFADIMETHOXINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APPREHENSION	1
BLINDNESS	1
DEATH	1
DEPRESSION/LETHARGY	1
HYPERACTIVITY	1
RECUMBENCY	1
RESIDUE, MEAT	1
RESIDUE, MILK	1
SHOCK	1
THRASHING/PADDLING	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1
ENLARGEMENT(S)	1
INJ SITE ABSCESS	1
PTT PROLONGED, BLD	1
SEDATION	1

DRUG: SULFADIMETHOXINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1

DRUG: SULFADIMETHOXINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
STAGGERING	1

DRUG: SULFADIMETHOXINE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	2
PD-CAP(S), ABN	1
PD-CONTAINER(S), DAMAG	1

DRUG: SULFADIMETHOXINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1

DRUG: SULFADIMETHOXINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
REACTION, UNSPECIFIED	1
RESIDUE, MILK	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
CA HI, BLD	1
CONGESTION, SKIN	1

DRUG: SULFADIMETHOXINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
EOSINOS HI, BLD	1
GLUCOSE HI, BLD	1
INEFFECT, COCCIDIA	1
PRURITIS	1
RASH	1
WBC HI, BLD	1

DRUG: SULFADIMETHOXINE

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, COCCIDIA	1

DRUG: SULFAMETHAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), LEAKING	18
PD-CONTAINER(S), DAMAG	11
PD-CAP(S), ABN	8
PD-SEAL, ABN	7
PD-CONTAINER(S), ABN	5
PD-TABLET(S), ABN	5
PD-COLOR, ABN	4
PD-GRANULES/POWDER, ABN	3
PD-MISSING, LABEL(S)	3
PD-SOLUTION, ABN	3
PD-LABEL(S), ABN	2
UNPALATABLE	2
PD-BOLUS, ABN	1
PD-DEFECT UNKNOWN	1
PD-ODOR, ABN	1
PD-TUBE(S), LEAKING	1
PD-UNDERFILL, PACKAGE	1
PD-UNDERFILL, VIAL(S)	1

DRUG: SULFAMETHAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: SULFAMETHAZINE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	3
DIARRHEA	2
DYSPNEA	1
INEFFECT, ANTIBIOTIC	1

DRUG: SULFAMETHAZINE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DIARRHEA	1
INEFFECT, COCCIDIA	1
PD-COLOR, ABN	1
PD-SOLUTION, ABN	1

DRUG: SULFAMETHAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
DEATH	1
DEPRESSION/LETHARGY	1
SKIN, SCAB(S)	1

DRUG: SULFAMETHAZINE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: SULFAMETHAZINE

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: SULFAMETHAZINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
STAGGERING	1

DRUG: SULFAMETHAZINE, TYLOSIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAMINATION	3
PD-LABEL(S), ABN	2
PD-PRODUCT DEFECT	2

DRUG: SULFAMETHAZINE, TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
RESIDUE, MEAT	1

DRUG: SULFAMETHAZINE, TYLOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
INEFFECT	1

DRUG: SULFAMETHAZINE, TYLOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, WEIGHT INC	1

DRUG: SULFAMETHOXASOLE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
PD-GRANULES/POWDER, ABN	1

DRUG: SULFAMETHOXAZOLE, TRIMETHOPRIM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PLATELETS LO, BLD	7
DEPRESSION/LETHARGY	6
ANOREXIA	5
DEATH	4
ALK PHOS HI, BLD	3
DEATH(EUTHANIZED)	3
FEVER, BODY	3
KERATOCONJUNCTIVITIS S	3
SGPT/ALT HI, BLD	3
ANEMIA	2
ANEMIA, AUTOIMMUNE HEM	2
BLD(PETECHIAE)	2
BLD, URINE	2
ICTERUS	2
LYMPHS LO, BLD	2
PANCYTOPENIA	2
SEGS HI, BLD	2
SEGS LO, BLD	2
AMYLASE HI, BLD	1
ANEMIA, APLASTIC	1
ANEMIA, HEMOLYTIC	1
ARTHRITIS	1

DRUG: SULFAMETHOXAZOLE, TRIMETHOPRIM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BILIRUBIN(TOT) HI, BLD	1
BLD(ECCHYMOSES)	1
BLD, SCLERA	1
BLINDNESS, PARTIAL	1
CA LO, BLD	1
CONGESTION, SKIN	1
DEHYDRATION	1
DISTENTION, ABDOMEN	1
EFFUSION, JOINT(S)	1
ENLARGEMENT, LYMPH NOD	1
GGT HI, BLD	1
GLOBULIN HI, BLD	1
HYPHEMA	1
LAMENESS	1
MELENA	1
MONOS HI, BLD	1
MONOS LO, BLD	1
MUCOUS MEMBR, RED	1
PANCREAS ENZYMES HI, B	1
PANCREATITIS	1
PAPULE(S)	1
PERITONITIS	1
PR-BONE MARROW, LESION	1
PR-LIVER, LESION(S)	1
PRURITIS	1
STIFFNESS, LIMB(S)	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
WBC HI, BLD	1
WBC LO, BLD	1
WEAKNESS	1

DRUG: SULFAQUINOXALINE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
--------------	----------------------------------

DRUG: SULFAQUINOXALINE

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DEPRESSION/LETHARGY	1
DISTRESS, RESP	1
PALLOR	1
SWELLING, MULT SITES	1

DRUG: SULFURATED LIME SOLUTION

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DYSPNEA	1