

CVM ADE Comprehensive Clinical Detail Report Listing:



Cumulative Date Range: 01/01/1987 -thru- 08/31/2012

Drug Listing: T;U;V;W;X;Y;Z

DRUG: TEA TREE OIL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: TEA TREE OIL

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
PRURITIS	2
ALOPECIA	1
ATAXIA	1
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
INFECTION, SKIN	1
NERVOUSNESS	1
PARESIS, HIND LIMB(S)	1

DRUG: TEPOXALIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	17
PD-TABLET(S), ABN	13
PD-PRODUCT DEFECT	6
PD-CONTAINER(S), ABN	3
TABLET(S), UNDIGEST	2

DRUG: TEPOXALIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	4
DEHYDRATION	2
AGGRESSION	1
ALK PHOS HI, BLD	1
ANEMIA	1
ANOREXIA	1
ATAXIA	1
DEPRESSION/LETHARGY	1
MURMUR, HEART	1
NEUROLOGICAL DISORDER	1
TACHYCARDIA	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	195
ANOREXIA	114
DIARRHEA	110
DEPRESSION/LETHARGY	109
MELENA	69
DIARRHEA, BLOODY	65
ANEMIA	63
VOMITING, BLOODY	58
DEATH	54
DEATH(EUTHANIZED)	52
INTERACTION, DRUG(S)	52
ALK PHOS HI, BLD	44
SGPT/ALT HI, BLD	33
ATAXIA	32
BUN HI, BLD	32
CONVULSION(S)	24
CREATININE HI, BLD	24
POLYDIPSIA	24
HEMATOCHEZIA	23
ALOPECIA	17
NERVOUSNESS	17

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYPNEA	16
WEAKNESS	16
BLD, URINE	15
INEFFECT, ANTIINFLAM	15
LIVER ENZYMES HI, BLD	15
PALLOR, MUCOUS MEMBRAN	13
POLYURIA	13
UNPALATABLE, WON'T SWA	13
COLLAPSE	12
HYPERSALIVATION	12
PRURITIS	12
WBC HI, BLD	12
CONFUSION	11
EPISTAXIS	11
PAIN, ABDOMEN	11
PROTEIN(TOT) LO, BLD	11
FEVER, BODY	10
HYPERACTIVITY	10
PD-TABLET(S), ABN	10
RECUMBENCY	10
ULCER(S), GI	10
ULCER(S), STOMACH	9
ANAPHYLAXIS/TOID	8
CONGESTION, SKIN	8
DYSPNEA	8
PLATELETS LO, BLD	8
TABLET(S), UNDIGEST	8
WEIGHT LOSS	8
ALBUMIN LO, BLD	7
AMYLASE HI, BLD	7
BILIRUBIN(TOT) HI, BLD	7
BLD, GI	7
FROTH, MOUTH/LIP(S)	7
INCONTINENCE, URINARY	7
LIVER DISORDER	7
PACING	7
SGOT/AST HI, BLD	7
APPREHENSION	6

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AZOTEMIA	6
BLD(PETECHIAE)	6
HYPERPNEA	6
NAUSEA	6
STOOL ABN	6
URTICARIA	6
AGGRESSION	5
BEHAVIOR DISORDER	5
BLD(ECCHYMOSES)	5
CHEMISTRY ABN	5
DEHYDRATION	5
KIDNEY FAILURE	5
PR-SM INTEST, LESION(S)	5
RADIOGRAPH(S) ABN	5
SWELLING, HEAD/FACE	5
US-LIVER ABN	5
BLD, MOUTH/LIP(S)	4
CHOLESTEROL HI, BLD	4
DIARRHEA, MILD	4
DIARRHEA, SEVERE	4
DIFFICULTY RISING	4
GAGGING	4
GASTROENTERITIS	4
INFECTION, URINARY TRA	4
LIPASE HI, BLD	4
MYDRIASIS	4
PARESIS, HIND LIMB(S)	4
P HI, BLD	4
SCALE(S), SKIN	4
SPEC GRAVITY LO, URINE	4
TREMBLING	4
URINATION	4
US ABN	4
VOCALIZATION	4
ANEMIA, BLD LOSS	3
BITING/CHEWING	3
BORBORYGMI	3
COAGULATION DISORDER	3

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA, PROJECTILE	3
DIARRHEA, WATERY	3
HAIR, SHEDDING	3
ICTERUS, BODY	3
INCONTINENCE, FECAL	3
INEFFECT, ANALGESIA	3
LICKING, FEET/DIGIT(S)	3
NEOPLASM	3
NEUROLOGICAL DISORDER	3
PERFORATION, GI	3
PR-LIVER, LESION(S)	3
PR-STOMACH, LESION(S)	3
SEGS HI, BLD	3
STUPOR	3
TRIGLYCERIDES HI, BLD	3
UNPALATABLE, WON'T EAT	3
VOMITING, UNPRODUCTIVE	3
ABN COLOR, URINE	2
ANEMIA, AUTOIMMUNE HEM	2
BANDS HI, BLD	2
BLD	2
CIRCLING	2
COLITIS	2
CONSTIPATION	2
CYSTITIS	2
DEAFNESS	2
DIABETES M, POOR REGUL	2
DIARRHEA, MUCOID	2
DILITATION, ESOPHAGUS	2
DISTRESS	2
DYSPHAGIA	2
ERUPTION(S)	2
FLATULENCE	2
GGT HI, BLD	2
GLUCOSE HI, BLD	2
GLUCOSE LO, BLD	2
HIDING	2
HYPERESTHESIA	2

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERPIGMENTATION, SKI	2
IMMUNE DISORDER	2
INEFFECT, LOSS OF EFFE	2
INFLAM, SKIN	2
KERATOCONJUNCTIVITIS S	2
K HI, BLD	2
KIDNEY DISORDER	2
KIDNEY VALUES HI, BLD	2
K LO, BLD	2
LYMPHS LO, BLD	2
PALLOR	2
PANCREATITIS	2
PARESIS, FORE LIMB(S)	2
PR-GI, LESION(S)	2
PR-LUNG(S), LESION(S)	2
PR-MULT SITES, BLD	2
PROPRIOCEPTIVE DISORDE	2
PUSTULE(S)	2
RASH	2
RELUCTANT TO MOVE	2
SHAKING	2
SKIN, SCAB(S)	2
STOOL, MUCOID	2
SWELLING, FEET/DIGIT(S)	2
SWELLING, NECK	2
TACHYCARDIA	2
TWITCH	2
ULCER(S), SKIN	2
ULCER(S), TONGUE	2
ADIPSIA	1
ANEMIA, HEMOLYTIC	1
ANEMIA, REGEN	1
ANURIA	1
ARTHRITIS	1
BILE ACIDS HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABDOMEN	1
BLD(HEMATOMA)	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, INCISION SITE	1
BLD, PENIS	1
BLD, RECTUM	1
BLD, SCLERA	1
BLINDNESS	1
BLOAT	1
BRADYCARDIA	1
CA HI, BLD	1
CASTS, URINE	1
CHLORIDE LO, BLD	1
CHOKING	1
CNS INFARCT	1
COUGHING	1
CRYSTALS, URINE	1
CYANOSIS	1
CYANOSIS, MUCOUS MEMBR	1
DERMATITIS, MOIST	1
DESTRUCTIVENESS	1
DIABETES MELLITUS	1
DISCHARGE, EYE(S)/LID(S)	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DRY, SKIN	1
DYSURIA	1
EAR DISORDER	1
ECCHYMOSIS, INCISION SITE	1
ECG ABN	1
EDEMA, HEAD/FACE	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
EDEMA, MULTIPLE SITES	1
ENLARGEMENT(S), SKIN	1
GI, ABNORMAL	1
GLOBULIN HI, BLD	1
GLOBULIN LO, BLD	1
GLUCOSE, URINE	1
HAIR, ABN	1
HAIR, ABN COLOR	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HEAD BOBBING	1
HEAD PRESSING	1
HEAD TILT	1
HEART FAILURE	1
HEMOGLOBIN, URINE	1
HORNER'S SYNDROME	1
HYPERSENSITIVE, SOUND	1
HYPOSMIA	1
ICTERUS	1
ILL	1
IMPROVEMENT, UNEXPECT	1
INCISION SITE, BLD	1
INCONTINENCE	1
INEFFECT, OTHER DRUG(S)	1
INFECTION, FEET/DIGIT(1
IRRITATION, MOUTH/LIP(1
JERKING	1
LESION(S), MOUTH/LIP(S)	1
LEUKODERMA	1
LIVER FAILURE	1
LIVER PROFILE HI	1
LOCOMOTION DISORDER	1
MASS	1
MASS, ABDOMEN	1
MASS, SKIN	1
MICROORANISMS, URINE	1
MORIBUND	1
MRI SCAN ABN	1
MUCOUS MEMBR, ABN COLO	1
NA LO, BLD	1
NEOPLASM, BONE	1
NOCTURIA	1
NOSE, INFLAMMATION	1
NYSTAGMUS	1
ODOR	1
ODOR, MOUTH	1
ODOR, URINE	1
OPACITY, CORNEA(S)	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
OTITIS	1
PAIN	1
PARALYSIS, LARYNX	1
PARESIS	1
PARESIS, FORELIMB(S)	1
PAWING	1
PERFORATION, STOMACH	1
PERITONITIS	1
PICA	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYPHAGIA	1
POSTURAL RXN(S) ABN	1
PR-BLADDER, LESION(S)	1
PR-CECUM, LESION(S)	1
PRESSURE LO, BLD	1
PR-HEART, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PR-MEDULLA, LESION(S)	1
PR-MENINGES, LESION(S)	1
PROTEIN, URINE	1
PR-PANCREAS, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SPINAL CORD, LESION	1
PRURITIS, FEET/DIGIT(S)	1
PULSE THREADY	1
RBC, NUCLEATED	1
REACTION, UNSPECIFIED	1
RESPIRATORY DISORDER	1
SEBORRHEA	1
SEDATION	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SKIN, NECROSIS	1
SLEEP ABN	1
SLOUGH, TONGUE	1
SOMNOLENCE	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SOUND ABN, RESPIRATORY	1
SOUND ABN, VOICE	1
SQUINTING	1
STAGGERING	1
STARING	1
STOMATITIS	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, MULT SITES	1
SYNCOPE	1
TECH ERROR ADMINISTRAT	1
THYROID HORMONE(S) LO	1
TORTICOLLIS	1
TREMBLING, FACE	1
ULCER(S), CORNEA(S)	1
ULCER(S), MOUTH/LIP(S)	1
ULCER(S), MUCOCUTANEOU	1
UNPALATABLE	1
VASCULITIS	1
VOMITING, PROJECTILE	1
VOMITING, SEVERE	1
WBC LO, BLD	1
WBC, URINE	1
XEROSTOMIA	1

DRUG: TEPOXALIN

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANALGESIA	1

DRUG: TEPOXALIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANALGESIA	1
VOMITING	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ALK PHOS HI, BLD	1
ANOREXIA	1
DEPRESSION/LETHARGY	1
GGT HI, BLD	1
SGPT/ALT HI, BLD	1
VOMITING	1

DRUG: TEPOXALIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TESTOSTERONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
SWELLING, HEAD/FACE	1
URTICARIA	1

DRUG: TETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TETRACYCLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), DAMAG	14
PD-CONTAINER(S), ABN	5
PD-SEAL, ABN	4
PD-CONTAMINATION	2
PD-COLOR, ABN	1
PD-GRANULES/POWDER, ABN	1
PD-TUBE(S), LEAKING	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), ABN	1

DRUG: TETRACYCLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
FEVER, BODY	6
DEPRESSION/LETHARGY	4
ANOREXIA	3
VOMITING	2
BEHAVIOR DISORDER	1
INEFFECT, ANTIBIOTIC	1
SHAKING	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1

DRUG: TETRACYCLINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	2
COAGULATION DISORDER	1
GASTROENTERITIS	1
PD-SUSPENSION, ABN	1

DRUG: TETRACYCLINE

Species: FISH

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
PD-COLOR, ABN	1

DRUG: TETRACYCLINE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
PAIN, ABDOMEN	2

DRUG: THENIUM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
DIARRHEA	1

DRUG: THEOPHYLLINE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
CONSTIPATION	1
INTERACTION, DRUG(S)	1
TWITCH	1

DRUG: THIABENDAZOLE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ATAXIA	1

DRUG: THIABENDAZOLE

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RECUMBENCY	1
TREMBLING	1

DRUG: THIABENDAZOLE

Species: SHEEP

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
RESPIRATORY DISORDER	1
WEAKNESS	1

DRUG: THIAMINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BREATHING ABN	1
DEATH	1

DRUG: THIAMYLAL

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	10
ANESTH RECOV PROLONGED	5
DEATH	5
ARREST, HEART	3
INEFFECT, ANESTHESIA	3
ANESTH TOO DEEP	1
BLD, LUNG(S)/TRACHEA	1
CYANOSIS	1
PR-LUNG(S), LESION(S)	1
TACHYCARDIA	1

DRUG: THIAMYLAL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	30
DEATH	25
ARREST, HEART	19
ANESTH RECOV PROLONGED	12
INEFFECT, ANESTHESIA	11
ANESTH TOO DEEP	7
HYPOPNEA	3
ANESTH RECOV TURBULENT	2
ARRHYTHMIA	2
ATAXIA	1
BRADYCARDIA	1
CONVULSION(S)	1
CYANOSIS	1
DYSPNEA	1
FIBRILLATION, VENTRICU	1
HEART FAILURE	1
HYPERACTIVITY	1
HYPERSALIVATION	1
HYPOTHERMIA	1
INJ SITE PAIN	1
REACTION, UNSPECIFIED	1
VOMITING	1

DRUG: THIAMYLAL

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	4
APNEA	1
DEATH	1

DRUG: THIAMYLAL

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: THIAMYLAL

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
REACTION, UNSPECIFIED	1

DRUG: THIAMYLAL

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
ANESTH TOO DEEP	1

DRUG: THIOPENTAL

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
ARREST, HEART	2
DEATH	2
PR-LUNG(S), LESION(S)	2
CYANOSIS	1
PD-CONTAMINATION	1
PD-SYRINGE, ABN	1
PR-MULT SITES, CONGEST	1

DRUG: TIAMULIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	5
PD-SOLUTION, ABN	5
PD-VIAL(S), LEAKING	5
PD-CONTAMINATION	3
PD-CONTAINER(S), DAMAG	1
PD-VIAL(S), DAMAGED	1

DRUG: TIAMULIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: TIAMULIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT	18
DEATH	14
DIARRHEA	5
INEFFECT, ANTIBIOTIC	4
DEPRESSION/LETHARGY	3
CONGESTION, SKIN	2
ATAXIA	1
INEFFECT, PARASITE(S)	1
INTERACTION, DRUG(S)	1
NERVOUSNESS	1
PAIN	1
PNEUMONIA	1
PR-COLON, LESION(S)	1
PROLAPSE, RECTUM	1
PR-SM INTEST, LESION(S)	1
SKIN DISORDER	1
STIFFNESS, HIND LIMB(S)	1
TWITCH	1
VOLVULUS	1

DRUG: TIAMULIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
RASH	1

DRUG: TICARCILLIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TICARCILLIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-VIAL(S), DAMAGED	2

DRUG: TICARCILLIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TICARCILLIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLITIS	1
DEATH(EUTHANIZED)	1
LAMINITIS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	48
PD-MISSING, LABEL(S)	16
PD-COLOR, ABN	14
PD-UNDERFILL, PACKAGE	11
PD-VIAL(S), DAMAGED	9
PD-UNDERFILL, VIAL(S)	7
PD-VIAL(S), ABN	7
PD-GRANULES/POWDER, ABN	6
PD-PRODUCT DEFECT	3
PD-SEAL, ABN	3
PD-VIAL(S), LEAKING	3
PD-CONTAINER(S), DAMAG	2
PD-LABEL(S), ABN	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-MISSING, CAP	2
PD-CAP(S), ABN	1
PD-CONTAMINATION	1
PD-CONTAM, MOLD	1
PD-POTENCY, LO	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: INTRAUTERINE

Sign:	Number of Times Reported:
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DISTRESS, RESP	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	4
ATAXIA	4
DEATH	3
INEFFECT, ANESTHESIA	3
ANOREXIA	2
ANESTH RECOV TURBULENT	1
ANISOCORIA	1
APNEA	1
ARREST, HEART	1
DEAFNESS	1
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPOPNEA	1
MYDRIASIS	1
NYSTAGMUS	1
NYSTAGMUS, HORIZONTAL	1
VESTIBULAR DISORDER	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
VOMITING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	3
ANESTH RECOV TURBULENT	1
INEFFECT, SEDATION	1
KIDNEY FAILURE	1
POLYDIPSIA	1
POLYURIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: UNKNOWN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANESTH INDUCTION PROLONGED	1
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
CONGESTION, EYE(S)/LID	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1
PAIN, EYE(S)/LID(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
APNEA	1
DEATH	1
LESION(S), SKIN	1
NECROSIS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	303
ANESTH RECOV PROLONGED	153
ATAXIA	131
APNEA	123
ARREST, HEART	118
EDEMA, LUNG(S)/TRACHEA	90
DYSYPNEA	85
INEFFECT, ANESTHESIA	75

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	67
FEVER, BODY	63
ANOREXIA	44
CYANOSIS	33
MYDRIASIS	32
RECUMBENCY	32
BLINDNESS	30
ANESTH RECOV TURBULENT	28
DEATH(EUTHANIZED)	28
HYPOTHERMIA, BODY	28
BRADYCARDIA	27
PR-LUNG(S), LESION(S)	27
HEAD TILT	26
NYSTAGMUS	26
VOCALIZATION	26
HEAD BOBBING	25
TREMBLING	24
HYPOTHERMIA	23
CONVULSION(S)	22
NEUROLOGICAL DISORDER	22
CYANOSIS, MUCOUS MEMBR	21
VESTIBULAR DISORDER	17
VOMITING	17
CONFUSION	16
HYPOPNEA	15
RADIOGRAPH(S) ABN	15
TWITCH	15
CIRCLING	14
PR-HEART, LESION(S)	14
AGGRESSION	13
BLINDNESS, TEMP	13
CONGESTION, LUNG(S)	13
DISTRESS, RESP	13
PR-LUNG(S), EDEMA	13
ANISOCORIA	12
COUGHING	12
STAGGERING	12
BUN HI, BLD	11

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERACTIVITY	11
HYPERSALIVATION	11
PR-LIVER, LESION(S)	11
PR-KIDNEY(S), LESION(S)	10
SPASM	10
STUPOR	10
TACHYCARDIA	10
UNCONSCIOUS	10
BEHAVIOR DISORDER	9
POLYPNEA	9
SOUND ABN, RESPIRATORY	9
ANAPHYLAXIS/TOID	8
CNS DISORDER	8
HYPERPNEA	8
NYSTAGMUS, HORIZONTAL	8
SGPT/ALT HI, BLD	8
ANESTH TOO DEEP	7
ARRHYTHMIA	7
BREATHING ABN	7
INTERACTION, DRUG(S)	7
MIOSIS	7
PALLOR, MUCOUS MEMBRAN	7
PROLAPSE, THIRD EYELID	7
REFLEX(ES) ABN	7
THRASHING/PADDLING	7
APPREHENSION	6
CREATININE HI, BLD	6
FROTH, NOSE	6
HORNER'S SYNDROME	6
INEFFECT, SEDATION	6
PARESIS, HIND LIMB(S)	6
PUPIL(S), AREFLEXIA	6
SEDATION PROLONGED	6
ADIPSIA	5
BLD, LUNG(S)/TRACHEA	5
DEAFNESS	5
DIARRHEA	5
DIFFICULTY RISING	5

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EFFUSION, PLEURAL	5
NERVOUSNESS	5
ANEMIA	4
ANURIA	4
BREATHING, PERIODIC	4
CARDIOMEGALY	4
CPK HI, BLD	4
DEHYDRATION	4
DIARRHEA, BLOODY	4
EDEMA, TONGUE	4
FROTH, MOUTH/LIP(S)	4
HYPHEMA	4
JERKING	4
LAMENESS	4
PNEUMONIA	4
PR-PLEURAL EFFUSION	4
SEDATION	4
SEGS HI, BLD	4
TREMBLING, FACE	4
ULCER(S), TONGUE	4
VOMITING, BLOODY	4
WEAKNESS	4
WHEEZING	4
BALANCE DISORDER	3
BITING/CHEWING	3
BLD, URINE	3
BLINDNESS, PARTIAL	3
COLLAPSE	3
DYSPHAGIA	3
EDEMA, PHARYNX	3
GAGGING	3
GLUCOSE HI, BLD	3
HEART DISORDER	3
HEART FAILURE	3
HYPERSENSITIVE, SOUND	3
LIVER ENZYMES HI, BLD	3
MURMUR, HEART	3
P HI, BLD	3

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHAKING, HEAD/FACE	3
SHOCK	3
STUMBLING	3
SWELLING, HEAD/FACE	3
SWELLING, TONGUE	3
WBC HI, BLD	3
WBC LO, BLD	3
ANESTH DURATION BRIEF	2
ANESTH INDUCTION RAPID	2
BILIRUBIN(TOT) HI, BLD	2
BREATHING, DIFFICULT	2
BUN LO, BLD	2
DYSMETRIA	2
EYE DISORDER	2
GLUCOSE LO, BLD	2
HALLUCINATION	2
HEAD PRESSING	2
HYPERESTHESIA	2
HYPERTONIA	2
INFECTION	2
INJ SITE PAIN	2
IRIS, INFLAM	2
KIDNEY FAILURE	2
LARYNGOSPASM	2
LOCOMOTION DISORDER	2
NYSTAGMUS, ROTARY	2
PAIN, FEET/DIGIT(S)	2
PARALYSIS, HIND LIMB(S)	2
PARESIS	2
PHOTOSENSITIZATION	2
PLATELETS LO, BLD	2
PR-CEREBRUM, LESION(S)	2
PRESSURE LO, BLD	2
PR-LYMPH NODE(S), LESI	2
PR-MULT SITES, BLD	2
PR-MULT SITES, CONGEST	2
PROPRIOCEPTIVE DISORDE	2
PR-SPLEEN, LESION(S)	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PULSE THREADY	2
RELUCTANT TO MOVE	2
SEDATION TOO BRIEF	2
SNEEZING	2
STIFFNESS, HIND LIMB(S)	2
STIFFNESS, LIMB(S)	2
STRABISMUS	2
ULCER(S), MOUTH/LIP(S)	2
VISION DISORDER	2
ALBUMIN LO, BLD	1
ALK PHOS HI, BLD	1
ANESTH INDUCTION PROLONGED	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE ERYTHEMA	1
ASCITES	1
ASPHYXIA	1
AZOTEMIA	1
BASOS HI, BLD	1
BLD	1
BLD, ANUS	1
BLD(ECCHYMOSES)	1
BLD, MOUTH/LIP(S)	1
BLD, THORAX	1
CHEMISTRY ABN	1
CHOLESTEROL HI, BLD	1
COLITIS	1
CONGESTION, EYE(S)/LID	1
CONGESTION, MUCOUS MEM	1
CONSTIPATION	1
CREATININE LO, BLD	1
CULTURE/TITER DATA ABN	1
DEAFNESS, PARTIAL	1
DEAFNESS, TEMP	1
DEMENTIA	1
DIARRHEA, MUCOID	1
DIARRHEA, SEVERE	1
DISCHARGE, EAR(S)	1
DISCHARGE, MOUTH/LIP(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DISCHARGE, NOSE	1
DYSURIA	1
ECG ABN	1
EDEMA	1
EDEMA, LARYNX	1
EDEMA, LIMB(S)	1
ELIMINATION ABN	1
ENLARGEMENT, LYMPH NOD	1
EOSINOS HI, BLD	1
ERUPTION(S)	1
HAIR, ABN	1
HEMATOCHEZIA	1
HEPATOMEGALY	1
ICTERUS, BODY	1
INCISION SITE, ECCHYMOSIS	1
INCONTINENCE, URINARY	1
INEFFECT	1
INEFFECT, ANALGESIA	1
INJ SITE MASS	1
IRRITATION, PHARYNX/TH	1
K HI, BLD	1
K LO, BLD	1
LICKING	1
LIPASE HI, BLD	1
MICROORANISMS, URINE	1
MORIBUND	1
MUCOUS MEMBR, ABN COLO	1
NEUROPATHY	1
NYSTAGMUS, POSITIONAL	1
NYSTAGMUS, VERTICAL	1
OPISTHOTONOS	1
PAIN	1
PAIN, ABDOMEN	1
PALLOR	1
PARAESTHESIA	1
PARALYSIS	1
PERITONITIS	1
PLATELETS ABN	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PLATELETS HI, BLD	1
POLYCYTHEMIA	1
POLYCYTHEMIA(RELATIVE)	1
POSTURE ABN	1
PR-BRAIN, LESION(S)	1
PR-GI, PARASITISM	1
PR-HEARTWORM DISEASE	1
PR-MULT SITES, LESION(1
PROTEIN(TOT) HI, BLD	1
PR-PERICARDIAL EFFUSIO	1
PR-SM INTEST, LESION(S)	1
PR-STOMACH, LESION(S)	1
PRURITIS	1
RBC ABN	1
RESPIRATORY DISORDER	1
ROLLING	1
SEDATION RELAPSE	1
SGOT/AST HI, BLD	1
SKIN, NECROSIS	1
SOMNOLENCE	1
SORE(S)	1
SPLENOMEGALY	1
STOOL ABN	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, PHARYNX/THRO	1
SWELLING, SCROTUM	1
TAIL DISORDER	1
TECH ERROR ADMINISTRAT	1
TETANY	1
TRIGLYCERIDES HI, BLD	1
ULCER(S), GI	1
ULCER(S), PHARYNX/THRO	1
URTICARIA	1
UVEITIS	1
WEIGHT LOSS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: COUGAR

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH DURATION BRIEF	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
ATAXIA	1
INEFFECT, SEDATION	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	157
FEVER, BODY	109
INEFFECT, ANESTHESIA	95
ANESTH RECOV TURBULENT	71
APNEA	63
ANESTH RECOV PROLONGED	60
CONVULSION(S)	48
VOCALIZATION	40
ARREST, HEART	39
VOMITING	34
POLYPNEA	30
DEPRESSION/LETHARGY	25
HYPERACTIVITY	18
THRASHING/PADDLING	18
ATAXIA	17
EDEMA, LUNG(S)/TRACHEA	17
INEFFECT, SEDATION	17
CYANOSIS	15
RECUMBENCY	14
DYSYPNEA	12

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TACHYCARDIA	12
BRADYCARDIA	11
HYPERSALIVATION	11
HYPOPNEA	11
TREMBLING	11
ANOREXIA	10
HYPERPNEA	10
SWELLING, HEAD/FACE	10
BUN HI, BLD	8
COLLAPSE	8
CREATININE HI, BLD	8
HYPOTHERMIA	8
PALLOR, MUCOUS MEMBRAN	8
PR-HEART, LESION(S)	8
SPASM	8
BLD, INCISION SITE	7
DEATH(EUTHANIZED)	7
DIARRHEA	7
PR-LIVER, LESION(S)	7
PR-LUNG(S), LESION(S)	7
URTICARIA	7
CONGESTION, LUNG(S)	6
MYDRIASIS	6
NERVOUSNESS	6
TWITCH	6
ALK PHOS HI, BLD	5
ANAPHYLAXIS/TOID	5
ANEMIA	5
ARRHYTHMIA	5
BLD(ECCHYMOSES)	5
BLINDNESS	5
COAGULATION DISORDER	5
HYPOTHERMIA, BODY	5
PARESIS, HIND LIMB(S)	5
PR-KIDNEY(S), LESION(S)	5
RADIOGRAPH(S) ABN	5
SHOCK	5
WBC HI, BLD	5

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
AGGRESSION	4
CONFUSION	4
CYANOSIS, MUCOUS MEMBR	4
GLUCOSE LO, BLD	4
HYPERSENSITIVE, SOUND	4
PAIN, ABDOMEN	4
PHOTOSENSITIZATION	4
SEDATION PROLONGED	4
STAGGERING	4
BITING/CHEWING	3
BLD, LUNG(S)/TRACHEA	3
BLD, URINE	3
BLOAT	3
DEAFNESS	3
DIFFICULTY RISING	3
DISTRESS	3
DISTRESS, RESP	3
HEAD BOBBING	3
INEFFECT	3
NEUROLOGICAL DISORDER	3
PAIN	3
POLYDIPSIA	3
PROPRIOCEPTIVE DISORDE	3
PRURITIS	3
PULSE THREADY	3
SEDATION	3
STUPOR	3
WEAKNESS	3
ANESTH DURATION BRIEF	2
ANESTH INDUCTION RAPID	2
ANESTH TOO DEEP	2
ARRHYTHMIA, BLOCK	2
BEHAVIOR DISORDER	2
BLD	2
BLD(HEMATOMA)	2
BLD, MOUTH/LIP(S)	2
BREATHING ABN	2
BREATHING, PERIODIC	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	2
DELIRIUM	2
DIARRHEA, BLOODY	2
DIC	2
DISCOMFORT	2
EDEMA, HEAD/FACE	2
ENLARGEMENT, LYMPH NOD	2
HALLUCINATION	2
HYPERESTHESIA	2
HYPOSMIA	2
INFLAM, SKIN	2
INJ SITE PAIN	2
INJ SITE SWELLING	2
INTERACTION, DRUG(S)	2
KIDNEY FAILURE	2
LAMENESS	2
NYSTAGMUS	2
PARESIS	2
PD-POTENCY, LO	2
P HI, BLD	2
PLATELETS LO, BLD	2
PNEUMONIA, ASPIRATION	2
PR-LUNG(S), EDEMA	2
PROTEIN(TOT) LO, BLD	2
RBC, ANISO	2
RBC, NUCLEATED	2
SEGS HI, BLD	2
SGPT/ALT HI, BLD	2
SHAKING	2
UNCONSCIOUS	2
VOLVULUS, STOMACH	2
ABN COLOR, URINE	1
ALBUMIN LO, BLD	1
AMYLASE HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ANEMIA, SPHERO	1
ANESTH INDUCTION PROLONGED	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH INDUC TURBULENT	1
ANISOCORIA	1
APPREHENSION	1
ASPHYXIA	1
ATROPHY, MUSCLE(S)	1
AZOTEMIA	1
BALANCE DISORDER	1
BASOS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BILIRUBIN, URINE	1
BLD, ABDOMEN	1
BLD, GI	1
BLD(PETECHIAE)	1
BLD, RECTUM	1
BLD, SKIN	1
CARDIOMEGALY	1
CHOLESTEROL HI, BLD	1
CIRCLING	1
CNS DISORDER	1
CRYSTALS, URINE	1
DEAFNESS, PARTIAL	1
DEAFNESS, TEMP	1
DEATH(NEWBORN)	1
DEFECATION	1
DEHISCENCE	1
DEHYDRATION	1
DERMATITIS, MOIST	1
DIARRHEA, MILD	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DYSMETRIA	1
DYSRHYTHMIA, RESP	1
ECCHYMOSIS, INCISION SITE	1
ECG ABN	1
EDEMA, BRISKET/CHEST	1
EDEMA, LIMB(S)	1
EDEMA, TONGUE	1
EFFUSION, PERITONEAL	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EFFUSION, PLEURAL	1
EOSINOS LO, BLD	1
EXERCISE INTOLERANCE	1
FIBRILLATION, ATRIAL	1
FLY BITING	1
FROTH, MOUTH/LIP(S)	1
GASTROENTERITIS	1
GLOBULIN LO, BLD	1
HEAD PRESSING	1
HEAD TILT	1
HEART FAILURE	1
HEMATOCHEZIA	1
HYPERTONIA	1
ICTERUS, BODY	1
ICTERUS, SERUM	1
INCONTINENCE, URINARY	1
INJ SITE SLOUGH	1
IRRITATION, EYE(S)/LID	1
JERKING	1
KIDNEY DISORDER	1
KIDNEY VALUES HI, BLD	1
LIVER ENZYMES HI, BLD	1
LOCKJAW	1
LYMPHS HI, BLD	1
MELENA	1
MIOSIS	1
MONOS HI, BLD	1
MUCOUS MEMBR, ABN COLO	1
MUCOUS MEMBR, MUDDY	1
MUCOUS MEMBR, RED	1
MURMUR, HEART	1
NEPHRITIS	1
NYSTAGMUS, HORIZONTAL	1
NYSTAGMUS, ROTARY	1
OBSTRUCTION, TRACHEA	1
OLIGURIA	1
OPISTHOTONOS	1
PAIN, JOINT(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, NECK	1
PD-VIAL(S), ABN	1
PLATELETS HI, BLD	1
PNEUMONIA	1
POLYCYTHEMIA	1
POLYCYTHEMIA(RELATIVE)	1
POLYPHAGIA	1
PR-BLD VESSEL(S), LESI	1
PR-BRONCHI, LESION(S)	1
PR-ESOPHAGUS, LESION(S)	1
PR-GI, LESION(S)	1
PR-LYMPH NODE(S), LESI	1
PROTEIN(TOT) HI, BLD	1
PROTEIN, URINE	1
PR-PANCREAS, LESION(S)	1
PR-STOMACH, LESION(S)	1
PTT PROLONGED, BLD	1
RBC, POLYCHROM	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
RUPTURE, ESOPHAGUS	1
SEDATION TOO BRIEF	1
SEPTICEMIA	1
SGOT/AST HI, BLD	1
SHAKING, HEAD/FACE	1
SLOUGH, TONGUE	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
STOOL, MUCOID	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, SCROTUM	1
SWELLING, TONGUE	1
TACHYCARDIA, VENTRICUL	1
TONGUE, ABN	1
TREMBLING, FACE	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
URINATION	1
URINATION ABN	1
VOMITING, BLOODY	1
WHEEZING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DIZZINESS	2
INJ SITE SWELLING	2
NAUSEA	2
CONVULSION(S)	1
DELIRIUM	1
DEPRESSION/LETHARGY	1
HYPOESTHESIA	1
HYPOESTHESIA, FEET/DIG	1
INJ SITE ABN	1
MYDRIASIS	1
PARESTHESIA	1
TWITCH	1
UNCONSCIOUS	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: MONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ARREST, HEART	1
CONGESTION	1
EDEMA	1
HEART DISORDER	1
NECROSIS	1
SHOCK	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: MONKEY

Route of Administration: PARENTERAL

DRUG: TILETAMINE, ZOLAZEPAM

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	6
DEATH	2
ANESTH RECOV TURBULENT	1
DEATH(EUTHANIZED)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	3
ANESTH RECOV PROLONGED	2
DEAFNESS, TEMP	1
DEATH	1
DYSPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PRIMATE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	2
DEATH	2
ALK PHOS HI, BLD	1
ANEMIA	1
CYANOSIS	1
LIVER ENZYMES HI, BLD	1
PLATELETS LO, BLD	1
PROTEIN(TOT) HI, BLD	1
PR-SM INTEST, LESION(S)	1
WBC HI, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PRIMATE

Route of Administration: PARENTERAL

DRUG: TILETAMINE, ZOLAZEPAM

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
ARREST, HEART	1
DEATH	1
INEFFECT, ANESTHESIA	1
PARESIS, HIND LIMB(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: TIGER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	1
INEFFECT, ANESTHESIA	1
STAGGERING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: UNKNOWN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	19
DEATH	5
ANESTH RECOV TURBULENT	3
ANESTH RECOV PROLONGED	2
APNEA	2
ARREST, HEART	2
CONFUSION	1
CONVULSION(S)	1
EDEMA, LUNG(S)/TRACHEA	1
FEVER, BODY	1
HYPERACTIVITY	1
INEFFECT, SEDATION	1
MYDRIASIS	1
SEDATION TOO BRIEF	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	15
ANESTH RECOV PROLONGED	5
ANOREXIA	5
APNEA	5
ATAXIA	5
EDEMA, LUNG(S)/TRACHEA	5
INEFFECT, ANESTHESIA	5
DYSPNEA	4
NYSTAGMUS	4
ANESTH RECOV TURBULENT	3

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLINDNESS	3
FEVER, BODY	3
NEUROLOGICAL DISORDER	3
RECUMBENCY	3
RESPIRATORY DISORDER	3
ARREST, HEART	2
BUN HI, BLD	2
CONVULSION(S)	2
COUGHING	2
HEAD BOBBING	2
MYDRIASIS	2
SPASM	2
TACHYCARDIA	2
TREMBLING	2
VOMITING	2
WEAKNESS	2
ANESTH TOO DEEP	1
BEHAVIOR DISORDER	1
BRADYCARDIA	1
CARDIOMEGALY	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
EFFUSION, PLEURAL	1
FIBRILLATION, ATRIAL	1
FIBRILLATION, VENTRICU	1
HORNER'S SYNDROME	1
HYPERACTIVITY	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
JERKING	1
MURMUR, HEART	1
PD-SOLUTION, ABN	1
PR-HEART, LESION(S)	1
PR-LUNG(S), LESION(S)	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PUPIL(S), AREFLEXIA	1
REFLEX(ES) ABN	1
SNEEZING	1
STAGGERING	1
STIFFNESS	1
STOOL, MUCOID	1
UNCONSCIOUS	1
VISION DISORDER	1
VOCALIZATION	1
VOMITING, BLOODY	1
WBC HI, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DEER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
PD-SOLUTION, ABN	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV TURBULENT	9
DEATH	9
FEVER, BODY	7
INEFFECT, ANESTHESIA	7
ANESTH RECOV PROLONGED	6
APNEA	6
CONVULSION(S)	4
HYPERSALIVATION	3
INEFFECT, SEDATION	3
BLOAT	2
DIARRHEA	2
DYSYPNEA	2

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
POLYPNEA	2
STUPOR	2
VOCALIZATION	2
VOMITING	2
ARREST, HEART	1
ATAXIA	1
BEHAVIOR DISORDER	1
CIRCLING	1
COAGULATION DISORDER	1
CYANOSIS, MUCOUS MEMBR	1
DEATH(EUTHANIZED)	1
DEATH(NEWBORN)	1
DEATH(STILLBORN)	1
DEPRESSION/LETHARGY	1
HYPOTHERMIA	1
INTERACTION, DRUG(S)	1
PD-POTENCY, LO	1
PRESSURE LO, BLD	1
SEDATION	1
SEDATION PROLONGED	1
THRASHING/PADDLING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
HUMAN EXPOSURE, INJ	1
HYPOESTHESIA	1
NAUSEA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TILETAMINE, ZOLAZEPAM

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
FEVER, BODY	1
INEFFECT, ANESTHESIA	1
PD-SOLUTION, ABN	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: PRIMATE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	1
HYPERTONIA	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	6
ANAPHYLAXIS/TOID	1
EDEMA, HEAD/FACE	1
PD-POTENCY, LO	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TILETAMINE, ZOLAZEPAM

Species: CAT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	3
DYSPNEA	2
ANESTH RECOV PROLONGED	1
ATAXIA	1
DEPRESSION/LETHARGY	1
FEVER, BODY	1
HEAD BOBBING	1
HYPERTONIA	1
MAST CELLS HI, BODY	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
TWITCH	1
ULCER(S), TONGUE	1
WBC LO, BLD	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
FEVER, BODY	3
ANESTH RECOV TURBULENT	2
DEATH	2
INEFFECT, ANESTHESIA	2
ANESTH INDUCTION PROLONGED	1
ANESTH RECOV PROLONGED	1
BLINDNESS	1
CONVULSION(S)	1
MYDRIASIS	1
SEDATION TOO BRIEF	1
THRASHING/PADDLING	1
TREMBLING	1
VOCALIZATION	1
VOMITING	1

DRUG: TILETAMINE, ZOLAZEPAM

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
ANESTH RECOV TURBULENT	1
BITING/CHEWING	1
INEFFECT, SEDATION	1
VOCALIZATION	1

DRUG: TILMICOSIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	28
PD-VIAL(S), DAMAGED	11
PD-VIAL(S), ABN	10
PD-CONTAINER(S), DAMAG	7
PD-CONTAMINATION	6
PD-LABEL(S), ABN	6
PD-SOLUTION, ABN	6
PD-SEAL, ABN	4
PD-UNDERFILL, VIAL(S)	4
PD-VIAL(S), LEAKING	4
PD-UNDERFILL, PACKAGE	3
PD-CAP(S), ABN	2
PD-COLOR, ABN	2
PD-PRODUCT DEFECT	2
INEFFECT, ANTIBIOTIC	1
NO SIGNS	1
PD-CONTAM, MOLD	1
PD-POTENCY, LO	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DISCOMFORT	2

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	2
TASTE ABNORMALITY	2

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	30
DEATH	21
RECUMBENCY	7
INJ SITE SWELLING	6
SWELLING, JOINT(S)	5
ABORTION	3
COLLAPSE	3
DYSPNEA	3
DEPRESSION/LETHARGY	2
LAMENESS	2
STIFFNESS	2
WEAKNESS	2
ABSCCESS, SKIN	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1
ATAXIA	1
COAGULATION DISORDER	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DIFFICULTY RISING	1
EDEMA	1
EPISTAXIS	1
FEVER, BODY	1
INEFFECT, LOSS OF EFFE	1
INJ SITE BLD	1
INJ SITE INFLAM	1
INJ SITE PAIN	1
NEUROLOGICAL DISORDER	1
PAIN, JOINT(S)	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
PARALYSIS	1
PARESIS	1
PD-POTENCY, LO	1
PR-LUNG(S), LESION(S)	1
PUPIL(S), AREFLEXIA	1
SWELLING	1
SWELLING, LIMB(S)	1
TREMBLING	1

DRUG: TILMICOSIN

Species: DEER

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, LOSS OF EFFE	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
CNS DISORDER	1
DEATH	1
NEUROLOGICAL DISORDER	1
UNCONSCIOUS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
CPK HI, BLD	1
LIVER ENZYMES HI, BLD	1
SUICIDE ATTEMPT	1

DRUG: TILMICOSIN

Species: RABBIT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	2
INEFFECT, ANTIBIOTIC	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, BLD	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
ANOREXIA	2
UNPALATABLE, WON'T EAT	2

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	19
PAIN, EYE(S)/LID(S)	19
APPLICATION SITE PAIN	6
CONGESTION, EYE(S)/LID	4
PRESSURE HI, BLD	4
TASTE ABNORMALITY	4
VISION DISORDER	4
APPLICATION SITE ERYTHEMA	2
APPREHENSION	2
HEADACHE	2
NAUSEA	2

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
SWELLING, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1
APPLICATION SITE INFLAM	1
CONJUNCTIVITIS	1
DEPRESSION/LETHARGY	1
DIZZINESS	1
HYPOTHERMIA	1
PAIN, BRISKET/CHEST	1
PAIN, MUSCLE(S)	1
PHOTOPHOBIA	1
PRURITIS, EYE(S)	1
REACTION, UNSPECIFIED	1
SHAKING	1
SPASM	1
TACHYCARDIA	1
TREMBLING	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	5
LAMENESS	4
DEATH(EUTHANIZED)	3
DISCHARGE, NOSE	2
ANOREXIA	1
ARTHRITIS, SEPTIC	1
BLOAT	1
COUGHING	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DISTENTION, ABDOMEN	1
HEART DISORDER	1
HYPOMOTILITY	1
INEFFECT, ANTIBIOTIC	1
INFECTION, FEET/DIGIT(1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	1
POLYPNEA	1
PR-BONE(S), LESION(S)	1
PR-HEART, LESION(S)	1
PR-JOINT(S), SEPSIS	1
PR-LUNG(S), LESION(S)	1
SEPTICEMIA	1

DRUG: TILMICOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
PAIN	1
PARALYSIS	1
UNCONSCIOUS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	88
PAIN, BRISKET/CHEST	23
NAUSEA	22
HEADACHE	21
DIZZINESS	19
VOMITING	15
HYPOESTHESIA	13
TACHYCARDIA	13
APPREHENSION	11
IRRITATION, PHARYNX/TH	9
FEVER, BODY	8
HYPOESTHESIA, MOUTH/LIP(S)	8
DEPRESSION/LETHARGY	7
IRRITATION, MOUTH/LIP(7

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
PRESSURE HI, BLD	7
BRADYCARDIA	6
DIARRHEA	6
DYSPNEA	6
TONGUE, ABN	6
ILL	5
PAIN, ABDOMEN	5
SHAKING	5
SWEATING	5
NERVOUSNESS	4
SWELLING, TONGUE	4
ARRHYTHMIA	3
DISCOMFORT, MOUTH/LIP(S)	3
PAIN, MOUTH/LIP(S)	3
PAIN, MUSCLE(S)	3
SWELLING, PHARYNX/THRO	3
TREMBLING	3
APPLICATION SITE PAIN	2
ECG ABN	2
GAGGING	2
HUMAN EXPOSURE, MOUTH/	2
HYPERSALIVATION	2
RASH	2
SOMNOLENCE	2
VISION DISORDER	2
XEROSTOMIA	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE INFLAM	1
ATAXIA	1
BRONCHITIS	1
CONFUSION	1
CONGESTION, SKIN	1
COUGHING	1
CPK HI, BLD	1
DEATH(SUICIDE)	1
DEHYDRATION	1
DEMENTIA	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DRY MOUTH SYNDROME	1
DYSPHAGIA	1
ENLARGEMENT, SALIVARY GLAND	1
HOT FLUSH	1
HYPERACTIVITY	1
HYPOESTHESIA, FEET/DIG	1
HYPOPNEA	1
NEUROLOGICAL DISORDER	1
PAIN, BACK	1
PAIN, LIMB(S)	1
PAIN, NECK	1
PARAESTHESIA	1
PARESTHESIA, MOUTH/LIP	1
PNEUMONIA	1
POLYDIPSIA	1
PRESSURE LO, BLD	1
PRURITIS	1
REACTION, UNSPECIFIED	1
SPASM	1
STOMATITIS	1
SWELLING, MOUTH/LIP(S)	1
SYNCOPE	1
ULCER(S), TONGUE	1
URTICARIA	1
VOCALIZATION	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	28
DEATH	16
ANOREXIA	14
UNPALATABLE, WON'T EAT	13
DEATH(EUTHANIZED)	4

DRUG: TILMICOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(TX FAILURE)	3
LOSS OF CONDITION	3
ENTERITIS	2
LAMENESS	2
OFF FEED	2
POOR PERFORMANCE	2
PROLAPSE, RECTUM	2
RESPIRATORY DISORDER	2
TECH ERROR, MIXING	2
AGGRESSION	1
ALOPECIA	1
ARTHRITIS, SEPTIC	1
ATAXIA	1
BEHAVIOR DISORDER	1
COUGHING	1
DEATH(NEWBORN)	1
DIARRHEA, BLOODY	1
EFFUSION, JOINT(S)	1
INFECTION	1
PARTURITION, ABNORMAL	1
PR-NOSE, LESION(S)	1
RECUMBENCY	1
REPRODUCTION DISORDER	1
SEPTICEMIA	1
ULCER(S), GI	1
UNPALATABLE	1
VOLVULUS	1
WEIGHT LOSS	1

DRUG: TILMICOSIN

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
CONVULSION(S)	1
MYDRIASIS	1
POLYPNEA	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	175
INJ SITE SWELLING	65
COLLAPSE	63
INEFFECT, ANTIBIOTIC	59
RECUMBENCY	39
DYSPNEA	26
ANAPHYLAXIS/TOID	25
LAMENESS	20
DEATH(TX FAILURE)	18
DEPRESSION/LETHARGY	13
ANOREXIA	10
ATAXIA	10
SHAKING	8
CONVULSION(S)	7
STAGGERING	7
STIFFNESS	7
TACHYCARDIA	7
THRASHING/PADDLING	7
VOCALIZATION	7
DEATH(EUTHANIZED)	6
INJ SITE INFLAM	6
INJ SITE PAIN	6
WEAKNESS	6
FROTH, MOUTH/LIP(S)	5
INJ SITE EDEMA	5
RELUCTANT TO MOVE	5
TREMBLING	5

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERSALIVATION	4
INJ SITE ABSCESS	4
PARESIS	4
PR-LUNG(S), EDEMA	4
SWELLING, JOINT(S)	4
ABORTION	3
CNS DISORDER	3
DISTRESS, RESP	3
FEVER, BODY	3
HYPERACTIVITY	3
KICKING	3
PAIN	3
PARALYSIS, HIND LIMB(S)	3
PR-HEART, LESION(S)	3
ADIPSIA	2
BLOAT	2
CELLULITIS	2
CIRCLING	2
CONFUSION	2
CULTURE/TITER DATA ABN	2
CYANOSIS	2
DEATH(SLAUGHTERED)	2
DEATH(STILLBORN)	2
DIARRHEA	2
DISCOMFORT	2
FROTH	2
HYPERPNEA	2
LAMINITIS	2
LOCOMOTION DISORDER	2
NEUROLOGICAL DISORDER	2
PR-SM INTEST, LESION(S)	2
SWELLING, HEAD/FACE	2
SWELLING, LIMB(S)	2
SWELLING, NECK	2
SWELLING, TONGUE	2
TECH ERROR ADMINISTRAT	2
ARTHRITIS	1
BLD, SEMEN	1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLINDNESS	1
DEATH(NEWBORN)	1
DIARRHEA, SEVERE	1
DIFFICULTY RISING	1
EDEMA, NECK	1
EDEMA, VENTRAL	1
EFFUSION, PLEURAL	1
ENLARGEMENT, LYMPH NOD	1
EPIPHORA	1
EYE DISORDER	1
GLOBULIN HI, BLD	1
HEAD PRESSING	1
HEAD TILT	1
HEART FAILURE	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOTHERMIA	1
INJ SITE STIFFNESS	1
INJURY	1
INTERACTION, DRUG(S)	1
JOINT DISORDER	1
MONOS HI, BLD	1
MORIBUND	1
NERVOUSNESS	1
OFF FEED	1
OPACITY, CORNEA(S)	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS	1
PARESIS, FORE LIMB(S)	1
PARESIS, FORELIMB(S)	1
PARESIS, HIND LIMB(S)	1
PR-CEREBRUM, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1
PROTRUSION, EYE(S)	1
PROTRUSION, TONGUE	1
PR-PERITONEUM, LESION(1

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-SPLEEN, LESION(S)	1
PR-TRACHEA, LESION(S)	1
PULSE THREADY	1
REACTION, UNSPECIFIED	1
SHOCK	1
STIFFNESS, FRONT LIMB(1
SWEATING	1
SWELLING, EYE(S)/LID(S)	1
TONGUE, ABN	1
TWITCH	1
VOMITING	1
WBC HI, BLD	1
WEAKNESS, NEWBORN	1
WEIGHT LOSS	1

DRUG: TILMICOSIN

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	2
RECUMBENCY	2
CO2 HI, BLD	1
COLLAPSE	1
DEATH	1
NEUROLOGICAL DISORDER	1

DRUG: TILMICOSIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
BRADYCARDIA	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
POLYPNEA	2

DRUG: TILMICOSIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TACHYCARDIA	2
ACCIDENTAL EXPOSURE	1
APNEA	1
APPREHENSION	1
ARREST, HEART	1
CONGESTION, LUNG(S)	1
DISTRESS, RESP	1
HYPERPNEA	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
LAMENESS	1
SPASM	1
VOCALIZATION	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	30
VOCALIZATION	8
COLLAPSE	6
RECUMBENCY	6
ANAPHYLAXIS/TOID	4
DEPRESSION/LETHARGY	4
ATAXIA	2
CONVULSION(S)	2
DISTRESS	2
DISTRESS, RESP	2
DYSYPNEA	2
HYPERPNEA	2
HYPERSALIVATION	2
POLYPNEA	2
PR-LUNG(S), LESION(S)	2
TACHYCARDIA	2

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
ARRHYTHMIA	1
BLOAT	1
CYANOSIS	1
DISCOMFORT	1
FEVER, BODY	1
FROTH, MOUTH/LIP(S)	1
FROTH, NOSE	1
GRINDING TEETH	1
INJ SITE NECROSIS	1
OPISTHOTONOS	1
PAIN	1
PALLOR	1
PALLOR, MUCOUS MEMBRAN	1
PARESIS, HIND LIMB(S)	1
SHOCK	1
SOUND ABN, RESPIRATORY	1
TWITCH	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
CHLORIDE LO, BLD	1
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
LAMINITIS	1
NA LO, BLD	1
POLYPNEA	1
PROTEIN(TOT) LO, BLD	1
WBC HI, BLD	1

DRUG: TILMICOSIN

Species: HORSE

Route of Administration: PARENTERAL

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	202
INJ SITE BLD	113
INJ SITE SWELLING	103
INJ SITE INFLAM	77
DIZZINESS	61
NAUSEA	49
TACHYCARDIA	46
PRESSURE HI, BLD	42
HEADACHE	33
APPREHENSION	31
HYPOESTHESIA	31
PAIN, BRISKET/CHEST	23
TASTE ABNORMALITY	22
INJ SITE ABN	21
WEAKNESS	18
DEPRESSION/LETHARGY	16
INJ SITE STIFFNESS	15
PAIN, LIMB(S)	15
ARRHYTHMIA	13
CONGESTION, SKIN	13
NERVOUSNESS	13
SWEATING	13
DYSPNEA	12
FEVER, BODY	11
VOMITING	11
HYPOESTHESIA, LIMB(S)	10
PAIN	9
SHAKING	9
PAIN, ABDOMEN	8
XEROSTOMIA	8
ILL	7
HYPERPNEA	6
INJ SITE EDEMA	6
INJ SITE INFECT	6

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PAIN, JOINT(S)	6
PRESSURE LO, BLD	6
SYNCOPE	6
DIARRHEA	5
ECG ABN	5
HYPOESTHESIA, FEET/DIG	5
STIFFNESS, HAND(S)	5
STIFFNESS, LIMB(S)	5
SWELLING, LIMB(S)	5
UNCONSCIOUS	5
ACCIDENTAL EXPOSURE	4
BRADYCARDIA	4
COLLAPSE	4
DEATH(SUICIDE)	4
PAIN, MUSCLE(S)	4
SOMNOLENCE	4
URTICARIA	4
VISION DISORDER	4
BLD	3
BLD(HEMATOMA)	3
CYANOSIS	3
DEATH	3
HYPERACTIVITY	3
IRRITATION, PHARYNX/TH	3
PALLOR	3
PARESIS, FORE LIMB(S)	3
PARESIS, HIND LIMB(S)	3
SPASM	3
TREMBLING	3
APPLICATION SITE PAIN	2
ARREST, HEART	2
CELLULITIS	2
CONVULSION(S)	2
HEART DISORDER	2
HOT FLASH	2
HOT FLASH/FLUSH	2
HUMAN EXPOSURE, INJ	2
HYPERESTHESIA	2

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERTONIA	2
INSOMNIA	2
PAIN, BACK	2
PAIN, NECK	2
PALPITATIONS	2
PARAESTHESIA	2
STUPOR	2
ABORTION	1
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APNEA	1
ARTHRITIS	1
ATAXIA	1
ATROPHY, MUSCLE(S)	1
BEHAVIOR DISORDER	1
BLD(ECCHYMOSES)	1
BLOAT	1
BRONCHITIS	1
CA LO, BLD	1
CARDIOMEGALY	1
CHEMISTRY ABN	1
CONFUSION	1
CONGESTION	1
CONGESTION, EYE(S)/LID	1
CONGESTION, NOSE	1
DEHYDRATION	1
DEMENTIA	1
DISCOMFORT	1
EAR DISORDER	1
EKG, ABN	1
EDEMA, LIMB(S)	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT, LYMPH NOD	1
ENLARGEMENT(S)	1
ERUCTATION	1
FIBRILLATION, VENTRICU	1
GLUCOSE LO, BLD	1
HUMAN EXPOSURE, HAND(S)	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA, MOUTH/LIP(S)	1
HYPOMOTILITY	1
HYPOPNEA	1
HYPOTHERMIA	1
INJ SITE EFFUSION	1
INJ SITE MASS	1
INJ SITE PHLEBITIS	1
INJ SITE PRURITIS	1
INJ SITE SLOUGH	1
IRRITATION, EYE(S)/LID	1
IRRITATION, SKIN	1
K LO, BLD	1
LAMENESS	1
LIVER ENZYMES HI, BLD	1
MELENA	1
NEUROLOGICAL DISORDER	1
NO SIGNS	1
ODOR, MOUTH	1
PAIN, EYE(S)/LID(S)	1
PAIN, FEET/DIGIT(S)	1
PAIN, HEAD/FACE	1
PAIN, HIND LIMB(S)	1
PROSTRATION	1
PRURITIS	1
PULSE THREADY	1
RASH	1
RECUMBENCY	1
RESPIRATORY DISORDER	1
STAGGERING	1
STIFFNESS	1
STIFFNESS, FRONT LIMB(1
SWELLING, FEET/DIGIT(S)	1
SWELLING, HEAD/FACE	1
SWELLING, JOINT(S)	1
SWELLING, TONGUE	1
THRASHING/PADDLING	1
TONGUE, ABN	1
US ABN	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING, PROJECTILE	1
VOMITING, SEVERE	1

DRUG: TILMICOSIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
HYPERPNEA	2
NERVOUSNESS	2
ATAXIA	1
CONVULSION(S)	1
CYANOSIS	1
POLYPNEA	1
RECUMBENCY	1
VOCALIZATION	1
VOMITING	1

DRUG: TILMICOSIN

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INJ SITE PAIN	1
SHOCK	1

DRUG: TILMICOSIN

Species: RABBIT

Route of Administration: PARENTERAL

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	15
DYSPNEA	4
RECUMBENCY	3
WEAKNESS	3
DEPRESSION/LETHARGY	2
INJ SITE SWELLING	2
ANAPHYLAXIS/TOID	1
ATAXIA	1
BLD, URINE	1
COLLAPSE	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
HYPERACTIVITY	1
HYPERPNEA	1
NEUROLOGICAL DISORDER	1
STAGGERING	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	36
DIZZINESS	30
NAUSEA	24
HYPOESTHESIA	20
APPREHENSION	17
TACHYCARDIA	16
WEAKNESS	16
APPLICATION SITE PAIN	15
HEADACHE	15
PAIN, BRISKET/CHEST	15
APPLICATION SITE ERYTHEMA	11

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ILL	11
DYSPNEA	10
FEVER, BODY	10
HYPOESTHESIA, FEET/DIG	9
VOMITING	9
DEPRESSION/LETHARGY	8
DIARRHEA	8
CONGESTION, SKIN	7
INFLAM, SKIN	7
RASH	7
APPLICATION SITE INFLAM	6
APPLICATION SITE ABNORMAL	5
HYPERESTHESIA	5
NERVOUSNESS	5
PAIN, ABDOMEN	5
SWEATING	5
APPLICATION SITE SWELLING	3
IRRITATION, SKIN	3
PAIN	3
PAIN, LIMB(S)	3
PALLOR	3
PARESTHESIA	3
PRESSURE LO, BLD	3
PRURITIS	3
SPASM	3
SWELLING, HEAD/FACE	3
TREMBLING	3
VESICLE(S)/BULLAE, SKI	3
APPLICATION SITE LESION(S)	2
ATAXIA	2
CPK HI, BLD	2
HEART DISORDER	2
HOT FLASH/FLUSH	2
HYPOESTHESIA, LIMB(S)	2
HYPOESTHESIA, MOUTH/LIP(S)	2
INJ SITE BLD	2
INJ SITE INFLAM	2
IRRITATION, PHARYNX/TH	2

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
PAIN, FEET/DIGIT(S)	2
PAIN, MUSCLE(S)	2
PARAESTHESIA	2
PARESTHESIA, MOUTH/LIP	2
PRESSURE HI, BLD	2
SHAKING	2
SKIN ABNORMAL	2
SKIN DISORDER	2
SOMNOLENCE	2
STIFFNESS, NECK	2
UNCONSCIOUS	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
APPLICATION SITE PRURITIS	1
ARRHYTHMIA	1
BALANCE DISORDER	1
BEHAVIOR DISORDER	1
BLD(HEMATOMA)	1
BLD, URINE	1
CONFUSION	1
CONGESTION	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
DRY, SKIN	1
DYSPHAGIA	1
ERUCTATION	1
ERUPTION(S)	1
EXFOLIATION, SKIN	1
GASTRITIS	1
HOT FLASH	1
HOT FLUSH	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA	1
INFECTION, SKIN	1
INJ SITE PAIN	1
INJ SITE SWELLING	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
IRRITATION	1
IRRITATION, EYE(S)/LID	1
JERKING	1
NEUROLOGICAL DISORDER	1
PAIN, BACK	1
PARAESTHESIA, NOSE	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1
POLYDIPSIA	1
POLYPNEA	1
SHOCK	1
SKIN, SCAB(S)	1
STAGGERING	1
STOOL ABN	1
SWELLING	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
SWELLING, MOUTH/LIP(S)	1
SWELLING, TONGUE	1
SYNCOPE	1

DRUG: TILMICOSIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANEMIA	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DYSYPNEA	1
FEVER, BODY	1
HEPATOMEGALY	1
ICTERUS	1
ICTERUS, BODY	1
PANCYTOPENIA	1
RADIOGRAPH(S) ABN	1
VOMITING	1

DRUG: TILMICOSIN

Species: CAT

Route of Administration: UNKNOWN

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	39
INEFFECT, ANTIBIOTIC	16
INJ SITE SWELLING	10
COLLAPSE	6
ANAPHYLAXIS/TOID	5
BLOAT	3
DEPRESSION/LETHARGY	3
LAMENESS	3
ANOREXIA	2
FEVER, BODY	2
TECH ERROR ADMINISTRAT	2
ABORTION	1
ACIDOSIS	1
ATAXIA	1
DEATH(TX FAILURE)	1
DIARRHEA	1
DISTRESS, RESP	1
EFFUSION, PLEURAL	1
FROTH, MOUTH/LIP(S)	1
PARESIS	1
PR-MULT SITES, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-WHOLE BODY, LESION(S)	1
RECUMBENCY	1
RELUCTANT TO MOVE	1
RESPIRATORY DISORDER	1
SHOCK	1
STAGGERING	1
SWELLING, VAGINA/VULVA	1

DRUG: TILMICOSIN

Species: DEER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	5
COLLAPSE	1
CONVULSION(S)	1
INJ SITE PAIN	1
RECUMBENCY	1

DRUG: TILMICOSIN

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLOAT	1
WEAKNESS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	13
INJ SITE BLD	8
INJ SITE SWELLING	8
DIZZINESS	6
INJ SITE INFLAM	6
NAUSEA	6
TACHYCARDIA	5
HEADACHE	4
VOMITING	4

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APPREHENSION	3
DEATH(SUICIDE)	3
HYPOESTHESIA	3
PAIN, BRISKET/CHEST	3
PRESSURE HI, BLD	3
ACCIDENTAL EXPOSURE	2
APNEA	2
ARREST, HEART	2
DEATH	2
HUMAN EXPOSURE, INJ	2
SWELLING, HEAD/FACE	2
SWELLING, LIMB(S)	2
TASTE ABNORMALITY	2
UNCONSCIOUS	2
ACIDOSIS	1
AGGRESSION	1
ANAPHYLAXIS/TOID	1
APPLICATION SITE ERYTHEMA	1
ARRHYTHMIA	1
BEHAVIOR DISORDER	1
BLD	1
BREATHING ABN	1
CONFUSION	1
CONGESTION	1
CONGESTION, SKIN	1
CONVULSION(S)	1
CPK HI, BLD	1
DEMENTIA	1
DEPRESSION/LETHARGY	1
DESTRUCTIVENESS	1
DISSOCIATION	1
FEVER, BODY	1
FIBRILLATION, ATRIAL	1
HUMAN EXPOSURE, HAND(S)	1
ILL	1
INJ SITE ABN	1
INJ SITE EDEMA	1
INJ SITE MASS	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PRURITIS	1
INJ SITE SLOUGH	1
NERVOUSNESS	1
PRESSURE LO, BLD	1
PRURITIS	1
PUPIL(S), AREFLEXIA	1
RASH	1
SNEEZING	1
SWELLING	1
SWELLING, MOUTH/LIP(S)	1
VISION DISORDER	1
XEROSTOMIA	1

DRUG: TILMICOSIN

Species: OTHER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PAWING	1
THRASHING/PADDLING	1

DRUG: TILMICOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANTIBIOTIC	1

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
HYPERPNEA	1

DRUG: TILMICOSIN

Species: SHEEP

Route of Administration: UNKNOWN

DRUG: TILMICOSIN

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TASTE ABNORMALITY	64
NAUSEA	20
HEADACHE	16
DEPRESSION/LETHARGY	13
HYPOESTHESIA, MOUTH/LIP(S)	12
TACHYCARDIA	12
DIZZINESS	11
PAIN, BRISKET/CHEST	11
PAIN, EYE(S)/LID(S)	11
HYPOESTHESIA	10
IRRITATION, EYE(S)/LID	9
APPLICATION SITE PAIN	8
VOMITING	7
WEAKNESS	6
DYSPNEA	5
FEVER, BODY	5
APPLICATION SITE ERYTHEMA	4
APPREHENSION	4
CONGESTION, EYE(S)/LID	4
INJ SITE PAIN	4
NERVOUSNESS	4
PRESSURE HI, BLD	4
TONGUE, ABN	4
CONGESTION, SKIN	3
DISCOMFORT, MOUTH/LIP(S)	3
PAIN, ABDOMEN	3

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
APPLICATION SITE INFLAM	2
DIARRHEA	2
EYE DISORDER	2
HYPOPNEA	2
INJ SITE INFLAM	2
PAIN	2
PARESTHESIA, MOUTH/LIP	2
SOMNOLENCE	2
STOMATITIS	2
SWEATING	2
URTICARIA	2
ACCIDENTAL EXPOSURE	1
ANOREXIA	1
APPLICATION SITE LESION(S)	1
ATAXIA	1
BLD(HEMATOMA)	1
BREATHING ABN	1
CARDIOMEGALY	1
CONFUSION	1
CONGESTION	1
CONGESTION, SINUS	1
CPK HI, BLD	1
DISCHARGE, NOSE	1
EDEMA, LUNG(S)/TRACHEA	1
ENLARGEMENT(S)	1
EPIPHORA	1
EPISTAXIS	1
GAGGING	1
GLOSSITIS	1
HEART DISORDER	1
HYPERESTHESIA	1
HYPOESTHESIA, EYE(S)/L	1
HYPOESTHESIA, FEET/DIG	1
HYPOESTHESIA, LIMB(S)	1
HYPOTHERMIA	1
ILL	1
INJ SITE BLD	1
IRRITATION, MOUTH/LIP(S)	1

DRUG: TILMICOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1
IRRITATION, SKIN	1
LEG DISORDER	1
LESION(S), MOUTH/LIP(S)	1
LOCOMOTION DISORDER	1
ODOR	1
OTITIS	1
PAIN, HIND LIMB(S)	1
PAIN, JOINT(S)	1
PAIN, MUSCLE(S)	1
PALLOR	1
PALPITATIONS	1
PHOTOPHOBIA	1
PR-MOUTH/LIP(S), LESIO	1
RADIOGRAPH(S) ABN	1
RASH	1
S-IRRITATION, EYE(S)/LID	1
SPASM	1
STAGGERING	1
STIFFNESS, LIMB(S)	1
SUICIDE ATTEMPT	1
SWELLING, HEAD/FACE	1
SWELLING, MOUTH/LIP(S)	1
TREMBLING	1
TWITCH	1
ULCER(S), MOUTH/LIP(S)	1
VESICLE(S)/BULLAE, SKI	1
WHEEZING	1
XEROSTOMIA	1

DRUG: TOCERANIB

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CAP(S), ABN	1
PD-LABEL(S), ABN	1

DRUG: TOCERANIB

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	1

DRUG: TOCERANIB

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(EUTHANIZED)	4
ANOREXIA	2
DEATH	2
DEPRESSION/LETHARGY	2
INEFFECT	2
RELUCTANT TO MOVE	2
ANEMIA	1
ATAXIA	1
BLINDNESS	1
CONVULSION(S)	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISSOCIATION	1
HIDING	1
LICKING	1
NECROSIS, TUMOR	1
ODOR, URINE	1
PARESIS, HIND LIMB(S)	1
PERFORATION, GI	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
SEGS LO, BLD	1
STUMBLING	1
THROMBUS	1
VOMITING, BLOODY	1
WEIGHT LOSS	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	84
VOMITING	70
DEPRESSION/LETHARGY	56
DIARRHEA	53
ANEMIA	47
DEATH(EUTHANIZED)	36
LAMENESS	35
SEGS LO, BLD	33
ALK PHOS HI, BLD	32
SGPT/ALT HI, BLD	30
DEATH	24
WBC LO, BLD	23
PLATELETS LO, BLD	22
WEIGHT LOSS	22
ATAXIA	19
DIARRHEA, BLOODY	19
WEAKNESS	19
INEFFECT	18
LEUKODERMA	17
PARESIS, HIND LIMB(S)	16
ALBUMIN LO, BLD	15
FEVER, BODY	15
PANCREATITIS	15
DIARRHEA, MILD	14
BUN HI, BLD	13
MELENA	12
GGT HI, BLD	11
ALOPECIA	10
HEMATOCHEZIA	9
INEFFECT, LOSS OF EFFE	9
INFECTION, URINARY TRA	9
PR-LIVER, LESION(S)	9
BILIRUBIN(TOT) HI, BLD	8
COLLAPSE	8
CONVULSION(S)	8
CREATININE HI, BLD	8
ENLARGEMENT, LYMPH NOD	8
PALLOR, MUCOUS MEMBRAN	8

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PROTEIN, URINE	8
SGOT/AST HI, BLD	8
US ABN	8
EPISTAXIS	7
LESION(S), SKIN	7
RADIOGRAPH(S) ABN	7
RECUMBENCY	7
US-LIVER ABN	7
WBC HI, BLD	7
DEHYDRATION	6
DIFFICULTY RISING	6
EDEMA, LIMB(S)	6
ARREST, HEART	5
BLD(ECCHYMOSES)	5
CONFUSION	5
DYSPNEA	5
PAIN, HIND LIMB(S)	5
PANCREAS ENZYMES HI, B	5
PRURITIS	5
TACHYCARDIA	5
TREMBLING	5
VOMITING, BLOODY	5
AMYLASE HI, BLD	4
BLD, GI	4
BUN LO, BLD	4
DISTENTION, ABDOMEN	4
EFFUSION, PLEURAL	4
HAIR, ABN COLOR	4
HYPERPNEA	4
INFLAM, SKIN	4
LIPASE HI, BLD	4
LYMPHS LO, BLD	4
PAIN, ABDOMEN	4
PR-PANCREAS, LESION(S)	4
ABSCCESS, SKIN	3
AZOTEMIA	3
BLD, ABDOMEN	3
BLD(PETECHIAE)	3

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
BLD, SKIN	3
BLD, TUMOR	3
BLD, URINE	3
CHOLESTEROL HI, BLD	3
COAGULATION DISORDER	3
CONGESTION, SKIN	3
DISCOMFORT	3
GI, ABNORMAL	3
GLUCOSE LO, BLD	3
INCONTINENCE, URINARY	3
LIVER ENZYMES HI, BLD	3
NAUSEA	3
P HI, BLD	3
POLYPNEA	3
POLYURIA	3
PR-HEART, LESION(S)	3
PR-KIDNEY(S), LESION(S)	3
PROTEIN(TOT) LO, BLD	3
ABSCCESS, TUMOR	2
ADIPSIA	2
BLD	2
BLINDNESS	2
BLINDNESS, TEMP	2
CA HI, BLD	2
CNS DISORDER	2
COUGHING	2
DEFECATION ABN	2
DERMATITIS, MOIST	2
DIARRHEA, MUCOID	2
DIARRHEA, WATERY	2
EFFUSION, PERITONEAL	2
GALL BLADDER, ABN	2
HEAD TILT	2
HEALING IMPAIRED	2
HEPATITIS	2
ICTERUS, BODY	2
KIDNEY VALUES HI, BLD	2
LOCOMOTION DISORDER	2

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MONOS LO, BLD	2
NECROSIS, TUMOR	2
NERVOUSNESS	2
NEUROLOGICAL DISORDER	2
PAIN	2
PAIN, LIMB(S)	2
PRESSURE HI, BLD	2
PR-LUNG(S), LESION(S)	2
PR-SPLEEN, LESION(S)	2
REFLEX(ES) ABN	2
REGURGITATION	2
RETICULOCYTES HI, BLD	2
RUPTURE, TUMOR	2
SLOUGH, FEET/DIGIT(S)	2
SPASM	2
SPLENOMEGALY	2
STUPOR	2
SWELLING	2
THROMBUS	2
TWITCH	2
ULCER(S), SKIN	2
UNCONSCIOUS	2
AMMONIA HI, BLD	1
ANEMIA, AUTOIMMUNE HEM	1
ANEMIA, REGEN	1
ARRHYTHMIA	1
ASCITES	1
ATONY, BLADDER	1
BANDS HI, BLD	1
BILE ACIDS HI, BLD	1
BLD, ABN	1
BLD, LUNG(S)/TRACHEA	1
BLD, RECTUM	1
CA LO, BLD	1
CASTS, URINE	1
CATARACT(S)	1
CIRCLING	1
CNS INFARCT	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLITIS	1
CPK HI, BLD	1
CULTURE/TITER DATA ABN	1
CYSTITIS	1
DIABETES MELLITUS	1
DIARRHEA, SEVERE	1
DISCHARGE, EYE(S)/LID(S)	1
DISTRESS	1
DRY, SKIN	1
DYSURIA	1
ECG, ABN	1
EDEMA	1
EDEMA, BRISKET/CHEST	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
EFFUSION, JOINT(S)	1
EFFUSION, PERICARDIAL	1
EOSINOS HI, BODY	1
EOSINOS LO, BLD	1
ERUPTION(S)	1
FLATULENCE	1
GASTRITIS	1
GASTROENTERITIS	1
GLUCOSE HI, BLD	1
HAIR, ABN	1
HEAD PRESSING	1
HEART DISORDER	1
HEPATOMEGALY	1
HYPERESTHESIA	1
HYPOADRENOCORTICISM	1
HYPOTHERMIA	1
INCISION SITE ABN	1
INTERACTION, DRUG(S)	1
KIDNEY DISORDER	1
LIPIDS HI, BLD	1
LIVER FAILURE	1
LOSS OF CONDITION	1
MASS	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
MICROORGANISMS, URINE	1
MRI SCAN ABN	1
MYDRIASIS	1
NA:K LO, BLD	1
NECROSIS	1
OTITIS	1
PACING	1
PAIN, MUSCLE(S)	1
PARESIS, FORELIMB(S)	1
PERFORATION, STOMACH	1
PERITONITIS	1
PLATELETS HI, BLD	1
PNEUMONIA	1
PNEUMONIA, ASPIRATION	1
POLYDIPSIA	1
PR-ADRENAL(S), LESION(S)	1
PR-BONE(S), LESION(S)	1
PR-BRAIN, LESION(S)	1
PRESSURE LO, BLD	1
PR-GALL BLADDER, LESION(S)	1
PR-GI, LESION(S)	1
PR-HEARTWORM DISEASE	1
PR-LYMPH NODE(S), LESI	1
PR-MUSCLE(S), LESION(S)	1
PROPRIOCEPTIVE DISORDE	1
PROTEIN(TOT) HI, BLD	1
PR-SKIN, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PTT PROLONGED, BLD	1
PULSE THREADY	1
PUPIL(S), AREFLEXIA	1
RELUCTANT TO MOVE	1
RETINA ABN	1
SCALE(S), SKIN	1
SEPSIS	1
SHOCK	1
SKIN, CRUST(S)	1
SKIN, NECROSIS	1

DRUG: TOCERANIB

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
SKIN, SCAB(S)	1
SNEEZING	1
SOUND ABN, RESPIRATORY	1
STRABISMUS	1
STUMBLING	1
SWELLING, JOINT(S)	1
SWELLING, LIMB(S)	1
SYNCOPE	1
TECH ERROR	1
TEETH, ABN	1
TENESMUS, RECTAL	1
THYROID HORMONE(S) LO	1
TRIGLYCERIDES HI, BLD	1
ULCER(S)	1
ULCER(S), CORNEA(S)	1
ULCER(S), FEET/DIGIT(S)	1
ULCER(S), MUCOCUTANEOU	1
URINATION ABN	1
VESICLE(S)/BULLAE, SKI	1
VISION DISORDER	1
VOCALIZATION	1
WBC ABN	1
WEIGHT INCREASE	1

DRUG: TOCERANIB

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
NERVOUSNESS	1
PARESTHESIA	1
SHAKING	1
SKIN ABNORMAL	1
TREMBLING	1

DRUG: TOLAZOLINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-COLOR, ABN	1

DRUG: TOLAZOLINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
ANAPHYLAXIS/TOID	1
RECUMBENCY	1
THRASHING/PADDLING	1
VOCALIZATION	1

DRUG: TOLAZOLINE

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
HYPERPNEA	2
TACHYCARDIA	2
BRADYCARDIA	1
COLLAPSE	1
DIFFICULTY RISING	1
FEVER, BODY	1
NERVOUSNESS	1
PR-HEART, LESION(S)	1

DRUG: TOLAZOLINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	1
DEATH	1

DRUG: TOLAZOLINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	6
COLLAPSE	3
ATAXIA	2
DEPRESSION/LETHARGY	2
DISTRESS, RESP	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
ANURIA	1
APNEA	1
ARREST, HEART	1
BUN HI, BLD	1
COUGHING	1
CPK HI, BLD	1
DYSPNEA	1
DYSURIA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
INCONTINENCE, URINARY	1
KIDNEY FAILURE	1
MYOGLOBIN, URINE	1
PAIN	1
PHALLITIS	1
POLYPNEA	1
SEGS HI, BLD	1
SWEATING	1
THRASHING/PADDLING	1
ULCER(S), STOMACH	1
WBC HI, BLD	1
WHEEZING	1

DRUG: TOLAZOLINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
CONVULSION(S)	3
NYSTAGMUS	2

DRUG: TOLAZOLINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	1
APNEA	1
BLINDNESS, TEMP	1
DEATH(EUTHANIZED)	1
DIARRHEA	1
DYSMETRIA	1
HYPERACTIVITY	1
HYPERESTHESIA	1
MYDRIASIS	1
OPISTHOTONOS	1
PAIN, ABDOMEN	1
RECUMBENCY	1
SWEATING	1
TACHYCARDIA	1
TREMBLING	1

DRUG: TOLAZOLINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
INCONTINENCE, URINARY	1
MYDRIASIS	1

DRUG: TRAMADOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
CIRCLING	1
CONFUSION	1
DISSOCIATION	1
HYPERACTIVITY	1

DRUG: TRAMADOL

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1
ILL	1
MYDRIASIS	1
NERVOUSNESS	1
REPETITIVE MOVEMENTS	1
STARING	1

DRUG: TRAMADOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
ANOREXIA	1
BEHAVIOR DISORDER	1
CONFUSION	1
HEAD BOBBING	1
NERVOUSNESS	1
POLYDIPSIA	1
PRURITIS	1
RASH	1

DRUG: TRAZODONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
HYPERACTIVITY	1
SLEEP ABN	1
TEETH, ABN	1

DRUG: TRENBOLONE

Species: DOG

Route of Administration: ORAL

DRUG: TRENBOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1

DRUG: TRENBOLONE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	4
DEATH	3
COLLAPSE	2
FROTH, MOUTH/LIP(S)	1
SWELLING, EAR(S)	1
SWELLING, VAGINA/VULVA	1

DRUG: TRENBOLONE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
MYOSITIS	1

DRUG: TRENBOLONE

Species: CATTLE

Route of Administration: SUPPOSITORY

Sign:	Number of Times Reported:
AGGRESSION	1

DRUG: TRIAMCINOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SUSPENSION, ABN	225
PD-GRANULES/POWDER, ABN	21

DRUG: TRIAMCINOLONE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	17
PD-SOLUTION, ABN	10
PD-COLOR, ABN	8
PD-SEAL, ABN	5
PD-VIAL(S), DAMAGED	5
PD-CAP(S), ABN	3
PD-VIAL(S), LEAKING	3
PD-CONTAINER(S), DAMAG	2
PD-CONTAMINATION	2
PD-UNDERFILL, VIAL(S)	2
INEFFECT, ANTIINFLAM	1
PD-LABEL(S), ABN	1
PD-MISSING, LABEL(S)	1
PD-UNDERFILL, PACKAGE	1
PD-VIAL(S), ABN	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
IRRITATION, PHARYNX/TH	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
CONVULSION(S)	1
PALLOR, MUCOUS MEMBRAN	1
POLYDIPSIA	1
POLYURIA	1
SHOCK	1
ULCER(S), STOMACH	1
URTICARIA	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
BIRTH DEFECT(S), HEAD/	1
DEATH(NEWBORN)	1
MURMUR, HEART	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIABETES MELLITUS	1
GLUCOSE HI, BLD	1
WEIGHT LOSS	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYDIPSIA	2
POLYURIA	2
VOMITING	2
AGGRESSION	1
BLD	1
BLD, ABDOMEN	1
CONGESTION, SKIN	1
DEATH	1
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1
LESION(S), SKIN	1
MASS	1
MASS, ABDOMEN	1
POLYPHAGIA	1
PR-ADRENAL(S), LESION(S)	1
PRURITIS	1
RECUMBENCY	1
SHAKING	1
TONGUE, ABN	1
ULCER(S), PHARYNX/THRO	1
ULCER(S), STOMACH	1
VOMITING, UNPRODUCTIVE	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	1
TASTE ABNORMALITY	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	2
EDEMA, LUNG(S)/TRACHEA	2
FEVER, BODY	2
ALOPECIA	1
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
COLLAPSE	1
CONVULSION(S)	1
COUGHING	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CYANOSIS, MUCOUS MEMBR	1
DEATH(EUTHANIZED)	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
HYPERPNEA	1
HYPERSALIVATION	1
HYPOTHERMIA, BODY	1
INEFFECT, ANTIINFLAM	1
INFECTION, SKIN	1
MYDRIASIS	1
PARESIS, HIND LIMB(S)	1
POLYCYTHEMIA	1
RADIOGRAPH(S) ABN	1
SOUND ABN, RESPIRATORY	1
VOCALIZATION	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	82
VOMITING	65
PALLOR, MUCOUS MEMBRAN	31
URTICARIA	28
DEPRESSION/LETHARGY	25
SHOCK	24
COLLAPSE	23
DIARRHEA	18
SWELLING, HEAD/FACE	16
FEVER, BODY	15
PRURITIS	14
POLYDIPSIA	13
POLYURIA	13
WEAKNESS	13
POLYPNEA	12
RECUMBENCY	12

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	10
DEATH	10
DYSPNEA	10
DIARRHEA, BLOODY	9
TACHYCARDIA	9
INEFFECT, ANTIINFLAM	8
ALK PHOS HI, BLD	7
ANOREXIA	7
ATAXIA	7
BRADYCARDIA	7
CONVULSION(S)	7
DEATH(EUTHANIZED)	7
WBC HI, BLD	7
SGPT/ALT HI, BLD	6
CYANOSIS, MUCOUS MEMBR	5
PALLOR	5
GLUCOSE HI, BLD	4
NERVOUSNESS	4
PRESSURE LO, BLD	4
ALBUMIN LO, BLD	3
APNEA	3
BUN HI, BLD	3
EDEMA	3
EDEMA, HEAD/FACE	3
HYPERPNEA	3
LIVER ENZYMES HI, BLD	3
URINATION	3
AMYLASE HI, BLD	2
ANEMIA	2
ARRHYTHMIA	2
BILIRUBIN(TOT) HI, BLD	2
CONFUSION	2
CONGESTION, EYE(S)/LID	2
COUGHING	2
CPK HI, BLD	2
CYANOSIS	2
DEFECATION	2
DIARRHEA, MILD	2

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EDEMA, LARYNX	2
EDEMA, LUNG(S)/TRACHEA	2
ENLARGEMENT, LYMPH NOD	2
HYPERSALIVATION	2
INCONTINENCE, URINARY	2
K LO, BLD	2
PLATELETS LO, BLD	2
PRURITIS, FEET/DIGIT(S)	2
RADIOGRAPH(S) ABN	2
SCALE(S), SKIN	2
SEDIMENT, URINE	2
SGOT/AST HI, BLD	2
SKIN, CRUST(S)	2
SOUND ABN, RESPIRATORY	2
SWELLING, EAR(S)	2
SWELLING, EYE(S)/LID(S)	2
UNCONSCIOUS	2
ACIDOSIS	1
ALBUMIN HI, BLD	1
APPREHENSION	1
BIRTH DEFECT(S), HEAD/	1
BLD, ABDOMEN	1
BLD, URINE	1
BLINDNESS	1
BREATHING ABN	1
CA HI, BLD	1
CA LO, BLD	1
CAPILLARY REFILL PROLO	1
CASTS, URINE	1
CATARACT(S)	1
CHEMISTRY ABN	1
CONGESTION	1
CONGESTION, EAR(S)	1
CONGESTION, LUNG(S)	1
CREATININE HI, BLD	1
DEHYDRATION	1
DIARRHEA, MUCOID	1
DIFFICULTY RISING	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DILITATION, STOMACH	1
DISCHARGE, EAR(S)	1
DISCHARGE, NOSE	1
DISTENTION, ABDOMEN	1
DIZZINESS	1
EDEMA, FEET/DIGIT(S)	1
EDEMA, LIMB(S)	1
EDEMA, MULTIPLE SITES	1
EDEMA, VULVA	1
FLATULENCE	1
GASTROENTERITIS	1
GGT HI, BLD	1
GLOBULIN LO, BLD	1
GLUCOSE LO, BLD	1
GLUCOSE, URINE	1
HYPERACTIVITY	1
INFLAM	1
INFLAM, SKIN	1
INJ SITE ABSCESS	1
INJ SITE NECROSIS	1
INJ SITE SWELLING	1
IRRITATION, EYE(S)/LID	1
IRRITATION, PERINEUM	1
K HI, BLD	1
LAMENESS	1
LESION(S), SKIN	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
LYMPHS HI, BLD	1
MG HI, BLD	1
MICROORANISMS, URINE	1
MUCOUS MEMBR, MUDDY	1
NA:K LO, BLD	1
NECROSIS	1
OTITIS	1
PAIN, JOINT(S)	1
PARESIS, HIND LIMB(S)	1
P HI, BLD	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PLATELETS ABN	1
P LO, BLD	1
POLYCYTHEMIA(RELATIVE)	1
POLYPHAGIA	1
PR-HEART, LESION(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-MUSCLE(S), LESION(S)	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-SKIN, LESION(S)	1
PULSE THREADY	1
RASH	1
RBC ABN	1
RELUCTANT TO MOVE	1
SEGS HI, BLD	1
SHAKING	1
SKIN, SCAB(S)	1
SOMNOLENCE	1
SPLENOMEGALY	1
STAGGERING	1
STUPOR	1
SWELLING	1
SWELLING, MAMMARY	1
SWELLING, TONGUE	1
TRACHITIS	1
TREMBLING	1
TWITCH	1
ULCER(S), GI	1
UVEITIS	1
VOLVULUS, STOMACH	1
VOMITING, BLOODY	1
WBC, URINE	1
WEIGHT LOSS	1

DRUG: TRIAMCINOLONE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMINITIS	13
SWELLING, JOINT(S)	3
ANOREXIA	2
ARTHRITIS	2
DEATH(EUTHANIZED)	2
INJ SITE SWELLING	2
PAIN	2
BEHAVIOR DISORDER	1
BLOAT	1
DEPRESSION/LETHARGY	1
DISCOMFORT	1
EDEMA	1
FEVER, BODY	1
INFECTION, SKIN	1
INJ SITE ABN	1
LAMENESS	1
LOCOMOTION DISORDER	1
PAIN, FEET/DIGIT(S)	1
PAIN, JOINT(S)	1
PAWING	1
PR-BONE(S), LESION(S)	1
PR-LIVER, LESION(S)	1
SLOUGH, SKIN	1
STIFFNESS, FRONT LIMB(1
WBC HI, SYNOVIAL FLUID	1

DRUG: TRIAMCINOLONE

Species: ALPACA

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH(STILLBORN)	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: TOPICAL

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ANEMIA	1
ANOREXIA	1
APPLICATION SITE ALOPECIA	1
APPLICATION SITE HAIR, ABN	1
BLD, MOUTH/LIP(S)	1
DISCOMFORT	1
ERUPTION(S)	1
GINGIVA, ABN	1
HAIR, ABN COLOR	1
HYPERESTHESIA	1
LESION(S), SKIN	1
PRURITIS	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
ALOPECIA	10
DEPRESSION/LETHARGY	7
ANOREXIA	5
POLYDIPSIA	5
APPLICATION SITE ALOPECIA	4
PRURITIS	4
VOMITING	4
APPLICATION SITE, ALOPECIA	3
DISCOMFORT	3
POLYURIA	3
TREMBLING	3
VOCALIZATION	3
ATAXIA	2
CONGESTION, SKIN	2
CONVULSION(S)	2
EXFOLIATION, SKIN	2
HYPERACTIVITY	2
INFLAM, SKIN	2
LICKING	2

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
LIVER ENZYMES HI, BLD	2
ROLLING	2
ADIPSIA	1
AGGRESSION	1
APPLICATION SITE ABNORMAL	1
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE INFLAM	1
APPLICATION SITE LESION(S)	1
APPLICATION SITE PRURITIS	1
APPLICATION SITE SKIN, DRY	1
APPREHENSION	1
BLD(PETECHIAE)	1
CHEMISTRY ABN	1
EDEMA, HEAD/FACE	1
ENDOCRINE DISORDER	1
FEVER, BODY	1
GLUCOSE LO, BLD	1
HAIR, ABN	1
HEPATOMEGALY	1
HYPERESTHESIA	1
HYPERSALIVATION	1
HYPOPNEA	1
IRRITATION, MOUTH/LIP(1
MASS, SKIN	1
NERVOUSNESS	1
NOSE ABN	1
PARALYSIS, HIND LIMB(S	1
POLAKIURIA	1
POLYPNEA	1
PROTEIN(TOT) HI, BLD	1
PR-SKIN, LESION(S)	1
RADIOGRAPH(S) ABN	1
SGPT/ALT HI, BLD	1
SHAKING	1
SKIN ABNORMAL	1
SKIN DISORDER	1
SKIN, DRY	1
SWELLING, HEAD/FACE	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
US-LIVER ABN	1
VOMITING, BLOODY	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
HUMAN EXPOSURE	2
TASTE ABNORMALITY	2
ACCIDENTAL EXPOSURE	1
APPLICATION SITE PRURITIS	1
CONGESTION, SKIN	1
DIARRHEA	1
DIZZINESS	1
INFLAM, SKIN	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
PAIN, BRISKET/CHEST	1
PRURITIS	1
RASH	1
SKIN, DRY	1
TONGUE, ABN	1
XEROSTOMIA	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ADIPSIA	1
ANOREXIA	1
CONSTIPATION	1
DEATH(EUTHANIZED)	1
FEVER, BODY	1
HYPERPNEA	1
HYPOTHERMIA, BODY	1

DRUG: TRIAMCINOLONE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PR-LYMPH NODE(S), LESI	1
PR-PLEURA, LESION(S)	1
WEIGHT LOSS	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	16
VOMITING	10
DEPRESSION/LETHARGY	8
DEATH	4
INEFFECT, ANTIINFLAM	4
PALLOR, MUCOUS MEMBRAN	4
POLYPNEA	4
COLLAPSE	3
DIARRHEA	3
DYSYPNEA	3
FEVER, BODY	3
SWELLING, HEAD/FACE	3
ANOREXIA	2
ARREST, HEART	2
ATAXIA	2
BRADYCARDIA	2
CYANOSIS	2
POLYDIPSIA	2
POLYURIA	2
SHOCK	2
URTICARIA	2
WEAKNESS	2
ALOPECIA	1
AMYLASE HI, BLD	1
ANEMIA	1
APNEA	1
APPLICATION SITE ALOPECIA	1
APPREHENSION	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BLD, ABN	1
BLD, SCLERA	1
BLINDNESS	1
BLINDNESS, TEMP	1
BUN HI, BLD	1
CHOLESTEROL HI, BLD	1
COUGHING	1
CREATININE HI, BLD	1
DEAFNESS	1
DEFECATION	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
DRY MOUTH SYNDROME	1
GLAUCOMA	1
HEAD BOBBING	1
HYPERADRENOCORTICISM	1
HYPERKERATOSIS	1
INJ SITE ABSCESS	1
KIDNEY FAILURE	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
MUCOUS MEMBR, MUDDY	1
MYDRIASIS	1
PLATELETS HI, BLD	1
PRESSURE HI, BLD	1
PROPRIOCEPTIVE DISORDE	1
PULSE THREADY	1
RECUMBENCY	1
SGPT/ALT HI, BLD	1
SKIN DISORDER	1
SKIN, SCAB(S)	1
STAGGERING	1
STIFFNESS	1
STUMBLING	1
SWELLING, EAR(S)	1

DRUG: TRIAMCINOLONE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE HAIR, ABN	1
LAMENESS	1
LAMINITIS	1

DRUG: TRIAMCINOLONE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
APPLICATION SITE PRURITIS	1
DYSYPNEA	1
INFLAM, SKIN	1
MYDRIASIS	1
PRESSURE HI, BLD	1
VISION DISORDER	1

DRUG: TRIAMCINOLONE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
BEHAVIOR DISORDER	1
COLLAPSE	1
INEFFECT	1
LAMENESS	1
LICKING	1
POLYDIPSIA	1
POLYURIA	1
SWELLING, JOINT(S)	1
VOMITING	1

DRUG: TRICHLORFON

Species: HORSE

Route of Administration: ORAL

DRUG: TRICHLORFON

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
ENTERITIS	1
SWEATING	1
TENESMUS, RECTAL	1

DRUG: TRILOSTANE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNDERFILL, PACKAGE	2
PD-CONTAINER(S), ABN	1
PD-PRODUCT DEFECT	1
PD-SEAL, ABN	1
PD-TABLET(S), ABN	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLD, URINE	1
LIVER FAILURE	1
NEOPLASM, LIVER	1
US-LIVER ABN	1
VOMITING	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	89
DEPRESSION/LETHARGY	82
VOMITING	70
DIARRHEA	51

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
K HI, BLD	31
BUN HI, BLD	27
SHAKING	23
ALK PHOS HI, BLD	22
NA:K LO, BLD	21
HYPOADRENOCORTICISM	17
WEAKNESS	17
CREATININE HI, BLD	16
NA LO, BLD	15
SGPT/ALT HI, BLD	15
DEATH(EUTHANIZED)	14
PARESIS, HIND LIMB(S)	12
WEIGHT LOSS	12
ANEMIA	11
DEATH	11
DIARRHEA, BLOODY	10
TREMBLING	10
CONVULSION(S)	9
PANCREATITIS	9
RADIOGRAPH(S) ABN	9
ACTH STIM ABN	8
COLLAPSE	8
DEHYDRATION	8
WBC HI, BLD	8
ATAXIA	7
NEUROLOGICAL DISORDER	7
US ABN	7
DYSPNEA	6
POLYDIPSIA	6
ADIPSIA	5
CONFUSION	5
GLUCOSE HI, BLD	5
KIDNEY FAILURE	5
LAMENESS	5
NA HI, BLD	5
POLYURIA	5
APPREHENSION	4
CA HI, BLD	4

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CHLORIDE LO, BLD	4
COUGHING	4
DIARRHEA, MILD	4
INFECTION, URINARY TRA	4
INFLAM, SKIN	4
LESION(S), SKIN	4
PARALYSIS, FACIAL NERV	4
POLYPNEA	4
PRURITIS	4
AMYLASE HI, BLD	3
CARDIOMEGALY	3
CHOLESTEROL HI, BLD	3
DIABETES MELLITUS	3
EDEMA, LUNG(S)/TRACHEA	3
FEVER, BODY	3
HYPERPNEA	3
INEFFECT, CUSHINGS	3
KERATOCONJUNCTIVITIS S	3
PAIN, ABDOMEN	3
P HI, BLD	3
PR-ADRENAL(S), LESION(S)	3
PRESSURE HI, BLD	3
RECUMBENCY	3
SEGS HI, BLD	3
SPEC GRAVITY LO, URINE	3
TACHYCARDIA	3
ALOPECIA	2
BEHAVIOR DISORDER	2
BLD(ECCHYMOSES)	2
BLD, URINE	2
CONGESTION	2
CONGESTION, SKIN	2
DISCHARGE, NOSE	2
ERUPTION(S)	2
HYPERACTIVITY	2
ILL	2
K LO, BLD	2
LIVER DISORDER	2

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
NERVOUSNESS	2
PLATELETS LO, BLD	2
PR-LIVER, LESION(S)	2
PR-PANCREAS, LESION(S)	2
RETINA ABN	2
SOUND ABN, RESPIRATORY	2
SWELLING, VAGINA/VULVA	2
ULCER(S), TONGUE	2
VESTIBULAR DISORDER	2
VOCALIZATION	2
VOMITING, BLOODY	2
AGGRESSION	1
ALBUMIN HI, BLD	1
ALBUMIN LO, BLD	1
ANEMIA, REGEN	1
ANESTH RECOV PROLONGED	1
ARREST, HEART	1
ATROPHY, MUSCLE(S)	1
BANDS HI, BLD	1
BILIRUBIN(TOT) HI, BLD	1
BLD, SKIN	1
BLINDNESS	1
BRAIN, NEOPLASM	1
CAPILLARY REFILL PROLO	1
CHEMISTRY ABN	1
COAGULATION DISORDER	1
CONGESTION, LUNG(S)	1
CONJUNCTIVITIS	1
CRYSTALS, URINE	1
DEFECATION	1
DERMATITIS, MOIST	1
DIABETES M, POOR REGUL	1
DIARRHEA, SEVERE	1
DIARRHEA, WATERY	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, VULVA	1
DISTENTION, ABDOMEN	1
DISTRESS	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DYSPHAGIA	1
EDEMA	1
EFFUSION, PERITONEAL	1
ENLARGEMENT, LYMPH NOD	1
EXERCISE INTOLERANCE	1
FLATULENCE	1
FROTH, MOUTH/LIP(S)	1
GALL BLADDER, ABN	1
GGT HI, BLD	1
GLUCOSE, URINE	1
HEAD PRESSING	1
HEAD TILT	1
HORNER'S SYNDROME	1
HYPERSALIVATION	1
HYPOPNEA	1
HYPOTHERMIA, BODY	1
ICTERUS, BODY	1
INFECTION, SKIN	1
LIPASE HI, BLD	1
LIPIDS HI, BLD	1
LIVER ENZYMES HI, BLD	1
LYMPHS LO, BLD	1
MASS, ABDOMEN	1
MASS, SKIN	1
MG HI, BLD	1
MONOS HI, BLD	1
MURMUR, HEART	1
NEOPLASM, LIVER	1
NEPHRITIS	1
NOSE ABN	1
NYSTAGMUS, HORIZONTAL	1
ODOR	1
OTITIS	1
PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PARALYSIS, HIND LIMB(S)	1
PICA	1
PNEUMONIA	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
POLYCYTHEMIA(RELATIVE)	1
PR-KIDNEY(S), LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-LYMPH NODE(S), LESI	1
PROTEIN(TOT) LO, BLD	1
PROTEIN, URINE	1
PR-PERITONEUM, LESION(1
PR-SKIN, LESION(S)	1
PUSTULE(S)	1
RASH	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
SEBORRHEA	1
SEDIMENT, URINE	1
SKIN, SCAB(S)	1
SNEEZING	1
SQUINTING	1
STIFFNESS, FRONT LIMB(1
STOMATITIS	1
STOOL ABN	1
TENESMUS, URINARY	1
THYROID HORMONE(S) LO	1
TWITCH	1
ULCER(S), CORNEA(S)	1
ULCER(S), SKIN	1
UNCONSCIOUS	1
URINATION	1
URTICARIA	1
US-LIVER ABN	1
UVEITIS	1
VESICLE(S)/BULLAE, SKI	1
WBC ABN	1
WEIGHT INCREASE	1

DRUG: TRILOSTANE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIZZINESS	1
HYPOADRENOCORTICISM	1

DRUG: TRILOSTANE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ACTH STIM ABN	1
ANOREXIA	1
ATAXIA	1
BLINDNESS, TEMP	1
BUN HI, BLD	1
CONFUSION	1
CREATININE HI, BLD	1
HYPERSALIVATION	1
HYPOADRENOCORTICISM	1
PROTEIN, URINE	1
RECUMBENCY	1
SPEC GRAVITY LO, URINE	1
WEAKNESS	1

DRUG: TRIPELENNAMINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SEAL, ABN	2
PD-MISSING, CAP	1
PD-VIAL(S), LEAKING	1

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
UDDER, HYPOGALACTIA	1
UDDER, MASTITIS	1
UDDER, MILK ABN	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
LAMINITIS	1
RELUCTANT TO MOVE	1

DRUG: TRIPELENNAMINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	3
DEPRESSION/LETHARGY	2
ANAPHYLAXIS/TOID	1
DEATH	1
DIARRHEA, BLOODY	1
PAIN	1
PAIN, HIND LIMB(S)	1
PALLOR, MUCOUS MEMBRAN	1
VOMITING	1
VOMITING, BLOODY	1

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	6
ATAXIA	3
CONVULSION(S)	3

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPERACTIVITY	3
ANAPHYLAXIS/TOID	1
COLLAPSE	1
DEATH(TX FAILURE)	1
DYSPNEA	1
INEFFECT	1
NEUROLOGICAL DISORDER	1
RECUMBENCY	1

DRUG: TRIPELENNAMINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	4
CONVULSION(S)	3
DEATH	2
DIFFICULTY RISING	2
INEFFECT	2
PAIN, ABDOMEN	2
PRURITIS	2
RECUMBENCY	2
URTICARIA	2
ANAPHYLAXIS/TOID	1
ANOREXIA	1
EDEMA	1
EDEMA, HEAD/FACE	1
FEVER, BODY	1
HYPERACTIVITY	1
NEUROLOGICAL DISORDER	1
PAIN, HIND LIMB(S)	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), EDEMA	1
PR-PANCREAS, LESION(S)	1
PR-SM INTEST, LESION(S)	1
PR-SPLEEN, LESION(S)	1
PR-STOMACH, LESION(S)	1

DRUG: TRIPELENNAMINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
RASH	1
SHAKING, HEAD/FACE	1
SWELLING, HEAD/FACE	1
TACHYCARDIA	1
WEIGHT LOSS	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	6
COLLAPSE	5
CONVULSION(S)	5
HYPERACTIVITY	4
ANAPHYLAXIS/TOID	3
DYSYPNEA	3
MYOSITIS	3
ABORTION	2
ANOREXIA	2
ATAXIA	2
DEATH(EUTHANIZED)	2
INJ SITE STERILE ABSCE	2
INJ SITE SWELLING	2
NERVOUSNESS	2
RECUMBENCY	2
SHAKING	2
TWITCH	2
AGGRESSION	1
APPREHENSION	1
BEHAVIOR DISORDER	1
DEATH(STILLBORN)	1
DISCHARGE, MAMMARY	1
HEAD BOBBING	1
HYPERPNEA	1
HYPERSALIVATION	1
INFECTION	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABN	1
INJ SITE EDEMA	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
PALLOR, MUCOUS MEMBRAN	1
PHOTOPHOBIA	1
PR-MUSCLE(S), LESION(S)	1
REPETITIVE MOVEMENTS	1
SPASM	1
STIFFNESS, NECK	1
SWEATING	1
TACHYCARDIA	1
TREMBLING	1
UDDER, SWELLING	1

DRUG: TRIPELENNAMINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	5
ANAPHYLAXIS/TOID	3
DYSPNEA	3
CONVULSION(S)	2
EDEMA, LUNG(S)/TRACHEA	2
ATAXIA	1
BLOAT	1
DEATH(TX FAILURE)	1
FEVER, BODY	1
HYPERACTIVITY	1
INEFFECT, OTHER DRUG(S)	1

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TRIPELENNAMINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
AGGRESSION	1
ANAPHYLAXIS/TOID	1
ARRHYTHMIA	1
CHEMISTRY ABN	1
DEATH(EUTHANIZED)	1
GLUCOSE HI, BLD	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-SM INTEST, LESION(S)	1

DRUG: TULATHROMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	36
PD-VIAL(S), DAMAGED	17
PD-SEAL, ABN	12
PD-PRODUCT DEFECT	11
PD-VIAL(S), LEAKING	11
PD-CONTAINER(S), DAMAG	8
PD-COLOR, ABN	7
PD-SOLUTION, ABN	7
PD-UNDERFILL, PACKAGE	5
PD-UNDERFILL, VIAL(S)	4
PD-CAP(S), ABN	3
PD-DEFECT UNKNOWN	3
PD-CONTAMINATION	2
NO SIGNS	1
PD-MISSING, CAP	1
PD-VIAL(S), ABN	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
NAUSEA	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
RESIDUE, MILK	1

DRUG: TULATHROMYCIN

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INJ SITE INFLAM	1
INJ SITE SWELLING	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
INJ SITE PAIN	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	4
PAIN, EYE(S)/LID(S)	2
VISION DISORDER	2
CONGESTION, EYE(S)/LID	1
HEADACHE	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
DYSPNEA	1
HEADACHE	1
PAIN	1
PAIN, MOUTH/LIP(S)	1
TASTE ABNORMALITY	1

DRUG: TULATHROMYCIN

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	1
DEATH	1
INJ SITE PAIN	1
INJ SITE PRURITIS	1
PR-BRAIN, LESION(S)	1
PR-CEREBRUM, LESION(S)	1

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HIDING	1

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	1
INJ SITE EDEMA	1
INJ SITE PAIN	1
VOCALIZATION	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	274
DEATH(TX FAILURE)	159
DEATH	90
PR-LUNG(S), LESION(S)	42
INJ SITE SWELLING	25
CULTURE/TITER DATA ABN	20
ANAPHYLAXIS/TOID	19
RECUMBENCY	18
COLLAPSE	12
INJ SITE ALOPECIA	12
ABORTION	10
DYSPNEA	10
ATAXIA	9
FEVER, BODY	9
INJ SITE ABN	9
LAMENESS	9
DEATH(EUTHANIZED)	8
HYPERSALIVATION	8
CONVULSION(S)	7
INJ SITE INFLAM	7
ANOREXIA	6
BLOAT	6
DEPRESSION/LETHARGY	6
INJ SITE PAIN	6
PR-SKIN, LESION(S)	6
RESIDUE, MILK	6
HYPERACTIVITY	5

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE ABSCESS	5
SWELLING, HEAD/FACE	5
WEAKNESS	5
ALOPECIA	4
INTERACTION, DRUG(S)	4
PR-HEART, LESION(S)	4
PR-LUNG(S), EDEMA	4
RESIDUE, MEAT	4
SWELLING, LIMB(S)	4
VOCALIZATION	4
DIFFICULTY RISING	3
INJ SITE EDEMA	3
INJ SITE HAIR, ABN	3
LESION(S), SKIN	3
RESPIRATORY DISORDER	3
SHAKING, HEAD/FACE	3
STAGGERING	3
CELLULITIS	2
CIRCLING	2
CNS DISORDER	2
DISTRESS	2
EDEMA, BRISKET/CHEST	2
ENLARGEMENT(S), SKIN	2
FROTH, MOUTH/LIP(S)	2
HYPERPIGMENTATION, SKI	2
HYPERPNEA	2
INJ SITE FIBROSIS	2
INJ SITE MASS	2
PARESIS, HIND LIMB(S)	2
PD-POTENCY, LO	2
PNEUMONIA	2
PR-LIVER, LESION(S)	2
PR-TRACHEA, LESION(S)	2
STIFFNESS	2
SWELLING, JOINT(S)	2
THRASHING/PADDLING	2
AGGRESSION	1
ANOREXIA (NOT NURSING)	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ASCITES	1
CONFUSION	1
CONGESTION, LUNG(S)	1
CONGESTION, SKIN	1
DEHYDRATION	1
DIARRHEA, SEVERE	1
DISCOMFORT	1
DISTENTION, ABDOMEN	1
DISTRESS, RESP	1
DYSMETRIA	1
EDEMA, NECK	1
EXFOLIATION, SKIN	1
FROTH, NOSE	1
HAIR, ABN COLOR	1
HEAD TILT	1
ILL	1
INJ SITE BLD	1
INJ SITE EMPHYSEMA	1
INJ SITE SEROMA	1
INJ SITE SLOUGH	1
INJ SITE ULCER(S)	1
INTUSSUSCEPTION	1
LEUKODERMA	1
LIVER DISORDER	1
MORIBUND	1
NERVOUSNESS	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
PARESIS, FORE LIMB(S)	1
PD-COLOR, ABN	1
PD-SEAL, ABN	1
PD-SUSPENSION, ABN	1
PHOTOSENSITIZATION	1
PNEUMONIA, ASPIRATION	1
PR-BRAIN, LESION(S)	1
PR-GI, LESION(S)	1
PR-INJ SITE, LESION(S)	1
PR-KIDNEY(S), LESION(S)	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PR-MULT SITES, BLD	1
PR-MULT SITES, EDEMA	1
PR-MUSCLE(S), LESION(S)	1
PROLAPSE, TONGUE	1
PR-STOMACH, LESION(S)	1
REACTION, UNSPECIFIED	1
SCALE(S), SKIN	1
SHAKING	1
SKIN, CRUST(S)	1
SKIN, DRY	1
SLOUGH, SKIN	1
SOUND ABN, RESPIRATORY	1
STIFFNESS, HIND LIMB(S)	1
STIFFNESS, LIMB(S)	1
TORTICOLLIS	1
TWITCH	1
UDDER, SWELLING	1
ULCER(S), CORNEA(S)	1
UNCONSCIOUS	1
VESICLE(S)/BULLAE, SKI	1
VISION DISORDER	1

DRUG: TULATHROMYCIN

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
CIRCLING	1
DEHYDRATION	1
NYSTAGMUS	1

DRUG: TULATHROMYCIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TULATHROMYCIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	1
HYPERSALIVATION	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PR-INJ SITE, LESION(S)	1

DRUG: TULATHROMYCIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	2
VOCALIZATION	2
BLD, ABN	1
BLD, URINE	1
DEPRESSION/LETHARGY	1
PAIN	1
RECUMBENCY	1
RESIDUE, MEAT	1
TREMBLING	1

DRUG: TULATHROMYCIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONFUSION	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
ROLLING	1
SWEATING	1
URTICARIA	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	37
INJ SITE SWELLING	13
INJ SITE INFLAM	11
INJ SITE BLD	5
HYPOESTHESIA	4
DIZZINESS	2
BLD(ECCHYMOSES)	1
CONGESTION, SKIN	1
FEVER, BODY	1
HYPERESTHESIA	1
INJ SITE EDEMA	1
INJ SITE STIFFNESS	1
JOINT DISORDER	1
PARAESTHESIA	1
VOMITING	1
WEAKNESS	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
INJ SITE ABN	3
ANAPHYLAXIS/TOID	2
DEATH(TX FAILURE)	2
DISCOMFORT	2
DISTRESS	2
INEFFECT, ANTIBIOTIC	2
INJ SITE PAIN	2
ANOREXIA	1
DYSPNEA	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
LESION(S), SKIN	1
PARALYSIS, HIND LIMB(S	1
PRURITIS	1
VOCALIZATION	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: PARENTERAL

DRUG: TULATHROMYCIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
FEVER, BODY	1
HEAD PRESSING	1
HYPERSALIVATION	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
INJ SITE PRURITIS	1
MYDRIASIS	1
RESIDUE, MEAT	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	3
APPLICATION SITE PAIN	2
APPLICATION SITE ERYTHEMA	1
APPLICATION SITE SWELLING	1
FIBRILLATION, ATRIAL	1
HEART DISORDER	1
HYPOESTHESIA	1
IRRITATION, EYE(S)/LID	1
NAUSEA	1
PAIN	1
PAIN, ABDOMEN	1
SKIN ABNORMAL	1
TACHYCARDIA	1

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
-------	---------------------------

DRUG: TULATHROMYCIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ATAXIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DYSPNEA	1
HYPOTHERMIA	1
MYDRIASIS	1

DRUG: TULATHROMYCIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	7
DEATH(TX FAILURE)	4
DEATH	2
RESIDUE, MILK	2
ANOREXIA	1
HYPERSALIVATION	1
INJ SITE ABSCESS	1
LESION(S), SKIN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PR-LUNG(S), LESION(S)	1
RECUMBENCY	1
RESIDUE, MEAT	1
VOCALIZATION	1

DRUG: TULATHROMYCIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DIARRHEA	1
INJ SITE SWELLING	1

DRUG: TULATHROMYCIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
HEAD BOBBING	1
RESIDUE, MILK	1
SHAKING, HEAD/FACE	1

DRUG: TULATHROMYCIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	24
INJ SITE SWELLING	12
INJ SITE INFLAM	8
DIZZINESS	3
INJ SITE ABN	2
TREMBLING	2
BLD(ECCHYMOSES)	1
CONGESTION, SKIN	1
EDEMA, LIMB(S)	1
INJ SITE BLD	1
INJ SITE EDEMA	1
INJ SITE PRURITIS	1
LESION(S), SKIN	1
NAUSEA	1
PAIN, LIMB(S)	1
PARAESTHESIA	1
PRURITIS	1
TASTE ABNORMALITY	1
VOMITING	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH(TX FAILURE)	1
INEFFECT, ANTIBIOTIC	1

DRUG: TULATHROMYCIN

Species: PIG

Route of Administration: UNKNOWN

DRUG: TYLOSIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	26
PD-PRODUCT DEFECT	9
UNPALATABLE, WON'T EAT	8
PD-LABEL(S), ABN	7
PD-POTENCY, LO	6
PD-SEAL, ABN	6
PD-COLOR, ABN	5
PD-CONTAINER(S), ABN	5
PD-CONTAMINATION	5
PD-CONTAINER(S), DAMAG	3
PD-ODOR, ABN	3
PD-CONTAM, MOLD	2
PD-DEFECT UNKNOWN	2
PD-SOLUTION, ABN	2
PD-SUSPENSION, ABN	2
PD-VIAL(S), DAMAGED	2
UNPALATABLE	2
NO SIGNS	1
PD-CONTAM, INSECTS	1
PD-VIAL(S), ABN	1
TECH ERROR, MIXING	1
UNPALATABLE, WON'T SWA	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
COUGHING	2
HEADACHE	2
TASTE ABNORMALITY	2
APPREHENSION	1
BRONCHITIS	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
CONGESTION, NOSE	1
IRRITATION, PHARYNX/TH	1
NAUSEA	1
PAIN, MOUTH/LIP(S)	1
SINUSITIS	1
VOMITING	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: INTRAMAMMARY

Sign:	Number of Times Reported:
UDDER, HYPOGALACTIA	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
SPASM	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
HYPERSALIVATION	1
PAIN	1
PARESIS, HIND LIMB(S)	1
POLYDIPSIA	1
VOMITING	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: MISSING

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	3
INEFFECT, ANTIBIOTIC	2
ANAPHYLAXIS/TOID	1
HEMATOCHEZIA	1
INJ SITE SWELLING	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANOREXIA	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
INFLAM, SKIN	1
PRURITIS	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	2
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: NOT APPLICABLE

Sign:	Number of Times Reported:
PD-LABEL(S), ABN	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: OPHTHALMIC

Sign:	Number of Times Reported:
IRRITATION, EYE(S)/LID	5
CONGESTION, EYE(S)/LID	2
PAIN, EYE(S)/LID(S)	2
ABRASION, CORNEA(S)	1
DIZZINESS	1
EDEMA, EYE(S)/LID(S)	1
NAUSEA	1
PRURITIS, EYE(S)	1
RASH	1
SWELLING, EYE(S)/LID(S)	1
TASTE ABNORMALITY	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEPRESSION/LETHARGY	2
ANOREXIA	1
ATAXIA	1
CHOKING	1
DEATH	1
DEATH(TX FAILURE)	1
INEFFECT, ANTIBIOTIC	1
INJ SITE SWELLING	1
MELENA	1
NEUROLOGICAL DISORDER	1
PR-CROP, LESION(S)	1
SWELLING, EYE(S)/LID(S)	1
VOMITING	1

DRUG: TYLOSIN

Species: BUFFALO

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERSALIVATION	4
ALOPECIA	2
UNPALATABLE, WON'T EAT	2
CA HI, BLD	1
CONSTIPATION	1
DEPRESSION/LETHARGY	1
FROTH, MOUTH/LIP(S)	1
HIDING	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
HYPERACTIVITY	1
INEFFECT, ANTIBIOTIC	1
VOCALIZATION	1
VOMITING	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	5
DEATH	4
INEFFECT	4
BLOAT	3
ANOREXIA	2
DEPRESSION/LETHARGY	2
DIARRHEA	2
RESIDUE, MEAT	2
COLLAPSE	1
RESIDUE, MILK	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	8
DEATH	3
DYSPNEA	2
ATAXIA	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DIFFICULTY RISING	1
INTUSSUSCEPTION	1
POLYPNEA	1
PR-LIVER, LESION(S)	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	13
VOMITING	8
ANOREXIA	7
DIARRHEA	6
SGPT/ALT HI, BLD	6
ALK PHOS HI, BLD	5
DEPRESSION/LETHARGY	5
PRURITIS	4
ATAXIA	3
LIVER ENZYMES HI, BLD	3
RASH	3
CIRCLING	2
CONFUSION	2
CONGESTION, SKIN	2
POLYDIPSIA	2
POLYURIA	2
STOOL ABN	2
TENESMUS, RECTAL	2
UNPALATABLE	2
VOCALIZATION	2
WEIGHT LOSS	2
AGGRESSION	1
BEHAVIOR DISORDER	1
BLD, PASSING	1
BLD, URINE	1
BLINDNESS	1
BONE, ABN	1
CALCULI, BLADDER	1
CALCULI, URINE	1
CONSTIPATION	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CREATININE HI, BLD	1
DEAFNESS	1
DEAFNESS, PARTIAL	1
DEATH	1
DEATH(EUTHANIZED)	1
DEHYDRATION	1
DYSPNEA	1
ERUCTATION	1
GAGGING	1
GI, ABNORMAL	1
HEAD TILT	1
HEMATOCHEZIA	1
HEPATITIS	1
HEPATOMEGALY	1
HYPERACTIVITY	1
HYPERPIGMENTATION, SKI	1
HYPERSALIVATION	1
INCONTINENCE, FECAL	1
INEFFECT	1
INEFFECT, ANTIBIOTIC	1
INEFFECT, SEIZURES	1
INFECTION, EYE(S)	1
INFECTION, URINARY TRA	1
INFLAM, SKIN	1
INTERACTION, DRUG(S)	1
IRRITATION, EAR(S)	1
IRRITATION, MOUTH/LIP(1
KERATOCONJUNCTIVITIS S	1
LEUKODERMA	1
LIVER DISORDER	1
MELENA	1
NEOPLASM	1
OFF FEED	1
PAIN, ABDOMEN	1
PAIN, BACK	1
PALLOR, MUCOUS MEMBRAN	1
PANCREATITIS	1
PARESIS, HIND LIMB(S)	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
PD-GRANULES/POWDER, ABN	1
PD-ODOR, ABN	1
PD-UNDERFILL, PACKAGE	1
PR-LIVER, LESION(S)	1
RADIOGRAPH(S) ABN	1
REACTION, UNSPECIFIED	1
SCALE(S), SKIN	1
SEBORRHEA	1
SPLENOMEGALY	1
STAGGERING	1
STOOL, MUCOID	1
TASTE ABNORMALITY	1
ULCER(S), CORNEA(S)	1
URINATION ABN	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DIARRHEA	3
ANOREXIA	1
DEPRESSION/LETHARGY	1
LAMINITIS	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
TASTE ABNORMALITY	11
HYPERESTHESIA	2
COUGHING	1
DIARRHEA	1
DIZZINESS	1
FEVER, BODY	1
HEADACHE	1
HOT FLUSH	1
HYPOESTHESIA	1
NAUSEA	1
PAIN, ABDOMEN	1
PAIN, EYE(S)/LID(S)	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1
PNEUMONIA	1
PRESSURE HI, BLD	1
PRURITIS	1
PRURITIS, EYE(S)	1
SWELLING, MOUTH/LIP(S)	1

DRUG: TYLOSIN

Species: OTHER

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1
STUMBLING	1
SWELLING, EYE(S)/LID(S)	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	37
INEFFECT, ANTIBIOTIC	22

DRUG: TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH(TX FAILURE)	17
INEFFECT	16
DIARRHEA	11
DIARRHEA, BLOODY	11
DIARRHEA, MILD	9
LAMENESS	6
ANOREXIA	5
ENTERITIS	4
TECH ERROR, MIXING	4
FERTILITY, REDUCED	3
INEFFECT, WEIGHT INC	3
PALLOR	3
DEATH(EUTHANIZED)	2
HEMATOCHEZIA	2
LOSS OF CONDITION	2
MELENA	2
POOR PERFORMANCE	2
PR-SM INTEST, LESION(S)	2
PR-SM INTEST, LESION(S)	2
STOOL ABN	2
WEIGHT LOSS	2
AGGRESSION	1
ANEMIA	1
ARTHRITIS	1
BLD, GI	1
BLOAT	1
BONE, ABN	1
COLON, ABN	1
CONSTIPATION	1
CULTURE/TITER DATA ABN	1
DISTRESS	1
EAR DISORDER	1
ENLARGEMENT(S)	1
GASTROENTERITIS	1
GI, ABNORMAL	1
HAIR, ABN	1
HYPERACTIVITY	1
ILL	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, LOSS OF EFPE	1
INFLAM	1
LESION(S)	1
OFF FEED	1
PAIN, FEET/DIGIT(S)	1
PARALYSIS	1
PARALYSIS, ALL LIMBS	1
PD-GRANULES/POWDER, ABN	1
PR-GI, EDEMA	1
PR-GI, LESION(S)	1
PR-HEART, LESION(S)	1
PR-INTEST, LESION(S)	1
PR-MULT SITES, BLD	1
PR-STOMACH, LESION(S)	1
RUPTURE	1
TAIL DISORDER	1
ULCER(S), GI	1
ULCER(S), STOMACH	1
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: RABBIT

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TYLOSIN

Species: TURKEY

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
DEATH	1
DEATH(EUTHANIZED)	1
DIARRHEA, MILD	1
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: TURKEY

Route of Administration: ORAL

DRUG: TYLOSIN

Species: VARIOUS

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
PAIN, ABDOMEN	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: TYLOSIN

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
LAMENESS	2

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	7
INEFFECT, ANTIBIOTIC	4
DYSYPNEA	3
INJ SITE SWELLING	3
RECUMBENCY	3
DEPRESSION/LETHARGY	2
DIARRHEA	2
FEVER, BODY	2
HYPERSALIVATION	2
STUPOR	2

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ABORTION	1
ANOREXIA	1
COLLAPSE	1
CONVULSION(S)	1
COUGHING	1
DEATH(EUTHANIZED)	1
DIFFICULTY RISING	1
HYPERACTIVITY	1
HYPERPNEA	1
INJ SITE PAIN	1
LAMENESS	1
NERVOUSNESS	1
PAIN, JOINT(S)	1
PARALYSIS, HIND LIMB(S)	1
PARESIS, HIND LIMB(S)	1
PD-SEAL, ABN	1
STAGGERING	1
SWELLING, JOINT(S)	1
TREMBLING	1
VOCALIZATION	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	4
ATAXIA	2
DEPRESSION/LETHARGY	2
LAMENESS	2
ANOREXIA	1
CYANOSIS	1
DYSYPNEA	1
HYPERSALIVATION	1
INEFFECT, ANTIBIOTIC	1
INJ SITE PAIN	1
INJ SITE ULCER(S)	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
NECK, VENTROFLEXION	1
PAIN, NECK	1
PARALYSIS	1
RECUMBENCY	1
SOMNOLENCE	1
STUPOR	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	3
INJ SITE SWELLING	3
DEPRESSION/LETHARGY	1
DIARRHEA	1
DYSPNEA	1
GLUCOSE LO, BLD	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
INJ SITE SLOUGH	1
SKIN, CRUST(S)	1
SLOUGH, SKIN	1
VOCALIZATION	1
VOMITING	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOCALIZATION	3
RECUMBENCY	2
ANOREXIA	1
DEATH(NEWBORN)	1
DEPRESSION/LETHARGY	1
DISTRESS	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	1
INEFFECT, ANTIBIOTIC	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
PAIN	1
STAGGERING	1

DRUG: TYLOSIN

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANOREXIA	3
DEPRESSION/LETHARGY	3
RECUMBENCY	2
ABN COLOR, URINE	1
CONGESTION, MUCOUS MEM	1
DIARRHEA, MILD	1
ILL	1
INJ SITE EDEMA	1
LAMENESS	1
PAIN, ABDOMEN	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE PAIN	24
INJ SITE BLD	9
INJ SITE INFLAM	9
INJ SITE SWELLING	7
INJ SITE EDEMA	5
HEADACHE	2
TASTE ABNORMALITY	2
BLD(ECCHYMOSES)	1
CONGESTION	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
DYSPNEA	1
EDEMA	1
ERECTION, ABN	1
HYPOESTHESIA	1
ILL	1
INJ SITE ABN	1
INJ SITE INFECT	1
IRRITATION, PHARYNX/TH	1
PARESTHESIA	1
PHLEBITIS	1
VISION DISORDER	1

DRUG: TYLOSIN

Species: OTHER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INFLAM	1
INJ SITE EDEMA	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	15
INEFFECT, ANTIBIOTIC	5
COLLAPSE	3
CONVULSION(S)	3
RECUMBENCY	3
THRASHING/PADDLING	3
TREMBLING	3
ANAPHYLAXIS/TOID	2
DEPRESSION/LETHARGY	2
HYPERSALIVATION	2
ANOREXIA	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ATAXIA	1
DEATH(EUTHANIZED)	1
DISCOMFORT	1
DYSPNEA	1
EFFUSION, PERITONEAL	1
EFFUSION, PLEURAL	1
HYPOTHERMIA	1
INJ SITE EFFUSION	1
INJ SITE PAIN	1
PR-INJ SITE, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SHAKING	1
SHOCK	1
STIFFNESS	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, LIMB(S)	1
VOCALIZATION	1

DRUG: TYLOSIN

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: SNAKE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
BLD, MULT SITES	1
INFECTION	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
RASH	10
CONGESTION, SKIN	4
PRURITIS	4
INFLAM, SKIN	3
ILL	2
IRRITATION, MOUTH/LIP(2
APPLICATION SITE PRURITIS	1
DISCHARGE, NOSE	1
EDEMA	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EPIPHORA	1
HYPERESTHESIA	1
INFECTION, SKIN	1
IRRITATION, EYE(S)/LID	1
LESION(S), MOUTH/LIP(S	1
LESION(S), SKIN	1
NAIL DISORDER	1
NAUSEA	1
PLATELETS LO, BLD	1
PRURITIS, EYE(S)	1
RESPIRATORY DISORDER	1
SKIN DISORDER	1
SWEATING	1
SWELLING, EYE(S)/LID(S)	1
SWELLING, HEAD/FACE	1
TASTE ABNORMALITY	1
URTICARIA	1
WHEEZING	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	2
DEATH	1
DEATH(TX FAILURE)	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: UNKNOWN

DRUG: TYLOSIN

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, ANTIBIOTIC	4
ABORTION	1
BLOAT	1
COUGHING	1
HEMATOCHEZIA	1
INJ SITE PAIN	1
INJ SITE SWELLING	1
RECUMBENCY	1
RESPIRATORY DISORDER	1

DRUG: TYLOSIN

Species: CHICKEN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
BLD, LUNG(S)/TRACHEA	1
DYSPNEA	1
HYPERACTIVITY	1
INEFFECT, ANTIBIOTIC	1
PNEUMONIA	1
POLYPNEA	1
RECUMBENCY	1

DRUG: TYLOSIN

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2
ANOREXIA	1
CONVULSION(S)	1
DEATH	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
INJ SITE SWELLING	1
PANCREATITIS	1
POLYPHAGIA	1
UNPALATABLE, WON'T EAT	1

DRUG: TYLOSIN

Species: GOAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	2
INEFFECT, ANTIBIOTIC	1
INJ SITE ABN	1
INJ SITE FIBROSIS	1
VOCALIZATION	1

DRUG: TYLOSIN

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ANOREXIA	3
DIARRHEA	2
ANURIA	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
LAMINITIS	1
PAIN, ABDOMEN	1
PAIN, LIMB(S)	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE PAIN	3
INJ SITE SWELLING	2
IRRITATION, EYE(S)/LID	2
IRRITATION, PHARYNX/TH	2
RASH	2
URTICARIA	2
CONGESTION, LUNG(S)	1
DEPRESSION/LETHARGY	1
EAR DISORDER	1
EXFOLIATION, SKIN	1
INFLAM, SKIN	1
NAUSEA	1
PAIN	1
PRESSURE HI, BLD	1
PRURITIS	1
SKIN, DRY	1
SWELLING, FEET/DIGIT(S)	1
SWELLING, LIMB(S)	1
TASTE ABNORMALITY	1
WHEEZING	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, ANTIBIOTIC	3
ANOREXIA	2
ANAPHYLAXIS/TOID	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
DIFFICULTY RISING	1
DYSPNEA	1
INJ SITE INFLAM	1
PARESIS, HIND LIMB(S)	1
PRURITIS	1

DRUG: TYLOSIN

Species: PIG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
ULCER(S), GI	1

DRUG: TYLOSIN

Species: PIGEON

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
FEATHERS, ABNORMAL	1
GI, ABNORMAL	1

DRUG: TYLOSIN

Species: RABBIT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	1

DRUG: TYLOSIN

Species: SHEEP

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: TURKEY

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANTIBIOTIC	1

DRUG: TYLOSIN

Species: BIRD

Route of Administration: VARIOUS

DRUG: TYLOSIN

Species: BIRD

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	1
PR-KIDNEY(S), LESION(S)	1
PR-LIVER, LESION(S)	1
PR-MULT SITES, CONGEST	1
RELUCTANT TO MOVE	1
STUPOR	1

DRUG: TYLOSIN

Species: CATTLE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	2
DEATH	2
COLLAPSE	1
SHAKING	1
TREMBLING	1

DRUG: TYLOSIN

Species: HUMAN

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
TASTE ABNORMALITY	2
NEUROLOGICAL DISORDER	1
RESPIRATORY DISORDER	1

DRUG: URSODIOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
RECUMBENCY	1
VOMITING	1
WEAKNESS	1

DRUG: URSODIOL

Species: DOG

Route of Administration: ORAL

DRUG: URSODIOL

Species: UNKNOWN

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: VIRGINIAMYCIN

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-PRODUCT DEFECT	2
PD-CONTAINER(S), DAMAG	1
PD-LABEL(S), ABN	1
PD-UNKNOWN	1

DRUG: VIRGINIAMYCIN

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1

DRUG: VIRGINIAMYCIN

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	2
DIARRHEA	2
GI, ABNORMAL	1
RECUMBENCY	1

DRUG: VIRGINIAMYCIN

Species: HUMAN

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
SKIN DISORDER	2

DRUG: VITAMIN A, VITAMIN D

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CELLULITIS	1
INJ SITE ABN	1

DRUG: VITAMIN A, VITAMIN D

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
PNEUMONIA	2
DISCHARGE, NOSE	1
VOCALIZATION	1

DRUG: VITAMIN A, VITAMIN D, VITAMIN E

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: VITAMIN B12

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PARESIS, HIND LIMB(S)	1

DRUG: VITAMIN B12

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH(EUTHANIZED)	1
RECUMBENCY	1
THRASHING/PADDLING	1

DRUG: VITAMIN B12

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: VITAMIN B3 (NIACIN, NIACINAMIDE, NICOTINAMIDE)

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
AGGRESSION	1
ALOPECIA	1
APPREHENSION	1
DEPRESSION/LETHARGY	1
HAIR, SHEDDING	1
IRRITATION, EAR(S)	1
PARESIS, HIND LIMB(S)	1
POLYDIPSIA	1
POSTURE ABN	1

DRUG: VITAMIN B COMPLEX

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-SOLUTION, ABN	1

DRUG: VITAMIN B COMPLEX

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
CAPILLARY REFILL PROLO	1
COLLAPSE	1
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
CYANOSIS	1
DEATH	1
FROTH, MOUTH/LIP(S)	1
WEAKNESS	1

DRUG: VITAMIN B COMPLEX

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
PD-COLOR, ABN	1

DRUG: VITAMIN D

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
CA HI, BLD	2
BUN HI, BLD	1
CREATININE HI, BLD	1
DEATH	1
VOMITING	1

DRUG: VITAMIN K1 (PHYTONADIONE)

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
COLLAPSE	2

DRUG: VITAMIN K1 (PHYTONADIONE)

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
TREMBLING	2
ATAXIA	1
DEATH	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1
PALLOR, MUCOUS MEMBRAN	1
PRURITIS	1
URTICARIA	1

DRUG: VITAMINS, MULTIPLE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-DISPENSER, ABN	1
PD-ODOR, ABN	1
PD-SOLUTION, ABN	1
PD-VIAL(S), DAMAGED	1
PD-VIAL(S), LEAKING	1

DRUG: VITAMINS, MULTIPLE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	2
AGGRESSION	1
BITING/CHEWING	1
CREATININE HI, BLD	1
DEHYDRATION	1
DEPRESSION/LETHARGY	1
DIARRHEA, BLOODY	1
DIARRHEA, MILD	1
KIDNEY FAILURE	1
NERVOUSNESS	1
VOMITING	1
VOMITING, BLOODY	1

DRUG: VITAMINS, MULTIPLE

Species: CAT

Route of Administration: ORAL

DRUG: VITAMINS, MULTIPLE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	1
ILL	1

DRUG: VITAMINS, MULTIPLE

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
BLINDNESS	1
FEVER, BODY	1
STAGGERING	1
STUMBLING	1

DRUG: VITAMINS, MULTIPLE

Species: ALPACA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
DEATH	1

DRUG: XYLAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-POTENCY, LO	8
PD-SOLUTION, ABN	6
PD-COLOR, ABN	4
PD-CONTAINER(S), DAMAG	3
PD-PRODUCT DEFECT	2

DRUG: XYLAZINE

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-UNKNOWN	2
PD-VIAL(S), ABN	2
INEFFECT, SEDATION	1
PD-CONTAINER(S), ABN	1
PD-POTENCY, HI	1
PD-UNDERFILL, VIAL(S)	1

DRUG: XYLAZINE

Species: CAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1

DRUG: XYLAZINE

Species: DEER

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	2
PD-POTENCY, LO	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: MISSING

Sign:	Number of Times Reported:
BILIRUBIN, URINE	1
BLD, URINE	1
CPK HI, BLD	1
DEATH	1
DEPRESSION/LETHARGY	1
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1
PD-POTENCY, LO	1

DRUG: XYLAZINE

Species: GOAT

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
DYSPNEA	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	7
PRESSURE HI, BLD	2
ANESTH RECOV TURBULENT	1
APNEA	1
CONVULSION(S)	1
DEATH	1
HYPERACTIVITY	1
REFLEX(ES) ABN	1
SHAKING	1

DRUG: XYLAZINE

Species: MISSING INFORMATION

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: MOUSE

Route of Administration: MISSING

Sign:	Number of Times Reported:
DEATH	1
SEDATION TOO DEEP	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: MISSING

Sign:	Number of Times Reported:
INEFFECT, SEDATION	4
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
VOMITING	1

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: ORAL

Sign:	Number of Times Reported:
IRRITATION, MOUTH/LIP(2
SOMNOLENCE	2

DRUG: XYLAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	9
ARREST, HEART	6
ANESTH RECOV PROLONGED	4
APNEA	4
INEFFECT, ANESTHESIA	4
EDEMA, LUNG(S)/TRACHEA	3
SEDATION TOO DEEP	3
ATAXIA	2
CONVULSION(S)	2
CYANOSIS	2
DEATH(EUTHANIZED)	2
DYSPNEA	2
HYPPOPNEA	2

DRUG: XYLAZINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SEDATION PROLONGED	2
VOCALIZATION	2
BLD(ECCHYMOSES)	1
BLD, LUNG(S)/TRACHEA	1
BLD(PETECHIAE)	1
BLINDNESS	1
BLINDNESS, PARTIAL	1
BRADYCARDIA	1
FEVER, BODY	1
HEAD TILT	1
HYPERACTIVITY	1
HYPERSALIVATION	1
ICTERUS, BODY	1
INEFFECT, SEDATION	1
LIVER ENZYMES HI, BLD	1
NEUROLOGICAL DISORDER	1
PLATELETS LO, BLD	1
PNEUMONIA, ASPIRATION	1
PR-LIVER, LESION(S)	1
PUPIL(S), AREFLEXIA	1
RECUMBENCY	1
TREMBLING	1
VESTIBULAR DISORDER	1
WEIGHT LOSS	1

DRUG: XYLAZINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	10
INEFFECT, SEDATION	4
DYSPNEA	3
INEFFECT, ANESTHESIA	3
ARREST, HEART	2
BLOAT	2
COLLAPSE	2

DRUG: XYLAZINE

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANAPHYLAXIS/TOID	1
ANESTH RECOV PROLONGED	1
APNEA	1
ENLARGEMENT(S), SKIN	1
HYPOPNEA	1
INEFFECT	1
RECUMBENCY	1
UNCONSCIOUS	1
VOCALIZATION	1

DRUG: XYLAZINE

Species: DEER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	5
DEATH	4
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	23
CONVULSION(S)	9
INEFFECT, ANESTHESIA	9
INEFFECT, SEDATION	8
APNEA	7
VOMITING	6
ANESTH RECOV PROLONGED	5
ARREST, HEART	4
BRADYCARDIA	4
ANESTH TOO DEEP	3
HYPERACTIVITY	3
AGGRESSION	2
COLLAPSE	2

DRUG: XYLAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSPNEA	2
HYPERSALIVATION	2
HYPOPNEA	2
INEFFECT, ANALGESIA	2
NERVOUSNESS	2
PRESSURE LO, BLD	2
RECUMBENCY	2
ANESTH DURATION BRIEF	1
ANESTH RECOV TURBULENT	1
ATAXIA	1
BLD, MOUTH/LIP(S)	1
BLD, PASSING	1
DISTRESS, RESP	1
EDEMA, HEAD/FACE	1
EDEMA, LUNG(S)/TRACHEA	1
FROTH, MOUTH/LIP(S)	1
HEAD TILT	1
HEART DISORDER	1
HEART FAILURE	1
HYPOTHERMIA	1
INEFFECT	1
INEFFECT, DELAYED EFFE	1
INJ SITE ABSCESS	1
INJ SITE PAIN	1
INJ SITE ULCER(S)	1
LESION(S), SKIN	1
MURMUR, HEART	1
NEUROLOGICAL DISORDER	1
NYSTAGMUS	1
OPISTHOTONOS	1
PALLOR, MUCOUS MEMBRAN	1
PD-POTENCY, HI	1
PR-LIVER, LESION(S)	1
PR-LUNG(S), LESION(S)	1
SEDATION	1
SEDATION PROLONGED	1
SEDATION TOO DEEP	1
SHOCK	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SPASM	1
STUPOR	1
SWELLING, HEAD/FACE	1
TWITCH	1
URTICARIA	1
VOLVULUS	1
WBC HI, BLD	1

DRUG: XYLAZINE

Species: DONKEY

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONVULSION(S)	2
COLLAPSE	1
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	66
INEFFECT, ANESTHESIA	20
DEATH	16
COLLAPSE	14
CONVULSION(S)	13
DYSPNEA	9
HYPERACTIVITY	9
HYPERPNEA	7
SWEATING	7
ANAPHYLAXIS/TOID	6
ATAXIA	6
RECUMBENCY	6
THRASHING/PADDLING	6
TREMBLING	6
ANESTH INDUC TURBULENT	3

DRUG: XYLAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH RECOV PROLONGED	3
ANESTH RECOV TURBULENT	3
CYANOSIS	3
DEATH(EUTHANIZED)	3
INEFFECT	3
INEFFECT, TRANQUILIZAT	3
SEDATION TOO BRIEF	3
SEDATION TOO DEEP	3
TACHYCARDIA	3
TWITCH	3
URTICARIA	3
AGGRESSION	2
EDEMA, LUNG(S)/TRACHEA	2
FEVER, BODY	2
FROTH, NOSE	2
INEFFECT, ANALGESIA	2
INJ SITE SWELLING	2
NERVOUSNESS	2
NYSTAGMUS	2
SHAKING	2
ANESTH INDUCTION RAPID	1
ANOREXIA	1
APNEA	1
ARREST, HEART	1
ARRHYTHMIA, BLOCK	1
BLD	1
BRADYCARDIA	1
BREATHING ABN	1
CONFUSION	1
CONGESTION, MUCOUS MEM	1
CYANOSIS, MUCOUS MEMBR	1
DIFFICULTY RISING	1
DISCHARGE, EYE(S)/LID(S)	1
DISCHARGE, NOSE	1
DISTRESS, RESP	1
EDEMA, EYE(S)/LID(S)	1
EDEMA, HEAD/FACE	1
EDEMA, PREPUCE	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
EPISTAXIS	1
HYPERSALIVATION	1
INJ SITE PAIN	1
INTERACTION, DRUG(S)	1
NYSTAGMUS, HORIZONTAL	1
PD-POTENCY, LO	1
POLYPNEA	1
PR-BLD VESSEL(S), LESI	1
PR-BONE(S), LESION(S)	1
PR-LUNG(S), LESION(S)	1
PR-MULT SITES, BLD	1
PROLAPSE, PENIS	1
PR-TRACHEA, LESION(S)	1
PRURITIS, EYE(S)	1
REARING	1
REFLEX(ES) ABN	1
RELUCTANT TO MOVE	1
SCALE(S), SKIN	1
SEDATION DELAYED	1
SEDATION PROLONGED	1
SELF-MUTILATION	1
SHAKING, HEAD/FACE	1
SHOCK	1
SPASM	1
STAGGERING	1
STIFFNESS	1
SWELLING	1
SWELLING, BRISKET/CHES	1
SWELLING, EYE(S)/LID(S)	1
UNCONSCIOUS	1
VOCALIZATION	1
WEAKNESS	1

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: PARENTERAL

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
HYPOESTHESIA	1

DRUG: XYLAZINE

Species: LLAMA

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2

DRUG: XYLAZINE

Species: MOUSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	1
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: RABBIT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DYSYPNEA	1
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: RAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
ANESTH DURATION BRIEF	1
HYPERPNEA	1
INEFFECT, ANESTHESIA	1
TACHYCARDIA	1

DRUG: XYLAZINE

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ANESTH TOO DEEP	1
DEATH	1
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: TIGER

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
APNEA	2
DEATH	2
ARREST, HEART	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, SEDATION	5
INEFFECT, ANESTHESIA	2
ARREST, HEART	1
CONVULSION(S)	1
DEATH	1
HYPERTONIA	1
SEDATION TOO DEEP	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SPASM	1

DRUG: XYLAZINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	2
INEFFECT, ANESTHESIA	2
ANESTH RECOV PROLONGED	1
APNEA	1
ARREST, HEART	1
COLLAPSE	1
INEFFECT, SEDATION	1
RECUMBENCY	1
VOCALIZATION	1

DRUG: XYLAZINE

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: DEER

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: UNKNOWN

DRUG: XYLAZINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	4
INEFFECT, SEDATION	3
APNEA	2
ARREST, HEART	2
INEFFECT, ANESTHESIA	2
ANESTH TOO DEEP	1
BILIRUBIN, URINE	1
BLD, URINE	1
BRADYCARDIA	1
BREATHING ABN	1
COLLAPSE	1
DEPRESSION/LETHARGY	1
DIC	1
HYPOTHERMIA	1

DRUG: XYLAZINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	13
COLLAPSE	2
CONVULSION(S)	2
HYPERACTIVITY	2
INEFFECT, ANESTHESIA	2
ANESTH RECOV TURBULENT	1
ATAXIA	1
DEATH	1
POLYPNEA	1
SHAKING	1
SWEATING	1
TREMBLING	1
TWITCH	1

DRUG: XYLAZINE

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
BRADYCARDIA	1
DIZZINESS	1
HYPOESTHESIA	1
INJ SITE PAIN	1

DRUG: XYLAZINE

Species: MOUSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
NEUROLOGICAL DISORDER	1

DRUG: XYLAZINE

Species: UNKNOWN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, SEDATION	4
ANESTH RECOV PROLONGED	1
ARREST, HEART	1

DRUG: XYLAZINE

Species: DOG

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
DEATH	2
FEVER, BODY	2

DRUG: XYLAZINE

Species: DOG

Route of Administration: VARIOUS

DRUG: XYLAZINE

Species: HORSE

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1

DRUG: XYLAZINE

Species: RABBIT

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, SEDATION	1

DRUG: XYLAZINE

Species: VARIOUS

Route of Administration: VARIOUS

Sign:	Number of Times Reported:
INEFFECT, ANESTHESIA	1
INEFFECT, SEDATION	1

DRUG: XYLITOL

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
CONVULSION(S)	1
DEATH	1
LIVER DISORDER	1

DRUG: YOHIMBINE

Species: CAT

Route of Administration: PARENTERAL

DRUG: YOHIMBINE

Species: CAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, LUNG(S)	1
CONVULSION(S)	1
CYANOSIS	1
DEATH	1
DYSYPNEA	1
INEFFECT, ANTIDOTE	1
INEFFECT, REVERSAL	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	10
ARREST, HEART	6
APNEA	4
CONVULSION(S)	4
POLYPNEA	3
APPREHENSION	2
CONGESTION, MUCOUS MEM	2
CYANOSIS	2
NERVOUSNESS	2
PACING	2
RECUMBENCY	2
TACHYCARDIA	2
TWITCH	2
VOCALIZATION	2
ANAPHYLAXIS/TOID	1
ARRHYTHMIA	1
ATAXIA	1
BITING/CHEWING	1
BLINDNESS, TEMP	1
CAPILLARY REFILL PROLO	1
CIRCLING	1
COLLAPSE	1
CONFUSION	1
CONGESTION, LUNG(S)	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
CONGESTION, SKIN	1
DYSPNEA	1
FEVER, BODY	1
HEAD BOBBING	1
HEAD TILT	1
HEART DISORDER	1
HYPERACTIVITY	1
HYPERESTHESIA	1
HYPERSALIVATION	1
INEFFECT, ANTIDOTE	1
INEFFECT, REVERSAL	1
OPISTHOTONOS	1
STUPOR	1
URTICARIA	1

DRUG: YOHIMBINE

Species: GOAT

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INEFFECT, ANTIDOTE	1

DRUG: YOHIMBINE

Species: HORSE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
DEATH	2
PAIN, ABDOMEN	2
APNEA	1
ARREST, HEART	1
COLLAPSE	1
KICKING	1
TREMBLING	1
TWITCH	1

DRUG: YOHIMBINE

Species: PIG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SHOCK	1
URTICARIA	1

DRUG: YOHIMBINE

Species: CAT

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
REFLEX(ES) ABN	1
SEDATION PROLONGED	1

DRUG: YOHIMBINE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1
NERVOUSNESS	1

DRUG: YOHIMBINE

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: ZAFIRLUKAST

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
LESION(S), SKIN	1
PR-SKIN, LESION(S)	1
SKIN, NECROSIS	1

DRUG: ZERANOL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-DISPENSER, ABN	196
PD-IMPLANT, ABN	174
PD-PRODUCT DEFECT	102
PD-UNDERFILL, PACKAGE	7
PD-CONTAINER(S), ABN	2
PD-TABLET(S), ABN	2
PD-APPLICATOR, ABN	1
PD-COLOR, ABN	1
PD-LABEL(S), ABN	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: MISSING

Sign:	Number of Times Reported:
BLD, ABDOMEN	1
DEATH	1
PROLAPSE, RECTUM	1
PROLAPSE, VAGINA	1
UDDER, MILK ABN	1

DRUG: ZERANOL

Species: HUMAN

Route of Administration: MISSING

Sign:	Number of Times Reported:
ACCIDENTAL EXPOSURE	1
HUMAN EXPOSURE, INJ	1
PAIN	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
ESTRUS BEHAVIOR	20

DRUG: ZERANOL

Species: CATTLE

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROLAPSE, VAGINA	19
DEATH	13
PROLAPSE, RECTUM	7
UDDER, SWELLING	4
ILL	3
AGGRESSION	2
ANOREXIA	2
DEATH(SLAUGHTERED)	2
FERTILITY, REDUCED	2
INEFFECT, WEIGHT INC	2
INJURY	2
PROLAPSE	2
SWELLING, MAMMARY	2
ANAPHYLAXIS/TOID	1
ANESTRUS	1
BREATHING ABN	1
COUGHING	1
DEATH(NEWBORN)	1
DIARRHEA, MILD	1
DYSPNEA	1
EDEMA, MAMMARY	1
EDEMA, PREPUCE	1
FERTILITY, LACK OF	1
INEFFECT, PRODUCTION (MEAT)	1
INJ SITE ABSCESS	1
INJ SITE SWELLING	1
PARALYSIS	1
PARESIS	1
PD-IMPLANT, ABN	1
PNEUMONIA	1
PROLAPSE, UTERUS	1
PR-PERITONEUM, LESION(1
PR-VAGINA/VULVA, LESIO	1
RESPIRATORY DISORDER	1
SWELLING, PREPUCE	1

DRUG: ZERANOL

Species: HUMAN

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
INJ SITE SWELLING	3
INJ SITE INFLAM	2
ATROPHY, TESTICLE(S)	1
CONGESTION, SKIN	1
INJ SITE BLD	1
IRRITATION, SKIN	1

DRUG: ZERANOL

Species: SHEEP

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
PROLAPSE, RECTUM	5
DEATH	3
PROLAPSE, VAGINA	3
UDDER, SWELLING	2
RESPIRATORY DISORDER	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: TOPICAL

Sign:	Number of Times Reported:
DEATH	2
ANOREXIA	1
ESTRUS BEHAVIOR	1
INEFFECT, WEIGHT INC	1
PROLAPSE, PENIS	1
PROLAPSE, PREPUCE	1
PROLAPSE, RECTUM	1
PROLAPSE, VAGINA	1
SWELLING, PREPUCE	1
UDDER, SWELLING	1

DRUG: ZERANOL

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	3
ANAPHYLAXIS/TOID	1
BLD, LUNG(S)/TRACHEA	1
COLLAPSE	1
CONVULSION(S)	1
DYSYPNEA	1
EDEMA, LUNG(S)/TRACHEA	1
INEFFECT, WEIGHT INC	1
PARALYSIS, HIND LIMB(S)	1
PD-IMPLANT, ABN	1
PR-HEART, LESION(S)	1
RECUMBENCY	1

DRUG: ZERANOL

Species: HUMAN

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INJ SITE INFLAM	2
NAUSEA	2
ACCIDENTAL EXPOSURE	1
CONGESTION, SKIN	1
DIZZINESS	1
EDEMA	1
HUMAN EXPOSURE, INJ	1
INJ SITE PAIN	1
INJURY	1
IRRITATION, SKIN	1

DRUG: ZILPATEROL

Species: NOT APPLICABLE

Route of Administration: DEFECT

Sign:	Number of Times Reported:
PD-CONTAINER(S), ABN	3
PD-SEAL, ABN	3
PD-UNDERFILL, PACKAGE	1

DRUG: ZILPATEROL

Species: NOT APPLICABLE

Route of Administration: DEFECT

DRUG: ZILPATEROL

Species: HUMAN

Route of Administration: INHALATION

Sign:	Number of Times Reported:
DYSPNEA	1
PAIN	1
SWEATING	1
VOMITING	1

DRUG: ZILPATEROL

Species: CATTLE

Route of Administration: ORAL

Sign:	Number of Times Reported:
DEATH	13
PNEUMONIA	5
BLOAT	2
INEFFECT, PRODUCTION (MEAT)	2
PR-LUNG(S), LESION(S)	2
ANOREXIA	1
BLINDNESS	1
DEATH(EUTHANIZED)	1
INEFFECT, WEIGHT INC	1
PR-BRAIN, LESION(S)	1
PR-STOMACH, LESION(S)	1
ULCER(S), STOMACH	1

DRUG: ZILPATEROL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
COLLAPSE	1
DEATH	1
DEATH(EUTHANIZED)	1
HYPERACTIVITY	1
NERVOUSNESS	1

DRUG: ZILPATEROL

Species: HORSE

Route of Administration: ORAL

Sign:	Number of Times Reported:
RECUMBENCY	1
SWEATING	1
TACHYCARDIA	1
TREMBLING	1

DRUG: ZILPATEROL

Species: CATTLE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
DEATH	1

DRUG: ZILPATEROL

Species: HORSE

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
AZOTEMIA	1
CONGESTION, LUNG(S)	1
DEATH(EUTHANIZED)	1
KIDNEY FAILURE	1
SWEATING	1
TREMBLING	1

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SWELLING, TESTICLE	10
SCROTUM, ABN	7
PR-TESTICLE(S), LESION(S)	6
DEPRESSION/LETHARGY	5
PAIN, SCROTUM	5
ANOREXIA	4
PAIN, TESTICLE	4

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: PARENTERAL

Sign:	Number of Times Reported:
SKIN, NECROSIS	4
SWELLING, SCROTUM	4
ULCER(S), SKIN	4
VOMITING	4
INFLAM, SKIN	3
ERYTHEMA, SCROTUM	2
INEFFECT, STERILIZATION	2
ADIPSIA	1
ALBUMIN LO, BLD	1
ALKALINE URINE	1
ALK PHOS HI, BLD	1
ANAPHYLAXIS/TOID	1
ANEMIA	1
ATAXIA	1
BLD, URINE	1
COLLAPSE	1
CPK HI, BLD	1
CRYSTALS, URINE	1
DEATH	1
DEHYDRATION	1
DERMATITIS, MOIST	1
EDEMA, SCROTUM	1
HEAD TILT	1
INJ SITE NECROSIS	1
INJ SITE PAIN	1
LIPASE HI, BLD	1
LOCOMOTION DISORDER	1
PR-TESTES, LESION(S)	1
RUPTURE	1
SGPT/ALT HI, BLD	1
SHOCK	1
TESTICLE, ABN	1
ULCER(S)	1
VESTIBULAR DISORDER	1

DRUG: ZINC GLUCONATE

Species: DOG

Route of Administration: UNKNOWN

Sign:	Number of Times Reported:
INEFFECT, STERILIZATION	1

DRUG: ZONISAMIDE

Species: CAT

Route of Administration: ORAL

Sign:	Number of Times Reported:
ANOREXIA	1
CONFUSION	1
DEPRESSION/LETHARGY	1
ELIMINATION ABN	1
INTERACTION, DRUG(S)	1
SOMNOLENCE	1
STUPOR	1
WEAKNESS	1

DRUG: ZONISAMIDE

Species: DOG

Route of Administration: ORAL

Sign:	Number of Times Reported:
INEFFECT, SEIZURES	2
FEVER, BODY	1
WBC LO, BLD	1