

**CVM ADE Comprehensive Clinical Detail Listing:**

Cumulative Date Range: 1/1/1987 thru 8/31/2012

Drug Listing: N;O;P;Q;R;S

**[Drug:] Naloxone**

Parenteral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

**[Drug:] Naproxen**

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Narasin**

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn

Number of times reported: [7]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Narasin**

Oral, Chicken

[Sign:] Death

Number of times reported: [7]

[Sign:] Ineffect, Coccidia

Number of times reported: [7]

[Sign:] Death(tx Failure)

Number of times reported: [2]

[Sign:] Ineffect, Weight Inc

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Watery

Number of times reported: [1]

[Sign:] Egg Production Down

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

**[Drug:] Narasin**

Oral, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-pericardial Effusio

Number of times reported: [1]

**[Drug:] Narasin**

Oral, Pig

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

**[Drug:] Narasin**

Oral, Sheep

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

**[Drug:] Narasin**

Unknown, Human

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Rhinitis

Number of times reported: [1]

**[Drug:] Narasin, Nicarbazin**

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn

Number of times reported: [6]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

**[Drug:] Narasin, Nicarbazin**

Oral, Cattle

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Narasin, Nicarbazin**

Oral, Chicken

[Sign:] Death

Number of times reported: [19]

[Sign:] Egg Abn

Number of times reported: [13]

[Sign:] Egg Production Down

Number of times reported: [11]

[Sign:] Ineffect, Coccidia

Number of times reported: [10]

[Sign:] Tech Error, Mixing

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Enteritis

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Gi, Abnormal

Number of times reported: [2]

[Sign:] Inflam, Skin

Number of times reported: [2]

[Sign:] Locomotion Disorder

Number of times reported: [2]

[Sign:] Off Feed

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]  
[Sign:] Death(slaughtered)  
Number of times reported: [1]  
[Sign:] Death(tx Failure)  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Fertility, Reduced  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [1]  
[Sign:] Hatching Abn  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Kidney Disorder  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Paralysis  
Number of times reported: [1]  
[Sign:] Paresis  
Number of times reported: [1]  
[Sign:] Polydipsia  
Number of times reported: [1]  
[Sign:] Pr-crop, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Septicemia  
Number of times reported: [1]  
[Sign:] Skin, Necrosis  
Number of times reported: [1]  
[Sign:] Sore(s)  
Number of times reported: [1]  
[Sign:] Thrashing/paddling  
Number of times reported: [1]  
[Sign:] Tox  
Number of times reported: [1]

**[Drug:] Narasin, Nicarbazin**

Oral, Sheep

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Narasin, Nicarbazin**

Oral, Turkey

[Sign:] Death

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

**[Drug:] N-butyl Chloride**

Ophthalmic, Human

[Sign:] Pain

Number of times reported: [1]

**[Drug:] N-butyl Chloride**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [10]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Vomiting, Bloody

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] N-butyl Chloride**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Dehydration

Number of times reported: [2]

[Sign:] Diarrhea, Bloody

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] N-butyl Chloride**

Unknown, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Unknown

Number of times reported: [1]

**[Drug:] N-butylscopolammonium**

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [2]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

**[Drug:] N-butylscopolammonium**

Oral, Cat

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Posture Abn

Number of times reported: [1]



[Sign:] Reluctant To Move

Number of times reported: [1]

**[Drug:] N-butylscopolammonium**

Oral, Dog

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] N-butylscopolammonium**

Parenteral, Horse

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Cellulitis

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Gastroenteritis

Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Kicking  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Reflux, Stomach  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Splenomegaly  
Number of times reported: [1]

[Sign:] Stiffness, Neck  
Number of times reported: [1]

[Sign:] Sweating  
Number of times reported: [1]

[Sign:] Tech Error Administrat  
Number of times reported: [1]

[Sign:] Tenesmus, Urinary  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

**[Drug:] Neomycin**

Defect, Not Applicable

[Sign:] Pd-color, Abn  
Number of times reported: [2]

[Sign:] Pd-container(s), Abn  
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

[Sign:] Pd-product Defect  
Number of times reported: [1]

[Sign:] Pd-seal, Abn  
Number of times reported: [1]

[Sign:] Tech Error, Mixing  
Number of times reported: [1]

**[Drug:] Neomycin**

Oral, Cattle

[Sign:] Residue, Meat  
Number of times reported: [4]

[Sign:] Death(slaughtered)  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

**[Drug:] Neomycin**

Oral, Dog

[Sign:] Ineffect, Protozoa  
Number of times reported: [2]

[Sign:] Deafness  
Number of times reported: [1]

**[Drug:] Neomycin**

Oral, Goat

[Sign:] Residue, Meat  
Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [10]

[Sign:] Pd-underfill, Package  
Number of times reported: [7]

[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [7]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [3]

[Sign:] Pd-applicator, Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**  
Missing, Dog

[Sign:] Deafness, Partial

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**  
Ophthalmic, Cat

[Sign:] Squinting

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**  
Oral, Dog

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**  
Topical, Bird

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**

Topical, Cat

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Alopecia

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Deafness

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Miosis

Number of times reported: [2]

[Sign:] Polydipsia

Number of times reported: [2]

[Sign:] Polyuria

Number of times reported: [2]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [2]

[Sign:] Stumbling

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Alkaline Urine

Number of times reported: [1]

[Sign:] Deafness, Temp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Stranguria

Number of times reported: [1]

[Sign:] Tenesmus, Urinary

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**

Topical, Dog

[Sign:] Deafness

Number of times reported: [78]

[Sign:] Deafness, Temp

Number of times reported: [20]

[Sign:] Deafness, Partial

Number of times reported: [8]

[Sign:] Swelling, Head/face

Number of times reported: [3]

[Sign:] Application Site Erythema

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Lesion(s), Skin

Number of times reported: [2]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Albumin Lo, Bld

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Application Site Edema  
Number of times reported: [1]

[Sign:] Application Site Pruritis  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Birth Defect(s), Limb(  
Number of times reported: [1]

[Sign:] Birth, Premature  
Number of times reported: [1]

[Sign:] Bld, Abn  
Number of times reported: [1]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Discharge, Ear(s)  
Number of times reported: [1]

[Sign:] Dystocia  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]

[Sign:] Immune Disorder  
Number of times reported: [1]

[Sign:] Ineffect  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Irritation, Ear(s)  
Number of times reported: [1]

[Sign:] Irritation, Skin  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Pacing  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Pr-heartworm Disease  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Skin Disorder  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Ear(s)  
Number of times reported: [1]

[Sign:] Tympanic Mem, Ruptured  
Number of times reported: [1]

[Sign:] Urination  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**  
Unknown, Dog



[Sign:] Deafness

Number of times reported: [3]

[Sign:] Deafness, Partial

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

**[Drug:] Neomycin, Nystatin, Thiostrepton, Triamcinolone**

Various, Dog

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

**[Drug:] Neomycin, Polymyxin B & Dexamethasone**

Oral, Cat

[Sign:] Death

Number of times reported: [1]

**[Drug:] Neomycin, Polymyxin B & Dexamethasone**

Topical, Dog

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

**[Drug:] Neomycin, Tylosin**

Topical, Dog

[Sign:] Skin Disorder

Number of times reported: [1]

**[Drug:] Nicarbazin**

Oral, Chicken

[Sign:] Death

Number of times reported: [5]

[Sign:] Egg Production Down

Number of times reported: [2]

[Sign:] Egg Abn

Number of times reported: [1]

[Sign:] Hatching Abn

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

**[Drug:] Nicarbazin**

Oral, Dog

[Sign:] Ataxia

Number of times reported: [1]

**[Drug:] Nitazoxanide**

Defect, Not Applicable

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Nitazoxanide**

Oral, Alpaca

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

**[Drug:] Nitazoxanide**

Oral, Horse

[Sign:] Death(euthanized)

Number of times reported: [28]

[Sign:] Fever, Body

Number of times reported: [26]

[Sign:] Recumbency

Number of times reported: [23]

[Sign:] Laminitis

Number of times reported: [18]

[Sign:] Anorexia

Number of times reported: [17]

[Sign:] Lameness  
Number of times reported: [15]

[Sign:] Depression/lethargy  
Number of times reported: [14]

[Sign:] Tachycardia  
Number of times reported: [13]

[Sign:] Difficulty Rising  
Number of times reported: [12]

[Sign:] Diarrhea, Mild  
Number of times reported: [11]

[Sign:] Diarrhea  
Number of times reported: [10]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [9]

[Sign:] Ataxia  
Number of times reported: [8]

[Sign:] Wbc Lo, Bld  
Number of times reported: [8]

[Sign:] Edema, Limb(s)  
Number of times reported: [7]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [7]

[Sign:] Wbc Hi, Bld  
Number of times reported: [7]

[Sign:] Neurological Disorder  
Number of times reported: [6]

[Sign:] Reluctant To Move  
Number of times reported: [6]

[Sign:] Death  
Number of times reported: [5]

[Sign:] Dehydration  
Number of times reported: [5]

[Sign:] Fibrinogen Hi, Bld  
Number of times reported: [5]

[Sign:] Pain  
Number of times reported: [5]

[Sign:] Pain, Abdomen  
Number of times reported: [5]

[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [5]

[Sign:] Bun Hi, Bld  
Number of times reported: [4]

[Sign:] Colitis  
Number of times reported: [4]

[Sign:] Diarrhea, Projectile  
Number of times reported: [4]

[Sign:] Edema, Ventral  
Number of times reported: [4]

[Sign:] Ineffect, Protozoa  
Number of times reported: [4]

[Sign:] Radiograph(s) Abn  
Number of times reported: [4]

[Sign:] Albumin Lo, Bld  
Number of times reported: [3]

[Sign:] Anemia  
Number of times reported: [3]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [3]

[Sign:] Diarrhea, Severe  
Number of times reported: [3]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Hypomotility  
Number of times reported: [3]

[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [3]

[Sign:] Pain, Feet/digit(s)  
Number of times reported: [3]

[Sign:] Polycythemia  
Number of times reported: [3]

[Sign:] Pr-cecum, Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [3]

[Sign:] Segs Hi, Bld  
Number of times reported: [3]

[Sign:] Segs Lo, Bld  
Number of times reported: [3]

[Sign:] Stool Abn  
Number of times reported: [3]

[Sign:] Weight Loss  
Number of times reported: [3]

[Sign:] Bld, Urine  
Number of times reported: [2]

[Sign:] Capillary Refill Prolo  
Number of times reported: [2]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [2]

[Sign:] Diarrhea, Watery  
Number of times reported: [2]

[Sign:] Dic  
Number of times reported: [2]

[Sign:] Dysphagia  
Number of times reported: [2]

[Sign:] Edema, Head/face  
Number of times reported: [2]

[Sign:] Epistaxis  
Number of times reported: [2]

[Sign:] Globulin Lo, Bld  
Number of times reported: [2]

[Sign:] Hypermotility  
Number of times reported: [2]

[Sign:] Hypothermia  
Number of times reported: [2]

[Sign:] K Hi, Bld  
Number of times reported: [2]

[Sign:] Na Lo, Bld  
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Anemia, Hemolytic  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Bilirubin(dir) Hi, Bld  
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Breathing, Difficult  
Number of times reported: [1]

[Sign:] Bun Lo, Bld  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Chloride Lo, Bld  
Number of times reported: [1]

[Sign:] Cholesterol Lo, Bld  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Death(tx Failure)  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

[Sign:] Distention, Cecum  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Dysrhythmia, Resp  
Number of times reported: [1]

[Sign:] Edema, Pharynx  
Number of times reported: [1]

[Sign:] Enteritis  
Number of times reported: [1]

[Sign:] Fever, Joint(s)  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Gingivitis  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Icterus, Body  
Number of times reported: [1]

[Sign:] Inflamm, Skin  
Number of times reported: [1]

[Sign:] K Lo, Bld  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Liver Disorder  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]

[Sign:] Melena  
Number of times reported: [1]

[Sign:] Mucous Membr, Red  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Na:k Lo, Bld  
Number of times reported: [1]

[Sign:] Nose Abn  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]

[Sign:] Pharyngitis  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-cerebellum, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-spinal Cord, Lesion  
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Shock, Endotoxemia  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stranguria  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]



[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

**[Drug:] Nitazoxanide**

Parenteral, Various

[Sign:] Death

Number of times reported: [1]

**[Drug:] Nitazoxanide**

Topical, Human

[Sign:] Skin Abnormal

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Nail Disorder

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Abnormal

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

**[Drug:] Nitazoxanide**

Unknown, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Infection

Number of times reported: [1]

**[Drug:] Nitenpyram**

Defect, Not Applicable

[Sign:] Pd-underfill, Package  
Number of times reported: [104]

[Sign:] Pd-container(s), Abn  
Number of times reported: [8]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [7]

[Sign:] Pd-missing, Label(s)  
Number of times reported: [5]

[Sign:] Pd-defect Unknown  
Number of times reported: [3]

[Sign:] Pd-label(s), Abn  
Number of times reported: [3]

[Sign:] Pd-product Defect  
Number of times reported: [2]

[Sign:] Pd-color, Abn  
Number of times reported: [1]

[Sign:] Pd-container(s), Damag  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Intrauterine, Dog

[Sign:] Death(stillborn)  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Not Applicable, Cat

[Sign:] Summary Review  
Number of times reported: [9]

**[Drug:] Nitenpyram**

Not Applicable, Dog

[Sign:] Summary Review  
Number of times reported: [2]

**[Drug:] Nitenpyram**

Ophthalmic, Human

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

**[Drug:] Nitenpyram**

Oral, Cat

[Sign:] Hyperactivity

Number of times reported: [501]

[Sign:] Polypnea

Number of times reported: [326]

[Sign:] Pruritis

Number of times reported: [219]

[Sign:] Depression/lethargy

Number of times reported: [182]

[Sign:] Vocalization

Number of times reported: [160]

[Sign:] Hyperpnea

Number of times reported: [86]

[Sign:] Vomiting

Number of times reported: [85]

[Sign:] Fever, Body

Number of times reported: [84]

[Sign:] Anorexia

Number of times reported: [82]

[Sign:] Nervousness

Number of times reported: [71]

[Sign:] Death

Number of times reported: [61]

[Sign:] Behavior Disorder

Number of times reported: [60]

[Sign:] Dyspnea

Number of times reported: [56]

[Sign:] Diarrhea

Number of times reported: [53]

[Sign:] Licking

Number of times reported: [53]

[Sign:] Hypersalivation

Number of times reported: [52]  
[Sign:] Ataxia  
Number of times reported: [42]  
[Sign:] Ineffect, Fleas  
Number of times reported: [40]  
[Sign:] Mydriasis  
Number of times reported: [37]  
[Sign:] Convulsion(s)  
Number of times reported: [36]  
[Sign:] Tachycardia  
Number of times reported: [34]  
[Sign:] Biting/chewing  
Number of times reported: [31]  
[Sign:] Trembling  
Number of times reported: [27]  
[Sign:] Hiding  
Number of times reported: [26]  
[Sign:] Apprehension  
Number of times reported: [21]  
[Sign:] Twitch  
Number of times reported: [18]  
[Sign:] Anemia  
Number of times reported: [12]  
[Sign:] Aggression  
Number of times reported: [11]  
[Sign:] Collapse  
Number of times reported: [10]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [10]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [9]  
[Sign:] Hypothermia, Body  
Number of times reported: [9]  
[Sign:] Recumbency  
Number of times reported: [9]  
[Sign:] Confusion  
Number of times reported: [7]  
[Sign:] Death(euthanized)  
Number of times reported: [7]  
[Sign:] Dehydration  
Number of times reported: [7]  
[Sign:] Diarrhea, Bloody

Number of times reported: [7]  
[Sign:] Incontinence, Urinary  
Number of times reported: [7]  
[Sign:] Somnolence  
Number of times reported: [7]  
[Sign:] Weight Loss  
Number of times reported: [7]  
[Sign:] Adipsia  
Number of times reported: [6]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [6]  
[Sign:] Shaking  
Number of times reported: [6]  
[Sign:] Weakness  
Number of times reported: [6]  
[Sign:] Apnea  
Number of times reported: [5]  
[Sign:] Bun Hi, Bld  
Number of times reported: [5]  
[Sign:] Cyanosis  
Number of times reported: [5]  
[Sign:] Distress  
Number of times reported: [5]  
[Sign:] Nystagmus  
Number of times reported: [5]  
[Sign:] Polydipsia  
Number of times reported: [5]  
[Sign:] Sneezing  
Number of times reported: [5]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [5]  
[Sign:] Defecation  
Number of times reported: [4]  
[Sign:] Pacing  
Number of times reported: [4]  
[Sign:] Pain  
Number of times reported: [4]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [4]  
[Sign:] Prolapse, Tongue  
Number of times reported: [4]  
[Sign:] Stupor

Number of times reported: [4]  
[Sign:] Breathing Abn  
Number of times reported: [3]  
[Sign:] Congestion, Skin  
Number of times reported: [3]  
[Sign:] Constipation  
Number of times reported: [3]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [3]  
[Sign:] Eye Disorder  
Number of times reported: [3]  
[Sign:] Head Tilt  
Number of times reported: [3]  
[Sign:] Hyperesthesia  
Number of times reported: [3]  
[Sign:] Licking, Feet/digit(s)  
Number of times reported: [3]  
[Sign:] P Hi, Bld  
Number of times reported: [3]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [3]  
[Sign:] Prolapse, Third Eyelid  
Number of times reported: [3]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [3]  
[Sign:] Unconscious  
Number of times reported: [3]  
[Sign:] Urination  
Number of times reported: [3]  
[Sign:] Bld, Urine  
Number of times reported: [2]  
[Sign:] Cardiomegaly  
Number of times reported: [2]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [2]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [2]  
[Sign:] Diarrhea, Mucoïd  
Number of times reported: [2]  
[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [2]  
[Sign:] Discharge, Nose  
Number of times reported: [2]  
[Sign:] Dysuria  
Number of times reported: [2]  
[Sign:] Edema, Head/face  
Number of times reported: [2]  
[Sign:] Effusion, Pleural  
Number of times reported: [2]  
[Sign:] Eosinos Hi, Bld  
Number of times reported: [2]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Gagging  
Number of times reported: [2]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [2]  
[Sign:] Hair, Abn  
Number of times reported: [2]  
[Sign:] Heart Failure  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Ill  
Number of times reported: [2]  
[Sign:] Infection, Urinary Tra  
Number of times reported: [2]  
[Sign:] Inflamm, Skin  
Number of times reported: [2]  
[Sign:] Irritation  
Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Nose Abn  
Number of times reported: [2]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [2]  
[Sign:] Posture Abn  
Number of times reported: [2]  
[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [2]  
[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [2]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [2]  
[Sign:] Respiratory Disorder  
Number of times reported: [2]  
[Sign:] Segs Hi, Bld  
Number of times reported: [2]  
[Sign:] Skin Abnormal  
Number of times reported: [2]  
[Sign:] Skin, Scab(s)  
Number of times reported: [2]  
[Sign:] Staggering  
Number of times reported: [2]  
[Sign:] Staring  
Number of times reported: [2]  
[Sign:] Stumbling  
Number of times reported: [2]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]  
[Sign:] Swelling, Head/face  
Number of times reported: [2]  
[Sign:] Tongue, Abn  
Number of times reported: [2]  
[Sign:] Vision Disorder  
Number of times reported: [2]  
[Sign:] Vomiting, Bloody  
Number of times reported: [2]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [2]  
[Sign:] Abn Color, Urine  
Number of times reported: [1]  
[Sign:] Abortion  
Number of times reported: [1]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [1]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Anemia, Regen



Number of times reported: [1]  
[Sign:] Azotemia  
Number of times reported: [1]  
[Sign:] Birth Defect(s)  
Number of times reported: [1]  
[Sign:] Birth Defect(s), Torso  
Number of times reported: [1]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Blindness, Temp  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Ca Hi, Bld  
Number of times reported: [1]  
[Sign:] Cataract(s)  
Number of times reported: [1]  
[Sign:] Choking  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Congestion, Tongue  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Deafness  
Number of times reported: [1]  
[Sign:] Destructiveness  
Number of times reported: [1]  
[Sign:] Diarrhea, Projectile  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]  
[Sign:] Effusion, Peritoneal  
Number of times reported: [1]  
[Sign:] Epiphora  
Number of times reported: [1]  
[Sign:] Globulin Hi, Bld  
Number of times reported: [1]  
[Sign:] Hypopnea  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Incontinence, Fecal  
Number of times reported: [1]  
[Sign:] Infection  
Number of times reported: [1]  
[Sign:] K Hi, Bld  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Laryngitis  
Number of times reported: [1]  
[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Lymphs Hi, Bld  
Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Murmur, Heart  
Number of times reported: [1]  
[Sign:] Na Hi, Bld  
Number of times reported: [1]  
[Sign:] Nystagmus, Positional

Number of times reported: [1]  
[Sign:] Pain, Abdomen  
Number of times reported: [1]  
[Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pica  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Pneumonia  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [1]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]  
[Sign:] Protrusion, Eye(s)  
Number of times reported: [1]  
[Sign:] Protrusion, Tongue  
Number of times reported: [1]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [1]  
[Sign:] Reflex(es) Abn  
Number of times reported: [1]  
[Sign:] Reluctant To Climb  
Number of times reported: [1]  
[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [1]  
[Sign:] Segs Lo, Bld  
Number of times reported: [1]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Skin, Necrosis  
Number of times reported: [1]  
[Sign:] Squinting  
Number of times reported: [1]  
[Sign:] Stiffness, Hind Limb(s)

Number of times reported: [1]  
[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]  
[Sign:] Stomatitis  
Number of times reported: [1]  
[Sign:] Stool Abn  
Number of times reported: [1]  
[Sign:] Stranguria  
Number of times reported: [1]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]  
[Sign:] Tail Disorder  
Number of times reported: [1]  
[Sign:] Tech Error Administrat  
Number of times reported: [1]  
[Sign:] Thrombus  
Number of times reported: [1]  
[Sign:] Trembling, Face  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Unpalatable, Won't Swa  
Number of times reported: [1]  
[Sign:] Urticaria  
Number of times reported: [1]  
[Sign:] Vestibular Disorder  
Number of times reported: [1]  
[Sign:] Vomiting, Severe  
Number of times reported: [1]  
[Sign:] Vomiting, Unproductive  
Number of times reported: [1]  
[Sign:] Wheezing  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Oral, Dog

[Sign:] Depression/lethargy  
Number of times reported: [276]  
[Sign:] Vomiting  
Number of times reported: [223]

[Sign:] Pruritis  
Number of times reported: [156]

[Sign:] Ineffect, Fleas  
Number of times reported: [136]

[Sign:] Anorexia  
Number of times reported: [132]

[Sign:] Diarrhea  
Number of times reported: [115]

[Sign:] Hyperactivity  
Number of times reported: [96]

[Sign:] Trembling  
Number of times reported: [55]

[Sign:] Ataxia  
Number of times reported: [54]

[Sign:] Convulsion(s)  
Number of times reported: [52]

[Sign:] Polypnea  
Number of times reported: [49]

[Sign:] Diarrhea, Mild  
Number of times reported: [47]

[Sign:] Vocalization  
Number of times reported: [42]

[Sign:] Death  
Number of times reported: [36]

[Sign:] Hypersalivation  
Number of times reported: [36]

[Sign:] Congestion, Skin  
Number of times reported: [33]

[Sign:] Anaphylaxis/toid  
Number of times reported: [31]

[Sign:] Urticaria  
Number of times reported: [26]

[Sign:] Nervousness  
Number of times reported: [23]

[Sign:] Fever, Body  
Number of times reported: [21]

[Sign:] Hyperpnea  
Number of times reported: [18]

[Sign:] Behavior Disorder  
Number of times reported: [17]

[Sign:] Diarrhea, Bloody  
Number of times reported: [16]

[Sign:] Dyspnea  
Number of times reported: [16]

[Sign:] Inflammation, Skin  
Number of times reported: [16]

[Sign:] Tachycardia  
Number of times reported: [16]

[Sign:] Collapse  
Number of times reported: [14]

[Sign:] Epiphora  
Number of times reported: [14]

[Sign:] Recumbency  
Number of times reported: [14]

[Sign:] Vomiting, Unproductive  
Number of times reported: [14]

[Sign:] Confusion  
Number of times reported: [13]

[Sign:] Twitch  
Number of times reported: [12]

[Sign:] Weakness  
Number of times reported: [12]

[Sign:] Death(euthanized)  
Number of times reported: [11]

[Sign:] Alkaline Phosphatase High, Blood  
Number of times reported: [10]

[Sign:] Anemia  
Number of times reported: [10]

[Sign:] Coughing  
Number of times reported: [10]

[Sign:] Serum Bilirubin/alt High, Blood  
Number of times reported: [10]

[Sign:] Shaking  
Number of times reported: [10]

[Sign:] White Blood Cell High, Blood  
Number of times reported: [10]

[Sign:] Alopecia  
Number of times reported: [9]

[Sign:] Glucose Low, Blood  
Number of times reported: [9]

[Sign:] Polydipsia  
Number of times reported: [9]

[Sign:] Rash  
Number of times reported: [9]

[Sign:] Swelling, Head/face  
Number of times reported: [9]

[Sign:] Apprehension  
Number of times reported: [8]

[Sign:] Biting/chewing  
Number of times reported: [8]

[Sign:] Death(newborn)  
Number of times reported: [8]

[Sign:] Dehydration  
Number of times reported: [8]

[Sign:] Adipsia  
Number of times reported: [7]

[Sign:] Circling  
Number of times reported: [7]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [7]

[Sign:] Vomiting, Bloody  
Number of times reported: [7]

[Sign:] Bun Hi, Bld  
Number of times reported: [6]

[Sign:] Gagging  
Number of times reported: [6]

[Sign:] Hematochezia  
Number of times reported: [6]

[Sign:] Hiding  
Number of times reported: [6]

[Sign:] Hypothermia, Body  
Number of times reported: [6]

[Sign:] Platelets Lo, Bld  
Number of times reported: [6]

[Sign:] Somnolence  
Number of times reported: [6]

[Sign:] Bld, Urine  
Number of times reported: [5]

[Sign:] Edema, Head/face  
Number of times reported: [5]

[Sign:] Edema, Limb(s)  
Number of times reported: [5]

[Sign:] Globulin Lo, Bld  
Number of times reported: [5]

[Sign:] Nose Abn  
Number of times reported: [5]

[Sign:] P Hi, Bld  
Number of times reported: [5]

[Sign:] Polyuria  
Number of times reported: [5]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [5]

[Sign:] Segs Hi, Bld  
Number of times reported: [5]

[Sign:] Weight Loss  
Number of times reported: [5]

[Sign:] Aggression  
Number of times reported: [4]

[Sign:] Albumin Lo, Bld  
Number of times reported: [4]

[Sign:] Apnea  
Number of times reported: [4]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [4]

[Sign:] Death(stillborn)  
Number of times reported: [4]

[Sign:] Epistaxis  
Number of times reported: [4]

[Sign:] Glucose Hi, Bld  
Number of times reported: [4]

[Sign:] Hallucination  
Number of times reported: [4]

[Sign:] Incontinence, Urinary  
Number of times reported: [4]

[Sign:] Mydriasis  
Number of times reported: [4]

[Sign:] Pain  
Number of times reported: [4]

[Sign:] Paresis  
Number of times reported: [4]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [4]

[Sign:] Pica  
Number of times reported: [4]

[Sign:] Stupor  
Number of times reported: [4]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [3]



[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [3]

[Sign:] Bld(petechiae)  
Number of times reported: [3]

[Sign:] Diarrhea, Watery  
Number of times reported: [3]

[Sign:] Eye Disorder  
Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [3]

[Sign:] Hepatomegaly  
Number of times reported: [3]

[Sign:] Hyperesthesia  
Number of times reported: [3]

[Sign:] Infection, Skin  
Number of times reported: [3]

[Sign:] Lameness  
Number of times reported: [3]

[Sign:] Lesion(s), Skin  
Number of times reported: [3]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [3]

[Sign:] Melena  
Number of times reported: [3]

[Sign:] Na Lo, Bld  
Number of times reported: [3]

[Sign:] Nausea  
Number of times reported: [3]

[Sign:] Neurological Disorder  
Number of times reported: [3]

[Sign:] Rolling  
Number of times reported: [3]

[Sign:] Shaking, Head/face  
Number of times reported: [3]

[Sign:] Shock  
Number of times reported: [3]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [3]

[Sign:] Staggering  
Number of times reported: [3]

[Sign:] Stool, Muroid  
Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [3]

[Sign:] Unconscious  
Number of times reported: [3]

[Sign:] Urination  
Number of times reported: [3]

[Sign:] Albumin Hi, Bld  
Number of times reported: [2]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [2]

[Sign:] Bld, Sclera  
Number of times reported: [2]

[Sign:] Blindness  
Number of times reported: [2]

[Sign:] Chloride Lo, Bld  
Number of times reported: [2]

[Sign:] Conjunctivitis  
Number of times reported: [2]

[Sign:] Constipation  
Number of times reported: [2]

[Sign:] Cpk Hi, Bld  
Number of times reported: [2]

[Sign:] Creatinine Lo, Bld  
Number of times reported: [2]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [2]

[Sign:] Defecation  
Number of times reported: [2]

[Sign:] Dermatitis, Moist  
Number of times reported: [2]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Discharge, Nose  
Number of times reported: [2]

[Sign:] Discomfort  
Number of times reported: [2]

[Sign:] Distention, Abdomen  
Number of times reported: [2]

[Sign:] Dysmetria  
Number of times reported: [2]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]

[Sign:] Flatulence  
Number of times reported: [2]

[Sign:] Head Bobbing  
Number of times reported: [2]

[Sign:] Head Tilt  
Number of times reported: [2]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [2]

[Sign:] Hypothermia  
Number of times reported: [2]

[Sign:] Icterus, Body  
Number of times reported: [2]

[Sign:] Ill  
Number of times reported: [2]

[Sign:] Infection, Feet/digit(  
Number of times reported: [2]

[Sign:] Infection, Urinary Tra  
Number of times reported: [2]

[Sign:] Irritation, Perineum  
Number of times reported: [2]

[Sign:] Locomotion Disorder  
Number of times reported: [2]

[Sign:] Loss Of Condition  
Number of times reported: [2]

[Sign:] Miosis  
Number of times reported: [2]

[Sign:] Odor  
Number of times reported: [2]

[Sign:] Odor, Mouth  
Number of times reported: [2]

[Sign:] Pacing  
Number of times reported: [2]

[Sign:] Pain, Abdomen  
Number of times reported: [2]

[Sign:] Polycythemia  
Number of times reported: [2]

[Sign:] Protein, Urine  
Number of times reported: [2]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [2]

[Sign:] Pupil(s), Areflexia  
Number of times reported: [2]

[Sign:] Radiograph(s) Abn  
Number of times reported: [2]

[Sign:] Reluctant To Climb  
Number of times reported: [2]

[Sign:] Scale(s), Skin  
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [2]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [2]

[Sign:] Spasm  
Number of times reported: [2]

[Sign:] Staring  
Number of times reported: [2]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [2]

[Sign:] Vision Disorder  
Number of times reported: [2]

[Sign:] Vomiting, Severe  
Number of times reported: [2]

[Sign:] Wbc Lo, Bld  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Alkaline Urine  
Number of times reported: [1]

[Sign:] Amylase Hi, Bld  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Bands Hi, Bld  
Number of times reported: [1]

[Sign:] Bilirubin, Urine  
Number of times reported: [1]

[Sign:] Birth Defect(s)  
Number of times reported: [1]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bld, Rectum  
Number of times reported: [1]

[Sign:] Blepharospasm  
Number of times reported: [1]

[Sign:] Borborygmi  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Bronchitis  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Cardiomegaly  
Number of times reported: [1]

[Sign:] Choking  
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [1]

[Sign:] Colitis  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]

[Sign:] Coprophagia  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Dementia  
Number of times reported: [1]

[Sign:] Diarrhea, Muroid  
Number of times reported: [1]

[Sign:] Diarrhea, Projectile  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Ecg Abn  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Edema, Multiple Sites  
Number of times reported: [1]

[Sign:] Effusion, Pericardial  
Number of times reported: [1]

[Sign:] Effusion, Peritoneal  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Hair, Shedding  
Number of times reported: [1]

[Sign:] Hypoadrenocorticism  
Number of times reported: [1]

[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Immune Disorder  
Number of times reported: [1]

[Sign:] Infection, Uterus  
Number of times reported: [1]

[Sign:] Inflamm  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] Labor, Premature  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Lipase Hi, Bld  
Number of times reported: [1]

[Sign:] Mg Lo, Bld  
Number of times reported: [1]

[Sign:] Monos Hi, Bld  
Number of times reported: [1]

[Sign:] Monos Lo, Bld  
Number of times reported: [1]

[Sign:] Moribund  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Na Hi, Bld  
Number of times reported: [1]

[Sign:] Neoplasm  
Number of times reported: [1]

[Sign:] Neoplasm, Liver  
Number of times reported: [1]

[Sign:] Nystagmus  
Number of times reported: [1]

[Sign:] Nystagmus, Positional  
Number of times reported: [1]

[Sign:] Nystagmus, Rotary  
Number of times reported: [1]

[Sign:] Odor, Urine  
Number of times reported: [1]

[Sign:] Pain, Back  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

[Sign:] Pain, Neck  
Number of times reported: [1]

[Sign:] Pain, Spinal  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Pancreatitis  
Number of times reported: [1]

[Sign:] Paralysis, All Limbs  
Number of times reported: [1]

[Sign:] Platelets Hi, Bld  
Number of times reported: [1]

[Sign:] Pollakiuria  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Posture Abn  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pressure Lo, Bld  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [1]

[Sign:] Pruritis, Ear(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Pustule(s)  
Number of times reported: [1]

[Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Regurgitation  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Seborrhea  
Number of times reported: [1]

[Sign:] Skin Abnormal  
Number of times reported: [1]



[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Sore(s)  
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Swelling, Mammary  
Number of times reported: [1]

[Sign:] Tenesmus, Rectal  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Trembling, Face  
Number of times reported: [1]

[Sign:] Udder, Hypogalactia  
Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Skin  
Number of times reported: [1]

[Sign:] Us-liver Abn  
Number of times reported: [1]

[Sign:] Vestibular Disorder  
Number of times reported: [1]

[Sign:] Volvulus, Stomach  
Number of times reported: [1]

[Sign:] Weight Increase  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Oral, Ferret

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

### **[Drug:] Nitenpyram**

Oral, Human

[Sign:] Nausea

Number of times reported: [8]

[Sign:] Diarrhea

Number of times reported: [5]

[Sign:] Headache

Number of times reported: [5]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Apprehension

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Hot Flush

Number of times reported: [3]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Somnolence

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Glossitis  
Number of times reported: [1]

[Sign:] Human Exposure, Ingest  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Xerostomia  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Parenteral, Cat

[Sign:] Hyperactivity  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Suppository, Cat

[Sign:] Death  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

**[Drug:] Nitenpyram**

Topical, Dog

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Licking

Number of times reported: [1]

**[Drug:] Nitenpyram**

Topical, Human

[Sign:] Rash

Number of times reported: [4]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dermatitis, Moist

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Nitenpyram**

Unknown, Human

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

**[Drug:] Nitrasone**

Missing, Bird

[Sign:] Death  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

**[Drug:] Nitrasone**

Oral, Dog

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Globulin Hi, Bld  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] P Hi, Bld  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

**[Drug:] Nitrofurazone**

Ophthalmic, Cat

[Sign:] Infection, Eye(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]

**[Drug:] Nitrofurazone**

Oral, Dog

[Sign:] Bladder, Paralysis  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

**[Drug:] Nitrofurazone**

Topical, Dog

[Sign:] Neoplasm, Skin  
Number of times reported: [1]

**[Drug:] Nitrofurazone**

Topical, Unknown

[Sign:] Granuloma

Number of times reported: [1]

**[Drug:] Novobiocin**

Intramammary, Cattle

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Pain

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

**[Drug:] Novobiocin, Penicillin G Procaine**

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [3]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-dispenser, Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pd-syringe, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [1]

**[Drug:] Novobiocin, Penicillin G Procaine**

Intramammary, Cattle

- [Sign:] Residue, Milk  
Number of times reported: [4]
- [Sign:] Abortion  
Number of times reported: [2]
- [Sign:] Death  
Number of times reported: [2]
- [Sign:] Depression/lethargy  
Number of times reported: [2]
- [Sign:] Ineffect  
Number of times reported: [2]
- [Sign:] Udder, Mastitis  
Number of times reported: [2]
- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Death(newborn)  
Number of times reported: [1]
- [Sign:] Diarrhea, Severe  
Number of times reported: [1]
- [Sign:] Inj Site Abscess  
Number of times reported: [1]
- [Sign:] Ketosis  
Number of times reported: [1]
- [Sign:] Labor, Premature  
Number of times reported: [1]
- [Sign:] Pd-seal, Abn  
Number of times reported: [1]
- [Sign:] Udder, Abn  
Number of times reported: [1]
- [Sign:] Udder, Hard  
Number of times reported: [1]
- [Sign:] Udder, Milk Abn  
Number of times reported: [1]
- [Sign:] Udder, Milk Watery  
Number of times reported: [1]
- [Sign:] Udder, Swelling  
Number of times reported: [1]
- [Sign:] Udder, Teat(s) Disorde  
Number of times reported: [1]



**[Drug:] Novobiocin, Penicillin G Procaine**

Intrauterine, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

**[Drug:] Novobiocin, Penicillin G Procaine**

Oral, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

**[Drug:] Novobiocin, Prednisolone, Tetracycline**

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

**[Drug:] Novobiocin, Prednisolone, Tetracycline**

Oral, Cat

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

**[Drug:] Novobiocin, Prednisolone, Tetracycline**

Oral, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea, Bloody

Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Bld, Urine  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Cystitis  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Diabetes Mellitus  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Ineffect, Antiinflam  
Number of times reported: [1]  
[Sign:] Inflam, Skin  
Number of times reported: [1]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]  
[Sign:] Leukoderma  
Number of times reported: [1]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [1]  
[Sign:] Neoplasm  
Number of times reported: [1]  
[Sign:] Pancreatitis  
Number of times reported: [1]  
[Sign:] Paresis  
Number of times reported: [1]  
[Sign:] Photosensitization  
Number of times reported: [1]  
[Sign:] Polydipsia  
Number of times reported: [1]  
[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Novobiocin, Tetracycline**

Oral, Dog

[Sign:] Diabetes Mellitus

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Neoplasm

Number of times reported: [1]

**[Drug:] Nutritional Products With Therapeutic Claims**

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Nutritional Products With Therapeutic Claims**

Missing, Dog

[Sign:] Immunosuppression

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

**[Drug:] Nutritional Products With Therapeutic Claims**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Nutritional Products With Therapeutic Claims**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Death

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Deafness

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Enlargement(s), Skin

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Gastritis

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Hepatomegaly

Number of times reported: [1]

[Sign:] Infection

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Mass

Number of times reported: [1]

[Sign:] Neoplasm, Liver

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Prostration

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Tympanic Mem, Ruptured

Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Nutritional Products With Therapeutic Claims**

Oral, Horse

[Sign:] Pain, Abdomen

Number of times reported: [6]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Pd-odor, Abn

Number of times reported: [2]

- [Sign:] Swelling, Limb(s)  
Number of times reported: [2]
- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Behavior Disorder  
Number of times reported: [1]
- [Sign:] Coughing  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Dermatitis, Moist  
Number of times reported: [1]
- [Sign:] Diarrhea, Mild  
Number of times reported: [1]
- [Sign:] Dyspnea  
Number of times reported: [1]
- [Sign:] Inflammation, Skin  
Number of times reported: [1]
- [Sign:] Nervousness  
Number of times reported: [1]
- [Sign:] Sore(s)  
Number of times reported: [1]
- [Sign:] Spasm  
Number of times reported: [1]
- [Sign:] Swelling, Brisket/chest  
Number of times reported: [1]
- [Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

**[Drug:] Nutritional Products With Therapeutic Claims**

Parenteral, Dog

- [Sign:] Enlargement(s), Skin  
Number of times reported: [1]
- [Sign:] Lesion(s), Skin  
Number of times reported: [1]
- [Sign:] Macule(s)  
Number of times reported: [1]

**[Drug:] Omeprazole**

Defect, Not Applicable

- [Sign:] Pd-underfill, Package

Number of times reported: [57]  
[Sign:] Pd-tube(s), Leaking  
Number of times reported: [42]  
[Sign:] Syringe, Locking Ring  
Number of times reported: [28]  
[Sign:] Pd-cap(s), Abn  
Number of times reported: [20]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [19]  
[Sign:] Pd-missing, Cap  
Number of times reported: [12]  
[Sign:] Pd-tube(s), Damaged  
Number of times reported: [6]  
[Sign:] Pd-label(s), Abn  
Number of times reported: [5]  
[Sign:] Pd-missing, Label(s)  
Number of times reported: [5]  
[Sign:] Pd-tube(s), Abn  
Number of times reported: [5]  
[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [5]  
[Sign:] Pd-container(s), Abn  
Number of times reported: [4]  
[Sign:] Pd-lock, Abn  
Number of times reported: [4]  
[Sign:] Pd-color, Abn  
Number of times reported: [2]  
[Sign:] Pd-dispenser, Abn  
Number of times reported: [2]  
[Sign:] Pd-gel/paste, Abn  
Number of times reported: [2]  
[Sign:] Pd-container(s), Damag  
Number of times reported: [1]  
[Sign:] Pd-defect Unknown  
Number of times reported: [1]  
[Sign:] Pd-product Defect  
Number of times reported: [1]

**[Drug:] Omeprazole**

Oral, Alpaca

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

**[Drug:] Omeprazole**

Oral, Dog

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Omeprazole**

Oral, Horse

[Sign:] Ineffect, Gastric Ulcer(s)  
Number of times reported: [43]

[Sign:] Pain, Abdomen  
Number of times reported: [6]

[Sign:] Fever, Body  
Number of times reported: [5]

[Sign:] Ggt Hi, Bld  
Number of times reported: [5]

[Sign:] Anorexia  
Number of times reported: [4]

[Sign:] Depression/lethargy  
Number of times reported: [4]

[Sign:] Ineffect  
Number of times reported: [4]

[Sign:] Diarrhea  
Number of times reported: [3]

[Sign:] Gi, Abnormal  
Number of times reported: [3]

[Sign:] Swelling, Head/face  
Number of times reported: [3]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Flatulence  
Number of times reported: [2]



[Sign:] Hypersalivation  
Number of times reported: [2]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [2]

[Sign:] Lesion(s)  
Number of times reported: [2]

[Sign:] Off Feed  
Number of times reported: [2]

[Sign:] Pd-lock, Abn  
Number of times reported: [2]

[Sign:] Perforation, Gi  
Number of times reported: [2]

[Sign:] Sepsis  
Number of times reported: [2]

[Sign:] Sweating  
Number of times reported: [2]

[Sign:] Syringe, Locking Ring  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Application Site Swelling  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Borborygmi  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Eructation  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Hair, Abn  
Number of times reported: [1]

[Sign:] Healing Impaired  
Number of times reported: [1]

[Sign:] Hoof Disorder  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Hyperkeratosis  
Number of times reported: [1]

[Sign:] Hypersensitive, Sound  
Number of times reported: [1]

[Sign:] Icterus  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Lipase Hi, Bld  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Repetitive Movements  
Number of times reported: [1]

[Sign:] Self-mutilation  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Staring  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld  
Number of times reported: [1]

[Sign:] Us Abn  
Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Omeprazole**

Oral, Human

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Omeprazole**

Oral, Llama

[Sign:] Depression/lethargy

Number of times reported: [1]

**[Drug:] Omeprazole**

Unknown, Horse

[Sign:] Ineffect, Gastric Ulcer(s)

Number of times reported: [4]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

**[Drug:] Ondansetron**

Parenteral, Dog

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Atony, Bladder

Number of times reported: [1]

[Sign:] Bld, Sclera

Number of times reported: [1]

[Sign:] Choking

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehiscence

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Incontinence, Fecal

Number of times reported: [1]

[Sign:] Keratoconjunctivitis S

Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Defect, Not Applicable

[Sign:] Pd-vial(s), Damaged

Number of times reported: [12]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [7]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [6]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [5]

[Sign:] Pd-vial(s), Abn

Number of times reported: [5]

[Sign:] Pd-syringe, Abn

Number of times reported: [4]

[Sign:] Pd-seal, Abn

Number of times reported: [3]

[Sign:] Pd-suspension, Abn

Number of times reported: [3]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-odor, Abn

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Oral, Cat

[Sign:] Blindness

Number of times reported: [27]

[Sign:] Vomiting

Number of times reported: [24]

[Sign:] Mydriasis

Number of times reported: [23]

[Sign:] Anorexia

Number of times reported: [21]

[Sign:] Ataxia

Number of times reported: [20]

[Sign:] Depression/lethargy

Number of times reported: [20]

[Sign:] Death

Number of times reported: [14]

[Sign:] Convulsion(s)

Number of times reported: [13]

[Sign:] Blindness, Temp

Number of times reported: [11]

[Sign:] Death(euthanized)

Number of times reported: [11]

[Sign:] Hypersalivation

Number of times reported: [11]

[Sign:] Retina Abn

Number of times reported: [11]

[Sign:] Dyspnea

Number of times reported: [7]

[Sign:] Trembling

Number of times reported: [7]

[Sign:] Creatinine Hi, Bld

Number of times reported: [6]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Ineffect, Antibiotic

Number of times reported: [6]

[Sign:] Pressure Hi, Bld

Number of times reported: [6]

[Sign:] Weakness

Number of times reported: [6]

[Sign:] Confusion

Number of times reported: [5]  
[Sign:] Anemia  
Number of times reported: [4]  
[Sign:] Dehydration  
Number of times reported: [4]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [4]  
[Sign:] Hiding  
Number of times reported: [4]  
[Sign:] Twitch  
Number of times reported: [4]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [3]  
[Sign:] Bld, Urine  
Number of times reported: [3]  
[Sign:] Hyperesthesia  
Number of times reported: [3]  
[Sign:] Neurological Disorder  
Number of times reported: [3]  
[Sign:] Nystagmus  
Number of times reported: [3]  
[Sign:] Paralysis  
Number of times reported: [3]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [3]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [3]  
[Sign:] Recumbency  
Number of times reported: [3]  
[Sign:] Reflex(es) Abn  
Number of times reported: [3]  
[Sign:] Stiffness  
Number of times reported: [3]  
[Sign:] Stupor  
Number of times reported: [3]  
[Sign:] Unconscious  
Number of times reported: [3]  
[Sign:] Vocalization  
Number of times reported: [3]  
[Sign:] Weight Loss

Number of times reported: [3]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [2]  
[Sign:] Anisocoria  
Number of times reported: [2]  
[Sign:] Apprehension  
Number of times reported: [2]  
[Sign:] Bld, Retina  
Number of times reported: [2]  
[Sign:] Bun Hi, Bld  
Number of times reported: [2]  
[Sign:] Collapse  
Number of times reported: [2]  
[Sign:] Edema, Cornea(s)  
Number of times reported: [2]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [2]  
[Sign:] Head Tilt  
Number of times reported: [2]  
[Sign:] Hypothermia  
Number of times reported: [2]  
[Sign:] Icterus, Body  
Number of times reported: [2]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [2]  
[Sign:] Kidney Failure  
Number of times reported: [2]  
[Sign:] Lameness  
Number of times reported: [2]  
[Sign:] Nervousness  
Number of times reported: [2]  
[Sign:] Pain, Abdomen  
Number of times reported: [2]  
[Sign:] P Hi, Bld  
Number of times reported: [2]  
[Sign:] Reluctant To Climb  
Number of times reported: [2]  
[Sign:] Spasm  
Number of times reported: [2]  
[Sign:] Trembling, Face  
Number of times reported: [2]  
[Sign:] Vestibular Disorder

Number of times reported: [2]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [2]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [2]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Acidosis  
Number of times reported: [1]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [1]  
[Sign:] Anuria  
Number of times reported: [1]  
[Sign:] Arrest, Heart  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Blindness, Night  
Number of times reported: [1]  
[Sign:] Blindness, Partial  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Bun Lo, Bld  
Number of times reported: [1]  
[Sign:] Ca Hi, Bld  
Number of times reported: [1]  
[Sign:] Calculi, Bladder  
Number of times reported: [1]  
[Sign:] Cataract(s)  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Cyanosis  
Number of times reported: [1]  
[Sign:] Defecation



Number of times reported: [1]  
[Sign:] Diabetes Mellitus  
Number of times reported: [1]  
[Sign:] Diabetes M, Poor Regul  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Diarrhea, Mild  
Number of times reported: [1]  
[Sign:] Discharge, Ear(s)  
Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Embolus  
Number of times reported: [1]  
[Sign:] Erg Abn  
Number of times reported: [1]  
[Sign:] Eye Disorder  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Gingivitis  
Number of times reported: [1]  
[Sign:] Globulin Hi, Bld  
Number of times reported: [1]  
[Sign:] Hair, Abn Color  
Number of times reported: [1]  
[Sign:] Hco3 Lo, Bld  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Hepatomegaly  
Number of times reported: [1]  
[Sign:] Horner's Syndrome

Number of times reported: [1]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]  
[Sign:] Hypothermia, Body  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Incontinence, Fecal  
Number of times reported: [1]  
[Sign:] Incontinence, Urinary  
Number of times reported: [1]  
[Sign:] Inflamm, Skin  
Number of times reported: [1]  
[Sign:] K Hi, Bld  
Number of times reported: [1]  
[Sign:] K Lo, Bld  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Miosis  
Number of times reported: [1]  
[Sign:] Monos Lo, Bld  
Number of times reported: [1]  
[Sign:] Necrosis  
Number of times reported: [1]  
[Sign:] Nystagmus, Rotary  
Number of times reported: [1]  
[Sign:] Nystagmus, Vertical  
Number of times reported: [1]  
[Sign:] Opacity, Cornea(s)  
Number of times reported: [1]  
[Sign:] Opisthotonos

Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]  
[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]  
[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [1]  
[Sign:] Polyphagia  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Pr-cerebellum, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]  
[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [1]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Segs Hi, Bld  
Number of times reported: [1]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]  
[Sign:] Shaking, Head/face  
Number of times reported: [1]  
[Sign:] Skin Abnormal  
Number of times reported: [1]  
[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Tenesmus, Urinary

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Thrombus

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [22]

[Sign:] Convulsion(s)

Number of times reported: [20]

[Sign:] Depression/lethargy

Number of times reported: [15]

[Sign:] Death

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [11]

[Sign:] Ataxia

Number of times reported: [9]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [6]

[Sign:] Swelling, Head/face  
Number of times reported: [6]

[Sign:] Blindness  
Number of times reported: [5]

[Sign:] Diarrhea  
Number of times reported: [5]

[Sign:] Pruritis  
Number of times reported: [5]

[Sign:] Urticaria  
Number of times reported: [5]

[Sign:] Death(euthanized)  
Number of times reported: [4]

[Sign:] Fever, Body  
Number of times reported: [4]

[Sign:] Icterus, Body  
Number of times reported: [4]

[Sign:] Platelets Lo, Bld  
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [4]

[Sign:] Alopecia  
Number of times reported: [3]

[Sign:] Congestion, Skin  
Number of times reported: [3]

[Sign:] Dyspnea  
Number of times reported: [3]

[Sign:] Lameness  
Number of times reported: [3]

[Sign:] Polydipsia  
Number of times reported: [3]

[Sign:] Wbc Hi, Bld  
Number of times reported: [3]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Anemia, Hemolytic  
Number of times reported: [2]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [2]

[Sign:] Bld  
Number of times reported: [2]

[Sign:] Bld, Anus  
Number of times reported: [2]

[Sign:] Bun Hi, Bld  
Number of times reported: [2]

[Sign:] Confusion  
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [2]

[Sign:] Deafness  
Number of times reported: [2]

[Sign:] Hair, Abn Color  
Number of times reported: [2]

[Sign:] Hair, Shedding  
Number of times reported: [2]

[Sign:] Head Tilt  
Number of times reported: [2]

[Sign:] Hypersalivation  
Number of times reported: [2]

[Sign:] Lesion(s), Skin  
Number of times reported: [2]

[Sign:] Liver Failure  
Number of times reported: [2]

[Sign:] Mydriasis  
Number of times reported: [2]

[Sign:] Nystagmus, Horizontal  
Number of times reported: [2]

[Sign:] Pain, Joint(s)  
Number of times reported: [2]

[Sign:] Paralysis, Facial Nerv  
Number of times reported: [2]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [2]

[Sign:] P Hi, Bld  
Number of times reported: [2]

[Sign:] Polypnea  
Number of times reported: [2]

[Sign:] Polyuria  
Number of times reported: [2]

[Sign:] Radiograph(s) Abn  
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [2]

[Sign:] Skin Disorder  
Number of times reported: [2]

[Sign:] Swelling, Joint(s)  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Basos Hi, Bld  
Number of times reported: [1]

[Sign:] Bilirubin, Urine  
Number of times reported: [1]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Bld, Rectum  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Blindness, Temp  
Number of times reported: [1]

[Sign:] Bone, Abn  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Circling  
Number of times reported: [1]

[Sign:] Coagulation Disorder  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Congestion, Ear(s)  
Number of times reported: [1]

[Sign:] Coombs Test Pos  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Gagging  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Hematochezia  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Hypothermia, Body  
Number of times reported: [1]

[Sign:] Inflam, Skin  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]

[Sign:] Joint Disorder  
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]



[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Liver Disorder  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Nystagmus  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pain, Muscle(s)  
Number of times reported: [1]

[Sign:] Papule(s)  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Pressure Hi, Bld  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]

[Sign:] Proprioceptive Disorde  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [1]

[Sign:] Pustule(s)  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld  
Number of times reported: [1]

[Sign:] Scale(s), Skin  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Shaking, Head/face  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Skin, Necrosis  
Number of times reported: [1]

[Sign:] Skin, Scab(s)  
Number of times reported: [1]

[Sign:] Slough  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

[Sign:] Sore(s)  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Ear(s)  
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]

[Sign:] Swelling, Tongue  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [1]

[Sign:] Us Abn  
Number of times reported: [1]

[Sign:] Vestibular Disorder  
Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Oral, Guinea Pig

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Prolapse, Penis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Oral, Human

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Oral, Rabbit

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Orbifloxacin**

Oral, Various

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

**[Drug:] Orbifloxacin, Mometasone, Posaconazole**

Defect, Not Applicable

[Sign:] Pd-applicator, Abn

Number of times reported: [2]

[Sign:] Pd-missing, Cap

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

**[Drug:] Orbifloxacin, Mometasone, Posaconazole**

Topical, Cat

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Orbifloxacin, Mometasone, Posaconazole**

Topical, Dog

[Sign:] Deafness

Number of times reported: [25]

[Sign:] Ineffect, Antibiotic

Number of times reported: [6]

[Sign:] Application Site Erythema

Number of times reported: [4]

[Sign:] Deafness, Temp

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Application Site Inflamm

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Application Site Edema  
Number of times reported: [1]

[Sign:] Biting/chewing  
Number of times reported: [1]

[Sign:] Congestion, Ear(s)  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Deafness, Partial  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Diabetes Mellitus  
Number of times reported: [1]

[Sign:] Diarrhea, Projectile  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Erythema Multiforme  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Flatulence  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Irritation, Ear(s)  
Number of times reported: [1]

[Sign:] Nose Abn  
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

- [Sign:] Scale(s), Skin  
Number of times reported: [1]
- [Sign:] Skin, Crust(s)  
Number of times reported: [1]
- [Sign:] Swelling, Ear(s)  
Number of times reported: [1]
- [Sign:] Swelling, Head/face  
Number of times reported: [1]
- [Sign:] Trembling  
Number of times reported: [1]
- [Sign:] Trembling, Face  
Number of times reported: [1]
- [Sign:] Twitch  
Number of times reported: [1]

**[Drug:] Orgotein**

Parenteral, Dog

- [Sign:] Collapse  
Number of times reported: [2]
- [Sign:] Pallor  
Number of times reported: [2]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Fever, Body  
Number of times reported: [1]
- [Sign:] Recumbency  
Number of times reported: [1]
- [Sign:] Swelling, Joint(s)  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Orgotein**

Parenteral, Horse

- [Sign:] Inj Site Inflam  
Number of times reported: [1]
- [Sign:] Sweating  
Number of times reported: [1]
- [Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [10]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [4]

[Sign:] Pd-unknown

Number of times reported: [4]

[Sign:] Pd-cap(s), Abn

Number of times reported: [3]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-vial(s), Abn

Number of times reported: [2]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Missing, Dog

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Oral, Cat

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Hypersalivation

Number of times reported: [4]

[Sign:] Anemia

Number of times reported: [3]

[Sign:] Platelets Lo, Bld

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [2]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Hyperactivity  
Number of times reported: [2]  
[Sign:] Adipsia  
Number of times reported: [1]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [1]  
[Sign:] Alkaline Urine  
Number of times reported: [1]  
[Sign:] Anemia, Hemolytic  
Number of times reported: [1]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Coagulation Disorder  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Diarrhea  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Edema, Pharynx  
Number of times reported: [1]  
[Sign:] Electrolyte Disorder  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Eruption(s)  
Number of times reported: [1]  
[Sign:] Fever, Body



Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pancytopenia

Number of times reported: [1]

[Sign:] Proprioceptive Disorde

Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld

Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Slough, Ear(s)

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [116]

[Sign:] Anorexia  
Number of times reported: [84]

[Sign:] Fever, Body  
Number of times reported: [81]

[Sign:] Vomiting  
Number of times reported: [72]

[Sign:] Ataxia  
Number of times reported: [70]

[Sign:] Convulsion(s)  
Number of times reported: [70]

[Sign:] Platelets Lo, Bld  
Number of times reported: [68]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [50]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [47]

[Sign:] Trembling  
Number of times reported: [46]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [35]

[Sign:] Aggression  
Number of times reported: [33]

[Sign:] Death  
Number of times reported: [33]

[Sign:] Nervousness  
Number of times reported: [33]

[Sign:] Anemia  
Number of times reported: [31]

[Sign:] Apprehension  
Number of times reported: [31]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [31]

[Sign:] Behavior Disorder  
Number of times reported: [30]

[Sign:] Hyperactivity  
Number of times reported: [26]

[Sign:] Weakness  
Number of times reported: [26]

[Sign:] Confusion  
Number of times reported: [24]

[Sign:] Polypnea  
Number of times reported: [22]

[Sign:] Death(euthanized)  
Number of times reported: [21]

[Sign:] Lameness  
Number of times reported: [20]

[Sign:] Swelling, Joint(s)  
Number of times reported: [18]

[Sign:] Wbc Hi, Bld  
Number of times reported: [17]

[Sign:] Arthritis  
Number of times reported: [16]

[Sign:] Bun Hi, Bld  
Number of times reported: [16]

[Sign:] Diarrhea  
Number of times reported: [16]

[Sign:] Pain, Joint(s)  
Number of times reported: [16]

[Sign:] Polydipsia  
Number of times reported: [16]

[Sign:] Weight Loss  
Number of times reported: [16]

[Sign:] Bld(petechiae)  
Number of times reported: [15]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [15]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [15]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [15]

[Sign:] Vocalization  
Number of times reported: [15]

[Sign:] Hypersalivation  
Number of times reported: [14]

[Sign:] Icterus, Body  
Number of times reported: [14]

[Sign:] Bld, Urine  
Number of times reported: [13]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [12]

[Sign:] Polyuria  
Number of times reported: [12]

[Sign:] Pruritis  
Number of times reported: [12]

[Sign:] Wbc Lo, Bld  
Number of times reported: [12]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [11]

[Sign:] Dehydration  
Number of times reported: [11]

[Sign:] Bld(ecchymoses)  
Number of times reported: [10]

[Sign:] Collapse  
Number of times reported: [10]

[Sign:] Icterus  
Number of times reported: [10]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [10]

[Sign:] Recumbency  
Number of times reported: [10]

[Sign:] Urticaria  
Number of times reported: [10]

[Sign:] Dyspnea  
Number of times reported: [9]

[Sign:] Epistaxis  
Number of times reported: [9]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [9]

[Sign:] Bilirubin, Urine  
Number of times reported: [8]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [8]

[Sign:] Hyperpnea  
Number of times reported: [8]

[Sign:] Pain  
Number of times reported: [8]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [8]

[Sign:] Vomiting, Bloody  
Number of times reported: [8]

[Sign:] Albumin Lo, Bld  
Number of times reported: [7]

[Sign:] Coagulation Disorder  
Number of times reported: [7]

[Sign:] Conjunctivitis  
Number of times reported: [7]

[Sign:] Edema, Head/face  
Number of times reported: [7]

[Sign:] Neurological Disorder  
Number of times reported: [7]

[Sign:] Reluctant To Move  
Number of times reported: [7]

[Sign:] Stiffness  
Number of times reported: [7]

[Sign:] Swelling, Head/face  
Number of times reported: [7]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [7]

[Sign:] Congestion, Skin  
Number of times reported: [6]

[Sign:] Kidney Failure  
Number of times reported: [6]

[Sign:] Locomotion Disorder  
Number of times reported: [6]

[Sign:] Pancytopenia  
Number of times reported: [6]

[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [6]

[Sign:] Adipsia  
Number of times reported: [5]

[Sign:] Amylase Hi, Bld  
Number of times reported: [5]

[Sign:] Anaphylaxis/toid  
Number of times reported: [5]

[Sign:] Anemia, Hemolytic  
Number of times reported: [5]

[Sign:] Blindness  
Number of times reported: [5]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [5]

[Sign:] Hyperesthesia  
Number of times reported: [5]

[Sign:] Incontinence, Urinary  
Number of times reported: [5]

[Sign:] Proprioceptive Disorde  
Number of times reported: [5]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [5]

[Sign:] Protein, Urine  
Number of times reported: [5]

[Sign:] Staggering  
Number of times reported: [5]

[Sign:] Tachycardia  
Number of times reported: [5]

[Sign:] Ulcer(s), Skin  
Number of times reported: [5]

[Sign:] Us Abn  
Number of times reported: [5]

[Sign:] Bld  
Number of times reported: [4]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [4]

[Sign:] Bun Lo, Bld  
Number of times reported: [4]

[Sign:] Casts, Urine  
Number of times reported: [4]

[Sign:] Globulin Hi, Bld  
Number of times reported: [4]

[Sign:] Hallucination  
Number of times reported: [4]

[Sign:] Ineffect, Coccidia  
Number of times reported: [4]

[Sign:] Joint Disorder  
Number of times reported: [4]

[Sign:] Mydriasis  
Number of times reported: [4]

[Sign:] Radiograph(s) Abn  
Number of times reported: [4]

[Sign:] Segs Hi, Bld  
Number of times reported: [4]

[Sign:] Skin Disorder  
Number of times reported: [4]

[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [4]

[Sign:] Us-liver Abn  
Number of times reported: [4]

[Sign:] Uveitis  
Number of times reported: [4]

[Sign:] Alopecia  
Number of times reported: [3]

[Sign:] Anuria  
Number of times reported: [3]

[Sign:] Ascites  
Number of times reported: [3]

[Sign:] Azotemia  
Number of times reported: [3]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [3]

[Sign:] Bld, Sclera  
Number of times reported: [3]

[Sign:] Blindness, Temp  
Number of times reported: [3]

[Sign:] Ca Hi, Bld  
Number of times reported: [3]

[Sign:] Cns Disorder  
Number of times reported: [3]

[Sign:] Coombs Test Pos  
Number of times reported: [3]

[Sign:] Cpk Hi, Bld  
Number of times reported: [3]

[Sign:] Dementia  
Number of times reported: [3]

[Sign:] Edema, Cornea(s)  
Number of times reported: [3]

[Sign:] Effusion, Joint(s)  
Number of times reported: [3]

[Sign:] Eruption(s)  
Number of times reported: [3]

[Sign:] Fly Biting  
Number of times reported: [3]

[Sign:] Hemoglobin, Urine  
Number of times reported: [3]

[Sign:] Hepatomegaly  
Number of times reported: [3]

[Sign:] Interaction, Drug(s)  
Number of times reported: [3]

[Sign:] Liver Disorder  
Number of times reported: [3]

[Sign:] Nystagmus  
Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] Pain, Limb(s)  
Number of times reported: [3]

[Sign:] Pain, Neck  
Number of times reported: [3]

[Sign:] Photophobia  
Number of times reported: [3]

[Sign:] Pollakiuria  
Number of times reported: [3]

[Sign:] Polycythemia  
Number of times reported: [3]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [3]

[Sign:] Rash  
Number of times reported: [3]

[Sign:] Shaking  
Number of times reported: [3]

[Sign:] Spasm  
Number of times reported: [3]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [3]

[Sign:] Swelling, Limb(s)  
Number of times reported: [3]

[Sign:] Triglycerides Hi, Bld  
Number of times reported: [3]

[Sign:] Alkaline Urine  
Number of times reported: [2]

[Sign:] Apnea  
Number of times reported: [2]

[Sign:] Bands Hi, Bld  
Number of times reported: [2]

[Sign:] Biting/chewing  
Number of times reported: [2]

[Sign:] Bld, Abdomen  
Number of times reported: [2]

[Sign:] Bld, Eye(s)  
Number of times reported: [2]

[Sign:] Chloride Lo, Bld  
Number of times reported: [2]

[Sign:] Cholesterol Lo, Bld  
Number of times reported: [2]



[Sign:] Circling  
Number of times reported: [2]

[Sign:] Colitis  
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Coughing  
Number of times reported: [2]

[Sign:] Cyanosis  
Number of times reported: [2]

[Sign:] Difficulty Rising  
Number of times reported: [2]

[Sign:] Discharge, Eye(s)/lid(  
Number of times reported: [2]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Distention, Abdomen  
Number of times reported: [2]

[Sign:] Edema, Limb(s)  
Number of times reported: [2]

[Sign:] Eye Disorder  
Number of times reported: [2]

[Sign:] Fibrinogen Hi, Bld  
Number of times reported: [2]

[Sign:] Ggt Hi, Bld  
Number of times reported: [2]

[Sign:] Globulin Lo, Bld  
Number of times reported: [2]

[Sign:] Glucose Hi, Bld  
Number of times reported: [2]

[Sign:] Hematochezia  
Number of times reported: [2]

[Sign:] Hiding  
Number of times reported: [2]

[Sign:] Infection, Skin  
Number of times reported: [2]

[Sign:] Infection, Urinary Tra  
Number of times reported: [2]

[Sign:] Inflam, Skin  
Number of times reported: [2]

[Sign:] K Lo, Bld  
Number of times reported: [2]

[Sign:] Ldh Hi, Bld  
Number of times reported: [2]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [2]

[Sign:] Melena  
Number of times reported: [2]

[Sign:] Na Lo, Bld  
Number of times reported: [2]

[Sign:] Pancreatitis  
Number of times reported: [2]

[Sign:] Paresis  
Number of times reported: [2]

[Sign:] P Hi, Bld  
Number of times reported: [2]

[Sign:] P Lo, Bld  
Number of times reported: [2]

[Sign:] Polycythemia(relative)  
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [2]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [2]

[Sign:] Reflex(es) Abn  
Number of times reported: [2]

[Sign:] Scale(s), Skin  
Number of times reported: [2]

[Sign:] Segs Lo, Bld  
Number of times reported: [2]

[Sign:] Shaking, Head/face  
Number of times reported: [2]

[Sign:] Skin, Crust(s)  
Number of times reported: [2]

[Sign:] Skin, Scab(s)  
Number of times reported: [2]

[Sign:] Slough, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Somnolence  
Number of times reported: [2]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [2]

[Sign:] Splenomegaly  
Number of times reported: [2]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [2]

[Sign:] Stranguria  
Number of times reported: [2]

[Sign:] Stupor  
Number of times reported: [2]

[Sign:] Tears, Abn  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Aplasia, Bone Marrow  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Bld, Sq  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Breathing, Periodic  
Number of times reported: [1]

[Sign:] Calculi, Urine  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld  
Number of times reported: [1]

[Sign:] Crystals, Urine  
Number of times reported: [1]

[Sign:] Csf Abn  
Number of times reported: [1]

[Sign:] Deafness  
Number of times reported: [1]

[Sign:] Deafness, Partial  
Number of times reported: [1]

[Sign:] Delirium  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Dic  
Number of times reported: [1]

[Sign:] Dilatation, Esophagus  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Dysuria  
Number of times reported: [1]

[Sign:] Ecg Abn  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Edema, Larynx  
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Elimination Abn  
Number of times reported: [1]

[Sign:] Encephalopathy  
Number of times reported: [1]

[Sign:] Endocrine Disorder  
Number of times reported: [1]

[Sign:] Enlargement, Joint(s)  
Number of times reported: [1]

[Sign:] Enlargement(s)  
Number of times reported: [1]

[Sign:] Enteritis  
Number of times reported: [1]

[Sign:] Gagging  
Number of times reported: [1]

[Sign:] Gastroenteritis  
Number of times reported: [1]

[Sign:] Glaucoma  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Heart Disorder  
Number of times reported: [1]

[Sign:] Hepatitis  
Number of times reported: [1]

[Sign:] Hyperkeratosis  
Number of times reported: [1]

[Sign:] Hypertonia  
Number of times reported: [1]

[Sign:] Hyphema  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Immune Disorder  
Number of times reported: [1]

[Sign:] Incontinence, Fecal  
Number of times reported: [1]

[Sign:] Infection, Eye(s)  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Irritation, Ear(s)  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] Kidney Disorder  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Liver Failure  
Number of times reported: [1]

[Sign:] Liver Profile Hi  
Number of times reported: [1]

[Sign:] Lockjaw  
Number of times reported: [1]

[Sign:] Mass, Skin  
Number of times reported: [1]

[Sign:] Microorganisms, Urine  
Number of times reported: [1]

[Sign:] Miosis  
Number of times reported: [1]

[Sign:] Mucous Membr, Red  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Myositis  
Number of times reported: [1]

[Sign:] Na:k Lo, Bld  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Nephritis  
Number of times reported: [1]

[Sign:] Nystagmus, Vertical  
Number of times reported: [1]

[Sign:] Opisthotonos  
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]

[Sign:] Paralysis, All Limbs  
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv  
Number of times reported: [1]

[Sign:] Pica  
Number of times reported: [1]

[Sign:] Platelets Abn  
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld  
Number of times reported: [1]

[Sign:] Regurgitation  
Number of times reported: [1]

[Sign:] Regurgitation, Food  
Number of times reported: [1]

[Sign:] Retina Abn  
Number of times reported: [1]

[Sign:] Seborrhea  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Skin Abnormal  
Number of times reported: [1]

[Sign:] Sneezing  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Spec Gravity Hi, Urine  
Number of times reported: [1]

[Sign:] Staring  
Number of times reported: [1]

[Sign:] Stomatitis  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Syncope  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Tenesmus, Rectal  
Number of times reported: [1]

[Sign:] Torticollis  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

[Sign:] Ulcer(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneous  
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Urination Abn  
Number of times reported: [1]

[Sign:] Urine Abn  
Number of times reported: [1]

[Sign:] Vasculitis  
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Skin  
Number of times reported: [1]

[Sign:] Vestibular Disorder  
Number of times reported: [1]

[Sign:] Vision Disorder  
Number of times reported: [1]

[Sign:] Volvulus, Stomach  
Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Oral, Fish

[Sign:] Anorexia



Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Oral, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Stranguria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Unknown, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

**[Drug:] Ormetoprim, Sulfadimethoxine**

Unknown, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

**[Drug:] Oxfendazole**

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [6]

[Sign:] Pd-seal, Abn

Number of times reported: [5]

[Sign:] Pd-cap(s), Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [3]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap  
Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged  
Number of times reported: [1]

**[Drug:] Oxfendazole**

Oral, Cattle

[Sign:] Death  
Number of times reported: [8]

[Sign:] Ineffect, Strongyles  
Number of times reported: [4]

[Sign:] Pr-peritoneum, Lesion(  
Number of times reported: [3]

[Sign:] Ineffect, Worms  
Number of times reported: [2]

[Sign:] Peritonitis  
Number of times reported: [2]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Ineffect, Stomach Worm  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Poor Performance  
Number of times reported: [1]

[Sign:] Pr-uterus, Lesion(s)  
Number of times reported: [1]

**[Drug:] Oxfendazole**

Oral, Dog

[Sign:] Bun Hi, Bld  
Number of times reported: [2]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Kidney Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Oxfendazole**

Oral, Goat

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

**[Drug:] Oxfendazole**

Oral, Horse

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

**[Drug:] Oxfendazole**

Topical, Human

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

**[Drug:] Oxfendazole, Trichlorfon**

Oral, Horse

[Sign:] Hypersalivation

Number of times reported: [7]

[Sign:] Pain, Abdomen

Number of times reported: [6]

[Sign:] Discomfort, Mouth/lip(

Number of times reported: [5]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [5]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Tox, Op  
Number of times reported: [3]  
[Sign:] Death(euthanized)  
Number of times reported: [2]  
[Sign:] Diarrhea  
Number of times reported: [2]  
[Sign:] Nervousness  
Number of times reported: [2]  
[Sign:] Swelling, Tongue  
Number of times reported: [2]  
[Sign:] Urticaria  
Number of times reported: [2]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Death  
Number of times reported: [1]  
[Sign:] Diarrhea, Mild  
Number of times reported: [1]  
[Sign:] Dysphagia  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Hematochezia  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Pr-pharynx, Lesion(s)  
Number of times reported: [1]  
[Sign:] Regurgitation  
Number of times reported: [1]  
[Sign:] Sweating  
Number of times reported: [1]  
[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

**[Drug:] Oxibendazole**

Defect, Not Applicable

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [4]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [2]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Oxibendazole**

Oral, Dog

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Hepatomegaly  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Oxibendazole**

Oral, Donkey

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

**[Drug:] Oxibendazole**

Oral, Goat

[Sign:] Residue, Meat  
Number of times reported: [1]

[Sign:] Residue, Milk  
Number of times reported: [1]

**[Drug:] Oxibendazole**

Oral, Horse

[Sign:] Pain, Abdomen  
Number of times reported: [77]

[Sign:] Diarrhea

Number of times reported: [61]  
[Sign:] Anorexia  
Number of times reported: [24]  
[Sign:] Depression/lethargy  
Number of times reported: [20]  
[Sign:] Diarrhea, Mild  
Number of times reported: [17]  
[Sign:] Death  
Number of times reported: [11]  
[Sign:] Diarrhea, Severe  
Number of times reported: [11]  
[Sign:] Death(euthanized)  
Number of times reported: [8]  
[Sign:] Fever, Body  
Number of times reported: [7]  
[Sign:] Urticaria  
Number of times reported: [7]  
[Sign:] Laminitis  
Number of times reported: [6]  
[Sign:] Diarrhea, Watery  
Number of times reported: [4]  
[Sign:] Ineffect, Strongyles  
Number of times reported: [4]  
[Sign:] Ineffect, Worms  
Number of times reported: [4]  
[Sign:] Recumbency  
Number of times reported: [4]  
[Sign:] Ataxia  
Number of times reported: [3]  
[Sign:] Swelling, Head/face  
Number of times reported: [3]  
[Sign:] Volvulus  
Number of times reported: [3]  
[Sign:] Abortion  
Number of times reported: [2]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [2]  
[Sign:] Edema, Limb(s)  
Number of times reported: [2]  
[Sign:] Hypersalivation  
Number of times reported: [2]  
[Sign:] Lameness

Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Off Feed  
Number of times reported: [2]  
[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [2]  
[Sign:] Rolling  
Number of times reported: [2]  
[Sign:] Staggering  
Number of times reported: [2]  
[Sign:] Stiffness  
Number of times reported: [2]  
[Sign:] Sweating  
Number of times reported: [2]  
[Sign:] Weight Loss  
Number of times reported: [2]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Application Site Pain  
Number of times reported: [1]  
[Sign:] Application Site Swelling  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Birth Defect(s), Head/  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Capillary Refill Prolo  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Diarrhea, Projectile  
Number of times reported: [1]  
[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Dysphagia



Number of times reported: [1]  
[Sign:] Head Pressing  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Ineffect, Parasite(s)  
Number of times reported: [1]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Pain, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Pawing  
Number of times reported: [1]  
[Sign:] Pd-dispenser, Abn  
Number of times reported: [1]  
[Sign:] Pd-gel/paste, Abn  
Number of times reported: [1]  
[Sign:] Polydipsia  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Pr-bld Vessel(s), Lesi  
Number of times reported: [1]  
[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [1]  
[Sign:] Stool Abn  
Number of times reported: [1]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [1]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Oxibendazole**

Oral, Rabbit

[Sign:] Ineffect

Number of times reported: [1]

**[Drug:] Oxibendazole**

Unknown, Horse

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

**[Drug:] Oxymorphone**

Parenteral, Dog

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Edema, Limb(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Ineffect, Analgesia

Number of times reported: [1]

**[Drug:] Oxymorphone**

Unknown, Dog

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [178]

[Sign:] Pd-color, Abn

Number of times reported: [123]

[Sign:] Pd-seal, Abn

Number of times reported: [36]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [29]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [26]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [22]

[Sign:] Pd-odor, Abn

Number of times reported: [19]

[Sign:] Pd-container(s), Damag

Number of times reported: [16]

[Sign:] Pd-vial(s), Abn

Number of times reported: [10]

[Sign:] Pd-product Defect

Number of times reported: [7]

[Sign:] Pd-suspension, Abn

Number of times reported: [7]

[Sign:] Pd-underfill, Package

Number of times reported: [6]

[Sign:] Pd-cap(s), Abn

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [5]

[Sign:] Pd-contamination

Number of times reported: [4]

[Sign:] No Signs

Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Pd-contam, Insects

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-unknown

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Intrauterine, Cattle

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Missing, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Death(tx Failure)

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Breathing Abn

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Inj Site Abscess  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-pleura, Lesion(s)  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Missing, Dog

[Sign:] Abscess, Skin  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Granuloma  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Missing, Human

[Sign:] Inj Site Bld  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Bird

[Sign:] Egg Abn

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Culture/titer Data Abn

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Cat

[Sign:] Pd-odor, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Cattle

[Sign:] Death

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Residue, Milk  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Chicken

[Sign:] Egg Abn  
Number of times reported: [28]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [11]

[Sign:] Death  
Number of times reported: [10]

[Sign:] Residue, Meat  
Number of times reported: [9]

[Sign:] Accidental Exposure  
Number of times reported: [5]

[Sign:] No Signs  
Number of times reported: [4]

[Sign:] Pd-color, Abn  
Number of times reported: [4]

[Sign:] Death(tx Failure)  
Number of times reported: [2]

[Sign:] Diarrhea  
Number of times reported: [2]

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [2]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Balance Disorder  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Pd-odor, Abn  
Number of times reported: [1]

[Sign:] Sneezing  
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Fish

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)

Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Goat

[Sign:] Opisthotonos

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Human

[Sign:] Abn Color, Urine

Number of times reported: [1]

[Sign:] Congestion, Skin



Number of times reported: [1]

[Sign:] Gastritis

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Hepatitis

Number of times reported: [1]

[Sign:] Pain, Brisket/chest

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Pig

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Quail

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Rabbit

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Oral, Sheep

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Cns Disorder

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Camel

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Cat

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Crystals, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Inj Site Sterile Absce  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Moribund  
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Cattle

[Sign:] Death  
Number of times reported: [172]

[Sign:] Anaphylaxis/toid  
Number of times reported: [92]

[Sign:] Inj Site Swelling  
Number of times reported: [66]

[Sign:] Collapse  
Number of times reported: [55]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [30]

[Sign:] Dyspnea  
Number of times reported: [25]

[Sign:] Recumbency  
Number of times reported: [24]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [19]

[Sign:] Residue, Milk  
Number of times reported: [14]

[Sign:] Inj Site Pain  
Number of times reported: [12]

[Sign:] Inj Site Abscess  
Number of times reported: [11]

[Sign:] Hypersalivation  
Number of times reported: [9]

[Sign:] Anorexia

Number of times reported: [8]  
[Sign:] Ataxia  
Number of times reported: [8]  
[Sign:] Death(euthanized)  
Number of times reported: [8]  
[Sign:] Stiffness  
Number of times reported: [8]  
[Sign:] Death(tx Failure)  
Number of times reported: [7]  
[Sign:] Staggering  
Number of times reported: [7]  
[Sign:] Lameness  
Number of times reported: [6]  
[Sign:] Depression/lethargy  
Number of times reported: [5]  
[Sign:] Distress, Resp  
Number of times reported: [5]  
[Sign:] Shaking  
Number of times reported: [5]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [5]  
[Sign:] Trembling  
Number of times reported: [5]  
[Sign:] Fever, Body  
Number of times reported: [4]  
[Sign:] Ineffect  
Number of times reported: [4]  
[Sign:] Inj Site Mass  
Number of times reported: [4]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [4]  
[Sign:] Abortion  
Number of times reported: [3]  
[Sign:] Cyanosis  
Number of times reported: [3]  
[Sign:] Discomfort  
Number of times reported: [3]  
[Sign:] Froth, Nose  
Number of times reported: [3]  
[Sign:] Hyperactivity  
Number of times reported: [3]  
[Sign:] Inj Site Abn

Number of times reported: [3]  
[Sign:] Pain  
Number of times reported: [3]  
[Sign:] Pd-color, Abn  
Number of times reported: [3]  
[Sign:] Swelling, Head/face  
Number of times reported: [3]  
[Sign:] Twitch  
Number of times reported: [3]  
[Sign:] Apnea  
Number of times reported: [2]  
[Sign:] Behavior Disorder  
Number of times reported: [2]  
[Sign:] Bloat  
Number of times reported: [2]  
[Sign:] Breathing Abn  
Number of times reported: [2]  
[Sign:] Circling  
Number of times reported: [2]  
[Sign:] Diarrhea  
Number of times reported: [2]  
[Sign:] Discharge, Nose  
Number of times reported: [2]  
[Sign:] Distress  
Number of times reported: [2]  
[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [2]  
[Sign:] Epistaxis  
Number of times reported: [2]  
[Sign:] Inj Site Inflam  
Number of times reported: [2]  
[Sign:] Inj Site Seroma  
Number of times reported: [2]  
[Sign:] Pain, Neck  
Number of times reported: [2]  
[Sign:] Pd-solution, Abn  
Number of times reported: [2]  
[Sign:] Reaction, Unspecified  
Number of times reported: [2]  
[Sign:] Stiffness, Front Limb(  
Number of times reported: [2]  
[Sign:] Stiffness, Limb(s)

Number of times reported: [2]  
[Sign:] Stupor  
Number of times reported: [2]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [2]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Ca Lo, Bld  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Emphysema, Sq  
Number of times reported: [1]  
[Sign:] Eye Disorder  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Inj Site Bld  
Number of times reported: [1]  
[Sign:] Inj Site Slough  
Number of times reported: [1]  
[Sign:] Inj Site Stiffness  
Number of times reported: [1]  
[Sign:] Kicking  
Number of times reported: [1]  
[Sign:] Kidney Disorder

Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Pawing  
Number of times reported: [1]  
[Sign:] P Lo, Bld  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Pr-fetus, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]  
[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Residue, Meat  
Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Rolling  
Number of times reported: [1]  
[Sign:] Shaking, Head/face  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Somnolence  
Number of times reported: [1]  
[Sign:] Squinting  
Number of times reported: [1]  
[Sign:] Stiffness, Neck  
Number of times reported: [1]  
[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Brisket/ches

Number of times reported: [1]

[Sign:] Swelling, Neck

Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva

Number of times reported: [1]

[Sign:] Tenesmus, Rectal

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Dog

[Sign:] Inj Site Swelling

Number of times reported: [6]

[Sign:] Inj Site Pain

Number of times reported: [5]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Inj Site Inflamm

Number of times reported: [3]

[Sign:] Lameness

Number of times reported: [2]



[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Infection  
Number of times reported: [1]

[Sign:] Inj Site Abn  
Number of times reported: [1]

[Sign:] Inj Site Abscess  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Induration  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] P Hi, Bld  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Swelling, Ventrum

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Goat

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Vagina

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [12]

[Sign:] Death

Number of times reported: [11]

[Sign:] Collapse

Number of times reported: [7]

[Sign:] Dyspnea

Number of times reported: [4]

[Sign:] Urticaria

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] Recumbency  
Number of times reported: [3]

[Sign:] Apprehension  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Breathing Abn  
Number of times reported: [2]

[Sign:] Hyperpnea  
Number of times reported: [2]

[Sign:] Thrashing/paddling  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Bradycardia  
Number of times reported: [1]

[Sign:] Colitis  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Death(tx Failure)  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

- [Sign:] Mydriasis  
Number of times reported: [1]
- [Sign:] Nervousness  
Number of times reported: [1]
- [Sign:] Pain  
Number of times reported: [1]
- [Sign:] Pallor, Mucous Membran  
Number of times reported: [1]
- [Sign:] Pruritis  
Number of times reported: [1]
- [Sign:] Shaking  
Number of times reported: [1]
- [Sign:] Staggering  
Number of times reported: [1]
- [Sign:] Stiffness, Front Limb(  
Number of times reported: [1]
- [Sign:] Stiffness, Neck  
Number of times reported: [1]
- [Sign:] Sweating  
Number of times reported: [1]
- [Sign:] Volvulus  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Human

- [Sign:] Inj Site Swelling  
Number of times reported: [6]
- [Sign:] Inj Site Bld  
Number of times reported: [4]
- [Sign:] Inj Site Inflam  
Number of times reported: [3]
- [Sign:] Accidental Exposure  
Number of times reported: [2]
- [Sign:] Fever, Body  
Number of times reported: [2]
- [Sign:] Human Exposure, Inj  
Number of times reported: [2]
- [Sign:] Inj Site Mass  
Number of times reported: [2]
- [Sign:] Dizziness  
Number of times reported: [1]
- [Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Pig

[Sign:] Death

Number of times reported: [4]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Parenteral, Sheep

[Sign:] Death

Number of times reported: [3]

[Sign:] Inj Site Pain

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Infect

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Topical, Fish

[Sign:] Ineffect, Other Drug(s)

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Topical, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Human Exposure, Topica

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Topical, Other

[Sign:] Death

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Cattle

[Sign:] Death

Number of times reported: [19]

[Sign:] Anaphylaxis/toid

Number of times reported: [13]

[Sign:] Collapse

Number of times reported: [7]

[Sign:] Ineffect, Antibiotic

Number of times reported: [6]

[Sign:] Dyspnea

Number of times reported: [4]

[Sign:] Inj Site Swelling

Number of times reported: [4]

[Sign:] Lameness

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [2]

[Sign:] Death(tx Failure)

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Inj Site Abn

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Edema, Vulva

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Inj Site Mass

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Protrusion, Eye(s)

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Transudate

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Chicken

[Sign:] Egg Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Dog

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Goat

[Sign:] Residue, Meat

Number of times reported: [2]



[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Human

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)

Number of times reported: [1]

[Sign:] Paraesthesia

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Other

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Unknown, Various

[Sign:] Death

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

**[Drug:] Oxytetracycline**

Various, Cattle

[Sign:] Death

Number of times reported: [9]

[Sign:] Anaphylaxis/toid  
Number of times reported: [5]

[Sign:] Inj Site Edema  
Number of times reported: [2]

[Sign:] Inj Site Infect  
Number of times reported: [2]

[Sign:] Inj Site Necrosis  
Number of times reported: [2]

[Sign:] Pr-inj Site, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [2]

[Sign:] Reaction, Unspecified  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Bld  
Number of times reported: [1]

[Sign:] Cellulitis  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Inj Site Fibrosis  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Myositis  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-tongue, Lesion(s)  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

**[Drug:] Oxytetracycline**

Various, Dog

[Sign:] Depression/lethargy  
Number of times reported: [1]

**[Drug:] Oxytetracycline, Neomycin**

Defect, Not Applicable

[Sign:] Pd-granules, Abn  
Number of times reported: [2]

**[Drug:] Oxytetracycline, Neomycin**

Missing, Cattle

[Sign:] Pd-color, Abn  
Number of times reported: [1]

**[Drug:] Oxytetracycline, Neomycin**

Oral, Cattle

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn  
Number of times reported: [7]

[Sign:] Pd-tube(s), Abn  
Number of times reported: [7]

[Sign:] Pd-underfill, Package  
Number of times reported: [7]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [6]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [5]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-defect Unknown

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-solution, Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Missing, Dog

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Ophthalmic, Cat

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [19]

[Sign:] Vomiting

Number of times reported: [12]

[Sign:] Anaphylaxis/toid

Number of times reported: [10]

[Sign:] Conjunctivitis

Number of times reported: [7]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [5]  
[Sign:] Diarrhea  
Number of times reported: [5]  
[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [4]  
[Sign:] Pruritis, Eye(s)  
Number of times reported: [4]  
[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [3]  
[Sign:] Death  
Number of times reported: [3]  
[Sign:] Ineffect, Antibiotic  
Number of times reported: [3]  
[Sign:] Anemia  
Number of times reported: [2]  
[Sign:] Blepharospasm  
Number of times reported: [2]  
[Sign:] Congestion, Skin  
Number of times reported: [2]  
[Sign:] Convulsion(s)  
Number of times reported: [2]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [2]  
[Sign:] Dyspnea  
Number of times reported: [2]  
[Sign:] Edema, Head/face  
Number of times reported: [2]  
[Sign:] Epiphora  
Number of times reported: [2]  
[Sign:] Hyperpnea  
Number of times reported: [2]  
[Sign:] Hypersalivation  
Number of times reported: [2]  
[Sign:] Kidney Disorder  
Number of times reported: [2]  
[Sign:] Nervousness  
Number of times reported: [2]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Anorexia

Number of times reported: [1]  
[Sign:] Application Site Erythema  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Bld(hematoma)  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Congestion  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Ear Disorder  
Number of times reported: [1]  
[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Hiding  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hyperpigmentation, Skin  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Inflammation  
Number of times reported: [1]  
[Sign:] Inflammation, Skin  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Loss Of Condition  
Number of times reported: [1]  
[Sign:] Mydriasis  
Number of times reported: [1]  
[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld

Number of times reported: [1]

[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Ophthalmic, Dog

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi

Number of times reported: [1]

[Sign:] Teeth, Abn

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Ophthalmic, Horse

[Sign:] Edema, Cornea(s)

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Ophthalmic, Other

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic



Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Ophthalmic, Rabbit

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Hypomotility

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Topical, Cat

[Sign:] Conjunctivitis

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(

Number of times reported: [1]

[Sign:] Epiphora

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Infection, Eye(s)

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Photophobia

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Squinting

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Topical, Horse

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Topical, Human

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

**[Drug:] Oxytetracycline, Polymyxin B**

Topical, Rabbit

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

**[Drug:] Oxytocin**

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [5]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

**[Drug:] Oxytocin**

Parenteral, Bird

[Sign:] Death

Number of times reported: [1]

**[Drug:] Oxytocin**

Parenteral, Cattle

[Sign:] Ineffect, Milk Letdown

Number of times reported: [5]

[Sign:] Ineffect

Number of times reported: [3]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Sign:] Ineffect, Expul Placen

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Pr-lung(s), Edema

Number of times reported: [1]

**[Drug:] Oxytocin**

Parenteral, Dog

[Sign:] Ill

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Expul Placen

Number of times reported: [1]

**[Drug:] Oxytocin**

Parenteral, Pig

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Loss Of Condition

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Oxytocin**

Unknown, Cattle

[Sign:] Ineffect, Milk Letdown

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

**[Drug:] Oxytocin**

Unknown, Pig

[Sign:] Udder, Agalactia

Number of times reported: [1]

**[Drug:] Pancreatin**

Oral, Dog

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

**[Drug:] Paromomycin**

Oral, Cat

[Sign:] Kidney Failure

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Defect, Not Applicable

[Sign:] Pd-suspension, Abn

Number of times reported: [12]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [9]

[Sign:] Pd-solution, Abn

Number of times reported: [4]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Missing, Pig

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Parenteral, Cat

[Sign:] Dyspnea

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]  
[Sign:] Death  
Number of times reported: [3]  
[Sign:] Cyanosis  
Number of times reported: [2]  
[Sign:] Inj Site Pain  
Number of times reported: [2]  
[Sign:] Mydriasis  
Number of times reported: [2]  
[Sign:] Polypnea  
Number of times reported: [2]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Apnea  
Number of times reported: [1]  
[Sign:] Arrest, Heart  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Inj Site Inflam  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Nystagmus  
Number of times reported: [1]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [19]

[Sign:] Anaphylaxis/toid

Number of times reported: [9]

[Sign:] Ineffect, Antibiotic

Number of times reported: [4]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [2]

[Sign:] Shaking

Number of times reported: [2]

[Sign:] Bld(petechiae)

Number of times reported: [1]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Locomotion Disorder  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Residue, Milk  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Parenteral, Deer

[Sign:] Inj Site Swelling  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Parenteral, Dog

[Sign:] Inj Site Swelling  
Number of times reported: [14]

[Sign:] Inj Site Abscess  
Number of times reported: [10]

[Sign:] Inj Site Necrosis  
Number of times reported: [10]

[Sign:] Convulsion(s)  
Number of times reported: [7]



[Sign:] Inj Site Pain  
Number of times reported: [5]

[Sign:] Inj Site Inflam  
Number of times reported: [4]

[Sign:] Inj Site Mass  
Number of times reported: [4]

[Sign:] Inj Site Sterile Absce  
Number of times reported: [4]

[Sign:] Ataxia  
Number of times reported: [3]

[Sign:] Death  
Number of times reported: [3]

[Sign:] Inj Site Induration  
Number of times reported: [3]

[Sign:] Inj Site Slough  
Number of times reported: [3]

[Sign:] Vomiting  
Number of times reported: [3]

[Sign:] Diarrhea, Bloody  
Number of times reported: [2]

[Sign:] Hematochezia  
Number of times reported: [2]

[Sign:] Inj Site Abn  
Number of times reported: [2]

[Sign:] Nystagmus  
Number of times reported: [2]

[Sign:] Swelling  
Number of times reported: [2]

[Sign:] Swelling, Head/face  
Number of times reported: [2]

[Sign:] Swelling, Neck  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Ecg Abn  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Inj Site Infect  
Number of times reported: [1]

[Sign:] Inj Site Pruritis  
Number of times reported: [1]

[Sign:] Inj Site Sepsis  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Vomiting, Severe  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Parenteral, Goat

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Parenteral, Horse

[Sign:] Death

Number of times reported: [36]

[Sign:] Anaphylaxis/toid

Number of times reported: [29]

[Sign:] Collapse

Number of times reported: [12]

[Sign:] Inj Site Swelling

Number of times reported: [10]

[Sign:] Convulsion(s)

Number of times reported: [5]

[Sign:] Ataxia

Number of times reported: [4]

[Sign:] Dyspnea

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [4]

[Sign:] Nervousness

Number of times reported: [3]

[Sign:] Thrashing/paddling

Number of times reported: [3]

[Sign:] Circling

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Inj Site Abscess

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [2]

[Sign:] Pr-spleen, Lesion(s)

Number of times reported: [2]

[Sign:] Stumbling

Number of times reported: [2]

[Sign:] Swelling, Neck  
Number of times reported: [2]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Inj Site Inflam  
Number of times reported: [1]

[Sign:] Inj Site Mass  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Sepsis  
Number of times reported: [1]

[Sign:] Inj Site Sterile Absce  
Number of times reported: [1]

[Sign:] Inj Site Stiffness  
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Proprioceptive Disorde  
Number of times reported: [1]

[Sign:] Rearing  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling, Adm Site  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Parenteral, Human

[Sign:] Inj Site Infect  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Parenteral, Pig

[Sign:] Death  
Number of times reported: [10]

[Sign:] Vomiting  
Number of times reported: [9]

[Sign:] Depression/lethargy  
Number of times reported: [5]

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]

[Sign:] Diarrhea  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Parenteral, Rabbit

[Sign:] Inj Site Alopecia

Number of times reported: [1]

[Sign:] Inj Site Hair, Abn

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Parenteral, Various

[Sign:] Death

Number of times reported: [2]

[Sign:] Inj Site Abscess

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Topical, Human

[Sign:] Skin Disorder

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Topical, Rabbit

[Sign:] Application Site, Alopecia

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**  
Unknown, Cattle

[Sign:] Death

Number of times reported: [6]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Froth, Nose

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Unknown, Dog

[Sign:] Inj Site Abscess

Number of times reported: [6]

[Sign:] Diarrhea, Bloody

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bld, Anus

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Unknown, Horse

[Sign:] Anaphylaxis/toid  
Number of times reported: [3]

[Sign:] Ataxia  
Number of times reported: [3]

[Sign:] Death  
Number of times reported: [3]

[Sign:] Shaking  
Number of times reported: [3]

[Sign:] Trembling  
Number of times reported: [3]

[Sign:] Tachycardia  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Unknown, Pig

[Sign:] Death  
Number of times reported: [2]

[Sign:] Abortion  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Vomiting, Severe  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Unknown, Sheep

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Unknown, Various

[Sign:] Death



Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Various, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Various, Horse

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

**[Drug:] Penicillin G Benzathine, Penicillin G Procaine**

Various, Sheep

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

**[Drug:] Penicillin G Potassium**

Oral, Pig

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Penicillin G Potassium**

Oral, Turkey

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Penicillin G Potassium**

Parenteral, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Defect, Not Applicable

[Sign:] Pd-suspension, Abn

Number of times reported: [62]

[Sign:] Pd-container(s), Damag

Number of times reported: [8]

[Sign:] Pd-color, Abn

Number of times reported: [6]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-product Defect

Number of times reported: [5]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [5]

[Sign:] Pd-odor, Abn

Number of times reported: [4]

[Sign:] Pd-missing, Label(s)

Number of times reported: [2]

- [Sign:] Pd-seal, Abn  
Number of times reported: [2]
- [Sign:] Pd-underfill, Package  
Number of times reported: [2]
- [Sign:] Pd-cap(s), Abn  
Number of times reported: [1]
- [Sign:] Pd-container(s), Abn  
Number of times reported: [1]
- [Sign:] Pd-contam, Insects  
Number of times reported: [1]
- [Sign:] Pd-granules/powder, Abn  
Number of times reported: [1]
- [Sign:] Pd-unknown  
Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Intramammary, Cattle

- [Sign:] Death  
Number of times reported: [6]
- [Sign:] Pd-label(s), Abn  
Number of times reported: [2]
- [Sign:] Udder, Swelling  
Number of times reported: [2]
- [Sign:] Collapse  
Number of times reported: [1]
- [Sign:] Fever, Body  
Number of times reported: [1]
- [Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]
- [Sign:] Ill  
Number of times reported: [1]
- [Sign:] Pd-potency, Lo  
Number of times reported: [1]
- [Sign:] Recumbency  
Number of times reported: [1]
- [Sign:] Residue, Milk  
Number of times reported: [1]
- [Sign:] Shaking  
Number of times reported: [1]
- [Sign:] Spasm  
Number of times reported: [1]
- [Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Missing, Cattle

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Missing, Horse

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Inj Site Inflamm

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Inj Site Stiffness

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Stiffness, Neck

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Missing, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Oral, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Oral, Pig

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Alpaca

[Sign:] Inj Site Swelling

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Alopecia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Seroma

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Sign:] Prolapse, Tongue

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [33]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [20]  
[Sign:] Residue, Milk  
Number of times reported: [14]  
[Sign:] Collapse  
Number of times reported: [6]  
[Sign:] Dyspnea  
Number of times reported: [5]  
[Sign:] Hypersalivation  
Number of times reported: [5]  
[Sign:] Shaking  
Number of times reported: [5]  
[Sign:] Ineffect, Antibiotic  
Number of times reported: [3]  
[Sign:] Nervousness  
Number of times reported: [3]  
[Sign:] Recumbency  
Number of times reported: [3]  
[Sign:] Apprehension  
Number of times reported: [2]  
[Sign:] Coughing  
Number of times reported: [2]  
[Sign:] Hyperactivity  
Number of times reported: [2]  
[Sign:] Trembling  
Number of times reported: [2]  
[Sign:] Urticaria  
Number of times reported: [2]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Death(slaughtered)  
Number of times reported: [1]  
[Sign:] Diarrhea  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Eye Disorder  
Number of times reported: [1]  
[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Udder, Pain

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Dog

[Sign:] Inj Site Swelling

Number of times reported: [6]

[Sign:] Inj Site Abscess

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Reluctant To Move

Number of times reported: [3]



[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Inj Site Pain  
Number of times reported: [2]

[Sign:] Inj Site Seroma  
Number of times reported: [2]

[Sign:] Shaking  
Number of times reported: [2]

[Sign:] Stiffness  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Vomiting  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Enlargement(s)  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Inj Site Inflam  
Number of times reported: [1]

[Sign:] Inj Site Sterile Absce  
Number of times reported: [1]

[Sign:] Miosis  
Number of times reported: [1]

[Sign:] Polycythemia  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Goat

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]  
[Sign:] Collapse  
Number of times reported: [2]  
[Sign:] Death  
Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Horse

[Sign:] Death  
Number of times reported: [25]  
[Sign:] Collapse  
Number of times reported: [21]  
[Sign:] Hyperactivity  
Number of times reported: [18]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [17]  
[Sign:] Ataxia  
Number of times reported: [9]  
[Sign:] Inj Site Swelling  
Number of times reported: [7]  
[Sign:] Trembling  
Number of times reported: [7]  
[Sign:] Nervousness  
Number of times reported: [6]  
[Sign:] Confusion  
Number of times reported: [5]  
[Sign:] Shaking  
Number of times reported: [5]  
[Sign:] Stumbling  
Number of times reported: [5]  
[Sign:] Sweating  
Number of times reported: [5]  
[Sign:] Convulsion(s)  
Number of times reported: [4]  
[Sign:] Inj Site Pain  
Number of times reported: [4]  
[Sign:] Anorexia  
Number of times reported: [3]  
[Sign:] Distress, Resp  
Number of times reported: [3]  
[Sign:] Dyspnea

Number of times reported: [3]  
[Sign:] Fever, Body  
Number of times reported: [3]  
[Sign:] Hyperesthesia  
Number of times reported: [3]  
[Sign:] Hyperpnea  
Number of times reported: [3]  
[Sign:] Staggering  
Number of times reported: [3]  
[Sign:] Swelling  
Number of times reported: [3]  
[Sign:] Urticaria  
Number of times reported: [3]  
[Sign:] Weakness  
Number of times reported: [3]  
[Sign:] Blindness, Temp  
Number of times reported: [2]  
[Sign:] Hypersensitive, Sound  
Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Rearing  
Number of times reported: [2]  
[Sign:] Thrashing/paddling  
Number of times reported: [2]  
[Sign:] Twitch  
Number of times reported: [2]  
[Sign:] Vocalization  
Number of times reported: [2]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Arrhythmia  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Cns Disorder  
Number of times reported: [1]  
[Sign:] Cyanosis  
Number of times reported: [1]  
[Sign:] Defecation

Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Diarrhea  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Distress  
Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Hypopnea  
Number of times reported: [1]  
[Sign:] Inj Site Bld  
Number of times reported: [1]  
[Sign:] Inj Site Mass  
Number of times reported: [1]  
[Sign:] Inj Site Stiffness  
Number of times reported: [1]  
[Sign:] Jerking  
Number of times reported: [1]  
[Sign:] Kicking  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Nystagmus  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pain, Abdomen  
Number of times reported: [1]  
[Sign:] Pawing  
Number of times reported: [1]  
[Sign:] Pd-suspension, Abn  
Number of times reported: [1]  
[Sign:] Photophobia  
Number of times reported: [1]  
[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Scrotum

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Llama

[Sign:] Inj Site Swelling

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Pig

[Sign:] Death

Number of times reported: [14]

[Sign:] Vomiting

Number of times reported: [13]

[Sign:] Anaphylaxis/toid

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [4]

[Sign:] Distress, Resp

Number of times reported: [4]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Shaking

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Cns Disorder

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Sheep

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Parenteral, Various

[Sign:] Dermatitis, Moist

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Suppository, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Cat

[Sign:] Inj Site Inflam

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Cattle

[Sign:] Death

Number of times reported: [7]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Cyanosis

Number of times reported: [2]

[Sign:] Inj Site Abscess

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Goat

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)



Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Human

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Pig

[Sign:] Death

Number of times reported: [5]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Off Feed

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Posture Abn

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Sheep

[Sign:] Death

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Unknown, Various

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Various, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

**[Drug:] Penicillin G Procaine**

Various, Dog

[Sign:] Swelling, Head/face

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Penicillin V Potassium**

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

**[Drug:] Pentobarbital**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Pentobarbital**

Oral, Dog

[Sign:] Neurological Disorder

Number of times reported: [1]

**[Drug:] Pentobarbital**

Parenteral, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital**

Parenteral, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [4]

**[Drug:] Pentobarbital**

Parenteral, Donkey

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Pentobarbital**

Parenteral, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [6]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Pentobarbital**

Parenteral, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital**

Suppository, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital**

Unknown, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [2]

**[Drug:] Pentobarbital**

Unknown, Unknown

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital**

Various, Cat

[Sign:] Breathing, Difficult

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

**[Drug:] Pentobarbital**

Various, Unknown

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [12]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [5]

[Sign:] Pd-solution, Abn

Number of times reported: [4]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [4]

[Sign:] Pd-container(s), Abn

Number of times reported: [3]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Intranasal, Human

[Sign:] Dizziness

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Missing, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [4]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Missing, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Missing, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Ophthalmic, Dog

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [26]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [7]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [4]

[Sign:] Dizziness

Number of times reported: [3]

[Sign:] S-irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Vision Disorder

Number of times reported: [3]

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Edema, Cornea(s)

Number of times reported: [2]

[Sign:] Eye Disorder

Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Human Exposure, Eye(s)

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Oral, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Oral, Dog

[Sign:] Ataxia

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Hypothermia, Body

Number of times reported: [2]

[Sign:] Stupor

Number of times reported: [2]

[Sign:] Unconscious

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Miosis

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Oral, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Oral, Human

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Oral, Lion

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Oral, Unknown



[Sign:] Ineffect, Euthanasia  
Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Cat

[Sign:] Ineffect, Euthanasia  
Number of times reported: [22]

[Sign:] Pd-potency, Lo  
Number of times reported: [6]

[Sign:] Vocalization  
Number of times reported: [4]

[Sign:] Death(euthanized)  
Number of times reported: [3]

[Sign:] Inj Site Pain  
Number of times reported: [3]

[Sign:] Ineffect  
Number of times reported: [2]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Hypothermia, Body  
Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pd-solution, Abn  
Number of times reported: [1]

[Sign:] Rearing  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Cattle

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [201]

[Sign:] Ineffect

Number of times reported: [32]

[Sign:] Vocalization

Number of times reported: [25]

[Sign:] Inj Site Pain

Number of times reported: [16]

[Sign:] Pd-potency, Lo

Number of times reported: [16]

[Sign:] Hyperactivity

Number of times reported: [13]

[Sign:] Pd-solution, Abn

Number of times reported: [12]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [9]

[Sign:] Death(euthanized)

Number of times reported: [7]

[Sign:] Biting/chewing

Number of times reported: [4]

[Sign:] Breathing Abn

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Twitch

Number of times reported: [4]  
[Sign:] Aggression  
Number of times reported: [3]  
[Sign:] Breathing, Periodic  
Number of times reported: [3]  
[Sign:] Spasm  
Number of times reported: [3]  
[Sign:] Thrashing/paddling  
Number of times reported: [3]  
[Sign:] Behavior Disorder  
Number of times reported: [2]  
[Sign:] Opisthotonos  
Number of times reported: [2]  
[Sign:] Sedation  
Number of times reported: [2]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Death  
Number of times reported: [1]  
[Sign:] Defecation  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Dissociation  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Hypopnea  
Number of times reported: [1]  
[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]  
[Sign:] Jerking  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Posture Abn  
Number of times reported: [1]  
[Sign:] Stiffness  
Number of times reported: [1]  
[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Unknown

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [36]

[Sign:] Convulsion(s)

Number of times reported: [6]

[Sign:] Hyperactivity

Number of times reported: [5]

[Sign:] Pd-potency, Lo

Number of times reported: [3]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Sign:] Inj Site Phlebitis

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [7]

[Sign:] Hypoesthesia

Number of times reported: [5]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Inj Site Abn

Number of times reported: [2]

[Sign:] Inj Site Bld

Number of times reported: [2]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [2]

[Sign:] Death(suicide)

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Llama

[Sign:] Convulsion(s)

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Pig

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Rabbit

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Sheep

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Unknown

[Sign:] Ineffect

Number of times reported: [12]

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

**[Drug:] Pentobarbital, Phenytoin**

Parenteral, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [37]

[Sign:] Pd-solution, Abn

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fibrillation

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Topical, Human

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Hypoesthesia, Feet/dig

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)

Number of times reported: [1]

[Sign:] Photophobia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Unknown, Cat

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Unknown, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [7]

[Sign:] Ineffect

Number of times reported: [3]

[Sign:] Vocalization

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Unknown, Horse

[Sign:] Ineffect

Number of times reported: [3]

**[Drug:] Pentobarbital, Phenytoin**

Unknown, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pneumonia, Aspiration

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Suicide Attempt



Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Unknown, Unknown

[Sign:] Ineffect

Number of times reported: [30]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Unknown, Various

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Various, Cat

[Sign:] Pd-potency, Lo

Number of times reported: [4]

[Sign:] Ineffect, Euthanasia

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Various, Dog

[Sign:] Ineffect, Euthanasia

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Various, Horse

[Sign:] Ineffect, Euthanasia

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Various, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Pentobarbital, Phenytoin**

Various, Various

[Sign:] Ineffect, Euthanasia

Number of times reported: [2]

**[Drug:] Pentoxifylline**

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Pergolide Mesylate**

Oral, Horse

[Sign:] Anorexia

Number of times reported: [16]

[Sign:] Depression/lethargy  
Number of times reported: [6]

[Sign:] Laminitis  
Number of times reported: [3]

[Sign:] Adipsia  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Death(euthanized)  
Number of times reported: [2]

[Sign:] Ineffect, Cushings  
Number of times reported: [2]

[Sign:] Stumbling  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Weight Loss  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bld, Abn  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Cpk Hi, Bld  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Ldh Hi, Bld  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polyphagia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Swelling, Tongue  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Pylorus  
Number of times reported: [1]

[Sign:] Us Abn  
Number of times reported: [1]

**[Drug:] Pergolide Mesylate**

Oral, Mule

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Pain, Neck

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

**[Drug:] Pergolide Mesylate**

Unknown, Horse

[Sign:] Leukoderma

Number of times reported: [1]

**[Drug:] Phenobarbital**

Missing, Dog

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Phenobarbital**

Oral, Cat

[Sign:] Ineffect, Seizures

Number of times reported: [1]

**[Drug:] Phenobarbital**

Oral, Dog

[Sign:] Ineffect, Seizures

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Platelets Lo, Bld

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Segs Lo, Bld

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Balance Disorder  
Number of times reported: [1]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Heart Disorder  
Number of times reported: [1]

[Sign:] Hiding  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Incontinence  
Number of times reported: [1]

[Sign:] Incontinence, Fecal  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Otitis

Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

**[Drug:] Phenoxybenzamine**

Oral, Dog

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

**[Drug:] Phenylbutazone**

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [7]

[Sign:] Pd-tube(s), Abn

Number of times reported: [5]

[Sign:] Pd-dispenser, Abn

Number of times reported: [3]

[Sign:] Pd-syringe, Abn

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-gel/paste, Abn  
Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged  
Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [1]

**[Drug:] Phenylbutazone**

Oral, Cat

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Phenylbutazone**

Oral, Dog

[Sign:] Anorexia  
Number of times reported: [4]

[Sign:] Depression/lethargy  
Number of times reported: [4]

[Sign:] Anemia  
Number of times reported: [3]

[Sign:] Coagulation Disorder  
Number of times reported: [3]

[Sign:] Diarrhea  
Number of times reported: [3]

[Sign:] Platelets Lo, Bld  
Number of times reported: [3]

[Sign:] Vomiting  
Number of times reported: [3]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Kidney Disorder  
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Anemia, Aplastic  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Bld  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]



[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hematochezia  
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Phenylbutazone**

Oral, Horse

[Sign:] Death  
Number of times reported: [10]

[Sign:] Pain, Abdomen  
Number of times reported: [7]

[Sign:] Anorexia  
Number of times reported: [6]

[Sign:] Colitis  
Number of times reported: [4]

[Sign:] Depression/lethargy  
Number of times reported: [4]

[Sign:] Diarrhea  
Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [2]  
[Sign:] Death(euthanized)  
Number of times reported: [2]  
[Sign:] Diarrhea, Severe  
Number of times reported: [2]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [2]  
[Sign:] Ulcer(s), Gi  
Number of times reported: [2]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Choking  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Diarrhea, Watery  
Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Gi, Abnormal  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Ineffect, Analgesia  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [1]  
[Sign:] Pd-tube(s), Abn  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Syringe, Locking Ring  
Number of times reported: [1]  
[Sign:] Tech Error Administrat  
Number of times reported: [1]  
[Sign:] Thrashing/paddling  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Phenylbutazone**

Parenteral, Horse

[Sign:] Collapse

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Pain, Abdomen

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Sweating

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)

Number of times reported: [1]

[Sign:] Shock, Endotoxemia

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

- [Sign:] Twitch  
Number of times reported: [1]
- [Sign:] Ulcer(s), Stomach  
Number of times reported: [1]
- [Sign:] Unconscious  
Number of times reported: [1]

**[Drug:] Phenylpropanolamine**

Oral, Dog

- [Sign:] Vomiting  
Number of times reported: [5]
- [Sign:] Ataxia  
Number of times reported: [3]
- [Sign:] Convulsion(s)  
Number of times reported: [3]
- [Sign:] Death  
Number of times reported: [3]
- [Sign:] Depression/lethargy  
Number of times reported: [3]
- [Sign:] Polypnea  
Number of times reported: [3]
- [Sign:] Tachycardia  
Number of times reported: [3]
- [Sign:] Vocalization  
Number of times reported: [3]
- [Sign:] Anisocoria  
Number of times reported: [2]
- [Sign:] Anorexia  
Number of times reported: [2]
- [Sign:] Congestion, Skin  
Number of times reported: [2]
- [Sign:] Creatinine Hi, Bld  
Number of times reported: [2]
- [Sign:] Hyperactivity  
Number of times reported: [2]
- [Sign:] Hyperpnea  
Number of times reported: [2]
- [Sign:] Nervousness  
Number of times reported: [2]
- [Sign:] Pressure Hi, Bld  
Number of times reported: [2]

[Sign:] Staggering  
Number of times reported: [2]

[Sign:] Tox  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Amylase Hi, Bld  
Number of times reported: [1]

[Sign:] Anemia, Hemolytic  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Bld  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Dilatation, Stomach  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Fibrillation, Atrial  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Lipase Hi, Bld  
Number of times reported: [1]

- [Sign:] Pain, Abdomen  
Number of times reported: [1]
- [Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]
- [Sign:] P Hi, Bld  
Number of times reported: [1]
- [Sign:] Polydipsia  
Number of times reported: [1]
- [Sign:] Pr-meninges, Lesion(s)  
Number of times reported: [1]
- [Sign:] Reluctant To Move  
Number of times reported: [1]
- [Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]
- [Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Pheromones**

Topical, Cat

- [Sign:] Depression/lethargy  
Number of times reported: [1]

**[Drug:] Phosmet**

Topical, Cattle

- [Sign:] Death  
Number of times reported: [2]
- [Sign:] Bloat  
Number of times reported: [1]
- [Sign:] Convulsion(s)  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Hypersalivation  
Number of times reported: [1]
- [Sign:] Tox, Op  
Number of times reported: [1]
- [Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Phytosphingosine**

Topical, Dog

- [Sign:] Application Site Erythema  
Number of times reported: [1]
- [Sign:] Pruritis, Ear(s)  
Number of times reported: [1]

**[Drug:] Pilocarpine**

Oral, Dog

- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Hypersalivation  
Number of times reported: [1]

**[Drug:] Pimobendan**

Defect, Not Applicable

- [Sign:] Pd-tablet(s), Abn  
Number of times reported: [59]
- [Sign:] Pd-color, Abn  
Number of times reported: [22]
- [Sign:] Pd-cap(s), Abn  
Number of times reported: [17]
- [Sign:] Pd-underfill, Vial(s)  
Number of times reported: [9]
- [Sign:] Pd-product Defect  
Number of times reported: [5]
- [Sign:] Unpalatable, Won't Eat  
Number of times reported: [4]
- [Sign:] Pd-odor, Abn  
Number of times reported: [3]
- [Sign:] Pd-vial(s), Abn  
Number of times reported: [3]
- [Sign:] Pd-container(s), Abn  
Number of times reported: [2]
- [Sign:] Pd-missing, Label(s)  
Number of times reported: [2]
- [Sign:] Pd-seal, Abn  
Number of times reported: [2]
- [Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

**[Drug:] Pimobendan**

Missing, Dog

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

**[Drug:] Pimobendan**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Tachycardia

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Effusion, Pleural

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] K Lo, Bld



Number of times reported: [1]

[Sign:] Murmur, Heart

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Tachycardia, Ventricul

Number of times reported: [1]

**[Drug:] Pimobendan**

Oral, Dog

[Sign:] Diarrhea

Number of times reported: [120]

[Sign:] Anorexia

Number of times reported: [110]

[Sign:] Vomiting

Number of times reported: [94]

[Sign:] Depression/lethargy

Number of times reported: [90]

[Sign:] Tachycardia

Number of times reported: [76]

[Sign:] Coughing

Number of times reported: [46]

[Sign:] Bun Hi, Bld

Number of times reported: [44]

[Sign:] Death

Number of times reported: [43]

[Sign:] Convulsion(s)

Number of times reported: [36]

[Sign:] Creatinine Hi, Bld

Number of times reported: [32]

[Sign:] Polypnea

Number of times reported: [28]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [27]

[Sign:] Syncope

Number of times reported: [27]

[Sign:] Arrhythmia

Number of times reported: [26]

[Sign:] Death(euthanized)

Number of times reported: [26]

[Sign:] Trembling  
Number of times reported: [26]

[Sign:] Ataxia  
Number of times reported: [23]

[Sign:] Nervousness  
Number of times reported: [23]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [22]

[Sign:] Collapse  
Number of times reported: [22]

[Sign:] Polydipsia  
Number of times reported: [22]

[Sign:] Pressure Lo, Bld  
Number of times reported: [21]

[Sign:] Dyspnea  
Number of times reported: [20]

[Sign:] Pruritis  
Number of times reported: [20]

[Sign:] Pressure Hi, Bld  
Number of times reported: [17]

[Sign:] Polyuria  
Number of times reported: [16]

[Sign:] Hyperactivity  
Number of times reported: [15]

[Sign:] Weight Loss  
Number of times reported: [14]

[Sign:] Apprehension  
Number of times reported: [13]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [13]

[Sign:] Ineffect  
Number of times reported: [13]

[Sign:] Shaking  
Number of times reported: [13]

[Sign:] Weakness  
Number of times reported: [12]

[Sign:] Confusion  
Number of times reported: [11]

[Sign:] Diarrhea, Mild  
Number of times reported: [10]

[Sign:] P Hi, Bld  
Number of times reported: [10]

[Sign:] K Hi, Bld  
Number of times reported: [9]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [9]

[Sign:] Ggt Hi, Bld  
Number of times reported: [8]

[Sign:] Hyperpnea  
Number of times reported: [8]

[Sign:] Radiograph(s) Abn  
Number of times reported: [8]

[Sign:] Vocalization  
Number of times reported: [8]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [7]

[Sign:] Diarrhea, Bloody  
Number of times reported: [7]

[Sign:] Diarrhea, Watery  
Number of times reported: [7]

[Sign:] Murmur, Heart  
Number of times reported: [7]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [7]

[Sign:] Anemia  
Number of times reported: [6]

[Sign:] Hematochezia  
Number of times reported: [6]

[Sign:] Recumbency  
Number of times reported: [6]

[Sign:] Ascites  
Number of times reported: [5]

[Sign:] Azotemia  
Number of times reported: [5]

[Sign:] Bradycardia  
Number of times reported: [5]

[Sign:] Ca Hi, Bld  
Number of times reported: [5]

[Sign:] Constipation  
Number of times reported: [5]

[Sign:] Fever, Body  
Number of times reported: [5]

[Sign:] Hypersalivation  
Number of times reported: [5]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [5]

[Sign:] Kidney Failure  
Number of times reported: [5]

[Sign:] Pancreatitis  
Number of times reported: [5]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [5]

[Sign:] Swelling, Head/face  
Number of times reported: [5]

[Sign:] Wbc Hi, Bld  
Number of times reported: [5]

[Sign:] Arrhythmia, Block  
Number of times reported: [4]

[Sign:] Bld, Urine  
Number of times reported: [4]

[Sign:] Cardiomegaly  
Number of times reported: [4]

[Sign:] Ecg Abn  
Number of times reported: [4]

[Sign:] Gagging  
Number of times reported: [4]

[Sign:] Glucose Hi, Bld  
Number of times reported: [4]

[Sign:] Incontinence, Urinary  
Number of times reported: [4]

[Sign:] Inflam, Skin  
Number of times reported: [4]

[Sign:] Lesion(s), Skin  
Number of times reported: [4]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [4]

[Sign:] Platelets Lo, Bld  
Number of times reported: [4]

[Sign:] Segs Hi, Bld  
Number of times reported: [4]

[Sign:] Somnolence  
Number of times reported: [4]

[Sign:] Stupor  
Number of times reported: [4]

[Sign:] Adipsia  
Number of times reported: [3]

[Sign:] Aggression  
Number of times reported: [3]

[Sign:] Alopecia  
Number of times reported: [3]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [3]

[Sign:] Coagulation Disorder  
Number of times reported: [3]

[Sign:] Congestion, Skin  
Number of times reported: [3]

[Sign:] Dermatitis, Moist  
Number of times reported: [3]

[Sign:] Difficulty Rising  
Number of times reported: [3]

[Sign:] Distress, Resp  
Number of times reported: [3]

[Sign:] Epistaxis  
Number of times reported: [3]

[Sign:] Flatulence  
Number of times reported: [3]

[Sign:] Icterus, Body  
Number of times reported: [3]

[Sign:] Interaction, Drug(s)  
Number of times reported: [3]

[Sign:] Locomotion Disorder  
Number of times reported: [3]

[Sign:] Melena  
Number of times reported: [3]

[Sign:] Monos Hi, Bld  
Number of times reported: [3]

[Sign:] Mydriasis  
Number of times reported: [3]

[Sign:] Nausea  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Staggering  
Number of times reported: [3]

[Sign:] Stiffness  
Number of times reported: [3]

[Sign:] Twitch  
Number of times reported: [3]

[Sign:] Urination Abn  
Number of times reported: [3]

[Sign:] Us Abn  
Number of times reported: [3]

[Sign:] Us-liver Abn  
Number of times reported: [3]

[Sign:] Albumin Lo, Bld  
Number of times reported: [2]

[Sign:] Amylase Hi, Bld  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]

[Sign:] Apnea  
Number of times reported: [2]

[Sign:] Behavior Disorder  
Number of times reported: [2]

[Sign:] Bilirubin, Urine  
Number of times reported: [2]

[Sign:] Bld(ecchymoses)  
Number of times reported: [2]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Bld(petechiae)  
Number of times reported: [2]

[Sign:] Chemistry Abn  
Number of times reported: [2]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [2]

[Sign:] Circling  
Number of times reported: [2]

[Sign:] Colitis  
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Congestion, Lung(s)  
Number of times reported: [2]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [2]

[Sign:] Cyanosis  
Number of times reported: [2]

[Sign:] Dehydration  
Number of times reported: [2]

[Sign:] Diarrhea, Mucoid  
Number of times reported: [2]

[Sign:] Diarrhea, Severe  
Number of times reported: [2]

[Sign:] Dissociation  
Number of times reported: [2]

[Sign:] Distention, Abdomen  
Number of times reported: [2]

[Sign:] Dizziness  
Number of times reported: [2]

[Sign:] Erection, Abn  
Number of times reported: [2]

[Sign:] Exercise Intolerance  
Number of times reported: [2]

[Sign:] Fibrillation, Atrial  
Number of times reported: [2]

[Sign:] Heart Disorder  
Number of times reported: [2]

[Sign:] Hepatomegaly  
Number of times reported: [2]

[Sign:] Hypothermia, Body  
Number of times reported: [2]

[Sign:] Infection, Urinary Tra  
Number of times reported: [2]

[Sign:] Insomnia  
Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Lipase Hi, Bld  
Number of times reported: [2]

[Sign:] Mucous Membr, Muddy  
Number of times reported: [2]

[Sign:] Na Hi, Bld  
Number of times reported: [2]

[Sign:] Neurological Disorder  
Number of times reported: [2]

[Sign:] Pica  
Number of times reported: [2]

[Sign:] Proprioceptive Disorde  
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [2]

[Sign:] Pruritis, Ear(s)  
Number of times reported: [2]

[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Respiratory Disorder  
Number of times reported: [2]

[Sign:] Spasm  
Number of times reported: [2]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [2]

[Sign:] Stool Abn  
Number of times reported: [2]

[Sign:] Swelling, Ear(s)  
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Tachycardia, Ventricul  
Number of times reported: [2]

[Sign:] Tech Error  
Number of times reported: [2]

[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [2]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat  
Number of times reported: [2]

[Sign:] Urination  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Xerostomia  
Number of times reported: [2]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Anemia, Sphero  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Bands Hi, Bld  
Number of times reported: [1]

[Sign:] Bld(hematoma)  
Number of times reported: [1]



[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Capillary Refill Prolo  
Number of times reported: [1]

[Sign:] Chloride Hi, Bld  
Number of times reported: [1]

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Congestion, Ear(s)  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Dementia  
Number of times reported: [1]

[Sign:] Diabetes  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Dysmetria  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Neck  
Number of times reported: [1]

[Sign:] Effusion, Pericardial  
Number of times reported: [1]

[Sign:] Effusion, Peritoneal  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Epiphora  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Estrus  
Number of times reported: [1]

[Sign:] Gall Bladder, Abn  
Number of times reported: [1]

[Sign:] Globulin Hi, Bld  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Hair, Shedding  
Number of times reported: [1]

[Sign:] Hallucination  
Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Head Tilt  
Number of times reported: [1]

[Sign:] Heart Failure  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]

[Sign:] Hypertonia  
Number of times reported: [1]

[Sign:] Icterus, Serum  
Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]

[Sign:] Kicking  
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]

[Sign:] K Lo, Bld  
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Leukoderma  
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Liver Disorder  
Number of times reported: [1]

[Sign:] Liver Failure  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld  
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]

[Sign:] Mg Lo, Bld  
Number of times reported: [1]

[Sign:] Mucous Membr, Red  
Number of times reported: [1]

[Sign:] Neoplasm, Lymph Node(s)  
Number of times reported: [1]

[Sign:] Nystagmus  
Number of times reported: [1]

[Sign:] Nystagmus, Rotary  
Number of times reported: [1]

[Sign:] Pacing  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [1]

[Sign:] Platelets Hi, Bld  
Number of times reported: [1]

[Sign:] Pollakiuria  
Number of times reported: [1]

[Sign:] Polycythemia  
Number of times reported: [1]

[Sign:] Polyphagia  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Priapism  
Number of times reported: [1]

[Sign:] Prolapse, Penis  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Pustule(s)  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Rbc, Polychrom  
Number of times reported: [1]

[Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Repetitive Movements  
Number of times reported: [1]

[Sign:] Rolling  
Number of times reported: [1]

[Sign:] Rupture  
Number of times reported: [1]

[Sign:] Scale(s), Skin  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Skin, Dry  
Number of times reported: [1]

[Sign:] Sleep Abn  
Number of times reported: [1]

[Sign:] Sneezing  
Number of times reported: [1]

[Sign:] Sore(s)  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Staring  
Number of times reported: [1]

[Sign:] Stranguria  
Number of times reported: [1]

[Sign:] Stumbling  
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Swelling, Neck  
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva  
Number of times reported: [1]

[Sign:] Tech Error Administrat  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Tenesmus, Rectal  
Number of times reported: [1]

[Sign:] Tongue, Abn  
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Vomiting, Projectile

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

**[Drug:] Pimobendan**

Oral, Human

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Pimobendan**

Unknown, Dog

[Sign:] Hyperactivity

Number of times reported: [1]

**[Drug:] Piperazine**

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

**[Drug:] Piperazine**

Missing, Cat

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Piperazine**

Missing, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Piperazine**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [8]

[Sign:] Ataxia

Number of times reported: [5]

[Sign:] Twitch

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Hyperesthesia

Number of times reported: [2]

[Sign:] Stupor

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Weakness

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypomotility

Number of times reported: [1]

[Sign:] Ineffect, Ascarids

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Odor

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Piperazine**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]



[Sign:] Recumbency  
Number of times reported: [3]

[Sign:] Shaking  
Number of times reported: [3]

[Sign:] Trembling  
Number of times reported: [3]

[Sign:] Anorexia  
Number of times reported: [2]

[Sign:] Ataxia  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Neurological Disorder  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Hypothermia, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Pd-seal, Abn  
Number of times reported: [1]

[Sign:] Pollakiuria  
Number of times reported: [1]

[Sign:] Pulse Thready

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Piperazine**

Oral, Horse

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

**[Drug:] Piperazine**

Parenteral, Dog

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

**[Drug:] Piperazine**

Unknown, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

**[Drug:] Piperazine, Arecoline**

Oral, Dog

- [Sign:] Bloat
  - Number of times reported: [2]
- [Sign:] Death
  - Number of times reported: [2]
- [Sign:] Depression/lethargy
  - Number of times reported: [2]
- [Sign:] Dyspnea
  - Number of times reported: [2]
- [Sign:] Ataxia
  - Number of times reported: [1]
- [Sign:] Congestion, Tongue
  - Number of times reported: [1]
- [Sign:] Dehydration
  - Number of times reported: [1]
- [Sign:] Diarrhea, Bloody
  - Number of times reported: [1]
- [Sign:] Paresis
  - Number of times reported: [1]
- [Sign:] Polypnea
  - Number of times reported: [1]
- [Sign:] Recumbency
  - Number of times reported: [1]
- [Sign:] Sound Abn, Respiratory
  - Number of times reported: [1]
- [Sign:] Stool, Pale/gray
  - Number of times reported: [1]
- [Sign:] Vomiting
  - Number of times reported: [1]
- [Sign:] Vomiting, Unproductive
  - Number of times reported: [1]

**[Drug:] Piperazine, Phenothiazine, Trichlorfon**

Oral, Horse

- [Sign:] Pain, Abdomen
  - Number of times reported: [7]
- [Sign:] Diarrhea
  - Number of times reported: [6]
- [Sign:] Death
  - Number of times reported: [4]
- [Sign:] Depression/lethargy

Number of times reported: [3]  
[Sign:] Anorexia  
Number of times reported: [2]  
[Sign:] Abn Color, Urine  
Number of times reported: [1]  
[Sign:] Abortion  
Number of times reported: [1]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Anemia  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]  
[Sign:] Distress  
Number of times reported: [1]  
[Sign:] Dizziness  
Number of times reported: [1]  
[Sign:] Enteritis  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Hypopnea  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Pallor  
Number of times reported: [1]  
[Sign:] Recumbency  
Number of times reported: [1]  
[Sign:] Sweating  
Number of times reported: [1]  
[Sign:] Tachycardia  
Number of times reported: [1]  
[Sign:] Tox, Op

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Piperazine, Thenium**

Oral, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Piperonyl Butoxide, Pyrethrins, Squalane**

Topical, Cat

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Congestion, Ear(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Enlargement(s), Skin

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Scale(s), Skin

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

**[Drug:] Pirlimycin**

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [4]

[Sign:] Pd-tube(s), Abn

Number of times reported: [3]

[Sign:] Pd-suspension, Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Pd-syringe, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Pirlimycin**

Intramammary, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [11]

[Sign:] Residue, Milk

Number of times reported: [10]

[Sign:] Udder, Mastitis

Number of times reported: [10]

[Sign:] Death

Number of times reported: [7]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Pd-contamination  
Number of times reported: [1]

[Sign:] Septicemia  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

[Sign:] Wbc Hi, Milk  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Pirlimycin**

Topical, Human

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [2]

**[Drug:] Piroxicam**

Oral, Dog

[Sign:] Dermatitis, Moist  
Number of times reported: [2]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

**[Drug:] Piroxicam**

Unknown, Dog

[Sign:] Kidney Failure  
Number of times reported: [1]

**[Drug:] Poloxalene**

Defect, Not Applicable

[Sign:] Pd-underfill, Package  
Number of times reported: [2]

[Sign:] Pd-seal, Abn  
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [1]

**[Drug:] Poloxalene**

Oral, Cattle

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Poloxalene**

Oral, Goat

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

**[Drug:] Poloxalene**

Oral, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Eructation

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Ponazuril**

Defect, Not Applicable



- [Sign:] Pd-tube(s), Leaking  
Number of times reported: [6]
- [Sign:] Pd-underfill, Tube(s)  
Number of times reported: [4]
- [Sign:] Pd-syringe, Abn  
Number of times reported: [3]
- [Sign:] Pd-underfill, Package  
Number of times reported: [2]
- [Sign:] Pd-gel/paste, Abn  
Number of times reported: [1]
- [Sign:] Pd-label(s), Abn  
Number of times reported: [1]
- [Sign:] Pd-tube(s), Abn  
Number of times reported: [1]

**[Drug:] Ponazuril**

Oral, Cat

- [Sign:] Anorexia  
Number of times reported: [3]
- [Sign:] Death  
Number of times reported: [3]
- [Sign:] Depression/lethargy  
Number of times reported: [3]
- [Sign:] Dehydration  
Number of times reported: [2]
- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Icterus, Body  
Number of times reported: [1]
- [Sign:] Liver Disorder  
Number of times reported: [1]
- [Sign:] Reaction, Unspecified  
Number of times reported: [1]
- [Sign:] Squinting  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Ponazuril**

Oral, Dog

- [Sign:] Anorexia  
Number of times reported: [3]

[Sign:] Death  
Number of times reported: [3]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Diarrhea  
Number of times reported: [2]

[Sign:] Loss Of Condition  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Albumin Lo, Bld  
Number of times reported: [1]

[Sign:] Ascites  
Number of times reported: [1]

[Sign:] Bun Lo, Bld  
Number of times reported: [1]

[Sign:] Cardiomegaly  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Enteritis  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Head Pressing  
Number of times reported: [1]

[Sign:] Hepatomegaly  
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Perforation  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]

**[Drug:] Ponazuril**

Oral, Horse

[Sign:] Ineffect, Protozoa  
Number of times reported: [17]

[Sign:] Fever, Body  
Number of times reported: [5]

[Sign:] Pain, Abdomen  
Number of times reported: [5]

[Sign:] Anorexia  
Number of times reported: [4]

[Sign:] Ataxia  
Number of times reported: [4]

[Sign:] Alopecia  
Number of times reported: [3]

[Sign:] Diarrhea, Mild  
Number of times reported: [3]

[Sign:] Edema, Limb(s)  
Number of times reported: [3]

[Sign:] Sweating  
Number of times reported: [3]

[Sign:] Swelling, Limb(s)  
Number of times reported: [3]

[Sign:] Urticaria  
Number of times reported: [3]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Diarrhea  
Number of times reported: [2]

[Sign:] Difficulty Rising  
Number of times reported: [2]

[Sign:] Dysuria  
Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]  
[Sign:] Recumbency  
Number of times reported: [2]  
[Sign:] Trembling  
Number of times reported: [2]  
[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [2]  
[Sign:] Abortion  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Anuria  
Number of times reported: [1]  
[Sign:] Bld(hematoma)  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Choking  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Death(stillborn)  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe  
Number of times reported: [1]  
[Sign:] Diarrhea, Watery  
Number of times reported: [1]  
[Sign:] Distress  
Number of times reported: [1]  
[Sign:] Edema, Ventral  
Number of times reported: [1]  
[Sign:] Eosinos Hi, Bld  
Number of times reported: [1]  
[Sign:] Hoof Disorder  
Number of times reported: [1]  
[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Jerking

Number of times reported: [1]

[Sign:] Kidney Disorder

Number of times reported: [1]

[Sign:] Obstruction, Esophagus

Number of times reported: [1]

[Sign:] Oliguria

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pica

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Rolling

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Prepuce

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Ponazuril**

Topical, Horse

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

**[Drug:] Ponazuril**

Topical, Human

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

**[Drug:] Potassium Bromide**

Oral, Dog

[Sign:] Ineffect, Seizures

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

**[Drug:] Potassium Gluconate**

Oral, Dog

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Povidone-iodine**

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Praziquantel**

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [18]

[Sign:] Pd-underfill, Package

Number of times reported: [11]

[Sign:] Pd-color, Abn

Number of times reported: [8]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [8]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [5]

[Sign:] Pd-label(s), Abn  
Number of times reported: [4]

[Sign:] Pd-seal, Abn  
Number of times reported: [4]

[Sign:] Pd-missing, Label(s)  
Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [3]

[Sign:] Pd-container(s), Abn  
Number of times reported: [2]

[Sign:] Ineffect  
Number of times reported: [1]

[Sign:] Pd-contamination  
Number of times reported: [1]

[Sign:] Pd-missing, Cap  
Number of times reported: [1]

[Sign:] Pd-suspension, Abn  
Number of times reported: [1]

**[Drug:] Praziquantel**

Missing, Cat

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Inj Site Inflamm  
Number of times reported: [1]

[Sign:] Inj Site Pruritis  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

**[Drug:] Praziquantel**

Missing, Dog

[Sign:] Depression/lethargy  
Number of times reported: [3]

[Sign:] Diarrhea  
Number of times reported: [3]

[Sign:] Anorexia  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Vomiting  
Number of times reported: [2]

[Sign:] Bld, Rectum  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Dermatitis, Moist  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Ineffect, Tapes  
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]

[Sign:] Polycythemia  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Saliva, Abn  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

**[Drug:] Praziquantel**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [4]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [1]



**[Drug:] Praziquantel**

Oral, Cat

- [Sign:] Depression/lethargy  
Number of times reported: [7]
- [Sign:] Anorexia  
Number of times reported: [5]
- [Sign:] Vomiting  
Number of times reported: [5]
- [Sign:] Ataxia  
Number of times reported: [3]
- [Sign:] Convulsion(s)  
Number of times reported: [3]
- [Sign:] Hypersalivation  
Number of times reported: [3]
- [Sign:] Ineffect, Tapes  
Number of times reported: [3]
- [Sign:] Death  
Number of times reported: [2]
- [Sign:] Death(euthanized)  
Number of times reported: [2]
- [Sign:] Fever, Body  
Number of times reported: [2]
- [Sign:] Nervousness  
Number of times reported: [2]
- [Sign:] Tachycardia  
Number of times reported: [2]
- [Sign:] Alopecia  
Number of times reported: [1]
- [Sign:] Blindness  
Number of times reported: [1]
- [Sign:] Blindness, Partial  
Number of times reported: [1]
- [Sign:] Che Lo, Serum  
Number of times reported: [1]
- [Sign:] Circling  
Number of times reported: [1]
- [Sign:] Congestion, Skin  
Number of times reported: [1]
- [Sign:] Cpk Hi, Bld  
Number of times reported: [1]
- [Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Severe

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Jerking

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nystagmus, Vertical

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rolling

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

**[Drug:] Praziquantel**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [37]

[Sign:] Depression/lethargy

Number of times reported: [24]

[Sign:] Diarrhea

Number of times reported: [23]

[Sign:] Anorexia

Number of times reported: [22]

[Sign:] Ineffect, Tapes  
Number of times reported: [17]

[Sign:] Death  
Number of times reported: [13]

[Sign:] Ataxia  
Number of times reported: [8]

[Sign:] Diarrhea, Bloody  
Number of times reported: [6]

[Sign:] Convulsion(s)  
Number of times reported: [4]

[Sign:] Hematochezia  
Number of times reported: [4]

[Sign:] Hypersalivation  
Number of times reported: [3]

[Sign:] Nervousness  
Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] Vocalization  
Number of times reported: [3]

[Sign:] Weakness  
Number of times reported: [3]

[Sign:] Collapse  
Number of times reported: [2]

[Sign:] Death(euthanized)  
Number of times reported: [2]

[Sign:] Fever, Body  
Number of times reported: [2]

[Sign:] Paresis  
Number of times reported: [2]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [2]

[Sign:] Polypnea  
Number of times reported: [2]

[Sign:] Recumbency  
Number of times reported: [2]

[Sign:] Stool, Muroid  
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Abortion  
Number of times reported: [1]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Albumin Lo, Bld  
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Diarrhea, Muroid  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Gagging  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Icterus  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Jerking  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Miosis  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Pica  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Splenomegaly  
Number of times reported: [1]

[Sign:] Strabismus  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

[Sign:] Vomiting, Unproductive  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

**[Drug:] Praziquantel**

Oral, Human

[Sign:] Insomnia  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Praziquantel**

Parenteral, Cat

[Sign:] Inj Site Alopecia  
Number of times reported: [22]

[Sign:] Death  
Number of times reported: [21]

[Sign:] Inj Site Inflam  
Number of times reported: [18]

[Sign:] Depression/lethargy  
Number of times reported: [12]

[Sign:] Vomiting  
Number of times reported: [12]

[Sign:] Inj Site Abn  
Number of times reported: [10]

[Sign:] Inj Site Necrosis  
Number of times reported: [8]

[Sign:] Inj Site Swelling  
Number of times reported: [8]

[Sign:] Diarrhea  
Number of times reported: [7]

[Sign:] Anaphylaxis/toid  
Number of times reported: [6]

[Sign:] Anorexia  
Number of times reported: [6]

[Sign:] Inj Site Slough  
Number of times reported: [6]

[Sign:] Inj Site Ulcer(s)  
Number of times reported: [6]

[Sign:] Ataxia  
Number of times reported: [5]

[Sign:] Inj Site Abscess  
Number of times reported: [5]

[Sign:] Inj Site Pruritis  
Number of times reported: [5]

[Sign:] Lameness  
Number of times reported: [5]

[Sign:] Pr-inj Site, Lesion(s)  
Number of times reported: [5]

[Sign:] Alopecia  
Number of times reported: [4]

[Sign:] Dyspnea  
Number of times reported: [4]

[Sign:] Inj Site Pain  
Number of times reported: [4]

[Sign:] Locomotion Disorder  
Number of times reported: [4]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [4]

[Sign:] Vocalization  
Number of times reported: [4]

[Sign:] Collapse  
Number of times reported: [3]

[Sign:] Hypersalivation  
Number of times reported: [3]

[Sign:] Inflamm, Skin  
Number of times reported: [3]

[Sign:] Inj Site Infect  
Number of times reported: [3]

[Sign:] Inj Site Mass  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Pruritis  
Number of times reported: [3]

[Sign:] Skin, Scab(s)  
Number of times reported: [3]

[Sign:] Bradycardia  
Number of times reported: [2]

[Sign:] Congestion, Skin  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Fever, Body  
Number of times reported: [2]

[Sign:] Irritation, Skin  
Number of times reported: [2]

[Sign:] Nervousness  
Number of times reported: [2]

[Sign:] Neuritis  
Number of times reported: [2]

[Sign:] Paralysis  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Atrophy  
Number of times reported: [1]

[Sign:] Azotemia  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bld, Skin  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Constipation  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Defecation  
Number of times reported: [1]



[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Dermatitis, Moist  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Enlargement(s), Skin  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Effusion  
Number of times reported: [1]

[Sign:] Inj Site Fibrosis  
Number of times reported: [1]

[Sign:] Inj Site Seroma  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Joint Disorder  
Number of times reported: [1]

[Sign:] Leg Disorder  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-pharynx, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Radiograph(s) Abn  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Urination Abn  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Praziquantel**

Parenteral, Dog

[Sign:] Inj Site Swelling  
Number of times reported: [23]

[Sign:] Inj Site Pain  
Number of times reported: [19]

[Sign:] Inj Site Mass  
Number of times reported: [10]

[Sign:] Inj Site Abscess

Number of times reported: [9]  
[Sign:] Ineffect, Tapes  
Number of times reported: [8]  
[Sign:] Inj Site Inflam  
Number of times reported: [8]  
[Sign:] Ataxia  
Number of times reported: [7]  
[Sign:] Inj Site Edema  
Number of times reported: [7]  
[Sign:] Depression/lethargy  
Number of times reported: [6]  
[Sign:] Anorexia  
Number of times reported: [5]  
[Sign:] Lameness  
Number of times reported: [5]  
[Sign:] Vomiting  
Number of times reported: [5]  
[Sign:] Fever, Body  
Number of times reported: [4]  
[Sign:] Inj Site Fibrosis  
Number of times reported: [4]  
[Sign:] Vocalization  
Number of times reported: [4]  
[Sign:] Collapse  
Number of times reported: [3]  
[Sign:] Convulsion(s)  
Number of times reported: [3]  
[Sign:] Death  
Number of times reported: [3]  
[Sign:] Inj Site Abn  
Number of times reported: [3]  
[Sign:] Inj Site Slough  
Number of times reported: [3]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [3]  
[Sign:] Pr-inj Site, Lesion(s)  
Number of times reported: [3]  
[Sign:] Trembling  
Number of times reported: [3]  
[Sign:] Cellulitis  
Number of times reported: [2]  
[Sign:] Diarrhea

Number of times reported: [2]  
[Sign:] Discomfort  
Number of times reported: [2]  
[Sign:] Head Tilt  
Number of times reported: [2]  
[Sign:] Inj Site Necrosis  
Number of times reported: [2]  
[Sign:] Inj Site Seroma  
Number of times reported: [2]  
[Sign:] Locomotion Disorder  
Number of times reported: [2]  
[Sign:] Recumbency  
Number of times reported: [2]  
[Sign:] Tachycardia  
Number of times reported: [2]  
[Sign:] Abortion  
Number of times reported: [1]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Apnea  
Number of times reported: [1]  
[Sign:] Arrest, Heart  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Bld  
Number of times reported: [1]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Cyanosis  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Defecation  
Number of times reported: [1]  
[Sign:] Dyspnea

Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Enlargement(s), Skin  
Number of times reported: [1]  
[Sign:] Human Exposure  
Number of times reported: [1]  
[Sign:] Human Exposure, Head/f  
Number of times reported: [1]  
[Sign:] Human Exposure, Inj  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Ineffect  
Number of times reported: [1]  
[Sign:] Inj Site Alopecia  
Number of times reported: [1]  
[Sign:] Inj Site Induration  
Number of times reported: [1]  
[Sign:] Inj Site Infect  
Number of times reported: [1]  
[Sign:] Inj Site Pruritis  
Number of times reported: [1]  
[Sign:] Inj Site Sterile Absce  
Number of times reported: [1]  
[Sign:] Inj Site Stiffness  
Number of times reported: [1]  
[Sign:] Inj Site Ulcer(s)  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Murmur, Heart  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Nystagmus, Horizontal

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pallor

Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pulse Thready

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Praziquantel**

Parenteral, Human

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

**[Drug:] Praziquantel**

Parenteral, Snake

[Sign:] Death

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

**[Drug:] Praziquantel**

Parenteral, Various

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

**[Drug:] Praziquantel**

Suppository, Dog

[Sign:] Ineffect, Tapes

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Praziquantel**

Unknown, Cat

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Capillary Refill Prolo

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Dysphagia  
Number of times reported: [1]
- [Sign:] Dyspnea  
Number of times reported: [1]
- [Sign:] Inj Site Necrosis  
Number of times reported: [1]
- [Sign:] Inj Site Ulcer(s)  
Number of times reported: [1]
- [Sign:] Mydriasis  
Number of times reported: [1]
- [Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]
- [Sign:] Shock  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Praziquantel**

Unknown, Dog

- [Sign:] Diarrhea  
Number of times reported: [4]
- [Sign:] Vomiting  
Number of times reported: [3]
- [Sign:] Death  
Number of times reported: [2]
- [Sign:] Depression/lethargy  
Number of times reported: [2]
- [Sign:] Ineffect, Tapes  
Number of times reported: [2]
- [Sign:] Inj Site Abscess  
Number of times reported: [1]
- [Sign:] Inj Site Infect  
Number of times reported: [1]
- [Sign:] Inj Site Inflamm  
Number of times reported: [1]
- [Sign:] Inj Site Necrosis  
Number of times reported: [1]
- [Sign:] Inj Site Swelling  
Number of times reported: [1]



**[Drug:] Praziquantel**

Unknown, Human

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Praziquantel, Pyrantel**

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Praziquantel, Pyrantel**

Oral, Cat

[Sign:] Ataxia

Number of times reported: [161]

[Sign:] Depression/lethargy

Number of times reported: [59]

[Sign:] Vomiting

Number of times reported: [48]

[Sign:] Anorexia

Number of times reported: [23]

[Sign:] Hypersalivation

Number of times reported: [23]

[Sign:] Death

Number of times reported: [16]

[Sign:] Dehydration

Number of times reported: [12]

[Sign:] Trembling

Number of times reported: [12]

[Sign:] Staggering

Number of times reported: [11]

[Sign:] Mydriasis

Number of times reported: [10]

[Sign:] Fever, Body

Number of times reported: [9]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [9]

[Sign:] Weakness

Number of times reported: [9]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [8]

[Sign:] Ineffect, Ascarids  
Number of times reported: [7]

[Sign:] Diarrhea  
Number of times reported: [6]

[Sign:] Locomotion Disorder  
Number of times reported: [6]

[Sign:] Confusion  
Number of times reported: [5]

[Sign:] Diarrhea, Mild  
Number of times reported: [5]

[Sign:] Tachycardia  
Number of times reported: [5]

[Sign:] Twitch  
Number of times reported: [5]

[Sign:] Vocalization  
Number of times reported: [5]

[Sign:] Adipsia  
Number of times reported: [4]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [4]

[Sign:] Bun Hi, Bld  
Number of times reported: [4]

[Sign:] Death(euthanized)  
Number of times reported: [4]

[Sign:] Dyspnea  
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [4]

[Sign:] Weight Loss  
Number of times reported: [4]

[Sign:] Behavior Disorder  
Number of times reported: [3]

[Sign:] Collapse  
Number of times reported: [3]

[Sign:] Convulsion(s)  
Number of times reported: [3]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [3]

[Sign:] Cyanosis  
Number of times reported: [3]

[Sign:] Head Bobbing  
Number of times reported: [3]

[Sign:] Hiding  
Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] Polypnea  
Number of times reported: [3]

[Sign:] Vomiting, Severe  
Number of times reported: [3]

[Sign:] Aggression  
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [2]

[Sign:] Anisocoria  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Bradycardia  
Number of times reported: [2]

[Sign:] Glucose Lo, Bld  
Number of times reported: [2]

[Sign:] Hyperactivity  
Number of times reported: [2]

[Sign:] Hyperpnea  
Number of times reported: [2]

[Sign:] Ineffect, Tapes  
Number of times reported: [2]

[Sign:] Ineffect, Worms  
Number of times reported: [2]

[Sign:] Liver Failure  
Number of times reported: [2]

[Sign:] Nervousness  
Number of times reported: [2]

[Sign:] Neurological Disorder  
Number of times reported: [2]

[Sign:] Nystagmus  
Number of times reported: [2]

[Sign:] Polydipsia  
Number of times reported: [2]

[Sign:] Posture Abn  
Number of times reported: [2]

[Sign:] Recumbency  
Number of times reported: [2]

[Sign:] Reluctant To Move  
Number of times reported: [2]

[Sign:] Sedation  
Number of times reported: [2]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [2]

[Sign:] Stumbling  
Number of times reported: [2]

[Sign:] Unconscious  
Number of times reported: [2]

[Sign:] Unpalatable, Won't Swa  
Number of times reported: [2]

[Sign:] Vomiting, Bloody  
Number of times reported: [2]

[Sign:] Amylase Hi, Bld  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Anuria  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Azotemia  
Number of times reported: [1]

[Sign:] Balance Disorder  
Number of times reported: [1]

[Sign:] Blindness, Temp  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld  
Number of times reported: [1]

[Sign:] Csf Abn  
Number of times reported: [1]

[Sign:] Defecation  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Diarrhea, Mucoid  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Dilatation, Stomach  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Edema, Larynx  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hypoesthesia, Eye(s)/l  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Icterus  
Number of times reported: [1]

[Sign:] Icterus, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Ineffect, Strongyles  
Number of times reported: [1]

[Sign:] Jerking  
Number of times reported: [1]

[Sign:] Kidney Disorder  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Miosis  
Number of times reported: [1]

[Sign:] Mri Scan Abn  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Neck, Ventroflexion  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Pancreatitis  
Number of times reported: [1]

[Sign:] P Lo, Bld  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Proprioceptive Disorde  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Radiograph(s) Abn  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

- [Sign:] Spasm  
Number of times reported: [1]
- [Sign:] Stranguria  
Number of times reported: [1]
- [Sign:] Stupor  
Number of times reported: [1]
- [Sign:] Swelling, Head/face  
Number of times reported: [1]
- [Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]
- [Sign:] Swelling, Tongue  
Number of times reported: [1]
- [Sign:] Trembling, Face  
Number of times reported: [1]
- [Sign:] Ulcer(s), Tongue  
Number of times reported: [1]
- [Sign:] Unpalatable  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]
- [Sign:] Vestibular Disorder  
Number of times reported: [1]

**[Drug:] Praziquantel, Pyrantel**

Oral, Dog

- [Sign:] Vomiting  
Number of times reported: [187]
- [Sign:] Depression/lethargy  
Number of times reported: [105]
- [Sign:] Anorexia  
Number of times reported: [58]
- [Sign:] Diarrhea  
Number of times reported: [48]
- [Sign:] Diarrhea, Bloody  
Number of times reported: [23]
- [Sign:] Death  
Number of times reported: [19]
- [Sign:] Diarrhea, Mild  
Number of times reported: [16]
- [Sign:] Hematochezia  
Number of times reported: [14]
- [Sign:] Polypnea

Number of times reported: [13]  
[Sign:] Ataxia  
Number of times reported: [12]  
[Sign:] Trembling  
Number of times reported: [11]  
[Sign:] Distention, Abdomen  
Number of times reported: [9]  
[Sign:] Hypersalivation  
Number of times reported: [9]  
[Sign:] Weakness  
Number of times reported: [8]  
[Sign:] Dyspnea  
Number of times reported: [7]  
[Sign:] Recumbency  
Number of times reported: [7]  
[Sign:] Vocalization  
Number of times reported: [7]  
[Sign:] Adipsia  
Number of times reported: [6]  
[Sign:] Constipation  
Number of times reported: [6]  
[Sign:] Death(euthanized)  
Number of times reported: [6]  
[Sign:] Defecation Abn  
Number of times reported: [6]  
[Sign:] Nervousness  
Number of times reported: [6]  
[Sign:] Stool Abn  
Number of times reported: [6]  
[Sign:] Urticaria  
Number of times reported: [6]  
[Sign:] Coughing  
Number of times reported: [5]  
[Sign:] Discomfort  
Number of times reported: [5]  
[Sign:] Vomiting, Bloody  
Number of times reported: [5]  
[Sign:] Bloat  
Number of times reported: [4]  
[Sign:] Ineffect, Hooks  
Number of times reported: [4]  
[Sign:] Pallor, Mucous Membran



Number of times reported: [4]  
[Sign:] Stupor  
Number of times reported: [4]  
[Sign:] Swelling, Head/face  
Number of times reported: [4]  
[Sign:] Behavior Disorder  
Number of times reported: [3]  
[Sign:] Bld, Urine  
Number of times reported: [3]  
[Sign:] Confusion  
Number of times reported: [3]  
[Sign:] Congestion, Skin  
Number of times reported: [3]  
[Sign:] Difficulty Rising  
Number of times reported: [3]  
[Sign:] Fever, Body  
Number of times reported: [3]  
[Sign:] Pain, Abdomen  
Number of times reported: [3]  
[Sign:] Polydipsia  
Number of times reported: [3]  
[Sign:] Pruritis  
Number of times reported: [3]  
[Sign:] Shaking  
Number of times reported: [3]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [3]  
[Sign:] Twitch  
Number of times reported: [3]  
[Sign:] Vomiting Roundworms  
Number of times reported: [3]  
[Sign:] Weight Loss  
Number of times reported: [3]  
[Sign:] Accidental Exposure  
Number of times reported: [2]  
[Sign:] Bld, Anus  
Number of times reported: [2]  
[Sign:] Bun Hi, Bld  
Number of times reported: [2]  
[Sign:] Chemistry Abn  
Number of times reported: [2]  
[Sign:] Collapse

Number of times reported: [2]  
[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [2]  
[Sign:] Convulsion(s)  
Number of times reported: [2]  
[Sign:] Diarrhea, Muroid  
Number of times reported: [2]  
[Sign:] Dizziness  
Number of times reported: [2]  
[Sign:] Hyperactivity  
Number of times reported: [2]  
[Sign:] Incontinence, Fecal  
Number of times reported: [2]  
[Sign:] Ineffect, Parasite(s)  
Number of times reported: [2]  
[Sign:] Pacing  
Number of times reported: [2]  
[Sign:] Pain  
Number of times reported: [2]  
[Sign:] Prolapse, Rectum  
Number of times reported: [2]  
[Sign:] Pulse Thready  
Number of times reported: [2]  
[Sign:] Rash  
Number of times reported: [2]  
[Sign:] Shock  
Number of times reported: [2]  
[Sign:] Swelling, Anus  
Number of times reported: [2]  
[Sign:] Vomiting, Unproductive  
Number of times reported: [2]  
[Sign:] Abn Color, Urine  
Number of times reported: [1]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Borborygmi  
Number of times reported: [1]  
[Sign:] Breathing Abn

Number of times reported: [1]  
[Sign:] Capillary Refill Prolo  
Number of times reported: [1]  
[Sign:] Cns Disorder  
Number of times reported: [1]  
[Sign:] Congestion, Ear(s)  
Number of times reported: [1]  
[Sign:] Csf Abn  
Number of times reported: [1]  
[Sign:] Defecation  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Diarrhea, Watery  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Dysphagia  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Ineffect, Ascarids  
Number of times reported: [1]  
[Sign:] Irritation, Skin  
Number of times reported: [1]  
[Sign:] Jerking  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]  
[Sign:] K Lo, Bld  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin

Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Mydriasis  
Number of times reported: [1]  
[Sign:] Nausea  
Number of times reported: [1]  
[Sign:] Neck, Ventroflexion  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Nose Abn  
Number of times reported: [1]  
[Sign:] Odor, Mouth  
Number of times reported: [1]  
[Sign:] Paralysis  
Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] P Hi, Bld  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis, Tail  
Number of times reported: [1]  
[Sign:] Reluctant To Climb  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Scale(s), Skin  
Number of times reported: [1]  
[Sign:] Seborrhea  
Number of times reported: [1]  
[Sign:] Shaking, Head/face  
Number of times reported: [1]  
[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

[Sign:] Stool, Muroid

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Mult Sites

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Tenesmus, Rectal

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

**[Drug:] Praziquantel, Pyrantel**

Parenteral, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Azotemia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Incontinence, Urinary

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Praziquantel, Pyrantel**

Unknown, Cat

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

**[Drug:] Praziquantel, Pyrantel**

Unknown, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

**[Drug:] Prednisolone**

Defect, Not Applicable

[Sign:] Pd-vial(s), Abn

Number of times reported: [148]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [40]

[Sign:] Pd-cap(s), Abn

Number of times reported: [18]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [16]

[Sign:] Pd-solution, Abn

Number of times reported: [13]

[Sign:] Pd-suspension, Abn

Number of times reported: [12]

[Sign:] Pd-color, Abn

Number of times reported: [7]

[Sign:] Pd-seal, Abn

Number of times reported: [7]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [5]

[Sign:] Pd-container(s), Abn  
Number of times reported: [4]

[Sign:] Pd-dispenser, Abn  
Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [2]

[Sign:] Pd-container(s), Damag  
Number of times reported: [1]

[Sign:] Pd-defect Unknown  
Number of times reported: [1]

[Sign:] Pd-implant, Abn  
Number of times reported: [1]

[Sign:] Pd-missing, Cap  
Number of times reported: [1]

[Sign:] Pd-product Defect  
Number of times reported: [1]

**[Drug:] Prednisolone**

Missing, Dog

[Sign:] Death  
Number of times reported: [1]

**[Drug:] Prednisolone**

Missing, Horse

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

**[Drug:] Prednisolone**

Ophthalmic, Dog

[Sign:] Blepharospasm  
Number of times reported: [1]

[Sign:] Cataract(s)  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Prednisolone**

Oral, Dog

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Prednisolone**

Parenteral, Cat

[Sign:] Death

Number of times reported: [5]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Chloride Lo, Bld

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Globulin Hi, Bld



Number of times reported: [1]

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

[Sign:] Ldh Hi, Bld

Number of times reported: [1]

[Sign:] Na Lo, Bld

Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

### **[Drug:] Prednisolone**

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [10]

[Sign:] Collapse

Number of times reported: [10]

[Sign:] Death

Number of times reported: [9]

[Sign:] Vomiting

Number of times reported: [9]

[Sign:] Shock

Number of times reported: [7]

[Sign:] Cyanosis

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Hypopnea

Number of times reported: [3]

[Sign:] Urticaria

Number of times reported: [3]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Hyperpnea  
Number of times reported: [2]

[Sign:] Ineffect  
Number of times reported: [2]

[Sign:] Mucous Membr, Muddy  
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [2]

[Sign:] Tachycardia  
Number of times reported: [2]

[Sign:] Vomiting, Bloody  
Number of times reported: [2]

[Sign:] Wbc Hi, Bld  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Bld, Rectum  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Bradycardia  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Heart Failure  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] Ldh Hi, Bld  
Number of times reported: [1]

[Sign:] Melena  
Number of times reported: [1]

[Sign:] Na Lo, Bld  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Peritonitis  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Pressure Lo, Bld  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Sedation  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Swelling, Ear(s)  
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Ulcer(s), Gi  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Prednisolone**

Parenteral, Horse

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pr-pharynx, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

**[Drug:] Prednisolone**

Parenteral, Human

[Sign:] Dizziness

Number of times reported: [1]

**[Drug:] Prednisolone**

Topical, Human

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

**[Drug:] Prednisolone**

Unknown, Cat

[Sign:] Death

Number of times reported: [1]

**[Drug:] Prednisolone**

Unknown, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

**[Drug:] Prednisolone**

Unknown, Dog

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Albumin Hi, Bld

Number of times reported: [1]

[Sign:] Amylase Hi, Bld

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arthritis

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Cat Scan Abn

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Difficulty Rising  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Joint Disorder  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Locomotion Disorder  
Number of times reported: [1]

[Sign:] Monos Hi, Bld  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Neck, Ventroflexion  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Pain, Neck  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

**[Drug:] Prednisolone**

Unknown, Human

[Sign:] Bld

Number of times reported: [1]

**[Drug:] Prednisolone, Trimeprazine**

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [12]

[Sign:] Pd-product Defect

Number of times reported: [5]

[Sign:] Pd-underfill, Package

Number of times reported: [5]

[Sign:] Pd-cap(s), Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [3]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

**[Drug:] Prednisolone, Trimeprazine**

Missing, Dog

[Sign:] Anemia, Autoimmune Hem

Number of times reported: [1]

**[Drug:] Prednisolone, Trimeprazine**

Oral, Cat

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Crystals, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Lesion(s)

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Slough, Ear(s)

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Prednisolone, Trimeprazine**

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [54]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [39]

[Sign:] Vomiting

Number of times reported: [39]

[Sign:] Anorexia

Number of times reported: [35]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [30]



[Sign:] Polydipsia  
Number of times reported: [26]

[Sign:] Polyuria  
Number of times reported: [24]

[Sign:] Convulsion(s)  
Number of times reported: [20]

[Sign:] Diarrhea  
Number of times reported: [20]

[Sign:] Anemia  
Number of times reported: [19]

[Sign:] Ataxia  
Number of times reported: [17]

[Sign:] Death  
Number of times reported: [15]

[Sign:] Fever, Body  
Number of times reported: [15]

[Sign:] Polypnea  
Number of times reported: [15]

[Sign:] Radiograph(s) Abn  
Number of times reported: [15]

[Sign:] Bun Hi, Bld  
Number of times reported: [13]

[Sign:] Diarrhea, Bloody  
Number of times reported: [13]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [12]

[Sign:] Hyperactivity  
Number of times reported: [12]

[Sign:] Death(euthanized)  
Number of times reported: [11]

[Sign:] Ineffect  
Number of times reported: [11]

[Sign:] Dyspnea  
Number of times reported: [10]

[Sign:] Incontinence, Urinary  
Number of times reported: [10]

[Sign:] Polyphagia  
Number of times reported: [10]

[Sign:] Trembling  
Number of times reported: [10]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [9]

[Sign:] Ineffect, Antiinflam  
Number of times reported: [9]

[Sign:] Interaction, Drug(s)  
Number of times reported: [9]

[Sign:] Behavior Disorder  
Number of times reported: [8]

[Sign:] Vocalization  
Number of times reported: [8]

[Sign:] Weight Loss  
Number of times reported: [8]

[Sign:] Aggression  
Number of times reported: [7]

[Sign:] Platelets Lo, Bld  
Number of times reported: [7]

[Sign:] Pruritis  
Number of times reported: [7]

[Sign:] Urticaria  
Number of times reported: [7]

[Sign:] Confusion  
Number of times reported: [6]

[Sign:] Culture/titer Data Abn  
Number of times reported: [6]

[Sign:] Distention, Abdomen  
Number of times reported: [6]

[Sign:] Sedation  
Number of times reported: [6]

[Sign:] Wbc Hi, Bld  
Number of times reported: [6]

[Sign:] Weakness  
Number of times reported: [6]

[Sign:] Anaphylaxis/toid  
Number of times reported: [5]

[Sign:] Bld(ecchymoses)  
Number of times reported: [5]

[Sign:] Lesion(s), Skin  
Number of times reported: [5]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [5]

[Sign:] P Hi, Bld  
Number of times reported: [5]

[Sign:] Protein, Urine  
Number of times reported: [5]

[Sign:] Recumbency  
Number of times reported: [5]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [5]

[Sign:] Albumin Lo, Bld  
Number of times reported: [4]

[Sign:] Alopecia  
Number of times reported: [4]

[Sign:] Bld(petechiae)  
Number of times reported: [4]

[Sign:] Bld, Urine  
Number of times reported: [4]

[Sign:] Congestion, Skin  
Number of times reported: [4]

[Sign:] Coughing  
Number of times reported: [4]

[Sign:] Deafness  
Number of times reported: [4]

[Sign:] Diabetes Mellitus  
Number of times reported: [4]

[Sign:] Inflam, Skin  
Number of times reported: [4]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [4]

[Sign:] Murmur, Heart  
Number of times reported: [4]

[Sign:] Tachycardia  
Number of times reported: [4]

[Sign:] Urination Abn  
Number of times reported: [4]

[Sign:] Amylase Hi, Bld  
Number of times reported: [3]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [3]

[Sign:] Anemia, Hemolytic  
Number of times reported: [3]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [3]

[Sign:] Cardiomegaly  
Number of times reported: [3]

[Sign:] Chemistry Abn  
Number of times reported: [3]

[Sign:] Collapse  
Number of times reported: [3]

[Sign:] Dehydration  
Number of times reported: [3]

[Sign:] Diarrhea, Mild  
Number of times reported: [3]

[Sign:] Epistaxis  
Number of times reported: [3]

[Sign:] Glucose Hi, Bld  
Number of times reported: [3]

[Sign:] Hepatomegaly  
Number of times reported: [3]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Icterus, Body  
Number of times reported: [3]

[Sign:] Lipase Hi, Bld  
Number of times reported: [3]

[Sign:] Mydriasis  
Number of times reported: [3]

[Sign:] Nervousness  
Number of times reported: [3]

[Sign:] Neurological Disorder  
Number of times reported: [3]

[Sign:] Pain  
Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] Pancreatitis  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [3]

[Sign:] Pustule(s)  
Number of times reported: [3]

[Sign:] Reluctant To Move  
Number of times reported: [3]

[Sign:] Segs Hi, Bld  
Number of times reported: [3]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [3]

[Sign:] Shaking  
Number of times reported: [3]

[Sign:] Sneezing  
Number of times reported: [3]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [3]

[Sign:] Splenomegaly  
Number of times reported: [3]

[Sign:] Stiffness  
Number of times reported: [3]

[Sign:] Stupor  
Number of times reported: [3]

[Sign:] Us Abn  
Number of times reported: [3]

[Sign:] Weight Increase  
Number of times reported: [3]

[Sign:] Anemia, Regen  
Number of times reported: [2]

[Sign:] Anemia, Sphero  
Number of times reported: [2]

[Sign:] Apprehension  
Number of times reported: [2]

[Sign:] Ascites  
Number of times reported: [2]

[Sign:] Azotemia  
Number of times reported: [2]

[Sign:] Biting/chewing  
Number of times reported: [2]

[Sign:] Calculi, Bladder  
Number of times reported: [2]

[Sign:] Circling  
Number of times reported: [2]

[Sign:] Dermatitis, Moist  
Number of times reported: [2]

[Sign:] Effusion, Pericardial  
Number of times reported: [2]

[Sign:] Enlargement(s)  
Number of times reported: [2]

[Sign:] Enlargement(s), Skin  
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Gastroenteritis  
Number of times reported: [2]

[Sign:] Ggt Hi, Bld  
Number of times reported: [2]

[Sign:] Glucose Lo, Bld  
Number of times reported: [2]

[Sign:] Glucose, Urine  
Number of times reported: [2]

[Sign:] Hypersalivation  
Number of times reported: [2]

[Sign:] Hypothermia, Body  
Number of times reported: [2]

[Sign:] Icterus  
Number of times reported: [2]

[Sign:] Infection, Skin  
Number of times reported: [2]

[Sign:] Infection, Urinary Tra  
Number of times reported: [2]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [2]

[Sign:] Kidney Disorder  
Number of times reported: [2]

[Sign:] Kidney Failure  
Number of times reported: [2]

[Sign:] K Lo, Bld  
Number of times reported: [2]

[Sign:] Liver Disorder  
Number of times reported: [2]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [2]

[Sign:] Neck, Ventroflexion  
Number of times reported: [2]

[Sign:] Nystagmus  
Number of times reported: [2]

[Sign:] Pneumonia  
Number of times reported: [2]

[Sign:] Pollakiuria  
Number of times reported: [2]

[Sign:] Pupil(s), Areflexia  
Number of times reported: [2]

[Sign:] Rash  
Number of times reported: [2]

[Sign:] Reflex(es) Abn  
Number of times reported: [2]

[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [2]

[Sign:] Seborrhea  
Number of times reported: [2]

[Sign:] Skin Abnormal  
Number of times reported: [2]

[Sign:] Sore(s)  
Number of times reported: [2]

[Sign:] Spasm  
Number of times reported: [2]

[Sign:] Swelling, Head/face  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Ulcer(s), Gi  
Number of times reported: [2]

[Sign:] Ulcer(s), Skin  
Number of times reported: [2]

[Sign:] Unconscious  
Number of times reported: [2]

[Sign:] Urination  
Number of times reported: [2]

[Sign:] Wbc Lo, Bld  
Number of times reported: [2]

[Sign:] Wheezing  
Number of times reported: [2]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Balance Disorder  
Number of times reported: [1]

[Sign:] Bld  
Number of times reported: [1]

[Sign:] Bld, Abdomen  
Number of times reported: [1]

[Sign:] Bld, Anus  
Number of times reported: [1]

[Sign:] Bld, Gi  
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Bone, Abn  
Number of times reported: [1]

[Sign:] Borborygmi  
Number of times reported: [1]

[Sign:] Bradycardia  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Breathing, Difficult  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Calculi, Urine  
Number of times reported: [1]

[Sign:] Casts, Urine  
Number of times reported: [1]

[Sign:] Chloride Hi, Bld  
Number of times reported: [1]

[Sign:] Coagulation Disorder  
Number of times reported: [1]

[Sign:] Colitis  
Number of times reported: [1]

[Sign:] Colon, Abn  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Congestion, Sinus  
Number of times reported: [1]



[Sign:] Constipation  
Number of times reported: [1]

[Sign:] Crystals, Urine  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Defecation  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Difficulty Rising  
Number of times reported: [1]

[Sign:] Discharge, Mammary  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Dissociation  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Dysuria  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Ventral  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Embolus  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Enteritis  
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld  
Number of times reported: [1]

[Sign:] Erection, Abn  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Exercise Intolerance  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Flatulence  
Number of times reported: [1]

[Sign:] Gall Bladder, Abn  
Number of times reported: [1]

[Sign:] Gastritis  
Number of times reported: [1]

[Sign:] Globulin Hi, Bld  
Number of times reported: [1]

[Sign:] Hair, Shedding  
Number of times reported: [1]

[Sign:] Head Tilt  
Number of times reported: [1]

[Sign:] Heart Disorder  
Number of times reported: [1]

[Sign:] Heart Failure  
Number of times reported: [1]

[Sign:] Hematochezia  
Number of times reported: [1]

[Sign:] Hemoglobin, Urine  
Number of times reported: [1]

[Sign:] Hyperadrenocorticism  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]

[Sign:] Hypersensitive, Sound  
Number of times reported: [1]

[Sign:] Hypoadrenocorticism  
Number of times reported: [1]

[Sign:] Hypoesthesia  
Number of times reported: [1]

[Sign:] Immune Disorder  
Number of times reported: [1]

[Sign:] Improvement, Unexpected  
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

[Sign:] Ineffect, Atopy Control  
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effect  
Number of times reported: [1]

[Sign:] Infection  
Number of times reported: [1]

[Sign:] Inj Site Abscess  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Irritation, Skin  
Number of times reported: [1]

[Sign:] Joint Disorder  
Number of times reported: [1]

[Sign:] Ketosis  
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Mass, Abdomen  
Number of times reported: [1]

[Sign:] Microorganisms, Urine  
Number of times reported: [1]

[Sign:] Microorganisms, Urine  
Number of times reported: [1]

[Sign:] Miosis  
Number of times reported: [1]

[Sign:] Na Hi, Bld  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Nose Abn  
Number of times reported: [1]

[Sign:] Odor, Mouth  
Number of times reported: [1]

[Sign:] Opisthotonos  
Number of times reported: [1]

[Sign:] Pain, Neck  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]

[Sign:] Perforation, Gi  
Number of times reported: [1]

[Sign:] Perforation, Stomach  
Number of times reported: [1]

[Sign:] Peritonitis  
Number of times reported: [1]

[Sign:] Phlebitis  
Number of times reported: [1]

[Sign:] Photophobia  
Number of times reported: [1]

[Sign:] Platelets Hi, Bld  
Number of times reported: [1]

[Sign:] P Lo, Bld  
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-esophagus, Lesion(s)  
Number of times reported: [1]

[Sign:] Pressure Hi, Bld  
Number of times reported: [1]

[Sign:] Priapism  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]

[Sign:] Proprioceptive Disorde  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion  
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [1]

[Sign:] Pruritis, Ear(s)  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Rbc Abn  
Number of times reported: [1]

[Sign:] Rbc, Aniso  
Number of times reported: [1]

[Sign:] Rbc, Polychrom  
Number of times reported: [1]

[Sign:] Regurgitation  
Number of times reported: [1]

[Sign:] Reluctant To Climb  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Retina Abn  
Number of times reported: [1]

[Sign:] Rupture, Tumor  
Number of times reported: [1]

[Sign:] Scale(s), Skin  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Skin, Dry  
Number of times reported: [1]

[Sign:] Skin, Necrosis  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

[Sign:] Staring  
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Stranguria  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Swelling, Ventrum  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Tenesmus  
Number of times reported: [1]

[Sign:] Tenesmus, Urinary  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Hi  
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [1]

[Sign:] Tongue, Abn  
Number of times reported: [1]

[Sign:] Trembling, Face  
Number of times reported: [1]

[Sign:] Ulcer(s), Pylorus  
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach  
Number of times reported: [1]

[Sign:] Us-liver Abn  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

**[Drug:] Prednisolone, Trimeprazine**  
Oral, Human

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Somnolence

Number of times reported: [2]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Prednisone**

Oral, Cat

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Prednisone**

Oral, Dog

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Amylase Hi, Bld

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Lipase Hi, Bld

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Prednisone**

Parenteral, Dog

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Primidone**

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [2]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

**[Drug:] Primidone**

Oral, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]



**[Drug:] Primidone**

Oral, Dog

[Sign:] Polydipsia

Number of times reported: [29]

[Sign:] Ataxia

Number of times reported: [22]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [21]

[Sign:] Depression/lethargy

Number of times reported: [21]

[Sign:] Apprehension

Number of times reported: [16]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [16]

[Sign:] Hyperactivity

Number of times reported: [14]

[Sign:] Bile Acids Hi, Bld

Number of times reported: [13]

[Sign:] Confusion

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [12]

[Sign:] Nervousness

Number of times reported: [12]

[Sign:] Pacing

Number of times reported: [12]

[Sign:] Polyphagia

Number of times reported: [12]

[Sign:] Vomiting

Number of times reported: [12]

[Sign:] Polyuria

Number of times reported: [10]

[Sign:] Polypnea

Number of times reported: [9]

[Sign:] Death

Number of times reported: [8]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [8]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [7]

[Sign:] Pruritis

Number of times reported: [7]  
[Sign:] Vocalization  
Number of times reported: [7]  
[Sign:] Diarrhea, Mild  
Number of times reported: [6]  
[Sign:] Hypersalivation  
Number of times reported: [6]  
[Sign:] Infection, Skin  
Number of times reported: [6]  
[Sign:] Urination Abn  
Number of times reported: [6]  
[Sign:] Aggression  
Number of times reported: [5]  
[Sign:] Alopecia  
Number of times reported: [5]  
[Sign:] Behavior Disorder  
Number of times reported: [5]  
[Sign:] Ineffect, Seizures  
Number of times reported: [5]  
[Sign:] Lameness  
Number of times reported: [5]  
[Sign:] Mass, Skin  
Number of times reported: [5]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [5]  
[Sign:] Somnolence  
Number of times reported: [5]  
[Sign:] Staggering  
Number of times reported: [5]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [4]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [4]  
[Sign:] Convulsion(s)  
Number of times reported: [4]  
[Sign:] Death(euthanized)  
Number of times reported: [4]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [4]  
[Sign:] Ineffect  
Number of times reported: [4]  
[Sign:] Reluctant To Climb

Number of times reported: [4]  
[Sign:] Sedation  
Number of times reported: [4]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [4]  
[Sign:] Congestion, Ear(s)  
Number of times reported: [3]  
[Sign:] Congestion, Skin  
Number of times reported: [3]  
[Sign:] Diarrhea  
Number of times reported: [3]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [3]  
[Sign:] Distention, Abdomen  
Number of times reported: [3]  
[Sign:] Lesion(s), Skin  
Number of times reported: [3]  
[Sign:] Mydriasis  
Number of times reported: [3]  
[Sign:] Pain, Abdomen  
Number of times reported: [3]  
[Sign:] Segs Hi, Bld  
Number of times reported: [3]  
[Sign:] Segs Lo, Bld  
Number of times reported: [3]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [2]  
[Sign:] Ascites  
Number of times reported: [2]  
[Sign:] Blindness  
Number of times reported: [2]  
[Sign:] Collapse  
Number of times reported: [2]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [2]  
[Sign:] Dermatitis, Moist  
Number of times reported: [2]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [2]  
[Sign:] Discharge, Ear(s)  
Number of times reported: [2]  
[Sign:] Elimination Abn

Number of times reported: [2]  
[Sign:] Fever, Body  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Hyperpnea  
Number of times reported: [2]  
[Sign:] Incontinence, Urinary  
Number of times reported: [2]  
[Sign:] Infection, Urinary Tra  
Number of times reported: [2]  
[Sign:] K Hi, Bld  
Number of times reported: [2]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [2]  
[Sign:] Liver Disorder  
Number of times reported: [2]  
[Sign:] Lymphs Hi, Bld  
Number of times reported: [2]  
[Sign:] Mass  
Number of times reported: [2]  
[Sign:] Otitis  
Number of times reported: [2]  
[Sign:] Polycythemia(relative)  
Number of times reported: [2]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [2]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [2]  
[Sign:] Recumbency  
Number of times reported: [2]  
[Sign:] Reluctant To Move  
Number of times reported: [2]  
[Sign:] Scale(s), Skin  
Number of times reported: [2]  
[Sign:] Shaking  
Number of times reported: [2]  
[Sign:] Skin, Scab(s)  
Number of times reported: [2]  
[Sign:] Unconscious  
Number of times reported: [2]  
[Sign:] Us-liver Abn

Number of times reported: [2]  
[Sign:] Wbc, Urine  
Number of times reported: [2]  
[Sign:] Weakness  
Number of times reported: [2]  
[Sign:] Weight Increase  
Number of times reported: [2]  
[Sign:] Abn Color, Urine  
Number of times reported: [1]  
[Sign:] Adipsia  
Number of times reported: [1]  
[Sign:] Anemia  
Number of times reported: [1]  
[Sign:] Anisocoria  
Number of times reported: [1]  
[Sign:] Aplasia, Bone Marrow  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Borborygmi  
Number of times reported: [1]  
[Sign:] Breathing, Periodic  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Conjunctivitis  
Number of times reported: [1]  
[Sign:] Coprophagia  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Defecation Abn  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Difficulty Rising

Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Ear Disorder  
Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Fly Biting  
Number of times reported: [1]  
[Sign:] Gi, Abnormal  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [1]  
[Sign:] Hair, Abn Color  
Number of times reported: [1]  
[Sign:] Hallucination  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Hepatitis  
Number of times reported: [1]  
[Sign:] Hiding  
Number of times reported: [1]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]  
[Sign:] Hypersensitive, Sound  
Number of times reported: [1]  
[Sign:] Hypopnea  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Infection, Uterus  
Number of times reported: [1]  
[Sign:] Irritation, Ear(s)  
Number of times reported: [1]  
[Sign:] Kidney Disorder  
Number of times reported: [1]  
[Sign:] Licking, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Lipids Hi, Bld

Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Microorganisms, Urine  
Number of times reported: [1]  
[Sign:] Miosis  
Number of times reported: [1]  
[Sign:] Monos Hi, Bld  
Number of times reported: [1]  
[Sign:] Murmur, Heart  
Number of times reported: [1]  
[Sign:] Na:k Lo, Bld  
Number of times reported: [1]  
[Sign:] Nausea  
Number of times reported: [1]  
[Sign:] Neoplasm, Skin  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pain, Back  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Pain, Muscle(s)  
Number of times reported: [1]  
[Sign:] Papule(s)  
Number of times reported: [1]  
[Sign:] P Hi, Bld  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [1]  
[Sign:] Posture Abn  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Protein, Urine  
Number of times reported: [1]  
[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]  
[Sign:] Pruritis, Ear(s)  
Number of times reported: [1]  
[Sign:] Rash  
Number of times reported: [1]  
[Sign:] Reflex(es) Abn  
Number of times reported: [1]  
[Sign:] Reflux, Stomach  
Number of times reported: [1]  
[Sign:] Saliva, Abn  
Number of times reported: [1]  
[Sign:] Seborrhea  
Number of times reported: [1]  
[Sign:] Sedation Too Deep  
Number of times reported: [1]  
[Sign:] Skin, Crust(s)  
Number of times reported: [1]  
[Sign:] Skin, Dry  
Number of times reported: [1]  
[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [1]  
[Sign:] Squinting  
Number of times reported: [1]  
[Sign:] Staring  
Number of times reported: [1]  
[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Stumbling  
Number of times reported: [1]  
[Sign:] Tachycardia  
Number of times reported: [1]  
[Sign:] Trembling  
Number of times reported: [1]  
[Sign:] Trembling, Face  
Number of times reported: [1]  
[Sign:] Twitch  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [1]  
[Sign:] Weight Loss



Number of times reported: [1]

**[Drug:] Primidone**

Oral, Human

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

**[Drug:] Progesterone**

Defect, Not Applicable

[Sign:] Pd-product Defect

Number of times reported: [21]

[Sign:] Pd-implant, Abn

Number of times reported: [17]

[Sign:] Pd-applicator, Abn

Number of times reported: [13]

[Sign:] Pd-underfill, Package

Number of times reported: [10]

[Sign:] Pd-container(s), Damag

Number of times reported: [9]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

**[Drug:] Progesterone**

Oral, Dog

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bld, Vagina

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Mucoïd

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Tenesmus

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Progesterone**

Oral, Human

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Progesterone**

Parenteral, Cattle

[Sign:] Ineffect, Estrus Synch

Number of times reported: [1]

**[Drug:] Progesterone**

Suppository, Cattle

[Sign:] Ineffect, Estrus Synch  
Number of times reported: [103]

[Sign:] Pd-product Defect  
Number of times reported: [14]

[Sign:] Vaginitis  
Number of times reported: [14]

[Sign:] Discharge, Vulva  
Number of times reported: [12]

[Sign:] Pd-implant, Abn  
Number of times reported: [11]

[Sign:] Death  
Number of times reported: [8]

[Sign:] Swelling, Vagina/vulva  
Number of times reported: [7]

[Sign:] Ineffect, Estrus Suppr  
Number of times reported: [5]

[Sign:] Fertility, Reduced  
Number of times reported: [4]

[Sign:] Anorexia  
Number of times reported: [3]

[Sign:] Ataxia  
Number of times reported: [3]

[Sign:] Depression/lethargy  
Number of times reported: [3]

[Sign:] Hypersalivation  
Number of times reported: [3]

[Sign:] No Signs  
Number of times reported: [3]

[Sign:] Prolapse, Rectum  
Number of times reported: [3]

[Sign:] Tenesmus  
Number of times reported: [3]

[Sign:] Abortion  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Edema, Vulva  
Number of times reported: [2]

[Sign:] Fertility, Lack Of  
Number of times reported: [2]

[Sign:] Myositis  
Number of times reported: [2]

[Sign:] Tenesmus, Rectal  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anestrus  
Number of times reported: [1]

[Sign:] Application Site Inflammation  
Number of times reported: [1]

[Sign:] Application Site Pain  
Number of times reported: [1]

[Sign:] Application Site Swelling  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Death(slaughtered)  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Odor  
Number of times reported: [1]

[Sign:] Pd-applicator, Abn  
Number of times reported: [1]

[Sign:] Pd-color, Abn  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

[Sign:] Pollakiuria  
Number of times reported: [1]

[Sign:] Pustule(s)  
Number of times reported: [1]

[Sign:] Reproduction Disorder  
Number of times reported: [1]

[Sign:] Straining

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Uterus

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Progesterone**

Suppository, Deer

[Sign:] Death

Number of times reported: [1]

**[Drug:] Progesterone**

Suppository, Horse

[Sign:] Vaginitis

Number of times reported: [1]

**[Drug:] Progesterone**

Topical, Human

[Sign:] Menses, Abnormal

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Insomnia

Number of times reported: [1]

[Sign:] Mammary, Hyperplasia

Number of times reported: [1]

**[Drug:] Progesterone**

Unknown, Cattle

[Sign:] Ineffect, Estrus Synch  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

**[Drug:] Progesterone**

Unknown, Human

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [1]

**[Drug:] Progesterone**

Various, Cattle

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Inj Site Necrosis  
Number of times reported: [1]

[Sign:] Necrosis  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Udder, Mastitis  
Number of times reported: [1]

[Sign:] Udder, Milk Abn  
Number of times reported: [1]

[Sign:] Udder, Swelling  
Number of times reported: [1]

**[Drug:] Promazine**

Defect, Not Applicable

[Sign:] Pd-granules, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

**[Drug:] Promazine**

Oral, Cattle

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

**[Drug:] Promazine**

Oral, Horse

[Sign:] Ineffect, Sedation

Number of times reported: [7]

[Sign:] Ineffect, Tranquilizat

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Promazine**

Oral, Mule

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Proparacaine**

Ophthalmic, Cat

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Defecation

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Shock

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Proparacaine**

Topical, Horse

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Propofol**

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [10]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [4]



- [Sign:] Pd-suspension, Abn  
Number of times reported: [2]
- [Sign:] Pd-vial(s), Leaking  
Number of times reported: [2]
- [Sign:] Ineffect, Anesthesia  
Number of times reported: [1]
- [Sign:] Pd-container(s), Abn  
Number of times reported: [1]
- [Sign:] Pd-potency, Lo  
Number of times reported: [1]
- [Sign:] Pd-seal, Abn  
Number of times reported: [1]
- [Sign:] Pd-solution, Abn  
Number of times reported: [1]

**[Drug:] Propofol**

Missing, Cat

- [Sign:] Anesth Induc Turbulent  
Number of times reported: [1]
- [Sign:] Anisocoria  
Number of times reported: [1]

**[Drug:] Propofol**

Missing, Dog

- [Sign:] Death  
Number of times reported: [2]
- [Sign:] Apnea  
Number of times reported: [1]
- [Sign:] Bradycardia  
Number of times reported: [1]
- [Sign:] Convulsion(s)  
Number of times reported: [1]
- [Sign:] Hyperpnea  
Number of times reported: [1]
- [Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]
- [Sign:] Shock  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]
- [Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Volvulus, Stomach

Number of times reported: [1]

**[Drug:] Propofol**

Missing, Various

[Sign:] Death

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Cat

[Sign:] Apnea

Number of times reported: [25]

[Sign:] Arrest, Heart

Number of times reported: [22]

[Sign:] Death

Number of times reported: [22]

[Sign:] Bradycardia

Number of times reported: [11]

[Sign:] Ineffect, Anesthesia

Number of times reported: [7]

[Sign:] Blindness, Temp

Number of times reported: [6]

[Sign:] Convulsion(s)

Number of times reported: [6]

[Sign:] Cyanosis, Mucous Membr

Number of times reported: [6]

[Sign:] Death(euthanized)

Number of times reported: [6]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [6]

[Sign:] Pressure Lo, Bld

Number of times reported: [6]

[Sign:] Anesth Recov Prolonged

Number of times reported: [5]

[Sign:] Ataxia

Number of times reported: [5]

[Sign:] Blindness

Number of times reported: [5]

[Sign:] Cyanosis

Number of times reported: [5]

[Sign:] Hyperpnea  
Number of times reported: [4]

[Sign:] Radiograph(s) Abn  
Number of times reported: [4]

[Sign:] Anesth Induction Prolonged  
Number of times reported: [3]

[Sign:] Anesth Induc Turbulent  
Number of times reported: [3]

[Sign:] Arrhythmia  
Number of times reported: [3]

[Sign:] Dyspnea  
Number of times reported: [3]

[Sign:] Fever, Body  
Number of times reported: [3]

[Sign:] Hyperactivity  
Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [3]

[Sign:] Tachycardia  
Number of times reported: [3]

[Sign:] Aggression  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Anemia, Heinz Body  
Number of times reported: [2]

[Sign:] Anesth Recov Turbulent  
Number of times reported: [2]

[Sign:] Confusion  
Number of times reported: [2]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Distress, Resp  
Number of times reported: [2]

[Sign:] Gagging  
Number of times reported: [2]

[Sign:] Hypopnea  
Number of times reported: [2]

[Sign:] Hypothermia  
Number of times reported: [2]

[Sign:] Murmur, Heart  
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [2]

[Sign:] Spasm  
Number of times reported: [2]

[Sign:] Unconscious  
Number of times reported: [2]

[Sign:] Adverse Drug Reaction  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Bld, Rectum  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Breathing, Periodic  
Number of times reported: [1]

[Sign:] Circling  
Number of times reported: [1]

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Edema, Neck  
Number of times reported: [1]

[Sign:] Edema, Pharynx  
Number of times reported: [1]

[Sign:] Edema, Tongue  
Number of times reported: [1]

[Sign:] Emphysema, Sq  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Incontinence, Urinary  
Number of times reported: [1]

[Sign:] Inflam, Skin  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Laryngospasm  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Shaking, Head/face  
Number of times reported: [1]

[Sign:] Skin, Necrosis  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Dog

[Sign:] Death  
Number of times reported: [90]

[Sign:] Apnea  
Number of times reported: [78]

[Sign:] Arrest, Heart  
Number of times reported: [66]

[Sign:] Convulsion(s)  
Number of times reported: [62]

[Sign:] Ineffect, Anesthesia

Number of times reported: [61]  
[Sign:] Bradycardia  
Number of times reported: [49]  
[Sign:] Opisthotonos  
Number of times reported: [22]  
[Sign:] Anesth Recov Prolonged  
Number of times reported: [20]  
[Sign:] Hyperpnea  
Number of times reported: [20]  
[Sign:] Vocalization  
Number of times reported: [18]  
[Sign:] Twitch  
Number of times reported: [17]  
[Sign:] Tachycardia  
Number of times reported: [15]  
[Sign:] Fever, Body  
Number of times reported: [14]  
[Sign:] Trembling  
Number of times reported: [14]  
[Sign:] Vomiting  
Number of times reported: [12]  
[Sign:] Anesth Recov Turbulent  
Number of times reported: [11]  
[Sign:] Anesth Too Deep  
Number of times reported: [11]  
[Sign:] Cyanosis  
Number of times reported: [11]  
[Sign:] Hypersalivation  
Number of times reported: [11]  
[Sign:] Spasm  
Number of times reported: [11]  
[Sign:] Thrashing/paddling  
Number of times reported: [11]  
[Sign:] Depression/lethargy  
Number of times reported: [10]  
[Sign:] Anesth Induc Turbulent  
Number of times reported: [9]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [9]  
[Sign:] Nystagmus  
Number of times reported: [9]  
[Sign:] Pressure Lo, Bld

Number of times reported: [9]  
[Sign:] Anesth Induction Prolonged  
Number of times reported: [8]  
[Sign:] Arrhythmia  
Number of times reported: [7]  
[Sign:] Diarrhea  
Number of times reported: [7]  
[Sign:] Hyperactivity  
Number of times reported: [7]  
[Sign:] Inj Site Pain  
Number of times reported: [7]  
[Sign:] Urticaria  
Number of times reported: [7]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [6]  
[Sign:] Anorexia  
Number of times reported: [6]  
[Sign:] Death(euthanized)  
Number of times reported: [6]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [6]  
[Sign:] Inj Site Swelling  
Number of times reported: [6]  
[Sign:] Confusion  
Number of times reported: [5]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [5]  
[Sign:] Polypnea  
Number of times reported: [5]  
[Sign:] Swelling, Head/face  
Number of times reported: [5]  
[Sign:] Ataxia  
Number of times reported: [4]  
[Sign:] Congestion  
Number of times reported: [4]  
[Sign:] Skin, Necrosis  
Number of times reported: [4]  
[Sign:] Edema, Head/face  
Number of times reported: [3]  
[Sign:] Hypopnea  
Number of times reported: [3]  
[Sign:] Inj Site Inflamm

Number of times reported: [3]  
[Sign:] Jerking  
Number of times reported: [3]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [3]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pruritis  
Number of times reported: [3]  
[Sign:] Slough, Skin  
Number of times reported: [3]  
[Sign:] Stiffness, Limb(s)  
Number of times reported: [3]  
[Sign:] Tachycardia, Ventricul  
Number of times reported: [3]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [2]  
[Sign:] Blindness  
Number of times reported: [2]  
[Sign:] Breathing, Periodic  
Number of times reported: [2]  
[Sign:] Collapse  
Number of times reported: [2]  
[Sign:] Congestion, Skin  
Number of times reported: [2]  
[Sign:] Coughing  
Number of times reported: [2]  
[Sign:] Dyspnea  
Number of times reported: [2]  
[Sign:] Edema, Limb(s)  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Ineffect, Sedation  
Number of times reported: [2]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [2]  
[Sign:] Kidney Failure  
Number of times reported: [2]  
[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [2]  
[Sign:] Mydriasis



Number of times reported: [2]  
[Sign:] Pallor  
Number of times reported: [2]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [2]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [2]  
[Sign:] Sepsis  
Number of times reported: [2]  
[Sign:] Shaking, Head/face  
Number of times reported: [2]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [2]  
[Sign:] Swelling, Mult Sites  
Number of times reported: [2]  
[Sign:] Tech Error Administrat  
Number of times reported: [2]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]  
[Sign:] Anesth Duration Brief  
Number of times reported: [1]  
[Sign:] Anesth Induction Rapid  
Number of times reported: [1]  
[Sign:] Arrhythmia, Block  
Number of times reported: [1]  
[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Bld, Penis  
Number of times reported: [1]  
[Sign:] Bld(petechiae)  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Blindness, Temp

Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Capillary Refill Prolo  
Number of times reported: [1]  
[Sign:] Coagulation Disorder  
Number of times reported: [1]  
[Sign:] Congestion, Ear(s)  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [1]  
[Sign:] Deafness  
Number of times reported: [1]  
[Sign:] Deafness, Temp  
Number of times reported: [1]  
[Sign:] Defecation  
Number of times reported: [1]  
[Sign:] Delirium  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Dilatation, Stomach  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Ecg Abn  
Number of times reported: [1]  
[Sign:] Ecg, Abn  
Number of times reported: [1]  
[Sign:] Edema, Larynx  
Number of times reported: [1]  
[Sign:] Edema, Tongue  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod

Number of times reported: [1]  
[Sign:] Fibrinogen Lo, Bld  
Number of times reported: [1]  
[Sign:] Gagging  
Number of times reported: [1]  
[Sign:] Grinding Teeth  
Number of times reported: [1]  
[Sign:] Hypertonia  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Ineffect  
Number of times reported: [1]  
[Sign:] Inj Site Abscess  
Number of times reported: [1]  
[Sign:] Inj Site Pruritis  
Number of times reported: [1]  
[Sign:] Irritation, Ear(s)  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Laryngospasm  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Licking  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Liver Failure  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Miosis  
Number of times reported: [1]  
[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]  
[Sign:] Mucous Membr, Red  
Number of times reported: [1]  
[Sign:] Neoplasm  
Number of times reported: [1]  
[Sign:] Nervousness

Number of times reported: [1]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [1]  
[Sign:] Paralysis, Larynx  
Number of times reported: [1]  
[Sign:] Polycythemia  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]  
[Sign:] Pr-nose, Lesion(s)  
Number of times reported: [1]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [1]  
[Sign:] Pr-peritoneal Effusion  
Number of times reported: [1]  
[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Recumbency  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Shaking  
Number of times reported: [1]  
[Sign:] Skin Abnormal  
Number of times reported: [1]  
[Sign:] Somnolence  
Number of times reported: [1]  
[Sign:] Splenomegaly  
Number of times reported: [1]  
[Sign:] Squinting  
Number of times reported: [1]  
[Sign:] Stiffness  
Number of times reported: [1]  
[Sign:] Strabismus  
Number of times reported: [1]  
[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Horse

[Sign:] Twitch

Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Human

[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Other

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pneumonia, Aspiration

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Turtle

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Bradycardia

Number of times reported: [2]

[Sign:] Csf Abn

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

**[Drug:] Propofol**

Parenteral, Various

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pain, Muscle(s)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Propofol**

Topical, Human

[Sign:] Laceration(s), Hand(s)

Number of times reported: [3]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

**[Drug:] Propofol**

Unknown, Cat

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Propofol**

Unknown, Dog

[Sign:] Hypopnea

Number of times reported: [2]

[Sign:] Thrashing/paddling

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anemia, Autoimmune Hem

Number of times reported: [1]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Anesth Too Deep

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Coombs Test Pos

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Icterus

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

**[Drug:] Propofol**

Various, Dog

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Fever, Joint(s)

Number of times reported: [1]

[Sign:] Inflamm

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Neck

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

**[Drug:] Propofol**

Various, Human

[Sign:] Hypoesthesia

Number of times reported: [1]



**[Drug:] Protopam Chloride**

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Pseudoephedrine And Pyrilamine**

Oral, Horse

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Sweating, Decreased

Number of times reported: [1]

**[Drug:] Psyllium**

Oral, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

**[Drug:] Pyrantel**

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [102]

[Sign:] Pd-container(s), Abn

Number of times reported: [100]

[Sign:] Pd-suspension, Abn

Number of times reported: [49]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [34]

[Sign:] Pd-contam, Mold

Number of times reported: [30]

[Sign:] Pd-container(s), Damag

Number of times reported: [18]

[Sign:] Pd-product Defect

Number of times reported: [16]  
[Sign:] Pd-color, Abn  
Number of times reported: [13]  
[Sign:] Pd-odor, Abn  
Number of times reported: [13]  
[Sign:] Unpalatable, Won't Eat  
Number of times reported: [9]  
[Sign:] Pd-cap(s), Abn  
Number of times reported: [7]  
[Sign:] Pd-underfill, Package  
Number of times reported: [7]  
[Sign:] Pd-contam, Insects  
Number of times reported: [6]  
[Sign:] Pd-label(s), Abn  
Number of times reported: [5]  
[Sign:] Pd-tube(s), Abn  
Number of times reported: [5]  
[Sign:] Pd-missing, Label(s)  
Number of times reported: [4]  
[Sign:] Pd-solution, Abn  
Number of times reported: [4]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [4]  
[Sign:] Pd-tablet(s), Abn  
Number of times reported: [4]  
[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [4]  
[Sign:] Pd-vial(s), Damaged  
Number of times reported: [4]  
[Sign:] Pd-granules/powder, Abn  
Number of times reported: [3]  
[Sign:] Pd-tube(s), Leaking  
Number of times reported: [3]  
[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [3]  
[Sign:] Pd-dispenser, Abn  
Number of times reported: [2]  
[Sign:] Pd-missing, Cap  
Number of times reported: [2]  
[Sign:] Taste Abnormality  
Number of times reported: [2]  
[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-unknown

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

**[Drug:] Pyrantel**

Missing, Dog

[Sign:] Vomiting

Number of times reported: [19]

[Sign:] Depression/lethargy

Number of times reported: [14]

[Sign:] Diarrhea

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [9]

[Sign:] Ineffect, Worms

Number of times reported: [9]

[Sign:] Death

Number of times reported: [7]

[Sign:] Gagging

Number of times reported: [4]

[Sign:] Shaking

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Coughing

Number of times reported: [3]

[Sign:] Vomiting, Unproductive

Number of times reported: [3]

[Sign:] Adipsia

Number of times reported: [2]

[Sign:] Behavior Disorder  
Number of times reported: [2]

[Sign:] Hematochezia  
Number of times reported: [2]

[Sign:] Ineffect, Hooks  
Number of times reported: [2]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Constipation  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Delirium  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Ineffect, Ascarids  
Number of times reported: [1]

[Sign:] Ineffect, Parasite(s)  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Sedation  
Number of times reported: [1]

[Sign:] Sneezing  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Trembling, Face  
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

[Sign:] Vomiting Roundworms  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Pyrantel**

Missing, Human

[Sign:] Nausea  
Number of times reported: [1]

**[Drug:] Pyrantel**

Ophthalmic, Horse

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Cat

[Sign:] Depression/lethargy  
Number of times reported: [27]

[Sign:] Anorexia

Number of times reported: [24]  
[Sign:] Diarrhea  
Number of times reported: [22]  
[Sign:] Vomiting  
Number of times reported: [22]  
[Sign:] Death  
Number of times reported: [16]  
[Sign:] Ataxia  
Number of times reported: [12]  
[Sign:] Fever, Body  
Number of times reported: [5]  
[Sign:] Anemia  
Number of times reported: [4]  
[Sign:] Convulsion(s)  
Number of times reported: [4]  
[Sign:] Dehydration  
Number of times reported: [4]  
[Sign:] Hypothermia  
Number of times reported: [4]  
[Sign:] Hypothermia, Body  
Number of times reported: [4]  
[Sign:] Recumbency  
Number of times reported: [4]  
[Sign:] Vocalization  
Number of times reported: [4]  
[Sign:] Death(euthanized)  
Number of times reported: [3]  
[Sign:] Dyspnea  
Number of times reported: [3]  
[Sign:] Ineffect, Ascarids  
Number of times reported: [3]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [3]  
[Sign:] Trembling  
Number of times reported: [3]  
[Sign:] Weakness  
Number of times reported: [3]  
[Sign:] Weight Loss  
Number of times reported: [3]  
[Sign:] Arrest, Heart  
Number of times reported: [2]  
[Sign:] Collapse

Number of times reported: [2]  
[Sign:] Confusion  
Number of times reported: [2]  
[Sign:] Hypersalivation  
Number of times reported: [2]  
[Sign:] Icterus, Serum  
Number of times reported: [2]  
[Sign:] Adipsia  
Number of times reported: [1]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [1]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Anemia, Regen  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Chemistry Abn  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Diarrhea, Mild  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Ear Disorder  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]  
[Sign:] Eruption(s)  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld

Number of times reported: [1]  
[Sign:] Hypomotility  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Ineffect, Hooks  
Number of times reported: [1]  
[Sign:] Ineffect, Worms  
Number of times reported: [1]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Mydriasis  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pallor  
Number of times reported: [1]  
[Sign:] P Hi, Bld  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [1]  
[Sign:] Polycythemia  
Number of times reported: [1]  
[Sign:] Polydipsia  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis, Tail



Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Self-mutilation

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stool, Muroid

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Tail Disorder

Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneou

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [274]

[Sign:] Depression/lethargy

Number of times reported: [234]

[Sign:] Death

Number of times reported: [198]

[Sign:] Anorexia

Number of times reported: [155]

[Sign:] Diarrhea

Number of times reported: [154]

[Sign:] Ineffect, Hooks  
Number of times reported: [70]

[Sign:] Convulsion(s)  
Number of times reported: [55]

[Sign:] Ineffect, Ascarids  
Number of times reported: [54]

[Sign:] Ataxia  
Number of times reported: [37]

[Sign:] Diarrhea, Bloody  
Number of times reported: [35]

[Sign:] Weakness  
Number of times reported: [32]

[Sign:] Hematochezia  
Number of times reported: [25]

[Sign:] Adipsia  
Number of times reported: [22]

[Sign:] Anaphylaxis/toid  
Number of times reported: [22]

[Sign:] Ill  
Number of times reported: [22]

[Sign:] Coughing  
Number of times reported: [21]

[Sign:] Diarrhea, Mild  
Number of times reported: [21]

[Sign:] Death(euthanized)  
Number of times reported: [20]

[Sign:] Fever, Body  
Number of times reported: [20]

[Sign:] Hypersalivation  
Number of times reported: [20]

[Sign:] Ineffect, Worms  
Number of times reported: [20]

[Sign:] Dyspnea  
Number of times reported: [19]

[Sign:] Trembling  
Number of times reported: [19]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [18]

[Sign:] Vocalization  
Number of times reported: [17]

[Sign:] Stool Abn  
Number of times reported: [16]

[Sign:] Distention, Abdomen  
Number of times reported: [15]

[Sign:] Dehydration  
Number of times reported: [14]

[Sign:] Vomiting, Bloody  
Number of times reported: [14]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [13]

[Sign:] Recumbency  
Number of times reported: [13]

[Sign:] Swelling, Head/face  
Number of times reported: [13]

[Sign:] Urticaria  
Number of times reported: [13]

[Sign:] Anemia  
Number of times reported: [12]

[Sign:] Polydipsia  
Number of times reported: [12]

[Sign:] Pruritis  
Number of times reported: [12]

[Sign:] Weight Loss  
Number of times reported: [12]

[Sign:] Pain  
Number of times reported: [11]

[Sign:] Vomiting Roundworms  
Number of times reported: [11]

[Sign:] Shaking  
Number of times reported: [10]

[Sign:] Vomiting, Unproductive  
Number of times reported: [10]

[Sign:] Collapse  
Number of times reported: [9]

[Sign:] Constipation  
Number of times reported: [9]

[Sign:] Blindness  
Number of times reported: [8]

[Sign:] Death(tx Failure)  
Number of times reported: [8]

[Sign:] Gagging  
Number of times reported: [8]

[Sign:] Diarrhea, Watery  
Number of times reported: [7]

[Sign:] Melena  
Number of times reported: [7]

[Sign:] Polypnea  
Number of times reported: [7]

[Sign:] Bld, Rectum  
Number of times reported: [6]

[Sign:] Glucose Lo, Bld  
Number of times reported: [6]

[Sign:] Ineffect, Parasite(s)  
Number of times reported: [6]

[Sign:] Lameness  
Number of times reported: [6]

[Sign:] Locomotion Disorder  
Number of times reported: [6]

[Sign:] Pain, Abdomen  
Number of times reported: [6]

[Sign:] Behavior Disorder  
Number of times reported: [5]

[Sign:] Nervousness  
Number of times reported: [5]

[Sign:] Radiograph(s) Abn  
Number of times reported: [5]

[Sign:] Staggering  
Number of times reported: [5]

[Sign:] Stupor  
Number of times reported: [5]

[Sign:] Breathing Abn  
Number of times reported: [4]

[Sign:] Confusion  
Number of times reported: [4]

[Sign:] Diarrhea, Mucoid  
Number of times reported: [4]

[Sign:] Difficulty Rising  
Number of times reported: [4]

[Sign:] Edema, Head/face  
Number of times reported: [4]

[Sign:] Hyperactivity  
Number of times reported: [4]

[Sign:] Hypothermia, Body  
Number of times reported: [4]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [4]

[Sign:] Pain, Joint(s)  
Number of times reported: [4]

[Sign:] Pd-suspension, Abn  
Number of times reported: [4]

[Sign:] Pica  
Number of times reported: [4]

[Sign:] Reluctant To Move  
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [4]

[Sign:] Spasm  
Number of times reported: [4]

[Sign:] Tachycardia  
Number of times reported: [4]

[Sign:] Twitch  
Number of times reported: [4]

[Sign:] Vomiting, Severe  
Number of times reported: [4]

[Sign:] Wheezing  
Number of times reported: [4]

[Sign:] Bloat  
Number of times reported: [3]

[Sign:] Circling  
Number of times reported: [3]

[Sign:] Congestion, Skin  
Number of times reported: [3]

[Sign:] Culture/titer Data Abn  
Number of times reported: [3]

[Sign:] Diarrhea, Severe  
Number of times reported: [3]

[Sign:] Discharge, Nose  
Number of times reported: [3]

[Sign:] Discomfort  
Number of times reported: [3]

[Sign:] Epistaxis  
Number of times reported: [3]

[Sign:] Head Tilt  
Number of times reported: [3]

[Sign:] Hepatomegaly  
Number of times reported: [3]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Hypothermia  
Number of times reported: [3]

[Sign:] Ineffect  
Number of times reported: [3]

[Sign:] Ineffect, Large Strong  
Number of times reported: [3]

[Sign:] Inflamm, Skin  
Number of times reported: [3]

[Sign:] Mydriasis  
Number of times reported: [3]

[Sign:] Odor  
Number of times reported: [3]

[Sign:] Pallor  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Platelets Lo, Bld  
Number of times reported: [3]

[Sign:] Polyuria  
Number of times reported: [3]

[Sign:] Reaction, Unspecified  
Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [3]

[Sign:] Wbc Hi, Bld  
Number of times reported: [3]

[Sign:] Abortion  
Number of times reported: [2]

[Sign:] Albumin Lo, Bld  
Number of times reported: [2]

[Sign:] Anuria  
Number of times reported: [2]

[Sign:] Apnea  
Number of times reported: [2]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [2]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Bld, Urine  
Number of times reported: [2]

[Sign:] Bun Hi, Bld  
Number of times reported: [2]

[Sign:] Cachexia  
Number of times reported: [2]

[Sign:] Congestion, Lung(s)  
Number of times reported: [2]

[Sign:] Deafness  
Number of times reported: [2]

[Sign:] Death(newborn)  
Number of times reported: [2]

[Sign:] Defecation  
Number of times reported: [2]

[Sign:] Discharge, Vulva  
Number of times reported: [2]

[Sign:] Dizziness  
Number of times reported: [2]

[Sign:] Dysuria  
Number of times reported: [2]

[Sign:] Elimination Abn  
Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]

[Sign:] Flatulence  
Number of times reported: [2]

[Sign:] Gi, Abnormal  
Number of times reported: [2]

[Sign:] Hemoglobin, Urine  
Number of times reported: [2]

[Sign:] Hiding  
Number of times reported: [2]

[Sign:] Hypopnea  
Number of times reported: [2]

[Sign:] Incontinence, Fecal  
Number of times reported: [2]

[Sign:] Incontinence, Urinary  
Number of times reported: [2]

[Sign:] Ineffect, Whips  
Number of times reported: [2]

[Sign:] Irritation  
Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Loss Of Condition  
Number of times reported: [2]

[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [2]

[Sign:] Neurological Disorder  
Number of times reported: [2]

[Sign:] Otitis  
Number of times reported: [2]

[Sign:] Pancreatitis  
Number of times reported: [2]

[Sign:] Pd-color, Abn  
Number of times reported: [2]

[Sign:] Pr-gi, Parasitism  
Number of times reported: [2]

[Sign:] Prolapse, Rectum  
Number of times reported: [2]

[Sign:] Prostration  
Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [2]

[Sign:] Rash  
Number of times reported: [2]

[Sign:] Shaking, Head/face  
Number of times reported: [2]

[Sign:] Sneezing  
Number of times reported: [2]

[Sign:] Somnolence  
Number of times reported: [2]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Tenesmus, Rectal  
Number of times reported: [2]

[Sign:] Unpalatable  
Number of times reported: [2]

[Sign:] Urination  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]



[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]

[Sign:] Azotemia  
Number of times reported: [1]

[Sign:] Biting/chewing  
Number of times reported: [1]

[Sign:] Bld, Abn  
Number of times reported: [1]

[Sign:] Bld, Anus  
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Bld, Sclera  
Number of times reported: [1]

[Sign:] Borborygmi  
Number of times reported: [1]

[Sign:] Bradycardia  
Number of times reported: [1]

[Sign:] Bun Lo, Bld  
Number of times reported: [1]

[Sign:] Capillary Refill Prolo  
Number of times reported: [1]

[Sign:] Cardiomegaly  
Number of times reported: [1]

[Sign:] Choking  
Number of times reported: [1]

[Sign:] Cpk Hi, Bld  
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Csf Abn  
Number of times reported: [1]

[Sign:] Death(stillborn)  
Number of times reported: [1]

[Sign:] Diabetes  
Number of times reported: [1]

[Sign:] Diarrhea, Projectile  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Effusion, Joint(s)  
Number of times reported: [1]

[Sign:] Endocrine Disorder  
Number of times reported: [1]

[Sign:] Enlargement(s)  
Number of times reported: [1]

[Sign:] Eructation  
Number of times reported: [1]

[Sign:] Froth, Nose  
Number of times reported: [1]

[Sign:] Gastroenteritis  
Number of times reported: [1]

[Sign:] Glaucoma  
Number of times reported: [1]

[Sign:] Globulin Hi, Bld  
Number of times reported: [1]

[Sign:] Globulin Lo, Bld  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Headache  
Number of times reported: [1]

[Sign:] Head Pressing  
Number of times reported: [1]

[Sign:] Hypermotility  
Number of times reported: [1]

[Sign:] Ineffect, Strongyles  
Number of times reported: [1]

[Sign:] Infection  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Infection, Urinary Tra  
Number of times reported: [1]

[Sign:] Irritation, Perineum  
Number of times reported: [1]

[Sign:] Jerking  
Number of times reported: [1]

[Sign:] Joint Disorder  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]

[Sign:] Labor, Premature  
Number of times reported: [1]

[Sign:] Leg Disorder  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Lockjaw  
Number of times reported: [1]

[Sign:] Na Lo, Bld  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Neuropathy  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Obstruction, Intestine  
Number of times reported: [1]

[Sign:] Odor, Mouth  
Number of times reported: [1]

[Sign:] Pacing  
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

[Sign:] Pain, Muscle(s)  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Paralysis, All Limbs  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Pd-contam, Insects  
Number of times reported: [1]

[Sign:] Pd-seal, Abn  
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]

[Sign:] Posture Abn  
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [1]

[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]

[Sign:] Proprioceptive Disorde  
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Protrusion, Eye(s)  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Pustule(s)  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Repetitive Movements  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Sedation  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Sepsis  
Number of times reported: [1]

[Sign:] Slough  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Sperm Abn  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]

[Sign:] Stumbling  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Swelling, Ventrum  
Number of times reported: [1]

[Sign:] Tail Disorder  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Trembling, Face  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

[Sign:] Urination Abn  
Number of times reported: [1]

[Sign:] Uveitis  
Number of times reported: [1]

[Sign:] Vaginitis  
Number of times reported: [1]

[Sign:] Wbc Lo, Bld  
Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Donkey

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Goat

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Horse

[Sign:] Pain, Abdomen  
Number of times reported: [93]

[Sign:] Ineffect, Strongyles  
Number of times reported: [87]

[Sign:] Diarrhea  
Number of times reported: [37]

[Sign:] Ineffect, Parasite(s)  
Number of times reported: [34]

[Sign:] Depression/lethargy

Number of times reported: [32]  
[Sign:] Anorexia  
Number of times reported: [22]  
[Sign:] Death  
Number of times reported: [19]  
[Sign:] Ineffect, Worms  
Number of times reported: [18]  
[Sign:] Urticaria  
Number of times reported: [15]  
[Sign:] Weight Loss  
Number of times reported: [14]  
[Sign:] Ineffect, Strongyle La  
Number of times reported: [13]  
[Sign:] Hair, Abn  
Number of times reported: [12]  
[Sign:] Recumbency  
Number of times reported: [11]  
[Sign:] Death(euthanized)  
Number of times reported: [10]  
[Sign:] Ineffect, Ascarids  
Number of times reported: [10]  
[Sign:] Ataxia  
Number of times reported: [9]  
[Sign:] Fever, Body  
Number of times reported: [9]  
[Sign:] Ineffect, Small Strong  
Number of times reported: [9]  
[Sign:] Loss Of Condition  
Number of times reported: [9]  
[Sign:] Diarrhea, Mild  
Number of times reported: [8]  
[Sign:] Distention, Abdomen  
Number of times reported: [8]  
[Sign:] Ineffect, Pinworms  
Number of times reported: [8]  
[Sign:] Pawing  
Number of times reported: [7]  
[Sign:] Unpalatable, Won't Eat  
Number of times reported: [7]  
[Sign:] Anemia  
Number of times reported: [6]  
[Sign:] Colon, Abn

Number of times reported: [6]  
[Sign:] Ineffect  
Number of times reported: [6]  
[Sign:] Nervousness  
Number of times reported: [6]  
[Sign:] Pruritis, Tail  
Number of times reported: [6]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [6]  
[Sign:] Convulsion(s)  
Number of times reported: [5]  
[Sign:] Flatulence  
Number of times reported: [5]  
[Sign:] Stool Abn  
Number of times reported: [5]  
[Sign:] Sweating  
Number of times reported: [5]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [5]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [5]  
[Sign:] Behavior Disorder  
Number of times reported: [4]  
[Sign:] Laminitis  
Number of times reported: [4]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [4]  
[Sign:] Trembling  
Number of times reported: [4]  
[Sign:] Adipsia  
Number of times reported: [3]  
[Sign:] Apprehension  
Number of times reported: [3]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [3]  
[Sign:] Bloat  
Number of times reported: [3]  
[Sign:] Collapse  
Number of times reported: [3]  
[Sign:] Coughing  
Number of times reported: [3]  
[Sign:] Diarrhea, Severe



Number of times reported: [3]  
[Sign:] Diarrhea, Watery  
Number of times reported: [3]  
[Sign:] Discharge, Nose  
Number of times reported: [3]  
[Sign:] Edema, Limb(s)  
Number of times reported: [3]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [3]  
[Sign:] Hyperactivity  
Number of times reported: [3]  
[Sign:] Hypersalivation  
Number of times reported: [3]  
[Sign:] Ineffect, Strongyloids  
Number of times reported: [3]  
[Sign:] Lameness  
Number of times reported: [3]  
[Sign:] Pruritis  
Number of times reported: [3]  
[Sign:] Rolling  
Number of times reported: [3]  
[Sign:] Tachycardia  
Number of times reported: [3]  
[Sign:] Abortion  
Number of times reported: [2]  
[Sign:] Aggression  
Number of times reported: [2]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [2]  
[Sign:] Alopecia  
Number of times reported: [2]  
[Sign:] Borborygmi  
Number of times reported: [2]  
[Sign:] Breathing Abn  
Number of times reported: [2]  
[Sign:] Cachexia  
Number of times reported: [2]  
[Sign:] Choking  
Number of times reported: [2]  
[Sign:] Colitis  
Number of times reported: [2]  
[Sign:] Discomfort

Number of times reported: [2]  
[Sign:] Dyspnea  
Number of times reported: [2]  
[Sign:] Edema, Head/face  
Number of times reported: [2]  
[Sign:] Enteritis  
Number of times reported: [2]  
[Sign:] Eosinos Hi, Bld  
Number of times reported: [2]  
[Sign:] Gi, Abnormal  
Number of times reported: [2]  
[Sign:] Inflam, Skin  
Number of times reported: [2]  
[Sign:] Kicking  
Number of times reported: [2]  
[Sign:] Lesion(s), Skin  
Number of times reported: [2]  
[Sign:] Myositis  
Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Off Feed  
Number of times reported: [2]  
[Sign:] Pacing  
Number of times reported: [2]  
[Sign:] Pain  
Number of times reported: [2]  
[Sign:] Polydipsia  
Number of times reported: [2]  
[Sign:] Posture Abn  
Number of times reported: [2]  
[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [2]  
[Sign:] Respiratory Disorder  
Number of times reported: [2]  
[Sign:] Stiffness  
Number of times reported: [2]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Ulcer(s), Gi  
Number of times reported: [2]  
[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [2]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [2]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Anemia, Regen  
Number of times reported: [1]  
[Sign:] Application Site Swelling  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [1]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Bone, Abn  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Ca Lo, Bld  
Number of times reported: [1]  
[Sign:] Chemistry Abn  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Cyanosis  
Number of times reported: [1]  
[Sign:] Defecation Abn  
Number of times reported: [1]  
[Sign:] Dermatitis, Moist  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Edema, Prepuce  
Number of times reported: [1]  
[Sign:] Edema, Ventral  
Number of times reported: [1]  
[Sign:] Eruption(s)

Number of times reported: [1]  
[Sign:] Estrus Behavior  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [1]  
[Sign:] Grinding Teeth  
Number of times reported: [1]  
[Sign:] Hair, Shedding  
Number of times reported: [1]  
[Sign:] Hoof Disorder  
Number of times reported: [1]  
[Sign:] Hyperesthesia  
Number of times reported: [1]  
[Sign:] Hypermotility  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Ineffect, Ascarids Pre  
Number of times reported: [1]  
[Sign:] Ineffect, Large Strong  
Number of times reported: [1]  
[Sign:] Infection, Eye(s)  
Number of times reported: [1]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]  
[Sign:] Irritation, Perineum  
Number of times reported: [1]  
[Sign:] K Hi, Bld  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Ldh Hi, Bld  
Number of times reported: [1]  
[Sign:] Liver Failure

Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Neuropathy  
Number of times reported: [1]  
[Sign:] Obstruction, Intestine  
Number of times reported: [1]  
[Sign:] Pain, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Pain, Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Neck  
Number of times reported: [1]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [1]  
[Sign:] Pd-tube(s), Abn  
Number of times reported: [1]  
[Sign:] Peritonitis  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [1]  
[Sign:] P Lo, Bld  
Number of times reported: [1]  
[Sign:] Pollakiuria  
Number of times reported: [1]  
[Sign:] Polycythemia  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Poor Performance  
Number of times reported: [1]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [1]  
[Sign:] Pr-gi, Parasitism  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Bld

Number of times reported: [1]  
[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]  
[Sign:] Prolapse, Rectum  
Number of times reported: [1]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pustule(s)  
Number of times reported: [1]  
[Sign:] Rbc, Aniso  
Number of times reported: [1]  
[Sign:] Rbc, Polychrom  
Number of times reported: [1]  
[Sign:] Reflux, Stomach  
Number of times reported: [1]  
[Sign:] Repetitive Movements  
Number of times reported: [1]  
[Sign:] Rupture, Stomach  
Number of times reported: [1]  
[Sign:] Sedation  
Number of times reported: [1]  
[Sign:] Segs Hi, Bld  
Number of times reported: [1]  
[Sign:] Self-mutilation  
Number of times reported: [1]  
[Sign:] Shaking  
Number of times reported: [1]  
[Sign:] Shaking, Head/face  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Skin, Scab(s)  
Number of times reported: [1]  
[Sign:] Sneezing  
Number of times reported: [1]  
[Sign:] Somnolence  
Number of times reported: [1]  
[Sign:] Splenomegaly  
Number of times reported: [1]  
[Sign:] Stiffness, Neck

Number of times reported: [1]

[Sign:] Swelling, Mult Sites

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [1]

[Sign:] Volvulus, Intestine

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Human

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Pig

[Sign:] Death

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Ascarids

Number of times reported: [1]

[Sign:] Ineffect, Strongyles

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

[Sign:] Loss Of Condition

Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Rabbit

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Pyrantel**

Oral, Various

[Sign:] Ineffect, Ascarids

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Hooks

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Pyrantel**

Parenteral, Dog



[Sign:] Inj Site Swelling  
Number of times reported: [5]

[Sign:] Inj Site Abscess  
Number of times reported: [4]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Abscess, Skin  
Number of times reported: [1]

[Sign:] Biting/chewing  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Inflammation  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Tech Error Administration  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Pyrantel**

Parenteral, Horse

[Sign:] Inj Site Abscess  
Number of times reported: [1]

**[Drug:] Pyrantel**

Topical, Cat

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Ascarids

Number of times reported: [1]

[Sign:] K Lo, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Pyrantel**

Topical, Dog

[Sign:] Alopecia

Number of times reported: [1]

**[Drug:] Pyrantel**

Topical, Human

[Sign:] Rash

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

**[Drug:] Pyrantel**

Unknown, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Pyrantel**

Unknown, Dog

[Sign:] Depression/lethargy

Number of times reported: [17]

[Sign:] Vomiting

Number of times reported: [16]

[Sign:] Death

Number of times reported: [12]

[Sign:] Diarrhea

Number of times reported: [11]

[Sign:] Ineffect, Worms

Number of times reported: [10]

[Sign:] Anorexia

Number of times reported: [8]

[Sign:] Adipsia

Number of times reported: [4]

[Sign:] Weight Loss

Number of times reported: [4]

[Sign:] Gagging

Number of times reported: [3]

[Sign:] Ineffect, Ascarids

Number of times reported: [3]

[Sign:] Anemia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Defecation

Number of times reported: [2]

[Sign:] Distention, Abdomen

Number of times reported: [2]

[Sign:] Hematochezia

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Infection  
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [2]

[Sign:] Reaction, Unspecified  
Number of times reported: [2]

[Sign:] Shaking  
Number of times reported: [2]

[Sign:] Vocalization  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bld, Anus  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Death(stillborn)  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Granuloma  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Ineffect, Hooks  
Number of times reported: [1]

[Sign:] Ineffect, Parasite(s)  
Number of times reported: [1]

[Sign:] Ineffect, Tapes  
Number of times reported: [1]

[Sign:] Inj Site Inflam  
Number of times reported: [1]

[Sign:] Insomnia  
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Skin Abnormal  
Number of times reported: [1]

[Sign:] Skin Disorder  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Urination Abn  
Number of times reported: [1]

[Sign:] Vomiting, Unproductive  
Number of times reported: [1]

**[Drug:] Pyrantel**

Unknown, Horse

[Sign:] Diarrhea, Mild  
Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Parasite(s)

Number of times reported: [1]

[Sign:] Ineffect, Pinworms

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Pyrantel**

Unknown, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Human Exposure, Ingest

Number of times reported: [1]

[Sign:] Human Exposure, Juvenile

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Pyrantel**

Unknown, Unknown

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

**[Drug:] Pyrilamine**

Parenteral, Horse

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

**[Drug:] Ractopamine**

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [5]

[Sign:] Pd-potency, Lo

Number of times reported: [4]

[Sign:] Pd-defect Unknown

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

**[Drug:] Ractopamine**

Inhalation, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Ractopamine**

Inhalation, Human

[Sign:] Epistaxis

Number of times reported: [2]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] Sinusitis

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Ractopamine**

Not Applicable, Pig

[Sign:] Fertility, Reduced

Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Cattle

[Sign:] Death

Number of times reported: [35]

[Sign:] Bloat

Number of times reported: [26]

[Sign:] Anorexia

Number of times reported: [10]

[Sign:] Respiratory Disorder

Number of times reported: [8]

[Sign:] Ineffect, Weight Inc

Number of times reported: [5]

[Sign:] Meat Abn

Number of times reported: [4]

[Sign:] Pneumonia

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [4]

[Sign:] Death(euthanized)



Number of times reported: [3]  
[Sign:] Gi, Abnormal  
Number of times reported: [3]  
[Sign:] Lameness  
Number of times reported: [3]  
[Sign:] Polyphagia  
Number of times reported: [3]  
[Sign:] Behavior Disorder  
Number of times reported: [2]  
[Sign:] Diarrhea  
Number of times reported: [2]  
[Sign:] Estrus Behavior  
Number of times reported: [2]  
[Sign:] Fever, Body  
Number of times reported: [2]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Hyperactivity  
Number of times reported: [2]  
[Sign:] Ineffect, Lean Carcass  
Number of times reported: [2]  
[Sign:] Leg Disorder  
Number of times reported: [2]  
[Sign:] Meat, abn Color  
Number of times reported: [2]  
[Sign:] Off Feed  
Number of times reported: [2]  
[Sign:] Polypnea  
Number of times reported: [2]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [2]  
[Sign:] Stiffness  
Number of times reported: [2]  
[Sign:] Acidosis  
Number of times reported: [1]  
[Sign:] Acidosis, Rumen  
Number of times reported: [1]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Bld(hematoma)  
Number of times reported: [1]  
[Sign:] Bone, Abn

Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Death(slaughtered)  
Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Digestion Disorder  
Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Edema, Brisket/chest  
Number of times reported: [1]  
[Sign:] Enteritis  
Number of times reported: [1]  
[Sign:] Eye Disorder  
Number of times reported: [1]  
[Sign:] Fertility, Reduced  
Number of times reported: [1]  
[Sign:] Gastroenteritis  
Number of times reported: [1]  
[Sign:] Hoof Disorder  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Ineffect, Production (meat)  
Number of times reported: [1]  
[Sign:] Laminitis  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-peritoneum, Lesion(  
Number of times reported: [1]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]  
[Sign:] Stiffness, Hind Limb(s)

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Swelling, Scrotum

Number of times reported: [1]

[Sign:] Tail Disorder

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Tachycardia

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Congestion, Mucous Mem

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

- [Sign:] Diarrhea, Severe  
Number of times reported: [1]
- [Sign:] Distention, Abdomen  
Number of times reported: [1]
- [Sign:] Fever, Body  
Number of times reported: [1]
- [Sign:] K Lo, Bld  
Number of times reported: [1]
- [Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]
- [Sign:] Nervousness  
Number of times reported: [1]
- [Sign:] Obstruction, Intestine  
Number of times reported: [1]
- [Sign:] Polypnea  
Number of times reported: [1]
- [Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]
- [Sign:] Stiffness  
Number of times reported: [1]
- [Sign:] Trembling  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Goat

- [Sign:] Urine Abn  
Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Horse

- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Hyperactivity  
Number of times reported: [1]
- [Sign:] Laminitis  
Number of times reported: [1]
- [Sign:] Nervousness  
Number of times reported: [1]
- [Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Human

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Myositis

Number of times reported: [1]

[Sign:] Pain, Muscle(s)

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Pig

[Sign:] Death

Number of times reported: [155]

[Sign:] Recumbency

Number of times reported: [99]

[Sign:] Hyperactivity

Number of times reported: [46]

[Sign:] Lameness

Number of times reported: [34]

[Sign:] Reluctant To Move

Number of times reported: [19]

[Sign:] Stiffness

Number of times reported: [19]

[Sign:] Nervousness

Number of times reported: [17]

[Sign:] Trembling

Number of times reported: [15]

[Sign:] Behavior Disorder

Number of times reported: [13]

[Sign:] Depression/lethargy

Number of times reported: [13]

[Sign:] Dyspnea

Number of times reported: [13]

[Sign:] Hoof Disorder

Number of times reported: [13]

[Sign:] Collapse

Number of times reported: [12]

[Sign:] Ineffect, Lean Carcass  
Number of times reported: [11]

[Sign:] Ineffect, Weight Inc  
Number of times reported: [11]

[Sign:] Death(euthanized)  
Number of times reported: [9]

[Sign:] Distress  
Number of times reported: [9]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [9]

[Sign:] Weakness  
Number of times reported: [9]

[Sign:] Anorexia  
Number of times reported: [8]

[Sign:] Death(slaughtered)  
Number of times reported: [8]

[Sign:] Fertility, Reduced  
Number of times reported: [8]

[Sign:] Meat Abn  
Number of times reported: [8]

[Sign:] Aggression  
Number of times reported: [7]

[Sign:] Congestion, Skin  
Number of times reported: [7]

[Sign:] Diarrhea  
Number of times reported: [7]

[Sign:] Difficulty Rising  
Number of times reported: [7]

[Sign:] Fertility, Lack Of  
Number of times reported: [7]

[Sign:] Shaking  
Number of times reported: [7]

[Sign:] Joint Disorder  
Number of times reported: [6]

[Sign:] Vomiting  
Number of times reported: [6]

[Sign:] Apprehension  
Number of times reported: [5]

[Sign:] Biting/chewing  
Number of times reported: [5]

[Sign:] Bone, Abn  
Number of times reported: [5]

[Sign:] Fever, Body  
Number of times reported: [5]

[Sign:] Locomotion Disorder  
Number of times reported: [5]

[Sign:] Reproduction Disorder  
Number of times reported: [5]

[Sign:] Vocalization  
Number of times reported: [5]

[Sign:] Ataxia  
Number of times reported: [4]

[Sign:] Death(newborn)  
Number of times reported: [4]

[Sign:] Death(stillborn)  
Number of times reported: [4]

[Sign:] Gi, Abnormal  
Number of times reported: [4]

[Sign:] Meat, abn Color  
Number of times reported: [4]

[Sign:] Pallor  
Number of times reported: [4]

[Sign:] Spasm  
Number of times reported: [4]

[Sign:] Diarrhea, Bloody  
Number of times reported: [3]

[Sign:] Hypertonia  
Number of times reported: [3]

[Sign:] Leg Disorder  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Polypnea  
Number of times reported: [3]

[Sign:] Rupture  
Number of times reported: [3]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Swelling, Joint(s)  
Number of times reported: [3]

[Sign:] Tail Disorder  
Number of times reported: [3]

[Sign:] Twitch  
Number of times reported: [3]

[Sign:] Bld  
Number of times reported: [2]

[Sign:] Bld, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Bld, Gi  
Number of times reported: [2]

[Sign:] Bloat  
Number of times reported: [2]

[Sign:] Diarrhea, Mild  
Number of times reported: [2]

[Sign:] Estrus Cycle Abnormal  
Number of times reported: [2]

[Sign:] Ill  
Number of times reported: [2]

[Sign:] Ineffect  
Number of times reported: [2]

[Sign:] Injury  
Number of times reported: [2]

[Sign:] Interaction, Drug(s)  
Number of times reported: [2]

[Sign:] Lesion(s), Skin  
Number of times reported: [2]

[Sign:] Myositis  
Number of times reported: [2]

[Sign:] Off Feed  
Number of times reported: [2]

[Sign:] Pain, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Polydipsia  
Number of times reported: [2]

[Sign:] Posture Abn  
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-muscle(s), Lesion(s)  
Number of times reported: [2]

[Sign:] Respiratory Disorder  
Number of times reported: [2]

[Sign:] Skin Abnormal  
Number of times reported: [2]

[Sign:] Abortion  
Number of times reported: [1]



[Sign:] Acidosis  
Number of times reported: [1]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Adverse Drug Reaction  
Number of times reported: [1]

[Sign:] Anestrus  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Birth, Premature  
Number of times reported: [1]

[Sign:] Birth Weight Lo  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Cachexia  
Number of times reported: [1]

[Sign:] Colon, Abn  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Dementia  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Discharge, Vulva  
Number of times reported: [1]

[Sign:] Dystocia  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Elimination Abn  
Number of times reported: [1]

[Sign:] Enlargement(s), Skin  
Number of times reported: [1]

[Sign:] Heart Disorder  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Ineffect, Production (meat)  
Number of times reported: [1]

[Sign:] Laminitis  
Number of times reported: [1]

[Sign:] Nail Disorder  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pain, Joint(s)  
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]

[Sign:] Poor Performance  
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Prolapse  
Number of times reported: [1]

[Sign:] Pr-pericardial Effusio  
Number of times reported: [1]

[Sign:] Pr-urethra, Lesion(s)  
Number of times reported: [1]

[Sign:] Reluctant To Climb  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Tech Error, Mixing  
Number of times reported: [1]

[Sign:] Ulcer(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Gi  
Number of times reported: [1]

[Sign:] Urination Abn  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Sheep

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Turkey

[Sign:] Death  
Number of times reported: [16]

[Sign:] Hyperactivity  
Number of times reported: [4]

[Sign:] Behavior Disorder  
Number of times reported: [2]

[Sign:] Death(slaughtered)  
Number of times reported: [2]

[Sign:] Meat Abn  
Number of times reported: [2]

[Sign:] Reproduction Disorder  
Number of times reported: [2]

[Sign:] Stool Abn  
Number of times reported: [2]

[Sign:] Synovitis  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Digestion Disorder  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Hepatomegaly  
Number of times reported: [1]

[Sign:] Ineffect  
Number of times reported: [1]

[Sign:] Injury  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Unknown

[Sign:] Ineffect, Lean Carcass  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

**[Drug:] Ractopamine**

Oral, Various

[Sign:] Residue, Meat  
Number of times reported: [1]

[Sign:] Residue, Urine  
Number of times reported: [1]

**[Drug:] Ractopamine**

Topical, Human

[Sign:] Application Site Pain  
Number of times reported: [1]

[Sign:] Application Site Swelling  
Number of times reported: [1]

[Sign:] Circulatory Disorder  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

**[Drug:] Ractopamine**

Unknown, Human

[Sign:] Pain, Brisket/chest  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Heart Disorder  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

[Sign:] Platelets Abn

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Ractopamine**

Unknown, Pig

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

**[Drug:] Ractopamine**

Various, Human

[Sign:] Tachycardia

Number of times reported: [3]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Ecg Abn

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

**[Drug:] Ractopamine, Tylosin**

Oral, Dog

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

**[Drug:] Ractopamine, Tylosin**

Oral, Pig

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Hoof Disorder

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Tail Disorder

Number of times reported: [1]

**[Drug:] Romifidine**

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

**[Drug:] Romifidine**

Parenteral, Horse

- [Sign:] Pain, Abdomen  
Number of times reported: [6]
- [Sign:] Recumbency  
Number of times reported: [4]
- [Sign:] Ineffect, Sedation  
Number of times reported: [3]
- [Sign:] Kicking  
Number of times reported: [3]
- [Sign:] Sweating  
Number of times reported: [3]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [2]
- [Sign:] Anorexia  
Number of times reported: [2]
- [Sign:] Ataxia  
Number of times reported: [2]
- [Sign:] Syncope  
Number of times reported: [2]
- [Sign:] Urticaria  
Number of times reported: [2]
- [Sign:] Apnea  
Number of times reported: [1]
- [Sign:] Bradycardia  
Number of times reported: [1]
- [Sign:] Collapse  
Number of times reported: [1]
- [Sign:] Convulsion(s)  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Death(stillborn)  
Number of times reported: [1]
- [Sign:] Defecation Abn  
Number of times reported: [1]
- [Sign:] Hyperactivity  
Number of times reported: [1]
- [Sign:] Hyperpnea  
Number of times reported: [1]
- [Sign:] Neurological Disorder



Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

**[Drug:] Romifidine**

Parenteral, Human

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

**[Drug:] Romifidine**

Unknown, Horse

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

**[Drug:] Roxarsone**

Oral, Chicken

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Roxarsone**

Oral, Dog

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Roxarsone**

Various, Human

[Sign:] Death

Number of times reported: [1]

[Sign:] Human Exposure, Ingest

Number of times reported: [1]

[Sign:] Human Exposure, Inhala

Number of times reported: [1]

[Sign:] Immune Disorder

Number of times reported: [1]

[Sign:] Neoplasm

Number of times reported: [1]

**[Drug:] Roxarsone, Salinomycin**

Oral, Horse

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Ca Hi, Bld

Number of times reported: [1]

**[Drug:] Saline, Hypertonic**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [1]

**[Drug:] Salinomycin**

Missing, Chicken

[Sign:] Death

Number of times reported: [2]

[Sign:] Paralysis

Number of times reported: [1]

**[Drug:] Salinomycin**

Oral, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Salinomycin**

Oral, Chicken

[Sign:] Death

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

**[Drug:] Salinomycin**

Oral, Horse

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Selamectin**

Defect, Not Applicable

- [Sign:] Pd-underfill, Tube(s)  
Number of times reported: [2,273]
- [Sign:] Pd-tube(s), Leaking  
Number of times reported: [1,145]
- [Sign:] Pd-tube(s), Abn  
Number of times reported: [652]
- [Sign:] Pd-underfill, Package  
Number of times reported: [545]
- [Sign:] Pd-cap(s), Abn  
Number of times reported: [320]
- [Sign:] Pd-tube(s), Damaged  
Number of times reported: [151]
- [Sign:] Pd-seal, Abn  
Number of times reported: [130]
- [Sign:] Pd-odor, Abn  
Number of times reported: [122]
- [Sign:] Pd-solution, Abn  
Number of times reported: [104]
- [Sign:] Pd-container(s), Abn  
Number of times reported: [78]
- [Sign:] Pd-product Defect  
Number of times reported: [55]
- [Sign:] Pd-label(s), Abn  
Number of times reported: [42]
- [Sign:] Pd-color, Abn  
Number of times reported: [37]
- [Sign:] Pd-defect Unknown  
Number of times reported: [33]
- [Sign:] Pd-underfill, Vial(s)  
Number of times reported: [32]
- [Sign:] Pd-container(s), Damag  
Number of times reported: [30]
- [Sign:] Pd-applicator, Abn  
Number of times reported: [29]
- [Sign:] Pd-vial(s), Abn  
Number of times reported: [22]
- [Sign:] Pd-vial(s), Leaking  
Number of times reported: [16]
- [Sign:] Pd-dispenser, Abn

Number of times reported: [15]

[Sign:] Ineffect, Fleas

Number of times reported: [13]

[Sign:] Pd-missing, Cap

Number of times reported: [13]

[Sign:] Pd-unknown

Number of times reported: [12]

[Sign:] No Signs

Number of times reported: [7]

[Sign:] Ineffect

Number of times reported: [6]

[Sign:] Pd-missing, Label(s)

Number of times reported: [6]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [5]

[Sign:] Accidental Exposure

Number of times reported: [4]

[Sign:] Pd-suspension, Abn

Number of times reported: [4]

[Sign:] Human Exposure, Topica

Number of times reported: [3]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [3]

[Sign:] Ineffect, Ticks

Number of times reported: [2]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [2]

[Sign:] Application Site Hair, Abn

Number of times reported: [1]

[Sign:] Odor

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

**[Drug:] Selamectin**

Inhalation, Cat

[Sign:] Aggression

Number of times reported: [1]

**[Drug:] Selamectin**

Inhalation, Human

[Sign:] Headache  
Number of times reported: [5]

[Sign:] Nausea  
Number of times reported: [5]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [4]

[Sign:] Taste Abnormality  
Number of times reported: [4]

[Sign:] Dizziness  
Number of times reported: [3]

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [3]

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]

[Sign:] Coughing  
Number of times reported: [2]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Distress, Resp  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Hypoesthesia  
Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Respiratory Disorder  
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Swelling, Pharynx/thro  
Number of times reported: [2]

[Sign:] Wheezing  
Number of times reported: [2]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Congestion, Nose  
Number of times reported: [1]

[Sign:] Congestion, Sinus

Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Epiphora  
Number of times reported: [1]  
[Sign:] Gagging  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Limb(s)  
Number of times reported: [1]  
[Sign:] Irritation  
Number of times reported: [1]  
[Sign:] Nose Abn  
Number of times reported: [1]  
[Sign:] Odor  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Pain, Head/face  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Palpitations  
Number of times reported: [1]  
[Sign:] Paraesthesia  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]  
[Sign:] Rhinitis  
Number of times reported: [1]  
[Sign:] Sinusitis  
Number of times reported: [1]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [1]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Selamectin**

Intranasal, Human

[Sign:] Enlargement, Lymph Nod

Number of times reported: [1]

[Sign:] Pain, Neck

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

**[Drug:] Selamectin**

Missing, Cat

[Sign:] Ineffect, Ear Mites

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]



**[Drug:] Selamectin**

Missing, Dog

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Hair, Abn Color

Number of times reported: [1]

[Sign:] Hair, Abn Color

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Selamectin**

Missing, Human

[Sign:] Rash

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Pain, Back

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

**[Drug:] Selamectin**

Not Applicable, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Ascarids

Number of times reported: [1]

[Sign:] Ineffect, Ear Mites

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Ineffect, Hooks

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Selamectin**

Not Applicable, Dog

[Sign:] Ineffect, Fleas

Number of times reported: [2]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Ineffect, Ear Mites

Number of times reported: [1]

[Sign:] Ineffect, Sarcoptes Mites

Number of times reported: [1]

[Sign:] Ineffect, Ticks

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

**[Drug:] Selamectin**

Not Applicable, Human

[Sign:] Rash  
Number of times reported: [3]

[Sign:] Irritation, Skin  
Number of times reported: [2]

[Sign:] Pruritis  
Number of times reported: [2]

[Sign:] Bld, Skin  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Headache  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Selamectin**

Ophthalmic, Cat

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [3]

[Sign:] Blepharospasm  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

**[Drug:] Selamectin**

Ophthalmic, Dog

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]

**[Drug:] Selamectin**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [20]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [10]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [6]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [4]

[Sign:] Conjunctivitis  
Number of times reported: [3]

[Sign:] Eye Disorder  
Number of times reported: [3]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Vision Disorder  
Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Application Site Pain  
Number of times reported: [1]

[Sign:] Blindness, Temp  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Human Exposure, Eye(s)  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

[Sign:] Pain, Joint(s)  
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] S-irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Syncope

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Selamectin**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [48]

[Sign:] Hypersalivation

Number of times reported: [33]

[Sign:] Depression/lethargy

Number of times reported: [26]

[Sign:] Anorexia

Number of times reported: [17]

[Sign:] Fever, Body

Number of times reported: [8]

[Sign:] Hyperactivity

Number of times reported: [8]

[Sign:] Death

Number of times reported: [6]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Application Site Alopecia

Number of times reported: [5]

[Sign:] Nervousness  
Number of times reported: [5]

[Sign:] Ataxia  
Number of times reported: [4]

[Sign:] Trembling  
Number of times reported: [4]

[Sign:] Behavior Disorder  
Number of times reported: [3]

[Sign:] Confusion  
Number of times reported: [3]

[Sign:] Hiding  
Number of times reported: [3]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Application Site Inflammation  
Number of times reported: [2]

[Sign:] Application Site Lesion(s)  
Number of times reported: [2]

[Sign:] Dehydration  
Number of times reported: [2]

[Sign:] Diarrhea, Mild  
Number of times reported: [2]

[Sign:] Eosinophils in Blood  
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Hypothermia  
Number of times reported: [2]

[Sign:] Ineffectiveness, Fleas  
Number of times reported: [2]

[Sign:] Ineffectiveness, Hw Larvae  
Number of times reported: [2]

[Sign:] Recumbency  
Number of times reported: [2]

[Sign:] Tachycardia  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Anisocoria  
Number of times reported: [1]

[Sign:] Application Site Abnormal  
Number of times reported: [1]

[Sign:] Application Site Erythema  
Number of times reported: [1]

[Sign:] Azotemia  
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Bld, Skin  
Number of times reported: [1]

[Sign:] Chloride Lo, Bld  
Number of times reported: [1]

[Sign:] Co2 Lo, Bld  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Cpk Hi, Bld  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Difficulty Rising  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Electrolyte Disorder  
Number of times reported: [1]

[Sign:] Epiphora  
Number of times reported: [1]

[Sign:] Exercise Intolerance  
Number of times reported: [1]

[Sign:] Globulin Hi, Bld  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Ineffect, Ascarids  
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]

[Sign:] Pacing  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Pancreatitis  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]



[Sign:] Skin, Scab(s)  
Number of times reported: [1]

[Sign:] Sound Abn, Voice  
Number of times reported: [1]

[Sign:] Squinting  
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]

[Sign:] Summary Review  
Number of times reported: [1]

[Sign:] Taste Abnormality  
Number of times reported: [1]

[Sign:] Tech Error Administrat  
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld  
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [1]

[Sign:] Uric Acid Lo, Bld  
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

[Sign:] Vomiting Roundworms  
Number of times reported: [1]

[Sign:] Vomiting, Severe  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Selamectin**

Oral, Dog

[Sign:] Vomiting  
Number of times reported: [34]

[Sign:] Ineffect, Hw Larvae

Number of times reported: [21]  
[Sign:] Depression/lethargy  
Number of times reported: [20]  
[Sign:] Diarrhea  
Number of times reported: [13]  
[Sign:] Anorexia  
Number of times reported: [12]  
[Sign:] Hypersalivation  
Number of times reported: [10]  
[Sign:] Trembling  
Number of times reported: [7]  
[Sign:] Convulsion(s)  
Number of times reported: [5]  
[Sign:] Diarrhea, Mild  
Number of times reported: [4]  
[Sign:] Pruritis  
Number of times reported: [4]  
[Sign:] Ataxia  
Number of times reported: [3]  
[Sign:] Coughing  
Number of times reported: [3]  
[Sign:] Death  
Number of times reported: [3]  
[Sign:] Fever, Body  
Number of times reported: [3]  
[Sign:] Hyperactivity  
Number of times reported: [3]  
[Sign:] Pain, Abdomen  
Number of times reported: [3]  
[Sign:] Polydipsia  
Number of times reported: [3]  
[Sign:] Weakness  
Number of times reported: [3]  
[Sign:] Accidental Exposure  
Number of times reported: [2]  
[Sign:] Application Site Alopecia  
Number of times reported: [2]  
[Sign:] Application Site Erythema  
Number of times reported: [2]  
[Sign:] Behavior Disorder  
Number of times reported: [2]  
[Sign:] Diarrhea, Bloody

Number of times reported: [2]  
[Sign:] Dyspnea  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Hyperpnea  
Number of times reported: [2]  
[Sign:] Ineffect, Ticks  
Number of times reported: [2]  
[Sign:] Pallor  
Number of times reported: [2]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [2]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [2]  
[Sign:] Weight Loss  
Number of times reported: [2]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Anemia  
Number of times reported: [1]  
[Sign:] Application Site Hair, Abn Color  
Number of times reported: [1]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Bile Acids Abn, Bld  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Cardiomegaly  
Number of times reported: [1]  
[Sign:] Cns Infarct  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Dehydration

Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Dizziness  
Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]  
[Sign:] Gagging  
Number of times reported: [1]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [1]  
[Sign:] Hypertonia  
Number of times reported: [1]  
[Sign:] Incontinence, Urinary  
Number of times reported: [1]  
[Sign:] Ineffect, Fleas  
Number of times reported: [1]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [1]  
[Sign:] Lipids Hi, Bld  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Shaking  
Number of times reported: [1]  
[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)

Number of times reported: [1]

[Sign:] Summary Review

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Selamectin**

Oral, Human

[Sign:] Nausea

Number of times reported: [7]

[Sign:] Taste Abnormality

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [4]

[Sign:] Tongue, Abn

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [2]

[Sign:] Dizziness

Number of times reported: [2]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [2]

[Sign:] Irritation, Mouth/lip(

Number of times reported: [2]

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Vomiting  
Number of times reported: [2]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Glossitis  
Number of times reported: [1]

[Sign:] Human Exposure, Ingest  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hypoesthesia  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

[Sign:] Odor  
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Pain, Muscle(s)  
Number of times reported: [1]

[Sign:] Paraesthesia  
Number of times reported: [1]

[Sign:] Paresthesia  
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

- [Sign:] Rash  
Number of times reported: [1]
- [Sign:] Shaking  
Number of times reported: [1]
- [Sign:] Somnolence  
Number of times reported: [1]
- [Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]
- [Sign:] Swelling, Head/face  
Number of times reported: [1]
- [Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]
- [Sign:] Vesicle(s)/bullae, Skin  
Number of times reported: [1]
- [Sign:] Wheezing  
Number of times reported: [1]

**[Drug:] Selamectin**

Parenteral, Cat

- [Sign:] Application Site Alopecia  
Number of times reported: [5]
- [Sign:] Application Site Lesion(s)  
Number of times reported: [3]
- [Sign:] Alopecia  
Number of times reported: [2]
- [Sign:] Application Site Pruritis  
Number of times reported: [2]
- [Sign:] Weight Loss  
Number of times reported: [2]
- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Application Site Erythema  
Number of times reported: [1]
- [Sign:] Congestion, Ear(s)  
Number of times reported: [1]
- [Sign:] Congestion, Skin  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Selamectin**

Parenteral, Dog

[Sign:] Ineffect, Hw Larvae

Number of times reported: [3]

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Lesion(s)

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Infect

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

**[Drug:] Selamectin**

Parenteral, Guinea Pig

[Sign:] Hypoesthesia, Feet/dig

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)

Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)

Number of times reported: [1]



**[Drug:] Selamectin**

Parenteral, Human

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Ecchymosis, Incision Site

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Inj Site Inflamm

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Alpaca

[Sign:] Paraesthesia

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Bobcat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Cat

[Sign:] Application Site Alopecia

Number of times reported: [2,518]  
[Sign:] Depression/lethargy  
Number of times reported: [1,282]  
[Sign:] Anorexia  
Number of times reported: [926]  
[Sign:] Vomiting  
Number of times reported: [815]  
[Sign:] Application Site Lesion(s)  
Number of times reported: [601]  
[Sign:] Application Site Erythema  
Number of times reported: [533]  
[Sign:] Application Site Pruritis  
Number of times reported: [431]  
[Sign:] Application Site Inflammation  
Number of times reported: [427]  
[Sign:] Diarrhea  
Number of times reported: [400]  
[Sign:] Ineffect, Fleas  
Number of times reported: [400]  
[Sign:] Ineffect, Ear Mites  
Number of times reported: [379]  
[Sign:] Ataxia  
Number of times reported: [350]  
[Sign:] Fever, Body  
Number of times reported: [330]  
[Sign:] Pruritis  
Number of times reported: [321]  
[Sign:] Alopecia  
Number of times reported: [300]  
[Sign:] Death  
Number of times reported: [299]  
[Sign:] Hypersalivation  
Number of times reported: [253]  
[Sign:] Trembling  
Number of times reported: [250]  
[Sign:] Ineffect, Ascarids  
Number of times reported: [228]  
[Sign:] Skin, Scab(s)  
Number of times reported: [210]  
[Sign:] Convulsion(s)  
Number of times reported: [191]  
[Sign:] Weight Loss

Number of times reported: [131]  
[Sign:] Hiding  
Number of times reported: [130]  
[Sign:] Hyperactivity  
Number of times reported: [130]  
[Sign:] Dyspnea  
Number of times reported: [129]  
[Sign:] Behavior Disorder  
Number of times reported: [122]  
[Sign:] Vocalization  
Number of times reported: [119]  
[Sign:] Death(euthanized)  
Number of times reported: [117]  
[Sign:] Dehydration  
Number of times reported: [110]  
[Sign:] Ineffect, Hw Larvae  
Number of times reported: [106]  
[Sign:] Anemia  
Number of times reported: [91]  
[Sign:] Inflamm, Skin  
Number of times reported: [90]  
[Sign:] Hyperpnea  
Number of times reported: [86]  
[Sign:] Application Site Pain  
Number of times reported: [76]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [73]  
[Sign:] Twitch  
Number of times reported: [73]  
[Sign:] Application Site Abnormal  
Number of times reported: [69]  
[Sign:] Congestion, Skin  
Number of times reported: [69]  
[Sign:] Recumbency  
Number of times reported: [64]  
[Sign:] Mydriasis  
Number of times reported: [62]  
[Sign:] Ineffect, Hooks  
Number of times reported: [61]  
[Sign:] Weakness  
Number of times reported: [60]  
[Sign:] Diarrhea, Bloody

Number of times reported: [58]  
[Sign:] Nervousness  
Number of times reported: [58]  
[Sign:] Summary Review  
Number of times reported: [57]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [56]  
[Sign:] Sneezing  
Number of times reported: [53]  
[Sign:] Bun Hi, Bld  
Number of times reported: [52]  
[Sign:] Irritation, Skin  
Number of times reported: [52]  
[Sign:] Hypothermia, Body  
Number of times reported: [51]  
[Sign:] Tachycardia  
Number of times reported: [50]  
[Sign:] Ulcer(s), Skin  
Number of times reported: [50]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [49]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [48]  
[Sign:] Skin, Crust(s)  
Number of times reported: [44]  
[Sign:] Polypnea  
Number of times reported: [43]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [42]  
[Sign:] Coughing  
Number of times reported: [41]  
[Sign:] Dermatitis, Moist  
Number of times reported: [41]  
[Sign:] Lesion(s), Skin  
Number of times reported: [41]  
[Sign:] Urticaria  
Number of times reported: [40]  
[Sign:] Diarrhea, Mild  
Number of times reported: [37]  
[Sign:] Polydipsia  
Number of times reported: [36]  
[Sign:] Licking

Number of times reported: [35]  
[Sign:] Adipsia  
Number of times reported: [34]  
[Sign:] Ineffect, Ascarids Pre  
Number of times reported: [34]  
[Sign:] Aggression  
Number of times reported: [33]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [33]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [33]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [33]  
[Sign:] Sore(s)  
Number of times reported: [33]  
[Sign:] Collapse  
Number of times reported: [32]  
[Sign:] Lameness  
Number of times reported: [32]  
[Sign:] Nystagmus  
Number of times reported: [32]  
[Sign:] Pain  
Number of times reported: [32]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [32]  
[Sign:] Hypothermia  
Number of times reported: [31]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [30]  
[Sign:] Application Site Hair, Abn  
Number of times reported: [29]  
[Sign:] Application Site Hair, Abn Color  
Number of times reported: [29]  
[Sign:] Neurological Disorder  
Number of times reported: [29]  
[Sign:] Confusion  
Number of times reported: [28]  
[Sign:] Pruritis, Ear(s)  
Number of times reported: [28]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [27]  
[Sign:] Bld, Urine

Number of times reported: [26]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [26]  
[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [26]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [26]  
[Sign:] Stupor  
Number of times reported: [26]  
[Sign:] Application Site Swelling  
Number of times reported: [25]  
[Sign:] Head Tilt  
Number of times reported: [25]  
[Sign:] Icterus, Body  
Number of times reported: [25]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [25]  
[Sign:] Spasm  
Number of times reported: [24]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [23]  
[Sign:] P Hi, Bld  
Number of times reported: [22]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [21]  
[Sign:] Anisocoria  
Number of times reported: [21]  
[Sign:] Blindness  
Number of times reported: [21]  
[Sign:] Conjunctivitis  
Number of times reported: [21]  
[Sign:] Discharge, Nose  
Number of times reported: [21]  
[Sign:] Hyperesthesia  
Number of times reported: [21]  
[Sign:] Kidney Failure  
Number of times reported: [21]  
[Sign:] Pd-odor, Abn  
Number of times reported: [21]  
[Sign:] Prolapse, Third Eyelid  
Number of times reported: [21]  
[Sign:] Apprehension

Number of times reported: [20]  
[Sign:] Hair, Abn  
Number of times reported: [20]  
[Sign:] Rash  
Number of times reported: [19]  
[Sign:] Shaking  
Number of times reported: [19]  
[Sign:] Vomiting Roundworms  
Number of times reported: [19]  
[Sign:] Circling  
Number of times reported: [18]  
[Sign:] Constipation  
Number of times reported: [18]  
[Sign:] Globulin Hi, Bld  
Number of times reported: [18]  
[Sign:] Ill  
Number of times reported: [18]  
[Sign:] Polyuria  
Number of times reported: [18]  
[Sign:] Scale(s), Skin  
Number of times reported: [18]  
[Sign:] Segs Hi, Bld  
Number of times reported: [18]  
[Sign:] Staggering  
Number of times reported: [18]  
[Sign:] Urination Abn  
Number of times reported: [18]  
[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [18]  
[Sign:] Hair, Shedding  
Number of times reported: [17]  
[Sign:] Hematochezia  
Number of times reported: [17]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [17]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [17]  
[Sign:] Self-mutilation  
Number of times reported: [17]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [16]  
[Sign:] Glucose Lo, Bld

Number of times reported: [16]  
[Sign:] Pain, Abdomen  
Number of times reported: [16]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [16]  
[Sign:] Vomiting, Bloody  
Number of times reported: [16]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [15]  
[Sign:] Biting/chewing  
Number of times reported: [15]  
[Sign:] Discomfort  
Number of times reported: [15]  
[Sign:] Distress, Resp  
Number of times reported: [15]  
[Sign:] Unconscious  
Number of times reported: [15]  
[Sign:] Application Site Skin, Dry  
Number of times reported: [14]  
[Sign:] Bld, Skin  
Number of times reported: [14]  
[Sign:] Blepharospasm  
Number of times reported: [14]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [14]  
[Sign:] Discharge, Ear(s)  
Number of times reported: [14]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [14]  
[Sign:] Eosinos Hi, Bld  
Number of times reported: [14]  
[Sign:] Icterus  
Number of times reported: [14]  
[Sign:] K Lo, Bld  
Number of times reported: [14]  
[Sign:] Locomotion Disorder  
Number of times reported: [14]  
[Sign:] Melena  
Number of times reported: [14]  
[Sign:] Pd-tube(s), Abn  
Number of times reported: [14]  
[Sign:] Reflex(es) Abn



Number of times reported: [14]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [13]  
[Sign:] Hair, Abn Color  
Number of times reported: [13]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [13]  
[Sign:] Liver Disorder  
Number of times reported: [13]  
[Sign:] Shaking, Head/face  
Number of times reported: [13]  
[Sign:] Somnolence  
Number of times reported: [13]  
[Sign:] Edema, Head/face  
Number of times reported: [12]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [12]  
[Sign:] Gagging  
Number of times reported: [12]  
[Sign:] K Hi, Bld  
Number of times reported: [12]  
[Sign:] Kidney Disorder  
Number of times reported: [12]  
[Sign:] Paresis  
Number of times reported: [12]  
[Sign:] Reluctant To Move  
Number of times reported: [12]  
[Sign:] Respiratory Disorder  
Number of times reported: [12]  
[Sign:] Swelling, Head/face  
Number of times reported: [12]  
[Sign:] Urination  
Number of times reported: [12]  
[Sign:] Vomiting, Unproductive  
Number of times reported: [12]  
[Sign:] Arrest, Heart  
Number of times reported: [11]  
[Sign:] Bradycardia  
Number of times reported: [11]  
[Sign:] Breathing Abn  
Number of times reported: [11]  
[Sign:] Deafness

Number of times reported: [11]  
[Sign:] Dysphagia  
Number of times reported: [11]  
[Sign:] Epiphora  
Number of times reported: [11]  
[Sign:] Infection, Skin  
Number of times reported: [11]  
[Sign:] Miosis  
Number of times reported: [11]  
[Sign:] Otitis  
Number of times reported: [11]  
[Sign:] Protein, Urine  
Number of times reported: [11]  
[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [11]  
[Sign:] Apnea  
Number of times reported: [10]  
[Sign:] Application Site, Alopecia  
Number of times reported: [10]  
[Sign:] Congestion, Ear(s)  
Number of times reported: [10]  
[Sign:] Cyanosis  
Number of times reported: [10]  
[Sign:] Effusion, Pleural  
Number of times reported: [10]  
[Sign:] Incontinence, Urinary  
Number of times reported: [10]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [10]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [10]  
[Sign:] Pustule(s)  
Number of times reported: [10]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [10]  
[Sign:] Wheezing  
Number of times reported: [10]  
[Sign:] Defecation Abn  
Number of times reported: [9]  
[Sign:] Diarrhea, Watery  
Number of times reported: [9]  
[Sign:] Ineffect, Strongyles

Number of times reported: [9]  
[Sign:] Infection, Urinary Tra  
Number of times reported: [9]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [9]  
[Sign:] Pallor  
Number of times reported: [9]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [9]  
[Sign:] Segs Lo, Bld  
Number of times reported: [9]  
[Sign:] Arrhythmia  
Number of times reported: [8]  
[Sign:] Bun Lo, Bld  
Number of times reported: [8]  
[Sign:] Cardiomegaly  
Number of times reported: [8]  
[Sign:] Cystitis  
Number of times reported: [8]  
[Sign:] Eye Disorder  
Number of times reported: [8]  
[Sign:] Heart Disorder  
Number of times reported: [8]  
[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [8]  
[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [8]  
[Sign:] Murmur, Heart  
Number of times reported: [8]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [8]  
[Sign:] Pd-cap(s), Abn  
Number of times reported: [8]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [8]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [8]  
[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [8]  
[Sign:] Trembling, Face  
Number of times reported: [8]  
[Sign:] Ulcer(s), Tongue

Number of times reported: [8]  
[Sign:] Application Site Edema  
Number of times reported: [7]  
[Sign:] Ca Lo, Bld  
Number of times reported: [7]  
[Sign:] Coagulation Disorder  
Number of times reported: [7]  
[Sign:] Death(newborn)  
Number of times reported: [7]  
[Sign:] Diabetes Mellitus  
Number of times reported: [7]  
[Sign:] Diarrhea, Severe  
Number of times reported: [7]  
[Sign:] Distress  
Number of times reported: [7]  
[Sign:] Eruption(s)  
Number of times reported: [7]  
[Sign:] Glucose, Urine  
Number of times reported: [7]  
[Sign:] Head Bobbing  
Number of times reported: [7]  
[Sign:] Moribund  
Number of times reported: [7]  
[Sign:] Na Hi, Bld  
Number of times reported: [7]  
[Sign:] Na Lo, Bld  
Number of times reported: [7]  
[Sign:] Pd-tube(s), Leaking  
Number of times reported: [7]  
[Sign:] Pneumonia  
Number of times reported: [7]  
[Sign:] Skin Abnormal  
Number of times reported: [7]  
[Sign:] Skin, Necrosis  
Number of times reported: [7]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [7]  
[Sign:] Squinting  
Number of times reported: [7]  
[Sign:] Staring  
Number of times reported: [7]  
[Sign:] Us Abn

Number of times reported: [7]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [6]  
[Sign:] Anuria  
Number of times reported: [6]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [6]  
[Sign:] Chemistry Abn  
Number of times reported: [6]  
[Sign:] Chloride Lo, Bld  
Number of times reported: [6]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [6]  
[Sign:] Cns Disorder  
Number of times reported: [6]  
[Sign:] Distention, Abdomen  
Number of times reported: [6]  
[Sign:] Ear Disorder  
Number of times reported: [6]  
[Sign:] Hepatomegaly  
Number of times reported: [6]  
[Sign:] Ineffect, Hooks Preven  
Number of times reported: [6]  
[Sign:] Loss Of Condition  
Number of times reported: [6]  
[Sign:] Pacing  
Number of times reported: [6]  
[Sign:] Pain, Joint(s)  
Number of times reported: [6]  
[Sign:] Paralysis  
Number of times reported: [6]  
[Sign:] Pd-solution, Abn  
Number of times reported: [6]  
[Sign:] Pr-app Site, Lesion(s)  
Number of times reported: [6]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [6]  
[Sign:] Residue, Application Site  
Number of times reported: [6]  
[Sign:] Stiffness  
Number of times reported: [6]  
[Sign:] Tenesmus, Urinary

Number of times reported: [6]  
[Sign:] Vestibular Disorder  
Number of times reported: [6]  
[Sign:] Application Site Mass  
Number of times reported: [5]  
[Sign:] Bilirubin, Urine  
Number of times reported: [5]  
[Sign:] Ca Hi, Bld  
Number of times reported: [5]  
[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [5]  
[Sign:] Diarrhea, Muroid  
Number of times reported: [5]  
[Sign:] Effusion, Peritoneal  
Number of times reported: [5]  
[Sign:] Gi, Abnormal  
Number of times reported: [5]  
[Sign:] Head Pressing  
Number of times reported: [5]  
[Sign:] Ineffect, Ticks  
Number of times reported: [5]  
[Sign:] Licking, Feet/digit(s)  
Number of times reported: [5]  
[Sign:] Neoplasm  
Number of times reported: [5]  
[Sign:] Odor  
Number of times reported: [5]  
[Sign:] Papule(s)  
Number of times reported: [5]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [5]  
[Sign:] Polycythemia  
Number of times reported: [5]  
[Sign:] Pressure Lo, Bld  
Number of times reported: [5]  
[Sign:] Prolapse, Tongue  
Number of times reported: [5]  
[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [5]  
[Sign:] Pruritis, Tail  
Number of times reported: [5]  
[Sign:] Shock

Number of times reported: [5]  
[Sign:] Slough, Skin  
Number of times reported: [5]  
[Sign:] Us-liver Abn  
Number of times reported: [5]  
[Sign:] Azotemia  
Number of times reported: [4]  
[Sign:] Balance Disorder  
Number of times reported: [4]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [4]  
[Sign:] Bld(hematoma)  
Number of times reported: [4]  
[Sign:] Bld(petechiae)  
Number of times reported: [4]  
[Sign:] Chloride Hi, Bld  
Number of times reported: [4]  
[Sign:] Creatinine Lo, Bld  
Number of times reported: [4]  
[Sign:] Crystals, Urine  
Number of times reported: [4]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [4]  
[Sign:] Dissociation  
Number of times reported: [4]  
[Sign:] Dry, Skin  
Number of times reported: [4]  
[Sign:] Dysmetria  
Number of times reported: [4]  
[Sign:] Dysuria  
Number of times reported: [4]  
[Sign:] Ecg Abn  
Number of times reported: [4]  
[Sign:] Edema  
Number of times reported: [4]  
[Sign:] Gastroenteritis  
Number of times reported: [4]  
[Sign:] Hallucination  
Number of times reported: [4]  
[Sign:] Ineffect, Worms  
Number of times reported: [4]  
[Sign:] Irritation, Ear(s)

Number of times reported: [4]  
[Sign:] Kidney Values Hi, Bld  
Number of times reported: [4]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [4]  
[Sign:] Liver Failure  
Number of times reported: [4]  
[Sign:] Lymphs Hi, Bld  
Number of times reported: [4]  
[Sign:] Microorganisms, Urine  
Number of times reported: [4]  
[Sign:] Nausea  
Number of times reported: [4]  
[Sign:] Nephritis  
Number of times reported: [4]  
[Sign:] Odor, Mouth  
Number of times reported: [4]  
[Sign:] Pain, Back  
Number of times reported: [4]  
[Sign:] Polyphagia  
Number of times reported: [4]  
[Sign:] Posture Abn  
Number of times reported: [4]  
[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [4]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [4]  
[Sign:] Retina Abn  
Number of times reported: [4]  
[Sign:] Seborrhea  
Number of times reported: [4]  
[Sign:] Skin Disorder  
Number of times reported: [4]  
[Sign:] Skin, Dry  
Number of times reported: [4]  
[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [4]  
[Sign:] Stumbling  
Number of times reported: [4]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [4]  
[Sign:] Swelling, Pharynx/thro



Number of times reported: [4]  
[Sign:] Tenesmus, Rectal  
Number of times reported: [4]  
[Sign:] Thrashing/paddling  
Number of times reported: [4]  
[Sign:] Thyroid Hormone(s) Hi  
Number of times reported: [4]  
[Sign:] Bands Hi, Bld  
Number of times reported: [3]  
[Sign:] Bld  
Number of times reported: [3]  
[Sign:] Bld, Ear(s)  
Number of times reported: [3]  
[Sign:] Blindness, Partial  
Number of times reported: [3]  
[Sign:] Congestion  
Number of times reported: [3]  
[Sign:] Deafness, Temp  
Number of times reported: [3]  
[Sign:] Death(stillborn)  
Number of times reported: [3]  
[Sign:] Defecation  
Number of times reported: [3]  
[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [3]  
[Sign:] Elimination Abn  
Number of times reported: [3]  
[Sign:] Enlargement(s)  
Number of times reported: [3]  
[Sign:] Enlargement(s), Skin  
Number of times reported: [3]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [3]  
[Sign:] Globulin Lo, Bld  
Number of times reported: [3]  
[Sign:] Heart Failure  
Number of times reported: [3]  
[Sign:] Hepatitis  
Number of times reported: [3]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [3]  
[Sign:] Hypersensitive, Sound

Number of times reported: [3]  
[Sign:] Hypertonia  
Number of times reported: [3]  
[Sign:] Hypopnea  
Number of times reported: [3]  
[Sign:] Incontinence, Fecal  
Number of times reported: [3]  
[Sign:] Ineffect  
Number of times reported: [3]  
[Sign:] Infection, Eye(s)  
Number of times reported: [3]  
[Sign:] Inflammation  
Number of times reported: [3]  
[Sign:] Irritation  
Number of times reported: [3]  
[Sign:] Irritation, Pharynx/th  
Number of times reported: [3]  
[Sign:] Jerking  
Number of times reported: [3]  
[Sign:] Mass, Skin  
Number of times reported: [3]  
[Sign:] Neck, Ventroflexion  
Number of times reported: [3]  
[Sign:] Necrosis  
Number of times reported: [3]  
[Sign:] Oliguria  
Number of times reported: [3]  
[Sign:] Pancreatitis  
Number of times reported: [3]  
[Sign:] Paralysis, Facial Nerv  
Number of times reported: [3]  
[Sign:] Paresis, Forelimb(s)  
Number of times reported: [3]  
[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [3]  
[Sign:] Pd-seal, Abn  
Number of times reported: [3]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [3]  
[Sign:] P Lo, Bld  
Number of times reported: [3]  
[Sign:] Polycythemia(relative)

Number of times reported: [3]  
[Sign:] Pr-bladder, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [3]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [3]  
[Sign:] Reluctant To Climb  
Number of times reported: [3]  
[Sign:] Reticulocytes Lo, Bld  
Number of times reported: [3]  
[Sign:] Rolling  
Number of times reported: [3]  
[Sign:] Sinusitis  
Number of times reported: [3]  
[Sign:] Splenomegaly  
Number of times reported: [3]  
[Sign:] Stomatitis  
Number of times reported: [3]  
[Sign:] Stool Abn  
Number of times reported: [3]  
[Sign:] Stool, Mucoid  
Number of times reported: [3]  
[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [3]  
[Sign:] Teeth, Abn  
Number of times reported: [3]  
[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [3]  
[Sign:] Tox  
Number of times reported: [3]  
[Sign:] Ulcer(s), Mucocutaneou  
Number of times reported: [3]  
[Sign:] Vision Disorder  
Number of times reported: [3]  
[Sign:] Vomiting, Severe  
Number of times reported: [3]  
[Sign:] Wbc, Urine  
Number of times reported: [3]  
[Sign:] Weight Increase

Number of times reported: [3]  
[Sign:] Abscess, Skin  
Number of times reported: [2]  
[Sign:] Adverse Drug Reaction  
Number of times reported: [2]  
[Sign:] Albumin Hi, Bld  
Number of times reported: [2]  
[Sign:] Anemia, Heinz Body  
Number of times reported: [2]  
[Sign:] Anemia, Hemolytic  
Number of times reported: [2]  
[Sign:] Anion Gap Hi, Bld  
Number of times reported: [2]  
[Sign:] Arthritis  
Number of times reported: [2]  
[Sign:] Ascites  
Number of times reported: [2]  
[Sign:] Basos Hi, Bld  
Number of times reported: [2]  
[Sign:] Bile Acids Hi, Bld  
Number of times reported: [2]  
[Sign:] Bilirubin(dir) Hi, Bld  
Number of times reported: [2]  
[Sign:] Bilirubin(ind) Hi, Bld  
Number of times reported: [2]  
[Sign:] Bld, Abn  
Number of times reported: [2]  
[Sign:] Bld, Anus  
Number of times reported: [2]  
[Sign:] Bloat  
Number of times reported: [2]  
[Sign:] Cachexia  
Number of times reported: [2]  
[Sign:] Casts, Urine  
Number of times reported: [2]  
[Sign:] Co2 Lo, Bld  
Number of times reported: [2]  
[Sign:] Congestion, Nose  
Number of times reported: [2]  
[Sign:] Congestion, Sinus  
Number of times reported: [2]  
[Sign:] Culture/titer Data Abn

Number of times reported: [2]  
[Sign:] Dementia  
Number of times reported: [2]  
[Sign:] Discharge, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Distention, Bladder  
Number of times reported: [2]  
[Sign:] Dizziness  
Number of times reported: [2]  
[Sign:] Ecg, Abn  
Number of times reported: [2]  
[Sign:] Embolus  
Number of times reported: [2]  
[Sign:] Eosinos Lo, Bld  
Number of times reported: [2]  
[Sign:] Flatulence  
Number of times reported: [2]  
[Sign:] Fly Biting  
Number of times reported: [2]  
[Sign:] Horner's Syndrome  
Number of times reported: [2]  
[Sign:] Hypomotility  
Number of times reported: [2]  
[Sign:] Ineffect, Mites  
Number of times reported: [2]  
[Sign:] Ineffect, Nematodes  
Number of times reported: [2]  
[Sign:] Ineffect, Parasite(s)  
Number of times reported: [2]  
[Sign:] Ineffect, Sarcoptes Mites  
Number of times reported: [2]  
[Sign:] Infection  
Number of times reported: [2]  
[Sign:] Inj Site Alopecia  
Number of times reported: [2]  
[Sign:] Insomnia  
Number of times reported: [2]  
[Sign:] Ketones, Urine  
Number of times reported: [2]  
[Sign:] Lesion(s), Ringworm  
Number of times reported: [2]  
[Sign:] Mass

Number of times reported: [2]  
[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [2]  
[Sign:] Nail Disorder  
Number of times reported: [2]  
[Sign:] Neoplasm, Lymph Node(s)  
Number of times reported: [2]  
[Sign:] No Signs  
Number of times reported: [2]  
[Sign:] Opacity, Cornea(s)  
Number of times reported: [2]  
[Sign:] Pharyngitis  
Number of times reported: [2]  
[Sign:] Photophobia  
Number of times reported: [2]  
[Sign:] Pollakiuria  
Number of times reported: [2]  
[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-heartworm Disease  
Number of times reported: [2]  
[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [2]  
[Sign:] Protrusion, Eye(s)  
Number of times reported: [2]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pruritis, Eye(s)  
Number of times reported: [2]  
[Sign:] Pt Prolonged, Bld  
Number of times reported: [2]  
[Sign:] Rbc Abn  
Number of times reported: [2]  
[Sign:] Reaction, Unspecified  
Number of times reported: [2]  
[Sign:] Regurgitation, Food  
Number of times reported: [2]  
[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [2]  
[Sign:] Sedation

Number of times reported: [2]  
[Sign:] Spec Gravity Hi, Urine  
Number of times reported: [2]  
[Sign:] Stiffness, Front Limb(  
Number of times reported: [2]  
[Sign:] Strabismus  
Number of times reported: [2]  
[Sign:] Tail Disorder  
Number of times reported: [2]  
[Sign:] Tech Error Administrat  
Number of times reported: [2]  
[Sign:] Triglycerides Hi, Bld  
Number of times reported: [2]  
[Sign:] Urine Abn  
Number of times reported: [2]  
[Sign:] Abn Color, Urine  
Number of times reported: [1]  
[Sign:] Abortion  
Number of times reported: [1]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Acid Urine  
Number of times reported: [1]  
[Sign:] Adipose, Inflam  
Number of times reported: [1]  
[Sign:] A/g Ratio Lo, Bld  
Number of times reported: [1]  
[Sign:] Alkaline Urine  
Number of times reported: [1]  
[Sign:] Anemia, Aplastic  
Number of times reported: [1]  
[Sign:] Anemia, Regen  
Number of times reported: [1]  
[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]  
[Sign:] Anorexia(not Nursing)  
Number of times reported: [1]  
[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]  
[Sign:] Birth Defect(s)  
Number of times reported: [1]  
[Sign:] Birth Defect(s), Head/

Number of times reported: [1]  
[Sign:] Birth Defect(s), Limb(  
Number of times reported: [1]  
[Sign:] Birth Defect(s), Torso  
Number of times reported: [1]  
[Sign:] Birth Deffect(s), Feet  
Number of times reported: [1]  
[Sign:] Birth, Multiple  
Number of times reported: [1]  
[Sign:] Bladder, Paralysis  
Number of times reported: [1]  
[Sign:] Bld, Abdomen  
Number of times reported: [1]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Bld, Thorax  
Number of times reported: [1]  
[Sign:] Borborygmi  
Number of times reported: [1]  
[Sign:] Brain, Neoplasm  
Number of times reported: [1]  
[Sign:] Breathing, Periodic  
Number of times reported: [1]  
[Sign:] Calculi, Bladder  
Number of times reported: [1]  
[Sign:] Cataract(s)  
Number of times reported: [1]  
[Sign:] Chasing Tail  
Number of times reported: [1]  
[Sign:] Choking  
Number of times reported: [1]  
[Sign:] Cns Infarct  
Number of times reported: [1]  
[Sign:] Colitis  
Number of times reported: [1]  
[Sign:] Congestion, Pharynx  
Number of times reported: [1]  
[Sign:] Csf Abn  
Number of times reported: [1]  
[Sign:] Diarrhea, Projectile



Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid  
Number of times reported: [1]  
[Sign:] Edema, Cornea(s)  
Number of times reported: [1]  
[Sign:] Edema, Larynx  
Number of times reported: [1]  
[Sign:] Edema, Ventral  
Number of times reported: [1]  
[Sign:] Effusion  
Number of times reported: [1]  
[Sign:] Effusion, Pericardial  
Number of times reported: [1]  
[Sign:] Electrolyte Disorder  
Number of times reported: [1]  
[Sign:] Emphysema, Sq  
Number of times reported: [1]  
[Sign:] Encephalopathy  
Number of times reported: [1]  
[Sign:] Enlargement(s), Neck  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Estrus Behavior  
Number of times reported: [1]  
[Sign:] Exfoliation, Skin  
Number of times reported: [1]  
[Sign:] Fertility, Lack Of  
Number of times reported: [1]  
[Sign:] Fertility, Reduced  
Number of times reported: [1]  
[Sign:] Fibrosis  
Number of times reported: [1]  
[Sign:] Froth  
Number of times reported: [1]  
[Sign:] Gingiva, Abn  
Number of times reported: [1]  
[Sign:] Gingivitis  
Number of times reported: [1]  
[Sign:] Granuloma

Number of times reported: [1]  
[Sign:] Hco3 Lo, Bld  
Number of times reported: [1]  
[Sign:] Healing Impaired  
Number of times reported: [1]  
[Sign:] Hypermotility  
Number of times reported: [1]  
[Sign:] Hyphema  
Number of times reported: [1]  
[Sign:] Hyposmia  
Number of times reported: [1]  
[Sign:] Hypothermia, Ear(s)  
Number of times reported: [1]  
[Sign:] Icterus, Serum  
Number of times reported: [1]  
[Sign:] Immune Disorder  
Number of times reported: [1]  
[Sign:] Incontinence  
Number of times reported: [1]  
[Sign:] Ineffect, Lice  
Number of times reported: [1]  
[Sign:] Ineffect, Milk Prod  
Number of times reported: [1]  
[Sign:] Ineffect, Tapes  
Number of times reported: [1]  
[Sign:] Ineffect, Weight Loss  
Number of times reported: [1]  
[Sign:] Infection, Feet/digit(  
Number of times reported: [1]  
[Sign:] Inj Site, Alopecia  
Number of times reported: [1]  
[Sign:] Inj Site Pruritis  
Number of times reported: [1]  
[Sign:] Iris, Inflam  
Number of times reported: [1]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]  
[Sign:] Laryngitis  
Number of times reported: [1]  
[Sign:] Leg Disorder

Number of times reported: [1]  
[Sign:] Microorganisms, Urine  
Number of times reported: [1]  
[Sign:] Monos Hi, Bld  
Number of times reported: [1]  
[Sign:] Monos Lo, Bld  
Number of times reported: [1]  
[Sign:] Mri Scan Abn  
Number of times reported: [1]  
[Sign:] Myositis  
Number of times reported: [1]  
[Sign:] Na:k Lo, Bld  
Number of times reported: [1]  
[Sign:] Neoplasm, Kidney(s)  
Number of times reported: [1]  
[Sign:] Neoplasm, Liver  
Number of times reported: [1]  
[Sign:] Neoplasm, Lung(s)  
Number of times reported: [1]  
[Sign:] Neoplasm, Spleen  
Number of times reported: [1]  
[Sign:] Neuropathy  
Number of times reported: [1]  
[Sign:] Nose Abn  
Number of times reported: [1]  
[Sign:] Nystagmus, Positional  
Number of times reported: [1]  
[Sign:] Nystagmus, Vertical  
Number of times reported: [1]  
[Sign:] Obstruction, Larynx  
Number of times reported: [1]  
[Sign:] Opisthotonos  
Number of times reported: [1]  
[Sign:] Pain, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Pain, Head/face  
Number of times reported: [1]  
[Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]  
[Sign:] Pain, Muscle(s)  
Number of times reported: [1]  
[Sign:] Pain, Neck  
Number of times reported: [1]  
[Sign:] Pain, Spinal  
Number of times reported: [1]  
[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]  
[Sign:] Pancytopenia  
Number of times reported: [1]  
[Sign:] Paraesthesia, Eye(s)/l  
Number of times reported: [1]  
[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]  
[Sign:] Pawing  
Number of times reported: [1]  
[Sign:] Pd-color, Abn  
Number of times reported: [1]  
[Sign:] Pd-container(s), Damag  
Number of times reported: [1]  
[Sign:] Pd-contamination  
Number of times reported: [1]  
[Sign:] Pd-dispenser, Abn  
Number of times reported: [1]  
[Sign:] Pd-missing, Cap  
Number of times reported: [1]  
[Sign:] Pd-product Defect  
Number of times reported: [1]  
[Sign:] Pd-tube(s), Damaged  
Number of times reported: [1]  
[Sign:] Peritonitis  
Number of times reported: [1]  
[Sign:] Phallitis  
Number of times reported: [1]  
[Sign:] Phlebitis  
Number of times reported: [1]  
[Sign:] Photosensitization  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Polycythemia(absolute)

Number of times reported: [1]  
[Sign:] Pr-bld Vessel(s), Lesi  
Number of times reported: [1]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]  
[Sign:] Pr-muscle(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-nerve(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-stillborn, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-thymus, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-tongue, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-urethra, Lesion(s)  
Number of times reported: [1]  
[Sign:] Ptt Prolonged, Bld  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Rbc, Aniso  
Number of times reported: [1]  
[Sign:] Rbc, Polychrom  
Number of times reported: [1]  
[Sign:] Regurgitation  
Number of times reported: [1]  
[Sign:] Repetitive Movements  
Number of times reported: [1]  
[Sign:] Rupture  
Number of times reported: [1]  
[Sign:] Saliva, Abn

Number of times reported: [1]  
[Sign:] Sediment, Urine  
Number of times reported: [1]  
[Sign:] Sleep Abn  
Number of times reported: [1]  
[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]  
[Sign:] Stranguria  
Number of times reported: [1]  
[Sign:] Swelling  
Number of times reported: [1]  
[Sign:] Swelling, Adm Site  
Number of times reported: [1]  
[Sign:] Swelling, Ear(s)  
Number of times reported: [1]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [1]  
[Sign:] Swelling, Neck  
Number of times reported: [1]  
[Sign:] Syncope  
Number of times reported: [1]  
[Sign:] Tears, Abn  
Number of times reported: [1]  
[Sign:] Tech Error  
Number of times reported: [1]  
[Sign:] Tetany  
Number of times reported: [1]  
[Sign:] Torticollis  
Number of times reported: [1]  
[Sign:] Tympanic Mem, Ruptured  
Number of times reported: [1]  
[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Ear(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Pharynx/thro  
Number of times reported: [1]  
[Sign:] Unknown  
Number of times reported: [1]  
[Sign:] Uremia

Number of times reported: [1]

[Sign:] Voice Disorder

Number of times reported: [1]

[Sign:] Vomiting, Projectile

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Dog

[Sign:] Ineffect, Hw Larvae

Number of times reported: [5,137]

[Sign:] Vomiting

Number of times reported: [1,616]

[Sign:] Depression/lethargy

Number of times reported: [1,579]

[Sign:] Ineffect, Fleas

Number of times reported: [1,525]

[Sign:] Diarrhea

Number of times reported: [953]

[Sign:] Pruritis

Number of times reported: [931]

[Sign:] Anorexia

Number of times reported: [921]

[Sign:] Convulsion(s)

Number of times reported: [565]

[Sign:] Trembling

Number of times reported: [397]

[Sign:] Application Site Alopecia

Number of times reported: [359]

[Sign:] Ineffect, Ticks

Number of times reported: [325]

[Sign:] Ataxia

Number of times reported: [320]

[Sign:] Ineffect, Ear Mites

Number of times reported: [273]

[Sign:] Alopecia

Number of times reported: [264]

[Sign:] Hypersalivation

Number of times reported: [247]

[Sign:] Death

Number of times reported: [217]

[Sign:] Urticaria

Number of times reported: [211]

[Sign:] Application Site Lesion(s)  
Number of times reported: [208]

[Sign:] Diarrhea, Bloody  
Number of times reported: [199]

[Sign:] Hyperactivity  
Number of times reported: [197]

[Sign:] Congestion, Skin  
Number of times reported: [173]

[Sign:] Fever, Body  
Number of times reported: [159]

[Sign:] Application Site Pruritis  
Number of times reported: [158]

[Sign:] Inflammation, Skin  
Number of times reported: [156]

[Sign:] Polypnea  
Number of times reported: [147]

[Sign:] Application Site Erythema  
Number of times reported: [140]

[Sign:] Application Site Inflammation  
Number of times reported: [139]

[Sign:] Ineffectiveness, Sarcoptes Mites  
Number of times reported: [128]

[Sign:] Nervousness  
Number of times reported: [120]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [120]

[Sign:] Behavior Disorder  
Number of times reported: [108]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [104]

[Sign:] Anemia  
Number of times reported: [91]

[Sign:] Weakness  
Number of times reported: [89]

[Sign:] Dyspnea  
Number of times reported: [87]

[Sign:] Rash  
Number of times reported: [87]

[Sign:] Vocalization  
Number of times reported: [87]

[Sign:] Coughing  
Number of times reported: [85]



[Sign:] Weight Loss  
Number of times reported: [85]

[Sign:] Diarrhea, Mild  
Number of times reported: [83]

[Sign:] Hyperpnea  
Number of times reported: [83]

[Sign:] Wbc Hi, Bld  
Number of times reported: [82]

[Sign:] Death(euthanized)  
Number of times reported: [79]

[Sign:] Apprehension  
Number of times reported: [78]

[Sign:] Anaphylaxis/toid  
Number of times reported: [77]

[Sign:] Dermatitis, Moist  
Number of times reported: [77]

[Sign:] Platelets Lo, Bld  
Number of times reported: [76]

[Sign:] Skin, Scab(s)  
Number of times reported: [76]

[Sign:] Application Site Pain  
Number of times reported: [75]

[Sign:] Lesion(s), Skin  
Number of times reported: [74]

[Sign:] Polydipsia  
Number of times reported: [73]

[Sign:] Confusion  
Number of times reported: [72]

[Sign:] Ineffect, Mites  
Number of times reported: [65]

[Sign:] Infection, Skin  
Number of times reported: [63]

[Sign:] Shaking  
Number of times reported: [62]

[Sign:] Bun Hi, Bld  
Number of times reported: [60]

[Sign:] Ineffect, Hooks  
Number of times reported: [60]

[Sign:] Application Site Hair, Abn Color  
Number of times reported: [59]

[Sign:] Summary Review  
Number of times reported: [59]

[Sign:] Pacing  
Number of times reported: [57]

[Sign:] Edema, Head/face  
Number of times reported: [55]

[Sign:] Hiding  
Number of times reported: [53]

[Sign:] Collapse  
Number of times reported: [50]

[Sign:] Application Site Hair, Abn  
Number of times reported: [49]

[Sign:] Pain  
Number of times reported: [45]

[Sign:] Scale(s), Skin  
Number of times reported: [45]

[Sign:] Dehydration  
Number of times reported: [43]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [42]

[Sign:] Polyuria  
Number of times reported: [42]

[Sign:] Radiograph(s) Abn  
Number of times reported: [42]

[Sign:] Skin, Crust(s)  
Number of times reported: [42]

[Sign:] Application Site Abnormal  
Number of times reported: [40]

[Sign:] Incontinence, Urinary  
Number of times reported: [40]

[Sign:] Tachycardia  
Number of times reported: [40]

[Sign:] Melena  
Number of times reported: [39]

[Sign:] Swelling, Head/face  
Number of times reported: [39]

[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [38]

[Sign:] Aggression  
Number of times reported: [37]

[Sign:] Recumbency  
Number of times reported: [37]

[Sign:] Albumin Lo, Bld  
Number of times reported: [36]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [36]

[Sign:] Vomiting, Bloody  
Number of times reported: [36]

[Sign:] Bld, Urine  
Number of times reported: [35]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [35]

[Sign:] Glucose Lo, Bld  
Number of times reported: [35]

[Sign:] Hair, Abn  
Number of times reported: [35]

[Sign:] Hematochezia  
Number of times reported: [35]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [35]

[Sign:] Twitch  
Number of times reported: [35]

[Sign:] Hair, Shedding  
Number of times reported: [33]

[Sign:] Lameness  
Number of times reported: [33]

[Sign:] Pruritis, Ear(s)  
Number of times reported: [33]

[Sign:] Circling  
Number of times reported: [31]

[Sign:] Mydriasis  
Number of times reported: [31]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [30]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [30]

[Sign:] Irritation, Skin  
Number of times reported: [28]

[Sign:] Hair, Abn Color  
Number of times reported: [27]

[Sign:] Interaction, Drug(s)  
Number of times reported: [27]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [26]

[Sign:] Application Site Swelling  
Number of times reported: [26]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [26]

[Sign:] Seborrhea  
Number of times reported: [26]

[Sign:] Segs Hi, Bld  
Number of times reported: [26]

[Sign:] Discomfort  
Number of times reported: [25]

[Sign:] Otitis  
Number of times reported: [25]

[Sign:] Residue, Application Site  
Number of times reported: [25]

[Sign:] Pain, Abdomen  
Number of times reported: [24]

[Sign:] Skin, Dry  
Number of times reported: [24]

[Sign:] Stupor  
Number of times reported: [24]

[Sign:] Application Site Mass  
Number of times reported: [23]

[Sign:] Papule(s)  
Number of times reported: [22]

[Sign:] Gagging  
Number of times reported: [21]

[Sign:] Licking  
Number of times reported: [21]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [21]

[Sign:] Pd-odor, Abn  
Number of times reported: [21]

[Sign:] P Hi, Bld  
Number of times reported: [21]

[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [21]

[Sign:] Pustule(s)  
Number of times reported: [21]

[Sign:] Vomiting, Unproductive  
Number of times reported: [21]

[Sign:] Wbc Lo, Bld  
Number of times reported: [21]

[Sign:] Adipsia  
Number of times reported: [20]

[Sign:] Odor  
Number of times reported: [20]

[Sign:] Sneezing  
Number of times reported: [20]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [20]

[Sign:] Difficulty Rising  
Number of times reported: [19]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [19]

[Sign:] Ineffect, Hw Antigen  
Number of times reported: [19]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [19]

[Sign:] Reluctant To Move  
Number of times reported: [19]

[Sign:] Rolling  
Number of times reported: [19]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [19]

[Sign:] Amylase Hi, Bld  
Number of times reported: [18]

[Sign:] Hypothermia, Body  
Number of times reported: [18]

[Sign:] Ineffect, Whips  
Number of times reported: [18]

[Sign:] Nystagmus  
Number of times reported: [18]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [18]

[Sign:] Sore(s)  
Number of times reported: [18]

[Sign:] Biting/chewing  
Number of times reported: [17]

[Sign:] Bld(petechiae)  
Number of times reported: [17]

[Sign:] Conjunctivitis  
Number of times reported: [17]

[Sign:] Epistaxis  
Number of times reported: [17]

[Sign:] Flatulence  
Number of times reported: [17]

[Sign:] Head Tilt  
Number of times reported: [17]

[Sign:] Nausea  
Number of times reported: [17]

[Sign:] Pd-tube(s), Abn  
Number of times reported: [17]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [17]

[Sign:] Shaking, Head/face  
Number of times reported: [17]

[Sign:] Urination Abn  
Number of times reported: [17]

[Sign:] Diarrhea, Watery  
Number of times reported: [16]

[Sign:] Discharge, Nose  
Number of times reported: [16]

[Sign:] Eosinos Hi, Bld  
Number of times reported: [16]

[Sign:] Ineffect, Ascarids  
Number of times reported: [16]

[Sign:] Spasm  
Number of times reported: [16]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [16]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [15]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [15]

[Sign:] Ggt Hi, Bld  
Number of times reported: [15]

[Sign:] Ill  
Number of times reported: [15]

[Sign:] Kidney Failure  
Number of times reported: [15]

[Sign:] Lipase Hi, Bld  
Number of times reported: [15]

[Sign:] Murmur, Heart  
Number of times reported: [15]

[Sign:] Neurological Disorder  
Number of times reported: [15]

[Sign:] Paresis  
Number of times reported: [15]

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [15]

[Sign:] Staggering  
Number of times reported: [15]

[Sign:] Stiffness  
Number of times reported: [15]

[Sign:] Cardiomegaly  
Number of times reported: [14]

[Sign:] Congestion, Lung(s)  
Number of times reported: [14]

[Sign:] Deafness  
Number of times reported: [14]

[Sign:] Glucose Hi, Bld  
Number of times reported: [14]

[Sign:] Somnolence  
Number of times reported: [14]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [13]

[Sign:] Constipation  
Number of times reported: [13]

[Sign:] Diarrhea, Muroid  
Number of times reported: [13]

[Sign:] Hypothermia  
Number of times reported: [13]

[Sign:] Icterus, Body  
Number of times reported: [13]

[Sign:] Monos Hi, Bld  
Number of times reported: [13]

[Sign:] Pancreatitis  
Number of times reported: [13]

[Sign:] Pr-heartworm Disease  
Number of times reported: [13]

[Sign:] Proprioceptive Disorde  
Number of times reported: [13]

[Sign:] Blindness  
Number of times reported: [12]

[Sign:] Ca Lo, Bld  
Number of times reported: [12]

[Sign:] Ineffect, Hooks Preven  
Number of times reported: [12]

[Sign:] Ulcer(s), Skin  
Number of times reported: [12]

[Sign:] Bld(ecchymoses)  
Number of times reported: [11]

[Sign:] Bradycardia  
Number of times reported: [11]

[Sign:] Breathing Abn  
Number of times reported: [11]

[Sign:] Distention, Abdomen  
Number of times reported: [11]

[Sign:] Globulin Hi, Bld  
Number of times reported: [11]

[Sign:] Locomotion Disorder  
Number of times reported: [11]

[Sign:] Protein, Urine  
Number of times reported: [11]

[Sign:] Stool Abn  
Number of times reported: [11]

[Sign:] Swelling, Ear(s)  
Number of times reported: [11]

[Sign:] Application Site Skin, Dry  
Number of times reported: [10]

[Sign:] Death(stillborn)  
Number of times reported: [10]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [10]

[Sign:] K Lo, Bld  
Number of times reported: [10]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [10]

[Sign:] Pallor  
Number of times reported: [10]

[Sign:] Reflex(es) Abn  
Number of times reported: [10]

[Sign:] Wheezing  
Number of times reported: [10]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [9]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [9]

[Sign:] Borborygmi  
Number of times reported: [9]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [9]



[Sign:] Diarrhea, Severe  
Number of times reported: [9]

[Sign:] Eruption(s)  
Number of times reported: [9]

[Sign:] Hepatomegaly  
Number of times reported: [9]

[Sign:] Na Lo, Bld  
Number of times reported: [9]

[Sign:] Neoplasm  
Number of times reported: [9]

[Sign:] Pain, Neck  
Number of times reported: [9]

[Sign:] Pica  
Number of times reported: [9]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [9]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [9]

[Sign:] Pruritis, Tail  
Number of times reported: [9]

[Sign:] Skin Disorder  
Number of times reported: [9]

[Sign:] Splenomegaly  
Number of times reported: [9]

[Sign:] Trembling, Face  
Number of times reported: [9]

[Sign:] Unconscious  
Number of times reported: [9]

[Sign:] Weight Increase  
Number of times reported: [9]

[Sign:] Arrhythmia  
Number of times reported: [8]

[Sign:] Ca Hi, Bld  
Number of times reported: [8]

[Sign:] Colitis  
Number of times reported: [8]

[Sign:] Dry, Skin  
Number of times reported: [8]

[Sign:] Enlargement(s), Skin  
Number of times reported: [8]

[Sign:] Exercise Intolerance  
Number of times reported: [8]

[Sign:] Icterus  
Number of times reported: [8]

[Sign:] Ineffect, Ectoparasite  
Number of times reported: [8]

[Sign:] Mass, Skin  
Number of times reported: [8]

[Sign:] Odor, Mouth  
Number of times reported: [8]

[Sign:] Pain, Hind Limb(s)  
Number of times reported: [8]

[Sign:] Polycythemia  
Number of times reported: [8]

[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [8]

[Sign:] Vestibular Disorder  
Number of times reported: [8]

[Sign:] Abortion  
Number of times reported: [7]

[Sign:] Application Site Edema  
Number of times reported: [7]

[Sign:] Bilirubin, Urine  
Number of times reported: [7]

[Sign:] Cpk Hi, Bld  
Number of times reported: [7]

[Sign:] Defecation  
Number of times reported: [7]

[Sign:] Hyperesthesia  
Number of times reported: [7]

[Sign:] Liver Disorder  
Number of times reported: [7]

[Sign:] Lymphs Hi, Bld  
Number of times reported: [7]

[Sign:] Pain, Joint(s)  
Number of times reported: [7]

[Sign:] Pd-solution, Abn  
Number of times reported: [7]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [7]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [7]

[Sign:] Shock  
Number of times reported: [7]

[Sign:] Skin, Necrosis  
Number of times reported: [7]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [7]

[Sign:] Staring  
Number of times reported: [7]

[Sign:] Stool, Muroid  
Number of times reported: [7]

[Sign:] Syncope  
Number of times reported: [7]

[Sign:] Urination  
Number of times reported: [7]

[Sign:] Us Abn  
Number of times reported: [7]

[Sign:] Wbc, Urine  
Number of times reported: [7]

[Sign:] Ascites  
Number of times reported: [6]

[Sign:] Coagulation Disorder  
Number of times reported: [6]

[Sign:] Cyanosis  
Number of times reported: [6]

[Sign:] Defecation Abn  
Number of times reported: [6]

[Sign:] Dysmetria  
Number of times reported: [6]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [6]

[Sign:] Epiphora  
Number of times reported: [6]

[Sign:] Gi, Abnormal  
Number of times reported: [6]

[Sign:] Hyperkeratosis  
Number of times reported: [6]

[Sign:] Ineffect, Hw Adults  
Number of times reported: [6]

[Sign:] Irritation, Perineum  
Number of times reported: [6]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [6]

[Sign:] Posture Abn  
Number of times reported: [6]

[Sign:] Pr-app Site, Lesion(s)  
Number of times reported: [6]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [6]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [6]

[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [6]

[Sign:] Vision Disorder  
Number of times reported: [6]

[Sign:] Bld  
Number of times reported: [5]

[Sign:] Bld, Rectum  
Number of times reported: [5]

[Sign:] Bld, Skin  
Number of times reported: [5]

[Sign:] Chloride Lo, Bld  
Number of times reported: [5]

[Sign:] Cns Disorder  
Number of times reported: [5]

[Sign:] Congestion, Ear(s)  
Number of times reported: [5]

[Sign:] Coombs Test Pos  
Number of times reported: [5]

[Sign:] Crystals, Urine  
Number of times reported: [5]

[Sign:] Distress, Resp  
Number of times reported: [5]

[Sign:] Ear Disorder  
Number of times reported: [5]

[Sign:] Globulin Lo, Bld  
Number of times reported: [5]

[Sign:] Hallucination  
Number of times reported: [5]

[Sign:] Hypertonia  
Number of times reported: [5]

[Sign:] Infection, Urinary Tra  
Number of times reported: [5]

[Sign:] Irritation  
Number of times reported: [5]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [5]

[Sign:] K Hi, Bld  
Number of times reported: [5]

[Sign:] Liver Failure  
Number of times reported: [5]

[Sign:] Miosis  
Number of times reported: [5]

[Sign:] Myositis  
Number of times reported: [5]

[Sign:] Na Hi, Bld  
Number of times reported: [5]

[Sign:] Nystagmus, Horizontal  
Number of times reported: [5]

[Sign:] Pain, Back  
Number of times reported: [5]

[Sign:] Pain, Muscle(s)  
Number of times reported: [5]

[Sign:] Paralysis  
Number of times reported: [5]

[Sign:] Platelets Hi, Bld  
Number of times reported: [5]

[Sign:] Pneumonia  
Number of times reported: [5]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [5]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [5]

[Sign:] Rbc, Nucleated  
Number of times reported: [5]

[Sign:] Stumbling  
Number of times reported: [5]

[Sign:] Thrashing/paddling  
Number of times reported: [5]

[Sign:] Triglycerides Hi, Bld  
Number of times reported: [5]

[Sign:] Abn Color, Urine  
Number of times reported: [4]

[Sign:] Anemia, Regen  
Number of times reported: [4]

[Sign:] Anemia, Sphero  
Number of times reported: [4]

[Sign:] Apnea  
Number of times reported: [4]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [4]

[Sign:] Azotemia  
Number of times reported: [4]

[Sign:] Bld, Eye(s)  
Number of times reported: [4]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [4]

[Sign:] Blindness, Partial  
Number of times reported: [4]

[Sign:] Bloat  
Number of times reported: [4]

[Sign:] Bun Lo, Bld  
Number of times reported: [4]

[Sign:] Calculi, Bladder  
Number of times reported: [4]

[Sign:] Dissociation  
Number of times reported: [4]

[Sign:] Distress  
Number of times reported: [4]

[Sign:] Edema, Neck  
Number of times reported: [4]

[Sign:] Enlargement(s)  
Number of times reported: [4]

[Sign:] Head Bobbing  
Number of times reported: [4]

[Sign:] Heart Disorder  
Number of times reported: [4]

[Sign:] Ineffect  
Number of times reported: [4]

[Sign:] Ineffect, Ascarids Pre  
Number of times reported: [4]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [4]

[Sign:] Ineffect, Whips Preven  
Number of times reported: [4]

[Sign:] Inflamm  
Number of times reported: [4]

[Sign:] Irritation, Ear(s)  
Number of times reported: [4]

[Sign:] Joint Disorder  
Number of times reported: [4]

[Sign:] Leukoderma  
Number of times reported: [4]

[Sign:] Mass  
Number of times reported: [4]

[Sign:] Nose Abn  
Number of times reported: [4]

[Sign:] Paralysis, All Limbs  
Number of times reported: [4]

[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [4]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [4]

[Sign:] P Lo, Bld  
Number of times reported: [4]

[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [4]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [4]

[Sign:] Protrusion, Eye(s)  
Number of times reported: [4]

[Sign:] Pupil(s), Areflexia  
Number of times reported: [4]

[Sign:] Segs Lo, Bld  
Number of times reported: [4]

[Sign:] Skin Abnormal  
Number of times reported: [4]

[Sign:] Slough, Skin  
Number of times reported: [4]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [4]

[Sign:] Stiffness, Neck  
Number of times reported: [4]

[Sign:] Swelling, Neck  
Number of times reported: [4]

[Sign:] Urine Abn  
Number of times reported: [4]

[Sign:] Abscess, Skin  
Number of times reported: [3]

[Sign:] Albumin Hi, Bld  
Number of times reported: [3]

[Sign:] Arthritis  
Number of times reported: [3]

[Sign:] Bands Hi, Bld  
Number of times reported: [3]

[Sign:] Bld, Abdomen  
Number of times reported: [3]

[Sign:] Bld, Anus  
Number of times reported: [3]

[Sign:] Bld, Ear(s)  
Number of times reported: [3]

[Sign:] Blepharospasm  
Number of times reported: [3]

[Sign:] Blindness, Temp  
Number of times reported: [3]

[Sign:] Bronchitis  
Number of times reported: [3]

[Sign:] Chemistry Abn  
Number of times reported: [3]

[Sign:] Co2 Hi, Bld  
Number of times reported: [3]

[Sign:] Congestion  
Number of times reported: [3]

[Sign:] Csf Abn  
Number of times reported: [3]

[Sign:] Death(newborn)  
Number of times reported: [3]

[Sign:] Destructiveness  
Number of times reported: [3]

[Sign:] Edema  
Number of times reported: [3]

[Sign:] Effusion, Pleural  
Number of times reported: [3]

[Sign:] Elimination Abn  
Number of times reported: [3]

[Sign:] Eye Disorder  
Number of times reported: [3]

[Sign:] Fly Biting  
Number of times reported: [3]

[Sign:] Gastroenteritis  
Number of times reported: [3]

[Sign:] Head Pressing  
Number of times reported: [3]

[Sign:] Hyphema  
Number of times reported: [3]



[Sign:] Hypopnea  
Number of times reported: [3]

[Sign:] Incontinence, Fecal  
Number of times reported: [3]

[Sign:] Ineffect, Hw Microfila  
Number of times reported: [3]

[Sign:] Ineffect, Parasite(s)  
Number of times reported: [3]

[Sign:] Infection  
Number of times reported: [3]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [3]

[Sign:] Mass, Abdomen  
Number of times reported: [3]

[Sign:] Microorganisms, Urine  
Number of times reported: [3]

[Sign:] No Signs  
Number of times reported: [3]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [3]

[Sign:] Pain, Spinal  
Number of times reported: [3]

[Sign:] Paralysis, Facial Nerv  
Number of times reported: [3]

[Sign:] Pd-color, Abn  
Number of times reported: [3]

[Sign:] Pollakiuria  
Number of times reported: [3]

[Sign:] Polycythemia(relative)  
Number of times reported: [3]

[Sign:] Polyphagia  
Number of times reported: [3]

[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [3]

[Sign:] Rbc Abn  
Number of times reported: [3]

[Sign:] Regurgitation  
Number of times reported: [3]

[Sign:] Respiratory Disorder  
Number of times reported: [3]

[Sign:] Sedation  
Number of times reported: [3]

[Sign:] Self-mutilation  
Number of times reported: [3]

[Sign:] Taste Abnormality  
Number of times reported: [3]

[Sign:] Teeth, Abn  
Number of times reported: [3]

[Sign:] Tenesmus, Rectal  
Number of times reported: [3]

[Sign:] Thrombus  
Number of times reported: [3]

[Sign:] Ulcer(s), Ear(s)  
Number of times reported: [3]

[Sign:] Vomiting, Severe  
Number of times reported: [3]

[Sign:] Abrasion, Cornea(s)  
Number of times reported: [2]

[Sign:] Alkaline Urine  
Number of times reported: [2]

[Sign:] Anemia, Hemolytic  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Bile Acids Abn, Bld  
Number of times reported: [2]

[Sign:] Bld(hematoma)  
Number of times reported: [2]

[Sign:] Bld, Sclera  
Number of times reported: [2]

[Sign:] Cachexia  
Number of times reported: [2]

[Sign:] Cellulitis  
Number of times reported: [2]

[Sign:] Cns Infarct  
Number of times reported: [2]

[Sign:] Congestion, Nose  
Number of times reported: [2]

[Sign:] Congestion, Sinus  
Number of times reported: [2]

[Sign:] Creatinine Lo, Bld  
Number of times reported: [2]

[Sign:] Deafness, Temp  
Number of times reported: [2]

[Sign:] Dic  
Number of times reported: [2]

[Sign:] Dilatation, Esophagus  
Number of times reported: [2]

[Sign:] Discharge, Ear(s)  
Number of times reported: [2]

[Sign:] Dizziness  
Number of times reported: [2]

[Sign:] Dysphagia  
Number of times reported: [2]

[Sign:] Dysuria  
Number of times reported: [2]

[Sign:] Embolus  
Number of times reported: [2]

[Sign:] Enteritis  
Number of times reported: [2]

[Sign:] Estrus Cycle Abnormal  
Number of times reported: [2]

[Sign:] Fertility, Lack Of  
Number of times reported: [2]

[Sign:] G-hair, Abn Color  
Number of times reported: [2]

[Sign:] Glucose, Urine  
Number of times reported: [2]

[Sign:] Grinding Teeth  
Number of times reported: [2]

[Sign:] Heart Failure  
Number of times reported: [2]

[Sign:] Hepatitis  
Number of times reported: [2]

[Sign:] Icterus, Serum  
Number of times reported: [2]

[Sign:] Immune Disorder  
Number of times reported: [2]

[Sign:] Incontinence  
Number of times reported: [2]

[Sign:] Ineffect, Parasite  
Number of times reported: [2]

[Sign:] Ineffect, Tapes  
Number of times reported: [2]

[Sign:] Infection, Feet/digit(  
Number of times reported: [2]

[Sign:] Insomnia  
Number of times reported: [2]

[Sign:] Jerking  
Number of times reported: [2]

[Sign:] Loss Of Condition  
Number of times reported: [2]

[Sign:] Monos Lo, Bld  
Number of times reported: [2]

[Sign:] Moribund  
Number of times reported: [2]

[Sign:] Mri Scan Abn  
Number of times reported: [2]

[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [2]

[Sign:] Nail Disorder  
Number of times reported: [2]

[Sign:] Necrosis  
Number of times reported: [2]

[Sign:] Neoplasm, Lymph Node(s)  
Number of times reported: [2]

[Sign:] Neoplasm, Skin  
Number of times reported: [2]

[Sign:] Nephritis  
Number of times reported: [2]

[Sign:] Opacity, Cornea(s)  
Number of times reported: [2]

[Sign:] Pain, Head/face  
Number of times reported: [2]

[Sign:] Pawing  
Number of times reported: [2]

[Sign:] Pd-cap(s), Abn  
Number of times reported: [2]

[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [2]

[Sign:] Pressure Hi, Bld  
Number of times reported: [2]

[Sign:] Pressure Lo, Bld  
Number of times reported: [2]

[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-meninges, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-peritoneal Effusion  
Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [2]

[Sign:] Reluctant To Climb  
Number of times reported: [2]

[Sign:] Reticulocytes Lo, Bld  
Number of times reported: [2]

[Sign:] Sleep Abn  
Number of times reported: [2]

[Sign:] Slough, Ear(s)  
Number of times reported: [2]

[Sign:] Sperm Abn  
Number of times reported: [2]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [2]

[Sign:] Strabismus  
Number of times reported: [2]

[Sign:] Swelling, Adm Site  
Number of times reported: [2]

[Sign:] Swelling, Joint(s)  
Number of times reported: [2]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Swelling, Mult Sites  
Number of times reported: [2]

[Sign:] Swelling, Tongue  
Number of times reported: [2]

[Sign:] Tongue, Abn  
Number of times reported: [2]

[Sign:] Torticollis  
Number of times reported: [2]

[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Uveitis  
Number of times reported: [2]

[Sign:] Vasculitis  
Number of times reported: [2]

[Sign:] Vomiting Roundworms  
Number of times reported: [2]

[Sign:] Wbc Abn  
Number of times reported: [2]

[Sign:] Abn Odor, Urine  
Number of times reported: [1]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Ammonia Hi, Bld  
Number of times reported: [1]

[Sign:] Anemia, Heinz Body  
Number of times reported: [1]

[Sign:] Anestrus  
Number of times reported: [1]

[Sign:] Anorexia (not Nursing)  
Number of times reported: [1]

[Sign:] Anuria  
Number of times reported: [1]

[Sign:] Aplasia, Bone Marrow  
Number of times reported: [1]

[Sign:] Application Site, Alopecia  
Number of times reported: [1]

[Sign:] Balance Disorder  
Number of times reported: [1]

[Sign:] Basos Hi, Bld  
Number of times reported: [1]

[Sign:] Birth Defect(s)  
Number of times reported: [1]

[Sign:] Birth Defect(s), Limb(  
Number of times reported: [1]

[Sign:] Birth Defect(s), Torso  
Number of times reported: [1]

[Sign:] Birth Deffect(s), Feet  
Number of times reported: [1]

[Sign:] Bld, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Bone, Abn  
Number of times reported: [1]

[Sign:] Breathing, Difficult  
Number of times reported: [1]

[Sign:] Calculi, Kidney  
Number of times reported: [1]

[Sign:] Calculi, Urine  
Number of times reported: [1]

[Sign:] Capillary Refill Prolo  
Number of times reported: [1]

[Sign:] Cataract(s)  
Number of times reported: [1]

[Sign:] Cervical Spine Abn  
Number of times reported: [1]

[Sign:] Chasing Tail  
Number of times reported: [1]

[Sign:] Chloride Hi, Bld  
Number of times reported: [1]

[Sign:] Choking  
Number of times reported: [1]

[Sign:] Circulatory Disorder  
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]

[Sign:] Congestion, Tongue  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Cystitis  
Number of times reported: [1]

[Sign:] Deafness, Partial  
Number of times reported: [1]

[Sign:] Death(tx Failure)  
Number of times reported: [1]

[Sign:] Delirium  
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul  
Number of times reported: [1]

[Sign:] Diarrhea, Projectile  
Number of times reported: [1]

[Sign:] Digestion Disorder  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Discharge, Vulva  
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Ecg Abn  
Number of times reported: [1]

[Sign:] Edema, Cornea(s)  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Multiple Sites  
Number of times reported: [1]

[Sign:] Edema, Prepuce  
Number of times reported: [1]

[Sign:] Effusion  
Number of times reported: [1]

[Sign:] Effusion, Pericardial  
Number of times reported: [1]

[Sign:] Effusion, Peritoneal  
Number of times reported: [1]

[Sign:] Electrolyte Disorder  
Number of times reported: [1]

[Sign:] Encephalopathy  
Number of times reported: [1]

[Sign:] Erythema Multiforme  
Number of times reported: [1]

[Sign:] Estrus Behavior  
Number of times reported: [1]

[Sign:] Fe Lo, Bld  
Number of times reported: [1]

[Sign:] Fertility, Reduced  
Number of times reported: [1]

[Sign:] Fever, Joint(s)  
Number of times reported: [1]

[Sign:] Fibrinogen Lo, Bld  
Number of times reported: [1]

[Sign:] Fibrosis  
Number of times reported: [1]

[Sign:] Gall Bladder, Abn  
Number of times reported: [1]

[Sign:] Gastritis  
Number of times reported: [1]

[Sign:] Gingiva, Abn  
Number of times reported: [1]



[Sign:] Gingivitis  
Number of times reported: [1]

[Sign:] Granuloma, Lick  
Number of times reported: [1]

[Sign:] Hco3 Hi, Bld  
Number of times reported: [1]

[Sign:] Hemoglobin, Urine  
Number of times reported: [1]

[Sign:] Hyperadrenocorticism  
Number of times reported: [1]

[Sign:] Hypersensitive, Sound  
Number of times reported: [1]

[Sign:] Hypoadrenocorticism  
Number of times reported: [1]

[Sign:] Hyposalivation  
Number of times reported: [1]

[Sign:] Immunosuppression  
Number of times reported: [1]

[Sign:] Ineffect, Demodex Mites  
Number of times reported: [1]

[Sign:] Ineffect, Strongyle La  
Number of times reported: [1]

[Sign:] Ineffect, Strongyles  
Number of times reported: [1]

[Sign:] Infarct  
Number of times reported: [1]

[Sign:] Inflammation, Nose  
Number of times reported: [1]

[Sign:] Inj Site Mass  
Number of times reported: [1]

[Sign:] Inj Site Seroma  
Number of times reported: [1]

[Sign:] Intussusception  
Number of times reported: [1]

[Sign:] Irritation, Esophagus  
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

[Sign:] Kidney Disorder  
Number of times reported: [1]

[Sign:] Labor, Premature  
Number of times reported: [1]

[Sign:] Macule(s)  
Number of times reported: [1]

[Sign:] Mg Lo, Bld  
Number of times reported: [1]

[Sign:] Microorganisms, Urine  
Number of times reported: [1]

[Sign:] Mucous Membr, Red  
Number of times reported: [1]

[Sign:] Neoplasm, Liver  
Number of times reported: [1]

[Sign:] Neoplasm, Lung(s)  
Number of times reported: [1]

[Sign:] Neoplasm, Mult Sites  
Number of times reported: [1]

[Sign:] Neoplasm, Spleen  
Number of times reported: [1]

[Sign:] Neuritis  
Number of times reported: [1]

[Sign:] Neuritis, Optic  
Number of times reported: [1]

[Sign:] Neuropathy  
Number of times reported: [1]

[Sign:] Opisthotonos  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]

[Sign:] Pd-container(s), Abn  
Number of times reported: [1]

[Sign:] Pd-defect Unknown  
Number of times reported: [1]

[Sign:] Pd-label(s), Abn  
Number of times reported: [1]

[Sign:] Pd-potency, Hi  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

[Sign:] Pd-product Defect  
Number of times reported: [1]

[Sign:] Pd-underfill, Package  
Number of times reported: [1]

[Sign:] Pd-unknown  
Number of times reported: [1]

[Sign:] Peritonitis  
Number of times reported: [1]

[Sign:] Phallitis  
Number of times reported: [1]

[Sign:] Platelets Abn  
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]

[Sign:] Polycythemia(absolute)  
Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-bld Vessel(s), Lesi  
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-fetus, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-gi, Parasitism  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Lesion(s)  
Number of times reported: [1]

[Sign:] Prolapse, Disc  
Number of times reported: [1]

[Sign:] Pr-testes, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-thymus, Lesion(s)  
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld  
Number of times reported: [1]

[Sign:] Rbc, Polychrom  
Number of times reported: [1]

[Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Residue, Urine  
Number of times reported: [1]

[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [1]

[Sign:] Slough  
Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Squinting  
Number of times reported: [1]

[Sign:] Straining  
Number of times reported: [1]

[Sign:] Stranguria  
Number of times reported: [1]

[Sign:] Sweating  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]

[Sign:] Swelling, Prepuce  
Number of times reported: [1]

[Sign:] Tail Disorder  
Number of times reported: [1]

[Sign:] Tech Error  
Number of times reported: [1]

[Sign:] Tech Error Administrat  
Number of times reported: [1]

[Sign:] Tenesmus  
Number of times reported: [1]

[Sign:] Tox  
Number of times reported: [1]

[Sign:] Udder, Agalactia  
Number of times reported: [1]

[Sign:] Ulcer(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach  
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

[Sign:] Uremia  
Number of times reported: [1]

[Sign:] Us-liver Abn  
Number of times reported: [1]

[Sign:] Vaginitis  
Number of times reported: [1]

[Sign:] Vena Caval Syndrome  
Number of times reported: [1]

[Sign:] Voice Disorder  
Number of times reported: [1]

[Sign:] Volvulus, Intestine  
Number of times reported: [1]

[Sign:] Volvulus, Stomach  
Number of times reported: [1]

[Sign:] Vomiting, Projectile  
Number of times reported: [1]

[Sign:] Xerostomia  
Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Ferret

[Sign:] Anorexia  
Number of times reported: [9]

[Sign:] Depression/lethargy  
Number of times reported: [6]

[Sign:] Diarrhea  
Number of times reported: [4]

[Sign:] Weight Loss  
Number of times reported: [4]

[Sign:] Adipsia  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]  
[Sign:] Death  
Number of times reported: [2]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [2]  
[Sign:] Vomiting  
Number of times reported: [2]  
[Sign:] Weakness  
Number of times reported: [2]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Application Site Pain  
Number of times reported: [1]  
[Sign:] Application Site Swelling  
Number of times reported: [1]  
[Sign:] Cachexia  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Edema, Cornea(s)  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [1]  
[Sign:] Hepatomegaly  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Hypothermia, Body  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Nystagmus  
Number of times reported: [1]  
[Sign:] Pallor

Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Guinea Pig

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anuria

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Distress

Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Encephalopathy  
Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Head Pressing  
Number of times reported: [1]

[Sign:] Head Tilt  
Number of times reported: [1]

[Sign:] Hypothermia, Body  
Number of times reported: [1]

[Sign:] Necrosis  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Human

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [194]

[Sign:] Rash  
Number of times reported: [148]

[Sign:] Pruritis



Number of times reported: [119]  
[Sign:] Urticaria  
Number of times reported: [108]  
[Sign:] Irritation, Skin  
Number of times reported: [52]  
[Sign:] Pd-tube(s), Abn  
Number of times reported: [47]  
[Sign:] Congestion, Skin  
Number of times reported: [45]  
[Sign:] Summary Review  
Number of times reported: [44]  
[Sign:] Headache  
Number of times reported: [28]  
[Sign:] Taste Abnormality  
Number of times reported: [27]  
[Sign:] Hypoesthesia  
Number of times reported: [26]  
[Sign:] Nausea  
Number of times reported: [26]  
[Sign:] Dizziness  
Number of times reported: [25]  
[Sign:] Hyperesthesia  
Number of times reported: [24]  
[Sign:] Diarrhea  
Number of times reported: [23]  
[Sign:] Inflammation, Skin  
Number of times reported: [23]  
[Sign:] Anaphylaxis/toxic  
Number of times reported: [22]  
[Sign:] Vomiting  
Number of times reported: [22]  
[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [20]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [18]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [18]  
[Sign:] Pain  
Number of times reported: [15]  
[Sign:] Paresthesia  
Number of times reported: [14]  
[Sign:] Pd-seal, Abn

Number of times reported: [14]  
[Sign:] Application Site Pain  
Number of times reported: [13]  
[Sign:] Dyspnea  
Number of times reported: [13]  
[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [13]  
[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [12]  
[Sign:] Skin Abnormal  
Number of times reported: [12]  
[Sign:] Irritation, Pharynx/th  
Number of times reported: [11]  
[Sign:] Paraesthesia  
Number of times reported: [11]  
[Sign:] Pd-cap(s), Abn  
Number of times reported: [11]  
[Sign:] Application Site Erythema  
Number of times reported: [10]  
[Sign:] Human Exposure, Topica  
Number of times reported: [10]  
[Sign:] Swelling  
Number of times reported: [10]  
[Sign:] Accidental Exposure  
Number of times reported: [9]  
[Sign:] Lesion(s), Skin  
Number of times reported: [9]  
[Sign:] Pd-container(s), Abn  
Number of times reported: [9]  
[Sign:] Pruritis, Eye(s)  
Number of times reported: [9]  
[Sign:] Application Site Inflammation  
Number of times reported: [8]  
[Sign:] Application Site Pruritis  
Number of times reported: [8]  
[Sign:] Pain, Abdomen  
Number of times reported: [8]  
[Sign:] Swelling, Head/face  
Number of times reported: [8]  
[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [7]  
[Sign:] Depression/lethargy

Number of times reported: [7]  
[Sign:] Pd-tube(s), Damaged  
Number of times reported: [7]  
[Sign:] Apprehension  
Number of times reported: [6]  
[Sign:] Coughing  
Number of times reported: [6]  
[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [6]  
[Sign:] Epiphora  
Number of times reported: [6]  
[Sign:] Human Exposure  
Number of times reported: [6]  
[Sign:] Skin, Dry  
Number of times reported: [6]  
[Sign:] Swelling, Pharynx/thro  
Number of times reported: [6]  
[Sign:] Vision Disorder  
Number of times reported: [6]  
[Sign:] Weakness  
Number of times reported: [6]  
[Sign:] Application Site Swelling  
Number of times reported: [5]  
[Sign:] Fever, Body  
Number of times reported: [5]  
[Sign:] Human Exposure, Hand(s)  
Number of times reported: [5]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [5]  
[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [5]  
[Sign:] Skin Disorder  
Number of times reported: [5]  
[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [5]  
[Sign:] Swelling, Tongue  
Number of times reported: [5]  
[Sign:] Tachycardia  
Number of times reported: [5]  
[Sign:] Tongue, Abn  
Number of times reported: [5]  
[Sign:] Alopecia

Number of times reported: [4]  
[Sign:] Discharge, Nose  
Number of times reported: [4]  
[Sign:] Leukoderma  
Number of times reported: [4]  
[Sign:] Pain, Feet/digit(s)  
Number of times reported: [4]  
[Sign:] Pain, Joint(s)  
Number of times reported: [4]  
[Sign:] Pain, Limb(s)  
Number of times reported: [4]  
[Sign:] Pd-container(s), Damag  
Number of times reported: [4]  
[Sign:] Pd-odor, Abn  
Number of times reported: [4]  
[Sign:] Pd-vial(s), Leaking  
Number of times reported: [4]  
[Sign:] Residue, Application Site  
Number of times reported: [4]  
[Sign:] Sweating  
Number of times reported: [4]  
[Sign:] Application Site Abnormal  
Number of times reported: [3]  
[Sign:] Diplopia  
Number of times reported: [3]  
[Sign:] Dry, Skin  
Number of times reported: [3]  
[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Nail Disorder  
Number of times reported: [3]  
[Sign:] Neurological Disorder  
Number of times reported: [3]  
[Sign:] Nose Abn  
Number of times reported: [3]  
[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [3]  
[Sign:] Pd-applicator, Abn  
Number of times reported: [3]  
[Sign:] Pd-dispenser, Abn

Number of times reported: [3]  
[Sign:] Respiratory Disorder  
Number of times reported: [3]  
[Sign:] Scale(s), Skin  
Number of times reported: [3]  
[Sign:] Somnolence  
Number of times reported: [3]  
[Sign:] Trembling  
Number of times reported: [3]  
[Sign:] Application Site Lesion(s)  
Number of times reported: [2]  
[Sign:] Application Site Skin, Dry  
Number of times reported: [2]  
[Sign:] Blindness, Temp  
Number of times reported: [2]  
[Sign:] Congestion  
Number of times reported: [2]  
[Sign:] Conjunctivitis  
Number of times reported: [2]  
[Sign:] Discomfort  
Number of times reported: [2]  
[Sign:] Ear Disorder  
Number of times reported: [2]  
[Sign:] Edema  
Number of times reported: [2]  
[Sign:] Edema, Head/face  
Number of times reported: [2]  
[Sign:] Gagging  
Number of times reported: [2]  
[Sign:] Glossitis  
Number of times reported: [2]  
[Sign:] Human Exposure, Inhala  
Number of times reported: [2]  
[Sign:] Human Exposure, Mouth/  
Number of times reported: [2]  
[Sign:] Ill  
Number of times reported: [2]  
[Sign:] Inflammation  
Number of times reported: [2]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [2]  
[Sign:] Nervousness

Number of times reported: [2]  
[Sign:] No Signs  
Number of times reported: [2]  
[Sign:] Odor  
Number of times reported: [2]  
[Sign:] Pain, Brisket/chest  
Number of times reported: [2]  
[Sign:] Pain, Muscle(s)  
Number of times reported: [2]  
[Sign:] Palpitations  
Number of times reported: [2]  
[Sign:] Pd-underfill, Package  
Number of times reported: [2]  
[Sign:] Pd-vial(s), Abn  
Number of times reported: [2]  
[Sign:] Skin, Crust(s)  
Number of times reported: [2]  
[Sign:] Swelling, Ear(s)  
Number of times reported: [2]  
[Sign:] Swelling, Neck  
Number of times reported: [2]  
[Sign:] Ulcer(s), Skin  
Number of times reported: [2]  
[Sign:] Xerostomia  
Number of times reported: [2]  
[Sign:] Abscess, Skin  
Number of times reported: [1]  
[Sign:] Arrhythmia  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Bld(petechiae)  
Number of times reported: [1]  
[Sign:] Bld, Vagina  
Number of times reported: [1]  
[Sign:] Choking  
Number of times reported: [1]  
[Sign:] Congestion, Nose  
Number of times reported: [1]  
[Sign:] Congestion, Pharynx

Number of times reported: [1]  
[Sign:] Congestion, Sinus  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Distention, Abdomen  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Dry Mouth Syndrome  
Number of times reported: [1]  
[Sign:] Dysphagia  
Number of times reported: [1]  
[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Edema, Tongue  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Eruption(s)  
Number of times reported: [1]  
[Sign:] Erythema Multiforme  
Number of times reported: [1]  
[Sign:] Exfoliation, Skin  
Number of times reported: [1]  
[Sign:] Eye Disorder  
Number of times reported: [1]  
[Sign:] Flatulence  
Number of times reported: [1]  
[Sign:] Gastritis  
Number of times reported: [1]  
[Sign:] Gi, Abnormal  
Number of times reported: [1]  
[Sign:] Hallucination

Number of times reported: [1]  
[Sign:] Heart Disorder  
Number of times reported: [1]  
[Sign:] Hot Flash/flush  
Number of times reported: [1]  
[Sign:] Hot Flush  
Number of times reported: [1]  
[Sign:] Hyperkeratosis  
Number of times reported: [1]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [1]  
[Sign:] Hyposalivation  
Number of times reported: [1]  
[Sign:] Infection  
Number of times reported: [1]  
[Sign:] Infection, Eye(s)  
Number of times reported: [1]  
[Sign:] Inj Site Abn  
Number of times reported: [1]  
[Sign:] Iris, Inflam  
Number of times reported: [1]  
[Sign:] Laryngitis  
Number of times reported: [1]  
[Sign:] Neuropathy  
Number of times reported: [1]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [1]  
[Sign:] Pain, Head/face  
Number of times reported: [1]  
[Sign:] Paresis  
Number of times reported: [1]  
[Sign:] Pd-product Defect  
Number of times reported: [1]  
[Sign:] Pd-solution, Abn  
Number of times reported: [1]  
[Sign:] Pd-underfill, Vial(s)



Number of times reported: [1]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [1]  
[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Segs Lo, Bld  
Number of times reported: [1]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]  
[Sign:] Sinusitis  
Number of times reported: [1]  
[Sign:] Sneezing  
Number of times reported: [1]  
[Sign:] Sore(s)  
Number of times reported: [1]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [1]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [1]  
[Sign:] Syncope  
Number of times reported: [1]  
[Sign:] Tech Error Administrat  
Number of times reported: [1]  
[Sign:] Trembling, Face  
Number of times reported: [1]  
[Sign:] Udder, Mastitis  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Urine Abn  
Number of times reported: [1]  
[Sign:] Uterus, Contractions  
Number of times reported: [1]  
[Sign:] Vesicle(s)/bullae, Mou  
Number of times reported: [1]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Missing Information

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Other

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Pacing

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Rabbit

[Sign:] Death

Number of times reported: [9]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Application Site Alopecia

Number of times reported: [3]

[Sign:] Application Site Inflamm

Number of times reported: [3]

[Sign:] Convulsion(s)  
Number of times reported: [3]

[Sign:] Pruritis  
Number of times reported: [3]

[Sign:] Alopecia  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Fever, Body  
Number of times reported: [2]

[Sign:] Head Tilt  
Number of times reported: [2]

[Sign:] Hyperactivity  
Number of times reported: [2]

[Sign:] Application Site Abnormal  
Number of times reported: [1]

[Sign:] Application Site, Alopecia  
Number of times reported: [1]

[Sign:] Application Site Erythema  
Number of times reported: [1]

[Sign:] Application Site Lesion(s)  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Birth Defect(s)  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Bradycardia  
Number of times reported: [1]

[Sign:] Cardiomegaly  
Number of times reported: [1]

[Sign:] Cataract(s)  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Death(stillborn)  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld  
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Otitis  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Pd-tube(s), Abn  
Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [1]

[Sign:] Radiograph(s) Abn  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Rat

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Ectoparasite

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Unknown

[Sign:] Ineffect, Fleas

Number of times reported: [11]

[Sign:] Application Site Alopecia

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

**[Drug:] Selamectin**

Topical, Various

[Sign:] Ineffect, Fleas

Number of times reported: [42]

[Sign:] Application Site Alopecia

Number of times reported: [10]

[Sign:] Ineffect, Ear Mites

Number of times reported: [8]

[Sign:] Ineffect, Ticks

Number of times reported: [6]

[Sign:] Pruritis

Number of times reported: [6]

[Sign:] Application Site Lesion(s)

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Application Site Erythema

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Application Site Hair, Abn

Number of times reported: [1]

[Sign:] Otitis

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Selamectin**

Unknown, Cat

[Sign:] Application Site Alopecia

Number of times reported: [3]

[Sign:] Behavior Disorder

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Pruritis

Number of times reported: [3]

[Sign:] Alopecia

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Ineffect, Ear Mites

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld  
Number of times reported: [1]

[Sign:] Hiding  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Ineffect, Fleas  
Number of times reported: [1]

[Sign:] Ineffect, Hw Larvae  
Number of times reported: [1]

[Sign:] Inflamm, Skin  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Otitis  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

[Sign:] Unknown  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Selamectin**

Unknown, Dog

[Sign:] Ineffect, Fleas  
Number of times reported: [6]

[Sign:] Vomiting

Number of times reported: [6]  
[Sign:] Anorexia  
Number of times reported: [4]  
[Sign:] Ataxia  
Number of times reported: [4]  
[Sign:] Diarrhea  
Number of times reported: [3]  
[Sign:] Ineffect, Ear Mites  
Number of times reported: [3]  
[Sign:] Ineffect, Hw Larvae  
Number of times reported: [3]  
[Sign:] Convulsion(s)  
Number of times reported: [2]  
[Sign:] Death  
Number of times reported: [2]  
[Sign:] Death(euthanized)  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Reflex(es) Abn  
Number of times reported: [2]  
[Sign:] Skin Disorder  
Number of times reported: [2]  
[Sign:] Anuria  
Number of times reported: [1]  
[Sign:] Application Site Alopecia  
Number of times reported: [1]  
[Sign:] Application Site Erythema  
Number of times reported: [1]  
[Sign:] Application Site Pain  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Cns Disorder  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Constipation



Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Diarrhea, Watery  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Epiphora  
Number of times reported: [1]  
[Sign:] Gastritis  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Ineffect, Demodex Mites  
Number of times reported: [1]  
[Sign:] Ineffect, Ectoparasite  
Number of times reported: [1]  
[Sign:] Ineffect, Sarcoptes Mites  
Number of times reported: [1]  
[Sign:] Inflamm, Skin  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] P Lo, Bld  
Number of times reported: [1]  
[Sign:] Pruritis  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Recumbency  
Number of times reported: [1]  
[Sign:] Stool, Muroid  
Number of times reported: [1]  
[Sign:] Swelling, Head/face  
Number of times reported: [1]  
[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Selamectin**

Unknown, Human

[Sign:] Rash

Number of times reported: [48]

[Sign:] Urticaria

Number of times reported: [46]

[Sign:] Pruritis

Number of times reported: [43]

[Sign:] Congestion, Skin

Number of times reported: [15]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [13]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [13]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [10]

[Sign:] Dyspnea

Number of times reported: [9]

[Sign:] Irritation, Skin

Number of times reported: [9]

[Sign:] Vomiting

Number of times reported: [8]

[Sign:] Inflamm, Skin

Number of times reported: [7]

[Sign:] Nausea

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Headache

Number of times reported: [6]

[Sign:] Irritation, Pharynx/th

Number of times reported: [6]

[Sign:] Pain

Number of times reported: [6]

[Sign:] Pruritis, Eye(s)

Number of times reported: [6]

[Sign:] Human Exposure, Topica  
Number of times reported: [5]

[Sign:] Sneezing  
Number of times reported: [5]

[Sign:] Taste Abnormality  
Number of times reported: [5]

[Sign:] Accidental Exposure  
Number of times reported: [4]

[Sign:] Anaphylaxis/toid  
Number of times reported: [4]

[Sign:] Confusion  
Number of times reported: [4]

[Sign:] Coughing  
Number of times reported: [4]

[Sign:] Dizziness  
Number of times reported: [4]

[Sign:] Human Exposure  
Number of times reported: [4]

[Sign:] Hypoesthesia  
Number of times reported: [4]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [4]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [4]

[Sign:] Vision Disorder  
Number of times reported: [4]

[Sign:] Alopecia  
Number of times reported: [3]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [3]

[Sign:] Depression/lethargy  
Number of times reported: [3]

[Sign:] Discharge, Nose  
Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] Skin, Dry  
Number of times reported: [3]

[Sign:] Ataxia  
Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]

[Sign:] Fever, Body  
Number of times reported: [2]

[Sign:] Hypersalivation  
Number of times reported: [2]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [2]

[Sign:] Joint Disorder  
Number of times reported: [2]

[Sign:] Lesion(s), Skin  
Number of times reported: [2]

[Sign:] Pain, Head/face  
Number of times reported: [2]

[Sign:] Pain, Limb(s)  
Number of times reported: [2]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Paraesthesia  
Number of times reported: [2]

[Sign:] Pd-tube(s), Abn  
Number of times reported: [2]

[Sign:] Pd-tube(s), Damaged  
Number of times reported: [2]

[Sign:] Sinusitis  
Number of times reported: [2]

[Sign:] Sound Abn, Voice  
Number of times reported: [2]

[Sign:] Swelling, Head/face  
Number of times reported: [2]

[Sign:] Tongue, Abn  
Number of times reported: [2]

[Sign:] Voice Disorder  
Number of times reported: [2]

[Sign:] Anemia, Aplastic  
Number of times reported: [1]

[Sign:] Application Site Pain  
Number of times reported: [1]

[Sign:] Application Site Swelling  
Number of times reported: [1]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Bld, Eye(s)  
Number of times reported: [1]

[Sign:] Bld, Vagina  
Number of times reported: [1]

[Sign:] Blindness, Temp  
Number of times reported: [1]

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Epiphora  
Number of times reported: [1]

[Sign:] Exfoliation, Skin  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Hair, Abn  
Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)  
Number of times reported: [1]

[Sign:] Human Exposure, Inhala  
Number of times reported: [1]

[Sign:] Human Exposure, Juvenile  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hypoesthesia, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Pain, Brisket/chest  
Number of times reported: [1]

[Sign:] Pain, Joint(s)  
Number of times reported: [1]

[Sign:] Paresthesia  
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [1]

[Sign:] Pressure Hi, Bld  
Number of times reported: [1]

[Sign:] Pressure Lo, Bld  
Number of times reported: [1]

[Sign:] Scale(s), Skin  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Skin Disorder  
Number of times reported: [1]

[Sign:] Slough, Skin  
Number of times reported: [1]

[Sign:] Sore(s)  
Number of times reported: [1]

[Sign:] Spasm  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stomatitis  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Selamectin**

Unknown, Unknown

[Sign:] Ineffect, Fleas

Number of times reported: [4]

[Sign:] Pd-tube(s), Abn

Number of times reported: [2]

[Sign:] Application Site Swelling

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

**[Drug:] Selamectin**

Various, Cat

[Sign:] Vomiting

Number of times reported: [11]

[Sign:] Hypersalivation

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Fever, Body  
Number of times reported: [3]

[Sign:] Trembling  
Number of times reported: [3]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Hyperpnea  
Number of times reported: [2]

[Sign:] Shaking, Head/face  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Application Site Pain  
Number of times reported: [1]

[Sign:] Application Site Pruritis  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Enlargement(s), Skin  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hair, Abn  
Number of times reported: [1]

[Sign:] Head Tilt  
Number of times reported: [1]



[Sign:] Hiding  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Ineffect, Fleas  
Number of times reported: [1]

[Sign:] Infection, Urinary Tra  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Lipids Hi, Bld  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Nystagmus  
Number of times reported: [1]

[Sign:] Photophobia  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Spasm  
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [1]

**[Drug:] Selamectin**

Various, Dog

[Sign:] Vomiting  
Number of times reported: [4]

[Sign:] Depression/lethargy  
Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Fleas

Number of times reported: [1]

[Sign:] Miosis

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Selamectin**

Various, Ferret

[Sign:] Diarrhea

Number of times reported: [1]

**[Drug:] Selamectin**

Various, Horse

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

**[Drug:] Selamectin**

Various, Human

[Sign:] Taste Abnormality

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [2]

[Sign:] Headache

Number of times reported: [2]

[Sign:] Congestion, Tongue

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Selamectin**

Various, Rabbit

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Neoplasm  
Number of times reported: [1]

[Sign:] Pr-tongue, Lesion(s)  
Number of times reported: [1]

[Sign:] Swelling, Tongue  
Number of times reported: [1]

**[Drug:] Selegiline**

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [145]

[Sign:] Pd-underfill, Package  
Number of times reported: [46]

[Sign:] Pd-product Defect  
Number of times reported: [15]

[Sign:] Pd-unknown  
Number of times reported: [9]

[Sign:] Pd-container(s), Damag  
Number of times reported: [8]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [4]

[Sign:] Pd-container(s), Abn  
Number of times reported: [1]

[Sign:] Pd-defect Unknown  
Number of times reported: [1]

[Sign:] Pd-label(s), Abn  
Number of times reported: [1]

[Sign:] Pd-seal, Abn  
Number of times reported: [1]

**[Drug:] Selegiline**

Missing, Dog

[Sign:] Ineffect, Cds  
Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Selegiline**

Ophthalmic, Dog

[Sign:] Fly Biting

Number of times reported: [1]

[Sign:] Hypertonia

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Selegiline**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Behavior Disorder

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Albumin Lo, Bld

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Defecation Abn

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Globulin Lo, Bld

Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

[Sign:] Tech Error  
Number of times reported: [1]

[Sign:] Urination Abn  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Selegiline**

Oral, Dog

[Sign:] Vomiting  
Number of times reported: [332]

[Sign:] Ineffect, Cds  
Number of times reported: [268]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [259]

[Sign:] Depression/lethargy  
Number of times reported: [244]

[Sign:] Diarrhea  
Number of times reported: [244]

[Sign:] Anorexia

Number of times reported: [229]  
[Sign:] Nervousness  
Number of times reported: [209]  
[Sign:] Convulsion(s)  
Number of times reported: [177]  
[Sign:] Polypnea  
Number of times reported: [167]  
[Sign:] Hyperactivity  
Number of times reported: [143]  
[Sign:] Confusion  
Number of times reported: [140]  
[Sign:] Polydipsia  
Number of times reported: [129]  
[Sign:] Ataxia  
Number of times reported: [124]  
[Sign:] Ineffect  
Number of times reported: [117]  
[Sign:] Ineffect, Cushings  
Number of times reported: [114]  
[Sign:] Polyuria  
Number of times reported: [103]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [102]  
[Sign:] Death(euthanized)  
Number of times reported: [100]  
[Sign:] Weakness  
Number of times reported: [99]  
[Sign:] Weight Loss  
Number of times reported: [93]  
[Sign:] Pacing  
Number of times reported: [82]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [73]  
[Sign:] Trembling  
Number of times reported: [73]  
[Sign:] Bun Hi, Bld  
Number of times reported: [64]  
[Sign:] Vocalization  
Number of times reported: [63]  
[Sign:] Apprehension  
Number of times reported: [62]  
[Sign:] Aggression

Number of times reported: [60]  
[Sign:] Death  
Number of times reported: [55]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [49]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [48]  
[Sign:] Pruritis  
Number of times reported: [45]  
[Sign:] Anemia  
Number of times reported: [43]  
[Sign:] Circling  
Number of times reported: [42]  
[Sign:] Head Tilt  
Number of times reported: [36]  
[Sign:] Hypersalivation  
Number of times reported: [34]  
[Sign:] Collapse  
Number of times reported: [32]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [32]  
[Sign:] Alopecia  
Number of times reported: [31]  
[Sign:] Deafness  
Number of times reported: [30]  
[Sign:] Dyspnea  
Number of times reported: [30]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [30]  
[Sign:] Behavior Disorder  
Number of times reported: [29]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [27]  
[Sign:] Bld, Urine  
Number of times reported: [26]  
[Sign:] Blindness  
Number of times reported: [24]  
[Sign:] Incontinence, Urinary  
Number of times reported: [24]  
[Sign:] Stupor  
Number of times reported: [24]  
[Sign:] Proprioceptive Disorde



Number of times reported: [23]  
[Sign:] Vestibular Disorder  
Number of times reported: [23]  
[Sign:] Fever, Body  
Number of times reported: [21]  
[Sign:] Polyphagia  
Number of times reported: [21]  
[Sign:] Recumbency  
Number of times reported: [21]  
[Sign:] Diarrhea, Mild  
Number of times reported: [20]  
[Sign:] K Hi, Bld  
Number of times reported: [20]  
[Sign:] Infection, Urinary Tra  
Number of times reported: [19]  
[Sign:] Tachycardia  
Number of times reported: [19]  
[Sign:] Urination  
Number of times reported: [18]  
[Sign:] Deafness, Partial  
Number of times reported: [17]  
[Sign:] Infection, Skin  
Number of times reported: [17]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [17]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [17]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [16]  
[Sign:] Kidney Failure  
Number of times reported: [16]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [15]  
[Sign:] Distention, Abdomen  
Number of times reported: [15]  
[Sign:] Epistaxis  
Number of times reported: [15]  
[Sign:] Pain, Abdomen  
Number of times reported: [15]  
[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [15]  
[Sign:] Urination Abn

Number of times reported: [15]  
[Sign:] Biting/chewing  
Number of times reported: [14]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [14]  
[Sign:] Diabetes Mellitus  
Number of times reported: [13]  
[Sign:] Dissociation  
Number of times reported: [13]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [13]  
[Sign:] Licking  
Number of times reported: [13]  
[Sign:] Pancreatitis  
Number of times reported: [13]  
[Sign:] Shaking  
Number of times reported: [13]  
[Sign:] Staggering  
Number of times reported: [13]  
[Sign:] Twitch  
Number of times reported: [13]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [12]  
[Sign:] Murmur, Heart  
Number of times reported: [12]  
[Sign:] Nystagmus  
Number of times reported: [12]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [12]  
[Sign:] Congestion, Skin  
Number of times reported: [11]  
[Sign:] Hyperpnea  
Number of times reported: [11]  
[Sign:] Inflammation, Skin  
Number of times reported: [11]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [11]  
[Sign:] Melena  
Number of times reported: [11]  
[Sign:] P Hi, Bld  
Number of times reported: [11]  
[Sign:] Defecation

Number of times reported: [10]  
[Sign:] Dehydration  
Number of times reported: [10]  
[Sign:] Incontinence, Fecal  
Number of times reported: [10]  
[Sign:] Insomnia  
Number of times reported: [10]  
[Sign:] Paresis  
Number of times reported: [10]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [10]  
[Sign:] Sleep Abn  
Number of times reported: [10]  
[Sign:] Somnolence  
Number of times reported: [10]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [9]  
[Sign:] Spasm  
Number of times reported: [9]  
[Sign:] Staring  
Number of times reported: [9]  
[Sign:] Syncope  
Number of times reported: [9]  
[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [9]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [8]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [8]  
[Sign:] Anemia, Regen  
Number of times reported: [8]  
[Sign:] Arrhythmia  
Number of times reported: [8]  
[Sign:] Protein, Urine  
Number of times reported: [8]  
[Sign:] Reluctant To Move  
Number of times reported: [8]  
[Sign:] Shaking, Head/face  
Number of times reported: [8]  
[Sign:] Weight Increase  
Number of times reported: [8]  
[Sign:] Ca Hi, Bld

Number of times reported: [7]  
[Sign:] Coughing  
Number of times reported: [7]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [7]  
[Sign:] Hematochezia  
Number of times reported: [7]  
[Sign:] Hiding  
Number of times reported: [7]  
[Sign:] Lesion(s), Skin  
Number of times reported: [7]  
[Sign:] Na Lo, Bld  
Number of times reported: [7]  
[Sign:] Sedation  
Number of times reported: [7]  
[Sign:] Segs Hi, Bld  
Number of times reported: [7]  
[Sign:] Sneezing  
Number of times reported: [7]  
[Sign:] Stumbling  
Number of times reported: [7]  
[Sign:] Chloride Lo, Bld  
Number of times reported: [6]  
[Sign:] Constipation  
Number of times reported: [6]  
[Sign:] Difficulty Rising  
Number of times reported: [6]  
[Sign:] Glucose, Urine  
Number of times reported: [6]  
[Sign:] Icterus, Body  
Number of times reported: [6]  
[Sign:] Locomotion Disorder  
Number of times reported: [6]  
[Sign:] Pallor  
Number of times reported: [6]  
[Sign:] Repetitive Movements  
Number of times reported: [6]  
[Sign:] Abn Color, Urine  
Number of times reported: [5]  
[Sign:] Azotemia  
Number of times reported: [5]  
[Sign:] Bld(petechiae)

Number of times reported: [5]  
[Sign:] Blindness, Partial  
Number of times reported: [5]  
[Sign:] Bloat  
Number of times reported: [5]  
[Sign:] Bradycardia  
Number of times reported: [5]  
[Sign:] Coagulation Disorder  
Number of times reported: [5]  
[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [5]  
[Sign:] Cystitis  
Number of times reported: [5]  
[Sign:] Deafness, Temp  
Number of times reported: [5]  
[Sign:] Destructiveness  
Number of times reported: [5]  
[Sign:] Diarrhea, Mucoid  
Number of times reported: [5]  
[Sign:] Dysphagia  
Number of times reported: [5]  
[Sign:] Elimination Abn  
Number of times reported: [5]  
[Sign:] Gagging  
Number of times reported: [5]  
[Sign:] Globulin Hi, Bld  
Number of times reported: [5]  
[Sign:] Hair, Abn  
Number of times reported: [5]  
[Sign:] Hepatomegaly  
Number of times reported: [5]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [5]  
[Sign:] Licking, Feet/digit(s)  
Number of times reported: [5]  
[Sign:] Na:k Lo, Bld  
Number of times reported: [5]  
[Sign:] Paralysis, Facial Nerv  
Number of times reported: [5]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [5]  
[Sign:] Rash

Number of times reported: [5]  
[Sign:] Seborrhea  
Number of times reported: [5]  
[Sign:] Skin, Crust(s)  
Number of times reported: [5]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [5]  
[Sign:] Swelling, Head/face  
Number of times reported: [5]  
[Sign:] Trembling, Face  
Number of times reported: [5]  
[Sign:] Triglycerides Hi, Bld  
Number of times reported: [5]  
[Sign:] Vomiting, Bloody  
Number of times reported: [5]  
[Sign:] Atrophy, Muscle(s)  
Number of times reported: [4]  
[Sign:] Borborygmi  
Number of times reported: [4]  
[Sign:] Colitis  
Number of times reported: [4]  
[Sign:] Crystals, Urine  
Number of times reported: [4]  
[Sign:] Diarrhea, Severe  
Number of times reported: [4]  
[Sign:] Dysmetria  
Number of times reported: [4]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [4]  
[Sign:] Glaucoma  
Number of times reported: [4]  
[Sign:] Heart Disorder  
Number of times reported: [4]  
[Sign:] Hyperesthesia  
Number of times reported: [4]  
[Sign:] Nausea  
Number of times reported: [4]  
[Sign:] Neurological Disorder  
Number of times reported: [4]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [4]  
[Sign:] Posture Abn

Number of times reported: [4]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [4]  
[Sign:] Reflex(es) Abn  
Number of times reported: [4]  
[Sign:] Skin Disorder  
Number of times reported: [4]  
[Sign:] Splenomegaly  
Number of times reported: [4]  
[Sign:] Stiffness  
Number of times reported: [4]  
[Sign:] Stool Abn  
Number of times reported: [4]  
[Sign:] Unconscious  
Number of times reported: [4]  
[Sign:] Unpalatable  
Number of times reported: [4]  
[Sign:] Urticaria  
Number of times reported: [4]  
[Sign:] Us Abn  
Number of times reported: [4]  
[Sign:] Vomiting, Unproductive  
Number of times reported: [4]  
[Sign:] Adipsia  
Number of times reported: [3]  
[Sign:] Anuria  
Number of times reported: [3]  
[Sign:] Balance Disorder  
Number of times reported: [3]  
[Sign:] Bilirubin, Urine  
Number of times reported: [3]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [3]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Ca Lo, Bld  
Number of times reported: [3]  
[Sign:] Dementia  
Number of times reported: [3]  
[Sign:] Diabetes M, Poor Regul  
Number of times reported: [3]  
[Sign:] Diarrhea, Watery

Number of times reported: [3]  
[Sign:] Distress, Resp  
Number of times reported: [3]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [3]  
[Sign:] Exfoliation, Skin  
Number of times reported: [3]  
[Sign:] Eye Disorder  
Number of times reported: [3]  
[Sign:] Flatulence  
Number of times reported: [3]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Hair, Shedding  
Number of times reported: [3]  
[Sign:] Head Bobbing  
Number of times reported: [3]  
[Sign:] Heart Failure  
Number of times reported: [3]  
[Sign:] Hepatitis  
Number of times reported: [3]  
[Sign:] Hyperkeratosis  
Number of times reported: [3]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [3]  
[Sign:] Incontinence  
Number of times reported: [3]  
[Sign:] Jerking  
Number of times reported: [3]  
[Sign:] K Lo, Bld  
Number of times reported: [3]  
[Sign:] Mydriasis  
Number of times reported: [3]  
[Sign:] Nocturia  
Number of times reported: [3]  
[Sign:] Pain  
Number of times reported: [3]  
[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [3]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [3]  
[Sign:] Platelets Hi, Bld



Number of times reported: [3]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [3]  
[Sign:] Shock  
Number of times reported: [3]  
[Sign:] Sore(s)  
Number of times reported: [3]  
[Sign:] Swelling, Pharynx/thro  
Number of times reported: [3]  
[Sign:] Tenesmus, Rectal  
Number of times reported: [3]  
[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [3]  
[Sign:] Vision Disorder  
Number of times reported: [3]  
[Sign:] Anemia, Hemolytic  
Number of times reported: [2]  
[Sign:] Anemia, Sphero  
Number of times reported: [2]  
[Sign:] Anesth Recov Prolonged  
Number of times reported: [2]  
[Sign:] Apnea  
Number of times reported: [2]  
[Sign:] Arrest, Heart  
Number of times reported: [2]  
[Sign:] Bands Hi, Bld  
Number of times reported: [2]  
[Sign:] Bile Acids Hi, Bld  
Number of times reported: [2]  
[Sign:] Bld, Eye(s)  
Number of times reported: [2]  
[Sign:] Bld(hematoma)  
Number of times reported: [2]  
[Sign:] Blepharospasm  
Number of times reported: [2]  
[Sign:] Blindness, Temp  
Number of times reported: [2]  
[Sign:] Breathing, Difficult  
Number of times reported: [2]  
[Sign:] Bun Lo, Bld

Number of times reported: [2]  
[Sign:] Cachexia  
Number of times reported: [2]  
[Sign:] Capillary Refill Prolo  
Number of times reported: [2]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [2]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [2]  
[Sign:] Congestion, Tongue  
Number of times reported: [2]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [2]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [2]  
[Sign:] Cyanosis  
Number of times reported: [2]  
[Sign:] Defecation Abn  
Number of times reported: [2]  
[Sign:] Dermatitis, Moist  
Number of times reported: [2]  
[Sign:] Diabetes  
Number of times reported: [2]  
[Sign:] Diarrhea, Projectile  
Number of times reported: [2]  
[Sign:] Digestion Disorder  
Number of times reported: [2]  
[Sign:] Dilatation, Esophagus  
Number of times reported: [2]  
[Sign:] Discharge, Nose  
Number of times reported: [2]  
[Sign:] Discomfort  
Number of times reported: [2]  
[Sign:] Distress  
Number of times reported: [2]  
[Sign:] Ecg, Abn  
Number of times reported: [2]  
[Sign:] Edema, Head/face  
Number of times reported: [2]  
[Sign:] Effusion, Pleural  
Number of times reported: [2]  
[Sign:] Electrolyte Disorder

Number of times reported: [2]  
[Sign:] Eosinos Hi, Bld  
Number of times reported: [2]  
[Sign:] Eruption(s)  
Number of times reported: [2]  
[Sign:] Estrus Behavior  
Number of times reported: [2]  
[Sign:] Exercise Intolerance  
Number of times reported: [2]  
[Sign:] Gall Bladder, Abn  
Number of times reported: [2]  
[Sign:] Gastroenteritis  
Number of times reported: [2]  
[Sign:] Gi, Abnormal  
Number of times reported: [2]  
[Sign:] Globulin Lo, Bld  
Number of times reported: [2]  
[Sign:] Grinding Teeth  
Number of times reported: [2]  
[Sign:] Head Pressing  
Number of times reported: [2]  
[Sign:] Hyperadrenocorticism  
Number of times reported: [2]  
[Sign:] Hypoadrenocorticism  
Number of times reported: [2]  
[Sign:] Hypothermia, Body  
Number of times reported: [2]  
[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [2]  
[Sign:] Ketones, Urine  
Number of times reported: [2]  
[Sign:] Kidney Disorder  
Number of times reported: [2]  
[Sign:] Kidney Values Hi, Bld  
Number of times reported: [2]  
[Sign:] Lameness  
Number of times reported: [2]  
[Sign:] Liver Disorder  
Number of times reported: [2]  
[Sign:] Mass, Skin  
Number of times reported: [2]  
[Sign:] Microorganisms, Urine

Number of times reported: [2]  
[Sign:] Myositis  
Number of times reported: [2]  
[Sign:] Neoplasm  
Number of times reported: [2]  
[Sign:] Neoplasm, Liver  
Number of times reported: [2]  
[Sign:] Odor  
Number of times reported: [2]  
[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Photophobia  
Number of times reported: [2]  
[Sign:] Pollakiuria  
Number of times reported: [2]  
[Sign:] Pr-adrenal(s), Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [2]  
[Sign:] Retina Abn  
Number of times reported: [2]  
[Sign:] Scale(s), Skin  
Number of times reported: [2]  
[Sign:] Sedation Prolonged  
Number of times reported: [2]  
[Sign:] Septicemia  
Number of times reported: [2]  
[Sign:] Spec Gravity Hi, Urine  
Number of times reported: [2]  
[Sign:] Stool, Mucoid  
Number of times reported: [2]  
[Sign:] Stranguria  
Number of times reported: [2]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Torticollis  
Number of times reported: [2]  
[Sign:] Ulcer(s), Tongue  
Number of times reported: [2]  
[Sign:] Us-liver Abn

Number of times reported: [2]  
[Sign:] Uveitis  
Number of times reported: [2]  
[Sign:] Volvulus, Stomach  
Number of times reported: [2]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [2]  
[Sign:] Abn Odor, Urine  
Number of times reported: [1]  
[Sign:] Abscess, Skin  
Number of times reported: [1]  
[Sign:] Alkaline Urine  
Number of times reported: [1]  
[Sign:] Basos Hi, Bld  
Number of times reported: [1]  
[Sign:] Bilirubin(ind) Hi, Bld  
Number of times reported: [1]  
[Sign:] Bld  
Number of times reported: [1]  
[Sign:] Bld, Incision Site  
Number of times reported: [1]  
[Sign:] Bld, Mult Sites  
Number of times reported: [1]  
[Sign:] Bld, Penis  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Bld, Retina  
Number of times reported: [1]  
[Sign:] Bld, Sclera  
Number of times reported: [1]  
[Sign:] Bld, Skin  
Number of times reported: [1]  
[Sign:] Bld, Vagina  
Number of times reported: [1]  
[Sign:] Blindness, Night  
Number of times reported: [1]  
[Sign:] Bone, Abn  
Number of times reported: [1]  
[Sign:] Calculi, Bladder  
Number of times reported: [1]  
[Sign:] Cardiomegaly

Number of times reported: [1]  
[Sign:] Casts, Urine  
Number of times reported: [1]  
[Sign:] Cataract(s)  
Number of times reported: [1]  
[Sign:] Chemistry Abn  
Number of times reported: [1]  
[Sign:] Chloride Hi, Bld  
Number of times reported: [1]  
[Sign:] Cloudy Urine  
Number of times reported: [1]  
[Sign:] Cns Infarct  
Number of times reported: [1]  
[Sign:] Conjunctivitis  
Number of times reported: [1]  
[Sign:] Coombs Test Pos  
Number of times reported: [1]  
[Sign:] Coprophagia  
Number of times reported: [1]  
[Sign:] Dic  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Discharge, Vulva  
Number of times reported: [1]  
[Sign:] Dry, Skin  
Number of times reported: [1]  
[Sign:] Dysuria  
Number of times reported: [1]  
[Sign:] Ecg Abn  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Effusion, Pericardial  
Number of times reported: [1]  
[Sign:] Enlargement(s)  
Number of times reported: [1]  
[Sign:] Enlargement(s), Skin  
Number of times reported: [1]  
[Sign:] Enteritis  
Number of times reported: [1]  
[Sign:] Erection, Abn

Number of times reported: [1]  
[Sign:] Eructation  
Number of times reported: [1]  
[Sign:] Fibrillation, Atrial  
Number of times reported: [1]  
[Sign:] Gingiva, Abn  
Number of times reported: [1]  
[Sign:] Gingivitis  
Number of times reported: [1]  
[Sign:] Granuloma, Lick  
Number of times reported: [1]  
[Sign:] Hair, Abn Color  
Number of times reported: [1]  
[Sign:] Hemoglobin, Urine  
Number of times reported: [1]  
[Sign:] Hypermotility  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Immunosuppression  
Number of times reported: [1]  
[Sign:] Improvement, Unexpect  
Number of times reported: [1]  
[Sign:] Ineffect, Weight Loss  
Number of times reported: [1]  
[Sign:] Infection  
Number of times reported: [1]  
[Sign:] Infection, Feet/digit(  
Number of times reported: [1]  
[Sign:] Irritation, Skin  
Number of times reported: [1]  
[Sign:] Joint Disorder  
Number of times reported: [1]  
[Sign:] Kicking  
Number of times reported: [1]  
[Sign:] Laryngospasm  
Number of times reported: [1]  
[Sign:] Lesion(s), Mouth/lip(s)

Number of times reported: [1]  
[Sign:] Leukoderma  
Number of times reported: [1]  
[Sign:] Lipids Hi, Bld  
Number of times reported: [1]  
[Sign:] Liver Failure  
Number of times reported: [1]  
[Sign:] Loss Of Condition  
Number of times reported: [1]  
[Sign:] Lymphs Hi, Bld  
Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Mass  
Number of times reported: [1]  
[Sign:] Mass, Abdomen  
Number of times reported: [1]  
[Sign:] Monos Hi, Bld  
Number of times reported: [1]  
[Sign:] Moribund  
Number of times reported: [1]  
[Sign:] Na Hi, Bld  
Number of times reported: [1]  
[Sign:] Necrosis  
Number of times reported: [1]  
[Sign:] Neoplasm, Lung(s)  
Number of times reported: [1]  
[Sign:] Neoplasm, Skin  
Number of times reported: [1]  
[Sign:] Nephritis  
Number of times reported: [1]  
[Sign:] Nose Abn  
Number of times reported: [1]  
[Sign:] Nystagmus, Rotary  
Number of times reported: [1]  
[Sign:] Nystagmus, Vertical  
Number of times reported: [1]  
[Sign:] Obstruction, Trachea  
Number of times reported: [1]  
[Sign:] Odor, Mouth  
Number of times reported: [1]  
[Sign:] Opacity, Cornea(s)



Number of times reported: [1]  
[Sign:] Opisthotonos  
Number of times reported: [1]  
[Sign:] Pain, Head/face  
Number of times reported: [1]  
[Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Pain, Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Neck  
Number of times reported: [1]  
[Sign:] Pancreas Disorder  
Number of times reported: [1]  
[Sign:] Papule(s)  
Number of times reported: [1]  
[Sign:] Paraesthesia, Eye(s)/l  
Number of times reported: [1]  
[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]  
[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]  
[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [1]  
[Sign:] Pd-tablet(s), Abn  
Number of times reported: [1]  
[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [1]  
[Sign:] Pica  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]  
[Sign:] Priapism  
Number of times reported: [1]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Edema

Number of times reported: [1]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-nose, Lesion(s)  
Number of times reported: [1]  
[Sign:] Prolapse, Penis  
Number of times reported: [1]  
[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]  
[Sign:] Prolapse, Tongue  
Number of times reported: [1]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]  
[Sign:] Protrusion, Eye(s)  
Number of times reported: [1]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]  
[Sign:] Pruritis, Tail  
Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Rolling  
Number of times reported: [1]  
[Sign:] Sedation Too Deep  
Number of times reported: [1]  
[Sign:] Sediment, Urine  
Number of times reported: [1]  
[Sign:] Skin, Dry  
Number of times reported: [1]  
[Sign:] Slough  
Number of times reported: [1]  
[Sign:] Slough, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Sound Abn, Voice  
Number of times reported: [1]  
[Sign:] Stiffness, Front Limb(  
Number of times reported: [1]  
[Sign:] Stomatitis

Number of times reported: [1]  
[Sign:] Swelling  
Number of times reported: [1]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [1]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [1]  
[Sign:] Tachycardia, Ventricul  
Number of times reported: [1]  
[Sign:] Tail Disorder  
Number of times reported: [1]  
[Sign:] Tech Error Administrat  
Number of times reported: [1]  
[Sign:] Teeth, Abn  
Number of times reported: [1]  
[Sign:] Tetany  
Number of times reported: [1]  
[Sign:] Thrashing/paddling  
Number of times reported: [1]  
[Sign:] Ulcer(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Skin  
Number of times reported: [1]  
[Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]  
[Sign:] Urine Abn  
Number of times reported: [1]  
[Sign:] Vaginitis  
Number of times reported: [1]  
[Sign:] Voice Disorder  
Number of times reported: [1]  
[Sign:] Wheezing  
Number of times reported: [1]  
[Sign:] Xerostomia  
Number of times reported: [1]

**[Drug:] Selegiline**

Oral, Human

- [Sign:] Nausea  
Number of times reported: [2]
- [Sign:] Pressure Hi, Bld  
Number of times reported: [2]
- [Sign:] Apprehension  
Number of times reported: [1]
- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Dizziness  
Number of times reported: [1]
- [Sign:] Eye Disorder  
Number of times reported: [1]
- [Sign:] Headache  
Number of times reported: [1]
- [Sign:] Hypoesthesia  
Number of times reported: [1]
- [Sign:] Nervousness  
Number of times reported: [1]
- [Sign:] Pain, Abdomen  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]
- [Sign:] Taste Abnormality  
Number of times reported: [1]

**[Drug:] Selegiline**

Parenteral, Dog

- [Sign:] Ineffect, Cds  
Number of times reported: [1]

**[Drug:] Selegiline**

Unknown, Dog

- [Sign:] Discharge, Mammary  
Number of times reported: [1]
- [Sign:] Interaction, Drug(s)  
Number of times reported: [1]
- [Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]
- [Sign:] Mydriasis  
Number of times reported: [1]
- [Sign:] Neoplasm, Mammary  
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv

Number of times reported: [1]

**[Drug:] Selegiline**

Zz, Not Reviewed

[Sign:] Depression/lethargy

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Missing, Cattle

[Sign:] Death

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Effusion

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Missing, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Ophthalmic, Human

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Alpaca

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [58]

[Sign:] Anaphylaxis/toid

Number of times reported: [48]

[Sign:] Dyspnea

Number of times reported: [34]

[Sign:] Recumbency

Number of times reported: [22]

[Sign:] Collapse

Number of times reported: [19]

[Sign:] Hypersalivation  
Number of times reported: [17]

[Sign:] Ataxia  
Number of times reported: [16]

[Sign:] Depression/lethargy  
Number of times reported: [16]

[Sign:] Abortion  
Number of times reported: [14]

[Sign:] Bloat  
Number of times reported: [11]

[Sign:] Birth, Premature  
Number of times reported: [10]

[Sign:] Trembling  
Number of times reported: [10]

[Sign:] Inj Site Swelling  
Number of times reported: [9]

[Sign:] Anorexia  
Number of times reported: [8]

[Sign:] Inj Site Abscess  
Number of times reported: [7]

[Sign:] Death(newborn)  
Number of times reported: [5]

[Sign:] Placenta, Retained  
Number of times reported: [5]

[Sign:] Staggering  
Number of times reported: [5]

[Sign:] Diarrhea  
Number of times reported: [4]

[Sign:] Labor, Premature  
Number of times reported: [4]

[Sign:] Death(stillborn)  
Number of times reported: [3]

[Sign:] Distress, Resp  
Number of times reported: [3]

[Sign:] Epistaxis  
Number of times reported: [3]

[Sign:] Fever, Body  
Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [3]

[Sign:] Hyperactivity  
Number of times reported: [3]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Sweating  
Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [3]

[Sign:] Ineffect  
Number of times reported: [2]

[Sign:] Inj Site Inflam  
Number of times reported: [2]

[Sign:] Polypnea  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Bilirubin, Urine  
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Dystocia  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Edema, Mammary  
Number of times reported: [1]



[Sign:] Edema, Vulva  
Number of times reported: [1]

[Sign:] Emphysema, Sq  
Number of times reported: [1]

[Sign:] Estrus Cycle Abnormal  
Number of times reported: [1]

[Sign:] Froth, Nose  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Hypertonia  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Icterus, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Irritation  
Number of times reported: [1]

[Sign:] Off Feed  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Paralysis, All Limbs  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Parturition, Abnormal  
Number of times reported: [1]

[Sign:] P Lo, Bld  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

- [Sign:] Prostration  
Number of times reported: [1]
- [Sign:] Pr-whole Body, Lesion(  
Number of times reported: [1]
- [Sign:] Reaction, Unspecified  
Number of times reported: [1]
- [Sign:] Shock  
Number of times reported: [1]
- [Sign:] Stiffness  
Number of times reported: [1]
- [Sign:] Swelling, Head/face  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]
- [Sign:] Thrashing/paddling  
Number of times reported: [1]
- [Sign:] Udder, Hypogalactia  
Number of times reported: [1]
- [Sign:] Udder, Swelling  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]
- [Sign:] Vocalization  
Number of times reported: [1]
- [Sign:] Wbc Lo, Bld  
Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Dog

- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Congestion, Skin  
Number of times reported: [1]
- [Sign:] Edema, Head/face  
Number of times reported: [1]
- [Sign:] Polypnea  
Number of times reported: [1]
- [Sign:] Trembling  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Goat

[Sign:] Death

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Balance Disorder

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Jerking

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Horse

[Sign:] Death

Number of times reported: [59]

[Sign:] Anaphylaxis/toid

Number of times reported: [47]

[Sign:] Collapse

Number of times reported: [30]

[Sign:] Pain, Abdomen

Number of times reported: [21]

[Sign:] Ataxia

Number of times reported: [14]

[Sign:] Sweating

Number of times reported: [12]

[Sign:] Dyspnea

Number of times reported: [8]

[Sign:] Inj Site Swelling

Number of times reported: [8]

[Sign:] Recumbency

Number of times reported: [7]

[Sign:] Trembling

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Inj Site Pain

Number of times reported: [6]

[Sign:] Pallor, Mucous Membran

Number of times reported: [6]

[Sign:] Hyperpnea

Number of times reported: [5]

[Sign:] Distress, Resp

Number of times reported: [4]

[Sign:] Shaking  
Number of times reported: [4]

[Sign:] Shock  
Number of times reported: [4]

[Sign:] Tachycardia  
Number of times reported: [4]

[Sign:] Weakness  
Number of times reported: [4]

[Sign:] Discomfort  
Number of times reported: [3]

[Sign:] Inj Site Abn  
Number of times reported: [3]

[Sign:] Inj Site Abscess  
Number of times reported: [3]

[Sign:] Staggering  
Number of times reported: [3]

[Sign:] Vocalization  
Number of times reported: [3]

[Sign:] Bradycardia  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Hyperactivity  
Number of times reported: [2]

[Sign:] Labor, Premature  
Number of times reported: [2]

[Sign:] Nervousness  
Number of times reported: [2]

[Sign:] Pallor  
Number of times reported: [2]

[Sign:] Pawing  
Number of times reported: [2]

[Sign:] Swelling, Neck  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Abortion  
Number of times reported: [1]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Defecation  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Head Pressing  
Number of times reported: [1]

[Sign:] Hematochezia  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Inj Site Inflam  
Number of times reported: [1]

[Sign:] Inj Site Phlebitis  
Number of times reported: [1]

[Sign:] Inj Site Sterile Absce  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Prostration  
Number of times reported: [1]

[Sign:] Pr-pericardial Effusio  
Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Spasm  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(  
Number of times reported: [1]

[Sign:] Stiffness, Neck  
Number of times reported: [1]

[Sign:] Stumbling  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Urination  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Human

[Sign:] Death  
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)  
Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Other

[Sign:] Ineffect  
Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Pig

[Sign:] Abortion

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Parenteral, Sheep

[Sign:] Death

Number of times reported: [19]

[Sign:] Abortion

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Dyspnea

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Bloat

Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Death(newborn)

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Nervousness



Number of times reported: [2]  
[Sign:] Pain, Abdomen  
Number of times reported: [2]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Bld, Mult Sites  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Death(stillborn)  
Number of times reported: [1]  
[Sign:] Diarrhea  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Inject Site Sepsis  
Number of times reported: [1]  
[Sign:] Inj Site Pain  
Number of times reported: [1]  
[Sign:] Inj Site Swelling  
Number of times reported: [1]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Prostration  
Number of times reported: [1]  
[Sign:] Pr-pleural Effusion  
Number of times reported: [1]  
[Sign:] Staggering  
Number of times reported: [1]  
[Sign:] Stiffness  
Number of times reported: [1]  
[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Unknown, Cattle

[Sign:] Death

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [4]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Death(newborn)

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Birth, Premature

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Unknown, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Unknown, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Unknown, Pig

[Sign:] Death

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Unknown, Sheep

[Sign:] Death

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Various, Cattle

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

**[Drug:] Selenium, Vitamin E**

Various, Horse

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

**[Drug:] Semiduramicin**

Topical, Human

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Bird

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Ecg, Abn

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Cat

[Sign:] Death

Number of times reported: [22]

[Sign:] Arrest, Heart

Number of times reported: [17]

[Sign:] Apnea

Number of times reported: [15]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Blindness  
Number of times reported: [3]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [3]

[Sign:] Anesth Recov Turbulent  
Number of times reported: [2]

[Sign:] Ataxia  
Number of times reported: [2]

[Sign:] Blindness, Temp  
Number of times reported: [2]

[Sign:] Bradycardia  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [2]

[Sign:] Icterus, Body  
Number of times reported: [2]

[Sign:] Opisthotonos  
Number of times reported: [2]

[Sign:] Pressure Lo, Bld  
Number of times reported: [2]

[Sign:] Spasm  
Number of times reported: [2]

[Sign:] Anesth Duration Brief  
Number of times reported: [1]

[Sign:] Anesth Induction Prolonged  
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]

[Sign:] Anesth Too Deep  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Blindness, Partial  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Breathing, Periodic  
Number of times reported: [1]

[Sign:] Circling  
Number of times reported: [1]

[Sign:] Coagulation Disorder  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Cpk Hi, Bld  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Hiding  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Pr-heartworm Disease  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Pr-pleural Effusion  
Number of times reported: [1]

[Sign:] Radiograph(s) Abn  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Dog

[Sign:] Death  
Number of times reported: [81]

[Sign:] Arrest, Heart  
Number of times reported: [66]

[Sign:] Apnea  
Number of times reported: [58]

[Sign:] Bradycardia  
Number of times reported: [22]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [13]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [8]

[Sign:] Cyanosis  
Number of times reported: [7]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [7]

[Sign:] Fever, Body  
Number of times reported: [7]

[Sign:] Hyperpnea



Number of times reported: [6]  
[Sign:] Hypopnea  
Number of times reported: [6]  
[Sign:] Mydriasis  
Number of times reported: [6]  
[Sign:] Pressure Lo, Bld  
Number of times reported: [6]  
[Sign:] Respiratory Disorder  
Number of times reported: [6]  
[Sign:] Anesth Recov Turbulent  
Number of times reported: [5]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [5]  
[Sign:] Polypnea  
Number of times reported: [5]  
[Sign:] Tachycardia  
Number of times reported: [5]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [4]  
[Sign:] Dyspnea  
Number of times reported: [4]  
[Sign:] Hypersalivation  
Number of times reported: [4]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [4]  
[Sign:] Distress, Resp  
Number of times reported: [3]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [3]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [3]  
[Sign:] Recumbency  
Number of times reported: [3]  
[Sign:] Shaking  
Number of times reported: [3]  
[Sign:] Tachycardia, Ventricul  
Number of times reported: [3]  
[Sign:] Vocalization  
Number of times reported: [3]  
[Sign:] Anesth Too Deep  
Number of times reported: [2]  
[Sign:] Arrhythmia

Number of times reported: [2]  
[Sign:] Blindness  
Number of times reported: [2]  
[Sign:] Capillary Refill Prolo  
Number of times reported: [2]  
[Sign:] Confusion  
Number of times reported: [2]  
[Sign:] Convulsion(s)  
Number of times reported: [2]  
[Sign:] Deafness  
Number of times reported: [2]  
[Sign:] Death(newborn)  
Number of times reported: [2]  
[Sign:] Depression/lethargy  
Number of times reported: [2]  
[Sign:] Ecg Abn  
Number of times reported: [2]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [2]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]  
[Sign:] Hyperactivity  
Number of times reported: [2]  
[Sign:] Hypothermia  
Number of times reported: [2]  
[Sign:] Hypothermia, Body  
Number of times reported: [2]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [2]  
[Sign:] Polycythemia  
Number of times reported: [2]  
[Sign:] Pulse Thready  
Number of times reported: [2]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [2]  
[Sign:] Reflex(es) Abn  
Number of times reported: [2]  
[Sign:] Thrashing/paddling  
Number of times reported: [2]  
[Sign:] Trembling  
Number of times reported: [2]  
[Sign:] Anemia

Number of times reported: [1]  
[Sign:] Anesth Induc Turbulent  
Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Bld(petechiae)  
Number of times reported: [1]  
[Sign:] Breathing, Periodic  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Co2 Hi, Bld  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Death(stillborn)  
Number of times reported: [1]  
[Sign:] Dilatation, Stomach  
Number of times reported: [1]  
[Sign:] Fibrillation, Ventricu  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [1]  
[Sign:] Hematochezia  
Number of times reported: [1]  
[Sign:] Jerking  
Number of times reported: [1]  
[Sign:] K Lo, Bld  
Number of times reported: [1]  
[Sign:] Laryngitis  
Number of times reported: [1]  
[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]  
[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Nystagmus

Number of times reported: [1]  
[Sign:] Pain, Back  
Number of times reported: [1]  
[Sign:] Pallor  
Number of times reported: [1]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] P Hi, Bld  
Number of times reported: [1]  
[Sign:] P Lo, Bld  
Number of times reported: [1]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]  
[Sign:] Pr-nose, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [1]  
[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]  
[Sign:] Stool Abn  
Number of times reported: [1]  
[Sign:] Swelling, Head/face  
Number of times reported: [1]  
[Sign:] Urticaria  
Number of times reported: [1]  
[Sign:] Us Abn  
Number of times reported: [1]  
[Sign:] Vision Disorder  
Number of times reported: [1]  
[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weakness, Newborn

Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Goat

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Horse

[Sign:] Pressure Lo, Bld

Number of times reported: [2]

[Sign:] Anesth Duration Brief

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Congestion, Mucous Mem

Number of times reported: [1]

[Sign:] Mucous Membr, Red

Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Human

[Sign:] Dizziness

Number of times reported: [3]

- [Sign:] Nausea  
Number of times reported: [2]
- [Sign:] Accidental Exposure  
Number of times reported: [1]
- [Sign:] Congestion, Skin  
Number of times reported: [1]
- [Sign:] Hair, Abn  
Number of times reported: [1]
- [Sign:] Headache  
Number of times reported: [1]
- [Sign:] Human Exposure  
Number of times reported: [1]
- [Sign:] Human Exposure, Inhala  
Number of times reported: [1]
- [Sign:] Lesion(s), Skin  
Number of times reported: [1]
- [Sign:] Pd-product Defect  
Number of times reported: [1]
- [Sign:] Slough, Skin  
Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Parrot

- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Distress, Resp  
Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Rabbit

- [Sign:] Arrest, Heart  
Number of times reported: [1]
- [Sign:] Bradycardia  
Number of times reported: [1]
- [Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Distress  
Number of times reported: [1]
- [Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

**[Drug:] Sevoflurane**

Inhalation, Various

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Sevoflurane**

Missing, Cat

[Sign:] Death

Number of times reported: [1]

**[Drug:] Sevoflurane**

Unknown, Dog

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Anesth Duration Brief

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Sevoflurane**

Unknown, Raptor

[Sign:] Death

Number of times reported: [1]

**[Drug:] Shampoos/soaps**

Topical, Cat

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Shampoos/soaps**

Topical, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Bld(purpura)

Number of times reported: [1]



- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Fever, Body  
Number of times reported: [1]
- [Sign:] Hyperesthesia  
Number of times reported: [1]
- [Sign:] Infection, Skin  
Number of times reported: [1]
- [Sign:] Inflammation, Skin  
Number of times reported: [1]
- [Sign:] Macule(s)  
Number of times reported: [1]
- [Sign:] Mydriasis  
Number of times reported: [1]
- [Sign:] Pallor, Abn  
Number of times reported: [1]
- [Sign:] Pruritis  
Number of times reported: [1]
- [Sign:] Pustule(s)  
Number of times reported: [1]
- [Sign:] Rash  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]
- [Sign:] Ulcer(s), Skin  
Number of times reported: [1]

**[Drug:] Shampoos/soaps**

Topical, Human

- [Sign:] Distress, Resp  
Number of times reported: [4]
- [Sign:] Urticaria  
Number of times reported: [2]
- [Sign:] Anaphylaxis/toxic  
Number of times reported: [1]
- [Sign:] Application Site Erythema  
Number of times reported: [1]
- [Sign:] Application Site Pruritis  
Number of times reported: [1]
- [Sign:] Choking  
Number of times reported: [1]
- [Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Silver Sulfadiazine**

Topical, Dog

[Sign:] Application Site Abnormal

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Embolus

Number of times reported: [1]

**[Drug:] Sodium Chloride**

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

**[Drug:] Somatostatin**

Defect, Not Applicable

[Sign:] Pd-syringe, Abn  
Number of times reported: [113]

[Sign:] Pd-suspension, Abn  
Number of times reported: [40]

[Sign:] Pd-dispenser, Abn  
Number of times reported: [14]

[Sign:] Pd-underfill, Tube(s)  
Number of times reported: [10]

[Sign:] Pd-cap(s), Abn  
Number of times reported: [4]

[Sign:] Pd-underfill, Package  
Number of times reported: [2]

[Sign:] Pd-defect Unknown  
Number of times reported: [1]

[Sign:] Pd-tube(s), Abn  
Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [1]

[Sign:] Pd-vial(s), Abn  
Number of times reported: [1]

**[Drug:] Sometribove**

Missing, Cattle

[Sign:] Hoof Disorder  
Number of times reported: [3]

[Sign:] Ineffect, Milk Prod  
Number of times reported: [3]

[Sign:] Udder, Hypogalactia  
Number of times reported: [3]

[Sign:] Fertility, Reduced  
Number of times reported: [2]

[Sign:] Ineffect, Production (milk)  
Number of times reported: [2]

[Sign:] Inj Site Swelling  
Number of times reported: [2]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Birth, Multiple  
Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Death(stillborn)

Number of times reported: [1]

[Sign:] Infection, Feet/digit(

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Reproduction Disorder

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Sometribove**

Not Applicable, Human

[Sign:] Inj Site Pain

Number of times reported: [9]

[Sign:] Inj Site Swelling

Number of times reported: [8]

[Sign:] Human Exposure, Inj

Number of times reported: [7]

[Sign:] Human Exposure, Hand(s

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Stiffness, Hand(s)

Number of times reported: [1]

**[Drug:] Sometribove**

Oral, Human

[Sign:] Arthritis

Number of times reported: [1]

[Sign:] Chemistry Abn

Number of times reported: [1]

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Eruption(s)

Number of times reported: [1]

[Sign:] Flatulence

Number of times reported: [1]

[Sign:] Human Exposure, Ingest

Number of times reported: [1]

[Sign:] Joint Disorder

Number of times reported: [1]

[Sign:] Odor, Mouth

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Muscle(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Sometribove**

Parenteral, Cattle

[Sign:] Udder, Mastitis

Number of times reported: [391]

[Sign:] Wbc Hi, Milk

Number of times reported: [326]

[Sign:] Inj Site Swelling

Number of times reported: [240]

[Sign:] Fertility, Reduced

Number of times reported: [198]

[Sign:] Udder, Swelling

Number of times reported: [158]

[Sign:] Weight Loss

Number of times reported: [139]

[Sign:] Abortion

Number of times reported: [116]

[Sign:] Birth, Multiple

Number of times reported: [95]  
[Sign:] Inj Site Abscess  
Number of times reported: [90]  
[Sign:] Ineffect, Milk Prod  
Number of times reported: [76]  
[Sign:] Lameness  
Number of times reported: [72]  
[Sign:] Hoof Disorder  
Number of times reported: [71]  
[Sign:] Udder, Hypogalactia  
Number of times reported: [68]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [64]  
[Sign:] Death  
Number of times reported: [57]  
[Sign:] Anorexia  
Number of times reported: [40]  
[Sign:] Ineffect  
Number of times reported: [38]  
[Sign:] Udder, Milk Abn  
Number of times reported: [36]  
[Sign:] Udder, Abn  
Number of times reported: [34]  
[Sign:] Laminitis  
Number of times reported: [31]  
[Sign:] Death(slaughtered)  
Number of times reported: [26]  
[Sign:] Inj Site Abn  
Number of times reported: [25]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [22]  
[Sign:] Displaced Abomasum  
Number of times reported: [19]  
[Sign:] Udder, Hard  
Number of times reported: [18]  
[Sign:] Udder, Lact Slow Onset  
Number of times reported: [18]  
[Sign:] Reproduction Disorder  
Number of times reported: [16]  
[Sign:] Loss Of Condition  
Number of times reported: [15]  
[Sign:] Acidosis, Rumen

Number of times reported: [14]  
[Sign:] Diarrhea  
Number of times reported: [14]  
[Sign:] Inj Site Fibrosis  
Number of times reported: [14]  
[Sign:] Placenta, Retained  
Number of times reported: [14]  
[Sign:] Stiffness  
Number of times reported: [14]  
[Sign:] Ill  
Number of times reported: [13]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [11]  
[Sign:] Birth, Premature  
Number of times reported: [11]  
[Sign:] Bloat  
Number of times reported: [11]  
[Sign:] Fever, Body  
Number of times reported: [10]  
[Sign:] Recumbency  
Number of times reported: [10]  
[Sign:] Death(stillborn)  
Number of times reported: [9]  
[Sign:] Ineffect, Production (milk)  
Number of times reported: [9]  
[Sign:] Pain, Feet/digit(s)  
Number of times reported: [9]  
[Sign:] Birth Weight Lo  
Number of times reported: [7]  
[Sign:] Ovaries, Cystic  
Number of times reported: [7]  
[Sign:] Udder, Teat(s) Disorde  
Number of times reported: [7]  
[Sign:] Collapse  
Number of times reported: [6]  
[Sign:] Leg Disorder  
Number of times reported: [6]  
[Sign:] Urticaria  
Number of times reported: [6]  
[Sign:] Acidosis  
Number of times reported: [5]  
[Sign:] Ca Lo, Bld

Number of times reported: [5]  
[Sign:] Inj Site Inflam  
Number of times reported: [5]  
[Sign:] Ketosis  
Number of times reported: [5]  
[Sign:] Pd-potency, Lo  
Number of times reported: [5]  
[Sign:] Birth Defect(s)  
Number of times reported: [4]  
[Sign:] Dystocia  
Number of times reported: [4]  
[Sign:] Estrus Cycle Abnormal  
Number of times reported: [4]  
[Sign:] Fertility, Lack Of  
Number of times reported: [4]  
[Sign:] Inj Site Infect  
Number of times reported: [4]  
[Sign:] Inj Site Pain  
Number of times reported: [4]  
[Sign:] Inj Site Sterile Absce  
Number of times reported: [4]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [4]  
[Sign:] Pr-bld Vessel(s), Lesi  
Number of times reported: [4]  
[Sign:] Swelling  
Number of times reported: [4]  
[Sign:] Weakness  
Number of times reported: [4]  
[Sign:] Bld  
Number of times reported: [3]  
[Sign:] Depression/lethargy  
Number of times reported: [3]  
[Sign:] Dyspnea  
Number of times reported: [3]  
[Sign:] Lesion(s), Skin  
Number of times reported: [3]  
[Sign:] Locomotion Disorder  
Number of times reported: [3]  
[Sign:] Nervousness  
Number of times reported: [3]  
[Sign:] Skin Disorder



Number of times reported: [3]  
[Sign:] Udder, Dysgalactia  
Number of times reported: [3]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [3]  
[Sign:] Abscess, Skin  
Number of times reported: [2]  
[Sign:] Anestrus  
Number of times reported: [2]  
[Sign:] Death(euthanized)  
Number of times reported: [2]  
[Sign:] Dehydration  
Number of times reported: [2]  
[Sign:] Diarrhea, Mild  
Number of times reported: [2]  
[Sign:] Edema, Limb(s)  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Ineffect, Milk Letdown  
Number of times reported: [2]  
[Sign:] Infection, Feet/digit(  
Number of times reported: [2]  
[Sign:] Inj Site Edema  
Number of times reported: [2]  
[Sign:] Inj Site Mass  
Number of times reported: [2]  
[Sign:] Ketones, Urine  
Number of times reported: [2]  
[Sign:] Liver Disorder  
Number of times reported: [2]  
[Sign:] Metritis  
Number of times reported: [2]  
[Sign:] Ovaries, Cystic  
Number of times reported: [2]  
[Sign:] Reaction, Unspecified  
Number of times reported: [2]  
[Sign:] Reluctant To Move  
Number of times reported: [2]  
[Sign:] Shaking  
Number of times reported: [2]  
[Sign:] Sore(s)

Number of times reported: [2]  
[Sign:] Udder, Agalactia  
Number of times reported: [2]  
[Sign:] Udder, Milk Curve Abn  
Number of times reported: [2]  
[Sign:] Ulcer(s), Feet/digit(s)  
Number of times reported: [2]  
[Sign:] Weakness, Newborn  
Number of times reported: [2]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Arthritis  
Number of times reported: [1]  
[Sign:] Arthritis, Septic  
Number of times reported: [1]  
[Sign:] Birth Weight Hi  
Number of times reported: [1]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Bld, Passing  
Number of times reported: [1]  
[Sign:] Bld, Urine  
Number of times reported: [1]  
[Sign:] Cachexia  
Number of times reported: [1]  
[Sign:] Circulatory Disorder  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Death(newborn)  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Diarrhea, Watery  
Number of times reported: [1]  
[Sign:] Diestrus, Prolonged  
Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Digestion Disorder

Number of times reported: [1]  
[Sign:] Distress  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Edema, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Enlargement(s)  
Number of times reported: [1]  
[Sign:] Epiphora  
Number of times reported: [1]  
[Sign:] Gi, Abnormal  
Number of times reported: [1]  
[Sign:] Heart Disorder  
Number of times reported: [1]  
[Sign:] Infection  
Number of times reported: [1]  
[Sign:] Infection, Uterus  
Number of times reported: [1]  
[Sign:] Inj Site Effusion  
Number of times reported: [1]  
[Sign:] Inj Site Induration  
Number of times reported: [1]  
[Sign:] Inj Site Necrosis  
Number of times reported: [1]  
[Sign:] Joint Disorder  
Number of times reported: [1]  
[Sign:] K Lo, Bld  
Number of times reported: [1]  
[Sign:] Labor, Premature  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Neoplasm, Lymph Node(s)  
Number of times reported: [1]  
[Sign:] Off Feed  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Paralysis, Hind Limb(s)

Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pd-color, Abn  
Number of times reported: [1]  
[Sign:] Pd-suspension, Abn  
Number of times reported: [1]  
[Sign:] P Hi, Bld  
Number of times reported: [1]  
[Sign:] Pica  
Number of times reported: [1]  
[Sign:] Polyphagia  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Poor Performance  
Number of times reported: [1]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]  
[Sign:] Pr-udder, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Pustule(s)  
Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Rupture  
Number of times reported: [1]  
[Sign:] Swelling, Brisket/ches  
Number of times reported: [1]  
[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Swelling, Mammary  
Number of times reported: [1]  
[Sign:] Trembling  
Number of times reported: [1]  
[Sign:] Udder, Cyanosis  
Number of times reported: [1]  
[Sign:] Udder, Fever

Number of times reported: [1]

[Sign:] Udder, Pain

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

**[Drug:] Sometribove**

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [29]

[Sign:] Inj Site Swelling

Number of times reported: [25]

[Sign:] Inj Site Inflamm

Number of times reported: [11]

[Sign:] Inj Site Bld

Number of times reported: [4]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Inj Site Edema

Number of times reported: [3]

[Sign:] Bld(purpura)

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Human Exposure, Inj

Number of times reported: [2]

[Sign:] Hypoesthesia

Number of times reported: [2]

[Sign:] Inj Site Infect

Number of times reported: [2]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Rash

Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)  
Number of times reported: [1]

[Sign:] Inject Site Sepsis  
Number of times reported: [1]

[Sign:] Inj Site Abscess  
Number of times reported: [1]

[Sign:] Inj Site Necrosis  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Inj Site Stiffness  
Number of times reported: [1]

[Sign:] Irritation  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Paresthesia  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Udder, Swelling  
Number of times reported: [1]

**[Drug:] Sometribove**

Topical, Human

[Sign:] Lesion(s), Skin

Number of times reported: [1]

**[Drug:] Sometribove**

Unknown, Cattle

[Sign:] Ineffect, Milk Prod

Number of times reported: [16]

[Sign:] Inj Site Swelling

Number of times reported: [11]

[Sign:] Udder, Mastitis

Number of times reported: [11]

[Sign:] Wbc Hi, Milk

Number of times reported: [9]

[Sign:] Reproduction Disorder

Number of times reported: [7]

[Sign:] Death

Number of times reported: [5]

[Sign:] Ineffect, Production (milk)

Number of times reported: [5]

[Sign:] Abortion

Number of times reported: [4]

[Sign:] Hoof Disorder

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Udder, Hypogalactia

Number of times reported: [3]

[Sign:] Udder, Milk Abn

Number of times reported: [3]

[Sign:] Weight Loss

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Birth, Multiple

Number of times reported: [2]

[Sign:] Bone, Abn

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Estrus Cycle Abnormal

Number of times reported: [2]  
[Sign:] Ineffect, Antibiotic  
Number of times reported: [2]  
[Sign:] Lameness  
Number of times reported: [2]  
[Sign:] Leg Disorder  
Number of times reported: [2]  
[Sign:] Udder, Swelling  
Number of times reported: [2]  
[Sign:] Udder, Teat(s) Disorde  
Number of times reported: [2]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Diarrhea  
Number of times reported: [1]  
[Sign:] Diarrhea, Mild  
Number of times reported: [1]  
[Sign:] Displaced Abomasum  
Number of times reported: [1]  
[Sign:] Effusion, Joint(s)  
Number of times reported: [1]  
[Sign:] Ineffect  
Number of times reported: [1]  
[Sign:] Infection  
Number of times reported: [1]  
[Sign:] Inj Site Abscess  
Number of times reported: [1]  
[Sign:] Inj Site Mass  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Ovaries, Cystic  
Number of times reported: [1]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [1]  
[Sign:] Placenta, Abnormal  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)



Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Tech Error

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Volvulus

Number of times reported: [1]

**[Drug:] Sometribove**

Unknown, Human

[Sign:] Accidental Exposure

Number of times reported: [5]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [2]

[Sign:] Human Exposure, Inj

Number of times reported: [2]

[Sign:] Inj Site Inflamm

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

**[Drug:] Sometribove**

Various, Cattle

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Hoof Disorder

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Spectinomycin**

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

**[Drug:] Spectinomycin**

Oral, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

**[Drug:] Spectinomycin**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [9]

[Sign:] Ineffect, Antibiotic

Number of times reported: [4]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [4]

[Sign:] Death(tx Failure)

Number of times reported: [3]

[Sign:] Residue, Milk

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [2]

[Sign:] Shock

Number of times reported: [2]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Obstruction, Intestine

Number of times reported: [1]

[Sign:] Prostration

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

**[Drug:] Spectinomycin**

Unknown, Cattle

[Sign:] No Signs

Number of times reported: [1]

**[Drug:] Spinosad**

Defect, Not Applicable

[Sign:] Unpalatable, Won't Eat

Number of times reported: [385]

[Sign:] Unpalatable

Number of times reported: [152]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [126]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [112]

[Sign:] Pd-odor, Abn

Number of times reported: [86]

[Sign:] Pd-product Defect

Number of times reported: [37]

[Sign:] Pd-underfill, Package  
Number of times reported: [16]

[Sign:] Pd-container(s), Damag  
Number of times reported: [6]

[Sign:] Pd-defect Unknown  
Number of times reported: [5]

[Sign:] No Signs  
Number of times reported: [3]

[Sign:] Pd-container(s), Abn  
Number of times reported: [3]

[Sign:] Pd-label(s), Abn  
Number of times reported: [3]

[Sign:] Accidental Exposure  
Number of times reported: [2]

[Sign:] Pd-contam, Mold  
Number of times reported: [2]

[Sign:] Pd-missing, Label(s)  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Odor  
Number of times reported: [1]

[Sign:] Pd-contamination  
Number of times reported: [1]

[Sign:] Unknown  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Spinosad**

Inhalation, Human

[Sign:] Headache  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Pain, Brisket/chest  
Number of times reported: [1]

**[Drug:] Spinosad**

Intramammary, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Spinosad**

Intrauterine, Dog

[Sign:] Birth Defect(s), Head/

Number of times reported: [1]

[Sign:] Birth, Premature

Number of times reported: [1]

[Sign:] Bone, Abn

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Death(stillborn)

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Hair, Abn Color

Number of times reported: [1]

[Sign:] Leukoderma

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

**[Drug:] Spinosad**

Missing, Dog

[Sign:] Unpalatable, Won't Eat

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

**[Drug:] Spinosad**

Missing, Human

[Sign:] Nausea

Number of times reported: [1]

**[Drug:] Spinosad**

Not Applicable, Dog

[Sign:] Unpalatable, Won't Eat

Number of times reported: [3]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

**[Drug:] Spinosad**

Not Applicable, Human

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Spinosad**

Not Applicable, Unknown

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [1]

**[Drug:] Spinosad**

Ophthalmic, Human

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Spinosad**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [142]

[Sign:] Depression/lethargy

Number of times reported: [56]

[Sign:] Anorexia

Number of times reported: [20]

[Sign:] Hyperactivity

Number of times reported: [12]

[Sign:] Diarrhea

Number of times reported: [9]

[Sign:] Pruritis

Number of times reported: [9]

[Sign:] Ataxia

Number of times reported: [8]

[Sign:] Vocalization

Number of times reported: [8]

[Sign:] Accidental Exposure

Number of times reported: [7]

[Sign:] Polypnea

Number of times reported: [6]

[Sign:] Death(euthanized)

Number of times reported: [5]

[Sign:] Weight Loss

Number of times reported: [5]

[Sign:] Apprehension

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Coughing

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Fever, Body

Number of times reported: [4]

[Sign:] Hiding

Number of times reported: [4]

[Sign:] Hypersalivation

Number of times reported: [4]

[Sign:] Nervousness

Number of times reported: [4]  
[Sign:] Polydipsia  
Number of times reported: [4]  
[Sign:] Anemia  
Number of times reported: [3]  
[Sign:] Behavior Disorder  
Number of times reported: [3]  
[Sign:] Dehydration  
Number of times reported: [3]  
[Sign:] Ineffect, Fleas  
Number of times reported: [3]  
[Sign:] Adipsia  
Number of times reported: [2]  
[Sign:] Aggression  
Number of times reported: [2]  
[Sign:] Dyspnea  
Number of times reported: [2]  
[Sign:] Gagging  
Number of times reported: [2]  
[Sign:] Hematochezia  
Number of times reported: [2]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [2]  
[Sign:] Licking  
Number of times reported: [2]  
[Sign:] Mydriasis  
Number of times reported: [2]  
[Sign:] Prolapse, Third Eyelid  
Number of times reported: [2]  
[Sign:] Shaking  
Number of times reported: [2]  
[Sign:] Sneezing  
Number of times reported: [2]  
[Sign:] Stupor  
Number of times reported: [2]  
[Sign:] Twitch  
Number of times reported: [2]  
[Sign:] Unpalatable, Won't Eat  
Number of times reported: [2]  
[Sign:] Vomiting, Unproductive  
Number of times reported: [2]  
[Sign:] Weakness



Number of times reported: [2]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Anisocoria  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Bld, Urine  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Bun Lo, Bld  
Number of times reported: [1]  
[Sign:] Co2 Lo, Bld  
Number of times reported: [1]  
[Sign:] Colitis  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Defecation Abn  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Dysuria  
Number of times reported: [1]  
[Sign:] Elimination Abn  
Number of times reported: [1]  
[Sign:] Eosinos Hi, Bld

Number of times reported: [1]  
[Sign:] Eosinos Lo, Bld  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Hyperesthesia  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Inflamm, Skin  
Number of times reported: [1]  
[Sign:] Kidney Disorder  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Nausea  
Number of times reported: [1]  
[Sign:] No Signs  
Number of times reported: [1]  
[Sign:] Otitis  
Number of times reported: [1]  
[Sign:] Pacing  
Number of times reported: [1]  
[Sign:] Pain, Abdomen  
Number of times reported: [1]  
[Sign:] Paresis  
Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld

Number of times reported: [1]  
[Sign:] P Lo, Bld  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Protein, Urine  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Recumbency  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Sediment, Urine  
Number of times reported: [1]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Somnolence  
Number of times reported: [1]  
[Sign:] Spasm  
Number of times reported: [1]  
[Sign:] Spec Gravity Hi, Urine  
Number of times reported: [1]  
[Sign:] Staggering  
Number of times reported: [1]  
[Sign:] Stranguria  
Number of times reported: [1]  
[Sign:] Tachycardia  
Number of times reported: [1]  
[Sign:] Tenesmus, Urinary  
Number of times reported: [1]  
[Sign:] Unpalatable  
Number of times reported: [1]  
[Sign:] Unpalatable, Won't Swa  
Number of times reported: [1]  
[Sign:] Urination  
Number of times reported: [1]  
[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

**[Drug:] Spinosad**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [9,024]

[Sign:] Depression/lethargy

Number of times reported: [2,968]

[Sign:] Ineffect, Fleas

Number of times reported: [1,332]

[Sign:] Anorexia

Number of times reported: [1,153]

[Sign:] Pruritis

Number of times reported: [946]

[Sign:] Diarrhea

Number of times reported: [815]

[Sign:] Convulsion(s)

Number of times reported: [801]

[Sign:] Trembling

Number of times reported: [695]

[Sign:] Ataxia

Number of times reported: [672]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [395]

[Sign:] Hypersalivation

Number of times reported: [391]

[Sign:] Interaction, Drug(s)

Number of times reported: [317]

[Sign:] Summary Review, Vomiting

Number of times reported: [240]

[Sign:] Shaking

Number of times reported: [235]

[Sign:] Congestion, Skin

Number of times reported: [226]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [224]

[Sign:] Death  
Number of times reported: [221]

[Sign:] Polypnea  
Number of times reported: [189]

[Sign:] Vocalization  
Number of times reported: [189]

[Sign:] Polydipsia  
Number of times reported: [187]

[Sign:] Fever, Body  
Number of times reported: [184]

[Sign:] Urticaria  
Number of times reported: [182]

[Sign:] Alopecia  
Number of times reported: [178]

[Sign:] Confusion  
Number of times reported: [175]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [173]

[Sign:] Hyperactivity  
Number of times reported: [169]

[Sign:] Nervousness  
Number of times reported: [157]

[Sign:] Twitch  
Number of times reported: [144]

[Sign:] Mydriasis  
Number of times reported: [137]

[Sign:] Diarrhea, Bloody  
Number of times reported: [124]

[Sign:] Death(euthanized)  
Number of times reported: [117]

[Sign:] Inflam, Skin  
Number of times reported: [114]

[Sign:] Weight Loss  
Number of times reported: [100]

[Sign:] Bun Hi, Bld  
Number of times reported: [94]

[Sign:] Pain, Abdomen  
Number of times reported: [94]

[Sign:] Behavior Disorder  
Number of times reported: [91]

[Sign:] Coughing  
Number of times reported: [91]

[Sign:] Dyspnea  
Number of times reported: [91]

[Sign:] Stupor  
Number of times reported: [86]

[Sign:] Anaphylaxis/toid  
Number of times reported: [85]

[Sign:] Dehydration  
Number of times reported: [85]

[Sign:] Rash  
Number of times reported: [81]

[Sign:] Recumbency  
Number of times reported: [80]

[Sign:] Apprehension  
Number of times reported: [79]

[Sign:] Wbc Hi, Bld  
Number of times reported: [78]

[Sign:] Adipsia  
Number of times reported: [76]

[Sign:] Polyuria  
Number of times reported: [75]

[Sign:] Collapse  
Number of times reported: [70]

[Sign:] Anemia  
Number of times reported: [68]

[Sign:] Diarrhea, Mild  
Number of times reported: [68]

[Sign:] Weakness  
Number of times reported: [65]

[Sign:] Aggression  
Number of times reported: [63]

[Sign:] Staggering  
Number of times reported: [61]

[Sign:] Infection, Skin  
Number of times reported: [60]

[Sign:] Accidental Exposure  
Number of times reported: [59]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [59]

[Sign:] Platelets Lo, Bld  
Number of times reported: [59]

[Sign:] Tachycardia  
Number of times reported: [59]

[Sign:] Nausea  
Number of times reported: [58]

[Sign:] Pd-odor, Abn  
Number of times reported: [57]

[Sign:] Radiograph(s) Abn  
Number of times reported: [57]

[Sign:] Swelling, Head/face  
Number of times reported: [56]

[Sign:] Lesion(s), Skin  
Number of times reported: [50]

[Sign:] Unpalatable  
Number of times reported: [50]

[Sign:] Blindness  
Number of times reported: [49]

[Sign:] Blindness, Temp  
Number of times reported: [48]

[Sign:] Pain  
Number of times reported: [48]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [48]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [47]

[Sign:] Reluctant To Move  
Number of times reported: [47]

[Sign:] Glucose Hi, Bld  
Number of times reported: [46]

[Sign:] Neurological Disorder  
Number of times reported: [46]

[Sign:] Dermatitis, Moist  
Number of times reported: [44]

[Sign:] Vomiting, Bloody  
Number of times reported: [44]

[Sign:] Head Tilt  
Number of times reported: [43]

[Sign:] Hiding  
Number of times reported: [43]

[Sign:] Incontinence, Urinary  
Number of times reported: [43]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [42]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [41]

[Sign:] Staring  
Number of times reported: [41]

[Sign:] Pacing  
Number of times reported: [40]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [40]

[Sign:] Vomiting, Unproductive  
Number of times reported: [40]

[Sign:] Difficulty Rising  
Number of times reported: [38]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [37]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [37]

[Sign:] Polyphagia  
Number of times reported: [37]

[Sign:] P Hi, Bld  
Number of times reported: [35]

[Sign:] Spasm  
Number of times reported: [34]

[Sign:] Albumin Lo, Bld  
Number of times reported: [33]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [33]

[Sign:] Stumbling  
Number of times reported: [33]

[Sign:] Amylase Hi, Bld  
Number of times reported: [32]

[Sign:] Lipase Hi, Bld  
Number of times reported: [32]

[Sign:] Unpalatable, Won't Swa  
Number of times reported: [32]

[Sign:] Bld, Urine  
Number of times reported: [31]

[Sign:] Hyperesthesia  
Number of times reported: [31]

[Sign:] Otitis  
Number of times reported: [31]

[Sign:] Somnolence  
Number of times reported: [31]



[Sign:] Bradycardia  
Number of times reported: [30]

[Sign:] Odor  
Number of times reported: [30]

[Sign:] Segs Hi, Bld  
Number of times reported: [30]

[Sign:] Licking  
Number of times reported: [29]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [29]

[Sign:] Chemistry Abn  
Number of times reported: [28]

[Sign:] Hyperpnea  
Number of times reported: [28]

[Sign:] Pancreatitis  
Number of times reported: [28]

[Sign:] Stiffness  
Number of times reported: [28]

[Sign:] Circling  
Number of times reported: [27]

[Sign:] Eye Disorder  
Number of times reported: [27]

[Sign:] Ggt Hi, Bld  
Number of times reported: [27]

[Sign:] Wbc Lo, Bld  
Number of times reported: [27]

[Sign:] Hematochezia  
Number of times reported: [26]

[Sign:] Biting/chewing  
Number of times reported: [25]

[Sign:] Gagging  
Number of times reported: [25]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [25]

[Sign:] Globulin Hi, Bld  
Number of times reported: [24]

[Sign:] Glucose Lo, Bld  
Number of times reported: [24]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [24]

[Sign:] Protein, Urine  
Number of times reported: [24]

[Sign:] Reflex(es) Abn  
Number of times reported: [24]

[Sign:] Unconscious  
Number of times reported: [24]

[Sign:] Edema, Head/face  
Number of times reported: [23]

[Sign:] Hair, Shedding  
Number of times reported: [23]

[Sign:] Hyperpigmentation, Ski  
Number of times reported: [23]

[Sign:] Papule(s)  
Number of times reported: [23]

[Sign:] Polycythemia(relative)  
Number of times reported: [23]

[Sign:] Skin, Dry  
Number of times reported: [23]

[Sign:] Kidney Failure  
Number of times reported: [22]

[Sign:] Monos Hi, Bld  
Number of times reported: [22]

[Sign:] Shaking, Head/face  
Number of times reported: [22]

[Sign:] Urination Abn  
Number of times reported: [22]

[Sign:] Discomfort  
Number of times reported: [21]

[Sign:] Posture Abn  
Number of times reported: [21]

[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [21]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [20]

[Sign:] Lameness  
Number of times reported: [20]

[Sign:] Polycythemia  
Number of times reported: [20]

[Sign:] Proprioceptive Disorde  
Number of times reported: [20]

[Sign:] Pustule(s)  
Number of times reported: [20]

[Sign:] Squinting  
Number of times reported: [20]

[Sign:] Vomiting, Severe  
Number of times reported: [20]

[Sign:] Locomotion Disorder  
Number of times reported: [19]

[Sign:] Murmur, Heart  
Number of times reported: [19]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [19]

[Sign:] Weight Increase  
Number of times reported: [19]

[Sign:] Ca Hi, Bld  
Number of times reported: [18]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [18]

[Sign:] Hair, Abn  
Number of times reported: [18]

[Sign:] K Lo, Bld  
Number of times reported: [18]

[Sign:] Scale(s), Skin  
Number of times reported: [18]

[Sign:] Skin, Crust(s)  
Number of times reported: [18]

[Sign:] Trembling, Face  
Number of times reported: [18]

[Sign:] Urination  
Number of times reported: [18]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [17]

[Sign:] Distention, Abdomen  
Number of times reported: [17]

[Sign:] Flatulence  
Number of times reported: [17]

[Sign:] Neoplasm  
Number of times reported: [17]

[Sign:] Nystagmus  
Number of times reported: [17]

[Sign:] Platelets Hi, Bld  
Number of times reported: [17]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [17]

[Sign:] Seborrhea  
Number of times reported: [17]

[Sign:] Hallucination  
Number of times reported: [16]

[Sign:] Head Bobbing  
Number of times reported: [16]

[Sign:] Ill  
Number of times reported: [16]

[Sign:] Ineffect  
Number of times reported: [16]

[Sign:] Opisthotonos  
Number of times reported: [16]

[Sign:] Skin, Scab(s)  
Number of times reported: [16]

[Sign:] Blindness, Partial  
Number of times reported: [15]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [15]

[Sign:] Us-liver Abn  
Number of times reported: [15]

[Sign:] Albumin Hi, Bld  
Number of times reported: [14]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [14]

[Sign:] Conjunctivitis  
Number of times reported: [14]

[Sign:] Constipation  
Number of times reported: [14]

[Sign:] Hepatomegaly  
Number of times reported: [14]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [14]

[Sign:] Skin Abnormal  
Number of times reported: [14]

[Sign:] Ca Lo, Bld  
Number of times reported: [13]

[Sign:] Defecation  
Number of times reported: [13]

[Sign:] Eruption(s)  
Number of times reported: [13]

[Sign:] Icterus, Body  
Number of times reported: [13]

[Sign:] Liver Disorder  
Number of times reported: [13]

[Sign:] Melena  
Number of times reported: [13]

[Sign:] Pain, Back  
Number of times reported: [13]

[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [13]

[Sign:] Pupil(s), Areflexia  
Number of times reported: [13]

[Sign:] Bld(ecchymoses)  
Number of times reported: [12]

[Sign:] Breathing Abn  
Number of times reported: [12]

[Sign:] Diabetes Mellitus  
Number of times reported: [12]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [12]

[Sign:] Eosinos Lo, Bld  
Number of times reported: [12]

[Sign:] Hypothermia, Body  
Number of times reported: [12]

[Sign:] K Hi, Bld  
Number of times reported: [12]

[Sign:] Na Lo, Bld  
Number of times reported: [12]

[Sign:] Us Abn  
Number of times reported: [12]

[Sign:] Death(newborn)  
Number of times reported: [11]

[Sign:] Diarrhea, Watery  
Number of times reported: [11]

[Sign:] Discharge, Nose  
Number of times reported: [11]

[Sign:] Globulin Lo, Bld  
Number of times reported: [11]

[Sign:] Hypothermia  
Number of times reported: [11]

[Sign:] Incontinence, Fecal  
Number of times reported: [11]

[Sign:] Odor, Mouth  
Number of times reported: [11]

[Sign:] Pain, Neck  
Number of times reported: [11]

[Sign:] Sedation  
Number of times reported: [11]

[Sign:] Sneezing  
Number of times reported: [11]

[Sign:] Stiffness, Neck  
Number of times reported: [11]

[Sign:] Tech Error Administrat  
Number of times reported: [11]

[Sign:] Vestibular Disorder  
Number of times reported: [11]

[Sign:] Apnea  
Number of times reported: [10]

[Sign:] Ascites  
Number of times reported: [10]

[Sign:] Cataract(s)  
Number of times reported: [10]

[Sign:] Congestion, Ear(s)  
Number of times reported: [10]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [10]

[Sign:] Fly Biting  
Number of times reported: [10]

[Sign:] Icterus  
Number of times reported: [10]

[Sign:] Lymphs Hi, Bld  
Number of times reported: [10]

[Sign:] Paresis  
Number of times reported: [10]

[Sign:] P Lo, Bld  
Number of times reported: [10]

[Sign:] Vision Disorder  
Number of times reported: [10]

[Sign:] Bld(petechiae)  
Number of times reported: [9]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [9]

[Sign:] Cpk Hi, Bld  
Number of times reported: [9]

[Sign:] Death(stillborn)  
Number of times reported: [9]

[Sign:] Defecation Abn  
Number of times reported: [9]

[Sign:] Gastroenteritis  
Number of times reported: [9]

[Sign:] Heart Failure  
Number of times reported: [9]

[Sign:] Hypopnea  
Number of times reported: [9]

[Sign:] Infection, Urinary Tra  
Number of times reported: [9]

[Sign:] Irritation, Skin  
Number of times reported: [9]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [9]

[Sign:] Miosis  
Number of times reported: [9]

[Sign:] Photophobia  
Number of times reported: [9]

[Sign:] Pruritis, Ear(s)  
Number of times reported: [9]

[Sign:] Reluctant To Climb  
Number of times reported: [9]

[Sign:] Sore(s)  
Number of times reported: [9]

[Sign:] Triglycerides Hi, Bld  
Number of times reported: [9]

[Sign:] Alkaline Urine  
Number of times reported: [8]

[Sign:] Chloride Hi, Bld  
Number of times reported: [8]

[Sign:] Cystitis  
Number of times reported: [8]

[Sign:] Gi, Abnormal  
Number of times reported: [8]

[Sign:] Hair, Abn Color  
Number of times reported: [8]

[Sign:] Hyperadrenocorticism  
Number of times reported: [8]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [8]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [8]

[Sign:] Swelling, Ear(s)  
Number of times reported: [8]

[Sign:] Urine Abn  
Number of times reported: [8]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [8]

[Sign:] Arrest, Heart  
Number of times reported: [7]

[Sign:] Azotemia  
Number of times reported: [7]

[Sign:] Bld, Skin  
Number of times reported: [7]

[Sign:] Cardiomegaly  
Number of times reported: [7]

[Sign:] Deafness  
Number of times reported: [7]

[Sign:] Distress  
Number of times reported: [7]

[Sign:] Dizziness  
Number of times reported: [7]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [7]

[Sign:] Head Pressing  
Number of times reported: [7]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [7]

[Sign:] Liver Failure  
Number of times reported: [7]

[Sign:] Mucous Membr, Red  
Number of times reported: [7]

[Sign:] Pallor  
Number of times reported: [7]

[Sign:] Pica  
Number of times reported: [7]

[Sign:] Reaction, Unspecified  
Number of times reported: [7]

[Sign:] Retina Abn  
Number of times reported: [7]

[Sign:] Segs Lo, Bld  
Number of times reported: [7]

[Sign:] Self-mutilation  
Number of times reported: [7]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [7]



[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [7]

[Sign:] Ulcer(s), Skin  
Number of times reported: [7]

[Sign:] Uveitis  
Number of times reported: [7]

[Sign:] Wbc, Urine  
Number of times reported: [7]

[Sign:] Bilirubin, Urine  
Number of times reported: [6]

[Sign:] Blepharospasm  
Number of times reported: [6]

[Sign:] Borborygmi  
Number of times reported: [6]

[Sign:] Capillary Refill Prolo  
Number of times reported: [6]

[Sign:] Diarrhea, Mucoid  
Number of times reported: [6]

[Sign:] Diarrhea, Severe  
Number of times reported: [6]

[Sign:] Dysphagia  
Number of times reported: [6]

[Sign:] Elimination Abn  
Number of times reported: [6]

[Sign:] Eosinos Hi, Bld  
Number of times reported: [6]

[Sign:] Hypersensitive, Sound  
Number of times reported: [6]

[Sign:] Mass  
Number of times reported: [6]

[Sign:] Monos Lo, Bld  
Number of times reported: [6]

[Sign:] Na Hi, Bld  
Number of times reported: [6]

[Sign:] Nose Abn  
Number of times reported: [6]

[Sign:] Paralysis, All Limbs  
Number of times reported: [6]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [6]

[Sign:] Pressure Lo, Bld  
Number of times reported: [6]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [6]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [6]

[Sign:] Shock  
Number of times reported: [6]

[Sign:] Tenesmus, Rectal  
Number of times reported: [6]

[Sign:] Thrashing/paddling  
Number of times reported: [6]

[Sign:] Xerostomia  
Number of times reported: [6]

[Sign:] Abn Color, Urine  
Number of times reported: [5]

[Sign:] Anemia, Sphero  
Number of times reported: [5]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [5]

[Sign:] Balance Disorder  
Number of times reported: [5]

[Sign:] Birth Defect(s), Head/  
Number of times reported: [5]

[Sign:] Bld, Abn  
Number of times reported: [5]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [5]

[Sign:] Cachexia  
Number of times reported: [5]

[Sign:] Coagulation Disorder  
Number of times reported: [5]

[Sign:] Creatinine Lo, Bld  
Number of times reported: [5]

[Sign:] Culture/titer Data Abn  
Number of times reported: [5]

[Sign:] Cyanosis  
Number of times reported: [5]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [5]

[Sign:] Dysmetria  
Number of times reported: [5]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [5]

[Sign:] Epistaxis  
Number of times reported: [5]

[Sign:] Gall Bladder, Abn  
Number of times reported: [5]

[Sign:] Gingiva, Abn  
Number of times reported: [5]

[Sign:] Glucose, Urine  
Number of times reported: [5]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [5]

[Sign:] Paralysis, Facial Nerv  
Number of times reported: [5]

[Sign:] Paresis, Forelimb(s)  
Number of times reported: [5]

[Sign:] Pollakiuria  
Number of times reported: [5]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [5]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [5]

[Sign:] Rbc, Aniso  
Number of times reported: [5]

[Sign:] Rbc, Polychrom  
Number of times reported: [5]

[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [5]

[Sign:] Rolling  
Number of times reported: [5]

[Sign:] Skin Disorder  
Number of times reported: [5]

[Sign:] Sleep Abn  
Number of times reported: [5]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [5]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [5]

[Sign:] Summary Review  
Number of times reported: [5]

[Sign:] Swelling, Joint(s)  
Number of times reported: [5]

[Sign:] Syncope  
Number of times reported: [5]

[Sign:] Tail Disorder  
Number of times reported: [5]

[Sign:] Wheezing  
Number of times reported: [5]

[Sign:] Arrhythmia  
Number of times reported: [4]

[Sign:] Bands Hi, Bld  
Number of times reported: [4]

[Sign:] Bld  
Number of times reported: [4]

[Sign:] Bld, Eye(s)  
Number of times reported: [4]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [4]

[Sign:] Bun Lo, Bld  
Number of times reported: [4]

[Sign:] Chloride Lo, Bld  
Number of times reported: [4]

[Sign:] Cns Disorder  
Number of times reported: [4]

[Sign:] Colitis  
Number of times reported: [4]

[Sign:] Congestion  
Number of times reported: [4]

[Sign:] Congestion, Lung(s)  
Number of times reported: [4]

[Sign:] Dry, Skin  
Number of times reported: [4]

[Sign:] Edema  
Number of times reported: [4]

[Sign:] Electrolyte Disorder  
Number of times reported: [4]

[Sign:] Epiphora  
Number of times reported: [4]

[Sign:] Estrus Cycle Abnormal  
Number of times reported: [4]

[Sign:] Exercise Intolerance  
Number of times reported: [4]

[Sign:] Fertility, Reduced  
Number of times reported: [4]

[Sign:] Heart Disorder  
Number of times reported: [4]

[Sign:] Horner's Syndrome  
Number of times reported: [4]

[Sign:] Hypertonia  
Number of times reported: [4]

[Sign:] Immune Disorder  
Number of times reported: [4]

[Sign:] Infection  
Number of times reported: [4]

[Sign:] Kidney Disorder  
Number of times reported: [4]

[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [4]

[Sign:] Mass, Abdomen  
Number of times reported: [4]

[Sign:] Mucous Membr, Muddy  
Number of times reported: [4]

[Sign:] Na:k Lo, Bld  
Number of times reported: [4]

[Sign:] Neoplasm, Liver  
Number of times reported: [4]

[Sign:] Neoplasm, Lymph Node(s)  
Number of times reported: [4]

[Sign:] Nystagmus, Horizontal  
Number of times reported: [4]

[Sign:] Obstruction, Intestine  
Number of times reported: [4]

[Sign:] Pain, Hind Limb(s)  
Number of times reported: [4]

[Sign:] Pain, Muscle(s)  
Number of times reported: [4]

[Sign:] Paralysis  
Number of times reported: [4]

[Sign:] Pd-container(s), Abn  
Number of times reported: [4]

[Sign:] Pneumonia  
Number of times reported: [4]

[Sign:] Pr-mult Sites, Congest  
Number of times reported: [4]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [4]

[Sign:] Ptt Prolonged, Bld  
Number of times reported: [4]

[Sign:] Pulse Thready  
Number of times reported: [4]

[Sign:] Rbc, Nucleated  
Number of times reported: [4]

[Sign:] Regurgitation  
Number of times reported: [4]

[Sign:] Respiratory Disorder  
Number of times reported: [4]

[Sign:] Splenomegaly  
Number of times reported: [4]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [4]

[Sign:] Strabismus  
Number of times reported: [4]

[Sign:] Swelling, Tongue  
Number of times reported: [4]

[Sign:] Tech Error  
Number of times reported: [4]

[Sign:] Torticollis  
Number of times reported: [4]

[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [4]

[Sign:] Volvulus, Stomach  
Number of times reported: [4]

[Sign:] Wbc Abn  
Number of times reported: [4]

[Sign:] Abortion  
Number of times reported: [3]

[Sign:] Acth Stim Abn  
Number of times reported: [3]

[Sign:] Anemia, Regen  
Number of times reported: [3]

[Sign:] Anisocoria  
Number of times reported: [3]

[Sign:] Bld, Rectum  
Number of times reported: [3]

[Sign:] Bloat  
Number of times reported: [3]

[Sign:] Calculi, Bladder  
Number of times reported: [3]

[Sign:] Deafness, Partial  
Number of times reported: [3]

[Sign:] Dementia  
Number of times reported: [3]

[Sign:] Discharge, Mouth/lip(s)  
Number of times reported: [3]

[Sign:] Effusion, Pericardial  
Number of times reported: [3]

[Sign:] Effusion, Peritoneal  
Number of times reported: [3]

[Sign:] Eructation  
Number of times reported: [3]

[Sign:] Gastritis  
Number of times reported: [3]

[Sign:] Gingivitis  
Number of times reported: [3]

[Sign:] Glaucoma  
Number of times reported: [3]

[Sign:] Hco3 Lo, Bld  
Number of times reported: [3]

[Sign:] Hepatitis  
Number of times reported: [3]

[Sign:] Jerking  
Number of times reported: [3]

[Sign:] Loss Of Condition  
Number of times reported: [3]

[Sign:] Mass, Skin  
Number of times reported: [3]

[Sign:] Mg Hi, Bld  
Number of times reported: [3]

[Sign:] Neoplasm, Mammary  
Number of times reported: [3]

[Sign:] Neoplasm, Mult Sites  
Number of times reported: [3]

[Sign:] Neoplasm, Spleen  
Number of times reported: [3]

[Sign:] Nephritis  
Number of times reported: [3]

[Sign:] No Signs  
Number of times reported: [3]

[Sign:] Pain, Joint(s)  
Number of times reported: [3]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [3]

[Sign:] Pd-product Defect  
Number of times reported: [3]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [3]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [3]

[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [3]

[Sign:] Pt Prolonged, Bld  
Number of times reported: [3]

[Sign:] Rbc Abn  
Number of times reported: [3]

[Sign:] Stool Abn  
Number of times reported: [3]

[Sign:] Sweating  
Number of times reported: [3]

[Sign:] Teeth, Abn  
Number of times reported: [3]

[Sign:] Tongue, Abn  
Number of times reported: [3]

[Sign:] Vasculitis  
Number of times reported: [3]

[Sign:] Acidosis  
Number of times reported: [2]

[Sign:] A/g Ratio Lo, Bld  
Number of times reported: [2]

[Sign:] Albumin Hi, Urine  
Number of times reported: [2]

[Sign:] Anestrus  
Number of times reported: [2]

[Sign:] Anion Gap Hi, Bld  
Number of times reported: [2]

[Sign:] Arthritis  
Number of times reported: [2]

[Sign:] Bile Acids Abn, Bld  
Number of times reported: [2]

[Sign:] Birth Defect(s)  
Number of times reported: [2]



[Sign:] Birth Weight Lo  
Number of times reported: [2]

[Sign:] Bld, Gi  
Number of times reported: [2]

[Sign:] Bld, Sclera  
Number of times reported: [2]

[Sign:] Brain, Neoplasm  
Number of times reported: [2]

[Sign:] Breathing, Difficult  
Number of times reported: [2]

[Sign:] Calculi, Kidney  
Number of times reported: [2]

[Sign:] Casts, Urine  
Number of times reported: [2]

[Sign:] Choking  
Number of times reported: [2]

[Sign:] Crystals, Urine  
Number of times reported: [2]

[Sign:] Csf Abn  
Number of times reported: [2]

[Sign:] Destructiveness  
Number of times reported: [2]

[Sign:] Dilitation, Stomach  
Number of times reported: [2]

[Sign:] Discharge, Ear(s)  
Number of times reported: [2]

[Sign:] Dissociation  
Number of times reported: [2]

[Sign:] Distress, Resp  
Number of times reported: [2]

[Sign:] Dysrhythmia, Resp  
Number of times reported: [2]

[Sign:] Dystocia  
Number of times reported: [2]

[Sign:] Edema, Cornea(s)  
Number of times reported: [2]

[Sign:] Edema, Ventral  
Number of times reported: [2]

[Sign:] Effusion, Pleural  
Number of times reported: [2]

[Sign:] Encephalopathy  
Number of times reported: [2]

[Sign:] Enlargement(s)  
Number of times reported: [2]

[Sign:] Enteritis  
Number of times reported: [2]

[Sign:] Erg Abn  
Number of times reported: [2]

[Sign:] Fertility, Lack Of  
Number of times reported: [2]

[Sign:] Hco3 Hi, Bld  
Number of times reported: [2]

[Sign:] Hyperkeratosis  
Number of times reported: [2]

[Sign:] Hypermotility  
Number of times reported: [2]

[Sign:] Hypoadrenocorticism  
Number of times reported: [2]

[Sign:] Incontinence  
Number of times reported: [2]

[Sign:] Infection, Uterus  
Number of times reported: [2]

[Sign:] Irritation  
Number of times reported: [2]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [2]

[Sign:] Joint Disorder  
Number of times reported: [2]

[Sign:] Mg Lo, Bld  
Number of times reported: [2]

[Sign:] Microorganisms, Urine  
Number of times reported: [2]

[Sign:] Mri Scan Abn  
Number of times reported: [2]

[Sign:] Neck, Ventroflexion  
Number of times reported: [2]

[Sign:] Necrosis  
Number of times reported: [2]

[Sign:] Neoplasm, Lung(s)  
Number of times reported: [2]

[Sign:] Opacity, Cornea(s)  
Number of times reported: [2]

[Sign:] Pain, Limb(s)  
Number of times reported: [2]

[Sign:] Pain, Spinal  
Number of times reported: [2]

[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [2]

[Sign:] Pd-defect Unknown  
Number of times reported: [2]

[Sign:] Peritonitis  
Number of times reported: [2]

[Sign:] Photosensitization  
Number of times reported: [2]

[Sign:] Platelets Abn  
Number of times reported: [2]

[Sign:] Pneumonia, Aspiration  
Number of times reported: [2]

[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [2]

[Sign:] Pressure Hi, Bld  
Number of times reported: [2]

[Sign:] Pr-eye(s)/lid(s), Lesi  
Number of times reported: [2]

[Sign:] Protrusion, Eye(s)  
Number of times reported: [2]

[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-peritoneal Effusion  
Number of times reported: [2]

[Sign:] Pruritis, Tail  
Number of times reported: [2]

[Sign:] Skin, Necrosis  
Number of times reported: [2]

[Sign:] Slough, Skin  
Number of times reported: [2]

[Sign:] Stool, Mucoid  
Number of times reported: [2]

[Sign:] Stranguria  
Number of times reported: [2]

[Sign:] Swelling  
Number of times reported: [2]

[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Swelling, Neck  
Number of times reported: [2]

[Sign:] Swelling, Vagina/vulva  
Number of times reported: [2]

[Sign:] Tablet(s), Undigest  
Number of times reported: [2]

[Sign:] Thyroid Hormone(s) Hi  
Number of times reported: [2]

[Sign:] Ulcer(s), Stomach  
Number of times reported: [2]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [2]

[Sign:] Abscess, Skin  
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]

[Sign:] Anuria  
Number of times reported: [1]

[Sign:] Arrhythmia, Block  
Number of times reported: [1]

[Sign:] Basos Hi, Bld  
Number of times reported: [1]

[Sign:] Birth Defect(s), Torso  
Number of times reported: [1]

[Sign:] Birth Deffect(s), Feet  
Number of times reported: [1]

[Sign:] Birth, Premature  
Number of times reported: [1]

[Sign:] Bld, Anus  
Number of times reported: [1]

[Sign:] Bld, Ear(s)  
Number of times reported: [1]

[Sign:] Bld, Passing  
Number of times reported: [1]

[Sign:] Bld, Penis  
Number of times reported: [1]

[Sign:] Bld, Vagina  
Number of times reported: [1]

[Sign:] Breathing, Periodic  
Number of times reported: [1]

[Sign:] Bronchitis  
Number of times reported: [1]

[Sign:] Cat Scan Abn  
Number of times reported: [1]

[Sign:] Cholecystitis  
Number of times reported: [1]

[Sign:] Circulatory Disorder  
Number of times reported: [1]

[Sign:] Cns Infarct  
Number of times reported: [1]

[Sign:] Co2 Hi, Bld  
Number of times reported: [1]

[Sign:] Co2 Lo, Bld  
Number of times reported: [1]

[Sign:] Colon, Abn  
Number of times reported: [1]

[Sign:] Congestion, Sinus  
Number of times reported: [1]

[Sign:] Congestion, Tongue  
Number of times reported: [1]

[Sign:] Deafness, Temp  
Number of times reported: [1]

[Sign:] Diabetes  
Number of times reported: [1]

[Sign:] Digestion Disorder  
Number of times reported: [1]

[Sign:] Dilitation, Esophagus  
Number of times reported: [1]

[Sign:] Discharge, Vulva  
Number of times reported: [1]

[Sign:] Distention, Bladder  
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome  
Number of times reported: [1]

[Sign:] Dysuria  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Ecg Abn  
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Edema, Larynx  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Neck  
Number of times reported: [1]

[Sign:] Edema, Pharynx  
Number of times reported: [1]

[Sign:] Edema, Sclera  
Number of times reported: [1]

[Sign:] Effusion, Joint(s)  
Number of times reported: [1]

[Sign:] Embolus  
Number of times reported: [1]

[Sign:] Erection, Abn  
Number of times reported: [1]

[Sign:] Erythema Multiforme  
Number of times reported: [1]

[Sign:] Erythema, Scrotum  
Number of times reported: [1]

[Sign:] Estrus Behavior  
Number of times reported: [1]

[Sign:] Estrus Too Soon  
Number of times reported: [1]

[Sign:] Fibrinogen Lo, Bld  
Number of times reported: [1]

[Sign:] Fibrosis  
Number of times reported: [1]

[Sign:] Granuloma, Lick  
Number of times reported: [1]

[Sign:] Grinding Teeth  
Number of times reported: [1]

[Sign:] Hemoglobin, Urine  
Number of times reported: [1]

[Sign:] Hypoesthesia, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Hyposmia  
Number of times reported: [1]

[Sign:] Icterus, Serum  
Number of times reported: [1]

[Sign:] Ineffect, Demodex Mites  
Number of times reported: [1]

[Sign:] Ineffect, Seizures  
Number of times reported: [1]

[Sign:] Infection, Eye(s)  
Number of times reported: [1]

[Sign:] Inflammation  
Number of times reported: [1]

[Sign:] Injury  
Number of times reported: [1]

[Sign:] Insomnia  
Number of times reported: [1]

[Sign:] Irritation, Ear(s)  
Number of times reported: [1]

[Sign:] Irritation, Esophagus  
Number of times reported: [1]

[Sign:] Irritation, Perineum  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/throat  
Number of times reported: [1]

[Sign:] Ketones, Urine  
Number of times reported: [1]

[Sign:] Ketosis  
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]

[Sign:] Labor, Premature  
Number of times reported: [1]

[Sign:] Ldh Hi, Bld  
Number of times reported: [1]

[Sign:] Leg Disorder  
Number of times reported: [1]

[Sign:] Leukoderma  
Number of times reported: [1]

[Sign:] Lipids Hi, Bld  
Number of times reported: [1]

[Sign:] Macule(s)  
Number of times reported: [1]

[Sign:] Mammary, Discharge  
Number of times reported: [1]

[Sign:] Microorganisms, Urine  
Number of times reported: [1]

[Sign:] Moribund  
Number of times reported: [1]

[Sign:] Neuropathy  
Number of times reported: [1]

[Sign:] Nystagmus, Vertical  
Number of times reported: [1]

[Sign:] Off Feed  
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Pain, Head/face  
Number of times reported: [1]

[Sign:] Pancreas Disorder  
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]

[Sign:] Pancytopenia  
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]

[Sign:] Paresthesia, Eye(s)/l  
Number of times reported: [1]

[Sign:] Parturition, Abnormal  
Number of times reported: [1]

[Sign:] Pawing  
Number of times reported: [1]

[Sign:] Pd-color, Abn  
Number of times reported: [1]

[Sign:] Pd-contamination  
Number of times reported: [1]

[Sign:] Placenta, Abnormal  
Number of times reported: [1]

[Sign:] Polycythemia(absolute)  
Number of times reported: [1]

[Sign:] Pr-bronchi, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-cartilage, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-medulla, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-mesentery, Lesion(s)  
Number of times reported: [1]



[Sign:] Pr-mult Sites, Edema  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Icterus  
Number of times reported: [1]

[Sign:] Prolapse, Disc  
Number of times reported: [1]

[Sign:] Prostration  
Number of times reported: [1]

[Sign:] Pr-parathyroid, Lesion  
Number of times reported: [1]

[Sign:] Pr-pleural Effusion  
Number of times reported: [1]

[Sign:] Pr-prostate, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-spinal Cord, Lesion  
Number of times reported: [1]

[Sign:] Reflux, Stomach  
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld  
Number of times reported: [1]

[Sign:] Saliva, Abn  
Number of times reported: [1]

[Sign:] Sediment, Urine  
Number of times reported: [1]

[Sign:] Sinusitis  
Number of times reported: [1]

[Sign:] Slough  
Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Spec Gravity Hi, Urine  
Number of times reported: [1]

[Sign:] Spinal Cord, Neoplasm  
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(  
Number of times reported: [1]

[Sign:] Stomatitis  
Number of times reported: [1]

[Sign:] Stricture, Esophagus  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

- [Sign:] Swelling, Testicle  
Number of times reported: [1]
- [Sign:] Testicle, Abn  
Number of times reported: [1]
- [Sign:] Tracheitis  
Number of times reported: [1]
- [Sign:] Trachitis  
Number of times reported: [1]
- [Sign:] Ulcer(s), Ear(s)  
Number of times reported: [1]
- [Sign:] Ulcer(s), Gi  
Number of times reported: [1]
- [Sign:] Ulcer(s), Pharynx/thro  
Number of times reported: [1]

**[Drug:] Spinosad**

Oral, Human

- [Sign:] Nausea  
Number of times reported: [3]
- [Sign:] Pain, Abdomen  
Number of times reported: [3]
- [Sign:] Vomiting  
Number of times reported: [3]
- [Sign:] Diarrhea  
Number of times reported: [2]
- [Sign:] Irritation, Pharynx/th  
Number of times reported: [2]
- [Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [2]
- [Sign:] Taste Abnormality  
Number of times reported: [2]
- [Sign:] Dizziness  
Number of times reported: [1]
- [Sign:] Headache  
Number of times reported: [1]
- [Sign:] Human Exposure  
Number of times reported: [1]
- [Sign:] Hyperesthesia  
Number of times reported: [1]
- [Sign:] Paresthesia, Mouth/lip  
Number of times reported: [1]
- [Sign:] Reflux, Stomach

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Spinosad**

Parenteral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Spinosad**

Topical, Dog

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Spinosad**

Topical, Human

[Sign:] Rash

Number of times reported: [7]

[Sign:] Congestion, Skin

Number of times reported: [4]

[Sign:] Urticaria

Number of times reported: [4]

[Sign:] Hypoesthesia

Number of times reported: [3]

[Sign:] Inflamm, Skin

Number of times reported: [3]

[Sign:] Pruritis

Number of times reported: [3]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

- [Sign:] Conjunctivitis  
Number of times reported: [1]
- [Sign:] Edema  
Number of times reported: [1]
- [Sign:] Edema, Head/face  
Number of times reported: [1]
- [Sign:] Hyperesthesia  
Number of times reported: [1]
- [Sign:] Nausea  
Number of times reported: [1]
- [Sign:] Neurological Disorder  
Number of times reported: [1]
- [Sign:] Pain, Brisket/chest  
Number of times reported: [1]
- [Sign:] Pain, Mouth/lip(s)  
Number of times reported: [1]
- [Sign:] Paresthesia  
Number of times reported: [1]
- [Sign:] Swelling  
Number of times reported: [1]
- [Sign:] Swelling, Ear(s)  
Number of times reported: [1]
- [Sign:] Tongue, Abn  
Number of times reported: [1]

**[Drug:] Spinosad**

Unknown, Dog

- [Sign:] Vomiting  
Number of times reported: [18]
- [Sign:] Convulsion(s)  
Number of times reported: [3]
- [Sign:] Death  
Number of times reported: [2]
- [Sign:] Depression/lethargy  
Number of times reported: [2]
- [Sign:] Blindness  
Number of times reported: [1]
- [Sign:] Death(newborn)  
Number of times reported: [1]
- [Sign:] Ineffect, Fleas  
Number of times reported: [1]
- [Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Keratoconjunctivitis S

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Spinosad**

Unknown, Human

[Sign:] Rash

Number of times reported: [2]

[Sign:] Congestion, Nose

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Defect, Not Applicable

[Sign:] Unpalatable, Won't Eat

Number of times reported: [108]

[Sign:] Unpalatable

Number of times reported: [14]

[Sign:] Pd-odor, Abn

Number of times reported: [4]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [4]

[Sign:] Unpalatable, Won't Swa  
Number of times reported: [2]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Pd-container(s), Damag  
Number of times reported: [1]

[Sign:] Pd-contam, Mold  
Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Missing, Dog

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Ophthalmic, Dog

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Congestion, Ear(s)  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Oral, Cat

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [2,241]

[Sign:] Depression/lethargy

Number of times reported: [607]

[Sign:] Anorexia

Number of times reported: [221]

[Sign:] Diarrhea

Number of times reported: [188]

[Sign:] Pruritis

Number of times reported: [163]

[Sign:] Trembling

Number of times reported: [111]

[Sign:] Ataxia

Number of times reported: [102]

[Sign:] Convulsion(s)

Number of times reported: [82]

[Sign:] Hypersalivation

Number of times reported: [64]

[Sign:] Congestion, Skin

Number of times reported: [48]

[Sign:] Anaphylaxis/toid

Number of times reported: [41]

[Sign:] Urticaria

Number of times reported: [37]

[Sign:] Polypnea

Number of times reported: [36]

[Sign:] Vocalization

Number of times reported: [34]

[Sign:] Shaking

Number of times reported: [33]

[Sign:] Death

Number of times reported: [27]

[Sign:] Dyspnea

Number of times reported: [27]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [27]

[Sign:] Diarrhea, Bloody  
Number of times reported: [25]

[Sign:] Fever, Body  
Number of times reported: [25]

[Sign:] Confusion  
Number of times reported: [23]

[Sign:] Inflammation, Skin  
Number of times reported: [23]

[Sign:] Alopecia  
Number of times reported: [22]

[Sign:] Dehydration  
Number of times reported: [20]

[Sign:] Hyperactivity  
Number of times reported: [19]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [19]

[Sign:] Ineffect, Fleas  
Number of times reported: [18]

[Sign:] Adipsia  
Number of times reported: [16]

[Sign:] Edema, Head/face  
Number of times reported: [16]

[Sign:] Twitch  
Number of times reported: [16]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [14]

[Sign:] Pain, Abdomen  
Number of times reported: [14]

[Sign:] Coughing  
Number of times reported: [13]

[Sign:] Nervousness  
Number of times reported: [13]

[Sign:] Staring  
Number of times reported: [13]

[Sign:] Weight Loss  
Number of times reported: [13]

[Sign:] Interaction, Drug(s)  
Number of times reported: [12]

[Sign:] Tachycardia  
Number of times reported: [12]

[Sign:] Congestion, Ear(s)  
Number of times reported: [11]



[Sign:] Polydipsia  
Number of times reported: [10]

[Sign:] Bun Hi, Bld  
Number of times reported: [9]

[Sign:] Collapse  
Number of times reported: [9]

[Sign:] Lipase Hi, Bld  
Number of times reported: [9]

[Sign:] Mydriasis  
Number of times reported: [9]

[Sign:] Wbc Hi, Bld  
Number of times reported: [9]

[Sign:] Diarrhea, Mild  
Number of times reported: [8]

[Sign:] Hiding  
Number of times reported: [8]

[Sign:] Ineffect, Ascarids  
Number of times reported: [8]

[Sign:] Licking  
Number of times reported: [8]

[Sign:] Platelets Lo, Bld  
Number of times reported: [8]

[Sign:] Unpalatable  
Number of times reported: [8]

[Sign:] Apprehension  
Number of times reported: [7]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [7]

[Sign:] Ineffect, Hooks  
Number of times reported: [7]

[Sign:] Melena  
Number of times reported: [7]

[Sign:] Polyuria  
Number of times reported: [7]

[Sign:] Rash  
Number of times reported: [7]

[Sign:] Stupor  
Number of times reported: [7]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [7]

[Sign:] Death(euthanized)  
Number of times reported: [6]

[Sign:] Vomiting, Unproductive  
Number of times reported: [6]

[Sign:] Anemia  
Number of times reported: [5]

[Sign:] Bradycardia  
Number of times reported: [5]

[Sign:] Globulin Hi, Bld  
Number of times reported: [5]

[Sign:] Hair, Shedding  
Number of times reported: [5]

[Sign:] Ineffect, Whips  
Number of times reported: [5]

[Sign:] Nystagmus  
Number of times reported: [5]

[Sign:] Pacing  
Number of times reported: [5]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [5]

[Sign:] Squinting  
Number of times reported: [5]

[Sign:] Stiffness  
Number of times reported: [5]

[Sign:] Behavior Disorder  
Number of times reported: [4]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [4]

[Sign:] Defecation  
Number of times reported: [4]

[Sign:] Head Tilt  
Number of times reported: [4]

[Sign:] Hematochezia  
Number of times reported: [4]

[Sign:] Hyperpnea  
Number of times reported: [4]

[Sign:] Icterus, Body  
Number of times reported: [4]

[Sign:] Nausea  
Number of times reported: [4]

[Sign:] Swelling, Ear(s)  
Number of times reported: [4]

[Sign:] Swelling, Head/face  
Number of times reported: [4]

[Sign:] Tech Error Administrat  
Number of times reported: [4]

[Sign:] Urination Abn  
Number of times reported: [4]

[Sign:] Weakness  
Number of times reported: [4]

[Sign:] Aggression  
Number of times reported: [3]

[Sign:] Albumin Lo, Bld  
Number of times reported: [3]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [3]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [3]

[Sign:] Dermatitis, Moist  
Number of times reported: [3]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [3]

[Sign:] Discomfort  
Number of times reported: [3]

[Sign:] Gi, Abnormal  
Number of times reported: [3]

[Sign:] Licking, Feet/digit(s)  
Number of times reported: [3]

[Sign:] Neurological Disorder  
Number of times reported: [3]

[Sign:] Pain  
Number of times reported: [3]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Pruritis, Ear(s)  
Number of times reported: [3]

[Sign:] Recumbency  
Number of times reported: [3]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [3]

[Sign:] Skin, Scab(s)  
Number of times reported: [3]

[Sign:] Staggering  
Number of times reported: [3]

[Sign:] Urination  
Number of times reported: [3]

[Sign:] Wbc Lo, Bld  
Number of times reported: [3]

[Sign:] Wheezing  
Number of times reported: [3]

[Sign:] Amylase Hi, Bld  
Number of times reported: [2]

[Sign:] Bile Acids Hi, Bld  
Number of times reported: [2]

[Sign:] Bld, Urine  
Number of times reported: [2]

[Sign:] Breathing Abn  
Number of times reported: [2]

[Sign:] Circling  
Number of times reported: [2]

[Sign:] Conjunctivitis  
Number of times reported: [2]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [2]

[Sign:] Cystitis  
Number of times reported: [2]

[Sign:] Deafness  
Number of times reported: [2]

[Sign:] Diarrhea, Mucoïd  
Number of times reported: [2]

[Sign:] Difficulty Rising  
Number of times reported: [2]

[Sign:] Edema, Limb(s)  
Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]

[Sign:] Eruption(s)  
Number of times reported: [2]

[Sign:] Gagging  
Number of times reported: [2]

[Sign:] Ggt Hi, Bld  
Number of times reported: [2]

[Sign:] Glucose Lo, Bld  
Number of times reported: [2]

[Sign:] Head Bobbing  
Number of times reported: [2]

[Sign:] Kidney Failure  
Number of times reported: [2]

[Sign:] Liver Disorder  
Number of times reported: [2]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [2]

[Sign:] Miosis  
Number of times reported: [2]

[Sign:] Na Lo, Bld  
Number of times reported: [2]

[Sign:] Opisthotonos  
Number of times reported: [2]

[Sign:] Pancreatitis  
Number of times reported: [2]

[Sign:] P Hi, Bld  
Number of times reported: [2]

[Sign:] Pica  
Number of times reported: [2]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [2]

[Sign:] Radiograph(s) Abn  
Number of times reported: [2]

[Sign:] Shaking, Head/face  
Number of times reported: [2]

[Sign:] Skin, Crust(s)  
Number of times reported: [2]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [2]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [2]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [2]

[Sign:] Vomiting, Bloody  
Number of times reported: [2]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]

[Sign:] Bld, Eye(s)  
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Blindness, Partial  
Number of times reported: [1]

[Sign:] Borborygmi  
Number of times reported: [1]

[Sign:] Breathing, Periodic  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Constipation  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Defecation Abn  
Number of times reported: [1]

[Sign:] Diabetes Mellitus  
Number of times reported: [1]

[Sign:] Diarrhea, Projectile  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

[Sign:] Dry, Skin  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Fertility, Reduced  
Number of times reported: [1]

[Sign:] Fly Biting  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Horner's Syndrome  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Incontinence  
Number of times reported: [1]

[Sign:] Incontinence, Urinary  
Number of times reported: [1]

[Sign:] Ineffect, Ascarids Pre  
Number of times reported: [1]

[Sign:] Ineffect, Hw Larvae  
Number of times reported: [1]

[Sign:] Ineffect, Whips Preven  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Liver Failure  
Number of times reported: [1]

[Sign:] Mg Lo, Bld  
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Na Hi, Bld  
Number of times reported: [1]

[Sign:] Odor  
Number of times reported: [1]

[Sign:] Pain, Neck  
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]

[Sign:] Pawing  
Number of times reported: [1]

[Sign:] Pd-odor, Abn  
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [1]

[Sign:] Photophobia  
Number of times reported: [1]

[Sign:] P Lo, Bld  
Number of times reported: [1]

[Sign:] Posture Abn  
Number of times reported: [1]

[Sign:] Pressure Lo, Bld  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Proprioceptive Disorde  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Regurgitation  
Number of times reported: [1]

[Sign:] Sedation  
Number of times reported: [1]



[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Segs Lo, Bld  
Number of times reported: [1]

[Sign:] Skin Abnormal  
Number of times reported: [1]

[Sign:] Skin, Dry  
Number of times reported: [1]

[Sign:] Slough, Skin  
Number of times reported: [1]

[Sign:] Sneezing  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

[Sign:] Spasm  
Number of times reported: [1]

[Sign:] Sperm Abn  
Number of times reported: [1]

[Sign:] Stiffness, Neck  
Number of times reported: [1]

[Sign:] Stool, Mucoid  
Number of times reported: [1]

[Sign:] Stranguria  
Number of times reported: [1]

[Sign:] Stumbling  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Tech Error  
Number of times reported: [1]

[Sign:] Trembling, Face  
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld  
Number of times reported: [1]

[Sign:] Ulcer(s), Skin  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Us-liver Abn  
Number of times reported: [1]

[Sign:] Vestibular Disorder  
Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Oral, Human

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Sound Abn, Voice

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Topical, Human

[Sign:] Hyperesthesia

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Unknown, Dog

[Sign:] Diarrhea

Number of times reported: [1]

**[Drug:] Spinosad, Milbemycin**

Unknown, Human

[Sign:] Rash

Number of times reported: [1]

**[Drug:] Stanozolol**

Oral, Cat

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Glucose, Urine

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Stanozolol**

Oral, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Hematochezia  
Number of times reported: [1]

[Sign:] Interaction, Drug(s)  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Nocturia  
Number of times reported: [1]

[Sign:] Paralysis, All Limbs  
Number of times reported: [1]

[Sign:] Priapism  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

**[Drug:] Stanozolol**

Parenteral, Cat

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Stanozolol**

Parenteral, Dog

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Polypnea

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Glucose Lo, Bld

Number of times reported: [1]

[Sign:] Icterus

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

- [Sign:] Respiratory Disorder  
Number of times reported: [1]
- [Sign:] Shock  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]
- [Sign:] Unconscious  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]
- [Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Stanozolol**

Parenteral, Horse

- [Sign:] Inj Site Swelling  
Number of times reported: [4]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [3]
- [Sign:] Collapse  
Number of times reported: [3]
- [Sign:] Inj Site Abscess  
Number of times reported: [3]
- [Sign:] Recumbency  
Number of times reported: [3]
- [Sign:] Nystagmus  
Number of times reported: [2]
- [Sign:] Ataxia  
Number of times reported: [1]
- [Sign:] Cellulitis  
Number of times reported: [1]
- [Sign:] Convulsion(s)  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Death(euthanized)  
Number of times reported: [1]
- [Sign:] Fever, Body  
Number of times reported: [1]
- [Sign:] Heart Failure  
Number of times reported: [1]
- [Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Alopecia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Seroma

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Stanozolol**

Parenteral, Human

[Sign:] Bld, Abn

Number of times reported: [1]

[Sign:] Cardiomegaly

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Liver Failure

Number of times reported: [1]

**[Drug:] Stanozolol**

Unknown, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Estrus Behavior

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Stanozolol**

Unknown, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Sulfachlorpyridazine**

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

**[Drug:] Sulfachlorpyridazine**

Oral, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

**[Drug:] Sulfachlorpyridazine**

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]



**[Drug:] Sulfadiazine, Trimethoprim**

Defect, Not Applicable

- [Sign:] Pd-container(s), Abn  
Number of times reported: [8]
- [Sign:] Pd-color, Abn  
Number of times reported: [6]
- [Sign:] Pd-seal, Abn  
Number of times reported: [6]
- [Sign:] Pd-container(s), Damag  
Number of times reported: [5]
- [Sign:] Pd-tube(s), Leaking  
Number of times reported: [5]
- [Sign:] Pd-solution, Abn  
Number of times reported: [4]
- [Sign:] Pd-product Defect  
Number of times reported: [3]
- [Sign:] Pd-cap(s), Abn  
Number of times reported: [2]
- [Sign:] Pd-missing, Label(s)  
Number of times reported: [2]
- [Sign:] Pd-tube(s), Abn  
Number of times reported: [2]
- [Sign:] Pd-dispenser, Abn  
Number of times reported: [1]
- [Sign:] Pd-tablet(s), Abn  
Number of times reported: [1]
- [Sign:] Pd-underfill, Package  
Number of times reported: [1]
- [Sign:] Pd-vial(s), Leaking  
Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Missing, Horse

- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Collapse  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Oral, Cat

- [Sign:] Hypersalivation  
Number of times reported: [2]
- [Sign:] Vomiting  
Number of times reported: [2]
- [Sign:] Anemia  
Number of times reported: [1]
- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Death(euthanized)  
Number of times reported: [1]
- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Gagging  
Number of times reported: [1]
- [Sign:] Mydriasis  
Number of times reported: [1]
- [Sign:] Peritonitis  
Number of times reported: [1]
- [Sign:] Polypnea  
Number of times reported: [1]
- [Sign:] Pruritis  
Number of times reported: [1]
- [Sign:] Vomiting, Unproductive  
Number of times reported: [1]
- [Sign:] Wbc Hi, Bld  
Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**  
Oral, Cattle

- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Diarrhea  
Number of times reported: [1]
- [Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**  
Oral, Chicken

- [Sign:] Egg Abn  
Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**  
Oral, Dog

[Sign:] Depression/lethargy  
Number of times reported: [20]

[Sign:] Anorexia  
Number of times reported: [16]

[Sign:] Fever, Body  
Number of times reported: [10]

[Sign:] Anemia  
Number of times reported: [8]

[Sign:] Death  
Number of times reported: [8]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [8]

[Sign:] Vomiting  
Number of times reported: [8]

[Sign:] Platelets Lo, Bld  
Number of times reported: [7]

[Sign:] Bld(petechiae)  
Number of times reported: [4]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [4]

[Sign:] Convulsion(s)  
Number of times reported: [4]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [4]

[Sign:] Swelling, Joint(s)  
Number of times reported: [4]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [3]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [3]

[Sign:] Co2 Lo, Bld  
Number of times reported: [3]

[Sign:] Cpk Hi, Bld  
Number of times reported: [3]

[Sign:] Diarrhea  
Number of times reported: [3]

[Sign:] Epistaxis  
Number of times reported: [3]

[Sign:] Lameness  
Number of times reported: [3]

[Sign:] Pain  
Number of times reported: [3]

[Sign:] Wbc Hi, Bld  
Number of times reported: [3]

[Sign:] Weakness  
Number of times reported: [3]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [2]

[Sign:] Arthritis  
Number of times reported: [2]

[Sign:] Ataxia  
Number of times reported: [2]

[Sign:] Bld, Urine  
Number of times reported: [2]

[Sign:] Blepharospasm  
Number of times reported: [2]

[Sign:] Blindness  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [2]

[Sign:] Crystals, Urine  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Glucose Lo, Bld  
Number of times reported: [2]

[Sign:] Hyperpnea  
Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [2]

[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Uveitis  
Number of times reported: [2]

[Sign:] Wbc Lo, Bld  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Anemia, Hemolytic  
Number of times reported: [1]

[Sign:] Anemia, Regen  
Number of times reported: [1]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bilirubin, Urine  
Number of times reported: [1]

[Sign:] Bld  
Number of times reported: [1]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bld, Gi  
Number of times reported: [1]

[Sign:] Bld(hematoma)  
Number of times reported: [1]

[Sign:] Bld, Joint(s)  
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Chloride Hi, Bld  
Number of times reported: [1]

[Sign:] Chloride Lo, Bld  
Number of times reported: [1]

[Sign:] Coagulation Disorder  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld  
Number of times reported: [1]

[Sign:] Fibrinogen Hi, Bld  
Number of times reported: [1]

[Sign:] Ggt Hi, Bld  
Number of times reported: [1]

[Sign:] Hepatitis  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Icterus  
Number of times reported: [1]

[Sign:] Icterus, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Incontinence, Urinary  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Melena  
Number of times reported: [1]

[Sign:] Monos Lo, Bld  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Na Lo, Bld  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Polycythemia  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Radiograph(s) Abn  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Rbc Abn  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Segs Lo, Bld  
Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Oral, Goat

[Sign:] Death

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Oral, Horse

[Sign:] Diarrhea

Number of times reported: [11]

[Sign:] Death

Number of times reported: [7]

[Sign:] Diarrhea, Severe

Number of times reported: [6]

[Sign:] Pain, Abdomen

Number of times reported: [5]

[Sign:] Colitis

Number of times reported: [4]

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Laminitis

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]



[Sign:] Fever, Body  
Number of times reported: [2]

[Sign:] Pruritis  
Number of times reported: [2]

[Sign:] Urticaria  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Dic  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Edema, Brisket/chest  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Ventral  
Number of times reported: [1]

[Sign:] Epistaxis  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Hepatomegaly  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Pr-colon, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pruritis, Tail  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Segs Lo, Bld  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Sweating, Decreased  
Number of times reported: [1]

[Sign:] Us-liver Abn  
Number of times reported: [1]

[Sign:] Wbc Lo, Bld  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**  
Oral, Human

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Discomfort  
Number of times reported: [2]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [2]

[Sign:] Exfoliation, Skin  
Number of times reported: [1]

[Sign:] Nose Abn

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Parenteral, Cattle

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Parenteral, Dog

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Parenteral, Horse

[Sign:] Death

Number of times reported: [20]

[Sign:] Collapse

Number of times reported: [19]

[Sign:] Convulsion(s)

Number of times reported: [7]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Sweating

Number of times reported: [5]

[Sign:] Tachycardia

Number of times reported: [5]

[Sign:] Unconscious  
Number of times reported: [5]

[Sign:] Pallor  
Number of times reported: [4]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Syncope  
Number of times reported: [3]

[Sign:] Trembling  
Number of times reported: [3]

[Sign:] Arrhythmia  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Nervousness  
Number of times reported: [2]

[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [2]

[Sign:] Shock  
Number of times reported: [2]

[Sign:] Staggering  
Number of times reported: [2]

[Sign:] Thrashing/paddling  
Number of times reported: [2]

[Sign:] Twitch  
Number of times reported: [2]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Bld, Eye(s)  
Number of times reported: [1]

[Sign:] Breathing, Periodic  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Defecation  
Number of times reported: [1]

[Sign:] Destructiveness  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Pawing  
Number of times reported: [1]

[Sign:] Photophobia  
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Rearing  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Shock, Endotoxemia  
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [1]

[Sign:] Swelling, Neck  
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro  
Number of times reported: [1]

[Sign:] Trembling, Face  
Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Parenteral, Sheep

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Unknown, Dog

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Sulfadiazine, Trimethoprim**

Unknown, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Defect, Not Applicable

[Sign:] Pd-bolus, Abn

Number of times reported: [54]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [41]

[Sign:] Pd-container(s), Damag

Number of times reported: [29]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [28]  
[Sign:] Pd-seal, Abn  
Number of times reported: [22]  
[Sign:] Pd-tablet(s), Abn  
Number of times reported: [18]  
[Sign:] Pd-cap(s), Abn  
Number of times reported: [14]  
[Sign:] Pd-label(s), Abn  
Number of times reported: [6]  
[Sign:] Pd-missing, Label(s)  
Number of times reported: [6]  
[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [6]  
[Sign:] Pd-container(s), Abn  
Number of times reported: [5]  
[Sign:] Pd-solution, Abn  
Number of times reported: [5]  
[Sign:] Pd-color, Abn  
Number of times reported: [4]  
[Sign:] Pd-missing, Cap  
Number of times reported: [4]  
[Sign:] Pd-suspension, Abn  
Number of times reported: [3]  
[Sign:] Pd-contamination  
Number of times reported: [2]  
[Sign:] Pd-contam, Mold  
Number of times reported: [2]  
[Sign:] Pd-tube(s), Leaking  
Number of times reported: [2]  
[Sign:] Pd-underfill, Package  
Number of times reported: [2]  
[Sign:] Pd-unknown  
Number of times reported: [2]  
[Sign:] Death  
Number of times reported: [1]  
[Sign:] Estrus Behavior  
Number of times reported: [1]  
[Sign:] Pd-product Defect  
Number of times reported: [1]  
[Sign:] Pd-vial(s), Abn  
Number of times reported: [1]  
[Sign:] Udder, Swelling

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Intranasal, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Missing, Dog

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Not Applicable, Not Applicable

[Sign:] Pd-product Defect

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Cat

[Sign:] Ineffect, Coccidia

Number of times reported: [49]

[Sign:] Death

Number of times reported: [13]

[Sign:] Depression/lethargy

Number of times reported: [12]

[Sign:] Ataxia

Number of times reported: [8]

[Sign:] Diarrhea

Number of times reported: [7]

[Sign:] Vomiting

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Convulsion(s)

Number of times reported: [5]

[Sign:] Fever, Body

Number of times reported: [5]

[Sign:] Anemia

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic



Number of times reported: [3]  
[Sign:] Mydriasis  
Number of times reported: [3]  
[Sign:] Unconscious  
Number of times reported: [3]  
[Sign:] Vocalization  
Number of times reported: [3]  
[Sign:] Hypothermia  
Number of times reported: [2]  
[Sign:] Ineffect  
Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Cataract(s)  
Number of times reported: [1]  
[Sign:] Chloride Lo, Bld  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Crystals, Urine  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Diarrhea, Mild  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [1]  
[Sign:] Hematochezia  
Number of times reported: [1]  
[Sign:] Hypothermia, Body

Number of times reported: [1]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]  
[Sign:] K Hi, Bld  
Number of times reported: [1]  
[Sign:] Kidney Disorder  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Loss Of Condition  
Number of times reported: [1]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]  
[Sign:] Miosis  
Number of times reported: [1]  
[Sign:] Na Lo, Bld  
Number of times reported: [1]  
[Sign:] No Signs  
Number of times reported: [1]  
[Sign:] Nystagmus  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Paresis  
Number of times reported: [1]  
[Sign:] Pd-potency, Lo  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [1]  
[Sign:] Polyphagia  
Number of times reported: [1]  
[Sign:] Polyuria  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]  
[Sign:] Pr-meninges, Lesion(s)  
Number of times reported: [1]  
[Sign:] Reproduction Disorder

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Cattle

[Sign:] Residue, Meat

Number of times reported: [6]

[Sign:] Death

Number of times reported: [3]

[Sign:] Pd-bolus, Abn

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Ineffect, Coccidia

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(slaughtered)

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Melena

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Chicken

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Feathers, Abnormal

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Dog

[Sign:] Ineffect, Coccidia

Number of times reported: [63]

[Sign:] Vomiting

Number of times reported: [50]

[Sign:] Depression/lethargy

Number of times reported: [34]

[Sign:] Diarrhea  
Number of times reported: [26]

[Sign:] Death  
Number of times reported: [21]

[Sign:] Swelling, Head/face  
Number of times reported: [18]

[Sign:] Anorexia  
Number of times reported: [17]

[Sign:] Fever, Body  
Number of times reported: [16]

[Sign:] Anaphylaxis/toid  
Number of times reported: [13]

[Sign:] Anemia  
Number of times reported: [13]

[Sign:] Convulsion(s)  
Number of times reported: [11]

[Sign:] Ataxia  
Number of times reported: [10]

[Sign:] Pruritis  
Number of times reported: [10]

[Sign:] Urticaria  
Number of times reported: [10]

[Sign:] Wbc Hi, Bld  
Number of times reported: [9]

[Sign:] Weakness  
Number of times reported: [8]

[Sign:] Platelets Lo, Bld  
Number of times reported: [7]

[Sign:] Albumin Lo, Bld  
Number of times reported: [6]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [6]

[Sign:] Diarrhea, Bloody  
Number of times reported: [6]

[Sign:] Edema, Head/face  
Number of times reported: [6]

[Sign:] Alopecia  
Number of times reported: [5]

[Sign:] Congestion, Skin  
Number of times reported: [5]

[Sign:] Death(euthanized)  
Number of times reported: [5]

[Sign:] Dehydration  
Number of times reported: [5]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [5]

[Sign:] Pallor  
Number of times reported: [5]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [4]

[Sign:] Coughing  
Number of times reported: [4]

[Sign:] Glucose Lo, Bld  
Number of times reported: [4]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [4]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [4]

[Sign:] Rash  
Number of times reported: [4]

[Sign:] Segs Hi, Bld  
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [4]

[Sign:] Trembling  
Number of times reported: [4]

[Sign:] Wbc Lo, Bld  
Number of times reported: [4]

[Sign:] Diarrhea, Mild  
Number of times reported: [3]

[Sign:] Hypersalivation  
Number of times reported: [3]

[Sign:] Melena  
Number of times reported: [3]

[Sign:] P Hi, Bld  
Number of times reported: [3]

[Sign:] Pneumonia  
Number of times reported: [3]

[Sign:] Amylase Hi, Bld  
Number of times reported: [2]

[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [2]

[Sign:] Bld, Sclera  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [2]

[Sign:] Confusion  
Number of times reported: [2]

[Sign:] Congestion, Ear(s)  
Number of times reported: [2]

[Sign:] Culture/titer Data Abn  
Number of times reported: [2]

[Sign:] Distention, Abdomen  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Globulin Lo, Bld  
Number of times reported: [2]

[Sign:] Hair, Abn  
Number of times reported: [2]

[Sign:] Head Tilt  
Number of times reported: [2]

[Sign:] Hyperactivity  
Number of times reported: [2]

[Sign:] Inflam, Skin  
Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [2]

[Sign:] K Lo, Bld  
Number of times reported: [2]

[Sign:] Lesion(s), Skin  
Number of times reported: [2]

[Sign:] Lipase Hi, Bld  
Number of times reported: [2]

[Sign:] Murmur, Heart  
Number of times reported: [2]

[Sign:] Na Lo, Bld  
Number of times reported: [2]

[Sign:] Pain, Abdomen  
Number of times reported: [2]

[Sign:] Pain, Joint(s)  
Number of times reported: [2]

[Sign:] Polydipsia  
Number of times reported: [2]

[Sign:] Polypnea  
Number of times reported: [2]

[Sign:] Pressure Lo, Bld  
Number of times reported: [2]

[Sign:] Radiograph(s) Abn  
Number of times reported: [2]

[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [2]

[Sign:] Sneezing  
Number of times reported: [2]

[Sign:] Staggering  
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Swelling, Neck  
Number of times reported: [2]

[Sign:] Uveitis  
Number of times reported: [2]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [2]

[Sign:] Vocalization  
Number of times reported: [2]

[Sign:] Abn Color, Urine  
Number of times reported: [1]

[Sign:] Anus, Paralysis  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Ascites  
Number of times reported: [1]

[Sign:] Basos Hi, Bld  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Biting/chewing  
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Bld, Rectum  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Blepharospasm  
Number of times reported: [1]



[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Bun Lo, Bld  
Number of times reported: [1]

[Sign:] Cachexia  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Cholesterol Lo, Bld  
Number of times reported: [1]

[Sign:] Circling  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]

[Sign:] Coprophagia  
Number of times reported: [1]

[Sign:] Cpk Hi, Bld  
Number of times reported: [1]

[Sign:] Cystitis  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Difficulty Rising  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Edema, Cornea(s)  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Effusion, Pericardial  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Exfoliation, Skin  
Number of times reported: [1]

[Sign:] Eye Disorder  
Number of times reported: [1]

[Sign:] Fly Biting  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Gastroenteritis  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Hematochezia  
Number of times reported: [1]

[Sign:] Hemoglobin, Urine  
Number of times reported: [1]

[Sign:] Hiding  
Number of times reported: [1]

[Sign:] Hyphema  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Icterus, Body  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Incontinence, Urinary  
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

[Sign:] Infection  
Number of times reported: [1]

[Sign:] Infection, Uterus  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Irritation, Skin  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Liver Disorder  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Locomotion Disorder  
Number of times reported: [1]

[Sign:] Loss Of Condition  
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]

[Sign:] Mg Lo, Bld  
Number of times reported: [1]

[Sign:] Monos Hi, Bld  
Number of times reported: [1]

[Sign:] Monos Lo, Bld  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Obstruction, Intestine  
Number of times reported: [1]

[Sign:] Opacity, Cornea(s)  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pain, Back  
Number of times reported: [1]

[Sign:] Pancreas Disorder  
Number of times reported: [1]

[Sign:] Pancreatitis  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Pd-contam, Mold  
Number of times reported: [1]

[Sign:] Pd-odor, Abn  
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [1]

[Sign:] Pollakiuria  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Polyphagia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid  
Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(  
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Segs Lo, Bld  
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Skin, Necrosis  
Number of times reported: [1]

[Sign:] Skin, Scab(s)  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Tears, Abn  
Number of times reported: [1]

[Sign:] Teeth, Abn  
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Us Abn  
Number of times reported: [1]

[Sign:] Vaginitis  
Number of times reported: [1]

[Sign:] Wbc Abn  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Ferret

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Irritation, Perineum

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Goat

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Human

[Sign:] Flatulence

Number of times reported: [1]

[Sign:] Leg Disorder

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Other

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Oral, Sheep

[Sign:] Residue, Meat

Number of times reported: [2]

**[Drug:] Sulfadimethoxine**

Oral, Various

[Sign:] Ineffect, Coccidia

Number of times reported: [3]

**[Drug:] Sulfadimethoxine**

Parenteral, Cat

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Head Bobbing

Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Parenteral, Cattle

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Parenteral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Enlargement(s)

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Parenteral, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Topical, Human

[Sign:] Pd-vial(s), Leaking

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Unknown, Cat

[Sign:] Diarrhea

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Unknown, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]



[Sign:] Residue, Milk

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Unknown, Dog

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Ca Hi, Bld

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Eosinos Hi, Bld

Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Sulfadimethoxine**

Unknown, Rabbit

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

**[Drug:] Sulfamethazine**

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [18]

[Sign:] Pd-container(s), Damag

Number of times reported: [11]

[Sign:] Pd-cap(s), Abn

Number of times reported: [8]

[Sign:] Pd-seal, Abn

Number of times reported: [7]

[Sign:] Pd-container(s), Abn

Number of times reported: [5]

[Sign:] Pd-tablet(s), Abn  
Number of times reported: [5]

[Sign:] Pd-color, Abn  
Number of times reported: [4]

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [3]

[Sign:] Pd-missing, Label(s)  
Number of times reported: [3]

[Sign:] Pd-solution, Abn  
Number of times reported: [3]

[Sign:] Pd-label(s), Abn  
Number of times reported: [2]

[Sign:] Unpalatable  
Number of times reported: [2]

[Sign:] Pd-bolus, Abn  
Number of times reported: [1]

[Sign:] Pd-defect Unknown  
Number of times reported: [1]

[Sign:] Pd-odor, Abn  
Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking  
Number of times reported: [1]

[Sign:] Pd-underfill, Package  
Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [1]

**[Drug:] Sulfamethazine**

Oral, Cattle

[Sign:] Death  
Number of times reported: [3]

[Sign:] Diarrhea  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

**[Drug:] Sulfamethazine**

Oral, Chicken

[Sign:] Death  
Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect, Coccidia

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Sulfamethazine**

Oral, Dog

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

**[Drug:] Sulfamethazine**

Oral, Goat

[Sign:] Death

Number of times reported: [1]

**[Drug:] Sulfamethazine**

Oral, Horse

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

**[Drug:] Sulfamethazine, Tylosin**

Defect, Not Applicable

[Sign:] Pd-contamination

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

**[Drug:] Sulfamethazine, Tylosin**

Oral, Pig

[Sign:] Residue, Meat

Number of times reported: [1]

**[Drug:] Sulfamethazine, Tylosin**

Unknown, Pig

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Weight Inc

Number of times reported: [1]

**[Drug:] Sulfamethoxazole**

Oral, Sheep

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

**[Drug:] Sulfamethoxazole, Trimethoprim**

Oral, Dog

[Sign:] Platelets Lo, Bld

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Death

Number of times reported: [4]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]  
[Sign:] Fever, Body  
Number of times reported: [3]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [3]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [3]  
[Sign:] Anemia  
Number of times reported: [2]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [2]  
[Sign:] Bld(petechiae)  
Number of times reported: [2]  
[Sign:] Bld, Urine  
Number of times reported: [2]  
[Sign:] Icterus  
Number of times reported: [2]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [2]  
[Sign:] Pancytopenia  
Number of times reported: [2]  
[Sign:] Segs Hi, Bld  
Number of times reported: [2]  
[Sign:] Segs Lo, Bld  
Number of times reported: [2]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [1]  
[Sign:] Anemia, Aplastic  
Number of times reported: [1]  
[Sign:] Anemia, Hemolytic  
Number of times reported: [1]  
[Sign:] Arthritis  
Number of times reported: [1]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [1]  
[Sign:] Bld, Sclera  
Number of times reported: [1]  
[Sign:] Blindness, Partial  
Number of times reported: [1]  
[Sign:] Ca Lo, Bld

Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Distention, Abdomen  
Number of times reported: [1]  
[Sign:] Effusion, Joint(s)  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [1]  
[Sign:] Globulin Hi, Bld  
Number of times reported: [1]  
[Sign:] Hyphema  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Monos Hi, Bld  
Number of times reported: [1]  
[Sign:] Monos Lo, Bld  
Number of times reported: [1]  
[Sign:] Mucous Membr, Red  
Number of times reported: [1]  
[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [1]  
[Sign:] Pancreatitis  
Number of times reported: [1]  
[Sign:] Papule(s)  
Number of times reported: [1]  
[Sign:] Peritonitis  
Number of times reported: [1]  
[Sign:] Pr-bone Marrow, Lesion  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis  
Number of times reported: [1]  
[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Sulfaquinoxaline**

Oral, Chicken

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Pallor

Number of times reported: [1]

[Sign:] Swelling, Mult Sites

Number of times reported: [1]

**[Drug:] Sulfurated Lime Solution**

Topical, Human

[Sign:] Dyspnea

Number of times reported: [1]