

**CVM ADE Comprehensive Clinical Detail Listing:**

Cumulative Date Range: 1/1/1987 thru 8/31/2012

Drug Listing: T;U;V;W;X;Y;Z

**[Drug:] Tea Tree Oil**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tea Tree Oil**

Topical, Dog

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Edema, Brisket/chest

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Infection, Skin

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

**[Drug:] Tepoxalin**

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [17]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [13]

[Sign:] Pd-product Defect

Number of times reported: [6]

[Sign:] Pd-container(s), Abn

Number of times reported: [3]

[Sign:] Tablet(s), Undigest

Number of times reported: [2]

**[Drug:] Tepoxalin**

Oral, Cat

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Dehydration

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Murmur, Heart

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Tepoxalin**

Oral, Dog

[Sign:] Vomiting

Number of times reported: [195]

[Sign:] Anorexia

Number of times reported: [114]

[Sign:] Diarrhea

Number of times reported: [110]

[Sign:] Depression/lethargy

Number of times reported: [109]

[Sign:] Melena

Number of times reported: [69]

[Sign:] Diarrhea, Bloody

Number of times reported: [65]  
[Sign:] Anemia  
Number of times reported: [63]  
[Sign:] Vomiting, Bloody  
Number of times reported: [58]  
[Sign:] Death  
Number of times reported: [54]  
[Sign:] Death(euthanized)  
Number of times reported: [52]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [52]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [44]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [33]  
[Sign:] Ataxia  
Number of times reported: [32]  
[Sign:] Bun Hi, Bld  
Number of times reported: [32]  
[Sign:] Convulsion(s)  
Number of times reported: [24]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [24]  
[Sign:] Polydipsia  
Number of times reported: [24]  
[Sign:] Hematochezia  
Number of times reported: [23]  
[Sign:] Alopecia  
Number of times reported: [17]  
[Sign:] Nervousness  
Number of times reported: [17]  
[Sign:] Polypnea  
Number of times reported: [16]  
[Sign:] Weakness  
Number of times reported: [16]  
[Sign:] Bld, Urine  
Number of times reported: [15]  
[Sign:] Ineffect, Antiinflam  
Number of times reported: [15]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [15]  
[Sign:] Pallor, Mucous Membran

Number of times reported: [13]  
[Sign:] Polyuria  
Number of times reported: [13]  
[Sign:] Unpalatable, Won't Swa  
Number of times reported: [13]  
[Sign:] Collapse  
Number of times reported: [12]  
[Sign:] Hypersalivation  
Number of times reported: [12]  
[Sign:] Pruritis  
Number of times reported: [12]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [12]  
[Sign:] Confusion  
Number of times reported: [11]  
[Sign:] Epistaxis  
Number of times reported: [11]  
[Sign:] Pain, Abdomen  
Number of times reported: [11]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [11]  
[Sign:] Fever, Body  
Number of times reported: [10]  
[Sign:] Hyperactivity  
Number of times reported: [10]  
[Sign:] Pd-tablet(s), Abn  
Number of times reported: [10]  
[Sign:] Recumbency  
Number of times reported: [10]  
[Sign:] Ulcer(s), Gi  
Number of times reported: [10]  
[Sign:] Ulcer(s), Stomach  
Number of times reported: [9]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [8]  
[Sign:] Congestion, Skin  
Number of times reported: [8]  
[Sign:] Dyspnea  
Number of times reported: [8]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [8]  
[Sign:] Tablet(s), Undigest

Number of times reported: [8]  
[Sign:] Weight Loss  
Number of times reported: [8]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [7]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [7]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [7]  
[Sign:] Bld, Gi  
Number of times reported: [7]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [7]  
[Sign:] Incontinence, Urinary  
Number of times reported: [7]  
[Sign:] Liver Disorder  
Number of times reported: [7]  
[Sign:] Pacing  
Number of times reported: [7]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [7]  
[Sign:] Apprehension  
Number of times reported: [6]  
[Sign:] Azotemia  
Number of times reported: [6]  
[Sign:] Bld(petechiae)  
Number of times reported: [6]  
[Sign:] Hyperpnea  
Number of times reported: [6]  
[Sign:] Nausea  
Number of times reported: [6]  
[Sign:] Stool Abn  
Number of times reported: [6]  
[Sign:] Urticaria  
Number of times reported: [6]  
[Sign:] Aggression  
Number of times reported: [5]  
[Sign:] Behavior Disorder  
Number of times reported: [5]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [5]  
[Sign:] Chemistry Abn

Number of times reported: [5]  
[Sign:] Dehydration  
Number of times reported: [5]  
[Sign:] Kidney Failure  
Number of times reported: [5]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [5]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [5]  
[Sign:] Swelling, Head/face  
Number of times reported: [5]  
[Sign:] Us-liver Abn  
Number of times reported: [5]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [4]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [4]  
[Sign:] Diarrhea, Mild  
Number of times reported: [4]  
[Sign:] Diarrhea, Severe  
Number of times reported: [4]  
[Sign:] Difficulty Rising  
Number of times reported: [4]  
[Sign:] Gagging  
Number of times reported: [4]  
[Sign:] Gastroenteritis  
Number of times reported: [4]  
[Sign:] Infection, Urinary Tra  
Number of times reported: [4]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [4]  
[Sign:] Mydriasis  
Number of times reported: [4]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [4]  
[Sign:] P Hi, Bld  
Number of times reported: [4]  
[Sign:] Scale(s), Skin  
Number of times reported: [4]  
[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [4]  
[Sign:] Trembling

Number of times reported: [4]  
[Sign:] Urination  
Number of times reported: [4]  
[Sign:] Us Abn  
Number of times reported: [4]  
[Sign:] Vocalization  
Number of times reported: [4]  
[Sign:] Anemia, Bld Loss  
Number of times reported: [3]  
[Sign:] Biting/chewing  
Number of times reported: [3]  
[Sign:] Borborygmi  
Number of times reported: [3]  
[Sign:] Coagulation Disorder  
Number of times reported: [3]  
[Sign:] Diarrhea, Projectile  
Number of times reported: [3]  
[Sign:] Diarrhea, Watery  
Number of times reported: [3]  
[Sign:] Hair, Shedding  
Number of times reported: [3]  
[Sign:] Icterus, Body  
Number of times reported: [3]  
[Sign:] Incontinence, Fecal  
Number of times reported: [3]  
[Sign:] Ineffect, Analgesia  
Number of times reported: [3]  
[Sign:] Licking, Feet/digit(s)  
Number of times reported: [3]  
[Sign:] Neoplasm  
Number of times reported: [3]  
[Sign:] Neurological Disorder  
Number of times reported: [3]  
[Sign:] Perforation, Gi  
Number of times reported: [3]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [3]  
[Sign:] Segs Hi, Bld  
Number of times reported: [3]  
[Sign:] Stupor

Number of times reported: [3]  
[Sign:] Triglycerides Hi, Bld  
Number of times reported: [3]  
[Sign:] Unpalatable, Won't Eat  
Number of times reported: [3]  
[Sign:] Vomiting, Unproductive  
Number of times reported: [3]  
[Sign:] Abn Color, Urine  
Number of times reported: [2]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [2]  
[Sign:] Bands Hi, Bld  
Number of times reported: [2]  
[Sign:] Bld  
Number of times reported: [2]  
[Sign:] Circling  
Number of times reported: [2]  
[Sign:] Colitis  
Number of times reported: [2]  
[Sign:] Constipation  
Number of times reported: [2]  
[Sign:] Cystitis  
Number of times reported: [2]  
[Sign:] Deafness  
Number of times reported: [2]  
[Sign:] Diabetes M, Poor Regul  
Number of times reported: [2]  
[Sign:] Diarrhea, Muroid  
Number of times reported: [2]  
[Sign:] Dilatation, Esophagus  
Number of times reported: [2]  
[Sign:] Distress  
Number of times reported: [2]  
[Sign:] Dysphagia  
Number of times reported: [2]  
[Sign:] Eruption(s)  
Number of times reported: [2]  
[Sign:] Flatulence  
Number of times reported: [2]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [2]  
[Sign:] Glucose Hi, Bld



Number of times reported: [2]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [2]  
[Sign:] Hiding  
Number of times reported: [2]  
[Sign:] Hyperesthesia  
Number of times reported: [2]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [2]  
[Sign:] Immune Disorder  
Number of times reported: [2]  
[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [2]  
[Sign:] Inflamm, Skin  
Number of times reported: [2]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [2]  
[Sign:] K Hi, Bld  
Number of times reported: [2]  
[Sign:] Kidney Disorder  
Number of times reported: [2]  
[Sign:] Kidney Values Hi, Bld  
Number of times reported: [2]  
[Sign:] K Lo, Bld  
Number of times reported: [2]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [2]  
[Sign:] Pallor  
Number of times reported: [2]  
[Sign:] Pancreatitis  
Number of times reported: [2]  
[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [2]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-mult Sites, Bld  
Number of times reported: [2]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [2]  
[Sign:] Pustule(s)

Number of times reported: [2]  
[Sign:] Rash  
Number of times reported: [2]  
[Sign:] Reluctant To Move  
Number of times reported: [2]  
[Sign:] Shaking  
Number of times reported: [2]  
[Sign:] Skin, Scab(s)  
Number of times reported: [2]  
[Sign:] Stool, Mucoid  
Number of times reported: [2]  
[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [2]  
[Sign:] Swelling, Neck  
Number of times reported: [2]  
[Sign:] Tachycardia  
Number of times reported: [2]  
[Sign:] Twitch  
Number of times reported: [2]  
[Sign:] Ulcer(s), Skin  
Number of times reported: [2]  
[Sign:] Ulcer(s), Tongue  
Number of times reported: [2]  
[Sign:] Adipsia  
Number of times reported: [1]  
[Sign:] Anemia, Hemolytic  
Number of times reported: [1]  
[Sign:] Anemia, Regen  
Number of times reported: [1]  
[Sign:] Anuria  
Number of times reported: [1]  
[Sign:] Arthritis  
Number of times reported: [1]  
[Sign:] Bile Acids Hi, Bld  
Number of times reported: [1]  
[Sign:] Bilirubin, Urine  
Number of times reported: [1]  
[Sign:] Bld, Abdomen  
Number of times reported: [1]  
[Sign:] Bld(hematoma)  
Number of times reported: [1]  
[Sign:] Bld, Incision Site

Number of times reported: [1]  
[Sign:] Bld, Penis  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Bld, Sclera  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Bloat  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Ca Hi, Bld  
Number of times reported: [1]  
[Sign:] Casts, Urine  
Number of times reported: [1]  
[Sign:] Chloride Lo, Bld  
Number of times reported: [1]  
[Sign:] Choking  
Number of times reported: [1]  
[Sign:] Cns Infarct  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Crystals, Urine  
Number of times reported: [1]  
[Sign:] Cyanosis  
Number of times reported: [1]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]  
[Sign:] Dermatitis, Moist  
Number of times reported: [1]  
[Sign:] Destructiveness  
Number of times reported: [1]  
[Sign:] Diabetes Mellitus  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Distention, Abdomen

Number of times reported: [1]  
[Sign:] Dry, Skin  
Number of times reported: [1]  
[Sign:] Dysuria  
Number of times reported: [1]  
[Sign:] Ear Disorder  
Number of times reported: [1]  
[Sign:] Ecchymosis, Incision Site  
Number of times reported: [1]  
[Sign:] Ecg Abn  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Edema, Multiple Sites  
Number of times reported: [1]  
[Sign:] Enlargement(s), Skin  
Number of times reported: [1]  
[Sign:] Gi, Abnormal  
Number of times reported: [1]  
[Sign:] Globulin Hi, Bld  
Number of times reported: [1]  
[Sign:] Globulin Lo, Bld  
Number of times reported: [1]  
[Sign:] Glucose, Urine  
Number of times reported: [1]  
[Sign:] Hair, Abn  
Number of times reported: [1]  
[Sign:] Hair, Abn Color  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Head Pressing  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Heart Failure  
Number of times reported: [1]  
[Sign:] Hemoglobin, Urine

Number of times reported: [1]  
[Sign:] Horner's Syndrome  
Number of times reported: [1]  
[Sign:] Hypersensitive, Sound  
Number of times reported: [1]  
[Sign:] Hyposmia  
Number of times reported: [1]  
[Sign:] Icterus  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Improvement, Unexpect  
Number of times reported: [1]  
[Sign:] Incision Site, Bld  
Number of times reported: [1]  
[Sign:] Incontinence  
Number of times reported: [1]  
[Sign:] Ineffect, Other Drug(s)  
Number of times reported: [1]  
[Sign:] Infection, Feet/digit(  
Number of times reported: [1]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]  
[Sign:] Jerking  
Number of times reported: [1]  
[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Leukoderma  
Number of times reported: [1]  
[Sign:] Liver Failure  
Number of times reported: [1]  
[Sign:] Liver Profile Hi  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Mass  
Number of times reported: [1]  
[Sign:] Mass, Abdomen  
Number of times reported: [1]  
[Sign:] Mass, Skin  
Number of times reported: [1]  
[Sign:] Microorganisms, Urine

Number of times reported: [1]  
[Sign:] Moribund  
Number of times reported: [1]  
[Sign:] Mri Scan Abn  
Number of times reported: [1]  
[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]  
[Sign:] Na Lo, Bld  
Number of times reported: [1]  
[Sign:] Neoplasm, Bone  
Number of times reported: [1]  
[Sign:] Nocturia  
Number of times reported: [1]  
[Sign:] Nose, Inflammation  
Number of times reported: [1]  
[Sign:] Nystagmus  
Number of times reported: [1]  
[Sign:] Odor  
Number of times reported: [1]  
[Sign:] Odor, Mouth  
Number of times reported: [1]  
[Sign:] Odor, Urine  
Number of times reported: [1]  
[Sign:] Opacity, Cornea(s)  
Number of times reported: [1]  
[Sign:] Otitis  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Paralysis, Larynx  
Number of times reported: [1]  
[Sign:] Paresis  
Number of times reported: [1]  
[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]  
[Sign:] Pawing  
Number of times reported: [1]  
[Sign:] Perforation, Stomach  
Number of times reported: [1]  
[Sign:] Peritonitis  
Number of times reported: [1]  
[Sign:] Pica

Number of times reported: [1]  
[Sign:] Pneumonia  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Polyphagia  
Number of times reported: [1]  
[Sign:] Postural Rxn(s) Abn  
Number of times reported: [1]  
[Sign:] Pr-bladder, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-cecum, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pressure Lo, Bld  
Number of times reported: [1]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]  
[Sign:] Pr-medulla, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-meninges, Lesion(s)  
Number of times reported: [1]  
[Sign:] Protein, Urine  
Number of times reported: [1]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-spinal Cord, Lesion  
Number of times reported: [1]  
[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Rbc, Nucleated  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Seborrhea

Number of times reported: [1]  
[Sign:] Sedation  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Skin, Crust(s)  
Number of times reported: [1]  
[Sign:] Skin, Dry  
Number of times reported: [1]  
[Sign:] Skin, Necrosis  
Number of times reported: [1]  
[Sign:] Sleep Abn  
Number of times reported: [1]  
[Sign:] Slough, Tongue  
Number of times reported: [1]  
[Sign:] Somnolence  
Number of times reported: [1]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]  
[Sign:] Sound Abn, Voice  
Number of times reported: [1]  
[Sign:] Squinting  
Number of times reported: [1]  
[Sign:] Staggering  
Number of times reported: [1]  
[Sign:] Staring  
Number of times reported: [1]  
[Sign:] Stomatitis  
Number of times reported: [1]  
[Sign:] Stumbling  
Number of times reported: [1]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [1]  
[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Swelling, Mult Sites  
Number of times reported: [1]  
[Sign:] Syncope  
Number of times reported: [1]  
[Sign:] Tech Error Administrat



Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneous

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Sign:] Vasculitis

Number of times reported: [1]

[Sign:] Vomiting, Projectile

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Tepoxalin**

Oral, Other

[Sign:] Ineffect, Analgesia

Number of times reported: [1]

**[Drug:] Tepoxalin**

Oral, Pig

[Sign:] Ineffect, Analgesia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tepoxalin**

Parenteral, Dog

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Ggt Hi, Bld  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Tepoxalin**

Unknown, Dog

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

**[Drug:] Testosterone**

Parenteral, Dog

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Tetracycline**

Defect, Not Applicable

[Sign:] Pd-container(s), Damag  
Number of times reported: [14]

[Sign:] Pd-container(s), Abn  
Number of times reported: [5]

[Sign:] Pd-seal, Abn  
Number of times reported: [4]

[Sign:] Pd-contamination  
Number of times reported: [2]

[Sign:] Pd-color, Abn  
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

**[Drug:] Tetracycline**

Oral, Cat

[Sign:] Fever, Body

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

**[Drug:] Tetracycline**

Oral, Dog

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Coagulation Disorder

Number of times reported: [1]

[Sign:] Gastroenteritis

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

**[Drug:] Tetracycline**

Oral, Fish

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

**[Drug:] Tetracycline**

Oral, Horse

[Sign:] Pain, Abdomen

Number of times reported: [2]

**[Drug:] Thenium**

Oral, Dog

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

**[Drug:] Theophylline**

Oral, Cat

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

**[Drug:] Thiabendazole**

Oral, Cattle

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Thiabendazole**

Oral, Sheep

[Sign:] Death

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Thiamine**

Parenteral, Goat

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Thiamylal**

Parenteral, Cat

[Sign:] Apnea

Number of times reported: [10]

[Sign:] Anesth Recov Prolonged

Number of times reported: [5]

[Sign:] Death

Number of times reported: [5]

[Sign:] Arrest, Heart

Number of times reported: [3]

[Sign:] Ineffect, Anesthesia

Number of times reported: [3]

[Sign:] Anesth Too Deep

Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

**[Drug:] Thiamylal**

Parenteral, Dog

[Sign:] Apnea

Number of times reported: [30]

[Sign:] Death

Number of times reported: [25]

[Sign:] Arrest, Heart

Number of times reported: [19]

[Sign:] Anesth Recov Prolonged

Number of times reported: [12]

[Sign:] Ineffect, Anesthesia

Number of times reported: [11]

[Sign:] Anesth Too Deep

Number of times reported: [7]

[Sign:] Hypopnea

Number of times reported: [3]

[Sign:] Anesth Recov Turbulent

Number of times reported: [2]

[Sign:] Arrhythmia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fibrillation, Ventricu

Number of times reported: [1]

[Sign:] Heart Failure

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Thiamylal**

Parenteral, Horse

[Sign:] Ineffect, Anesthesia

Number of times reported: [4]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Thiamylal**

Parenteral, Unknown

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

**[Drug:] Thiamylal**

Unknown, Dog

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Anesth Too Deep

Number of times reported: [1]

**[Drug:] Thiopental**

Parenteral, Dog

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [2]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Pd-contamination  
Number of times reported: [1]  
[Sign:] Pd-syringe, Abn  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Congest  
Number of times reported: [1]

**[Drug:] Tiamulin**

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [5]  
[Sign:] Pd-solution, Abn  
Number of times reported: [5]  
[Sign:] Pd-vial(s), Leaking  
Number of times reported: [5]  
[Sign:] Pd-contamination  
Number of times reported: [3]  
[Sign:] Pd-container(s), Damag  
Number of times reported: [1]  
[Sign:] Pd-vial(s), Damaged  
Number of times reported: [1]

**[Drug:] Tiamulin**

Oral, Pig

[Sign:] Ineffect  
Number of times reported: [18]  
[Sign:] Death  
Number of times reported: [14]  
[Sign:] Diarrhea  
Number of times reported: [5]  
[Sign:] Ineffect, Antibiotic  
Number of times reported: [4]  
[Sign:] Depression/lethargy  
Number of times reported: [3]  
[Sign:] Congestion, Skin  
Number of times reported: [2]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Ineffect, Parasite(s)  
Number of times reported: [1]  
[Sign:] Interaction, Drug(s)



Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Pr-colon, Lesion(s)

Number of times reported: [1]

[Sign:] Prolapse, Rectum

Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Volvulus

Number of times reported: [1]

**[Drug:] Tiamulin**

Topical, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

**[Drug:] Ticarcillin**

Defect, Not Applicable

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

**[Drug:] Ticarcillin**

Parenteral, Dog

[Sign:] Death

Number of times reported: [1]

**[Drug:] Ticarcillin**

Parenteral, Horse

[Sign:] Colitis

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [48]

[Sign:] Pd-missing, Label(s)

Number of times reported: [16]

[Sign:] Pd-color, Abn

Number of times reported: [14]

[Sign:] Pd-underfill, Package

Number of times reported: [11]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [9]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [7]

[Sign:] Pd-vial(s), Abn

Number of times reported: [7]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [6]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-seal, Abn

Number of times reported: [3]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [3]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-missing, Cap

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-contam, Mold  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Intrauterine, Dog

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Death(stillborn)  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Missing, Cat

[Sign:] Anesth Recov Prolonged  
Number of times reported: [4]

[Sign:] Ataxia  
Number of times reported: [4]

[Sign:] Death  
Number of times reported: [3]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [3]

[Sign:] Anorexia  
Number of times reported: [2]

[Sign:] Anesth Recov Turbulent  
Number of times reported: [1]

[Sign:] Anisocoria  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Deafness  
Number of times reported: [1]

[Sign:] Horner's Syndrome  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Nystagmus, Horizontal

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Missing, Dog

[Sign:] Ineffect, Anesthesia

Number of times reported: [3]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Missing, Unknown

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Missing, Various

[Sign:] Anesth Induction Prolonged

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Ophthalmic, Human

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Oral, Cat

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Necrosis

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Oral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Cat

[Sign:] Death

Number of times reported: [303]

[Sign:] Anesth Recov Prolonged

Number of times reported: [153]

[Sign:] Ataxia

Number of times reported: [131]

[Sign:] Apnea

Number of times reported: [123]

[Sign:] Arrest, Heart

Number of times reported: [118]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [90]

[Sign:] Dyspnea

Number of times reported: [85]  
[Sign:] Ineffect, Anesthesia  
Number of times reported: [75]  
[Sign:] Depression/lethargy  
Number of times reported: [67]  
[Sign:] Fever, Body  
Number of times reported: [63]  
[Sign:] Anorexia  
Number of times reported: [44]  
[Sign:] Cyanosis  
Number of times reported: [33]  
[Sign:] Mydriasis  
Number of times reported: [32]  
[Sign:] Recumbency  
Number of times reported: [32]  
[Sign:] Blindness  
Number of times reported: [30]  
[Sign:] Anesth Recov Turbulent  
Number of times reported: [28]  
[Sign:] Death(euthanized)  
Number of times reported: [28]  
[Sign:] Hypothermia, Body  
Number of times reported: [28]  
[Sign:] Bradycardia  
Number of times reported: [27]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [27]  
[Sign:] Head Tilt  
Number of times reported: [26]  
[Sign:] Nystagmus  
Number of times reported: [26]  
[Sign:] Vocalization  
Number of times reported: [26]  
[Sign:] Head Bobbing  
Number of times reported: [25]  
[Sign:] Trembling  
Number of times reported: [24]  
[Sign:] Hypothermia  
Number of times reported: [23]  
[Sign:] Convulsion(s)  
Number of times reported: [22]  
[Sign:] Neurological Disorder

Number of times reported: [22]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [21]  
[Sign:] Vestibular Disorder  
Number of times reported: [17]  
[Sign:] Vomiting  
Number of times reported: [17]  
[Sign:] Confusion  
Number of times reported: [16]  
[Sign:] Hypopnea  
Number of times reported: [15]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [15]  
[Sign:] Twitch  
Number of times reported: [15]  
[Sign:] Circling  
Number of times reported: [14]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [14]  
[Sign:] Aggression  
Number of times reported: [13]  
[Sign:] Blindness, Temp  
Number of times reported: [13]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [13]  
[Sign:] Distress, Resp  
Number of times reported: [13]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [13]  
[Sign:] Anisocoria  
Number of times reported: [12]  
[Sign:] Coughing  
Number of times reported: [12]  
[Sign:] Staggering  
Number of times reported: [12]  
[Sign:] Bun Hi, Bld  
Number of times reported: [11]  
[Sign:] Hyperactivity  
Number of times reported: [11]  
[Sign:] Hypersalivation  
Number of times reported: [11]  
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [11]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [10]  
[Sign:] Spasm  
Number of times reported: [10]  
[Sign:] Stupor  
Number of times reported: [10]  
[Sign:] Tachycardia  
Number of times reported: [10]  
[Sign:] Unconscious  
Number of times reported: [10]  
[Sign:] Behavior Disorder  
Number of times reported: [9]  
[Sign:] Polypnea  
Number of times reported: [9]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [9]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [8]  
[Sign:] Cns Disorder  
Number of times reported: [8]  
[Sign:] Hyperpnea  
Number of times reported: [8]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [8]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [8]  
[Sign:] Anesth Too Deep  
Number of times reported: [7]  
[Sign:] Arrhythmia  
Number of times reported: [7]  
[Sign:] Breathing Abn  
Number of times reported: [7]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [7]  
[Sign:] Miosis  
Number of times reported: [7]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [7]  
[Sign:] Prolapse, Third Eyelid  
Number of times reported: [7]  
[Sign:] Reflex(es) Abn



Number of times reported: [7]  
[Sign:] Thrashing/paddling  
Number of times reported: [7]  
[Sign:] Apprehension  
Number of times reported: [6]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [6]  
[Sign:] Froth, Nose  
Number of times reported: [6]  
[Sign:] Horner's Syndrome  
Number of times reported: [6]  
[Sign:] Ineffect, Sedation  
Number of times reported: [6]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [6]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [6]  
[Sign:] Sedation Prolonged  
Number of times reported: [6]  
[Sign:] Adipsia  
Number of times reported: [5]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [5]  
[Sign:] Deafness  
Number of times reported: [5]  
[Sign:] Diarrhea  
Number of times reported: [5]  
[Sign:] Difficulty Rising  
Number of times reported: [5]  
[Sign:] Effusion, Pleural  
Number of times reported: [5]  
[Sign:] Nervousness  
Number of times reported: [5]  
[Sign:] Anemia  
Number of times reported: [4]  
[Sign:] Anuria  
Number of times reported: [4]  
[Sign:] Breathing, Periodic  
Number of times reported: [4]  
[Sign:] Cardiomegaly  
Number of times reported: [4]  
[Sign:] Cpk Hi, Bld

Number of times reported: [4]  
[Sign:] Dehydration  
Number of times reported: [4]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [4]  
[Sign:] Edema, Tongue  
Number of times reported: [4]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [4]  
[Sign:] Hyphema  
Number of times reported: [4]  
[Sign:] Jerking  
Number of times reported: [4]  
[Sign:] Lameness  
Number of times reported: [4]  
[Sign:] Pneumonia  
Number of times reported: [4]  
[Sign:] Pr-pleural Effusion  
Number of times reported: [4]  
[Sign:] Sedation  
Number of times reported: [4]  
[Sign:] Segs Hi, Bld  
Number of times reported: [4]  
[Sign:] Trembling, Face  
Number of times reported: [4]  
[Sign:] Ulcer(s), Tongue  
Number of times reported: [4]  
[Sign:] Vomiting, Bloody  
Number of times reported: [4]  
[Sign:] Weakness  
Number of times reported: [4]  
[Sign:] Wheezing  
Number of times reported: [4]  
[Sign:] Balance Disorder  
Number of times reported: [3]  
[Sign:] Biting/chewing  
Number of times reported: [3]  
[Sign:] Bld, Urine  
Number of times reported: [3]  
[Sign:] Blindness, Partial  
Number of times reported: [3]  
[Sign:] Collapse

Number of times reported: [3]  
[Sign:] Dysphagia  
Number of times reported: [3]  
[Sign:] Edema, Pharynx  
Number of times reported: [3]  
[Sign:] Gagging  
Number of times reported: [3]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [3]  
[Sign:] Heart Disorder  
Number of times reported: [3]  
[Sign:] Heart Failure  
Number of times reported: [3]  
[Sign:] Hypersensitive, Sound  
Number of times reported: [3]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [3]  
[Sign:] Murmur, Heart  
Number of times reported: [3]  
[Sign:] P Hi, Bld  
Number of times reported: [3]  
[Sign:] Shaking, Head/face  
Number of times reported: [3]  
[Sign:] Shock  
Number of times reported: [3]  
[Sign:] Stumbling  
Number of times reported: [3]  
[Sign:] Swelling, Head/face  
Number of times reported: [3]  
[Sign:] Swelling, Tongue  
Number of times reported: [3]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [3]  
[Sign:] Wbc Lo, Bld  
Number of times reported: [3]  
[Sign:] Anesth Duration Brief  
Number of times reported: [2]  
[Sign:] Anesth Induction Rapid  
Number of times reported: [2]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [2]  
[Sign:] Breathing, Difficult

Number of times reported: [2]  
[Sign:] Bun Lo, Bld  
Number of times reported: [2]  
[Sign:] Dysmetria  
Number of times reported: [2]  
[Sign:] Eye Disorder  
Number of times reported: [2]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [2]  
[Sign:] Hallucination  
Number of times reported: [2]  
[Sign:] Head Pressing  
Number of times reported: [2]  
[Sign:] Hyperesthesia  
Number of times reported: [2]  
[Sign:] Hypertonia  
Number of times reported: [2]  
[Sign:] Infection  
Number of times reported: [2]  
[Sign:] Inj Site Pain  
Number of times reported: [2]  
[Sign:] Iris, Inflam  
Number of times reported: [2]  
[Sign:] Kidney Failure  
Number of times reported: [2]  
[Sign:] Laryngospasm  
Number of times reported: [2]  
[Sign:] Locomotion Disorder  
Number of times reported: [2]  
[Sign:] Nystagmus, Rotary  
Number of times reported: [2]  
[Sign:] Pain, Feet/digit(s)  
Number of times reported: [2]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [2]  
[Sign:] Paresis  
Number of times reported: [2]  
[Sign:] Photosensitization  
Number of times reported: [2]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [2]  
[Sign:] Pr-cerebrum, Lesion(s)

Number of times reported: [2]  
[Sign:] Pressure Lo, Bld  
Number of times reported: [2]  
[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [2]  
[Sign:] Pr-mult Sites, Bld  
Number of times reported: [2]  
[Sign:] Pr-mult Sites, Congest  
Number of times reported: [2]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [2]  
[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pulse Thready  
Number of times reported: [2]  
[Sign:] Reluctant To Move  
Number of times reported: [2]  
[Sign:] Sedation Too Brief  
Number of times reported: [2]  
[Sign:] Sneezing  
Number of times reported: [2]  
[Sign:] Stiffness, Hind Limb(s)  
Number of times reported: [2]  
[Sign:] Stiffness, Limb(s)  
Number of times reported: [2]  
[Sign:] Strabismus  
Number of times reported: [2]  
[Sign:] Ulcer(s), Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Vision Disorder  
Number of times reported: [2]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [1]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]  
[Sign:] Anesth Induction Prolonged  
Number of times reported: [1]  
[Sign:] Application Site Alopecia  
Number of times reported: [1]  
[Sign:] Application Site Erythema  
Number of times reported: [1]  
[Sign:] Ascites

Number of times reported: [1]  
[Sign:] Asphyxia  
Number of times reported: [1]  
[Sign:] Azotemia  
Number of times reported: [1]  
[Sign:] Basos Hi, Bld  
Number of times reported: [1]  
[Sign:] Bld  
Number of times reported: [1]  
[Sign:] Bld, Anus  
Number of times reported: [1]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [1]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Bld, Thorax  
Number of times reported: [1]  
[Sign:] Chemistry Abn  
Number of times reported: [1]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [1]  
[Sign:] Colitis  
Number of times reported: [1]  
[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Creatinine Lo, Bld  
Number of times reported: [1]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [1]  
[Sign:] Deafness, Partial  
Number of times reported: [1]  
[Sign:] Deafness, Temp  
Number of times reported: [1]  
[Sign:] Dementia  
Number of times reported: [1]  
[Sign:] Diarrhea, Muroid  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe

Number of times reported: [1]  
[Sign:] Discharge, Ear(s)  
Number of times reported: [1]  
[Sign:] Discharge, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Dysuria  
Number of times reported: [1]  
[Sign:] Ecg Abn  
Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Edema, Larynx  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Elimination Abn  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]  
[Sign:] Eosinos Hi, Bld  
Number of times reported: [1]  
[Sign:] Eruption(s)  
Number of times reported: [1]  
[Sign:] Hair, Abn  
Number of times reported: [1]  
[Sign:] Hematochezia  
Number of times reported: [1]  
[Sign:] Hepatomegaly  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Incision Site, Ecchymosis  
Number of times reported: [1]  
[Sign:] Incontinence, Urinary  
Number of times reported: [1]  
[Sign:] Ineffect  
Number of times reported: [1]  
[Sign:] Ineffect, Analgesia  
Number of times reported: [1]  
[Sign:] Inj Site Mass

Number of times reported: [1]  
[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]  
[Sign:] K Hi, Bld  
Number of times reported: [1]  
[Sign:] K Lo, Bld  
Number of times reported: [1]  
[Sign:] Licking  
Number of times reported: [1]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [1]  
[Sign:] Microorganisms, Urine  
Number of times reported: [1]  
[Sign:] Moribund  
Number of times reported: [1]  
[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]  
[Sign:] Neuropathy  
Number of times reported: [1]  
[Sign:] Nystagmus, Positional  
Number of times reported: [1]  
[Sign:] Nystagmus, Vertical  
Number of times reported: [1]  
[Sign:] Opisthotonos  
Number of times reported: [1]  
[Sign:] Pain  
Number of times reported: [1]  
[Sign:] Pain, Abdomen  
Number of times reported: [1]  
[Sign:] Pallor  
Number of times reported: [1]  
[Sign:] Paraesthesia  
Number of times reported: [1]  
[Sign:] Paralysis  
Number of times reported: [1]  
[Sign:] Peritonitis  
Number of times reported: [1]  
[Sign:] Platelets Abn  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Polycythemia



Number of times reported: [1]  
[Sign:] Polycythemia(relative)  
Number of times reported: [1]  
[Sign:] Posture Abn  
Number of times reported: [1]  
[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-gi, Parasitism  
Number of times reported: [1]  
[Sign:] Pr-heartworm Disease  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Lesion(  
Number of times reported: [1]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Pr-pericardial Effusio  
Number of times reported: [1]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis  
Number of times reported: [1]  
[Sign:] Rbc Abn  
Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Rolling  
Number of times reported: [1]  
[Sign:] Sedation Relapse  
Number of times reported: [1]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]  
[Sign:] Skin, Necrosis  
Number of times reported: [1]  
[Sign:] Somnolence  
Number of times reported: [1]  
[Sign:] Sore(s)  
Number of times reported: [1]  
[Sign:] Splenomegaly  
Number of times reported: [1]  
[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro

Number of times reported: [1]

[Sign:] Swelling, Scrotum

Number of times reported: [1]

[Sign:] Tail Disorder

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Tetany

Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Ulcer(s), Pharynx/thro

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Cougar

[Sign:] Anesth Duration Brief

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Deer

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Dog

[Sign:] Death

Number of times reported: [157]

[Sign:] Fever, Body

Number of times reported: [109]

[Sign:] Ineffect, Anesthesia

Number of times reported: [95]

[Sign:] Anesth Recov Turbulent

Number of times reported: [71]

[Sign:] Apnea

Number of times reported: [63]

[Sign:] Anesth Recov Prolonged

Number of times reported: [60]

[Sign:] Convulsion(s)

Number of times reported: [48]

[Sign:] Vocalization

Number of times reported: [40]

[Sign:] Arrest, Heart

Number of times reported: [39]

[Sign:] Vomiting

Number of times reported: [34]

[Sign:] Polypnea

Number of times reported: [30]

[Sign:] Depression/lethargy

Number of times reported: [25]

[Sign:] Hyperactivity

Number of times reported: [18]

[Sign:] Thrashing/paddling

Number of times reported: [18]

[Sign:] Ataxia

Number of times reported: [17]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [17]

[Sign:] Ineffect, Sedation

Number of times reported: [17]

[Sign:] Cyanosis

Number of times reported: [15]

[Sign:] Recumbency

Number of times reported: [14]

[Sign:] Dyspnea

Number of times reported: [12]  
[Sign:] Tachycardia  
Number of times reported: [12]  
[Sign:] Bradycardia  
Number of times reported: [11]  
[Sign:] Hypersalivation  
Number of times reported: [11]  
[Sign:] Hypopnea  
Number of times reported: [11]  
[Sign:] Trembling  
Number of times reported: [11]  
[Sign:] Anorexia  
Number of times reported: [10]  
[Sign:] Hyperpnea  
Number of times reported: [10]  
[Sign:] Swelling, Head/face  
Number of times reported: [10]  
[Sign:] Bun Hi, Bld  
Number of times reported: [8]  
[Sign:] Collapse  
Number of times reported: [8]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [8]  
[Sign:] Hypothermia  
Number of times reported: [8]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [8]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [8]  
[Sign:] Spasm  
Number of times reported: [8]  
[Sign:] Bld, Incision Site  
Number of times reported: [7]  
[Sign:] Death(euthanized)  
Number of times reported: [7]  
[Sign:] Diarrhea  
Number of times reported: [7]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [7]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [7]  
[Sign:] Urticaria

Number of times reported: [7]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [6]  
[Sign:] Mydriasis  
Number of times reported: [6]  
[Sign:] Nervousness  
Number of times reported: [6]  
[Sign:] Twitch  
Number of times reported: [6]  
[Sign:] Alk Phos Hi, Bld  
Number of times reported: [5]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [5]  
[Sign:] Anemia  
Number of times reported: [5]  
[Sign:] Arrhythmia  
Number of times reported: [5]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [5]  
[Sign:] Blindness  
Number of times reported: [5]  
[Sign:] Coagulation Disorder  
Number of times reported: [5]  
[Sign:] Hypothermia, Body  
Number of times reported: [5]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [5]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [5]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [5]  
[Sign:] Shock  
Number of times reported: [5]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [5]  
[Sign:] Aggression  
Number of times reported: [4]  
[Sign:] Confusion  
Number of times reported: [4]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [4]  
[Sign:] Glucose Lo, Bld

Number of times reported: [4]  
[Sign:] Hypersensitive, Sound  
Number of times reported: [4]  
[Sign:] Pain, Abdomen  
Number of times reported: [4]  
[Sign:] Photosensitization  
Number of times reported: [4]  
[Sign:] Sedation Prolonged  
Number of times reported: [4]  
[Sign:] Staggering  
Number of times reported: [4]  
[Sign:] Biting/chewing  
Number of times reported: [3]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [3]  
[Sign:] Bld, Urine  
Number of times reported: [3]  
[Sign:] Bloat  
Number of times reported: [3]  
[Sign:] Deafness  
Number of times reported: [3]  
[Sign:] Difficulty Rising  
Number of times reported: [3]  
[Sign:] Distress  
Number of times reported: [3]  
[Sign:] Distress, Resp  
Number of times reported: [3]  
[Sign:] Head Bobbing  
Number of times reported: [3]  
[Sign:] Ineffect  
Number of times reported: [3]  
[Sign:] Neurological Disorder  
Number of times reported: [3]  
[Sign:] Pain  
Number of times reported: [3]  
[Sign:] Polydipsia  
Number of times reported: [3]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [3]  
[Sign:] Pruritis  
Number of times reported: [3]  
[Sign:] Pulse Thready

Number of times reported: [3]  
[Sign:] Sedation  
Number of times reported: [3]  
[Sign:] Stupor  
Number of times reported: [3]  
[Sign:] Weakness  
Number of times reported: [3]  
[Sign:] Anesth Duration Brief  
Number of times reported: [2]  
[Sign:] Anesth Induction Rapid  
Number of times reported: [2]  
[Sign:] Anesth Too Deep  
Number of times reported: [2]  
[Sign:] Arrhythmia, Block  
Number of times reported: [2]  
[Sign:] Behavior Disorder  
Number of times reported: [2]  
[Sign:] Bld  
Number of times reported: [2]  
[Sign:] Bld(hematoma)  
Number of times reported: [2]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Breathing Abn  
Number of times reported: [2]  
[Sign:] Breathing, Periodic  
Number of times reported: [2]  
[Sign:] Congestion, Skin  
Number of times reported: [2]  
[Sign:] Delirium  
Number of times reported: [2]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [2]  
[Sign:] Dic  
Number of times reported: [2]  
[Sign:] Discomfort  
Number of times reported: [2]  
[Sign:] Edema, Head/face  
Number of times reported: [2]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]  
[Sign:] Hallucination

Number of times reported: [2]  
[Sign:] Hyperesthesia  
Number of times reported: [2]  
[Sign:] Hyposmia  
Number of times reported: [2]  
[Sign:] Inflam, Skin  
Number of times reported: [2]  
[Sign:] Inj Site Pain  
Number of times reported: [2]  
[Sign:] Inj Site Swelling  
Number of times reported: [2]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [2]  
[Sign:] Kidney Failure  
Number of times reported: [2]  
[Sign:] Lameness  
Number of times reported: [2]  
[Sign:] Nystagmus  
Number of times reported: [2]  
[Sign:] Paresis  
Number of times reported: [2]  
[Sign:] Pd-potency, Lo  
Number of times reported: [2]  
[Sign:] P Hi, Bld  
Number of times reported: [2]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [2]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [2]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [2]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [2]  
[Sign:] Rbc, Aniso  
Number of times reported: [2]  
[Sign:] Rbc, Nucleated  
Number of times reported: [2]  
[Sign:] Segs Hi, Bld  
Number of times reported: [2]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [2]  
[Sign:] Shaking



Number of times reported: [2]  
[Sign:] Unconscious  
Number of times reported: [2]  
[Sign:] Volvulus, Stomach  
Number of times reported: [2]  
[Sign:] Abn Color, Urine  
Number of times reported: [1]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [1]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [1]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]  
[Sign:] Anemia, Regen  
Number of times reported: [1]  
[Sign:] Anemia, Sphero  
Number of times reported: [1]  
[Sign:] Anesth Induction Prolonged  
Number of times reported: [1]  
[Sign:] Anesth Induc Turbulent  
Number of times reported: [1]  
[Sign:] Anisocoria  
Number of times reported: [1]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Asphyxia  
Number of times reported: [1]  
[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]  
[Sign:] Azotemia  
Number of times reported: [1]  
[Sign:] Balance Disorder  
Number of times reported: [1]  
[Sign:] Basos Hi, Bld  
Number of times reported: [1]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Bilirubin, Urine  
Number of times reported: [1]  
[Sign:] Bld, Abdomen  
Number of times reported: [1]  
[Sign:] Bld, Gi

Number of times reported: [1]  
[Sign:] Bld(petechiae)  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Bld, Skin  
Number of times reported: [1]  
[Sign:] Cardiomegaly  
Number of times reported: [1]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Cns Disorder  
Number of times reported: [1]  
[Sign:] Crystals, Urine  
Number of times reported: [1]  
[Sign:] Deafness, Partial  
Number of times reported: [1]  
[Sign:] Deafness, Temp  
Number of times reported: [1]  
[Sign:] Death(newborn)  
Number of times reported: [1]  
[Sign:] Defecation  
Number of times reported: [1]  
[Sign:] Dehiscence  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Dermatitis, Moist  
Number of times reported: [1]  
[Sign:] Diarrhea, Mild  
Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Distention, Abdomen  
Number of times reported: [1]  
[Sign:] Dysmetria  
Number of times reported: [1]  
[Sign:] Dysrhythmia, Resp  
Number of times reported: [1]  
[Sign:] Ecchymosis, Incision Site

Number of times reported: [1]  
[Sign:] Ecg Abn  
Number of times reported: [1]  
[Sign:] Edema, Brisket/chest  
Number of times reported: [1]  
[Sign:] Edema, Limb(s)  
Number of times reported: [1]  
[Sign:] Edema, Tongue  
Number of times reported: [1]  
[Sign:] Effusion, Peritoneal  
Number of times reported: [1]  
[Sign:] Effusion, Pleural  
Number of times reported: [1]  
[Sign:] Eosinos Lo, Bld  
Number of times reported: [1]  
[Sign:] Exercise Intolerance  
Number of times reported: [1]  
[Sign:] Fibrillation, Atrial  
Number of times reported: [1]  
[Sign:] Fly Biting  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Gastroenteritis  
Number of times reported: [1]  
[Sign:] Globulin Lo, Bld  
Number of times reported: [1]  
[Sign:] Head Pressing  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Heart Failure  
Number of times reported: [1]  
[Sign:] Hematochezia  
Number of times reported: [1]  
[Sign:] Hypertonia  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Icterus, Serum  
Number of times reported: [1]  
[Sign:] Incontinence, Urinary

Number of times reported: [1]  
[Sign:] Inj Site Slough  
Number of times reported: [1]  
[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]  
[Sign:] Jerking  
Number of times reported: [1]  
[Sign:] Kidney Disorder  
Number of times reported: [1]  
[Sign:] Kidney Values Hi, Bld  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Lockjaw  
Number of times reported: [1]  
[Sign:] Lymphs Hi, Bld  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Miosis  
Number of times reported: [1]  
[Sign:] Monos Hi, Bld  
Number of times reported: [1]  
[Sign:] Mucous Membr, Abn Colo  
Number of times reported: [1]  
[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]  
[Sign:] Mucous Membr, Red  
Number of times reported: [1]  
[Sign:] Murmur, Heart  
Number of times reported: [1]  
[Sign:] Nephritis  
Number of times reported: [1]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [1]  
[Sign:] Nystagmus, Rotary  
Number of times reported: [1]  
[Sign:] Obstruction, Trachea  
Number of times reported: [1]  
[Sign:] Oliguria  
Number of times reported: [1]  
[Sign:] Opisthotonos

Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Pain, Neck  
Number of times reported: [1]  
[Sign:] Pd-vial(s), Abn  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Pneumonia  
Number of times reported: [1]  
[Sign:] Polycythemia  
Number of times reported: [1]  
[Sign:] Polycythemia(relative)  
Number of times reported: [1]  
[Sign:] Polyphagia  
Number of times reported: [1]  
[Sign:] Pr-bld Vessel(s), Lesi  
Number of times reported: [1]  
[Sign:] Pr-bronchi, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-esophagus, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Protein, Urine  
Number of times reported: [1]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]  
[Sign:] Ptt Prolonged, Bld  
Number of times reported: [1]  
[Sign:] Rbc, Polychrom  
Number of times reported: [1]  
[Sign:] Reflex(es) Abn  
Number of times reported: [1]  
[Sign:] Reluctant To Move

Number of times reported: [1]  
[Sign:] Respiratory Disorder  
Number of times reported: [1]  
[Sign:] Rupture, Esophagus  
Number of times reported: [1]  
[Sign:] Sedation Too Brief  
Number of times reported: [1]  
[Sign:] Septicemia  
Number of times reported: [1]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [1]  
[Sign:] Shaking, Head/face  
Number of times reported: [1]  
[Sign:] Slough, Tongue  
Number of times reported: [1]  
[Sign:] Sneezing  
Number of times reported: [1]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]  
[Sign:] Stool, Mucoid  
Number of times reported: [1]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [1]  
[Sign:] Swelling, Scrotum  
Number of times reported: [1]  
[Sign:] Swelling, Tongue  
Number of times reported: [1]  
[Sign:] Tachycardia, Ventricul  
Number of times reported: [1]  
[Sign:] Tongue, Abn  
Number of times reported: [1]  
[Sign:] Trembling, Face  
Number of times reported: [1]  
[Sign:] Urination  
Number of times reported: [1]  
[Sign:] Urination Abn  
Number of times reported: [1]  
[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Human

[Sign:] Dizziness

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Delirium

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Hypoesthesia, Feet/dig

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Monkey

[Sign:] Death

Number of times reported: [3]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Heart Disorder

Number of times reported: [1]

[Sign:] Necrosis

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Other

[Sign:] Ineffect, Anesthesia

Number of times reported: [6]

[Sign:] Death

Number of times reported: [2]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Pig

[Sign:] Ineffect, Anesthesia

Number of times reported: [3]

[Sign:] Anesth Recov Prolonged

Number of times reported: [2]

[Sign:] Deafness, Temp

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Primate

[Sign:] Anesth Recov Prolonged

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]



[Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Rabbit

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Sheep

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Tiger

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Unknown

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Parenteral, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [19]

[Sign:] Death

Number of times reported: [5]

[Sign:] Anesth Recov Turbulent

Number of times reported: [3]

[Sign:] Anesth Recov Prolonged

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Suppository, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Cat

[Sign:] Death

Number of times reported: [15]

[Sign:] Anesth Recov Prolonged

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Apnea

Number of times reported: [5]

[Sign:] Ataxia

Number of times reported: [5]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [5]

[Sign:] Ineffect, Anesthesia

Number of times reported: [5]

[Sign:] Dyspnea

Number of times reported: [4]

[Sign:] Nystagmus

Number of times reported: [4]

[Sign:] Anesth Recov Turbulent

Number of times reported: [3]

[Sign:] Blindness

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Neurological Disorder

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Respiratory Disorder

Number of times reported: [3]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Bun Hi, Bld

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Coughing

Number of times reported: [2]

[Sign:] Head Bobbing

Number of times reported: [2]  
[Sign:] Mydriasis  
Number of times reported: [2]  
[Sign:] Spasm  
Number of times reported: [2]  
[Sign:] Tachycardia  
Number of times reported: [2]  
[Sign:] Trembling  
Number of times reported: [2]  
[Sign:] Vomiting  
Number of times reported: [2]  
[Sign:] Weakness  
Number of times reported: [2]  
[Sign:] Anesth Too Deep  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Cardiomegaly  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Effusion, Pleural  
Number of times reported: [1]  
[Sign:] Fibrillation, Atrial  
Number of times reported: [1]  
[Sign:] Fibrillation, Ventricu  
Number of times reported: [1]  
[Sign:] Horner's Syndrome  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Jerking

Number of times reported: [1]

[Sign:] Murmur, Heart

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stool, Muroid

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Deer

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Pd-solution, Abn  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Dog

[Sign:] Anesth Recov Turbulent  
Number of times reported: [9]

[Sign:] Death  
Number of times reported: [9]

[Sign:] Fever, Body  
Number of times reported: [7]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [7]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [6]

[Sign:] Apnea  
Number of times reported: [6]

[Sign:] Convulsion(s)  
Number of times reported: [4]

[Sign:] Hypersalivation  
Number of times reported: [3]

[Sign:] Ineffect, Sedation  
Number of times reported: [3]

[Sign:] Bloat  
Number of times reported: [2]

[Sign:] Diarrhea  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Polypnea  
Number of times reported: [2]

[Sign:] Stupor  
Number of times reported: [2]

[Sign:] Vocalization  
Number of times reported: [2]

[Sign:] Vomiting  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Coagulation Disorder

Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Death(stillborn)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Human

[Sign:] Death

Number of times reported: [2]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Primate

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Hypertonia

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Unknown

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Unknown, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [6]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Various, Cat

[Sign:] Death

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]



[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Hypertonia  
Number of times reported: [1]

[Sign:] Mast Cells Hi, Body  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [1]

[Sign:] Wbc Lo, Bld  
Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Various, Dog

[Sign:] Fever, Body  
Number of times reported: [3]

[Sign:] Anesth Recov Turbulent  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [2]

[Sign:] Anesth Induction Prolonged  
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Sedation Too Brief

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tiletamine, Zolazepam**

Various, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tilmicosin**

Defect, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [28]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [11]

[Sign:] Pd-vial(s), Abn

Number of times reported: [10]

[Sign:] Pd-container(s), Damag

Number of times reported: [7]

[Sign:] Pd-contamination

Number of times reported: [6]

[Sign:] Pd-label(s), Abn

Number of times reported: [6]

[Sign:] Pd-solution, Abn  
Number of times reported: [6]

[Sign:] Pd-seal, Abn  
Number of times reported: [4]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [4]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [4]

[Sign:] Pd-underfill, Package  
Number of times reported: [3]

[Sign:] Pd-cap(s), Abn  
Number of times reported: [2]

[Sign:] Pd-color, Abn  
Number of times reported: [2]

[Sign:] Pd-product Defect  
Number of times reported: [2]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Pd-contam, Mold  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Inhalation, Human

[Sign:] Discomfort  
Number of times reported: [2]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [2]

[Sign:] Taste Abnormality  
Number of times reported: [2]

**[Drug:] Tilmicosin**

Missing, Cattle

[Sign:] Ineffect, Antibiotic  
Number of times reported: [30]

[Sign:] Death  
Number of times reported: [21]

[Sign:] Recumbency  
Number of times reported: [7]

[Sign:] Inj Site Swelling  
Number of times reported: [6]

[Sign:] Swelling, Joint(s)  
Number of times reported: [5]

[Sign:] Abortion  
Number of times reported: [3]

[Sign:] Collapse  
Number of times reported: [3]

[Sign:] Dyspnea  
Number of times reported: [3]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Lameness  
Number of times reported: [2]

[Sign:] Stiffness  
Number of times reported: [2]

[Sign:] Weakness  
Number of times reported: [2]

[Sign:] Abscess, Skin  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Coagulation Disorder  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Difficulty Rising  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Epistaxis  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Inj Site Inflam  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pain, Joint(s)  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Pd-potency, Lo  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Missing, Deer

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Missing, Goat

[Sign:] Cns Disorder  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Missing, Human

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

**[Drug:] Tilmicosin**

Missing, Rabbit

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tilmicosin**

Missing, Sheep

[Sign:] Death

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld

Number of times reported: [1]

**[Drug:] Tilmicosin**

Not Applicable, Pig

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [2]

**[Drug:] Tilmicosin**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [19]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [19]

[Sign:] Application Site Pain

Number of times reported: [6]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [4]

[Sign:] Pressure Hi, Bld  
Number of times reported: [4]

[Sign:] Taste Abnormality  
Number of times reported: [4]

[Sign:] Vision Disorder  
Number of times reported: [4]

[Sign:] Application Site Erythema  
Number of times reported: [2]

[Sign:] Apprehension  
Number of times reported: [2]

[Sign:] Headache  
Number of times reported: [2]

[Sign:] Nausea  
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)  
Number of times reported: [1]

[Sign:] Application Site Inflammation  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Pain, Brisket/chest  
Number of times reported: [1]

[Sign:] Pain, Muscle(s)  
Number of times reported: [1]

[Sign:] Photophobia  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

[Sign:] Reaction, Unspecified  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Spasm  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Oral, Cattle

[Sign:] Death  
Number of times reported: [5]

[Sign:] Lameness  
Number of times reported: [4]

[Sign:] Death(euthanized)  
Number of times reported: [3]

[Sign:] Discharge, Nose  
Number of times reported: [2]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Arthritis, Septic  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

[Sign:] Heart Disorder  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

[Sign:] Infection, Feet/digit(  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)



Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-joint(s), Sepsis

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

**[Drug:] Tilmicosin**

Oral, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

**[Drug:] Tilmicosin**

Oral, Human

[Sign:] Taste Abnormality

Number of times reported: [88]

[Sign:] Pain, Brisket/chest

Number of times reported: [23]

[Sign:] Nausea

Number of times reported: [22]

[Sign:] Headache

Number of times reported: [21]

[Sign:] Dizziness

Number of times reported: [19]

[Sign:] Vomiting

Number of times reported: [15]

[Sign:] Hypoesthesia

Number of times reported: [13]

[Sign:] Tachycardia

Number of times reported: [13]

[Sign:] Apprehension

Number of times reported: [11]

[Sign:] Irritation, Pharynx/th

Number of times reported: [9]  
[Sign:] Fever, Body  
Number of times reported: [8]  
[Sign:] Hypoesthesia, Mouth/lip(s)  
Number of times reported: [8]  
[Sign:] Depression/lethargy  
Number of times reported: [7]  
[Sign:] Irritation, Mouth/lip(  
Number of times reported: [7]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [7]  
[Sign:] Bradycardia  
Number of times reported: [6]  
[Sign:] Diarrhea  
Number of times reported: [6]  
[Sign:] Dyspnea  
Number of times reported: [6]  
[Sign:] Tongue, Abn  
Number of times reported: [6]  
[Sign:] Ill  
Number of times reported: [5]  
[Sign:] Pain, Abdomen  
Number of times reported: [5]  
[Sign:] Shaking  
Number of times reported: [5]  
[Sign:] Sweating  
Number of times reported: [5]  
[Sign:] Nervousness  
Number of times reported: [4]  
[Sign:] Swelling, Tongue  
Number of times reported: [4]  
[Sign:] Arrhythmia  
Number of times reported: [3]  
[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Pain, Muscle(s)  
Number of times reported: [3]  
[Sign:] Swelling, Pharynx/thro  
Number of times reported: [3]  
[Sign:] Trembling

Number of times reported: [3]  
[Sign:] Application Site Pain  
Number of times reported: [2]  
[Sign:] Ecg Abn  
Number of times reported: [2]  
[Sign:] Gagging  
Number of times reported: [2]  
[Sign:] Human Exposure, Mouth/  
Number of times reported: [2]  
[Sign:] Hypersalivation  
Number of times reported: [2]  
[Sign:] Rash  
Number of times reported: [2]  
[Sign:] Somnolence  
Number of times reported: [2]  
[Sign:] Vision Disorder  
Number of times reported: [2]  
[Sign:] Xerostomia  
Number of times reported: [2]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Application Site Inflamm  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Bronchitis  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Death(suicide)  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Dementia

Number of times reported: [1]  
[Sign:] Dry Mouth Syndrome  
Number of times reported: [1]  
[Sign:] Dysphagia  
Number of times reported: [1]  
[Sign:] Enlargement, Salivary Gland  
Number of times reported: [1]  
[Sign:] Hot Flush  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [1]  
[Sign:] Hypopnea  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Pain, Back  
Number of times reported: [1]  
[Sign:] Pain, Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Neck  
Number of times reported: [1]  
[Sign:] Paraesthesia  
Number of times reported: [1]  
[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [1]  
[Sign:] Pneumonia  
Number of times reported: [1]  
[Sign:] Polydipsia  
Number of times reported: [1]  
[Sign:] Pressure Lo, Bld  
Number of times reported: [1]  
[Sign:] Pruritis  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Spasm  
Number of times reported: [1]  
[Sign:] Stomatitis  
Number of times reported: [1]  
[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Syncope

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Tilmicosin**

Oral, Pig

[Sign:] Ineffect, Antibiotic

Number of times reported: [28]

[Sign:] Death

Number of times reported: [16]

[Sign:] Anorexia

Number of times reported: [14]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [13]

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Death(tx Failure)

Number of times reported: [3]

[Sign:] Loss Of Condition

Number of times reported: [3]

[Sign:] Enteritis

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Off Feed

Number of times reported: [2]

[Sign:] Poor Performance

Number of times reported: [2]

[Sign:] Prolapse, Rectum

Number of times reported: [2]

[Sign:] Respiratory Disorder

Number of times reported: [2]

[Sign:] Tech Error, Mixing

Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Alopecia  
Number of times reported: [1]

[Sign:] Arthritis, Septic  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Diarrhea, Bloody  
Number of times reported: [1]

[Sign:] Effusion, Joint(s)  
Number of times reported: [1]

[Sign:] Infection  
Number of times reported: [1]

[Sign:] Parturition, Abnormal  
Number of times reported: [1]

[Sign:] Pr-nose, Lesion(s)  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Reproduction Disorder  
Number of times reported: [1]

[Sign:] Septicemia  
Number of times reported: [1]

[Sign:] Ulcer(s), Gi  
Number of times reported: [1]

[Sign:] Unpalatable  
Number of times reported: [1]

[Sign:] Volvulus  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Alpaca

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [175]

[Sign:] Inj Site Swelling

Number of times reported: [65]

[Sign:] Collapse

Number of times reported: [63]

[Sign:] Ineffect, Antibiotic

Number of times reported: [59]

[Sign:] Recumbency

Number of times reported: [39]

[Sign:] Dyspnea

Number of times reported: [26]

[Sign:] Anaphylaxis/toid

Number of times reported: [25]

[Sign:] Lameness

Number of times reported: [20]

[Sign:] Death(tx Failure)

Number of times reported: [18]

[Sign:] Depression/lethargy

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [10]

[Sign:] Ataxia

Number of times reported: [10]

[Sign:] Shaking

Number of times reported: [8]  
[Sign:] Convulsion(s)  
Number of times reported: [7]  
[Sign:] Staggering  
Number of times reported: [7]  
[Sign:] Stiffness  
Number of times reported: [7]  
[Sign:] Tachycardia  
Number of times reported: [7]  
[Sign:] Thrashing/paddling  
Number of times reported: [7]  
[Sign:] Vocalization  
Number of times reported: [7]  
[Sign:] Death(euthanized)  
Number of times reported: [6]  
[Sign:] Inj Site Inflam  
Number of times reported: [6]  
[Sign:] Inj Site Pain  
Number of times reported: [6]  
[Sign:] Weakness  
Number of times reported: [6]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [5]  
[Sign:] Inj Site Edema  
Number of times reported: [5]  
[Sign:] Reluctant To Move  
Number of times reported: [5]  
[Sign:] Trembling  
Number of times reported: [5]  
[Sign:] Hypersalivation  
Number of times reported: [4]  
[Sign:] Inj Site Abscess  
Number of times reported: [4]  
[Sign:] Paresis  
Number of times reported: [4]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [4]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [4]  
[Sign:] Abortion  
Number of times reported: [3]  
[Sign:] Cns Disorder



Number of times reported: [3]  
[Sign:] Distress, Resp  
Number of times reported: [3]  
[Sign:] Fever, Body  
Number of times reported: [3]  
[Sign:] Hyperactivity  
Number of times reported: [3]  
[Sign:] Kicking  
Number of times reported: [3]  
[Sign:] Pain  
Number of times reported: [3]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [3]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [3]  
[Sign:] Adipsia  
Number of times reported: [2]  
[Sign:] Bloat  
Number of times reported: [2]  
[Sign:] Cellulitis  
Number of times reported: [2]  
[Sign:] Circling  
Number of times reported: [2]  
[Sign:] Confusion  
Number of times reported: [2]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [2]  
[Sign:] Cyanosis  
Number of times reported: [2]  
[Sign:] Death(slaughtered)  
Number of times reported: [2]  
[Sign:] Death(stillborn)  
Number of times reported: [2]  
[Sign:] Diarrhea  
Number of times reported: [2]  
[Sign:] Discomfort  
Number of times reported: [2]  
[Sign:] Froth  
Number of times reported: [2]  
[Sign:] Hyperpnea  
Number of times reported: [2]  
[Sign:] Laminitis

Number of times reported: [2]  
[Sign:] Locomotion Disorder  
Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [2]  
[Sign:] Swelling, Head/face  
Number of times reported: [2]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [2]  
[Sign:] Swelling, Neck  
Number of times reported: [2]  
[Sign:] Swelling, Tongue  
Number of times reported: [2]  
[Sign:] Tech Error Administrat  
Number of times reported: [2]  
[Sign:] Arthritis  
Number of times reported: [1]  
[Sign:] Bld, Semen  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Death(newborn)  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe  
Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Edema, Neck  
Number of times reported: [1]  
[Sign:] Edema, Ventral  
Number of times reported: [1]  
[Sign:] Effusion, Pleural  
Number of times reported: [1]  
[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]  
[Sign:] Epiphora  
Number of times reported: [1]  
[Sign:] Eye Disorder  
Number of times reported: [1]  
[Sign:] Globulin Hi, Bld

Number of times reported: [1]  
[Sign:] Head Pressing  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Heart Failure  
Number of times reported: [1]  
[Sign:] Hyperesthesia  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Eye(s)/l  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Inj Site Stiffness  
Number of times reported: [1]  
[Sign:] Injury  
Number of times reported: [1]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [1]  
[Sign:] Joint Disorder  
Number of times reported: [1]  
[Sign:] Monos Hi, Bld  
Number of times reported: [1]  
[Sign:] Moribund  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Off Feed  
Number of times reported: [1]  
[Sign:] Opacity, Cornea(s)  
Number of times reported: [1]  
[Sign:] Pain, Abdomen  
Number of times reported: [1]  
[Sign:] Pain, Limb(s)  
Number of times reported: [1]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]  
[Sign:] Paralysis  
Number of times reported: [1]  
[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]  
[Sign:] Paresis, Fore Limb(s)

Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pr-cerebrum, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Protrusion, Eye(s)  
Number of times reported: [1]  
[Sign:] Protrusion, Tongue  
Number of times reported: [1]  
[Sign:] Pr-peritoneum, Lesion(  
Number of times reported: [1]  
[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Stiffness, Front Limb(  
Number of times reported: [1]  
[Sign:] Sweating  
Number of times reported: [1]  
[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Tongue, Abn  
Number of times reported: [1]  
[Sign:] Twitch  
Number of times reported: [1]  
[Sign:] Vomiting  
Number of times reported: [1]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [1]  
[Sign:] Weakness, Newborn  
Number of times reported: [1]  
[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Deer

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Recumbency

Number of times reported: [2]

[Sign:] Co2 Hi, Bld

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Dog

[Sign:] Death

Number of times reported: [4]

[Sign:] Bradycardia

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Polypnea

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Goat

[Sign:] Death

Number of times reported: [30]

[Sign:] Vocalization

Number of times reported: [8]

[Sign:] Collapse

Number of times reported: [6]

[Sign:] Recumbency

Number of times reported: [6]

[Sign:] Anaphylaxis/toid

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Distress

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hyperpnea

Number of times reported: [2]

[Sign:] Hypersalivation  
Number of times reported: [2]

[Sign:] Polypnea  
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [2]

[Sign:] Tachycardia  
Number of times reported: [2]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Cyanosis  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Froth, Nose  
Number of times reported: [1]

[Sign:] Grinding Teeth  
Number of times reported: [1]

[Sign:] Inj Site Necrosis  
Number of times reported: [1]

[Sign:] Opisthotonos  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pallor  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Tilimicosin**

Parenteral, Horse

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Chloride Lo, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Na Lo, Bld

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Tilimicosin**

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [202]

[Sign:] Inj Site Bld

Number of times reported: [113]

[Sign:] Inj Site Swelling

Number of times reported: [103]

[Sign:] Inj Site Inflamm

Number of times reported: [77]



[Sign:] Dizziness  
Number of times reported: [61]

[Sign:] Nausea  
Number of times reported: [49]

[Sign:] Tachycardia  
Number of times reported: [46]

[Sign:] Pressure Hi, Bld  
Number of times reported: [42]

[Sign:] Headache  
Number of times reported: [33]

[Sign:] Apprehension  
Number of times reported: [31]

[Sign:] Hypoesthesia  
Number of times reported: [31]

[Sign:] Pain, Brisket/chest  
Number of times reported: [23]

[Sign:] Taste Abnormality  
Number of times reported: [22]

[Sign:] Inj Site Abn  
Number of times reported: [21]

[Sign:] Weakness  
Number of times reported: [18]

[Sign:] Depression/lethargy  
Number of times reported: [16]

[Sign:] Inj Site Stiffness  
Number of times reported: [15]

[Sign:] Pain, Limb(s)  
Number of times reported: [15]

[Sign:] Arrhythmia  
Number of times reported: [13]

[Sign:] Congestion, Skin  
Number of times reported: [13]

[Sign:] Nervousness  
Number of times reported: [13]

[Sign:] Sweating  
Number of times reported: [13]

[Sign:] Dyspnea  
Number of times reported: [12]

[Sign:] Fever, Body  
Number of times reported: [11]

[Sign:] Vomiting  
Number of times reported: [11]

[Sign:] Hypoesthesia, Limb(s)  
Number of times reported: [10]

[Sign:] Pain  
Number of times reported: [9]

[Sign:] Shaking  
Number of times reported: [9]

[Sign:] Pain, Abdomen  
Number of times reported: [8]

[Sign:] Xerostomia  
Number of times reported: [8]

[Sign:] Ill  
Number of times reported: [7]

[Sign:] Hyperpnea  
Number of times reported: [6]

[Sign:] Inj Site Edema  
Number of times reported: [6]

[Sign:] Inj Site Infect  
Number of times reported: [6]

[Sign:] Pain, Joint(s)  
Number of times reported: [6]

[Sign:] Pressure Lo, Bld  
Number of times reported: [6]

[Sign:] Syncope  
Number of times reported: [6]

[Sign:] Diarrhea  
Number of times reported: [5]

[Sign:] Ecg Abn  
Number of times reported: [5]

[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [5]

[Sign:] Stiffness, Hand(s)  
Number of times reported: [5]

[Sign:] Stiffness, Limb(s)  
Number of times reported: [5]

[Sign:] Swelling, Limb(s)  
Number of times reported: [5]

[Sign:] Unconscious  
Number of times reported: [5]

[Sign:] Accidental Exposure  
Number of times reported: [4]

[Sign:] Bradycardia  
Number of times reported: [4]

[Sign:] Collapse  
Number of times reported: [4]

[Sign:] Death(suicide)  
Number of times reported: [4]

[Sign:] Pain, Muscle(s)  
Number of times reported: [4]

[Sign:] Somnolence  
Number of times reported: [4]

[Sign:] Urticaria  
Number of times reported: [4]

[Sign:] Vision Disorder  
Number of times reported: [4]

[Sign:] Bld  
Number of times reported: [3]

[Sign:] Bld(hematoma)  
Number of times reported: [3]

[Sign:] Cyanosis  
Number of times reported: [3]

[Sign:] Death  
Number of times reported: [3]

[Sign:] Hyperactivity  
Number of times reported: [3]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [3]

[Sign:] Pallor  
Number of times reported: [3]

[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [3]

[Sign:] Spasm  
Number of times reported: [3]

[Sign:] Trembling  
Number of times reported: [3]

[Sign:] Application Site Pain  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Cellulitis  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Heart Disorder  
Number of times reported: [2]

[Sign:] Hot Flash  
Number of times reported: [2]

[Sign:] Hot Flash/flush  
Number of times reported: [2]

[Sign:] Human Exposure, Inj  
Number of times reported: [2]

[Sign:] Hyperesthesia  
Number of times reported: [2]

[Sign:] Hypertonia  
Number of times reported: [2]

[Sign:] Insomnia  
Number of times reported: [2]

[Sign:] Pain, Back  
Number of times reported: [2]

[Sign:] Pain, Neck  
Number of times reported: [2]

[Sign:] Palpitations  
Number of times reported: [2]

[Sign:] Paraesthesia  
Number of times reported: [2]

[Sign:] Stupor  
Number of times reported: [2]

[Sign:] Abortion  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arthritis  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Bronchitis  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Cardiomegaly  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Congestion, Nose  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Dementia  
Number of times reported: [1]

[Sign:] Discomfort  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Ecg, Abn  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Enlargement(s)  
Number of times reported: [1]

[Sign:] Eructation  
Number of times reported: [1]

[Sign:] Fibrillation, Ventricu  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)  
Number of times reported: [1]

[Sign:] Hypoesthesia, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hypomotility  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Inj Site Effusion  
Number of times reported: [1]

[Sign:] Inj Site Mass  
Number of times reported: [1]

[Sign:] Inj Site Phlebitis  
Number of times reported: [1]

[Sign:] Inj Site Pruritis  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Irritation, Skin  
Number of times reported: [1]

[Sign:] K Lo, Bld  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Melena  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Odor, Mouth  
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Pain, Head/face  
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Prostration  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(  
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Swelling, Joint(s)  
Number of times reported: [1]

[Sign:] Swelling, Tongue  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Tongue, Abn  
Number of times reported: [1]

[Sign:] Us Abn  
Number of times reported: [1]

[Sign:] Vomiting, Projectile  
Number of times reported: [1]

[Sign:] Vomiting, Severe  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Parenteral, Other

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tilimicosin**

Parenteral, Pig

[Sign:] Death

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hyperpnea

Number of times reported: [2]

[Sign:] Nervousness

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tilimicosin**

Parenteral, Rabbit

[Sign:] Death

Number of times reported: [3]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

**[Drug:] Tilimicosin**

Parenteral, Sheep

[Sign:] Death



Number of times reported: [15]

[Sign:] Dyspnea

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Weakness

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

**[Drug:] Tilmicosin**

Topical, Human

[Sign:] Taste Abnormality

Number of times reported: [36]

[Sign:] Dizziness

Number of times reported: [30]

[Sign:] Nausea

Number of times reported: [24]

[Sign:] Hypoesthesia

Number of times reported: [20]

[Sign:] Apprehension  
Number of times reported: [17]

[Sign:] Tachycardia  
Number of times reported: [16]

[Sign:] Weakness  
Number of times reported: [16]

[Sign:] Application Site Pain  
Number of times reported: [15]

[Sign:] Headache  
Number of times reported: [15]

[Sign:] Pain, Brisket/chest  
Number of times reported: [15]

[Sign:] Application Site Erythema  
Number of times reported: [11]

[Sign:] Ill  
Number of times reported: [11]

[Sign:] Dyspnea  
Number of times reported: [10]

[Sign:] Fever, Body  
Number of times reported: [10]

[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [9]

[Sign:] Vomiting  
Number of times reported: [9]

[Sign:] Depression/lethargy  
Number of times reported: [8]

[Sign:] Diarrhea  
Number of times reported: [8]

[Sign:] Congestion, Skin  
Number of times reported: [7]

[Sign:] Inflamm, Skin  
Number of times reported: [7]

[Sign:] Rash  
Number of times reported: [7]

[Sign:] Application Site Inflamm  
Number of times reported: [6]

[Sign:] Application Site Abnormal  
Number of times reported: [5]

[Sign:] Hyperesthesia  
Number of times reported: [5]

[Sign:] Nervousness  
Number of times reported: [5]

[Sign:] Pain, Abdomen  
Number of times reported: [5]

[Sign:] Sweating  
Number of times reported: [5]

[Sign:] Application Site Swelling  
Number of times reported: [3]

[Sign:] Irritation, Skin  
Number of times reported: [3]

[Sign:] Pain  
Number of times reported: [3]

[Sign:] Pain, Limb(s)  
Number of times reported: [3]

[Sign:] Pallor  
Number of times reported: [3]

[Sign:] Paresthesia  
Number of times reported: [3]

[Sign:] Pressure Lo, Bld  
Number of times reported: [3]

[Sign:] Pruritis  
Number of times reported: [3]

[Sign:] Spasm  
Number of times reported: [3]

[Sign:] Swelling, Head/face  
Number of times reported: [3]

[Sign:] Trembling  
Number of times reported: [3]

[Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [3]

[Sign:] Application Site Lesion(s)  
Number of times reported: [2]

[Sign:] Ataxia  
Number of times reported: [2]

[Sign:] Cpk Hi, Bld  
Number of times reported: [2]

[Sign:] Heart Disorder  
Number of times reported: [2]

[Sign:] Hot Flash/flush  
Number of times reported: [2]

[Sign:] Hypoesthesia, Limb(s)  
Number of times reported: [2]

[Sign:] Hypoesthesia, Mouth/lip(s)  
Number of times reported: [2]

[Sign:] Inj Site Bld  
Number of times reported: [2]

[Sign:] Inj Site Inflam  
Number of times reported: [2]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [2]

[Sign:] Pain, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Pain, Muscle(s)  
Number of times reported: [2]

[Sign:] Paraesthesia  
Number of times reported: [2]

[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [2]

[Sign:] Pressure Hi, Bld  
Number of times reported: [2]

[Sign:] Shaking  
Number of times reported: [2]

[Sign:] Skin Abnormal  
Number of times reported: [2]

[Sign:] Skin Disorder  
Number of times reported: [2]

[Sign:] Somnolence  
Number of times reported: [2]

[Sign:] Stiffness, Neck  
Number of times reported: [2]

[Sign:] Unconscious  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Application Site Pruritis  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Balance Disorder  
Number of times reported: [1]

[Sign:] Behavior Disorder  
Number of times reported: [1]

[Sign:] Bld(hematoma)  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Confusion  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Dry, Skin  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Eructation  
Number of times reported: [1]

[Sign:] Eruption(s)  
Number of times reported: [1]

[Sign:] Exfoliation, Skin  
Number of times reported: [1]

[Sign:] Gastritis  
Number of times reported: [1]

[Sign:] Hot Flash  
Number of times reported: [1]

[Sign:] Hot Flush  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Irritation  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Jerking  
Number of times reported: [1]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Pain, Back  
Number of times reported: [1]

[Sign:] Paraesthesia, Nose  
Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged  
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Skin, Scab(s)  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Swelling, Tongue  
Number of times reported: [1]

[Sign:] Syncope  
Number of times reported: [1]

**[Drug:] Tilmicosin**

Unknown, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hepatomegaly

Number of times reported: [1]

[Sign:] Icterus

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Pancytopenia

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tilmicosin**

Unknown, Cattle

[Sign:] Death

Number of times reported: [39]

[Sign:] Ineffect, Antibiotic

Number of times reported: [16]

[Sign:] Inj Site Swelling

Number of times reported: [10]

[Sign:] Collapse

Number of times reported: [6]

[Sign:] Anaphylaxis/toid

Number of times reported: [5]

[Sign:] Bloat

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Lameness

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Fever, Body  
Number of times reported: [2]

[Sign:] Tech Error Administrat  
Number of times reported: [2]

[Sign:] Abortion  
Number of times reported: [1]

[Sign:] Acidosis  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Death(tx Failure)  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Distress, Resp  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Paresis  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-whole Body, Lesion(s)  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva  
Number of times reported: [1]

**[Drug:] Tilimicosin**

Unknown, Deer



[Sign:] Death

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Tilmicosin**

Unknown, Goat

[Sign:] Death

Number of times reported: [5]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Tilmicosin**

Unknown, Horse

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Tilmicosin**

Unknown, Human

[Sign:] Inj Site Pain

Number of times reported: [13]

[Sign:] Inj Site Bld

Number of times reported: [8]

[Sign:] Inj Site Swelling

Number of times reported: [8]

[Sign:] Dizziness

Number of times reported: [6]

[Sign:] Inj Site Inflam

Number of times reported: [6]

[Sign:] Nausea

Number of times reported: [6]

[Sign:] Tachycardia

Number of times reported: [5]

[Sign:] Headache

Number of times reported: [4]  
[Sign:] Vomiting  
Number of times reported: [4]  
[Sign:] Apprehension  
Number of times reported: [3]  
[Sign:] Death(suicide)  
Number of times reported: [3]  
[Sign:] Hypoesthesia  
Number of times reported: [3]  
[Sign:] Pain, Brisket/chest  
Number of times reported: [3]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [3]  
[Sign:] Accidental Exposure  
Number of times reported: [2]  
[Sign:] Apnea  
Number of times reported: [2]  
[Sign:] Arrest, Heart  
Number of times reported: [2]  
[Sign:] Death  
Number of times reported: [2]  
[Sign:] Human Exposure, Inj  
Number of times reported: [2]  
[Sign:] Swelling, Head/face  
Number of times reported: [2]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [2]  
[Sign:] Taste Abnormality  
Number of times reported: [2]  
[Sign:] Unconscious  
Number of times reported: [2]  
[Sign:] Acidosis  
Number of times reported: [1]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Application Site Erythema  
Number of times reported: [1]  
[Sign:] Arrhythmia  
Number of times reported: [1]  
[Sign:] Behavior Disorder

Number of times reported: [1]  
[Sign:] Bld  
Number of times reported: [1]  
[Sign:] Breathing Abn  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Dementia  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Destructiveness  
Number of times reported: [1]  
[Sign:] Dissociation  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Fibrillation, Atrial  
Number of times reported: [1]  
[Sign:] Human Exposure, Hand(s)  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Inj Site Abn  
Number of times reported: [1]  
[Sign:] Inj Site Edema  
Number of times reported: [1]  
[Sign:] Inj Site Mass  
Number of times reported: [1]  
[Sign:] Inj Site Pruritis  
Number of times reported: [1]  
[Sign:] Inj Site Slough  
Number of times reported: [1]  
[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Tilimicosin**

Unknown, Other

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Tilimicosin**

Unknown, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Tilimicosin**

Unknown, Sheep

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

**[Drug:] Tilimicosin**

Various, Cattle

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tilmicosin**

Various, Human

[Sign:] Taste Abnormality

Number of times reported: [64]

[Sign:] Nausea

Number of times reported: [20]

[Sign:] Headache

Number of times reported: [16]

[Sign:] Depression/lethargy

Number of times reported: [13]

[Sign:] Hypoesthesia, Mouth/lip(s)

Number of times reported: [12]

[Sign:] Tachycardia

Number of times reported: [12]

[Sign:] Dizziness

Number of times reported: [11]

[Sign:] Pain, Brisket/chest

Number of times reported: [11]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [11]

[Sign:] Hypoesthesia

Number of times reported: [10]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [9]

[Sign:] Application Site Pain

Number of times reported: [8]

[Sign:] Vomiting

Number of times reported: [7]

[Sign:] Weakness

Number of times reported: [6]

[Sign:] Dyspnea

Number of times reported: [5]

[Sign:] Fever, Body

Number of times reported: [5]

[Sign:] Application Site Erythema

Number of times reported: [4]

[Sign:] Apprehension

Number of times reported: [4]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [4]  
[Sign:] Inj Site Pain  
Number of times reported: [4]  
[Sign:] Nervousness  
Number of times reported: [4]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [4]  
[Sign:] Tongue, Abn  
Number of times reported: [4]  
[Sign:] Congestion, Skin  
Number of times reported: [3]  
[Sign:] Discomfort, Mouth/lip(s)  
Number of times reported: [3]  
[Sign:] Pain, Abdomen  
Number of times reported: [3]  
[Sign:] Application Site Inflamm  
Number of times reported: [2]  
[Sign:] Diarrhea  
Number of times reported: [2]  
[Sign:] Eye Disorder  
Number of times reported: [2]  
[Sign:] Hypopnea  
Number of times reported: [2]  
[Sign:] Inj Site Inflamm  
Number of times reported: [2]  
[Sign:] Pain  
Number of times reported: [2]  
[Sign:] Paresthesia, Mouth/lip  
Number of times reported: [2]  
[Sign:] Somnolence  
Number of times reported: [2]  
[Sign:] Stomatitis  
Number of times reported: [2]  
[Sign:] Sweating  
Number of times reported: [2]  
[Sign:] Urticaria  
Number of times reported: [2]  
[Sign:] Accidental Exposure  
Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Application Site Lesion(s)

Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Bld(hematoma)  
Number of times reported: [1]  
[Sign:] Breathing Abn  
Number of times reported: [1]  
[Sign:] Cardiomegaly  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion  
Number of times reported: [1]  
[Sign:] Congestion, Sinus  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Enlargement(s)  
Number of times reported: [1]  
[Sign:] Epiphora  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Gagging  
Number of times reported: [1]  
[Sign:] Glossitis  
Number of times reported: [1]  
[Sign:] Heart Disorder  
Number of times reported: [1]  
[Sign:] Hyperesthesia  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Eye(s)/l  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Feet/dig  
Number of times reported: [1]  
[Sign:] Hypoesthesia, Limb(s)  
Number of times reported: [1]  
[Sign:] Hypothermia

Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Inj Site Bld  
Number of times reported: [1]  
[Sign:] Irritation, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]  
[Sign:] Irritation, Skin  
Number of times reported: [1]  
[Sign:] Leg Disorder  
Number of times reported: [1]  
[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Odor  
Number of times reported: [1]  
[Sign:] Otitis  
Number of times reported: [1]  
[Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Pain, Muscle(s)  
Number of times reported: [1]  
[Sign:] Pallor  
Number of times reported: [1]  
[Sign:] Palpitations  
Number of times reported: [1]  
[Sign:] Photophobia  
Number of times reported: [1]  
[Sign:] Pr-mouth/lip(s), Lesio  
Number of times reported: [1]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [1]  
[Sign:] Rash  
Number of times reported: [1]  
[Sign:] S-irritation, Eye(s)/lid  
Number of times reported: [1]  
[Sign:] Spasm



Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Suicide Attempt

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Toceranib**

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

**[Drug:] Toceranib**

Oral, Cat

[Sign:] Death(euthanized)

Number of times reported: [4]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy  
Number of times reported: [2]

[Sign:] Ineffect  
Number of times reported: [2]

[Sign:] Reluctant To Move  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Ataxia  
Number of times reported: [1]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Dissociation  
Number of times reported: [1]

[Sign:] Hiding  
Number of times reported: [1]

[Sign:] Licking  
Number of times reported: [1]

[Sign:] Necrosis, Tumor  
Number of times reported: [1]

[Sign:] Odor, Urine  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Perforation, Gi  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Segs Lo, Bld  
Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Thrombus

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

**[Drug:] Toceranib**

Oral, Dog

[Sign:] Anorexia

Number of times reported: [84]

[Sign:] Vomiting

Number of times reported: [70]

[Sign:] Depression/lethargy

Number of times reported: [56]

[Sign:] Diarrhea

Number of times reported: [53]

[Sign:] Anemia

Number of times reported: [47]

[Sign:] Death(euthanized)

Number of times reported: [36]

[Sign:] Lameness

Number of times reported: [35]

[Sign:] Segs Lo, Bld

Number of times reported: [33]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [32]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [30]

[Sign:] Death

Number of times reported: [24]

[Sign:] Wbc Lo, Bld

Number of times reported: [23]

[Sign:] Platelets Lo, Bld

Number of times reported: [22]

[Sign:] Weight Loss

Number of times reported: [22]

[Sign:] Ataxia

Number of times reported: [19]

[Sign:] Diarrhea, Bloody

Number of times reported: [19]  
[Sign:] Weakness  
Number of times reported: [19]  
[Sign:] Ineffect  
Number of times reported: [18]  
[Sign:] Leukoderma  
Number of times reported: [17]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [16]  
[Sign:] Albumin Lo, Bld  
Number of times reported: [15]  
[Sign:] Fever, Body  
Number of times reported: [15]  
[Sign:] Pancreatitis  
Number of times reported: [15]  
[Sign:] Diarrhea, Mild  
Number of times reported: [14]  
[Sign:] Bun Hi, Bld  
Number of times reported: [13]  
[Sign:] Melena  
Number of times reported: [12]  
[Sign:] Ggt Hi, Bld  
Number of times reported: [11]  
[Sign:] Alopecia  
Number of times reported: [10]  
[Sign:] Hematochezia  
Number of times reported: [9]  
[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [9]  
[Sign:] Infection, Urinary Tra  
Number of times reported: [9]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [9]  
[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [8]  
[Sign:] Collapse  
Number of times reported: [8]  
[Sign:] Convulsion(s)  
Number of times reported: [8]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [8]  
[Sign:] Enlargement, Lymph Nod

Number of times reported: [8]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [8]  
[Sign:] Protein, Urine  
Number of times reported: [8]  
[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [8]  
[Sign:] Us Abn  
Number of times reported: [8]  
[Sign:] Epistaxis  
Number of times reported: [7]  
[Sign:] Lesion(s), Skin  
Number of times reported: [7]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [7]  
[Sign:] Recumbency  
Number of times reported: [7]  
[Sign:] Us-liver Abn  
Number of times reported: [7]  
[Sign:] Wbc Hi, Bld  
Number of times reported: [7]  
[Sign:] Dehydration  
Number of times reported: [6]  
[Sign:] Difficulty Rising  
Number of times reported: [6]  
[Sign:] Edema, Limb(s)  
Number of times reported: [6]  
[Sign:] Arrest, Heart  
Number of times reported: [5]  
[Sign:] Bld(ecchymoses)  
Number of times reported: [5]  
[Sign:] Confusion  
Number of times reported: [5]  
[Sign:] Dyspnea  
Number of times reported: [5]  
[Sign:] Pain, Hind Limb(s)  
Number of times reported: [5]  
[Sign:] Pancreas Enzymes Hi, B  
Number of times reported: [5]  
[Sign:] Pruritis  
Number of times reported: [5]  
[Sign:] Tachycardia

Number of times reported: [5]  
[Sign:] Trembling  
Number of times reported: [5]  
[Sign:] Vomiting, Bloody  
Number of times reported: [5]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [4]  
[Sign:] Bld, Gi  
Number of times reported: [4]  
[Sign:] Bun Lo, Bld  
Number of times reported: [4]  
[Sign:] Distention, Abdomen  
Number of times reported: [4]  
[Sign:] Effusion, Pleural  
Number of times reported: [4]  
[Sign:] Hair, Abn Color  
Number of times reported: [4]  
[Sign:] Hyperpnea  
Number of times reported: [4]  
[Sign:] Inflamm, Skin  
Number of times reported: [4]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [4]  
[Sign:] Lymphs Lo, Bld  
Number of times reported: [4]  
[Sign:] Pain, Abdomen  
Number of times reported: [4]  
[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [4]  
[Sign:] Abscess, Skin  
Number of times reported: [3]  
[Sign:] Azotemia  
Number of times reported: [3]  
[Sign:] Bld, Abdomen  
Number of times reported: [3]  
[Sign:] Bld(petechiae)  
Number of times reported: [3]  
[Sign:] Bld, Skin  
Number of times reported: [3]  
[Sign:] Bld, Tumor  
Number of times reported: [3]  
[Sign:] Bld, Urine

Number of times reported: [3]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [3]  
[Sign:] Coagulation Disorder  
Number of times reported: [3]  
[Sign:] Congestion, Skin  
Number of times reported: [3]  
[Sign:] Discomfort  
Number of times reported: [3]  
[Sign:] Gi, Abnormal  
Number of times reported: [3]  
[Sign:] Glucose Lo, Bld  
Number of times reported: [3]  
[Sign:] Incontinence, Urinary  
Number of times reported: [3]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [3]  
[Sign:] Nausea  
Number of times reported: [3]  
[Sign:] P Hi, Bld  
Number of times reported: [3]  
[Sign:] Polypnea  
Number of times reported: [3]  
[Sign:] Polyuria  
Number of times reported: [3]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [3]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [3]  
[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [3]  
[Sign:] Abscess, Tumor  
Number of times reported: [2]  
[Sign:] Adipsia  
Number of times reported: [2]  
[Sign:] Bld  
Number of times reported: [2]  
[Sign:] Blindness  
Number of times reported: [2]  
[Sign:] Blindness, Temp  
Number of times reported: [2]  
[Sign:] Ca Hi, Bld

Number of times reported: [2]  
[Sign:] Cns Disorder  
Number of times reported: [2]  
[Sign:] Coughing  
Number of times reported: [2]  
[Sign:] Defecation Abn  
Number of times reported: [2]  
[Sign:] Dermatitis, Moist  
Number of times reported: [2]  
[Sign:] Diarrhea, Mucoid  
Number of times reported: [2]  
[Sign:] Diarrhea, Watery  
Number of times reported: [2]  
[Sign:] Effusion, Peritoneal  
Number of times reported: [2]  
[Sign:] Gall Bladder, Abn  
Number of times reported: [2]  
[Sign:] Head Tilt  
Number of times reported: [2]  
[Sign:] Healing Impaired  
Number of times reported: [2]  
[Sign:] Hepatitis  
Number of times reported: [2]  
[Sign:] Icterus, Body  
Number of times reported: [2]  
[Sign:] Kidney Values Hi, Bld  
Number of times reported: [2]  
[Sign:] Locomotion Disorder  
Number of times reported: [2]  
[Sign:] Monos Lo, Bld  
Number of times reported: [2]  
[Sign:] Necrosis, Tumor  
Number of times reported: [2]  
[Sign:] Nervousness  
Number of times reported: [2]  
[Sign:] Neurological Disorder  
Number of times reported: [2]  
[Sign:] Pain  
Number of times reported: [2]  
[Sign:] Pain, Limb(s)  
Number of times reported: [2]  
[Sign:] Pressure Hi, Bld



Number of times reported: [2]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [2]  
[Sign:] Reflex(es) Abn  
Number of times reported: [2]  
[Sign:] Regurgitation  
Number of times reported: [2]  
[Sign:] Reticulocytes Hi, Bld  
Number of times reported: [2]  
[Sign:] Rupture, Tumor  
Number of times reported: [2]  
[Sign:] Slough, Feet/digit(s)  
Number of times reported: [2]  
[Sign:] Spasm  
Number of times reported: [2]  
[Sign:] Splenomegaly  
Number of times reported: [2]  
[Sign:] Stupor  
Number of times reported: [2]  
[Sign:] Swelling  
Number of times reported: [2]  
[Sign:] Thrombus  
Number of times reported: [2]  
[Sign:] Twitch  
Number of times reported: [2]  
[Sign:] Ulcer(s), Skin  
Number of times reported: [2]  
[Sign:] Unconscious  
Number of times reported: [2]  
[Sign:] Ammonia Hi, Bld  
Number of times reported: [1]  
[Sign:] Anemia, Autoimmune Hem  
Number of times reported: [1]  
[Sign:] Anemia, Regen  
Number of times reported: [1]  
[Sign:] Arrhythmia  
Number of times reported: [1]  
[Sign:] Ascites  
Number of times reported: [1]  
[Sign:] Atony, Bladder

Number of times reported: [1]  
[Sign:] Bands Hi, Bld  
Number of times reported: [1]  
[Sign:] Bile Acids Hi, Bld  
Number of times reported: [1]  
[Sign:] Bld, Abn  
Number of times reported: [1]  
[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Bld, Rectum  
Number of times reported: [1]  
[Sign:] Ca Lo, Bld  
Number of times reported: [1]  
[Sign:] Casts, Urine  
Number of times reported: [1]  
[Sign:] Cataract(s)  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Cns Infarct  
Number of times reported: [1]  
[Sign:] Colitis  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Culture/titer Data Abn  
Number of times reported: [1]  
[Sign:] Cystitis  
Number of times reported: [1]  
[Sign:] Diabetes Mellitus  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Distress  
Number of times reported: [1]  
[Sign:] Dry, Skin  
Number of times reported: [1]  
[Sign:] Dysuria  
Number of times reported: [1]  
[Sign:] Ecg, Abn

Number of times reported: [1]  
[Sign:] Edema  
Number of times reported: [1]  
[Sign:] Edema, Brisket/chest  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Effusion, Joint(s)  
Number of times reported: [1]  
[Sign:] Effusion, Pericardial  
Number of times reported: [1]  
[Sign:] Eosinos Hi, Body  
Number of times reported: [1]  
[Sign:] Eosinos Lo, Bld  
Number of times reported: [1]  
[Sign:] Eruption(s)  
Number of times reported: [1]  
[Sign:] Flatulence  
Number of times reported: [1]  
[Sign:] Gastritis  
Number of times reported: [1]  
[Sign:] Gastroenteritis  
Number of times reported: [1]  
[Sign:] Glucose Hi, Bld  
Number of times reported: [1]  
[Sign:] Hair, Abn  
Number of times reported: [1]  
[Sign:] Head Pressing  
Number of times reported: [1]  
[Sign:] Heart Disorder  
Number of times reported: [1]  
[Sign:] Hepatomegaly  
Number of times reported: [1]  
[Sign:] Hyperesthesia  
Number of times reported: [1]  
[Sign:] Hypoadrenocorticism  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Incision Site Abn

Number of times reported: [1]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [1]  
[Sign:] Kidney Disorder  
Number of times reported: [1]  
[Sign:] Lipids Hi, Bld  
Number of times reported: [1]  
[Sign:] Liver Failure  
Number of times reported: [1]  
[Sign:] Loss Of Condition  
Number of times reported: [1]  
[Sign:] Mass  
Number of times reported: [1]  
[Sign:] Microorganisms, Urine  
Number of times reported: [1]  
[Sign:] Mri Scan Abn  
Number of times reported: [1]  
[Sign:] Mydriasis  
Number of times reported: [1]  
[Sign:] Na:k Lo, Bld  
Number of times reported: [1]  
[Sign:] Necrosis  
Number of times reported: [1]  
[Sign:] Otitis  
Number of times reported: [1]  
[Sign:] Pacing  
Number of times reported: [1]  
[Sign:] Pain, Muscle(s)  
Number of times reported: [1]  
[Sign:] Paresis, Forelimb(s)  
Number of times reported: [1]  
[Sign:] Perforation, Stomach  
Number of times reported: [1]  
[Sign:] Peritonitis  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Pneumonia  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Polydipsia

Number of times reported: [1]  
[Sign:] Pr-adrenal(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-bone(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pressure Lo, Bld  
Number of times reported: [1]  
[Sign:] Pr-gall Bladder, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-heartworm Disease  
Number of times reported: [1]  
[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]  
[Sign:] Pr-muscle(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [1]  
[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]  
[Sign:] Ptt Prolonged, Bld  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Retina Abn  
Number of times reported: [1]  
[Sign:] Scale(s), Skin  
Number of times reported: [1]  
[Sign:] Sepsis  
Number of times reported: [1]  
[Sign:] Shock

Number of times reported: [1]  
[Sign:] Skin, Crust(s)  
Number of times reported: [1]  
[Sign:] Skin, Necrosis  
Number of times reported: [1]  
[Sign:] Skin, Scab(s)  
Number of times reported: [1]  
[Sign:] Sneezing  
Number of times reported: [1]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]  
[Sign:] Strabismus  
Number of times reported: [1]  
[Sign:] Stumbling  
Number of times reported: [1]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [1]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [1]  
[Sign:] Syncope  
Number of times reported: [1]  
[Sign:] Tech Error  
Number of times reported: [1]  
[Sign:] Teeth, Abn  
Number of times reported: [1]  
[Sign:] Tenesmus, Rectal  
Number of times reported: [1]  
[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [1]  
[Sign:] Triglycerides Hi, Bld  
Number of times reported: [1]  
[Sign:] Ulcer(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Feet/digit(s)  
Number of times reported: [1]  
[Sign:] Ulcer(s), Mucocutaneou  
Number of times reported: [1]  
[Sign:] Urination Abn  
Number of times reported: [1]  
[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Wbc Abn

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

**[Drug:] Toceranib**

Topical, Human

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Tolazoline**

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [1]

**[Drug:] Tolazoline**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tolazoline**

Parenteral, Deer

[Sign:] Death

Number of times reported: [3]

[Sign:] Hyperpnea

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Difficulty Rising

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

**[Drug:] Tolazoline**

Parenteral, Goat

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tolazoline**

Parenteral, Horse

[Sign:] Death

Number of times reported: [6]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]



[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Anuria  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Bun Hi, Bld  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Cpk Hi, Bld  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Dysuria  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Incontinence, Urinary  
Number of times reported: [1]

[Sign:] Kidney Failure  
Number of times reported: [1]

[Sign:] Myoglobin, Urine  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Phallitis  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Sweating  
Number of times reported: [1]

[Sign:] Thrashing/paddling  
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach  
Number of times reported: [1]

[Sign:] Wbc Hi, Bld  
Number of times reported: [1]

[Sign:] Wheezing  
Number of times reported: [1]

**[Drug:] Tolazoline**

Parenteral, Llama

[Sign:] Death  
Number of times reported: [4]

[Sign:] Convulsion(s)  
Number of times reported: [3]

[Sign:] Nystagmus  
Number of times reported: [2]

[Sign:] Anorexia  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Blindness, Temp  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Dysmetria  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Mydriasis  
Number of times reported: [1]

[Sign:] Opisthotonos  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Sweating  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Tolazoline**

Unknown, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Incontinence, Urinary

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

**[Drug:] Tramadol**

Oral, Cat

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Dissociation

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Repetitive Movements

Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

**[Drug:] Tramadol**

Oral, Dog

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Head Bobbing

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

**[Drug:] Trazodone**

Oral, Dog

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Teeth, Abn

Number of times reported: [1]

**[Drug:] Trenbolone**

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

**[Drug:] Trenbolone**

Parenteral, Cattle

[Sign:] Anaphylaxis/toid  
Number of times reported: [4]

[Sign:] Death  
Number of times reported: [3]

[Sign:] Collapse  
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Swelling, Ear(s)  
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva  
Number of times reported: [1]

**[Drug:] Trenbolone**

Parenteral, Human

[Sign:] Myositis  
Number of times reported: [1]

**[Drug:] Trenbolone**

Suppository, Cattle

[Sign:] Aggression  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Defect, Not Applicable

[Sign:] Pd-suspension, Abn  
Number of times reported: [225]

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [21]

[Sign:] Pd-product Defect  
Number of times reported: [17]

[Sign:] Pd-solution, Abn  
Number of times reported: [10]

[Sign:] Pd-color, Abn  
Number of times reported: [8]

[Sign:] Pd-seal, Abn  
Number of times reported: [5]

[Sign:] Pd-vial(s), Damaged  
Number of times reported: [5]

[Sign:] Pd-cap(s), Abn  
Number of times reported: [3]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [3]

[Sign:] Pd-container(s), Damag  
Number of times reported: [2]

[Sign:] Pd-contamination  
Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)  
Number of times reported: [2]

[Sign:] Ineffect, Antiinflam  
Number of times reported: [1]

[Sign:] Pd-label(s), Abn  
Number of times reported: [1]

[Sign:] Pd-missing, Label(s)  
Number of times reported: [1]

[Sign:] Pd-underfill, Package  
Number of times reported: [1]

[Sign:] Pd-vial(s), Abn  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Inhalation, Human

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Missing, Dog

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Polydipsia  
Number of times reported: [1]

[Sign:] Polyuria  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach  
Number of times reported: [1]

[Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Not Applicable, Dog

[Sign:] Birth Defect(s), Head/  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Oral, Cat

[Sign:] Diabetes Mellitus  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Oral, Dog

[Sign:] Polydipsia  
Number of times reported: [2]

[Sign:] Polyuria  
Number of times reported: [2]

[Sign:] Vomiting  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Bld  
Number of times reported: [1]

[Sign:] Bld, Abdomen  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Mass

Number of times reported: [1]

[Sign:] Mass, Abdomen

Number of times reported: [1]

[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Ulcer(s), Pharynx/thro

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

**[Drug:] Triamcinolone**

Oral, Human

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

**[Drug:] Triamcinolone**

Parenteral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death



Number of times reported: [2]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [2]  
[Sign:] Fever, Body  
Number of times reported: [2]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]  
[Sign:] Arrest, Heart  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Depression/lethargy  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Hypothermia, Body  
Number of times reported: [1]  
[Sign:] Ineffect, Antiinflam  
Number of times reported: [1]  
[Sign:] Infection, Skin  
Number of times reported: [1]  
[Sign:] Mydriasis  
Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Polycythemia  
Number of times reported: [1]  
[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sound Abn, Respiratory

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Triamcinolone**

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [82]

[Sign:] Vomiting

Number of times reported: [65]

[Sign:] Pallor, Mucous Membran

Number of times reported: [31]

[Sign:] Urticaria

Number of times reported: [28]

[Sign:] Depression/lethargy

Number of times reported: [25]

[Sign:] Shock

Number of times reported: [24]

[Sign:] Collapse

Number of times reported: [23]

[Sign:] Diarrhea

Number of times reported: [18]

[Sign:] Swelling, Head/face

Number of times reported: [16]

[Sign:] Fever, Body

Number of times reported: [15]

[Sign:] Pruritis

Number of times reported: [14]

[Sign:] Polydipsia

Number of times reported: [13]

[Sign:] Polyuria

Number of times reported: [13]

[Sign:] Weakness

Number of times reported: [13]

[Sign:] Polypnea

Number of times reported: [12]

[Sign:] Recumbency

Number of times reported: [12]

[Sign:] Congestion, Skin

Number of times reported: [10]

[Sign:] Death  
Number of times reported: [10]

[Sign:] Dyspnea  
Number of times reported: [10]

[Sign:] Diarrhea, Bloody  
Number of times reported: [9]

[Sign:] Tachycardia  
Number of times reported: [9]

[Sign:] Ineffect, Antiinflam  
Number of times reported: [8]

[Sign:] Alk Phos Hi, Bld  
Number of times reported: [7]

[Sign:] Anorexia  
Number of times reported: [7]

[Sign:] Ataxia  
Number of times reported: [7]

[Sign:] Bradycardia  
Number of times reported: [7]

[Sign:] Convulsion(s)  
Number of times reported: [7]

[Sign:] Death(euthanized)  
Number of times reported: [7]

[Sign:] Wbc Hi, Bld  
Number of times reported: [7]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [6]

[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [5]

[Sign:] Pallor  
Number of times reported: [5]

[Sign:] Glucose Hi, Bld  
Number of times reported: [4]

[Sign:] Nervousness  
Number of times reported: [4]

[Sign:] Pressure Lo, Bld  
Number of times reported: [4]

[Sign:] Albumin Lo, Bld  
Number of times reported: [3]

[Sign:] Apnea  
Number of times reported: [3]

[Sign:] Bun Hi, Bld  
Number of times reported: [3]

[Sign:] Edema  
Number of times reported: [3]

[Sign:] Edema, Head/face  
Number of times reported: [3]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [3]

[Sign:] Urination  
Number of times reported: [3]

[Sign:] Amylase Hi, Bld  
Number of times reported: [2]

[Sign:] Anemia  
Number of times reported: [2]

[Sign:] Arrhythmia  
Number of times reported: [2]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [2]

[Sign:] Confusion  
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid  
Number of times reported: [2]

[Sign:] Coughing  
Number of times reported: [2]

[Sign:] Cpk Hi, Bld  
Number of times reported: [2]

[Sign:] Cyanosis  
Number of times reported: [2]

[Sign:] Defecation  
Number of times reported: [2]

[Sign:] Diarrhea, Mild  
Number of times reported: [2]

[Sign:] Edema, Larynx  
Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [2]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [2]

[Sign:] Hypersalivation  
Number of times reported: [2]

[Sign:] Incontinence, Urinary  
Number of times reported: [2]

[Sign:] K Lo, Bld  
Number of times reported: [2]

[Sign:] Platelets Lo, Bld  
Number of times reported: [2]

[Sign:] Pruritis, Feet/digit(s)  
Number of times reported: [2]

[Sign:] Radiograph(s) Abn  
Number of times reported: [2]

[Sign:] Scale(s), Skin  
Number of times reported: [2]

[Sign:] Sediment, Urine  
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld  
Number of times reported: [2]

[Sign:] Skin, Crust(s)  
Number of times reported: [2]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [2]

[Sign:] Swelling, Ear(s)  
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [2]

[Sign:] Unconscious  
Number of times reported: [2]

[Sign:] Acidosis  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Birth Defect(s), Head/  
Number of times reported: [1]

[Sign:] Bld, Abdomen  
Number of times reported: [1]

[Sign:] Bld, Urine  
Number of times reported: [1]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Ca Hi, Bld  
Number of times reported: [1]

[Sign:] Ca Lo, Bld  
Number of times reported: [1]

[Sign:] Capillary Refill Prolo  
Number of times reported: [1]

[Sign:] Casts, Urine  
Number of times reported: [1]

[Sign:] Cataract(s)  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Congestion  
Number of times reported: [1]

[Sign:] Congestion, Ear(s)  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]

[Sign:] Dehydration  
Number of times reported: [1]

[Sign:] Diarrhea, Muroid  
Number of times reported: [1]

[Sign:] Difficulty Rising  
Number of times reported: [1]

[Sign:] Dilitation, Stomach  
Number of times reported: [1]

[Sign:] Discharge, Ear(s)  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Edema, Multiple Sites  
Number of times reported: [1]

[Sign:] Edema, Vulva  
Number of times reported: [1]

[Sign:] Flatulence  
Number of times reported: [1]

[Sign:] Gastroenteritis  
Number of times reported: [1]

[Sign:] Ggt Hi, Bld  
Number of times reported: [1]

[Sign:] Globulin Lo, Bld  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Inflam  
Number of times reported: [1]

[Sign:] Inflam, Skin  
Number of times reported: [1]

[Sign:] Inj Site Abscess  
Number of times reported: [1]

[Sign:] Inj Site Necrosis  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Irritation, Perineum  
Number of times reported: [1]

[Sign:] K Hi, Bld  
Number of times reported: [1]

[Sign:] Lameness  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Lipase Hi, Bld  
Number of times reported: [1]

[Sign:] Locomotion Disorder  
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld  
Number of times reported: [1]

[Sign:] Mg Hi, Bld  
Number of times reported: [1]

[Sign:] Microorganisms, Urine  
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]

[Sign:] Na:k Lo, Bld  
Number of times reported: [1]

[Sign:] Necrosis  
Number of times reported: [1]

[Sign:] Otitis  
Number of times reported: [1]

[Sign:] Pain, Joint(s)  
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] P Hi, Bld  
Number of times reported: [1]

[Sign:] Platelets Abn  
Number of times reported: [1]

[Sign:] P Lo, Bld  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Polyphagia  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Pulse Thready  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]



[Sign:] Rbc Abn  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Segs Hi, Bld  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Skin, Scab(s)  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

[Sign:] Splenomegaly  
Number of times reported: [1]

[Sign:] Staggering  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

[Sign:] Swelling  
Number of times reported: [1]

[Sign:] Swelling, Mammary  
Number of times reported: [1]

[Sign:] Swelling, Tongue  
Number of times reported: [1]

[Sign:] Trachitis  
Number of times reported: [1]

[Sign:] Trembling  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

[Sign:] Ulcer(s), Gi  
Number of times reported: [1]

[Sign:] Uveitis  
Number of times reported: [1]

[Sign:] Volvulus, Stomach  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

[Sign:] Wbc, Urine  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Parenteral, Horse

[Sign:] Laminitis

Number of times reported: [13]

[Sign:] Swelling, Joint(s)

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Arthritis

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [2]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Infection, Skin

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)

Number of times reported: [1]

[Sign:] Pain, Joint(s)

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Stiffness, Front Limb(

Number of times reported: [1]

[Sign:] Wbc Hi, Synovial Fluid

Number of times reported: [1]

**[Drug:] Triamcinolone**

Topical, Alpaca

[Sign:] Death(stillborn)

Number of times reported: [1]

**[Drug:] Triamcinolone**

Topical, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Hair, Abn

Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Eruption(s)

Number of times reported: [1]

[Sign:] Gingiva, Abn

Number of times reported: [1]

[Sign:] Hair, Abn Color

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Triamcinolone**

Topical, Dog

[Sign:] Alopecia

Number of times reported: [10]

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Polydipsia

Number of times reported: [5]

[Sign:] Application Site Alopecia

Number of times reported: [4]

[Sign:] Pruritis

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Application Site, Alopecia

Number of times reported: [3]

[Sign:] Discomfort

Number of times reported: [3]

[Sign:] Polyuria

Number of times reported: [3]

[Sign:] Trembling

Number of times reported: [3]

[Sign:] Vocalization

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Exfoliation, Skin

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Inflammation, Skin

Number of times reported: [2]

[Sign:] Licking

Number of times reported: [2]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [2]

[Sign:] Rolling  
Number of times reported: [2]

[Sign:] Adipsia  
Number of times reported: [1]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Application Site Abnormal  
Number of times reported: [1]

[Sign:] Application Site Erythema  
Number of times reported: [1]

[Sign:] Application Site Inflammation  
Number of times reported: [1]

[Sign:] Application Site Lesion(s)  
Number of times reported: [1]

[Sign:] Application Site Pruritis  
Number of times reported: [1]

[Sign:] Application Site Skin, Dry  
Number of times reported: [1]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Bld(petechiae)  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Endocrine Disorder  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Hair, Abn  
Number of times reported: [1]

[Sign:] Hepatomegaly  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [1]

[Sign:] Mass, Skin  
Number of times reported: [1]

[Sign:] Nervousness  
Number of times reported: [1]

[Sign:] Nose Abn  
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Pollakiuria  
Number of times reported: [1]

[Sign:] Polypnea  
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Radiograph(s) Abn  
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Skin Abnormal  
Number of times reported: [1]

[Sign:] Skin Disorder  
Number of times reported: [1]

[Sign:] Skin, Dry  
Number of times reported: [1]

[Sign:] Swelling, Head/face  
Number of times reported: [1]

[Sign:] Us-liver Abn  
Number of times reported: [1]

[Sign:] Vomiting, Bloody  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Topical, Human

[Sign:] Human Exposure

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Irritation, Pharynx/throat

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain, Brisket/chest

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Skin, Dry

Number of times reported: [1]

[Sign:] Tongue, Abnormal

Number of times reported: [1]

[Sign:] Xerostomia

Number of times reported: [1]

**[Drug:] Triamcinolone**

Unknown, Cat

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Hypothermia, Body  
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]

[Sign:] Pr-pleura, Lesion(s)  
Number of times reported: [1]

[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Triamcinolone**

Unknown, Dog

[Sign:] Anaphylaxis/toid  
Number of times reported: [16]

[Sign:] Vomiting  
Number of times reported: [10]

[Sign:] Depression/lethargy  
Number of times reported: [8]

[Sign:] Death  
Number of times reported: [4]

[Sign:] Ineffect, Antiinflam  
Number of times reported: [4]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [4]

[Sign:] Polypnea  
Number of times reported: [4]

[Sign:] Collapse  
Number of times reported: [3]

[Sign:] Diarrhea  
Number of times reported: [3]

[Sign:] Dyspnea  
Number of times reported: [3]

[Sign:] Fever, Body  
Number of times reported: [3]

[Sign:] Swelling, Head/face  
Number of times reported: [3]

[Sign:] Anorexia  
Number of times reported: [2]

[Sign:] Arrest, Heart



Number of times reported: [2]  
[Sign:] Ataxia  
Number of times reported: [2]  
[Sign:] Bradycardia  
Number of times reported: [2]  
[Sign:] Cyanosis  
Number of times reported: [2]  
[Sign:] Polydipsia  
Number of times reported: [2]  
[Sign:] Polyuria  
Number of times reported: [2]  
[Sign:] Shock  
Number of times reported: [2]  
[Sign:] Urticaria  
Number of times reported: [2]  
[Sign:] Weakness  
Number of times reported: [2]  
[Sign:] Alopecia  
Number of times reported: [1]  
[Sign:] Amylase Hi, Bld  
Number of times reported: [1]  
[Sign:] Anemia  
Number of times reported: [1]  
[Sign:] Apnea  
Number of times reported: [1]  
[Sign:] Application Site Alopecia  
Number of times reported: [1]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Bld, Abn  
Number of times reported: [1]  
[Sign:] Bld, Sclera  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Blindness, Temp  
Number of times reported: [1]  
[Sign:] Bun Hi, Bld  
Number of times reported: [1]  
[Sign:] Cholesterol Hi, Bld  
Number of times reported: [1]  
[Sign:] Coughing

Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Deafness  
Number of times reported: [1]  
[Sign:] Defecation  
Number of times reported: [1]  
[Sign:] Diarrhea, Bloody  
Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Dry Mouth Syndrome  
Number of times reported: [1]  
[Sign:] Glaucoma  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Hyperadrenocorticism  
Number of times reported: [1]  
[Sign:] Hyperkeratosis  
Number of times reported: [1]  
[Sign:] Inj Site Abscess  
Number of times reported: [1]  
[Sign:] Kidney Failure  
Number of times reported: [1]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Mucous Membr, Muddy  
Number of times reported: [1]  
[Sign:] Mydriasis  
Number of times reported: [1]  
[Sign:] Platelets Hi, Bld  
Number of times reported: [1]  
[Sign:] Pressure Hi, Bld  
Number of times reported: [1]  
[Sign:] Proprioceptive Disorde  
Number of times reported: [1]  
[Sign:] Pulse Thready  
Number of times reported: [1]  
[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

**[Drug:] Triamcinolone**

Unknown, Horse

[Sign:] Inj Site Hair, Abn

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

**[Drug:] Triamcinolone**

Unknown, Human

[Sign:] Application Site Pruritis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inflam, Skin

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

**[Drug:] Triamcinolone**

Various, Dog

- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Behavior Disorder  
Number of times reported: [1]
- [Sign:] Collapse  
Number of times reported: [1]
- [Sign:] Ineffect  
Number of times reported: [1]
- [Sign:] Lameness  
Number of times reported: [1]
- [Sign:] Licking  
Number of times reported: [1]
- [Sign:] Polydipsia  
Number of times reported: [1]
- [Sign:] Polyuria  
Number of times reported: [1]
- [Sign:] Swelling, Joint(s)  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Trichlorfon**

Oral, Horse

- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Enteritis  
Number of times reported: [1]
- [Sign:] Sweating  
Number of times reported: [1]
- [Sign:] Tenesmus, Rectal  
Number of times reported: [1]

**[Drug:] Trilostane**

Defect, Not Applicable

- [Sign:] Pd-underfill, Package  
Number of times reported: [2]
- [Sign:] Pd-container(s), Abn  
Number of times reported: [1]
- [Sign:] Pd-product Defect  
Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

**[Drug:] Trilostane**

Missing, Dog

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Liver Failure

Number of times reported: [1]

[Sign:] Neoplasm, Liver

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Trilostane**

Oral, Dog

[Sign:] Anorexia

Number of times reported: [89]

[Sign:] Depression/lethargy

Number of times reported: [82]

[Sign:] Vomiting

Number of times reported: [70]

[Sign:] Diarrhea

Number of times reported: [51]

[Sign:] K Hi, Bld

Number of times reported: [31]

[Sign:] Bun Hi, Bld

Number of times reported: [27]

[Sign:] Shaking

Number of times reported: [23]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [22]

[Sign:] Na:k Lo, Bld

Number of times reported: [21]

[Sign:] Hypoadrenocorticism

Number of times reported: [17]

[Sign:] Weakness

Number of times reported: [17]

[Sign:] Creatinine Hi, Bld  
Number of times reported: [16]

[Sign:] Na Lo, Bld  
Number of times reported: [15]

[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [15]

[Sign:] Death(euthanized)  
Number of times reported: [14]

[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [12]

[Sign:] Weight Loss  
Number of times reported: [12]

[Sign:] Anemia  
Number of times reported: [11]

[Sign:] Death  
Number of times reported: [11]

[Sign:] Diarrhea, Bloody  
Number of times reported: [10]

[Sign:] Trembling  
Number of times reported: [10]

[Sign:] Convulsion(s)  
Number of times reported: [9]

[Sign:] Pancreatitis  
Number of times reported: [9]

[Sign:] Radiograph(s) Abn  
Number of times reported: [9]

[Sign:] Acth Stim Abn  
Number of times reported: [8]

[Sign:] Collapse  
Number of times reported: [8]

[Sign:] Dehydration  
Number of times reported: [8]

[Sign:] Wbc Hi, Bld  
Number of times reported: [8]

[Sign:] Ataxia  
Number of times reported: [7]

[Sign:] Neurological Disorder  
Number of times reported: [7]

[Sign:] Us Abn  
Number of times reported: [7]

[Sign:] Dyspnea  
Number of times reported: [6]

[Sign:] Polydipsia  
Number of times reported: [6]

[Sign:] Adipsia  
Number of times reported: [5]

[Sign:] Confusion  
Number of times reported: [5]

[Sign:] Glucose Hi, Bld  
Number of times reported: [5]

[Sign:] Kidney Failure  
Number of times reported: [5]

[Sign:] Lameness  
Number of times reported: [5]

[Sign:] Na Hi, Bld  
Number of times reported: [5]

[Sign:] Polyuria  
Number of times reported: [5]

[Sign:] Apprehension  
Number of times reported: [4]

[Sign:] Ca Hi, Bld  
Number of times reported: [4]

[Sign:] Chloride Lo, Bld  
Number of times reported: [4]

[Sign:] Coughing  
Number of times reported: [4]

[Sign:] Diarrhea, Mild  
Number of times reported: [4]

[Sign:] Infection, Urinary Tra  
Number of times reported: [4]

[Sign:] Inflam, Skin  
Number of times reported: [4]

[Sign:] Lesion(s), Skin  
Number of times reported: [4]

[Sign:] Paralysis, Facial Nerv  
Number of times reported: [4]

[Sign:] Polypnea  
Number of times reported: [4]

[Sign:] Pruritis  
Number of times reported: [4]

[Sign:] Amylase Hi, Bld  
Number of times reported: [3]

[Sign:] Cardiomegaly  
Number of times reported: [3]

[Sign:] Cholesterol Hi, Bld  
Number of times reported: [3]

[Sign:] Diabetes Mellitus  
Number of times reported: [3]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [3]

[Sign:] Fever, Body  
Number of times reported: [3]

[Sign:] Hyperpnea  
Number of times reported: [3]

[Sign:] Ineffect, Cushings  
Number of times reported: [3]

[Sign:] Keratoconjunctivitis S  
Number of times reported: [3]

[Sign:] Pain, Abdomen  
Number of times reported: [3]

[Sign:] P Hi, Bld  
Number of times reported: [3]

[Sign:] Pr-adrenal(s), Lesion(s)  
Number of times reported: [3]

[Sign:] Pressure Hi, Bld  
Number of times reported: [3]

[Sign:] Recumbency  
Number of times reported: [3]

[Sign:] Segs Hi, Bld  
Number of times reported: [3]

[Sign:] Spec Gravity Lo, Urine  
Number of times reported: [3]

[Sign:] Tachycardia  
Number of times reported: [3]

[Sign:] Alopecia  
Number of times reported: [2]

[Sign:] Behavior Disorder  
Number of times reported: [2]

[Sign:] Bld(ecchymoses)  
Number of times reported: [2]

[Sign:] Bld, Urine  
Number of times reported: [2]

[Sign:] Congestion  
Number of times reported: [2]

[Sign:] Congestion, Skin  
Number of times reported: [2]



[Sign:] Discharge, Nose  
Number of times reported: [2]

[Sign:] Eruption(s)  
Number of times reported: [2]

[Sign:] Hyperactivity  
Number of times reported: [2]

[Sign:] Ill  
Number of times reported: [2]

[Sign:] K Lo, Bld  
Number of times reported: [2]

[Sign:] Liver Disorder  
Number of times reported: [2]

[Sign:] Nervousness  
Number of times reported: [2]

[Sign:] Platelets Lo, Bld  
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [2]

[Sign:] Retina Abn  
Number of times reported: [2]

[Sign:] Sound Abn, Respiratory  
Number of times reported: [2]

[Sign:] Swelling, Vagina/vulva  
Number of times reported: [2]

[Sign:] Ulcer(s), Tongue  
Number of times reported: [2]

[Sign:] Vestibular Disorder  
Number of times reported: [2]

[Sign:] Vocalization  
Number of times reported: [2]

[Sign:] Vomiting, Bloody  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Albumin Hi, Bld  
Number of times reported: [1]

[Sign:] Albumin Lo, Bld  
Number of times reported: [1]

[Sign:] Anemia, Regen  
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)  
Number of times reported: [1]

[Sign:] Bands Hi, Bld  
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld  
Number of times reported: [1]

[Sign:] Bld, Skin  
Number of times reported: [1]

[Sign:] Blindness  
Number of times reported: [1]

[Sign:] Brain, Neoplasm  
Number of times reported: [1]

[Sign:] Capillary Refill Prolo  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Coagulation Disorder  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Conjunctivitis  
Number of times reported: [1]

[Sign:] Crystals, Urine  
Number of times reported: [1]

[Sign:] Defecation  
Number of times reported: [1]

[Sign:] Dermatitis, Moist  
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul  
Number of times reported: [1]

[Sign:] Diarrhea, Severe  
Number of times reported: [1]

[Sign:] Diarrhea, Watery  
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Discharge, Vulva  
Number of times reported: [1]

[Sign:] Distention, Abdomen  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Dysphagia  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Effusion, Peritoneal  
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod  
Number of times reported: [1]

[Sign:] Exercise Intolerance  
Number of times reported: [1]

[Sign:] Flatulence  
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Gall Bladder, Abn  
Number of times reported: [1]

[Sign:] Ggt Hi, Bld  
Number of times reported: [1]

[Sign:] Glucose, Urine  
Number of times reported: [1]

[Sign:] Head Pressing  
Number of times reported: [1]

[Sign:] Head Tilt  
Number of times reported: [1]

[Sign:] Horner's Syndrome  
Number of times reported: [1]

[Sign:] Hypersalivation  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Hypothermia, Body  
Number of times reported: [1]

[Sign:] Icterus, Body  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Lipase Hi, Bld  
Number of times reported: [1]

[Sign:] Lipids Hi, Bld  
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld  
Number of times reported: [1]

[Sign:] Mass, Abdomen  
Number of times reported: [1]

[Sign:] Mass, Skin  
Number of times reported: [1]

[Sign:] Mg Hi, Bld  
Number of times reported: [1]

[Sign:] Monos Hi, Bld  
Number of times reported: [1]

[Sign:] Murmur, Heart  
Number of times reported: [1]

[Sign:] Neoplasm, Liver  
Number of times reported: [1]

[Sign:] Nephritis  
Number of times reported: [1]

[Sign:] Nose Abn  
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal  
Number of times reported: [1]

[Sign:] Odor  
Number of times reported: [1]

[Sign:] Otitis  
Number of times reported: [1]

[Sign:] Pain  
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Pica  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Polycythemia(relative)  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema  
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi  
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld  
Number of times reported: [1]

[Sign:] Protein, Urine  
Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(  
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [1]

[Sign:] Pustule(s)  
Number of times reported: [1]

[Sign:] Rash  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Reluctant To Move  
Number of times reported: [1]

[Sign:] Seborrhea  
Number of times reported: [1]

[Sign:] Sediment, Urine  
Number of times reported: [1]

[Sign:] Skin, Scab(s)  
Number of times reported: [1]

[Sign:] Sneezing  
Number of times reported: [1]

[Sign:] Squinting  
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(  
Number of times reported: [1]

[Sign:] Stomatitis  
Number of times reported: [1]

[Sign:] Stool Abn  
Number of times reported: [1]

[Sign:] Tenesmus, Urinary  
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo  
Number of times reported: [1]

[Sign:] Twitch  
Number of times reported: [1]

- [Sign:] Ulcer(s), Cornea(s)  
Number of times reported: [1]
- [Sign:] Ulcer(s), Skin  
Number of times reported: [1]
- [Sign:] Unconscious  
Number of times reported: [1]
- [Sign:] Urination  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]
- [Sign:] Us-liver Abn  
Number of times reported: [1]
- [Sign:] Uveitis  
Number of times reported: [1]
- [Sign:] Vesicle(s)/bullae, Ski  
Number of times reported: [1]
- [Sign:] Wbc Abn  
Number of times reported: [1]
- [Sign:] Weight Increase  
Number of times reported: [1]

**[Drug:] Trilostane**

Oral, Human

- [Sign:] Dizziness  
Number of times reported: [1]
- [Sign:] Hypoadrenocorticism  
Number of times reported: [1]

**[Drug:] Trilostane**

Unknown, Dog

- [Sign:] Acth Stim Abn  
Number of times reported: [1]
- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Ataxia  
Number of times reported: [1]
- [Sign:] Blindness, Temp  
Number of times reported: [1]
- [Sign:] Bun Hi, Bld  
Number of times reported: [1]
- [Sign:] Confusion  
Number of times reported: [1]

- [Sign:] Creatinine Hi, Bld  
Number of times reported: [1]
- [Sign:] Hypersalivation  
Number of times reported: [1]
- [Sign:] Hypoadrenocorticism  
Number of times reported: [1]
- [Sign:] Protein, Urine  
Number of times reported: [1]
- [Sign:] Recumbency  
Number of times reported: [1]
- [Sign:] Spec Gravity Lo, Urine  
Number of times reported: [1]
- [Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Defect, Not Applicable

- [Sign:] Pd-seal, Abn  
Number of times reported: [2]
- [Sign:] Pd-missing, Cap  
Number of times reported: [1]
- [Sign:] Pd-vial(s), Leaking  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Missing, Cattle

- [Sign:] Udder, Hypogalactia  
Number of times reported: [1]
- [Sign:] Udder, Mastitis  
Number of times reported: [1]
- [Sign:] Udder, Milk Abn  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Missing, Horse

- [Sign:] Laminitis  
Number of times reported: [1]
- [Sign:] Reluctant To Move  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Parenteral, Cat

- [Sign:] Anorexia  
Number of times reported: [3]
- [Sign:] Depression/lethargy  
Number of times reported: [2]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Diarrhea, Bloody  
Number of times reported: [1]
- [Sign:] Pain  
Number of times reported: [1]
- [Sign:] Pain, Hind Limb(s)  
Number of times reported: [1]
- [Sign:] Pallor, Mucous Membran  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]
- [Sign:] Vomiting, Bloody  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Parenteral, Cattle

- [Sign:] Death  
Number of times reported: [6]
- [Sign:] Ataxia  
Number of times reported: [3]
- [Sign:] Convulsion(s)  
Number of times reported: [3]
- [Sign:] Hyperactivity  
Number of times reported: [3]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Collapse  
Number of times reported: [1]
- [Sign:] Death(tx Failure)  
Number of times reported: [1]
- [Sign:] Dyspnea  
Number of times reported: [1]
- [Sign:] Ineffect  
Number of times reported: [1]
- [Sign:] Neurological Disorder



Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Tripeleennamine**

Parenteral, Dog

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Difficulty Rising

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Recumbency

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

- [Sign:] Pr-lung(s), Edema  
Number of times reported: [1]
- [Sign:] Pr-pancreas, Lesion(s)  
Number of times reported: [1]
- [Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]
- [Sign:] Pr-spleen, Lesion(s)  
Number of times reported: [1]
- [Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]
- [Sign:] Rash  
Number of times reported: [1]
- [Sign:] Shaking, Head/face  
Number of times reported: [1]
- [Sign:] Swelling, Head/face  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]
- [Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Parenteral, Horse

- [Sign:] Death  
Number of times reported: [6]
- [Sign:] Collapse  
Number of times reported: [5]
- [Sign:] Convulsion(s)  
Number of times reported: [5]
- [Sign:] Hyperactivity  
Number of times reported: [4]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [3]
- [Sign:] Dyspnea  
Number of times reported: [3]
- [Sign:] Myositis  
Number of times reported: [3]
- [Sign:] Abortion  
Number of times reported: [2]
- [Sign:] Anorexia  
Number of times reported: [2]
- [Sign:] Ataxia

Number of times reported: [2]  
[Sign:] Death(euthanized)  
Number of times reported: [2]  
[Sign:] Inj Site Sterile Absce  
Number of times reported: [2]  
[Sign:] Inj Site Swelling  
Number of times reported: [2]  
[Sign:] Nervousness  
Number of times reported: [2]  
[Sign:] Recumbency  
Number of times reported: [2]  
[Sign:] Shaking  
Number of times reported: [2]  
[Sign:] Twitch  
Number of times reported: [2]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Apprehension  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Death(stillborn)  
Number of times reported: [1]  
[Sign:] Discharge, Mammary  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Infection  
Number of times reported: [1]  
[Sign:] Inj Site Abn  
Number of times reported: [1]  
[Sign:] Inj Site Edema  
Number of times reported: [1]  
[Sign:] Inj Site Necrosis  
Number of times reported: [1]  
[Sign:] Inj Site Pain  
Number of times reported: [1]  
[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Photophobia

Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)

Number of times reported: [1]

[Sign:] Repetitive Movements

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Stiffness, Neck

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

**[Drug:] Tripeleennamine**

Unknown, Cattle

[Sign:] Death

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)  
Number of times reported: [1]

**[Drug:] Tripeleennamine**

Unknown, Horse

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Arrhythmia  
Number of times reported: [1]

[Sign:] Chemistry Abn  
Number of times reported: [1]

[Sign:] Death(euthanized)  
Number of times reported: [1]

[Sign:] Glucose Hi, Bld  
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Defect, Not Applicable

[Sign:] Pd-container(s), Abn  
Number of times reported: [36]

[Sign:] Pd-vial(s), Damaged  
Number of times reported: [17]

[Sign:] Pd-seal, Abn  
Number of times reported: [12]

[Sign:] Pd-product Defect  
Number of times reported: [11]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [11]

[Sign:] Pd-container(s), Damag  
Number of times reported: [8]

[Sign:] Pd-color, Abn  
Number of times reported: [7]

[Sign:] Pd-solution, Abn

Number of times reported: [7]

[Sign:] Pd-underfill, Package

Number of times reported: [5]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [4]

[Sign:] Pd-cap(s), Abn

Number of times reported: [3]

[Sign:] Pd-defect Unknown

Number of times reported: [3]

[Sign:] Pd-contamination

Number of times reported: [2]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

**[Drug:] Tulathromycin**

Inhalation, Human

[Sign:] Nausea

Number of times reported: [1]

**[Drug:] Tulathromycin**

Missing, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

**[Drug:] Tulathromycin**

Missing, Horse

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tulathromycin**

Missing, Human

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Inj Site Inflamm

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

**[Drug:] Tulathromycin**

Not Applicable, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Tulathromycin**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [4]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Vision Disorder

Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

**[Drug:] Tulathromycin**

Oral, Human

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Alpaca

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)

Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Cat

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [274]

[Sign:] Death(tx Failure)

Number of times reported: [159]

[Sign:] Death

Number of times reported: [90]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [42]

[Sign:] Inj Site Swelling

Number of times reported: [25]

[Sign:] Culture/titer Data Abn

Number of times reported: [20]

[Sign:] Anaphylaxis/toid

Number of times reported: [19]

[Sign:] Recumbency

Number of times reported: [18]

[Sign:] Collapse

Number of times reported: [12]

[Sign:] Inj Site Alopecia

Number of times reported: [12]

[Sign:] Abortion



Number of times reported: [10]  
[Sign:] Dyspnea  
Number of times reported: [10]  
[Sign:] Ataxia  
Number of times reported: [9]  
[Sign:] Fever, Body  
Number of times reported: [9]  
[Sign:] Inj Site Abn  
Number of times reported: [9]  
[Sign:] Lameness  
Number of times reported: [9]  
[Sign:] Death(euthanized)  
Number of times reported: [8]  
[Sign:] Hypersalivation  
Number of times reported: [8]  
[Sign:] Convulsion(s)  
Number of times reported: [7]  
[Sign:] Inj Site Inflam  
Number of times reported: [7]  
[Sign:] Anorexia  
Number of times reported: [6]  
[Sign:] Bloat  
Number of times reported: [6]  
[Sign:] Depression/lethargy  
Number of times reported: [6]  
[Sign:] Inj Site Pain  
Number of times reported: [6]  
[Sign:] Pr-skin, Lesion(s)  
Number of times reported: [6]  
[Sign:] Residue, Milk  
Number of times reported: [6]  
[Sign:] Hyperactivity  
Number of times reported: [5]  
[Sign:] Inj Site Abscess  
Number of times reported: [5]  
[Sign:] Swelling, Head/face  
Number of times reported: [5]  
[Sign:] Weakness  
Number of times reported: [5]  
[Sign:] Alopecia  
Number of times reported: [4]  
[Sign:] Interaction, Drug(s)

Number of times reported: [4]  
[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [4]  
[Sign:] Pr-lung(s), Edema  
Number of times reported: [4]  
[Sign:] Residue, Meat  
Number of times reported: [4]  
[Sign:] Swelling, Limb(s)  
Number of times reported: [4]  
[Sign:] Vocalization  
Number of times reported: [4]  
[Sign:] Difficulty Rising  
Number of times reported: [3]  
[Sign:] Inj Site Edema  
Number of times reported: [3]  
[Sign:] Inj Site Hair, Abn  
Number of times reported: [3]  
[Sign:] Lesion(s), Skin  
Number of times reported: [3]  
[Sign:] Respiratory Disorder  
Number of times reported: [3]  
[Sign:] Shaking, Head/face  
Number of times reported: [3]  
[Sign:] Staggering  
Number of times reported: [3]  
[Sign:] Cellulitis  
Number of times reported: [2]  
[Sign:] Circling  
Number of times reported: [2]  
[Sign:] Cns Disorder  
Number of times reported: [2]  
[Sign:] Distress  
Number of times reported: [2]  
[Sign:] Edema, Brisket/chest  
Number of times reported: [2]  
[Sign:] Enlargement(s), Skin  
Number of times reported: [2]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [2]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [2]  
[Sign:] Hyperpnea

Number of times reported: [2]  
[Sign:] Inj Site Fibrosis  
Number of times reported: [2]  
[Sign:] Inj Site Mass  
Number of times reported: [2]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [2]  
[Sign:] Pd-potency, Lo  
Number of times reported: [2]  
[Sign:] Pneumonia  
Number of times reported: [2]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [2]  
[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [2]  
[Sign:] Stiffness  
Number of times reported: [2]  
[Sign:] Swelling, Joint(s)  
Number of times reported: [2]  
[Sign:] Thrashing/paddling  
Number of times reported: [2]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Anorexia (not Nursing)  
Number of times reported: [1]  
[Sign:] Ascites  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Diarrhea, Severe  
Number of times reported: [1]  
[Sign:] Discomfort  
Number of times reported: [1]  
[Sign:] Distention, Abdomen  
Number of times reported: [1]  
[Sign:] Distress, Resp

Number of times reported: [1]  
[Sign:] Dysmetria  
Number of times reported: [1]  
[Sign:] Edema, Neck  
Number of times reported: [1]  
[Sign:] Exfoliation, Skin  
Number of times reported: [1]  
[Sign:] Froth, Nose  
Number of times reported: [1]  
[Sign:] Hair, Abn Color  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Ill  
Number of times reported: [1]  
[Sign:] Inj Site Bld  
Number of times reported: [1]  
[Sign:] Inj Site Emphysema  
Number of times reported: [1]  
[Sign:] Inj Site Seroma  
Number of times reported: [1]  
[Sign:] Inj Site Slough  
Number of times reported: [1]  
[Sign:] Inj Site Ulcer(s)  
Number of times reported: [1]  
[Sign:] Intussusception  
Number of times reported: [1]  
[Sign:] Leukoderma  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Moribund  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Nystagmus  
Number of times reported: [1]  
[Sign:] Paresis, Fore Limb(s)  
Number of times reported: [1]  
[Sign:] Pd-color, Abn

Number of times reported: [1]  
[Sign:] Pd-seal, Abn  
Number of times reported: [1]  
[Sign:] Pd-suspension, Abn  
Number of times reported: [1]  
[Sign:] Photosensitization  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Pr-brain, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-inj Site, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-kidney(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Edema  
Number of times reported: [1]  
[Sign:] Pr-muscle(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Prolapse, Tongue  
Number of times reported: [1]  
[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified  
Number of times reported: [1]  
[Sign:] Scale(s), Skin  
Number of times reported: [1]  
[Sign:] Shaking  
Number of times reported: [1]  
[Sign:] Skin, Crust(s)  
Number of times reported: [1]  
[Sign:] Skin, Dry  
Number of times reported: [1]  
[Sign:] Slough, Skin  
Number of times reported: [1]  
[Sign:] Sound Abn, Respiratory  
Number of times reported: [1]  
[Sign:] Stiffness, Hind Limb(s)

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

### **[Drug:] Tulathromycin**

Parenteral, Deer

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

### **[Drug:] Tulathromycin**

Parenteral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Goat

- [Sign:] Inj Site Pain  
Number of times reported: [2]
- [Sign:] Vocalization  
Number of times reported: [2]
- [Sign:] Bld, Abn  
Number of times reported: [1]
- [Sign:] Bld, Urine  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Pain  
Number of times reported: [1]
- [Sign:] Recumbency  
Number of times reported: [1]
- [Sign:] Residue, Meat  
Number of times reported: [1]
- [Sign:] Trembling  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Horse

- [Sign:] Confusion  
Number of times reported: [1]
- [Sign:] Inj Site Pain  
Number of times reported: [1]
- [Sign:] Inj Site Swelling  
Number of times reported: [1]
- [Sign:] Rolling  
Number of times reported: [1]
- [Sign:] Sweating  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Human

- [Sign:] Inj Site Pain  
Number of times reported: [37]
- [Sign:] Inj Site Swelling  
Number of times reported: [13]

[Sign:] Inj Site Inflamm  
Number of times reported: [11]

[Sign:] Inj Site Bld  
Number of times reported: [5]

[Sign:] Hypoesthesia  
Number of times reported: [4]

[Sign:] Dizziness  
Number of times reported: [2]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Stiffness  
Number of times reported: [1]

[Sign:] Joint Disorder  
Number of times reported: [1]

[Sign:] Paraesthesia  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Pig

[Sign:] Death  
Number of times reported: [4]

[Sign:] Inj Site Abn  
Number of times reported: [3]

[Sign:] Anaphylaxis/toid  
Number of times reported: [2]

[Sign:] Death(tx Failure)  
Number of times reported: [2]

[Sign:] Discomfort  
Number of times reported: [2]

[Sign:] Distress



Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tulathromycin**

Parenteral, Sheep

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Head Pressing

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

**[Drug:] Tulathromycin**

Topical, Human

- [Sign:] Rash  
Number of times reported: [3]
- [Sign:] Application Site Pain  
Number of times reported: [2]
- [Sign:] Application Site Erythema  
Number of times reported: [1]
- [Sign:] Application Site Swelling  
Number of times reported: [1]
- [Sign:] Fibrillation, Atrial  
Number of times reported: [1]
- [Sign:] Heart Disorder  
Number of times reported: [1]
- [Sign:] Hypoesthesia  
Number of times reported: [1]
- [Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]
- [Sign:] Nausea  
Number of times reported: [1]
- [Sign:] Pain  
Number of times reported: [1]
- [Sign:] Pain, Abdomen  
Number of times reported: [1]
- [Sign:] Skin Abnormal  
Number of times reported: [1]
- [Sign:] Tachycardia  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Unknown, Cat

- [Sign:] Ataxia  
Number of times reported: [1]
- [Sign:] Dehydration  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Dyspnea  
Number of times reported: [1]
- [Sign:] Hypothermia  
Number of times reported: [1]
- [Sign:] Mydriasis  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Unknown, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [7]

[Sign:] Death(tx Failure)

Number of times reported: [4]

[Sign:] Death

Number of times reported: [2]

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tulathromycin**

Unknown, Dog

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

**[Drug:] Tulathromycin**

Unknown, Goat

[Sign:] Death

Number of times reported: [1]

[Sign:] Head Bobbing  
Number of times reported: [1]

[Sign:] Residue, Milk  
Number of times reported: [1]

[Sign:] Shaking, Head/face  
Number of times reported: [1]

**[Drug:] Tulathromycin**

Unknown, Human

[Sign:] Inj Site Pain  
Number of times reported: [24]

[Sign:] Inj Site Swelling  
Number of times reported: [12]

[Sign:] Inj Site Inflam  
Number of times reported: [8]

[Sign:] Dizziness  
Number of times reported: [3]

[Sign:] Inj Site Abn  
Number of times reported: [2]

[Sign:] Trembling  
Number of times reported: [2]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Edema, Limb(s)  
Number of times reported: [1]

[Sign:] Inj Site Bld  
Number of times reported: [1]

[Sign:] Inj Site Edema  
Number of times reported: [1]

[Sign:] Inj Site Pruritis  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Pain, Limb(s)  
Number of times reported: [1]

[Sign:] Paraesthesia  
Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tulathromycin**

Unknown, Pig

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Tylosin**

Defect, Not Applicable

[Sign:] Pd-granules/powder, Abn

Number of times reported: [26]

[Sign:] Pd-product Defect

Number of times reported: [9]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [8]

[Sign:] Pd-label(s), Abn

Number of times reported: [7]

[Sign:] Pd-potency, Lo

Number of times reported: [6]

[Sign:] Pd-seal, Abn

Number of times reported: [6]

[Sign:] Pd-color, Abn

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [5]

[Sign:] Pd-contamination

Number of times reported: [5]

[Sign:] Pd-container(s), Damag

Number of times reported: [3]

[Sign:] Pd-odor, Abn

Number of times reported: [3]

[Sign:] Pd-contam, Mold

Number of times reported: [2]

[Sign:] Pd-defect Unknown

Number of times reported: [2]

[Sign:] Pd-solution, Abn  
Number of times reported: [2]

[Sign:] Pd-suspension, Abn  
Number of times reported: [2]

[Sign:] Pd-vial(s), Damaged  
Number of times reported: [2]

[Sign:] Unpalatable  
Number of times reported: [2]

[Sign:] No Signs  
Number of times reported: [1]

[Sign:] Pd-contam, Insects  
Number of times reported: [1]

[Sign:] Pd-vial(s), Abn  
Number of times reported: [1]

[Sign:] Tech Error, Mixing  
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa  
Number of times reported: [1]

**[Drug:] Tylosin**

Inhalation, Human

[Sign:] Coughing  
Number of times reported: [2]

[Sign:] Headache  
Number of times reported: [2]

[Sign:] Taste Abnormality  
Number of times reported: [2]

[Sign:] Apprehension  
Number of times reported: [1]

[Sign:] Bronchitis  
Number of times reported: [1]

[Sign:] Congestion, Lung(s)  
Number of times reported: [1]

[Sign:] Congestion, Nose  
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Sinusitis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tylosin**

Intramammary, Cattle

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

**[Drug:] Tylosin**

Missing, Bird

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

**[Drug:] Tylosin**

Missing, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tylosin**

Missing, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Tylosin**

Missing, Dog

[Sign:] Anorexia

Number of times reported: [1]

**[Drug:] Tylosin**

Missing, Human

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Tylosin**

Missing, Pig

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

**[Drug:] Tylosin**

Not Applicable, Cat

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Tylosin**

Not Applicable, Dog

[Sign:] Pd-granules/powder, Abn

Number of times reported: [2]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Tylosin**

Not Applicable, Pig



[Sign:] Pd-label(s), Abn

Number of times reported: [1]

**[Drug:] Tylosin**

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [5]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [2]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pruritis, Eye(s)

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Bird

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Choking

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

- [Sign:] Ineffect, Antibiotic  
Number of times reported: [1]
- [Sign:] Inj Site Swelling  
Number of times reported: [1]
- [Sign:] Melena  
Number of times reported: [1]
- [Sign:] Neurological Disorder  
Number of times reported: [1]
- [Sign:] Pr-crop, Lesion(s)  
Number of times reported: [1]
- [Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]
- [Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Buffalo

- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]
- [Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Cat

- [Sign:] Hypersalivation  
Number of times reported: [4]
- [Sign:] Alopecia  
Number of times reported: [2]
- [Sign:] Unpalatable, Won't Eat  
Number of times reported: [2]
- [Sign:] Ca Hi, Bld  
Number of times reported: [1]
- [Sign:] Constipation  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [5]

[Sign:] Death

Number of times reported: [4]

[Sign:] Ineffect

Number of times reported: [4]

[Sign:] Bloat

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Residue, Meat

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Chicken

[Sign:] Ineffect, Antibiotic

Number of times reported: [8]

[Sign:] Death

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]

- [Sign:] Ataxia  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Diarrhea, Bloody  
Number of times reported: [1]
- [Sign:] Difficulty Rising  
Number of times reported: [1]
- [Sign:] Intussusception  
Number of times reported: [1]
- [Sign:] Polypnea  
Number of times reported: [1]
- [Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]
- [Sign:] Recumbency  
Number of times reported: [1]
- [Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Dog

- [Sign:] Unpalatable, Won't Eat  
Number of times reported: [13]
- [Sign:] Vomiting  
Number of times reported: [8]
- [Sign:] Anorexia  
Number of times reported: [7]
- [Sign:] Diarrhea  
Number of times reported: [6]
- [Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [6]
- [Sign:] Alk Phos Hi, Bld  
Number of times reported: [5]
- [Sign:] Depression/lethargy  
Number of times reported: [5]
- [Sign:] Pruritis  
Number of times reported: [4]
- [Sign:] Ataxia  
Number of times reported: [3]
- [Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [3]
- [Sign:] Rash

Number of times reported: [3]  
[Sign:] Circling  
Number of times reported: [2]  
[Sign:] Confusion  
Number of times reported: [2]  
[Sign:] Congestion, Skin  
Number of times reported: [2]  
[Sign:] Polydipsia  
Number of times reported: [2]  
[Sign:] Polyuria  
Number of times reported: [2]  
[Sign:] Stool Abn  
Number of times reported: [2]  
[Sign:] Tenesmus, Rectal  
Number of times reported: [2]  
[Sign:] Unpalatable  
Number of times reported: [2]  
[Sign:] Vocalization  
Number of times reported: [2]  
[Sign:] Weight Loss  
Number of times reported: [2]  
[Sign:] Aggression  
Number of times reported: [1]  
[Sign:] Behavior Disorder  
Number of times reported: [1]  
[Sign:] Bld, Passing  
Number of times reported: [1]  
[Sign:] Bld, Urine  
Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Bone, Abn  
Number of times reported: [1]  
[Sign:] Calculi, Bladder  
Number of times reported: [1]  
[Sign:] Calculi, Urine  
Number of times reported: [1]  
[Sign:] Constipation  
Number of times reported: [1]  
[Sign:] Creatinine Hi, Bld  
Number of times reported: [1]  
[Sign:] Deafness

Number of times reported: [1]  
[Sign:] Deafness, Partial  
Number of times reported: [1]  
[Sign:] Death  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Eructation  
Number of times reported: [1]  
[Sign:] Gagging  
Number of times reported: [1]  
[Sign:] Gi, Abnormal  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Hematochezia  
Number of times reported: [1]  
[Sign:] Hepatitis  
Number of times reported: [1]  
[Sign:] Hepatomegaly  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hyperpigmentation, Ski  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Incontinence, Fecal  
Number of times reported: [1]  
[Sign:] Ineffect  
Number of times reported: [1]  
[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]  
[Sign:] Ineffect, Seizures  
Number of times reported: [1]  
[Sign:] Infection, Eye(s)  
Number of times reported: [1]  
[Sign:] Infection, Urinary Tra

Number of times reported: [1]  
[Sign:] Inflammation, Skin  
Number of times reported: [1]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [1]  
[Sign:] Irritation, Ear(s)  
Number of times reported: [1]  
[Sign:] Irritation, Mouth/lip  
Number of times reported: [1]  
[Sign:] Keratoconjunctivitis S  
Number of times reported: [1]  
[Sign:] Leukoderma  
Number of times reported: [1]  
[Sign:] Liver Disorder  
Number of times reported: [1]  
[Sign:] Melena  
Number of times reported: [1]  
[Sign:] Neoplasm  
Number of times reported: [1]  
[Sign:] Off Feed  
Number of times reported: [1]  
[Sign:] Pain, Abdomen  
Number of times reported: [1]  
[Sign:] Pain, Back  
Number of times reported: [1]  
[Sign:] Pallor, Mucous Membran  
Number of times reported: [1]  
[Sign:] Pancreatitis  
Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Pd-granules/powder, Abn  
Number of times reported: [1]  
[Sign:] Pd-odor, Abn  
Number of times reported: [1]  
[Sign:] Pd-underfill, Package  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Radiograph(s) Abn  
Number of times reported: [1]  
[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Scale(s), Skin

Number of times reported: [1]

[Sign:] Seborrhea

Number of times reported: [1]

[Sign:] Splenomegaly

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stool, Mucoid

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Goat

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Horse

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Human

[Sign:] Taste Abnormality

Number of times reported: [11]

[Sign:] Hyperesthesia

Number of times reported: [2]



[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Fever, Body  
Number of times reported: [1]

[Sign:] Headache  
Number of times reported: [1]

[Sign:] Hot Flush  
Number of times reported: [1]

[Sign:] Hypoesthesia  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Pain, Abdomen  
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged  
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking  
Number of times reported: [1]

[Sign:] Pneumonia  
Number of times reported: [1]

[Sign:] Pressure Hi, Bld  
Number of times reported: [1]

[Sign:] Pruritis  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)  
Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Other

[Sign:] Death  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Pig

[Sign:] Death

Number of times reported: [37]

[Sign:] Ineffect, Antibiotic

Number of times reported: [22]

[Sign:] Death(tx Failure)

Number of times reported: [17]

[Sign:] Ineffect

Number of times reported: [16]

[Sign:] Diarrhea

Number of times reported: [11]

[Sign:] Diarrhea, Bloody

Number of times reported: [11]

[Sign:] Diarrhea, Mild

Number of times reported: [9]

[Sign:] Lameness

Number of times reported: [6]

[Sign:] Anorexia

Number of times reported: [5]

[Sign:] Enteritis

Number of times reported: [4]

[Sign:] Tech Error, Mixing

Number of times reported: [4]

[Sign:] Fertility, Reduced

Number of times reported: [3]

[Sign:] Ineffect, Weight Inc

Number of times reported: [3]

[Sign:] Pallor

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Hematochezia

Number of times reported: [2]

[Sign:] Loss Of Condition

Number of times reported: [2]

[Sign:] Melena

Number of times reported: [2]

[Sign:] Poor Performance  
Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)  
Number of times reported: [2]

[Sign:] Stool Abn  
Number of times reported: [2]

[Sign:] Weight Loss  
Number of times reported: [2]

[Sign:] Aggression  
Number of times reported: [1]

[Sign:] Anemia  
Number of times reported: [1]

[Sign:] Arthritis  
Number of times reported: [1]

[Sign:] Bld, Gi  
Number of times reported: [1]

[Sign:] Bloat  
Number of times reported: [1]

[Sign:] Bone, Abn  
Number of times reported: [1]

[Sign:] Colon, Abn  
Number of times reported: [1]

[Sign:] Constipation  
Number of times reported: [1]

[Sign:] Culture/titer Data Abn  
Number of times reported: [1]

[Sign:] Distress  
Number of times reported: [1]

[Sign:] Ear Disorder  
Number of times reported: [1]

[Sign:] Enlargement(s)  
Number of times reported: [1]

[Sign:] Gastroenteritis  
Number of times reported: [1]

[Sign:] Gi, Abnormal  
Number of times reported: [1]

[Sign:] Hair, Abn  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Ill  
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe  
Number of times reported: [1]

[Sign:] Inflamm  
Number of times reported: [1]

[Sign:] Lesion(s)  
Number of times reported: [1]

[Sign:] Off Feed  
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)  
Number of times reported: [1]

[Sign:] Paralysis  
Number of times reported: [1]

[Sign:] Paralysis, All Limbs  
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn  
Number of times reported: [1]

[Sign:] Pr-gi, Edema  
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)  
Number of times reported: [1]

[Sign:] Rupture  
Number of times reported: [1]

[Sign:] Tail Disorder  
Number of times reported: [1]

[Sign:] Ulcer(s), Gi  
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach  
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Rabbit

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Turkey

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Tylosin**

Oral, Various

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Bird

[Sign:] Death

Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Cat

[Sign:] Lameness

Number of times reported: [2]

**[Drug:] Tylosin**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [7]

[Sign:] Ineffect, Antibiotic

Number of times reported: [4]

[Sign:] Dyspnea

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [3]  
[Sign:] Recumbency  
Number of times reported: [3]  
[Sign:] Depression/lethargy  
Number of times reported: [2]  
[Sign:] Diarrhea  
Number of times reported: [2]  
[Sign:] Fever, Body  
Number of times reported: [2]  
[Sign:] Hypersalivation  
Number of times reported: [2]  
[Sign:] Stupor  
Number of times reported: [2]  
[Sign:] Abortion  
Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Convulsion(s)  
Number of times reported: [1]  
[Sign:] Coughing  
Number of times reported: [1]  
[Sign:] Death(euthanized)  
Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hyperpnea  
Number of times reported: [1]  
[Sign:] Inj Site Pain  
Number of times reported: [1]  
[Sign:] Lameness  
Number of times reported: [1]  
[Sign:] Nervousness  
Number of times reported: [1]  
[Sign:] Pain, Joint(s)  
Number of times reported: [1]  
[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]  
[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Chicken

[Sign:] Death

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Ulcer(s)

Number of times reported: [1]

[Sign:] Neck, Ventroflexion

Number of times reported: [1]

[Sign:] Pain, Neck

Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Somnolence  
Number of times reported: [1]

[Sign:] Stupor  
Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Dog

[Sign:] Death  
Number of times reported: [3]

[Sign:] Inj Site Swelling  
Number of times reported: [3]

[Sign:] Depression/lethargy  
Number of times reported: [1]

[Sign:] Diarrhea  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Glucose Lo, Bld  
Number of times reported: [1]

[Sign:] Inj Site Necrosis  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Inj Site Slough  
Number of times reported: [1]

[Sign:] Skin, Crust(s)  
Number of times reported: [1]

[Sign:] Slough, Skin  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Goat

[Sign:] Vocalization  
Number of times reported: [3]

[Sign:] Recumbency  
Number of times reported: [2]



- [Sign:] Anorexia  
Number of times reported: [1]
- [Sign:] Death(newborn)  
Number of times reported: [1]
- [Sign:] Depression/lethargy  
Number of times reported: [1]
- [Sign:] Distress  
Number of times reported: [1]
- [Sign:] Dyspnea  
Number of times reported: [1]
- [Sign:] Ineffect, Antibiotic  
Number of times reported: [1]
- [Sign:] Inj Site Pain  
Number of times reported: [1]
- [Sign:] Inj Site Swelling  
Number of times reported: [1]
- [Sign:] Pain  
Number of times reported: [1]
- [Sign:] Staggering  
Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Horse

- [Sign:] Anorexia  
Number of times reported: [3]
- [Sign:] Depression/lethargy  
Number of times reported: [3]
- [Sign:] Recumbency  
Number of times reported: [2]
- [Sign:] Abn Color, Urine  
Number of times reported: [1]
- [Sign:] Congestion, Mucous Mem  
Number of times reported: [1]
- [Sign:] Diarrhea, Mild  
Number of times reported: [1]
- [Sign:] Ill  
Number of times reported: [1]
- [Sign:] Inj Site Edema  
Number of times reported: [1]
- [Sign:] Lameness  
Number of times reported: [1]
- [Sign:] Pain, Abdomen

Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [24]

[Sign:] Inj Site Bld

Number of times reported: [9]

[Sign:] Inj Site Inflam

Number of times reported: [9]

[Sign:] Inj Site Swelling

Number of times reported: [7]

[Sign:] Inj Site Edema

Number of times reported: [5]

[Sign:] Headache

Number of times reported: [2]

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Erection, Abn

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Infect

Number of times reported: [1]

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Phlebitis

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Other

[Sign:] Inflammation

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Pig

[Sign:] Death

Number of times reported: [15]

[Sign:] Ineffect, Antibiotic

Number of times reported: [5]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Thrashing/paddling

Number of times reported: [3]

[Sign:] Trembling

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Effusion, Peritoneal  
Number of times reported: [1]

[Sign:] Effusion, Pleural  
Number of times reported: [1]

[Sign:] Hypothermia  
Number of times reported: [1]

[Sign:] Inj Site Effusion  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)  
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

[Sign:] Shock  
Number of times reported: [1]

[Sign:] Stiffness  
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Swelling, Limb(s)  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Sheep

[Sign:] Ineffect, Antibiotic  
Number of times reported: [1]

**[Drug:] Tylosin**

Parenteral, Snake

[Sign:] Bld, Mult Sites  
Number of times reported: [1]

[Sign:] Infection  
Number of times reported: [1]

**[Drug:] Tylosin**

Topical, Human

[Sign:] Rash  
Number of times reported: [10]

[Sign:] Congestion, Skin  
Number of times reported: [4]

[Sign:] Pruritis  
Number of times reported: [4]

[Sign:] Inflammation, Skin  
Number of times reported: [3]

[Sign:] Ill  
Number of times reported: [2]

[Sign:] Irritation, Mouth/lip  
Number of times reported: [2]

[Sign:] Application Site Pruritis  
Number of times reported: [1]

[Sign:] Discharge, Nose  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]

[Sign:] Edema, Head/face  
Number of times reported: [1]

[Sign:] Epiphora  
Number of times reported: [1]

[Sign:] Hyperesthesia  
Number of times reported: [1]

[Sign:] Infection, Skin  
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid  
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)  
Number of times reported: [1]

[Sign:] Lesion(s), Skin  
Number of times reported: [1]

[Sign:] Nail Disorder  
Number of times reported: [1]

[Sign:] Nausea  
Number of times reported: [1]

[Sign:] Platelets Lo, Bld  
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]

- [Sign:] Respiratory Disorder  
Number of times reported: [1]
- [Sign:] Skin Disorder  
Number of times reported: [1]
- [Sign:] Sweating  
Number of times reported: [1]
- [Sign:] Swelling, Eye(s)/lid(s)  
Number of times reported: [1]
- [Sign:] Swelling, Head/face  
Number of times reported: [1]
- [Sign:] Taste Abnormality  
Number of times reported: [1]
- [Sign:] Urticaria  
Number of times reported: [1]
- [Sign:] Wheezing  
Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Bird

- [Sign:] Ineffect, Antibiotic  
Number of times reported: [2]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Death(tx Failure)  
Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Cat

- [Sign:] Unpalatable, Won't Eat  
Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Cattle

- [Sign:] Death  
Number of times reported: [4]
- [Sign:] Ineffect, Antibiotic  
Number of times reported: [4]
- [Sign:] Abortion  
Number of times reported: [1]
- [Sign:] Bloat  
Number of times reported: [1]
- [Sign:] Coughing

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Chicken

[Sign:] Death

Number of times reported: [2]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Dog

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Goat

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

[Sign:] Inj Site Fibrosis

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Horse

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Anuria

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Limb(s)



Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Human

[Sign:] Inj Site Pain

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Irritation, Pharynx/th

Number of times reported: [2]

[Sign:] Rash

Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Skin, Dry

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Pig

[Sign:] Death

Number of times reported: [4]

[Sign:] Ineffect, Antibiotic

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Difficulty Rising

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Pigeon

[Sign:] Feathers, Abnormal

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Rabbit

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Sheep

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Tylosin**

Unknown, Turkey

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

**[Drug:] Tylosin**

Various, Bird

[Sign:] Death

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

**[Drug:] Tylosin**

Various, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Tylosin**

Various, Human

[Sign:] Taste Abnormality  
Number of times reported: [2]

[Sign:] Neurological Disorder  
Number of times reported: [1]

[Sign:] Respiratory Disorder  
Number of times reported: [1]

**[Drug:] Ursodiol**

Oral, Dog

[Sign:] Collapse  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Vomiting  
Number of times reported: [1]

[Sign:] Weakness  
Number of times reported: [1]

**[Drug:] Ursodiol**

Oral, Unknown

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Virginiamycin**

Defect, Not Applicable

[Sign:] Pd-product Defect  
Number of times reported: [2]

[Sign:] Pd-container(s), Damag  
Number of times reported: [1]

[Sign:] Pd-label(s), Abn  
Number of times reported: [1]

[Sign:] Pd-unknown  
Number of times reported: [1]

**[Drug:] Virginiamycin**

Oral, Cattle

[Sign:] Death  
Number of times reported: [1]

**[Drug:] Virginiamycin**

Oral, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

**[Drug:] Virginiamycin**

Topical, Human

[Sign:] Skin Disorder

Number of times reported: [2]

**[Drug:] Vitamin A, Vitamin D**

Parenteral, Alpaca

[Sign:] Cellulitis

Number of times reported: [1]

[Sign:] Inj Site Abn

Number of times reported: [1]

**[Drug:] Vitamin A, Vitamin D**

Parenteral, Cattle

[Sign:] Death

Number of times reported: [2]

[Sign:] Pneumonia

Number of times reported: [2]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Vitamin A, Vitamin D, Vitamin E**

Missing, Cattle

[Sign:] Death

Number of times reported: [1]

**[Drug:] Vitamin B12**

Parenteral, Cat

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

**[Drug:] Vitamin B12**

Parenteral, Cattle

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

**[Drug:] Vitamin B12**

Parenteral, Pig

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Vitamin B3 (niacin, Niacinamide, Nicotinamide, Nicotinic Acid)**

Oral, Dog

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hair, Shedding

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Posture Abn

Number of times reported: [1]

**[Drug:] Vitamin B Complex**

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [1]

**[Drug:] Vitamin B Complex**

Missing, Horse

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Capillary Refill Prolo

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Vitamin B Complex**

Parenteral, Dog

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

**[Drug:] Vitamin D**

Oral, Dog

[Sign:] Ca Hi, Bld

Number of times reported: [2]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Vitamin K1 (phytonadione)**

Parenteral, Dog

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Vitamins, Multiple**

Defect, Not Applicable

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged



Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

**[Drug:] Vitamins, Multiple**

Oral, Cat

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

**[Drug:] Vitamins, Multiple**

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

**[Drug:] Vitamins, Multiple**

Oral, Horse

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

**[Drug:] Vitamins, Multiple**

Parenteral, Alpaca

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

**[Drug:] Xylazine**

Defect, Not Applicable

[Sign:] Pd-potency, Lo

Number of times reported: [8]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-color, Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [3]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-unknown

Number of times reported: [2]

[Sign:] Pd-vial(s), Abn

Number of times reported: [2]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Cat

[Sign:] Death

Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Deer

[Sign:] Ineffect, Sedation

Number of times reported: [2]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Dog

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Goat

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Horse

[Sign:] Ineffect, Sedation

Number of times reported: [7]

[Sign:] Pressure Hi, Bld  
Number of times reported: [2]

[Sign:] Anesth Recov Turbulent  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Hyperactivity  
Number of times reported: [1]

[Sign:] Reflex(es) Abn  
Number of times reported: [1]

[Sign:] Shaking  
Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Missing Information

[Sign:] Ineffect, Sedation  
Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Mouse

[Sign:] Death  
Number of times reported: [1]

[Sign:] Sedation Too Deep  
Number of times reported: [1]

**[Drug:] Xylazine**

Missing, Various

[Sign:] Ineffect, Sedation  
Number of times reported: [4]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

**[Drug:] Xylazine**

Oral, Dog

[Sign:] Vomiting  
Number of times reported: [1]

**[Drug:] Xylazine**

Oral, Human

[Sign:] Irritation, Mouth/lip(  
Number of times reported: [2]

[Sign:] Somnolence  
Number of times reported: [2]

**[Drug:] Xylazine**

Parenteral, Cat

[Sign:] Death  
Number of times reported: [9]

[Sign:] Arrest, Heart  
Number of times reported: [6]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [4]

[Sign:] Apnea  
Number of times reported: [4]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [4]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [3]

[Sign:] Sedation Too Deep  
Number of times reported: [3]

[Sign:] Ataxia  
Number of times reported: [2]

[Sign:] Convulsion(s)  
Number of times reported: [2]

[Sign:] Cyanosis  
Number of times reported: [2]

[Sign:] Death(euthanized)  
Number of times reported: [2]

[Sign:] Dyspnea  
Number of times reported: [2]

[Sign:] Hypopnea  
Number of times reported: [2]

[Sign:] Sedation Prolonged  
Number of times reported: [2]

[Sign:] Vocalization  
Number of times reported: [2]

[Sign:] Bld(ecchymoses)  
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Bld(petechiae)

Number of times reported: [1]  
[Sign:] Blindness  
Number of times reported: [1]  
[Sign:] Blindness, Partial  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Icterus, Body  
Number of times reported: [1]  
[Sign:] Ineffect, Sedation  
Number of times reported: [1]  
[Sign:] Liver Enzymes Hi, Bld  
Number of times reported: [1]  
[Sign:] Neurological Disorder  
Number of times reported: [1]  
[Sign:] Platelets Lo, Bld  
Number of times reported: [1]  
[Sign:] Pneumonia, Aspiration  
Number of times reported: [1]  
[Sign:] Pr-liver, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pupil(s), Areflexia  
Number of times reported: [1]  
[Sign:] Recumbency  
Number of times reported: [1]  
[Sign:] Trembling  
Number of times reported: [1]  
[Sign:] Vestibular Disorder  
Number of times reported: [1]  
[Sign:] Weight Loss  
Number of times reported: [1]

**[Drug:] Xylazine**  
Parenteral, Cattle

[Sign:] Death  
Number of times reported: [10]

[Sign:] Ineffect, Sedation  
Number of times reported: [4]

[Sign:] Dyspnea  
Number of times reported: [3]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [3]

[Sign:] Arrest, Heart  
Number of times reported: [2]

[Sign:] Bloat  
Number of times reported: [2]

[Sign:] Collapse  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged  
Number of times reported: [1]

[Sign:] Apnea  
Number of times reported: [1]

[Sign:] Enlargement(s), Skin  
Number of times reported: [1]

[Sign:] Hypopnea  
Number of times reported: [1]

[Sign:] Ineffect  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

[Sign:] Unconscious  
Number of times reported: [1]

[Sign:] Vocalization  
Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Deer

[Sign:] Ineffect, Sedation  
Number of times reported: [5]

[Sign:] Death  
Number of times reported: [4]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Dog

[Sign:] Death

Number of times reported: [23]

[Sign:] Convulsion(s)

Number of times reported: [9]

[Sign:] Ineffect, Anesthesia

Number of times reported: [9]

[Sign:] Ineffect, Sedation

Number of times reported: [8]

[Sign:] Apnea

Number of times reported: [7]

[Sign:] Vomiting

Number of times reported: [6]

[Sign:] Anesth Recov Prolonged

Number of times reported: [5]

[Sign:] Arrest, Heart

Number of times reported: [4]

[Sign:] Bradycardia

Number of times reported: [4]

[Sign:] Anesth Too Deep

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [3]

[Sign:] Aggression

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Hypopnea

Number of times reported: [2]

[Sign:] Ineffect, Analgesia

Number of times reported: [2]

[Sign:] Nervousness

Number of times reported: [2]

[Sign:] Pressure Lo, Bld

Number of times reported: [2]

[Sign:] Recumbency



Number of times reported: [2]  
[Sign:] Anesth Duration Brief  
Number of times reported: [1]  
[Sign:] Anesth Recov Turbulent  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Bld, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Bld, Passing  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]  
[Sign:] Froth, Mouth/lip(s)  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Heart Disorder  
Number of times reported: [1]  
[Sign:] Heart Failure  
Number of times reported: [1]  
[Sign:] Hypothermia  
Number of times reported: [1]  
[Sign:] Ineffect  
Number of times reported: [1]  
[Sign:] Ineffect, Delayed Effe  
Number of times reported: [1]  
[Sign:] Inj Site Abscess  
Number of times reported: [1]  
[Sign:] Inj Site Pain  
Number of times reported: [1]  
[Sign:] Inj Site Ulcer(s)  
Number of times reported: [1]  
[Sign:] Lesion(s), Skin  
Number of times reported: [1]  
[Sign:] Murmur, Heart  
Number of times reported: [1]  
[Sign:] Neurological Disorder

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Opisthotonos

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Volvulus

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Donkey

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Horse

[Sign:] Ineffect, Sedation

Number of times reported: [66]

[Sign:] Ineffect, Anesthesia

Number of times reported: [20]

[Sign:] Death

Number of times reported: [16]

[Sign:] Collapse

Number of times reported: [14]

[Sign:] Convulsion(s)

Number of times reported: [13]

[Sign:] Dyspnea

Number of times reported: [9]

[Sign:] Hyperactivity

Number of times reported: [9]

[Sign:] Hyperpnea

Number of times reported: [7]

[Sign:] Sweating

Number of times reported: [7]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Ataxia

Number of times reported: [6]

[Sign:] Recumbency

Number of times reported: [6]

[Sign:] Thrashing/paddling

Number of times reported: [6]

[Sign:] Trembling

Number of times reported: [6]

[Sign:] Anesth Induc Turbulent

Number of times reported: [3]

[Sign:] Anesth Recov Prolonged

Number of times reported: [3]

[Sign:] Anesth Recov Turbulent

Number of times reported: [3]

[Sign:] Cyanosis

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]  
[Sign:] Ineffect  
Number of times reported: [3]  
[Sign:] Ineffect, Tranquilizat  
Number of times reported: [3]  
[Sign:] Sedation Too Brief  
Number of times reported: [3]  
[Sign:] Sedation Too Deep  
Number of times reported: [3]  
[Sign:] Tachycardia  
Number of times reported: [3]  
[Sign:] Twitch  
Number of times reported: [3]  
[Sign:] Urticaria  
Number of times reported: [3]  
[Sign:] Aggression  
Number of times reported: [2]  
[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [2]  
[Sign:] Fever, Body  
Number of times reported: [2]  
[Sign:] Froth, Nose  
Number of times reported: [2]  
[Sign:] Ineffect, Analgesia  
Number of times reported: [2]  
[Sign:] Inj Site Swelling  
Number of times reported: [2]  
[Sign:] Nervousness  
Number of times reported: [2]  
[Sign:] Nystagmus  
Number of times reported: [2]  
[Sign:] Shaking  
Number of times reported: [2]  
[Sign:] Anesth Induction Rapid  
Number of times reported: [1]  
[Sign:] Anorexia  
Number of times reported: [1]  
[Sign:] Apnea  
Number of times reported: [1]  
[Sign:] Arrest, Heart  
Number of times reported: [1]  
[Sign:] Arrhythmia, Block

Number of times reported: [1]  
[Sign:] Bld  
Number of times reported: [1]  
[Sign:] Bradycardia  
Number of times reported: [1]  
[Sign:] Breathing Abn  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion, Mucous Mem  
Number of times reported: [1]  
[Sign:] Cyanosis, Mucous Membr  
Number of times reported: [1]  
[Sign:] Difficulty Rising  
Number of times reported: [1]  
[Sign:] Discharge, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Discharge, Nose  
Number of times reported: [1]  
[Sign:] Distress, Resp  
Number of times reported: [1]  
[Sign:] Edema, Eye(s)/lid(s)  
Number of times reported: [1]  
[Sign:] Edema, Head/face  
Number of times reported: [1]  
[Sign:] Edema, Prepuce  
Number of times reported: [1]  
[Sign:] Epistaxis  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Inj Site Pain  
Number of times reported: [1]  
[Sign:] Interaction, Drug(s)  
Number of times reported: [1]  
[Sign:] Nystagmus, Horizontal  
Number of times reported: [1]  
[Sign:] Pd-potency, Lo  
Number of times reported: [1]  
[Sign:] Polypnea  
Number of times reported: [1]  
[Sign:] Pr-bld Vessel(s), Lesi

Number of times reported: [1]  
[Sign:] Pr-bone(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-lung(s), Lesion(s)  
Number of times reported: [1]  
[Sign:] Pr-mult Sites, Bld  
Number of times reported: [1]  
[Sign:] Prolapse, Penis  
Number of times reported: [1]  
[Sign:] Pr-trachea, Lesion(s)  
Number of times reported: [1]  
[Sign:] Pruritis, Eye(s)  
Number of times reported: [1]  
[Sign:] Rearing  
Number of times reported: [1]  
[Sign:] Reflex(es) Abn  
Number of times reported: [1]  
[Sign:] Reluctant To Move  
Number of times reported: [1]  
[Sign:] Scale(s), Skin  
Number of times reported: [1]  
[Sign:] Sedation Delayed  
Number of times reported: [1]  
[Sign:] Sedation Prolonged  
Number of times reported: [1]  
[Sign:] Self-mutilation  
Number of times reported: [1]  
[Sign:] Shaking, Head/face  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Spasm  
Number of times reported: [1]  
[Sign:] Staggering  
Number of times reported: [1]  
[Sign:] Stiffness  
Number of times reported: [1]  
[Sign:] Swelling  
Number of times reported: [1]  
[Sign:] Swelling, Brisket/ches  
Number of times reported: [1]  
[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Human

[Sign:] Hypoesthesia

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Llama

[Sign:] Death

Number of times reported: [2]

**[Drug:] Xylazine**

Parenteral, Mouse

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Rabbit

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Rat

[Sign:] Death

Number of times reported: [2]

[Sign:] Anesth Duration Brief  
Number of times reported: [1]

[Sign:] Hyperpnea  
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

[Sign:] Tachycardia  
Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Sheep

[Sign:] Anesth Too Deep  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Tiger

[Sign:] Apnea  
Number of times reported: [2]

[Sign:] Death  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [1]

**[Drug:] Xylazine**

Parenteral, Various

[Sign:] Ineffect, Sedation  
Number of times reported: [5]

[Sign:] Ineffect, Anesthesia  
Number of times reported: [2]

[Sign:] Arrest, Heart  
Number of times reported: [1]

[Sign:] Convulsion(s)  
Number of times reported: [1]

[Sign:] Death  
Number of times reported: [1]

[Sign:] Hypertonia  
Number of times reported: [1]

[Sign:] Sedation Too Deep



Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Cattle

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Deer

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Dog

[Sign:] Death

Number of times reported: [4]

[Sign:] Ineffect, Sedation

Number of times reported: [3]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Too Deep

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dic

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Horse

[Sign:] Ineffect, Sedation

Number of times reported: [13]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Ineffect, Anesthesia

Number of times reported: [2]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Human

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Mouse

[Sign:] Death

Number of times reported: [1]

[Sign:] Neurological Disorder

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Unknown

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Xylazine**

Unknown, Various

[Sign:] Ineffect, Sedation

Number of times reported: [4]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

**[Drug:] Xylazine**

Various, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

**[Drug:] Xylazine**

Various, Horse

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

**[Drug:] Xylazine**

Various, Rabbit

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Xylazine**

Various, Various

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

**[Drug:] Xylitol**

Oral, Dog

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

**[Drug:] Yohimbine**

Parenteral, Cat

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

- [Sign:] Convulsion(s)  
Number of times reported: [1]
- [Sign:] Cyanosis  
Number of times reported: [1]
- [Sign:] Death  
Number of times reported: [1]
- [Sign:] Dyspnea  
Number of times reported: [1]
- [Sign:] Ineffect, Antidote  
Number of times reported: [1]
- [Sign:] Ineffect, Reversal  
Number of times reported: [1]

**[Drug:] Yohimbine**

Parenteral, Dog

- [Sign:] Death  
Number of times reported: [10]
- [Sign:] Arrest, Heart  
Number of times reported: [6]
- [Sign:] Apnea  
Number of times reported: [4]
- [Sign:] Convulsion(s)  
Number of times reported: [4]
- [Sign:] Polypnea  
Number of times reported: [3]
- [Sign:] Apprehension  
Number of times reported: [2]
- [Sign:] Congestion, Mucous Mem  
Number of times reported: [2]
- [Sign:] Cyanosis  
Number of times reported: [2]
- [Sign:] Nervousness  
Number of times reported: [2]
- [Sign:] Pacing  
Number of times reported: [2]
- [Sign:] Recumbency  
Number of times reported: [2]
- [Sign:] Tachycardia  
Number of times reported: [2]
- [Sign:] Twitch  
Number of times reported: [2]
- [Sign:] Vocalization

Number of times reported: [2]  
[Sign:] Anaphylaxis/toid  
Number of times reported: [1]  
[Sign:] Arrhythmia  
Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Biting/chewing  
Number of times reported: [1]  
[Sign:] Blindness, Temp  
Number of times reported: [1]  
[Sign:] Capillary Refill Prolo  
Number of times reported: [1]  
[Sign:] Circling  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Confusion  
Number of times reported: [1]  
[Sign:] Congestion, Lung(s)  
Number of times reported: [1]  
[Sign:] Congestion, Skin  
Number of times reported: [1]  
[Sign:] Dyspnea  
Number of times reported: [1]  
[Sign:] Fever, Body  
Number of times reported: [1]  
[Sign:] Head Bobbing  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Heart Disorder  
Number of times reported: [1]  
[Sign:] Hyperactivity  
Number of times reported: [1]  
[Sign:] Hyperesthesia  
Number of times reported: [1]  
[Sign:] Hypersalivation  
Number of times reported: [1]  
[Sign:] Ineffect, Antidote  
Number of times reported: [1]  
[Sign:] Ineffect, Reversal

Number of times reported: [1]

[Sign:] Opisthotonos

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Yohimbine**

Parenteral, Goat

[Sign:] Ineffect, Antidote

Number of times reported: [1]

**[Drug:] Yohimbine**

Parenteral, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Kicking

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

**[Drug:] Yohimbine**

Parenteral, Pig

[Sign:] Shock

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

**[Drug:] Yohimbine**

Unknown, Cat

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

**[Drug:] Yohimbine**

Unknown, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

**[Drug:] Yohimbine**

Unknown, Horse

[Sign:] Death

Number of times reported: [1]

**[Drug:] Zafirlukast**

Oral, Cat

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

**[Drug:] Zeranol**

Defect, Not Applicable

[Sign:] Pd-dispenser, Abn

Number of times reported: [196]

[Sign:] Pd-implant, Abn

Number of times reported: [174]

[Sign:] Pd-product Defect

Number of times reported: [102]

[Sign:] Pd-underfill, Package

Number of times reported: [7]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [2]

[Sign:] Pd-applicator, Abn



Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

**[Drug:] Zeranol**

Missing, Cattle

[Sign:] Bld, Abdomen

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Prolapse, Rectum

Number of times reported: [1]

[Sign:] Prolapse, Vagina

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

**[Drug:] Zeranol**

Missing, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

**[Drug:] Zeranol**

Parenteral, Cattle

[Sign:] Estrus Behavior

Number of times reported: [20]

[Sign:] Prolapse, Vagina

Number of times reported: [19]

[Sign:] Death

Number of times reported: [13]

[Sign:] Prolapse, Rectum

Number of times reported: [7]

[Sign:] Udder, Swelling

Number of times reported: [4]

[Sign:] Ill

Number of times reported: [3]

[Sign:] Aggression  
Number of times reported: [2]

[Sign:] Anorexia  
Number of times reported: [2]

[Sign:] Death(slaughtered)  
Number of times reported: [2]

[Sign:] Fertility, Reduced  
Number of times reported: [2]

[Sign:] Ineffect, Weight Inc  
Number of times reported: [2]

[Sign:] Injury  
Number of times reported: [2]

[Sign:] Prolapse  
Number of times reported: [2]

[Sign:] Swelling, Mammary  
Number of times reported: [2]

[Sign:] Anaphylaxis/toid  
Number of times reported: [1]

[Sign:] Anestrus  
Number of times reported: [1]

[Sign:] Breathing Abn  
Number of times reported: [1]

[Sign:] Coughing  
Number of times reported: [1]

[Sign:] Death(newborn)  
Number of times reported: [1]

[Sign:] Diarrhea, Mild  
Number of times reported: [1]

[Sign:] Dyspnea  
Number of times reported: [1]

[Sign:] Edema, Mammary  
Number of times reported: [1]

[Sign:] Edema, Prepuce  
Number of times reported: [1]

[Sign:] Fertility, Lack Of  
Number of times reported: [1]

[Sign:] Ineffect, Production (meat)  
Number of times reported: [1]

[Sign:] Inj Site Abscess  
Number of times reported: [1]

[Sign:] Inj Site Swelling  
Number of times reported: [1]

[Sign:] Paralysis

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Pd-implant, Abn

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Prolapse, Uterus

Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(

Number of times reported: [1]

[Sign:] Pr-vagina/vulva, Lesio

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Swelling, Prepuce

Number of times reported: [1]

**[Drug:] Zeranol**

Parenteral, Human

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Atrophy, Testicle(s)

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

**[Drug:] Zeranol**

Parenteral, Sheep

[Sign:] Prolapse, Rectum

Number of times reported: [5]

[Sign:] Death

Number of times reported: [3]

[Sign:] Prolapse, Vagina

Number of times reported: [3]

[Sign:] Udder, Swelling

Number of times reported: [2]

[Sign:] Respiratory Disorder

Number of times reported: [1]

**[Drug:] Zeranol**

Topical, Cattle

[Sign:] Death

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Estrus Behavior

Number of times reported: [1]

[Sign:] Ineffect, Weight Inc

Number of times reported: [1]

[Sign:] Prolapse, Penis

Number of times reported: [1]

[Sign:] Prolapse, Prepuce

Number of times reported: [1]

[Sign:] Prolapse, Rectum

Number of times reported: [1]

[Sign:] Prolapse, Vagina

Number of times reported: [1]

[Sign:] Swelling, Prepuce

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

**[Drug:] Zeranol**

Unknown, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea  
Number of times reported: [1]

[Sign:] Ineffect, Weight Inc  
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)  
Number of times reported: [1]

[Sign:] Pd-implant, Abn  
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)  
Number of times reported: [1]

[Sign:] Recumbency  
Number of times reported: [1]

**[Drug:] Zeranol**

Unknown, Human

[Sign:] Inj Site Inflam  
Number of times reported: [2]

[Sign:] Nausea  
Number of times reported: [2]

[Sign:] Accidental Exposure  
Number of times reported: [1]

[Sign:] Congestion, Skin  
Number of times reported: [1]

[Sign:] Dizziness  
Number of times reported: [1]

[Sign:] Edema  
Number of times reported: [1]

[Sign:] Human Exposure, Inj  
Number of times reported: [1]

[Sign:] Inj Site Pain  
Number of times reported: [1]

[Sign:] Injury  
Number of times reported: [1]

[Sign:] Irritation, Skin  
Number of times reported: [1]

**[Drug:] Zilpaterol**

Defect, Not Applicable

[Sign:] Pd-container(s), Abn  
Number of times reported: [3]

[Sign:] Pd-seal, Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

**[Drug:] Zilpaterol**

Inhalation, Human

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

**[Drug:] Zilpaterol**

Oral, Cattle

[Sign:] Death

Number of times reported: [13]

[Sign:] Pneumonia

Number of times reported: [5]

[Sign:] Bloat

Number of times reported: [2]

[Sign:] Ineffect, Production (meat)

Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Ineffect, Weight Inc

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

**[Drug:] Zilpaterol**

Oral, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Zilpaterol**

Unknown, Cattle

[Sign:] Death

Number of times reported: [1]

**[Drug:] Zilpaterol**

Unknown, Horse

[Sign:] Azotemia

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

**[Drug:] Zinc Gluconate**

Parenteral, Dog

- [Sign:] Swelling, Testicle  
Number of times reported: [10]
- [Sign:] Scrotum, Abn  
Number of times reported: [7]
- [Sign:] Pr-testicle(s), Lesion(s)  
Number of times reported: [6]
- [Sign:] Depression/lethargy  
Number of times reported: [5]
- [Sign:] Pain, Scrotum  
Number of times reported: [5]
- [Sign:] Anorexia  
Number of times reported: [4]
- [Sign:] Pain, Testicle  
Number of times reported: [4]
- [Sign:] Skin, Necrosis  
Number of times reported: [4]
- [Sign:] Swelling, Scrotum  
Number of times reported: [4]
- [Sign:] Ulcer(s), Skin  
Number of times reported: [4]
- [Sign:] Vomiting  
Number of times reported: [4]
- [Sign:] Inflamm, Skin  
Number of times reported: [3]
- [Sign:] Erythema, Scrotum  
Number of times reported: [2]
- [Sign:] Ineffect, Sterilization  
Number of times reported: [2]
- [Sign:] Adipsia  
Number of times reported: [1]
- [Sign:] Albumin Lo, Bld  
Number of times reported: [1]
- [Sign:] Alkaline Urine  
Number of times reported: [1]
- [Sign:] Alk Phos Hi, Bld  
Number of times reported: [1]
- [Sign:] Anaphylaxis/toid  
Number of times reported: [1]
- [Sign:] Anemia



Number of times reported: [1]  
[Sign:] Ataxia  
Number of times reported: [1]  
[Sign:] Bld, Urine  
Number of times reported: [1]  
[Sign:] Collapse  
Number of times reported: [1]  
[Sign:] Cpk Hi, Bld  
Number of times reported: [1]  
[Sign:] Crystals, Urine  
Number of times reported: [1]  
[Sign:] Death  
Number of times reported: [1]  
[Sign:] Dehydration  
Number of times reported: [1]  
[Sign:] Dermatitis, Moist  
Number of times reported: [1]  
[Sign:] Edema, Scrotum  
Number of times reported: [1]  
[Sign:] Head Tilt  
Number of times reported: [1]  
[Sign:] Inj Site Necrosis  
Number of times reported: [1]  
[Sign:] Inj Site Pain  
Number of times reported: [1]  
[Sign:] Lipase Hi, Bld  
Number of times reported: [1]  
[Sign:] Locomotion Disorder  
Number of times reported: [1]  
[Sign:] Pr-testes, Lesion(s)  
Number of times reported: [1]  
[Sign:] Rupture  
Number of times reported: [1]  
[Sign:] Sgpt/alt Hi, Bld  
Number of times reported: [1]  
[Sign:] Shock  
Number of times reported: [1]  
[Sign:] Testicle, Abn  
Number of times reported: [1]  
[Sign:] Ulcer(s)  
Number of times reported: [1]  
[Sign:] Vestibular Disorder

Number of times reported: [1]

**[Drug:] Zinc Gluconate**

Unknown, Dog

[Sign:] Ineffect, Sterilization

Number of times reported: [1]

**[Drug:] Zonisamide**

Oral, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Elimination Abn

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

**[Drug:] Zonisamide**

Oral, Dog

[Sign:] Ineffect, Seizures

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]