

Initial REMS Approval: 11/2010

Most Recent Modification: 03/2011

## **NDA 22-504 AXIRON<sup>®</sup> (testosterone) topical solution for topical use CIII**

Class of Product: Testosterone

Eli Lilly and Company  
Lilly Corporate Center, Indianapolis, Indiana 46285  
Telephone: 317-276-2000

### **RISK EVALUATION AND MITIGATION STRATEGY (REMS)**

#### **I. GOAL(S):**

To inform patients about the serious risks associated with the use of AXIRON<sup>®</sup> (testosterone) topical solution.

#### **II. REMS ELEMENTS:**

##### **A. Medication Guide**

A Medication Guide will be dispensed with each prescription of AXIRON<sup>®</sup> (testosterone) topical solution in accordance with 21 CFR 208.24.

Please see the appended Medication Guide.

##### **B. Timetable for Submission of Assessments**

Eli Lilly and Company will submit REMS assessments to the FDA at a minimum, 18 months, 3 years, and 7 years from the date of the initial approval of the REMS. To facilitate inclusion of as much information as possible while allowing reasonable time to prepare the submission, the reporting interval covered by each assessment should conclude no earlier than 60 days before the submission date for that assessment.

Eli Lilly and Company will submit each assessment so that it will be received by the FDA on or before the due date.

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

GEORGE S BENSON  
03/31/2011