.				
Change Number	Federal Facility Ag Chang	reement and Co e Control Form	nsent Order	Date Draft
M-45-04-04		. Type or print using	black ink.	December 6, 2004
Originator U.S. Depa	rtment of Energy, Office of River	Protection	Phone	3 76-2247
Class of Change [X I – Signatories	[] II – Executive Man	ager	[] III – Project Manag	ler
Change Title		-		
	r <u>Hanford Federal Facility Agree</u> e retrieval and closure activities a			
Description/Justification	on of Change			
milestone is made in cor waste treatment baseline	ends the due dates for major mil njunction with a similar extension e by June 30, 2006. Negotiation gin within 90 days of commencen	of milestone M-6 s for this milestor	2-08 due date to initiate the (M-45-00C) are directly	negotiation of the tank
	ted to gain sufficient information 008. This additional information			
demonstrated. The Tank Closu Supplemental To 	WMA-C tanks, through which the re Environmental Impact Statem echnology research and demons to be supported by rates of retrie	ent analysis data. tration activities,		
the annual agreement by	iennial updates to the SST Tank y the parties on which SSTs are ppendix I, Section 2.1.2) have all d closure commitments.	to be retrieved du	iring the coming year fror	n the pool of tanks
Impact of Change				
	difies <u>Hanford Federal Facility A</u> te to September 30, 2006.	greement and Co	onsent Order (HFFACO) r	najor milestone M-45-00C
Affected Documents				
The <u>Hanford Federal Facility Agreement and Consent Order</u> , as amended, including HFFACO Action Plan Appendix D, and Hanford site internal planning, management, and budget documents (e.g., DOE and DOE contractor Baselines, Baseline Change Control documents; Site-wide System Engineering Control documents; Project Management Plans; and the Hanford Site Integrated Priority List (IPL).				
Approvals				
Ecology		Date	Approved	Disapproved
DOE - ORP		Date	Approved	Disapproved
DOE-RL		Date	Approved	Disapproved
			Approved	Disapproved
EPA		Date		Disapprovod

Modifications to the Agreement M-45 milestone series incorporated into the HFFACO by approval of this M-45-04-04 Change Request as shown here as either shaded additions or strikethrough deletions.

 DEAD AGENCY: ECOLOGY CLOSURE WILL FOLLOW RETRIEVAL OF AS MUCH TANK WASTE AS TECHNICALLY POSSIBLE. WITH TANK WASTE RESIDUES NOT TO EXCEED 360 CUBIC FEET (CU. FT.) IN EACH OF THE 100 SERIES TANKS, 30 CU. FT. IN EACH OF THE 200 SERIES TANKS, 0R THE LIMIT OF WASTE RETRIEVAL TECHNOLOGY CAPABILITY, WHICHEVER IS LESS. IF THE DOE BELIEVES THAT WASTE RETRIEVAL TO THESE LEVELS CANNOT BE ACHIEVED, AND SPECIFYING THE QUANTITIES OF WASTE THAT THE DOE FORCESS TO LEAVE IN THE TANK. THE NEQUEST WILL BE APPROVED OR DISAPFROVED BY EPA AND ECOLOGY ON A TANK-PY- TANK RASIS. FPOCEDURES FOR MODIFYING THE RETRIEVAL CRITERIA LISTED ABOVE, AND FOR PROCESSING REQUESTS FOR EXCEPTIONS TO THE DUE PROCEDURES FOR MODIFYING THE RETRIEVAL CRITERIA LISTED ABOVE, AND FOR THESE AGREEMENT ALL UNITS LOCATED WITHIN THE GRITERIA ARE OUTLINED IN APPENDIX H TO THE AGREEMENT. FOR THE PUEPOSES OF THIS AGREEMENT ALL UNITS LOCATED WITHIN THE GRITERIA ARE OUTLINED IN APPENDIX H TO THE AGREEMENT. FOR THE PUEPOSES OF THIS AGREEMENT ALL UNITS LOCATED WITHIN THE GRITERIA ARE OUTLINED IN APPENDIX H TO THE AGREEMENT. FOR THE PUEPOSES OF THIS AGREEMENT ALL UNITS LOCATED WITHIN THE GRITERIA ARE OUTLINED FUNCTION OF DIFFERENT REQUESTER FAST FRACTICE UNITS. ADOPTING THIS APPROACH WILL ENSURE EFFICIENT USE OF FUNDING AND WILL REDUCE POTENTIAL DUDLICATION OF FEFORT VIA APPLICATION OF DIFFERENT REGULATORY REQUIREMENTS: WAS (173-303-610 FOR CLOSUE OF THE TAS UNITS AND RCRA SECTION 3004(U) FOR REMEDIATION OF RCRA PAST FRACTICE UNITS. ALL PARTIES RECOONIZE THAT THE RECLASSIFICATION OF PREVIOUSLY IDDNTIFIED RCRA PAST FRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE STO MASTE INTERIM STATUS TECHNICAL STANDARDS FOR TANK SYSTEMS (1.E., SECONDARY CONTAINMENT ASSOCIATED WITH THE STO MASTE INTERIM STATUS TECHNICAL STANDARDS FOR TANK STATUS TANDARDS. IN EVALUATION CLOSUES OFTINGS FOR TANK STATUS THANDARDS. IN EVALUATION OF A CONSISTENT CLOSUE APARCATE UNITS TO THE MIN THE DOUNDARY OF A GIVEN TAN	M-045-00	COMPLETE CLOSURE OF ALL SINGLE SHELL TANK FARMS.	09/30/2024
TECHNICALLY POSSIBLE, WITH TARK WASTE RESIDUES NOT TO EXCEED 360 CUEIC FEET (CU. FT.) IN EACH OF THE 100 SERIES TANKS, 30 CU. FT. IN EACH OF THE 200 SERIES TANKS, OR THE LIMIT OF WASTE RETRIEVAL TECHNOLOGY CAPABILITY, WHICHEVER IS LESS. IF THE DOE BELIEVES THAT WASTE RETRIEVAL TO THESE LEVELS IS NOT POSSIBLE FOR A TANK, THEN DOE WILL SUBMIT A DETAILED EXPLANATION TO FOR AND ECOLOGY EXPLAINING WHY THESE LEVELS CANNOT BE ACHIEVED, AND SPECIFYING THE QUANTITIES OF WASTE THAT THE DOE PROPOSES TO LEAVE IN THE TANK. THE REQUEST WILL BE APPROVED OR DISAPPROVED BY EFA AND ECOLOGY ON A TANK-BY- TANK BASIS. PROCEEVERS FOR MODIFYING THE RETRIEVAL CRITERIA LISTED ABOVE, AND FOR PROCESSING REQUESTS FOR EXCEPTIONS TO THE CRITERIA ARE OUTLINED IN APPENDIX H TO THE AGREEMENT. FOR THE PURPOSES OF THIS AGREEMENT ALL UNITS LOCATED WITHIN THE BOUNDARY OF EACH TANK WARE PREVIOUSLY DESIGNATED AS RCRA PAST FRACTICE UNITS. ADOPTING THIS APPROACH WILL BAUCHDARY OF EACH THAN WASTE PREVIOUSLY DESIGNATED AS RCRA PAST FRACTICE UNITS. ADOPTING THIS APPROACH WILL BAUCHDARY REQUIREMENTS: WAC 173-303-610 FOR CLOSURE OF THE TSD UNITS AND RCRA SECTION 3004(U) FOR REMEDIATION OF RCRA PAST FRACTICE UNITS. ALL PARTIES RECOGNIZE THAT THE RECLASSIFICATION OF PREVIOUSLY IDENTIFIED RCRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE TSD UNIT IS STRICTLY FOR APPLICATION OF A CONSISTENT CLOSURE APPROACH. UNGRADES TO PREVIOUSLY IDENTIFIED RCRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE TSD UNIT IS STRICTLY FOR APPLICATION OF A CONSISTENT CLOSURE APPROACH. UNGRADES TO PREVIOUSLY IDENTIFIED RCRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE TED UNIT IS STRICTLY FOR APPLICATION OF A CONSISTENT CLOSURE APPROACH. UNGRADES TO PREVIOUSLY CLASSIFIED CRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE DOWNT INTO THE RANDARDES. IN EVALUATION CLOSURE PREVENCE OF THIS ACTION. HOWEVER, ANY EQUIPMENT MATTED SOIL, AND AND LIACE WITH THE SED UNIT IS STRICTLY EACHDORY OF A GUVEN TANK FARM WILL BE ADDRESSE		COMPLETE CLOSORE OF ALL SINGLE SHELL TANK FARMS.	00/30/2024
THE BOUNDARY OF EACH TANK FARM WILL BE CLOSED IN ACCORDANCE WITH WAC 173-303-610. THIS INCLUDES CONTAMINATED SOIL AND ANCILLARY EQUIPMENT THAT WERE PREVIOUSLY DESIGNATED AS RCA PAST PRACTICE UNITS. ADOPTING THIS APPROACH WILL ENSURE EFFICIENT USE OF FUNDING AND WILL REDUCE POTENTIAL DUPLICATION OF FEFORT VIA APPLICATION OF DIFFERENT REGULATORY REQUIREMENTS: WAC 173-303-610 FOR CLOSURE OF THE TSD UNITS AND RCRA SECTION 3004(U) FOR REMEDIATION OF RCRA PAST FRACTICE UNITS. ALL PARTIES RECOGNIZE THAT THE RECLASSIFICATION OF PREVIOUSLY IDENTIFIED RCRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE TSD UNIT IS STRICTLY FOR APPLICATION OF A CONSISTENT CLOSURE APPROACH. UPGRADES TO PREVIOUSLY CLASSIFIED RCRA PAST PRACTICE UNITS TO ACHIEVE COMPLIANCE WITH RCRA OR DANGEROUS WASTE INTERIM STATUS TECHNICAL STANDARDS FOR TANK SYSTEMS (I.E., SECONDARY CONTAINMENT, INTEGRITY ASSESSMENTS, ETC.) WILL NOT BE MANDATED AS A RESULT OF THIS ACTION. HOWEVER, ANY EQUIPMENT MODIFIED OR REPLACED WILL MEET INTERIM STATUS STANDARDS. IN EVALUATING CLOSURE OPTIONS FOR SINGLE-SHELL TANKS, CONTAMINATED SOIL, AND ANCILLARY EQUIPMENT, ECOLOGY AND EFA WILL CONSIDER COST, TECHNICAL PRACTICABILITY, AND POTENTIAL EXPOSURE TO RADIATION. CLOSURE OF ALL UNITS WITHIN THE BOUNDARY OF A GIVEN TANK FARM WILL BE ADDRESSED IN A CLOSURE PIOT HE SINGLE-SHELL TANKS. COMPLIANCE WITH THE WORK SCHEDULES SET FORTH IN THIS M-45 SERIES IS DEFINED AS THE PERFORMANCE OF SUFFICIENT WORK TO ASSUEW WITH REASONABLE CERTINTY THAT DOW WILL ACCOMPLISH SERIES M-45 MAJOR AND INTERIM MILESTONE REQUIREMENTS. DOE INTERNAL WORK SCHEDULES (E.G., DOE APPROVED SCHEDULE BASELINES) AND ASSOCIATED WORK DIRECTIVES OND AUTHORIZATIONS SHALL BE CONSISTENT WITH THE REQUIREMENTS OF THIS AGREEMENT, MODIFICATION OF DE CONTRACTOR BASELINE(S) AND ISSUANCE OF		TECHNICALLY POSSIBLE, WITH TANK WASTE RESIDUES NOT TO EXCEED 360 CUBIC FEET (CU. FT.) IN EACH OF THE 100 SERIES TANKS, 30 CU. FT. IN EACH OF THE 200 SERIES TANKS, OR THE LIMIT OF WASTE RETRIEVAL TECHNOLOGY CAPABILITY, WHICHEVER IS LESS. IF THE DOE BELIEVES THAT WASTE RETRIEVAL TO THESE LEVELS IS NOT POSSIBLE FOR A TANK, THEN DOE WILL SUBMIT A DETAILED EXPLANATION TO EPA AND ECOLOGY EXPLAINING WHY THESE LEVELS CANNOT BE ACHIEVED, AND SPECIFYING THE QUANTITIES OF WASTE THAT THE DOE PROPOSES TO LEAVE IN THE TANK. THE REQUEST WILL BE APPROVED OR DISAPPROVED BY EPA AND ECOLOGY ON A TANK-BY- TANK BASIS. PROCEDURES FOR MODIFYING THE RETRIEVAL CRITERIA LISTED ABOVE, AND FOR PROCESSING REQUESTS FOR EXCEPTIONS TO	
IDENTIFIED RCRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE TSD UNIT IS STRICTLY FOR APPLICATION OF A CONSISTENT CLOSURE APPROACH. UPGRADES TO PREVIOUSLY CLASSIFIED RCRA PAST PRACTICE UNITS TO ACHIEVE COMPLIANCE WITH RCRA OR DANGEROUS WASTE INTERIM STATUS TECHNICAL STANDARDS FOR TANK SYSTEMS (I.E., SECONDARY CONTAINMENT, INTEGRITY ASSESSMENTS, ETC.) WILL NOT BE MANDATED AS A RESULT OF THIS ACTION. HOWEVER, ANY EQUIPMENT MODIFIED OR REPLACED WILL MEET INTERIM STATUS STANDARDS. IN EVALUATING CLOSURE OPTIONS FOR SINGLE-SHELL TANKS, CONTAMINATED SOIL, AND ANCILLARY EQUIPMENT, ECOLOGY AND EPA WILL CONSIDER COST, TECHNICAL PRACTICABILITY, AND POTENTIAL EXPOSURE TO RADIATION. CLOSURE OF ALL UNITS WITHIN THE BOUNDARY OF A GIVEN TANK FARM WILL BE ADDRESSED IN A CLOSURE PLAN FOR THE SINGLE-SHELL TANKS. COMPLIANCE WITH THE WORK SCHEDULES SET FORTH IN THIS M-45 SERIES IS DEFINED AS THE PERFORMANCE OF SUFFICIENT WORK TO ASSURE WITH REASONABLE CERTAINTY THAT DOE WILL ACCOMPLISH SERIES M-45 MAJOR AND INTERIM MILESTONE REQUIREMENTS. DOE INTERNAL WORK SCHEDULES (E.G., DOE APPROVED SCHEDULE BASELINES) AND ASSOCIATED WORK DIRECTIVES AND AUTHORIZATIONS SHALL BE CONSISTENT WITH THE REQUIREMENTS OF THIS AGREEMENT. MODIFICATION OF DOE CONTRACTOR BASELINE(S) AND ISSUANCE OF		THE BOUNDARY OF EACH TANK FARM WILL BE CLOSED IN ACCORDANCE WITH WAC 173-303-610. THIS INCLUDES CONTAMINATED SOIL AND ANCILLARY EQUIPMENT THAT WERE PREVIOUSLY DESIGNATED AS RCRA PAST PRACTICE UNITS. ADOPTING THIS APPROACH WILL ENSURE EFFICIENT USE OF FUNDING AND WILL REDUCE POTENTIAL DUPLICATION OF EFFORT VIA APPLICATION OF DIFFERENT REGULATORY REQUIREMENTS: WAC 173-303-610 FOR CLOSURE OF THE TSD UNITS AND RCRA SECTION 3004(U) FOR REMEDIATION OF RCRA PAST	
SERIES IS DEFINED AS THE PERFORMANCE OF SUFFICIENT WORK TO ASSURE WITH REASONABLE CERTAINTY THAT DOE WILL ACCOMPLISH SERIES M-45 MAJOR AND INTERIM MILESTONE REQUIREMENTS. DOE INTERNAL WORK SCHEDULES (E.G., DOE APPROVED SCHEDULE BASELINES) AND ASSOCIATED WORK DIRECTIVES AND AUTHORIZATIONS SHALL BE CONSISTENT WITH THE REQUIREMENTS OF THIS AGREEMENT. MODIFICATION OF DOE CONTRACTOR BASELINE(S) AND ISSUANCE OF		IDENTIFIED RCRA PAST PRACTICE UNITS TO ANCILLARY EQUIPMENT ASSOCIATED WITH THE TSD UNIT IS STRICTLY FOR APPLICATION OF A CONSISTENT CLOSURE APPROACH. UPGRADES TO PREVIOUSLY CLASSIFIED RCRA PAST PRACTICE UNITS TO ACHIEVE COMPLIANCE WITH RCRA OR DANGEROUS WASTE INTERIM STATUS TECHNICAL STANDARDS FOR TANK SYSTEMS (I.E., SECONDARY CONTAINMENT, INTEGRITY ASSESSMENTS, ETC.) WILL NOT BE MANDATED AS A RESULT OF THIS ACTION. HOWEVER, ANY EQUIPMENT MODIFIED OR REPLACED WILL MEET INTERIM STATUS STANDARDS. IN EVALUATING CLOSURE OPTIONS FOR SINGLE-SHELL TANKS, CONTAMINATED SOIL, AND ANCILLARY EQUIPMENT, ECOLOGY AND EPA WILL CONSIDER COST, TECHNICAL PRACTICABILITY, AND POTENTIAL EXPOSURE TO RADIATION. CLOSURE OF ALL UNITS WITHIN THE BOUNDARY OF A GIVEN TANK FARM WILL BE ADDRESSED IN A CLOSURE PLAN FOR THE	
BASELINES) AND ASSOCIATED WORK DIRECTIVES AND AUTHORIZATIONS SHALL BE CONSISTENT WITH THE REQUIREMENTS OF THIS AGREEMENT. MODIFICATION OF DOE CONTRACTOR BASELINE(S) AND ISSUANCE OF		SERIES IS DEFINED AS THE PERFORMANCE OF SUFFICIENT WORK TO ASSURE WITH REASONABLE CERTAINTY THAT DOE WILL ACCOMPLISH	
NOT CONSISTENT WITH AGREEMENT REQUIREMENTS SHALL NOT BE FINALIZED PRIOR TO APPROVAL OF AN AGREEMENT CHANGE REQUEST SUBMITTED PURSUANT TO AGREEMENT ACTION PLAN SECTION 12.0.		BASELINES) AND ASSOCIATED WORK DIRECTIVES AND AUTHORIZATIONS SHALL BE CONSISTENT WITH THE REQUIREMENTS OF THIS AGREEMENT. MODIFICATION OF DOE CONTRACTOR BASELINE(S) AND ISSUANCE OF ASSOCIATED DOE WORK DIRECTIVES AND/OR AUTHORIZATIONS THAT ARE NOT CONSISTENT WITH AGREEMENT REQUIREMENTS SHALL NOT BE FINALIZED PRIOR TO APPROVAL OF AN AGREEMENT CHANGE REQUEST	

	1V1-45-04-04 CK	
	COMPLETION OF THIS MAJOR MILESTONE REQUIRES THE COMPLETION OF THE WORK SCOPE IN ALL PRECEEDING MILESTONES AND TARGET DATES, UNLESS OTHERWISE AGREED TO BY THE PARTIES.	
	ALL WORK UNDER THIS MILESTONE M-45 SERIES SHALL BE CONDUCTED IN COMPLIANCE WITH AGREEMENT REQUIREMENTS INCLUDING BUT NOT LIMITED TO THE PARTIES' AGREEMENT APPENDIX I, "SINGLE-SHELL TANK SYSTEM WASTE RETRIEVAL AND CLOSURE PROCESS".	
M-045-00B	COMPLETE SPECIFIED "NEAR TERM" SST WASTE RETRIEVAL AND INTERIM CLOSURE ACTIVITIES, TO RESULT IN THE RETRIEVAL OF ALL TANK WASTES IN WMA-C SSTS PURSUANT TO THE AGREEMENT CRITERIA IN MILESTONE M-45-00.	09/30/2006 OR AS OTHERWISE INDICATED WITHIN THE
	UNTIL THE WASTE TREATMENT COMPLEX IS OPERATIONAL, THE AMOUNT OF DST SPACE AVAILABLE TO RECEIVE SST WASTE IS LIMITED. THE NEAR TERM FOCUS FOR SST WASTE RETRIEVAL WILL INCLUDE MAXIMIZING THE TRANSFER OF CONTAMINANTS OF CONCERN (LONG- LIVED, MOBILE RADIONUCLIDES) INTO THE DST SYSTEM AND OPTIMIZING WASTE FEED SO AS TO MAINTAIN EFFICIENT WTP OPERATIONS. ADDITIONAL CRITERIA THAT WILL BE CONSIDERED IN TANK SELECTION AND MAY RESULT IN LOWER RISK TANKS BEING RETRIEVED EARLIER IN THE SEQUENCE, INCLUDE; • WORKER SAFETY	DESCRIPTIVE TEXT OF THIS
	 FACILITATION OF WMA CLOSURES. THE OPTIMIZATION OF DST SPACE UTILIZATION CONSIDERING RESOURCE LEVELING AND WASTE TRANSFER INFRASTRUCTURE RETRIEVAL AND CLOSURE REQUIREMENTS FOR ASSOCIATED ANCILLARY EQUIPMENT. 	
	WORK UNDER THIS MILESTONE INCLUDES:	
	COMPLETION OF FOUR "LIMITS OF TECHNOLOGY" RETRIEVAL DEMONSTRATIONS, AND RETRIEVAL OF SUFFICIENT SST WASTE CONTAINING NO LESS THAN 800 CURIES OF CONTAMINANTS OF CONCERN AND OCCUPYING A MINIMUM OF 3 MILLION GALLONS OF DST SPACE. "LIMITS OF TECHNOLOGY" RETRIEVAL DEMONSTRATIONS WILL SEEK TO IMPROVE UPON PAST PRACTICE SLUICING (PPS) BASELINE TECHNOLOGY INCLUDING BUT NOT LIMITED TO RETRIEVAL EFFICIENCY, LEAK LOSS DURING RETRIEVAL, AND LEAK DETECTION MITIGATION AND MONITORING (LDMM).	
	RETRIEVAL DEMONSTRATIONS SHALL BE CONDUCTED FOR 1) SALTCAKE DISSOLUTION (AT TANK S-112), 2) MODIFIED SLUICING (AT TANK C- 106, 3) VACUUM RETRIEVAL (AT DOE'S C-200 SERIES TANKS), AND 4) MRS (ROBOTIC TECHNOLOGIES) + VACUUM RETRIEVAL AT TANK C- 110,C-111,OR C-101 (WHICHEVER IS RETRIEVED FIRST).	
	WASTE SHALL BE RETRIEVED TO THE DST SYSTEM TO THE LIMITS OF THE TECHNOLOGY (OR TECHNOLOGIES) SELECTED. SELECTED SLUDGE/HARD HEEL TECHNOLOGY (OR TECHNOLOGIES) MUST SEEK TO IMPROVE UPON THE PAST-PRACTICE SLUICING BASELINE IN THE AREAS OF EXPECTED RETRIEVAL EFFICIENCY, LEAK LOSS POTENTIAL, AND SUITABILITY FOR USE IN POTENTIALLY LEAKING TANKS.	
	INSTALLATION AND IMPLEMENTATION OF FULL SCALE EXTERNAL-TANK LEAK DETECTION, MONITORING, AND MITIGATION (LDMM) TECHNOLOGIES FOR THE FIRST THREE 100-SERIES TANK RETRIEVALS FOLLOWING TANK S-112. THE BASELINE LDMM SYSTEM (I.E. DRYWELL LOGGING) IS TO BE SUPPLEMENTED, USING AN EXTERNAL-TANK	

	M-45-04-04 CR
RE TH RE SH	ECTRICAL RESISTIVITY (ER) METHOD. THE ELECTRICAL SISTIVITY SYSTEM WILL BE DESIGNED FOR IMPLEMENTATION AT THE REE TANKS AND FULLY DEPLOYED AT THE FIRST TANK TO BE TRIEVED. CRITERIA FOR THE DEMONSTRATION AT THE FIRST TANK ALL BE AGREED TO BY DOE AND ECOLOGY BEFORE THE TECHNOLOGY INSTALLED.
	• DOE WILL SUBMIT FOR ECOLOGY APPROVAL A TEST PLAN INCLUDING AN INJECTION TEST, DESCRIBING THE CRITERIA AND METHOD TO TEST THE SELECTED ER. 90 DAYS AFTER THE COMPLETION OF THE TESTING, DOE WILL SUBMIT AN EVALUATION REPORT AND ANY RECOMMENDATION FOR FURTHER DEPLOYMENT.
	• IF THE PARTIES AGREE THAT THE METHOD IS SUITABLE, ER WILL BE DEPLOYED IN THE SUBSEQUENT APPRORIATE RETRIEVAL TANKS.
	• IF THE PARTIES DO NOT AGREE THAT ER IS SUITABLE FOR SUBSEQUENT RETRIEVALS, OR IF THE DATA IS INCONCLUSIVE, ECOLOGY WILL REQUIRE APPLICATION AND/OR DEVELOPMENT OF APPROPRIATE LDMM TECHNOLOGY IN LIEU OF OR IN ADDITION TO ER.
•	SUBMITTAL AS AGREEMENT PRIMARY DOCUMENTS, TANK WASTE RETRIEVAL WORK PLANS FOR TANKS C-101, C-102, C-103, C-104, C-105, C-107, C-108, C-109, C-110, C-111, C-112, C-201, C- 202, C-203, AND C-204
	 TANKS C-201, C-202, C-203 AND C-204, (PROVIDE SUPPLEMENTAL INFORMATION BY MARCH 31, 2004 TO INCLUDE START OF RETRIEVAL DATE AS PER APPENDIX I REQUIREMENTS). DOE SHALL SUBMIT TWRWP(S) FOR 2 100-SERIES TANKS BY JULY 31, 2004. DOE SHALL SUBMIT TWRWP(S) FOR 4 100-SERIES TANKS BY OCTOBER 31, 2004. DOE SHALL SUBMIT TWRWP(S) FOR 5 100-SERIES TANKS BY JANUARY 31, 2005.
•	SUBMITTAL TO ECOLOGY OF CERTIFIED COMPONENT CLOSURE ACTIVITY PLANS FOR THE PRECEDING SSTS IN ACCORDANCE WITH AGREEMENT APPENDIX I. SUBMITTAL OF WMA INTEGRATION PLANS FOR WMA-C AND ONE ADDITIONAL WMA BY JUNE 30, 2005.
IN	E SELECTION OF ADDITIONAL SSTS FOR WASTE RETRIEVAL SHALL BE ACCORDANCE WITH THE PROVISIONS OF AGREEMENT APPENDIX I, CTION 2.1.2.
CH NE MI	ADDITION TO THE PRECEDING, DOE WILL PROCESS A BASELINE ANGE CONTROL, AND ASSOCIATED WORK DIRECTIVES AS MAY BE CESSARY, CONSISTENT WITH THIS AGREEMENT AND THE PARTIES' LESTONE M-45-04-01 CHANGE REQUEST NO LATER THAN SEPTEMBER , 2004.
TH EX	OCEDURES FOR MODIFYING THE RETRIEVAL CRITERIA LISTED WITHIN TE ASSOCIATED MILESTONES, AND FOR PROCESSING REQUESTS FOR CEPTIONS TO THE CRITERIA ARE OUTLINED IN APPENDIX "H" TO TIS AGREEMENT.

	M-45-04-04 CR	
M-045-00C	INITIATE NEGOTIATION OF SST WASTE RETRIEVAL AND CLOSURE	June 30,
	ACTIVITIES AND ASSOCIATED SCHEDULES (FOR THE PERIOD SEPTEMBER	2005
	2006 THROUGH SEPTEMBER 2008).	September 30, 2006
	THESE NEGOTIATIONS SHALL TAKE INTO ACCOUNT VARIABLES SUCH AS	50, 2000
	WORK IN PROGRESS, E.G., DOE'S TANK WASTE TREATMENT COMPLEX	
	ACQUISITION INITIATIVE, INFORMATION PERTINANT TO, AND THE	
	OUTCOME OF THE PARTIES' WTP PROCESSING CAPACITY AND	
	SUPPLEMENTAL TREATMENT TECHNOLOGY VIABILITY NEGOTIATIONS	
	(PURSUANT TO AGREEMENT MILESTONE M-62-08), AND ENVIRONMENTAL	
	AND HUMAN HEALTH RISKS ASSOCIATED WITH RELEASES FROM DOE'S	
	SSTS. NEGOTIATIONS SHALL BE DESIGNED TO ESTABLISH A	
	SUFFICIENT NUMBER OF AGREEMENT MILESTONES AND TARGET DATES TO	
	EFFECTIVELY DRIVE EACH PHASE OF WORK INCLUDING BUT NOT	
	LIMITED TO: 1.) WASTE RETRIEVAL TECHNOLOGY DEVELOPMENT, 2.)	
	RETRIEVAL PERFORMANCE EVALUATIONS, 3.) LEAK DETECTION,	
	MONITORING, AND MITIGATION, 4.) SELECTION OF SST RETRIEVALS,	
	5.) DESIGN, CONSTRUCTION AND OPERATION OF SST WASTE RETRIEVAL	
	SYSTEMS, 6.) CLOSURE PLANNING AND CLOSURE PLAN DEVELOPMENT, 7.) SCHEDULES FOR WMA ANCILLARY EQUIPMENT WASTE RETRIEVAL	
	AND CLOSURE, 8.) OTHER ACTIVITIES AS MAY BE NECESSARY TO	
	SUPPORT WMA CLOSURES, AND 9.) ACOUISITION OF ADDITIONAL	
	COMPLIANT STORAGE SPACE, E.G., NEW DSTS, IF NEEDED.	
	DOE, AND DOE'S CONTRACTOR(S) WILL RETRIEVE AND TRANSFER SST	
	WASTES INTO THE DST SYSTEM AS SOON AS SPACE IS MADE	
	AVAILABLE, ALLOWING DST SPACE FOR TREATMENT PLANT FEED	
	STAGING AND SAFETY ISSUE RESOLUTION. TRANSFER OF SST WASTE	
	WILL BE MADE ONCE SUFFICIENT DST SYSTEM SPACE IS AVAILABLE TO	
	ALLOW A TRANSFER OF AN OPERATIONALLY PRACTICABLE VOLUME OF WASTE. SST WASTE WILL BE RETRIEVED ON A PRIORITY BASIS WITH	
	THE GOALS OF REDUCING ENVIRONMENTAL RISK AND TREATMENT	
	PROCESS OPTIMIZATION. DOE AND ECOLOGY WILL AGREE ON THE	
	CRITERIA TO DETERMINE ENVIRONMENTAL RISK REDUCTION.	
	THE ECOLOGY AND DOE NEGOTIATIONS UNDER THIS MILESTONE SHALL	
	BE COMPLETED WITHIN 120 DAYS. IN THE EVENT THE PARTIES DO	
	NOT REACH AGREEMENT WITHIN THIS TIMEFRAME, THE NEGOTIATIONS	
	WILL BE RESOLVED AS A RESOLUTION OF DISPUTE VIA FINAL	
	DETERMINATION OF THE DIRECTOR OF ECOLOGY PURSUANT TO HFFACO	
	ARTICLE VIII. UNLESS OTHERWISE AGREED BY THE ECOLOGY AND DOE, THIS FINAL DETERMINATION WILL BE ISSUED WITHIN 150 DAYS	
	OF INITIATION OF NEGOTIATIONS.	
M-045-00D	INITIATE NEGOTIATION OF THE SST WASTE RETRIEVAL AND CLOSURE	01/31/2008
	ACTIVITIES FOR THE PERIOD SEPTEMBER 2008 TO SEPTEMBER 2013.	
	THERE NECOTATIONS CHAIL TAKE THE ACCOUNT VARIABLES CHART AS	
	THESE NEGOTIATIONS SHALL TAKE INTO ACCOUNT VARIABLES SUCH AS WORK IN PROGRESS, E.G., PHASE I RFI REPORTS OF ALL SST WMAS	
	(PURSUANT TO AGREEMENT MILESTONE M-45-55), CORRECTIVE	
	MEASURES STUDIES FOR ALL SST WMAS (PURSUANT TO AGREEMENT	
	MILESTONE M-45-56, DOE'S TANK WASTE TREATMENT COMPLEX	
	ACQUISITION INITIATIVE, INFORMATION PERTINANT TO, AND THE	
	OUTCOME OF THE PARTIES' WTP PROCESSING CAPACITY AND	
	SUPPLEMENTAL TREATMENT TECHNOLOGY VIABILITY NEGOTIATIONS	
	(PURSUANT TO AGREEMENT MILESTONE M-62-08), AND ENVIRONMENTAL	
	AND HUMAN HEALTH RISKS ASSOCIATED WITH RELEASES FROM DOE'S	
	SSTS. NEGOTIATIONS SHALL BE DESIGNED TO ESTABLISH A	
	SUFFICIENT NUMBER OF AGREEMENT MILESTONES AND TARGET DATES TO	
	EFFECTIVELY DRIVE EACH PHASE OF WORK INCLUDING BUT NOT	

1	M-45-04-04 CR	
	LIMITED TO: 1.) WASTE RETRIEVAL TECHNOLOGY DEVELOPMENT, 2.) RETRIEVAL PERFORMANCE EVALUATIONS, 3.) LEAK DETECTION, MONITORING, AND MITIGATION, 4.) SELECTION OF SST RETRIEVAL SEQUENCE, 5.) DESIGN, CONSTRUCTION AND OPERATION OF SST WASTE RETRIEVAL SYSTEMS, 6.) CLOSURE PLANNING AND CLOSURE PLAN DEVELOPMENT, 7.) SCHEDULES FOR WMA ANCILLARY EQUIPMENT WASTE RETRIEVAL AND CLOSURE, 8.) OTHER ACTIVITIES AS MAY BE NECESSARY TO SUPPORT WMA CLOSURES, AND 9.) ACQUISITION OF ADDITIONAL COMPLIANT STORAGE SPACE, E.G., NEW DSTS, IF NEEDED.	
	DOE, AND DOE'S CONTRACTOR(S) WILL RETRIEVE AND TRANSFER SST WASTE INTO THE DST SYSTEM AS SOON AS SPACE IS MADE AVAILABLE, ALLOWING DST SPACE FOR TREATMENT PLANT FEED STAGING AND SAFETY ISSUE RESOLUTION. TRANSFER OF SST WASTE WILL BE MADE ONCE SUFFICIENT DST SYSTEM SPACE IS AVAILABLE TO ALLOW A TRANSFER OF AN OPERATIONALLY PRACTICABLE VOLUME OF WASTE. SST WASTE WILL BE RETRIEVED ON USING THE GOALS OF REDUCING ENVIRONMENTAL RISK AND TREATMENT PROCESS OPTIMIZATION.	
	THE ECOLOGY AND DOE NEGOTIATIONS UNDER THIS MILESTONE SHALL BE COMPLETED WITHIN 150 DAYS. IN THE EVENT THE PARTIES DO NOT REACH AGREEMENT WITHIN THIS TIMEFRAME, THE NEGOTIATIONS WILL BE RESOLVED AS A RESOLUTION OF DISPUTE VIA FINAL DETERMINATION OF THE DIRECTOR OF ECOLOGY PURSUANT TO HFFACO ARTICLE VIII. UNLESS OTHERWISE AGREED BY THE ECOLOGY AND DOE, THIS FINAL DETERMINATION WILL BE ISSUED WITHIN 180 DAYS OF INITIATION OF NEGOTIATIONS.	
M-45-00E	INITIATE NEGOTIATION OF SST WASTE RETRIEVAL AND CLOSURE ACTIVITIES FOR THE REMAINDER OF THE SST PROGRAM. THESE NEGOTIATIONS WILL ESTABLISH REGULATORY REQUIREMENTS FOR THE REMAINDER OF THE SST WASTE RETRIEVAL AND CLOSURE PROGRAM (THROUGH COMPLETION OF CLOSURE AT ALL SST WMAS). NEGOTIATIONS WILL INCLUDE MODIFICATION AS MAY BE NECESSARY OF COMPLETION DATES FOR SST WASTE RETRIEVAL AND SST WMA CLOSURE BASED ON EXPERIENCE GAINED FROM PHASE I RFI REPORTS OF ALL SST WMAS (PURSUANT TO AGREEMENT MILESTONE M-45-55), CORRECTIVE MEASURES STUDIES FOR ALL SST WMAS (PURSUANT TO AGREEMENT MILESTONE M-45-56), DOE'S TANK WASTE TREATMENT COMPLEX ACQUISITION INITIATIVE, INFORMATION PERTINANT TO, AND THE OUTCOME OF THE PARTIES' WTP PROCESSING CAPACITY AND SUPPLEMENTAL TREATMENT TECHNOLOGY VIABILITY NEGOTIATIONS (PURSUANT TO AGREEMENT MILESTONE M-62-08), AND ENVIRONMENTAL AND HUMAN HEALTH RISKS ASSOCIATED WITH RELEASES FROM DOE'S SSTS.	10/31/2012
	DOE, AND DOE'S CONTRACTOR(S) WILL RETRIEVE AND TRANSFER SST WASTES INTO THE DST SYSTEM AS SOON AS SPACE IS MADE AVAILABLE, ALLOWING DST SPACE FOR TREATMENT PLANT FEED STAGING AND SAFETY ISSUE RESOLUTION. TRANSFER OF SST WASTE WILL BE MADE ONCE SUFFICIENT DST SYSTEM SPACE IS AVAILABLE TO ALLOW A TRANSFER OF AN OPERATIONALLY PRACTICABLE VOLUME OF WASTE. SST WASTE WILL BE RETRIEVED ON A PRIORITY BASIS WITH THE CRITERIA OF REDUCING ENVIRONMENTAL RISK AND TREATMENT PROCESS OPTIMIZATION. THE ECOLOGY AND DOE NEGOTIATIONS UNDER THIS MILESTONE SHALL BE COMPLETED WITHIN 120 DAYS. IN THE EVENT THE PARTIES DO	

	M-45-04-04 CK	
	NOT REACH AGREEMENT WITHIN THIS TIMEFRAME, THE NEGOTIATIONS WILL BE RESOLVED AS A RESOLUTION OF DISPUTE VIA FINAL DETERMINATION OF THE DIRECTOR OF ECOLOGY PURSUANT TO HFFACO ARTICLE VIII. UNLESS OTHERWISE AGREED BY THE ECOLOGY AND DOE, THIS FINAL DETERMINATION WILL BE ISSUED WITHIN 150 DAYS OF INITIATION OF NEGOTIATIONS.	
М-045-02М	SUBMIT BIENNIAL UPDATES TO SST RETRIEVAL SEQUENCE DOCUMENT (AGREEMENT APPENDIX I. SECTION 2.1.2), DOUBLE SHELL TANK SPACE EVALUATION DOCUMENT AND ECOLOGY CONCURRENCE OF ADDITIONAL TANK ACQUISITION. THIS PROVIDES FOR A BIENNIAL UPDATE OF A SST RETRIEVAL SEQUENCE DOCUMENT THAT WILL DEFINE THE TANK RETRIEVAL SEQUENCE, SELECTION CRITERIA AND, RATIONALE, REFERENCE RETRIEVAL SCHEDULES. THE RETRIEVAL SEQUENCE DOCUMENT WILL LIST RETRIEVAL METHODOLOGIES TO BE EMPLOYED AND ESTIMATED WASTE VOLUMES TO BE GENERATED DURING RETRIEVAL (TO BE TRANSFERRED TO THE DST'S OR OTHER AVAILABLE SAFE STORAGE). THE REFORT WILL ALSO LIST TANK SELECTION RATIONALE BASED ON THE PRIMARY OBJECTIVE OF MAXIMIZING RISK REDUCTION THROUGH THE RETRIEVAL OF MOBILE, LONG-LIVED RADIONUCLIDES OR POTENTIAL ALREORE CONTAMINANTS AND PRINCIPLE NON RADIOLOGICAL HAZARDOUS CONSTITUENTS IN A MANNER WHICH IS SENSITIVE TO WASTE TREATMENT FACILITY REQUIREMENTS AND INFRASTRUCTURE CONSTRAINTS. THE SEQUENCE NON RADIOLOGICAL HAZARDOUS CONSTITUENTS IN A MANNER WHICH IS SENSITIVE TO WASTE TREATMENT FACILITY REQUIREMENTS AND INFRASTRUCTURE CONSTRAINTS. THE SEQUENCING WILL ALSO TAKE IN CONSIDERATION DST SPACE AND DST WASTE COMPATABLILITY WHEN SELECTING THE SST RETRIEVAL SEQUENCE. TANK SELECTION FOR RETRIEVAL WILL TAKE INTO CONSIDERATION. THE BIENNIAL UPDATES WILL BE SUBMITTED TO ECOLOGY FOR APPROVAL AS AGREEMENT PRIMARY DOCUMENTS. THIS ALSO PROVIDES FOR A BIENNIEL UPDATE OF THE DOUBLE SHELL TANK SPACE EVALUATION DCUMENT. THIS NEW MILESTONE REPLACED MILESTONE M-31-02 AND SUBSEQUENTLY M-46-00K, M-46-00L, AND M- 46-00M, ETC. A TANK VOLUME PROJECTION REPORT SHALL BE SUBMITTED ON A BIENNIAL BASIS TO ECOLOGY AND EPA. THIS REPORT SHALL INCLUDE DISCUSSIONS COVERING ALL ASSUMPTIONS WHICH FORM THE BASIS OF THE PROJECTION. THE REPORT SHALL INCLUDE OR SHALL BE ACCOMPANIED BY DOE'S PLANS FOR ACQUISITION OF ADDITIONAL TANKS BASED ON THE TANK VOLUME PROJECTION. ECOLOGY CONCURRENCE OF ADDITIONAL TANK PROJECTION MITHIN 60 DAYS. WITHIN 60 DAYS OF RECEIVING THE DST TANK SPACE EVALUATION DOCU	03/01/2006 OR AS OTHERWISE INDICATED WITHIN THE DESCRIPTIVE TEXT OF THIS MILESTONE
M-045-02N	SUBMIT BIENNIAL UPDATE OF SST RETRIEVAL SEQUENCE DOCUMENT (AGREEMENT APPENDIX I. SECTION 2.1.2), AND DOUBLE SHELL TANK SPACE EVALUATION DOCUMENT AND ECOLOGY CONCURRENCE OF ADDITIONAL TANK ACQUISITION WITHIN 60 DAYS. (SEE TEXT OF M- 45-02M FOR FURTHER DETAILS).	03/01/2008
M-045-020	SUBMIT BIENNIAL UPDATE OF SST RETRIEVAL SEQUENCE DOCUMENT (AGREEMENT APPENDIX I. SECTION 2.1.2), AND DOUBLE SHELL TANK SPACE EVALUATION DOCUMENT AND ECOLOGY CONCURRENCE OF ADDITIONAL TANK ACQUISITION WITHIN 60 DAYS. (SEE TEXT OF M- 45-02M FOR FURTHER DETAILS).	03/01/2010

M-045-02P SUBMIT HIENNIAL UPDATE OF SST RETRIEVAL SEQUENCE DOCUMENT (ADEREMENT APPENDIX I. SECTION 2.1.2.), AND DOUBLE SHELL TANK SPACE EVALUATION DOCUMENT AND ECOLOGY CONCURRENCE OF ADDITIONAL TANK ACQUISITION MITHIN 60 DAYS. (SEE TEXT OF M- 45-02M FOR PURTHER DATAILS). 03/01/2012 M-045-03C COMPLETE FULL SCALE SALTCARE WASTE RETRIEVAL TECHNOLOGY (OR TECHNOLOGIES) SELECTED. SELECTED THE IDENTISON RETRIEVED TO THE DST SYSTEM TO THE IDENTISON THE RETRIEVAL TECHNOLOGY (OR TECHNOLOGIES) MUST SERK TO IMPROVE UDON THE RETRIEVED (OR TECHNOLOGIES) MUST SERK TO IMPROVE UDON THE PAST-PRACTICE SULCING BASELINE IN THE AREAS OF KERECTED RETRIEVED (OR TECHNOLOGIES) MUST SERK TO IMPROVE UDON THE PAST-PRACTICE SULCING BASELINE IN THE AREAS OF KERECTED RETRIEVED (OR TECHNOLOGIES) MUST SERK TO IMPROVE UDON THE PAST-PRACTICE SULCING BASELINE IN THE AREAS OF KERECTED RETRIEVED (OR TECHNOLOGIES) MUST SERK TO IMPROVE UDON THE PAST-PRACTICE SULCING BASELINE IN THE AREAS OF KERECTED RETRIEVAL FROM PAIL REMAINING SINGLE-SHELL TANKS. RETRIEVAL FROM ALL REMAINING SINGLE-SHELL TANKS. RETRIEVAL FROM ALL REMAINING SINGLE-SHELL TANKS. COMPLETE WASTE FROM ALL REMAINING SINGLE-SHELL TANKS. RETRIEVAL FROM ALL REMAINING SINGLE-SHELL TANKS. COMPLETE WASTE RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS. 09/30/2007 M-045-05-T06 INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS. 09/30/2008 M-045-05-T07 INITIATE TANK RETRIEVAL FROM TIC ADDITIONAL SINGLE-SHELL TANKS. 09/30/2010			
DEWONSTRATION AT SINGLE-SHELL TANK 3-112. WASTE SHALL BE REFILEVED TO THE DEST SYSTEMT TO THE LINTS OF THE TECHNOLOGY (OR TECHNOLOGIES) SELECTED. SELECTED SALTCARE RETELEVAL TECHNOLOGY (OR TECHNOLOGIES) MUST SEEK TO IMPROVE UPON THE PAST-PRACTICE SUBICING BASKLINE IN THE AREAS OF EXPECTED RETRIEVAL EFFICIENCY, LEAK LOSS BOTENTIAL, AND SUITABILITY FOR USE IN FORTMULAL STANDARDS AND COMPLETION DEFINITIONS ARE PEOVIDED UNDER TERTIEVAL FORM ALL REMAINING SINGLE-SHELL TANKS. RETRIEVAL STANDARDS AND COMPLETION DEFINITIONS ARE PEOVIDED UNDER THE MAJOR MILESTONE. THE SCHEDUE REFLECTS REFIEVAL ACTIVITIES ON A FARM-MAY MADOS FARMS IF DESIRED TO SUPPORT SAFETY ISSUE RESOLUTION, PRETREATMENT OR DISPOSAL FEED REQUIREMENTS, OR OTHER PRIORITIES. 09/30/2007 M-045-05-T05 INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS. 09/30/2008 M-045-05-T07 INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS. 09/30/2010 M-045-05-T09 INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS. 09/30/2010 M-045-05-T09 INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL 09/30/2011 09/30/2012 M-045-05-T10 INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL 09/30/2012 09/30/2012 M-045-05-T11 INITIATE TANK RETRIEVAL FROM 14 ADDITIO	M-045-02P	(AGREEMENT APPENDIX I. SECTION 2.1.2), AND DOUBLE SHELL TANK SPACE EVALUATION DOCUMENT AND ECOLOGY CONCURRENCE OF ADDITIONAL TANK ACQUISITION WITHIN 60 DAYS. (SEE TEXT OF M-	AND BIENNIALLY
SAFE STORAGE OF APPROXIMATELY 550 CURIES OF MOBILE, LONG- LIVED RADIOISOTOPES AND 99% OF TANK CONTENTS BY VOLUME (PER DOE BEST-BASIS INVENTORY DATA, 8/01/2000).M-045-05RETRIEVE MASTE FROM ALL REMAINING SINGLE-SHELL TANKS. COMPLETE WASTE RETRIEVAL FROM ALL REMAINING SINGLE-SHELL TANKS. RETRIEVAL ACTIVITIES ON A FARM-BY-FARM BASIS. IT ALSO ALLONS FLEXIBLITY TO RETRIEVE TANKS FROM VARIOUS PARMS IF DESIDENT TO SUPPORT SAFETY ISSUE RESOLUTION, PRETREATMENT OR DISPOSAL FEED REQUIREMENTS, OR OTHER PRIORITIES.09/30/2017M-045-05-705INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS.09/30/2007M-045-05-707INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS.09/30/2008M-045-05-708INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL TANKS.09/30/2010M-045-05-709INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL TANKS.09/30/2010M-045-05-710INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2010M-045-05-710INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL TANKS.09/30/2011M-045-05-710INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2012M-045-05-711INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-712INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-713INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL TANKS.09/30/2014M-045-05-714INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL TANKS.09/30/2015	M-045-03C	DEMONSTRATION AT SINGLE-SHELL TANK S-112. WASTE SHALL BE RETRIEVED TO THE DST SYSTEM TO THE LIMITS OF THE TECHNOLOGY (OR TECHNOLOGIES) SELECTED. SELECTED SALTCAKE RETRIEVAL TECHNOLOGY (OR TECHNOLOGIES) MUST SEEK TO IMPROVE UPON THE PAST-PRACTICE SLUICING BASELINE IN THE AREAS OF EXPECTED RETRIEVAL EFFICIENCY, LEAK LOSS POTENTIAL, AND SUITABILITY FOR USE IN POTENTIALLY LEAKING TANKS.	03/31/2005
COMPLETE WASTE RETRIEVAL FROM ALL REMAINING SINGLE-SHELL TANKS. RETRIEVAL STANDARDS AND COMPLETION DEFINITIONS ARE PROVIDED UNDER THE MAJOR MILESTONE. THE SCHEDULE REFLECTS RETRIEVAL ACTIVITIES ON A FARM-BY-FARM BASIS. IT ALSO ALLOWS FLEXIBILITY TO RETRIEVE TANKS FROM VARIOUS FARMS IF DESIRED TO SUPPORT SAFETY ISSUE RESOLUTION, PRETREATMENT OR DISPOSAL FEED REQUIREMENTS, OR OTHER PRIORITIES.09/30/2007M-045-05-T05INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS.09/30/2008M-045-05-T06INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS.09/30/2009M-045-05-T07INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS.09/30/2010M-045-05-T08INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL TANKS.09/30/2010M-045-05-T09INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2011M-045-05-T10INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL TANKS.09/30/2012M-045-05-T11INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL TANKS.09/30/2014M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL ADD/30/201409/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL AD/30/201509/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL AD/30/201509/30/2015		SAFE STORAGE OF APPROXIMATELY 550 CURIES OF MOBILE, LONG- LIVED RADIOISOTOPES AND 99% OF TANK CONTENTS BY VOLUME (PER	
TANKS.TANKS.M-045-05-T06INITIATE TANK RETRIEVAL FROM FIVE ADDITIONAL SINGLE-SHELL TANKS.09/30/2008M-045-05-T07INITIATE TANK RETRIEVAL FROM SEVEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2009M-045-05-T08INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL TANKS.09/30/2010M-045-05-T09INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2011M-045-05-T10INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL TANKS.09/30/2012M-045-05-T11INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL TANKS.09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL TANKS.09/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL TANKS.09/30/2015	M-045-05	COMPLETE WASTE RETRIEVAL FROM ALL REMAINING SINGLE-SHELL TANKS. RETRIEVAL STANDARDS AND COMPLETION DEFINITIONS ARE PROVIDED UNDER THE MAJOR MILESTONE. THE SCHEDULE REFLECTS RETRIEVAL ACTIVITIES ON A FARM-BY-FARM BASIS. IT ALSO ALLOWS FLEXIBILITY TO RETRIEVE TANKS FROM VARIOUS FARMS IF DESIRED TO SUPPORT SAFETY ISSUE RESOLUTION, PRETREATMENT OR DISPOSAL	09/30/2018
TANKS.O9/30/2009M-045-05-T07INITIATE TANK RETRIEVAL FROM SEVEN ADDITIONAL SINGLE-SHELL09/30/2009M-045-05-T08INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL09/30/2010M-045-05-T09INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL09/30/2011M-045-05-T10INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL09/30/2012M-045-05-T11INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL09/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2015	M-045-05-T05		09/30/2007
TANKS.O9/30/2010M-045-05-T08INITIATE TANK RETRIEVAL FROM EIGHT ADDITIONAL SINGLE-SHELL TANKS.09/30/2011M-045-05-T09INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2012M-045-05-T10INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-T11INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL TANKS.09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL TANKS.09/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL O9/30/201509/30/2015	M-045-05-T06		09/30/2008
TANKS.O9/30/2011M-045-05-T09INITIATE TANK RETRIEVAL FROM TEN ADDITIONAL SINGLE-SHELL TANKS.09/30/2012M-045-05-T10INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL TANKS.09/30/2012M-045-05-T11INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL TANKS.09/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL TANKS.09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL O9/30/201509/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2016	M-045-05-T07		09/30/2009
TANKS.O9/30/2012M-045-05-T10INITIATE TANK RETRIEVAL FROM 12 ADDITIONAL SINGLE-SHELL09/30/2013M-045-05-T11INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL09/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2015	M-045-05-T08		09/30/2010
TANKS.O9/30/2013M-045-05-T12INITIATE TANK RETRIEVAL FROM 14 ADDITIONAL SINGLE-SHELL09/30/2014M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2016	M-045-05-T09		09/30/2011
TANKS.O9/30/2014M-045-05-T12INITIATE TANK RETRIEVAL FROM 17 ADDITIONAL SINGLE-SHELL09/30/2014M-045-05-T13INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2016	M-045-05-T10		09/30/2012
TANKS.O9/30/2015M-045-05-T14INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL09/30/2016	M-045-05-T11		09/30/2013
TANKS. M-045-05-T14 INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL 09/30/2016	M-045-05-T12		09/30/2014
	M-045-05-T13		09/30/2015
	M-045-05-T14		09/30/2016

	M-45-04-04 CR	
M-045-05-T15	INITIATE TANK RETRIEVAL FROM 20 ADDITIONAL SINGLE-SHELL TANKS.	09/30/2017
M-045-05A	COMPLETE INITIAL WASTE RETRIEVAL FROM TANK S-102.	03/31/2005
	THE S-102 INITIAL WASTE RETRIEVAL TECHNOLOGY (OR TECHNOLOGIES) WILL BE SELECTED BASED ON THE PRINCIPLE CRITERIA OF MAXIMIZING THE RETRIEVAL OF MOBILE, LONG-LIVED RADIOISOTOPES AND NON-RADIOLOGICAL HAZARDOUS CONSTITUENTS. THE PARTIES RECOGNIZE AND AGREE THAT THIS ACTION IS FOR INITIAL WASTE RETRIEVAL PURPOSES. COMPLETION OF THIS INITIAL RETRIEVAL SHALL BE BY APPROVAL OF DOE AND ECOLOGY.	
	GOALS OF THIS INITIAL WASTE RETRIEVAL PROJECT SHALL INCLUDE THE RETRIEVAL TO SAFE STORAGE OF APPROXIMATELY 490 CURIES OF MOBILE, LONG-LIVED RADIOISOTOPES AND MEET THE RETRIEVAL CRITERIA SET BY MILESTONE M-45-00 (PER DOE BEST-BASIS INVENTORY DATA, 8/01/2000).	
	COMPLETION OF S-102 INITIAL WASTE RETRIEVAL IS SUBJECT TO SAFE STORAGE SPACE AVAILABILITY CONSISTENT WITH M-45-00B.	
M-45-05N-T01	FINAL COMPLETION OF TANK C-106 SST RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT.	06/30/2005
	COMPLETION OF THE TANK C-106 RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT IS DEFINED AS THE COMPLETION OF NECESSARY FIELD PROJECT ACTIONS REQUIRED BY THE APPROVED C-106 WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PLAN.	
M-045-06	COMPLETE CLOSURE OF ALL SINGLE-SHELL TANK FARMS IN ACCORDANCE WITH APPROVED CLOSURE/POST CLOSURE PLAN(S).	09/30/2024
M-045-06-T03	INITIATE CLOSURE ACTIONS ON A WMA BASIS. CLOSURE SHALL FOLLOW COMPLETION OF THE RETRIEVAL ACTIONS UNDER PROPOSED MILESTONE M-45-05. CLOSURE WILL BE DEFINED IN AN APPROVED CLOSURE PLAN FOR THE DEMONSTRATION FARM. FINAL CLOSURE IS DEFINED AS ECOLOGY ACCEPTANCE OF DOE'S CERTIFICATION OF COMPLETION OF CLOSURE.	03/31/2012
M-045-06-T04	COMPLETE CLOSURE ACTIONS ON ONE WMA.	03/31/2014
M-045-13	INTERIM COMPLETION OF TANK S-112 SST WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT.	12/31/2005
	THE S-112 SST WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT WILL BE CONSIDERED INTERIM COMPLETE WHEN THE FOLLOWING CRITERIA HAVE BEEN MET:	
	 FULL SCALE WASTE RETRIEVAL HAS BEEN COMPLETED IN ACCORDANCE WITH APPLICABLE REGULATORY REQUIREMENTS INCLUDING WASHINGTON'S HAZARDOUS WASTE MANAGEMENT ACT, REQUIREMENTS SET BY THIS AGREEMENT, AND THE APPROVED S- 112 SALTCAKE WASTE RETRIEVAL TECHNOLOGY FUNCTIONS AND REQUIREMENTS DOCUMENT (DOE WILL DOCUMENT PROJECT DATA AND RESULTS IN A WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT REPORT). REMAINING WASTES HAVE BEEN ADEQUATELY CHARACTERIZED, AND A RISK ASSESSMENT, APPROVED BY ECOLOGY, HAS BEEN COMPLETED FOR RESIDUALS THAT REMAIN IN THE TANK. 	

	M-45-04-04 CK	
	 THE S-112 WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PLAN HAS BEEN SUBMITTED BY DOE AND APPROVED BY ECOLOGY, I.E. INCORPORATED INTO THE SITE-WIDE PERMIT. IF APPROPRIATE, DOE HAS REQUESTED, AND ECOLOGY HAS APPROVED AN EXCEPTION TO WASTE RETRIEVAL CRITERIA PURSUANT TO AGREEMENT APPENDIX H. 	
M-45-13-T01	FINAL COMPLETION OF TANK S-112 SST RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT. COMPLETION OF THE TANK S-112 RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT IS DEFINED AS THE COMPLETION OF NECESSARY FIELD PROJECT ACTIONS REQUIRED BY THE APPROVED S- 112 WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PLAN.	12/30/2006
M-45-15	 INTERIM COMPLETION OF TANK S-102 SST WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT. THE S-102 SST WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT WILL BE CONSIDERED INTERIM COMPLETE WHEN THE FOLLOWING CRITERIA HAVE BEEN MET: 1. FULL SCALE WASTE RETRIEVAL HAS BEEN COMPLETED IN ACCORDANCE WITH APPLICABLE REGULATORY REQUIREMENTS INCLUDING WASHINGTON'S HAZARDOUS WASTE MANAGEMENT ACT, REQUIREMENTS SET BY THIS AGREEMENT, AND THE APPROVED S- 102 INITIAL WASTE RETRIEVAL FUNCTIONS AND REQUIREMENTS DOCUMENT (DOE WILL DOCUMENT PROJECT DATA AND RESULTS IN A WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT REPORT). 2. REMAINING WASTES HAVE BEEN ADEQUATELY CHARACTERIZED, AND A RISK ASSESSMENT, APPROVED BY ECOLOGY, HAS BEEN COMPLETED FOR RESIDUALS THAT REMAIN IN THE TANK. 3. THE S-102 WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PLAN HAS BEEN SUBMITTED BY DOE AND APPROVED BY ECOLOGY, I.E. INCORPORATED INTO THE SITE-WIDE PERMIT. 4. IF APPROPRIATE, DOE HAS REQUESTED, AND ECOLOGY HAS APPROVED AN EXCEPTION TO WASTE RETRIEVAL CRITERIA PURSUANT TO AGREEMENT APPENDIX H. 	12/31/2005
M-45-15-T01	FINAL COMPLETION OF TANK S-102 SST RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT. COMPLETION OF THE TANK S-102 RETRIEVAL AND CLOSURE DEMONSTRATION PROJECT IS DEFINED AS THE COMPLETION OF NECESSARY FIELD PROJECT ACTIONS REQUIRED BY THE APPROVED S- 102 WASTE RETRIEVAL AND CLOSURE DEMONSTRATION PLAN.	12/31/2006
M-045-55	SUBMIT TO ECOLOGY FOR REVIEW AND APPROVAL AS AN AGREEMENT PRIMARY DOCUMENT A PHASE 1 RFI REPORT INTEGRATING RESULTS OF DATA GATHERING ACTIVITIES AND EVALUATIONS FOR ALL SST WMAS, INCLUDING GROUNDWATER MONITORING AND IMPACTS ASSESSMENT USING HANFORD SITE GROUNDWATER MODELS, WITH CONCLUSIONS AND RECOMMENDATIONS. RESULTS FROM WMAS A-AX AND C WILL BE INCLUDED AS APPENDICES TO THE RFI ROLLUP REPORT ADDRESSING THE SST WMAS UNDER RCRA CORRECTIVE ACTION, SO THAT A SINGLE DOCUMENT CONTAINS ALL AVAILABLE INFORMATION FOR THE 200 AREA SST WMAS AND WILL SUPPORT SST RETRIEVAL AND CLOSURE.	01/31/2007
M-045-55-T03	SUBMIT TO ECOLOGY FOR REVIEW AND COMMENT AS AN AGREEMENT	07/31/2005

	M-45-04-04 CR	
	SECONDARY DOCUMENT A FIELD INVESTIGATION REPORT PURSUANT TO THE SITE-SPECIFIC SST WMA PHASE 1 RFI/CMS WORK PLAN ADDENDA FOR WMA T AND WMA TX-TY.	
M-45-55-T04	SUBMIT TO ECOLOGY FOR REVIEW AND COMMENT A DRAFT FIELD INVESTIGATION REPORT COMBINING THE RESULTS OF FIELD INVESTIGATIONS AND ANALYSIS FOR WMAS A-AX, C & U PURSUANT TO THE SITE-SPECIFIC SST WMA PHASE 1 RFI/CMS WORK PLAN ADDENDA FOR WMA A-AX, C AND U.	04/30/2006
M-045-56	COMPLETE IMPLEMENTATION OF AGREED-TO INTERIM MEASURES. SPECIFIC INTERIM MEASURES WILL BE IMPLEMENTED PURSUANT TO AGREEMENT COMMITMENTS (E.G., SEE INTERIM MILESTONE M-45-57). INTERIM MEASURES MAY ALSO BE REQUIRED BY ECOLOGY, PROPOSED BY DOE IN THE SST WMA RFI REPORT (M-45-55) (OR ENGINEERING STUDIES INCLUDING THAT ADDRESSED IN TARGET MILESTONE M-45-56- T01), OR ESTABLISHED BY AGREEMENT OF THE PARTIES AT ANY TIME DURING THE CORRECTIVE ACTION PROCESS. ALSO SEE TABLE 1 OF AGREEMENT CHANGE CONTROL FORM #M-45-98-03. ECOLOGY AND DOE AGREE, AT A MINIMUM, TO MEET YEARLY (BY JULY OR AS NEEDED TO SUPPORT ANNUAL BUDGETING) FOR THE SPECIFIC PURPOSE OF ASSESSING THE ADEQUACY OF INFORMATION, AND THE NEED FOR THE ESTABLISHMENT OF ADDITIONAL AGREEMENT INTERIM MEASURES. ADDITIONAL AGREEMENT INTERIM MEASURES SHALL BE DOCUMENTED THROUGH ESTABLISHMENT OF INTERIM MILESTONES AND	To Be Determined
M-045-58	ASSOCIATED TARGET DATES AS AGREED NECESSARY BY THE PARTIES. SUBMIT TO ECOLOGY FOR REVIEW AND APPROVAL AS AN AGREEMENT PRIMARY DOCUMENT A CORRECTIVE MEASURES STUDY FOR INTERIM CORRECTIVE MEASURES FOR ALL SST WMA'S (PENDING RESULTS AND CONCLUSIONS IN THE PHASE 1 RFI REPORT-MILESTONE M-45-55 OR SUBSEQUENT RFI REPORTS).	06/30/2007
M-045-59	CONTROL SURFACE WATER INFILTRATION PATHWAYS AS NEEDED TO CONTROL OR SIGNIFICANTLY REDUCE THE LIKELIHOOD OF MIGRATION OF SUBSURFACE CONTAMINATION TO GROUNDWATER AT THE SST WMAS (PENDING THE CMS REPORT, MILESTONE M-45-58, AND IMPLEMENTATION OF OTHER INTERIM CORRECTIVE MEASURES. DECISIONS ON CONTROLLING SURFACE WATER INFILTRATION PATHWAYS WILL BE MADE BY EVALUATING THE ROLE OF SURFACE WATER INFILTRATION AND THE TRANSPORT OF SUBSURFACE CONTAMINATION TO GROUNDWATER. BASED ON THE CORRECTIVE MEASURES STUDY (M-45- 58) INTERIM SURFACE BARRIERS AND/OR OTHER INFILTRATION CONTROLS MAY BE REQUIRED.	To Be Determined
M-045-60	SUBMIT TO ECOLOGY FOR REVIEW AND APPROVAL AS AN AGREEMENT PRIMARY DOCUMENT DOE'S RFI/CMS WORK PLAN FOR ALL SST WMAS. THIS RFI/CMS WORK PLAN SHALL DOCUMENT THE ADDITIONAL INTERIM MEASURES AND FURTHER INVESTIGATIONS NEEDED FOR DECISIONS ON RETRIEVAL, CLOSURE, AND CORRECTIVE MEASURES FOR ALL SST WMAS.	09/30/2007