

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 27

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 27

Facility Name: Dresden 3 Docket (050- 00249)

Details	Department	Work Type	Docket/Report
Communication / IR			
160 - No communication / information not communicated	O - Operations	O - Control Room Ops	050-00249/2006-010
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
<hr/>			
Human-System Interface & Environmnt / IR			
173 - Physical conditions LTA	O - Operations	O - Control Room Ops	050-00249/2006-010
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
<hr/>			
Procedures & Reference Document / IR			
113 - Procedure / reference document development and maintenance L	G - Engineering	T - Testing	050-00249/2006-010
Number of Items for this Docket: 1			
Percent of Total for this Docket: 4			
<hr/>			
Problem Identification & Resolution / IR			
145 - Causal development LTA	G - Engineering	G - Design	050-00249/2005-014
146 - Evaluation LTA	G - Engineering	G - Design	050-00249/2006-012
150 - Programmatic deficiency	M - Mechanical	F - Modification	050-00249/2006-003
Number of Items for this Docket: 3			
Percent of Total for this Docket: 11			
<hr/>			
Work Planning & Practices / IR			
182 - Work package quality LTA	E - Electrical	M - Maintenance / Repair	050-00249/2005-013
183 - Pre-job activities LTA	H - Health Physics	H - Health Physics	050-00249/2005-013
185 - Procedural adherence LTA	M - Mechanical	F - Modification	050-00249/2006-003
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00249/2006-007
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00249/2006-007
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00249/2006-010
187 - Action implementation LTA	G - Engineering	F - Modification	050-00249/2006-012
187 - Action implementation LTA	G - Engineering	G - Design	050-00249/2006-007
187 - Action implementation LTA	G - Engineering	G - Design	050-00249/2006-010
187 - Action implementation LTA	G - Engineering	G - Design	050-00249/2006-012
188 - Work practice or craft skill LTA	G - Engineering	G - Design	050-00249/2005-013
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00249/2005-013
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00249/2006-010

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 27

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 27

Facility Name: Dresden 3 Docket (050- 00249)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
188 - Work practice or craft skill LTA	M - Mechanical	T - Testing	050-00249/2006-003
190 - Failure to stop work / non-conservative decision making	O - Operations	O - Control Room Ops	050-00249/2006-007
190 - Failure to stop work / non-conservative decision making	O - Operations	O - Control Room Ops	050-00249/2006-007
196 - Independent verification / plant tours LTA	G - Engineering	G - Design	050-00249/2005-014
196 - Independent verification / plant tours LTA	O - Operations	O - Control Room Ops	050-00249/2006-007
196 - Independent verification / plant tours LTA	O - Operations	O - Control Room Ops	050-00249/2006-007
196 - Independent verification / plant tours LTA	O - Operations	O - Control Room Ops	050-00249/2006-010
Number of Items for this Docket: 21			
Percent of Total for this Docket: 78			

Total Items for this Docket: 27
