

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 3662
National Average: 35
2x National Average: 70
National Median: 21
Average for Selected Dockets: 35

Facility Name: Palo Verde 3 Docket (050- 00530)

Details	Department	Work Type	Docket/Report
Communication / IR			
160 - No communication / information not communicated	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
160 - No communication / information not communicated	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
Number of Items for this Docket: 2			
Percent of Total for this Docket: 6			
Human-System Interface & Environmnt / IR			
170 - HSI or information availability / quality LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
Number of Items for this Docket: 1			
Percent of Total for this Docket: 3			
Problem Identification & Resolution / IR			
146 - Evaluation LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
146 - Evaluation LTA	O - Operations	O - Control Room Ops	050-00530/2007-005
146 - Evaluation LTA	O - Operations	O - Control Room Ops	050-00530/2007-005
147 - Individual corrective action LTA	G - Engineering	G - Design	050-00530/2007-005
147 - Individual corrective action LTA	O - Operations	O - Control Room Ops	050-00530/2007-005
147 - Individual corrective action LTA	O - Operations	O - Control Room Ops	050-00530/2007-005
150 - Programmatic deficiency	G - Engineering	G - Design	050-00530/2007-005
Number of Items for this Docket: 7			
Percent of Total for this Docket: 19			
Training / IR			
102 - Individual knowledge LTA	G - Engineering	G - Design	050-00530/2007-005
Number of Items for this Docket: 1			
Percent of Total for this Docket: 3			
Work Planning & Practices / IR			
180 - Scheduling and planning LTA	G - Engineering	G - Design	050-00530/2007-005
181 - Inadequate staffing / task allocation	G - Engineering	G - Design	050-00530/2007-005
182 - Work package quality LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
183 - Pre-job activities LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
183 - Pre-job activities LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
183 - Pre-job activities LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
183 - Pre-job activities LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
185 - Procedural adherence LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 3662

National Average: 35

2x National Average: 70

National Median: 21

Average for Selected Dockets: 35

Facility Name: Palo Verde 3 Docket (050- 00530)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00530/2007-005
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00530/2007-005
186 - Failure to take action / meet requirements	H - Health Physics	H - Health Physics	050-00530/2007-005
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00530/2007-005
190 - Failure to stop work / non-conservative decision making	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
190 - Failure to stop work / non-conservative decision making	O - Operations	O - Control Room Ops	050-00530/2007-005
190 - Failure to stop work / non-conservative decision making	O - Operations	O - Control Room Ops	050-00530/2007-005
194 - Housekeeping LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005
197 - Self-check LTA	M - Mechanical	M - Maintenance / Repair	050-00530/2007-005

Number of Items for this Docket: 25

Percent of Total for this Docket: 69

Total Items for this Docket: 36
